

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29178 | -0.28494 | -0.29236 | -0.28882 | -0.28638 | -0.28882 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21878 | -0.21461 | -0.22028 | -0.21771 | -0.21509 | -0.21777 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.36966 | -0.36221 | -0.37146 | -0.36694 | -0.36224 | -0.3667 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0.00E+00 | 0.00E+00 |
| 1-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.63077 | -0.64505 | -0.63126 | -0.64728 | -0.63892 | -0.6308 | -0.63892 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.41788 | -0.42703 | -0.41824 | -0.42908 | -0.42358 | -0.41815 | -0.42358 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0.00E+00 | -4.80E-02 | -4.86E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.04E-01 | -1.06E-01 | -1.05E-01 | -1.08E-01 | -1.06E-01 | -1.05E-01 | -1.07E-01 | 0.00E+00 | 0.00E+00 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -4.03E-02 | 0.00E+00 | 0.00E+00 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60733 | -0.62112 | -0.60782 | -0.62335 | -0.61548 | -0.60767 | -0.61523 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69864 | -0.71463 | -0.69901 | -0.71716 | -0.7077 | -0.69843 | -0.70752 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.04E-01 | -1.07E-01 | -1.05E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | 0 | 0 | 0 | -0.16739 | -0.17091 | -0.16788 | -0.17224 | -0.17035 | -0.16821 | -0.17041 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | 0 | 0 | 0 | -0.81339 | -0.83206 | -0.81375 | -0.83453 | -0.82367 | -0.81323 | -0.82324 | -0.81348 | -0.81641 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -2.19E-01 | -2.25E-01 | -2.19E-01 | -2.25E-01 | -2.23E-01 | -2.21E-01 | -2.22E-01 | 0.00E+00 | 0.00E+00 |
| 1-552 | Optimization Refrigeration | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.52E-01 | -5.65E-01 | -5.53E-01 | -5.67E-01 | -5.60E-01 | -5.52E-01 | -5.60E-01 | -5.53E-01 | -5.55E-01 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.93E-01 | -1.98E-01 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|---|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.15E-02 | -5.23E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.27E-02 | -0.05347 | -5.27E-02 | -5.27E-02 |
| 1-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -1.37E-01 | -1.40E-01 | -1.38E-01 | -1.41E-01 | -1.40E-01 | -1.38E-01 | -1.40E-01 | 0.00E+00 | 0.00E+00 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -1.66E-01 | -1.71E-01 | -1.67E-01 | -1.71E-01 | -0.16919 | -1.68E-01 | -0.16943 | -0.16724 | -0.16772 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.44E-02 | -8.69E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.71E-01 | -1.74E-01 | -1.71E-01 | -1.76E-01 | -1.74E-01 | -1.72E-01 | -1.74E-01 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.15E-02 | -0.09427 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.34E-02 | -0.09375 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.33E-01 | -4.44E-01 | -4.34E-01 | -4.45E-01 | -4.39E-01 | -4.35E-01 | -4.39E-01 | -4.34E-01 | -4.35E-01 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0.00E+00 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -6.10E-01 | -6.25E-01 | -6.10E-01 | -6.26E-01 | -6.18E-01 | -6.11E-01 | -6.18E-01 | -6.10E-01 | -6.12E-01 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0.00E+00 | 0 | -2.31E-01 | -0.2366 | -0.23111 | -2.37E-01 | -2.34E-01 | -0.23267 | -2.34E-01 | -0.23145 | -0.23218 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | 0.00E+00 | 0.00E+00 |
| 1-725 | DX Coil Cleaning | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.74E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 1-726 | Optimize Controls | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.58E-01 | -1.62E-01 | -1.59E-01 | -1.63E-01 | -1.61E-01 | -1.60E-01 | -1.61E-01 | 0.00E+00 | 0.00E+00 |
| 1-729 | Window Film (Standard) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0.00E+00 | 0.00E+00 |
| 1-730 | Roof Insulation | 0 | 0 | 0 | 0.00E+00 | 0 | -7.14E-02 | -7.25E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.24E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 1-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39676 | -0.40677 | -0.39725 | -0.40735 | -0.40234 | -0.39844 | -0.40234 | -0.39746 | -0.39893 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -3.83E-01 | -0.39114 | -3.83E-01 | -3.93E-01 | -3.88E-01 | -3.83E-01 | -3.88E-01 | -0.3833 | -0.38477 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -9.12E-01 | -9.33E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.11E-01 | -8.30E-01 | -8.11E-01 | -8.32E-01 | -8.21E-01 | -8.11E-01 | -8.21E-01 | 0.00E+00 | 0.00E+00 |
| 1-805 | Occupancy Sensor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.09E-01 | -3.17E-01 | -3.09E-01 | -3.18E-01 | -3.14E-01 | -3.11E-01 | 0.00E+00 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.05E-01 | -3.13E-01 | -0.30592 | -0.31384 | -0.31 | -0.30731 | -0.31006 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | 0 | 0.00E+00 | 0 | -2.28E-01 | -2.34E-01 | -2.29E-01 | -2.35E-01 | -2.32E-01 | -2.30E-01 | -2.32E-01 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0.00E+00 | -3.87E-01 | -3.96E-01 | -3.88E-01 | -3.98E-01 | -3.93E-01 | -3.88E-01 | -3.93E-01 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.65E-01 | -1.69E-01 | -1.66E-01 | -1.70E-01 | -1.68E-01 | -1.67E-01 | -1.68E-01 | 0.00E+00 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0 | -5.15E-02 | -5.33E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.36E-02 | -5.35E-02 | -5.27E-02 | -5.27E-02 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.12E-01 | -1.14E-01 | -1.13E-01 | -1.16E-01 | -1.15E-01 | -1.13E-01 | -1.15E-01 | -1.13E-01 | -1.14E-01 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | -8.40E-02 | -8.45E-02 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -0.06094 | -6.28E-02 | -6.16E-02 | -6.31E-02 | -6.27E-02 | -6.32E-02 | -6.27E-02 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.11136 | -0.11331 | -0.11185 | -0.11487 | -0.11371 | -0.11224 | -0.11377 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -4.12E-02 | -4.28E-02 | -4.17E-02 | -4.28E-02 | -4.27E-02 | -4.32E-02 | -4.27E-02 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.40E-02 | -5.45E-02 | -5.45E-02 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.11E-01 | -1.14E-01 | -1.12E-01 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0.00E+00 | 0 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.41E-02 | -3.42E-02 | -3.46E-02 | -3.57E-02 | -0.03558 | -3.52E-02 | -3.56E-02 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | 0 | 0.00E+00 | 0 | -6.75E-01 | -6.91E-01 | -6.76E-01 | -6.93E-01 | -0.68402 | -0.67523 | -0.68359 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.49E-01 | -4.60E-01 | -4.50E-01 | -4.62E-01 | -0.45557 | -0.44995 | -0.45557 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -9.01E-02 | -9.16E-02 | -9.07E-02 | -9.31E-02 | -0.09253 | -9.13E-02 | -9.23E-02 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0 | -5.15E-02 | -5.33E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -0.05365 | -0.05347 | -5.27E-02 | -5.27E-02 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.11246 | -0.11429 | -0.11295 | -0.11578 | -0.11475 | -0.11328 | -0.11499 | -0.11328 | -0.11377 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | -8.40E-02 | -8.45E-02 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -0.06094 | -6.28E-02 | -6.16E-02 | -6.31E-02 | -6.27E-02 | -6.32E-02 | -6.27E-02 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.11136 | -0.11429 | -0.11185 | -0.11487 | -0.11371 | -0.11328 | -0.11377 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -4.12E-02 | -4.28E-02 | -4.17E-02 | -4.28E-02 | -4.27E-02 | -4.32E-02 | -4.27E-02 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -0.05399 | -5.45E-02 | -5.45E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.11E-01 | -1.14E-01 | -1.12E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.18387 | -0.18753 | -0.18436 | -0.18909 | -0.18701 | -0.18457 | -0.18701 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.64944 | -0.66556 | -0.64992 | -0.66663 | -0.65796 | -0.65088 | -0.65771 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.74783 | -0.76492 | -0.7482 | -0.76746 | -0.75726 | -0.7478 | -0.75708 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.41434 | -0.4236 | -0.41481 | -0.4256 | -0.42017 | -0.41479 | -0.41992 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.33E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.36E-02 | -5.35E-02 | -5.27E-02 | -5.27E-02 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0.00E+00 | 0 | -1.12E-01 | -0.11575 | -1.13E-01 | -0.11578 | -1.15E-01 | -1.15E-01 | -1.15E-01 | -1.13E-01 | -1.14E-01 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | -8.40E-02 | -8.45E-02 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -0.06094 | -6.28E-02 | -6.16E-02 | -6.31E-02 | -6.27E-02 | -6.32E-02 | -6.27E-02 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.11E-01 | -1.13E-01 | -1.12E-01 | -1.15E-01 | -1.14E-01 | -1.12E-01 | -0.11377 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.12E-02 | -4.28E-02 | -4.17E-02 | -4.28E-02 | -4.27E-02 | -4.32E-02 | -4.27E-02 | 0.00E+00 | 0.00E+00 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -0.05399 | -5.45E-02 | -5.45E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.11136 | -0.11331 | -0.11185 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.47E-02 | -2.44E-02 | -0.02518 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.08E-01 | -3.16E-01 | -3.08E-01 | -3.16E-01 | -3.13E-01 | -3.10E-01 | -3.12E-01 | 0.00E+00 | 0.00E+00 |
| 2-502 | Drying (UV/IR) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.77E-01 | -5.90E-01 | -5.77E-01 | -5.92E-01 | -5.84E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.93E-01 | -1.97E-01 | -0.19363 | -0.19885 | -0.19647 | -0.19403 | -0.19653 | -0.19409 | -0.19458 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.40E-02 | -5.57E-02 | -5.45E-02 | -5.60E-02 | -5.57E-02 | -5.62E-02 | -5.59E-02 | -5.49E-02 | -5.52E-02 |
| 2-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -1.77E-01 | -1.81E-01 | -1.77E-01 | -1.82E-01 | -0.17993 | -0.17865 | -1.80E-01 | 0.00E+00 | 0.00E+00 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.14395 | -0.14798 | -0.14444 | -0.14825 | -0.14697 | -0.146 | -0.14673 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.66E-01 | -1.69E-01 | -1.67E-01 | -1.71E-01 | -1.69E-01 | -0.16693 | -1.69E-01 | -0.16724 | -0.16772 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0.00E+00 | 0 | -1.79E-01 | -0.1841 | -0.1796 | -0.1842 | -0.18237 | -0.18115 | -0.18237 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0.00E+00 | 0 | -1.80E-01 | -0.1841 | -0.18082 | -0.18567 | -0.18353 | -0.18115 | -0.18359 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.61E-02 | -9.77E-02 | -9.66E-02 | -9.90E-02 | -0.09808 | -9.69E-02 | -9.84E-02 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | -8.18E-02 | -8.20E-02 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.53E-01 | -4.64E-01 | -4.53E-01 | -4.65E-01 | -4.59E-01 | -4.55E-01 | -4.59E-01 | -4.54E-01 | -4.55E-01 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -9.01E-02 | -9.28E-02 | -9.07E-02 | -9.31E-02 | -0.09253 | -9.22E-02 | -9.23E-02 | -9.11E-02 | -9.16E-02 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.63895 | -0.65335 | -0.63943 | -0.65582 | -0.64716 | -0.63916 | -0.64722 | -0.6394 | -0.6416 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0.00E+00 | 0 | -2.41E-01 | -2.46E-01 | -2.42E-01 | -2.48E-01 | -2.45E-01 | -2.42E-01 | -2.45E-01 | -0.24194 | -0.24292 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0.00E+00 | 0.00E+00 |
| 2-725 | DX Coil Cleaning | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -8.08E-02 | -8.33E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.16275 | -0.16727 | -0.16324 | -0.16754 | -0.16571 | -0.16479 | -0.16577 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.64E-01 | -1.67E-01 | -1.64E-01 | -1.69E-01 | -1.67E-01 | -1.65E-01 | -1.67E-01 | 0.00E+00 | 0.00E+00 |
| 2-729 | Window Film (Standard) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0.00E+00 | 0.00E+00 |
| 2-730 | Roof Insulation | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.39E-02 | -7.60E-02 | -7.44E-02 | -7.63E-02 | -0.07587 | -0.07587 | -7.57E-02 | -7.47E-02 | -7.50E-02 |
| 2-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -4.12E-01 | -4.21E-01 | -4.13E-01 | -0.42322 | -0.41772 | -0.41229 | -0.41748 | -0.4126 | -0.41406 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.4014 | -0.41165 | -0.40187 | -0.41217 | -0.40698 | -0.40302 | -0.40698 | -0.4021 | -0.40356 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.92337 | -0.94461 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0.00E+00 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | 0 | 0.00E+00 | 0 | -8.68E-01 | -8.90E-01 | -8.69E-01 | -8.91E-01 | -8.79E-01 | -8.69E-01 | -8.79E-01 | 0.00E+00 | 0.00E+00 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|---|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 2-805 | Occupancy Sensor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.32E-01 | -3.40E-01 | -3.33E-01 | -3.41E-01 | -3.37E-01 | -3.33E-01 | 0.00E+00 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | 0 | 0 | 0 | -0.18961 | -0.19461 | -0.19009 | -0.19513 | -0.19312 | -0.19165 | -0.19287 | -0.19067 | -0.19116 |
| 3-101 | Compressed Air-O&M | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -2.92E-01 | -2.98E-01 | -2.92E-01 | -2.99E-01 | -2.96E-01 | -2.92E-01 | -2.96E-01 | 0.00E+00 | 0.00E+00 |
| 3-102 | Compressed Air - Controls | 0 | 0 | 0 | 0.00E+00 | 0 | -2.19E-01 | -2.23E-01 | -2.19E-01 | -2.25E-01 | -2.23E-01 | -2.20E-01 | -2.22E-01 | 0.00E+00 | 0.00E+00 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -3.69E-01 | -3.77E-01 | -0.36917 | -0.37878 | -0.37396 | -0.36932 | -0.37378 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -1.57E-01 | -1.61E-01 | -1.58E-01 | -1.61E-01 | -1.60E-01 | -1.59E-01 | -1.60E-01 | 0.00E+00 | 0.00E+00 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.93E-02 | -5.11E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.15E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.06E-01 | -1.08E-01 | -0.10696 | -1.10E-01 | -1.09E-01 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0.00E+00 | 0.00E+00 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0.00E+00 | 0 | -1.06E-01 | -1.10E-01 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -4.03E-02 | 0.00E+00 | 0.00E+00 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.33E-02 | -5.20E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -1.06E-01 | -1.08E-01 | -1.07E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -0.02518 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | 0 | 0.00E+00 | 0 | -3.16E-02 | -3.18E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | 0 | 0.00E+00 | 0 | -6.42E-01 | -6.58E-01 | -6.43E-01 | -6.60E-01 | -6.51E-01 | -6.44E-01 | -6.51E-01 | 0.00E+00 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -4.27E-01 | -4.38E-01 | -4.28E-01 | -4.39E-01 | -0.43335 | -4.29E-01 | -4.33E-01 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -8.55E-02 | -8.82E-02 | -8.60E-02 | -8.85E-02 | -8.76E-02 | -8.76E-02 | -8.76E-02 | 0.00E+00 | 0.00E+00 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.93E-02 | -5.11E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.15E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -0.10843 | -1.07E-01 | -1.10E-01 | -0.10889 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | -0.07935 | -7.98E-02 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -1.08E-01 | -1.07E-01 | -1.10E-01 | -1.09E-01 | -1.08E-01 | -1.09E-01 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -4.03E-02 | 0.00E+00 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.15E-02 | -5.33E-02 | -5.20E-02 | 0.00E+00 | 0.00E+00 | 0 | 0.00E+00 | 0.00E+00 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -0.10843 | -1.07E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.47E-02 | -2.44E-02 | -0.02518 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | 0 | 0 | 0 | -0.36868 | -0.37674 | -0.36917 | -0.37878 | -0.37396 | -0.36932 | -0.37378 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17569 | -0.17899 | -0.17618 | -0.18073 | -0.17865 | -0.17651 | -0.17871 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.61905 | -0.63431 | -0.61952 | -0.63562 | -0.6272 | -0.6203 | -0.62695 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -7.13E-01 | -7.30E-01 | -7.13E-01 | -7.32E-01 | -0.72186 | -0.71387 | -0.72144 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.39444 | -0.40311 | -0.39481 | -0.40509 | -0.40009 | -0.39502 | -0.3999 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.93E-02 | -5.11E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.15E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | -0.07935 | -7.98E-02 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.15E-02 | -5.33E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.47E-02 | -2.44E-02 | -0.02518 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | 0 | 0 | 0 | -0.99112 | -1.01541 | -0.99149 | -1.01715 | -1.00366 | -0.99188 | -1.00317 | -0.99146 | -0.99463 |
| 3-404 | Replace V-Belts | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | -0.10504 | -0.10425 | -0.10394 | -0.10425 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | 0 | 0 | 0 | -5.86E-02 | -5.94E-02 | -5.91E-02 | -6.07E-02 | -6.03E-02 | -5.95E-02 | -6.05E-02 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | 0 | 0 | 0 | -0.44351 | -0.45364 | -0.444 | -0.45569 | -0.44971 | -0.44385 | -0.44971 | -0.44434 | -0.4458 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -1.93E-01 | -0.19827 | -1.94E-01 | -0.19885 | -1.96E-01 | -1.95E-01 | -1.97E-01 | -1.94E-01 | -1.95E-01 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.29E-02 | -5.33E-02 | -5.34E-02 | -5.48E-02 | -5.44E-02 | -0.05365 | -5.44E-02 | -5.37E-02 | -5.40E-02 |
| 3-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -1.77E-01 | -1.80E-01 | -1.77E-01 | -1.82E-01 | -1.80E-01 | -1.78E-01 | -1.80E-01 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -1.41E-01 | -1.43E-01 | -1.41E-01 | -1.45E-01 | -1.43E-01 | -1.41E-01 | -1.43E-01 | 0.00E+00 | 0.00E+00 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | -0.16724 | -0.16772 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -8.55E-02 | -8.69E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -1.77E-01 | -0.18143 | -0.17728 | -0.18195 | -0.17993 | -0.17865 | -0.17993 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.37E-02 | -9.65E-02 | -9.41E-02 | -9.67E-02 | -9.59E-02 | -9.59E-02 | -9.59E-02 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -0.07935 | -7.98E-02 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.44351 | -0.45364 | -0.444 | -0.45569 | -0.44971 | -0.44385 | -0.44971 | -0.44434 | -0.4458 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -6.24E-01 | -6.39E-01 | -6.24E-01 | -6.40E-01 | -6.32E-01 | -6.25E-01 | -6.32E-01 | -0.62427 | -0.62646 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -2.35E-01 | -2.40E-01 | -2.36E-01 | -2.42E-01 | -0.2392 | -2.36E-01 | -2.39E-01 | -0.23608 | -0.23682 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -0.07742 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -8.08E-02 | -8.33E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.16043 | -0.1636 | -0.1608 | -0.16516 | -0.16333 | -0.16132 | -0.16333 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.16275 | -0.1658 | -0.16324 | -0.16754 | -0.16571 | -0.16357 | -0.16577 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -7.27E-02 | -7.50E-02 | -7.32E-02 | -7.53E-02 | -7.47E-02 | -7.50E-02 | -7.47E-02 | -7.37E-02 | -7.37E-02 |
| 3-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.40614 | -0.41531 | -0.40652 | -0.41705 | -0.41187 | -0.40643 | -0.41187 | -0.40674 | -0.4082 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.39212 | -0.40067 | -0.39261 | -0.40271 | -0.39764 | -0.39258 | -0.39771 | -0.39282 | -0.39404 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.93619 | -0.95901 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -8.27E-01 | -0.84622 | -8.28E-01 | -8.49E-01 | -8.38E-01 | -8.27E-01 | -8.38E-01 | 0.00E+00 | 0.00E+00 |
| 3-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31485 | -0.32278 | -0.31534 | -0.32355 | -0.31952 | -0.31659 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.2869 | -0.29398 | -0.28726 | -0.2948 | -0.2912 | -0.28851 | -0.29102 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21878 | -0.21461 | -0.22028 | -0.21771 | -0.21509 | -0.21777 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.36282 | -0.37088 | -0.36331 | -0.37262 | -0.3681 | -0.36322 | -0.36816 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15457 | -0.1575 | -0.15506 | -0.15906 | -0.15747 | -0.15521 | -0.15747 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -3.16E-02 | -0.03177 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.63309 | -0.64749 | -0.63345 | -0.64972 | -0.6413 | -0.63324 | -0.64111 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.41544 | -0.42581 | -0.41592 | -0.42664 | -0.42133 | -0.41724 | -0.42114 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -0.08438 | -8.69E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.64E-02 | -8.64E-02 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17325 | -0.17801 | -0.17374 | -0.17834 | -0.17651 | -0.17529 | -0.17627 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60977 | -0.62357 | -0.61014 | -0.62585 | -0.61761 | -0.6098 | -0.61768 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.70108 | -0.71805 | -0.70145 | -0.7193 | -0.70996 | -0.70215 | -0.70972 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38858 | -0.39847 | -0.38907 | -0.39899 | -0.39404 | -0.39032 | -0.39404 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.27E-02 | -5.22E-02 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | 0 | 0 | 0 | -1.38E-01 | -1.41E-01 | -1.39E-01 | -1.42E-01 | -1.41E-01 | -1.39E-01 | -0.14087 | -1.39E-01 | -1.39E-01 |
| 4-407 | High Consistency forming | 0 | 0 | 0 | 0 | 0 | -0.13235 | -0.13602 | -0.13284 | -0.13629 | -0.13495 | -0.13428 | -0.13501 | -0.1333 | -0.13379 |
| 4-408 | Optimization control PM | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -1.93E-01 | -0.19827 | -1.94E-01 | -1.99E-01 | -1.96E-01 | -1.95E-01 | -1.97E-01 | -1.94E-01 | -1.95E-01 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 4-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -1.77E-01 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -1.36E-01 | -0.13846 | -0.13625 | -0.14001 | -0.13867 | -0.13672 | -0.13843 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -1.66E-01 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -1.69E-01 | -1.72E-01 | -0.1691 | -0.17371 | -0.17157 | -0.16943 | -0.17163 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17313 | -0.17032 | -0.17462 | -0.17279 | -0.17065 | -0.17285 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.01E-02 | -9.28E-02 | -9.07E-02 | -9.31E-02 | -0.09253 | -9.22E-02 | -9.23E-02 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -7.81E-02 | -7.71E-02 | -7.74E-02 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.42715 | -0.43802 | -0.42764 | -0.43878 | -0.43335 | -0.42865 | -0.43311 | -0.42798 | -0.4292 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.60269 | -0.61771 | -0.60306 | -0.61871 | -0.61084 | -0.60394 | -0.61035 | -0.60327 | -0.60522 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.2283 | -0.23294 | -0.22879 | -0.23474 | -0.23187 | -0.22894 | -0.23193 | -0.229 | -0.22998 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -7.39E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15872 | -0.15616 | -0.16052 | -0.15863 | -0.15668 | -0.15869 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15872 | -0.15616 | -0.16052 | -0.15863 | -0.15668 | -0.15869 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -7.97E-02 | -8.11E-02 | -8.02E-02 | -8.24E-02 | -8.17E-02 | -8.06E-02 | -8.18E-02 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -7.03E-02 | -7.13E-02 | -7.08E-02 | -0.07257 | -7.23E-02 | -7.12E-02 | -7.25E-02 | -7.13E-02 | -0.07153 |
| 4-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -3.92E-01 | -4.01E-01 | -3.93E-01 | -4.03E-01 | -3.98E-01 | -3.93E-01 | -3.98E-01 | -3.93E-01 | -3.94E-01 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.37796 | -0.38651 | -0.37845 | -0.38831 | -0.38354 | -0.37866 | -0.3833 | -0.37866 | -0.38013 |

| | | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.89871 | -0.92068 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.81339 | -0.83206 | -0.81375 | -0.83453 | -0.82367 | -0.81323 | -0.82324 | 0 | 0 | |
| 4-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.30667 | -0.31448 | -0.30704 | -0.315 | -0.31128 | -0.30853 | 0 | 0 | 0 | |
| 4-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29056 | -0.28494 | -0.29236 | -0.28882 | -0.2851 | -0.28882 | 0 | 0 | |
| 5-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21878 | -0.21461 | -0.22028 | -0.21771 | -0.21509 | -0.21777 | 0 | 0 | |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.37088 | -0.36221 | -0.37146 | -0.36694 | -0.36322 | -0.3667 | 0 | 0 | |
| 5-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 | |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 | |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 | |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | -7.84E-02 | -7.86E-02 | |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 | |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 | |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 | |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -3.16E-02 | -0.03299 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 | |
| 5-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.63077 | -0.64505 | -0.63126 | -0.64728 | -0.63892 | -0.6308 | -0.63892 | 0 | 0 | |
| 5-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.41544 | -0.42581 | -0.41592 | -0.42664 | -0.42133 | -0.41724 | -0.42114 | 0 | 0 | |
| 5-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 | |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 | |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 | |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | -7.84E-02 | -7.86E-02 | |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 | |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 | |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 | |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 | |
| 5-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -6.07E-01 | -6.21E-01 | -6.08E-01 | -6.23E-01 | -6.15E-01 | -6.08E-01 | -6.15E-01 | 0.00E+00 | 0 | |
| 5-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69864 | -0.71463 | -0.69901 | -0.71716 | -0.7077 | -0.69843 | -0.70752 | 0 | 0 | |
| 5-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | 0 | 0 | |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 | |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 | |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | -7.84E-02 | -7.86E-02 | |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 | |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 | |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 | |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 | |
| 5-409 | Efficient practices printing press | 0 | 0 | 0 | 0 | 0 | -1.71E-01 | -1.74E-01 | -1.71E-01 | -0.17584 | -1.74E-01 | -1.72E-01 | -1.74E-01 | -0.17188 | -0.17236 | |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | 0 | 0 | |
| 5-411 | Light cylinders | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 | |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 5-412 | Efficient drives | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.15E-02 | -5.23E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.27E-02 | -0.05347 | -5.27E-02 | -5.27E-02 |
| 5-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13712 | -0.13968 | -0.1376 | -0.14124 | -0.13965 | -0.13788 | -0.13989 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -0.08438 | -8.57E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17091 | -0.17435 | -0.17142 | -0.17584 | -0.17407 | -0.17181 | -0.17407 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.15E-02 | -0.09427 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.34E-02 | -0.09375 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.43314 | -0.44388 | -0.4335 | -0.44464 | -0.43921 | -0.43451 | -0.43896 | -0.43359 | -0.4353 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.60977 | -0.62479 | -0.61014 | -0.62585 | -0.61761 | -0.61108 | -0.61768 | -0.61011 | -0.6123 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23062 | -0.23563 | -0.23111 | -0.23718 | -0.23438 | -0.2312 | -0.23438 | -0.23145 | -0.23218 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -0.07961 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.74E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16116 | -0.1586 | -0.16266 | -0.16089 | -0.15894 | -0.16113 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.14E-02 | -7.25E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.24E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 5-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39676 | -0.40555 | -0.39725 | -0.40735 | -0.40234 | -0.39716 | -0.40234 | -0.39746 | -0.39893 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39114 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | -0.3833 | -0.38477 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.91153 | -0.93387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.81094 | -0.83084 | -0.81143 | -0.83215 | -0.82123 | -0.81195 | -0.82104 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.30667 | -0.31448 | -0.30704 | -0.315 | -0.31128 | -0.30853 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28201 | -0.28812 | -0.2825 | -0.28986 | -0.28638 | -0.28265 | -0.28638 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21194 | -0.21732 | -0.21243 | -0.21783 | -0.21533 | -0.21387 | -0.21533 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.35696 | -0.36478 | -0.35745 | -0.36676 | -0.36224 | -0.35761 | -0.36206 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15213 | -0.1553 | -0.15262 | -0.1568 | -0.15521 | -0.15308 | -0.15503 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.18E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.62369 | -0.63797 | -0.62418 | -0.64026 | -0.63202 | -0.62402 | -0.63159 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -4.15E-01 | -4.26E-01 | -4.16E-01 | -4.27E-01 | -0.42133 | -4.17E-01 | -4.21E-01 | 0.00E+00 | 0.00E+00 |
| 6-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -1.04E-01 | -1.07E-01 | -1.05E-01 | -1.08E-01 | -1.06E-01 | -1.06E-01 | -0.10669 | -1.05E-01 | -1.05E-01 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -1.03E-01 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17435 | -0.17032 | -0.17462 | -0.17279 | -0.17181 | -0.17285 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -6.00E-01 | -6.14E-01 | -6.01E-01 | -6.16E-01 | -6.08E-01 | -0.60059 | -6.08E-01 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -6.90E-01 | -7.08E-01 | -6.91E-01 | -7.09E-01 | -6.99E-01 | -6.92E-01 | -6.99E-01 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -3.83E-01 | -3.91E-01 | -3.83E-01 | -0.39313 | -3.88E-01 | -3.83E-01 | -3.88E-01 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | 0 | 0 | 0 | -0.16861 | -0.17191 | -0.1691 | -0.17371 | -0.17157 | -0.16943 | -0.17163 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | 0 | 0 | 0 | -0.63553 | -0.65115 | -0.63589 | -0.65222 | -0.64374 | -0.63666 | -0.64355 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -1.34E-01 | -1.37E-01 | -1.34E-01 | -1.38E-01 | -1.36E-01 | -1.36E-01 | -1.36E-01 | 0.00E+00 | 0.00E+00 |
| 6-416 | Process Drives - ASD | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-03 | -9.06E-03 | -8.82E-03 | -9.09E-03 | -9.46E-03 | -1.07E-02 | -9.77E-03 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -1.34E-01 | -1.37E-01 | -0.13406 | -0.13751 | -0.13617 | -0.13574 | -0.13623 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 6-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13358 | -0.13724 | -0.13406 | -0.13751 | -0.13617 | -0.13574 | -0.13623 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.21E-02 | -8.33E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16739 | -0.17191 | -0.16788 | -0.17224 | -0.17035 | -0.16943 | -0.17041 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.90E-02 | -9.16E-02 | -8.95E-02 | -9.19E-02 | -9.13E-02 | -9.13E-02 | -9.13E-02 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.74E-02 | -7.55E-02 | -7.75E-02 | -7.68E-02 | -7.71E-02 | -7.71E-02 | -7.59E-02 | -7.62E-02 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.42007 | -0.42947 | -0.42068 | -0.43146 | -0.42603 | -0.42065 | -0.42578 | -0.4209 | -0.42236 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.5934 | -0.60672 | -0.59378 | -0.60895 | -0.60101 | -0.59344 | -0.60107 | -0.59375 | -0.59595 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.22476 | -0.23074 | -0.22525 | -0.23102 | -0.22852 | -0.2265 | -0.22852 | -0.22559 | -0.22632 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.39E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15872 | -0.15616 | -0.16052 | -0.15863 | -0.15668 | -0.15869 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15994 | -0.15616 | -0.16052 | -0.15863 | -0.15771 | -0.15869 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.97E-02 | -8.11E-02 | -8.02E-02 | -8.24E-02 | -8.17E-02 | -8.06E-02 | -8.18E-02 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.03E-02 | -7.13E-02 | -7.08E-02 | -7.26E-02 | -7.23E-02 | -7.12E-02 | -7.25E-02 | -7.13E-02 | -7.15E-02 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 6-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.3909 | -0.39944 | -0.39151 | -0.40149 | -0.39648 | -0.3913 | -0.39624 | -0.3916 | -0.39307 |
| 6-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.37112 | -0.37918 | -0.37149 | -0.38098 | -0.3764 | -0.37158 | -0.37622 | -0.37158 | -0.37305 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.88235 | -0.90384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.80167 | -0.8201 | -0.80203 | -0.82257 | -0.81177 | -0.80145 | -0.81152 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.30667 | -0.31326 | -0.30704 | -0.315 | -0.31128 | -0.30731 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28201 | -0.28812 | -0.2825 | -0.28986 | -0.28638 | -0.28265 | -0.28638 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21194 | -0.21732 | -0.21243 | -0.21783 | -0.21533 | -0.21387 | -0.21533 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.35696 | -0.36478 | -0.35745 | -0.36676 | -0.36224 | -0.35761 | -0.36206 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15213 | -0.1553 | -0.15262 | -0.1568 | -0.15521 | -0.15308 | -0.15503 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0.00E+00 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.54E-02 | -1.49E-02 | -1.59E-02 | -1.64E-02 | -1.65E-02 | -1.63E-02 | -1.66E-02 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.18E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -6.24E-01 | -0.63797 | -6.24E-01 | -0.64026 | -6.32E-01 | -6.24E-01 | -6.32E-01 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -4.15E-01 | -4.26E-01 | -4.16E-01 | -4.27E-01 | -4.21E-01 | -4.17E-01 | -4.21E-01 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.54E-02 | -1.49E-02 | -1.59E-02 | -1.64E-02 | -1.65E-02 | -1.63E-02 | -1.66E-02 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0.00E+00 | 0.00E+00 |
| 7-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17435 | -0.17032 | -0.17462 | -0.17279 | -0.17181 | -0.17285 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60037 | -0.61404 | -0.60086 | -0.61627 | -0.60834 | -0.60059 | -0.60791 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69046 | -0.70755 | -0.69083 | -0.70862 | -0.69946 | -0.69165 | -0.69922 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39114 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.62E-02 | -5.81E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.83E-02 | -5.81E-02 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -3.76E-02 | -3.76E-02 | -3.81E-02 | -3.91E-02 | -3.90E-02 | -3.85E-02 | -3.93E-02 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.24E-02 | -2.35E-02 | -2.29E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.54E-02 | -1.49E-02 | -1.59E-02 | -1.64E-02 | -1.65E-02 | -1.63E-02 | -1.66E-02 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | 0 | 0 | 0 | -0.35696 | -0.36478 | -0.35745 | -0.36676 | -0.36224 | -0.35761 | -0.36206 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.54E-02 | -1.49E-02 | -1.59E-02 | -1.64E-02 | -1.65E-02 | -1.63E-02 | -1.66E-02 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 7-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13358 | -0.13724 | -0.13406 | -0.13751 | -0.13617 | -0.13574 | -0.13623 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16739 | -0.17091 | -0.16788 | -0.17224 | -0.17035 | -0.16821 | -0.17041 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -9.06E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -9.01E-02 | -9.01E-02 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.60E-02 | -7.55E-02 | -7.75E-02 | -7.68E-02 | -7.59E-02 | -7.71E-02 | -7.59E-02 | -7.62E-02 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.42007 | -0.42947 | -0.42068 | -0.43146 | -0.42603 | -0.42065 | -0.42578 | -0.4209 | -0.42236 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.59219 | -0.6055 | -0.59268 | -0.60779 | -0.6001 | -0.59222 | -0.59961 | -0.59253 | -0.59473 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.22354 | -0.2283 | -0.22403 | -0.22986 | -0.22729 | -0.22437 | -0.22729 | -0.22437 | -0.22534 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.39E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15457 | -0.1575 | -0.15506 | -0.15906 | -0.15747 | -0.15521 | -0.15747 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.03E-02 | -7.25E-02 | -7.08E-02 | -7.26E-02 | -7.23E-02 | -7.24E-02 | -7.25E-02 | -7.13E-02 | -7.15E-02 |
| 7-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.39603 | -0.38797 | -0.39777 | -0.39276 | -0.38794 | -0.39282 | -0.38818 | -0.3894 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.37112 | -0.37918 | -0.37149 | -0.38098 | -0.3764 | -0.37158 | -0.37622 | -0.37158 | -0.37305 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.88126 | -0.9014 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.80167 | -0.8201 | -0.80203 | -0.82257 | -0.81177 | -0.80145 | -0.81152 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -3.07E-01 | -3.13E-01 | -3.07E-01 | -3.15E-01 | -3.11E-01 | -3.07E-01 | 0.00E+00 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -2.86E-01 | -2.93E-01 | -2.86E-01 | -2.94E-01 | -2.90E-01 | -2.87E-01 | -2.90E-01 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21976 | -0.21461 | -0.22028 | -0.21771 | -0.21625 | -0.21777 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.36966 | -0.36221 | -0.37146 | -0.36694 | -0.36224 | -0.3667 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15457 | -0.15872 | -0.15506 | -0.15906 | -0.15747 | -0.15668 | -0.15747 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.86E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 8-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -6.32E-01 | -0.64627 | -0.63235 | -0.64874 | -0.64038 | -0.63202 | -0.63989 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -4.18E-01 | -4.27E-01 | -0.41824 | -0.42908 | -0.42358 | -0.41815 | -0.42358 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.57E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.52E-02 | -8.64E-02 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.86E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -1.04E-01 | -1.06E-01 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -1.04E-01 | -0.10721 | -0.10477 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60733 | -0.62235 | -0.60782 | -0.62335 | -0.61548 | -0.60858 | -0.61523 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.70108 | -0.71805 | -0.70145 | -0.7193 | -0.70996 | -0.70215 | -0.70972 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.86E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | 0 | 0 | 0 | -0.17091 | -0.17557 | -0.17142 | -0.17584 | -0.17407 | -0.17279 | -0.17407 | -0.17188 | -0.17236 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | 0 | 0 | 0 | -0.64481 | -0.65945 | -0.64517 | -0.66193 | -0.65332 | -0.64502 | -0.65308 | -0.64526 | -0.64746 |
| 8-419 | Direct drive Extruders | 0 | 0 | 0 | 0 | 0 | -1.48E+00 | -1.52E+00 | -1.49E+00 | -1.52E+00 | -1.50E+00 | -1.48383 | -1.5022 | -1.48462 | -1.48975 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | 0 | 0 | 0 | -4.06E-01 | -4.15E-01 | -4.07E-01 | -4.17E-01 | -4.12E-01 | -4.06E-01 | -4.12E-01 | -4.07E-01 | -4.08E-01 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39114 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | -0.3833 | -0.38477 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.33E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.36E-02 | -5.35E-02 | -5.27E-02 | -5.27E-02 |
| 8-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -1.77E-01 | -1.80E-01 | -1.77E-01 | -1.82E-01 | -1.80E-01 | -1.78E-01 | -1.80E-01 | 0.00E+00 | 0.00E+00 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -1.37E-01 | -1.41E-01 | -1.38E-01 | -1.41E-01 | -1.40E-01 | -0.13886 | -1.40E-01 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -1.66E-01 | -1.71E-01 | -1.67E-01 | -1.71E-01 | -1.69E-01 | -1.68E-01 | -1.69E-01 | -0.16724 | -0.16772 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.44E-02 | -8.57E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -1.72E-01 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -1.72E-01 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.15E-02 | -9.43E-02 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.34E-02 | -9.38E-02 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.83E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.43423 | -0.4451 | -0.43472 | -0.44592 | -0.44012 | -0.43573 | -0.44019 | -0.43481 | -0.43628 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.61197 | -0.62601 | -0.61246 | -0.6283 | -0.62006 | -0.6123 | -0.61987 | -0.61255 | -0.61475 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23062 | -0.2366 | -0.23111 | -0.23718 | -0.23438 | -0.23267 | -0.23438 | -0.23145 | -0.23218 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 8-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.14E-02 | -7.38E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.37E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 8-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39676 | -0.40677 | -0.39725 | -0.40735 | -0.40234 | -0.39844 | -0.40234 | -0.39746 | -0.39893 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -3.83E-01 | -3.91E-01 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | -0.3833 | -0.38477 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.91397 | -0.93509 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.81339 | -0.83304 | -0.81375 | -0.83453 | -0.82367 | -0.81421 | -0.82324 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31021 | -0.31693 | -0.31058 | -0.31873 | -0.31488 | -0.31079 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0.00E+00 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 9-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29056 | -0.28494 | -0.29236 | -0.28882 | -0.2851 | -0.28882 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21878 | -0.21461 | -0.22028 | -0.21771 | -0.21509 | -0.21777 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.37088 | -0.36221 | -0.37146 | -0.36694 | -0.36322 | -0.3667 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.62967 | -0.64383 | -0.63016 | -0.64636 | -0.63788 | -0.62964 | -0.63745 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.42142 | -0.43069 | -0.42178 | -0.43268 | -0.42719 | -0.42188 | -0.42725 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | -0.10876 | -0.10785 | -0.10638 | -0.10791 | -0.10645 | -0.10669 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60513 | -0.62015 | -0.6055 | -0.62097 | -0.61298 | -0.6062 | -0.61279 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69864 | -0.71463 | -0.69901 | -0.71716 | -0.7077 | -0.69843 | -0.70752 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.39603 | -0.38797 | -0.39777 | -0.39276 | -0.38794 | -0.39282 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | -0.10876 | -0.10785 | -0.10638 | -0.10791 | -0.10645 | -0.10669 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -1.04E-01 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | 0 | 0 | 0 | -4.11E-01 | -0.42117 | -4.11E-01 | -0.422 | -0.41669 | -0.41229 | -0.4165 | -0.41162 | -0.41284 |
| 9-423 | Process control | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | 0 | 0 | 0 | -1.74E-01 | -0.17801 | -1.75E-01 | -1.80E-01 | -1.77E-01 | -1.75E-01 | -1.77E-01 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -6.57E-02 | -6.77E-02 | -6.62E-02 | -6.80E-02 | -6.76E-02 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.27E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 9-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13467 | -0.13846 | -0.13516 | -0.13879 | -0.13739 | -0.13672 | -0.13745 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.57E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16861 | -0.17313 | -0.1691 | -0.17371 | -0.17157 | -0.17065 | -0.17163 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17435 | -0.17032 | -0.17462 | -0.17279 | -0.17181 | -0.17285 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -9.01E-02 | -9.28E-02 | -9.07E-02 | -9.31E-02 | -9.25E-02 | -9.22E-02 | -9.23E-02 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -7.71E-02 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.42715 | -0.43802 | -0.42764 | -0.43878 | -0.43335 | -0.42865 | -0.43311 | -0.42798 | -0.4292 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -6.03E-01 | -6.16E-01 | -6.03E-01 | -6.19E-01 | -6.11E-01 | -0.60303 | -6.10E-01 | -6.03E-01 | -6.05E-01 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.22708 | -0.23294 | -0.22755 | -0.23346 | -0.2309 | -0.22894 | -0.23071 | -0.22803 | -0.22876 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.83E-02 | -7.93E-02 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.39E-02 | -7.50E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.84E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15994 | -0.15616 | -0.16052 | -0.15863 | -0.15771 | -0.15869 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15994 | -0.15616 | -0.16052 | -0.15863 | -0.15771 | -0.15869 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.97E-02 | -8.11E-02 | -8.02E-02 | -8.24E-02 | -8.17E-02 | -8.06E-02 | -8.18E-02 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.03E-02 | -7.13E-02 | -7.08E-02 | -7.26E-02 | -7.23E-02 | -7.12E-02 | -7.25E-02 | -7.13E-02 | -7.15E-02 |
| 9-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.3909 | -0.39944 | -0.39151 | -0.40149 | -0.39648 | -0.3913 | -0.39624 | -0.3916 | -0.39307 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.37796 | -0.38748 | -0.37845 | -0.38831 | -0.38354 | -0.37958 | -0.3833 | -0.37866 | -0.38013 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.89761 | -0.91824 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.80985 | -0.82962 | -0.81021 | -0.83093 | -0.82007 | -0.81073 | -0.81982 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31131 | -0.31815 | -0.3118 | -0.31995 | -0.3161 | -0.31195 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.29153 | -0.29886 | -0.29202 | -0.29944 | -0.29584 | -0.29321 | -0.29565 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21889 | -0.22342 | -0.21939 | -0.22516 | -0.22266 | -0.21973 | -0.22241 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.36868 | -0.37674 | -0.36917 | -0.37878 | -0.37396 | -0.36932 | -0.37378 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16116 | -0.1586 | -0.16266 | -0.16089 | -0.15894 | -0.16113 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.93E-02 | -4.98E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.02E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10843 | -0.10696 | -0.10992 | -0.10889 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10843 | -0.10696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.64249 | -0.65823 | -0.64297 | -0.65955 | -0.65088 | -0.64374 | -0.65063 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.42715 | -0.4368 | -0.42764 | -0.43878 | -0.43335 | -0.42773 | -0.43311 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | -8.60E-02 | -8.85E-02 | -8.76E-02 | -8.64E-02 | -8.76E-02 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.93E-02 | -4.98E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.02E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -1.08E-01 | -1.07E-01 | -1.10E-01 | -1.09E-01 | -1.08E-01 | -1.09E-01 | -1.07E-01 | -1.08E-01 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -1.08E-01 | -1.07E-01 | -1.10E-01 | -1.09E-01 | -1.08E-01 | -0.10889 | 0.00E+00 | 0.00E+00 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.61905 | -0.63333 | -0.61952 | -0.63562 | -0.6272 | -0.61908 | -0.62695 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.71268 | -0.72903 | -0.71317 | -0.73157 | -0.72186 | -0.71265 | -0.72144 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.39444 | -0.40433 | -0.39481 | -0.40509 | -0.40009 | -0.39594 | -0.3999 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -4.93E-02 | -4.98E-02 | -4.98E-02 | -5.11E-02 | -5.10E-02 | -5.02E-02 | -5.10E-02 | -5.03E-02 | -5.03E-02 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -1.06E-01 | -1.10E-01 | -1.07E-01 | -1.10E-01 | -1.09E-01 | -1.09E-01 | -0.10889 | -0.10742 | -0.10791 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.57E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.52E-02 | -8.64E-02 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.57E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.52E-02 | -8.64E-02 | -8.54E-02 | -8.54E-02 |
| 10-426 | Efficient drives - rolling | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -9.83E-02 | -0.10013 | -9.90E-02 | -0.10168 | -0.10052 | -9.93E-02 | -0.10059 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | 0 | 0 | 0 | -0.17923 | -0.18265 | -0.1796 | -0.1842 | -0.18237 | -0.17993 | -0.18237 | -0.17993 | -0.18066 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.29E-02 | -3.30E-02 | -3.34E-02 | -3.42E-02 | -3.44E-02 | -3.39E-02 | -3.44E-02 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | 0 | 0 | 0 | -0.21889 | -0.22342 | -0.21939 | -0.22516 | -0.22266 | -0.21973 | -0.22241 | -0.21973 | -0.22046 |
| 10-508 | Heating - Process Control | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.57E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.52E-02 | -8.64E-02 | -8.54E-02 | -8.54E-02 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.33E-02 | -5.34E-02 | -5.48E-02 | -5.44E-02 | -5.36E-02 | -5.44E-02 | -5.37E-02 | -5.40E-02 |
| 10-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.14066 | -0.14432 | -0.14102 | -0.14465 | -0.14325 | -0.14258 | -0.14331 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | -0.16724 | -0.16772 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17899 | -0.17496 | -0.17957 | -0.17743 | -0.17651 | -0.17749 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18143 | -0.17728 | -0.18195 | -0.17993 | -0.17865 | -0.17993 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.37E-02 | -9.65E-02 | -9.41E-02 | -9.67E-02 | -9.59E-02 | -9.59E-02 | -9.59E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.44351 | -0.45364 | -0.444 | -0.45569 | -0.44971 | -0.44385 | -0.44971 | -0.44434 | -0.4458 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.62491 | -0.64041 | -0.6254 | -0.64142 | -0.63306 | -0.62616 | -0.63281 | -0.62549 | -0.62769 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23526 | -0.24149 | -0.23575 | -0.24207 | -0.2392 | -0.2373 | -0.23901 | -0.23608 | -0.23682 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.16043 | -0.1636 | -0.1608 | -0.16516 | -0.16333 | -0.16132 | -0.16333 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.16275 | -0.1658 | -0.16324 | -0.16754 | -0.16571 | -0.16357 | -0.16577 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.39E-02 | -7.60E-02 | -7.44E-02 | -7.63E-02 | -7.59E-02 | -7.59E-02 | -7.57E-02 | -7.47E-02 | -7.50E-02 |
| 10-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.40614 | -0.41629 | -0.40652 | -0.41705 | -0.41187 | -0.40765 | -0.41187 | -0.40674 | -0.4082 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.39212 | -0.40213 | -0.39261 | -0.40271 | -0.39764 | -0.3938 | -0.39771 | -0.39282 | -0.39404 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.93729 | -0.95901 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.82742 | -0.84769 | -0.82779 | -0.84894 | -0.83789 | -0.82831 | -0.83765 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31607 | -0.32278 | -0.31656 | -0.32483 | -0.32074 | -0.31659 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28799 | -0.29544 | -0.28848 | -0.29572 | -0.29224 | -0.28973 | -0.29224 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21658 | -0.22244 | -0.21707 | -0.22278 | -0.22015 | -0.21851 | -0.22021 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.36514 | -0.37332 | -0.36563 | -0.37506 | -0.37054 | -0.36572 | -0.37036 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15994 | -0.15616 | -0.16052 | -0.15863 | -0.15771 | -0.15869 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10843 | -0.10696 | -0.10992 | -0.10889 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.18E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.63785 | -0.65237 | -0.63834 | -0.6546 | -0.64624 | -0.63788 | -0.64575 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.4236 | -0.43314 | -0.4241 | -0.43518 | -0.42963 | -0.42401 | -0.42944 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | -8.60E-02 | -8.85E-02 | -8.76E-02 | -8.64E-02 | -8.76E-02 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.61331 | -0.62819 | -0.61368 | -0.62946 | -0.62134 | -0.61444 | -0.62109 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.70572 | -0.72318 | -0.70609 | -0.72424 | -0.71478 | -0.70679 | -0.7146 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.39212 | -0.40213 | -0.39261 | -0.40271 | -0.39764 | -0.3938 | -0.39771 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.25E-02 | -9.43E-02 | -9.30E-02 | -9.56E-02 | -9.49E-02 | -9.34E-02 | -9.47E-02 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -0.12064 | -0.12405 | -0.12112 | -0.12433 | -0.12299 | -0.12256 | -0.12329 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | -0.38818 | -0.3894 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.25E-02 | -9.43E-02 | -9.30E-02 | -9.56E-02 | -9.49E-02 | -9.34E-02 | -9.47E-02 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -0.46927 | -0.47977 | -0.46976 | -0.48199 | -0.47577 | -0.46967 | -0.47559 | -0.46997 | -0.47144 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.45E-02 | -5.34E-02 | -5.48E-02 | -5.44E-02 | -5.49E-02 | -5.44E-02 | -5.37E-02 | -5.40E-02 |
| 11-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13931 | -0.1431 | -0.1398 | -0.14362 | -0.14203 | -0.14136 | -0.14209 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | -0.16724 | -0.16772 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17325 | -0.17679 | -0.17374 | -0.17834 | -0.17651 | -0.17407 | -0.17627 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17899 | -0.17496 | -0.17957 | -0.17743 | -0.17651 | -0.17749 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.25E-02 | -9.43E-02 | -9.30E-02 | -9.56E-02 | -9.49E-02 | -9.34E-02 | -9.47E-02 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.43887 | -0.44998 | -0.43936 | -0.4505 | -0.44501 | -0.44037 | -0.44482 | -0.43945 | -0.44092 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.61795 | -0.63333 | -0.61832 | -0.63416 | -0.62592 | -0.61908 | -0.62598 | -0.61841 | -0.62061 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23306 | -0.23782 | -0.23343 | -0.23956 | -0.23676 | -0.23358 | -0.23657 | -0.23364 | -0.23462 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.74E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15921 | -0.16237 | -0.1597 | -0.16394 | -0.16211 | -0.1601 | -0.16211 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.16043 | -0.16483 | -0.1608 | -0.16516 | -0.16333 | -0.16235 | -0.16333 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.33E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.29E-02 | -8.30E-02 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.14E-02 | -7.38E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.37E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 11-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.4014 | -0.41042 | -0.40187 | -0.41217 | -0.40698 | -0.40179 | -0.40698 | -0.4021 | -0.40356 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.397 | -0.38797 | -0.39777 | -0.39276 | -0.38916 | -0.39282 | -0.38818 | -0.3894 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.92557 | -0.94705 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.82034 | -0.84036 | -0.82071 | -0.84186 | -0.83081 | -0.82123 | -0.83032 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31253 | -0.32059 | -0.31302 | -0.32111 | -0.31714 | -0.31421 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.29849 | -0.30496 | -0.29886 | -0.30676 | -0.30292 | -0.29907 | -0.30298 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.22476 | -0.22952 | -0.22525 | -0.23102 | -0.22852 | -0.22559 | -0.22852 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3804 | -0.38869 | -0.38089 | -0.39075 | -0.38568 | -0.38086 | -0.38574 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.16275 | -0.1658 | -0.16324 | -0.16754 | -0.16571 | -0.16357 | -0.16577 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | -8.18E-02 | -8.20E-02 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -5.97E-02 | -6.18E-02 | -6.02E-02 | -6.21E-02 | -6.18E-02 | -6.20E-02 | -6.18E-02 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.33E-02 | -5.34E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.41E-02 | -3.42E-02 | -3.46E-02 | -3.57E-02 | -3.56E-02 | -3.52E-02 | -3.56E-02 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.66116 | -0.67752 | -0.66165 | -0.67883 | -0.66992 | -0.6626 | -0.66968 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.41898 | -0.42947 | -0.41946 | -0.43024 | -0.42505 | -0.42065 | -0.4248 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -9.06E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -9.01E-02 | -9.01E-02 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | -8.18E-02 | -8.20E-02 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -5.97E-02 | -6.18E-02 | -6.02E-02 | -6.21E-02 | -6.18E-02 | -6.20E-02 | -6.18E-02 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.33E-02 | -5.34E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.18143 | -0.18509 | -0.18192 | -0.18683 | -0.18475 | -0.18237 | -0.18457 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.63785 | -0.65335 | -0.63834 | -0.6546 | -0.64624 | -0.63916 | -0.64575 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.73367 | -0.75052 | -0.73428 | -0.75299 | -0.7431 | -0.73358 | -0.74292 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.40614 | -0.41531 | -0.40652 | -0.41705 | -0.41187 | -0.40643 | -0.41187 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | -8.18E-02 | -8.20E-02 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0 | 0.00E+00 | -5.97E-02 | -6.18E-02 | -6.02E-02 | -6.21E-02 | -6.18E-02 | -6.20E-02 | -6.18E-02 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.98E-02 | -4.01E-02 | -4.04E-02 | -4.16E-02 | -4.14E-02 | -4.10E-02 | -4.15E-02 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.33E-02 | -5.34E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17923 | -0.18265 | -0.1796 | -0.1842 | -0.18237 | -0.17993 | -0.18237 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.15E-02 | -9.28E-02 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.22E-02 | -9.38E-02 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -0.1254 | -0.12746 | -0.12576 | -0.12897 | -0.12793 | -0.12616 | -0.12793 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.4014 | -0.41165 | -0.40187 | -0.41217 | -0.40698 | -0.40302 | -0.40698 | -0.4021 | -0.40356 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17923 | -0.18265 | -0.1796 | -0.1842 | -0.18237 | -0.17993 | -0.18237 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.15E-02 | -9.28E-02 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.22E-02 | -9.38E-02 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -0.48807 | -0.49905 | -0.48856 | -0.50104 | -0.49457 | -0.48828 | -0.49463 | -0.48853 | -0.49023 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -5.51E-02 | -5.57E-02 | -5.56E-02 | -5.73E-02 | -5.68E-02 | -5.62E-02 | -5.69E-02 | -5.62E-02 | -5.62E-02 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 12-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.14639 | -0.15042 | -0.14688 | -0.15076 | -0.14917 | -0.14844 | -0.14917 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | -0.16724 | -0.16772 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.90E-02 | -9.16E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.18143 | -0.18631 | -0.18192 | -0.18683 | -0.18475 | -0.18353 | -0.18457 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.18277 | -0.18753 | -0.18314 | -0.18781 | -0.18579 | -0.18457 | -0.18579 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -9.72E-02 | -9.89E-02 | -9.77E-02 | -0.10046 | -9.95E-02 | -9.81E-02 | -9.96E-02 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.21E-02 | -8.45E-02 | -8.26E-02 | -8.48E-02 | -8.42E-02 | -8.42E-02 | -8.40E-02 | -8.30E-02 | -8.33E-02 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.45999 | -0.47025 | -0.46036 | -0.47229 | -0.46631 | -0.46021 | -0.46606 | -0.46045 | -0.46216 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.90E-02 | -9.06E-02 | -8.95E-02 | -9.19E-02 | -9.13E-02 | -9.01E-02 | -9.13E-02 | -9.01E-02 | -9.03E-02 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.64725 | -0.6619 | -0.64761 | -0.66418 | -0.65546 | -0.64716 | -0.65552 | -0.64746 | -0.6499 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.24454 | -0.25101 | -0.24527 | -0.25153 | -0.24847 | -0.24652 | -0.24854 | -0.24536 | -0.24634 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.21E-02 | -8.45E-02 | -8.26E-02 | -8.48E-02 | -8.42E-02 | -8.42E-02 | -8.40E-02 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.21E-02 | -8.45E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.16739 | -0.17091 | -0.16788 | -0.17224 | -0.17035 | -0.16821 | -0.17041 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | -8.60E-02 | -8.85E-02 | -8.76E-02 | -8.64E-02 | -8.76E-02 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.60E-02 | -7.55E-02 | -7.75E-02 | -7.68E-02 | -7.59E-02 | -7.71E-02 | -7.59E-02 | -7.62E-02 |
| 12-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.42007 | -0.43069 | -0.42068 | -0.43146 | -0.42603 | -0.42188 | -0.42578 | -0.4209 | -0.42236 |
| 12-801 | Premium T8, Electronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.40614 | -0.41629 | -0.40652 | -0.41705 | -0.41187 | -0.40765 | -0.41187 | -0.40674 | -0.4082 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.94193 | -0.96487 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.85196 | -0.87137 | -0.85233 | -0.87408 | -0.86249 | -0.85156 | -0.8623 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31021 | -0.31693 | -0.31058 | -0.31873 | -0.31488 | -0.31079 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29056 | -0.28494 | -0.29236 | -0.28882 | -0.2851 | -0.28882 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21878 | -0.21461 | -0.22028 | -0.21771 | -0.21509 | -0.21777 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.36966 | -0.36221 | -0.37146 | -0.36694 | -0.36224 | -0.3667 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.63077 | -0.64627 | -0.63126 | -0.64728 | -0.63892 | -0.63202 | -0.63892 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.4236 | -0.43436 | -0.4241 | -0.43518 | -0.42963 | -0.42523 | -0.42944 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60733 | -0.62235 | -0.60782 | -0.62335 | -0.61548 | -0.60858 | -0.61523 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69864 | -0.71463 | -0.69901 | -0.71716 | -0.7077 | -0.69843 | -0.70752 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.39603 | -0.38797 | -0.39777 | -0.39276 | -0.38794 | -0.39282 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10843 | -0.10696 | -0.10992 | -0.10889 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | -0.10876 | -0.10785 | -0.10638 | -0.10791 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17435 | -0.17032 | -0.17462 | -0.17279 | -0.17181 | -0.17285 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.69E-02 | -8.49E-02 | -8.73E-02 | -8.67E-02 | -8.64E-02 | -8.64E-02 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39236 | -0.38321 | -0.39313 | -0.38818 | -0.38422 | -0.38794 | -0.3833 | -0.38477 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | 0 | 0 | 0 | -0.46463 | -0.47635 | -0.46512 | -0.47711 | -0.47113 | -0.46631 | -0.47095 | -0.46533 | -0.4668 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -5.27E-02 | -5.35E-02 | -5.27E-02 | -5.27E-02 |
| 13-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13712 | -0.1409 | -0.1376 | -0.14124 | -0.13965 | -0.13886 | -0.13989 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -0.08438 | -8.57E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17091 | -0.17435 | -0.17142 | -0.17584 | -0.17407 | -0.17181 | -0.17407 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.15E-02 | -9.28E-02 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.22E-02 | -9.38E-02 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.83E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.43179 | -0.44266 | -0.43227 | -0.44342 | -0.43799 | -0.43359 | -0.43774 | -0.43262 | -0.43384 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.60977 | -0.62479 | -0.61014 | -0.62585 | -0.61761 | -0.61108 | -0.61768 | -0.61011 | -0.6123 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23062 | -0.23563 | -0.23111 | -0.23718 | -0.23438 | -0.2312 | -0.23438 | -0.23145 | -0.23218 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.50E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15689 | -0.16116 | -0.1575 | -0.16144 | -0.15985 | -0.15894 | -0.15967 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.14E-02 | -7.38E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.37E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 13-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39676 | -0.40555 | -0.39725 | -0.40735 | -0.40234 | -0.39716 | -0.40234 | -0.39746 | -0.39893 |
| 13-801 | Premium T8, Electronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39114 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | -0.3833 | -0.38477 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.91153 | -0.93387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.81094 | -0.83084 | -0.81143 | -0.83215 | -0.82123 | -0.81195 | -0.82104 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31253 | -0.32059 | -0.31302 | -0.32111 | -0.31714 | -0.31421 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28909 | -0.29544 | -0.28958 | -0.29718 | -0.2937 | -0.28973 | -0.29346 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.2178 | -0.22244 | -0.21817 | -0.22369 | -0.22119 | -0.21851 | -0.22144 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.36758 | -0.37552 | -0.36795 | -0.37756 | -0.3728 | -0.36786 | -0.3728 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15689 | -0.16116 | -0.1575 | -0.16144 | -0.15985 | -0.15894 | -0.15967 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | -0.10645 | -0.10669 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.16E-02 | -3.30E-02 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.64017 | -0.65482 | -0.64053 | -0.65704 | -0.64862 | -0.64014 | -0.64819 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.42252 | -0.43192 | -0.423 | -0.43372 | -0.42841 | -0.42279 | -0.42822 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.82E-02 | -8.60E-02 | -8.85E-02 | -8.76E-02 | -8.76E-02 | -8.76E-02 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | -0.10876 | -0.10785 | -0.10638 | -0.10791 | -0.10645 | -0.10669 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.61661 | -0.63065 | -0.61722 | -0.63318 | -0.62469 | -0.61694 | -0.62451 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.71036 | -0.72659 | -0.71072 | -0.72888 | -0.71942 | -0.71014 | -0.71924 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.39444 | -0.40433 | -0.39481 | -0.40509 | -0.40009 | -0.39594 | -0.3999 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | -0.10645 | -0.10669 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -7.96E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -7.96E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.81E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.83E-02 | -5.93E-02 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.15E-02 | -5.23E-02 | -5.20E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.47E-02 | -2.44E-02 | -2.52E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.25E-02 | -9.43E-02 | -9.30E-02 | -9.56E-02 | -9.49E-02 | -9.34E-02 | -9.47E-02 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -0.19559 | -0.20071 | -0.19608 | -0.20099 | -0.19897 | -0.19751 | -0.19897 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.38968 | -0.39847 | -0.39017 | -0.40021 | -0.39526 | -0.39032 | -0.39526 | -0.39038 | -0.3916 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -0.47281 | -0.48343 | -0.4733 | -0.48547 | -0.47949 | -0.47314 | -0.47925 | -0.47339 | -0.4751 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.29E-02 | -5.33E-02 | -5.34E-02 | -5.48E-02 | -5.44E-02 | -5.36E-02 | -5.44E-02 | -5.37E-02 | -5.40E-02 |
| 14-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13931 | -0.14212 | -0.1398 | -0.14362 | -0.14203 | -0.14032 | -0.14209 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.16946 | -0.16678 | -0.17102 | -0.16919 | -0.16693 | -0.16943 | -0.16724 | -0.16772 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.55E-02 | -8.69E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17801 | -0.17496 | -0.17957 | -0.17743 | -0.17529 | -0.17749 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17447 | -0.17899 | -0.17496 | -0.17957 | -0.17743 | -0.17651 | -0.17749 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | 0.00E+00 | 0.00E+00 | 0 | -9.25E-02 | -9.52E-02 | -9.30E-02 | -9.56E-02 | -9.49E-02 | -9.47E-02 | -9.47E-02 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | -7.93E-02 | -7.98E-02 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.44119 | -0.45096 | -0.4418 | -0.453 | -0.44745 | -0.44159 | -0.44727 | -0.44189 | -0.44336 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.62149 | -0.63553 | -0.62186 | -0.63776 | -0.62964 | -0.62152 | -0.62939 | -0.62183 | -0.62402 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23526 | -0.24149 | -0.23575 | -0.24207 | -0.2392 | -0.2373 | -0.23901 | -0.23608 | -0.23682 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.97E-02 | -8.21E-02 | -8.02E-02 | -8.24E-02 | -8.17E-02 | -8.17E-02 | -8.18E-02 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.62E-02 | -7.84E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.97E-02 | -8.21E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.16043 | -0.1636 | -0.1608 | -0.16516 | -0.16333 | -0.16132 | -0.16333 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.16043 | -0.16483 | -0.1608 | -0.16516 | -0.16333 | -0.16235 | -0.16333 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -8.21E-02 | -8.33E-02 | -8.26E-02 | -8.48E-02 | -8.42E-02 | -8.29E-02 | -8.40E-02 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | 0 | 0.00E+00 | 0.00E+00 | -7.27E-02 | -7.50E-02 | -7.32E-02 | -7.53E-02 | -7.47E-02 | -7.50E-02 | -7.47E-02 | -7.37E-02 | -7.37E-02 |
| 14-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.40384 | -0.41385 | -0.40433 | -0.41467 | -0.40936 | -0.40552 | -0.40942 | -0.40454 | -0.40601 |
| 14-801 | Premium T8, Electronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.38968 | -0.39944 | -0.39017 | -0.40021 | -0.39526 | -0.3913 | -0.39526 | -0.39038 | -0.3916 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.93155 | -0.95438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.82498 | -0.84525 | -0.82535 | -0.8468 | -0.83545 | -0.82593 | -0.83521 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31253 | -0.32059 | -0.31302 | -0.32111 | -0.31714 | -0.31421 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29056 | -0.28494 | -0.29236 | -0.28882 | -0.2851 | -0.28882 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21426 | -0.21976 | -0.21461 | -0.22028 | -0.21771 | -0.21625 | -0.21777 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.3616 | -0.37088 | -0.36221 | -0.37146 | -0.36694 | -0.36322 | -0.3667 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10843 | -0.10696 | -0.10992 | -0.10889 | -0.10767 | -0.10889 | -0.10742 | -0.10791 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -7.73E-02 | -7.96E-02 | -7.78E-02 | -7.99E-02 | -7.93E-02 | -7.96E-02 | -7.93E-02 | -7.84E-02 | -7.86E-02 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -4.03E-02 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -3.16E-02 | -0.03299 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.39E-02 | -3.32E-02 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.62967 | -0.64505 | -0.63016 | -0.64636 | -0.63788 | -0.6308 | -0.63745 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.42496 | -0.43436 | -0.42532 | -0.4364 | -0.43091 | -0.42523 | -0.43066 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10721 | -0.10587 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60513 | -0.62015 | -0.6055 | -0.62097 | -0.61298 | -0.6062 | -0.61279 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69864 | -0.71585 | -0.69901 | -0.71716 | -0.7077 | -0.69989 | -0.70752 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38748 | -0.39603 | -0.38797 | -0.39777 | -0.39276 | -0.38794 | -0.39282 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -4.98E-02 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -5.02E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10648 | -0.10965 | -0.10696 | -0.10992 | -0.10889 | -0.10864 | -0.10889 | -0.10742 | -0.10791 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -0.07961 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.96E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | -0.10876 | -0.10785 | -0.10767 | -0.10791 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -3.91E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -3.98E-02 | -0.04028 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10538 | -0.10843 | -0.10587 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.35E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17313 | -0.17032 | -0.17462 | -0.17279 | -0.17065 | -0.17285 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -9.25E-02 | -9.52E-02 | -0.09305 | -9.56E-02 | -9.49E-02 | -9.47E-02 | -9.47E-02 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -0.11942 | -0.12161 | -0.12003 | -0.12311 | -0.12207 | -0.1203 | -0.12183 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.3826 | -0.39114 | -0.38321 | -0.39313 | -0.38818 | -0.3833 | -0.38794 | -0.3833 | -0.38477 |
| 15-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -0.46463 | -0.47635 | -0.46512 | -0.47711 | -0.47113 | -0.46631 | -0.47095 | -0.46533 | -0.4668 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.15E-02 | -5.33E-02 | -5.20E-02 | -5.35E-02 | -5.34E-02 | -0.05365 | -0.05347 | -5.27E-02 | -5.27E-02 |
| 15-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13712 | -0.13968 | -0.1376 | -0.14124 | -0.13965 | -0.13788 | -0.13989 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17435 | -0.17032 | -0.17462 | -0.17279 | -0.17181 | -0.17285 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.15E-02 | -9.28E-02 | -9.19E-02 | -9.44E-02 | -9.34E-02 | -9.22E-02 | -0.09375 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | -7.84E-02 | -7.86E-02 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.43179 | -0.44266 | -0.43227 | -0.44342 | -0.43799 | -0.43359 | -0.43774 | -0.43262 | -0.43384 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.60867 | -0.62357 | -0.60904 | -0.62457 | -0.6167 | -0.6098 | -0.61621 | -0.60913 | -0.61108 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.23062 | -0.23563 | -0.23111 | -0.23718 | -0.23438 | -0.2312 | -0.23438 | -0.23145 | -0.23218 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -8.11E-02 | -7.90E-02 | -8.12E-02 | -8.06E-02 | -8.06E-02 | -8.06E-02 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -7.50E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -7.85E-02 | -8.11E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15689 | -0.16116 | -0.1575 | -0.16144 | -0.15985 | -0.15894 | -0.15967 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15811 | -0.16237 | -0.1586 | -0.16266 | -0.16089 | -0.1601 | -0.16113 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -8.08E-02 | -8.21E-02 | -8.13E-02 | -8.36E-02 | -8.29E-02 | -8.17E-02 | -8.30E-02 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 15-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -7.14E-02 | -7.25E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.24E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 15-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39566 | -0.40555 | -0.39615 | -0.40631 | -0.40112 | -0.39716 | -0.40112 | -0.39624 | -0.39771 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.3815 | -0.39114 | -0.38199 | -0.39191 | -0.38715 | -0.3833 | -0.38696 | -0.38232 | -0.38354 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.90921 | -0.93021 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.81094 | -0.82962 | -0.81143 | -0.83215 | -0.82123 | -0.81073 | -0.82104 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.31375 | -0.32181 | -0.31412 | -0.32208 | -0.31836 | -0.31543 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -0.28445 | -0.29056 | -0.28494 | -0.29236 | -0.28882 | -0.2851 | -0.28882 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -0.21304 | -0.21878 | -0.21353 | -0.21906 | -0.21655 | -0.21509 | -0.21655 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.35941 | -0.36844 | -0.35977 | -0.36902 | -0.3645 | -0.36108 | -0.3645 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -0.15347 | -0.1575 | -0.15396 | -0.15784 | -0.15625 | -0.15521 | -0.15625 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -0.07742 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -0.07709 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.62E-02 | -5.69E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.74E-02 | -5.81E-02 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -3.16E-02 | -0.03177 | -3.23E-02 | -3.30E-02 | -3.31E-02 | -3.27E-02 | -3.32E-02 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -0.62723 | -0.64163 | -0.62772 | -0.64368 | -0.6355 | -0.62738 | -0.63525 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.41544 | -0.42581 | -0.41592 | -0.42664 | -0.42133 | -0.41724 | -0.42114 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.45E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.42E-02 | -8.54E-02 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10721 | -0.10477 | -0.10754 | -0.10638 | -0.10638 | -0.10669 | -0.10522 | -0.10547 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -0.07742 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -0.07709 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.62E-02 | -5.69E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.74E-02 | -5.81E-02 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10477 | -0.10367 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17557 | -0.17264 | -0.17712 | -0.17529 | -0.17279 | -0.17529 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -0.60379 | -0.61868 | -0.60428 | -0.62 | -0.61176 | -0.60516 | -0.61157 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -0.69632 | -0.71219 | -0.69681 | -0.71466 | -0.70532 | -0.69629 | -0.70508 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -0.38504 | -0.39481 | -0.38553 | -0.39563 | -0.39063 | -0.38672 | -0.39038 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -4.80E-02 | -0.04861 | -4.85E-02 | -4.99E-02 | -4.98E-02 | -4.90E-02 | -4.98E-02 | -4.91E-02 | -4.93E-02 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -0.10428 | -0.10599 | -0.10477 | -0.10754 | -0.10638 | -0.10516 | -0.10669 | -0.10522 | -0.10547 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -0.07742 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -0.07709 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -5.62E-02 | -5.69E-02 | -5.67E-02 | -5.84E-02 | -5.80E-02 | -5.74E-02 | -5.81E-02 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -0.10318 | -0.10599 | -0.10367 | -0.10632 | -0.10541 | -0.10516 | -0.10547 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -3.87E-02 | -4.01E-02 | -3.92E-02 | -4.03E-02 | -4.02E-02 | -4.10E-02 | -0.04028 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.23E-02 | -5.09E-02 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -0.10184 | -0.10477 | -0.10233 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -2.36E-02 | -2.44E-02 | -2.41E-02 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 16-416 | Process Drives - ASD | 0 | 0 | 0 | 0 | 0 | -8.33E-03 | -9.06E-03 | -8.82E-03 | -9.09E-03 | -9.46E-03 | -1.07E-02 | -9.77E-03 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.57E-02 | -8.38E-02 | -8.58E-02 | -8.52E-02 | -8.52E-02 | -8.54E-02 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | 0 | 0 | 0 | -5.75E-02 | -5.94E-02 | -5.80E-02 | -5.94E-02 | -5.93E-02 | -5.95E-02 | -5.93E-02 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -0.3804 | -0.38992 | -0.38089 | -0.39075 | -0.38568 | -0.38208 | -0.38574 | -0.3811 | -0.38232 |
| 16-605 | Process control | 0 | 0 | 0 | 0 | 0 | -6.57E-02 | -6.64E-02 | -6.62E-02 | -6.80E-02 | -6.76E-02 | -6.66E-02 | -6.76E-02 | -6.67E-02 | -6.69E-02 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -0.19315 | -0.19827 | -0.19363 | -0.19885 | -0.19647 | -0.19501 | -0.19653 | -0.19409 | -0.19458 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -5.04E-02 | -5.11E-02 | -5.09E-02 | -5.23E-02 | -5.19E-02 | -5.15E-02 | -5.22E-02 | -5.13E-02 | -5.15E-02 |
| 16-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17679 | -0.18045 | -0.17728 | -0.18195 | -0.17993 | -0.17767 | -0.17993 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -0.13712 | -0.1409 | -0.1376 | -0.14124 | -0.13965 | -0.13886 | -0.13989 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -0.16629 | -0.17091 | -0.16678 | -0.17102 | -0.16919 | -0.16821 | -0.16943 | -0.16724 | -0.16772 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -8.33E-02 | -8.45E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -0.16983 | -0.17313 | -0.17032 | -0.17462 | -0.17279 | -0.17065 | -0.17285 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -0.17091 | -0.17557 | -0.17142 | -0.17584 | -0.17407 | -0.17279 | -0.17407 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -9.01E-02 | -9.28E-02 | -9.07E-02 | -9.31E-02 | -0.09253 | -9.22E-02 | -9.23E-02 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.62E-02 | -0.07742 | -7.67E-02 | -7.87E-02 | -7.83E-02 | -0.07709 | -0.07813 | -7.71E-02 | -7.74E-02 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -0.4296 | -0.44046 | -0.43008 | -0.44104 | -0.43549 | -0.43109 | -0.43555 | -0.43018 | -0.43164 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -8.79E-02 | -8.91E-02 | -8.84E-02 | -9.06E-02 | -9.01E-02 | -8.88E-02 | -9.01E-02 | -8.89E-02 | -8.91E-02 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -0.60513 | -0.62015 | -0.6055 | -0.62097 | -0.61298 | -0.6062 | -0.61279 | -0.60547 | -0.60767 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -0.2283 | -0.23416 | -0.22879 | -0.23474 | -0.23187 | -0.23022 | -0.23193 | -0.229 | -0.22998 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | -7.78E-02 | -7.99E-02 | -0.07935 | -7.83E-02 | -0.07935 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -7.39E-02 | -7.60E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -7.73E-02 | -7.84E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -0.15567 | -0.15994 | -0.15616 | -0.16052 | -0.15863 | -0.15771 | -0.15869 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -0.15689 | -0.16116 | -0.1575 | -0.16144 | -0.15985 | -0.15894 | -0.15967 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -7.97E-02 | -8.21E-02 | -8.02E-02 | -8.24E-02 | -8.17E-02 | -8.17E-02 | -8.18E-02 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -7.14E-02 | -7.25E-02 | -7.19E-02 | -7.39E-02 | -7.35E-02 | -7.24E-02 | -7.35E-02 | -7.25E-02 | -7.28E-02 |
| 16-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -0.39444 | -0.40433 | -0.39481 | -0.40509 | -0.40009 | -0.39594 | -0.3999 | -0.39502 | -0.39648 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -0.3804 | -0.38869 | -0.38089 | -0.39075 | -0.38568 | -0.38086 | -0.38574 | -0.3811 | -0.38232 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -0.90457 | -0.92557 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -0.8074 | -0.82596 | -0.80789 | -0.82867 | -0.81781 | -0.80737 | -0.81738 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -0.30667 | -0.31448 | -0.30704 | -0.315 | -0.31128 | -0.30853 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -1.53E-04 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | 0 | 0 | 0 | -2.01E-02 | -2.10E-02 | -2.05E-02 | -2.11E-02 | -2.14E-02 | -0.02222 | -2.15E-02 | -2.10E-02 | -2.10E-02 |
| N-807 | Flood LED 14W | 0 | 0 | 0 | 0 | 0 | -2.01E-02 | -1.98E-02 | -2.05E-02 | -2.11E-02 | -2.14E-02 | -2.09E-02 | -2.15E-02 | -2.10E-02 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | 0 | 0 | 0 | -0.17215 | -0.17679 | -0.17264 | -0.17712 | -0.17529 | -0.17407 | -0.17529 | -0.1731 | -0.17358 |
| N-732 | Run Time Optimizer | 0 | 0 | 0 | 0 | 0 | -1.68851 | -1.72806 | -1.68887 | -1.732 | -1.70874 | -1.68701 | -1.70801 | -1.68799 | -1.69385 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | 0 | 0 | 0 | -1.14444 | -1.17239 | -1.14481 | -1.17413 | -1.15845 | -1.14478 | -1.15796 | -1.14429 | -1.14844 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| 1-101 | Compressed Air-O&M | 0 | 0 | -87.125 | -88.25 | -97.75 | -113 | -121 | -129.25 | -124 | -132.75 | -136.25 | -137.25 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | -64.75 | -66.375 | -73.5 | -84.75 | -90.75 | -97 | -93.25 | -99.5 | -102.5 | -103.25 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | -109.875 | -111.5 | -124 | -143.25 | -152.5 | -163.75 | -156.75 | -168.5 | -173.25 | -174 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -48 | -53.25 | -61.75 | -65.75 | -69.5 | -67.25 | -71.75 | -74.75 | -74.5 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -26 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.625 | -33 | -36.25 | -42 | -45 | -47.25 | -45.75 | -49 | -51.25 | -50.75 | -53 | -55.75 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20.25 | -23.25 | -24.25 | -26 | -25 | -27 | -27.5 | -28 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.5 | -47 | -45.75 | -48.5 | -51 | -50.25 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.75 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.625 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13 | -14.25 | -14.75 | -14.25 | -15.5 | -16.25 | -16.25 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | -190.625 | -194.75 | -216 | -249.5 | -266.5 | -285.25 | -273.25 | -293.25 | -301.75 | -302.75 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | -127.5 | -130 | -144.25 | -166.25 | -177.5 | -190 | -182 | -195.75 | -201.25 | -202.75 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.25 | -29 | -33.5 | -36 | -38.25 | -36.75 | -39.25 | -41 | -41.25 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -26 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45.25 | -47.5 | -45.75 | -49.25 | -51.25 | -51 | -53.5 | -55.75 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20.25 | -23.25 | -24.25 | -26 | -25 | -27 | -27.5 | -28 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -49 | -51 | -50.25 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.75 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36.25 | -42 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | -52.5 | -53.625 | -59.5 | -68.5 | -73.5 | -78 | -75 | -80.5 | -83.5 | -83.5 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | -184 | -187.75 | -208 | -239.5 | -256.25 | -274.25 | -263 | -283 | -290.25 | -292 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | -211.75 | -216.125 | -239.5 | -276.25 | -295 | -316.25 | -303.25 | -325.25 | -334.5 | -335.5 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | -117.25 | -119.625 | -132.75 | -153 | -163.75 | -175.5 | -167.75 | -180.75 | -185.5 | -186.25 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -26 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45.25 | -47.25 | -45.75 | -48.75 | -51.5 | -51 | -53.25 | -55.5 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20.25 | -23.25 | -24.25 | -26 | -25 | -27 | -27.5 | -28 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.375 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -49 | -51 | -50.5 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.75 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.5 | -32.625 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | -50.5 | -52.125 | -57.5 | -66.25 | -71 | -76 | -72.5 | -77.75 | -81 | -80.75 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | -246.25 | -251.125 | -278.5 | -321.5 | -343.25 | -368.25 | -353 | -378.5 | -389 | -390.5 | -411.5 | -425 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | -65.125 | -66.625 | -73.75 | -84.75 | -91.5 | -97.75 | -93 | -100 | -103.5 | -103.75 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | -163.5 | -167.625 | -185.75 | -214.5 | -229.75 | -246 | -235.25 | -253 | -259.75 | -260.5 | -275 | -283.5 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | -22.25 | -23.75 | -24.5 | -25 | -25.75 | -27 |
| 1-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41 | -42 | -46.75 | -53.75 | -57.75 | -61 | -59 | -63 | -65.25 | -65.5 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52.125 | -57.75 | -66.5 | -71.5 | -76.5 | -73.75 | -78.75 | -81.25 | -81.25 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51 | -52.375 | -58 | -67 | -72 | -77.25 | -73.75 | -79 | -81.75 | -82 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.75 | -31 | -36 | -38.5 | -41 | -39.5 | -42.25 | -43.75 | -43.25 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.625 | -26.25 | -30.75 | -32.75 | -34.25 | -33.25 | -35.75 | -36.75 | -37.25 | -38.75 | -40 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | -127.875 | -131.25 | -145 | -168 | -180.25 | -192.75 | -184.5 | -198 | -203.5 | -204.25 | -215.75 | -222 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.625 | -185.125 | -204.75 | -236.75 | -253 | -272 | -259.25 | -279.25 | -287 | -287.5 | -303.25 | -313.25 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.125 | -70.5 | -77.5 | -90.25 | -96.25 | -102.5 | -98.5 | -105.5 | -108.5 | -108.75 | -114.75 | -118.5 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33.25 | -34.5 | -33.5 | -36 | -36.75 | -36.5 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | -22.75 | -22.875 | -25.25 | -29.5 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -47.875 | -53 | -61.5 | -65.75 | -70 | -67.25 | -71.75 | -74 | -74.5 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | -46.5 | -48.125 | -53.25 | -61.75 | -65.75 | -70.25 | -67.25 | -72 | -74.5 | -74.75 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.75 | -27.5 | -31.75 | -34 | -36.25 | -34.5 | -37.25 | -38.25 | -38.75 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | -21.375 | -22.125 | -24 | -28 | -30.25 | -31.25 | -30.25 | -33 | -34 | -33.75 | -35.25 | -37 |
| 1-731 | Cool Roof - DX | 0 | 0 | -117 | -120 | -132.75 | -153.75 | -164.5 | -176.75 | -169 | -181.5 | -185.75 | -186.5 | -197 | -203 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.375 | -116.625 | -128.5 | -148.75 | -159 | -171 | -163.25 | -175 | -180.25 | -180.5 | -190.5 | -197 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | -265.75 | -272.875 | -302.25 | -349.75 | -375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | -265.75 | -272.875 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | -245.875 | -250.5 | -278 | -320.25 | -342 | -366.75 | -352 | -377.25 | -388 | -390 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | -94.625 | -96.25 | -106.25 | -123.25 | -131.25 | -140.25 | -134.5 | -144.25 | -149 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | -83.875 | -87.5 | -96.5 | -112.25 | -121.5 | -129.75 | -123 | -132.25 | -135.75 | -136 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | -62.875 | -66 | -73 | -84.5 | -90.75 | -97.75 | -92 | -99 | -101.5 | -101.75 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | -106.375 | -110.75 | -122.25 | -142.25 | -153.5 | -164.25 | -156.5 | -167.5 | -171.75 | -171.75 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | -45.5 | -47.125 | -52.5 | -61 | -65.75 | -70.25 | -66.75 | -72 | -73.75 | -74.25 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.75 | -15.25 | -17 | -19.5 | -21 | -22.25 | -20.75 | -22.75 | -23.5 | -24 | -24.5 | -25.25 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -30.875 | -32.25 | -36 | -41.5 | -45 | -47.25 | -45.5 | -49 | -49.75 | -50.25 | -53.25 | -55.25 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.125 | -24.375 | -26.5 | -31 | -33.5 | -35.5 | -34 | -36 | -37 | -37.25 | -40 | -40.5 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.125 | -18 | -19.75 | -23 | -24.75 | -26.25 | -24.75 | -26.5 | -27.25 | -27.25 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -30.5 | -32.125 | -35.25 | -41 | -44.75 | -47.25 | -45.5 | -48.5 | -49.75 | -50.25 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.625 | -12.375 | -13.25 | -15.5 | -16.75 | -17.5 | -17 | -18 | -18.75 | -18.5 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.125 | -15.875 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -30.5 | -32.125 | -35.25 | -41 | -44.75 | -47.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.25 | -8 | -8 | -10.5 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | -9.875 | -10.5 | -11 | -13.5 | -14.25 | -14.75 | -14.25 | -15.25 | -15.75 | -16 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | -185.125 | -192.375 | -213 | -247.75 | -267.5 | -286.5 | -272.25 | -292.75 | -299 | -299.25 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | -123.5 | -128.625 | -142 | -164.75 | -177.75 | -190.75 | -181.5 | -195 | -199.75 | -199.75 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | -25 | -26 | -28.5 | -33.5 | -36.25 | -37.75 | -36.5 | -39.5 | -40.25 | -40.5 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.75 | -15.25 | -17 | -19.5 | -21 | -22.25 | -20.75 | -22.75 | -23.5 | -24 | -24.5 | -25.25 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31 | -32.5 | -36 | -41.75 | -45.25 | -47.75 | -45.75 | -49 | -50.25 | -50.25 | -53.5 | -55 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.125 | -24.375 | -26.5 | -31 | -33.5 | -35.5 | -34 | -36 | -37 | -37.25 | -40 | -40.5 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.125 | -18 | -19.75 | -23 | -24.75 | -26.25 | -24.75 | -26.5 | -27.25 | -27.25 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | -30.5 | -32.125 | -35.5 | -41.25 | -44.75 | -47.25 | -45.25 | -48.5 | -49.75 | -50.25 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.625 | -12.375 | -13.25 | -15.5 | -16.75 | -17.5 | -17 | -18 | -18.75 | -18.5 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.125 | -15.875 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | -30.5 | -32.125 | -35.5 | -41 | -44.75 | -47.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.25 | -8 | -8 | -10.5 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | -50.75 | -53.25 | -58.5 | -67.75 | -73.5 | -78.5 | -74.75 | -80 | -82 | -82.5 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | -177.75 | -185.375 | -205 | -238.75 | -257.5 | -275.75 | -261.75 | -281.5 | -287.75 | -287.5 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | -204.875 | -214 | -236.25 | -274.25 | -296.5 | -317.75 | -301.75 | -324.25 | -331.25 | -331.25 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | -114 | -118.5 | -130.75 | -152.25 | -164 | -176 | -167.5 | -179.5 | -184.25 | -183.75 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.75 | -15.25 | -17 | -19.5 | -21 | -22.25 | -20.75 | -22.75 | -23.5 | -24 | -24.5 | -25.25 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -30.75 | -32.25 | -36 | -41.5 | -45.25 | -47.5 | -45.75 | -49 | -50 | -50.5 | -53.5 | -55 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.125 | -24.375 | -26.5 | -31 | -33.5 | -35.5 | -34 | -36 | -37 | -37.25 | -40 | -40.5 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.125 | -18 | -19.75 | -23 | -24.75 | -26.25 | -24.75 | -26.5 | -27.25 | -27.25 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -30.5 | -32.125 | -35.5 | -41 | -44.75 | -47.25 | -45 | -48.75 | -49.75 | -50.25 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.625 | -12.375 | -13.25 | -15.5 | -16.75 | -17.5 | -17 | -18 | -18.75 | -18.5 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.125 | -15.875 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | -30.375 | -32.125 | -35.25 | -41 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.25 | -8 | -8 | -10.5 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | -84.375 | -88.25 | -97.25 | -113.25 | -122.25 | -130.5 | -124.25 | -133.25 | -136.5 | -137 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | -158.375 | -165 | -182.5 | -211.75 | -228.75 | -245 | -232.5 | -250 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -82.75 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.25 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | -15.25 | -15.875 | -17.5 | -20.5 | -22 | -23.5 | -22 | -24 | -24.5 | -24.5 | -25.5 | -26.75 |
| 2-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.5 | -71 | -75.75 | -81 | -77.5 | -83.25 | -86 | -86.25 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -39.875 | -41.375 | -45.75 | -53.25 | -57.75 | -61.5 | -58.75 | -62.25 | -64.25 | -64.75 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | -24.375 | -25.75 | -28.25 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -49.25 | -51.875 | -56.75 | -66.25 | -72 | -76.5 | -73 | -77.75 | -80 | -80.5 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -49.75 | -52.25 | -57.25 | -66.5 | -72.25 | -77 | -73.25 | -78.25 | -80.5 | -80.5 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | -26.875 | -27.5 | -30.5 | -35.75 | -38.75 | -40.75 | -39.5 | -41.75 | -42.75 | -43.5 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | -22.75 | -23.625 | -25.75 | -30.5 | -32.5 | -34.5 | -33 | -35.25 | -36.75 | -36.25 | -38.75 | -40.25 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | -124.75 | -130.125 | -143.75 | -167 | -180.25 | -192.5 | -183.75 | -197.25 | -202.25 | -202 | -215 | -221.75 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27 | -27.5 | -30.75 | -35.75 | -38.25 | -40.25 | -39 | -41.75 | -42.75 | -42.75 | -45.5 | -47 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -175.625 | -183.125 | -202.75 | -235 | -253.5 | -271.75 | -258.5 | -277.75 | -284.25 | -284 | -303.75 | -311.75 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -66.5 | -69.75 | -77 | -89 | -96 | -103 | -97.5 | -105 | -107.25 | -108 | -115 | -118 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -22.875 | -23.875 | -26.25 | -30.75 | -33 | -34.5 | -33.25 | -35.5 | -36.75 | -36.5 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | -21.75 | -22.75 | -24.75 | -29 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | -22.875 | -23.875 | -26.25 | -30.75 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | -45.25 | -47.125 | -52.5 | -61 | -65.75 | -69.75 | -66.75 | -71.5 | -73.5 | -74 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | -45.625 | -47.625 | -52.5 | -61.25 | -66 | -70.25 | -67 | -71.75 | -73.75 | -74.5 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | -23.25 | -24.625 | -27 | -31.5 | -34 | -36.25 | -35 | -36.75 | -37.75 | -38 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | -20.625 | -22 | -23.5 | -27.75 | -30.25 | -31.25 | -30.25 | -32.5 | -33.25 | -33.25 | -35.75 | -37 |
| 2-731 | Cool Roof - DX | 0 | 0 | -113.875 | -119.125 | -131.25 | -152.25 | -164.5 | -176.5 | -168 | -180 | -184.5 | -184.5 | -196.5 | -202.75 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -110.5 | -115.125 | -127.25 | -148.25 | -159.5 | -170.75 | -162.5 | -174.25 | -178.25 | -178.75 | -190.25 | -196 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | -258.125 | -270.375 | -299 | -346.25 | -373.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | -258.125 | -270.375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | -238.125 | -248 | -274 | -318.5 | -343.75 | -368.75 | -350 | -376.75 | -384.5 | -384.75 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 2-805 | Occupancy Sensor | 0 | 0 | -91 | -95.25 | -105 | -122.25 | -132 | -140.75 | -134.25 | -144 | -147.75 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | -52 | -54.625 | -60 | -69.75 | -75.75 | -80.25 | -77 | -82.5 | -84.25 | -85 | -90.25 | -92.5 |
| 3-101 | Compressed Air-O&M | 0 | 0 | -85.875 | -88.375 | -97.5 | -112.75 | -121 | -129.25 | -124 | -132.75 | -136.5 | -137.5 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | -64.875 | -66.5 | -73.75 | -84.75 | -91 | -97.25 | -93 | -100 | -103 | -103.5 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | -108.75 | -111.75 | -123.5 | -143 | -153.25 | -164.75 | -156.75 | -168.25 | -173 | -173.5 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | -46.5 | -47.875 | -52.75 | -61.25 | -66 | -70 | -67.25 | -71.75 | -74 | -74.5 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.25 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -22.75 | -23.5 | -24.5 | -25.75 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.375 | -32.625 | -36.25 | -42 | -45.25 | -47.5 | -45.75 | -49 | -50.75 | -50.75 | -53 | -55.75 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36 | -37.25 | -37.5 | -39.75 | -40.75 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.75 | -27.5 | -28 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31 | -32.625 | -36.25 | -41.25 | -44.5 | -47 | -45.25 | -49 | -50.75 | -50.25 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -17 | -17.75 | -17 | -18.25 | -19 | -19 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.375 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31 | -32.5 | -36.25 | -41.5 | -44.25 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | -10 | -10.75 | -11.25 | -13.5 | -14 | -15 | -14.25 | -15.5 | -16 | -16.25 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | -189.875 | -194 | -215.5 | -249 | -266.75 | -285.5 | -273.5 | -293.25 | -301.5 | -302.25 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | -126.625 | -129.5 | -143.75 | -166 | -178 | -190.5 | -182.5 | -195.5 | -201 | -201.75 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.25 | -28.75 | -33.75 | -36 | -38.5 | -36.75 | -39.25 | -40.75 | -40.75 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.25 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -22.75 | -23.5 | -24.5 | -25.75 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.375 | -32.75 | -36.5 | -42 | -45.25 | -47.5 | -45.75 | -49.25 | -50.75 | -50.5 | -53.25 | -55.75 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36 | -37.25 | -37.5 | -39.75 | -40.75 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.75 | -27.5 | -28 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.125 | -32.5 | -36.25 | -41.75 | -44.5 | -47 | -45.5 | -48.75 | -50.75 | -50.5 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -17 | -17.75 | -17 | -18.25 | -19 | -19 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.375 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.125 | -32.625 | -36.25 | -41.25 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | -108.75 | -111.75 | -123.5 | -143 | -153.25 | -164.75 | -156.75 | -168.25 | -173 | -173.5 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | -52 | -53.75 | -59.5 | -68.5 | -73.5 | -78.75 | -75 | -80.5 | -83.25 | -83.5 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | -182.75 | -187.625 | -207.25 | -239.75 | -257 | -275.5 | -263.75 | -282.75 | -290 | -291 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | -210.875 | -215.75 | -239 | -276.5 | -296 | -316.75 | -303.25 | -325.5 | -334 | -335 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | -116.625 | -119.875 | -132.5 | -153 | -164.25 | -176 | -168 | -180.75 | -185 | -185.75 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.25 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -22.75 | -23.5 | -24.5 | -25.75 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.375 | -32.625 | -36.75 | -41.75 | -45.5 | -47.5 | -45.75 | -48.75 | -51 | -50.75 | -53.25 | -55.75 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36 | -37.25 | -37.5 | -39.75 | -40.75 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.75 | -27.5 | -28 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.125 | -32.5 | -36.25 | -41.5 | -45 | -47 | -45.25 | -48.75 | -50.75 | -50.5 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -17 | -17.75 | -17 | -18.25 | -19 | -19 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.375 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31 | -32.5 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | -293.75 | -300.625 | -332.5 | -384.25 | -412.25 | -441.75 | -422.25 | -453.75 | -466 | -467.25 | -493.25 | -508.5 |
| 3-404 | Replace V-Belts | 0 | 0 | -30 | -31.125 | -34.25 | -40 | -42.75 | -45.25 | -43.75 | -47 | -48.75 | -47.75 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | -17.75 | -18.125 | -20.25 | -23.25 | -24.75 | -26.5 | -25.25 | -27.25 | -27.5 | -28 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | -130.875 | -134.125 | -148.5 | -171.25 | -184.25 | -197.25 | -188.75 | -202.5 | -208.25 | -208.5 | -220.25 | -227.25 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -15.875 | -17.5 | -20.5 | -22 | -23 | -22 | -23.75 | -24.75 | -25 | -25.5 | -27 |
| 3-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -40.5 | -42 | -46.5 | -53.75 | -58 | -61 | -59 | -63 | -65 | -65 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | -25.125 | -25.625 | -28.5 | -33.5 | -36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.125 | -52.125 | -57.75 | -66.25 | -71.75 | -76.5 | -73.25 | -78.75 | -80.75 | -81 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -50.625 | -52.125 | -57.75 | -66.5 | -72 | -77.25 | -73.5 | -79 | -81.5 | -81.75 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.625 | -31 | -36.5 | -38.5 | -40.75 | -39.5 | -42.25 | -43.5 | -43.75 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.875 | -26.25 | -31.25 | -32.75 | -34.25 | -33.25 | -35.75 | -36.75 | -36.5 | -38.75 | -40 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | -127.375 | -131 | -145 | -167.5 | -180 | -193 | -184.5 | -198.5 | -203.5 | -203 | -215.25 | -222.25 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -179.125 | -184.25 | -204.25 | -236.25 | -254.25 | -272.5 | -259.75 | -279.25 | -286.25 | -286.5 | -303.75 | -313 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -67.875 | -69.875 | -77.5 | -89.75 | -96 | -103 | -98.5 | -105.75 | -108.5 | -108.25 | -115.5 | -118.75 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -24 | -26.25 | -31 | -33.25 | -35 | -33.5 | -35.75 | -37 | -36.75 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | -22.25 | -22.875 | -25.25 | -29.75 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | -23.375 | -24 | -26.25 | -31 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | -46.125 | -47.625 | -52.5 | -61.5 | -66 | -70 | -67.25 | -72 | -74 | -74.5 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | -46.375 | -47.875 | -52.75 | -61.75 | -66.25 | -70.75 | -67.5 | -72.75 | -74.5 | -74.75 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | -23.875 | -24.625 | -27.25 | -31.75 | -34 | -36 | -34 | -37.5 | -38.25 | -38.25 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | -20.875 | -22 | -23.75 | -27.75 | -30.25 | -31.5 | -30.5 | -32.75 | -33.75 | -33.5 | -35.5 | -36.75 |
| 3-731 | Cool Roof - DX | 0 | 0 | -115.75 | -119.875 | -132.25 | -153.25 | -164.75 | -177.25 | -168.25 | -180.75 | -185.5 | -185.75 | -196.75 | -202.5 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -112.625 | -116.375 | -128 | -148.75 | -159.75 | -171.25 | -163.25 | -175.25 | -180 | -179.75 | -190.75 | -196.5 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | -262.875 | -271.875 | -300.75 | -348.75 | -375.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | -262.875 | -271.875 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | -244.375 | -250.375 | -277 | -320.75 | -343.25 | -368 | -352 | -378 | -387.75 | -389 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | -94 | -96.25 | -106.25 | -123.25 | -131.25 | -141 | -134.75 | -144.75 | -148.75 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.625 | -97.75 | -113.75 | -121 | -129.25 | -124 | -132.75 | -136.75 | -137.75 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | -65 | -66.875 | -73.75 | -85.25 | -90.75 | -97 | -93.5 | -100.25 | -103 | -103.5 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | -110.25 | -111.75 | -124 | -143.25 | -153.25 | -163.5 | -157.25 | -168.75 | -173.75 | -174.25 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | -46.875 | -47.75 | -53.25 | -61.5 | -65.75 | -70 | -67.25 | -72 | -74.75 | -74.75 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22 | -21.25 | -22.5 | -23.5 | -23.75 | -24.5 | -26 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -44.75 | -47.5 | -46 | -49.25 | -51.25 | -51.25 | -53.5 | -55.75 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.5 | -35.75 | -37.5 | -37.5 | -39.5 | -40.5 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -20.25 | -23.5 | -24.5 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | -46 | -48.5 | -51 | -50.25 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | -10.125 | -10.375 | -11.25 | -13.25 | -14.25 | -15 | -14.5 | -15.25 | -16 | -16.25 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | -191.875 | -195.25 | -216.25 | -250 | -267 | -285.5 | -273.5 | -294 | -301.75 | -303 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.75 | -144.25 | -166 | -177.5 | -190 | -182 | -195.25 | -201.5 | -202.5 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.375 | -29 | -33.75 | -36 | -38.25 | -36.5 | -39 | -40.75 | -41.25 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22 | -21.25 | -22.5 | -23.5 | -23.75 | -24.5 | -26 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.5 | -54 | -55.75 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.5 | -35.75 | -37.5 | -37.5 | -39.5 | -40.5 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -20.25 | -23.5 | -24.5 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | -46 | -48.75 | -51 | -50.25 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | -52.625 | -54 | -59.25 | -68.5 | -73.25 | -78 | -74.75 | -80.5 | -84 | -83.75 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | -184.5 | -187.75 | -208.25 | -240.25 | -256.5 | -274.75 | -263.75 | -282.5 | -290.5 | -291.75 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | -212.75 | -215.875 | -240 | -276.5 | -295.5 | -316.5 | -303.25 | -325.75 | -334.5 | -336.5 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | -117.5 | -119.875 | -133.25 | -153.75 | -163.75 | -175.75 | -168 | -180.5 | -186 | -186.5 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22 | -21.25 | -22.5 | -23.5 | -23.75 | -24.5 | -26 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.75 | -54 | -55.5 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.5 | -35.75 | -37.5 | -37.5 | -39.5 | -40.5 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -20.25 | -23.5 | -24.5 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.25 | -22 | -23.75 | -24.75 | -24.75 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | -41.875 | -43.125 | -47.5 | -55 | -58.75 | -62.25 | -60.25 | -64.25 | -67 | -67 | -70 | -72.25 |
| 4-407 | High Consistency forming | 0 | 0 | -40.625 | -41.125 | -45.75 | -53 | -56.5 | -59.75 | -57.5 | -61.75 | -64 | -64 | -67 | -69.25 |
| 4-408 | Optimization control PM | 0 | 0 | -25.375 | -26 | -28.75 | -33.25 | -35.5 | -37.75 | -36 | -38.5 | -40 | -40.75 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.25 | -22.25 | -23.75 | -24.75 | -25 | -26.25 | -27 |
| 4-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.25 | -42.125 | -46.75 | -53.75 | -57.75 | -61.25 | -59 | -62.75 | -65.25 | -65.25 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | -25.5 | -26 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -51 | -52.375 | -57.75 | -66.75 | -71.5 | -76 | -73.5 | -77.75 | -81.25 | -81 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.25 | -52.5 | -58.25 | -67 | -71.5 | -76.5 | -73.75 | -78.5 | -81.75 | -81.5 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.375 | -28 | -31.25 | -36.25 | -38.5 | -41 | -39 | -42 | -43.75 | -43.5 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.5 | -26.25 | -30.75 | -33 | -34.5 | -33 | -35.5 | -36.75 | -36.75 | -38.75 | -40 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | -128.875 | -131.75 | -145.5 | -168 | -179.75 | -192.5 | -185 | -198.25 | -203.75 | -204.25 | -215 | -222.25 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -181.625 | -185.375 | -205 | -236.75 | -253.25 | -271.25 | -259.75 | -279 | -286.5 | -287.75 | -302.75 | -313.5 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.875 | -70.625 | -77.75 | -90 | -96 | -102.5 | -98.25 | -105.5 | -108.5 | -109.25 | -114.75 | -118 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.5 | -23.75 | -26.5 | -30.75 | -33 | -34.75 | -33.25 | -35.75 | -37 | -37.25 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | -22.375 | -22.875 | -25.5 | -29.5 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | -23.5 | -23.75 | -26.5 | -30.75 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -47.875 | -53 | -61.5 | -65.5 | -69.75 | -67.5 | -71.5 | -74.75 | -74.5 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | -46.625 | -48 | -53.5 | -61.5 | -66 | -70 | -67.5 | -72 | -74.75 | -75 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.5 | -27 | -31.75 | -34 | -36.25 | -34.5 | -36.75 | -38.5 | -38.25 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | -21.5 | -21.875 | -24 | -28 | -30.25 | -31.25 | -30.25 | -33 | -33.75 | -34 | -35.5 | -37 |
| 4-731 | Cool Roof - DX | 0 | 0 | -117.25 | -120.125 | -133.25 | -153.5 | -164.5 | -176 | -168.25 | -181 | -186.5 | -186.75 | -197 | -203.25 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -114 | -116.25 | -129 | -149 | -159 | -170.5 | -163.5 | -175.5 | -179.5 | -181 | -190.75 | -196.5 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | -267.125 | -273 | -302.5 | -349.5 | -374.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | -267.125 | -273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | -246.375 | -250.25 | -278.25 | -321 | -343 | -367.25 | -351.5 | -378 | -388 | -390 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | -94.625 | -96.25 | -106.5 | -123.25 | -131.5 | -140.25 | -134.5 | -144.5 | -149 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | -87 | -88.25 | -97.75 | -113 | -121 | -129.25 | -123.5 | -132.75 | -136.25 | -137.25 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | -64.75 | -66.375 | -73.5 | -85 | -90.75 | -97.25 | -93.5 | -99.5 | -102.5 | -103.25 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | -109.875 | -111.625 | -124 | -143 | -152.75 | -163.75 | -156.75 | -168.5 | -173.25 | -174 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -48 | -53.25 | -61.75 | -65.75 | -69.5 | -67.25 | -71.75 | -74.5 | -74.5 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -26 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -44.75 | -47.5 | -46 | -49.25 | -51.25 | -51.25 | -53.5 | -55.75 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.25 | -37.75 | -39.5 | -41 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20 | -23.25 | -24.25 | -26 | -25 | -27 | -27.75 | -28 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | -46 | -48.5 | -51 | -50.25 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13 | -14.25 | -14.75 | -14.25 | -15.5 | -16.25 | -16.25 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | -190.75 | -195 | -216 | -249.5 | -266.25 | -285 | -273.25 | -293.25 | -301.75 | -302.5 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.75 | -144.25 | -166 | -177.5 | -190 | -182 | -195.25 | -201.5 | -202.5 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.375 | -29 | -33.5 | -36 | -38.25 | -36.75 | -39.25 | -41 | -41.25 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -26 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.25 | -46 | -49 | -51.5 | -50.5 | -54 | -55.75 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.25 | -37.75 | -39.5 | -41 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20 | -23.25 | -24.25 | -26 | -25 | -27 | -27.75 | -28 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | -46 | -48.75 | -51 | -50.5 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | -52.5 | -53.625 | -59.5 | -68.5 | -73.5 | -78 | -75 | -80.5 | -83.5 | -83.75 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | -184 | -187.625 | -207.75 | -239.75 | -256.25 | -274.5 | -263 | -282.75 | -290.25 | -291.5 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | -211.625 | -216.125 | -239.5 | -276.25 | -295 | -316.25 | -302.75 | -325.5 | -334.5 | -335.5 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | -117.25 | -119.75 | -132.75 | -153 | -163.75 | -175.5 | -167.75 | -180.75 | -185.5 | -186.25 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -26 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.75 | -54 | -55.5 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35 | -34 | -36.25 | -37.25 | -37.75 | -39.5 | -41 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20 | -23.25 | -24.25 | -26 | -25 | -27 | -27.75 | -28 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.75 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | -52.125 | -53.25 | -59 | -68 | -72.75 | -77.5 | -74 | -79.5 | -82.5 | -83 | -86.75 | -89.25 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | -117.25 | -119.75 | -132.75 | -153 | -163.75 | -175.5 | -167.75 | -180.75 | -185.5 | -186.25 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | -53.5 | -55.125 | -60.75 | -70 | -74.75 | -80.25 | -76.75 | -82.25 | -85.25 | -85 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 5-412 | Efficient drives | 0 | 0 | -18 | -18.125 | -20.25 | -23.5 | -24.75 | -26.5 | -25.25 | -27 | -28 | -28.25 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -21.75 | -23.5 | -22.25 | -23.75 | -24.5 | -25 | -25.75 | -27 |
| 5-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41 | -42 | -46.75 | -53.75 | -57.75 | -61.25 | -58.75 | -63 | -65.5 | -65.5 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52.125 | -57.75 | -66.5 | -71.5 | -76.5 | -73.25 | -78.5 | -81.25 | -81.25 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51 | -52.375 | -58.25 | -67 | -71.75 | -77.25 | -73.75 | -79 | -81.75 | -82 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.75 | -31 | -36 | -38.5 | -41 | -39.5 | -42.25 | -43.75 | -43.25 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.625 | -26.25 | -30.75 | -32.75 | -34.25 | -33.25 | -35.5 | -36.75 | -36.75 | -38.75 | -40 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | -127.875 | -131.375 | -145.25 | -168 | -180.25 | -193 | -184.5 | -198.25 | -203 | -204 | -215.75 | -222 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.625 | -185.125 | -204.75 | -236.75 | -253 | -271.75 | -259.25 | -279.25 | -286.75 | -287.25 | -303.25 | -313.5 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.125 | -70.375 | -77.5 | -90.25 | -96.25 | -102.5 | -98.5 | -105.5 | -108.5 | -108.75 | -114.75 | -118.25 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33 | -34.5 | -33.25 | -36 | -37 | -36.5 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | -22.75 | -22.875 | -25.25 | -29.5 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -48 | -53 | -61.5 | -66 | -70 | -67.25 | -71.75 | -74.25 | -74.25 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | -46.625 | -48.125 | -53.25 | -61.75 | -66 | -70.25 | -67.25 | -72 | -74.5 | -74.5 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.75 | -27.5 | -31.75 | -34 | -36.25 | -34.25 | -37.25 | -38.5 | -38.75 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | -21.25 | -22 | -24 | -28 | -30.25 | -31.25 | -30.25 | -33 | -34 | -33.75 | -35.25 | -37 |
| 5-731 | Cool Roof - DX | 0 | 0 | -117.125 | -120 | -132.75 | -153.75 | -164.5 | -176.75 | -168.75 | -181.5 | -185.75 | -186.5 | -196.75 | -202.75 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.25 | -116.625 | -128.5 | -149 | -159 | -171 | -163.25 | -175 | -180.25 | -180.25 | -190.25 | -196.75 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | -265.75 | -273 | -302.25 | -349.5 | -375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | -265.75 | -273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | -245.75 | -250.375 | -277.75 | -320.25 | -342 | -366.75 | -351.75 | -377.5 | -388.25 | -390 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | -94.625 | -96.25 | -106.5 | -123.25 | -131.5 | -140.25 | -134.5 | -144.5 | -149 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.5 | -97.75 | -113.25 | -120.5 | -129 | -124.25 | -132.75 | -137 | -137.75 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | -65 | -66.625 | -73.5 | -85.25 | -90.5 | -97.25 | -93.5 | -100 | -102.5 | -103.25 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | -110.375 | -112 | -123.75 | -143.25 | -152.75 | -163.25 | -157 | -168.25 | -173.25 | -174.25 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | -47.125 | -47.875 | -53.25 | -61.25 | -65.5 | -69.5 | -67.25 | -71.75 | -74.5 | -75 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -44.75 | -47.5 | -46 | -49.25 | -51.25 | -51.25 | -53.5 | -55.75 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | -46 | -48.5 | -51 | -50.25 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -15.75 | -16.25 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | -191.75 | -195.25 | -216.5 | -249.25 | -266.25 | -285 | -273.25 | -293.5 | -301.5 | -303.25 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.75 | -144.25 | -166 | -177.5 | -190 | -182 | -195.25 | -201.5 | -202.5 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.5 | -29 | -33.75 | -36.25 | -38 | -36.75 | -39 | -40.75 | -41.25 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.25 | -46 | -49 | -51.5 | -50.5 | -54 | -55.75 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | -46 | -48.75 | -51 | -50.5 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | -52.625 | -53.875 | -59.25 | -68.25 | -73.25 | -78 | -75 | -80.5 | -83.25 | -83.25 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | -184.625 | -188 | -208.5 | -240 | -256 | -274.5 | -263.25 | -282.5 | -290.25 | -291.75 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | -212.625 | -216 | -240 | -276.5 | -294.75 | -316.25 | -303.25 | -325.5 | -334.5 | -336 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | -117.625 | -119.75 | -133.25 | -153 | -163.25 | -175.5 | -168 | -180.5 | -186 | -186 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.75 | -54 | -55.5 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | -52.5 | -53.5 | -58.75 | -68 | -72.5 | -77.5 | -73.75 | -79.5 | -82.25 | -82.5 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | -195.25 | -199 | -221 | -254 | -271.75 | -290.75 | -278.5 | -299.25 | -307.5 | -309.5 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | -41.25 | -42.5 | -47 | -53.75 | -57.75 | -61.25 | -58.5 | -63 | -65.5 | -65.75 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | -2.625 | -3.125 | -3.25 | -4 | -4.5 | -4.5 | -4.5 | -4 | -4.5 | -4.5 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | -41.25 | -42.5 | -47 | -53.75 | -57.75 | -61.25 | -58.5 | -63 | -65.5 | -65.75 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -18 | -20.5 | -22.25 | -23.25 | -22.25 | -23.75 | -25 | -25.5 | -25.75 | -27 |
| 6-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.25 | -42.5 | -47 | -53.75 | -57.75 | -61.5 | -58.5 | -63 | -65.75 | -65.75 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | -25.375 | -26.125 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -51.125 | -52.625 | -58.25 | -66.5 | -71.5 | -75.75 | -73.25 | -78.25 | -81.5 | -81.5 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.625 | -52.875 | -58.25 | -66.75 | -71.75 | -76.25 | -73.75 | -78.5 | -81.75 | -81.75 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.625 | -28.125 | -31.5 | -36 | -38.25 | -40.75 | -39 | -42 | -43.5 | -43.5 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.625 | -26 | -30.5 | -33 | -34.75 | -33 | -35 | -37 | -37 | -39 | -40 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | -129.375 | -131.75 | -145.75 | -167.75 | -179.25 | -192 | -184 | -198 | -204 | -204.75 | -214.75 | -222.25 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -182.25 | -185.25 | -205.5 | -236.75 | -253 | -271 | -259.75 | -278.75 | -286.5 | -288 | -303.25 | -313.25 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -69.125 | -70.375 | -78 | -90 | -96.25 | -102.25 | -98.25 | -105.75 | -108.75 | -109.25 | -114.75 | -118.25 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.25 | -23.75 | -26.5 | -30.75 | -33 | -35 | -33.25 | -35.75 | -37 | -37.25 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -23 | -25.5 | -29.5 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | -23.25 | -23.75 | -26.5 | -30.75 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | -46.875 | -47.625 | -53.25 | -61.5 | -65.5 | -69.5 | -67 | -71.75 | -74.75 | -74.75 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | -46.875 | -48 | -53.5 | -61.75 | -66 | -70 | -67.5 | -72.25 | -75 | -75.25 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | -24.25 | -24.5 | -27.25 | -32 | -34.25 | -36.5 | -34.5 | -36.5 | -37.75 | -38.5 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | -21.5 | -21.875 | -24 | -28.25 | -30.25 | -31.75 | -30.25 | -32.75 | -34 | -34.25 | -35.5 | -36.75 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|
| 6-731 | Cool Roof - DX | 0 | 0 | -117.75 | -120.125 | -133.5 | -153.5 | -164.25 | -176 | -169 | -181.5 | -186.75 | -187.25 | -196.5 | -203.75 |
| 6-801 | Premium T8, Electronic Ballast | 0 | 0 | -114.5 | -116.375 | -129 | -148.75 | -158.75 | -169.75 | -163.25 | -175.5 | -180.5 | -181 | -190.5 | -196.5 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | -268.625 | -273.75 | -303.5 | -349.5 | -373.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | -268.625 | -273.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | -246.625 | -250.375 | -278 | -320.5 | -342 | -367 | -351.75 | -377.75 | -388.25 | -389.75 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | -94.75 | -96.25 | -106.5 | -123.25 | -131.25 | -140.25 | -134.5 | -144.5 | -149 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.5 | -97.75 | -113.25 | -120.5 | -129 | -124.25 | -132.75 | -137 | -137.75 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | -65 | -66.625 | -73.5 | -85.25 | -90.5 | -97.25 | -93.5 | -100 | -102.5 | -103.25 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | -110.375 | -112 | -123.75 | -143.25 | -152.75 | -163.25 | -157 | -168.25 | -173.25 | -174.25 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | -47.125 | -47.875 | -53.25 | -61.25 | -65.5 | -69.5 | -67.25 | -71.75 | -74.5 | -75 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -44.75 | -47.5 | -46 | -49.25 | -51.25 | -51.25 | -53.5 | -55.75 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | -46 | -48.5 | -51 | -50.25 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | -5.125 | -5.25 | -5.5 | -7 | -7.5 | -7.25 | -7 | -7.25 | -7.75 | -8 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | -12.75 | -13 | -14.25 | -16.75 | -17.25 | -18.25 | -17.25 | -18.75 | -19.75 | -20 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -15.75 | -16.25 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | -191.75 | -195.25 | -216.5 | -249.25 | -266.25 | -285 | -273.25 | -293.5 | -301.5 | -303.25 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.75 | -144.25 | -166 | -177.5 | -190 | -182 | -195.25 | -201.5 | -202.5 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.5 | -29 | -33.75 | -36.25 | -38 | -36.75 | -39 | -40.75 | -41.25 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.25 | -46 | -49 | -51.5 | -50.5 | -54 | -55.75 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | -46 | -48.75 | -51 | -50.5 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | -5.125 | -5.25 | -5.5 | -7 | -7.5 | -7.25 | -7 | -7.25 | -7.75 | -8 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | -12.75 | -13 | -14.25 | -16.75 | -17.25 | -18.25 | -17.25 | -18.75 | -19.75 | -20 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | -52.625 | -53.875 | -59.25 | -68.25 | -73.25 | -78 | -75 | -80.5 | -83.25 | -83.25 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | -184.625 | -188 | -208.5 | -240 | -256 | -274.5 | -263.25 | -282.5 | -290.25 | -291.75 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | -212.625 | -216 | -240 | -276.5 | -294.75 | -316.25 | -303.25 | -325.5 | -334.5 | -336 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | -117.625 | -119.75 | -133.25 | -153 | -163.25 | -175.5 | -168 | -180.5 | -186 | -186 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.25 | -23.5 | -23.75 | -24.5 | -26 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.75 | -54 | -55.5 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.5 | -31 | -33.5 | -35.25 | -33.25 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.25 | -20.25 | -23.5 | -24.75 | -26 | -24.75 | -26.5 | -28 | -28.25 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -16.75 | -18 | -18.75 | -19.25 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | -5.125 | -5.25 | -5.5 | -7 | -7.5 | -7.25 | -7 | -7.25 | -7.75 | -8 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | -12.75 | -13 | -14.25 | -16.75 | -17.25 | -18.25 | -17.25 | -18.75 | -19.75 | -20 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | -110.375 | -112 | -123.75 | -143.25 | -152.75 | -163.25 | -157 | -168.25 | -173.25 | -174.25 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | -5.125 | -5.25 | -5.5 | -7 | -7.5 | -7.25 | -7 | -7.25 | -7.75 | -8 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | -12.75 | -13 | -14.25 | -16.75 | -17.25 | -18.25 | -17.25 | -18.75 | -19.75 | -20 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -18 | -20.5 | -22.25 | -23.25 | -22 | -23.75 | -25 | -25.25 | -25.75 | -27 |
| 7-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.25 | -42.5 | -47 | -53.75 | -57.75 | -61.5 | -58.5 | -63 | -65.5 | -65.75 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | -25.375 | -26.125 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -51.125 | -52.625 | -58 | -66.5 | -71.5 | -76 | -73.5 | -78.25 | -81.25 | -81.5 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.5 | -52.875 | -58.25 | -67 | -71.75 | -76.25 | -73.75 | -78.5 | -81.75 | -81.75 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.625 | -28.125 | -31.5 | -36 | -38.25 | -40.75 | -38.75 | -42 | -43.75 | -43.5 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | -23.5 | -23.625 | -26 | -30.5 | -32.75 | -34.75 | -33.25 | -35 | -36.75 | -37 | -39.25 | -40 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | -129.375 | -131.625 | -145.75 | -167.75 | -179.25 | -192 | -183.75 | -198 | -204 | -204.75 | -214.75 | -222.25 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -182.25 | -185.25 | -205.5 | -236.75 | -253 | -271 | -259.5 | -278.75 | -286.75 | -288 | -303 | -313.25 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -69.125 | -70.5 | -78 | -89.75 | -96 | -102.25 | -98.5 | -105.5 | -108.25 | -109.5 | -114.75 | -118.25 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -23.75 | -26.5 | -30.5 | -33.25 | -34.75 | -33 | -35.5 | -37 | -37.25 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -23 | -25.5 | -29.75 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | -23.375 | -23.75 | -26.5 | -30.5 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | -46.875 | -47.875 | -53.25 | -61.75 | -65.75 | -69.5 | -67 | -71.5 | -74.75 | -74.75 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | -47 | -48 | -53.5 | -61.75 | -66 | -70 | -67.5 | -72 | -74.75 | -75.25 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | -24.25 | -24.625 | -27.25 | -32 | -34.25 | -35.75 | -34 | -36.75 | -38.25 | -38.5 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | -21.625 | -21.75 | -24 | -28.25 | -30.5 | -32 | -30.25 | -32.75 | -34 | -34.25 | -35.5 | -36.75 |
| 7-731 | Cool Roof - DX | 0 | 0 | -117.625 | -120.25 | -133.75 | -153.75 | -164 | -175.75 | -168.75 | -181.25 | -186.5 | -187.25 | -197 | -203.25 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -114.5 | -116.375 | -129 | -148.75 | -158.75 | -169.75 | -163.25 | -175.5 | -180.5 | -181 | -190.5 | -196.5 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | -268.75 | -273.5 | -303.5 | -349.5 | -373.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | -268.75 | -273.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | -246.625 | -250.375 | -278 | -320.5 | -342 | -367 | -351.75 | -377.75 | -388.25 | -389.75 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | -94.75 | -96.25 | -106.5 | -123.25 | -131.25 | -140.25 | -134.5 | -144.5 | -149 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88 | -97.5 | -113 | -121.5 | -129.25 | -124.25 | -132.75 | -136.75 | -137.25 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | -64.625 | -66.5 | -73.5 | -84.75 | -91 | -97.25 | -93.25 | -99.5 | -102.75 | -103.25 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | -109.625 | -111.75 | -123.75 | -143.25 | -152.75 | -163.75 | -156.75 | -168.75 | -173.25 | -174 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -48 | -53.25 | -61.75 | -65.75 | -69.5 | -67.25 | -71.75 | -74.75 | -74.5 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15 | -15.125 | -17 | -19.5 | -21 | -22.5 | -21 | -22.25 | -23.25 | -23.75 | -24.75 | -25.75 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.625 | -33 | -36.25 | -42 | -44.75 | -47 | -45.75 | -49 | -51.25 | -50.5 | -53 | -55.75 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.75 | -36 | -37.25 | -37.75 | -39.75 | -41 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20.25 | -23.5 | -24.5 | -26 | -25 | -26.5 | -27.5 | -28 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36 | -42 | -44.5 | -47 | -45.75 | -48.5 | -50.75 | -50.25 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -18.75 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.75 | -32.5 | -36 | -42 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13 | -14.25 | -14.75 | -14 | -15.5 | -16.5 | -16.25 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | -190.75 | -195 | -215.75 | -249.5 | -266.5 | -285.5 | -273.5 | -293.75 | -301.75 | -302.75 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | -127.375 | -129.875 | -144.25 | -166.25 | -177.5 | -190 | -182 | -195.75 | -201.25 | -202.75 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.25 | -28.75 | -33.5 | -36 | -38 | -36.5 | -39.25 | -40.5 | -41 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15 | -15.125 | -17 | -19.5 | -21 | -22.5 | -21 | -22.25 | -23.25 | -23.75 | -24.75 | -25.75 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.75 | -33.25 | -36.25 | -42 | -45.25 | -47.5 | -45.75 | -48.75 | -51.25 | -51 | -53.25 | -56 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.75 | -36 | -37.25 | -37.75 | -39.75 | -41 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20.25 | -23.5 | -24.5 | -26 | -25 | -26.5 | -27.5 | -28 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.25 | -36.25 | -42 | -44.75 | -47 | -45.75 | -48.75 | -50.75 | -50.5 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -18.75 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | -52.375 | -53.75 | -59.75 | -68.25 | -73.25 | -78 | -75.25 | -80.25 | -83.5 | -83.75 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | -183.75 | -187.375 | -207.75 | -239.75 | -256.25 | -274.25 | -262.75 | -283 | -290 | -291.5 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | -211.625 | -216.125 | -239.5 | -276 | -295.5 | -316 | -303 | -325 | -334.75 | -335.5 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | -117.125 | -119.75 | -133 | -152.75 | -163.75 | -175.5 | -168 | -180.25 | -185.75 | -186.25 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15 | -15.125 | -17 | -19.5 | -21 | -22.5 | -21 | -22.25 | -23.25 | -23.75 | -24.75 | -25.75 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.625 | -33.25 | -36.25 | -42 | -45 | -47.25 | -45.75 | -48.75 | -51.5 | -51 | -53.25 | -55.75 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.75 | -36 | -37.25 | -37.75 | -39.75 | -41 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18 | -20.25 | -23.5 | -24.5 | -26 | -25 | -26.5 | -27.5 | -28 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.5 | -36.25 | -41.75 | -44.5 | -47 | -45.75 | -49 | -50.75 | -50.5 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.5 | -15.75 | -16.75 | -17.75 | -16.5 | -18.25 | -19 | -18.75 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.5 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | -51.75 | -53.25 | -59 | -68 | -72.5 | -77.75 | -74 | -79.75 | -83 | -83 | -86.75 | -89.5 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | -194.5 | -199 | -220.5 | -253.75 | -271.5 | -291.25 | -278 | -299 | -307.5 | -308.75 | -325.25 | -336 |
| 8-419 | Direct drive Extruders | 0 | 0 | -448.375 | -456.75 | -506.5 | -584.75 | -625.25 | -670.75 | -641.75 | -689.75 | -708 | -710.5 | -749.25 | -773.25 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | -123 | -125.5 | -138.75 | -160.25 | -171.25 | -184.25 | -176 | -189.25 | -194.5 | -194.75 | -205.25 | -211.75 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | -116.125 | -118.25 | -131 | -151.5 | -161.75 | -173.25 | -166 | -178.75 | -183.5 | -184 | -194 | -200.25 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | -15.75 | -16 | -17.75 | -20.5 | -21.75 | -23.5 | -22.25 | -23.5 | -24.75 | -25 | -25.75 | -27 |
| 8-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41 | -42 | -46.75 | -53.75 | -57.75 | -61.25 | -59 | -62.75 | -65 | -65.25 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.5 | -33.25 | -35.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52 | -57.75 | -66.5 | -71.5 | -76.5 | -73 | -78.25 | -81.5 | -81.25 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51 | -52.5 | -58 | -67 | -71.75 | -77.25 | -73.5 | -79 | -81.5 | -82 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.875 | -31.25 | -36 | -38.5 | -41 | -39.25 | -42.25 | -43.75 | -43.75 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.625 | -26.5 | -30.75 | -33 | -34.25 | -33.25 | -35.75 | -37 | -37 | -38.75 | -39.75 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | -128 | -131.125 | -145 | -168 | -180.25 | -193.25 | -184.25 | -198.5 | -203.25 | -204 | -215.75 | -222.5 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.5 | -185.25 | -204.5 | -236.25 | -253.5 | -272 | -259.25 | -279.25 | -286.5 | -287.25 | -304 | -313.25 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.125 | -70.375 | -77.5 | -90.25 | -96.25 | -102.75 | -98.5 | -106 | -108.5 | -109 | -115 | -118.5 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -24 | -26.5 | -31 | -33 | -34.5 | -33.25 | -36 | -37 | -36.75 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|
| 8-725 | DX Coil Cleaning | 0 | 0 | -22.75 | -22.875 | -25.25 | -29.5 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | -23.375 | -24 | -26.5 | -31 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -48 | -52.75 | -61.25 | -66 | -70 | -67.25 | -72 | -74 | -74.5 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | -46.5 | -48.125 | -53.25 | -61.5 | -66 | -70.25 | -67.5 | -72.25 | -74.5 | -75 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.75 | -27.5 | -31.75 | -34 | -36.25 | -34.25 | -37.5 | -38.25 | -38.75 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | -21.25 | -22.125 | -24 | -28 | -30.25 | -31.5 | -30.5 | -33 | -33.75 | -34 | -35.25 | -37 |
| 8-731 | Cool Roof - DX | 0 | 0 | -116.875 | -120.125 | -132.75 | -153.25 | -164.75 | -176.5 | -168.5 | -181.5 | -185.75 | -186.5 | -197 | -202.75 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.375 | -116.375 | -128.5 | -148.75 | -159.5 | -170.75 | -163.5 | -175.25 | -180.25 | -180.25 | -190.5 | -197 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | -265.75 | -272.875 | -302.25 | -349.5 | -375.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | -265.75 | -272.875 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | -245.625 | -250.625 | -277.75 | -320.25 | -342.5 | -367.5 | -352 | -377.75 | -388 | -390 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | -94.75 | -96.375 | -106.25 | -123.5 | -131.25 | -140.25 | -134.75 | -144.75 | -149 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.625 | -97.75 | -113.5 | -120.75 | -129.25 | -124.25 | -133 | -137.25 | -137.75 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | -65 | -66.75 | -73.75 | -85.25 | -90.5 | -97 | -93.5 | -100.25 | -103 | -103.75 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | -110.375 | -111.875 | -123.75 | -143.25 | -153.25 | -163.5 | -157 | -168.75 | -174 | -174.25 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | -47.125 | -48 | -53.25 | -61.75 | -65.75 | -69.25 | -67.25 | -71.5 | -74.75 | -75 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -44.75 | -47.25 | -46 | -49 | -51.5 | -51 | -54 | -56 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.25 | -36 | -37.25 | -37.5 | -39.5 | -40.5 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.25 | -20.25 | -23.5 | -24.5 | -26 | -24.75 | -27 | -27.5 | -28.25 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.75 | -36.25 | -41.75 | -44.75 | -47 | -45.5 | -48.75 | -51 | -50.25 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.75 | -36 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -16.25 | -16.25 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | -191.625 | -195.25 | -216.25 | -249.5 | -266.5 | -285.5 | -273.25 | -293.75 | -301.75 | -303 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | -127.75 | -129.75 | -144.25 | -166.5 | -177.5 | -190.25 | -182.25 | -195.75 | -201.75 | -202 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.375 | -29 | -33.75 | -36.25 | -38 | -36.5 | -39 | -40.75 | -41.25 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.75 | -46 | -49.25 | -51.25 | -51.25 | -53.75 | -55.5 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.25 | -36 | -37.25 | -37.5 | -39.5 | -40.5 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.25 | -20.25 | -23.5 | -24.5 | -26 | -24.75 | -27 | -27.5 | -28.25 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.625 | -33 | -36.25 | -41.75 | -44.75 | -47.25 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.5 | -32.75 | -36.25 | -41.75 | -44.5 | -47.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | -52.625 | -54 | -59.25 | -68.5 | -73.25 | -78 | -74.75 | -80.5 | -83.75 | -83.75 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | -184.625 | -187.75 | -208.5 | -240 | -256.5 | -274.5 | -263.25 | -282.75 | -290.25 | -291.75 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | -212.75 | -215.875 | -240 | -276.5 | -295.25 | -316.5 | -303.5 | -325.25 | -334.5 | -336.25 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | -117.5 | -119.75 | -133.25 | -153.25 | -163.5 | -175.5 | -168.25 | -180.25 | -186.25 | -186.5 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.25 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49.25 | -51.5 | -51.25 | -53.5 | -55.5 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.125 | -26.75 | -31 | -33.5 | -35 | -33.25 | -36 | -37.25 | -37.5 | -39.5 | -40.5 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.25 | -20.25 | -23.5 | -24.5 | -26 | -24.75 | -27 | -27.5 | -28.25 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.875 | -36.25 | -41.75 | -44.75 | -47.25 | -45.75 | -48.75 | -51 | -50.25 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.5 | -18 | -16.5 | -18.25 | -18.75 | -19.25 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.5 | -32.75 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | -17.875 | -18.125 | -20.25 | -23.5 | -24.75 | -26.5 | -25.25 | -27 | -28 | -28.25 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | -10.125 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -16.25 | -16.25 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | -124.75 | -127.375 | -141 | -162.25 | -173.75 | -186.5 | -178.25 | -191.5 | -197.25 | -198.25 | -208 | -214.75 |
| 9-423 | Process control | 0 | 0 | -10.125 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -16.25 | -16.25 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | -53.5 | -55 | -60.5 | -69.25 | -74.25 | -79.5 | -76.5 | -82 | -84.5 | -85 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | -20.375 | -20.75 | -22.75 | -26.75 | -28.75 | -29.75 | -28.75 | -30.5 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | -15.75 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | -22.25 | -23.75 | -25 | -25 | -26.5 | -27 |
| 9-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.125 | -42.125 | -46.75 | -53.75 | -57.75 | -61.25 | -58.75 | -63 | -65.25 | -65.25 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | -25.375 | -26 | -28.75 | -33 | -35.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -51.125 | -52.5 | -57.75 | -66.75 | -71.25 | -76 | -73.25 | -78 | -81.5 | -81 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.25 | -52.5 | -58.25 | -67 | -71.5 | -76.5 | -73.25 | -78.5 | -81.75 | -81.75 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.375 | -28.125 | -31.25 | -36.25 | -38.5 | -41 | -39 | -42 | -43.75 | -43.5 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.625 | -26.25 | -30.5 | -33 | -34.5 | -33 | -35.5 | -36.75 | -37 | -38.75 | -40.25 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | -128.875 | -131.5 | -145.5 | -168 | -179.75 | -193 | -184.5 | -198.25 | -203.75 | -204.5 | -215.25 | -222 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -181.75 | -185.375 | -204.75 | -236.75 | -253.25 | -271.5 | -259.75 | -279 | -286.5 | -287.75 | -303.5 | -313.5 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.875 | -70.625 | -77.75 | -90 | -96 | -102.5 | -98.25 | -105.5 | -108.5 | -109.25 | -114.75 | -118.25 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.5 | -23.75 | -26.5 | -30.75 | -32.75 | -34.75 | -33.25 | -36 | -37 | -37.25 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | -22.375 | -23 | -25.5 | -29.75 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | -23.5 | -23.75 | -26.5 | -30.75 | -32.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | -46.625 | -48 | -53 | -61.5 | -66 | -69.5 | -67.5 | -71.75 | -74.75 | -74.5 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | -47 | -48 | -53.5 | -61.5 | -66.25 | -70 | -67.5 | -71.75 | -75 | -74.75 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | -24.25 | -24.5 | -27 | -32 | -34 | -36.25 | -34.5 | -36.75 | -38.25 | -38.25 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | -21.375 | -21.875 | -24 | -28 | -30.25 | -31.5 | -30.25 | -33 | -33.75 | -34.25 | -35.75 | -37 |
| 9-731 | Cool Roof - DX | 0 | 0 | -117.25 | -120.125 | -133.25 | -153.5 | -164.25 | -176.25 | -168.5 | -181.25 | -186.25 | -186.5 | -197 | -203.25 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.625 | -116.375 | -128.75 | -149 | -158.75 | -170.25 | -163 | -175.5 | -180.25 | -181 | -190.5 | -196.75 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | -267.5 | -273 | -302.75 | -349.5 | -374.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | -267.5 | -273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | -246.375 | -250.25 | -278 | -320.5 | -342.5 | -367 | -351.5 | -377.5 | -388.25 | -390 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | -94.75 | -96.25 | -106.5 | -123.5 | -131.25 | -140.5 | -135 | -144.75 | -149 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | -86.125 | -88.125 | -97.5 | -112.75 | -121 | -129.25 | -124 | -132.75 | -136.75 | -137 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | -64.875 | -66.375 | -73.5 | -84.75 | -91.25 | -97.25 | -92.75 | -100 | -103 | -103.5 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | -108.625 | -111.375 | -123.75 | -143.25 | -153.25 | -164.75 | -156.75 | -168.25 | -173.25 | -173.25 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | -46.375 | -48 | -53 | -61.5 | -65.75 | -70 | -67.5 | -72 | -74.25 | -74.5 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15 | -15.25 | -16.75 | -19.75 | -20.75 | -22.25 | -21.25 | -22.5 | -23.5 | -23.5 | -24.75 | -26 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.25 | -32.625 | -36.25 | -41.75 | -45.25 | -47.5 | -45.75 | -49.25 | -50.75 | -50.75 | -53 | -55.75 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.5 | -39.75 | -41 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.5 | -27.75 | -28 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.125 | -32.5 | -36.25 | -41.25 | -44.75 | -47 | -45.5 | -48.75 | -50.75 | -50.25 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -30.875 | -32.625 | -36.25 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | -10 | -10.75 | -11 | -13.5 | -14.25 | -15 | -14.25 | -15.25 | -16.25 | -16.25 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | -190 | -194.125 | -215.5 | -249.25 | -266.75 | -285.5 | -273.5 | -293.5 | -301.5 | -302.25 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | -126.625 | -129.625 | -143.75 | -166 | -178 | -190.75 | -182.5 | -195.25 | -201 | -201.25 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.25 | -28.75 | -33.75 | -35.75 | -38.25 | -36.75 | -39.5 | -40.25 | -40.75 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15 | -15.25 | -16.75 | -19.75 | -20.75 | -22.25 | -21.25 | -22.5 | -23.5 | -23.5 | -24.75 | -26 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.5 | -32.625 | -36.75 | -41.75 | -45.25 | -47.5 | -45.75 | -49.5 | -50.75 | -50.75 | -53.25 | -55.75 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.5 | -39.75 | -41 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.5 | -27.75 | -28 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.125 | -32.5 | -36.25 | -41.5 | -44.5 | -47 | -45.5 | -48.75 | -50.75 | -50.5 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.25 | -32.625 | -36.25 | -41.5 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | -51.875 | -53.75 | -59.5 | -68.75 | -73.5 | -78.75 | -75 | -80.5 | -83 | -83.25 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | -182.5 | -187.375 | -207.25 | -239.75 | -256.75 | -275.5 | -263.5 | -282.5 | -290 | -291.5 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | -210.5 | -215.625 | -238.75 | -276 | -295.75 | -316.75 | -303.25 | -325.5 | -334 | -335 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | -116.625 | -119.875 | -132.5 | -153 | -164.25 | -176.5 | -168 | -180.75 | -185.25 | -186 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15 | -15.25 | -16.75 | -19.75 | -20.75 | -22.25 | -21.25 | -22.5 | -23.5 | -23.5 | -24.75 | -26 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.5 | -32.625 | -36.75 | -41.75 | -45.5 | -47.25 | -46 | -49.5 | -51.25 | -50.75 | -53.25 | -55.75 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.5 | -39.75 | -41 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18 | -20 | -23.25 | -24.5 | -26 | -25 | -26.5 | -27.75 | -28 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.25 | -32.5 | -36.25 | -41.5 | -44.75 | -47 | -45.5 | -48.5 | -51 | -50.25 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.375 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.75 | -20.5 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31 | -32.625 | -36.25 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -11 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | -25.25 | -25.875 | -28.5 | -33.25 | -35.75 | -37.5 | -36.25 | -39 | -39.75 | -40.25 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | -25.25 | -25.875 | -28.5 | -33.25 | -35.75 | -37.5 | -36.25 | -39 | -39.75 | -40.25 | -42 | -43.75 |
| 10-426 | Efficient drives - rolling | 0 | 0 | -29.375 | -30.125 | -33.5 | -38.5 | -41 | -44 | -42 | -44.75 | -47.25 | -46.75 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | -52.75 | -54.75 | -60.5 | -69.5 | -74.75 | -79.75 | -75.75 | -81.5 | -84.75 | -85 | -89.25 | -91.75 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | -10 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.25 | -16.25 | -16.25 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | -64.875 | -66.375 | -73.5 | -84.75 | -91.25 | -97.25 | -92.75 | -100 | -103 | -103.5 | -109 | -112 |
| 10-508 | Heating - Process Control | 0 | 0 | -25.25 | -25.875 | -28.5 | -33.25 | -35.75 | -37.5 | -36.25 | -39 | -39.75 | -40.25 | -42 | -43.75 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | -15.5 | -15.875 | -17.5 | -20.5 | -22 | -23.25 | -22 | -24 | -24.75 | -25 | -25.75 | -27 |
| 10-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -40.375 | -42 | -46.5 | -53.75 | -58 | -61 | -58.5 | -63 | -65 | -65 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | -25.125 | -25.625 | -28.5 | -33.5 | -36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50 | -52 | -57.75 | -66.25 | -71.75 | -76.5 | -73.25 | -78.75 | -81 | -80.75 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -50.5 | -52.125 | -57.75 | -66.5 | -72 | -77 | -73.5 | -79.25 | -81 | -81.5 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.625 | -31 | -36.5 | -38.5 | -40.75 | -39.5 | -42.25 | -43.25 | -43.75 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.875 | -26.25 | -31.25 | -32.75 | -34.25 | -33.25 | -35.5 | -36.75 | -36.5 | -39 | -40 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | -127.125 | -130.875 | -145 | -167.75 | -180.25 | -193 | -184.75 | -198.5 | -203.5 | -203.5 | -215.25 | -222.5 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -179.125 | -184.375 | -204 | -236.25 | -254 | -272.5 | -259.5 | -279 | -286.25 | -286.75 | -303.75 | -313.25 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -67.625 | -69.75 | -77.5 | -89.75 | -96.25 | -103.25 | -98.5 | -105.5 | -108.25 | -108.75 | -115.25 | -119 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.25 | -23.875 | -26.25 | -31 | -33.25 | -35 | -33.25 | -35.75 | -37 | -36.75 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -22.875 | -25.25 | -29.75 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | -23.25 | -23.875 | -26.25 | -31 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | -46.125 | -47.625 | -52.5 | -61.5 | -66 | -70 | -67.25 | -72 | -73.75 | -74.5 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | -46.375 | -47.75 | -52.75 | -61.5 | -66.25 | -70.75 | -67.5 | -72.5 | -74.5 | -75 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | -24 | -24.625 | -27.25 | -31.75 | -34.25 | -36 | -34 | -37.5 | -38.25 | -38.25 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | -21 | -22 | -23.75 | -27.75 | -30.5 | -31.5 | -30.5 | -33 | -34 | -33.25 | -35.75 | -36.5 |
| 10-731 | Cool Roof - DX | 0 | 0 | -115.875 | -119.75 | -132.25 | -153.25 | -165 | -177.25 | -168.25 | -180.75 | -185.75 | -185.5 | -196.75 | -203 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -112.625 | -116.25 | -128 | -148.5 | -159.75 | -171.25 | -163.25 | -175.25 | -179.5 | -180 | -190.75 | -196.5 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | -263 | -272 | -300.5 | -349 | -375.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | -263 | -272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | -244.25 | -250.25 | -277 | -320.5 | -343.25 | -368 | -352.25 | -378 | -388 | -388.75 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | -94 | -96.25 | -106.25 | -123.25 | -131.25 | -141 | -135 | -144.75 | -148.75 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | -86.25 | -88.125 | -97.75 | -112.75 | -121.25 | -129.25 | -124 | -132.75 | -136.75 | -137 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | -64.875 | -66.25 | -73.5 | -84.75 | -91.25 | -97.25 | -92.75 | -99.75 | -102.75 | -103.5 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | -109 | -111.5 | -123.75 | -143 | -153 | -163.75 | -157 | -168.5 | -173 | -173.75 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -47.75 | -53 | -61.25 | -65.75 | -69.75 | -67.25 | -71.75 | -74.5 | -74.5 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.75 | -36.25 | -42 | -45.25 | -47.25 | -45.75 | -49.25 | -50.75 | -50.75 | -53 | -55.75 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -27 | -30.75 | -33.5 | -35 | -33.5 | -36.25 | -37.25 | -38 | -39.75 | -41 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18.25 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -28.25 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.25 | -36 | -41.5 | -44.75 | -47 | -45.5 | -48.75 | -51 | -50.25 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.375 | -13.5 | -15.75 | -16.75 | -18.25 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.375 | -15.875 | -17.5 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.25 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.5 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | -10.125 | -10.625 | -11 | -13.5 | -14.5 | -15 | -14.25 | -15.5 | -15.75 | -16.5 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | -190.75 | -194.625 | -215.5 | -249 | -267 | -285 | -273.25 | -293.75 | -301.5 | -302.75 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | -126.875 | -129.75 | -143.75 | -166.25 | -177.75 | -190.75 | -182.25 | -195.75 | -201.25 | -202 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.375 | -29 | -33.5 | -36.25 | -38.25 | -36.75 | -39.25 | -40.5 | -41 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.5 | -36.5 | -42 | -45.5 | -47.5 | -46 | -49.25 | -51.25 | -51 | -53.5 | -55.75 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -27 | -30.75 | -33.5 | -35 | -33.5 | -36.25 | -37.25 | -38 | -39.75 | -41 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18.25 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -28.25 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.25 | -36 | -41.75 | -45 | -47 | -45.5 | -48.75 | -51 | -50.5 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.375 | -13.5 | -15.75 | -16.75 | -18.25 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.375 | -15.875 | -17.5 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.5 | -32.25 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.5 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | -52.25 | -53.625 | -59.5 | -68.5 | -73.5 | -78.25 | -75 | -80.75 | -83.5 | -83.25 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | -183.25 | -187.5 | -207.5 | -239.75 | -256.75 | -275 | -262.5 | -282.5 | -290 | -291.25 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 11-303 | Pumps - System Optimization | 0 | 0 | -211.125 | -215.75 | -239 | -276 | -295.25 | -316.25 | -303.25 | -325.25 | -334 | -334.75 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | -116.75 | -119.625 | -132.75 | -153.5 | -164 | -175.75 | -168.25 | -180.5 | -185.5 | -186.25 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -17 | -19.75 | -21 | -22.5 | -21.25 | -22.5 | -23.5 | -23.75 | -24.75 | -26 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.625 | -36.25 | -42 | -45 | -47.25 | -46 | -49.25 | -51.25 | -51 | -53.75 | -55.75 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -27 | -30.75 | -33.5 | -35 | -33.5 | -36.25 | -37.25 | -38 | -39.75 | -41 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18.25 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -28.25 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.25 | -36 | -41.75 | -44.75 | -47 | -45.5 | -48.75 | -51 | -50.5 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.375 | -13.5 | -15.75 | -16.75 | -18.25 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.375 | -15.875 | -17.5 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.375 | -32.25 | -36 | -41.5 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.5 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | -51.75 | -53 | -59 | -68 | -72.75 | -77.5 | -74 | -80 | -82.25 | -82.75 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | -28.25 | -28.75 | -32 | -36.75 | -39.5 | -42 | -40.5 | -43 | -45 | -44.75 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | -36.125 | -37.375 | -41.25 | -47.5 | -51.25 | -54.25 | -52 | -56 | -57.5 | -57.5 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | -115.75 | -118.5 | -131 | -151.25 | -162 | -174.25 | -166 | -178.5 | -183.5 | -184 | -194.25 | -200 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | -51.75 | -53 | -59 | -68 | -72.75 | -77.5 | -74 | -80 | -82.25 | -82.75 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | -28.25 | -28.75 | -32 | -36.75 | -39.5 | -42 | -40.5 | -43 | -45 | -44.75 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | -140.625 | -143.375 | -159 | -184 | -197 | -211 | -202 | -216.25 | -222.25 | -223.25 | -235.5 | -242.75 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | -15.5 | -15.875 | -17.75 | -20.5 | -22.25 | -23.25 | -22.25 | -24 | -25 | -25 | -26.25 | -27 |
| 11-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -40.875 | -41.875 | -46.75 | -53.5 | -58 | -61 | -58.75 | -63 | -65 | -65.25 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | -25.375 | -25.75 | -28.5 | -33.25 | -35.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.375 | -52 | -57.5 | -66.75 | -71.75 | -76.5 | -73 | -78.5 | -80.75 | -81.5 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -50.625 | -52.5 | -58 | -66.75 | -72 | -77 | -73.75 | -78.75 | -81.25 | -81.5 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.25 | -27.875 | -31.25 | -36.25 | -38.5 | -41 | -39.5 | -42 | -43.75 | -43.75 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.75 | -26.5 | -30.75 | -33 | -34.25 | -33.25 | -36 | -36.75 | -36.5 | -39 | -40 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | -127.75 | -131.375 | -145.25 | -167.75 | -180.25 | -193 | -184.75 | -198.25 | -203.25 | -203.5 | -215.75 | -222.25 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -179.75 | -184.625 | -204.75 | -236.5 | -253.75 | -271.75 | -259.5 | -279 | -286.25 | -287.25 | -304 | -313 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68 | -69.875 | -77.5 | -90.25 | -96 | -102.75 | -98.25 | -105.75 | -108.5 | -108.75 | -115.25 | -118.5 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.5 | -23.75 | -26.5 | -31 | -33.25 | -34.5 | -33.25 | -35.75 | -36.75 | -36.75 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -22.75 | -25.25 | -29.75 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | -23.5 | -23.75 | -26.5 | -31 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -47.625 | -52.75 | -61.25 | -65.5 | -70 | -67.25 | -72 | -74 | -74.5 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | -46.75 | -47.75 | -53 | -61.5 | -66.25 | -70 | -67.25 | -72.25 | -74.5 | -75 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | -23.875 | -24.625 | -27.25 | -31.75 | -34 | -36 | -34.75 | -37.5 | -38.5 | -38.5 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | -21.25 | -22.125 | -23.75 | -27.75 | -30.25 | -31.5 | -30.5 | -33 | -33.75 | -33.75 | -35.25 | -36.5 |
| 11-731 | Cool Roof - DX | 0 | 0 | -116.625 | -120 | -132.25 | -153.5 | -164.75 | -176.75 | -168.5 | -181 | -186 | -186 | -197 | -203 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -112.75 | -116.125 | -128.5 | -148.5 | -159.5 | -171.5 | -163.25 | -175.25 | -180 | -180.25 | -190.75 | -197.25 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | -264.5 | -272.25 | -301.5 | -348.75 | -375.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | -264.5 | -272.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | -244.875 | -250.25 | -277.25 | -320.5 | -342.75 | -367.75 | -352 | -377.75 | -387.5 | -390 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | -94.25 | -96.25 | -106.5 | -123.25 | -131.5 | -141 | -135 | -144.25 | -148.75 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | -85.125 | -87.875 | -97 | -112.75 | -121.75 | -129.75 | -123.75 | -133 | -136.25 | -136.75 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 12-102 | Compressed Air - Controls | 0 | 0 | -63.75 | -66 | -73.75 | -84.5 | -91 | -97.25 | -92.75 | -99.75 | -102.5 | -103.25 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | -108.25 | -111.375 | -123 | -142.5 | -153.75 | -164.5 | -157 | -168.25 | -173 | -173 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | -46.125 | -47.375 | -52.75 | -61.5 | -65.75 | -70.5 | -67.25 | -72 | -74 | -74.75 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -16.75 | -19.5 | -21 | -22.25 | -20.75 | -23 | -23.75 | -24 | -24.75 | -26 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -44.75 | -47.25 | -45.75 | -48.75 | -51.5 | -51 | -53 | -55.5 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.25 | -26.5 | -31.5 | -33.5 | -35.25 | -33.5 | -36.25 | -37.25 | -37.5 | -39.25 | -40.75 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -19.75 | -23 | -24.75 | -26 | -25 | -27 | -28 | -27.5 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.5 | -36 | -42 | -44.75 | -47 | -45.5 | -48.5 | -51 | -50.25 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.75 | -15.5 | -16.75 | -17.75 | -16.75 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.5 | -16.125 | -17.5 | -20.25 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -7.875 | -8 | -10.5 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | -9.875 | -10.5 | -11 | -13.5 | -14 | -15 | -14.5 | -15.5 | -16 | -16 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | -188 | -193.625 | -214.5 | -249 | -267.5 | -286.5 | -273.25 | -294 | -301 | -300.75 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | -127.375 | -130 | -144.25 | -166.25 | -177.5 | -190.25 | -182.5 | -195.5 | -201.5 | -202.75 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | -25.5 | -26.125 | -28.5 | -33.75 | -36.5 | -38 | -36.5 | -39.25 | -40.5 | -40.75 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -16.75 | -19.5 | -21 | -22.25 | -20.75 | -23 | -23.75 | -24 | -24.75 | -26 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.75 | -33.125 | -36.25 | -42 | -45.25 | -47.25 | -45.75 | -48.75 | -51.5 | -51 | -53.25 | -55.75 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.25 | -26.5 | -31.5 | -33.5 | -35.25 | -33.5 | -36.25 | -37.25 | -37.5 | -39.25 | -40.75 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -19.75 | -23 | -24.75 | -26 | -25 | -27 | -28 | -27.5 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36 | -42 | -44.75 | -47 | -45.5 | -48.75 | -50.75 | -50.25 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.75 | -15.5 | -16.75 | -17.75 | -16.75 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.5 | -16.125 | -17.5 | -20.25 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -42 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -7.875 | -8 | -10.5 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | -51.375 | -53.5 | -59 | -68 | -73.75 | -78.25 | -74.75 | -81 | -82.75 | -83.5 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | -181 | -186.375 | -206.5 | -239.5 | -257.25 | -275.5 | -262.75 | -283 | -289.75 | -290.25 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | -208.375 | -214.25 | -237.75 | -275 | -296.75 | -318 | -303.25 | -325.75 | -333.75 | -333.75 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | -115.5 | -119.25 | -131.75 | -152.75 | -164.5 | -176.5 | -168.5 | -180.5 | -185.25 | -184.5 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.25 | -16.75 | -19.5 | -21 | -22.25 | -20.75 | -23 | -23.75 | -24 | -24.75 | -26 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.875 | -36.5 | -42 | -45.25 | -47.25 | -45.75 | -48.75 | -51.25 | -51 | -53.25 | -56 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.5 | -24.25 | -26.5 | -31.5 | -33.5 | -35.25 | -33.5 | -36.25 | -37.25 | -37.5 | -39.25 | -40.75 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.375 | -18.125 | -19.75 | -23 | -24.75 | -26 | -25 | -27 | -28 | -27.5 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36 | -42 | -44.75 | -47 | -45.75 | -48.5 | -51 | -50.25 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.875 | -12.5 | -13.75 | -15.5 | -16.75 | -17.75 | -16.75 | -18.25 | -18.75 | -18.75 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.5 | -16.125 | -17.5 | -20.25 | -21.75 | -23.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -7.875 | -8 | -10.5 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | -50.875 | -52.75 | -58.25 | -67.5 | -73 | -77.75 | -74 | -79.75 | -81.75 | -82.25 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | -28.375 | -28.75 | -32 | -36.75 | -39 | -41.5 | -40.25 | -42.5 | -45 | -44.25 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | -35.75 | -37 | -41.25 | -47.5 | -51 | -54.5 | -52 | -55.75 | -57.75 | -57.75 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | -114.375 | -117.75 | -130.25 | -151 | -162.5 | -174.25 | -166.25 | -178 | -183 | -183.25 | -194 | -199.75 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | -50.875 | -52.75 | -58.25 | -67.5 | -73 | -77.75 | -74 | -79.75 | -81.75 | -82.25 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | -28.375 | -28.75 | -32 | -36.75 | -39 | -41.5 | -40.25 | -42.5 | -45 | -44.25 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | -138.75 | -142.875 | -158.25 | -183.5 | -197.25 | -211.25 | -201.25 | -216.5 | -222.5 | -222 | -235.75 | -243.25 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -82.75 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.25 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | -15.5 | -15.875 | -17.75 | -20.5 | -21.75 | -23.5 | -21.75 | -24 | -24.5 | -24.75 | -26 | -26.75 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 12-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.5 | -71 | -75.5 | -81 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -40 | -41.375 | -46.25 | -53.5 | -58 | -61.5 | -58.75 | -63 | -64.25 | -65 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | -24.75 | -25.875 | -28.5 | -32.75 | -36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -49.75 | -51.75 | -56.75 | -66.25 | -72.25 | -76.5 | -73.25 | -78.25 | -80.5 | -80.75 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -50 | -52.25 | -57.25 | -66.75 | -72.5 | -77 | -73.25 | -78.5 | -80.75 | -80.75 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | -26.75 | -27.625 | -30.75 | -35.75 | -38.5 | -41 | -39.25 | -41.75 | -43.5 | -44 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | -22.875 | -23.5 | -26 | -30.75 | -33.25 | -34.5 | -33.5 | -35.5 | -37 | -36.5 | -39 | -40.25 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | -125.25 | -130.375 | -144 | -167.5 | -180.75 | -193.25 | -184.25 | -197.5 | -202.75 | -202.25 | -215.5 | -222 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27 | -27.5 | -30.75 | -35.75 | -37.75 | -40.5 | -38.75 | -41.75 | -43.25 | -43 | -45.25 | -47 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -176.5 | -183.125 | -202.75 | -236 | -254.75 | -272.75 | -259.25 | -278.75 | -285 | -284.75 | -304 | -312.25 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -66.875 | -69.625 | -77 | -89.75 | -96.25 | -103.25 | -97.75 | -105.75 | -107.5 | -108.25 | -115 | -118.5 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -22.875 | -23.75 | -26 | -30.75 | -33.25 | -35 | -33.75 | -35.75 | -37 | -36.5 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | -22.125 | -23 | -24.75 | -29.5 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | -22.875 | -23.75 | -26 | -30.75 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | -45.5 | -47.25 | -52.25 | -61 | -66 | -70.25 | -67 | -71.75 | -73.75 | -74 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | -45.875 | -47.625 | -52.25 | -61.25 | -66.25 | -70.5 | -67 | -72.25 | -74 | -74.75 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | -23.625 | -24.5 | -27 | -31.25 | -34.25 | -36.25 | -35 | -37 | -37.75 | -38 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | -20.75 | -21.875 | -23.5 | -27.75 | -30 | -31.25 | -30.5 | -32.25 | -33.5 | -33.25 | -36 | -37.25 |
| 12-731 | Cool Roof - DX | 0 | 0 | -114.5 | -118.75 | -131.25 | -152.75 | -165.25 | -177 | -168.25 | -180.25 | -185 | -185 | -197 | -202.75 |
| 12-801 | Premium T8, Electronic Ballast | 0 | 0 | -111.25 | -115.25 | -127 | -148.5 | -160 | -171.75 | -162.75 | -174.75 | -179.25 | -179 | -190.75 | -196.5 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | -259.625 | -270.375 | -299 | -347 | -374.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | -259.625 | -270.375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | -241.875 | -249 | -275.75 | -320 | -344.25 | -369.25 | -351.5 | -378.5 | -387.25 | -387.25 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | -94.75 | -96.25 | -106.25 | -123.5 | -131.5 | -140.25 | -134.75 | -144.75 | -149 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.375 | -97.75 | -112.75 | -120.75 | -129.25 | -123.75 | -132.75 | -136.25 | -137 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | -64.75 | -66.5 | -73.75 | -85 | -90.75 | -97.25 | -93.5 | -99.75 | -102.75 | -103.5 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | -109.75 | -111.875 | -124 | -143 | -152.75 | -163.75 | -156.75 | -168.75 | -173.25 | -174 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -48 | -53.25 | -61.75 | -65.75 | -69.5 | -67.5 | -71.5 | -74.5 | -74.5 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -25.75 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -45.25 | -47.25 | -46 | -49 | -51.25 | -50.75 | -53.25 | -55.75 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20 | -23.5 | -24.25 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36 | -42 | -44.75 | -47 | -45.5 | -48.5 | -51.25 | -50.25 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.75 | -32.5 | -36 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | -10.25 | -10.5 | -11.25 | -13 | -14.25 | -15 | -14.25 | -15.5 | -16.25 | -16.25 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | -190.625 | -195 | -216 | -249.25 | -266.25 | -285.25 | -273.25 | -293.25 | -302 | -302.5 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | -127.875 | -130 | -144.75 | -166.5 | -178 | -190.25 | -182.75 | -196 | -201.75 | -202.25 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.375 | -28.75 | -33.5 | -36.25 | -38 | -36.5 | -39.25 | -40.75 | -41.25 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -25.75 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45.25 | -47.5 | -45.75 | -49.25 | -51.5 | -50.75 | -53.5 | -55.75 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20 | -23.5 | -24.25 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.5 | -36.25 | -42 | -44.5 | -47.25 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.75 | -32.5 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | -52.5 | -53.625 | -59.75 | -68.25 | -73.25 | -77.75 | -75 | -80.5 | -83.25 | -83.75 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | -183.875 | -187.625 | -207.75 | -239.5 | -256.25 | -274.75 | -263.25 | -282.75 | -290.25 | -292 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | -211.625 | -216.125 | -239.5 | -276.25 | -295.25 | -316 | -303 | -325.25 | -334.25 | -336 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | -117.25 | -119.875 | -133 | -152.75 | -163.75 | -175.5 | -167.5 | -180.5 | -185.75 | -186.25 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.5 | -25.75 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45.25 | -47.5 | -45.75 | -49 | -51.5 | -50.75 | -53.5 | -55.75 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.75 | -39.5 | -41 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20 | -23.5 | -24.25 | -26 | -25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.5 | -36.25 | -42 | -44.75 | -47.25 | -45.5 | -48.75 | -51 | -50.5 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.375 | -13.5 | -15.75 | -16.75 | -17.75 | -16.75 | -18.25 | -19 | -19 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.25 | -22 | -23 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.75 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.375 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | -52.125 | -53.25 | -59 | -67.5 | -72.75 | -77.75 | -74 | -79.75 | -82.75 | -82.5 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | -25.5 | -26.25 | -28.75 | -33.75 | -36 | -38 | -36.25 | -39 | -40.5 | -41 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | -18.125 | -18.125 | -20.5 | -23.75 | -25 | -26.25 | -25.5 | -27 | -28 | -28 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | -115.875 | -118.375 | -131 | -151.25 | -161.5 | -173.5 | -166.25 | -178.75 | -183.5 | -184.25 | -194 | -200 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | -141 | -144 | -159.25 | -184 | -196.75 | -211 | -201.75 | -216.25 | -222.75 | -223.75 | -235.5 | -243 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -21.75 | -23.5 | -22.25 | -23.75 | -24.5 | -25 | -25.75 | -27 |
| 13-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41 | -42 | -46.5 | -53.75 | -57.75 | -61.25 | -59 | -63 | -65.25 | -65.25 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.75 | -33 | -35.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52.125 | -57.75 | -66.5 | -71.5 | -76.5 | -73.25 | -78 | -81 | -81.25 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.125 | -52.375 | -58.25 | -67 | -71.75 | -77.25 | -73.75 | -79 | -81.5 | -82 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.25 | -27.75 | -31 | -36 | -38.5 | -41 | -39.5 | -42.25 | -44.25 | -43.25 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.5 | -26.5 | -30.5 | -33.25 | -34.25 | -33 | -35.5 | -37 | -37 | -38.75 | -39.75 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | -127.875 | -131.375 | -145 | -168 | -180.25 | -193 | -184.75 | -198.25 | -203 | -203.5 | -215.75 | -222 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.5 | -185.125 | -204.75 | -236.5 | -253.25 | -272 | -259.5 | -279 | -286.5 | -287.5 | -303.25 | -313.25 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.125 | -70.375 | -77.5 | -90.25 | -96.25 | -102.5 | -98.5 | -105.75 | -108.25 | -109 | -114.75 | -118.25 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33.25 | -34.5 | -33.25 | -36 | -37 | -36.5 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | -22.75 | -22.75 | -25.25 | -29.5 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | -23.375 | -23.875 | -26.5 | -31 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | -46.375 | -48 | -53 | -61.25 | -65.75 | -69.75 | -67.25 | -71.75 | -74 | -74.5 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | -46.625 | -48.125 | -53.25 | -61.75 | -66 | -70.25 | -67.5 | -72 | -74.25 | -74.5 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.625 | -27.25 | -31.75 | -34 | -36 | -34.5 | -37 | -38.5 | -38.5 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | -21.25 | -22 | -24 | -28 | -30.25 | -31.25 | -30.5 | -33 | -33.75 | -33.75 | -35.25 | -37 |
| 13-731 | Cool Roof - DX | 0 | 0 | -117 | -120 | -132.75 | -153.75 | -164.5 | -176.5 | -168.75 | -181 | -186 | -186.5 | -197 | -203 |
| 13-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.25 | -116.5 | -128.5 | -149 | -159 | -171 | -163.25 | -175 | -180.25 | -180.25 | -190.5 | -197 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | -265.75 | -273.125 | -302 | -349.5 | -375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | -265.75 | -273.125 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | -245.625 | -250.75 | -277.75 | -320.25 | -342.25 | -367 | -351.75 | -377.5 | -387.75 | -389.75 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | -94.875 | -96 | -106.5 | -123.5 | -131.75 | -140.5 | -134.75 | -144.75 | -149.5 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | -86.125 | -88.125 | -97.5 | -112.75 | -121 | -129 | -124.5 | -132.5 | -136.5 | -137.25 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | -64.875 | -66.25 | -73.25 | -84.75 | -91.25 | -97.25 | -93 | -99.75 | -102.75 | -103.25 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | -108.75 | -111.625 | -123.75 | -143 | -153 | -164.75 | -157 | -168.5 | -173.25 | -173.25 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | -46.5 | -48 | -53 | -61.25 | -66 | -70 | -67.75 | -71.75 | -74 | -74.5 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.5 | -17 | -19.5 | -21 | -22.25 | -21.25 | -22.25 | -23.25 | -24 | -24.75 | -26 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.625 | -36.25 | -41.75 | -45.25 | -47 | -45.75 | -48.75 | -51.5 | -51.25 | -53.5 | -55.5 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.25 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.5 | -39.75 | -41.25 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -27.75 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.75 | -46.75 | -45.5 | -48.75 | -50.75 | -50.25 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.25 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18 | -18.75 | -19 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.5 | -46.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | -10 | -10.5 | -11.25 | -13.25 | -14.5 | -14.75 | -14.25 | -15.5 | -16.25 | -16.25 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | -190.375 | -194.375 | -215.5 | -249.5 | -266.5 | -285.5 | -273.75 | -293.5 | -301.25 | -302.5 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | -127.125 | -129.875 | -143.75 | -166 | -177.5 | -190.5 | -182.75 | -195.75 | -201.25 | -202 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.375 | -29 | -33.75 | -36.25 | -38.5 | -36.75 | -39 | -40.5 | -40.75 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.5 | -17 | -19.5 | -21 | -22.25 | -21.25 | -22.25 | -23.25 | -24 | -24.75 | -26 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.75 | -36.5 | -41.75 | -45.5 | -47.5 | -45.75 | -49 | -51 | -50.75 | -53.75 | -56 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.25 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.5 | -39.75 | -41.25 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -27.75 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.375 | -36 | -41.75 | -44.75 | -47 | -45.5 | -48.75 | -50.75 | -50.75 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.25 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18 | -18.75 | -19 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.5 | -32.375 | -36 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | -52.375 | -53.875 | -59.75 | -68.5 | -73.25 | -78.5 | -75 | -80.5 | -82.75 | -83.25 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | -183 | -187.375 | -207.25 | -240 | -256.75 | -275.25 | -262.75 | -282.5 | -289.75 | -291 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | -210.875 | -215.75 | -238.75 | -276.25 | -295.5 | -316.5 | -303.25 | -325.75 | -334 | -335.25 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | -116.75 | -119.75 | -132.5 | -153.25 | -164 | -176 | -168 | -180.75 | -185.5 | -186 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -14.875 | -15.5 | -17 | -19.5 | -21 | -22.25 | -21.25 | -22.25 | -23.25 | -24 | -24.75 | -26 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.625 | -32.625 | -36.25 | -41.75 | -45.5 | -47.5 | -45.75 | -48.75 | -51.25 | -50.75 | -53.75 | -55.75 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.25 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.5 | -37.5 | -39.75 | -41.25 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.5 | -18 | -20 | -23.25 | -24.5 | -25.75 | -25 | -26.5 | -27.5 | -27.75 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.375 | -36 | -41.75 | -44.75 | -47 | -45.5 | -48.75 | -50.5 | -50.75 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -11.75 | -12.25 | -13.5 | -15.75 | -16.5 | -17.75 | -17 | -18 | -18.75 | -19 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.5 | -16 | -17.5 | -20.5 | -21.75 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36 | -41.75 | -44.5 | -46.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8 | -10.25 | -10.75 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | -52.375 | -53.875 | -59.75 | -68.5 | -73.25 | -78.5 | -75 | -80.5 | -82.75 | -83.25 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | -28.25 | -28.875 | -32 | -36.75 | -39.25 | -41.75 | -40.5 | -42.75 | -44.75 | -44.75 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | -57.875 | -59.5 | -66 | -76.25 | -81.75 | -86.5 | -83.5 | -89.5 | -92 | -93 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | -115.375 | -118 | -130.75 | -151.5 | -162.25 | -174.25 | -166.25 | -178.5 | -183.25 | -183.75 | -193.75 | -200 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | -52.375 | -53.875 | -59.75 | -68.5 | -73.25 | -78.5 | -75 | -80.5 | -82.75 | -83.25 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | -140.375 | -143.75 | -159.25 | -183.75 | -197 | -211 | -201.5 | -216.5 | -222.25 | -223.75 | -235.75 | -243.5 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | -15.625 | -15.875 | -17.75 | -20.5 | -22 | -23 | -22.25 | -24 | -24.75 | -24.75 | -26 | -27 |
| 14-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -40.625 | -42.125 | -46.5 | -53.75 | -58 | -61.25 | -58.5 | -63.25 | -64.75 | -65 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.625 | -28.5 | -33.5 | -36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50 | -52 | -57.75 | -66.75 | -71.75 | -76 | -73.25 | -78.5 | -81 | -81.25 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -50.625 | -52.375 | -57.75 | -66.5 | -71.75 | -77 | -73.25 | -78.75 | -81.25 | -81.25 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.75 | -31 | -36.25 | -38.5 | -40.75 | -39.25 | -42.25 | -43.5 | -43.25 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | -23.25 | -23.75 | -26 | -31 | -33.25 | -34.5 | -33 | -35.75 | -36.75 | -36.5 | -39 | -39.75 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | -127.625 | -131 | -145 | -167.75 | -180 | -193.25 | -184.5 | -198.5 | -203.5 | -203 | -215.25 | -222.25 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -179.5 | -184.75 | -204.5 | -236.75 | -254 | -272.25 | -260.25 | -279.25 | -286 | -286.75 | -304 | -313 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68 | -69.75 | -77.5 | -90 | -96.5 | -102.75 | -98.5 | -105.5 | -108.5 | -108.5 | -115.25 | -119 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.5 | -23.875 | -26.5 | -31.25 | -33.25 | -35 | -33.25 | -36 | -36.75 | -37 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -22.875 | -25.25 | -29.75 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | -23.5 | -23.875 | -26.5 | -31.25 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | -46.25 | -47.5 | -52.75 | -61.25 | -66 | -70.25 | -67 | -72 | -73.75 | -74.5 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | -46.5 | -47.875 | -53 | -61.75 | -66.25 | -70.5 | -67.25 | -72.25 | -74.25 | -74.5 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | -23.875 | -24.5 | -27.25 | -31.75 | -34 | -36.25 | -34.25 | -37.25 | -38 | -38 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | -21 | -22 | -23.75 | -27.75 | -30.25 | -31.5 | -30.5 | -33 | -33.75 | -33.5 | -35.75 | -36.5 |
| 14-731 | Cool Roof - DX | 0 | 0 | -116.125 | -120 | -132.5 | -153.5 | -165 | -177 | -168.5 | -181 | -185.75 | -185.75 | -197 | -203.25 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -112.5 | -116.125 | -128 | -148.25 | -159.75 | -171 | -163.25 | -175.5 | -180 | -180.25 | -190.75 | -196.75 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | -263.75 | -271.875 | -300.75 | -349 | -375.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | -263.75 | -271.875 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | -244.875 | -250.5 | -277.25 | -320.25 | -342.75 | -367.5 | -351.75 | -377.75 | -388 | -389.5 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | -94.25 | -96.125 | -106.5 | -123.25 | -131.5 | -140.25 | -134.75 | -144.25 | -148.75 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.375 | -97.75 | -112.75 | -121 | -129 | -124 | -132.75 | -136.25 | -137.75 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | -64.625 | -66.5 | -73.5 | -85 | -90.75 | -97 | -93.5 | -100 | -103 | -103.25 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | -109.625 | -111.625 | -124 | -143.25 | -152.75 | -164 | -157 | -168.5 | -173.25 | -174.25 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | -46.5 | -47.75 | -53.25 | -61.5 | -65.75 | -69.5 | -67.5 | -71.75 | -74.5 | -75 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -25.75 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -32.75 | -36.25 | -42 | -45 | -47.25 | -45.75 | -49 | -51.5 | -50.5 | -53 | -55.75 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.75 | -39.75 | -40.75 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.25 | -26 | -25.25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.5 | -32.75 | -36.25 | -42 | -44.5 | -47 | -45.5 | -49 | -51.25 | -50.75 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.625 | -13.5 | -15.75 | -16.75 | -17.5 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -16.125 | -17.75 | -20.25 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.5 | -32.75 | -36.25 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | -10.25 | -10.5 | -11.25 | -13.25 | -14.25 | -15 | -14.25 | -15.5 | -16.25 | -16.5 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | -190.75 | -195 | -216 | -249.5 | -266.25 | -285.25 | -273.25 | -293.25 | -301.5 | -302.75 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.875 | -144.75 | -166.5 | -177.75 | -190.5 | -182.75 | -196 | -201.75 | -202.5 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | -25.625 | -26.375 | -28.75 | -33.5 | -36 | -38.25 | -36.25 | -39.25 | -40.75 | -41 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -25.75 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.5 | -42 | -45.25 | -47.5 | -45.75 | -49.25 | -51.5 | -50.75 | -53.5 | -55.75 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.75 | -39.75 | -40.75 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.25 | -26 | -25.25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36.25 | -42 | -44.75 | -47 | -45.75 | -49 | -51 | -50.75 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.625 | -13.5 | -15.75 | -16.75 | -17.5 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -16.125 | -17.75 | -20.25 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.75 | -32.5 | -36.25 | -42 | -44.75 | -47.25 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | -52.375 | -53.625 | -59.5 | -68.5 | -73.25 | -78 | -75.25 | -80.5 | -83.5 | -83.75 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | -184.125 | -187.625 | -208 | -239.75 | -256.25 | -274.25 | -263.5 | -282.25 | -290.5 | -291.75 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | -211.875 | -216.125 | -239.75 | -276.25 | -295.25 | -316.25 | -302.75 | -325.25 | -334.5 | -336.25 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | -117.5 | -119.75 | -132.75 | -153 | -163.75 | -175.25 | -167.75 | -180.25 | -186 | -186.5 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -21 | -22.5 | -21 | -22.25 | -23 | -23.75 | -24.75 | -25.75 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45.25 | -47.75 | -45.75 | -49 | -51.5 | -50.5 | -53.5 | -55.75 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.75 | -24 | -26.75 | -31 | -33.5 | -35.25 | -33.75 | -36.25 | -37.25 | -37.75 | -39.75 | -40.75 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.25 | -26 | -25.25 | -27 | -27.75 | -28.25 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36.25 | -42 | -44.75 | -47.25 | -45.75 | -48.75 | -51 | -50.5 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12 | -12.625 | -13.5 | -15.75 | -16.75 | -17.5 | -16.5 | -18.25 | -19 | -19 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -16.125 | -17.75 | -20.25 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.5 | -32.5 | -36.25 | -41.75 | -44.75 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.5 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | -52.25 | -53.25 | -59 | -68 | -72.25 | -77.75 | -74 | -79.75 | -82.5 | -82.5 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | -28.375 | -29.125 | -32 | -37 | -39.5 | -41.75 | -39.75 | -43 | -45 | -44.5 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | -36.25 | -37.5 | -41.25 | -47.75 | -51.25 | -54 | -52 | -56 | -58 | -57.75 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | -116 | -118.25 | -131.25 | -151.25 | -161.5 | -173.25 | -166 | -178.75 | -183.75 | -184 | -194.25 | -200 |
| 15-603 | New transformers welding | 0 | 0 | -141 | -144 | -159.5 | -184 | -196.5 | -210.5 | -201.75 | -216.25 | -223 | -223.75 | -235.75 | -243 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | -15.5 | -16 | -17.5 | -20.5 | -21.75 | -23.5 | -22.25 | -23.75 | -24.75 | -25 | -26 | -27 |
| 15-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.125 | -42.125 | -46.75 | -53.75 | -57.75 | -61.25 | -59.25 | -63.25 | -65.75 | -65.25 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.5 | -33 | -35.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52.125 | -57.75 | -66.5 | -71.25 | -76.5 | -73.25 | -78.25 | -81.5 | -81.25 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.125 | -52.25 | -58.25 | -67 | -72 | -77.25 | -73.5 | -78.75 | -81.75 | -81.5 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.125 | -27.875 | -31.25 | -36.25 | -38.25 | -40.75 | -39.5 | -42.25 | -43.75 | -43.25 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.625 | -26.25 | -30.75 | -33.25 | -34.5 | -33.25 | -35.5 | -36.75 | -37 | -38.75 | -39.75 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | -128.375 | -131.25 | -145.25 | -167.75 | -180.25 | -193 | -184.75 | -198.25 | -203.25 | -204 | -215.75 | -222.75 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.625 | -185.25 | -205 | -236.5 | -253 | -272.25 | -259.5 | -279.25 | -286.75 | -287.5 | -303.5 | -313.25 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.125 | -70.5 | -77.75 | -90.5 | -96.25 | -102.75 | -98.25 | -105.75 | -108.25 | -109 | -115 | -118.25 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.25 | -23.875 | -26.5 | -30.75 | -33.25 | -34.5 | -33.25 | -36 | -36.75 | -36.5 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | -22.75 | -22.75 | -25.25 | -29.5 | -32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | -23.25 | -23.875 | -26.5 | -30.75 | -33.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | -46.25 | -47.75 | -52.75 | -61 | -65.5 | -70 | -67.25 | -71.75 | -74 | -74.75 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | -46.625 | -48.125 | -53.25 | -61.75 | -66 | -70 | -67.75 | -72 | -74.5 | -75 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | -24.125 | -24.625 | -27.25 | -31.75 | -34 | -36.25 | -34.5 | -37.25 | -38.5 | -38.5 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 15-730 | Roof Insulation | 0 | 0 | -21.25 | -22.125 | -24 | -27.75 | -30.25 | -31.25 | -30.5 | -32.75 | -34 | -33.75 | -35.25 | -37.25 |
| 15-731 | Cool Roof - DX | 0 | 0 | -117 | -119.875 | -133 | -153.5 | -164.75 | -176.5 | -168.5 | -181.5 | -186 | -186.75 | -196.75 | -203 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.375 | -116.5 | -128.5 | -148.75 | -159.25 | -170.75 | -163.25 | -175.25 | -180.25 | -180.25 | -190.5 | -196.75 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | -266.25 | -273.125 | -302.25 | -349.5 | -374.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | -266.25 | -273.125 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | -245.75 | -250.625 | -277.75 | -320.5 | -342.25 | -367.25 | -352.25 | -377.5 | -388 | -390.25 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | -94.875 | -96.25 | -106.5 | -123.5 | -131.75 | -140.5 | -134.75 | -144.75 | -149 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | -86.875 | -88.625 | -97.75 | -113 | -121 | -128.75 | -124 | -132.75 | -136.5 | -137.75 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | -64.75 | -66.625 | -73.75 | -85.25 | -90.75 | -96.75 | -93.25 | -100 | -103 | -103.5 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | -109.875 | -111.875 | -124 | -143.25 | -152.75 | -163.5 | -156.75 | -168.25 | -173.5 | -174.25 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | -46.625 | -47.625 | -53 | -61.5 | -65.75 | -69.5 | -67.5 | -71.5 | -74.75 | -75 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -20.75 | -22 | -21.25 | -22.75 | -23.25 | -24 | -24.75 | -25.75 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -31.75 | -33 | -36.25 | -42 | -44.75 | -47.5 | -46 | -49.25 | -51.25 | -51.25 | -53.5 | -55.75 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -30.75 | -33.5 | -35 | -33.75 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.5 | -26.25 | -24.75 | -26.75 | -27.75 | -28 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | -46 | -48.5 | -51 | -50.25 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.75 | -18 | -18.75 | -19 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -31.625 | -32.75 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | -10.125 | -10.5 | -11.25 | -13 | -14.25 | -15.25 | -14.25 | -15.25 | -15.75 | -16.25 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | -191.375 | -195.125 | -216 | -249.25 | -266.5 | -285 | -273.5 | -293.5 | -301.75 | -302.5 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | -127.875 | -129.75 | -144.25 | -166 | -177.5 | -190 | -182 | -195.25 | -201.5 | -202.25 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | -25.75 | -26.375 | -29 | -33.75 | -36 | -38.25 | -36.5 | -39 | -40.75 | -41 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -20.75 | -22 | -21.25 | -22.75 | -23.25 | -24 | -24.75 | -25.75 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | -32 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.5 | -54 | -55.75 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -30.75 | -33.5 | -35 | -33.75 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.5 | -26.25 | -24.75 | -26.75 | -27.75 | -28 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | -31.75 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | -46 | -48.75 | -51 | -50.25 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.75 | -18 | -18.75 | -19 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | -52.5 | -53.625 | -59.25 | -68.5 | -73.25 | -78 | -75 | -80.25 | -83.5 | -83.75 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | -184.125 | -187.75 | -208.25 | -240 | -256.25 | -274.5 | -263.25 | -282.25 | -290.5 | -291.25 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | -212.25 | -216.25 | -240 | -276.25 | -295 | -316 | -302.75 | -325.5 | -334 | -335.75 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | -117.5 | -119.625 | -133.25 | -153 | -163.75 | -175.5 | -167.75 | -180.5 | -186 | -186.75 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -15.125 | -15.125 | -17 | -19.75 | -20.75 | -22 | -21.25 | -22.75 | -23.25 | -24 | -24.75 | -25.75 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -31.875 | -33 | -36.25 | -42 | -45 | -47.5 | -46 | -49 | -51.5 | -50.75 | -54 | -55.5 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -23.625 | -24.125 | -26.75 | -30.75 | -33.5 | -35 | -33.75 | -35.75 | -37.25 | -38 | -39.5 | -40.75 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -17.625 | -18.125 | -20.25 | -23.5 | -24.5 | -26.25 | -24.75 | -26.75 | -27.75 | -28 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -31.625 | -32.875 | -36.25 | -41.75 | -44.75 | -47 | -45.75 | -48.75 | -51 | -50.25 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -12.125 | -12.375 | -13.5 | -15.75 | -16.75 | -18 | -16.75 | -18 | -18.75 | -19 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -15.625 | -16 | -17.75 | -20.5 | -22 | -23.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | -31.625 | -32.625 | -36 | -41.5 | -44.5 | -47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -7.625 | -8 | -8.25 | -10.25 | -11 | -10.75 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 16-416 | Process Drives - ASD | 0 | 0 | -2.625 | -3.125 | -3.25 | -4 | -4.5 | -4.5 | -4.5 | -4 | -4.5 | -4.5 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | -25.75 | -26.375 | -28.75 | -33.5 | -36 | -38 | -36.25 | -38.75 | -40.75 | -41 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | -17.875 | -18.125 | -20.25 | -23.5 | -25 | -26.5 | -24.75 | -27 | -27.75 | -28.5 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | -116.25 | -118.5 | -131.25 | -151.25 | -161.5 | -173 | -166 | -178.5 | -183.5 | -184 | -193.75 | -200.25 |
| 16-605 | Process control | 0 | 0 | -20.5 | -21.125 | -22.75 | -26.75 | -29 | -29.75 | -29 | -31 | -32.5 | -32.5 | -33.5 | -35 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -59.75 | -60.75 | -67.25 | -77.75 | -83 | -88.25 | -85.25 | -91.25 | -94.75 | -94.5 | -99.5 | -102.5 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | -15.75 | -16 | -17.5 | -20.5 | -22 | -23.25 | -22.25 | -23.75 | -24.75 | -25 | -26.25 | -26.75 |
| 16-703 | EMS - Chiller | 0 | 0 | -54.75 | -56.125 | -61.25 | -71 | -75.5 | -81.25 | -77.5 | -83.5 | -86 | -86.25 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -41.125 | -42.375 | -46.75 | -53.5 | -58 | -61.25 | -58.75 | -62.75 | -65.5 | -65.25 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -51.5 | -52.625 | -58 | -67 | -71.5 | -76.25 | -73.25 | -78.5 | -81.5 | -81.75 | -85.75 | -88.25 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | -25.25 | -25.875 | -28.75 | -33 | -35.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -50.75 | -52 | -57.75 | -66.75 | -71.25 | -76.5 | -73.25 | -78.25 | -81.25 | -81.25 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -51.25 | -52.25 | -58.25 | -67 | -72 | -76.75 | -73.5 | -78.5 | -81.75 | -81.75 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | -27.25 | -27.75 | -31.25 | -36 | -38.25 | -41 | -39 | -42 | -43.75 | -43.75 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | -23.375 | -23.5 | -26.25 | -30.5 | -32.75 | -34.25 | -33 | -35.75 | -36.5 | -37 | -38.75 | -40 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | -128.25 | -131.25 | -145.5 | -168 | -180.25 | -193 | -184.75 | -198 | -203.75 | -204.25 | -215 | -222.25 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -27.375 | -27.625 | -30.75 | -35.5 | -38 | -40.5 | -38.5 | -41.5 | -43 | -43.25 | -45.25 | -46.5 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -180.875 | -185 | -205 | -236.75 | -253 | -272 | -260 | -279.25 | -286.5 | -288 | -303.25 | -313 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -68.5 | -70.375 | -77.75 | -90 | -96.75 | -102.75 | -98.25 | -105.5 | -108.25 | -109 | -115 | -118.5 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -23.375 | -23.875 | -26.5 | -30.75 | -33 | -34.5 | -33 | -35.75 | -37.25 | -37 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | -22.5 | -22.875 | -25.5 | -29.75 | -31.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | -23.375 | -23.875 | -26.5 | -30.75 | -33 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | -46.5 | -47.875 | -53 | -61.5 | -66 | -70 | -67.5 | -72 | -74.5 | -74.5 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | -46.625 | -47.875 | -53.25 | -61.5 | -66 | -70.25 | -67.5 | -71.75 | -74.5 | -74.75 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | -24 | -24.5 | -27.25 | -32 | -34 | -36 | -34.75 | -36.5 | -38.5 | -38.25 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | -21.25 | -22 | -24 | -27.75 | -30.25 | -31.5 | -30.5 | -33 | -34 | -33.75 | -35.25 | -37 |
| 16-731 | Cool Roof - DX | 0 | 0 | -117.125 | -120 | -133 | -153.75 | -164.75 | -176.5 | -168.25 | -180.75 | -186.25 | -186.75 | -197.25 | -203.25 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -113.75 | -116.375 | -128.75 | -149 | -159 | -170.5 | -163.25 | -175.75 | -180.5 | -181 | -190.75 | -196.75 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | -266.5 | -273 | -302.25 | -349 | -375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | -266.5 | -273 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | -246 | -250.375 | -278 | -320.5 | -342 | -367 | -351.75 | -377.75 | -387.75 | -390 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | -94.625 | -96.25 | -106.5 | -123.25 | -131.5 | -140.25 | -134.5 | -144.5 | -149 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | -0.25 | -0.375 | -0.5 | -0.5 | -0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | -6 | -6.5 | -6.75 | -8.5 | -9.25 | -9 | -8.75 | -9 | -9.75 | -10 | -10 | -10.75 |
| N-807 | Flood LED 14W | 0 | 0 | -6 | -6.375 | -6.75 | -8.5 | -9.25 | -8.75 | -8.5 | -9 | -9.5 | -9.75 | -10 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | -47.25 | -49.375 | -54.5 | -63.5 | -68 | -72.75 | -69.75 | -74.25 | -76.5 | -77 | -81.75 | -84 |
| N-732 | Run Time Optimizer | 0 | 0 | -504.125 | -515.25 | -571 | -659.75 | -705.75 | -757 | -723.5 | -778.5 | -798.75 | -800.25 | -845 | -872.25 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | -319.875 | -335.375 | -370 | -429.25 | -462.5 | -495.75 | -471.75 | -506.75 | -518.25 | -518.75 | -553 | -570.25 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | -161.459 | -159.298 | -170.719 | -177.396 | -187.991 | -190.421 | -196.317 | -200.487 | -202.063 | -201.421 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | -121.411 | -119.786 | -128.374 | -133.395 | -141.362 | -143.189 | -147.623 | -150.759 | -151.944 | -151.461 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | -204.6 | -201.862 | -216.334 | -224.795 | -238.222 | -241.3 | -248.773 | -254.056 | -256.054 | -255.24 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | -87.5932 | -86.4206 | -92.6168 | -96.239 | -101.987 | -103.305 | -106.504 | -108.766 | -109.622 | -109.273 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2857 | -32.703 | -33.7157 | -34.4318 | -34.7025 | -34.5931 | -34.4315 | -34.3519 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7666 | -58.9664 | -63.1942 | -65.6658 | -69.5876 | -70.4871 | -72.6698 | -74.2132 | -74.7969 | -74.5594 | -74.2122 | -74.0404 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.4557 | -52.1209 | -53.7349 | -54.8761 | -55.3077 | -55.1324 | -54.8755 | -54.7487 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3406 | -58.5462 | -62.7438 | -65.1978 | -69.0917 | -69.9848 | -72.1519 | -73.6844 | -74.264 | -74.0281 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.6541 | -27.5664 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3175 | -58.5234 | -62.7194 | -65.1724 | -69.0648 | -69.9575 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | -18.6 | -18.351 | -19.6667 | -20.4358 | -21.6564 | -21.9363 | -22.6157 | -23.0957 | -23.278 | -23.2041 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | -356.401 | -351.63 | -376.841 | -391.579 | -414.966 | -420.33 | -433.345 | -442.549 | -446.029 | -444.611 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | -237.747 | -234.564 | -251.381 | -261.213 | -276.814 | -280.392 | -289.074 | -295.214 | -297.535 | -296.59 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | -47.9532 | -47.3113 | -50.7034 | -52.6863 | -55.8331 | -56.5548 | -58.306 | -59.5442 | -60.0126 | -59.8226 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2857 | -32.703 | -33.7157 | -34.4318 | -34.7025 | -34.5931 | -34.4315 | -34.3519 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9219 | -59.1197 | -63.3584 | -65.8365 | -69.7685 | -70.6703 | -72.8586 | -74.4061 | -74.9913 | -74.7533 | -74.4052 | -74.2328 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.4557 | -52.1209 | -53.7349 | -54.8761 | -55.3077 | -55.1324 | -54.8755 | -54.7487 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4736 | -58.6773 | -62.8844 | -65.3438 | -69.2465 | -70.1416 | -72.3135 | -73.8495 | -74.4303 | -74.1939 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.6541 | -27.5664 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3704 | -58.5755 | -62.7753 | -65.2304 | -69.1266 | -70.0199 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | -97.947 | -96.6358 | -103.564 | -107.615 | -114.042 | -115.516 | -119.093 | -121.623 | -122.579 | -122.19 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | -343.119 | -338.526 | -362.797 | -376.986 | -399.502 | -404.665 | -417.196 | -426.057 | -429.407 | -428.041 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | -395.1 | -389.811 | -417.759 | -434.098 | -460.024 | -465.97 | -480.399 | -490.602 | -494.459 | -492.888 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | -219.215 | -216.28 | -231.787 | -240.852 | -255.237 | -258.536 | -266.542 | -272.203 | -274.344 | -273.471 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2857 | -32.703 | -33.7157 | -34.4318 | -34.7025 | -34.5931 | -34.4315 | -34.3519 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8673 | -59.0657 | -63.3006 | -65.7764 | -69.705 | -70.6058 | -72.7922 | -74.3382 | -74.9231 | -74.685 | -74.3373 | -74.1652 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.4557 | -52.1209 | -53.7349 | -54.8761 | -55.3077 | -55.1324 | -54.8755 | -54.7487 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4226 | -58.6271 | -62.8305 | -65.2879 | -69.1874 | -70.0815 | -72.2516 | -73.7862 | -74.3667 | -74.1304 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.6541 | -27.5664 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2977 | -58.5038 | -62.6984 | -65.1506 | -69.0421 | -69.9342 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | -94.9177 | -93.6471 | -100.361 | -104.287 | -110.515 | -111.944 | -115.41 | -117.861 | -118.788 | -118.41 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | -459.73 | -453.576 | -486.096 | -505.108 | -535.275 | -542.193 | -558.982 | -570.855 | -575.343 | -573.514 | -570.846 | -569.525 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | -121.943 | -120.311 | -128.937 | -133.979 | -141.981 | -143.816 | -148.27 | -151.418 | -152.609 | -152.125 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | -306.944 | -302.837 | -324.549 | -337.242 | -357.383 | -362.003 | -373.212 | -381.138 | -384.134 | -382.914 | -381.134 | -380.251 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.102 | -109.614 | -117.474 | -122.068 | -129.359 | -131.031 | -135.088 | -137.957 | -139.042 | -138.601 | -137.955 | -137.636 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1661 | -28.7757 | -30.8388 | -32.045 | -33.9587 | -34.3977 | -35.4629 | -36.2159 | -36.5007 | -36.3854 | -36.2158 | -36.1318 |
| 1-703 | EMS - Chiller | 0 | 0 | -101.433 | -100.074 | -107.25 | -111.444 | -118.1 | -119.627 | -123.331 | -125.951 | -126.941 | -126.538 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7229 | -75.6962 | -81.1233 | -84.296 | -89.3303 | -90.4851 | -93.2871 | -95.2681 | -96.0173 | -95.7129 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7184 | -94.4368 | -101.208 | -105.166 | -111.447 | -112.888 | -116.383 | -118.855 | -119.79 | -119.409 | -118.853 | -118.579 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | -47.2141 | -46.5822 | -49.922 | -51.8744 | -54.9726 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4067 | -94.1299 | -100.879 | -104.824 | -111.084 | -112.52 | -116.005 | -118.468 | -119.4 | -119.021 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9035 | -94.6201 | -101.404 | -105.37 | -111.663 | -113.106 | -116.609 | -119.085 | -120.021 | -119.64 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2847 | -50.5984 | -54.2261 | -56.3468 | -59.7122 | -60.4838 | -62.3569 | -63.681 | -64.1821 | -63.9785 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | -43.41 | -42.829 | -45.8997 | -47.6949 | -50.5433 | -51.1967 | -52.782 | -53.9028 | -54.327 | -54.1543 | -53.903 | -53.7773 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | -240.561 | -237.342 | -254.359 | -264.307 | -280.092 | -283.713 | -292.498 | -298.709 | -301.058 | -300.101 | -298.706 | -298.014 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6752 | -49.9966 | -53.5813 | -55.6769 | -59.0022 | -59.7649 | -61.6155 | -62.9242 | -63.4194 | -63.2183 | -62.9236 | -62.7779 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.806 | -334.272 | -358.238 | -372.249 | -394.48 | -399.58 | -411.952 | -420.701 | -424.008 | -422.661 | -420.696 | -419.722 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.293 | -126.576 | -135.651 | -140.957 | -149.375 | -151.306 | -155.991 | -159.304 | -160.556 | -160.046 | -159.302 | -158.933 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6973 | -43.1126 | -46.2036 | -48.0107 | -50.8779 | -51.5356 | -53.1315 | -54.2597 | -54.6865 | -54.5132 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | -41.9859 | -41.4241 | -44.394 | -46.1303 | -48.8852 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | -43.6973 | -43.1126 | -46.2036 | -48.0107 | -50.8779 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | -87.5194 | -86.3482 | -92.5391 | -96.1583 | -101.901 | -103.218 | -106.415 | -108.674 | -109.529 | -109.182 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | -87.9374 | -86.7606 | -92.981 | -96.6175 | -102.388 | -103.711 | -106.923 | -109.193 | -110.052 | -109.703 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | -45.0813 | -44.478 | -47.6669 | -49.5311 | -52.4893 | -53.1678 | -54.8141 | -55.9781 | -56.4183 | -56.2395 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | -39.8467 | -39.3134 | -42.1321 | -43.7799 | -46.3945 | -46.9942 | -48.4495 | -49.4782 | -49.8675 | -49.7096 | -49.4778 | -49.3637 |
| 1-731 | Cool Roof - DX | 0 | 0 | -219.834 | -216.892 | -232.443 | -241.534 | -255.958 | -259.267 | -267.295 | -272.972 | -275.118 | -274.244 | -272.968 | -272.336 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.861 | -210.013 | -225.07 | -233.873 | -247.84 | -251.044 | -258.817 | -264.314 | -266.392 | -265.546 | -264.311 | -263.699 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.549 | -493.851 | -529.258 | -549.958 | -582.801 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | -500.549 | -493.851 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | -458.605 | -452.466 | -484.907 | -503.872 | -533.966 | -540.867 | -557.615 | -569.459 | -573.936 | -572.111 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | -175.85 | -173.496 | -185.935 | -193.207 | -204.747 | -207.393 | -213.815 | -218.356 | -220.074 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | -0.55256 | -0.54514 | -0.58425 | -0.60694 | -0.64334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | -161.456 | -159.298 | -170.718 | -177.397 | -187.989 | -190.421 | -196.317 | -200.486 | -202.062 | -201.422 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | -121.409 | -119.786 | -128.374 | -133.396 | -141.361 | -143.189 | -147.623 | -150.758 | -151.944 | -151.462 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | -204.597 | -201.862 | -216.333 | -224.797 | -238.219 | -241.3 | -248.772 | -254.055 | -256.052 | -255.242 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | -87.5917 | -86.4207 | -92.6163 | -96.2397 | -101.986 | -103.305 | -106.504 | -108.765 | -109.621 | -109.274 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7287 | -27.358 | -29.3194 | -30.4664 | -32.2855 | -32.7031 | -33.7158 | -34.4316 | -34.7027 | -34.5931 | -34.4324 | -34.3519 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7588 | -58.9599 | -63.1869 | -65.659 | -69.5791 | -70.4791 | -72.6616 | -74.2045 | -74.7881 | -74.5511 | -74.2053 | -74.0328 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1929 | -43.6021 | -46.728 | -48.5561 | -51.4554 | -52.1209 | -53.7348 | -54.8758 | -55.3077 | -55.1332 | -54.8762 | -54.749 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6583 | -32.2217 | -34.5318 | -35.8828 | -38.0252 | -38.517 | -39.7097 | -40.5529 | -40.8721 | -40.7433 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3331 | -58.5399 | -62.7367 | -65.1911 | -69.0833 | -69.9771 | -72.144 | -73.6759 | -74.2553 | -74.0199 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0965 | -21.801 | -23.364 | -24.278 | -25.7278 | -26.0604 | -26.8674 | -27.4379 | -27.6538 | -27.5667 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1006 | -28.7115 | -30.7699 | -31.9736 | -33.8827 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3099 | -58.517 | -62.7122 | -65.1656 | -69.0565 | -69.9498 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8103 | -13.6256 | -14.6025 | -15.1737 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | -18.5997 | -18.351 | -19.6666 | -20.436 | -21.6561 | -21.9363 | -22.6157 | -23.0958 | -23.2775 | -23.204 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | -356.395 | -351.63 | -376.839 | -391.582 | -414.962 | -420.33 | -433.344 | -442.547 | -446.027 | -444.615 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | -237.724 | -234.546 | -251.361 | -261.195 | -276.79 | -280.37 | -289.051 | -295.19 | -297.511 | -296.568 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | -47.9524 | -47.3113 | -50.7032 | -52.6868 | -55.8324 | -56.5548 | -58.306 | -59.5439 | -60.0122 | -59.8224 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7287 | -27.358 | -29.3194 | -30.4664 | -32.2855 | -32.7031 | -33.7158 | -34.4316 | -34.7027 | -34.5931 | -34.4324 | -34.3519 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9142 | -59.1132 | -63.3511 | -65.8296 | -69.76 | -70.6623 | -72.8505 | -74.3974 | -74.9825 | -74.7448 | -74.3982 | -74.2251 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1929 | -43.6021 | -46.728 | -48.5561 | -51.4554 | -52.1209 | -53.7348 | -54.8758 | -55.3077 | -55.1332 | -54.8762 | -54.749 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6583 | -32.2217 | -34.5318 | -35.8828 | -38.0252 | -38.517 | -39.7097 | -40.5529 | -40.8721 | -40.7433 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.466 | -58.671 | -62.8772 | -65.337 | -69.2382 | -70.1338 | -72.3055 | -73.8409 | -74.4216 | -74.1858 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0965 | -21.801 | -23.364 | -24.278 | -25.7278 | -26.0604 | -26.8674 | -27.4379 | -27.6538 | -27.5667 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1006 | -28.7115 | -30.7699 | -31.9736 | -33.8827 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3628 | -58.5691 | -62.7681 | -65.2237 | -69.118 | -70.0121 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8103 | -13.6256 | -14.6025 | -15.1737 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | -97.9453 | -96.6359 | -103.564 | -107.616 | -114.041 | -115.516 | -119.093 | -121.622 | -122.578 | -122.191 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | -343.113 | -338.526 | -362.795 | -376.989 | -399.498 | -404.665 | -417.195 | -426.055 | -429.405 | -428.045 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | -395.093 | -389.811 | -417.757 | -434.101 | -460.02 | -465.97 | -480.398 | -490.6 | -494.457 | -492.892 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | -219.211 | -216.28 | -231.786 | -240.854 | -255.235 | -258.536 | -266.541 | -272.202 | -274.342 | -273.473 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7287 | -27.358 | -29.3194 | -30.4664 | -32.2855 | -32.7031 | -33.7158 | -34.4316 | -34.7027 | -34.5931 | -34.4324 | -34.3519 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8596 | -59.0593 | -63.2934 | -65.7697 | -69.6967 | -70.598 | -72.7841 | -74.3296 | -74.9143 | -74.6768 | -74.3304 | -74.1575 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1929 | -43.6021 | -46.728 | -48.5561 | -51.4554 | -52.1209 | -53.7348 | -54.8758 | -55.3077 | -55.1332 | -54.8762 | -54.749 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6583 | -32.2217 | -34.5318 | -35.8828 | -38.0252 | -38.517 | -39.7097 | -40.5529 | -40.8721 | -40.7433 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.415 | -58.6207 | -62.8233 | -65.281 | -69.1786 | -70.0737 | -72.2436 | -73.7776 | -74.3578 | -74.1222 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0965 | -21.801 | -23.364 | -24.278 | -25.7278 | -26.0604 | -26.8674 | -27.4379 | -27.6538 | -27.5667 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1006 | -28.7115 | -30.7699 | -31.9736 | -33.8827 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2901 | -58.4975 | -62.6912 | -65.1438 | -69.0332 | -69.9265 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8103 | -13.6256 | -14.6025 | -15.1737 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | -162.953 | -160.775 | -172.301 | -179.042 | -189.732 | -192.186 | -198.137 | -202.345 | -203.936 | -203.289 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | -304.794 | -300.719 | -322.278 | -334.887 | -354.882 | -359.472 | -370.603 | -378.473 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.085 | -109.598 | -117.456 | -122.049 | -129.339 | -131.011 | -135.067 | -137.936 | -139.021 | -138.579 | -137.934 | -137.615 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1648 | -28.7749 | -30.8378 | -32.0442 | -33.9575 | -34.3968 | -35.4618 | -36.2148 | -36.4998 | -36.3849 | -36.2154 | -36.1308 |
| 2-703 | EMS - Chiller | 0 | 0 | -101.415 | -100.058 | -107.232 | -111.425 | -118.081 | -119.607 | -123.31 | -125.929 | -126.92 | -126.516 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7193 | -75.6937 | -81.1203 | -84.294 | -89.3269 | -90.4823 | -93.2841 | -95.265 | -96.0142 | -95.7099 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7031 | -94.4217 | -101.192 | -105.149 | -111.429 | -112.87 | -116.365 | -118.836 | -119.771 | -119.39 | -118.834 | -118.56 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | -47.2119 | -46.5807 | -49.9202 | -51.8732 | -54.9702 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4023 | -94.1269 | -100.875 | -104.822 | -111.08 | -112.517 | -116.001 | -118.464 | -119.396 | -119.018 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.8991 | -94.6171 | -101.4 | -105.367 | -111.658 | -113.103 | -116.605 | -119.081 | -120.018 | -119.638 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2823 | -50.5967 | -54.2241 | -56.3456 | -59.7096 | -60.4821 | -62.3549 | -63.679 | -64.1798 | -63.9773 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | -43.4081 | -42.8277 | -45.8981 | -47.6937 | -50.5414 | -51.1951 | -52.7805 | -53.9012 | -54.3255 | -54.1536 | -53.9014 | -53.7765 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | -240.55 | -237.334 | -254.349 | -264.3 | -280.08 | -283.703 | -292.488 | -298.699 | -301.047 | -300.095 | -298.7 | -298.007 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6687 | -49.9905 | -53.5747 | -55.67 | -58.9949 | -59.7574 | -61.6079 | -62.9161 | -63.4112 | -63.2098 | -62.9156 | -62.7698 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.787 | -334.258 | -358.221 | -372.236 | -394.461 | -399.563 | -411.935 | -420.683 | -423.991 | -422.649 | -420.685 | -419.708 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.286 | -126.571 | -135.645 | -140.952 | -149.367 | -151.299 | -155.985 | -159.297 | -160.549 | -160.042 | -159.297 | -158.928 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6949 | -43.1108 | -46.2015 | -48.009 | -50.8754 | -51.5335 | -53.1293 | -54.2574 | -54.6845 | -54.5118 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | -41.9835 | -41.4222 | -44.3919 | -46.1287 | -48.8828 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | -43.6949 | -43.1108 | -46.2015 | -48.009 | -50.8754 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | -87.5144 | -86.3445 | -92.5347 | -96.1548 | -101.896 | -103.214 | -106.41 | -108.67 | -109.524 | -109.178 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | -87.9324 | -86.7569 | -92.9766 | -96.6142 | -102.383 | -103.707 | -106.918 | -109.189 | -110.047 | -109.699 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | -45.0787 | -44.4761 | -47.6646 | -49.5294 | -52.4864 | -53.1655 | -54.8119 | -55.9756 | -56.416 | -56.2382 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | -39.8444 | -39.3117 | -42.1301 | -43.7783 | -46.3922 | -46.9923 | -48.4473 | -49.4762 | -49.8655 | -49.708 | -49.4767 | -49.3619 |
| 2-731 | Cool Roof - DX | 0 | 0 | -219.821 | -216.882 | -232.431 | -241.524 | -255.945 | -259.256 | -267.283 | -272.959 | -275.105 | -274.235 | -272.96 | -272.327 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.859 | -210.013 | -225.07 | -233.875 | -247.839 | -251.045 | -258.818 | -264.314 | -266.392 | -265.549 | -264.315 | -263.702 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.546 | -493.855 | -529.26 | -549.967 | -582.801 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | -500.546 | -493.855 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | -458.597 | -452.467 | -484.904 | -503.875 | -533.96 | -540.867 | -557.613 | -569.456 | -573.933 | -572.116 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-805 | Occupancy Sensor | 0 | 0 | -175.83 | -173.479 | -185.916 | -193.19 | -204.725 | -207.373 | -213.794 | -218.334 | -220.051 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | -0.55256 | -0.54514 | -0.58425 | -0.60694 | -0.64334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | -100.621 | -99.2762 | -106.394 | -110.556 | -117.157 | -118.672 | -122.347 | -124.945 | -125.928 | -125.528 | -124.946 | -124.656 |
| 3-101 | Compressed Air-O&M | 0 | 0 | -161.458 | -159.298 | -170.719 | -177.395 | -187.99 | -190.42 | -196.317 | -200.485 | -202.062 | -201.419 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | -121.41 | -119.786 | -128.374 | -133.395 | -141.361 | -143.189 | -147.623 | -150.758 | -151.943 | -151.46 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | -204.599 | -201.861 | -216.334 | -224.795 | -238.22 | -241.299 | -248.771 | -254.054 | -256.051 | -255.238 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | -87.5926 | -86.4204 | -92.6165 | -96.2387 | -101.986 | -103.305 | -106.504 | -108.765 | -109.62 | -109.272 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.729 | -27.3579 | -29.3194 | -30.4662 | -32.2857 | -32.7029 | -33.7156 | -34.4315 | -34.7025 | -34.5926 | -34.4312 | -34.3514 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7641 | -58.9643 | -63.1918 | -65.6633 | -69.5848 | -70.4843 | -72.6671 | -74.2099 | -74.7936 | -74.5562 | -74.2096 | -74.0375 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1934 | -43.602 | -46.7281 | -48.5556 | -51.4554 | -52.1205 | -53.7346 | -54.8756 | -55.3073 | -55.1319 | -54.8751 | -54.7481 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6587 | -32.2216 | -34.5318 | -35.8824 | -38.0252 | -38.5168 | -39.7096 | -40.5527 | -40.8716 | -40.7424 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3382 | -58.5441 | -62.7415 | -65.1953 | -69.089 | -69.9821 | -72.1492 | -73.6812 | -74.2608 | -74.0251 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0967 | -21.801 | -23.364 | -24.2778 | -25.7276 | -26.0603 | -26.8673 | -27.4377 | -27.6537 | -27.5665 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1009 | -28.7114 | -30.77 | -31.9735 | -33.8829 | -34.3208 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3151 | -58.5213 | -62.717 | -65.1699 | -69.062 | -69.9548 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8104 | -13.6255 | -14.6025 | -15.1736 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | -18.5998 | -18.3509 | -19.6667 | -20.4357 | -21.656 | -21.9361 | -22.6155 | -23.0955 | -23.2771 | -23.2039 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | -356.398 | -351.629 | -376.839 | -391.578 | -414.964 | -420.328 | -433.343 | -442.546 | -446.025 | -444.608 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | -237.739 | -234.558 | -251.374 | -261.206 | -276.806 | -280.384 | -289.066 | -295.205 | -297.526 | -296.58 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | -47.9529 | -47.3112 | -50.7033 | -52.6862 | -55.8329 | -56.5545 | -58.3058 | -59.5438 | -60.0124 | -59.8221 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.729 | -27.3579 | -29.3194 | -30.4662 | -32.2857 | -32.7029 | -33.7156 | -34.4315 | -34.7025 | -34.5926 | -34.4312 | -34.3514 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9194 | -59.1175 | -63.356 | -65.8338 | -69.7655 | -70.6674 | -72.8558 | -74.4027 | -74.9879 | -74.7502 | -74.4023 | -74.2299 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1934 | -43.602 | -46.7281 | -48.5556 | -51.4554 | -52.1205 | -53.7346 | -54.8756 | -55.3073 | -55.1319 | -54.8751 | -54.7481 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6587 | -32.2216 | -34.5318 | -35.8824 | -38.0252 | -38.5168 | -39.7096 | -40.5527 | -40.8716 | -40.7424 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4712 | -58.6752 | -62.8821 | -65.3414 | -69.2437 | -70.1388 | -72.3108 | -73.8462 | -74.4271 | -74.1909 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0967 | -21.801 | -23.364 | -24.2778 | -25.7276 | -26.0603 | -26.8673 | -27.4377 | -27.6537 | -27.5665 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1009 | -28.7114 | -30.77 | -31.9735 | -33.8829 | -34.3208 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.368 | -58.5734 | -62.7729 | -65.2281 | -69.1236 | -70.0171 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8104 | -13.6255 | -14.6025 | -15.1736 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | -204.599 | -201.861 | -216.334 | -224.795 | -238.22 | -241.299 | -248.771 | -254.054 | -256.051 | -255.238 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | -97.9463 | -96.6356 | -103.564 | -107.614 | -114.041 | -115.516 | -119.093 | -121.622 | -122.578 | -122.189 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | -343.116 | -338.525 | -362.796 | -376.985 | -399.499 | -404.664 | -417.194 | -426.054 | -429.403 | -428.039 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | -395.097 | -389.81 | -417.758 | -434.097 | -460.021 | -465.968 | -480.397 | -490.599 | -494.455 | -492.885 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | -219.213 | -216.28 | -231.786 | -240.852 | -255.235 | -258.535 | -266.541 | -272.201 | -274.341 | -273.469 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.729 | -27.3579 | -29.3194 | -30.4662 | -32.2857 | -32.7029 | -33.7156 | -34.4315 | -34.7025 | -34.5926 | -34.4312 | -34.3514 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8648 | -59.0637 | -63.2983 | -65.7739 | -69.7021 | -70.603 | -72.7895 | -74.3349 | -74.9197 | -74.6821 | -74.3346 | -74.1624 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1934 | -43.602 | -46.7281 | -48.5556 | -51.4554 | -52.1205 | -53.7346 | -54.8756 | -55.3073 | -55.1319 | -54.8751 | -54.7481 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6587 | -32.2216 | -34.5318 | -35.8824 | -38.0252 | -38.5168 | -39.7096 | -40.5527 | -40.8716 | -40.7424 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4201 | -58.6249 | -62.8281 | -65.2853 | -69.1844 | -70.0786 | -72.2488 | -73.7828 | -74.3632 | -74.1272 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0967 | -21.801 | -23.364 | -24.2778 | -25.7276 | -26.0603 | -26.8673 | -27.4377 | -27.6537 | -27.5665 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1009 | -28.7114 | -30.77 | -31.9735 | -33.8829 | -34.3208 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2953 | -58.5017 | -62.6961 | -65.1482 | -69.0391 | -69.9315 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8104 | -13.6255 | -14.6025 | -15.1736 | -16.0797 | -16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | -550.65 | -543.281 | -582.232 | -605.004 | -641.136 | -649.424 | -669.532 | -683.752 | -689.127 | -686.938 | -683.743 | -682.16 |
| 3-404 | Replace V-Belts | 0 | 0 | -56.9502 | -56.1881 | -60.2166 | -62.5717 | -66.3086 | -67.1656 | -69.2456 | -70.7159 | -71.2719 | -71.0456 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | -32.9156 | -32.4751 | -34.8035 | -36.1647 | -38.3243 | -38.8199 | -40.0219 | -40.8719 | -41.1931 | -41.0631 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | -245.817 | -242.527 | -259.916 | -270.081 | -286.211 | -289.911 | -298.888 | -305.235 | -307.634 | -306.657 | -305.232 | -304.525 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.097 | -109.61 | -117.468 | -122.063 | -129.353 | -131.025 | -135.082 | -137.951 | -139.036 | -138.594 | -137.949 | -137.63 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1656 | -28.7755 | -30.8385 | -32.0446 | -33.9582 | -34.3973 | -35.4625 | -36.2153 | -36.5002 | -36.3846 | -36.2156 | -36.1313 |
| 3-703 | EMS - Chiller | 0 | 0 | -101.428 | -100.07 | -107.244 | -111.439 | -118.095 | -119.621 | -123.325 | -125.944 | -126.935 | -126.532 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7216 | -75.6953 | -81.1222 | -84.2949 | -89.3287 | -90.4838 | -93.2858 | -95.2663 | -96.0151 | -95.7111 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7139 | -94.4324 | -101.203 | -105.161 | -111.442 | -112.882 | -116.378 | -118.85 | -119.784 | -119.404 | -118.848 | -118.573 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | -47.2134 | -46.5818 | -49.9214 | -51.8738 | -54.9715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4051 | -94.1289 | -100.877 | -104.823 | -111.082 | -112.519 | -116.003 | -118.466 | -119.397 | -119.018 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9019 | -94.6191 | -101.403 | -105.369 | -111.661 | -113.105 | -116.607 | -119.083 | -120.019 | -119.638 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2838 | -50.5978 | -54.2254 | -56.3462 | -59.7111 | -60.4831 | -62.356 | -63.6799 | -64.1806 | -63.9768 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | -43.4093 | -42.8285 | -45.8992 | -47.6943 | -50.5424 | -51.1959 | -52.7813 | -53.9019 | -54.3258 | -54.1543 | -53.9017 | -53.7767 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | -240.558 | -237.34 | -254.356 | -264.304 | -280.087 | -283.709 | -292.494 | -298.704 | -301.052 | -300.096 | -298.702 | -298.01 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6735 | -49.995 | -53.5796 | -55.6751 | -59.0003 | -59.7629 | -61.6135 | -62.9221 | -63.4174 | -63.2162 | -62.9216 | -62.7758 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.8 | -334.268 | -358.233 | -372.244 | -394.473 | -399.574 | -411.946 | -420.693 | -423.999 | -422.654 | -420.69 | -419.714 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.291 | -126.575 | -135.649 | -140.955 | -149.372 | -151.303 | -155.989 | -159.301 | -160.553 | -160.043 | -159.299 | -158.93 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6965 | -43.1121 | -46.203 | -48.0101 | -50.8771 | -51.535 | -53.1308 | -54.2588 | -54.6856 | -54.5129 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | -41.985 | -41.4234 | -44.3933 | -46.1296 | -48.884 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | -43.6965 | -43.1121 | -46.203 | -48.0101 | -50.8771 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | -87.5177 | -86.3471 | -92.5377 | -96.1569 | -101.899 | -103.217 | -106.413 | -108.672 | -109.526 | -109.179 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | -87.9356 | -86.7595 | -92.9796 | -96.6162 | -102.386 | -103.71 | -106.921 | -109.191 | -110.05 | -109.701 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | -45.0804 | -44.4774 | -47.6662 | -49.5305 | -52.4881 | -53.1671 | -54.8134 | -55.9771 | -56.4172 | -56.2389 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | -39.8459 | -39.3129 | -42.1315 | -43.7792 | -46.3936 | -46.9935 | -48.4487 | -49.4773 | -49.8663 | -49.7086 | -49.4774 | -49.3623 |
| 3-731 | Cool Roof - DX | 0 | 0 | -219.83 | -216.889 | -232.439 | -241.53 | -255.953 | -259.263 | -267.291 | -272.966 | -275.112 | -274.239 | -272.964 | -272.332 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.86 | -210.012 | -225.069 | -233.872 | -247.838 | -251.042 | -258.816 | -264.311 | -266.389 | -265.543 | -264.309 | -263.696 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.544 | -493.851 | -529.256 | -549.958 | -582.797 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | -500.544 | -493.851 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | -458.602 | -452.465 | -484.905 | -503.871 | -533.962 | -540.865 | -557.612 | -569.454 | -573.931 | -572.108 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | -175.844 | -173.49 | -185.929 | -193.201 | -204.739 | -207.386 | -213.808 | -218.348 | -220.065 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | -0.55256 | -0.54514 | -0.58425 | -0.60694 | -0.64334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | -161.46 | -159.298 | -170.719 | -177.397 | -187.992 | -190.422 | -196.318 | -200.488 | -202.065 | -201.422 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | -121.412 | -119.786 | -128.375 | -133.395 | -141.363 | -143.19 | -147.624 | -150.759 | -151.945 | -151.462 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | -204.601 | -201.862 | -216.335 | -224.796 | -238.223 | -241.301 | -248.773 | -254.057 | -256.055 | -255.24 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | -87.5935 | -86.4207 | -92.6169 | -96.2391 | -101.987 | -103.306 | -106.504 | -108.767 | -109.622 | -109.273 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7293 | -27.358 | -29.3195 | -30.4662 | -32.2858 | -32.7031 | -33.7157 | -34.432 | -34.7027 | -34.5929 | -34.4316 | -34.3522 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7678 | -58.9675 | -63.1954 | -65.667 | -69.5893 | -70.4885 | -72.6712 | -74.2146 | -74.7986 | -74.5612 | -74.2138 | -74.0417 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6021 | -46.7283 | -48.5558 | -51.456 | -52.1211 | -53.735 | -54.8763 | -55.308 | -55.1323 | -54.8758 | -54.7486 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.659 | -32.2217 | -34.532 | -35.8826 | -38.0258 | -38.5172 | -39.7099 | -40.5533 | -40.8725 | -40.743 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3419 | -58.5473 | -62.7451 | -65.199 | -69.0932 | -69.9862 | -72.1533 | -73.6857 | -74.2655 | -74.0298 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0969 | -21.801 | -23.3641 | -24.2779 | -25.7281 | -26.0606 | -26.8674 | -27.4381 | -27.6543 | -27.5669 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1012 | -28.7115 | -30.7701 | -31.9735 | -33.8832 | -34.3212 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3187 | -58.5244 | -62.7206 | -65.1736 | -69.0662 | -69.9588 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6026 | -15.1736 | -16.08 | -16.2879 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | -18.6001 | -18.351 | -19.6668 | -20.4358 | -21.6564 | -21.9364 | -22.6157 | -23.0959 | -23.2777 | -23.204 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | -356.402 | -351.63 | -376.841 | -391.58 | -414.969 | -420.332 | -433.346 | -442.552 | -446.032 | -444.612 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | -237.75 | -234.567 | -251.385 | -261.217 | -276.818 | -280.396 | -289.078 | -295.219 | -297.54 | -296.594 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | -47.9534 | -47.3113 | -50.7035 | -52.6865 | -55.8335 | -56.5549 | -58.3062 | -59.5447 | -60.0132 | -59.823 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7293 | -27.358 | -29.3195 | -30.4662 | -32.2858 | -32.7031 | -33.7157 | -34.432 | -34.7027 | -34.5929 | -34.4316 | -34.3522 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9232 | -59.1208 | -63.3597 | -65.8377 | -69.7702 | -70.6717 | -72.8601 | -74.4075 | -74.993 | -74.755 | -74.4067 | -74.2342 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6021 | -46.7283 | -48.5558 | -51.456 | -52.1211 | -53.735 | -54.8763 | -55.308 | -55.1323 | -54.8758 | -54.7486 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.659 | -32.2217 | -34.532 | -35.8826 | -38.0258 | -38.5172 | -39.7099 | -40.5533 | -40.8725 | -40.743 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4748 | -58.6785 | -62.8856 | -65.3452 | -69.248 | -70.1429 | -72.3149 | -73.8509 | -74.4318 | -74.1956 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0969 | -21.801 | -23.3641 | -24.2779 | -25.7281 | -26.0606 | -26.8674 | -27.4381 | -27.6543 | -27.5669 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1012 | -28.7115 | -30.7701 | -31.9735 | -33.8832 | -34.3212 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3716 | -58.5766 | -62.7765 | -65.2318 | -69.1278 | -70.0212 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6026 | -15.1736 | -16.08 | -16.2879 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | -97.9473 | -96.6359 | -103.565 | -107.615 | -114.043 | -115.517 | -119.093 | -121.623 | -122.58 | -122.19 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | -343.12 | -338.526 | -362.797 | -376.987 | -399.504 | -404.667 | -417.197 | -426.059 | -429.41 | -428.043 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | -395.101 | -389.811 | -417.76 | -434.099 | -460.027 | -465.972 | -480.4 | -490.605 | -494.463 | -492.89 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | -219.216 | -216.281 | -231.787 | -240.853 | -255.239 | -258.537 | -266.543 | -272.204 | -274.345 | -273.473 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7293 | -27.358 | -29.3195 | -30.4662 | -32.2858 | -32.7031 | -33.7157 | -34.432 | -34.7027 | -34.5929 | -34.4316 | -34.3522 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8685 | -59.0669 | -63.3019 | -65.7777 | -69.7063 | -70.6072 | -72.7936 | -74.3397 | -74.9244 | -74.6868 | -74.3388 | -74.1665 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6021 | -46.7283 | -48.5558 | -51.456 | -52.1211 | -53.735 | -54.8763 | -55.308 | -55.1323 | -54.8758 | -54.7486 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.659 | -32.2217 | -34.532 | -35.8826 | -38.0258 | -38.5172 | -39.7099 | -40.5533 | -40.8725 | -40.743 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4238 | -58.6281 | -62.8317 | -65.2891 | -69.1886 | -70.0828 | -72.2529 | -73.7875 | -74.3679 | -74.1319 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0969 | -21.801 | -23.3641 | -24.2779 | -25.7281 | -26.0606 | -26.8674 | -27.4381 | -27.6543 | -27.5669 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1012 | -28.7115 | -30.7701 | -31.9735 | -33.8832 | -34.3212 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2989 | -58.5049 | -62.6996 | -65.1517 | -69.0431 | -69.9353 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6026 | -15.1736 | -16.08 | -16.2879 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | -28.9457 | -28.5581 | -30.6057 | -31.8026 | -33.7022 | -34.1378 | -35.1948 | -35.9422 | -36.2252 | -36.1102 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | -78.303 | -77.2546 | -82.7936 | -86.0318 | -91.1703 | -92.3486 | -95.2081 | -97.2305 | -97.9952 | -97.6834 | -97.2293 | -97.0041 |
| 4-407 | High Consistency forming | 0 | 0 | -75.1112 | -74.1055 | -79.4187 | -82.5249 | -87.4541 | -88.5841 | -91.3271 | -93.267 | -94.0007 | -93.7019 | -93.2656 | -93.0499 |
| 4-408 | Optimization control PM | 0 | 0 | -47.2156 | -46.5835 | -49.9234 | -51.876 | -54.9746 | -55.685 | -57.4092 | -58.6286 | -59.0901 | -58.902 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.105 | -109.617 | -117.476 | -122.071 | -129.362 | -131.034 | -135.091 | -137.961 | -139.046 | -138.604 | -137.958 | -137.639 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1663 | -28.7758 | -30.839 | -32.045 | -33.9589 | -34.3979 | -35.463 | -36.2161 | -36.5011 | -36.3856 | -36.216 | -36.1321 |
| 4-703 | EMS - Chiller | 0 | 0 | -101.435 | -100.077 | -107.252 | -111.447 | -118.104 | -119.63 | -123.334 | -125.954 | -126.944 | -126.541 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7234 | -75.6965 | -81.1237 | -84.2964 | -89.3308 | -90.4856 | -93.2875 | -95.2688 | -96.0181 | -95.7133 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7207 | -94.439 | -101.21 | -105.168 | -111.45 | -112.89 | -116.386 | -118.858 | -119.793 | -119.412 | -118.856 | -118.581 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | -47.2145 | -46.5824 | -49.9223 | -51.8747 | -54.9731 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4074 | -94.1303 | -100.879 | -104.825 | -111.085 | -112.521 | -116.005 | -118.469 | -119.401 | -119.021 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9043 | -94.6206 | -101.405 | -105.371 | -111.664 | -113.107 | -116.61 | -119.086 | -120.022 | -119.641 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2851 | -50.5985 | -54.2264 | -56.3471 | -59.7125 | -60.4843 | -62.3572 | -63.6813 | -64.1827 | -63.9796 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | -43.4104 | -42.8293 | -45.9 | -47.6952 | -50.5438 | -51.197 | -52.7825 | -53.9033 | -54.3274 | -54.1549 | -53.9031 | -53.7783 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | -240.563 | -237.343 | -254.36 | -264.308 | -280.094 | -283.714 | -292.5 | -298.712 | -301.061 | -300.104 | -298.707 | -298.016 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.676 | -49.9975 | -53.5822 | -55.6778 | -59.0032 | -59.7659 | -61.6165 | -62.9252 | -63.4205 | -63.2193 | -62.9247 | -62.7789 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.809 | -334.274 | -358.24 | -372.251 | -394.484 | -399.583 | -411.955 | -420.705 | -424.013 | -422.665 | -420.699 | -419.725 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.294 | -126.577 | -135.652 | -140.958 | -149.376 | -151.307 | -155.992 | -159.305 | -160.558 | -160.047 | -159.303 | -158.934 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6977 | -43.1129 | -46.2039 | -48.011 | -50.8785 | -51.5361 | -53.1319 | -54.2603 | -54.6873 | -54.514 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | -41.9862 | -41.4242 | -44.3942 | -46.1304 | -48.8856 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | -43.6977 | -43.1129 | -46.2039 | -48.011 | -50.8785 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | -87.5201 | -86.3487 | -92.5396 | -96.1589 | -101.902 | -103.219 | -106.415 | -108.675 | -109.53 | -109.182 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | -87.9381 | -86.7611 | -92.9816 | -96.6181 | -102.389 | -103.712 | -106.924 | -109.194 | -110.053 | -109.704 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | -45.0817 | -44.4782 | -47.6672 | -49.5314 | -52.4896 | -53.1682 | -54.8145 | -55.9787 | -56.4189 | -56.24 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | -39.8471 | -39.3137 | -42.1324 | -43.7801 | -46.3948 | -46.9946 | -48.4498 | -49.4788 | -49.8679 | -49.7099 | -49.4784 | -49.3639 |
| 4-731 | Cool Roof - DX | 0 | 0 | -219.836 | -216.894 | -232.444 | -241.535 | -255.961 | -259.269 | -267.298 | -272.974 | -275.121 | -274.246 | -272.97 | -272.339 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.862 | -210.013 | -225.07 | -233.873 | -247.841 | -251.044 | -258.818 | -264.315 | -266.393 | -265.546 | -264.311 | -263.7 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.551 | -493.852 | -529.26 | -549.96 | -582.804 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | -500.551 | -493.852 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | -458.607 | -452.467 | -484.907 | -503.873 | -533.968 | -540.869 | -557.616 | -569.462 | -573.939 | -572.113 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | -175.853 | -173.499 | -185.938 | -193.21 | -204.75 | -207.397 | -213.819 | -218.36 | -220.077 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | -0.55256 | -0.54514 | -0.58425 | -0.60694 | -0.64334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | -161.459 | -159.298 | -170.719 | -177.396 | -187.991 | -190.421 | -196.317 | -200.487 | -202.063 | -201.421 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | -121.411 | -119.786 | -128.374 | -133.395 | -141.362 | -143.189 | -147.623 | -150.759 | -151.944 | -151.462 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | -204.6 | -201.862 | -216.334 | -224.795 | -238.221 | -241.3 | -248.773 | -254.056 | -256.054 | -255.24 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | -87.5932 | -86.4206 | -92.6168 | -96.239 | -101.987 | -103.305 | -106.504 | -108.766 | -109.622 | -109.273 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2858 | -32.703 | -33.7157 | -34.4318 | -34.7027 | -34.5929 | -34.4315 | -34.3519 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7667 | -58.9664 | -63.1942 | -65.6658 | -69.588 | -70.4872 | -72.6698 | -74.2133 | -74.7972 | -74.5598 | -74.2124 | -74.0404 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.456 | -52.1209 | -53.7349 | -54.8761 | -55.3081 | -55.1324 | -54.8755 | -54.7487 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3408 | -58.5462 | -62.7439 | -65.1978 | -69.0919 | -69.9849 | -72.1519 | -73.6844 | -74.2641 | -74.0284 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.654 | -27.5667 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3176 | -58.5234 | -62.7194 | -65.1724 | -69.065 | -69.9576 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | -18.6 | -18.351 | -19.6667 | -20.4358 | -21.6564 | -21.9363 | -22.6157 | -23.0957 | -23.278 | -23.2041 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | -356.401 | -351.63 | -376.841 | -391.579 | -414.966 | -420.33 | -433.345 | -442.549 | -446.029 | -444.611 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | -237.747 | -234.564 | -251.382 | -261.214 | -276.815 | -280.392 | -289.075 | -295.215 | -297.537 | -296.59 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | -47.9532 | -47.3113 | -50.7034 | -52.6863 | -55.8332 | -56.5548 | -58.306 | -59.5442 | -60.0126 | -59.8226 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2858 | -32.703 | -33.7157 | -34.4318 | -34.7027 | -34.5929 | -34.4315 | -34.3519 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.922 | -59.1197 | -63.3585 | -65.8365 | -69.7689 | -70.6704 | -72.8587 | -74.4062 | -74.9916 | -74.7536 | -74.4053 | -74.2328 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.456 | -52.1209 | -53.7349 | -54.8761 | -55.3081 | -55.1324 | -54.8755 | -54.7487 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4737 | -58.6774 | -62.8845 | -65.3439 | -69.2467 | -70.1416 | -72.3136 | -73.8495 | -74.4304 | -74.1942 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.654 | -27.5667 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3705 | -58.5755 | -62.7753 | -65.2305 | -69.1265 | -70.0199 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | -97.947 | -96.6358 | -103.564 | -107.615 | -114.042 | -115.516 | -119.093 | -121.623 | -122.579 | -122.19 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | -343.119 | -338.526 | -362.797 | -376.986 | -399.502 | -404.666 | -417.196 | -426.057 | -429.407 | -428.042 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | -395.1 | -389.811 | -417.759 | -434.098 | -460.024 | -465.97 | -480.399 | -490.602 | -494.459 | -492.888 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | -219.215 | -216.28 | -231.787 | -240.852 | -255.237 | -258.536 | -266.542 | -272.203 | -274.344 | -273.471 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7292 | -27.358 | -29.3195 | -30.4661 | -32.2858 | -32.703 | -33.7157 | -34.4318 | -34.7027 | -34.5929 | -34.4315 | -34.3519 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8674 | -59.0658 | -63.3008 | -65.7765 | -69.7051 | -70.606 | -72.7923 | -74.3384 | -74.9231 | -74.6855 | -74.3376 | -74.1652 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1937 | -43.6021 | -46.7282 | -48.5558 | -51.456 | -52.1209 | -53.7349 | -54.8761 | -55.3081 | -55.1324 | -54.8755 | -54.7487 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6589 | -32.2217 | -34.5319 | -35.8825 | -38.0256 | -38.5171 | -39.7098 | -40.5532 | -40.8724 | -40.7428 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4228 | -58.6271 | -62.8306 | -65.2879 | -69.1874 | -70.0815 | -72.2516 | -73.7862 | -74.3667 | -74.1306 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0968 | -21.801 | -23.3641 | -24.2779 | -25.7279 | -26.0605 | -26.8674 | -27.438 | -27.654 | -27.5667 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1011 | -28.7115 | -30.7701 | -31.9735 | -33.883 | -34.3211 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2979 | -58.5039 | -62.6985 | -65.1506 | -69.0419 | -69.9341 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8105 | -13.6256 | -14.6025 | -15.1736 | -16.0799 | -16.2878 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | -96.916 | -95.6186 | -102.474 | -106.482 | -112.842 | -114.3 | -117.84 | -120.342 | -121.289 | -120.904 | -120.341 | -120.062 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | -219.215 | -216.28 | -231.787 | -240.852 | -255.237 | -258.536 | -266.542 | -272.203 | -274.344 | -273.471 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | -100.076 | -98.7366 | -105.816 | -109.954 | -116.522 | -118.027 | -121.682 | -124.266 | -125.244 | -124.846 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5-412 | Efficient drives | 0 | 0 | -33.0339 | -32.5917 | -34.9284 | -36.2945 | -38.4622 | -38.9593 | -40.1657 | -41.0187 | -41.3415 | -41.2107 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.102 | -109.615 | -117.474 | -122.068 | -129.359 | -131.031 | -135.088 | -137.958 | -139.043 | -138.601 | -137.956 | -137.636 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1662 | -28.7758 | -30.8389 | -32.0451 | -33.9588 | -34.3978 | -35.463 | -36.216 | -36.5008 | -36.3854 | -36.2159 | -36.1319 |
| 5-703 | EMS - Chiller | 0 | 0 | -101.433 | -100.075 | -107.25 | -111.445 | -118.101 | -119.627 | -123.332 | -125.951 | -126.942 | -126.538 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7232 | -75.6964 | -81.1236 | -84.2963 | -89.3306 | -90.4854 | -93.2874 | -95.2684 | -96.0176 | -95.7133 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7188 | -94.4372 | -101.208 | -105.166 | -111.448 | -112.888 | -116.384 | -118.856 | -119.79 | -119.41 | -118.854 | -118.579 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | -47.2142 | -46.5824 | -49.9222 | -51.8746 | -54.9728 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.407 | -94.1302 | -100.879 | -104.825 | -111.085 | -112.521 | -116.005 | -118.469 | -119.4 | -119.021 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.904 | -94.6205 | -101.404 | -105.371 | -111.663 | -113.107 | -116.609 | -119.086 | -120.022 | -119.641 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2849 | -50.5986 | -54.2263 | -56.347 | -59.7124 | -60.484 | -62.3571 | -63.6812 | -64.1823 | -63.9787 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | -43.4102 | -42.8292 | -45.8999 | -47.695 | -50.5436 | -51.1969 | -52.7823 | -53.903 | -54.3272 | -54.1545 | -53.903 | -53.7776 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | -240.562 | -237.343 | -254.36 | -264.308 | -280.093 | -283.714 | -292.499 | -298.71 | -301.059 | -300.102 | -298.707 | -298.015 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6754 | -49.9969 | -53.5816 | -55.6772 | -59.0025 | -59.7652 | -61.6158 | -62.9245 | -63.4197 | -63.2186 | -62.9239 | -62.7782 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.808 | -334.274 | -358.24 | -372.251 | -394.482 | -399.582 | -411.955 | -420.703 | -424.01 | -422.663 | -420.698 | -419.724 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.294 | -126.577 | -135.652 | -140.957 | -149.376 | -151.307 | -155.992 | -159.304 | -160.557 | -160.047 | -159.303 | -158.934 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6976 | -43.1129 | -46.2039 | -48.011 | -50.8782 | -51.5359 | -53.1318 | -54.26 | -54.6868 | -54.5133 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | -41.9871 | -41.4238 | -44.3956 | -46.1319 | -48.8844 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | -43.6986 | -43.1124 | -46.2054 | -48.0125 | -50.8772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | -87.5219 | -86.3476 | -92.5426 | -96.1618 | -101.9 | -103.215 | -106.412 | -108.672 | -109.53 | -109.185 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | -87.9398 | -86.76 | -92.9845 | -96.621 | -102.386 | -103.708 | -106.92 | -109.191 | -110.054 | -109.707 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | -45.0825 | -44.4777 | -47.6687 | -49.5329 | -52.4885 | -53.1659 | -54.8128 | -55.9768 | -56.4191 | -56.2411 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | -39.8478 | -39.3131 | -42.1337 | -43.7814 | -46.3938 | -46.9926 | -48.4483 | -49.4771 | -49.8682 | -49.7113 | -49.4766 | -49.3657 |
| 5-731 | Cool Roof - DX | 0 | 0 | -219.84 | -216.891 | -232.451 | -241.542 | -255.954 | -259.258 | -267.289 | -272.965 | -275.121 | -274.253 | -272.962 | -272.348 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.866 | -210.01 | -225.077 | -233.88 | -247.835 | -251.034 | -258.81 | -264.306 | -266.394 | -265.553 | -264.303 | -263.709 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.56 | -493.846 | -529.276 | -549.976 | -582.79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | -500.56 | -493.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | -458.616 | -452.461 | -484.923 | -503.888 | -533.955 | -540.846 | -557.599 | -569.443 | -573.941 | -572.128 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | -175.855 | -173.494 | -185.942 | -193.213 | -204.743 | -207.385 | -213.809 | -218.351 | -220.076 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | -161.464 | -159.296 | -170.725 | -177.402 | -187.988 | -190.414 | -196.312 | -200.482 | -202.066 | -201.427 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | -121.415 | -119.785 | -128.379 | -133.4 | -141.36 | -143.184 | -147.619 | -150.755 | -151.946 | -151.466 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | -204.606 | -201.859 | -216.342 | -224.803 | -238.217 | -241.292 | -248.766 | -254.05 | -256.057 | -255.248 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | -87.5956 | -86.4198 | -92.62 | -96.2421 | -101.985 | -103.301 | -106.501 | -108.764 | -109.623 | -109.277 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7706 | -58.9682 | -63.1989 | -65.6706 | -69.5895 | -70.4874 | -72.6708 | -74.2143 | -74.801 | -74.565 | -74.2135 | -74.0463 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3446 | -58.548 | -62.7486 | -65.2026 | -69.0934 | -69.9851 | -72.1529 | -73.6854 | -74.2679 | -74.0335 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3215 | -58.5251 | -62.7241 | -65.1771 | -69.0664 | -69.9577 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | -18.6005 | -18.3508 | -19.6674 | -20.4364 | -21.656 | -21.9356 | -22.615 | -23.0953 | -23.2781 | -23.2049 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | -356.41 | -351.626 | -376.854 | -391.592 | -414.96 | -420.314 | -433.334 | -442.539 | -446.035 | -444.624 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | -237.76 | -234.568 | -251.397 | -261.229 | -276.817 | -280.39 | -289.075 | -295.215 | -297.548 | -296.607 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | -47.9545 | -47.3108 | -50.7052 | -52.6881 | -55.8322 | -56.5527 | -58.3045 | -59.5429 | -60.0134 | -59.8243 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9259 | -59.1215 | -63.3632 | -65.8413 | -69.7704 | -70.6706 | -72.8597 | -74.4072 | -74.9954 | -74.7589 | -74.4064 | -74.2387 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4776 | -58.6791 | -62.8892 | -65.3487 | -69.2482 | -70.1418 | -72.3145 | -73.8505 | -74.4342 | -74.1993 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3744 | -58.5773 | -62.7801 | -65.2354 | -69.128 | -70.0201 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | -97.9496 | -96.6348 | -103.568 | -107.618 | -114.04 | -115.512 | -119.09 | -121.62 | -122.581 | -122.194 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | -343.128 | -338.522 | -362.809 | -376.999 | -399.495 | -404.651 | -417.185 | -426.047 | -429.413 | -428.056 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | -395.11 | -389.807 | -417.773 | -434.113 | -460.017 | -465.953 | -480.386 | -490.591 | -494.467 | -492.903 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | -219.221 | -216.278 | -231.795 | -240.86 | -255.233 | -258.527 | -266.535 | -272.196 | -274.347 | -273.479 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8713 | -59.0675 | -63.3054 | -65.7813 | -69.7065 | -70.6061 | -72.7932 | -74.3393 | -74.9268 | -74.6906 | -74.3385 | -74.171 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4266 | -58.6288 | -62.8352 | -65.2927 | -69.1888 | -70.0817 | -72.2525 | -73.7872 | -74.3704 | -74.1357 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.3017 | -58.5056 | -62.7031 | -65.1553 | -69.0434 | -69.9342 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | -96.9186 | -95.6176 | -102.478 | -106.486 | -112.84 | -114.296 | -117.836 | -120.34 | -121.29 | -120.907 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | -363.445 | -358.566 | -384.292 | -399.321 | -423.15 | -428.61 | -441.886 | -451.273 | -454.838 | -453.4 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | -76.7273 | -75.6973 | -81.1283 | -84.3012 | -89.3317 | -90.4844 | -93.2873 | -95.2688 | -96.0216 | -95.7183 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | -5.34279 | -5.27107 | -5.64924 | -5.87009 | -6.22043 | -6.30069 | -6.49596 | -6.63376 | -6.68656 | -6.66524 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | -76.7273 | -75.6973 | -81.1283 | -84.3012 | -89.3317 | -90.4844 | -93.2873 | -95.2688 | -96.0216 | -95.7183 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.111 | -109.619 | -117.484 | -122.078 | -129.363 | -131.033 | -135.091 | -137.961 | -139.051 | -138.612 | -137.959 | -137.648 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1673 | -28.7757 | -30.8403 | -32.0464 | -33.9587 | -34.3969 | -35.4624 | -36.2155 | -36.5019 | -36.387 | -36.2154 | -36.1338 |
| 6-703 | EMS - Chiller | 0 | 0 | -101.441 | -100.079 | -107.259 | -111.454 | -118.105 | -119.629 | -123.335 | -125.955 | -126.95 | -126.549 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.726 | -75.6961 | -81.127 | -84.2998 | -89.3303 | -90.4829 | -93.2858 | -95.2672 | -96.0201 | -95.7168 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7259 | -94.441 | -101.217 | -105.175 | -111.451 | -112.889 | -116.386 | -118.859 | -119.798 | -119.419 | -118.857 | -118.59 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | -47.2161 | -46.5822 | -49.9243 | -51.8768 | -54.9724 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4106 | -94.1299 | -100.883 | -104.829 | -111.084 | -112.518 | -116.003 | -118.467 | -119.403 | -119.026 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9076 | -94.6202 | -101.409 | -105.375 | -111.663 | -113.104 | -116.607 | -119.084 | -120.025 | -119.646 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2869 | -50.5984 | -54.2286 | -56.3494 | -59.7119 | -60.4825 | -62.356 | -63.6805 | -64.1839 | -63.9816 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | -43.4119 | -42.8291 | -45.9019 | -47.6971 | -50.5433 | -51.1956 | -52.7814 | -53.9025 | -54.3286 | -54.1574 | -53.9019 | -53.7805 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | -240.572 | -237.342 | -254.371 | -264.319 | -280.091 | -283.706 | -292.494 | -298.707 | -301.067 | -300.116 | -298.702 | -298.03 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6783 | -49.998 | -53.5852 | -55.6808 | -59.0034 | -59.7649 | -61.6162 | -62.9249 | -63.4225 | -63.2225 | -62.9244 | -62.7827 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.821 | -334.273 | -358.255 | -372.267 | -394.48 | -399.571 | -411.948 | -420.699 | -424.022 | -422.682 | -420.691 | -419.746 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.299 | -126.577 | -135.658 | -140.963 | -149.375 | -151.303 | -155.989 | -159.303 | -160.562 | -160.054 | -159.301 | -158.942 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6993 | -43.1128 | -46.2059 | -48.013 | -50.8779 | -51.5345 | -53.1309 | -54.2594 | -54.6883 | -54.5157 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | -41.9877 | -41.4241 | -44.3961 | -46.1324 | -48.8854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | -43.6993 | -43.1128 | -46.2059 | -48.013 | -50.8779 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | -87.5233 | -86.3486 | -92.5436 | -96.163 | -101.902 | -103.216 | -106.414 | -108.674 | -109.533 | -109.187 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | -87.9413 | -86.7609 | -92.9856 | -96.6222 | -102.388 | -103.709 | -106.922 | -109.193 | -110.056 | -109.708 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | -45.0832 | -44.4781 | -47.6692 | -49.5335 | -52.4892 | -53.1667 | -54.8135 | -55.9779 | -56.4202 | -56.242 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | -39.8484 | -39.3135 | -42.1341 | -43.7818 | -46.3945 | -46.9934 | -48.4489 | -49.478 | -49.8691 | -49.712 | -49.4775 | -49.3659 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | -219.844 | -216.893 | -232.454 | -241.545 | -255.959 | -259.262 | -267.293 | -272.971 | -275.128 | -274.257 | -272.966 | -272.353 |
| 6-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.868 | -210.011 | -225.078 | -233.881 | -247.837 | -251.036 | -258.812 | -264.309 | -266.397 | -265.556 | -264.305 | -263.711 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.566 | -493.847 | -529.279 | -549.979 | -582.797 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | -500.566 | -493.847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | -458.618 | -452.461 | -484.923 | -503.889 | -533.957 | -540.847 | -557.6 | -569.445 | -573.944 | -572.129 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | -175.861 | -173.5 | -185.948 | -193.221 | -204.75 | -207.393 | -213.817 | -218.359 | -220.084 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | -161.464 | -159.296 | -170.725 | -177.402 | -187.988 | -190.414 | -196.312 | -200.482 | -202.066 | -201.427 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | -121.415 | -119.785 | -128.379 | -133.4 | -141.36 | -143.184 | -147.619 | -150.755 | -151.946 | -151.466 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | -204.606 | -201.859 | -216.342 | -224.803 | -238.217 | -241.292 | -248.766 | -254.05 | -256.057 | -255.248 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | -87.5956 | -86.4198 | -92.62 | -96.2421 | -101.985 | -103.301 | -106.501 | -108.764 | -109.623 | -109.277 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7706 | -58.9683 | -63.199 | -65.6707 | -69.5896 | -70.4875 | -72.6709 | -74.2144 | -74.8011 | -74.5651 | -74.2136 | -74.0464 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3447 | -58.5481 | -62.7487 | -65.2027 | -69.0935 | -69.9852 | -72.153 | -73.6855 | -74.268 | -74.0337 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3215 | -58.5252 | -62.7242 | -65.1772 | -69.0665 | -69.9578 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | -9.27685 | -9.15229 | -9.80897 | -10.1926 | -10.8007 | -10.9402 | -11.2791 | -11.5186 | -11.6096 | -11.5735 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | -23.3095 | -22.9966 | -24.6465 | -25.6103 | -27.1385 | -27.4889 | -28.3403 | -28.9422 | -29.1713 | -29.0792 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | -18.6005 | -18.3508 | -19.6674 | -20.4364 | -21.656 | -21.9356 | -22.615 | -23.0953 | -23.2781 | -23.2049 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | -356.41 | -351.626 | -376.854 | -391.592 | -414.96 | -420.314 | -433.334 | -442.539 | -446.035 | -444.624 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | -237.76 | -234.568 | -251.397 | -261.23 | -276.818 | -280.39 | -289.075 | -295.216 | -297.548 | -296.607 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | -47.9545 | -47.3108 | -50.7052 | -52.6881 | -55.8322 | -56.5527 | -58.3045 | -59.5429 | -60.0134 | -59.8243 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.926 | -59.1216 | -63.3633 | -65.8414 | -69.7705 | -70.6707 | -72.8598 | -74.4073 | -74.9955 | -74.759 | -74.4065 | -74.2388 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4777 | -58.6792 | -62.8893 | -65.3488 | -69.2483 | -70.1419 | -72.3147 | -73.8506 | -74.4344 | -74.1994 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3745 | -58.5774 | -62.7801 | -65.2354 | -69.1281 | -70.0202 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | -9.27685 | -9.15229 | -9.80897 | -10.1926 | -10.8007 | -10.9402 | -11.2791 | -11.5186 | -11.6096 | -11.5735 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | -23.3095 | -22.9966 | -24.6465 | -25.6103 | -27.1385 | -27.4889 | -28.3403 | -28.9422 | -29.1713 | -29.0792 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | -97.9496 | -96.6348 | -103.568 | -107.618 | -114.04 | -115.512 | -119.09 | -121.62 | -122.581 | -122.194 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | -343.128 | -338.522 | -362.809 | -376.999 | -399.495 | -404.651 | -417.185 | -426.047 | -429.413 | -428.056 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | -395.11 | -389.807 | -417.773 | -434.113 | -460.017 | -465.953 | -480.386 | -490.591 | -494.467 | -492.903 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | -219.221 | -216.278 | -231.795 | -240.86 | -255.233 | -258.527 | -266.535 | -272.196 | -274.347 | -273.479 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8714 | -59.0677 | -63.3056 | -65.7815 | -69.7067 | -70.6063 | -72.7934 | -74.3395 | -74.9271 | -74.6909 | -74.3387 | -74.1712 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5573 | -51.4548 | -52.1188 | -53.7333 | -54.8747 | -55.3085 | -55.134 | -54.874 | -54.7506 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.552 | -40.8729 | -40.7445 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4266 | -58.6289 | -62.8353 | -65.2928 | -69.1889 | -70.0817 | -72.2526 | -73.7873 | -74.3705 | -74.1358 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2786 | -25.7273 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5677 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.3017 | -58.5057 | -62.7032 | -65.1554 | -69.0435 | -69.9343 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1741 | -16.0796 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | -9.27685 | -9.15229 | -9.80897 | -10.1926 | -10.8007 | -10.9402 | -11.2791 | -11.5186 | -11.6096 | -11.5735 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | -23.3095 | -22.9966 | -24.6465 | -25.6103 | -27.1385 | -27.4889 | -28.3403 | -28.9422 | -29.1713 | -29.0792 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | -204.606 | -201.859 | -216.342 | -224.803 | -238.217 | -241.292 | -248.766 | -254.05 | -256.057 | -255.248 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | -9.27685 | -9.15229 | -9.80897 | -10.1926 | -10.8007 | -10.9402 | -11.2791 | -11.5186 | -11.6096 | -11.5735 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | -23.3095 | -22.9966 | -24.6465 | -25.6103 | -27.1385 | -27.4889 | -28.3403 | -28.9422 | -29.1713 | -29.0792 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.111 | -109.619 | -117.484 | -122.079 | -129.363 | -131.033 | -135.091 | -137.961 | -139.051 | -138.612 | -137.959 | -137.649 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1673 | -28.7757 | -30.8403 | -32.0463 | -33.9587 | -34.3969 | -35.4624 | -36.2155 | -36.5019 | -36.387 | -36.2154 | -36.1338 |
| 7-703 | EMS - Chiller | 0 | 0 | -101.441 | -100.079 | -107.26 | -111.454 | -118.105 | -119.629 | -123.335 | -125.955 | -126.95 | -126.549 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.726 | -75.6961 | -81.127 | -84.2998 | -89.3303 | -90.4829 | -93.2858 | -95.2672 | -96.0201 | -95.7168 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.726 | -94.441 | -101.217 | -105.175 | -111.451 | -112.89 | -116.386 | -118.859 | -119.798 | -119.419 | -118.857 | -118.59 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | -47.2161 | -46.5822 | -49.9243 | -51.8767 | -54.9723 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4106 | -94.1299 | -100.883 | -104.829 | -111.084 | -112.518 | -116.003 | -118.467 | -119.403 | -119.026 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9075 | -94.6201 | -101.409 | -105.375 | -111.663 | -113.104 | -116.607 | -119.084 | -120.025 | -119.646 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2868 | -50.5983 | -54.2285 | -56.3492 | -59.7118 | -60.4823 | -62.3559 | -63.6803 | -64.1838 | -63.9816 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | -43.4118 | -42.829 | -45.9019 | -47.697 | -50.5431 | -51.1955 | -52.7813 | -53.9024 | -54.3284 | -54.1573 | -53.9018 | -53.7804 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | -240.572 | -237.342 | -254.37 | -264.319 | -280.091 | -283.706 | -292.494 | -298.707 | -301.067 | -300.115 | -298.702 | -298.03 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6784 | -49.9981 | -53.5853 | -55.6809 | -59.0035 | -59.765 | -61.6163 | -62.925 | -63.4226 | -63.2226 | -62.9245 | -62.7828 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.821 | -334.273 | -358.255 | -372.266 | -394.48 | -399.571 | -411.948 | -420.699 | -424.022 | -422.682 | -420.691 | -419.746 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.299 | -126.576 | -135.658 | -140.963 | -149.375 | -151.302 | -155.989 | -159.303 | -160.561 | -160.054 | -159.3 | -158.942 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6993 | -43.1127 | -46.2059 | -48.013 | -50.8783 | -51.5348 | -53.131 | -54.2596 | -54.6888 | -54.5158 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | -41.9877 | -41.4241 | -44.3962 | -46.1324 | -48.8854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | -43.6993 | -43.1127 | -46.2059 | -48.013 | -50.8783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | -87.5233 | -86.3485 | -92.5436 | -96.1629 | -101.901 | -103.216 | -106.413 | -108.674 | -109.533 | -109.187 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | -87.9413 | -86.7609 | -92.9855 | -96.6221 | -102.388 | -103.709 | -106.922 | -109.193 | -110.056 | -109.708 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | -45.0833 | -44.4781 | -47.6692 | -49.5335 | -52.4893 | -53.1666 | -54.8135 | -55.9778 | -56.4205 | -56.2422 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | -39.8485 | -39.3135 | -42.1342 | -43.782 | -46.3947 | -46.9934 | -48.4489 | -49.4782 | -49.8694 | -49.7123 | -49.4776 | -49.3661 |
| 7-731 | Cool Roof - DX | 0 | 0 | -219.844 | -216.893 | -232.454 | -241.545 | -255.959 | -259.262 | -267.293 | -272.971 | -275.127 | -274.258 | -272.966 | -272.353 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.868 | -210.011 | -225.078 | -233.881 | -247.837 | -251.036 | -258.812 | -264.309 | -266.397 | -265.556 | -264.305 | -263.711 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.566 | -493.848 | -529.279 | -549.979 | -582.797 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | -500.566 | -493.848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | -458.618 | -452.461 | -484.923 | -503.889 | -533.957 | -540.847 | -557.6 | -569.445 | -573.944 | -572.129 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | -175.861 | -173.501 | -185.949 | -193.221 | -204.751 | -207.393 | -213.817 | -218.359 | -220.084 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | -161.463 | -159.296 | -170.725 | -177.402 | -187.987 | -190.413 | -196.312 | -200.481 | -202.065 | -201.427 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | -121.414 | -119.785 | -128.378 | -133.399 | -141.359 | -143.184 | -147.619 | -150.754 | -151.945 | -151.465 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | -204.605 | -201.859 | -216.341 | -224.803 | -238.217 | -241.291 | -248.765 | -254.049 | -256.056 | -255.247 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | -87.5952 | -86.4196 | -92.6198 | -96.242 | -101.985 | -103.301 | -106.501 | -108.763 | -109.622 | -109.276 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3205 | -30.4671 | -32.285 | -32.7017 | -33.7147 | -34.4307 | -34.7028 | -34.5937 | -34.4306 | -34.3532 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7678 | -58.9655 | -63.1961 | -65.6676 | -69.586 | -70.484 | -72.6674 | -74.2108 | -74.7973 | -74.5611 | -74.2098 | -74.0429 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.4549 | -52.1189 | -53.7333 | -54.8745 | -55.3085 | -55.1338 | -54.8739 | -54.7506 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7086 | -40.552 | -40.8726 | -40.7443 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3418 | -58.5453 | -62.7457 | -65.1996 | -69.0902 | -69.9818 | -72.1495 | -73.682 | -74.2642 | -74.0298 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8666 | -27.4372 | -27.6543 | -27.5673 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9744 | -33.8824 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3187 | -58.5225 | -62.7213 | -65.1743 | -69.0635 | -69.9545 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0795 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | -18.6004 | -18.3508 | -19.6674 | -20.4364 | -21.656 | -21.9354 | -22.615 | -23.0951 | -23.2782 | -23.2046 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | -356.409 | -351.626 | -376.853 | -391.592 | -414.958 | -420.313 | -433.332 | -442.537 | -446.032 | -444.623 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | -237.751 | -234.56 | -251.389 | -261.221 | -276.808 | -280.38 | -289.065 | -295.205 | -297.537 | -296.597 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | -47.9543 | -47.3107 | -50.7051 | -52.688 | -55.8321 | -56.5525 | -58.3044 | -59.5427 | -60.0133 | -59.8245 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3205 | -30.4671 | -32.285 | -32.7017 | -33.7147 | -34.4307 | -34.7028 | -34.5937 | -34.4306 | -34.3532 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9231 | -59.1188 | -63.3603 | -65.8383 | -69.7669 | -70.6672 | -72.8563 | -74.4038 | -74.9917 | -74.755 | -74.4027 | -74.2354 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.4549 | -52.1189 | -53.7333 | -54.8745 | -55.3085 | -55.1338 | -54.8739 | -54.7506 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7086 | -40.552 | -40.8726 | -40.7443 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4748 | -58.6765 | -62.8863 | -65.3457 | -69.2449 | -70.1385 | -72.3112 | -73.8471 | -74.4306 | -74.1957 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8666 | -27.4372 | -27.6543 | -27.5673 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9744 | -33.8824 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3716 | -58.5746 | -62.7771 | -65.2323 | -69.125 | -70.0169 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0795 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | -97.9492 | -96.6347 | -103.568 | -107.618 | -114.04 | -115.512 | -119.09 | -121.619 | -122.58 | -122.192 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | -343.126 | -338.522 | -362.809 | -376.998 | -399.494 | -404.649 | -417.183 | -426.045 | -429.41 | -428.054 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | -395.109 | -389.806 | -417.773 | -434.112 | -460.015 | -465.952 | -480.385 | -490.589 | -494.464 | -492.901 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | -219.22 | -216.278 | -231.794 | -240.86 | -255.232 | -258.526 | -266.534 | -272.195 | -274.346 | -273.479 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3205 | -30.4671 | -32.285 | -32.7017 | -33.7147 | -34.4307 | -34.7028 | -34.5937 | -34.4306 | -34.3532 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8684 | -59.0649 | -63.3025 | -65.7783 | -69.7034 | -70.6028 | -72.7898 | -74.3359 | -74.9235 | -74.6867 | -74.3348 | -74.1675 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.4549 | -52.1189 | -53.7333 | -54.8745 | -55.3085 | -55.1338 | -54.8739 | -54.7506 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7086 | -40.552 | -40.8726 | -40.7443 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4238 | -58.6262 | -62.8324 | -65.2898 | -69.1856 | -70.0785 | -72.2492 | -73.7838 | -74.3669 | -74.1321 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8666 | -27.4372 | -27.6543 | -27.5673 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9744 | -33.8824 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2989 | -58.503 | -62.7003 | -65.1525 | -69.0402 | -69.9312 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0795 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | -96.9182 | -95.6175 | -102.478 | -106.485 | -112.839 | -114.296 | -117.836 | -120.339 | -121.29 | -120.907 | -120.338 | -120.067 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | -363.443 | -358.566 | -384.291 | -399.321 | -423.148 | -428.609 | -441.885 | -451.271 | -454.836 | -453.399 | -451.264 | -450.25 |
| 8-419 | Direct drive Extruders | 0 | 0 | -837.021 | -825.786 | -885.034 | -919.647 | -974.522 | -987.1 | -1017.67 | -1039.29 | -1047.5 | -1044.19 | -1039.28 | -1036.94 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | -229.498 | -226.418 | -242.662 | -252.152 | -267.198 | -270.647 | -279.03 | -284.957 | -287.208 | -286.3 | -284.953 | -284.312 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | -216.641 | -213.733 | -229.067 | -238.026 | -252.229 | -255.484 | -263.398 | -268.993 | -271.118 | -270.261 | -268.989 | -268.384 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.104 | -109.613 | -117.477 | -122.071 | -129.356 | -131.025 | -135.084 | -137.953 | -139.043 | -138.604 | -137.951 | -137.64 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1667 | -28.7754 | -30.8399 | -32.046 | -33.9581 | -34.3963 | -35.4618 | -36.2149 | -36.5011 | -36.3865 | -36.2147 | -36.1329 |
| 8-703 | EMS - Chiller | 0 | 0 | -101.434 | -100.073 | -107.253 | -111.447 | -118.098 | -119.622 | -123.327 | -125.947 | -126.942 | -126.541 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7245 | -75.6952 | -81.1258 | -84.2985 | -89.3284 | -90.4814 | -93.2842 | -95.2653 | -96.0179 | -95.7154 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7202 | -94.4353 | -101.211 | -105.169 | -111.445 | -112.883 | -116.379 | -118.851 | -119.791 | -119.412 | -118.85 | -118.583 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | -47.2151 | -46.5817 | -49.9236 | -51.876 | -54.9713 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4087 | -94.1287 | -100.882 | -104.827 | -111.082 | -112.516 | -116.001 | -118.465 | -119.401 | -119.024 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9057 | -94.619 | -101.407 | -105.373 | -111.661 | -113.102 | -116.605 | -119.082 | -120.022 | -119.644 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2858 | -50.5977 | -54.2278 | -56.3486 | -59.7109 | -60.4813 | -62.355 | -63.679 | -64.1824 | -63.9801 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | -43.411 | -42.8285 | -45.9012 | -47.6964 | -50.5422 | -51.1947 | -52.7805 | -53.9012 | -54.3271 | -54.1556 | -53.9011 | -53.7796 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | -240.567 | -237.339 | -254.367 | -264.315 | -280.086 | -283.701 | -292.489 | -298.701 | -301.06 | -300.109 | -298.697 | -298.025 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6763 | -49.996 | -53.583 | -55.6786 | -59.001 | -59.7624 | -61.6136 | -62.9223 | -63.4199 | -63.2199 | -62.9218 | -62.7801 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.813 | -334.268 | -358.249 | -372.26 | -394.472 | -399.564 | -411.94 | -420.689 | -424.011 | -422.673 | -420.684 | -419.737 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.296 | -126.575 | -135.656 | -140.961 | -149.372 | -151.3 | -155.987 | -159.299 | -160.557 | -160.05 | -159.297 | -158.939 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6983 | -43.1121 | -46.2051 | -48.0121 | -50.8769 | -51.5335 | -53.1299 | -54.2581 | -54.6869 | -54.5143 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-725 | DX Coil Cleaning | 0 | 0 | -41.9868 | -41.4235 | -44.3954 | -46.1316 | -48.8841 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | -43.6983 | -43.1121 | -46.2051 | -48.0121 | -50.8769 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | -87.5213 | -86.3471 | -92.542 | -96.1613 | -101.899 | -103.214 | -106.411 | -108.671 | -109.53 | -109.184 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | -87.9392 | -86.7595 | -92.9839 | -96.6204 | -102.385 | -103.707 | -106.92 | -109.19 | -110.053 | -109.706 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | -45.0822 | -44.4774 | -47.6684 | -49.5325 | -52.4881 | -53.1656 | -54.8125 | -55.9764 | -56.4187 | -56.2411 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | -39.8476 | -39.3129 | -42.1335 | -43.7813 | -46.3935 | -46.9923 | -48.448 | -49.4769 | -49.8679 | -49.7111 | -49.4766 | -49.3655 |
| 8-731 | Cool Roof - DX | 0 | 0 | -219.839 | -216.89 | -232.45 | -241.541 | -255.953 | -259.257 | -267.287 | -272.963 | -275.12 | -274.251 | -272.96 | -272.346 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.866 | -210.01 | -225.077 | -233.88 | -247.835 | -251.034 | -258.81 | -264.306 | -266.394 | -265.552 | -264.303 | -263.708 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.56 | -493.846 | -529.275 | -549.975 | -582.789 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | -500.56 | -493.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | -458.616 | -452.461 | -484.922 | -503.888 | -533.955 | -540.846 | -557.598 | -569.442 | -573.941 | -572.127 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | -175.854 | -173.493 | -185.941 | -193.213 | -204.742 | -207.384 | -213.808 | -218.35 | -220.075 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | -161.464 | -159.296 | -170.725 | -177.402 | -187.988 | -190.414 | -196.312 | -200.482 | -202.066 | -201.427 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | -121.414 | -119.785 | -128.379 | -133.4 | -141.36 | -143.184 | -147.619 | -150.755 | -151.947 | -151.466 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | -204.606 | -201.859 | -216.342 | -224.803 | -238.218 | -241.292 | -248.766 | -254.05 | -256.058 | -255.248 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | -87.5956 | -86.4198 | -92.62 | -96.2422 | -101.985 | -103.301 | -106.501 | -108.764 | -109.623 | -109.277 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7692 | -58.9669 | -63.1975 | -65.6691 | -69.588 | -70.4857 | -72.6691 | -74.2126 | -74.7993 | -74.563 | -74.2119 | -74.0445 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5574 | -51.4552 | -52.1191 | -53.7334 | -54.8748 | -55.3088 | -55.134 | -54.8741 | -54.7505 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.5522 | -40.8729 | -40.7445 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3432 | -58.5466 | -62.7471 | -65.2011 | -69.0918 | -69.9835 | -72.1513 | -73.6838 | -74.2661 | -74.0317 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2787 | -25.7276 | -26.0596 | -26.8667 | -27.4373 | -27.6545 | -27.5677 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3201 | -58.5238 | -62.7227 | -65.1757 | -69.0652 | -69.9563 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1742 | -16.0796 | -16.2872 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | -18.6005 | -18.3508 | -19.6674 | -20.4364 | -21.6562 | -21.9356 | -22.6151 | -23.0953 | -23.2784 | -23.2049 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | -356.41 | -351.626 | -376.854 | -391.593 | -414.96 | -420.315 | -433.334 | -442.539 | -446.036 | -444.625 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | -237.756 | -234.564 | -251.393 | -261.225 | -276.813 | -280.386 | -289.071 | -295.211 | -297.543 | -296.603 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | -47.9545 | -47.3108 | -50.7052 | -52.6881 | -55.8323 | -56.5527 | -58.3045 | -59.543 | -60.0138 | -59.8243 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9245 | -59.1201 | -63.3617 | -65.8398 | -69.7688 | -70.669 | -72.858 | -74.4056 | -74.9938 | -74.7571 | -74.4049 | -74.2371 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5574 | -51.4552 | -52.1191 | -53.7334 | -54.8748 | -55.3088 | -55.134 | -54.8741 | -54.7505 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.5522 | -40.8729 | -40.7445 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4763 | -58.6779 | -62.8878 | -65.3472 | -69.2469 | -70.1403 | -72.313 | -73.849 | -74.4328 | -74.1977 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2787 | -25.7276 | -26.0596 | -26.8667 | -27.4373 | -27.6545 | -27.5677 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.373 | -58.576 | -62.7786 | -65.2338 | -69.1264 | -70.0186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1742 | -16.0796 | -16.2872 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | -97.9496 | -96.6348 | -103.568 | -107.619 | -114.041 | -115.512 | -119.09 | -121.62 | -122.581 | -122.194 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | -343.128 | -338.522 | -362.809 | -376.999 | -399.496 | -404.651 | -417.185 | -426.047 | -429.413 | -428.056 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | -395.11 | -389.807 | -417.773 | -434.113 | -460.018 | -465.954 | -480.386 | -490.591 | -494.467 | -492.904 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | -219.221 | -216.278 | -231.795 | -240.861 | -255.233 | -258.527 | -266.535 | -272.197 | -274.348 | -273.48 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2854 | -32.7018 | -33.7148 | -34.431 | -34.7032 | -34.5938 | -34.4307 | -34.3535 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8699 | -59.0663 | -63.304 | -65.7799 | -69.7052 | -70.6046 | -72.7916 | -74.3379 | -74.9255 | -74.6891 | -74.3372 | -74.1695 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1949 | -43.6016 | -46.7298 | -48.5574 | -51.4552 | -52.1191 | -53.7334 | -54.8748 | -55.3088 | -55.134 | -54.8741 | -54.7505 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6598 | -32.2213 | -34.5331 | -35.8837 | -38.025 | -38.5157 | -39.7087 | -40.5522 | -40.8729 | -40.7445 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4252 | -58.6275 | -62.8338 | -65.2911 | -69.1873 | -70.0802 | -72.251 | -73.7856 | -74.3688 | -74.1341 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0974 | -21.8008 | -23.3649 | -24.2787 | -25.7276 | -26.0596 | -26.8667 | -27.4373 | -27.6545 | -27.5677 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1019 | -28.7112 | -30.7711 | -31.9745 | -33.8826 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.3003 | -58.5043 | -62.7017 | -65.1539 | -69.0419 | -69.9329 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8109 | -13.6255 | -14.6031 | -15.1742 | -16.0796 | -16.2872 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | -33.0348 | -32.5913 | -34.9296 | -36.2957 | -38.4616 | -38.9579 | -40.1647 | -41.0178 | -41.3421 | -41.2122 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | -18.6005 | -18.3508 | -19.6674 | -20.4364 | -21.6562 | -21.9356 | -22.6151 | -23.0953 | -23.2784 | -23.2049 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | -232.395 | -229.275 | -245.725 | -255.335 | -270.572 | -274.064 | -282.553 | -288.555 | -290.835 | -289.915 | -288.55 | -287.901 |
| 9-423 | Process control | 0 | 0 | -18.6005 | -18.3508 | -19.6674 | -20.4364 | -21.6562 | -21.9356 | -22.6151 | -23.0953 | -23.2784 | -23.2049 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | -99.538 | -98.2019 | -105.247 | -109.364 | -115.89 | -117.385 | -121.021 | -123.592 | -124.569 | -124.175 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | -37.5807 | -37.0762 | -39.7362 | -41.2903 | -43.7543 | -44.3188 | -45.6917 | -46.6623 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.107 | -109.616 | -117.48 | -122.075 | -129.359 | -131.028 | -135.087 | -137.957 | -139.047 | -138.608 | -137.954 | -137.644 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | -29.167 | -28.7755 | -30.84 | -32.0461 | -33.9583 | -34.3966 | -35.462 | -36.2151 | -36.5015 | -36.3866 | -36.2151 | -36.1333 |
| 9-703 | EMS - Chiller | 0 | 0 | -101.437 | -100.076 | -107.256 | -111.45 | -118.101 | -119.625 | -123.331 | -125.95 | -126.945 | -126.545 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7251 | -75.6955 | -81.1262 | -84.2989 | -89.329 | -90.482 | -93.2848 | -95.266 | -96.0189 | -95.7159 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7228 | -94.4379 | -101.213 | -105.172 | -111.448 | -112.886 | -116.383 | -118.855 | -119.794 | -119.415 | -118.853 | -118.586 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | -47.2155 | -46.5818 | -49.9238 | -51.8762 | -54.9719 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4095 | -94.1291 | -100.882 | -104.828 | -111.083 | -112.517 | -116.002 | -118.466 | -119.402 | -119.025 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9064 | -94.6193 | -101.408 | -105.374 | -111.661 | -113.103 | -116.606 | -119.083 | -120.024 | -119.644 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2863 | -50.598 | -54.2281 | -56.3489 | -59.7113 | -60.482 | -62.3554 | -63.6796 | -64.1832 | -63.9813 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | -43.4113 | -42.8287 | -45.9014 | -47.6965 | -50.5426 | -51.1949 | -52.7809 | -53.9017 | -54.3278 | -54.1564 | -53.9012 | -53.7802 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | -240.569 | -237.34 | -254.368 | -264.316 | -280.088 | -283.703 | -292.491 | -298.703 | -301.063 | -300.112 | -298.699 | -298.027 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6771 | -49.9968 | -53.5839 | -55.6795 | -59.002 | -59.7634 | -61.6147 | -62.9234 | -63.4209 | -63.221 | -62.9228 | -62.7811 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.816 | -334.269 | -358.251 | -372.263 | -394.475 | -399.566 | -411.943 | -420.693 | -424.016 | -422.676 | -420.687 | -419.74 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.297 | -126.575 | -135.656 | -140.962 | -149.373 | -151.301 | -155.987 | -159.3 | -160.559 | -160.051 | -159.298 | -158.94 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6987 | -43.1123 | -46.2054 | -48.0124 | -50.8772 | -51.534 | -53.1303 | -54.2587 | -54.6874 | -54.5152 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | -41.9872 | -41.4237 | -44.3957 | -46.1319 | -48.8845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | -43.6987 | -43.1123 | -46.2054 | -48.0124 | -50.8772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | -87.5221 | -86.3476 | -92.5426 | -96.1618 | -101.9 | -103.215 | -106.412 | -108.672 | -109.531 | -109.185 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | -87.9401 | -86.76 | -92.9846 | -96.6211 | -102.387 | -103.708 | -106.92 | -109.191 | -110.054 | -109.707 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | -45.0826 | -44.4776 | -47.6687 | -49.5329 | -52.4884 | -53.166 | -54.8129 | -55.977 | -56.4194 | -56.2416 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | -39.8479 | -39.3131 | -42.1337 | -43.7814 | -46.3938 | -46.9928 | -48.4483 | -49.4774 | -49.8683 | -49.7112 | -49.477 | -49.3655 |
| 9-731 | Cool Roof - DX | 0 | 0 | -219.841 | -216.891 | -232.451 | -241.542 | -255.955 | -259.259 | -267.289 | -272.966 | -275.122 | -274.253 | -272.962 | -272.348 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.867 | -210.011 | -225.078 | -233.881 | -247.836 | -251.035 | -258.811 | -264.308 | -266.396 | -265.554 | -264.304 | -263.71 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.563 | -493.847 | -529.277 | -549.977 | -582.793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | -500.563 | -493.847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | -458.617 | -452.461 | -484.923 | -503.889 | -533.958 | -540.848 | -557.6 | -569.446 | -573.945 | -572.13 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | -175.858 | -173.497 | -185.945 | -193.217 | -204.747 | -207.389 | -213.813 | -218.355 | -220.08 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | -161.462 | -159.296 | -170.724 | -177.401 | -187.986 | -190.413 | -196.311 | -200.48 | -202.063 | -201.425 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | -121.413 | -119.784 | -128.378 | -133.399 | -141.358 | -143.183 | -147.618 | -150.753 | -151.944 | -151.464 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | -204.604 | -201.859 | -216.341 | -224.802 | -238.215 | -241.29 | -248.764 | -254.047 | -256.054 | -255.245 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | -87.5946 | -86.4194 | -92.6195 | -96.2417 | -101.984 | -103.301 | -106.501 | -108.762 | -109.621 | -109.276 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.2849 | -32.7017 | -33.7147 | -34.4305 | -34.7025 | -34.5941 | -34.4303 | -34.3527 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7654 | -58.9635 | -63.1938 | -65.6653 | -69.5833 | -70.4814 | -72.6648 | -74.2077 | -74.7942 | -74.5581 | -74.2072 | -74.0402 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1944 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.874 | -55.3077 | -55.1333 | -54.8736 | -54.7503 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2212 | -34.533 | -35.8835 | -38.0244 | -38.5153 | -39.7084 | -40.5515 | -40.8721 | -40.7434 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3395 | -58.5433 | -62.7434 | -65.1973 | -69.0875 | -69.9792 | -72.147 | -73.679 | -74.2612 | -74.0269 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2785 | -25.7271 | -26.0592 | -26.8665 | -27.4369 | -27.6539 | -27.5672 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1015 | -28.7111 | -30.771 | -31.9744 | -33.882 | -34.3195 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3164 | -58.5205 | -62.719 | -65.1719 | -69.0605 | -69.9519 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | -18.6003 | -18.3507 | -19.6673 | -20.4364 | -21.6559 | -21.9353 | -22.6149 | -23.0949 | -23.2778 | -23.2042 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | -356.407 | -351.625 | -376.852 | -391.59 | -414.955 | -420.311 | -433.331 | -442.534 | -446.029 | -444.621 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | -237.744 | -234.555 | -251.382 | -261.214 | -276.8 | -280.373 | -289.058 | -295.196 | -297.528 | -296.588 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | -47.954 | -47.3107 | -50.7049 | -52.6878 | -55.8316 | -56.5523 | -58.3041 | -59.5421 | -60.0126 | -59.8234 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.2849 | -32.7017 | -33.7147 | -34.4305 | -34.7025 | -34.5941 | -34.4303 | -34.3527 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9207 | -59.1167 | -63.358 | -65.8359 | -69.764 | -70.6645 | -72.8536 | -74.4005 | -74.9885 | -74.752 | -74.4001 | -74.2326 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1944 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.874 | -55.3077 | -55.1333 | -54.8736 | -54.7503 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2212 | -34.533 | -35.8835 | -38.0244 | -38.5153 | -39.7084 | -40.5515 | -40.8721 | -40.7434 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4724 | -58.6745 | -62.884 | -65.3434 | -69.2422 | -70.136 | -72.3086 | -73.8441 | -74.4275 | -74.1928 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2785 | -25.7271 | -26.0592 | -26.8665 | -27.4369 | -27.6539 | -27.5672 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1015 | -28.7111 | -30.771 | -31.9744 | -33.882 | -34.3195 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3692 | -58.5726 | -62.7749 | -65.23 | -69.1222 | -70.0142 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | -97.9486 | -96.6345 | -103.567 | -107.618 | -114.039 | -115.511 | -119.089 | -121.618 | -122.579 | -122.192 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | -343.124 | -338.521 | -362.808 | -376.997 | -399.491 | -404.648 | -417.182 | -426.042 | -429.406 | -428.051 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | -395.106 | -389.805 | -417.771 | -434.11 | -460.012 | -465.95 | -480.383 | -490.585 | -494.46 | -492.899 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | -219.218 | -216.277 | -231.794 | -240.859 | -255.23 | -258.525 | -266.533 | -272.193 | -274.343 | -273.477 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.2849 | -32.7017 | -33.7147 | -34.4305 | -34.7025 | -34.5941 | -34.4303 | -34.3527 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8661 | -59.0628 | -63.3003 | -65.7759 | -69.7006 | -70.6001 | -72.7872 | -74.3327 | -74.9201 | -74.6839 | -74.3323 | -74.165 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1944 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.874 | -55.3077 | -55.1333 | -54.8736 | -54.7503 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2212 | -34.533 | -35.8835 | -38.0244 | -38.5153 | -39.7084 | -40.5515 | -40.8721 | -40.7434 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4215 | -58.6242 | -62.8301 | -65.2874 | -69.183 | -70.0759 | -72.2467 | -73.7808 | -74.3638 | -74.1291 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2785 | -25.7271 | -26.0592 | -26.8665 | -27.4369 | -27.6539 | -27.5672 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1015 | -28.7111 | -30.771 | -31.9744 | -33.882 | -34.3195 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2966 | -58.501 | -62.6981 | -65.1502 | -69.0376 | -69.9286 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | -47.2163 | -46.5828 | -49.9248 | -51.8773 | -54.9727 | -55.6822 | -57.4071 | -58.6261 | -59.0894 | -58.9033 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | -47.2163 | -46.5828 | -49.9248 | -51.8773 | -54.9727 | -55.6822 | -57.4071 | -58.6261 | -59.0894 | -58.9033 | -58.6258 | -58.4937 |
| 10-426 | Efficient drives - rolling | 0 | 0 | -54.9964 | -54.2586 | -58.1513 | -60.4255 | -64.0309 | -64.8574 | -66.8665 | -68.2865 | -68.8258 | -68.6086 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | -99.5369 | -98.2015 | -105.247 | -109.363 | -115.888 | -117.384 | -121.02 | -123.591 | -124.567 | -124.174 | -123.589 | -123.311 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | -18.6947 | -18.4439 | -19.7672 | -20.5402 | -21.7658 | -22.0468 | -22.7297 | -23.2122 | -23.3959 | -23.3221 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | -121.413 | -119.784 | -128.378 | -133.399 | -141.358 | -143.183 | -147.618 | -150.753 | -151.944 | -151.464 | -150.752 | -150.412 |
| 10-508 | Heating - Process Control | 0 | 0 | -47.2163 | -46.5828 | -49.9248 | -51.8773 | -54.9727 | -55.6822 | -57.4071 | -58.6261 | -59.0894 | -58.9033 | -58.6258 | -58.4937 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.099 | -109.608 | -117.472 | -122.066 | -129.35 | -131.019 | -135.078 | -137.947 | -139.037 | -138.598 | -137.945 | -137.635 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1662 | -28.775 | -30.8395 | -32.0455 | -33.9573 | -34.3958 | -35.4614 | -36.2142 | -36.5005 | -36.3855 | -36.2145 | -36.1326 |
| 10-703 | EMS - Chiller | 0 | 0 | -101.43 | -100.068 | -107.248 | -111.442 | -118.092 | -119.616 | -123.321 | -125.941 | -126.936 | -126.535 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7233 | -75.6944 | -81.1249 | -84.2976 | -89.327 | -90.4803 | -93.2831 | -95.2636 | -96.0162 | -95.7136 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.716 | -94.4311 | -101.206 | -105.164 | -111.44 | -112.878 | -116.374 | -118.846 | -119.785 | -119.407 | -118.844 | -118.577 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | -47.2144 | -46.5812 | -49.923 | -51.8754 | -54.9704 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4073 | -94.1278 | -100.881 | -104.826 | -111.08 | -112.514 | -116 | -118.463 | -119.398 | -119.022 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9041 | -94.618 | -101.406 | -105.372 | -111.659 | -113.1 | -116.604 | -119.08 | -120.02 | -119.642 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.285 | -50.5973 | -54.2272 | -56.348 | -59.7099 | -60.4807 | -62.3543 | -63.6782 | -64.1812 | -63.9786 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | -43.4103 | -42.828 | -45.9007 | -47.6958 | -50.5414 | -51.1939 | -52.7798 | -53.9004 | -54.3263 | -54.1557 | -53.9002 | -53.7788 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | -240.563 | -237.337 | -254.364 | -264.312 | -280.081 | -283.697 | -292.485 | -298.696 | -301.054 | -300.105 | -298.693 | -298.02 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6746 | -49.9943 | -53.5813 | -55.6767 | -58.999 | -59.7605 | -61.6116 | -62.9203 | -63.4178 | -63.2179 | -62.9197 | -62.7781 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.807 | -334.264 | -358.244 | -372.255 | -394.465 | -399.558 | -411.934 | -420.681 | -424.003 | -422.665 | -420.678 | -419.73 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.294 | -126.573 | -135.654 | -140.959 | -149.369 | -151.297 | -155.984 | -159.296 | -160.554 | -160.047 | -159.295 | -158.936 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6975 | -43.1116 | -46.2045 | -48.0116 | -50.876 | -51.5329 | -53.1293 | -54.2573 | -54.6861 | -54.5144 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | -41.986 | -41.4229 | -44.3947 | -46.131 | -48.8831 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | -43.6975 | -43.1116 | -46.2045 | -48.0116 | -50.876 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | -87.5197 | -86.3461 | -92.5407 | -96.1599 | -101.897 | -103.213 | -106.41 | -108.669 | -109.527 | -109.182 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | -87.9376 | -86.7585 | -92.9827 | -96.6192 | -102.384 | -103.706 | -106.918 | -109.188 | -110.051 | -109.704 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | -45.0814 | -44.4769 | -47.6677 | -49.5321 | -52.4871 | -53.1649 | -54.8119 | -55.9755 | -56.4177 | -56.2405 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | -39.8468 | -39.3124 | -42.1328 | -43.7807 | -46.3928 | -46.9917 | -48.4474 | -49.476 | -49.867 | -49.7098 | -49.476 | -49.3645 |
| 10-731 | Cool Roof - DX | 0 | 0 | -219.835 | -216.887 | -232.447 | -241.538 | -255.948 | -259.253 | -267.283 | -272.959 | -275.114 | -274.246 | -272.957 | -272.342 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.864 | -210.01 | -225.076 | -233.879 | -247.833 | -251.032 | -258.809 | -264.304 | -266.391 | -265.551 | -264.302 | -263.706 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.556 | -493.845 | -529.274 | -549.976 | -582.786 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | -500.556 | -493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | -458.613 | -452.46 | -484.921 | -503.886 | -533.951 | -540.844 | -557.596 | -569.438 | -573.936 | -572.124 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | -175.847 | -173.488 | -185.935 | -193.207 | -204.735 | -207.377 | -213.801 | -218.342 | -220.066 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | -161.462 | -159.296 | -170.724 | -177.401 | -187.987 | -190.413 | -196.311 | -200.48 | -202.064 | -201.426 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | -121.414 | -119.784 | -128.378 | -133.399 | -141.359 | -143.183 | -147.619 | -150.754 | -151.945 | -151.465 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | -204.604 | -201.859 | -216.341 | -224.802 | -238.216 | -241.29 | -248.765 | -254.048 | -256.055 | -255.246 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | -87.5949 | -86.4195 | -92.6196 | -96.2419 | -101.985 | -103.301 | -106.501 | -108.762 | -109.622 | -109.276 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3204 | -30.4671 | -32.2851 | -32.7016 | -33.7147 | -34.4306 | -34.7027 | -34.5938 | -34.4306 | -34.3531 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7665 | -58.9645 | -63.1949 | -65.6664 | -69.5847 | -70.4828 | -72.6661 | -74.2093 | -74.7958 | -74.5598 | -74.2087 | -74.0416 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1946 | -43.6015 | -46.7297 | -48.5573 | -51.4546 | -52.1187 | -53.7331 | -54.8744 | -55.3079 | -55.1338 | -54.8737 | -54.7504 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.533 | -35.8835 | -38.0247 | -38.5154 | -39.7085 | -40.5518 | -40.8723 | -40.7437 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3407 | -58.5444 | -62.7446 | -65.1985 | -69.0889 | -69.9805 | -72.1483 | -73.6804 | -74.2627 | -74.0286 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6541 | -27.567 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1017 | -28.7111 | -30.771 | -31.9744 | -33.8824 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3175 | -58.5215 | -62.7201 | -65.173 | -69.0617 | -69.9531 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0794 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | -18.6004 | -18.3507 | -19.6674 | -20.4364 | -21.6557 | -21.9354 | -22.6149 | -23.095 | -23.2777 | -23.2047 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | -356.408 | -351.625 | -376.852 | -391.591 | -414.957 | -420.313 | -433.332 | -442.535 | -446.031 | -444.622 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | -237.748 | -234.558 | -251.386 | -261.218 | -276.804 | -280.377 | -289.062 | -295.201 | -297.533 | -296.593 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | -47.9542 | -47.3106 | -50.705 | -52.688 | -55.8318 | -56.5525 | -58.3043 | -59.5425 | -60.0131 | -59.8236 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3204 | -30.4671 | -32.2851 | -32.7016 | -33.7147 | -34.4306 | -34.7027 | -34.5938 | -34.4306 | -34.3531 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9219 | -59.1178 | -63.3592 | -65.8372 | -69.7656 | -70.666 | -72.8549 | -74.4021 | -74.9902 | -74.7539 | -74.4015 | -74.234 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1946 | -43.6015 | -46.7297 | -48.5573 | -51.4546 | -52.1187 | -53.7331 | -54.8744 | -55.3079 | -55.1338 | -54.8737 | -54.7504 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.533 | -35.8835 | -38.0247 | -38.5154 | -39.7085 | -40.5518 | -40.8723 | -40.7437 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4736 | -58.6756 | -62.8852 | -65.3446 | -69.2437 | -70.1373 | -72.31 | -73.8457 | -74.4294 | -74.1947 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6541 | -27.567 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1017 | -28.7111 | -30.771 | -31.9744 | -33.8824 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3705 | -58.5738 | -62.7761 | -65.2311 | -69.1233 | -70.0156 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0794 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | -97.9489 | -96.6346 | -103.568 | -107.618 | -114.039 | -115.511 | -119.089 | -121.619 | -122.579 | -122.193 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | -343.125 | -338.521 | -362.808 | -376.998 | -399.493 | -404.649 | -417.183 | -426.043 | -429.408 | -428.052 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | -395.107 | -389.806 | -417.772 | -434.111 | -460.014 | -465.951 | -480.384 | -490.587 | -494.462 | -492.9 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | -219.219 | -216.278 | -231.794 | -240.86 | -255.231 | -258.525 | -266.534 | -272.194 | -274.345 | -273.478 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7298 | -27.3576 | -29.3204 | -30.4671 | -32.2851 | -32.7016 | -33.7147 | -34.4306 | -34.7027 | -34.5938 | -34.4306 | -34.3531 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8673 | -59.0639 | -63.3015 | -65.7772 | -69.7021 | -70.6016 | -72.7886 | -74.3344 | -74.9219 | -74.6856 | -74.3338 | -74.1664 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1946 | -43.6015 | -46.7297 | -48.5573 | -51.4546 | -52.1187 | -53.7331 | -54.8744 | -55.3079 | -55.1338 | -54.8737 | -54.7504 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6596 | -32.2213 | -34.533 | -35.8835 | -38.0247 | -38.5154 | -39.7085 | -40.5518 | -40.8723 | -40.7437 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4226 | -58.6252 | -62.8313 | -65.2884 | -69.1842 | -70.077 | -72.2479 | -73.7821 | -74.3652 | -74.1309 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6541 | -27.567 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1017 | -28.7111 | -30.771 | -31.9744 | -33.8824 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2977 | -58.502 | -62.6992 | -65.1512 | -69.0388 | -69.9298 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.174 | -16.0794 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | -96.9179 | -95.6174 | -102.477 | -106.485 | -112.839 | -114.296 | -117.836 | -120.338 | -121.289 | -120.906 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | -52.3664 | -51.6637 | -55.3703 | -57.5357 | -60.9689 | -61.7557 | -63.6688 | -65.0208 | -65.5348 | -65.3283 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | -68.0215 | -67.1088 | -71.9234 | -74.7363 | -79.1957 | -80.2179 | -82.7027 | -84.4591 | -85.1263 | -84.8582 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | -216.64 | -213.733 | -229.067 | -238.026 | -252.229 | -255.484 | -263.398 | -268.992 | -271.117 | -270.26 | -268.988 | -268.383 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | -96.9179 | -95.6174 | -102.477 | -106.485 | -112.839 | -114.296 | -117.836 | -120.338 | -121.289 | -120.906 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | -52.3664 | -51.6637 | -55.3703 | -57.5357 | -60.9689 | -61.7557 | -63.6688 | -65.0208 | -65.5348 | -65.3283 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | -263.063 | -259.533 | -278.153 | -289.031 | -306.277 | -310.23 | -319.84 | -326.633 | -329.213 | -328.173 | -326.628 | -325.894 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.102 | -109.61 | -117.475 | -122.069 | -129.353 | -131.022 | -135.081 | -137.95 | -139.04 | -138.601 | -137.948 | -137.638 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1665 | -28.7752 | -30.8397 | -32.0458 | -33.9579 | -34.3962 | -35.4616 | -36.2146 | -36.501 | -36.3861 | -36.2145 | -36.1329 |
| 11-703 | EMS - Chiller | 0 | 0 | -101.432 | -100.071 | -107.25 | -111.445 | -118.095 | -119.619 | -123.324 | -125.944 | -126.939 | -126.538 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7239 | -75.6947 | -81.1253 | -84.2981 | -89.3278 | -90.4809 | -93.2836 | -95.2644 | -96.0171 | -95.714 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7181 | -94.4333 | -101.208 | -105.167 | -111.442 | -112.88 | -116.377 | -118.849 | -119.788 | -119.41 | -118.847 | -118.58 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | -47.2148 | -46.5814 | -49.9233 | -51.8758 | -54.971 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4079 | -94.1282 | -100.881 | -104.827 | -111.081 | -112.515 | -116 | -118.464 | -119.399 | -119.023 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9049 | -94.6185 | -101.407 | -105.373 | -111.66 | -113.101 | -116.605 | -119.081 | -120.021 | -119.643 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2854 | -50.5974 | -54.2275 | -56.3484 | -59.7103 | -60.4811 | -62.3547 | -63.6785 | -64.1817 | -63.9792 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | -43.4106 | -42.8283 | -45.901 | -47.6961 | -50.5419 | -51.1943 | -52.7802 | -53.9008 | -54.3269 | -54.1557 | -53.9006 | -53.7791 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | -240.565 | -237.338 | -254.365 | -264.313 | -280.084 | -283.699 | -292.487 | -298.698 | -301.057 | -300.107 | -298.695 | -298.023 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6754 | -49.9951 | -53.5821 | -55.6776 | -59 | -59.7614 | -61.6126 | -62.9212 | -63.4188 | -63.2188 | -62.9207 | -62.779 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.81 | -334.265 | -358.247 | -372.257 | -394.468 | -399.56 | -411.937 | -420.685 | -424.007 | -422.669 | -420.68 | -419.733 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.295 | -126.574 | -135.654 | -140.96 | -149.37 | -151.298 | -155.985 | -159.297 | -160.555 | -160.049 | -159.296 | -158.937 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6979 | -43.1118 | -46.2048 | -48.0118 | -50.8762 | -51.5329 | -53.1295 | -54.2574 | -54.6861 | -54.5141 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | -41.9863 | -41.4231 | -44.395 | -46.1311 | -48.8836 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | -43.6979 | -43.1118 | -46.2048 | -48.0118 | -50.8762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | -87.5205 | -86.3466 | -92.5413 | -96.1606 | -101.898 | -103.213 | -106.411 | -108.67 | -109.528 | -109.183 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | -87.9384 | -86.7589 | -92.9832 | -96.6197 | -102.384 | -103.706 | -106.919 | -109.189 | -110.052 | -109.704 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | -45.0818 | -44.4771 | -47.668 | -49.5322 | -52.4875 | -53.1651 | -54.812 | -55.9758 | -56.4181 | -56.2407 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | -39.8471 | -39.3127 | -42.1331 | -43.7809 | -46.3929 | -46.9917 | -48.4476 | -49.4763 | -49.8673 | -49.7101 | -49.4761 | -49.3645 |
| 11-731 | Cool Roof - DX | 0 | 0 | -219.837 | -216.888 | -232.448 | -241.539 | -255.95 | -259.255 | -267.285 | -272.961 | -275.116 | -274.248 | -272.958 | -272.344 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.865 | -210.01 | -225.077 | -233.879 | -247.834 | -251.033 | -258.809 | -264.305 | -266.392 | -265.552 | -264.302 | -263.707 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.558 | -493.845 | -529.274 | -549.974 | -582.787 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | -500.558 | -493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | -458.614 | -452.46 | -484.922 | -503.887 | -533.953 | -540.845 | -557.597 | -569.441 | -573.939 | -572.126 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | -175.851 | -173.491 | -185.938 | -193.21 | -204.738 | -207.381 | -213.805 | -218.345 | -220.071 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | -161.46 | -159.295 | -170.723 | -177.401 | -187.984 | -190.412 | -196.31 | -200.478 | -202.061 | -201.424 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | -121.412 | -119.784 | -128.378 | -133.399 | -141.357 | -143.182 | -147.618 | -150.752 | -151.942 | -151.463 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | -204.602 | -201.858 | -216.34 | -224.801 | -238.213 | -241.289 | -248.763 | -254.045 | -256.051 | -255.244 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | -87.5937 | -86.4192 | -92.6191 | -96.2415 | -101.983 | -103.3 | -106.5 | -108.761 | -109.621 | -109.275 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7294 | -27.3575 | -29.3203 | -30.467 | -32.2846 | -32.7015 | -33.7145 | -34.4303 | -34.7025 | -34.5931 | -34.4305 | -34.3524 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7627 | -58.9606 | -63.1908 | -65.6621 | -69.5803 | -70.4781 | -72.6613 | -74.2046 | -74.7912 | -74.5549 | -74.2038 | -74.0365 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6013 | -46.7294 | -48.557 | -51.4538 | -52.1182 | -53.7328 | -54.8737 | -55.3072 | -55.1336 | -54.8734 | -54.7496 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6591 | -32.2212 | -34.5328 | -35.8833 | -38.0243 | -38.5152 | -39.7083 | -40.5513 | -40.872 | -40.7435 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3369 | -58.5404 | -62.7405 | -65.1942 | -69.0845 | -69.9759 | -72.1436 | -73.6758 | -74.2583 | -74.0237 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.097 | -21.8006 | -23.3647 | -24.2784 | -25.7268 | -26.0592 | -26.8664 | -27.4367 | -27.6536 | -27.5669 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1013 | -28.711 | -30.7709 | -31.9744 | -33.8818 | -34.3193 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3138 | -58.5176 | -62.716 | -65.1689 | -69.0577 | -69.9487 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8106 | -13.6254 | -14.6029 | -15.174 | -16.0793 | -16.2868 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | -18.6001 | -18.3507 | -19.6672 | -20.4364 | -21.6557 | -21.9353 | -22.6148 | -23.095 | -23.2774 | -23.2044 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | -356.403 | -351.624 | -376.85 | -391.589 | -414.952 | -420.309 | -433.329 | -442.53 | -446.024 | -444.617 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | -237.737 | -234.547 | -251.374 | -261.205 | -276.792 | -280.364 | -289.048 | -295.188 | -297.52 | -296.579 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | -47.9535 | -47.3105 | -50.7047 | -52.6877 | -55.8313 | -56.5519 | -58.3038 | -59.5415 | -60.012 | -59.8233 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7294 | -27.3575 | -29.3203 | -30.467 | -32.2846 | -32.7015 | -33.7145 | -34.4303 | -34.7025 | -34.5931 | -34.4305 | -34.3524 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.918 | -59.1137 | -63.3549 | -65.8326 | -69.7611 | -70.6612 | -72.8501 | -74.3974 | -74.9854 | -74.7487 | -74.3966 | -74.2288 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6013 | -46.7294 | -48.557 | -51.4538 | -52.1182 | -53.7328 | -54.8737 | -55.3072 | -55.1336 | -54.8734 | -54.7496 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6591 | -32.2212 | -34.5328 | -35.8833 | -38.0243 | -38.5152 | -39.7083 | -40.5513 | -40.872 | -40.7435 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4698 | -58.6716 | -62.881 | -65.3403 | -69.2393 | -70.1327 | -72.3052 | -73.8409 | -74.4247 | -74.1896 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.097 | -21.8006 | -23.3647 | -24.2784 | -25.7268 | -26.0592 | -26.8664 | -27.4367 | -27.6536 | -27.5669 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1013 | -28.711 | -30.7709 | -31.9744 | -33.8818 | -34.3193 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3666 | -58.5698 | -62.7719 | -65.2269 | -69.119 | -70.011 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8106 | -13.6254 | -14.6029 | -15.174 | -16.0793 | -16.2868 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | -97.9476 | -96.6342 | -103.567 | -107.618 | -114.038 | -115.511 | -119.089 | -121.617 | -122.578 | -122.191 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | -343.121 | -338.52 | -362.806 | -376.996 | -399.488 | -404.646 | -417.18 | -426.038 | -429.402 | -428.048 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | -395.102 | -389.804 | -417.769 | -434.109 | -460.008 | -465.948 | -480.38 | -490.581 | -494.455 | -492.896 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | -219.216 | -216.277 | -231.793 | -240.858 | -255.228 | -258.524 | -266.532 | -272.191 | -274.34 | -273.475 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7294 | -27.3575 | -29.3203 | -30.467 | -32.2846 | -32.7015 | -33.7145 | -34.4303 | -34.7025 | -34.5931 | -34.4305 | -34.3524 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8634 | -59.0599 | -63.2972 | -65.7727 | -69.6974 | -70.5968 | -72.7837 | -74.3296 | -74.917 | -74.6804 | -74.3288 | -74.1614 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1939 | -43.6013 | -46.7294 | -48.557 | -51.4538 | -52.1182 | -53.7328 | -54.8737 | -55.3072 | -55.1336 | -54.8734 | -54.7496 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6591 | -32.2212 | -34.5328 | -35.8833 | -38.0243 | -38.5152 | -39.7083 | -40.5513 | -40.872 | -40.7435 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4188 | -58.6213 | -62.8271 | -65.2842 | -69.1799 | -70.0726 | -72.2432 | -73.7776 | -74.3609 | -74.1259 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.097 | -21.8006 | -23.3647 | -24.2784 | -25.7268 | -26.0592 | -26.8664 | -27.4367 | -27.6536 | -27.5669 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1013 | -28.711 | -30.7709 | -31.9744 | -33.8818 | -34.3193 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2939 | -58.498 | -62.695 | -65.147 | -69.0345 | -69.9253 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8106 | -13.6254 | -14.6029 | -15.174 | -16.0793 | -16.2868 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | -96.9166 | -95.6171 | -102.477 | -106.485 | -112.838 | -114.295 | -117.835 | -120.337 | -121.287 | -120.905 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | -52.3632 | -51.6604 | -55.3668 | -57.5321 | -60.9651 | -61.7518 | -63.6648 | -65.0169 | -65.5308 | -65.3243 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | -68.0206 | -67.1085 | -71.923 | -74.7359 | -79.1946 | -80.2172 | -82.7022 | -84.4581 | -85.125 | -84.8569 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | -216.637 | -213.732 | -229.066 | -238.025 | -252.225 | -255.482 | -263.396 | -268.989 | -271.113 | -270.258 | -268.987 | -268.381 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | -96.9166 | -95.6171 | -102.477 | -106.485 | -112.838 | -114.295 | -117.835 | -120.337 | -121.287 | -120.905 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | -52.3632 | -51.6604 | -55.3668 | -57.5321 | -60.9651 | -61.7518 | -63.6648 | -65.0169 | -65.5308 | -65.3243 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | -263.059 | -259.532 | -278.151 | -289.03 | -306.274 | -310.228 | -319.838 | -326.629 | -329.208 | -328.17 | -326.627 | -325.891 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.094 | -109.603 | -117.466 | -122.06 | -129.344 | -131.013 | -135.071 | -137.94 | -139.03 | -138.591 | -137.938 | -137.628 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1664 | -28.7754 | -30.8398 | -32.0462 | -33.9579 | -34.3965 | -35.4619 | -36.215 | -36.5012 | -36.3871 | -36.2154 | -36.1334 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-703 | EMS - Chiller | 0 | 0 | -101.424 | -100.063 | -107.242 | -111.436 | -118.086 | -119.609 | -123.314 | -125.934 | -126.929 | -126.528 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7237 | -75.6952 | -81.1256 | -84.2992 | -89.3282 | -90.4817 | -93.2844 | -95.2653 | -96.0184 | -95.7161 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.711 | -94.4263 | -101.201 | -105.159 | -111.434 | -112.872 | -116.368 | -118.84 | -119.779 | -119.401 | -118.838 | -118.571 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | -47.2146 | -46.5817 | -49.9235 | -51.8765 | -54.971 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4077 | -94.1288 | -100.882 | -104.828 | -111.082 | -112.516 | -116.001 | -118.465 | -119.401 | -119.025 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9045 | -94.619 | -101.407 | -105.374 | -111.66 | -113.102 | -116.605 | -119.082 | -120.022 | -119.644 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2852 | -50.5978 | -54.2277 | -56.349 | -59.7104 | -60.4816 | -62.3551 | -63.6792 | -64.1823 | -63.9808 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | -43.4105 | -42.8285 | -45.9011 | -47.6967 | -50.5421 | -51.1947 | -52.7806 | -53.9013 | -54.3272 | -54.1566 | -53.9018 | -53.78 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | -240.564 | -237.339 | -254.366 | -264.317 | -280.085 | -283.702 | -292.489 | -298.701 | -301.06 | -300.111 | -298.701 | -298.027 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.673 | -49.993 | -53.5797 | -55.6751 | -58.9973 | -59.7586 | -61.6099 | -62.9182 | -63.4155 | -63.2159 | -62.9178 | -62.7762 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.809 | -334.268 | -358.248 | -372.263 | -394.47 | -399.565 | -411.94 | -420.689 | -424.012 | -422.676 | -420.689 | -419.741 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.294 | -126.575 | -135.655 | -140.962 | -149.371 | -151.3 | -155.987 | -159.299 | -160.558 | -160.052 | -159.3 | -158.94 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.698 | -43.1122 | -46.2051 | -48.0126 | -50.8768 | -51.5338 | -53.1302 | -54.2583 | -54.6873 | -54.5155 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | -41.9864 | -41.4236 | -44.3953 | -46.132 | -48.8839 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | -43.698 | -43.1122 | -46.2051 | -48.0126 | -50.8768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | -87.5204 | -86.3473 | -92.5418 | -96.1621 | -101.899 | -103.215 | -106.412 | -108.671 | -109.53 | -109.186 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | -87.9384 | -86.7597 | -92.9838 | -96.6215 | -102.385 | -103.708 | -106.92 | -109.19 | -110.053 | -109.707 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | -45.0818 | -44.4775 | -47.6683 | -49.5331 | -52.4879 | -53.1658 | -54.8127 | -55.9766 | -56.419 | -56.2415 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | -39.8471 | -39.313 | -42.1333 | -43.7816 | -46.3932 | -46.9925 | -48.4481 | -49.4768 | -49.868 | -49.7115 | -49.4773 | -49.3654 |
| 12-731 | Cool Roof - DX | 0 | 0 | -219.837 | -216.89 | -232.449 | -241.543 | -255.952 | -259.258 | -267.288 | -272.964 | -275.121 | -274.254 | -272.965 | -272.349 |
| 12-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.864 | -210.01 | -225.076 | -233.881 | -247.834 | -251.034 | -258.81 | -264.306 | -266.394 | -265.554 | -264.307 | -263.71 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.557 | -493.848 | -529.276 | -549.983 | -582.79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | -500.557 | -493.848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | -458.608 | -452.459 | -484.919 | -503.885 | -533.947 | -540.841 | -557.593 | -569.434 | -573.93 | -572.12 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | -175.84 | -173.48 | -185.927 | -193.198 | -204.727 | -207.369 | -213.792 | -218.333 | -220.058 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | -161.463 | -159.296 | -170.725 | -177.402 | -187.987 | -190.413 | -196.312 | -200.481 | -202.065 | -201.427 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | -121.414 | -119.785 | -128.379 | -133.399 | -141.359 | -143.184 | -147.619 | -150.754 | -151.946 | -151.465 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | -204.605 | -201.859 | -216.342 | -224.803 | -238.217 | -241.291 | -248.765 | -254.049 | -256.056 | -255.247 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | -87.5953 | -86.4196 | -92.6198 | -96.2421 | -101.985 | -103.301 | -106.501 | -108.763 | -109.623 | -109.276 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2852 | -32.7017 | -33.7148 | -34.4308 | -34.703 | -34.5939 | -34.4306 | -34.3532 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.768 | -58.9658 | -63.1963 | -65.668 | -69.5868 | -70.4846 | -72.6677 | -74.2113 | -74.798 | -74.5618 | -74.2107 | -74.0434 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.455 | -52.1189 | -53.7333 | -54.8745 | -55.3086 | -55.1339 | -54.8739 | -54.7507 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6597 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7087 | -40.5521 | -40.8727 | -40.744 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3421 | -58.5455 | -62.746 | -65.1999 | -69.0905 | -69.9821 | -72.1499 | -73.6824 | -74.2646 | -74.03 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5674 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9745 | -33.8825 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3189 | -58.5226 | -62.7214 | -65.1744 | -69.0638 | -69.9548 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.1741 | -16.0796 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | -18.6004 | -18.3508 | -19.6674 | -20.4365 | -21.656 | -21.9355 | -22.615 | -23.0951 | -23.2782 | -23.2046 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | -356.409 | -351.626 | -376.853 | -391.592 | -414.958 | -420.313 | -433.333 | -442.537 | -446.033 | -444.623 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | -237.752 | -234.561 | -251.39 | -261.222 | -276.81 | -280.382 | -289.066 | -295.207 | -297.539 | -296.598 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | -47.9544 | -47.3107 | -50.7051 | -52.688 | -55.8321 | -56.5525 | -58.3043 | -59.5426 | -60.0134 | -59.8243 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2852 | -32.7017 | -33.7148 | -34.4308 | -34.703 | -34.5939 | -34.4306 | -34.3532 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9233 | -59.1189 | -63.3605 | -65.8386 | -69.7675 | -70.6676 | -72.8566 | -74.4041 | -74.9923 | -74.7555 | -74.4034 | -74.2356 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.455 | -52.1189 | -53.7333 | -54.8745 | -55.3086 | -55.1339 | -54.8739 | -54.7507 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6597 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7087 | -40.5521 | -40.8727 | -40.744 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4751 | -58.6767 | -62.8865 | -65.3461 | -69.2456 | -70.139 | -72.3115 | -73.8477 | -74.4314 | -74.1962 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5674 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9745 | -33.8825 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3719 | -58.5749 | -62.7774 | -65.2325 | -69.1251 | -70.0172 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.1741 | -16.0796 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | -97.9493 | -96.6347 | -103.568 | -107.618 | -114.04 | -115.512 | -119.09 | -121.619 | -122.58 | -122.193 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | -343.127 | -338.522 | -362.809 | -376.998 | -399.494 | -404.65 | -417.184 | -426.045 | -429.411 | -428.053 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | -395.109 | -389.806 | -417.773 | -434.112 | -460.015 | -465.952 | -480.385 | -490.589 | -494.464 | -492.902 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | -219.22 | -216.278 | -231.795 | -240.86 | -255.232 | -258.526 | -266.534 | -272.195 | -274.346 | -273.479 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4671 | -32.2852 | -32.7017 | -33.7148 | -34.4308 | -34.703 | -34.5939 | -34.4306 | -34.3532 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8687 | -59.0651 | -63.3028 | -65.7786 | -69.7038 | -70.6033 | -72.7902 | -74.3363 | -74.924 | -74.6874 | -74.3356 | -74.1681 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.455 | -52.1189 | -53.7333 | -54.8745 | -55.3086 | -55.1339 | -54.8739 | -54.7507 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6597 | -32.2213 | -34.5331 | -35.8836 | -38.0248 | -38.5156 | -39.7087 | -40.5521 | -40.8727 | -40.744 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.424 | -58.6263 | -62.8326 | -65.29 | -69.1861 | -70.0788 | -72.2495 | -73.7843 | -74.3675 | -74.1325 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0594 | -26.8667 | -27.4372 | -27.6543 | -27.5674 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9745 | -33.8825 | -34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2991 | -58.5031 | -62.7005 | -65.1527 | -69.0404 | -69.9314 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8108 | -13.6254 | -14.603 | -15.1741 | -16.0796 | -16.2871 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | -96.9183 | -95.6175 | -102.478 | -106.486 | -112.839 | -114.296 | -117.836 | -120.339 | -121.29 | -120.907 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | -47.7005 | -47.0602 | -50.4366 | -52.4091 | -55.5366 | -56.2532 | -57.9957 | -59.2276 | -59.6958 | -59.5074 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | -33.094 | -32.6498 | -34.9923 | -36.3608 | -38.5305 | -39.0278 | -40.2367 | -41.0913 | -41.4161 | -41.286 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | -216.641 | -213.733 | -229.068 | -238.026 | -252.229 | -255.485 | -263.399 | -268.993 | -271.118 | -270.261 | -268.989 | -268.384 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | -263.064 | -259.533 | -278.153 | -289.032 | -306.279 | -310.231 | -319.841 | -326.634 | -329.215 | -328.174 | -326.629 | -325.895 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.105 | -109.613 | -117.478 | -122.072 | -129.357 | -131.026 | -135.084 | -137.954 | -139.044 | -138.605 | -137.951 | -137.641 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1668 | -28.7755 | -30.84 | -32.0462 | -33.9582 | -34.3965 | -35.4621 | -36.215 | -36.5012 | -36.3865 | -36.215 | -36.1332 |
| 13-703 | EMS - Chiller | 0 | 0 | -101.435 | -100.074 | -107.253 | -111.448 | -118.098 | -119.622 | -123.328 | -125.947 | -126.943 | -126.542 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7248 | -75.6954 | -81.1261 | -84.2988 | -89.3287 | -90.4817 | -93.2845 | -95.2656 | -96.0182 | -95.7157 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7207 | -94.4358 | -101.211 | -105.169 | -111.445 | -112.883 | -116.38 | -118.852 | -119.791 | -119.413 | -118.85 | -118.583 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | -47.2152 | -46.5818 | -49.9237 | -51.8761 | -54.9715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.409 | -94.1289 | -100.882 | -104.828 | -111.082 | -112.516 | -116.002 | -118.465 | -119.401 | -119.024 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9059 | -94.6192 | -101.408 | -105.374 | -111.661 | -113.102 | -116.606 | -119.082 | -120.023 | -119.644 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2859 | -50.5978 | -54.2279 | -56.3487 | -59.7109 | -60.4815 | -62.3551 | -63.6792 | -64.1824 | -63.9804 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | -43.4111 | -42.8286 | -45.9013 | -47.6964 | -50.5423 | -51.1948 | -52.7806 | -53.9015 | -54.3274 | -54.156 | -53.9014 | -53.7795 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | -240.567 | -237.34 | -254.367 | -264.316 | -280.086 | -283.702 | -292.49 | -298.701 | -301.061 | -300.11 | -298.698 | -298.026 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6765 | -49.9962 | -53.5833 | -55.6788 | -59.0013 | -59.7627 | -61.6139 | -62.9226 | -63.4202 | -63.2203 | -62.9221 | -62.7804 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.814 | -334.269 | -358.25 | -372.261 | -394.473 | -399.565 | -411.941 | -420.69 | -424.013 | -422.674 | -420.685 | -419.738 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.296 | -126.575 | -135.656 | -140.961 | -149.372 | -151.3 | -155.987 | -159.299 | -160.558 | -160.05 | -159.298 | -158.939 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6985 | -43.1122 | -46.2052 | -48.0123 | -50.8771 | -51.5337 | -53.1301 | -54.2583 | -54.6871 | -54.5149 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | -41.9869 | -41.4236 | -44.3955 | -46.1317 | -48.8842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | -43.6985 | -43.1122 | -46.2052 | -48.0123 | -50.8771 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | -87.5216 | -86.3474 | -92.5423 | -96.1615 | -101.899 | -103.215 | -106.412 | -108.672 | -109.53 | -109.185 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | -87.9396 | -86.7598 | -92.9842 | -96.6208 | -102.386 | -103.708 | -106.92 | -109.19 | -110.053 | -109.706 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | -45.0824 | -44.4776 | -47.6686 | -49.5328 | -52.4883 | -53.1659 | -54.8127 | -55.9767 | -56.419 | -56.2409 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | -39.8477 | -39.3131 | -42.1336 | -43.7814 | -46.3936 | -46.9925 | -48.4482 | -49.477 | -49.8682 | -49.7112 | -49.4766 | -49.3656 |
| 13-731 | Cool Roof - DX | 0 | 0 | -219.839 | -216.89 | -232.45 | -241.542 | -255.954 | -259.258 | -267.288 | -272.964 | -275.12 | -274.252 | -272.961 | -272.347 |
| 13-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.866 | -210.01 | -225.077 | -233.88 | -247.835 | -251.034 | -258.81 | -264.306 | -266.394 | -265.553 | -264.303 | -263.708 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.56 | -493.846 | -529.276 | -549.976 | -582.79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | -500.56 | -493.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | -458.616 | -452.461 | -484.923 | -503.888 | -533.955 | -540.846 | -557.599 | -569.443 | -573.941 | -572.127 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | -175.854 | -173.494 | -185.941 | -193.214 | -204.743 | -207.385 | -213.809 | -218.351 | -220.076 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | -161.462 | -159.296 | -170.724 | -177.401 | -187.986 | -190.413 | -196.311 | -200.48 | -202.064 | -201.425 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | -121.413 | -119.784 | -128.378 | -133.399 | -141.358 | -143.183 | -147.618 | -150.753 | -151.944 | -151.465 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | -204.604 | -201.859 | -216.341 | -224.802 | -238.215 | -241.29 | -248.765 | -254.048 | -256.054 | -255.245 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | -87.5947 | -86.4195 | -92.6195 | -96.2419 | -101.985 | -103.301 | -106.501 | -108.762 | -109.622 | -109.276 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.285 | -32.7015 | -33.7147 | -34.4305 | -34.7025 | -34.5936 | -34.4302 | -34.3529 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7661 | -58.964 | -63.1944 | -65.6659 | -69.5842 | -70.4822 | -72.6655 | -74.2089 | -74.7952 | -74.5591 | -74.2082 | -74.0408 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1945 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.8741 | -55.3079 | -55.1335 | -54.8737 | -54.7501 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2213 | -34.533 | -35.8835 | -38.0245 | -38.5153 | -39.7084 | -40.5516 | -40.8723 | -40.7434 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3402 | -58.5438 | -62.744 | -65.1979 | -69.0881 | -69.9798 | -72.1476 | -73.6798 | -74.262 | -74.0277 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2786 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6539 | -27.5673 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1016 | -28.7111 | -30.771 | -31.9745 | -33.8822 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3171 | -58.521 | -62.7196 | -65.1725 | -69.0614 | -69.9526 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | -18.6003 | -18.3507 | -19.6673 | -20.4364 | -21.6559 | -21.9353 | -22.6148 | -23.0949 | -23.2779 | -23.2047 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | -356.407 | -351.625 | -376.852 | -391.591 | -414.956 | -420.312 | -433.331 | -442.534 | -446.03 | -444.621 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | -237.747 | -234.556 | -251.384 | -261.216 | -276.802 | -280.375 | -289.06 | -295.199 | -297.531 | -296.591 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | -47.9541 | -47.3107 | -50.7049 | -52.6879 | -55.8318 | -56.5524 | -58.3042 | -59.5423 | -60.0129 | -59.8237 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.285 | -32.7015 | -33.7147 | -34.4305 | -34.7025 | -34.5936 | -34.4302 | -34.3529 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | -59.9214 | -59.1172 | -63.3586 | -65.8366 | -69.7649 | -70.6653 | -72.8542 | -74.4016 | -74.9894 | -74.753 | -74.401 | -74.233 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1945 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.8741 | -55.3079 | -55.1335 | -54.8737 | -54.7501 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2213 | -34.533 | -35.8835 | -38.0245 | -38.5153 | -39.7084 | -40.5516 | -40.8723 | -40.7434 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.4731 | -58.675 | -62.8846 | -65.3439 | -69.2429 | -70.1366 | -72.3093 | -73.8449 | -74.4284 | -74.1936 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2786 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6539 | -27.5673 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.1016 | -28.7111 | -30.771 | -31.9745 | -33.8822 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.3699 | -58.5732 | -62.7755 | -65.2306 | -69.1229 | -70.015 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | -97.9487 | -96.6345 | -103.568 | -107.618 | -114.039 | -115.511 | -119.089 | -121.618 | -122.579 | -122.192 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | -343.125 | -338.521 | -362.808 | -376.997 | -399.492 | -404.648 | -417.182 | -426.042 | -429.407 | -428.051 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | -395.107 | -389.805 | -417.772 | -434.111 | -460.013 | -465.95 | -480.383 | -490.586 | -494.461 | -492.899 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | -219.219 | -216.277 | -231.794 | -240.859 | -255.231 | -258.525 | -266.533 | -272.194 | -274.344 | -273.477 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.7297 | -27.3576 | -29.3204 | -30.4671 | -32.285 | -32.7015 | -33.7147 | -34.4305 | -34.7025 | -34.5936 | -34.4302 | -34.3529 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -59.8668 | -59.0634 | -63.3009 | -65.7766 | -69.7014 | -70.601 | -72.7879 | -74.3339 | -74.9212 | -74.6848 | -74.3332 | -74.1655 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1945 | -43.6015 | -46.7296 | -48.5571 | -51.4544 | -52.1185 | -53.7331 | -54.8741 | -55.3079 | -55.1335 | -54.8737 | -54.7501 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.6595 | -32.2213 | -34.533 | -35.8835 | -38.0245 | -38.5153 | -39.7084 | -40.5516 | -40.8723 | -40.7434 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.4222 | -58.6247 | -62.8307 | -65.288 | -69.1836 | -70.0766 | -72.2473 | -73.7816 | -74.3646 | -74.13 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0972 | -21.8007 | -23.3648 | -24.2786 | -25.7272 | -26.0593 | -26.8666 | -27.437 | -27.6539 | -27.5673 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.1016 | -28.7111 | -30.771 | -31.9745 | -33.8822 | -34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.2973 | -58.5015 | -62.6987 | -65.1507 | -69.0382 | -69.9293 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.8107 | -13.6254 | -14.603 | -15.1741 | -16.0794 | -16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | -97.9487 | -96.6345 | -103.568 | -107.618 | -114.039 | -115.511 | -119.089 | -121.618 | -122.579 | -122.192 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | -52.366 | -51.6632 | -55.3698 | -57.5352 | -60.9685 | -61.7552 | -63.6682 | -65.0203 | -65.5343 | -65.328 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | -108.841 | -107.381 | -115.085 | -119.586 | -126.722 | -128.357 | -132.333 | -135.143 | -136.211 | -135.781 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | -216.64 | -213.733 | -229.067 | -238.026 | -252.228 | -255.484 | -263.398 | -268.991 | -271.116 | -270.26 | -268.988 | -268.383 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | -97.9487 | -96.6345 | -103.568 | -107.618 | -114.039 | -115.511 | -119.089 | -121.618 | -122.579 | -122.192 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | -263.062 | -259.533 | -278.153 | -289.031 | -306.277 | -310.23 | -319.84 | -326.632 | -329.212 | -328.172 | -326.629 | -325.894 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.101 | -109.609 | -117.473 | -122.068 | -129.352 | -131.021 | -135.079 | -137.949 | -139.039 | -138.6 | -137.947 | -137.636 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | -29.1664 | -28.7752 | -30.8397 | -32.0458 | -33.9576 | -34.3961 | -35.4617 | -36.2145 | -36.5006 | -36.3861 | -36.2146 | -36.1331 |
| 14-703 | EMS - Chiller | 0 | 0 | -101.431 | -100.07 | -107.249 | -111.444 | -118.094 | -119.618 | -123.323 | -125.942 | -126.937 | -126.537 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -76.7238 | -75.6948 | -81.1253 | -84.298 | -89.3274 | -90.4808 | -93.2837 | -95.2642 | -96.0166 | -95.7145 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -95.7172 | -94.4323 | -101.207 | -105.166 | -111.441 | -112.879 | -116.376 | -118.848 | -119.787 | -119.408 | -118.846 | -118.579 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | -47.2146 | -46.5814 | -49.9233 | -51.8757 | -54.9707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -95.4079 | -94.1283 | -100.881 | -104.827 | -111.081 | -112.515 | -116 | -118.463 | -119.399 | -119.023 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -95.9047 | -94.6185 | -101.407 | -105.373 | -111.66 | -113.101 | -116.605 | -119.08 | -120.021 | -119.642 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.2854 | -50.5975 | -54.2275 | -56.3483 | -59.7101 | -60.481 | -62.3546 | -63.6784 | -64.1817 | -63.9789 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | -43.4106 | -42.8283 | -45.901 | -47.6962 | -50.5418 | -51.1942 | -52.7802 | -53.9007 | -54.3267 | -54.1559 | -53.9009 | -53.779 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | -240.564 | -237.338 | -254.365 | -264.313 | -280.083 | -283.699 | -292.487 | -298.697 | -301.056 | -300.106 | -298.695 | -298.022 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -50.6752 | -49.9949 | -53.5819 | -55.6774 | -58.9997 | -59.7612 | -61.6124 | -62.921 | -63.4186 | -63.2186 | -62.9205 | -62.7788 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -338.81 | -334.266 | -358.247 | -372.258 | -394.468 | -399.56 | -411.937 | -420.684 | -424.006 | -422.668 | -420.681 | -419.733 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -128.295 | -126.574 | -135.655 | -140.96 | -149.37 | -151.299 | -155.985 | -159.297 | -160.556 | -160.048 | -159.296 | -158.937 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -43.6979 | -43.1118 | -46.2048 | -48.0119 | -50.8763 | -51.5331 | -53.1296 | -54.2576 | -54.6863 | -54.5143 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | -41.9863 | -41.4232 | -44.395 | -46.1312 | -48.8835 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | -43.6979 | -43.1118 | -46.2048 | -48.0119 | -50.8763 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | -87.5204 | -86.3466 | -92.5413 | -96.1606 | -101.898 | -103.213 | -106.411 | -108.67 | -109.528 | -109.183 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | -87.9383 | -86.759 | -92.9833 | -96.6197 | -102.384 | -103.706 | -106.919 | -109.189 | -110.051 | -109.704 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | -45.0817 | -44.4771 | -47.668 | -49.5323 | -52.4873 | -53.1651 | -54.8121 | -55.9758 | -56.4179 | -56.2406 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | -39.8471 | -39.3127 | -42.1331 | -43.7809 | -46.3931 | -46.992 | -48.4477 | -49.4763 | -49.8672 | -49.7105 | -49.4762 | -49.3646 |
| 14-731 | Cool Roof - DX | 0 | 0 | -219.837 | -216.888 | -232.448 | -241.539 | -255.95 | -259.254 | -267.285 | -272.96 | -275.116 | -274.248 | -272.958 | -272.344 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -212.865 | -210.01 | -225.076 | -233.879 | -247.833 | -251.033 | -258.809 | -264.304 | -266.391 | -265.551 | -264.302 | -263.707 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | -500.556 | -493.845 | -529.274 | -549.975 | -582.786 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | -500.556 | -493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | -458.613 | -452.46 | -484.921 | -503.887 | -533.952 | -540.844 | -557.597 | -569.439 | -573.937 | -572.125 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | -175.849 | -173.489 | -185.936 | -193.208 | -204.737 | -207.379 | -213.803 | -218.344 | -220.069 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | -0.55257 | -0.54514 | -0.58426 | -0.60695 | -0.64333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | -161.463 | -159.296 | -170.725 | -177.402 | -187.987 | -190.413 | -196.312 | -200.481 | -202.065 | -201.426 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | -121.414 | -119.785 | -128.379 | -133.399 | -141.36 | -143.184 | -147.619 | -150.755 | -151.946 | -151.465 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | -204.605 | -201.859 | -216.342 | -224.803 | -238.217 | -241.291 | -248.765 | -254.049 | -256.056 | -255.247 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | -87.5953 | -86.4196 | -92.6198 | -96.2421 | -101.985 | -103.301 | -106.501 | -108.763 | -109.623 | -109.276 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.7299 | -27.3577 | -29.3205 | -30.4672 | -32.2852 | -32.7017 | -33.7147 | -34.4308 | -34.703 | -34.5937 | -34.4306 | -34.3533 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -59.7681 | -58.9658 | -63.1964 | -65.6681 | -69.5868 | -70.4847 | -72.6679 | -74.2114 | -74.7981 | -74.562 | -74.211 | -74.0436 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.1947 | -43.6016 | -46.7298 | -48.5573 | -51.455 | -52.1189 | -53.7334 | -54.8746 | -55.3085 | -55.1339 | -54.874 | -54.7507 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.6597 | -32.2213 | -34.5331 | -35.8836 | -38.0249 | -38.5156 | -39.7086 | -40.5521 | -40.8727 | -40.7441 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.3422 | -58.5456 | -62.7461 | -65.2001 | -69.0909 | -69.9823 | -72.15 | -73.6827 | -74.2652 | -74.0309 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.0973 | -21.8007 | -23.3649 | -24.2787 | -25.7274 | -26.0595 | -26.8667 | -27.4372 | -27.6543 | -27.5674 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.1018 | -28.7112 | -30.7711 | -31.9744 | -33.8825 | -34.3198 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.3191 | -58.5228 | -62.7216 | -65.1747 | -69.064 | -69.9551 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6982 | -16.1612 | -17.0547 | -18.0003 | -18.9966 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | -18.7488 | -19.7956 | -21.7659 | -22.9693 | -24.2429 | -25.5846 | -26.997 | -28.4921 | -30.0685 | -31.7267 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | -359.252 | -379.311 | -417.064 | -440.124 | -464.526 | -490.235 | -517.297 | -545.951 | -576.144 | -607.908 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | -239.649 | -253.03 | -278.214 | -293.597 | -309.876 | -327.026 | -345.078 | -364.193 | -384.334 | -405.522 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | -48.3369 | -51.0358 | -56.1154 | -59.2179 | -62.5014 | -65.9605 | -69.6016 | -73.4569 | -77.5197 | -81.7944 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.951 | -29.5117 | -32.449 | -34.2431 | -36.1417 | -38.1419 | -40.2474 | -42.4768 | -44.8261 | -47.298 | -49.9261 | -52.6806 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | -60.4014 | -63.7738 | -70.1214 | -73.9985 | -78.1017 | -82.4239 | -86.9738 | -91.7914 | -96.8682 | -102.209 | -107.889 | -113.841 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.5472 | -47.0345 | -51.7159 | -54.5752 | -57.6014 | -60.7892 | -64.1449 | -67.6979 | -71.4423 | -75.3813 | -79.5701 | -83.96 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.9202 | -34.7583 | -38.2178 | -40.3308 | -42.567 | -44.9229 | -47.4027 | -50.0285 | -52.7954 | -55.707 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.9496 | -63.2968 | -69.5968 | -73.445 | -77.5174 | -81.8073 | -86.3231 | -91.105 | -96.1438 | -101.445 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.2736 | -23.5172 | -25.858 | -27.2877 | -28.8006 | -30.3946 | -32.0724 | -33.8488 | -35.7212 | -37.6913 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.3339 | -30.9717 | -34.0544 | -35.9372 | -37.9298 | -40.0291 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.8455 | -63.1869 | -69.476 | -73.3174 | -77.3827 | -81.6652 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6982 | -16.1612 | -17.0547 | -18.0003 | -18.9966 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | -98.7306 | -104.243 | -114.619 | -120.956 | -127.662 | -134.728 | -142.165 | -150.04 | -158.337 | -167.067 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | -345.864 | -365.175 | -401.521 | -423.722 | -447.215 | -471.966 | -498.019 | -525.605 | -554.672 | -585.253 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | -398.26 | -420.497 | -462.35 | -487.914 | -514.966 | -543.467 | -573.466 | -605.232 | -638.703 | -673.916 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | -220.968 | -233.306 | -256.528 | -270.711 | -285.72 | -301.534 | -318.179 | -335.803 | -354.374 | -373.911 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.951 | -29.5117 | -32.449 | -34.2431 | -36.1417 | -38.1419 | -40.2474 | -42.4768 | -44.8261 | -47.298 | -49.9261 | -52.6806 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -60.3464 | -63.7157 | -70.0575 | -73.9311 | -78.0305 | -82.3489 | -86.8945 | -91.7078 | -96.7799 | -102.116 | -107.791 | -113.737 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.5472 | -47.0345 | -51.7159 | -54.5752 | -57.6014 | -60.7892 | -64.1449 | -67.6979 | -71.4423 | -75.3813 | -79.5701 | -83.96 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.9202 | -34.7583 | -38.2178 | -40.3308 | -42.567 | -44.9229 | -47.4027 | -50.0285 | -52.7954 | -55.707 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.8982 | -63.2425 | -69.5371 | -73.382 | -77.4508 | -81.7371 | -86.249 | -91.0268 | -96.0613 | -101.358 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.2736 | -23.5172 | -25.858 | -27.2877 | -28.8006 | -30.3946 | -32.0724 | -33.8488 | -35.7212 | -37.6913 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.3339 | -30.9717 | -34.0544 | -35.9372 | -37.9298 | -40.0291 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.7723 | -63.1095 | -69.391 | -73.2277 | -77.288 | -81.5653 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6982 | -16.1612 | -17.0547 | -18.0003 | -18.9966 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | -97.6913 | -103.146 | -113.412 | -119.683 | -126.318 | -133.31 | -140.669 | -148.46 | -156.671 | -165.309 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | -52.7854 | -55.7326 | -61.2798 | -64.6679 | -68.2536 | -72.031 | -76.0072 | -80.2174 | -84.6543 | -89.3217 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | -68.5643 | -72.3926 | -79.598 | -83.9991 | -88.6561 | -93.5628 | -98.7278 | -104.196 | -109.959 | -116.022 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | -218.369 | -230.562 | -253.509 | -267.526 | -282.359 | -297.986 | -314.436 | -331.853 | -350.205 | -369.513 | -390.048 | -411.566 |
| 15-603 | New transformers welding | 0 | 0 | -265.162 | -279.968 | -307.833 | -324.853 | -342.864 | -361.84 | -381.815 | -402.964 | -425.249 | -448.694 | -473.629 | -499.759 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.991 | -118.244 | -130.013 | -137.201 | -144.809 | -152.823 | -161.259 | -170.192 | -179.604 | -189.507 | -200.037 | -211.073 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | -29.3995 | -31.0411 | -34.1307 | -36.0178 | -38.0146 | -40.1186 | -42.3332 | -44.6779 | -47.1489 | -49.7493 | -52.5133 | -55.4104 |
| 15-703 | EMS - Chiller | 0 | 0 | -102.245 | -107.953 | -118.698 | -125.261 | -132.206 | -139.523 | -147.225 | -155.38 | -163.973 | -173.014 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -77.3368 | -81.6552 | -89.7824 | -94.7463 | -99.9992 | -105.534 | -111.36 | -117.528 | -124.028 | -130.866 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -96.4845 | -101.872 | -112.011 | -118.204 | -124.758 | -131.663 | -138.931 | -146.626 | -154.736 | -163.267 | -172.34 | -181.847 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | -47.5919 | -50.2493 | -55.2507 | -58.3054 | -61.538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -96.17 | -101.54 | -111.646 | -117.819 | -124.351 | -131.234 | -138.478 | -146.148 | -154.231 | -162.735 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -96.671 | -102.069 | -112.228 | -118.433 | -124.999 | -131.918 | -139.2 | -146.91 | -155.034 | -163.583 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.6951 | -54.5817 | -60.0142 | -63.3324 | -66.8436 | -70.5432 | -74.4374 | -78.5604 | -82.905 | -87.4771 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | -43.7574 | -46.2007 | -50.7991 | -53.6077 | -56.5798 | -59.7115 | -63.0076 | -66.4975 | -70.1751 | -74.0441 | -78.1594 | -82.4706 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | -242.486 | -256.027 | -281.509 | -297.074 | -313.544 | -330.898 | -349.164 | -368.504 | -388.882 | -410.323 | -433.128 | -457.022 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -51.0808 | -53.9327 | -59.3008 | -62.5795 | -66.0492 | -69.7047 | -73.5526 | -77.6268 | -81.9203 | -86.4374 | -91.2404 | -96.2736 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -341.517 | -360.587 | -396.476 | -418.398 | -441.594 | -466.035 | -491.761 | -519 | -547.701 | -577.898 | -610.015 | -643.667 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -129.32 | -136.541 | -150.131 | -158.431 | -167.215 | -176.47 | -186.212 | -196.525 | -207.394 | -218.828 | -230.99 | -243.733 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -44.047 | -46.5066 | -51.1354 | -53.9626 | -56.9545 | -60.1067 | -63.4247 | -66.9376 | -70.6398 | -74.5348 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | -42.3218 | -44.685 | -49.1325 | -51.849 | -54.7236 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | -44.047 | -46.5066 | -51.1354 | -53.9626 | -56.9545 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | -88.2198 | -93.146 | -102.417 | -108.079 | -114.072 | -120.385 | -127.03 | -134.066 | -141.481 | -149.282 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | -88.641 | -93.5907 | -102.906 | -108.596 | -114.616 | -120.96 | -127.637 | -134.706 | -142.156 | -149.995 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | -45.442 | -47.9795 | -52.7549 | -55.6716 | -58.7581 | -62.0104 | -65.4334 | -69.0576 | -72.8769 | -76.8949 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | -40.1656 | -42.4084 | -46.6293 | -49.2074 | -51.9355 | -54.81 | -57.8357 | -61.039 | -64.4148 | -67.967 | -71.7437 | -75.7016 |
| 15-731 | Cool Roof - DX | 0 | 0 | -221.593 | -233.967 | -257.254 | -271.477 | -286.528 | -302.387 | -319.079 | -336.752 | -355.375 | -374.969 | -395.808 | -417.643 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -214.564 | -226.545 | -249.093 | -262.866 | -277.44 | -292.795 | -308.958 | -326.071 | -344.103 | -363.075 | -383.253 | -404.396 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | -504.553 | -532.729 | -585.75 | -618.137 | -652.406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | -504.553 | -532.729 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | -462.274 | -488.085 | -536.665 | -566.338 | -597.737 | -630.82 | -665.641 | -702.513 | -741.363 | -782.237 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | -177.257 | -187.154 | -205.782 | -217.16 | -229.201 | -241.886 | -255.238 | -269.377 | -284.274 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | -0.55698 | -0.58806 | -0.64661 | -0.68218 | -0.72018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | -162.751 | -171.838 | -188.941 | -199.388 | -210.443 | -222.09 | -234.35 | -247.331 | -261.009 | -275.399 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | -122.383 | -129.216 | -142.077 | -149.932 | -158.245 | -167.003 | -176.222 | -185.984 | -196.269 | -207.09 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | -206.237 | -217.753 | -239.426 | -252.664 | -266.673 | -281.432 | -296.967 | -313.417 | -330.75 | -348.985 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | -88.2941 | -93.2239 | -102.503 | -108.17 | -114.168 | -120.486 | -127.137 | -134.18 | -141.6 | -149.407 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -27.9511 | -29.5117 | -32.449 | -34.2432 | -36.1417 | -38.1419 | -40.2475 | -42.477 | -44.826 | -47.2979 | -49.926 | -52.6809 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -60.2454 | -63.609 | -69.9402 | -73.8072 | -77.8997 | -82.2108 | -86.7489 | -91.5541 | -96.6178 | -101.945 | -107.61 | -113.546 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -44.5473 | -47.0345 | -51.716 | -54.5753 | -57.6011 | -60.7891 | -64.1448 | -67.6978 | -71.442 | -75.3817 | -79.5702 | -83.9596 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -32.9202 | -34.7583 | -38.2179 | -40.3309 | -42.5669 | -44.9229 | -47.4028 | -50.0283 | -52.7953 | -55.7072 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -59.8161 | -63.1557 | -69.4417 | -73.2811 | -77.3443 | -81.6249 | -86.1307 | -90.9016 | -95.9292 | -101.219 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -22.2736 | -23.5172 | -25.858 | -27.2877 | -28.8006 | -30.3947 | -32.0724 | -33.849 | -35.7215 | -37.6917 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -29.3339 | -30.9718 | -34.0544 | -35.9373 | -37.9298 | -40.0291 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -59.7928 | -63.1311 | -69.4147 | -73.2526 | -77.3142 | -81.5931 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6983 | -16.1612 | -17.0547 | -18.0003 | -18.9967 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | -18.7488 | -19.7956 | -21.7659 | -22.9693 | -24.2427 | -25.5846 | -26.997 | -28.4922 | -30.0681 | -31.7269 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | -359.252 | -379.311 | -417.064 | -440.124 | -464.527 | -490.236 | -517.297 | -545.952 | -576.145 | -607.908 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | -239.651 | -253.031 | -278.216 | -293.598 | -309.877 | -327.027 | -345.079 | -364.194 | -384.336 | -405.524 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | -48.3369 | -51.0358 | -56.1154 | -59.2179 | -62.5012 | -65.9605 | -69.6016 | -73.457 | -77.5196 | -81.7935 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -27.9511 | -29.5117 | -32.449 | -34.2432 | -36.1417 | -38.1419 | -40.2475 | -42.477 | -44.826 | -47.2979 | -49.926 | -52.6809 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | -60.402 | -63.7744 | -70.1219 | -73.999 | -78.1021 | -82.4244 | -86.9744 | -91.792 | -96.8689 | -102.21 | -107.89 | -113.841 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -44.5473 | -47.0345 | -51.716 | -54.5753 | -57.6011 | -60.7891 | -64.1448 | -67.6978 | -71.442 | -75.3817 | -79.5702 | -83.9596 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -32.9202 | -34.7583 | -38.2179 | -40.3309 | -42.5669 | -44.9229 | -47.4028 | -50.0283 | -52.7953 | -55.7072 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | -59.9501 | -63.2972 | -69.5973 | -73.4454 | -77.5176 | -81.8077 | -86.3237 | -91.1053 | -96.144 | -101.445 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -22.2736 | -23.5172 | -25.858 | -27.2877 | -28.8006 | -30.3947 | -32.0724 | -33.849 | -35.7215 | -37.6917 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | -29.3339 | -30.9718 | -34.0544 | -35.9373 | -37.9298 | -40.0291 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | -59.846 | -63.1874 | -69.4766 | -73.3179 | -77.383 | -81.6658 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6983 | -16.1612 | -17.0547 | -18.0003 | -18.9967 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | -98.7307 | -104.243 | -114.619 | -120.956 | -127.662 | -134.728 | -142.165 | -150.04 | -158.338 | -167.068 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | -345.864 | -365.175 | -401.522 | -423.722 | -447.215 | -471.966 | -498.019 | -525.606 | -554.673 | -585.254 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | -398.261 | -420.498 | -462.35 | -487.914 | -514.966 | -543.467 | -573.467 | -605.233 | -638.704 | -673.917 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | -220.969 | -233.306 | -256.528 | -270.711 | -285.721 | -301.534 | -318.179 | -335.804 | -354.375 | -373.912 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -27.9511 | -29.5117 | -32.449 | -34.2432 | -36.1417 | -38.1419 | -40.2475 | -42.477 | -44.826 | -47.2979 | -49.926 | -52.6809 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -60.347 | -63.7163 | -70.0581 | -73.9316 | -78.0307 | -82.3494 | -86.8952 | -91.7084 | -96.7805 | -102.117 | -107.791 | -113.737 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -44.5473 | -47.0345 | -51.716 | -54.5753 | -57.6011 | -60.7891 | -64.1448 | -67.6978 | -71.442 | -75.3817 | -79.5702 | -83.9596 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -32.9202 | -34.7583 | -38.2179 | -40.3309 | -42.5669 | -44.9229 | -47.4028 | -50.0283 | -52.7953 | -55.7072 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -59.8987 | -63.243 | -69.5377 | -73.3825 | -77.4512 | -81.7377 | -86.2497 | -91.0273 | -96.0617 | -101.358 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -22.2736 | -23.5172 | -25.858 | -27.2877 | -28.8006 | -30.3947 | -32.0724 | -33.849 | -35.7215 | -37.6917 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -29.3339 | -30.9718 | -34.0544 | -35.9373 | -37.9298 | -40.0291 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | -59.7728 | -63.1101 | -69.3915 | -73.228 | -77.2883 | -81.5657 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -13.921 | -14.6983 | -16.1612 | -17.0547 | -18.0003 | -18.9967 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16-416 | Process Drives - ASD | 0 | 0 | -5.38541 | -5.68608 | -6.25203 | -6.5976 | -6.96347 | -7.34885 | -7.75464 | -8.18397 | -8.63705 | -9.11301 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | -48.0815 | -50.7659 | -55.8188 | -58.905 | -62.1712 | -65.612 | -69.2338 | -73.0688 | -77.1104 | -81.362 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | -33.358 | -35.2205 | -38.7261 | -40.8672 | -43.1331 | -45.5203 | -48.0332 | -50.6938 | -53.4976 | -56.4476 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | -218.369 | -230.562 | -253.51 | -267.526 | -282.359 | -297.987 | -314.436 | -331.853 | -350.206 | -369.513 | -390.048 | -411.567 |
| 16-605 | Process control | 0 | 0 | -38.2709 | -40.4077 | -44.4295 | -46.886 | -49.4855 | -52.2243 | -55.1074 | -58.1598 | -61.3764 | -64.7615 | -68.3591 | -72.1305 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -111.992 | -118.245 | -130.014 | -137.203 | -144.81 | -152.824 | -161.261 | -170.193 | -179.606 | -189.508 | -200.039 | -211.075 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | -29.3995 | -31.0411 | -34.1307 | -36.0177 | -38.0145 | -40.1185 | -42.3333 | -44.6779 | -47.1489 | -49.7492 | -52.5134 | -55.4103 |
| 16-703 | EMS - Chiller | 0 | 0 | -102.246 | -107.954 | -118.699 | -125.262 | -132.207 | -139.524 | -147.226 | -155.381 | -163.974 | -173.015 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -77.337 | -81.6554 | -89.7825 | -94.7466 | -99.9997 | -105.534 | -111.36 | -117.528 | -124.028 | -130.866 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -96.4854 | -101.873 | -112.012 | -118.205 | -124.759 | -131.664 | -138.932 | -146.628 | -154.737 | -163.268 | -172.341 | -181.849 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | -47.592 | -50.2495 | -55.2509 | -58.3055 | -61.538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -96.1704 | -101.54 | -111.647 | -117.82 | -124.352 | -131.234 | -138.479 | -146.149 | -154.231 | -162.735 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -96.6712 | -102.069 | -112.228 | -118.433 | -125 | -131.918 | -139.2 | -146.91 | -155.035 | -163.583 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | -51.6952 | -54.5817 | -60.0143 | -63.3323 | -66.8438 | -70.5433 | -74.4376 | -78.5603 | -82.9054 | -87.4769 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | -43.7576 | -46.2009 | -50.7993 | -53.6079 | -56.58 | -59.7115 | -63.0078 | -66.4976 | -70.1753 | -74.0453 | -78.1593 | -82.4714 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | -242.487 | -256.027 | -281.51 | -297.074 | -313.545 | -330.898 | -349.165 | -368.505 | -388.883 | -410.324 | -433.128 | -457.023 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -51.0811 | -53.933 | -59.3011 | -62.5798 | -66.0495 | -69.7051 | -73.5529 | -77.6272 | -81.9208 | -86.4379 | -91.2409 | -96.2741 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -341.518 | -360.588 | -396.477 | -418.399 | -441.596 | -466.036 | -491.762 | -519.001 | -547.703 | -577.899 | -610.017 | -643.67 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -129.32 | -136.541 | -150.131 | -158.432 | -167.216 | -176.47 | -186.212 | -196.526 | -207.395 | -218.829 | -230.991 | -243.734 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -44.0472 | -46.5067 | -51.1356 | -53.9627 | -56.9544 | -60.1069 | -63.4249 | -66.9379 | -70.6397 | -74.5351 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | -42.322 | -44.6852 | -49.1327 | -51.8491 | -54.7238 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | -44.0472 | -46.5067 | -51.1356 | -53.9627 | -56.9544 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | -88.2201 | -93.1462 | -102.417 | -108.08 | -114.072 | -120.385 | -127.031 | -134.067 | -141.482 | -149.282 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | -88.6414 | -93.591 | -102.906 | -108.596 | -114.617 | -120.96 | -127.638 | -134.707 | -142.157 | -149.996 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | -45.4422 | -47.9796 | -52.755 | -55.6718 | -58.7584 | -62.0105 | -65.4336 | -69.0579 | -72.8771 | -76.8954 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | -40.1657 | -42.4085 | -46.6294 | -49.2075 | -51.9356 | -54.8102 | -57.8359 | -61.0394 | -64.4152 | -67.9666 | -71.744 | -75.7018 |
| 16-731 | Cool Roof - DX | 0 | 0 | -221.594 | -233.968 | -257.254 | -271.478 | -286.529 | -302.388 | -319.08 | -336.754 | -355.377 | -374.971 | -395.809 | -417.645 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -214.565 | -226.546 | -249.094 | -262.866 | -277.44 | -292.795 | -308.958 | -326.071 | -344.103 | -363.075 | -383.254 | -404.396 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | -504.554 | -532.729 | -585.751 | -618.138 | -652.407 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | -504.554 | -532.729 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | -462.275 | -488.086 | -536.665 | -566.338 | -597.738 | -630.82 | -665.642 | -702.514 | -741.365 | -782.238 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | -177.259 | -187.156 | -205.784 | -217.161 | -229.202 | -241.887 | -255.24 | -269.378 | -284.276 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | -0.55698 | -0.58806 | -0.64661 | -0.68218 | -0.72018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | -11.544 | -12.1888 | -13.4019 | -14.1429 | -14.9269 | -15.7531 | -16.6227 | -17.5433 | -18.5139 | -19.5349 | -20.6206 | -21.7575 |
| N-807 | Flood LED 14W | 0 | 0 | -11.2563 | -11.885 | -13.0679 | -13.7904 | -14.5547 | -15.3605 | -16.2084 | -17.1063 | -18.0523 | -19.0481 | -20.1069 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | -91.6545 | -96.7737 | -106.405 | -112.29 | -118.514 | -125.074 | -131.978 | -139.288 | -146.991 | -155.097 | -163.717 | -172.748 |
| N-732 | Run Time Optimizer | 0 | 0 | -951.696 | -1004.83 | -1104.85 | -1165.94 | -1230.58 | -1298.69 | -1370.37 | -1446.28 | -1526.26 | -1610.41 | -1699.91 | -1793.69 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | -625.33 | -660.259 | -725.971 | -766.12 | -808.58 | -853.34 | -900.445 | -950.321 | -1002.88 | -1058.19 | -1117 | -1178.61 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.98718 | -0.98718 | -0.98718 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.80E+00 | -1.80E+00 | -1.80E+00 | -1.80E+00 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9388 | -11.9388 | -11.9388 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.98718 | -0.98718 | -0.98718 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | -10.9839 | -10.9839 | -10.9839 | -10.9839 | -10.9839 | -10.9839 | -10.9839 | -10.9879 | -10.9879 | -10.9879 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | -2.32E+00 | 0.00E+00 | 0.00E+00 |
| 6-416 | Process Drives - ASD | 0 | 0 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | -0.16117 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 |
| 6-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | -1.43443 | -1.43443 | -1.43443 | -1.43443 | -1.43443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | -2.90512 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | -1.55531 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 | -10.2505 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 | -3.8923 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | -1.28132 | -1.28132 | -1.28132 | -1.28132 | -1.28132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | -2.68754 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | -2.69157 | -2.69157 | -2.69157 | -2.69157 | -2.69157 | -2.69157 | -2.69157 | -2.68754 | -2.68754 | -2.68754 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | -1.38608 | -1.38608 | -1.38608 | -1.38608 | -1.38608 | -1.38608 | -1.38608 | -1.38205 | -1.38205 | -1.38205 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22088 | -1.22088 | -1.22088 | -1.22088 | -1.22088 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 | -6.7249 |
| 6-801 | Premium T8, Electronic Ballast | 0 | 0 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.42673 | -6.42673 | -6.42673 | -6.42673 | -6.42673 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | -15.1018 | -15.1018 | -15.1018 | -15.1018 | -15.1018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | -15.1018 | -15.1018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88754 | -4.88754 | -4.88754 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | -3.67472 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64725 | -2.64725 | -2.64725 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.98718 | -0.98718 | -0.98718 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -4.07E-01 | -4.07E-01 | -4.07E-01 | -4.07E-01 | -0.40696 | -0.40696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70513 | -0.70513 | -0.70513 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | -10.7824 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45458 | -1.45458 | -1.45458 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.98718 | -0.98718 | -0.98718 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70513 | -0.70513 | -0.70513 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | -10.3795 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9348 | -11.9388 | -11.9388 | -11.9388 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | -6.62416 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 | -0.84615 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.98718 | -0.98718 | -0.98718 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | -0.40696 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70513 | -0.70513 | -0.70513 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | -6.18094 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | -0.28205 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70916 | -0.70513 | -0.70513 | -0.70513 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 |
| 7-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | -2.32088 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90512 | -2.90512 | -2.90512 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 | -7.26885 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.2425 | -10.2425 | -10.2425 | -10.2425 | -10.2425 | -10.2425 | -10.2425 | -10.2384 | -10.2384 | -10.2384 | -10.2384 | -10.2384 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 | -3.87618 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | -1.28535 | -1.28535 | -1.28535 | -1.28535 | -1.28535 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | -1.34176 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | -2.65934 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | -2.67545 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | -1.36996 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 | -1.22491 |
| 7-731 | Cool Roof - DX | 0 | 0 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 | -6.6846 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.4227 | -6.42673 | -6.42673 | -6.42673 | -6.42673 | -6.42673 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | -15.1018 | -15.1018 | -15.1018 | -15.1018 | -15.1018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | -15.1018 | -15.1018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | -13.8568 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | -5.31061 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | -4.86336 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65457 | -3.65457 | -3.65457 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | -6.15677 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -4.19E-01 | -4.19E-01 | -4.19E-01 | -4.19E-01 | -4.19E-01 | -4.19E-01 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 8-201 | Fans - O&M | 0 | 0 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | -0.55604 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | -10.7381 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | -7.16006 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.45055 | -1.44652 | -1.44652 | -1.44652 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | -2.94139 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | -10.3231 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | -11.9106 | -11.9106 | -11.9106 | -11.9106 | -11.9106 | -11.9106 | -11.9106 | -11.9066 | -11.9066 | -11.9066 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | -0.67289 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 | -2.91721 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 | -10.9557 |
| 8-419 | Direct drive Extruders | 0 | 0 | -25.2073 | -25.2073 | -25.2073 | -25.2073 | -25.2073 | -25.2073 | -25.2073 | -25.2113 | -25.2113 | -25.2113 | -25.2113 | -25.2113 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | -6.90622 | -6.90622 | -6.90622 | -6.90622 | -6.90622 | -6.90622 | -6.90622 | -6.91024 | -6.91024 | -6.91024 | -6.91024 | -6.91024 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51537 | -6.51537 | -6.51537 | -6.51537 | -6.51537 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 |
| 8-703 | EMS - Chiller | 0 | 0 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | -3.07E+00 | 0.00E+00 | 0.00E+00 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | -2.29267 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.89E+00 | -2.88901 | -2.88901 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | -1.42E+00 | -1.42E+00 | -1.42E+00 | -1.42E+00 | -1.42E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.87289 | -2.87289 | -2.87289 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 | -3.84395 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.30952 | -1.30952 | -1.30952 | 0 | 0 |

| | | | | | | | | | | | | | | | | |
|--------|--|---|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | -0.68095 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | -0.88645 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.42308 | -0.42308 | -0.42308 | -0.42308 | -0.42308 | -0.42308 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | -1.00732 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 | -7.0835 |
| 9-423 | Process control | 0 | 0 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | -3.02197 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | -1.14E+00 | -1.14E+00 | -1.14E+00 | -1.14E+00 | -1.14E+00 | -1.14E+00 | -1.14E+00 | -1.15E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 | -0.87033 |
| 9-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | -1.42637 | -1.42637 | -1.42637 | -1.42637 | -1.42637 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | -2.86886 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | -1.54322 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 | -7.24468 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 | -10.2102 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | -1.26117 | -1.26117 | -1.26117 | -1.26117 | -1.26117 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 |
| 9-731 | Cool Roof - DX | 0 | 0 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 | -6.41464 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | -15.0293 | -15.0293 | -15.0293 | -15.0293 | -15.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | -15.0293 | -15.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | -13.9494 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | -5.36702 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | -4.85127 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.64651 | -3.64651 | -3.64651 | -3.64651 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | -6.13259 | -6.13259 | -6.13259 | -6.13259 | -6.13259 | -6.13259 | -6.13259 | -6.13662 | -6.13662 | -6.13662 | -6.13662 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 | -1.79304 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 | -1.32161 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97106 | -0.97106 | -0.97106 | -0.97106 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | -11.8663 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 | -0.82601 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 | -1.80915 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77692 | -1.77692 | -1.77692 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | -0.66886 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.8663 | -0.8663 | -0.8663 | -0.8663 | -0.8663 | -0.8663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | -1.77289 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.41099 | -0.41099 | -0.41099 | -0.41099 | -0.41099 | -0.41099 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | -2.04285 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 | -6.5194 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | -1.57546 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 | -7.89742 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 |
| 11-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85677 | -2.85677 | -2.85677 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | -2.87289 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | -1.53113 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 | -1.30146 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 | -7.20438 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 | -10.1377 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 | -3.83186 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | -1.2934 | -1.2934 | -1.2934 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | -1.25714 | -1.25714 | -1.25714 | -1.25714 | -1.25714 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | -1.29743 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | -2.61501 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | -2.63113 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | -1.18461 | -1.18461 | -1.18461 | -1.18461 | -1.18461 | -1.18461 | -1.18461 | -1.18058 | -1.18058 | -1.18058 | -1.18058 | -1.18058 |
| 11-731 | Cool Roof - DX | 0 | 0 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 | -6.56775 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 | -6.36629 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | -14.9406 | -14.9406 | -14.9406 | -14.9406 | -14.9406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | -14.9406 | -14.9406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | -13.7883 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | -5.27838 | -5.27838 | -5.27838 | -5.27838 | -5.27838 | -5.27838 | -5.27838 | -5.28241 | -5.28241 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | -4.79486 | -4.79486 | -4.79486 | -4.79486 | -4.79486 | -4.79486 | -4.79486 | -4.79889 | -4.79889 | -4.79889 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82527 | -1.82527 | -1.82527 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67289 | -0.67289 | -0.67289 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94542 | -2.94542 | -2.94542 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | -10.3472 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | -11.9025 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | -6.60805 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83406 | -0.83406 | -0.83406 | -0.83406 | -0.83406 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | -0.99121 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67289 | -0.67289 | -0.67289 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | -1.80513 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | -2.90915 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | -1.46264 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 | -6.52746 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 | -7.9216 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87436 | -0.87436 | -0.87436 | -0.87436 | -0.87436 |
| 13-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.2967 | -2.30073 | -2.30073 | -2.30073 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | -1.41831 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.8608 | -2.8608 | -2.8608 | -2.8608 | -2.8608 | -2.8608 | -2.8608 | -2.86483 | -2.86483 | -2.86483 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | -2.88095 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 | -7.20841 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 | -10.1659 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 | -3.85201 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | -1.25714 | -1.25714 | -1.25714 | -1.25714 | -1.25714 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | -1.31355 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | -2.61904 | -2.61904 | -2.61904 | -2.61904 | -2.61904 | -2.61904 | -2.61904 | -2.62307 | -2.62307 | -2.62307 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | -2.63919 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | -1.35384 | -1.35384 | -1.35384 | -1.35384 | -1.35384 | -1.35384 | -1.35384 | -1.35787 | -1.35787 | -1.35787 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 |
| 13-731 | Cool Roof - DX | 0 | 0 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 | -6.59999 |
| 13-801 | Premium T8, Electronic Ballast | 0 | 0 | -6.39047 | -6.39047 | -6.39047 | -6.39047 | -6.39047 | -6.39047 | -6.39047 | -6.39449 | -6.39449 | -6.39449 | -6.39449 | -6.39449 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | -14.985 | -14.985 | -14.985 | -14.985 | -14.985 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | -14.985 | -14.985 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | -13.8124 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | -5.37508 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | -4.83919 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.65054 | -3.64651 | -3.64651 | -3.64651 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | -6.14468 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63516 | -2.63113 | -2.63113 | -2.63113 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | -0.54798 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | -10.6938 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | -7.16409 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | -10.2989 | -10.2989 | -10.2989 | -10.2989 | -10.2989 | -10.2989 | -10.2989 | -10.3029 | -10.3029 | -10.3029 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | -11.8623 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | -6.59193 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 | -0.82198 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 | -1.8011 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32967 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | -0.97509 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.6608 | -0.66483 | -0.66483 | -0.66483 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | -0.42711 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | -2.9293 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | -1.57948 | -1.57948 | -1.57948 | -1.57948 | -1.57948 | -1.57948 | -1.57948 | -1.58351 | -1.58351 | -1.58351 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | -3.27582 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51134 | -6.51537 | -6.51537 | -6.51537 | -6.51537 | -6.51537 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82527 | -1.82527 | -1.82527 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | -2.94945 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | -10.3311 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | -11.9187 | -11.9187 | -11.9187 | -11.9187 | -11.9187 | -11.9187 | -11.9187 | -11.9227 | -11.9227 | -11.9227 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | -6.61611 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84542 | -1.84139 | -1.84139 | -1.84139 | -1.84139 | -1.84139 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.33773 | -1.3337 | -1.3337 | -1.3337 | -1.3337 | -1.3337 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | -0.99524 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82527 | -1.82527 | -1.82527 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | -1.82124 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | -2.91318 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | -1.60366 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | -2.05494 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | -6.53552 | -6.53552 | -6.53552 | -6.53552 | -6.53552 | -6.53552 | -6.53552 | -6.53955 | -6.53955 | -6.53955 | -6.53955 | -6.53955 |
| 15-603 | New transformers welding | 0 | 0 | -7.93772 | -7.93772 | -7.93772 | -7.93772 | -7.93772 | -7.93772 | -7.93772 | -7.93369 | -7.93369 | -7.93369 | -7.93369 | -7.93369 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 | -3.35238 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 |
| 15-703 | EMS - Chiller | 0 | 0 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | -3.07032 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | -2.30476 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 | -2.88901 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | -1.41025 | -1.41025 | -1.41025 | -1.41025 | -1.41025 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | -2.85274 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88498 | -2.88901 | -2.88901 | -2.88901 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.53919 | -1.54322 | -1.54322 | -1.54322 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 | -1.30549 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.2205 | -7.22453 | -7.22453 | -7.22453 | -7.22453 | -7.22453 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 | -1.53516 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 | -10.1699 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 | -3.86007 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | -1.2652 | -1.2652 | -1.2652 | -1.2652 | -1.2652 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | -1.31758 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | -2.6271 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.3619 | -1.35787 | -1.35787 | -1.35787 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 | -1.20073 |
| 15-731 | Cool Roof - DX | 0 | 0 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 | -6.59596 |
| 15-801 | Premium T8, Electronic Ballast | 0 | 0 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 | -6.39046 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | -14.989 | -14.989 | -14.989 | -14.989 | -14.989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | -14.989 | -14.989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | -13.8366 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | -5.3912 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | -2.01E-02 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88351 | -4.88754 | -4.88754 | -4.88754 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | -3.66666 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | -6.17288 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | -2.64322 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.84212 | -0.84212 | -0.84212 | -0.84212 | -0.84212 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.5641 | -0.56007 | -0.56007 | -0.56007 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | -10.7582 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | -7.18827 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | -1.44249 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.84212 | -0.84212 | -0.84212 | -0.84212 | -0.84212 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | -2.96556 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | -10.3553 | -10.3553 | -10.3553 | -10.3553 | -10.3553 | -10.3553 | -10.3553 | -10.3593 | -10.3593 | -10.3593 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | -11.9388 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | -6.61208 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.83809 | -0.84212 | -0.84212 | -0.84212 | -0.84212 | -0.84212 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81318 | -1.81721 | -1.81721 | -1.81721 | -1.81721 | -1.81721 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 | -1.32564 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | -0.98315 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | -1.79707 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | -0.67692 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | -0.87839 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | -1.78095 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | -0.41905 | 0 | 0 | 0 | 0 | 0 | 0 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|------|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2734 | -13.3457 | -33.5938 | -34.2656 | -35.1016 | -23.9375 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.95215 | -10.0527 | -25.3125 | -25.8359 | -26.3672 | -18.0469 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8164 | -16.9658 | -42.6875 | -43.5391 | -44.4063 | -30.3906 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.877 | -29.3438 | -29.5674 | -74.3828 | -75.8047 | -77.3203 | -52.9531 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.4688 | -19.4258 | -19.5898 | -49.3047 | -50.2578 | -51.2578 | -35.1094 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.8408 | -28.2549 | -28.4697 | -71.6328 | -73.0234 | -74.4844 | -51 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.877 | -32.5088 | -32.7402 | -82.4063 | -83.9688 | -85.6094 | -58.6563 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | 0 | 0 | 0 | -7.39746 | -7.77539 | -7.86328 | -19.7891 | -20.2109 | -20.6172 | -14.125 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | 0 | 0 | 0 | -35.9482 | -37.8506 | -38.1152 | -95.8984 | -97.7266 | -99.6719 | -68.2344 | -69.75 | -46.5313 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | 0 | 0 | 0 | -9.67383 | -10.2188 | -10.2754 | -25.875 | -26.4141 | -27.0859 | -18.4375 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | 0 | 0 | 0 | -24.4141 | -25.7012 | -25.8906 | -65.1797 | -66.4141 | -67.7188 | -46.375 | -47.4063 | -31.625 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | -6.15625 | -6.34375 | -6.46875 | -4.42188 | -4.51563 | -3 |
| 1-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.35449 | -6.44531 | -16.2266 | -16.5703 | -16.9063 | -11.5938 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.95508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.93164 | -8.02832 | -20.2109 | -20.6484 | -21.0625 | -14.4219 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.28809 | -4.30664 | -10.8438 | -11.0859 | -11.4609 | -7.76563 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.1426 | -20.1924 | -20.3047 | -51.1016 | -52.1094 | -53.2656 | -36.3906 | -37.1719 | -24.8125 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.9492 | -28.4219 | -28.5781 | -71.9141 | -73.2813 | -74.8984 | -51.2031 | -52.3125 | -34.9063 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.1924 | -10.7627 | -10.8252 | -27.2578 | -27.8047 | -28.5234 | -19.4219 | -19.8438 | -13.2344 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0.00E+00 | -3.31445 | -3.52E+00 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0.00E+00 | -3.4707 | -3.69E+00 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.29981 | -3.36914 | -8.48438 | -8.71875 | -8.89063 | -6.07813 | -6.21875 | -4.14063 |
| 1-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.5352 | -18.5039 | -18.6065 | -46.8047 | -47.7344 | -48.8359 | -33.3438 | -34.0781 | -22.7344 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.2852 | -4.24E+01 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.8398 | -37.7393 | -38.0059 | -95.625 | -97.4375 | -99.375 | -68.0625 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.6563 | -14.417 | -14.4961 | -36.4844 | -37.2188 | -38.0938 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -13.5 | -14.251 | -14.3291 | -36.0625 | -36.7813 | -37.6719 | -25.7031 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -10.0898 | -10.6523 | -10.7158 | -26.9688 | -27.5156 | -28.2188 | -19.2188 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0156 | -18.1719 | -45.7109 | -46.6016 | -47.5469 | -32.5625 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -7.2959 | -7.70898 | -7.75488 | -19.5391 | -19.9531 | -20.4688 | -13.9219 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | -6.15625 | -6.34375 | -6.58594 | -4.42188 | -4.51563 | -3 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.96973 | -5.19922 | -5.29004 | -13.3047 | -13.6094 | -13.8906 | -9.53125 | -9.70313 | -6.48438 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | -7.20313 | -4.8125 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.69336 | -2.85547 | -2.88379 | -7.25 | -7.4375 | -7.75 | -5.20313 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.1543 | -5.23828 | -13.1953 | -13.4922 | -13.7656 | -9.42188 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.81934 | -1.94531 | -1.95117 | -4.92188 | -5.07031 | -5.29688 | -3.53125 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0.00E+00 | -2.38574 | -2.48E+00 | -2.55176 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.19922 | -5.23828 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.50684 | -1.55664 | -1.61914 | -4.10938 | -4.22656 | -4.3125 | -2.95313 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -29.8408 | -31.4199 | -31.6484 | -79.625 | -81.1563 | -82.7656 | -56.6563 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -19.8604 | -20.9023 | -21.0762 | -53.0391 | -54.0469 | -55.1484 | -37.7656 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.98242 | -4.16602 | -4.25 | -10.7031 | -10.9766 | -11.1953 | -7.64063 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | -6.15625 | -6.34375 | -6.58594 | -4.42188 | -4.51563 | -3 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.96973 | -5.19922 | -5.29004 | -13.3047 | -13.6094 | -13.8906 | -9.53125 | -9.70313 | -6.48438 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | -7.20313 | -4.8125 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.69336 | -2.85547 | -2.88379 | -7.25 | -7.4375 | -7.75 | -5.20313 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.19922 | -5.23828 | -13.1953 | -13.4922 | -13.8906 | -9.42188 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.81934 | -1.94531 | -1.95117 | -4.92188 | -5.07031 | -5.29688 | -3.53125 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.38574 | -2.47754 | -2.55176 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.19922 | -5.23828 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -8.12598 | -8.53125 | -8.63477 | -21.7266 | -22.1875 | -22.625 | -15.5 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -28.7031 | -30.2764 | -30.4414 | -76.6016 | -78.0625 | -79.7734 | -54.5156 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -33.0508 | -34.7969 | -35.0449 | -88.1875 | -89.8516 | -91.6563 | -62.75 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -18.3125 | -19.2705 | -19.4297 | -48.9063 | -49.8516 | -50.8438 | -34.8125 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | -6.15625 | -6.34375 | -6.58594 | -4.42188 | -4.51563 | -3 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.96973 | -5.26563 | -5.29004 | -13.3047 | -13.6094 | -14.0391 | -9.53125 | -9.70313 | -6.48438 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | -7.20313 | -4.8125 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.69336 | -2.85547 | -2.88379 | -7.25 | -7.4375 | -7.75 | -5.20313 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.1543 | -5.23828 | -13.1953 | -13.4922 | -13.7656 | -9.42188 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.81934 | -1.94531 | -1.95117 | -4.92188 | -5.07031 | -5.29688 | -3.53125 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.38574 | -2.47754 | -2.55176 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.92188 | -5.1543 | -5.23828 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | 0 | 0 | 0 | -13.6074 | -14.3613 | -14.4443 | -36.3438 | -37.0781 | -37.9453 | -25.875 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | 0 | 0 | 0 | -25.4981 | -26.8447 | -27.0459 | -68.0469 | -69.3438 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -8.96387 | -9.06934 | -22.8516 | -23.3125 | -23.7891 | -16.2813 | -16.6406 | -11.0938 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.38574 | -2.5332 | -2.55176 | -6.4375 | -6.60156 | -6.88281 | -4.625 | -4.70313 | -3.14063 |
| 2-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.25293 | -8.30371 | -20.9141 | -21.3438 | -21.9063 | -14.9063 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.36231 | -6.73145 | -6.76563 | -17.0391 | -17.4375 | -17.8984 | -12.1563 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.9209 | -8.375 | -8.41211 | -21.1641 | -21.6406 | -22.2031 | -15.1094 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.96973 | -8.375 | -8.46875 | -21.3359 | -21.7813 | -22.2031 | -15.2188 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.24707 | -4.44336 | -4.52441 | -11.375 | -11.6406 | -11.8828 | -8.15625 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | -7.01563 | -4.67188 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -20.0166 | -21.1143 | -21.2315 | -53.4531 | -54.4844 | -55.7188 | -38.0469 | -38.8906 | -25.9375 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.98242 | -4.22168 | -4.25 | -10.7031 | -10.9766 | -11.3125 | -7.64063 | -7.8125 | -5.21875 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -28.2383 | -29.7217 | -29.9502 | -75.3672 | -76.7813 | -78.3359 | -53.6563 | -54.8125 | -36.5781 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.6621 | -11.1963 | -11.3223 | -28.4844 | -29.0781 | -29.6563 | -20.2969 | -20.7344 | -13.8438 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.19238 | -7.6084 | -7.64551 | -19.2578 | -19.6641 | -20.2031 | -13.7344 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.24707 | -7.6084 | -7.69727 | -19.3984 | -19.8125 | -20.2031 | -13.8281 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | -3.4834 | -8.76563 | -9 | -9.30469 | -6.26563 | -6.40625 | -4.26563 |
| 2-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -18.2041 | -19.1592 | -19.3213 | -48.6328 | -49.5625 | -50.5391 | -34.6094 | -35.375 | -23.6094 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.7402 | -18.7256 | -18.8232 | -47.3672 | -48.2891 | -49.4063 | -33.7344 | -34.4688 | -23 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.8086 | -42.9707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -38.376 | -40.4717 | -40.6934 | -102.383 | -104.305 | -106.523 | -72.8594 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|----------|-----------|-----------|----------|----------|----------|----------|----------|----------|----------|
| 2-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -14.6865 | -15.4502 | -15.5928 | -39.2266 | -40.0313 | -40.8203 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | 0 | 0 | 0 | -8.37988 | -8.85254 | -8.90332 | -22.4297 | -22.9141 | -23.4922 | -15.9844 | -16.3438 | -10.8906 |
| 3-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.8848 | -13.5391 | -13.6777 | -34.4063 | -35.1016 | -35.7891 | -24.5 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.67383 | -10.1631 | -10.2754 | -25.875 | -26.4141 | -26.9297 | -18.4375 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.294 | -17.1377 | -17.292 | -43.5234 | -44.375 | -45.2734 | -30.9844 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.93359 | -7.33106 | -7.37695 | -18.5547 | -18.9688 | -19.4844 | -13.2344 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.32227 | -2.33398 | -5.875 | -6.05469 | -6.32031 | -4.21875 | -4.3125 | -2.85938 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.69E+00 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | -6.79688 | -4.54688 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.70E+00 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -28.3945 | -29.9434 | -30.1162 | -75.7891 | -77.2188 | -78.9063 | -53.9375 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.8789 | -19.9258 | -20.0303 | -50.4219 | -51.4141 | -52.5469 | -35.9063 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.77734 | -4.01074 | -4.02637 | -10.1641 | -10.3906 | -10.7422 | -7.26563 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.32227 | -2.33398 | -5.875 | -6.05469 | -6.32031 | -4.21875 | -4.3125 | -2.85938 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0.00E+00 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | -6.79688 | -4.54688 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | 0 | 0 | 0 | -16.294 | -17.1377 | -17.292 | -43.5234 | -44.375 | -45.2734 | -30.9844 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.76465 | -8.14258 | -8.25195 | -20.7656 | -21.2031 | -21.6406 | -14.8125 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -27.3594 | -28.8545 | -29.0186 | -73.0391 | -74.4141 | -76.0313 | -51.9688 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -31.4971 | -3.32E+01 | -33.4033 | -84.0625 | -85.6484 | -87.5 | -59.7969 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.4326 | -18.3369 | -18.4922 | -46.5547 | -47.4688 | -48.4219 | -33.1406 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.32227 | -2.33398 | -5.875 | -6.05469 | -6.32031 | -4.21875 | -4.3125 | -2.85938 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | -6.79688 | -4.54688 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | 0 | 0 | 0 | -43.8027 | -46.1914 | -46.4395 | -116.891 | -119.078 | -121.578 | -83.1563 | -85 | -56.7031 |
| 3-404 | Replace V-Belts | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | -12.0703 | -12.3672 | -12.75 | -8.64063 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | 0 | 0 | 0 | -2.59082 | -2.7002 | -2.76856 | -6.96875 | -7.15625 | -7.30469 | -5.01563 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | 0 | 0 | 0 | -19.6016 | -20.6367 | -20.7969 | -52.3672 | -53.3516 | -54.4063 | -37.2813 | -38.0938 | -25.4063 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | -6.29688 | -6.46094 | -6.58594 | -4.5 | -4.59375 | -3.07813 |
| 3-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.21582 | -6.50977 | -6.60547 | -16.6172 | -17 | -17.3281 | -11.875 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.25293 | -8.30371 | -20.9141 | -21.3438 | -21.9063 | -14.9063 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.13965 | -4.38867 | -4.40918 | -11.1172 | -11.3828 | -11.7656 | -7.95313 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.6016 | -20.6367 | -20.7969 | -52.3672 | -53.3516 | -54.4063 | -37.2813 | -38.0938 | -25.4063 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -27.5645 | -29.0772 | -29.2354 | -73.5703 | -74.9922 | -76.6016 | -52.3594 | -53.5156 | -35.7031 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.3975 | -10.9297 | -11.042 | -27.8125 | -28.3828 | -28.9375 | -19.8125 | -20.2344 | -13.5 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.09082 | -7.44238 | -7.53125 | -18.9766 | -19.375 | -19.7813 | -13.5313 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.19238 | -7.54297 | -7.64551 | -19.2578 | -19.6641 | -20.0547 | -13.7344 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.21094 | -3.41113 | -3.42676 | -8.64844 | -8.86719 | -9.1875 | -6.1875 | -6.3125 | -4.20313 |
| 3-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.9502 | -18.8926 | -19.041 | -47.9297 | -48.8594 | -49.8203 | -34.1406 | -34.875 | -23.2656 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.3301 | -18.2266 | -18.3897 | -46.2734 | -47.1797 | -48.1172 | -32.9688 | -33.6719 | -22.4688 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -41.375 | -43.626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -36.5684 | -38.4941 | -38.7725 | -97.5547 | -99.4141 | -101.375 | -69.4375 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.915 | -14.6836 | -14.7695 | -37.1797 | -37.9141 | -38.8125 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.6797 | -13.3731 | -13.4551 | -33.875 | -34.5547 | -35.3672 | -24.125 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.95215 | -10.0527 | -25.3125 | -25.8359 | -26.3672 | -18.0469 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.0352 | -16.8721 | -17.0166 | -42.8203 | -43.6797 | -44.5234 | -30.5156 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.83106 | -7.16504 | -7.2627 | -18.2734 | -18.6797 | -19.0313 | -13.0469 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.9795 | -29.4541 | -29.6699 | -74.6641 | -76.0859 | -77.6172 | -53.1406 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.3604 | -19.3701 | -19.4815 | -49.0234 | -49.9922 | -51.1406 | -34.9063 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.95508 | -3.97461 | -10.0234 | -10.2813 | -10.5938 | -7.15625 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.65723 | -8.09766 | -8.1377 | -20.4922 | -20.9453 | -21.4922 | -14.6094 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.9492 | -28.3662 | -28.5781 | -71.9141 | -73.2813 | -74.75 | -51.2031 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.9844 | -32.6641 | -32.8555 | -82.6563 | -84.2344 | -86.0625 | -58.8281 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.1738 | -18.126 | -18.2236 | -45.8516 | -46.75 | -47.8438 | -32.6563 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | -6.01563 | -6.16406 | -6.46875 | -4.32813 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | 0 | 0 | 0 | -6.1084 | -6.40918 | -6.49707 | -16.3359 | -16.7109 | -17.0313 | -11.6719 | -11.9063 | -7.95313 |
| 4-407 | High Consistency forming | 0 | 0 | 0 | 0 | 0 | -5.84961 | -6.1875 | -6.22168 | -15.6641 | -16.0156 | -16.4609 | -11.1875 | -11.4219 | -7.625 |
| 4-408 | Optimization control PM | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 4-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.00098 | -6.29883 | -6.38184 | -16.0859 | -16.4531 | -16.7578 | -11.4688 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.45215 | -7.82031 | -7.91992 | -19.9609 | -20.3594 | -20.7734 | -14.2188 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.87598 | -7.97754 | -20.0703 | -20.5078 | -20.9219 | -14.3281 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -3.98242 | -4.22168 | -4.25 | -10.7031 | -10.9766 | -11.3125 | -7.64063 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -18.8789 | -19.9258 | -20.0303 | -50.4219 | -51.4141 | -52.5469 | -35.9063 | -36.6875 | -24.4688 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.6357 | -28.0996 | -28.2461 | -71.1016 | -72.4688 | -74.0313 | -50.5938 | -51.7188 | -34.5 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.0898 | -10.5967 | -10.7158 | -26.9688 | -27.5156 | -28.0703 | -19.2188 | -19.625 | -13.1094 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.21973 | -7.31445 | -18.4453 | -18.8203 | -19.2109 | -13.1563 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.21973 | -7.31445 | -18.4453 | -18.8203 | -19.2109 | -13.1563 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.68848 | -3.75781 | -9.46875 | -9.69531 | -9.88281 | -6.78125 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.10938 | -3.24414 | -3.31738 | -8.34375 | -8.57031 | -8.74219 | -6 | -6.10938 | -4.07813 |
| 4-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.3301 | -18.2266 | -18.3897 | -46.2734 | -47.1797 | -48.1172 | -32.9688 | -33.6719 | -22.4688 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.7041 | -17.582 | -17.7266 | -44.6172 | -45.5078 | -46.4141 | -31.7656 | -32.4688 | -21.6719 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -39.7188 | -41.8818 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.9482 | -37.8506 | -38.1152 | -95.8984 | -97.7266 | -99.6719 | -68.2344 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.5537 | -14.3066 | -14.3809 | -36.2031 | -36.9297 | -37.8203 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2178 | -13.3457 | -33.5938 | -34.2656 | -34.9531 | -23.9375 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.95215 | -10.0527 | -25.3125 | -25.8359 | -26.3672 | -18.0469 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8721 | -16.9658 | -42.6875 | -43.5391 | -44.5234 | -30.3906 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.877 | -29.3438 | -29.5674 | -74.3828 | -75.8047 | -77.3203 | -52.9531 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.3604 | -19.3701 | -19.4815 | -49.0234 | -49.9922 | -51.1406 | -34.9063 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.8408 | -28.2549 | -28.4697 | -71.6328 | -73.0234 | -74.4844 | -51 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.877 | -32.5088 | -32.7402 | -82.4063 | -83.9688 | -85.6094 | -58.6563 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71E+00 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.93164 | -8.02832 | -20.2109 | -20.6484 | -21.0625 | -14.4219 | -14.7344 | -9.82813 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5-412 | Efficient drives | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | -6.15625 | -6.34375 | -6.46875 | -4.42188 | -4.51563 | -3 |
| 5-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.35449 | -6.44531 | -16.2266 | -16.5703 | -16.9063 | -11.5938 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.93164 | -8.02832 | -20.2109 | -20.6484 | -21.0625 | -14.4219 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.28809 | -4.30664 | -10.8438 | -11.0859 | -11.4609 | -7.76563 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.1426 | -20.1924 | -20.3047 | -51.1016 | -52.1094 | -53.2656 | -36.3906 | -37.1719 | -24.8125 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.9492 | -28.4219 | -28.5781 | -71.9141 | -73.2813 | -74.8984 | -51.2031 | -52.3125 | -34.9063 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.1924 | -10.7188 | -10.8252 | -27.2578 | -27.8047 | -28.3438 | -19.4219 | -19.8438 | -13.2344 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.52246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.33106 | -7.42871 | -18.6953 | -19.0859 | -19.4844 | -13.3438 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.29981 | -3.36914 | -8.48438 | -8.71875 | -8.89063 | -6.07813 | -6.21875 | -4.14063 |
| 5-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.5352 | -18.4482 | -18.6065 | -46.8047 | -47.7344 | -48.6875 | -33.3438 | -34.0781 | -22.7344 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.2852 | -42.4815 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.8398 | -37.7949 | -38.0059 | -95.625 | -97.4375 | -99.5234 | -68.0625 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.5537 | -14.3066 | -14.3809 | -36.2031 | -36.9297 | -37.8203 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.4639 | -13.1065 | -13.2324 | -33.3125 | -33.9766 | -34.6484 | -23.7344 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.36719 | -9.88574 | -9.9502 | -25.0313 | -25.5469 | -26.2188 | -17.8438 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.7764 | -16.5938 | -16.7432 | -42.1484 | -42.9844 | -43.8359 | -30.0156 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.72363 | -7.06445 | -7.14844 | -18.0234 | -18.4219 | -18.7656 | -12.8438 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -0.98926 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.5645 | -29.0215 | -29.2354 | -73.5703 | -74.9922 | -76.4844 | -52.3594 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.3604 | -19.3701 | -19.4815 | -49.0234 | -49.9922 | -51.1406 | -34.9063 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -0.98926 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.93164 | -7.97754 | -20.0703 | -20.5078 | -21.0625 | -14.3281 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.5342 | -27.9336 | -28.1436 | -70.8203 | -72.1797 | -73.6094 | -50.3906 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.5156 | -32.1865 | -32.3574 | -81.4297 | -82.9844 | -84.7734 | -57.9531 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -0.98926 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | 0 | 0 | 0 | -7.45215 | -7.82031 | -7.91992 | -19.9609 | -20.3594 | -20.7734 | -14.2188 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | 0 | 0 | 0 | -28.0879 | -29.6211 | -29.7842 | -74.9453 | -76.3828 | -78.0391 | -53.3438 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -5.90332 | -6.24316 | -6.2793 | -15.8047 | -16.1563 | -16.6406 | -11.2813 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | 0 | 0 | 0 | -0.36816 | -0.41211 | -0.41309 | -1.04688 | -1.125 | -1.32031 | -0.79688 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -5.90332 | -6.24316 | -6.2793 | -15.8047 | -16.1563 | -16.6406 | -11.2813 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 6-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -5.90332 | -6.24316 | -6.2793 | -15.8047 | -16.1563 | -16.6406 | -11.2813 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.62695 | -3.78906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.39746 | -7.82031 | -7.86328 | -19.7891 | -20.2109 | -20.7734 | -14.125 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -3.93457 | -4.16602 | -4.19238 | -10.5547 | -10.8281 | -11.1953 | -7.5625 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.52246 | -3.53516 | -8.89844 | -9.125 | -9.45313 | -6.39063 | -6.5 | -4.34375 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -18.5654 | -19.5371 | -19.7041 | -49.5859 | -50.5469 | -51.5625 | -35.2969 | -36.0781 | -24.0781 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.2256 | -27.5996 | -27.8115 | -69.9766 | -71.3125 | -72.7422 | -49.8281 | -50.9063 | -33.9688 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -9.93359 | -10.4971 | -10.5508 | -26.5469 | -27.1094 | -27.7656 | -18.9375 | -19.3438 | -12.9063 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.21973 | -7.31445 | -18.4453 | -18.8203 | -19.2109 | -13.1563 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.27539 | -7.31445 | -18.4453 | -18.8203 | -19.3359 | -13.1563 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.68848 | -3.75781 | -9.46875 | -9.69531 | -9.88281 | -6.78125 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.10938 | -3.24414 | -3.31738 | -8.34375 | -8.57031 | -8.74219 | -6 | -6.10938 | -4.07813 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.2764 | -18.1709 | -18.3379 | -46.1328 | -47.0391 | -47.9688 | -32.8438 | -33.5781 | -22.4063 |
| 6-801 | Premium T8, Electronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.4023 | -17.249 | -17.4004 | -43.7734 | -44.6641 | -45.5469 | -31.1875 | -31.8594 | -21.2656 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -38.9961 | -41.1162 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.4307 | -37.3066 | -37.5664 | -94.5234 | -96.3125 | -98.2344 | -67.2656 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.5537 | -14.251 | -14.3809 | -36.2031 | -36.9297 | -37.6719 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.4639 | -13.1065 | -13.2324 | -33.3125 | -33.9766 | -34.6484 | -23.7344 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.36719 | -9.88574 | -9.9502 | -25.0313 | -25.5469 | -26.2188 | -17.8438 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.7764 | -16.5938 | -16.7432 | -42.1484 | -42.9844 | -43.8359 | -30.0156 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.72363 | -7.06445 | -7.14844 | -18.0234 | -18.4219 | -18.7656 | -12.8438 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -9.89E-01 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | 0 | 0 | 0 | -0.68066 | -0.67871 | -0.74512 | -1.89063 | -1.96875 | -2.00781 | -1.375 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.5645 | -29.0215 | -29.2354 | -73.5703 | -74.9922 | -76.4844 | -52.3594 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.3604 | -19.3701 | -19.4815 | -49.0234 | -49.9922 | -51.1406 | -34.9063 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -0.98926 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | 0 | 0 | 0 | -0.68066 | -0.67871 | -0.74512 | -1.89063 | -1.96875 | -2.00781 | -1.375 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.93164 | -7.97754 | -20.0703 | -20.5078 | -21.0625 | -14.3281 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.5342 | -27.9336 | -28.1436 | -70.8203 | -72.1797 | -73.6094 | -50.3906 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.5156 | -32.1865 | -32.3574 | -81.4297 | -82.9844 | -84.7734 | -57.9531 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.64453 | -2.6543 | -6.71094 | -6.89063 | -7.14844 | -4.8125 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.66309 | -1.71191 | -1.78516 | -4.5 | -4.63281 | -4.72656 | -3.25 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -0.98926 | -1.06738 | -1.07129 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | 0 | 0 | 0 | -0.68066 | -0.67871 | -0.74512 | -1.89063 | -1.96875 | -2.00781 | -1.375 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | 0 | 0 | 0 | -15.7764 | -16.5938 | -16.7432 | -42.1484 | -42.9844 | -43.8359 | -30.0156 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | 0 | 0 | 0 | -0.68066 | -0.67871 | -0.74512 | -1.89063 | -1.96875 | -2.00781 | -1.375 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 7-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -5.90332 | -6.24316 | -6.2793 | -15.8047 | -16.1563 | -16.6406 | -11.2813 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.39746 | -7.77539 | -7.86328 | -19.7891 | -20.2109 | -20.6172 | -14.125 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.12207 | -4.14063 | -10.4141 | -10.6875 | -11.0469 | -7.45313 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.45508 | -3.53516 | -8.89844 | -9.125 | -9.30469 | -6.39063 | -6.5 | -4.34375 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -18.5654 | -19.5371 | -19.7041 | -49.5859 | -50.5469 | -51.5625 | -35.2969 | -36.0781 | -24.0781 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.1729 | -27.5449 | -27.7607 | -69.8438 | -71.1953 | -72.5938 | -49.7031 | -50.7969 | -33.9063 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -9.87891 | -10.3857 | -10.4932 | -26.4141 | -26.9688 | -27.5 | -18.8281 | -19.2344 | -12.8438 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.83106 | -7.16504 | -7.2627 | -18.2734 | -18.6797 | -19.0313 | -13.0469 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.10938 | -3.29981 | -3.31738 | -8.34375 | -8.57031 | -8.89063 | -6 | -6.10938 | -4.07813 |
| 7-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0156 | -18.1719 | -45.7109 | -46.6016 | -47.5469 | -32.5625 | -33.2813 | -22.2031 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.4023 | -17.249 | -17.4004 | -43.7734 | -44.6641 | -45.5469 | -31.1875 | -31.8594 | -21.2656 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -38.9473 | -41.0049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.4307 | -37.3066 | -37.5664 | -94.5234 | -96.3125 | -98.2344 | -67.2656 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.5537 | -14.251 | -14.3809 | -36.2031 | -36.9297 | -37.6719 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0.00E+00 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.6201 | -13.3281 | -13.3975 | -33.7344 | -34.4063 | -35.2266 | -24.0156 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.99707 | -10.0527 | -25.3125 | -25.8359 | -26.5078 | -18.0469 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8164 | -16.9658 | -42.6875 | -43.5391 | -44.4063 | -30.3906 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.83106 | -7.21973 | -7.2627 | -18.2734 | -18.6797 | -19.2109 | -13.0469 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|---|---|---|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.07E+00 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.9316 | -29.3984 | -29.6191 | -74.5469 | -75.9766 | -77.4688 | -53.0469 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.4688 | -19.4258 | -19.5898 | -49.3047 | -50.2578 | -51.2578 | -35.1094 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | -3.97461 | -10.0234 | -10.2813 | -10.4453 | -7.15625 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.8408 | -28.3106 | -28.4697 | -71.6328 | -73.0234 | -74.5938 | -51 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.9844 | -32.6641 | -32.8555 | -82.6563 | -84.2344 | -86.0625 | -58.8281 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.98633 | -8.02832 | -20.2109 | -20.6484 | -21.1875 | -14.4219 | -14.7344 | -9.82813 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | 0 | 0 | 0 | -28.4981 | -29.999 | -30.2197 | -76.0625 | -77.5156 | -79.0547 | -54.1406 | -55.3125 | -36.9063 |
| 8-419 | Direct drive Extruders | 0 | 0 | 0 | 0 | 0 | -65.626 | -69.125 | -69.5674 | -175.047 | -178.313 | -181.867 | -124.531 | -127.281 | -84.9219 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | 0 | 0 | 0 | -17.9502 | -18.8926 | -19.041 | -47.9297 | -48.8594 | -49.8203 | -34.1406 | -34.875 | -23.2656 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | -6.15625 | -6.34375 | -6.58594 | -4.42188 | -4.51563 | -3 |
| 8-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.21E+00 | -8.30E+00 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.40918 | -6.44531 | -16.2266 | -16.5703 | -17.0313 | -11.5938 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.73E+00 | -3.90E+00 | 0.00E+00 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.28809 | -4.30664 | -10.8438 | -11.0859 | -11.4609 | -7.76563 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.1914 | -20.2481 | -20.3623 | -51.2422 | -52.2188 | -53.4141 | -36.4844 | -37.2813 | -24.875 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -27.0459 | -28.4775 | -28.6865 | -72.1953 | -73.5703 | -75.0469 | -51.375 | -52.5156 | -35.0469 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.1924 | -10.7627 | -10.8252 | -27.2578 | -27.8047 | -28.5234 | -19.4219 | -19.8438 | -13.2344 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | 0 | 0 |

| | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|---|
| 8-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | 0 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.35547 | -3.36914 | -8.48438 | -8.71875 | -9.03906 | -6.07813 | -6.21875 | -4.14063 | 0 |
| 8-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.5352 | -18.5039 | -18.6065 | -46.8047 | -47.7344 | -48.8359 | -33.3438 | -34.0781 | -22.7344 | 0 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 | 0 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.3936 | -42.5371 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.9482 | -37.8945 | -38.1152 | -95.8984 | -97.7266 | -99.7969 | -68.2344 | 0 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.71 | -14.417 | -14.5469 | -36.625 | -37.3594 | -38.0938 | 0 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2178 | -13.3457 | -33.5938 | -34.2656 | -34.9531 | -23.9375 | 0 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.95215 | -10.0527 | -25.3125 | -25.8359 | -26.3672 | -18.0469 | 0 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8721 | -16.9658 | -42.6875 | -43.5391 | -44.5234 | -30.3906 | 0 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 | 0 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 | 0 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 | 0 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.8281 | -29.2881 | -29.5156 | -74.2734 | -75.6875 | -77.1719 | -52.8438 | 0 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.625 | -19.5928 | -19.7559 | -49.7266 | -50.6875 | -51.7109 | -35.4063 | 0 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | 0 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 | 0 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | -12.5 | -12.7969 | -13.0469 | -8.9375 | -9.125 | -6.07813 | 0 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 | 0 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.7441 | -28.2109 | -28.3613 | -71.3594 | -72.7266 | -74.3047 | -50.7969 | 0 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.877 | -32.5088 | -32.7402 | -82.4063 | -83.9688 | -85.6094 | -58.6563 | 0 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0156 | -18.1719 | -45.7109 | -46.6016 | -47.5469 | -32.5625 | 0 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 | 0 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | -12.5 | -12.7969 | -13.0469 | -8.9375 | -9.125 | -6.07813 | 0 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 | 0 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | 0 | 0 | 0 | -18.1553 | -19.1592 | -19.2637 | -48.4922 | -49.4375 | -50.5391 | -34.5156 | -35.2969 | -23.5313 |
| 9-423 | Process control | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | 0 | 0 | 0 | -2.9043 | -3.07813 | -3.10059 | -7.8125 | -8.02344 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | -6.01563 | -6.16406 | -6.46875 | -4.32813 | -4.39063 | -2.9375 |
| 9-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -5.95215 | -6.29883 | -6.33106 | -15.9453 | -16.3047 | -16.7578 | -11.3906 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.45215 | -7.87598 | -7.91992 | -19.9609 | -20.3594 | -20.9219 | -14.2188 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.93164 | -7.97754 | -20.0703 | -20.5078 | -21.0625 | -14.3281 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -3.98242 | -4.22168 | -4.25 | -10.7031 | -10.9766 | -11.3125 | -7.64063 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -18.8789 | -19.9258 | -20.0303 | -50.4219 | -51.4141 | -52.5469 | -35.9063 | -36.6875 | -24.4688 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.6357 | -28.044 | -28.2461 | -71.1016 | -72.4688 | -73.9141 | -50.5938 | -51.7188 | -34.5 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.0361 | -10.5967 | -10.6592 | -26.8281 | -27.3984 | -28.0703 | -19.125 | -19.5469 | -13.0469 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.41113 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.27539 | -7.31445 | -18.4453 | -18.8203 | -19.3359 | -13.1563 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.27539 | -7.31445 | -18.4453 | -18.8203 | -19.3359 | -13.1563 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.68848 | -3.75781 | -9.46875 | -9.69531 | -9.88281 | -6.78125 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.10938 | -3.24414 | -3.31738 | -8.34375 | -8.57031 | -8.74219 | -6 | -6.10938 | -4.07813 |
| 9-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.2764 | -18.1709 | -18.3379 | -46.1328 | -47.0391 | -47.9688 | -32.8438 | -33.5781 | -22.4063 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.7041 | -17.627 | -17.7266 | -44.6172 | -45.5078 | -46.5313 | -31.7656 | -32.4688 | -21.6719 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -39.6709 | -41.7715 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.792 | -37.7393 | -37.9492 | -95.4844 | -97.2969 | -99.375 | -67.9531 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.7588 | -14.4727 | -14.6045 | -36.7656 | -37.5078 | -38.2422 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.8848 | -13.5947 | -13.6777 | -34.4063 | -35.1016 | -35.9375 | -24.5 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.67383 | -10.1631 | -10.2754 | -25.875 | -26.4141 | -26.9297 | -18.4375 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.294 | -17.1377 | -17.292 | -43.5234 | -44.375 | -45.2734 | -30.9844 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.33106 | -7.42871 | -18.6953 | -19.0859 | -19.4844 | -13.3438 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.2666 | -2.33398 | -5.875 | -6.05469 | -6.16406 | -4.21875 | -4.3125 | -2.85938 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -28.3945 | -29.9434 | -30.1162 | -75.7891 | -77.2188 | -78.9063 | -53.9375 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.8789 | -19.8701 | -20.0303 | -50.4219 | -51.4141 | -52.4297 | -35.9063 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | -4.02637 | -10.1641 | -10.3906 | -10.5938 | -7.26563 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.2666 | -2.33398 | -5.875 | -6.05469 | -6.16406 | -4.21875 | -4.3125 | -2.85938 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -27.3594 | -28.8106 | -29.0186 | -73.0391 | -74.4141 | -75.8828 | -51.9688 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -31.4971 | -33.1641 | -33.4033 | -84.0625 | -85.6484 | -87.3438 | -59.7969 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.4326 | -18.3926 | -18.4922 | -46.5547 | -47.4688 | -48.5313 | -33.1406 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.18066 | -2.2666 | -2.33398 | -5.875 | -6.05469 | -6.16406 | -4.21875 | -4.3125 | -2.85938 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | -3.97461 | -10.0234 | -10.2813 | -10.4453 | -7.15625 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | -3.97461 | -10.0234 | -10.2813 | -10.4453 | -7.15625 | -7.32813 | -4.875 |
| 10-426 | Efficient drives - rolling | 0 | 0 | 0 | 0 | 0 | -4.34375 | -4.55469 | -4.63867 | -11.6797 | -11.9297 | -12.1797 | -8.32813 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | 0 | 0 | 0 | -7.9209 | -8.30859 | -8.41211 | -21.1641 | -21.6406 | -22.0547 | -15.1094 | -15.4219 | -10.2969 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | 0 | 0 | 0 | -1.45215 | -1.50098 | -1.5625 | -3.9375 | -4.07813 | -4.16406 | -2.84375 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | 0 | 0 | 0 | -9.67383 | -10.1631 | -10.2754 | -25.875 | -26.4141 | -26.9297 | -18.4375 | -18.8438 | -12.5625 |
| 10-508 | Heating - Process Control | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | -3.97461 | -10.0234 | -10.2813 | -10.4453 | -7.15625 | -7.32813 | -4.875 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | -6.29688 | -6.46094 | -6.58594 | -4.5 | -4.59375 | -3.07813 |
| 10-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.21582 | -6.56543 | -6.60547 | -16.6172 | -17 | -17.4766 | -11.875 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.14258 | -8.19531 | -20.6328 | -21.0547 | -21.6406 | -14.7031 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.25293 | -8.30371 | -20.9141 | -21.3438 | -21.9063 | -14.9063 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.13965 | -4.38867 | -4.40918 | -11.1172 | -11.3828 | -11.7656 | -7.95313 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | -6.79688 | -4.54688 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.6016 | -20.6367 | -20.7969 | -52.3672 | -53.3516 | -54.4063 | -37.2813 | -38.0938 | -25.4063 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -27.6182 | -29.1328 | -29.293 | -73.7109 | -75.1094 | -76.75 | -52.4531 | -53.625 | -35.7813 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.3975 | -10.9854 | -11.042 | -27.8125 | -28.3828 | -29.0859 | -19.8125 | -20.2344 | -13.5 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.09082 | -7.44238 | -7.53125 | -18.9766 | -19.375 | -19.7813 | -13.5313 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.19238 | -7.54297 | -7.64551 | -19.2578 | -19.6641 | -20.0547 | -13.7344 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | -3.4834 | -8.76563 | -9 | -9.30469 | -6.26563 | -6.40625 | -4.26563 |
| 10-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.9502 | -18.9375 | -19.041 | -47.9297 | -48.8594 | -49.9688 | -34.1406 | -34.875 | -23.2656 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.3301 | -18.293 | -18.3897 | -46.2734 | -47.1797 | -48.2656 | -32.9688 | -33.6719 | -22.4688 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -41.4238 | -43.626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -36.5684 | -38.5615 | -38.7725 | -97.5547 | -99.4141 | -101.531 | -69.4375 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.9688 | -14.6836 | -14.8272 | -37.3203 | -38.0547 | -38.8125 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.7285 | -13.4395 | -13.5127 | -33.9844 | -34.6719 | -35.5156 | -24.2188 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.57227 | -10.1191 | -10.167 | -25.6016 | -26.125 | -26.7813 | -18.25 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.1377 | -16.9824 | -17.126 | -43.1016 | -43.9688 | -44.8281 | -30.7031 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.27539 | -7.31445 | -18.4453 | -18.8203 | -19.3359 | -13.1563 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -28.1895 | -29.6768 | -29.8984 | -75.2266 | -76.6719 | -78.1875 | -53.5313 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.7217 | -19.7031 | -19.8643 | -50.0078 | -50.9766 | -51.9766 | -35.5938 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | -4.02637 | -10.1641 | -10.3906 | -10.5938 | -7.26563 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -27.1055 | -28.5772 | -28.7441 | -72.3359 | -73.7188 | -75.3125 | -51.4844 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -31.1895 | -32.8975 | -33.0723 | -83.2266 | -84.8125 | -86.625 | -59.2344 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.3301 | -18.293 | -18.3897 | -46.2734 | -47.1797 | -48.2656 | -32.9688 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.28809 | -4.3584 | -10.9844 | -11.2656 | -11.4609 | -7.84375 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -5.33203 | -5.64356 | -5.67383 | -14.2891 | -14.5938 | -15.0234 | -10.2188 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | -33.2813 | -22.2031 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.28809 | -4.3584 | -10.9844 | -11.2656 | -11.4609 | -7.84375 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -20.7393 | -21.8252 | -22.0029 | -55.3906 | -56.4531 | -57.5703 | -39.4219 | -40.2969 | -26.875 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.47754 | -2.5 | -6.29688 | -6.46094 | -6.73438 | -4.5 | -4.59375 | -3.07813 |
| 11-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.15723 | -6.50977 | -6.54785 | -16.5078 | -16.8516 | -17.3281 | -11.7656 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.65723 | -8.04199 | -8.1377 | -20.4922 | -20.9453 | -21.3359 | -14.6094 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.14258 | -8.19531 | -20.6328 | -21.0547 | -21.6406 | -14.7031 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.28809 | -4.3584 | -10.9844 | -11.2656 | -11.4609 | -7.84375 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.3965 | -20.4697 | -20.5791 | -51.7734 | -52.7969 | -53.9766 | -36.875 | -37.6719 | -25.1406 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -27.3106 | -28.8106 | -28.9609 | -72.875 | -74.2656 | -75.8828 | -51.8906 | -53.0156 | -35.375 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.2998 | -10.8184 | -10.9336 | -27.5313 | -28.0938 | -28.6328 | -19.6094 | -20.0313 | -13.375 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.03613 | -7.38672 | -7.48047 | -18.8359 | -19.2344 | -19.625 | -13.4375 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.09082 | -7.49805 | -7.53125 | -18.9766 | -19.375 | -19.8984 | -13.5313 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.78906 | -3.80957 | -9.60938 | -9.84375 | -10.1719 | -6.875 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.35547 | -3.36914 | -8.48438 | -8.71875 | -9.03906 | -6.07813 | -6.21875 | -4.14063 |
| 11-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.7402 | -18.6699 | -18.8232 | -47.3672 | -48.2891 | -49.25 | -33.7344 | -34.4688 | -23 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0596 | -18.1719 | -45.7109 | -46.6016 | -47.7031 | -32.5625 | -33.2813 | -22.2031 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.9063 | -43.0811 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -36.2549 | -38.2285 | -38.4404 | -96.7422 | -98.5703 | -100.656 | -68.8281 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.8125 | -14.584 | -14.6611 | -36.8984 | -37.625 | -38.5156 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -13.1924 | -13.8731 | -13.9981 | -35.25 | -35.9453 | -36.6563 | -25.1094 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.93359 | -10.4414 | -10.5508 | -26.5469 | -27.1094 | -27.6484 | -18.9375 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.8115 | -17.6816 | -17.8398 | -44.8984 | -45.7656 | -46.6797 | -31.9688 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -7.19238 | -7.54297 | -7.64551 | -19.2578 | -19.6641 | -20.0547 | -13.7344 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | -7.01563 | -4.67188 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.63965 | -2.81152 | -2.82031 | -7.14063 | -7.32813 | -7.60156 | -5.10938 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.50684 | -1.55664 | -1.61914 | -4.10938 | -4.22656 | -4.3125 | -2.95313 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -29.2207 | -30.8203 | -30.9912 | -78.0078 | -79.4844 | -81.2109 | -55.5156 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.5176 | -19.5371 | -19.6465 | -49.4375 | -50.4297 | -51.5625 | -35.2031 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.12207 | -4.14063 | -10.4141 | -10.6875 | -11.0469 | -7.45313 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | -7.01563 | -4.67188 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.63965 | -2.81152 | -2.82031 | -7.14063 | -7.32813 | -7.60156 | -5.10938 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -8.01856 | -8.41992 | -8.52051 | -21.4688 | -21.9219 | -22.3594 | -15.2969 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -28.1895 | -29.7217 | -29.8984 | -75.2266 | -76.6719 | -78.3359 | -53.5313 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -32.4248 | -34.1406 | -34.3926 | -86.5313 | -88.1641 | -89.9219 | -61.5781 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.9502 | -18.8926 | -19.041 | -47.9297 | -48.8594 | -49.8203 | -34.1406 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | -7.01563 | -4.67188 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.63965 | -2.81152 | -2.82031 | -7.14063 | -7.32813 | -7.60156 | -5.10938 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.76074 | -1.82324 | -1.89356 | -4.78125 | -4.92188 | -5.03125 | -3.4375 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.9209 | -8.30859 | -8.41211 | -21.1641 | -21.6406 | -22.0547 | -15.1094 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.22168 | -4.30664 | -10.8438 | -11.0859 | -11.3125 | -7.76563 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -5.54199 | -5.79883 | -5.89063 | -14.8203 | -15.1797 | -15.4688 | -10.5938 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -17.7402 | -18.7256 | -18.8232 | -47.3672 | -48.2891 | -49.4063 | -33.7344 | -34.4688 | -23 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.9209 | -8.30859 | -8.41211 | -21.1641 | -21.6406 | -22.0547 | -15.1094 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.22168 | -4.30664 | -10.8438 | -11.0859 | -11.3125 | -7.76563 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -21.5703 | -22.7022 | -22.8838 | -57.5781 | -58.6797 | -59.8516 | -41 | -41.875 | -27.9375 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.43457 | -2.5332 | -2.60254 | -6.57813 | -6.74219 | -6.88281 | -4.70313 | -4.8125 | -3.20313 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.46973 | -6.84277 | -6.87988 | -17.3203 | -17.6953 | -18.1953 | -12.3594 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.93457 | -4.16602 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -8.01856 | -8.47559 | -8.52051 | -21.4688 | -21.9219 | -22.5 | -15.2969 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -8.07813 | -8.53125 | -8.57813 | -21.5859 | -22.0391 | -22.625 | -15.3906 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.2959 | -4.49902 | -4.5752 | -11.5391 | -11.8125 | -12.0313 | -8.25 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.62695 | -3.84375 | -3.86621 | -9.74219 | -9.99219 | -10.3281 | -6.95313 | -7.10938 | -4.75 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -20.3291 | -21.3916 | -21.5625 | -54.2734 | -55.3203 | -56.4063 | -38.625 | -39.4688 | -26.3438 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.93457 | -4.12207 | -4.19238 | -10.5547 | -10.8281 | -11.0469 | -7.5625 | -7.71875 | -5.15625 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -28.6055 | -30.1104 | -30.333 | -76.3203 | -77.7734 | -79.3203 | -54.3281 | -55.5156 | -37.0469 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.8076 | -11.418 | -11.4883 | -28.9063 | -29.4844 | -30.2266 | -20.5938 | -21.0313 | -14.0469 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.62695 | -3.84375 | -3.86621 | -9.74219 | -9.99219 | -10.3281 | -6.95313 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.62695 | -3.84375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.39746 | -7.77539 | -7.86328 | -19.7891 | -20.2109 | -20.6172 | -14.125 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | -4.02637 | -10.1641 | -10.3906 | -10.5938 | -7.26563 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.45508 | -3.53516 | -8.89844 | -9.125 | -9.30469 | -6.39063 | -6.5 | -4.34375 |
| 12-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -18.5654 | -19.5928 | -19.7041 | -49.5859 | -50.5469 | -51.7109 | -35.2969 | -36.0781 | -24.0781 |
| 12-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.9502 | -18.9375 | -19.041 | -47.9297 | -48.8594 | -49.9688 | -34.1406 | -34.875 | -23.2656 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -41.6289 | -43.8926 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -37.6523 | -39.6387 | -39.9219 | -100.445 | -102.336 | -104.375 | -71.4844 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.71 | -14.417 | -14.5469 | -36.625 | -37.3594 | -38.0938 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2178 | -13.3457 | -33.5938 | -34.2656 | -34.9531 | -23.9375 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.95215 | -10.0527 | -25.3125 | -25.8359 | -26.3672 | -18.0469 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8164 | -16.9658 | -42.6875 | -43.5391 | -44.4063 | -30.3906 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.877 | -29.3984 | -29.5674 | -74.3828 | -75.8047 | -77.4688 | -52.9531 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.7217 | -19.7588 | -19.8643 | -50.0078 | -50.9766 | -52.125 | -35.5938 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.8408 | -28.3106 | -28.4697 | -71.6328 | -73.0234 | -74.5938 | -51 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.877 | -32.5088 | -32.7402 | -82.4063 | -83.9688 | -85.6094 | -58.6563 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0156 | -18.1719 | -45.7109 | -46.6016 | -47.5469 | -32.5625 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | -12.5 | -12.7969 | -13.0469 | -8.9375 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.93164 | -7.97754 | -20.0703 | -20.5078 | -21.0625 | -14.3281 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.95508 | -3.97461 | -10.0234 | -10.2813 | -10.5938 | -7.15625 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.8486 | -17.9492 | -45.1797 | -46.0547 | -47.1016 | -32.1563 | -32.8594 | -21.9375 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | 0 | 0 | 0 | -20.5342 | -21.669 | -21.7852 | -54.8281 | -55.8984 | -57.1563 | -39.0313 | -39.8906 | -26.6094 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | -6.15625 | -6.34375 | -6.46875 | -4.42188 | -4.51563 | -3 |
| 13-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.40918 | -6.44531 | -16.2266 | -16.5703 | -17.0313 | -11.5938 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.72949 | -3.89941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.93164 | -8.02832 | -20.2109 | -20.6484 | -21.0625 | -14.4219 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.22168 | -4.30664 | -10.8438 | -11.0859 | -11.3125 | -7.76563 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.084 | -20.1367 | -20.2471 | -50.9531 | -51.9609 | -53.1484 | -36.2813 | -37.0938 | -24.7344 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.9492 | -28.4219 | -28.5781 | -71.9141 | -73.2813 | -74.8984 | -51.2031 | -52.3125 | -34.9063 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.1924 | -10.7188 | -10.8252 | -27.2578 | -27.8047 | -28.3438 | -19.4219 | -19.8438 | -13.2344 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.93359 | -7.33106 | -7.37695 | -18.5547 | -18.9688 | -19.4844 | -13.2344 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.35547 | -3.36914 | -8.48438 | -8.71875 | -9.03906 | -6.07813 | -6.21875 | -4.14063 |
| 13-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.5352 | -18.4482 | -18.6065 | -46.8047 | -47.7344 | -48.6875 | -33.3438 | -34.0781 | -22.7344 |
| 13-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.2852 | -42.4815 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.8398 | -37.7949 | -38.0059 | -95.625 | -97.4375 | -99.5234 | -68.0625 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.8125 | -14.584 | -14.6611 | -36.8984 | -37.625 | -38.5156 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.7764 | -13.4395 | -13.5635 | -34.1484 | -34.8438 | -35.5156 | -24.3281 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.62598 | -10.1191 | -10.2188 | -25.7031 | -26.2422 | -26.7813 | -18.3438 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -16.2451 | -17.083 | -17.2344 | -43.3828 | -44.2344 | -45.0938 | -30.9063 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.93359 | -7.33106 | -7.37695 | -18.5547 | -18.9688 | -19.4844 | -13.2344 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | -9.125 | -6.07813 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -28.293 | -29.7871 | -30.002 | -75.5078 | -76.9609 | -78.4609 | -53.7344 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.6738 | -19.6484 | -19.8135 | -49.8359 | -50.8281 | -51.8281 | -35.4844 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.77734 | -4.01074 | -4.02637 | -10.1641 | -10.3906 | -10.7422 | -7.26563 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | -12.5 | -12.7969 | -13.0469 | -8.9375 | -9.125 | -6.07813 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -27.251 | -28.6885 | -28.9102 | -72.7578 | -74.1172 | -75.6172 | -51.7656 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -31.3945 | -33.0527 | -33.29 | -83.7578 | -85.3594 | -87.0469 | -59.625 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.4326 | -18.3926 | -18.4922 | -46.5547 | -47.4688 | -48.5313 | -33.1406 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | -9.125 | -6.07813 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.62207 | -3.70117 | -9.32813 | -9.5625 | -9.75781 | -6.67188 | -6.79688 | -4.54688 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.64453 | -2.7168 | -6.82813 | -7.03906 | -7.14844 | -4.90625 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.37793 | -2.4375 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.09082 | -1.11231 | -1.17969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.28809 | -4.3584 | -10.9844 | -11.2656 | -11.4609 | -7.84375 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -8.64453 | -9.13086 | -9.18359 | -23.1016 | -23.6094 | -24.2109 | -16.4844 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -17.2217 | -18.126 | -18.2744 | -45.9922 | -46.8984 | -47.8438 | -32.7656 | -33.4688 | -22.3281 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -20.8955 | -21.9912 | -22.169 | -55.7813 | -56.8906 | -57.9922 | -39.7188 | -40.5781 | -27.0781 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.33789 | -2.42285 | -2.5 | -6.29688 | -6.46094 | -6.58594 | -4.5 | -4.59375 | -3.07813 |
| 14-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.15723 | -6.46484 | -6.54785 | -16.5078 | -16.8516 | -17.2109 | -11.7656 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.70898 | -7.81152 | -19.6484 | -20.0703 | -20.4688 | -14.0469 | -14.3281 | -9.5625 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.77734 | -3.95508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.09766 | -8.19531 | -20.6328 | -21.0547 | -21.4922 | -14.7031 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.71094 | -8.14258 | -8.19531 | -20.6328 | -21.0547 | -21.6406 | -14.7031 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.33301 | -4.3584 | -10.9844 | -11.2656 | -11.6094 | -7.84375 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | -6.79688 | -4.54688 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.4981 | -20.5137 | -20.6934 | -52.0547 | -53.0938 | -54.1328 | -37.0781 | -37.875 | -25.2656 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -27.4668 | -28.9102 | -29.127 | -73.2891 | -74.7031 | -76.1875 | -52.1719 | -53.3125 | -35.5781 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.3975 | -10.9854 | -11.042 | -27.8125 | -28.3828 | -29.0859 | -19.8125 | -20.2344 | -13.5 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.7334 | -3.75781 | -9.46875 | -9.69531 | -10.0234 | -6.78125 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.56641 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.7334 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -7.09082 | -7.44238 | -7.53125 | -18.9766 | -19.375 | -19.7813 | -13.5313 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -7.09082 | -7.49805 | -7.53125 | -18.9766 | -19.375 | -19.8984 | -13.5313 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.62695 | -3.78906 | -3.86621 | -9.74219 | -9.99219 | -10.1719 | -6.95313 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.21094 | -3.41113 | -3.42676 | -8.64844 | -8.86719 | -9.1875 | -6.1875 | -6.3125 | -4.20313 |
| 14-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.8477 | -18.8262 | -18.9385 | -47.6484 | -48.5703 | -49.7031 | -33.9375 | -34.6875 | -23.1406 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -17.2217 | -18.1709 | -18.2744 | -45.9922 | -46.8984 | -47.9688 | -32.7656 | -33.4688 | -22.3281 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -41.1699 | -43.415 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -36.46 | -38.4502 | -38.6582 | -97.3047 | -99.1172 | -101.234 | -69.2344 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.8125 | -14.584 | -14.6611 | -36.8984 | -37.625 | -38.5156 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2178 | -13.3457 | -33.5938 | -34.2656 | -34.9531 | -23.9375 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.46973 | -9.99707 | -10.0527 | -25.3125 | -25.8359 | -26.5078 | -18.0469 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.9815 | -16.8721 | -16.9658 | -42.6875 | -43.5391 | -44.5234 | -30.3906 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.93262 | -5.00977 | -12.6328 | -12.9141 | -13.1953 | -9.01563 | -9.20313 | -6.15625 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.50098 | -1.51074 | -3.79688 | -3.9375 | -4.16406 | -2.75 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.8281 | -29.3438 | -29.5156 | -74.2734 | -75.6875 | -77.3203 | -52.8438 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.7813 | -19.7588 | -19.9219 | -50.1484 | -51.125 | -52.125 | -35.7031 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.87695 | -4.95801 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.7441 | -28.2109 | -28.3613 | -71.3594 | -72.7266 | -74.3047 | -50.7969 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.877 | -32.5645 | -32.7402 | -82.4063 | -83.9688 | -85.7891 | -58.6563 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.125 | -18.0156 | -18.1719 | -45.7109 | -46.6016 | -47.5469 | -32.5625 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.2666 | -2.27148 | -5.73438 | -5.90625 | -6.16406 | -4.125 | -4.20313 | -2.8125 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.70606 | -4.98828 | -5.00977 | -12.6328 | -12.9141 | -13.3203 | -9.01563 | -9.20313 | -6.15625 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.62207 | -3.64356 | -9.1875 | -9.41406 | -9.75781 | -6.57813 | -6.71875 | -4.48438 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | -12.5 | -12.7969 | -13.1953 | -8.9375 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.77832 | -1.83691 | -4.64063 | -4.77344 | -4.88281 | -3.32813 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.65723 | -4.93262 | -4.95801 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.06738 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.87598 | -7.97754 | -20.0703 | -20.5078 | -20.9219 | -14.3281 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -4.09082 | -4.33301 | -4.3584 | -10.9844 | -11.2656 | -11.6094 | -7.84375 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | 0 | 0 | 0 | -5.27734 | -5.53223 | -5.62207 | -14.1484 | -14.4844 | -14.75 | -10.0938 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -16.9092 | -17.793 | -17.9492 | -45.1797 | -46.0547 | -46.9844 | -32.1563 | -32.8594 | -21.9375 |
| 15-603 | New transformers welding | 0 | 0 | 0 | 0 | 0 | -20.5342 | -21.669 | -21.7852 | -54.8281 | -55.8984 | -57.1563 | -39.0313 | -39.8906 | -26.6094 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.27832 | -2.42285 | -2.4375 | -6.15625 | -6.34375 | -6.58594 | -4.42188 | -4.51563 | -3 |
| 15-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.35449 | -6.44531 | -16.2266 | -16.5703 | -16.9063 | -11.5938 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.93164 | -7.97754 | -20.0703 | -20.5078 | -21.0625 | -14.3281 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -4.04199 | -4.22168 | -4.30664 | -10.8438 | -11.0859 | -11.3125 | -7.76563 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | -6.71875 | -4.48438 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -19.084 | -20.1367 | -20.2471 | -50.9531 | -51.9609 | -53.1484 | -36.2813 | -37.0938 | -24.7344 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.9004 | -28.3662 | -28.5264 | -71.7734 | -73.1641 | -74.75 | -51.0781 | -52.2188 | -34.8281 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.1924 | -10.7188 | -10.8252 | -27.2578 | -27.8047 | -28.3438 | -19.4219 | -19.8438 | -13.2344 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | -3.70117 | -9.32813 | -9.5625 | -9.88281 | -6.67188 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.31445 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.4707 | -3.68848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.93359 | -7.33106 | -7.37695 | -18.5547 | -18.9688 | -19.4844 | -13.2344 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.98731 | -7.38672 | -7.42871 | -18.6953 | -19.0859 | -19.625 | -13.3438 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.57227 | -3.7334 | -3.80957 | -9.60938 | -9.84375 | -10.0234 | -6.875 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.29981 | -3.36914 | -8.48438 | -8.71875 | -8.89063 | -6.07813 | -6.21875 | -4.14063 |
| 15-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.4863 | -18.4482 | -18.5557 | -46.6953 | -47.5938 | -48.6875 | -33.25 | -33.9688 | -22.6719 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.8604 | -17.793 | -17.8916 | -45.0391 | -45.9375 | -46.9844 | -32.0781 | -32.7813 | -21.8594 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -40.1826 | -42.3154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.8398 | -37.7393 | -38.0059 | -95.625 | -97.4375 | -99.375 | -68.0625 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.8662 | -14.6397 | -14.7129 | -37.0156 | -37.7734 | -38.6641 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | 0 | 0 | 0 | -12.5713 | -13.2178 | -13.3457 | -33.5938 | -34.2656 | -34.9531 | -23.9375 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | 0 | 0 | 0 | -9.41602 | -9.95215 | -10.002 | -25.1719 | -25.6953 | -26.3672 | -17.9531 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | 0 | 0 | 0 | -15.8838 | -16.7607 | -16.8516 | -42.3984 | -43.2422 | -44.2578 | -30.2031 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | 0 | 0 | 0 | -6.7832 | -7.16504 | -7.21094 | -18.1328 | -18.5391 | -19.0313 | -12.9531 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.58887 | -2.6543 | -6.71094 | -6.89063 | -7.03906 | -4.8125 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | 0 | 0 | 0 | -1.39844 | -1.44531 | -1.51074 | -3.79688 | -3.9375 | -4.00781 | -2.75 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | 0 | 0 | 0 | -27.7207 | -29.1875 | -29.4014 | -73.9609 | -75.3984 | -76.8984 | -52.6563 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | 0 | 0 | 0 | -18.3604 | -19.3701 | -19.4815 | -49.0234 | -49.9922 | -51.1406 | -34.9063 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | -3.92383 | -9.85938 | -10.1094 | -10.3281 | -7.07813 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.87695 | -4.90723 | -12.3594 | -12.625 | -13.0469 | -8.82813 | -9.01563 | -6.01563 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.58887 | -2.6543 | -6.71094 | -6.89063 | -7.03906 | -4.8125 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.76563 | -4.85547 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | 0 | 0 | 0 | -7.6084 | -7.98633 | -8.08594 | -20.3516 | -20.7969 | -21.1875 | -14.5313 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | 0 | 0 | 0 | -26.6846 | -28.1445 | -28.3037 | -71.2422 | -72.5859 | -74.1797 | -50.6875 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | 0 | 0 | 0 | -30.7744 | -32.3975 | -32.6377 | -82.125 | -83.6797 | -85.3438 | -58.4531 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | 0 | 0 | 0 | -17.0166 | -17.96 | -18.0576 | -45.4609 | -46.3438 | -47.3984 | -32.3594 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 0 | 0 | 0 | -2.12207 | -2.21191 | -2.27148 | -5.73438 | -5.90625 | -6.01563 | -4.125 | -4.20313 | -2.8125 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 0 | 0 | 0 | -4.6084 | -4.82129 | -4.90723 | -12.3594 | -12.625 | -12.8984 | -8.82813 | -9.01563 | -6.01563 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 0 | 0 | 0 | -2.4834 | -2.58887 | -2.6543 | -6.71094 | -6.89063 | -7.03906 | -4.8125 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 0 | 0 | 0 | -4.56055 | -4.82129 | -4.85547 | -12.2188 | -12.5078 | -12.8984 | -8.73438 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 0 | 0 | 0 | -1.71191 | -1.82324 | -1.83691 | -4.64063 | -4.77344 | -5.03125 | -3.32813 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.37793 | -2.38574 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | 0 | 0 | 0 | -4.50098 | -4.76563 | -4.79297 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 0 | 0 | 0 | -1.04199 | -1.11231 | -1.12793 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|-----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16-416 | Process Drives - ASD | 0 | 0 | 0 | 0 | 0 | -0.36816 | -0.41211 | -0.41309 | -1.04688 | -1.125 | -1.32031 | -0.79688 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.89941 | -3.92383 | -9.85938 | -10.1094 | -10.4453 | -7.07813 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | 0 | 0 | 0 | -2.54297 | -2.7002 | -2.7168 | -6.82813 | -7.03906 | -7.30469 | -4.90625 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | 0 | 0 | 0 | -16.8115 | -17.7373 | -17.8398 | -44.8984 | -45.7656 | -46.8281 | -31.9688 | -32.6719 | -21.7969 |
| 16-605 | Process control | 0 | 0 | 0 | 0 | 0 | -2.9043 | -3.02246 | -3.10059 | -7.8125 | -8.02344 | -8.17188 | -5.59375 | -5.71875 | -3.8125 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 0 | 0 | 0 | -8.53613 | -9.01953 | -9.06934 | -22.8516 | -23.3125 | -23.9063 | -16.2813 | -16.6406 | -11.0938 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | 0 | 0 | 0 | -2.22949 | -2.32227 | -2.38574 | -6.01563 | -6.16406 | -6.32031 | -4.32813 | -4.39063 | -2.9375 |
| 16-703 | EMS - Chiller | 0 | 0 | 0 | 0 | 0 | -7.81348 | -8.20898 | -8.30371 | -20.9141 | -21.3438 | -21.7813 | -14.9063 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 0 | 0 | 0 | -6.05957 | -6.40918 | -6.44531 | -16.2266 | -16.5703 | -17.0313 | -11.5938 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 0 | 0 | 0 | -7.34961 | -7.77539 | -7.81152 | -19.6484 | -20.0703 | -20.6172 | -14.0469 | -14.3281 | -9.5625 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | 0 | 0 | 0 | -3.68066 | -3.84375 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 0 | 0 | 0 | -7.50586 | -7.87598 | -7.97754 | -20.0703 | -20.5078 | -20.9219 | -14.3281 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -7.55371 | -7.98633 | -8.02832 | -20.2109 | -20.6484 | -21.1875 | -14.4219 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | 0 | 0 | 0 | -3.98242 | -4.22168 | -4.25 | -10.7031 | -10.9766 | -11.3125 | -7.64063 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | 0 | 0 | 0 | -3.36816 | -3.52246 | -3.5918 | -9.04688 | -9.29688 | -9.45313 | -6.46875 | -6.60938 | -4.40625 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | 0 | 0 | 0 | -18.9863 | -20.0371 | -20.1445 | -50.6797 | -51.6719 | -52.8438 | -36.0938 | -36.875 | -24.6094 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 0 | 0 | 0 | -3.88574 | -4.05469 | -4.14063 | -10.4141 | -10.6875 | -10.8906 | -7.45313 | -7.60938 | -5.07813 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 0 | 0 | 0 | -26.7441 | -28.2109 | -28.3613 | -71.3594 | -72.7266 | -74.3047 | -50.7969 | -51.9063 | -34.6406 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 0 | 0 | 0 | -10.0898 | -10.6523 | -10.7158 | -26.9688 | -27.5156 | -28.2188 | -19.2188 | -19.625 | -13.1094 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | -3.64356 | -9.1875 | -9.41406 | -9.60938 | -6.57813 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | 0 | 0 | 0 | -3.26563 | -3.45508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | 0 | 0 | 0 | -3.41602 | -3.56641 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | 0 | 0 | 0 | -6.87988 | -7.27539 | -7.31445 | -18.4453 | -18.8203 | -19.3359 | -13.1563 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | 0 | 0 | 0 | -6.93359 | -7.33106 | -7.37695 | -18.5547 | -18.9688 | -19.4844 | -13.2344 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | 0 | 0 | 0 | -3.52441 | -3.7334 | -3.75781 | -9.46875 | -9.69531 | -10.0234 | -6.78125 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | 0 | 0 | 0 | -3.15723 | -3.29981 | -3.36914 | -8.48438 | -8.71875 | -8.89063 | -6.07813 | -6.21875 | -4.14063 |
| 16-731 | Cool Roof - DX | 0 | 0 | 0 | 0 | 0 | -17.4326 | -18.3926 | -18.4922 | -46.5547 | -47.4688 | -48.5313 | -33.1406 | -33.8594 | -22.5938 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 0 | 0 | 0 | -16.8115 | -17.6816 | -17.8398 | -44.8984 | -45.7656 | -46.6797 | -31.9688 | -32.6719 | -21.7969 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | 0 | 0 | 0 | -39.9775 | -42.1045 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | 0 | 0 | 0 | -35.6836 | -37.5732 | -37.8408 | -95.2266 | -97.0313 | -98.9531 | -67.75 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | 0 | 0 | 0 | -13.5537 | -14.3066 | -14.3809 | -36.2031 | -36.9297 | -37.8203 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | 0 | 0 | 0 | -6.84E-03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | 0 | 0 | 0 | -0.88574 | -0.95703 | -0.96191 | -2.42188 | -2.54688 | -2.72656 | -1.78125 | -1.79688 | -1.20313 |
| N-807 | Flood LED 14W | 0 | 0 | 0 | 0 | 0 | -0.88574 | -0.90039 | -0.96191 | -2.42188 | -2.54688 | -2.57813 | -1.78125 | -1.79688 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | 0 | 0 | 0 | -7.6084 | -8.04199 | -8.08594 | -20.3516 | -20.7969 | -21.3359 | -14.5313 | -14.8438 | -9.89063 |
| N-732 | Run Time Optimizer | 0 | 0 | 0 | 0 | 0 | -74.6245 | -78.6094 | -79.1045 | -199.031 | -202.734 | -206.766 | -141.594 | -144.719 | -96.5469 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | 0 | 0 | 0 | -50.5791 | -53.333 | -53.6211 | -134.922 | -137.445 | -140.313 | -95.9844 | -98.1094 | -65.4688 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | 91.9803 | 93.1053 | 102.6053 | 130.4266 | 139.1287 | 147.451 | 162.4491 | 171.8709 | 176.2069 | 166.0428 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | 68.4086 | 70.0336 | 77.1586 | 97.87833 | 104.3607 | 110.7113 | 122.2211 | 128.9945 | 132.5258 | 124.9555 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | 116.0398 | 117.6648 | 130.1648 | 165.3963 | 175.4812 | 186.8806 | 205.6023 | 218.2039 | 223.8211 | 210.5555 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | 49.2521 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.00991 | 92.91616 | 96.40835 | 90.08023 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 | 29.78719 | 29.64656 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.43013 | 34.80513 | 38.05513 | 48.41352 | 51.62641 | 53.96235 | 59.91451 | 63.4261 | 65.94954 | 61.37922 | 63.81672 | 63.56672 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 | 47.55245 | 46.81807 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.36621 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.3011 | 34.3011 | 37.8011 | 48.15949 | 51.12239 | 53.70832 | 59.91048 | 62.9261 | 65.69954 | 60.87922 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.3011 | 34.4261 | 37.8011 | 48.15949 | 51.12239 | 53.70832 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | 10.68104 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | 201.3671 | 205.4921 | 226.7421 | 288.1191 | 306.5859 | 325.5595 | 358.3749 | 379.7968 | 389.8124 | 366.4452 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | 134.6721 | 137.1721 | 151.4221 | 191.8909 | 204.0979 | 216.762 | 238.4768 | 253.18 | 259.68 | 245.0315 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | 27.05943 | 27.68443 | 30.43443 | 38.61509 | 41.27818 | 43.60826 | 48.04381 | 50.79381 | 52.76256 | 49.76256 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 | 29.78719 | 29.64656 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.68013 | 34.80513 | 38.05513 | 48.41352 | 51.87641 | 54.21235 | 59.91451 | 63.68013 | 65.95357 | 61.63325 | 64.32075 | 63.57075 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 | 47.55245 | 46.81807 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.36621 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.4261 | 34.3011 | 38.0511 | 48.15949 | 51.37239 | 53.70832 | 59.91048 | 63.4261 | 65.69954 | 60.87922 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.4261 | 34.4261 | 38.0511 | 48.40949 | 51.42805 | 53.70832 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | 55.44542 | 56.57042 | 62.44542 | 79.05381 | 84.48741 | 89.03135 | 98.29698 | 104.2423 | 107.7814 | 100.9767 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | 194.3432 | 198.0932 | 218.3432 | 276.684 | 294.8481 | 313.0629 | 344.976 | 366.3667 | 375.0776 | 353.3432 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | 223.6485 | 228.0235 | 251.3985 | 319.0255 | 339.4073 | 360.8887 | 397.5548 | 421.1173 | 432.0079 | 406.0548 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | 123.854 | 126.229 | 139.354 | 176.729 | 188.4136 | 200.2759 | 220.065 | 233.9556 | 239.8071 | 225.4165 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 | 29.78719 | 29.64656 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68013 | 34.80513 | 38.05513 | 48.41352 | 51.93208 | 53.96235 | 59.91451 | 63.18013 | 66.35201 | 61.63325 | 64.07075 | 63.32075 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 | 47.55245 | 46.81807 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.36621 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.3011 | 34.1761 | 38.0511 | 48.15949 | 51.42805 | 53.70832 | 59.91048 | 63.4261 | 65.84798 | 61.12922 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.3011 | 34.4261 | 37.8011 | 48.15949 | 51.17805 | 53.70832 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | 53.3608 | 54.9858 | 60.3608 | 76.50826 | 81.63619 | 86.72408 | 95.14986 | 100.8258 | 104.482 | 97.73983 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | 260.0947 | 264.9697 | 292.3447 | 371.2929 | 394.9453 | 420.2099 | 462.7431 | 490.0753 | 502.5206 | 472.5831 | 495.0987 | 485.3799 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | 68.7836 | 70.2836 | 77.4086 | 98.08243 | 105.3774 | 111.684 | 122.5336 | 130.0727 | 134.2445 | 125.8461 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | 172.7069 | 176.8319 | 194.9569 | 248.121 | 264.6581 | 281.0976 | 309.6366 | 328.621 | 336.6757 | 316.0819 | 331.6132 | 324.3319 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.56589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 | 31.13998 | 30.87436 |
| 1-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.2967 | 44.2967 | 49.0467 | 62.10627 | 66.40119 | 69.74201 | 77.52326 | 81.86701 | 84.45295 | 79.39045 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | 26.66831 | 27.29331 | 30.16831 | 38.14781 | 40.87339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.6108 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.82174 | 102.2592 | 105.1733 | 98.53268 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.88095 | 55.25595 | 60.88095 | 77.48935 | 82.92294 | 88.21689 | 96.98251 | 102.6778 | 105.9669 | 99.4122 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.66419 | 29.28919 | 32.53919 | 41.58118 | 44.32728 | 46.84583 | 51.88294 | 54.87513 | 56.75013 | 52.55482 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | 24.55549 | 24.93049 | 27.55549 | 35.47151 | 37.67756 | 39.19905 | 43.74299 | 46.46956 | 47.81331 | 45.13362 | 46.77424 | 45.78987 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | 135.0955 | 138.4705 | 152.2205 | 194.3631 | 207.6629 | 220.2752 | 242.8221 | 257.3299 | 263.9861 | 247.8611 | 260.1424 | 254.033 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 190.7869 | 195.2869 | 214.9119 | 273.8611 | 291.5838 | 310.74 | 341.326 | 362.6931 | 372.0603 | 348.865 | 365.7244 | 358.3181 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.97701 | 74.35201 | 81.35201 | 104.2944 | 110.8647 | 117.1772 | 129.6098 | 137.1567 | 140.8754 | 132.0239 | 138.4458 | 135.5864 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 39.51472 | 44.14168 | 46.87605 | 47.94636 | 44.48543 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | 24.00714 | 24.13214 | 26.50714 | 34.07159 | 36.5296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | 49.01016 | 50.51016 | 55.63516 | 71.12247 | 75.77188 | 80.06387 | 88.58047 | 93.4711 | 96.26016 | 90.47891 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | 49.13516 | 50.76016 | 55.88516 | 71.37247 | 75.77188 | 80.31387 | 88.58047 | 93.7211 | 96.76016 | 90.72891 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | 25.47884 | 26.10384 | 28.85384 | 36.67611 | 39.14291 | 41.41341 | 45.46322 | 48.44759 | 49.77572 | 46.97884 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | 22.57573 | 23.32573 | 25.20073 | 32.35796 | 34.75054 | 35.81987 | 39.93511 | 42.91948 | 44.09136 | 41.02886 | 42.66948 | 42.34136 |
| 1-731 | Cool Roof - DX | 0 | 0 | 123.596 | 126.596 | 139.346 | 177.8811 | 189.5999 | 201.9524 | 222.4006 | 235.8303 | 241.1819 | 226.4397 | 237.6741 | 232.3303 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 119.7655 | 123.0155 | 134.8905 | 172.0496 | 183.1834 | 195.3397 | 214.8202 | 227.4452 | 233.6248 | 219.0467 | 229.7498 | 225.328 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | 280.7269 | 287.8519 | 317.2269 | 405.0121 | 432.4037 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | 280.7269 | 287.8519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | 259.6834 | 264.3084 | 291.8084 | 369.8982 | 393.5477 | 418.5643 | 461.4334 | 488.4959 | 501.1834 | 471.8709 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | 99.93561 | 101.5606 | 111.5606 | 142.2169 | 150.9776 | 160.0567 | 176.295 | 186.7753 | 192.4003 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | 88.54898 | 92.17398 | 101.174 | 130.424 | 140.425 | 148.7531 | 163.7365 | 173.7093 | 178.0999 | 166.3811 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | 66.37243 | 69.49743 | 76.49743 | 98.08727 | 104.8998 | 111.9633 | 122.4662 | 130.0171 | 133.2202 | 124.4702 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | 112.2981 | 116.6731 | 128.1731 | 165.2981 | 177.4387 | 188.3449 | 208.134 | 220.0287 | 225.224 | 210.2396 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | 48.03443 | 49.65943 | 55.03443 | 70.83033 | 75.99341 | 80.53931 | 88.82349 | 94.48756 | 96.75318 | 90.70631 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.55586 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 | 29.81746 | 29.05183 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 32.6076 | 33.9826 | 37.7326 | 48.20233 | 51.93182 | 54.27264 | 60.53729 | 64.34198 | 65.37323 | 61.51385 | 64.68572 | 63.46697 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.41035 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 | 48.48847 | 46.59785 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.07188 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 32.21648 | 33.84148 | 36.96648 | 47.63836 | 51.62078 | 54.20476 | 60.41179 | 63.70464 | 65.22808 | 61.38433 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.26969 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 15.96309 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 32.21648 | 33.84148 | 36.96648 | 47.63836 | 51.6657 | 54.20476 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.644871 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | 10.4109 | 11.0359 | 11.5359 | 15.54273 | 16.34254 | 16.90504 | 18.89527 | 20.01246 | 20.5984 | 19.48902 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | 195.44 | 202.69 | 223.315 | 287.9058 | 309.2349 | 328.4634 | 362.19 | 384.2213 | 392.0806 | 366.2213 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | 130.374 | 135.499 | 148.874 | 191.4843 | 205.5263 | 218.7002 | 241.413 | 255.9209 | 261.7724 | 244.3896 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | 26.39414 | 27.39414 | 29.89414 | 38.87656 | 41.81015 | 43.39414 | 48.59727 | 51.86667 | 52.83542 | 49.53073 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.55586 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 | 29.81746 | 29.05183 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | 32.7326 | 34.2326 | 37.7326 | 48.45233 | 52.18182 | 54.77264 | 60.78729 | 64.34198 | 65.87323 | 61.51385 | 64.93572 | 63.21697 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.41035 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 | 48.48847 | 46.59785 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.07188 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | 32.21648 | 33.84148 | 37.21648 | 47.88836 | 51.6657 | 54.20476 | 60.16179 | 63.70464 | 65.35308 | 61.38433 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.26969 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | 15.96309 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | 32.21648 | 33.84148 | 37.21648 | 47.63836 | 51.6657 | 54.20476 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.644871 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | 53.57051 | 56.07051 | 61.32051 | 78.69649 | 84.85176 | 89.95527 | 99.29707 | 105.008 | 107.4455 | 100.8205 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | 187.6742 | 195.2992 | 214.9242 | 277.3773 | 297.7005 | 316.1156 | 348.2757 | 369.4867 | 377.4476 | 351.9398 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | 216.3021 | 225.4271 | 247.6771 | 318.7279 | 342.724 | 364.222 | 401.3646 | 425.5246 | 434.3293 | 405.4231 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | 120.3381 | 124.8381 | 137.0881 | 176.9006 | 189.6086 | 201.7678 | 222.7443 | 235.6896 | 241.4318 | 224.9006 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.55586 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 | 29.81746 | 29.05183 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 32.4826 | 33.9826 | 37.7326 | 48.20233 | 52.24822 | 54.52264 | 60.78729 | 64.34198 | 65.77166 | 61.76385 | 64.93572 | 63.21697 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.41035 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 | 48.48847 | 46.59785 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.07188 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 32.21648 | 33.84148 | 37.21648 | 47.63836 | 51.62078 | 54.20476 | 59.91179 | 63.95464 | 65.22808 | 61.38433 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.26969 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 15.96309 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | 32.09148 | 33.84148 | 36.96648 | 47.63836 | 51.62078 | 53.95476 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.644871 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | 89.08928 | 92.96428 | 101.9643 | 131.5717 | 141.3256 | 149.6586 | 165.308 | 175.0424 | 179.1596 | 167.5893 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | 167.1911 | 173.8161 | 191.3161 | 246.0642 | 264.4108 | 280.862 | 309.363 | 328.1599 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.06624 | 100.6717 | 111.4539 | 117.9149 | 121.8914 | 114.1336 | 119.493 | 116.6961 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | 16.08809 | 16.71309 | 18.33809 | 23.72384 | 25.3713 | 26.88985 | 29.27559 | 31.43966 | 32.22091 | 29.96309 | 31.04122 | 30.72872 |
| 2-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.57032 | 81.8838 | 87.07325 | 92.37404 | 101.4844 | 107.6641 | 110.9766 | 104.2266 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 42.08306 | 43.58306 | 47.95806 | 61.82036 | 66.6895 | 70.47368 | 77.99712 | 81.89556 | 84.3565 | 79.11431 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | 25.72884 | 27.10384 | 29.60384 | 38.23959 | 40.90853 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 51.98992 | 54.61492 | 59.48992 | 76.91082 | 83.11492 | 87.65203 | 96.90398 | 102.1306 | 104.9431 | 98.3493 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 52.50604 | 55.00604 | 60.00604 | 77.22577 | 83.38104 | 88.22479 | 97.34198 | 102.7913 | 105.4632 | 98.47882 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.34972 | 28.97472 | 31.97472 | 41.47179 | 44.66808 | 46.74914 | 52.34972 | 54.86938 | 56.11156 | 53.135 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | 23.99908 | 24.87408 | 26.99908 | 35.32135 | 37.53815 | 39.55865 | 43.85846 | 46.3388 | 48.16693 | 44.37005 | 47.01068 | 46.16693 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | 131.6562 | 137.0312 | 150.6562 | 193.9228 | 208.2705 | 220.6377 | 244.1093 | 258.6406 | 264.875 | 246.9531 | 260.7968 | 254.5937 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.5271 | 29.0271 | 32.2771 | 41.25953 | 43.99878 | 46.0271 | 51.23023 | 54.25366 | 55.5896 | 51.91773 | 54.8396 | 53.74585 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 185.3598 | 192.8598 | 212.4848 | 272.9731 | 292.9565 | 311.435 | 343.602 | 364.266 | 372.3207 | 347.391 | 368.2973 | 358.0629 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 70.18278 | 73.43278 | 80.68278 | 103.3449 | 110.8791 | 118.005 | 129.6672 | 137.7609 | 140.589 | 131.9797 | 139.4172 | 135.5265 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.12005 | 25.12005 | 27.49505 | 35.56732 | 38.03412 | 39.55462 | 44.10443 | 46.5888 | 48.16693 | 44.62005 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | 22.95879 | 23.95879 | 25.95879 | 33.67949 | 36.58086 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | 24.12005 | 25.12005 | 27.49505 | 35.56732 | 38.03412 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | 47.74011 | 49.61511 | 54.99011 | 70.68249 | 75.8485 | 79.88561 | 88.49792 | 93.65417 | 96.19324 | 90.22449 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | 48.13122 | 50.13122 | 55.00622 | 71.00329 | 76.11462 | 80.45349 | 88.90466 | 94.06872 | 96.45935 | 90.83435 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | 24.53132 | 25.90632 | 28.28132 | 36.46198 | 39.12507 | 41.45514 | 46.14069 | 48.1407 | 49.35945 | 46.35944 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | 21.76126 | 23.13626 | 24.63626 | 32.15189 | 34.84134 | 35.86966 | 40.15189 | 42.63626 | 43.69095 | 40.65189 | 43.29251 | 42.40189 |
| 2-731 | Cool Roof - DX | 0 | 0 | 120.1446 | 125.3946 | 137.5196 | 176.7237 | 189.9288 | 202.0909 | 222.9024 | 235.8361 | 241.3127 | 225.383 | 238.1486 | 232.633 |
| 2-801 | Premium T8, Electronic Ballast | 0 | 0 | 116.6326 | 121.2576 | 133.3826 | 172.1228 | 184.3582 | 195.7058 | 215.9998 | 228.6717 | 233.7888 | 218.617 | 230.8513 | 225.1326 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | 272.2155 | 284.4655 | 313.0905 | 401.149 | 430.3112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | 272.2155 | 284.4655 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | 251.3895 | 261.2645 | 287.2645 | 370.1404 | 397.4861 | 422.7078 | 465.6473 | 494.3192 | 504.2879 | 470.8738 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-805 | Occupancy Sensor | 0 | 0 | 96.08497 | 100.335 | 110.085 | 142.0215 | 152.5352 | 161.4277 | 178.5615 | 189.1203 | 193.6593 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | 54.90915 | 57.53415 | 62.90915 | 81.03904 | 87.51169 | 92.06247 | 102.3388 | 108.3232 | 110.6513 | 103.8935 | 109.5029 | 106.2998 |
| 3-101 | Compressed Air-O&M | 0 | 0 | 90.7303 | 93.2303 | 102.3553 | 130.4901 | 139.3944 | 147.783 | 163.2616 | 172.7069 | 177.1444 | 166.8553 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | 68.52554 | 70.15054 | 77.40054 | 98.07437 | 104.8136 | 111.1759 | 122.5255 | 130.0646 | 133.5802 | 125.588 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | 114.8906 | 117.8906 | 129.6406 | 165.4346 | 176.5283 | 188.1826 | 206.4141 | 218.7656 | 224.4141 | 210.625 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | 49.12307 | 50.49807 | 55.37307 | 70.80667 | 75.95413 | 80.00003 | 88.42776 | 93.34182 | 96.10745 | 90.35745 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.95906 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 | 29.64656 | 29.44344 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.16804 | 34.41804 | 38.04304 | 48.49909 | 51.97565 | 54.3028 | 60.17585 | 63.7071 | 65.73835 | 61.55866 | 63.99616 | 63.69929 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 | 47.86848 | 46.61848 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 32.78901 | 34.41401 | 38.03901 | 47.74506 | 51.27729 | 53.79877 | 59.67182 | 63.7071 | 65.86335 | 61.05866 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.24936 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 32.78901 | 34.28901 | 38.03901 | 47.99506 | 50.97163 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | 10.54798 | 11.29798 | 11.79798 | 15.44642 | 15.9933 | 17.05873 | 18.59486 | 19.98548 | 20.5558 | 19.54798 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | 200.5607 | 204.6857 | 226.1857 | 288.0802 | 307.3791 | 326.3019 | 359.9748 | 381.1545 | 391.092 | 366.8732 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | 133.7609 | 136.6359 | 150.8859 | 192.0148 | 205.0617 | 217.6662 | 240.0578 | 254.0499 | 260.6828 | 244.7921 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | 27.06346 | 27.68846 | 30.18846 | 38.9658 | 41.4492 | 43.96483 | 48.35252 | 51.07909 | 52.93065 | 49.45408 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.95906 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 | 29.64656 | 29.44344 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.17207 | 34.54707 | 38.29707 | 48.50312 | 51.97968 | 54.30683 | 60.17988 | 63.9571 | 65.73835 | 61.30866 | 64.24616 | 63.69929 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 | 47.86848 | 46.61848 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | 32.91804 | 34.29304 | 38.04304 | 48.24909 | 51.22565 | 53.8028 | 59.92585 | 63.4571 | 65.73835 | 61.30866 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.24936 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | 32.91401 | 34.41401 | 38.03901 | 47.74506 | 51.47163 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | 114.8906 | 117.8906 | 129.6406 | 165.4346 | 176.5283 | 188.1826 | 206.4141 | 218.7656 | 224.4141 | 210.625 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | 54.93333 | 56.68333 | 62.43333 | 79.19798 | 84.57591 | 89.93528 | 98.69896 | 104.6365 | 107.824 | 101.2458 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | 193.0489 | 197.9239 | 217.5489 | 277.4083 | 296.1534 | 314.8174 | 347.0879 | 367.4589 | 376.3261 | 353.2636 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | 222.7292 | 227.6042 | 250.8542 | 319.8513 | 341.0739 | 362.0075 | 399.1667 | 422.9986 | 433.3502 | 406.647 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | 123.1928 | 126.4428 | 139.0678 | 177.0004 | 189.1547 | 201.0599 | 221.1224 | 234.7865 | 239.9896 | 225.4584 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.95906 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 | 29.64656 | 29.44344 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.17207 | 34.42207 | 38.54707 | 48.25312 | 52.28535 | 54.30683 | 60.17988 | 63.4571 | 66.11335 | 61.55866 | 64.24616 | 63.69929 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 | 47.86848 | 46.61848 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 32.91401 | 34.28901 | 38.03901 | 47.99506 | 51.77729 | 53.79877 | 59.67182 | 63.4571 | 65.86335 | 61.30866 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.24936 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | 32.78901 | 34.28901 | 38.03901 | 48.24506 | 51.27729 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | 310.2822 | 317.1572 | 349.0322 | 444.5849 | 474.9736 | 504.7217 | 555.6728 | 589.3603 | 604.1103 | 566.9385 | 594.7822 | 581.7353 |
| 3-404 | Replace V-Belts | 0 | 0 | 31.70842 | 32.83342 | 35.95842 | 46.2094 | 49.22405 | 51.75139 | 57.52873 | 61.07561 | 63.20842 | 58.09905 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | 18.74121 | 19.11621 | 21.24121 | 26.83203 | 28.4414 | 30.25976 | 33.20996 | 35.39746 | 35.7959 | 34.00683 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | 138.2567 | 141.5067 | 155.8817 | 198.2332 | 212.2684 | 225.4286 | 248.4989 | 263.2332 | 270.0379 | 253.1629 | 265.7254 | 260.0379 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | 16.49533 | 16.74533 | 18.37033 | 23.70822 | 25.29318 | 26.37033 | 29.1672 | 31.08127 | 32.20627 | 30.37033 | 30.96408 | 30.94845 |
| 3-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 42.78864 | 44.28864 | 48.78864 | 62.25446 | 66.79841 | 69.89411 | 77.90583 | 82.28864 | 84.61677 | 79.16364 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | 26.5272 | 27.0272 | 29.9022 | 38.67954 | 41.35727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 52.96163 | 54.96163 | 60.58663 | 76.79756 | 82.68428 | 87.53194 | 96.71944 | 102.6413 | 105.0788 | 98.53976 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.49789 | 54.99789 | 60.62289 | 77.18637 | 83.12582 | 88.4266 | 97.28695 | 103.2166 | 106.2791 | 99.52914 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.65613 | 29.15613 | 32.53113 | 42.17078 | 44.41981 | 46.69031 | 52.14832 | 55.16394 | 56.79676 | 53.23426 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | 24.66438 | 25.16438 | 27.53938 | 36.01008 | 37.66145 | 39.24055 | 43.8675 | 46.59785 | 47.79316 | 44.45722 | 46.83222 | 45.83222 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | 134.5592 | 138.1842 | 152.1842 | 194.2858 | 207.821 | 220.9811 | 244.0514 | 259.0358 | 265.0905 | 247.4655 | 260.528 | 254.8405 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 189.2224 | 194.3474 | 214.3474 | 273.9119 | 293.4246 | 311.8328 | 343.4177 | 364.3396 | 372.949 | 348.9568 | 367.3631 | 358.8006 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.69477 | 73.69477 | 81.31977 | 103.9672 | 110.7495 | 117.8618 | 130.1323 | 137.9526 | 141.2573 | 131.8823 | 139.5542 | 136.0698 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68855 | 25.31355 | 27.56355 | 35.88582 | 38.35261 | 40.12312 | 44.42293 | 46.90327 | 48.4814 | 44.93452 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | 23.49102 | 24.11602 | 26.49102 | 34.35919 | 36.76348 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | 24.68855 | 25.31355 | 27.56355 | 35.88582 | 38.35261 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | 48.7239 | 50.2239 | 55.0989 | 71.18972 | 76.04128 | 80.13015 | 88.82546 | 93.9739 | 96.38015 | 90.63015 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | 49.01016 | 50.51016 | 55.38516 | 71.57754 | 76.42813 | 81.03067 | 89.39297 | 95.04519 | 97.18582 | 91.11551 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | 25.22884 | 25.97884 | 28.60384 | 36.78451 | 39.19759 | 41.27767 | 45.21322 | 48.96322 | 49.93197 | 46.68197 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | 22.05961 | 23.18461 | 24.93461 | 32.14555 | 34.84575 | 36.11137 | 40.33305 | 42.8018 | 44.12211 | 40.87211 | 42.99711 | 42.13774 |
| 3-731 | Cool Roof - DX | 0 | 0 | 122.3016 | 126.4266 | 138.8016 | 177.7518 | 190.1942 | 202.8427 | 222.7313 | 236.161 | 241.8719 | 226.4423 | 238.1766 | 232.3173 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 118.9832 | 122.7332 | 134.3582 | 172.4383 | 184.3348 | 195.9979 | 215.8817 | 228.7879 | 234.4754 | 219.077 | 230.7801 | 225.327 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | 277.7633 | 286.7633 | 315.6383 | 405.0133 | 434.2642 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | 277.7633 | 286.7633 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | 258.131 | 264.131 | 290.756 | 371.0744 | 395.5002 | 420.5285 | 463.3107 | 491.1701 | 502.881 | 472.1935 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | 99.26629 | 101.5163 | 111.5163 | 142.4313 | 151.1999 | 161.0358 | 177.196 | 187.9304 | 192.8288 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | 91.81492 | 93.56492 | 102.6899 | 131.3696 | 139.313 | 147.645 | 162.8149 | 172.2446 | 177.0571 | 166.8149 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | 68.6989 | 70.5739 | 77.4489 | 98.41862 | 104.401 | 110.7516 | 122.5114 | 129.7848 | 133.0661 | 125.2458 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | 116.4994 | 117.9994 | 130.2494 | 165.5346 | 176.3715 | 186.766 | 206.3197 | 218.6791 | 224.5229 | 211.0151 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | 49.55045 | 50.42545 | 55.92545 | 71.00651 | 75.59049 | 79.93815 | 88.19889 | 93.35111 | 96.45267 | 90.4683 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 | 29.54928 | 29.65865 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.56318 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 | 64.33284 | 63.58284 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 | 47.56454 | 46.33016 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.68095 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | 10.6891 | 10.9391 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.86098 | 19.7516 | 20.57191 | 19.5641 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | 202.7622 | 206.1372 | 227.1372 | 288.8667 | 307.3413 | 326.0571 | 359.0512 | 380.9771 | 390.2584 | 367.0318 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | 135.0633 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | 27.21666 | 27.84166 | 30.46666 | 38.94616 | 41.42174 | 43.69127 | 47.9901 | 50.74791 | 52.81041 | 49.87291 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 | 29.54928 | 29.65865 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.81721 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 54.22444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 | 64.83284 | 63.58284 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 | 47.56454 | 46.33016 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 60.78144 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.68095 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | 55.61877 | 56.99377 | 62.24377 | 79.15099 | 84.34142 | 89.13146 | 98.23596 | 104.4391 | 108.486 | 101.3531 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | 194.9842 | 198.2342 | 218.7342 | 277.6835 | 295.3504 | 313.8124 | 346.1483 | 366.2695 | 375.7383 | 353.4414 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | 224.8057 | 227.9307 | 252.0557 | 319.54 | 340.2197 | 361.4111 | 397.9619 | 422.0441 | 432.6222 | 407.3878 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | 124.1927 | 126.5677 | 139.9427 | 177.6165 | 188.5686 | 200.6663 | 220.5442 | 233.9427 | 240.5364 | 225.8489 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 | 29.54928 | 29.65865 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 | 64.83284 | 63.33284 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 | 47.56454 | 46.33016 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.68095 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.40595 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | 16.51145 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 28.90207 | 30.79648 | 32.10117 | 29.96054 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | 44.2684 | 45.5184 | 49.8934 | 63.5018 | 67.55258 | 71.14047 | 78.97934 | 83.35031 | 86.42062 | 81.06125 | 84.29562 | 82.5925 |
| 4-407 | High Consistency forming | 0 | 0 | 42.91364 | 43.41364 | 48.03864 | 61.13825 | 64.97614 | 68.26032 | 75.4527 | 80.0583 | 82.75361 | 77.48017 | 80.71455 | 79.16767 |
| 4-408 | Optimization control PM | 0 | 0 | 26.82152 | 27.44652 | 30.19652 | 38.37718 | 40.84593 | 43.12035 | 47.30589 | 50.0559 | 51.89183 | 49.27464 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | 16.49533 | 16.87033 | 18.62033 | 23.59982 | 25.19259 | 26.50607 | 29.13595 | 30.78439 | 31.94064 | 30.19845 | 31.51095 | 30.80783 |
| 4-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.56282 | 44.43782 | 49.06282 | 62.06379 | 66.36164 | 69.94465 | 77.39876 | 81.51595 | 84.32063 | 79.03157 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | 26.92637 | 27.42637 | 30.17637 | 38.10704 | 40.82579 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.86886 | 55.24386 | 60.61886 | 77.07101 | 82.18917 | 86.78878 | 96.3298 | 100.9782 | 104.8923 | 98.08761 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.13498 | 55.38498 | 61.13498 | 77.39084 | 82.26095 | 87.36252 | 96.70529 | 101.8968 | 105.5609 | 98.71714 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.91822 | 29.54322 | 32.79322 | 41.77564 | 44.2649 | 46.79322 | 51.24635 | 54.51978 | 56.60572 | 52.68385 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | 24.55549 | 24.80549 | 27.55549 | 35.42366 | 37.82795 | 39.39729 | 43.35237 | 46.10237 | 47.50862 | 44.52424 | 46.66487 | 45.71174 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | 136.1116 | 138.9866 | 152.7366 | 194.1155 | 206.9124 | 219.7669 | 242.6585 | 256.9047 | 263.5375 | 247.3969 | 258.9281 | 253.9594 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 191.8272 | 195.5772 | 215.2022 | 273.5879 | 291.5518 | 309.6983 | 341.0537 | 361.6709 | 370.7334 | 348.5459 | 364.6709 | 358.2022 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 72.74715 | 74.49715 | 81.62215 | 103.962 | 110.4688 | 117.088 | 129.0909 | 136.8878 | 140.4425 | 132.3409 | 138.2472 | 134.9815 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.81758 | 25.06758 | 27.81758 | 35.4836 | 37.93965 | 39.71114 | 43.75508 | 46.48164 | 48.07539 | 45.14571 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | 23.63617 | 24.13617 | 26.76117 | 34.0268 | 36.71625 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | 24.81758 | 25.06758 | 27.81758 | 35.4836 | 37.93965 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | 49.01822 | 50.51822 | 55.64322 | 71.0231 | 75.36295 | 79.70767 | 88.58853 | 92.9595 | 96.60013 | 90.29544 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | 49.26822 | 50.64322 | 56.14322 | 71.0231 | 75.86295 | 79.95767 | 88.58853 | 93.46353 | 96.60416 | 90.79947 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | 25.4869 | 25.8619 | 28.3619 | 36.63632 | 39.05038 | 41.36972 | 45.33065 | 47.80319 | 49.74069 | 46.38912 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | 22.70073 | 23.07573 | 25.20073 | 32.31011 | 34.69487 | 35.76811 | 39.79448 | 42.77104 | 43.69292 | 41.20073 | 42.81011 | 42.27886 |
| 4-731 | Cool Roof - DX | 0 | 0 | 123.8742 | 126.7492 | 139.8742 | 177.4542 | 189.3507 | 201.0138 | 221.1476 | 234.8039 | 241.2414 | 226.3429 | 237.296 | 232.3429 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 120.4106 | 122.6606 | 135.4106 | 172.1147 | 182.9926 | 194.6372 | 214.5278 | 227.4184 | 232.3247 | 219.1762 | 229.6294 | 224.5825 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | 282.1543 | 288.0293 | 317.5293 | 404.248 | 431.6611 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | 282.1543 | 288.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | 260.3647 | 264.2397 | 292.2397 | 370.938 | 394.8403 | 419.355 | 461.3882 | 489.7163 | 501.6616 | 472.2241 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | 99.93561 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | 91.85933 | 93.10933 | 102.6093 | 130.4306 | 139.0771 | 147.455 | 161.9531 | 171.8709 | 176.0584 | 166.0428 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | 68.4086 | 70.0336 | 77.1586 | 98.12833 | 104.3607 | 110.9613 | 122.4711 | 128.9945 | 132.5258 | 124.9555 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | 116.0398 | 117.7898 | 130.1648 | 165.1463 | 175.7869 | 186.8806 | 205.6023 | 218.2079 | 223.9423 | 210.5595 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | 49.2521 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.00991 | 92.91616 | 96.15835 | 90.08023 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.64656 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.56318 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 | 64.33284 | 63.58284 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 25.0837 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 | 47.55245 | 46.81807 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | 10.68104 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | 201.4921 | 205.7421 | 226.7421 | 288.1191 | 306.3359 | 325.3095 | 358.3749 | 379.7968 | 389.8124 | 366.1952 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | 135.0633 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | 27.05943 | 27.80943 | 30.43443 | 38.61509 | 41.33384 | 43.60826 | 48.04381 | 50.79381 | 52.76256 | 49.76256 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.64656 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.81721 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 | 64.83284 | 63.58284 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 25.0837 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 | 47.55245 | 46.81807 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | 55.44542 | 56.57042 | 62.44542 | 79.05381 | 84.43174 | 89.03135 | 98.29698 | 104.2423 | 107.6329 | 101.2267 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | 194.3472 | 197.9722 | 218.0972 | 276.9381 | 294.8521 | 313.317 | 344.98 | 366.1167 | 375.0776 | 352.8432 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | 223.5235 | 228.0235 | 251.3985 | 319.0255 | 339.4073 | 360.8887 | 397.0548 | 421.3673 | 432.0079 | 406.0548 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | 123.858 | 126.358 | 139.358 | 176.733 | 188.4176 | 200.2799 | 220.069 | 233.9556 | 239.8071 | 225.4165 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.64656 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 | 64.83284 | 63.33284 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 25.0837 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 | 47.55245 | 46.81807 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.62839 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.40595 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | 55.05027 | 56.17527 | 61.92527 | 78.47898 | 83.60691 | 88.45359 | 97.13621 | 103.0737 | 106.4878 | 100.3471 | 104.4096 | 102.0034 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | 123.858 | 126.358 | 139.358 | 176.733 | 188.4176 | 200.2799 | 220.069 | 233.9556 | 239.8071 | 225.4165 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | 56.52197 | 58.14697 | 63.77197 | 80.83545 | 85.98096 | 91.57568 | 100.686 | 106.6157 | 110.0532 | 102.9282 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5-412 | Efficient drives | 0 | 0 | 18.99524 | 19.12024 | 21.24524 | 27.03821 | 28.38977 | 30.21203 | 33.07336 | 35.0343 | 36.14367 | 34.15149 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.81589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 | 31.13998 | 30.87436 |
| 5-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.2967 | 44.2967 | 49.0467 | 62.10627 | 66.40119 | 69.99201 | 77.27326 | 81.86701 | 84.70295 | 79.39045 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | 26.66831 | 27.29331 | 30.16831 | 38.14781 | 40.81773 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.6108 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.32174 | 102.0092 | 105.1733 | 98.53268 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.88095 | 55.25595 | 61.13095 | 77.48935 | 82.61728 | 88.21689 | 96.98251 | 102.6778 | 105.8184 | 99.4122 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.66419 | 29.28919 | 32.53919 | 41.58118 | 44.32728 | 46.84583 | 51.88294 | 54.87513 | 56.75013 | 52.55482 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | 24.55549 | 24.93049 | 27.55549 | 35.47151 | 37.67756 | 39.19905 | 43.74299 | 46.21956 | 47.81331 | 44.63362 | 46.77424 | 45.78987 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | 135.0955 | 138.5955 | 152.4705 | 194.3631 | 207.6629 | 220.5252 | 242.8221 | 257.5799 | 263.4861 | 247.6111 | 260.1424 | 254.033 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 190.7869 | 195.2869 | 214.9119 | 273.8611 | 291.5838 | 310.49 | 341.326 | 362.6931 | 371.8103 | 348.615 | 365.7244 | 358.5681 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.97701 | 74.22701 | 81.35201 | 104.2944 | 110.8208 | 117.1772 | 129.6098 | 137.1567 | 140.6958 | 132.0239 | 138.4458 | 135.3364 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 37.93562 | 39.51472 | 43.89168 | 46.87605 | 48.07136 | 44.48543 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | 24.00714 | 24.13214 | 26.50714 | 34.07159 | 36.5296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 37.93562 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | 49.01016 | 50.63516 | 55.63516 | 71.12247 | 75.96622 | 80.06387 | 88.58047 | 93.4711 | 96.36954 | 90.22891 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | 49.26016 | 50.76016 | 55.88516 | 71.37247 | 76.02188 | 80.31387 | 88.58047 | 93.72513 | 96.76419 | 90.48294 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | 25.47884 | 26.10384 | 28.85384 | 36.67611 | 39.14291 | 41.41341 | 45.21322 | 48.45162 | 50.02975 | 46.98287 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | 22.45073 | 23.20073 | 25.20073 | 32.35796 | 34.75054 | 35.81987 | 39.93511 | 42.91948 | 44.09136 | 41.02886 | 42.66948 | 42.34136 |
| 5-731 | Cool Roof - DX | 0 | 0 | 123.721 | 126.596 | 139.346 | 177.8811 | 189.5442 | 201.9524 | 222.1506 | 235.8303 | 241.0335 | 226.4397 | 237.4241 | 232.0803 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 119.6405 | 123.0155 | 134.8905 | 172.2996 | 183.1834 | 195.3397 | 214.8202 | 227.4452 | 233.6248 | 218.7967 | 229.4998 | 225.078 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | 280.7309 | 287.9809 | 317.2309 | 404.7661 | 432.4624 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | 280.7309 | 287.9809 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | 259.5624 | 264.1874 | 291.5624 | 369.9023 | 393.6074 | 418.5683 | 461.1874 | 488.7459 | 501.5818 | 471.8709 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | 99.93561 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | 91.75851 | 93.38351 | 102.6335 | 130.5974 | 138.49 | 147.1159 | 162.446 | 171.6141 | 176.536 | 166.3719 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | 68.67472 | 70.29972 | 77.17472 | 98.29191 | 104.0605 | 110.8749 | 122.206 | 129.2216 | 132.3935 | 124.7685 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | 116.5559 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | 49.76822 | 50.51822 | 55.89322 | 70.61685 | 75.20767 | 79.29166 | 87.91666 | 92.81913 | 95.91288 | 90.491 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.56318 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 | 64.33284 | 63.58284 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.61098 | 19.7516 | 20.32191 | 19.5641 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | 202.5324 | 206.0324 | 227.2824 | 287.5969 | 306.0539 | 325.0178 | 357.6027 | 379.2746 | 388.7668 | 366.3918 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | 135.0633 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | 27.20055 | 27.95055 | 30.45055 | 38.88121 | 41.5443 | 43.37438 | 48.05992 | 50.56396 | 52.53271 | 49.7827 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.81721 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 | 64.83284 | 63.58284 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | 55.57445 | 56.82445 | 62.19945 | 78.7053 | 84.13109 | 88.92698 | 98.01976 | 103.9573 | 107.2619 | 100.5276 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | 195.0045 | 198.3795 | 218.8795 | 276.9137 | 294.3131 | 313.023 | 344.4498 | 365.0592 | 374.2389 | 352.5201 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | 224.5598 | 227.9348 | 251.9348 | 318.9504 | 338.8713 | 360.5422 | 396.6145 | 420.4232 | 431.2123 | 405.8919 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | 124.2492 | 126.3742 | 139.8742 | 176.5333 | 187.6671 | 200.0734 | 219.8039 | 233.1789 | 239.6085 | 224.7804 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 | 64.83284 | 63.33284 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.40595 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | 55.4293 | 56.4293 | 61.6793 | 78.38145 | 83.24961 | 88.34922 | 96.64024 | 102.7887 | 105.9527 | 99.64805 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | 206.2339 | 209.9839 | 231.9839 | 293.0718 | 312.355 | 331.518 | 364.4292 | 386.6207 | 396.527 | 373.8316 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | 43.57088 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 69.85017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | 2.786172 | 3.286172 | 3.411172 | 4.529336 | 5.073281 | 5.074258 | 5.708047 | 5.286172 | 5.981485 | 5.458047 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | 43.57088 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 69.85017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | 16.51145 | 16.88645 | 18.88645 | 23.61594 | 25.45871 | 26.52219 | 29.15207 | 30.80051 | 32.20676 | 30.71457 | 31.02707 | 30.82395 |
| 6-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.57088 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 70.10017 | 76.62557 | 81.47713 | 84.71151 | 79.35213 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | 26.80943 | 27.55943 | 30.18443 | 38.06138 | 40.72349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 54.00998 | 55.50998 | 61.13498 | 76.73459 | 82.16037 | 86.4465 | 95.78342 | 101.2053 | 105.0022 | 98.43186 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.53012 | 55.78012 | 61.15512 | 77.05258 | 82.47544 | 87.0184 | 96.44418 | 101.6161 | 105.4286 | 98.78012 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | 29.18031 | 29.68031 | 33.05531 | 41.48988 | 43.97133 | 46.49769 | 51.11 | 54.38344 | 56.25062 | 52.61781 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | 24.68855 | 24.93855 | 27.31355 | 35.128 | 37.83601 | 39.59871 | 43.21199 | 45.43855 | 47.76668 | 44.70418 | 46.81355 | 45.6573 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | 136.6439 | 139.0189 | 153.0189 | 193.5843 | 206.056 | 218.973 | 240.8548 | 255.8157 | 262.8314 | 247.3157 | 258.097 | 253.597 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 192.5005 | 195.5005 | 215.7505 | 273.2261 | 290.8501 | 309.0621 | 339.9771 | 360.313 | 369.4927 | 348.0787 | 364.4068 | 357.4693 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 73.0173 | 74.2673 | 81.8923 | 103.8259 | 110.6394 | 116.6931 | 128.6892 | 136.7517 | 140.4079 | 132.0798 | 137.9861 | 135.0486 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.57564 | 25.07564 | 27.82564 | 35.4438 | 37.8481 | 39.91744 | 43.62251 | 46.37251 | 47.77876 | 45.04439 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | 23.78132 | 24.28132 | 26.78132 | 34.04694 | 36.73639 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | 24.57564 | 25.07564 | 27.82564 | 35.4438 | 37.8481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | 49.56254 | 50.31254 | 55.93754 | 71.06742 | 75.40727 | 79.50199 | 88.13285 | 93.25785 | 96.64848 | 90.59379 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | 49.56657 | 50.69157 | 56.19157 | 71.32145 | 75.96696 | 80.00602 | 88.63688 | 93.75785 | 97.02348 | 91.09379 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | 25.63608 | 25.88608 | 28.63608 | 36.91049 | 39.32456 | 41.64389 | 45.35483 | 47.57736 | 49.01486 | 46.6633 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | 22.72491 | 23.09991 | 25.22491 | 32.58428 | 34.71905 | 36.29229 | 39.81866 | 42.54119 | 43.96307 | 41.47088 | 42.83025 | 42.049 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | 124.4749 | 126.8499 | 140.2249 | 177.5013 | 189.1458 | 201.0628 | 221.8577 | 235.264 | 241.4436 | 226.8186 | 236.803 | 232.8811 |
| 6-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 120.9227 | 122.7977 | 135.4227 | 171.575 | 182.4217 | 193.5731 | 213.4461 | 226.5908 | 232.4736 | 218.6142 | 228.7861 | 224.1924 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | 283.7268 | 288.8518 | 318.6018 | 403.5979 | 429.968 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | 283.7268 | 288.8518 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | 260.4818 | 264.2318 | 291.8568 | 369.7874 | 393.1634 | 418.4232 | 460.1302 | 487.9193 | 500.3411 | 470.8724 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | 100.0606 | 101.5606 | 111.8106 | 142.1143 | 150.8116 | 159.9415 | 176.0137 | 186.7403 | 191.9825 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | 91.75851 | 93.38351 | 102.6335 | 130.5974 | 138.49 | 147.1159 | 162.446 | 171.6141 | 176.536 | 166.3719 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | 68.67472 | 70.29972 | 77.17472 | 98.29191 | 104.0605 | 110.8749 | 122.206 | 129.2216 | 132.3935 | 124.7685 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | 116.5559 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | 49.76822 | 50.51822 | 55.89322 | 70.61685 | 75.20767 | 79.29166 | 87.91666 | 92.81913 | 95.91288 | 90.491 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.56318 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 | 64.33284 | 63.58284 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | 5.407051 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | 13.45916 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.61098 | 19.7516 | 20.32191 | 19.5641 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | 202.5324 | 206.0324 | 227.2824 | 287.5969 | 306.0539 | 325.0178 | 357.6027 | 379.2746 | 388.7668 | 366.3918 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | 135.0633 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | 27.20055 | 27.95055 | 30.45055 | 38.88121 | 41.5443 | 43.37438 | 48.05992 | 50.56396 | 52.53271 | 49.7827 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.81721 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 | 64.83284 | 63.58284 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | 5.407051 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | 13.45916 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | 55.57445 | 56.82445 | 62.19945 | 78.7053 | 84.13109 | 88.92698 | 98.01976 | 103.9573 | 107.2619 | 100.5276 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | 195.0045 | 198.3795 | 218.8795 | 276.9137 | 294.3131 | 313.023 | 344.4498 | 365.0592 | 374.2389 | 352.5201 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | 224.5598 | 227.9348 | 251.9348 | 318.9504 | 338.8713 | 360.5422 | 396.6145 | 420.4232 | 431.2123 | 405.8919 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | 124.2492 | 126.3742 | 139.8742 | 176.5333 | 187.6671 | 200.0734 | 219.8039 | 233.1789 | 239.6085 | 224.7804 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.72115 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 | 29.54928 | 29.65865 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 | 64.83284 | 63.33284 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 | 47.44307 | 46.48995 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.79386 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.40595 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 8.031959 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | 5.407051 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | 13.45916 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | 116.5559 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | 5.407051 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | 13.45916 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | 16.51145 | 16.88645 | 18.88645 | 23.61594 | 25.45871 | 26.52219 | 28.90207 | 30.80051 | 32.20676 | 30.46457 | 31.02707 | 30.82395 |
| 7-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.57088 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 70.10017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | 26.79331 | 27.54331 | 30.16831 | 37.99058 | 40.65171 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 54.00998 | 55.50998 | 60.88498 | 76.73459 | 82.09396 | 86.6965 | 96.03342 | 101.2093 | 104.6078 | 98.43589 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.40915 | 55.78415 | 61.15915 | 77.30661 | 82.43454 | 87.02243 | 96.44821 | 101.6161 | 105.2723 | 98.78012 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | 29.16419 | 29.66419 | 33.03919 | 41.42493 | 43.91126 | 46.42982 | 50.70325 | 54.22669 | 56.33607 | 52.49232 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | 24.81355 | 24.93855 | 27.31355 | 35.128 | 37.51863 | 39.59871 | 43.46199 | 45.43855 | 47.36824 | 44.70418 | 47.06355 | 45.6573 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | 136.6439 | 138.8939 | 153.0189 | 193.5843 | 206.056 | 218.973 | 240.6048 | 255.8157 | 262.8314 | 247.3157 | 258.097 | 253.597 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 192.4925 | 195.4925 | 215.7425 | 273.1653 | 290.7874 | 309.0032 | 339.5862 | 360.1838 | 369.5822 | 347.9416 | 364.0353 | 357.3947 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 73.00118 | 74.37618 | 81.87618 | 103.5051 | 110.2619 | 116.6193 | 128.7902 | 136.3449 | 139.6262 | 132.2043 | 137.8606 | 134.9699 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.71676 | 25.09176 | 27.84176 | 35.25777 | 38.21383 | 39.73531 | 43.52926 | 46.25582 | 48.09957 | 45.16988 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | 23.78535 | 24.28535 | 26.78535 | 34.30097 | 36.49042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | 24.71676 | 25.09176 | 27.84176 | 35.25777 | 38.21383 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | 49.53434 | 50.53434 | 55.90934 | 71.19254 | 75.57438 | 79.37027 | 87.79215 | 92.6984 | 96.44059 | 90.36247 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | 49.67545 | 50.67545 | 56.17545 | 71.25651 | 75.84049 | 79.93815 | 88.44889 | 93.35514 | 96.4567 | 90.97233 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | 25.61996 | 25.99496 | 28.61996 | 36.84066 | 39.30844 | 40.82113 | 44.69809 | 47.68246 | 49.50277 | 46.54184 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | 22.84991 | 22.97491 | 25.22491 | 32.58428 | 35.02471 | 36.54229 | 39.81866 | 42.54522 | 44.11553 | 41.47491 | 42.83428 | 42.05303 |
| 7-731 | Cool Roof - DX | 0 | 0 | 124.3096 | 126.9346 | 140.4346 | 177.5596 | 188.7002 | 200.6065 | 221.1455 | 234.5362 | 240.7315 | 226.4971 | 236.9659 | 232.1377 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 120.9227 | 122.7977 | 135.4227 | 171.575 | 182.4217 | 193.5731 | 213.4461 | 226.5908 | 232.4736 | 218.6142 | 228.7861 | 224.1924 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | 283.8518 | 288.6018 | 318.6018 | 403.5491 | 429.6067 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | 283.8518 | 288.6018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | 260.4818 | 264.2318 | 291.8568 | 369.7874 | 393.1634 | 418.4232 | 460.1302 | 487.9193 | 500.3411 | 470.8724 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | 100.0606 | 101.5606 | 111.8106 | 142.1143 | 150.8116 | 159.9415 | 176.0137 | 186.7403 | 191.9825 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | 91.73836 | 92.86336 | 102.3634 | 130.4835 | 139.6915 | 147.5108 | 162.8477 | 172.0196 | 176.8399 | 166.129 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | 68.27554 | 70.15054 | 77.15054 | 97.87027 | 104.6476 | 110.9533 | 122.213 | 128.9905 | 132.9124 | 124.9515 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | 115.7818 | 117.9068 | 129.9068 | 165.3882 | 175.7232 | 186.8726 | 205.5943 | 218.4458 | 223.813 | 210.5474 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | 49.26419 | 50.63919 | 55.88919 | 71.22024 | 75.60892 | 79.40188 | 88.16263 | 93.06888 | 96.60013 | 90.18607 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 | 29.78719 | 29.39656 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.42207 | 34.79707 | 38.04707 | 48.40546 | 51.36836 | 53.70429 | 59.90645 | 63.4261 | 65.94954 | 61.12922 | 63.81672 | 63.56672 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.82967 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 | 47.79842 | 46.81404 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.29707 | 37.79707 | 48.40546 | 51.11836 | 53.70429 | 59.90645 | 62.92207 | 65.44551 | 60.87519 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54789 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.49936 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.54707 | 34.29707 | 37.79707 | 48.40546 | 51.17402 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | 10.68104 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.35292 | 19.99354 | 21.22011 | 19.55604 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | 201.4881 | 205.7381 | 226.4881 | 288.1697 | 306.6365 | 325.8572 | 358.785 | 380.4646 | 389.9568 | 366.535 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | 134.5351 | 137.0351 | 151.4101 | 191.8788 | 204.0858 | 216.7499 | 238.4648 | 253.1679 | 259.6679 | 245.0194 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | 27.07555 | 27.70055 | 30.20055 | 38.68004 | 41.34996 | 43.42516 | 47.97399 | 50.97777 | 52.39183 | 49.60277 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 | 29.78719 | 29.39656 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.5511 | 35.0511 | 38.0511 | 48.40949 | 51.87239 | 54.20832 | 59.91048 | 63.1761 | 65.94954 | 61.62922 | 64.06672 | 63.81672 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.82967 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 | 47.79842 | 46.81404 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.04707 | 38.04707 | 48.40546 | 51.36836 | 53.70429 | 59.90645 | 63.17207 | 65.44551 | 61.12519 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54789 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.49936 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.29707 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | 55.31639 | 56.69139 | 62.69139 | 78.79979 | 84.23338 | 89.02733 | 98.54295 | 103.9883 | 107.7773 | 101.2226 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | 194.0731 | 197.6981 | 218.0731 | 276.9139 | 294.8836 | 313.0428 | 344.7059 | 366.3465 | 374.9168 | 352.8231 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | 223.5356 | 228.0356 | 251.4106 | 318.895 | 340.0747 | 360.7661 | 397.5669 | 421.141 | 432.7191 | 406.2347 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | 123.7169 | 126.3419 | 139.5919 | 176.4669 | 188.4015 | 200.2638 | 220.3029 | 233.4435 | 240.0451 | 225.4044 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 | 29.78719 | 29.39656 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.4261 | 35.0511 | 38.0511 | 48.40949 | 51.67805 | 53.95832 | 59.91048 | 63.1761 | 66.34798 | 61.62922 | 64.06672 | 63.56672 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.82967 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 | 47.79842 | 46.81404 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.29707 | 38.04707 | 48.15546 | 51.11836 | 53.70429 | 59.90645 | 63.42207 | 65.44551 | 61.12519 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54789 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.49936 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.29707 | 37.79707 | 48.15546 | 51.11836 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | 54.66721 | 56.16721 | 61.91721 | 78.47092 | 83.40354 | 88.69553 | 97.12815 | 103.3157 | 107.1047 | 100.3391 | 104.4016 | 102.2453 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | 205.4557 | 209.9557 | 231.4557 | 293.2037 | 312.4547 | 332.4254 | 365.0182 | 387.4713 | 397.5104 | 373.8463 | 391.5182 | 383.8619 |
| 8-419 | Direct drive Extruders | 0 | 0 | 473.5823 | 481.9573 | 531.7073 | 675.5833 | 719.5823 | 765.5247 | 842.0042 | 893.2738 | 915.0785 | 860.2426 | 901.7426 | 883.3832 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | 129.9062 | 132.4062 | 145.6562 | 185.1064 | 197.0488 | 210.1972 | 230.8359 | 245.0196 | 251.2306 | 235.8009 | 247.0352 | 241.9259 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | 122.6363 | 124.7613 | 137.5113 | 174.9205 | 186.0543 | 197.7106 | 217.691 | 231.3201 | 236.9998 | 222.6716 | 233.3748 | 228.7029 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | 16.62436 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.81186 | 29.28061 | 30.71811 | 32.2103 | 30.29623 | 31.13998 | 30.87436 |
| 8-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.29267 | 44.29267 | 49.04267 | 62.10224 | 66.45185 | 69.98798 | 77.51923 | 81.61298 | 84.32392 | 79.13642 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | 26.66831 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.61886 | 54.86886 | 60.61886 | 76.97726 | 82.35519 | 87.4548 | 96.22042 | 101.9198 | 105.5604 | 98.65414 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.87289 | 55.37289 | 60.87289 | 77.48129 | 82.66488 | 88.20883 | 96.72445 | 102.6698 | 105.7088 | 99.40414 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.66016 | 29.41016 | 32.78516 | 41.57715 | 44.32325 | 46.8418 | 51.62891 | 54.8711 | 56.7461 | 53.05079 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | 24.55146 | 24.92646 | 27.80146 | 35.46748 | 37.86787 | 39.19502 | 43.73896 | 46.46553 | 47.91084 | 44.87959 | 46.77021 | 45.53584 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | 135.2205 | 138.3455 | 152.2205 | 194.4119 | 207.7186 | 220.8328 | 242.7127 | 257.9393 | 263.8846 | 247.7049 | 260.2518 | 254.5955 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 190.6699 | 195.4199 | 214.6699 | 273.4658 | 292.1475 | 310.8565 | 341.6153 | 362.9903 | 371.7168 | 348.7949 | 366.6856 | 358.4668 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.96895 | 74.21895 | 81.34395 | 104.2863 | 110.8566 | 117.4191 | 129.6018 | 137.6486 | 140.8674 | 132.2658 | 138.6877 | 135.5783 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68855 | 25.31355 | 27.81355 | 35.78425 | 37.93562 | 39.51472 | 43.89168 | 46.87202 | 48.06733 | 44.7314 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-725 | DX Coil Cleaning | 0 | 0 | 24.00714 | 24.13214 | 26.50714 | 34.07159 | 36.46222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | 24.68855 | 25.31355 | 27.81355 | 35.78425 | 37.93562 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | 49.0021 | 50.6271 | 55.3771 | 70.86441 | 76.01382 | 80.05581 | 88.57241 | 93.71707 | 96.25613 | 90.47488 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | 49.13113 | 50.75613 | 55.88113 | 71.11844 | 76.01785 | 80.30984 | 88.82644 | 93.96707 | 96.75613 | 90.97488 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | 25.47884 | 26.10384 | 28.85384 | 36.67611 | 39.08724 | 41.41341 | 45.21322 | 48.69759 | 49.62728 | 46.97884 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | 22.4467 | 23.3217 | 25.1967 | 32.35393 | 34.80217 | 36.06584 | 40.18108 | 42.91545 | 43.98576 | 41.27483 | 42.66545 | 42.33733 |
| 8-731 | Cool Roof - DX | 0 | 0 | 123.4548 | 126.7048 | 139.3298 | 177.365 | 189.8338 | 201.6863 | 221.8845 | 235.8142 | 241.1658 | 226.4236 | 237.658 | 232.0642 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 119.7493 | 122.7493 | 134.8743 | 172.0335 | 183.6673 | 195.0736 | 215.054 | 227.679 | 233.6087 | 218.7806 | 229.7337 | 225.3118 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | 280.7229 | 287.8479 | 317.2229 | 404.8664 | 432.76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | 280.7229 | 287.8479 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | 259.4374 | 264.4374 | 291.5624 | 370.0107 | 394.207 | 419.4277 | 461.7109 | 489.293 | 501.6133 | 472.0508 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | 100.0646 | 101.6896 | 111.5646 | 142.5246 | 150.9816 | 160.1115 | 176.6896 | 187.424 | 192.4084 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | 91.78671 | 93.53671 | 102.6617 | 130.983 | 138.8795 | 147.5074 | 162.7555 | 172.1773 | 177.1148 | 166.5992 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | 68.6989 | 70.4489 | 77.4489 | 98.41862 | 104.151 | 110.7516 | 122.5114 | 129.7889 | 133.0701 | 125.4998 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | 116.6124 | 118.1124 | 129.9874 | 165.4688 | 176.3594 | 186.7032 | 205.9249 | 218.5264 | 224.7608 | 210.878 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | 49.78434 | 50.65934 | 55.90934 | 71.19254 | 75.57438 | 79.12027 | 88.04215 | 92.6984 | 96.44059 | 90.61247 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 | 29.79928 | 29.65865 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 53.97041 | 60.17256 | 63.43818 | 66.36006 | 61.64131 | 64.82881 | 63.82881 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 | 47.56454 | 46.33016 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.30915 | 34.55915 | 38.05915 | 48.16755 | 51.38044 | 53.71638 | 59.66853 | 63.18415 | 65.70759 | 60.88728 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80595 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.30915 | 34.55915 | 37.80915 | 48.16755 | 51.43611 | 53.71638 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.923076 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | 202.4719 | 206.0969 | 227.0969 | 288.175 | 306.635 | 325.8625 | 358.3703 | 380.2844 | 389.7688 | 366.6906 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | 135.0068 | 137.0068 | 151.5068 | 192.3818 | 204.3495 | 217.2626 | 239.2333 | 253.6943 | 260.7177 | 244.663 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | 27.20055 | 27.82555 | 30.45055 | 38.88121 | 41.59996 | 43.37438 | 47.80992 | 50.55993 | 52.64586 | 49.77867 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 | 29.79928 | 29.65865 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.8293 | 34.8293 | 38.0793 | 48.48653 | 51.70625 | 54.53731 | 60.3293 | 63.87618 | 66.12618 | 62.0168 | 64.7043 | 63.40743 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 | 47.56454 | 46.33016 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.43818 | 34.81318 | 38.06318 | 48.17158 | 51.44014 | 53.97041 | 59.92256 | 63.18415 | 65.85603 | 61.13728 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80595 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.30915 | 34.55915 | 38.05915 | 48.16755 | 51.13044 | 53.96638 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.923076 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | 55.60668 | 56.98168 | 62.23168 | 79.09008 | 84.27367 | 89.06762 | 98.08324 | 104.2745 | 108.0636 | 101.2589 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | 195.0528 | 198.1778 | 218.9278 | 277.172 | 295.1388 | 313.2892 | 345.0372 | 365.9044 | 374.9825 | 352.9747 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | 224.7815 | 227.9065 | 252.0315 | 319.4084 | 339.7903 | 361.2717 | 397.9377 | 421.2543 | 432.1449 | 406.9418 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | 124.1806 | 126.4306 | 139.9306 | 177.0556 | 188.1962 | 200.3525 | 220.6415 | 233.5321 | 240.4775 | 225.7431 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.97115 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 | 29.79928 | 29.65865 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.8293 | 34.8293 | 38.0793 | 48.48653 | 51.70625 | 54.28731 | 60.3293 | 63.87618 | 66.37618 | 62.0168 | 64.4543 | 63.40743 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.84579 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 | 47.56454 | 46.33016 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.3783 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.30915 | 34.68415 | 38.05915 | 48.16755 | 51.38044 | 53.96638 | 59.91853 | 63.18415 | 65.70759 | 60.88728 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80595 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.51145 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.30915 | 34.55915 | 37.80915 | 48.16755 | 51.13044 | 53.71638 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.923076 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | 18.88232 | 19.13232 | 21.25732 | 27.05029 | 28.45752 | 30.22412 | 33.08545 | 35.04639 | 36.31201 | 34.16357 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | 131.8335 | 134.4585 | 148.0835 | 187.4888 | 199.9927 | 212.8472 | 233.8257 | 248.021 | 254.8726 | 239.8491 | 250.3804 | 245.3648 |
| 9-423 | Process control | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | 56.52197 | 58.02197 | 63.52197 | 79.98291 | 85.36963 | 90.71729 | 100.1548 | 106.0767 | 109.0142 | 102.7251 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | 21.51932 | 21.89432 | 23.89432 | 30.79862 | 32.97245 | 33.99491 | 37.70682 | 39.67179 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | 16.62033 | 16.87033 | 18.62033 | 23.59982 | 24.99826 | 26.50607 | 29.13595 | 30.78439 | 32.33908 | 30.19845 | 31.76095 | 30.80783 |
| 9-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.4217 | 44.4217 | 49.0467 | 61.99885 | 66.34553 | 69.87775 | 76.99201 | 81.60139 | 84.30451 | 78.93733 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | 26.80137 | 27.42637 | 30.17637 | 38.10704 | 40.82579 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.99386 | 55.36886 | 60.61886 | 77.07101 | 81.99484 | 86.78878 | 96.0798 | 101.2282 | 105.2907 | 98.08761 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.13901 | 55.38901 | 61.13901 | 77.39487 | 82.32065 | 87.36655 | 96.20932 | 101.8968 | 105.7015 | 98.96714 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.91822 | 29.66822 | 32.79322 | 41.77564 | 44.2649 | 46.79322 | 51.24635 | 54.51978 | 56.60572 | 52.68385 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | 24.55549 | 24.93049 | 27.55549 | 35.17366 | 37.82795 | 39.39729 | 43.35237 | 46.10237 | 47.50862 | 44.77424 | 46.66487 | 45.96174 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | 136.1197 | 138.7447 | 152.7447 | 194.1236 | 206.9205 | 220.2749 | 242.1666 | 256.9087 | 263.5416 | 247.6509 | 259.1822 | 253.7134 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 191.9602 | 195.5852 | 214.9602 | 273.596 | 291.5042 | 309.9563 | 341.0618 | 361.679 | 370.6243 | 348.554 | 365.429 | 358.2102 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 72.73507 | 74.48507 | 81.61007 | 103.8962 | 110.4567 | 117.0192 | 128.9382 | 136.7585 | 140.4304 | 132.2351 | 138.1569 | 135.1569 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.81758 | 25.06758 | 27.81758 | 35.4836 | 37.63399 | 39.71114 | 43.75508 | 46.73164 | 47.92696 | 45.14571 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | 23.63617 | 24.26117 | 26.76117 | 34.2768 | 36.4223 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | 24.81758 | 25.06758 | 27.81758 | 35.4836 | 37.63399 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | 49.26822 | 50.64322 | 55.64322 | 71.0231 | 75.91861 | 79.45767 | 88.58853 | 93.21353 | 96.72916 | 90.29947 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | 49.64322 | 50.64322 | 56.14322 | 71.0231 | 76.16861 | 79.95767 | 88.58853 | 93.21353 | 96.97916 | 90.54947 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | 25.6119 | 25.8619 | 28.3619 | 36.88632 | 39.05038 | 41.36972 | 45.33065 | 47.80722 | 49.49472 | 46.39315 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | 22.57573 | 23.07573 | 25.20073 | 32.31011 | 34.69487 | 36.01811 | 39.79448 | 42.77104 | 43.69292 | 41.45073 | 43.06011 | 42.27886 |
| 9-731 | Cool Roof - DX | 0 | 0 | 123.8621 | 126.7371 | 139.8621 | 177.3884 | 189.033 | 201.2 | 221.2449 | 234.9011 | 240.8308 | 225.9558 | 237.1902 | 232.2683 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 120.0396 | 122.7896 | 135.1646 | 172.1187 | 182.7916 | 194.3912 | 214.0318 | 227.4225 | 233.1959 | 219.1803 | 229.3834 | 224.8365 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | 282.5293 | 288.0293 | 317.7793 | 404.2002 | 431.3008 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | 282.5293 | 288.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | 260.3244 | 264.1994 | 291.9494 | 370.2414 | 394.1887 | 418.8986 | 460.9338 | 488.7463 | 501.5744 | 471.9026 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | 100.117 | 101.617 | 111.867 | 142.6258 | 151.0897 | 160.4715 | 177.1327 | 187.6248 | 192.6092 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | 90.97627 | 92.97627 | 102.3513 | 130.486 | 139.446 | 147.779 | 163.2575 | 172.7028 | 177.5388 | 166.3513 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | 68.52554 | 70.02554 | 77.15054 | 98.07437 | 105.0636 | 111.1759 | 122.2755 | 130.0606 | 133.5762 | 125.584 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | 114.7576 | 117.5076 | 129.8826 | 165.6765 | 176.5203 | 188.1746 | 206.406 | 218.7616 | 224.6601 | 210.371 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | 49.01016 | 50.63516 | 55.63516 | 71.12247 | 75.71622 | 80.06387 | 88.83047 | 93.72513 | 96.37357 | 90.48294 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 | 29.89656 | 29.69344 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.04304 | 34.41804 | 38.04304 | 48.24909 | 51.97565 | 54.3028 | 60.17585 | 63.9571 | 65.73835 | 61.55866 | 63.99616 | 63.69929 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 | 47.86848 | 46.86848 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 32.91401 | 34.28901 | 38.03901 | 47.74506 | 51.52729 | 53.79877 | 59.92182 | 63.45307 | 65.85932 | 61.05463 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.37436 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 32.66401 | 34.41401 | 38.03901 | 47.99506 | 51.22163 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | 10.54798 | 11.29798 | 11.54798 | 15.44642 | 16.29896 | 17.05873 | 18.59486 | 19.73548 | 20.96205 | 19.54798 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | 200.6776 | 204.8026 | 226.1776 | 288.3222 | 307.371 | 326.2939 | 359.9667 | 381.3964 | 391.0839 | 366.8651 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | 133.7569 | 136.7569 | 150.8819 | 192.0108 | 205.002 | 217.9121 | 240.0537 | 253.7919 | 260.5575 | 244.2841 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | 27.18443 | 27.68443 | 30.18443 | 38.96177 | 41.13951 | 43.7108 | 48.34849 | 51.32909 | 52.28221 | 49.45408 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 | 29.89656 | 29.69344 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.29304 | 34.41804 | 38.54304 | 48.24909 | 51.97565 | 54.3028 | 60.17585 | 64.2071 | 65.73835 | 61.55866 | 64.24616 | 63.69929 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 | 47.86848 | 46.86848 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | 32.91401 | 34.28901 | 38.03901 | 47.99506 | 51.22163 | 53.79877 | 59.92182 | 63.45307 | 65.73432 | 61.30463 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.37436 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.03901 | 34.41401 | 38.03901 | 47.99506 | 51.52729 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | 54.82445 | 56.69945 | 62.44945 | 79.51292 | 84.65843 | 90.00316 | 98.86351 | 104.7932 | 107.7307 | 101.1057 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | 192.7908 | 197.6658 | 217.5408 | 277.4002 | 295.8514 | 314.8094 | 346.8299 | 367.2049 | 376.1736 | 353.7596 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | 222.3461 | 227.4711 | 250.5961 | 319.3432 | 340.7602 | 361.9995 | 399.1586 | 422.9905 | 433.1859 | 406.639 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | 123.1887 | 126.4387 | 139.0637 | 176.9963 | 189.2063 | 201.5559 | 221.1184 | 234.7825 | 240.345 | 225.7044 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.83406 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 | 29.89656 | 29.69344 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.29304 | 34.41804 | 38.54304 | 48.24909 | 52.28132 | 54.0528 | 60.42585 | 64.2071 | 66.36335 | 61.55866 | 64.24616 | 63.69929 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 25.07161 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 | 47.86848 | 46.86848 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.03901 | 34.28901 | 38.03901 | 47.99506 | 51.52729 | 53.79877 | 59.92182 | 63.20307 | 66.10932 | 61.05463 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.37436 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | 32.78901 | 34.41401 | 38.03901 | 47.99506 | 51.27729 | 53.79877 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | 26.66831 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | 26.66831 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 | 50.74644 | 50.04331 |
| 10-426 | Efficient drives - rolling | 0 | 0 | 31.02701 | 31.77701 | 35.15201 | 44.49576 | 47.2067 | 50.29068 | 55.3317 | 58.3317 | 61.0817 | 56.73014 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | 55.73974 | 57.73974 | 63.48974 | 80.41064 | 86.04833 | 91.15185 | 99.9038 | 106.1304 | 109.7944 | 103.0991 | 107.6616 | 105.0366 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | 10.5641 | 11.0641 | 11.8141 | 15.26625 | 16.31508 | 17.1266 | 18.7516 | 19.89223 | 20.97816 | 19.65785 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | 68.52554 | 70.02554 | 77.15054 | 98.07437 | 105.0636 | 111.1759 | 122.2755 | 130.0606 | 133.5762 | 125.584 | 131.4903 | 128.209 |
| 10-508 | Heating - Process Control | 0 | 0 | 26.66831 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 | 50.74644 | 50.04331 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | 16.37033 | 16.74533 | 18.37033 | 23.70822 | 25.29318 | 26.62033 | 29.1672 | 31.33127 | 32.20627 | 30.37033 | 31.21408 | 30.94845 |
| 10-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 42.66364 | 44.28864 | 48.78864 | 62.25446 | 66.85407 | 69.89411 | 77.40583 | 82.28461 | 84.76117 | 79.15961 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | 26.5272 | 27.0272 | 29.9022 | 38.67954 | 41.35727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 52.83663 | 54.83663 | 60.58663 | 76.79756 | 82.7292 | 87.53194 | 96.71944 | 102.6413 | 105.4773 | 98.28976 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.36886 | 54.99386 | 60.61886 | 77.18234 | 83.12179 | 88.17257 | 97.28292 | 103.4626 | 105.7751 | 99.27511 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.65613 | 29.15613 | 32.53113 | 42.17078 | 44.41981 | 46.69031 | 52.14832 | 55.16394 | 56.54676 | 53.23426 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | 24.66035 | 25.16035 | 27.53535 | 36.00605 | 37.72382 | 39.23652 | 43.86347 | 46.34785 | 47.91816 | 44.45722 | 47.08222 | 45.83222 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | 134.3052 | 138.0552 | 152.1802 | 194.5318 | 208.0669 | 220.9771 | 244.2974 | 259.0277 | 265.0824 | 247.9574 | 260.5199 | 255.0824 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 189.2305 | 194.4805 | 214.1055 | 273.9736 | 293.2383 | 311.8985 | 343.3164 | 364.2149 | 373.1055 | 349.3086 | 367.4805 | 359.1367 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.44074 | 73.56574 | 81.31574 | 103.9632 | 111.0511 | 118.1077 | 130.1282 | 137.6986 | 141.1517 | 132.3782 | 139.3001 | 136.3157 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.55952 | 25.18452 | 27.55952 | 35.88179 | 38.34859 | 40.11909 | 44.1689 | 46.90327 | 48.4814 | 44.93452 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | 23.74102 | 24.11602 | 26.49102 | 34.35919 | 36.76348 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | 24.55952 | 25.18452 | 27.55952 | 35.88179 | 38.34859 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | 48.71987 | 50.21987 | 55.09487 | 71.18569 | 76.03725 | 80.12612 | 88.82143 | 93.9739 | 96.13015 | 90.63015 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | 49.0021 | 50.3771 | 55.3771 | 71.31949 | 76.42007 | 81.02261 | 89.38491 | 94.79519 | 97.18582 | 91.36551 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | 25.35384 | 25.97884 | 28.60384 | 36.78451 | 39.44759 | 41.27767 | 45.21322 | 48.95919 | 49.92794 | 46.67794 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | 22.20073 | 23.20073 | 24.95073 | 32.21636 | 35.15581 | 36.18413 | 40.46636 | 43.1967 | 44.50139 | 40.71233 | 43.35295 | 41.96233 |
| 10-731 | Cool Roof - DX | 0 | 0 | 122.4226 | 126.2976 | 138.7976 | 177.7478 | 190.4851 | 202.8386 | 222.7273 | 236.157 | 242.2664 | 226.1882 | 238.1726 | 232.8132 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 118.9752 | 122.6002 | 134.3502 | 172.1803 | 184.3931 | 195.9898 | 215.8736 | 228.7839 | 234.1198 | 219.323 | 230.7761 | 225.323 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | 277.8923 | 286.8923 | 315.3923 | 405.3161 | 434.2683 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | 277.8923 | 286.8923 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | 257.998 | 263.998 | 290.748 | 370.8163 | 395.5595 | 420.5204 | 463.5527 | 491.162 | 503.2793 | 471.9355 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | 99.27838 | 101.5284 | 111.5284 | 142.4971 | 151.212 | 161.1055 | 177.5987 | 188.0831 | 192.8409 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | 91.10127 | 92.97627 | 102.6013 | 130.3298 | 139.5407 | 147.614 | 162.8357 | 172.2732 | 177.1169 | 166.07 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | 68.52554 | 69.90054 | 77.15054 | 97.97281 | 105.0197 | 111.0675 | 122.0021 | 129.5255 | 133.1818 | 125.4005 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | 115.1487 | 117.6487 | 129.8987 | 165.2864 | 176.1311 | 187.0247 | 206.2503 | 218.6175 | 223.9768 | 210.6018 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | 49.25613 | 50.38113 | 55.63113 | 70.76101 | 75.65652 | 79.69558 | 88.32644 | 93.20144 | 96.46707 | 90.28738 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.70101 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 | 29.77913 | 29.63851 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.43415 | 34.55915 | 38.05915 | 48.51521 | 51.99177 | 54.06892 | 60.19196 | 63.97321 | 65.75446 | 61.57478 | 64.01228 | 63.7154 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 | 47.88057 | 46.88057 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.48315 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.27289 | 34.02289 | 37.77289 | 47.88129 | 51.39984 | 53.68012 | 59.63227 | 63.14789 | 65.81977 | 60.85102 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54386 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.2413 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.27289 | 34.02289 | 37.77289 | 47.88129 | 51.09418 | 53.68012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | 10.67701 | 11.17701 | 11.55201 | 15.45045 | 16.49733 | 17.06276 | 18.59889 | 19.98951 | 20.30983 | 19.80201 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | 201.472 | 205.347 | 226.222 | 287.9114 | 307.3987 | 325.6204 | 359.1985 | 381.1438 | 390.4095 | 367.0032 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | 134.023 | 136.898 | 150.898 | 192.1197 | 204.6011 | 217.7622 | 239.4058 | 253.8786 | 260.3786 | 244.7458 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | 27.07555 | 27.82555 | 30.45055 | 38.72789 | 41.65563 | 43.72691 | 48.36461 | 51.09118 | 52.5443 | 49.71617 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.70101 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 | 29.77913 | 29.63851 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.43818 | 34.31318 | 38.31318 | 48.51924 | 52.30147 | 54.32295 | 60.44599 | 63.97321 | 66.37946 | 61.82478 | 64.51228 | 63.7154 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 | 47.88057 | 46.88057 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.48315 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.28901 | 34.03901 | 37.78901 | 48.19624 | 51.72163 | 53.74702 | 59.78901 | 63.33992 | 65.98835 | 61.23054 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54386 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.2413 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.27289 | 34.02289 | 37.77289 | 48.13129 | 51.09418 | 53.68012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | 55.19542 | 56.57042 | 62.44542 | 79.15635 | 84.54307 | 89.39073 | 98.57823 | 104.7501 | 107.9376 | 100.8985 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | 193.561 | 197.811 | 217.811 | 277.1664 | 295.6381 | 314.0551 | 345.1469 | 366.5297 | 375.6235 | 353.0454 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | 222.9913 | 227.6163 | 250.8663 | 319.0557 | 340.0137 | 361.1886 | 398.3428 | 421.9288 | 432.4913 | 405.8507 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | 123.35 | 126.225 | 139.35 | 177.4301 | 188.893 | 200.7396 | 221.1234 | 234.2756 | 240.3616 | 225.8147 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.70101 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 | 29.77913 | 29.63851 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.43415 | 34.43415 | 38.05915 | 48.51521 | 51.79744 | 54.06892 | 60.44196 | 63.97321 | 66.37946 | 61.82478 | 64.76228 | 63.7154 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 | 47.88057 | 46.88057 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.48315 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.27289 | 34.02289 | 37.77289 | 48.13129 | 51.39984 | 53.68012 | 59.63227 | 63.15192 | 65.8238 | 61.10505 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.54386 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.2413 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.14789 | 34.02289 | 37.77289 | 47.88129 | 51.39984 | 53.68012 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | 54.65915 | 55.90915 | 61.90915 | 78.51755 | 83.64548 | 88.49509 | 97.26071 | 103.706 | 106.3467 | 100.1904 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | 29.82546 | 30.32546 | 33.57546 | 42.41628 | 45.36354 | 47.93385 | 53.05984 | 55.84109 | 58.0364 | 54.16921 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | 38.16785 | 39.41785 | 43.29285 | 54.87489 | 58.93641 | 61.96668 | 68.33191 | 72.6366 | 74.56629 | 69.7616 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | 122.2694 | 125.0194 | 137.5194 | 174.8944 | 186.579 | 198.9413 | 218.2303 | 231.621 | 237.7225 | 223.0819 | 234.0507 | 228.7225 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | 54.65915 | 55.90915 | 61.90915 | 78.51755 | 83.64548 | 88.49509 | 97.26071 | 103.706 | 106.3467 | 100.1904 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | 29.82546 | 30.32546 | 33.57546 | 42.41628 | 45.36354 | 47.93385 | 53.05984 | 55.84109 | 58.0364 | 54.16921 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | 148.5224 | 151.2724 | 166.8974 | 212.6367 | 226.7226 | 240.9004 | 265.2881 | 280.6006 | 287.7177 | 270.5693 | 283.6943 | 277.5224 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | 16.37839 | 16.75339 | 18.62839 | 23.71628 | 25.60593 | 26.62839 | 29.42526 | 31.33932 | 32.61276 | 30.37839 | 31.72214 | 30.95651 |
| 11-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.1717 | 44.1717 | 49.0467 | 61.95393 | 66.80647 | 69.84455 | 77.55451 | 82.14826 | 84.62483 | 79.31233 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | 26.79331 | 27.16831 | 29.91831 | 38.44566 | 41.12339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.22774 | 54.85274 | 60.35274 | 77.25997 | 82.64473 | 87.49044 | 96.34493 | 102.3021 | 104.9427 | 98.96615 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.49789 | 55.37289 | 60.87289 | 77.33383 | 83.01547 | 88.0682 | 97.2557 | 102.6776 | 105.7635 | 99.07602 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.78113 | 29.40613 | 32.78113 | 41.87195 | 44.31922 | 46.88953 | 52.01551 | 54.79676 | 56.74207 | 53.12488 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | 24.55146 | 25.05146 | 27.80146 | 35.52217 | 37.92353 | 39.25264 | 43.87959 | 46.86396 | 47.80928 | 44.47334 | 47.09834 | 45.84834 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | 134.9544 | 138.5794 | 152.4544 | 194.3509 | 207.9241 | 220.7835 | 243.7278 | 258.2513 | 264.4309 | 247.5794 | 260.6263 | 254.595 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 189.8877 | 194.7627 | 214.8877 | 273.9483 | 292.6983 | 310.8487 | 342.5127 | 363.4033 | 372.2705 | 349.2783 | 367.1533 | 358.5127 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.83186 | 73.70686 | 81.33186 | 104.3817 | 110.6502 | 117.5155 | 129.6131 | 137.6756 | 140.9647 | 132.1912 | 139.1131 | 135.7069 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.79743 | 25.04743 | 27.79743 | 35.76814 | 38.1695 | 39.49861 | 43.87556 | 46.6059 | 47.80122 | 44.71528 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | 23.75714 | 24.00714 | 26.50714 | 34.37531 | 36.7796 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | 24.79743 | 25.04743 | 27.79743 | 35.76814 | 38.1695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | 48.99001 | 50.24001 | 55.36501 | 70.90115 | 75.50173 | 80.09548 | 88.70095 | 93.84939 | 96.24001 | 90.55251 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | 49.38113 | 50.38113 | 55.63113 | 71.22195 | 76.37918 | 80.16238 | 88.85769 | 94.25613 | 97.02957 | 91.16238 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | 25.21273 | 25.96273 | 28.58773 | 36.65999 | 39.12679 | 41.1473 | 45.6971 | 48.68148 | 50.00961 | 46.71273 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | 22.43461 | 23.30961 | 24.93461 | 32.09184 | 34.79008 | 36.05375 | 40.16899 | 42.89933 | 43.96965 | 41.00871 | 42.64933 | 41.82121 |
| 11-731 | Cool Roof - DX | 0 | 0 | 123.1928 | 126.5678 | 138.8178 | 177.808 | 189.9877 | 202.141 | 222.4349 | 235.8568 | 241.8178 | 226.3021 | 238.0365 | 232.5678 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 119.1163 | 122.4913 | 134.8663 | 171.9913 | 183.9259 | 196.0382 | 215.3272 | 228.2178 | 234.0694 | 219.1788 | 230.3975 | 225.8194 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | 279.4406 | 287.1906 | 316.4406 | 404.5969 | 433.5217 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | 279.4406 | 287.1906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | 258.6633 | 264.0383 | 291.0383 | 370.5431 | 394.7668 | 419.9787 | 462.5304 | 490.1086 | 501.9446 | 472.6164 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | 99.52838 | 101.5284 | 111.7784 | 142.3409 | 151.3624 | 160.9395 | 177.1768 | 187.1574 | 192.548 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | 89.91986 | 92.66986 | 101.7949 | 130.7372 | 140.4179 | 148.5429 | 163.7949 | 173.7442 | 177.7051 | 166.6583 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | 67.36831 | 69.61831 | 77.36831 | 98.0519 | 105.0597 | 111.4191 | 122.9152 | 130.4737 | 133.7627 | 125.8018 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | 114.3584 | 117.4834 | 129.1084 | 165.4199 | 177.5401 | 188.4483 | 208.0069 | 220.12 | 225.7841 | 211.0731 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | 48.74404 | 49.99404 | 55.36904 | 71.31143 | 75.91201 | 80.76455 | 89.12685 | 94.2831 | 96.67373 | 91.10342 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 | 29.96663 | 29.76351 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.67207 | 34.79707 | 38.04707 | 48.40546 | 51.42402 | 53.95429 | 59.90645 | 63.17207 | 66.34395 | 61.62519 | 63.81269 | 63.31269 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.81355 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 | 47.57918 | 46.73543 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.29707 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.65645 | 62.92207 | 65.84395 | 60.87519 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.53178 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.36227 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.29707 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | 10.43507 | 11.06007 | 11.56007 | 15.56691 | 16.11671 | 17.17921 | 19.16945 | 20.28664 | 20.87257 | 19.5132 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | 198.6051 | 204.2301 | 225.1051 | 288.8258 | 308.9254 | 328.0963 | 361.8629 | 384.0895 | 392.8161 | 366.8707 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | 134.5431 | 137.1681 | 151.4181 | 191.9357 | 204.2052 | 217.0646 | 239.1056 | 253.0978 | 260.2306 | 245.1212 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | 26.92637 | 27.55137 | 29.92637 | 39.06211 | 42.04844 | 43.567 | 48.34043 | 51.36387 | 52.97325 | 49.6295 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 | 29.96663 | 29.76351 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.54707 | 34.92207 | 38.04707 | 48.40546 | 51.92402 | 53.95429 | 59.90645 | 63.17207 | 66.34395 | 61.62519 | 64.06269 | 63.56269 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.81355 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 | 47.57918 | 46.73543 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.65645 | 63.17207 | 65.59395 | 60.87519 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.53178 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.36227 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.29707 | 34.29707 | 37.79707 | 48.40546 | 51.11836 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | 54.29624 | 56.42124 | 61.92124 | 78.9398 | 85.09116 | 89.69175 | 99.13999 | 105.8431 | 108.0306 | 101.7181 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | 191.2264 | 196.6014 | 216.7264 | 277.9158 | 297.198 | 315.6248 | 348.2029 | 369.8982 | 378.3123 | 354.0076 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | 220.1406 | 226.0156 | 249.5156 | 319.1904 | 342.6562 | 364.1581 | 401.5468 | 425.6796 | 435.4374 | 407.0937 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | 122.0194 | 125.7694 | 138.2694 | 177.2196 | 189.912 | 202.0604 | 222.9491 | 235.8788 | 241.5897 | 225.16 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 | 29.96663 | 29.76351 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.29707 | 48.40546 | 51.86836 | 53.95429 | 59.90645 | 63.17207 | 65.94551 | 61.62519 | 64.06269 | 63.81269 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.81355 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 | 47.57918 | 46.73543 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.35009 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.90645 | 62.92207 | 65.84395 | 60.87519 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.53178 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.36227 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.29707 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.910988 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | 53.75998 | 55.63498 | 61.13498 | 78.30587 | 84.19357 | 89.04709 | 98.04904 | 104.2756 | 106.6897 | 100.2444 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | 29.95448 | 30.32948 | 33.57948 | 42.37148 | 44.80116 | 47.38613 | 52.67323 | 55.16542 | 57.89198 | 53.59511 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | 37.77271 | 39.02271 | 43.27271 | 55.0647 | 58.82154 | 62.41333 | 68.84302 | 72.9524 | 75.24146 | 70.36646 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | 120.8219 | 124.1969 | 136.6969 | 175.1871 | 187.6725 | 199.5201 | 220.0641 | 232.7359 | 238.8531 | 223.4313 | 234.9156 | 229.1969 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | 53.75998 | 55.63498 | 61.13498 | 78.30587 | 84.19357 | 89.04709 | 98.04904 | 104.2756 | 106.6897 | 100.2444 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | 29.95448 | 30.32948 | 33.57948 | 42.37148 | 44.80116 | 47.38613 | 52.67323 | 55.16542 | 57.89198 | 53.59511 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | 146.583 | 150.708 | 166.083 | 212.9033 | 227.7851 | 241.9667 | 266.6611 | 283.0126 | 290.1845 | 270.833 | 285.458 | 279.0205 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.12191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.6961 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | 16.3663 | 16.7413 | 18.6163 | 23.80087 | 25.1495 | 26.96884 | 29.19442 | 31.60849 | 32.24911 | 30.31942 | 31.6788 | 30.81942 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.57032 | 81.8838 | 86.77931 | 92.37404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 42.27655 | 43.65155 | 48.52655 | 62.24628 | 67.11933 | 70.65644 | 78.34686 | 82.97186 | 84.72186 | 79.63593 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | 26.14414 | 27.26914 | 29.89414 | 38.07871 | 41.56015 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 52.57051 | 54.57051 | 59.57051 | 77.08906 | 83.54609 | 87.84102 | 97.53926 | 102.9924 | 105.8205 | 98.86739 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 52.83663 | 55.08663 | 60.08663 | 77.66475 | 83.86788 | 88.41475 | 97.67257 | 103.3757 | 106.2116 | 98.97726 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.26905 | 29.14405 | 32.26905 | 41.56494 | 44.51807 | 47.09424 | 52.30811 | 55.08155 | 57.0503 | 53.76905 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | 24.15632 | 24.78132 | 27.28132 | 35.65827 | 38.37507 | 39.64753 | 44.5235 | 46.77753 | 48.61348 | 44.73847 | 47.39472 | 46.28535 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | 132.3738 | 137.4988 | 151.1238 | 194.9529 | 209.2654 | 221.9363 | 245.6472 | 259.9441 | 266.28 | 247.9988 | 262.0925 | 255.4675 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.52307 | 29.02307 | 32.27307 | 41.20764 | 43.39514 | 46.21546 | 50.82776 | 54.1012 | 55.81995 | 52.08557 | 54.49182 | 53.67932 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 186.5168 | 193.1418 | 212.7668 | 274.6223 | 294.8772 | 313.0998 | 345.5871 | 366.5403 | 374.3371 | 349.095 | 369.5325 | 359.3137 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 70.6706 | 73.4206 | 80.7956 | 104.3532 | 111.4636 | 118.5339 | 130.4518 | 139.03 | 141.5222 | 132.6393 | 139.8268 | 136.3425 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.14826 | 25.02326 | 27.27326 | 35.65021 | 38.36701 | 40.13947 | 44.76545 | 47.01545 | 48.60139 | 44.72638 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | 23.34991 | 24.22491 | 25.97491 | 34.19561 | 36.91338 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | 24.14826 | 25.02326 | 27.27326 | 35.65021 | 38.36701 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | 48.07069 | 49.82069 | 54.82069 | 70.9203 | 76.27968 | 80.63221 | 89.21913 | 94.39503 | 96.79347 | 90.6216 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | 48.46181 | 50.21181 | 54.83681 | 71.23427 | 76.6122 | 80.95009 | 89.37587 | 95.04775 | 97.204 | 91.46181 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | 24.95467 | 25.82967 | 28.32967 | 36.35701 | 39.53475 | 41.60604 | 46.49373 | 48.7203 | 49.67342 | 46.59529 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | 21.91447 | 23.03947 | 24.66447 | 32.22892 | 34.61955 | 35.94962 | 40.56291 | 42.53947 | 43.96916 | 40.80509 | 43.66447 | 42.75822 |
| 12-731 | Cool Roof - DX | 0 | 0 | 120.9791 | 125.2291 | 137.7291 | 177.7945 | 191.3219 | 203.1832 | 224.315 | 237.272 | 243.186 | 226.772 | 239.5532 | 233.3032 |
| 12-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 117.5518 | 121.5518 | 133.3018 | 172.752 | 185.2393 | 197.0928 | 216.9815 | 229.9112 | 235.5206 | 219.4425 | 231.9268 | 226.0675 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | 273.9371 | 284.6871 | 313.3121 | 402.941 | 432.7046 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | 273.9371 | 284.6871 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | 255.5343 | 262.6593 | 289.4093 | 371.3117 | 397.548 | 422.8312 | 465.6046 | 494.4952 | 505.2843 | 472.3937 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | 100.0606 | 101.5606 | 111.5606 | 142.5206 | 151.2276 | 160.1075 | 176.6856 | 187.42 | 192.4044 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | 91.73433 | 93.23433 | 102.6093 | 130.1806 | 138.8271 | 147.455 | 162.2031 | 171.875 | 176.0625 | 165.7968 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | 68.4086 | 70.1586 | 77.4086 | 98.12833 | 104.3607 | 110.9613 | 122.4711 | 129.2486 | 132.7798 | 125.2095 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | 115.9189 | 118.0439 | 130.1689 | 165.1503 | 175.7353 | 186.8847 | 205.6064 | 218.4579 | 223.8251 | 210.5595 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | 49.2521 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.25991 | 92.67019 | 96.16238 | 90.08426 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.39656 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.59139 | 34.84139 | 38.09139 | 48.54744 | 52.07967 | 54.10116 | 60.4742 | 63.75545 | 66.4117 | 61.60701 | 64.29451 | 63.74764 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 | 47.55245 | 46.81807 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.43013 | 34.30513 | 37.80513 | 48.41352 | 51.37641 | 53.71235 | 59.66451 | 62.93013 | 65.95357 | 60.88325 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.55513 | 34.30513 | 37.80513 | 48.16352 | 51.43208 | 53.71235 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | 10.80604 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 17.06679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | 201.3711 | 205.7461 | 226.7461 | 287.8731 | 306.3946 | 325.5635 | 358.3789 | 379.8008 | 390.2149 | 366.1993 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | 135.1519 | 137.2769 | 152.0269 | 192.4986 | 205.0357 | 217.3912 | 240.0347 | 254.2535 | 261.1519 | 245.1207 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | 27.05943 | 27.80943 | 30.18443 | 38.61509 | 41.58384 | 43.35826 | 47.79381 | 50.79381 | 52.62974 | 49.76256 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.39656 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.84139 | 34.84139 | 38.09139 | 48.54744 | 52.07967 | 54.35116 | 60.2242 | 64.00545 | 66.6617 | 61.60701 | 64.54451 | 63.74764 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 | 47.55245 | 46.81807 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.44624 | 34.32124 | 38.07124 | 48.47847 | 51.25386 | 54.02925 | 60.07124 | 63.37215 | 66.02058 | 61.26277 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.55513 | 34.30513 | 38.05513 | 48.16352 | 51.12641 | 53.71235 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | 55.44945 | 56.57445 | 62.69945 | 78.80784 | 84.24144 | 88.78538 | 98.30101 | 104.2423 | 107.5314 | 101.2267 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | 194.2222 | 197.9722 | 218.0972 | 276.6881 | 294.9078 | 313.567 | 345.23 | 366.1207 | 375.191 | 353.3472 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | 223.5275 | 228.0275 | 251.4025 | 319.0295 | 339.6613 | 360.6428 | 397.3088 | 421.1213 | 431.7619 | 406.5588 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | 123.858 | 126.483 | 139.608 | 176.483 | 188.3737 | 200.2799 | 219.819 | 233.7096 | 239.9049 | 225.4205 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 | 29.53719 | 29.39656 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.71639 | 34.84139 | 38.09139 | 48.54744 | 52.02401 | 54.35116 | 60.2242 | 63.75545 | 66.5367 | 61.60701 | 64.54451 | 63.74764 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.9587 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 | 47.55245 | 46.81807 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.61621 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.32124 | 34.32124 | 38.07124 | 48.47847 | 51.4482 | 54.02925 | 59.82124 | 63.36812 | 65.86812 | 61.25874 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.55513 | 34.55513 | 37.80513 | 47.91352 | 51.12641 | 53.71235 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.794047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | 55.03415 | 56.15915 | 61.90915 | 77.91501 | 83.59079 | 88.63669 | 96.97946 | 103.167 | 106.7217 | 99.73728 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | 26.96264 | 27.71264 | 30.21264 | 38.94213 | 41.41771 | 43.43724 | 47.73608 | 50.74389 | 52.55639 | 49.61889 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | 19.12024 | 19.12024 | 21.49524 | 27.28821 | 28.69543 | 29.96203 | 33.32336 | 35.0343 | 36.29992 | 33.90149 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | 122.4025 | 124.9025 | 137.5275 | 174.6866 | 185.8761 | 197.9767 | 217.9572 | 231.3322 | 237.129 | 222.9337 | 233.3868 | 228.465 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | 148.9216 | 151.9216 | 167.1716 | 212.4558 | 226.3405 | 240.7068 | 264.4997 | 280.07 | 287.8278 | 270.7028 | 283.3122 | 277.531 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.81589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 | 31.13998 | 30.87436 |
| 13-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.2967 | 44.2967 | 48.7967 | 62.10627 | 66.45588 | 69.99201 | 77.52326 | 81.87104 | 84.58198 | 79.14448 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | 26.66831 | 27.29331 | 30.16831 | 38.14781 | 40.56773 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.6108 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.32174 | 101.5133 | 104.9273 | 98.53671 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.00595 | 55.25595 | 61.13095 | 77.48935 | 82.61728 | 88.21689 | 96.98251 | 102.6778 | 105.5684 | 99.4122 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.78919 | 29.28919 | 32.53919 | 41.58118 | 44.26087 | 46.84583 | 51.88294 | 54.87513 | 57.10169 | 52.55482 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | 24.68049 | 24.80549 | 27.80549 | 35.22151 | 38.1219 | 39.19905 | 43.49299 | 46.21956 | 47.91487 | 44.88362 | 46.77424 | 45.53987 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | 135.0834 | 138.5834 | 152.2084 | 194.2924 | 207.5951 | 220.4555 | 242.9115 | 257.4194 | 263.3569 | 246.9897 | 260.0522 | 253.9428 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 190.6659 | 195.2909 | 214.9159 | 273.6151 | 291.8378 | 310.744 | 341.58 | 362.4472 | 371.5644 | 348.869 | 365.7284 | 358.3222 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.97701 | 74.22701 | 81.35201 | 104.2944 | 110.8208 | 117.1772 | 129.6098 | 137.4067 | 140.4458 | 132.2739 | 138.4458 | 135.3364 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 39.51472 | 43.89168 | 46.87605 | 48.19636 | 44.48543 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | 24.00714 | 24.00714 | 26.50714 | 34.07159 | 36.71222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | 24.68855 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | 48.99404 | 50.61904 | 55.61904 | 70.80264 | 75.7001 | 79.746 | 88.42373 | 93.34182 | 96.10745 | 90.35745 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | 49.26419 | 50.76419 | 55.88919 | 71.37649 | 76.02591 | 80.3179 | 88.8345 | 93.72513 | 96.51419 | 90.48294 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | 25.47884 | 25.97884 | 28.60384 | 36.67611 | 39.08724 | 41.16341 | 45.46322 | 48.20162 | 49.88131 | 46.73287 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | 22.45073 | 23.20073 | 25.20073 | 32.35796 | 34.8062 | 35.81987 | 40.18511 | 42.91948 | 43.98979 | 41.02886 | 42.66948 | 42.34136 |
| 13-731 | Cool Roof - DX | 0 | 0 | 123.6 | 126.6 | 139.35 | 177.8851 | 189.5482 | 201.7064 | 222.1547 | 235.3344 | 241.2875 | 226.4437 | 237.6781 | 232.3344 |
| 13-801 | Premium T8, Electronic Ballast | 0 | 0 | 119.6405 | 122.8905 | 134.8905 | 172.2996 | 183.1834 | 195.3397 | 214.8202 | 227.4492 | 233.6289 | 218.8007 | 229.7539 | 225.332 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | 280.735 | 288.11 | 316.985 | 404.7701 | 432.4664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | 280.735 | 288.11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | 259.4374 | 264.5624 | 291.5624 | 369.9023 | 393.8574 | 418.8183 | 461.1874 | 488.7499 | 501.0859 | 471.6249 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | 100.2501 | 101.3751 | 111.8751 | 142.6876 | 151.7091 | 160.5362 | 177.0235 | 187.7501 | 193.3907 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | 90.96419 | 92.96419 | 102.3392 | 130.3656 | 139.2786 | 147.4027 | 163.4876 | 172.1829 | 176.8548 | 166.4173 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | 68.52554 | 69.90054 | 76.90054 | 98.02652 | 105.0197 | 111.1193 | 122.3537 | 129.6387 | 133.1778 | 125.2403 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | 114.8947 | 117.7697 | 129.8947 | 165.3898 | 176.2277 | 188.1291 | 206.5275 | 218.8791 | 224.4884 | 210.3009 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | 49.13516 | 50.63516 | 55.63516 | 70.81875 | 75.96622 | 80.01211 | 88.93985 | 93.34988 | 96.11551 | 90.36551 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 | 29.7751 | 29.63448 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.4261 | 34.4261 | 38.0511 | 48.20832 | 51.98371 | 53.7591 | 60.0511 | 63.34798 | 66.49641 | 61.9886 | 64.4261 | 63.37922 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 | 47.87251 | 47.12251 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.47509 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.28095 | 34.28095 | 37.78095 | 48.13935 | 51.35224 | 53.43818 | 59.64033 | 63.15595 | 65.42939 | 60.85907 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.37839 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.28095 | 34.28095 | 37.78095 | 48.13935 | 51.1579 | 53.43818 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | 10.54798 | 11.04798 | 11.79798 | 15.19642 | 16.54896 | 16.80873 | 18.59486 | 19.98548 | 20.96205 | 19.54798 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | 201.0688 | 205.0688 | 226.1938 | 288.4867 | 306.9809 | 326.1957 | 359.9516 | 381.1547 | 390.4047 | 366.9281 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | 134.2891 | 137.0391 | 150.9141 | 191.8379 | 204.3125 | 217.4776 | 239.75 | 253.7422 | 260.2422 | 244.6485 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | 27.06749 | 27.81749 | 30.44249 | 38.96983 | 41.70323 | 43.96886 | 48.35655 | 50.83312 | 52.68468 | 49.45811 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 | 29.7751 | 29.63448 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.4261 | 34.5511 | 38.3011 | 48.20832 | 52.17805 | 54.2591 | 60.0511 | 63.59798 | 65.84798 | 61.4886 | 64.6761 | 63.87922 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 | 47.87251 | 47.12251 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.47509 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.28095 | 34.15595 | 37.78095 | 48.13935 | 51.35224 | 53.68818 | 59.64033 | 63.15595 | 65.42939 | 61.35907 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.37839 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.28095 | 34.15595 | 37.78095 | 48.13935 | 51.1579 | 53.68818 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | 55.3043 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | 193.2989 | 197.6739 | 217.5489 | 277.5499 | 295.7374 | 314.459 | 345.8067 | 366.9201 | 375.6701 | 353.0685 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | 222.7373 | 227.6123 | 250.6123 | 319.5068 | 340.415 | 361.6523 | 398.8701 | 422.9716 | 432.9091 | 406.7373 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | 123.3419 | 126.3419 | 139.0919 | 177.2745 | 188.9845 | 201.0841 | 221.1466 | 234.8107 | 240.6232 | 225.7326 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.69698 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 | 29.7751 | 29.63448 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.4261 | 34.4261 | 38.0511 | 48.20832 | 52.23371 | 54.2591 | 60.0511 | 63.34798 | 66.24641 | 61.4886 | 64.6761 | 63.62922 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95467 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 | 47.87251 | 47.12251 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.47509 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.40595 | 34.15595 | 37.78095 | 48.13935 | 51.35224 | 53.68818 | 59.64033 | 63.15595 | 65.17939 | 61.35907 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.4108 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.37839 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.28095 | 34.28095 | 37.78095 | 48.13935 | 51.10224 | 53.43818 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.927106 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | 55.3043 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | 29.82948 | 30.45448 | 33.57948 | 42.4203 | 45.11757 | 47.68788 | 53.06386 | 55.59914 | 57.79445 | 54.17726 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | 61.15082 | 62.77582 | 69.27582 | 88.17035 | 94.15668 | 98.95941 | 109.8774 | 116.3852 | 119.4868 | 112.7602 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | 121.8863 | 124.5113 | 137.2613 | 175.233 | 186.8873 | 199.0358 | 218.7535 | 231.9138 | 237.6091 | 223.031 | 233.7341 | 228.8435 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | 55.3043 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | 148.2765 | 151.6515 | 167.1515 | 212.547 | 226.8927 | 241.0704 | 265.1827 | 281.2921 | 288.1436 | 271.3702 | 284.2296 | 278.4796 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | 16.49936 | 16.74936 | 18.62436 | 23.71225 | 25.29721 | 26.37436 | 29.42123 | 31.3353 | 32.2103 | 30.12436 | 31.46811 | 30.95248 |
| 14-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 42.90558 | 44.40558 | 48.78058 | 62.18781 | 66.74543 | 70.07843 | 77.28839 | 82.38214 | 84.24152 | 79.04621 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 | 102.9671 | 100.7015 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | 26.65623 | 27.03123 | 29.90623 | 38.68357 | 41.3613 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 52.85274 | 54.85274 | 60.60274 | 77.31368 | 82.7004 | 87.04806 | 96.73555 | 102.4034 | 105.3409 | 98.80184 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 53.47774 | 55.22774 | 60.60274 | 77.06368 | 82.74532 | 88.04806 | 96.73555 | 102.6574 | 105.7434 | 98.80587 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.64807 | 29.27307 | 32.52307 | 41.86389 | 44.35608 | 46.63147 | 51.75745 | 55.0387 | 56.63245 | 52.61682 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | 24.5434 | 25.0434 | 27.2934 | 35.76411 | 38.23188 | 39.49458 | 43.62153 | 46.6059 | 47.92622 | 44.46528 | 47.09028 | 45.59028 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | 134.8092 | 138.1842 | 152.1842 | 194.4323 | 207.6979 | 221.1276 | 243.7389 | 258.778 | 264.817 | 247.2624 | 260.3092 | 254.6999 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 189.6135 | 194.8635 | 214.6135 | 274.3303 | 293.0237 | 311.4905 | 343.6526 | 364.0626 | 372.297 | 349.0314 | 367.422 | 358.6876 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.83589 | 73.58589 | 81.33589 | 104.2334 | 111.3212 | 117.6279 | 130.1484 | 137.7187 | 141.4218 | 132.1484 | 139.3203 | 136.3359 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.80146 | 25.17646 | 27.80146 | 36.07588 | 38.28486 | 40.05928 | 44.02021 | 46.99678 | 48.0749 | 45.08271 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | 23.74908 | 24.12408 | 26.49908 | 34.36725 | 36.81549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | 24.80146 | 25.17646 | 27.80146 | 36.07588 | 38.28486 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | 48.86098 | 50.11098 | 55.36098 | 70.9518 | 76.05337 | 80.39223 | 88.58754 | 93.98598 | 96.14223 | 90.64223 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | 49.11098 | 50.48598 | 55.61098 | 71.4518 | 76.35903 | 80.64223 | 88.83754 | 94.23598 | 96.75942 | 90.64223 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | 25.21676 | 25.84176 | 28.59176 | 36.71871 | 39.13082 | 41.45797 | 45.33394 | 48.58394 | 49.51364 | 46.29488 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | 22.18864 | 23.18864 | 24.93864 | 32.14958 | 34.84978 | 36.1154 | 40.33708 | 43.05583 | 44.12614 | 40.87614 | 43.25114 | 41.89177 |
| 14-731 | Cool Roof - DX | 0 | 0 | 122.6766 | 126.5516 | 139.0516 | 177.8993 | 190.3778 | 202.4901 | 222.7001 | 236.1219 | 242.0048 | 226.2391 | 238.2391 | 232.9423 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 118.8542 | 122.4792 | 134.3542 | 171.8259 | 184.2751 | 195.6286 | 215.5964 | 228.7526 | 234.323 | 219.3698 | 230.573 | 225.4323 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | 278.6503 | 286.7753 | 315.6503 | 405.0703 | 434.0654 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | 278.6503 | 286.7753 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | 258.6471 | 264.2721 | 291.0221 | 370.4821 | 394.9723 | 419.9303 | 462.8268 | 490.6393 | 503.0065 | 472.5065 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | 99.55256 | 101.4276 | 111.8026 | 142.3651 | 151.3865 | 160.2137 | 176.951 | 187.1776 | 192.5682 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | 91.74239 | 93.24239 | 102.6174 | 130.1887 | 139.0852 | 147.2131 | 162.4611 | 171.883 | 176.0705 | 166.5549 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | 68.29166 | 70.16666 | 77.16666 | 98.13639 | 104.4137 | 110.7194 | 122.4792 | 129.5026 | 133.1745 | 124.9635 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | 115.8059 | 117.8059 | 130.1809 | 165.4124 | 175.803 | 187.1468 | 205.8684 | 218.216 | 223.9504 | 210.8175 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | 49.13516 | 50.38516 | 55.88516 | 70.91836 | 75.5502 | 79.3461 | 88.26797 | 92.92422 | 96.16641 | 90.58829 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 | 29.79122 | 29.40059 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.59139 | 34.59139 | 38.09139 | 48.54744 | 51.77401 | 54.10116 | 60.2242 | 63.75545 | 66.5367 | 61.35701 | 64.04451 | 63.74764 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 25.08773 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 | 47.80245 | 46.56807 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.62024 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.32124 | 34.57124 | 38.07124 | 48.47847 | 51.25386 | 53.77925 | 59.82124 | 63.62215 | 66.27058 | 61.51277 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.50339 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.32124 | 34.57124 | 38.07124 | 48.22847 | 51.4482 | 53.77925 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | 10.80604 | 11.05604 | 11.80604 | 15.20448 | 16.30702 | 17.06679 | 18.60292 | 19.99757 | 20.97414 | 19.81007 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | 201.4961 | 205.7461 | 226.7461 | 288.0743 | 306.3399 | 325.5118 | 358.2696 | 379.6836 | 389.5664 | 366.3399 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | 135.1721 | 137.1721 | 152.0471 | 192.5783 | 204.8058 | 217.7189 | 240.1955 | 254.4221 | 261.1721 | 245.5002 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | 27.06346 | 27.81346 | 30.18846 | 38.61912 | 41.33787 | 43.61229 | 47.54783 | 50.79784 | 52.63377 | 49.51658 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 | 29.79122 | 29.40059 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.84542 | 34.84542 | 38.34542 | 48.55147 | 52.0837 | 54.35518 | 60.22823 | 64.00545 | 66.6617 | 61.60701 | 64.54451 | 63.74764 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 25.08773 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 | 47.80245 | 46.56807 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.62024 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.44624 | 34.57124 | 38.07124 | 48.47847 | 51.50386 | 53.77925 | 60.07124 | 63.62215 | 66.02058 | 61.51277 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.50339 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.57124 | 34.32124 | 38.07124 | 48.47847 | 51.4482 | 54.02925 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | 55.32445 | 56.57445 | 62.44945 | 79.05784 | 84.18577 | 89.03538 | 98.55101 | 104.2463 | 107.6369 | 101.2307 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | 194.4561 | 197.9561 | 218.3311 | 276.8253 | 294.7921 | 312.9425 | 345.1905 | 365.3077 | 375.1358 | 352.878 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | 223.7937 | 228.0437 | 251.6687 | 319.0456 | 339.7331 | 360.9089 | 397.0749 | 421.1414 | 432.2118 | 406.8289 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | 124.1161 | 126.3661 | 139.3661 | 176.7411 | 188.3817 | 200.038 | 220.077 | 233.4677 | 240.163 | 225.6786 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 | 29.79122 | 29.40059 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.72042 | 34.84542 | 38.09542 | 48.55147 | 52.0837 | 54.60518 | 60.22823 | 63.75545 | 66.6617 | 61.35701 | 64.54451 | 63.74764 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 25.08773 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 | 47.80245 | 46.56807 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.62024 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.44624 | 34.57124 | 38.07124 | 48.47847 | 51.50386 | 54.02925 | 60.07124 | 63.37215 | 66.02058 | 61.26277 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.67692 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.50339 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.32124 | 34.32124 | 38.07124 | 48.22847 | 51.50386 | 53.77925 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 7.919047 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | 55.16318 | 56.16318 | 61.91318 | 78.41904 | 83.03916 | 88.64072 | 96.98349 | 103.171 | 106.3351 | 99.74131 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | 29.97866 | 30.72866 | 33.60366 | 42.69448 | 45.43667 | 47.71206 | 52.33804 | 55.86929 | 58.21304 | 53.94741 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | 38.30494 | 39.55494 | 43.30494 | 55.08229 | 58.83717 | 61.67701 | 68.20338 | 72.53932 | 74.80494 | 69.89869 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | 122.5355 | 124.7855 | 137.7855 | 174.6947 | 185.8285 | 197.7347 | 217.7152 | 231.3442 | 237.2739 | 222.6958 | 233.6489 | 228.477 |
| 15-603 | New transformers welding | 0 | 0 | 148.9377 | 151.9377 | 167.4377 | 212.4719 | 226.1067 | 240.2229 | 264.5158 | 280.0821 | 288.0899 | 270.7149 | 283.5743 | 277.5431 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | 16.37839 | 16.87839 | 18.37839 | 23.65671 | 25.05124 | 26.81589 | 29.28464 | 30.97214 | 32.21432 | 30.30026 | 31.39401 | 30.87839 |
| 15-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.42976 | 44.42976 | 49.05476 | 62.11433 | 66.40925 | 70.00007 | 77.78132 | 82.12507 | 84.96101 | 79.14851 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | 26.66025 | 27.28525 | 29.91025 | 38.09092 | 40.55967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.60274 | 54.97774 | 60.60274 | 76.8586 | 82.03438 | 87.33028 | 96.17305 | 101.6106 | 105.4152 | 98.43087 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.00998 | 55.13498 | 61.13498 | 77.49338 | 82.87131 | 88.22092 | 96.73654 | 102.4359 | 105.8265 | 98.92026 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.66419 | 29.41419 | 32.78919 | 41.83118 | 44.01087 | 46.59583 | 51.88294 | 54.87916 | 56.60572 | 52.55885 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | 24.68049 | 24.93049 | 27.55549 | 35.47151 | 38.1219 | 39.44905 | 43.74299 | 46.21956 | 47.66487 | 44.88362 | 46.77424 | 45.53987 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | 135.5955 | 138.4705 | 152.4705 | 194.0545 | 207.6072 | 220.4676 | 242.9236 | 257.4355 | 263.623 | 247.5058 | 260.0683 | 254.7089 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 190.7949 | 195.4199 | 215.1699 | 273.5703 | 291.5362 | 310.9463 | 341.4434 | 362.584 | 371.6699 | 348.7481 | 365.8887 | 358.2481 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 71.98507 | 74.36007 | 81.61007 | 104.5524 | 110.8288 | 117.4353 | 129.3679 | 137.4148 | 140.4538 | 132.2819 | 138.7038 | 135.3444 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.56758 | 25.19258 | 27.81758 | 35.53828 | 38.25606 | 39.51875 | 43.89571 | 46.88008 | 47.95039 | 44.48946 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | 24.0152 | 24.0152 | 26.5152 | 34.07965 | 36.72028 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | 24.56758 | 25.19258 | 27.81758 | 35.53828 | 38.25606 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | 48.8771 | 50.3771 | 55.3771 | 70.5607 | 75.45816 | 80.00406 | 88.43179 | 93.34585 | 96.11148 | 90.61148 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | 49.26822 | 50.76822 | 55.89322 | 71.38052 | 76.02994 | 80.07193 | 89.08853 | 93.72916 | 96.76822 | 90.98697 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | 25.4869 | 25.9869 | 28.6119 | 36.68417 | 39.0953 | 41.42147 | 45.47128 | 48.45162 | 49.88131 | 46.73287 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | 22.45073 | 23.32573 | 25.20073 | 32.10796 | 34.75054 | 35.81987 | 40.18511 | 42.66948 | 44.09136 | 41.02886 | 42.66948 | 42.59136 |
| 15-731 | Cool Roof - DX | 0 | 0 | 123.596 | 126.471 | 139.596 | 177.5823 | 189.7942 | 201.6516 | 221.7913 | 235.6897 | 241.2835 | 226.596 | 237.3147 | 232.2678 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 119.7655 | 122.8905 | 134.8905 | 172.0008 | 183.4334 | 195.0321 | 214.6795 | 227.578 | 233.6248 | 218.7186 | 229.6717 | 224.9998 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | 281.239 | 288.114 | 317.239 | 404.6716 | 432.0544 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | 281.239 | 288.114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | 259.5866 | 264.4616 | 291.5866 | 370.1765 | 393.8259 | 419.0925 | 461.7116 | 488.7741 | 501.2116 | 472.1491 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | 100.2662 | 101.6412 | 111.8912 | 142.7574 | 151.7808 | 160.6041 | 177.1568 | 187.9146 | 193.0553 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | 91.75851 | 93.50851 | 102.6335 | 130.4548 | 139.1013 | 146.9792 | 162.4773 | 171.9032 | 176.3407 | 166.575 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | 68.41666 | 70.29166 | 77.41666 | 98.33268 | 104.3688 | 110.4186 | 122.0885 | 129.362 | 133.0339 | 125.1198 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | 116.0479 | 118.0479 | 130.1729 | 165.3067 | 175.6836 | 186.5244 | 205.3213 | 217.6651 | 223.9307 | 210.626 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | 49.26822 | 50.26822 | 55.64322 | 70.92642 | 75.55826 | 79.35416 | 88.27603 | 92.68228 | 96.42447 | 90.59635 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 | 29.79525 | 29.40462 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 33.56318 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 | 64.33284 | 63.58284 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95064 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 | 47.43501 | 46.48189 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 18.60815 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80192 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 8.044047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | 10.6891 | 11.0641 | 11.8141 | 14.96254 | 16.25941 | 17.32484 | 18.61098 | 19.74757 | 20.31789 | 19.56007 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | 202.1332 | 205.8832 | 226.7582 | 287.7289 | 306.4457 | 325.1596 | 358.2192 | 379.6567 | 389.4067 | 365.9145 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | 135.0633 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.3445 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | 27.19249 | 27.81749 | 30.44249 | 38.87315 | 41.28624 | 43.61632 | 47.80186 | 50.55187 | 52.52062 | 49.52061 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 | 29.79525 | 29.40462 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | 33.81721 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 54.22444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 | 64.83284 | 63.58284 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95064 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 | 47.43501 | 46.48189 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 18.60815 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | 33.54707 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 60.78144 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80192 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 8.044047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | 55.46556 | 56.59056 | 62.21556 | 79.07396 | 84.20189 | 89.0515 | 98.31712 | 104.0124 | 107.6531 | 101.2468 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | 194.4803 | 198.1053 | 218.6053 | 277.0399 | 294.7498 | 313.159 | 344.8475 | 365.1953 | 375.039 | 352.2968 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | 224.1888 | 228.1888 | 251.9388 | 318.9632 | 339.3363 | 360.5765 | 396.8138 | 421.1185 | 431.2826 | 406.1419 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | 124.1121 | 126.2371 | 139.8621 | 176.6287 | 188.322 | 200.1697 | 219.823 | 233.4558 | 240.0105 | 225.7215 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 15.96309 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 | 29.79525 | 29.40462 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 33.68818 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 | 64.83284 | 63.33284 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 24.95064 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 | 47.43501 | 46.48189 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 18.60815 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 33.42207 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 60.78144 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 12.80192 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 16.50339 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | 33.40595 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 8.044047 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16-416 | Process Drives - ASD | 0 | 0 | 2.786172 | 3.286172 | 3.411172 | 4.529336 | 5.073281 | 5.074258 | 5.708047 | 5.286172 | 5.981485 | 5.458047 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | 27.20055 | 27.82555 | 30.20055 | 38.63121 | 41.34996 | 43.37438 | 47.55992 | 50.30993 | 52.64586 | 49.52867 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | 18.87427 | 19.12427 | 21.24927 | 27.04223 | 28.69946 | 30.21606 | 32.57739 | 35.03833 | 36.05395 | 34.40552 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | 122.7855 | 125.0355 | 137.7855 | 174.597 | 185.7728 | 197.3754 | 217.434 | 230.7971 | 236.8596 | 222.5002 | 232.9534 | 228.5784 |
| 16-605 | Process control | 0 | 0 | 21.64432 | 22.26932 | 23.89432 | 30.79862 | 33.16678 | 33.99491 | 37.95682 | 40.16776 | 41.8162 | 39.23807 | 40.36307 | 39.95682 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 63.10238 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 | 119.493 | 116.9461 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | 16.6163 | 16.8663 | 18.3663 | 23.59579 | 25.18856 | 26.50204 | 29.13192 | 30.78036 | 31.93661 | 30.19442 | 31.50692 | 30.5538 |
| 16-703 | EMS - Chiller | 0 | 0 | 57.82032 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 43.43782 | 44.68782 | 49.06282 | 61.87239 | 66.722 | 70.00813 | 77.28938 | 81.63716 | 84.8481 | 79.1606 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 54.38901 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 | 102.9671 | 100.7015 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | 26.66428 | 27.28928 | 30.16428 | 38.09495 | 41.00803 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 53.61886 | 54.86886 | 60.61886 | 77.12472 | 81.99484 | 87.3464 | 96.18917 | 101.6267 | 105.0407 | 98.44699 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 54.13498 | 55.13498 | 61.13498 | 77.43869 | 82.8713 | 87.6633 | 96.59592 | 102.0334 | 105.8225 | 99.05686 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | 28.78113 | 29.28113 | 32.78113 | 41.51356 | 44.00281 | 46.78113 | 51.23426 | 54.51172 | 56.59766 | 52.92579 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | 24.67243 | 24.79743 | 27.54743 | 35.1656 | 37.56989 | 39.13923 | 43.34431 | 46.34431 | 47.25056 | 44.76618 | 46.65681 | 45.70368 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | 135.4786 | 138.4786 | 152.7286 | 194.2149 | 207.5157 | 220.3731 | 242.6582 | 256.9004 | 263.8223 | 247.5723 | 259.1036 | 254.0879 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 28.91016 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 | 54.39454 | 53.11329 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 191.053 | 195.178 | 215.178 | 273.6721 | 291.3889 | 310.5393 | 341.5374 | 362.1505 | 370.9787 | 348.9709 | 365.3302 | 357.8146 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 72.34798 | 74.22298 | 81.59798 | 103.9378 | 111.2503 | 117.3138 | 129.0667 | 136.8636 | 140.3167 | 132.0667 | 138.473 | 135.4574 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 24.68452 | 25.18452 | 27.80952 | 35.47554 | 37.87593 | 39.45308 | 43.49702 | 46.47358 | 48.1689 | 44.88765 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | 23.75311 | 24.12811 | 26.75311 | 34.26874 | 36.45819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | 24.68452 | 25.18452 | 27.80952 | 35.47554 | 37.87593 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | 49.1271 | 50.5021 | 55.6271 | 71.00698 | 75.90249 | 79.94155 | 88.57241 | 93.44338 | 96.45901 | 90.27932 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | 49.26822 | 50.51822 | 55.89322 | 71.07681 | 75.97427 | 80.27017 | 88.69791 | 93.36197 | 96.6276 | 90.6276 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | 25.34981 | 25.84981 | 28.59981 | 36.87423 | 39.08321 | 41.10763 | 45.56856 | 47.54513 | 49.87325 | 46.38106 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | 22.45879 | 23.20879 | 25.20879 | 32.11602 | 34.75859 | 36.07793 | 40.19316 | 42.92754 | 44.09941 | 41.03691 | 42.67754 | 42.34941 |
| 16-731 | Cool Roof - DX | 0 | 0 | 123.7411 | 126.6161 | 139.6161 | 177.7987 | 189.7587 | 201.6083 | 221.4208 | 234.8349 | 241.3974 | 226.5067 | 237.7255 | 232.4599 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 120.1566 | 122.7816 | 135.1566 | 172.2181 | 183.0882 | 194.7464 | 214.555 | 227.9222 | 233.5863 | 219.3753 | 229.8285 | 224.9535 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | 281.5132 | 288.0132 | 317.2632 | 403.9907 | 432.1177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | 281.5132 | 288.0132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | 259.8447 | 264.2197 | 291.8447 | 370.0283 | 393.4179 | 418.6855 | 460.8212 | 488.6259 | 500.5478 | 471.5947 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | 99.93561 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | 0.270146 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | 6.322344 | 6.822344 | 7.072344 | 9.708086 | 10.52938 | 10.28426 | 11.49422 | 11.87325 | 12.80294 | 12.10762 | 12.12325 | 12.2795 |
| N-807 | Flood LED 14W | 0 | 0 | 6.322344 | 6.697344 | 7.072344 | 9.708086 | 10.47273 | 10.03426 | 11.24422 | 11.86922 | 12.40047 | 11.85359 | 12.11922 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | 49.90934 | 52.03434 | 57.15934 | 73.76773 | 78.70133 | 83.49527 | 92.7609 | 97.70622 | 100.4953 | 94.19059 | 99.25309 | 96.54996 |
| N-732 | Run Time Optimizer | 0 | 0 | 532.4953 | 543.6203 | 599.3703 | 762.7448 | 812.7297 | 864.4748 | 950.9016 | 1009.605 | 1033.886 | 970.2141 | 1018.089 | 997.1672 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | 337.338 | 352.838 | 387.463 | 497.2921 | 533.296 | 566.8341 | 624.1349 | 661.6583 | 676.0255 | 632.1974 | 668.5724 | 653.1817 |

| 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|----------|----------|----------|----------|----------|----------|----------|----------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,381.27 | \$1,017.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.25 | \$764.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,749.81 | \$1,289.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.21 | \$551.93 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.35 | \$247.77 |
| 71.89485 | 65.51985 | 69.70735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.47 | \$534.36 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.60 | \$394.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.36 | \$206.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.81 | \$374.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.03 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.21 | \$107.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.52 | \$217.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.74 | \$118.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,048.30 | \$2,245.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,032.39 | \$1,497.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.04 | \$301.97 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.35 | \$247.77 |
| 71.89888 | 65.52388 | 69.96138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.50 | \$535.68 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.60 | \$394.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.36 | \$206.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.93 | \$374.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.03 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.21 | \$107.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.45 | \$218.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.33 | \$617.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,935.14 | \$2,162.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,379.13 | \$2,489.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,874.10 | \$1,380.51 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.35 | \$247.77 |
| 71.89888 | 65.77388 | 69.96138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$846.95 | \$535.31 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.60 | \$394.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.36 | \$206.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$509.14 | \$374.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.03 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.21 | \$107.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.57 | \$218.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$811.77 | \$597.92 |
| 556.4112 | 508.1299 | 537.3174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,514.12 | \$4,115.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,044.32 | \$769.05 |
| 372.2382 | 341.1132 | 359.3319 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,358.02 | \$2,752.67 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 35.06186 | 31.84311 | 33.93686 | 34.34311 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.73 | \$327.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.12 | \$484.71 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.15 | \$142.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.59 | \$602.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$823.69 | \$606.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.31 | \$323.41 |
| 52.14924 | 47.86799 | 50.77424 | 52.21174 | 56.14924 | 57.71174 | 59.99299 | 62.18049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$904.15 | \$488.51 |
| 291.908 | 266.5018 | 281.283 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,413.95 | \$2,156.30 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.5369 | 375.8806 | 396.9431 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,809.52 | \$3,037.90 |
| 155.0395 | 141.8833 | 150.5395 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,821.18 | \$1,150.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.69 | \$276.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.25 | \$126.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.73 | \$132.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.90 | \$552.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.03 | \$554.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$388.33 | \$285.96 |
| 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.53 | \$448.11 |
| 266.9397 | 243.9085 | 256.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,122.52 | \$1,972.42 |
| 258.2655 | 235.828 | 249.0155 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,021.37 | \$1,908.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.22 | \$1,503.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$568.58 | \$551.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.79 | \$2,888.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.78 | \$1,004.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,383.43 | \$1,017.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.49 | \$763.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,751.85 | \$1,288.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.86 | \$552.15 |
| 32.98933 | 30.77058 | 32.36433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$394.44 | \$249.40 |
| 72.01385 | 66.7326 | 69.9201 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.32 | \$534.61 |
| 52.91035 | 49.22285 | 51.8791 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$629.20 | \$397.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.17 | \$206.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.22 | \$372.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.22 | \$140.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.69 | \$106.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$256.53 | \$215.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.00 | \$51.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.77 | \$118.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,051.76 | \$2,244.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,033.95 | \$1,496.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.59 | \$302.01 |
| 32.98933 | 30.77058 | 32.36433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$394.44 | \$249.40 |
| 72.51385 | 66.4826 | 70.1701 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.94 | \$536.45 |
| 52.91035 | 49.22285 | 51.8791 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$629.20 | \$397.42 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.17 | \$206.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.64 | \$373.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.22 | \$140.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.69 | \$106.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$256.78 | \$216.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.00 | \$51.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$837.04 | \$615.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,936.24 | \$2,159.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,381.72 | \$2,487.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,875.31 | \$1,379.50 |
| 32.98933 | 30.77058 | 32.36433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$394.44 | \$249.40 |
| 72.26385 | 66.7326 | 70.1701 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.15 | \$535.70 |
| 52.91035 | 49.22285 | 51.8791 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$629.20 | \$397.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.17 | \$206.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.22 | \$372.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.22 | \$140.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.69 | \$106.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$256.11 | \$215.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.00 | \$51.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,393.67 | \$1,025.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,961.18 | \$1,538.44 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.21 | \$1,244.52 |
| 35.33809 | 32.21309 | 33.80684 | 33.65059 | 37.58809 | 38.55684 | 40.77559 | 41.40059 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.12 | \$327.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.27 | \$639.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$655.97 | \$482.52 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.58 | \$140.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$816.10 | \$600.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$820.43 | \$603.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.65 | \$322.67 |
| 52.05755 | 47.7763 | 50.93255 | 50.24505 | 56.4638 | 57.05755 | 60.37005 | 62.05755 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$901.16 | \$486.72 |
| 292.9062 | 267.6875 | 282.0473 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,414.78 | \$2,154.20 |
| 60.43335 | 55.9021 | 59.30835 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$718.34 | \$454.00 |
| 412.7035 | 378.016 | 396.3598 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,809.09 | \$3,033.76 |
| 155.589 | 143.1203 | 149.5578 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,819.73 | \$1,148.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.37 | \$274.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$143.14 | \$124.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$150.34 | \$131.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$747.33 | \$549.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$751.11 | \$552.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.76 | \$283.82 |
| 47.69876 | 43.73001 | 46.88626 | 46.16751 | 51.32376 | 52.63626 | 55.41751 | 57.07376 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$826.16 | \$446.04 |
| 267.5236 | 244.5236 | 257.2424 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,117.31 | \$1,966.57 |
| 259.1326 | 236.7263 | 248.9451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,021.32 | \$1,906.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,701.23 | \$1,483.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$556.68 | \$539.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,925.38 | \$2,887.54 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,323.83 | \$1,003.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 122.3154 | 111.9092 | 118.0029 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,429.20 | \$901.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,383.95 | \$1,019.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,041.90 | \$767.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,752.79 | \$1,290.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.99 | \$552.28 |
| 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.71 | \$248.63 |
| 72.23054 | 65.66804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$846.79 | \$534.99 |
| 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.47 | \$395.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.15 | \$206.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.36 | \$374.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.13 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.01 | \$107.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.88 | \$217.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.83 | \$118.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,052.29 | \$2,247.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,035.61 | \$1,499.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.14 | \$302.77 |
| 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.71 | \$248.63 |
| 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.69 | \$535.62 |
| 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.47 | \$395.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.15 | \$206.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.96 | \$374.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.13 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.01 | \$107.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.38 | \$217.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,752.79 | \$1,290.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$840.16 | \$618.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,941.04 | \$2,165.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,386.28 | \$2,493.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,877.28 | \$1,382.57 |
| 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.71 | \$248.63 |
| 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$848.00 | \$535.80 |
| 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.47 | \$395.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.15 | \$206.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$509.11 | \$374.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.13 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.01 | \$107.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.44 | \$217.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 668.376 | 611.0635 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,172.79 | \$4,669.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$487.60 | \$358.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$283.04 | \$208.61 |
| 298.5379 | 272.5692 | 287.8817 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,491.26 | \$2,205.05 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.24533 | 32.15158 | 33.77658 | 35.05783 | 37.99533 | 38.46408 | 40.68283 | 41.74533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.84 | \$327.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.79 | \$485.02 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.49 | \$142.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.50 | \$602.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$824.17 | \$606.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$440.97 | \$324.50 |
| 52.0041 | 47.66035 | 51.17646 | 53.02021 | 56.14521 | 57.98896 | 60.77021 | 61.98896 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$906.41 | \$489.72 |
| 293.3405 | 268.3717 | 282.1842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,422.92 | \$2,160.92 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 412.6912 | 377.9412 | 397.6135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,821.16 | \$3,043.64 |
| 155.3823 | 142.6323 | 150.6484 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,824.80 | \$1,152.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$376.67 | \$277.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.22 | \$126.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.80 | \$132.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$751.22 | \$552.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$756.68 | \$556.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$387.86 | \$285.49 |
| 48.12211 | 43.96586 | 46.84086 | 47.84086 | 51.27836 | 52.55961 | 55.84086 | 56.49711 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.49 | \$448.01 |
| 268.1766 | 245.1766 | 257.3954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,126.77 | \$1,973.99 |
| 259.5457 | 237.3582 | 249.327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,029.41 | \$1,912.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,719.44 | \$1,499.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$564.53 | \$547.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,929.68 | \$2,893.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,324.92 | \$1,006.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,385.33 | \$1,020.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,040.90 | \$766.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,753.96 | \$1,292.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.91 | \$553.09 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.38 | \$248.36 |
| 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.40 | \$535.59 |
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.80 | \$394.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.82 | \$207.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.69 | \$374.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.89 | \$140.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.26 | \$107.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.34 | \$217.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.80 | \$52.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.74 | \$118.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,055.62 | \$2,251.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,030.78 | \$1,496.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.01 | \$302.78 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.38 | \$248.36 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$848.01 | \$536.03 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.80 | \$394.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.82 | \$207.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.69 | \$374.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.89 | \$140.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.26 | \$107.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.96 | \$218.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.80 | \$52.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$839.99 | \$618.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,940.40 | \$2,166.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,385.98 | \$2,494.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,878.43 | \$1,383.84 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.38 | \$248.36 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.65 | \$535.76 |
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.80 | \$394.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.82 | \$207.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.82 | \$374.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.89 | \$140.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.26 | \$107.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.80 | \$52.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$249.20 | \$183.65 |
| 94.79562 | 85.95187 | 91.45187 | 92.70187 | 101.2019 | 103.7331 | 107.7331 | 111.6394 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,627.78 | \$880.11 |
| 90.60517 | 82.76142 | 87.98017 | 89.01142 | 96.94892 | 99.51142 | 102.9802 | 106.3552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,560.52 | \$844.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$405.34 | \$298.62 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 34.90158 | 32.02658 | 33.62033 | 34.49533 | 37.74533 | 38.18283 | 40.40158 | 40.99533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.03 | \$326.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$657.70 | \$484.61 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.46 | \$142.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$816.07 | \$601.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$820.55 | \$604.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.14 | \$323.52 |
| 51.96174 | 47.55549 | 50.96174 | 51.80549 | 56.02424 | 57.08674 | 59.86799 | 61.55549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$900.25 | \$486.68 |
| 291.1469 | 266.1781 | 281.4281 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,410.77 | \$2,155.05 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.0772 | 374.9834 | 395.7959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,803.18 | \$3,034.91 |
| 155.4659 | 142.0284 | 150.3248 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,820.20 | \$1,150.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.29 | \$275.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.28 | \$126.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.13 | \$131.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.72 | \$552.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$752.35 | \$554.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$386.03 | \$284.30 |
| 48.04448 | 43.57573 | 46.95073 | 47.29448 | 51.26323 | 52.79448 | 55.04448 | 56.26323 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$827.53 | \$447.43 |
| 266.3117 | 243.3742 | 257.233 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,118.41 | \$1,969.96 |
| 257.8481 | 235.8169 | 248.4731 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,018.02 | \$1,906.92 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|---------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.62 | \$1,503.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$570.18 | \$552.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.97 | \$2,893.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.36 | \$1,004.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,380.47 | \$1,017.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,038.00 | \$764.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,750.12 | \$1,289.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$748.96 | \$551.78 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.30 | \$247.77 |
| 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.40 | \$535.59 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.70 | \$395.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.61 | \$206.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.69 | \$374.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.58 | \$140.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.33 | \$107.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.34 | \$217.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.74 | \$118.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,047.92 | \$2,245.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,030.78 | \$1,496.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.22 | \$302.13 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.30 | \$247.77 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.76 | \$535.85 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.70 | \$395.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.61 | \$206.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.94 | \$374.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.58 | \$140.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.33 | \$107.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.96 | \$218.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.38 | \$617.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,934.54 | \$2,161.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,378.75 | \$2,489.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,874.25 | \$1,380.65 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.30 | \$247.77 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.65 | \$535.76 |
| 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.70 | \$395.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.61 | \$206.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.82 | \$374.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.58 | \$140.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.33 | \$107.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.55 | \$51.92 |
| 116.6753 | 106.8003 | 113.0815 | 115.5815 | 125.1128 | 129.0503 | 134.144 | 137.6753 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,015.27 | \$1,089.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,874.25 | \$1,380.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$857.12 | \$631.44 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$283.40 | \$208.94 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.06186 | 32.09311 | 33.93686 | 34.34311 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.23 | \$327.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.37 | \$484.87 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.10 | \$142.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$817.84 | \$602.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$823.48 | \$606.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.31 | \$323.41 |
| 52.14924 | 47.86799 | 50.77424 | 52.21174 | 56.14924 | 57.71174 | 59.99299 | 61.68049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$902.90 | \$487.91 |
| 292.158 | 266.5018 | 281.283 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,414.33 | \$2,156.66 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.5369 | 375.6306 | 396.6931 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,808.52 | \$3,037.33 |
| 155.0395 | 141.8833 | 150.2895 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,820.33 | \$1,150.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.25 | \$275.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.25 | \$126.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.41 | \$132.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$751.08 | \$553.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.17 | \$554.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$388.35 | \$285.95 |
| 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.28 | \$447.87 |
| 266.9397 | 243.9085 | 256.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,121.69 | \$1,971.98 |
| 258.2655 | 235.828 | 248.7655 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,020.49 | \$1,908.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.17 | \$1,503.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$568.71 | \$551.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.78 | \$2,888.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.36 | \$1,004.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,380.95 | \$1,017.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.97 | \$764.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,748.03 | \$1,288.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$748.44 | \$551.42 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |
| 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.40 | \$535.59 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.69 | \$374.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.34 | \$217.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.36 | \$118.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,046.55 | \$2,245.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,030.78 | \$1,496.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.34 | \$302.37 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.76 | \$535.85 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.94 | \$374.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.96 | \$218.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$836.13 | \$616.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,932.78 | \$2,161.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,376.94 | \$2,488.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,872.14 | \$1,379.45 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.65 | \$535.76 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.82 | \$374.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.55 | \$610.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.55 | \$2,289.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$657.77 | \$484.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$46.59 | \$34.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$657.77 | \$484.74 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 34.6677 | 31.7927 | 33.88645 | 34.32395 | 37.51145 | 38.19895 | 40.9177 | 41.01145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.92 | \$327.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.27 | \$485.07 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.34 | \$142.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$816.42 | \$601.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$820.28 | \$604.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.24 | \$323.03 |
| 51.81355 | 47.50105 | 50.62605 | 51.4698 | 55.87605 | 56.93855 | 59.2198 | 61.43855 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$897.98 | \$485.70 |
| 290.1751 | 265.2689 | 280.5975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,401.85 | \$2,149.92 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 409.313 | 373.938 | 395.7193 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,795.60 | \$3,030.69 |
| 154.7361 | 141.5486 | 149.4548 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,817.04 | \$1,148.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.50 | \$275.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.63 | \$127.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$150.77 | \$131.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.42 | \$552.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$754.26 | \$555.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$386.65 | \$284.95 |
| 47.81463 | 43.59588 | 46.72088 | 47.37713 | 51.28338 | 52.81463 | 55.06463 | 56.28338 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.27 | \$448.07 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 266.2249 | 243.1624 | 257.5999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,121.31 | \$1,972.09 |
| 256.1142 | 234.6455 | 248.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,009.71 | \$1,902.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,724.75 | \$1,505.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$572.58 | \$555.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,917.21 | \$2,886.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.04 | \$1,003.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,380.95 | \$1,017.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.97 | \$764.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,748.03 | \$1,288.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$748.44 | \$551.42 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |
| 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.40 | \$535.59 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.69 | \$374.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.34 | \$217.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.79 | \$58.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$198.73 | \$146.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.36 | \$118.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,046.55 | \$2,245.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,030.78 | \$1,496.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.34 | \$302.37 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.76 | \$535.85 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.94 | \$374.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.96 | \$218.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.79 | \$58.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$198.73 | \$146.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$836.13 | \$616.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,932.78 | \$2,161.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,376.94 | \$2,488.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,872.14 | \$1,379.45 |
| 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.63 | \$248.53 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.65 | \$535.76 |
| 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.58 | \$393.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.12 | \$207.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.82 | \$374.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.70 | \$139.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.31 | \$107.32 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.44 | \$51.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.79 | \$58.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$198.73 | \$146.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,748.03 | \$1,288.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.79 | \$58.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$198.73 | \$146.63 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 34.9177 | 31.7927 | 33.88645 | 34.32395 | 37.51145 | 38.19895 | 40.4177 | 41.01145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.17 | \$327.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.02 | \$484.92 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.15 | \$142.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$816.22 | \$601.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$820.23 | \$604.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$437.39 | \$322.43 |
| 51.81355 | 47.25105 | 50.62605 | 51.7198 | 55.87605 | 56.93855 | 59.2198 | 61.43855 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$897.89 | \$485.63 |
| 289.9251 | 265.5189 | 280.2689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,401.14 | \$2,149.49 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 409.1447 | 373.8634 | 395.6447 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,794.06 | \$3,029.77 |
| 155.0637 | 141.4699 | 149.3762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,815.35 | \$1,147.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.91 | \$275.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.65 | \$127.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.12 | \$131.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.41 | \$552.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$752.79 | \$554.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.63 | \$284.19 |
| 47.81866 | 43.59991 | 46.72491 | 47.06866 | 51.53741 | 52.81866 | 54.56866 | 56.28741 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.47 | \$448.42 |
| 265.4659 | 242.6534 | 257.0909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,115.77 | \$1,968.90 |
| 256.1142 | 234.6455 | 248.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,009.71 | \$1,902.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,724.21 | \$1,504.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$572.45 | \$554.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,917.21 | \$2,886.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.04 | \$1,003.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,382.49 | \$1,018.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,038.12 | \$764.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,749.98 | \$1,289.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.04 | \$552.49 |
| 33.02156 | 30.08406 | 32.42781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.82 | \$247.89 |
| 71.89485 | 65.51985 | 69.70735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$844.66 | \$533.79 |
| 52.92342 | 48.14217 | 51.54842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.77 | \$394.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.83 | \$207.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.89 | \$374.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.31 | \$140.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.56 | \$107.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.92 | \$218.32 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.13 | \$51.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.74 | \$118.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,050.12 | \$2,246.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,032.01 | \$1,497.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.38 | \$301.53 |
| 33.02156 | 30.08406 | 32.42781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.82 | \$247.89 |
| 72.14485 | 66.01985 | 69.95735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.81 | \$535.76 |
| 52.92342 | 48.14217 | 51.54842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.77 | \$394.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.83 | \$207.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.77 | \$374.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.31 | \$140.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.56 | \$107.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.67 | \$218.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.13 | \$51.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.29 | \$617.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,933.48 | \$2,161.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,380.38 | \$2,490.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,873.98 | \$1,380.43 |
| 33.02156 | 30.08406 | 32.42781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.82 | \$247.89 |
| 71.89485 | 66.01985 | 69.95735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.14 | \$535.30 |
| 52.92342 | 48.14217 | 51.54842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.77 | \$394.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.83 | \$207.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.77 | \$374.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.31 | \$140.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.56 | \$107.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.49 | \$217.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.13 | \$51.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.86 | \$719.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,884.18 | \$2,692.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,943.66 | \$6,198.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,452.17 | \$1,699.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,314.35 | \$1,604.06 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.06186 | 32.09311 | 33.93686 | 34.34311 | 38.12436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.74 | \$327.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$657.76 | \$484.53 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.35 | \$142.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.25 | \$602.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$822.98 | \$605.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.89 | \$323.83 |
| 52.39521 | 47.61396 | 50.77021 | 51.95771 | 55.89521 | 57.20771 | 59.98896 | 62.17646 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.12 | \$488.27 |
| 292.3455 | 266.8455 | 281.3455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,416.37 | \$2,157.69 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 411.3574 | 375.7637 | 396.7788 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,811.40 | \$3,038.89 |
| 155.0314 | 141.8752 | 150.2814 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,821.93 | \$1,151.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.61 | \$276.03 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---------|---------|---------|---------|---------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.18 | \$126.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.54 | \$132.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.96 | \$552.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.74 | \$554.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$388.13 | \$285.81 |
| 47.91545 | 43.66545 | 47.29045 | 47.7592 | 51.1342 | 52.9467 | 54.6967 | 56.8842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.84 | \$448.65 |
| 267.1736 | 243.8923 | 257.4397 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,121.89 | \$1,971.75 |
| 257.9993 | 235.8118 | 249.078 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,021.20 | \$1,908.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.42 | \$1,503.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$568.57 | \$551.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,923.75 | \$2,890.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,323.46 | \$1,005.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,384.00 | \$1,019.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,040.79 | \$766.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,753.33 | \$1,291.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.03 | \$552.62 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.08 | \$248.81 |
| 71.90693 | 65.78193 | 70.0793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$848.43 | \$536.03 |
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.76 | \$394.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.45 | \$207.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.64 | \$374.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.76 | \$140.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.19 | \$107.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.00 | \$218.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.53 | \$51.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.07 | \$118.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,051.45 | \$2,248.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,035.82 | \$1,499.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.13 | \$302.19 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.08 | \$248.81 |
| 72.36055 | 65.8918 | 70.0793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$850.26 | \$537.32 |
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.76 | \$394.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.45 | \$207.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$510.00 | \$375.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.76 | \$140.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.19 | \$107.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.19 | \$218.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.53 | \$51.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.93 | \$618.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,936.66 | \$2,163.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,383.47 | \$2,492.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,876.54 | \$1,382.41 |
| 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.08 | \$248.81 |
| 72.36055 | 65.6418 | 70.0793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.76 | \$537.05 |
| 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.76 | \$394.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.45 | \$207.42 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.60 | \$374.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.94 | \$139.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.09 | \$107.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.13 | \$217.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.04 | \$118.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,052.96 | \$2,248.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,035.01 | \$1,498.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$410.28 | \$302.22 |
| 32.92781 | 30.17781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.87 | \$248.55 |
| 72.48054 | 65.66804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$848.16 | \$535.93 |
| 53.29036 | 48.69661 | 51.60286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.78 | \$396.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$279.94 | \$206.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.67 | \$374.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.94 | \$139.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.09 | \$107.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.81 | \$218.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$840.64 | \$619.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,940.03 | \$2,164.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,384.49 | \$2,492.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,878.40 | \$1,383.31 |
| 32.92781 | 30.17781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.87 | \$248.55 |
| 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.09 | \$536.52 |
| 53.29036 | 48.69661 | 51.60286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.78 | \$396.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$279.94 | \$206.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.98 | \$374.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.94 | \$139.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.09 | \$107.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.31 | \$217.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.45 | \$51.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$405.07 | \$298.36 |
| 56.44956 | 51.66831 | 55.32456 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$669.30 | \$423.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.42 | \$347.19 |
| 120.646 | 110.3335 | 116.146 | 119.1147 | 129.0835 | 132.0522 | 137.646 | 141.7397 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,072.97 | \$1,120.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.43 | \$118.86 |
| 146.9278 | 134.459 | 141.1153 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.71 | \$1,089.19 |
| 56.44956 | 51.66831 | 55.32456 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$669.30 | \$423.14 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.24533 | 31.90158 | 33.77658 | 34.80783 | 38.24533 | 38.46408 | 40.68283 | 41.74533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$607.21 | \$327.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.35 | \$484.67 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.49 | \$142.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.45 | \$602.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$823.25 | \$605.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$440.72 | \$324.35 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 52.0041 | 47.91035 | 51.17646 | 52.77021 | 56.64521 | 58.48896 | 60.77021 | 61.98896 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$907.58 | \$490.17 |
| 293.0824 | 268.1137 | 282.1762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,423.46 | \$2,161.25 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 412.8867 | 378.0117 | 397.1055 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,821.49 | \$3,043.80 |
| 155.3782 | 142.3782 | 150.3944 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,824.57 | \$1,152.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$376.14 | \$276.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.47 | \$126.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.53 | \$132.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.94 | \$552.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$756.25 | \$556.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$388.22 | \$285.80 |
| 48.2592 | 43.79045 | 46.83683 | 47.74308 | 51.52433 | 53.05558 | 55.33683 | 56.99308 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$831.64 | \$449.32 |
| 267.9226 | 244.9226 | 257.6414 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,127.40 | \$1,974.41 |
| 259.2917 | 237.3542 | 249.323 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,028.66 | \$1,912.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,719.76 | \$1,499.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$564.78 | \$547.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,929.57 | \$2,893.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,325.67 | \$1,006.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,382.46 | \$1,018.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.75 | \$765.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,750.58 | \$1,289.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.66 | \$552.06 |
| 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.90 | \$248.20 |
| 72.24665 | 65.93415 | 69.29304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.32 | \$535.48 |
| 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.09 | \$395.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.37 | \$206.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.48 | \$373.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.14 | \$140.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.19 | \$106.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.72 | \$217.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$60.70 | \$51.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.12 | \$118.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,051.73 | \$2,247.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,034.71 | \$1,498.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.18 | \$302.86 |
| 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.90 | \$248.20 |
| 72.49665 | 65.68415 | 69.79304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$850.03 | \$537.08 |
| 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.09 | \$395.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.37 | \$206.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$509.13 | \$374.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.14 | \$140.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.19 | \$106.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.97 | \$217.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$60.70 | \$51.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$839.47 | \$618.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,936.39 | \$2,162.89 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,380.35 | \$2,489.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,877.56 | \$1,382.79 |
| 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.90 | \$248.20 |
| 72.49665 | 65.93415 | 69.54304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.38 | \$536.52 |
| 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$626.09 | \$395.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.37 | \$206.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.99 | \$374.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.14 | \$140.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.19 | \$106.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.90 | \$217.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$60.70 | \$51.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$830.64 | \$611.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$450.55 | \$331.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$581.95 | \$428.70 |
| 262.5507 | 239.7382 | 253.4257 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,074.37 | \$1,942.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$830.64 | \$611.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$450.55 | \$331.88 |
| 318.7412 | 291.4287 | 307.601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,730.12 | \$2,356.53 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.50339 | 32.15964 | 34.28464 | 34.90964 | 38.00339 | 38.47214 | 40.69089 | 41.75339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$609.92 | \$329.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.63 | \$485.00 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.45 | \$142.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.38 | \$602.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$822.93 | \$605.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$440.73 | \$324.48 |
| 52.27021 | 47.92646 | 51.08271 | 52.61396 | 56.02021 | 57.33271 | 60.14521 | 61.36396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$904.83 | \$489.27 |
| 292.9856 | 267.3606 | 282.3919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,421.00 | \$2,160.25 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 411.669 | 376.8565 | 396.9502 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,815.64 | \$3,040.97 |
| 155.3631 | 142.2694 | 150.1756 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,822.49 | \$1,151.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.08 | \$275.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.43 | \$126.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.58 | \$132.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.44 | \$552.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$754.46 | \$555.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$387.80 | \$285.41 |
| 47.39933 | 43.64933 | 47.10295 | 47.9467 | 51.29045 | 53.0717 | 55.35295 | 56.5092 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.45 | \$447.66 |
| 267.3178 | 244.4115 | 257.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,124.39 | \$1,973.08 |
| 258.8975 | 236.585 | 249.2725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,026.19 | \$1,910.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,721.19 | \$1,501.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$566.63 | \$549.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.23 | \$2,891.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,324.36 | \$1,006.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,385.99 | \$1,020.08 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,041.84 | \$766.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,757.34 | \$1,293.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.28 | \$554.23 |
| 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.27 | \$249.76 |
| 71.89082 | 65.26582 | 69.70332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.33 | \$534.38 |
| 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.89 | \$396.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.70 | \$207.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.22 | \$374.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.84 | \$140.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.81 | \$106.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.67 | \$218.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.47 | \$51.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.76 | \$119.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,059.43 | \$2,251.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,033.89 | \$1,498.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.39 | \$302.83 |
| 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.27 | \$249.76 |
| 71.89082 | 65.26582 | 69.95332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$846.58 | \$535.12 |
| 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.89 | \$396.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.70 | \$207.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.35 | \$374.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.84 | \$140.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.81 | \$106.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.62 | \$218.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.47 | \$51.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$841.09 | \$618.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,945.71 | \$2,167.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,391.43 | \$2,495.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,880.83 | \$1,384.32 |
| 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.27 | \$249.76 |
| 71.89082 | 65.26582 | 69.70332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$846.00 | \$534.72 |
| 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.89 | \$396.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.70 | \$207.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.60 | \$374.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.84 | \$140.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.81 | \$106.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.67 | \$218.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.47 | \$51.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$831.34 | \$611.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$447.75 | \$330.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$583.77 | \$429.62 |
| 263.6969 | 241.5406 | 254.0094 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,082.54 | \$1,946.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$831.34 | \$611.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$447.75 | \$330.03 |
| 320.5517 | 293.0205 | 308.6455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,743.42 | \$2,363.00 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.38 | \$1,244.63 |
| 35.5538 | 32.3038 | 33.9288 | 33.8038 | 38.9913 | 38.71005 | 40.96005 | 42.0538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$609.82 | \$329.29 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|----------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$660.15 | \$485.55 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$162.95 | \$142.04 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$820.41 | \$603.32 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$824.19 | \$606.31 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$441.07 | \$324.26 | |
| 52.5041 | 47.8791 | 51.03535 | 51.09785 | 56.8791 | 57.22285 | 60.5666 | 61.72285 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$907.14 | \$490.32 | |
| 294.8738 | 269.3425 | 282.7952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,431.59 | \$2,164.79 | |
| 60.49182 | 55.55432 | 58.96057 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$716.65 | \$452.98 | |
| 415.1418 | 379.2981 | 398.1731 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,832.04 | \$3,048.29 | |
| 156.7018 | 143.4518 | 150.3893 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.59 | \$1,154.53 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.71 | \$276.44 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$144.66 | \$126.09 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$150.46 | \$131.12 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$751.57 | \$552.70 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$755.40 | \$555.48 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$388.09 | \$285.50 | |
| 47.66447 | 43.85197 | 47.22697 | 46.66447 | 51.47697 | 53.28947 | 56.07072 | 56.78947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.75 | \$447.71 | |
| 268.8813 | 245.4751 | 257.8652 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,132.86 | \$1,976.43 | |
| 260.1768 | 238.4268 | 249.8956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,035.84 | \$1,915.43 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,707.58 | \$1,488.48 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$558.62 | \$541.34 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,937.07 | \$2,897.55 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,323.55 | \$1,005.56 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,379.98 | \$1,016.86 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.14 | \$765.46 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,750.35 | \$1,289.47 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$748.97 | \$551.79 | |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.05 | \$247.65 | |
| 72.77889 | 65.71639 | 69.82527 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.86 | \$537.06 | |
| 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$625.45 | \$395.42 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.24 | \$207.23 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.47 | \$374.56 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.83 | \$140.65 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.76 | \$106.89 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.97 | \$218.35 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.42 | \$51.80 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.12 | \$118.68 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,048.29 | \$2,245.67 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,039.94 | \$1,502.84 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.59 | \$301.67 | |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.05 | \$247.65 | |
| 72.77889 | 65.96639 | 69.90389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$851.19 | \$537.91 | |
| 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$625.45 | \$395.42 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.24 | \$207.23 | |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$510.33 | \$375.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.83 | \$140.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.76 | \$106.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.92 | \$218.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.42 | \$51.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$837.86 | \$617.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,935.34 | \$2,162.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,379.04 | \$2,489.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,873.94 | \$1,380.48 |
| 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.05 | \$247.65 |
| 72.77889 | 65.96639 | 69.82527 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$850.56 | \$537.47 |
| 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$625.45 | \$395.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.24 | \$207.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$509.99 | \$375.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.83 | \$140.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.76 | \$106.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.67 | \$218.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.42 | \$51.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.85 | \$611.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.34 | \$301.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$284.24 | \$209.67 |
| 261.9025 | 239.465 | 253.1525 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,069.10 | \$1,939.06 |
| 318.0778 | 290.6716 | 307.2341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,727.45 | \$2,355.45 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.06186 | 32.09311 | 33.93686 | 34.49936 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.39 | \$327.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.07 | \$484.66 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$162.85 | \$142.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$817.10 | \$601.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$823.36 | \$606.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.72 | \$323.70 |
| 52.14924 | 47.86799 | 51.02424 | 52.21174 | 56.14924 | 57.21174 | 59.99299 | 62.18049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.45 | \$488.27 |
| 292.2709 | 266.4272 | 281.287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,412.88 | \$2,155.69 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.2909 | 375.3847 | 396.6972 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,807.95 | \$3,037.06 |
| 155.0395 | 141.8833 | 150.2895 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,820.58 | \$1,150.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.69 | \$276.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.31 | \$126.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.73 | \$132.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.71 | \$552.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.19 | \$554.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$387.27 | \$285.16 |
| 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.48 | \$448.02 |
| 266.9437 | 243.6625 | 257.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,121.63 | \$1,971.79 |
| 258.2695 | 236.082 | 248.7695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,021.15 | \$1,908.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.07 | \$1,503.07 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$568.84 | \$551.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.79 | \$2,888.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,326.60 | \$1,007.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,382.26 | \$1,017.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.90 | \$765.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,752.50 | \$1,290.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.97 | \$553.05 |
| 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.42 | \$247.87 |
| 72.08235 | 65.3636 | 69.0511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$846.04 | \$534.65 |
| 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.62 | \$396.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$279.33 | \$205.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.36 | \$373.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.82 | \$139.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.11 | \$107.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.08 | \$217.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.20 | \$51.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.04 | \$118.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,052.43 | \$2,248.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,034.25 | \$1,498.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.30 | \$303.02 |
| 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.42 | \$247.87 |
| 72.08235 | 65.6136 | 69.3011 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.46 | \$535.59 |
| 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.62 | \$396.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$279.33 | \$205.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.98 | \$374.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.82 | \$139.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.11 | \$107.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.20 | \$217.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.20 | \$51.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.93 | \$618.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,937.73 | \$2,163.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,384.02 | \$2,492.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,878.43 | \$1,383.33 |
| 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.42 | \$247.87 |
| 72.33235 | 65.3636 | 69.5511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.29 | \$535.36 |
| 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$627.62 | \$396.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$279.33 | \$205.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.86 | \$374.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$189.82 | \$139.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.11 | \$107.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.02 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.20 | \$51.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.93 | \$618.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$449.72 | \$331.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$933.00 | \$687.03 |
| 263.1404 | 239.8904 | 253.218 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,074.95 | \$1,942.40 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.93 | \$618.09 |
| 319.464 | 291.4015 | 307.7452 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,734.90 | \$2,359.29 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.24936 | 32.15561 | 34.03061 | 34.99936 | 37.99936 | 38.46811 | 40.68686 | 41.74936 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$608.11 | \$328.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.06 | \$484.62 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,352.99 | \$855.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.64 | \$142.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$818.65 | \$602.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$821.11 | \$604.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.34 | \$323.45 |
| 52.26215 | 47.9184 | 51.32465 | 52.94965 | 56.01215 | 58.32465 | 60.13715 | 61.8559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$906.45 | \$489.73 |
| 293.028 | 267.7467 | 282.028 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,420.84 | \$2,159.96 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 412.6095 | 376.797 | 396.9694 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,819.46 | \$3,043.33 |
| 155.6484 | 142.3984 | 150.3359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,825.42 | \$1,152.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$376.37 | \$277.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.55 | \$126.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$152.14 | \$132.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$751.09 | \$552.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$754.14 | \$555.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$386.68 | \$284.73 |
| 48.12614 | 44.21989 | 46.84489 | 47.93864 | 51.28239 | 52.56364 | 55.34489 | 56.50114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.79 | \$448.34 |
| 267.3954 | 244.7704 | 257.3178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,126.78 | \$1,974.39 |
| 258.9792 | 236.9792 | 249.1667 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,026.59 | \$1,910.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,720.21 | \$1,500.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$565.43 | \$548.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,928.31 | \$2,893.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,323.44 | \$1,005.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,381.06 | \$1,017.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.01 | \$765.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,751.01 | \$1,289.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.17 | \$551.73 |
| 33.02559 | 30.08809 | 31.93184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.71 | \$248.03 |
| 72.77889 | 65.96639 | 69.90389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$849.01 | \$536.36 |
| 52.67745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.98 | \$395.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.99 | \$207.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$510.70 | \$376.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.60 | \$140.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.51 | \$107.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.42 | \$218.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.50 | \$51.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$161.63 | \$119.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,047.77 | \$2,245.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,040.78 | \$1,503.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.13 | \$301.38 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 33.02559 | 30.08809 | 31.93184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.71 | \$248.03 |
| 72.77889 | 65.71639 | 70.15389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$851.47 | \$538.15 |
| 52.67745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.98 | \$395.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.99 | \$207.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$511.08 | \$376.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.60 | \$140.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.51 | \$107.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.92 | \$219.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.50 | \$51.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.29 | \$617.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,933.82 | \$2,161.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,380.45 | \$2,490.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,874.40 | \$1,380.78 |
| 33.02559 | 30.08809 | 31.93184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$391.71 | \$248.03 |
| 72.77889 | 65.96639 | 70.15389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$851.10 | \$537.79 |
| 52.67745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$624.98 | \$395.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$281.99 | \$207.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$510.83 | \$376.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.60 | \$140.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.51 | \$107.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.23 | \$218.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.50 | \$51.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.57 | \$611.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$450.52 | \$332.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$582.21 | \$428.93 |
| 262.1645 | 239.227 | 252.9145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,068.83 | \$1,938.96 |
| 318.0899 | 291.1837 | 307.2462 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,728.15 | \$2,355.76 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 35.06589 | 32.09714 | 33.94089 | 34.50339 | 37.87839 | 38.34714 | 40.56589 | 40.62839 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.23 | \$327.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$659.45 | \$485.69 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$162.51 | \$141.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$817.04 | \$601.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$822.78 | \$605.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.23 | \$323.45 |
| 52.64924 | 47.61799 | 50.77424 | 52.21174 | 55.89924 | 57.21174 | 60.49299 | 61.68049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.57 | \$488.51 |
| 292.287 | 266.4433 | 281.4745 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,415.14 | \$2,157.11 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.3574 | 375.3262 | 396.6387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,808.34 | \$3,037.43 |
| 155.5476 | 142.1413 | 150.4689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,822.50 | \$1,151.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$374.11 | \$275.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.35 | \$126.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.37 | \$132.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.15 | \$551.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$753.98 | \$555.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$387.82 | \$285.55 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 47.66948 | 43.91948 | 47.04448 | 47.45073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$827.65 | \$447.59 |
| 266.7522 | 243.346 | 257.0335 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,120.77 | \$1,971.36 |
| 258.3592 | 236.2655 | 248.9217 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,020.83 | \$1,908.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,723.32 | \$1,503.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$569.35 | \$551.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,922.58 | \$2,889.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,327.07 | \$1,008.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,381.73 | \$1,018.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,038.85 | \$765.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,749.33 | \$1,288.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$749.00 | \$551.57 |
| 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.04 | \$248.15 |
| 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.40 | \$535.59 |
| 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.79 | \$393.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.51 | \$206.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.69 | \$374.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.91 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.64 | \$107.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.34 | \$217.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.67 | \$52.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$160.35 | \$118.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,047.31 | \$2,245.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,030.53 | \$1,496.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.62 | \$301.86 |
| 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.04 | \$248.15 |
| 72.16096 | 65.53596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.76 | \$535.92 |
| 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.79 | \$393.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.51 | \$206.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.69 | \$374.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.91 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.64 | \$107.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.96 | \$218.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.67 | \$52.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$837.83 | \$617.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,933.52 | \$2,161.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,378.55 | \$2,489.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,874.34 | \$1,380.80 |
| 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.04 | \$248.15 |
| 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$847.65 | \$535.76 |
| 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$622.79 | \$393.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$280.51 | \$206.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.57 | \$374.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.91 | \$140.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$127.64 | \$107.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$217.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.67 | \$52.05 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|-------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$46.59 | \$34.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$408.63 | \$301.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$283.28 | \$208.82 |
| 261.5627 | 239.0627 | 252.7502 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,065.85 | \$1,937.41 |
| 45.80057 | 41.48807 | 45.11307 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$537.67 | \$339.86 |
| 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,302.88 | \$1,244.95 |
| 34.89755 | 32.02255 | 33.94492 | 34.50742 | 37.88242 | 38.35117 | 40.56992 | 41.13242 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.55 | \$326.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$867.10 | \$639.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$658.73 | \$485.28 |
| 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,353.20 | \$855.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.22 | \$142.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$816.88 | \$601.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$821.89 | \$605.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.41 | \$322.82 |
| 52.20368 | 47.79743 | 50.95368 | 51.79743 | 56.01618 | 57.07868 | 59.85993 | 62.04743 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$900.71 | \$486.66 |
| 291.4473 | 266.3223 | 281.3223 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,412.03 | \$2,155.51 |
| 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.40 | \$452.40 |
| 410.3927 | 374.8302 | 396.0026 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,805.02 | \$3,035.65 |
| 155.1917 | 142.2542 | 150.3792 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,820.74 | \$1,150.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.51 | \$275.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.36 | \$126.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.03 | \$131.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.86 | \$552.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$752.32 | \$554.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$386.23 | \$284.47 |
| 48.17754 | 43.92754 | 46.94267 | 47.59892 | 51.25517 | 52.78642 | 55.03642 | 56.75517 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$829.59 | \$448.40 |
| 266.6474 | 243.7724 | 257.1312 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,121.04 | \$1,971.49 |
| 257.9378 | 235.9378 | 248.6253 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,020.87 | \$1,908.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,722.90 | \$1,503.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$569.53 | \$552.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.63 | \$2,887.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,321.36 | \$1,004.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.23 | \$1.94 |
| 13.57637 | 13.10762 | 13.21749 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$163.32 | \$103.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.79 | \$78.50 |
| 110.8156 | 101.0656 | 106.6593 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,294.56 | \$816.80 |
| 1145.308 | 1046.495 | 1104.511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$13,391.61 | \$8,459.54 |
| 750.713 | 688.213 | 722.463 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,752.22 | \$5,521.82 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | 284.4592 | 159.2978 | 170.7191 | 177.396 | 187.991 | 190.4206 | 196.3173 | 200.4868 | 202.0631 | 201.4209 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | 244.4112 | 119.786 | 128.3743 | 133.3951 | 141.362 | 143.1893 | 147.6231 | 150.7585 | 151.944 | 151.4613 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | 327.6004 | 201.8615 | 216.3344 | 224.7954 | 238.2215 | 241.3004 | 248.7725 | 254.0559 | 256.0536 | 255.2397 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | 210.5932 | 86.42062 | 92.61678 | 96.23904 | 101.9869 | 103.305 | 106.504 | 108.7659 | 109.6215 | 109.2731 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7666 | 58.96639 | 63.19416 | 65.66575 | 69.58759 | 70.48705 | 72.66975 | 74.21319 | 74.79687 | 74.55942 | 74.21222 | 74.04039 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3406 | 58.54616 | 62.74382 | 65.19778 | 69.09171 | 69.98479 | 72.15188 | 73.68439 | 74.26397 | 74.02811 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3175 | 58.52337 | 62.71938 | 65.17239 | 69.06481 | 69.95753 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | 141.6 | 18.35098 | 19.66673 | 20.43578 | 21.65644 | 21.93632 | 22.61567 | 23.09572 | 23.27798 | 23.20407 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | 479.4007 | 351.6298 | 376.8405 | 391.5793 | 414.9662 | 420.3298 | 433.345 | 442.5493 | 446.0288 | 444.6105 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | 360.7466 | 234.5637 | 251.3813 | 261.2131 | 276.8142 | 280.392 | 289.0744 | 295.2142 | 297.5354 | 296.5898 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | 170.9532 | 47.31128 | 50.7034 | 52.68632 | 55.83306 | 56.55475 | 58.30599 | 59.54424 | 60.01261 | 59.82257 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9219 | 59.11966 | 63.35843 | 65.83645 | 69.76847 | 70.67026 | 72.85863 | 74.40612 | 74.99125 | 74.75327 | 74.40515 | 74.23283 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4736 | 58.67734 | 62.88439 | 65.34383 | 69.24653 | 70.14157 | 72.31353 | 73.84948 | 74.43027 | 74.19388 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3704 | 58.57553 | 62.77527 | 65.23043 | 69.12661 | 70.01987 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | 220.947 | 96.63582 | 103.5644 | 107.6149 | 114.0422 | 115.5161 | 119.0932 | 121.6225 | 122.5789 | 122.1899 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | 466.1187 | 338.5256 | 362.7968 | 376.9864 | 399.5018 | 404.6654 | 417.1956 | 426.0568 | 429.4065 | 428.0414 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | 518.0996 | 389.8106 | 417.7589 | 434.0981 | 460.0243 | 465.9703 | 480.3987 | 490.6024 | 494.4594 | 492.8881 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | 342.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2373 | 258.5362 | 266.5419 | 272.2031 | 274.3435 | 273.4709 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8673 | 59.06573 | 63.30063 | 65.77639 | 69.70499 | 70.60577 | 72.79217 | 74.33819 | 74.92306 | 74.68503 | 74.33728 | 74.16515 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4226 | 58.62708 | 62.83051 | 65.28785 | 69.18742 | 70.08148 | 72.25158 | 73.78622 | 74.36672 | 74.1304 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2977 | 58.50383 | 62.69844 | 65.15063 | 69.04206 | 69.93418 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | 217.9177 | 93.64706 | 100.3613 | 104.2866 | 110.515 | 111.9435 | 115.4098 | 117.8609 | 118.7876 | 118.4103 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | 582.7297 | 453.5756 | 486.0956 | 505.1075 | 535.2749 | 542.1934 | 558.9817 | 570.8549 | 575.3428 | 573.5142 | 570.8461 | 569.5254 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | 244.9427 | 120.3108 | 128.9366 | 133.9794 | 141.981 | 143.8164 | 148.2697 | 151.4184 | 152.6089 | 152.1245 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | 429.9443 | 302.8368 | 324.5488 | 337.2424 | 357.383 | 362.0029 | 373.2122 | 381.1381 | 384.134 | 382.914 | 381.1335 | 380.2507 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.102 | 109.6144 | 117.4735 | 122.068 | 129.3589 | 131.0306 | 135.0879 | 137.9574 | 139.0424 | 138.6005 | 137.9551 | 137.6358 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1661 | 28.77571 | 30.83884 | 32.04504 | 33.95868 | 34.39767 | 35.46291 | 36.21592 | 36.50068 | 36.38541 | 36.21581 | 36.13181 |
| 1-703 | EMS - Chiller | 0 | 0 | 224.4325 | 100.0744 | 107.2496 | 111.4441 | 118.1004 | 119.6266 | 123.3309 | 125.9506 | 126.941 | 126.5378 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7229 | 75.69615 | 81.12329 | 84.29598 | 89.33028 | 90.48514 | 93.28706 | 95.26812 | 96.01727 | 95.71292 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7184 | 94.43675 | 101.2077 | 105.1659 | 111.4473 | 112.8875 | 116.3831 | 118.8551 | 119.7899 | 119.4092 | 118.8534 | 118.5785 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | 170.2141 | 46.58224 | 49.922 | 51.87438 | 54.97263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4067 | 94.1299 | 100.8786 | 104.8241 | 111.0843 | 112.5204 | 116.0047 | 118.468 | 119.3996 | 119.0208 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9035 | 94.62012 | 101.404 | 105.37 | 111.663 | 113.1064 | 116.6088 | 119.0851 | 120.0214 | 119.6404 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2847 | 50.59838 | 54.2261 | 56.34684 | 59.71217 | 60.48381 | 62.35691 | 63.68099 | 64.18206 | 63.97845 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | 166.41 | 42.82903 | 45.89973 | 47.69485 | 50.54334 | 51.1967 | 52.78204 | 53.90282 | 54.32699 | 54.15433 | 53.90295 | 53.77734 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | 363.5614 | 237.3422 | 254.3586 | 264.3069 | 280.0918 | 283.7125 | 292.4977 | 298.7093 | 301.0576 | 300.1013 | 298.7057 | 298.0142 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6752 | 49.99662 | 53.58133 | 55.67689 | 59.00222 | 59.76486 | 61.61549 | 62.92416 | 63.4194 | 63.21826 | 62.92361 | 62.77785 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8058 | 334.2719 | 358.2378 | 372.249 | 394.4802 | 399.5797 | 411.9524 | 420.7012 | 424.0082 | 422.6613 | 420.6961 | 419.7219 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.293 | 126.5762 | 135.6512 | 140.9567 | 149.3748 | 151.3058 | 155.9911 | 159.3036 | 160.5562 | 160.0456 | 159.3022 | 158.9328 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6973 | 43.1126 | 46.20362 | 48.01067 | 50.87793 | 51.53558 | 53.13148 | 54.25967 | 54.6865 | 54.51321 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | 164.9859 | 41.42407 | 44.39399 | 46.13028 | 48.88523 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | 166.6973 | 43.1126 | 46.20362 | 48.01067 | 50.87793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | 210.5194 | 86.34824 | 92.53905 | 96.15829 | 101.9012 | 103.2184 | 106.4146 | 108.6742 | 109.5291 | 109.1816 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | 210.9374 | 86.76062 | 92.98099 | 96.61749 | 102.3878 | 103.7113 | 106.9228 | 109.1931 | 110.0519 | 109.7029 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | 168.0813 | 44.47797 | 47.66689 | 49.53111 | 52.48931 | 53.16779 | 54.81414 | 55.97814 | 56.41833 | 56.23953 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | 162.8467 | 39.31343 | 42.13208 | 43.77986 | 46.39448 | 46.99422 | 48.4495 | 49.47823 | 49.8675 | 49.70963 | 49.47775 | 49.36366 |
| 1-731 | Cool Roof - DX | 0 | 0 | 342.834 | 216.8922 | 232.4425 | 241.5335 | 255.9582 | 259.2672 | 267.2954 | 272.9715 | 275.1176 | 274.2439 | 272.9684 | 272.3364 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8613 | 210.0127 | 225.0697 | 233.8725 | 247.8398 | 251.0436 | 258.8173 | 264.3135 | 266.3915 | 265.5456 | 264.3105 | 263.6986 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5486 | 493.8514 | 529.2582 | 549.9581 | 582.8013 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | 623.5486 | 493.8514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | 581.6052 | 452.4662 | 484.9066 | 503.8719 | 533.9656 | 540.8671 | 557.6145 | 569.4586 | 573.9357 | 572.111 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | 298.8501 | 173.4959 | 185.9351 | 193.2073 | 204.7468 | 207.393 | 213.8149 | 218.3562 | 220.0735 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | 284.4564 | 159.2979 | 170.7182 | 177.3973 | 187.9893 | 190.4208 | 196.3171 | 200.4861 | 202.0624 | 201.4219 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | 244.4091 | 119.786 | 128.3737 | 133.396 | 141.3607 | 143.1891 | 147.6229 | 150.7579 | 151.9435 | 151.4619 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | 327.5969 | 201.8616 | 216.3334 | 224.7971 | 238.219 | 241.3003 | 248.772 | 254.0549 | 256.0523 | 255.2418 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | 210.5917 | 86.42067 | 92.61632 | 96.23969 | 101.9859 | 103.3052 | 106.5039 | 108.7654 | 109.6209 | 109.274 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7287 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7588 | 58.95989 | 63.18687 | 65.65896 | 69.57914 | 70.47911 | 72.66158 | 74.20452 | 74.78812 | 74.55112 | 74.20534 | 74.03276 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1929 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6583 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3331 | 58.53986 | 62.73668 | 65.19105 | 69.08326 | 69.97714 | 72.14397 | 73.67593 | 74.2553 | 74.01993 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0965 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1006 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3099 | 58.51699 | 62.71217 | 65.16557 | 69.05648 | 69.9498 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8103 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | 141.5997 | 18.35099 | 19.66664 | 20.43595 | 21.65611 | 21.93631 | 22.61565 | 23.09579 | 23.27749 | 23.20401 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | 479.3946 | 351.63 | 376.8388 | 391.5819 | 414.9622 | 420.3298 | 433.3441 | 442.5473 | 446.0266 | 444.6148 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | 360.7239 | 234.5458 | 251.3607 | 261.1946 | 276.7897 | 280.3701 | 289.0514 | 295.1899 | 297.5105 | 296.5683 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | 170.9524 | 47.31128 | 50.70316 | 52.68679 | 55.83237 | 56.55479 | 58.30598 | 59.54394 | 60.01223 | 59.82236 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7287 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9142 | 59.11316 | 63.35112 | 65.82964 | 69.75997 | 70.66232 | 72.85049 | 74.39741 | 74.98254 | 74.74484 | 74.39821 | 74.22511 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1929 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6583 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.466 | 58.67095 | 62.87717 | 65.33701 | 69.23817 | 70.13379 | 72.3055 | 73.84089 | 74.42156 | 74.18582 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0965 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1006 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3628 | 58.56913 | 62.76805 | 65.22366 | 69.11802 | 70.01213 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8103 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | 220.9453 | 96.63589 | 103.5639 | 107.6155 | 114.0408 | 115.516 | 119.093 | 121.6218 | 122.5782 | 122.1906 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | 466.1128 | 338.5258 | 362.7952 | 376.9888 | 399.4978 | 404.6652 | 417.1947 | 426.0549 | 429.4046 | 428.0451 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | 518.0928 | 389.8109 | 417.757 | 434.1009 | 460.0197 | 465.9701 | 480.3977 | 490.6003 | 494.4571 | 492.892 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | 342.211 | 216.2804 | 231.7858 | 240.8539 | 255.2346 | 258.5361 | 266.5414 | 272.2017 | 274.3416 | 273.4731 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7287 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8596 | 59.05931 | 63.29343 | 65.76968 | 69.69666 | 70.59796 | 72.78413 | 74.32964 | 74.9143 | 74.67676 | 74.33044 | 74.15752 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1929 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6583 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.415 | 58.62068 | 62.82331 | 65.28104 | 69.1786 | 70.07372 | 72.24357 | 73.77763 | 74.35778 | 74.12222 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0965 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1006 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2901 | 58.49745 | 62.69123 | 65.14381 | 69.03321 | 69.92645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8103 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | 285.9533 | 160.7749 | 172.301 | 179.0419 | 189.7321 | 192.1861 | 198.1372 | 202.3448 | 203.9358 | 203.2893 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | 427.794 | 300.7193 | 322.2783 | 334.8867 | 354.8818 | 359.4722 | 370.6026 | 378.473 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.085 | 109.5976 | 117.4555 | 122.0493 | 129.3388 | 131.0105 | 135.0672 | 137.9362 | 139.0209 | 138.5792 | 137.9339 | 137.6147 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1648 | 28.77486 | 30.8378 | 32.04415 | 33.95747 | 34.39676 | 35.46183 | 36.21476 | 36.49981 | 36.38486 | 36.21539 | 36.1308 |
| 2-703 | EMS - Chiller | 0 | 0 | 224.4154 | 100.0575 | 107.2315 | 111.4253 | 118.0805 | 119.6065 | 123.3101 | 125.9293 | 126.92 | 126.5164 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7193 | 75.69368 | 81.12025 | 84.29397 | 89.32688 | 90.48225 | 93.28405 | 95.26495 | 96.01421 | 95.70993 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7031 | 94.42172 | 101.1916 | 105.1491 | 111.4294 | 112.8695 | 116.3646 | 118.8362 | 119.7706 | 119.3902 | 118.8344 | 118.5596 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | 170.2119 | 46.58072 | 49.92022 | 51.87321 | 54.97021 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4023 | 94.12685 | 100.875 | 104.8215 | 111.0799 | 112.5167 | 116.0009 | 118.4641 | 119.3958 | 119.0179 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.8991 | 94.61711 | 101.4003 | 105.3674 | 111.6584 | 113.1028 | 116.605 | 119.0812 | 120.0175 | 119.6379 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2823 | 50.59674 | 54.22414 | 56.34559 | 59.7096 | 60.4821 | 62.35492 | 63.67899 | 64.17977 | 63.97729 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | 166.4081 | 42.82771 | 45.89813 | 47.69369 | 50.54143 | 51.19511 | 52.78049 | 53.90116 | 54.32546 | 54.15359 | 53.90143 | 53.7765 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | 363.55 | 237.3341 | 254.3489 | 264.2997 | 280.0802 | 283.7031 | 292.4877 | 298.6991 | 301.0474 | 300.0945 | 298.7001 | 298.007 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6687 | 49.99051 | 53.57469 | 55.67002 | 58.99489 | 59.75743 | 61.60787 | 62.91613 | 63.41119 | 63.20984 | 62.91562 | 62.76976 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.7868 | 334.2577 | 358.221 | 372.2357 | 394.4606 | 399.563 | 411.9348 | 420.6831 | 423.9906 | 422.6487 | 420.6845 | 419.7082 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2858 | 126.5709 | 135.6448 | 140.9516 | 149.3673 | 151.2994 | 155.9845 | 159.2969 | 160.5494 | 160.0418 | 159.2974 | 158.9278 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6949 | 43.11075 | 46.20147 | 48.00898 | 50.87535 | 51.53345 | 53.12934 | 54.25742 | 54.6845 | 54.51184 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | 164.9835 | 41.42223 | 44.39191 | 46.12867 | 48.88284 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | 166.6949 | 43.11075 | 46.20147 | 48.00898 | 50.87535 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | 210.5144 | 86.3445 | 92.53465 | 96.15484 | 101.8959 | 103.2138 | 106.41 | 108.6695 | 109.5243 | 109.1781 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | 210.9324 | 86.75687 | 92.97661 | 96.61416 | 102.3825 | 103.7068 | 106.9182 | 109.1887 | 110.0472 | 109.6992 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | 168.0787 | 44.47606 | 47.66463 | 49.52943 | 52.48644 | 53.16546 | 54.81185 | 55.97561 | 56.41604 | 56.23822 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | 162.8444 | 39.31174 | 42.13009 | 43.7783 | 46.39219 | 46.99226 | 48.44734 | 49.4762 | 49.86547 | 49.70798 | 49.47667 | 49.36186 |
| 2-731 | Cool Roof - DX | 0 | 0 | 342.821 | 216.8824 | 232.431 | 241.5244 | 255.9448 | 259.2556 | 267.2834 | 272.9594 | 275.1054 | 274.2348 | 272.9602 | 272.3272 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.859 | 210.0133 | 225.0695 | 233.8748 | 247.8387 | 251.0446 | 258.818 | 264.3143 | 266.3924 | 265.5485 | 264.3148 | 263.7017 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5457 | 493.8549 | 529.2595 | 549.9667 | 582.8012 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | 623.5457 | 493.8549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | 581.5974 | 452.4665 | 484.9044 | 503.8753 | 533.9604 | 540.8671 | 557.6134 | 569.4559 | 573.933 | 572.1162 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-805 | Occupancy Sensor | 0 | 0 | 298.8298 | 173.4792 | 185.9161 | 193.1897 | 204.7245 | 207.3727 | 213.7938 | 218.3339 | 220.0505 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | 223.6214 | 99.2762 | 106.3935 | 110.5559 | 117.1568 | 118.6722 | 122.3468 | 124.9449 | 125.9276 | 125.5283 | 124.9456 | 124.6555 |
| 3-101 | Compressed Air-O&M | 0 | 0 | 284.4581 | 159.2975 | 170.7185 | 177.3954 | 187.9897 | 190.4201 | 196.3165 | 200.4854 | 202.0617 | 201.4192 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | 244.4104 | 119.7857 | 128.3738 | 133.3947 | 141.3612 | 143.1887 | 147.6226 | 150.7575 | 151.9427 | 151.4597 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | 327.599 | 201.8611 | 216.3337 | 224.7946 | 238.2197 | 241.2993 | 248.7714 | 254.054 | 256.0513 | 255.238 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | 210.5926 | 86.42044 | 92.61647 | 96.23872 | 101.9864 | 103.3047 | 106.5036 | 108.7652 | 109.6204 | 109.2722 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.729 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7641 | 58.9643 | 63.19182 | 65.66328 | 69.58475 | 70.48428 | 72.66709 | 74.20992 | 74.79362 | 74.55615 | 74.20956 | 74.03752 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1934 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6587 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3382 | 58.54405 | 62.74147 | 65.19534 | 69.08903 | 69.98207 | 72.14921 | 73.68116 | 74.26077 | 74.02505 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1009 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3151 | 58.52126 | 62.71704 | 65.16994 | 69.06202 | 69.95483 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8104 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | 141.5998 | 18.35093 | 19.66668 | 20.43572 | 21.65603 | 21.93613 | 22.61552 | 23.09553 | 23.27714 | 23.20386 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | 479.3983 | 351.629 | 376.8393 | 391.578 | 414.9636 | 420.3279 | 433.3431 | 442.546 | 446.0247 | 444.6082 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | 360.7391 | 234.5576 | 251.3744 | 261.2059 | 276.8057 | 280.3839 | 289.0661 | 295.2048 | 297.5255 | 296.58 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | 170.9529 | 47.31119 | 50.70325 | 52.68621 | 55.83285 | 56.55452 | 58.30582 | 59.5438 | 60.01235 | 59.82208 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.729 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9194 | 59.11748 | 63.35598 | 65.83382 | 69.76551 | 70.66737 | 72.85583 | 74.4027 | 74.98794 | 74.75018 | 74.4023 | 74.22993 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1934 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6587 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4712 | 58.67522 | 62.88205 | 65.34139 | 69.24371 | 70.13881 | 72.31084 | 73.84618 | 74.42709 | 74.19092 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1009 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.368 | 58.57341 | 62.77294 | 65.22805 | 69.12357 | 70.01713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8104 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | 327.599 | 201.8611 | 216.3337 | 224.7946 | 238.2197 | 241.2993 | 248.7714 | 254.054 | 256.0513 | 255.238 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | 220.9463 | 96.63562 | 103.564 | 107.6143 | 114.0413 | 115.5156 | 119.0927 | 121.6217 | 122.5778 | 122.189 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | 466.1164 | 338.5248 | 362.7956 | 376.9851 | 399.4991 | 404.6636 | 417.1937 | 426.0537 | 429.4027 | 428.039 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | 518.097 | 389.8098 | 417.7575 | 434.0966 | 460.0214 | 465.9682 | 480.3965 | 490.5988 | 494.4554 | 492.8849 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | 342.2133 | 216.2798 | 231.7861 | 240.8515 | 255.2353 | 258.535 | 266.5407 | 272.2008 | 274.3405 | 273.4693 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.729 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8648 | 59.06365 | 63.29827 | 65.77387 | 69.70211 | 70.60301 | 72.78948 | 74.33494 | 74.91965 | 74.6821 | 74.33463 | 74.1624 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1934 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6587 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4201 | 58.62487 | 62.82809 | 65.28533 | 69.18436 | 70.07863 | 72.24877 | 73.78281 | 74.36321 | 74.12723 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1009 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2953 | 58.50171 | 62.69611 | 65.1482 | 69.03913 | 69.93146 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8104 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | 673.6501 | 543.281 | 582.2321 | 605.0039 | 641.1359 | 649.4238 | 669.5322 | 683.7521 | 689.1268 | 686.9381 | 683.7434 | 682.1604 |
| 3-404 | Replace V-Belts | 0 | 0 | 179.9502 | 56.18806 | 60.21658 | 62.57172 | 66.30862 | 67.16563 | 69.24564 | 70.71589 | 71.27193 | 71.04559 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | 155.9156 | 32.47509 | 34.80347 | 36.16471 | 38.32426 | 38.81987 | 40.02193 | 40.87185 | 41.19305 | 41.06305 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | 368.8168 | 242.5273 | 259.9155 | 270.0811 | 286.2108 | 289.9106 | 298.8878 | 305.235 | 307.6344 | 306.6571 | 305.2315 | 304.5248 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.0969 | 109.6095 | 117.4682 | 122.0625 | 129.353 | 131.0246 | 135.0818 | 137.9511 | 139.0361 | 138.5942 | 137.9488 | 137.6296 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1656 | 28.77545 | 30.83854 | 32.04462 | 33.95815 | 34.39727 | 35.46247 | 36.21528 | 36.50021 | 36.38455 | 36.21561 | 36.13129 |
| 3-703 | EMS - Chiller | 0 | 0 | 224.4275 | 100.0695 | 107.2443 | 111.4386 | 118.0946 | 119.6207 | 123.3249 | 125.9444 | 126.9347 | 126.5316 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7216 | 75.69527 | 81.12221 | 84.29493 | 89.32868 | 90.48383 | 93.28576 | 95.26632 | 96.01514 | 95.71109 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7139 | 94.43239 | 101.203 | 105.161 | 111.442 | 112.8823 | 116.3778 | 118.8497 | 119.7842 | 119.4037 | 118.8479 | 118.573 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | 170.2134 | 46.58175 | 49.92141 | 51.87376 | 54.97147 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4051 | 94.12892 | 100.8774 | 104.8228 | 111.0824 | 112.5188 | 116.0031 | 118.466 | 119.3971 | 119.0182 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9019 | 94.61908 | 101.4027 | 105.3688 | 111.6611 | 113.1048 | 116.6072 | 119.083 | 120.0192 | 119.6384 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2838 | 50.59784 | 54.22544 | 56.34621 | 59.71108 | 60.48311 | 62.35601 | 63.67988 | 64.18064 | 63.97684 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | 166.4093 | 42.82853 | 45.89919 | 47.69425 | 50.54238 | 51.19585 | 52.78133 | 53.90192 | 54.32577 | 54.1543 | 53.90172 | 53.77667 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | 363.5575 | 237.3396 | 254.3555 | 264.3036 | 280.0872 | 283.7087 | 292.4938 | 298.7042 | 301.0517 | 300.0963 | 298.7018 | 298.0096 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6735 | 49.99499 | 53.57959 | 55.67507 | 59.00031 | 59.76292 | 61.61349 | 62.92211 | 63.41735 | 63.21619 | 62.92157 | 62.7758 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.7996 | 334.2677 | 358.2326 | 372.2436 | 394.4729 | 399.5735 | 411.946 | 420.6928 | 423.9991 | 422.6541 | 420.6895 | 419.7144 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2906 | 126.5745 | 135.6492 | 140.9546 | 149.3716 | 151.3033 | 155.9886 | 159.3006 | 160.5525 | 160.0427 | 159.2993 | 158.9297 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6965 | 43.11206 | 46.20301 | 48.01012 | 50.87708 | 51.53496 | 53.13078 | 54.25878 | 54.6856 | 54.51285 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | 164.985 | 41.42343 | 44.39328 | 46.12955 | 48.88403 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | 166.6965 | 43.11206 | 46.20301 | 48.01012 | 50.87708 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | 210.5177 | 86.34708 | 92.53767 | 96.15688 | 101.8989 | 103.2166 | 106.413 | 108.6722 | 109.5264 | 109.179 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | 210.9356 | 86.75946 | 92.97961 | 96.61619 | 102.3857 | 103.7097 | 106.9212 | 109.1913 | 110.0496 | 109.7008 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | 168.0804 | 44.47738 | 47.66617 | 49.53051 | 52.48811 | 53.16705 | 54.81341 | 55.97709 | 56.41721 | 56.23889 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | 162.8459 | 39.31293 | 42.13146 | 43.77922 | 46.39362 | 46.99348 | 48.4487 | 49.4773 | 49.86631 | 49.70856 | 49.47736 | 49.36234 |
| 3-731 | Cool Roof - DX | 0 | 0 | 342.8297 | 216.8894 | 232.439 | 241.5302 | 255.9533 | 259.263 | 267.2912 | 272.9664 | 275.1117 | 274.2387 | 272.9643 | 272.3317 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8596 | 210.0122 | 225.0688 | 233.8716 | 247.8376 | 251.0422 | 258.8159 | 264.3112 | 266.3885 | 265.5432 | 264.3089 | 263.6962 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5442 | 493.8508 | 529.2564 | 549.9581 | 582.7974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | 623.5442 | 493.8508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | 581.6021 | 452.4652 | 484.905 | 503.8705 | 533.962 | 540.8649 | 557.6119 | 569.4543 | 573.9306 | 572.108 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | 298.8435 | 173.4903 | 185.9288 | 193.2006 | 204.7389 | 207.3855 | 213.8076 | 218.3479 | 220.0645 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | 284.4597 | 159.298 | 170.7193 | 177.3965 | 187.9921 | 190.4217 | 196.3178 | 200.4882 | 202.0648 | 201.4218 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | 244.4116 | 119.7861 | 128.3745 | 133.3954 | 141.3627 | 143.1899 | 147.6235 | 150.7592 | 151.945 | 151.4618 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | 327.601 | 201.8617 | 216.3347 | 224.796 | 238.2225 | 241.3014 | 248.773 | 254.0573 | 256.0553 | 255.2404 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | 210.5935 | 86.42073 | 92.61688 | 96.23913 | 101.9873 | 103.3056 | 106.5042 | 108.7667 | 109.622 | 109.2734 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7293 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7678 | 58.96752 | 63.19539 | 65.66702 | 69.5893 | 70.48849 | 72.67117 | 74.21462 | 74.79858 | 74.56119 | 74.21382 | 74.04173 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.659 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3419 | 58.54731 | 62.74506 | 65.19903 | 69.09318 | 69.98616 | 72.15328 | 73.68572 | 74.26548 | 74.02975 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0969 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1012 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3187 | 58.52443 | 62.72055 | 65.17355 | 69.06617 | 69.95883 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | 141.6001 | 18.35098 | 19.66675 | 20.43578 | 21.65642 | 21.93639 | 22.61565 | 23.09593 | 23.27773 | 23.20398 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | 479.4018 | 351.6301 | 376.8411 | 391.5802 | 414.9685 | 420.3315 | 433.3462 | 442.5516 | 446.0316 | 444.6123 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | 360.7501 | 234.5668 | 251.3847 | 261.2167 | 276.8183 | 280.3958 | 289.0784 | 295.2187 | 297.5403 | 296.5938 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | 170.9534 | 47.31132 | 50.70348 | 52.68649 | 55.83352 | 56.5549 | 58.30624 | 59.5447 | 60.01321 | 59.82297 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7293 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9232 | 59.1208 | 63.35967 | 65.83773 | 69.77018 | 70.67169 | 72.86008 | 74.40754 | 74.993 | 74.75504 | 74.40672 | 74.23424 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.659 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4748 | 58.67846 | 62.88564 | 65.34515 | 69.24799 | 70.14294 | 72.31492 | 73.85085 | 74.43182 | 74.19556 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0969 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1012 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3716 | 58.57663 | 62.77652 | 65.23176 | 69.12775 | 70.02124 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | 220.9473 | 96.63593 | 103.5645 | 107.615 | 114.0429 | 115.5165 | 119.0934 | 121.6232 | 122.5799 | 122.1903 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | 466.1198 | 338.5259 | 362.7974 | 376.9874 | 399.504 | 404.6671 | 417.1967 | 426.0591 | 429.4095 | 428.0434 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | 518.1009 | 389.811 | 417.7595 | 434.0991 | 460.0269 | 465.9721 | 480.4 | 490.605 | 494.463 | 492.8897 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | 342.2155 | 216.2805 | 231.7872 | 240.8528 | 255.2387 | 258.5372 | 266.5425 | 272.2043 | 274.3452 | 273.4725 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7293 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8685 | 59.06687 | 63.30187 | 65.77766 | 69.70631 | 70.60723 | 72.7936 | 74.33965 | 74.92443 | 74.68683 | 74.33884 | 74.16652 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.659 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4238 | 58.6281 | 62.83168 | 65.28909 | 69.18858 | 70.08275 | 72.25286 | 73.7875 | 74.36794 | 74.13187 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0969 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1012 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2989 | 58.5049 | 62.69962 | 65.1517 | 69.04311 | 69.9353 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | 151.9457 | 28.55805 | 30.60566 | 31.80261 | 33.70216 | 34.13779 | 35.1948 | 35.94222 | 36.2252 | 36.1102 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | 201.303 | 77.25461 | 82.79364 | 86.03179 | 91.17033 | 92.34862 | 95.20806 | 97.23046 | 97.99523 | 97.68344 | 97.22925 | 97.00414 |
| 4-407 | High Consistency forming | 0 | 0 | 198.1112 | 74.1055 | 79.41872 | 82.52486 | 87.45405 | 88.58414 | 91.32713 | 93.26698 | 94.00065 | 93.70193 | 93.26559 | 93.04985 |
| 4-408 | Optimization control PM | 0 | 0 | 170.2156 | 46.58345 | 49.9234 | 51.87595 | 54.97459 | 55.68501 | 57.40915 | 58.62855 | 59.09008 | 58.90204 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1045 | 109.6169 | 117.4762 | 122.0708 | 129.3618 | 131.0336 | 135.091 | 137.9605 | 139.0456 | 138.6036 | 137.9582 | 137.639 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1663 | 28.77583 | 30.83902 | 32.04498 | 33.95887 | 34.39788 | 35.46302 | 36.2161 | 36.50106 | 36.38556 | 36.21599 | 36.13205 |
| 4-703 | EMS - Chiller | 0 | 0 | 224.4351 | 100.077 | 107.2523 | 111.447 | 118.1035 | 119.6297 | 123.3341 | 125.9538 | 126.9442 | 126.5411 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7234 | 75.69647 | 81.12366 | 84.29641 | 89.3308 | 90.48563 | 93.28753 | 95.26882 | 96.01812 | 95.71326 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7207 | 94.43904 | 101.2101 | 105.1684 | 111.45 | 112.8902 | 116.386 | 118.858 | 119.7928 | 119.4121 | 118.8562 | 118.5813 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | 170.2145 | 46.58243 | 49.92227 | 51.87467 | 54.97305 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4074 | 94.13029 | 100.8792 | 104.8246 | 111.0851 | 112.521 | 116.0053 | 118.469 | 119.4006 | 119.0212 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9043 | 94.62062 | 101.4046 | 105.3707 | 111.6637 | 113.1071 | 116.6095 | 119.086 | 120.0223 | 119.6414 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2851 | 50.59853 | 54.22635 | 56.3471 | 59.71249 | 60.48431 | 62.35719 | 63.68134 | 64.18266 | 63.97955 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | 166.4104 | 42.8293 | 45.90003 | 47.69518 | 50.54375 | 51.19698 | 52.78246 | 53.90333 | 54.32742 | 54.15488 | 53.90305 | 53.77834 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | 363.5633 | 237.3432 | 254.36 | 264.3083 | 280.0939 | 283.7143 | 292.4995 | 298.7117 | 301.0605 | 300.1037 | 298.7073 | 298.0163 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.676 | 49.99746 | 53.58223 | 55.67783 | 59.00323 | 59.76587 | 61.61652 | 62.92522 | 63.42048 | 63.21933 | 62.92468 | 62.77892 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8087 | 334.2737 | 358.2399 | 372.2513 | 394.4836 | 399.5825 | 411.9554 | 420.7049 | 424.0126 | 422.6649 | 420.6986 | 419.7252 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.294 | 126.5768 | 135.6519 | 140.9575 | 149.3759 | 151.3069 | 155.9921 | 159.3051 | 160.5577 | 160.0472 | 159.303 | 158.9343 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6977 | 43.11286 | 46.20392 | 48.01099 | 50.87849 | 51.5361 | 53.13189 | 54.26031 | 54.68728 | 54.51398 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | 164.9862 | 41.42418 | 44.39418 | 46.13041 | 48.8856 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | 166.6977 | 43.11286 | 46.20392 | 48.01099 | 50.87849 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | 210.5201 | 86.34868 | 92.53963 | 96.15893 | 101.902 | 103.219 | 106.4153 | 108.6752 | 109.5298 | 109.1824 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | 210.9381 | 86.76106 | 92.98157 | 96.6181 | 102.3886 | 103.7119 | 106.9235 | 109.1942 | 110.0529 | 109.7037 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | 168.0817 | 44.47823 | 47.66719 | 49.53143 | 52.4896 | 53.16816 | 54.81454 | 55.97869 | 56.41894 | 56.23996 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | 162.8471 | 39.31366 | 42.13237 | 43.78013 | 46.39481 | 46.99464 | 48.44978 | 49.47878 | 49.86785 | 49.70987 | 49.47836 | 49.36385 |
| 4-731 | Cool Roof - DX | 0 | 0 | 342.836 | 216.8935 | 232.444 | 241.5352 | 255.9605 | 259.269 | 267.2975 | 272.9743 | 275.1206 | 274.2463 | 272.9701 | 272.3389 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8623 | 210.013 | 225.0703 | 233.8731 | 247.841 | 251.0444 | 258.8182 | 264.315 | 266.3933 | 265.5464 | 264.3109 | 263.6995 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5511 | 493.8522 | 529.2595 | 549.9595 | 582.8043 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | 623.5511 | 493.8522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | 581.6067 | 452.4666 | 484.9074 | 503.8733 | 533.9684 | 540.8693 | 557.616 | 569.4617 | 573.9393 | 572.1134 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | 298.8533 | 173.4987 | 185.9383 | 193.2104 | 204.7504 | 207.3966 | 213.8186 | 218.3602 | 220.0774 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | 284.4592 | 159.2979 | 170.7191 | 177.3961 | 187.9909 | 190.4207 | 196.3173 | 200.4868 | 202.0631 | 201.421 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | 244.4112 | 119.786 | 128.3743 | 133.395 | 141.362 | 143.1893 | 147.6231 | 150.7586 | 151.944 | 151.4615 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | 327.6004 | 201.8615 | 216.3344 | 224.7954 | 238.2214 | 241.3004 | 248.7725 | 254.056 | 256.0538 | 255.2396 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | 210.5932 | 86.42062 | 92.61678 | 96.23902 | 101.9868 | 103.305 | 106.504 | 108.7659 | 109.6215 | 109.2731 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7667 | 58.96641 | 63.19422 | 65.66579 | 69.58799 | 70.48717 | 72.66982 | 74.21325 | 74.79719 | 74.55978 | 74.21243 | 74.04036 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3408 | 58.5462 | 62.74388 | 65.19779 | 69.0919 | 69.98485 | 72.15192 | 73.68435 | 74.26409 | 74.02835 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3176 | 58.5234 | 62.71944 | 65.1724 | 69.06495 | 69.9576 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | 141.6 | 18.35098 | 19.66673 | 20.43578 | 21.65644 | 21.93633 | 22.61567 | 23.09572 | 23.27798 | 23.20407 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | 479.4008 | 351.6299 | 376.8406 | 391.5794 | 414.9664 | 420.3299 | 433.3451 | 442.5494 | 446.0289 | 444.6106 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | 360.7471 | 234.5639 | 251.3816 | 261.2135 | 276.8149 | 280.3923 | 289.0748 | 295.215 | 297.5365 | 296.5902 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | 170.9532 | 47.31128 | 50.7034 | 52.68632 | 55.83318 | 56.55475 | 58.30599 | 59.54424 | 60.01261 | 59.82257 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.922 | 59.11969 | 63.35849 | 65.83648 | 69.76887 | 70.67037 | 72.85871 | 74.40615 | 74.9916 | 74.75363 | 74.40533 | 74.23283 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4737 | 58.67736 | 62.88446 | 65.34393 | 69.24668 | 70.14162 | 72.31356 | 73.84946 | 74.43041 | 74.19415 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3705 | 58.57553 | 62.77533 | 65.23052 | 69.12646 | 70.01991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | 220.947 | 96.63582 | 103.5644 | 107.6149 | 114.0419 | 115.5162 | 119.0932 | 121.6225 | 122.5788 | 122.1899 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | 466.1187 | 338.5256 | 362.7968 | 376.9864 | 399.5018 | 404.6655 | 417.1956 | 426.0568 | 429.4065 | 428.0416 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | 518.0996 | 389.8107 | 417.7589 | 434.0981 | 460.0243 | 465.9703 | 480.3987 | 490.6024 | 494.4594 | 492.8878 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | 342.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2372 | 258.5362 | 266.5419 | 272.2031 | 274.3436 | 273.4708 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8674 | 59.06583 | 63.30077 | 65.77651 | 69.70509 | 70.606 | 72.79234 | 74.33837 | 74.92312 | 74.68552 | 74.33755 | 74.16521 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6589 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4228 | 58.62708 | 62.83058 | 65.28793 | 69.18736 | 70.08153 | 72.25161 | 73.7862 | 74.36666 | 74.13058 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0968 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1011 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2979 | 58.50388 | 62.69852 | 65.15055 | 69.04191 | 69.93407 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | 219.916 | 95.61862 | 102.4742 | 106.4822 | 112.8417 | 114.3002 | 117.8396 | 120.3423 | 121.2887 | 120.9037 | 120.3409 | 120.0624 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | 342.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2372 | 258.5362 | 266.5419 | 272.2031 | 274.3436 | 273.4708 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | 223.0763 | 98.7366 | 105.8158 | 109.9544 | 116.5215 | 118.0274 | 121.6821 | 124.2664 | 125.2436 | 124.8463 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5-412 | Efficient drives | 0 | 0 | 156.0339 | 32.59165 | 34.92843 | 36.29447 | 38.46215 | 38.9593 | 40.1657 | 41.01871 | 41.34151 | 41.21072 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1023 | 109.6148 | 117.4739 | 122.0684 | 129.3593 | 131.031 | 135.0883 | 137.9578 | 139.0429 | 138.6009 | 137.9555 | 137.6363 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1662 | 28.7758 | 30.83894 | 32.04514 | 33.95878 | 34.39778 | 35.46302 | 36.21603 | 36.50079 | 36.38541 | 36.21591 | 36.13191 |
| 5-703 | EMS - Chiller | 0 | 0 | 224.433 | 100.0749 | 107.25 | 111.4446 | 118.1009 | 119.6272 | 123.3315 | 125.9511 | 126.9415 | 126.5384 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7232 | 75.6964 | 81.12357 | 84.29626 | 89.3306 | 90.48544 | 93.28736 | 95.26842 | 96.01759 | 95.71326 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7188 | 94.43718 | 101.2081 | 105.1663 | 111.4478 | 112.888 | 116.3837 | 118.8557 | 119.7904 | 119.4098 | 118.8539 | 118.579 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | 170.2142 | 46.58239 | 49.92218 | 51.87461 | 54.97276 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.407 | 94.13023 | 100.879 | 104.8245 | 111.0847 | 112.5208 | 116.0051 | 118.4685 | 119.4 | 119.0212 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.904 | 94.62051 | 101.4044 | 105.3705 | 111.6633 | 113.1069 | 116.6093 | 119.0856 | 120.0219 | 119.6411 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2849 | 50.59856 | 54.22628 | 56.34704 | 59.71237 | 60.48402 | 62.35712 | 63.68122 | 64.18229 | 63.97867 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | 166.4102 | 42.8292 | 45.89991 | 47.69502 | 50.54356 | 51.1969 | 52.78225 | 53.90304 | 54.3272 | 54.15454 | 53.90302 | 53.77757 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | 363.5623 | 237.3431 | 254.3596 | 264.3079 | 280.0928 | 283.7136 | 292.4989 | 298.7104 | 301.0588 | 300.1024 | 298.7067 | 298.0153 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6754 | 49.99687 | 53.58159 | 55.67718 | 59.00253 | 59.76516 | 61.61579 | 62.92448 | 63.41973 | 63.21857 | 62.92393 | 62.77815 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8075 | 334.2735 | 358.2395 | 372.2508 | 394.4821 | 399.5817 | 411.9545 | 420.7032 | 424.0103 | 422.6633 | 420.6981 | 419.7241 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2936 | 126.5768 | 135.6518 | 140.9573 | 149.3755 | 151.3065 | 155.9919 | 159.3043 | 160.5569 | 160.0465 | 159.3029 | 158.9336 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6976 | 43.11286 | 46.20389 | 48.01098 | 50.87822 | 51.53589 | 53.1318 | 54.25997 | 54.68682 | 54.51334 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | 164.9871 | 41.42375 | 44.39563 | 46.13193 | 48.88442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | 166.6986 | 43.11236 | 46.20541 | 48.01248 | 50.8772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | 210.5219 | 86.34764 | 92.54255 | 96.16182 | 101.8996 | 103.2149 | 106.4121 | 108.6718 | 109.5303 | 109.185 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | 210.9398 | 86.76003 | 92.9845 | 96.621 | 102.3863 | 103.7077 | 106.9202 | 109.1906 | 110.0535 | 109.7067 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | 168.0825 | 44.47765 | 47.66866 | 49.53288 | 52.48849 | 53.16592 | 54.8128 | 55.9768 | 56.41909 | 56.24112 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | 162.8478 | 39.31314 | 42.13365 | 43.78143 | 46.39375 | 46.99257 | 48.44831 | 49.47706 | 49.86817 | 49.71127 | 49.47661 | 49.36572 |
| 5-731 | Cool Roof - DX | 0 | 0 | 342.8402 | 216.8908 | 232.4513 | 241.5424 | 255.9544 | 259.2584 | 267.2892 | 272.9654 | 275.1213 | 274.253 | 272.962 | 272.3479 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8662 | 210.0103 | 225.0771 | 233.8799 | 247.8348 | 251.0338 | 258.81 | 264.3063 | 266.394 | 265.5533 | 264.3031 | 263.7085 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5602 | 493.8457 | 529.2756 | 549.9757 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | 623.5602 | 493.8457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | 581.6158 | 452.4609 | 484.9226 | 503.8879 | 533.955 | 540.8459 | 557.5986 | 569.4427 | 573.9409 | 572.1276 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | 298.8546 | 173.494 | 185.9415 | 193.2134 | 204.7431 | 207.3852 | 213.8091 | 218.3506 | 220.076 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | 284.4635 | 159.2961 | 170.7249 | 177.402 | 187.988 | 190.4138 | 196.3121 | 200.4821 | 202.066 | 201.427 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | 244.4145 | 119.7847 | 128.3787 | 133.3995 | 141.3599 | 143.184 | 147.6193 | 150.755 | 151.9463 | 151.4661 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | 327.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | 210.5956 | 86.41975 | 92.61996 | 96.24213 | 101.9853 | 103.3013 | 106.5012 | 108.7636 | 109.6228 | 109.2768 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7706 | 58.9682 | 63.19894 | 65.67062 | 69.58953 | 70.48735 | 72.67079 | 74.21429 | 74.801 | 74.565 | 74.21349 | 74.04626 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3446 | 58.54799 | 62.74859 | 65.20261 | 69.09342 | 69.98505 | 72.15292 | 73.68539 | 74.26791 | 74.03354 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3215 | 58.52512 | 62.72408 | 65.17712 | 69.06641 | 69.95771 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | 141.6005 | 18.35078 | 19.66741 | 20.43642 | 21.65598 | 21.93556 | 22.61504 | 23.09527 | 23.27807 | 23.20494 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | 479.4102 | 351.626 | 376.8536 | 391.5923 | 414.9595 | 420.3144 | 433.3337 | 442.5387 | 446.035 | 444.6244 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | 360.7595 | 234.568 | 251.3972 | 261.2293 | 276.8174 | 280.3895 | 289.0749 | 295.2153 | 297.5479 | 296.607 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | 170.9545 | 47.31076 | 50.70515 | 52.68811 | 55.83217 | 56.55274 | 58.30452 | 59.54293 | 60.01342 | 59.82434 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9259 | 59.12149 | 63.36323 | 65.84134 | 69.77041 | 70.67056 | 72.8597 | 74.40719 | 74.99543 | 74.75888 | 74.40639 | 74.23874 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4776 | 58.67914 | 62.88918 | 65.34872 | 69.24822 | 70.14182 | 72.31454 | 73.85052 | 74.43424 | 74.19934 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3744 | 58.57732 | 62.78005 | 65.23535 | 69.128 | 70.02013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | 220.9496 | 96.63483 | 103.5679 | 107.6184 | 114.0403 | 115.5118 | 119.0899 | 121.6196 | 122.5808 | 122.1935 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | 466.1279 | 338.5219 | 362.8094 | 376.9988 | 399.495 | 404.6505 | 417.1846 | 426.0466 | 429.4125 | 428.0555 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | 518.1102 | 389.8065 | 417.7734 | 434.1125 | 460.0168 | 465.953 | 480.386 | 490.5907 | 494.4666 | 492.9034 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | 342.2206 | 216.2779 | 231.7949 | 240.8603 | 255.233 | 258.5266 | 266.5349 | 272.1964 | 274.347 | 273.4794 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8713 | 59.06754 | 63.30541 | 65.78125 | 69.70652 | 70.60609 | 72.79321 | 74.3393 | 74.92684 | 74.69064 | 74.3385 | 74.17099 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4266 | 58.62878 | 62.83521 | 65.29266 | 69.1888 | 70.08165 | 72.25249 | 73.78716 | 74.37037 | 74.13565 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.3017 | 58.50557 | 62.70314 | 65.15527 | 69.04336 | 69.93419 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | 219.9186 | 95.61763 | 102.4778 | 106.4855 | 112.8398 | 114.296 | 117.8364 | 120.3395 | 121.2903 | 120.9072 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | 486.4447 | 358.566 | 384.2915 | 399.3211 | 423.1497 | 428.61 | 441.8863 | 451.2731 | 454.8383 | 453.4001 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | 199.7273 | 75.6973 | 81.12825 | 84.30116 | 89.33173 | 90.48436 | 93.28731 | 95.26875 | 96.02164 | 95.71829 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | 128.3428 | 5.271069 | 5.649244 | 5.870094 | 6.220428 | 6.30069 | 6.495964 | 6.633759 | 6.686562 | 6.665237 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | 199.7273 | 75.6973 | 81.12825 | 84.30116 | 89.33173 | 90.48436 | 93.28731 | 95.26875 | 96.02164 | 95.71829 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1105 | 109.619 | 117.4837 | 122.0784 | 129.3633 | 131.0325 | 135.0913 | 137.9609 | 139.0512 | 138.6118 | 137.9587 | 137.6484 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1673 | 28.77568 | 30.84028 | 32.04636 | 33.95869 | 34.39694 | 35.46244 | 36.21552 | 36.50185 | 36.38702 | 36.21541 | 36.13382 |
| 6-703 | EMS - Chiller | 0 | 0 | 224.4408 | 100.0792 | 107.2594 | 111.4542 | 118.105 | 119.629 | 123.3347 | 125.9545 | 126.9496 | 126.5488 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.726 | 75.69612 | 81.12697 | 84.29984 | 89.33033 | 90.48294 | 93.28584 | 95.26723 | 96.02012 | 95.71677 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7259 | 94.44095 | 101.2167 | 105.1751 | 111.4513 | 112.8894 | 116.3863 | 118.8585 | 119.7977 | 119.4193 | 118.8567 | 118.5895 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | 170.2161 | 46.58221 | 49.92432 | 51.87675 | 54.9724 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4106 | 94.12986 | 100.8833 | 104.8287 | 111.0843 | 112.5175 | 116.003 | 118.4671 | 119.4032 | 119.0257 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9076 | 94.62015 | 101.4087 | 105.3748 | 111.6628 | 113.1037 | 116.6072 | 119.084 | 120.0253 | 119.646 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2869 | 50.59837 | 54.22861 | 56.34935 | 59.71189 | 60.48247 | 62.356 | 63.68053 | 64.18394 | 63.98163 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | 166.4119 | 42.82909 | 45.90194 | 47.6971 | 50.54334 | 51.19557 | 52.78138 | 53.9025 | 54.32862 | 54.15738 | 53.9019 | 53.78053 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | 363.5715 | 237.3422 | 254.3705 | 264.3188 | 280.0912 | 283.7057 | 292.4938 | 298.7068 | 301.0669 | 300.1155 | 298.7017 | 298.0303 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6783 | 49.998 | 53.58519 | 55.68083 | 59.00336 | 59.76486 | 61.61615 | 62.92487 | 63.42246 | 63.2225 | 62.92435 | 62.78265 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8207 | 334.2726 | 358.2551 | 372.2666 | 394.4804 | 399.571 | 411.9478 | 420.6986 | 424.0223 | 422.6819 | 420.6913 | 419.746 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2987 | 126.5765 | 135.6578 | 140.9633 | 149.3751 | 151.3025 | 155.9893 | 159.3028 | 160.5616 | 160.054 | 159.3005 | 158.9422 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6993 | 43.11275 | 46.20591 | 48.01298 | 50.87793 | 51.53453 | 53.13089 | 54.25936 | 54.68833 | 54.51569 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | 164.9877 | 41.4241 | 44.39612 | 46.13235 | 48.88537 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | 166.6993 | 43.11275 | 46.20591 | 48.01298 | 50.87793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | 210.5233 | 86.34855 | 92.54362 | 96.16296 | 101.9016 | 103.2164 | 106.4135 | 108.674 | 109.5326 | 109.1865 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | 210.9413 | 86.76091 | 92.98561 | 96.62216 | 102.3881 | 103.7093 | 106.9217 | 109.1929 | 110.0559 | 109.708 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | 168.0832 | 44.47806 | 47.66917 | 49.53347 | 52.48922 | 53.16669 | 54.81352 | 55.97787 | 56.42017 | 56.24197 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | 162.8484 | 39.31349 | 42.13412 | 43.78184 | 46.39448 | 46.99335 | 48.44891 | 49.47803 | 49.86907 | 49.71201 | 49.47754 | 49.36588 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | 342.8438 | 216.8929 | 232.4539 | 241.5453 | 255.9593 | 259.2624 | 267.2928 | 272.9708 | 275.1275 | 274.2569 | 272.9664 | 272.3528 |
| 6-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8683 | 210.0109 | 225.0782 | 233.8809 | 247.8371 | 251.0355 | 258.8115 | 264.309 | 266.3972 | 265.5555 | 264.3045 | 263.7105 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5659 | 493.8474 | 529.2786 | 549.9786 | 582.7966 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | 623.5659 | 493.8474 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | 581.6175 | 452.4613 | 484.9234 | 503.8887 | 533.9566 | 540.8473 | 557.6 | 569.4449 | 573.9435 | 572.1289 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | 298.861 | 173.5003 | 185.9482 | 193.2205 | 204.7504 | 207.3927 | 213.8169 | 218.3586 | 220.084 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | 284.4635 | 159.2961 | 170.7249 | 177.402 | 187.988 | 190.4138 | 196.3121 | 200.4821 | 202.066 | 201.427 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | 244.4145 | 119.7847 | 128.3787 | 133.3995 | 141.3599 | 143.184 | 147.6193 | 150.755 | 151.9463 | 151.4661 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | 327.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | 210.5956 | 86.41975 | 92.61996 | 96.24213 | 101.9853 | 103.3013 | 106.5012 | 108.7636 | 109.6228 | 109.2768 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7706 | 58.96828 | 63.19904 | 65.67072 | 69.58964 | 70.48746 | 72.6709 | 74.21439 | 74.80112 | 74.56512 | 74.21361 | 74.04636 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3447 | 58.54807 | 62.74868 | 65.2027 | 69.09351 | 69.98515 | 72.15302 | 73.68549 | 74.26801 | 74.03366 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3215 | 58.52521 | 62.72417 | 65.17723 | 69.06652 | 69.95782 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | 132.2769 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | 146.3095 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | 141.6005 | 18.35078 | 19.66741 | 20.43642 | 21.65598 | 21.93556 | 22.61504 | 23.09527 | 23.27807 | 23.20494 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | 479.4102 | 351.626 | 376.8536 | 391.5923 | 414.9595 | 420.3144 | 433.3337 | 442.5387 | 446.035 | 444.6244 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | 360.7597 | 234.5681 | 251.3973 | 261.2295 | 276.8176 | 280.3897 | 289.0751 | 295.2155 | 297.5481 | 296.6072 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | 170.9545 | 47.31076 | 50.70515 | 52.68811 | 55.83217 | 56.55274 | 58.30452 | 59.54293 | 60.01342 | 59.82434 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.926 | 59.12157 | 63.3633 | 65.84142 | 69.7705 | 70.67065 | 72.85979 | 74.40728 | 74.99552 | 74.75897 | 74.40648 | 74.23883 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4777 | 58.67923 | 62.88927 | 65.34883 | 69.24833 | 70.14194 | 72.31465 | 73.85064 | 74.43436 | 74.19943 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3745 | 58.57741 | 62.78014 | 65.23544 | 69.12812 | 70.02023 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | 132.2769 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | 146.3095 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | 220.9496 | 96.63483 | 103.5679 | 107.6184 | 114.0403 | 115.5118 | 119.0899 | 121.6196 | 122.5808 | 122.1935 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | 466.1279 | 338.5219 | 362.8094 | 376.9988 | 399.495 | 404.6505 | 417.1846 | 426.0466 | 429.4125 | 428.0555 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | 518.1102 | 389.8065 | 417.7734 | 434.1125 | 460.0168 | 465.953 | 480.386 | 490.5907 | 494.4666 | 492.9034 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | 342.2206 | 216.2779 | 231.7949 | 240.8603 | 255.233 | 258.5266 | 266.5349 | 272.1964 | 274.347 | 273.4794 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8714 | 59.06772 | 63.3056 | 65.78145 | 69.70673 | 70.60629 | 72.79343 | 74.33953 | 74.92707 | 74.69089 | 74.33873 | 74.1712 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4266 | 58.62888 | 62.8353 | 65.29276 | 69.18891 | 70.08174 | 72.25259 | 73.78725 | 74.37048 | 74.13577 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.3017 | 58.50566 | 62.70323 | 65.15536 | 69.04346 | 69.9343 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | 132.2769 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | 146.3095 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | 327.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | 132.2769 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | 146.3095 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1106 | 109.6191 | 117.4838 | 122.0785 | 129.3634 | 131.0326 | 135.0914 | 137.9611 | 139.0513 | 138.6119 | 137.9588 | 137.6485 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1673 | 28.77568 | 30.84028 | 32.04634 | 33.95869 | 34.39694 | 35.46244 | 36.21552 | 36.50185 | 36.38702 | 36.21541 | 36.13382 |
| 7-703 | EMS - Chiller | 0 | 0 | 224.441 | 100.0794 | 107.2596 | 111.4544 | 118.1052 | 119.6292 | 123.3349 | 125.9547 | 126.9498 | 126.549 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.726 | 75.69611 | 81.12697 | 84.29984 | 89.33033 | 90.48293 | 93.28583 | 95.26723 | 96.02012 | 95.71677 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.726 | 94.44102 | 101.2168 | 105.1752 | 111.4514 | 112.8895 | 116.3864 | 118.8586 | 119.7978 | 119.4193 | 118.8568 | 118.5896 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | 170.2161 | 46.58221 | 49.92434 | 51.87665 | 54.97227 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4106 | 94.12985 | 100.8833 | 104.8287 | 111.0841 | 112.5175 | 116.003 | 118.4671 | 119.4031 | 119.0257 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9075 | 94.62006 | 101.4087 | 105.3747 | 111.6627 | 113.1036 | 116.6071 | 119.0839 | 120.0249 | 119.6458 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2868 | 50.5983 | 54.22853 | 56.34921 | 59.71183 | 60.48227 | 62.35588 | 63.68031 | 64.18375 | 63.98157 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | 166.4118 | 42.82899 | 45.90185 | 47.69701 | 50.54308 | 51.19547 | 52.78128 | 53.9024 | 54.32844 | 54.15726 | 53.90179 | 53.78043 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | 363.5715 | 237.3422 | 254.3704 | 264.3187 | 280.0911 | 283.7057 | 292.4938 | 298.7067 | 301.0668 | 300.1154 | 298.7017 | 298.0303 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6784 | 49.99809 | 53.58528 | 55.68094 | 59.00347 | 59.76496 | 61.61625 | 62.92498 | 63.42257 | 63.22263 | 62.92445 | 62.78276 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8206 | 334.2725 | 358.255 | 372.2664 | 394.4801 | 399.5707 | 411.9477 | 420.6985 | 424.022 | 422.6817 | 420.6912 | 419.7458 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2986 | 126.5763 | 135.6577 | 140.9631 | 149.3748 | 151.3024 | 155.9892 | 159.3026 | 160.5613 | 160.0539 | 159.3002 | 158.942 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6993 | 43.11272 | 46.2059 | 48.01296 | 50.87833 | 51.53476 | 53.13095 | 54.25957 | 54.68876 | 54.51584 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | 164.9877 | 41.42413 | 44.39615 | 46.13237 | 48.88541 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | 166.6993 | 43.11272 | 46.2059 | 48.01296 | 50.87833 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | 210.5233 | 86.3485 | 92.54359 | 96.16286 | 101.9013 | 103.2162 | 106.4134 | 108.6739 | 109.5326 | 109.1867 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | 210.9413 | 86.76086 | 92.98553 | 96.62207 | 102.3878 | 103.7093 | 106.9216 | 109.193 | 110.0557 | 109.708 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | 168.0833 | 44.47807 | 47.6692 | 49.53346 | 52.48927 | 53.16658 | 54.81352 | 55.97778 | 56.42048 | 56.24216 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | 162.8485 | 39.31352 | 42.13415 | 43.78197 | 46.39465 | 46.99341 | 48.44893 | 49.47817 | 49.86942 | 49.71231 | 49.4776 | 49.36609 |
| 7-731 | Cool Roof - DX | 0 | 0 | 342.8439 | 216.8929 | 232.4539 | 241.5453 | 255.959 | 259.2621 | 267.2928 | 272.9707 | 275.1273 | 274.2578 | 272.9661 | 272.3525 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8683 | 210.0109 | 225.0782 | 233.8809 | 247.8371 | 251.0355 | 258.8115 | 264.309 | 266.3972 | 265.5555 | 264.3045 | 263.7105 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5661 | 493.8476 | 529.2787 | 549.9789 | 582.7967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | 623.5661 | 493.8476 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | 581.6175 | 452.4613 | 484.9234 | 503.8887 | 533.9566 | 540.8473 | 557.6 | 569.4449 | 573.9435 | 572.1289 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | 298.8612 | 173.5005 | 185.9485 | 193.2208 | 204.7507 | 207.3931 | 213.8172 | 218.3589 | 220.0844 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | 284.4628 | 159.296 | 170.7246 | 177.4016 | 187.9873 | 190.4133 | 196.3116 | 200.4812 | 202.0651 | 201.4267 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | 244.4139 | 119.7846 | 128.3784 | 133.3993 | 141.3593 | 143.1836 | 147.6188 | 150.7542 | 151.9454 | 151.4648 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | 327.605 | 201.8591 | 216.3414 | 224.8025 | 238.2165 | 241.2907 | 248.7652 | 254.0485 | 256.0557 | 255.2466 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | 210.5952 | 86.41962 | 92.61977 | 96.24202 | 101.985 | 103.3011 | 106.501 | 108.7628 | 109.6223 | 109.276 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7678 | 58.96552 | 63.19605 | 65.66763 | 69.58598 | 70.48404 | 72.6674 | 74.21084 | 74.79726 | 74.56107 | 74.20984 | 74.04285 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3418 | 58.54527 | 62.74567 | 65.19963 | 69.09016 | 69.98177 | 72.14954 | 73.682 | 74.26424 | 74.02975 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3187 | 58.5225 | 62.72125 | 65.17427 | 69.06347 | 69.95454 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | 141.6004 | 18.35076 | 19.66737 | 20.43644 | 21.65602 | 21.93542 | 22.61499 | 23.09509 | 23.27816 | 23.20462 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | 479.4087 | 351.6256 | 376.8528 | 391.5916 | 414.9576 | 420.3132 | 433.3324 | 442.5365 | 446.032 | 444.6226 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | 360.7514 | 234.5604 | 251.3889 | 261.2207 | 276.8079 | 280.3802 | 289.0654 | 295.2051 | 297.5373 | 296.5973 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | 170.9543 | 47.31071 | 50.70505 | 52.68796 | 55.83206 | 56.55247 | 58.30436 | 59.54266 | 60.01325 | 59.82449 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9231 | 59.1188 | 63.36033 | 65.83832 | 69.76685 | 70.66724 | 72.85632 | 74.40376 | 74.99168 | 74.75504 | 74.40266 | 74.23535 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4748 | 58.67645 | 62.88626 | 65.34573 | 69.24491 | 70.13854 | 72.3112 | 73.8471 | 74.43064 | 74.19568 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3716 | 58.57463 | 62.77714 | 65.23233 | 69.12498 | 70.01685 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | 220.9492 | 96.63469 | 103.5677 | 107.6181 | 114.0398 | 115.5115 | 119.0896 | 121.6189 | 122.5799 | 122.1924 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | 466.1264 | 338.5216 | 362.8087 | 376.998 | 399.4935 | 404.6493 | 417.1834 | 426.0446 | 429.41 | 428.0537 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | 518.1085 | 389.806 | 417.7725 | 434.1117 | 460.0152 | 465.952 | 480.3848 | 490.5886 | 494.4641 | 492.901 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | 342.2197 | 216.2777 | 231.7944 | 240.8598 | 255.2319 | 258.5259 | 266.5341 | 272.1951 | 274.3455 | 273.4786 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8684 | 59.06485 | 63.30251 | 65.77826 | 69.70341 | 70.60276 | 72.78983 | 74.33587 | 74.9235 | 74.68674 | 74.33479 | 74.16754 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4238 | 58.62617 | 62.83238 | 65.28975 | 69.18562 | 70.07846 | 72.24924 | 73.78381 | 74.36687 | 74.13208 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2989 | 58.50296 | 62.70031 | 65.15253 | 69.04021 | 69.93118 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | 219.9182 | 95.61751 | 102.4776 | 106.4854 | 112.8394 | 114.2956 | 117.8362 | 120.3388 | 121.2898 | 120.9066 | 120.3375 | 120.0667 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | 486.4431 | 358.5656 | 384.2907 | 399.3205 | 423.1478 | 428.6089 | 441.8851 | 451.2709 | 454.8357 | 453.3987 | 451.2639 | 450.2496 |
| 8-419 | Direct drive Extruders | 0 | 0 | 960.0206 | 825.786 | 885.0336 | 919.6473 | 974.5224 | 987.0996 | 1017.674 | 1039.291 | 1047.501 | 1044.19 | 1039.275 | 1036.938 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | 352.4977 | 226.4177 | 242.662 | 252.1524 | 267.1984 | 270.6467 | 279.0304 | 284.9569 | 287.208 | 286.3001 | 284.9528 | 284.3121 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | 339.6406 | 213.7332 | 229.0674 | 238.0262 | 252.2292 | 255.4843 | 263.3984 | 268.9927 | 271.118 | 270.261 | 268.9887 | 268.3837 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1041 | 109.6127 | 117.4769 | 122.0714 | 129.3558 | 131.0249 | 135.0835 | 137.953 | 139.0432 | 138.6038 | 137.9507 | 137.6404 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1667 | 28.77535 | 30.83985 | 32.04599 | 33.95806 | 34.3963 | 35.46183 | 36.21485 | 36.50112 | 36.38651 | 36.21471 | 36.13293 |
| 8-703 | EMS - Chiller | 0 | 0 | 224.4344 | 100.0729 | 107.2526 | 111.4472 | 118.0976 | 119.6215 | 123.3269 | 125.9465 | 126.9416 | 126.5408 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7245 | 75.69515 | 81.1258 | 84.29846 | 89.32841 | 90.48138 | 93.28419 | 95.26531 | 96.01786 | 95.71536 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7202 | 94.4353 | 101.2106 | 105.1688 | 111.4447 | 112.8826 | 116.3794 | 118.8514 | 119.7906 | 119.4121 | 118.8496 | 118.5825 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | 170.2151 | 46.58168 | 49.92361 | 51.87604 | 54.97134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4087 | 94.12868 | 100.8818 | 104.8272 | 111.0819 | 112.5159 | 116.0012 | 118.4646 | 119.4005 | 119.0235 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9057 | 94.61899 | 101.4073 | 105.3733 | 111.6606 | 113.1019 | 116.6054 | 119.0816 | 120.0224 | 119.6435 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2858 | 50.59772 | 54.22779 | 56.34856 | 59.71085 | 60.48134 | 62.35499 | 63.67901 | 64.18235 | 63.98013 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | 166.411 | 42.82851 | 45.90121 | 47.69637 | 50.5422 | 51.19469 | 52.78048 | 53.90124 | 54.3271 | 54.15555 | 53.90108 | 53.77959 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | 363.5666 | 237.3391 | 254.3666 | 264.315 | 280.0858 | 283.7011 | 292.489 | 298.7006 | 301.0598 | 300.1093 | 298.6969 | 298.0246 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6763 | 49.99595 | 53.58299 | 55.67856 | 59.00095 | 59.76241 | 61.61361 | 62.92229 | 63.41987 | 63.21991 | 62.92177 | 62.78008 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8132 | 334.2676 | 358.2491 | 372.2603 | 394.4718 | 399.5637 | 411.9401 | 420.6889 | 424.0113 | 422.6728 | 420.6837 | 419.737 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2958 | 126.5746 | 135.6555 | 140.9609 | 149.3716 | 151.2996 | 155.9865 | 159.2988 | 160.5574 | 160.0502 | 159.2972 | 158.9385 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6983 | 43.1121 | 46.20511 | 48.01213 | 50.87688 | 51.53354 | 53.12993 | 54.25813 | 54.68694 | 54.51434 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-725 | DX Coil Cleaning | 0 | 0 | 164.9868 | 41.42345 | 44.39536 | 46.13162 | 48.88413 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | 166.6983 | 43.1121 | 46.20511 | 48.01213 | 50.87688 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | 210.5213 | 86.34714 | 92.54195 | 96.16127 | 101.8989 | 103.2142 | 106.4114 | 108.671 | 109.5297 | 109.1844 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | 210.9392 | 86.75948 | 92.98392 | 96.62042 | 102.3854 | 103.707 | 106.9196 | 109.1899 | 110.0527 | 109.7058 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | 168.0822 | 44.47738 | 47.66836 | 49.53253 | 52.48812 | 53.16561 | 54.81247 | 55.9764 | 56.41872 | 56.24106 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | 162.8476 | 39.31293 | 42.13345 | 43.78127 | 46.39353 | 46.99232 | 48.44802 | 49.47687 | 49.8679 | 49.71112 | 49.47661 | 49.36551 |
| 8-731 | Cool Roof - DX | 0 | 0 | 342.8387 | 216.8895 | 232.4498 | 241.5408 | 255.9527 | 259.2566 | 267.2874 | 272.9634 | 275.1195 | 274.2512 | 272.9604 | 272.3459 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8661 | 210.0102 | 225.0771 | 233.8797 | 247.8346 | 251.0336 | 258.8098 | 264.3058 | 266.3936 | 265.5524 | 264.3027 | 263.7079 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5597 | 493.8455 | 529.2753 | 549.9753 | 582.7892 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | 623.5597 | 493.8455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | 581.6156 | 452.4608 | 484.9224 | 503.8878 | 533.9547 | 540.8458 | 557.5983 | 569.4424 | 573.9406 | 572.127 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | 298.8536 | 173.4934 | 185.9407 | 193.2128 | 204.7421 | 207.3844 | 213.8083 | 218.3496 | 220.075 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | 284.4635 | 159.2962 | 170.7249 | 177.4021 | 187.9881 | 190.414 | 196.3121 | 200.4824 | 202.0664 | 201.4272 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | 244.4144 | 119.7847 | 128.3787 | 133.3997 | 141.36 | 143.1843 | 147.6193 | 150.7552 | 151.9465 | 151.4662 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | 327.6058 | 201.8594 | 216.3418 | 224.8031 | 238.2178 | 241.2919 | 248.7659 | 254.0502 | 256.0578 | 255.2477 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | 210.5956 | 86.41975 | 92.61996 | 96.24222 | 101.9854 | 103.3014 | 106.5012 | 108.7635 | 109.623 | 109.2768 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7692 | 58.96686 | 63.19748 | 65.66907 | 69.58796 | 70.48569 | 72.66911 | 74.21258 | 74.79929 | 74.56302 | 74.21187 | 74.04446 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3432 | 58.54662 | 62.74712 | 65.20108 | 69.09182 | 69.98349 | 72.15125 | 73.6838 | 74.26609 | 74.03168 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3201 | 58.52383 | 62.72269 | 65.17572 | 69.06519 | 69.95625 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | 141.6005 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | 479.4102 | 351.6261 | 376.8536 | 391.5926 | 414.9601 | 420.3149 | 433.3338 | 442.5394 | 446.0356 | 444.6247 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | 360.7556 | 234.5642 | 251.3931 | 261.2252 | 276.8134 | 280.3856 | 289.0705 | 295.211 | 297.5434 | 296.6028 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | 170.9545 | 47.31077 | 50.70515 | 52.6881 | 55.83232 | 56.55273 | 58.30453 | 59.54295 | 60.01376 | 59.82431 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9245 | 59.1201 | 63.36173 | 65.83984 | 69.76879 | 70.66898 | 72.85796 | 74.40563 | 74.99377 | 74.75711 | 74.40494 | 74.23706 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4763 | 58.67789 | 62.88779 | 65.34721 | 69.24693 | 70.14034 | 72.313 | 73.84898 | 74.43281 | 74.19766 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.373 | 58.57597 | 62.77858 | 65.23381 | 69.12644 | 70.0186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | 220.9496 | 96.63483 | 103.5679 | 107.6185 | 114.0406 | 115.5121 | 119.09 | 121.6198 | 122.5809 | 122.1936 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | 466.1279 | 338.522 | 362.8094 | 376.999 | 399.4958 | 404.6508 | 417.1847 | 426.0471 | 429.4133 | 428.0556 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | 518.1101 | 389.8065 | 417.7733 | 434.1129 | 460.0175 | 465.9539 | 480.3863 | 490.5914 | 494.4673 | 492.9037 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | 342.2206 | 216.2779 | 231.7949 | 240.8605 | 255.2334 | 258.5271 | 266.535 | 272.1969 | 274.3475 | 273.4798 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8699 | 59.06625 | 63.30401 | 65.77986 | 69.70524 | 70.60461 | 72.79158 | 74.33785 | 74.92545 | 74.68912 | 74.33716 | 74.16949 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1949 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6598 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4252 | 58.62753 | 62.83382 | 65.29114 | 69.18729 | 70.08017 | 72.25096 | 73.78561 | 74.36878 | 74.13406 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0974 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1019 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.3003 | 58.50427 | 62.70174 | 65.15393 | 69.04186 | 69.93289 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8109 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | 156.0348 | 32.59131 | 34.92964 | 36.29565 | 38.46156 | 38.95792 | 40.16465 | 41.01775 | 41.34206 | 41.21216 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | 141.6005 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | 355.3948 | 229.2754 | 245.7248 | 255.3353 | 270.572 | 274.0635 | 282.5527 | 288.555 | 290.8346 | 289.915 | 288.55 | 287.9012 |
| 9-423 | Process control | 0 | 0 | 141.6005 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | 222.538 | 98.20186 | 105.2474 | 109.3636 | 115.8896 | 117.3851 | 121.0212 | 123.5919 | 124.5686 | 124.1746 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | 160.5807 | 37.07615 | 39.73624 | 41.29027 | 43.75429 | 44.3188 | 45.69165 | 46.66227 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1071 | 109.6156 | 117.4801 | 122.0746 | 129.3592 | 131.0284 | 135.0871 | 137.9566 | 139.0469 | 138.6075 | 137.9544 | 137.6441 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | 152.167 | 28.7755 | 30.84003 | 32.04607 | 33.95831 | 34.39657 | 35.46203 | 36.21511 | 36.50147 | 36.38663 | 36.21509 | 36.13333 |
| 9-703 | EMS - Chiller | 0 | 0 | 224.4374 | 100.0757 | 107.2558 | 111.4504 | 118.101 | 119.6249 | 123.3305 | 125.9502 | 126.9453 | 126.5445 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7251 | 75.6955 | 81.12622 | 84.2989 | 89.32897 | 90.48201 | 93.28477 | 95.26603 | 96.0189 | 95.71594 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7228 | 94.43787 | 101.2134 | 105.1717 | 111.4477 | 112.8857 | 116.3826 | 118.8546 | 119.7938 | 119.4154 | 118.8528 | 118.5857 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | 170.2155 | 46.58181 | 49.92384 | 51.8762 | 54.97187 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4095 | 94.12911 | 100.8824 | 104.8279 | 111.0829 | 112.5166 | 116.002 | 118.4656 | 119.4016 | 119.0248 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9064 | 94.61931 | 101.4078 | 105.3738 | 111.6614 | 113.1025 | 116.606 | 119.0825 | 120.0236 | 119.6444 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2863 | 50.59795 | 54.22813 | 56.34889 | 59.71125 | 60.48196 | 62.3554 | 63.67956 | 64.18319 | 63.98129 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | 166.4113 | 42.82872 | 45.90144 | 47.69653 | 50.54259 | 51.19487 | 52.78085 | 53.90168 | 54.32777 | 54.15643 | 53.90118 | 53.78018 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | 363.5686 | 237.3402 | 254.368 | 264.3163 | 280.088 | 283.7029 | 292.4908 | 298.7031 | 301.0629 | 300.1115 | 298.6985 | 298.027 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6771 | 49.9968 | 53.5839 | 55.6795 | 59.00195 | 59.76343 | 61.61467 | 62.92336 | 63.42094 | 63.22098 | 62.92284 | 62.78114 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8161 | 334.2693 | 358.2512 | 372.2625 | 394.4752 | 399.5663 | 411.943 | 420.6927 | 424.0161 | 422.676 | 420.6865 | 419.7403 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2969 | 126.5752 | 135.6562 | 140.9617 | 149.3728 | 151.3007 | 155.9874 | 159.3003 | 160.559 | 160.0513 | 159.2982 | 158.94 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6987 | 43.11227 | 46.20535 | 48.01241 | 50.87722 | 51.53397 | 53.13031 | 54.25869 | 54.6874 | 54.5152 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | 164.9872 | 41.42371 | 44.39566 | 46.13191 | 48.88453 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | 166.6987 | 43.11227 | 46.20535 | 48.01241 | 50.87722 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | 210.5221 | 86.34763 | 92.5426 | 96.16183 | 101.8998 | 103.2149 | 106.4122 | 108.6721 | 109.531 | 109.1852 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | 210.9401 | 86.75999 | 92.98455 | 96.62105 | 102.3865 | 103.7078 | 106.9203 | 109.191 | 110.054 | 109.7067 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | 168.0826 | 44.47763 | 47.66866 | 49.53293 | 52.48844 | 53.16602 | 54.81289 | 55.97701 | 56.41941 | 56.24161 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | 162.8479 | 39.31313 | 42.13366 | 43.78143 | 46.39384 | 46.99275 | 48.44831 | 49.47735 | 49.86829 | 49.71121 | 49.47697 | 49.36552 |
| 9-731 | Cool Roof - DX | 0 | 0 | 342.8407 | 216.8905 | 232.4512 | 241.5423 | 255.9549 | 259.2585 | 267.2894 | 272.9662 | 275.1224 | 274.2534 | 272.9621 | 272.3483 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8672 | 210.0106 | 225.0777 | 233.8805 | 247.8362 | 251.0346 | 258.8108 | 264.3077 | 266.3959 | 265.5542 | 264.3037 | 263.7095 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5628 | 493.8465 | 529.277 | 549.9769 | 582.7928 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | 623.5628 | 493.8465 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | 581.6174 | 452.4613 | 484.9234 | 503.8891 | 533.9578 | 540.848 | 557.6002 | 569.4456 | 573.9448 | 572.1295 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | 298.8575 | 173.4969 | 185.9445 | 193.217 | 204.7469 | 207.3891 | 213.8128 | 218.3547 | 220.08 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | 284.4618 | 159.2957 | 170.724 | 177.401 | 187.9861 | 190.4125 | 196.3108 | 200.4797 | 202.0634 | 201.4252 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | 244.4132 | 119.7843 | 128.378 | 133.3989 | 141.3583 | 143.1831 | 147.6182 | 150.7532 | 151.944 | 151.4641 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | 327.6037 | 201.8587 | 216.3407 | 224.8018 | 238.2149 | 241.2897 | 248.7642 | 254.0469 | 256.0535 | 255.2448 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | 210.5946 | 86.4194 | 92.61947 | 96.24173 | 101.9843 | 103.3007 | 106.5005 | 108.7621 | 109.6214 | 109.2756 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7654 | 58.96349 | 63.19379 | 65.66528 | 69.58326 | 70.48141 | 72.66479 | 74.20773 | 74.79417 | 74.55811 | 74.20723 | 74.04022 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1944 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3395 | 58.5433 | 62.74344 | 65.19733 | 69.08753 | 69.97916 | 72.14699 | 73.67898 | 74.26121 | 74.02686 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1015 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3164 | 58.52051 | 62.71902 | 65.17194 | 69.06054 | 69.95193 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | 141.6003 | 18.35071 | 19.66733 | 20.43639 | 21.65587 | 21.93526 | 22.61485 | 23.09487 | 23.27778 | 23.20419 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | 479.4065 | 351.6249 | 376.8516 | 391.5903 | 414.9552 | 420.3113 | 433.3305 | 442.5336 | 446.0286 | 444.6208 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | 360.7444 | 234.5546 | 251.3824 | 261.214 | 276.7997 | 280.3727 | 289.0576 | 295.1962 | 297.5277 | 296.5883 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | 170.954 | 47.31065 | 50.7049 | 52.68782 | 55.83163 | 56.55227 | 58.30413 | 59.54211 | 60.01264 | 59.82339 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9207 | 59.11668 | 63.35798 | 65.83588 | 69.76402 | 70.66451 | 72.85359 | 74.40047 | 74.98852 | 74.75198 | 74.40007 | 74.23264 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1944 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4724 | 58.67447 | 62.88402 | 65.3434 | 69.24221 | 70.13595 | 72.30864 | 73.84405 | 74.42748 | 74.19275 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1015 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3692 | 58.57264 | 62.77489 | 65.23 | 69.12217 | 70.01424 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | 220.9486 | 96.63446 | 103.5674 | 107.6179 | 114.0392 | 115.5111 | 119.0893 | 121.6182 | 122.579 | 122.1923 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | 466.1243 | 338.5208 | 362.8075 | 376.997 | 399.491 | 404.6476 | 417.1817 | 426.0417 | 429.4064 | 428.0505 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | 518.106 | 389.8052 | 417.7711 | 434.1103 | 460.012 | 465.9499 | 480.3827 | 490.585 | 494.4595 | 492.8988 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | 342.2183 | 216.2772 | 231.7937 | 240.8589 | 255.2304 | 258.5248 | 266.533 | 272.1931 | 274.3432 | 273.4771 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8661 | 59.06282 | 63.30025 | 65.77591 | 69.70058 | 70.60014 | 72.78723 | 74.33273 | 74.92011 | 74.68387 | 74.33232 | 74.16498 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1944 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4215 | 58.62419 | 62.83014 | 65.28741 | 69.18299 | 70.07585 | 72.2467 | 73.7808 | 74.36378 | 74.12906 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1015 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2966 | 58.50096 | 62.69807 | 65.15018 | 69.03761 | 69.92857 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | 170.2163 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | 170.2163 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 58.62579 | 58.49374 |
| 10-426 | Efficient drives - rolling | 0 | 0 | 177.9964 | 54.25856 | 58.1513 | 60.42554 | 64.03086 | 64.85742 | 66.86653 | 68.28649 | 68.82581 | 68.60855 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | 222.5369 | 98.20151 | 105.2468 | 109.3629 | 115.8883 | 117.3841 | 121.0204 | 123.5905 | 124.5666 | 124.1738 | 123.5891 | 123.3107 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | 141.6947 | 18.44389 | 19.76719 | 20.54024 | 21.76583 | 22.04675 | 22.72972 | 23.21221 | 23.39585 | 23.3221 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | 244.4132 | 119.7843 | 128.378 | 133.3989 | 141.3583 | 143.1831 | 147.6182 | 150.7532 | 151.944 | 151.4641 | 150.7515 | 150.412 |
| 10-508 | Heating - Process Control | 0 | 0 | 170.2163 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 58.62579 | 58.49374 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.0994 | 109.608 | 117.4719 | 122.0662 | 129.3503 | 131.0193 | 135.0778 | 137.9471 | 139.0372 | 138.5979 | 137.9448 | 137.6345 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1662 | 28.77502 | 30.83945 | 32.04554 | 33.95732 | 34.39581 | 35.46136 | 36.21416 | 36.5005 | 36.38547 | 36.21452 | 36.1326 |
| 10-703 | EMS - Chiller | 0 | 0 | 224.4297 | 100.0682 | 107.2476 | 111.442 | 118.0921 | 119.6159 | 123.3212 | 125.9407 | 126.9357 | 126.5349 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7233 | 75.69441 | 81.12487 | 84.29761 | 89.32697 | 90.48027 | 93.28313 | 95.26363 | 96.01615 | 95.71359 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.716 | 94.43111 | 101.2061 | 105.1641 | 111.4396 | 112.8776 | 116.3742 | 118.8461 | 119.785 | 119.4068 | 118.8444 | 118.5772 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | 170.2144 | 46.58118 | 49.92304 | 51.87539 | 54.97036 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4073 | 94.12781 | 100.8807 | 104.8261 | 111.0803 | 112.5144 | 115.9998 | 118.4626 | 119.3984 | 119.0217 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9041 | 94.61798 | 101.4061 | 105.3722 | 111.6589 | 113.1004 | 116.6039 | 119.0796 | 120.0204 | 119.6417 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.285 | 50.59725 | 54.22723 | 56.34798 | 59.70989 | 60.48073 | 62.35427 | 63.67817 | 64.18124 | 63.97861 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | 166.4103 | 42.82803 | 45.9007 | 47.69576 | 50.54137 | 51.19385 | 52.77983 | 53.9004 | 54.32629 | 54.15567 | 53.90019 | 53.77875 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | 363.5628 | 237.3367 | 254.3637 | 264.3119 | 280.0813 | 283.6974 | 292.4853 | 298.6957 | 301.054 | 300.1046 | 298.6934 | 298.0204 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6746 | 49.99432 | 53.58125 | 55.67674 | 58.99903 | 59.76047 | 61.61161 | 62.92025 | 63.41781 | 63.21786 | 62.91972 | 62.77805 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8072 | 334.2636 | 358.2442 | 372.2552 | 394.4649 | 399.5576 | 411.9341 | 420.6812 | 424.003 | 422.6653 | 420.6781 | 419.7302 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2935 | 126.573 | 135.6536 | 140.959 | 149.3689 | 151.2973 | 155.9841 | 159.296 | 160.5541 | 160.0471 | 159.2948 | 158.9356 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6975 | 43.11156 | 46.20451 | 48.01162 | 50.87604 | 51.53294 | 53.12925 | 54.25726 | 54.68609 | 54.51443 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | 164.986 | 41.42293 | 44.39474 | 46.13101 | 48.88309 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | 166.6975 | 43.11156 | 46.20451 | 48.01162 | 50.87604 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | 210.5197 | 86.34608 | 92.54071 | 96.15991 | 101.8969 | 103.2125 | 106.4099 | 108.6692 | 109.5274 | 109.182 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | 210.9376 | 86.75847 | 92.98265 | 96.61923 | 102.3837 | 103.7056 | 106.9182 | 109.1883 | 110.0506 | 109.7038 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | 168.0814 | 44.47685 | 47.66773 | 49.53207 | 52.48708 | 53.16493 | 54.81186 | 55.97553 | 56.41773 | 56.24051 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | 162.8468 | 39.31244 | 42.13284 | 43.78069 | 46.3928 | 46.99171 | 48.44735 | 49.47598 | 49.86697 | 49.70981 | 49.47603 | 49.36449 |
| 10-731 | Cool Roof - DX | 0 | 0 | 342.8346 | 216.8867 | 232.4465 | 241.5376 | 255.9481 | 259.2527 | 267.2834 | 272.9586 | 275.114 | 274.2463 | 272.9566 | 272.3418 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8644 | 210.0097 | 225.0762 | 233.8789 | 247.8329 | 251.0323 | 258.8085 | 264.3038 | 266.3909 | 265.5508 | 264.3015 | 263.7061 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5556 | 493.8451 | 529.2737 | 549.9756 | 582.7858 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | 623.5556 | 493.8451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | 581.6127 | 452.4599 | 484.9209 | 503.8863 | 533.9513 | 540.8436 | 557.5959 | 569.4382 | 573.9357 | 572.1237 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | 298.8473 | 173.488 | 185.9347 | 193.2066 | 204.7346 | 207.3773 | 213.8012 | 218.3416 | 220.0662 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | 284.4623 | 159.2958 | 170.7243 | 177.4013 | 187.9866 | 190.4129 | 196.3112 | 200.4804 | 202.0644 | 201.4256 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | 244.4136 | 119.7844 | 128.3782 | 133.3991 | 141.3588 | 143.1833 | 147.6187 | 150.7536 | 151.9447 | 151.4651 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | 327.6044 | 201.8589 | 216.3411 | 224.8022 | 238.2157 | 241.2903 | 248.7648 | 254.0479 | 256.0547 | 255.2457 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | 210.5949 | 86.41952 | 92.61962 | 96.24194 | 101.9845 | 103.3008 | 106.5007 | 108.7624 | 109.6222 | 109.2762 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7665 | 58.9645 | 63.1949 | 65.66644 | 69.58471 | 70.48277 | 72.66606 | 74.20925 | 74.7958 | 74.55978 | 74.20874 | 74.0416 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1946 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3407 | 58.54439 | 62.74464 | 65.19849 | 69.08887 | 69.98048 | 72.14832 | 73.68043 | 74.26272 | 74.02856 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1017 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3175 | 58.52151 | 62.72013 | 65.173 | 69.06165 | 69.95313 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | 141.6004 | 18.35073 | 19.66735 | 20.43643 | 21.6557 | 21.93539 | 22.61489 | 23.095 | 23.27766 | 23.20468 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | 479.4077 | 351.6252 | 376.8523 | 391.5909 | 414.9566 | 420.3125 | 433.3316 | 442.5353 | 446.0308 | 444.6219 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | 360.7479 | 234.5576 | 251.3857 | 261.2175 | 276.8039 | 280.3766 | 289.0616 | 295.2008 | 297.5325 | 296.593 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | 170.9542 | 47.31064 | 50.70496 | 52.68797 | 55.83183 | 56.55251 | 58.30428 | 59.5425 | 60.01307 | 59.82361 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9219 | 59.11777 | 63.35915 | 65.83716 | 69.76563 | 70.66597 | 72.85493 | 74.40206 | 74.9902 | 74.75385 | 74.4015 | 74.23395 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1946 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4736 | 58.67558 | 62.88521 | 65.34464 | 69.24374 | 70.13733 | 72.30998 | 73.84568 | 74.42936 | 74.19473 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1017 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3705 | 58.57376 | 62.7761 | 65.23114 | 69.12327 | 70.01555 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | 220.9489 | 96.63458 | 103.5675 | 107.618 | 114.0394 | 115.5113 | 119.0894 | 121.6186 | 122.5794 | 122.1925 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | 466.1254 | 338.5212 | 362.8081 | 376.9975 | 399.4925 | 404.6485 | 417.1826 | 426.0433 | 429.4084 | 428.0518 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | 518.1073 | 389.8056 | 417.7719 | 434.1109 | 460.0135 | 465.9509 | 480.3837 | 490.5867 | 494.4619 | 492.8996 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | 342.219 | 216.2775 | 231.7941 | 240.8596 | 255.2314 | 258.5254 | 266.5337 | 272.1943 | 274.3446 | 273.4777 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7298 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8673 | 59.06392 | 63.30145 | 65.77719 | 69.70206 | 70.60161 | 72.78859 | 74.33436 | 74.92194 | 74.68561 | 74.33379 | 74.16641 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1946 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6596 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4226 | 58.62523 | 62.83125 | 65.28844 | 69.18421 | 70.07703 | 72.24789 | 73.78207 | 74.36518 | 74.13089 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1017 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2977 | 58.50197 | 62.69918 | 65.15123 | 69.03883 | 69.92977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | 219.9179 | 95.6174 | 102.4774 | 106.4852 | 112.839 | 114.2955 | 117.8359 | 120.3384 | 121.289 | 120.9063 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | 175.3664 | 51.6637 | 55.37026 | 57.53571 | 60.96888 | 61.75572 | 63.66876 | 65.02082 | 65.53483 | 65.32825 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | 191.0215 | 67.10875 | 71.92343 | 74.7363 | 79.19566 | 80.21785 | 82.7027 | 84.45913 | 85.12634 | 84.85815 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | 339.6399 | 213.733 | 229.067 | 238.0259 | 252.2285 | 255.484 | 263.3979 | 268.992 | 271.1169 | 270.2603 | 268.9882 | 268.3832 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | 219.9179 | 95.6174 | 102.4774 | 106.4852 | 112.839 | 114.2955 | 117.8359 | 120.3384 | 121.289 | 120.9063 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | 175.3664 | 51.6637 | 55.37026 | 57.53571 | 60.96888 | 61.75572 | 63.66876 | 65.02082 | 65.53483 | 65.32825 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | 386.0628 | 259.533 | 278.1529 | 289.0313 | 306.2773 | 310.2304 | 319.8402 | 326.6331 | 329.2131 | 328.173 | 326.6284 | 325.894 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1018 | 109.6104 | 117.4745 | 122.0688 | 129.3531 | 131.0222 | 135.0807 | 137.9501 | 139.0403 | 138.6009 | 137.9478 | 137.6375 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1665 | 28.77524 | 30.83969 | 32.04582 | 33.95792 | 34.39616 | 35.46164 | 36.21459 | 36.50098 | 36.38614 | 36.21452 | 36.13287 |
| 11-703 | EMS - Chiller | 0 | 0 | 224.4321 | 100.0705 | 107.2502 | 111.4446 | 118.0949 | 119.6187 | 123.3241 | 125.9436 | 126.9387 | 126.5379 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7239 | 75.69473 | 81.1253 | 84.2981 | 89.3278 | 90.48085 | 93.28363 | 95.26437 | 96.0171 | 95.71402 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7181 | 94.43325 | 101.2084 | 105.1665 | 111.4421 | 112.8802 | 116.3769 | 118.8488 | 119.7877 | 119.4095 | 118.847 | 118.5799 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | 170.2148 | 46.58144 | 49.92334 | 51.87576 | 54.97099 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4079 | 94.12816 | 100.8812 | 104.8266 | 111.081 | 112.5149 | 116.0004 | 118.4635 | 119.3991 | 119.0225 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9049 | 94.61845 | 101.4066 | 105.3727 | 111.6597 | 113.1011 | 116.6046 | 119.0805 | 120.0214 | 119.6426 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2854 | 50.59744 | 54.22751 | 56.34839 | 59.71029 | 60.48108 | 62.35466 | 63.67852 | 64.18165 | 63.97919 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | 166.4106 | 42.82829 | 45.90096 | 47.69611 | 50.54189 | 51.19427 | 52.78018 | 53.90081 | 54.3269 | 54.15573 | 53.90063 | 53.77913 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | 363.5647 | 237.3379 | 254.3651 | 264.3134 | 280.0836 | 283.6992 | 292.487 | 298.6979 | 301.0569 | 300.1065 | 298.6951 | 298.0226 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6754 | 49.99509 | 53.58208 | 55.6776 | 58.99995 | 59.76138 | 61.61256 | 62.92121 | 63.41877 | 63.21884 | 62.92068 | 62.77901 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8101 | 334.2654 | 358.2465 | 372.2574 | 394.4681 | 399.5603 | 411.9369 | 420.6846 | 424.007 | 422.6685 | 420.6803 | 419.7334 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2945 | 126.5737 | 135.6544 | 140.9597 | 149.3699 | 151.2983 | 155.9851 | 159.2974 | 160.5554 | 160.0486 | 159.2961 | 158.937 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6979 | 43.11176 | 46.20476 | 48.01175 | 50.87623 | 51.53293 | 53.1295 | 54.25738 | 54.68612 | 54.51413 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | 164.9863 | 41.42314 | 44.39497 | 46.13113 | 48.88355 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | 166.6979 | 43.11176 | 46.20476 | 48.01175 | 50.87623 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | 210.5205 | 86.34656 | 92.54133 | 96.16058 | 101.8978 | 103.2133 | 106.4106 | 108.67 | 109.5284 | 109.1833 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | 210.9384 | 86.75887 | 92.98318 | 96.61972 | 102.3844 | 103.7061 | 106.9186 | 109.1889 | 110.0515 | 109.7044 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | 168.0818 | 44.47707 | 47.66799 | 49.53219 | 52.4875 | 53.16508 | 54.812 | 55.97579 | 56.41808 | 56.24069 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | 162.8471 | 39.31265 | 42.13308 | 43.78091 | 46.39288 | 46.99174 | 48.44763 | 49.47625 | 49.86727 | 49.71011 | 49.47609 | 49.3645 |
| 11-731 | Cool Roof - DX | 0 | 0 | 342.8366 | 216.8879 | 232.448 | 241.5389 | 255.9501 | 259.2545 | 267.2852 | 272.9607 | 275.1164 | 274.2482 | 272.9579 | 272.3436 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8653 | 210.0099 | 225.0767 | 233.8794 | 247.8337 | 251.0331 | 258.8092 | 264.3048 | 266.3924 | 265.5518 | 264.3019 | 263.7073 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5576 | 493.845 | 529.2743 | 549.9744 | 582.787 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | 623.5576 | 493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | 581.6142 | 452.4604 | 484.9217 | 503.8871 | 533.9532 | 540.8448 | 557.5972 | 569.4405 | 573.9387 | 572.1256 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | 298.8505 | 173.4908 | 185.9377 | 193.2097 | 204.7383 | 207.3807 | 213.8047 | 218.3453 | 220.0705 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | 284.4602 | 159.2953 | 170.7233 | 177.4006 | 187.9842 | 190.4115 | 196.31 | 200.478 | 202.0611 | 201.4236 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | 244.412 | 119.784 | 128.3775 | 133.3986 | 141.3569 | 143.1822 | 147.6175 | 150.752 | 151.9424 | 151.463 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | 327.6016 | 201.8582 | 216.3398 | 224.8012 | 238.2129 | 241.2888 | 248.763 | 254.045 | 256.051 | 255.2435 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | 210.5937 | 86.4192 | 92.61906 | 96.2415 | 101.9834 | 103.3002 | 106.5001 | 108.7613 | 109.6205 | 109.2746 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7294 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7627 | 58.96057 | 63.19076 | 65.66208 | 69.58028 | 70.47812 | 72.66133 | 74.20464 | 74.79122 | 74.5549 | 74.20378 | 74.03653 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6591 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3369 | 58.54042 | 62.74045 | 65.19421 | 69.08454 | 69.97594 | 72.14355 | 73.67583 | 74.25832 | 74.02368 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.097 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1013 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3138 | 58.51764 | 62.71603 | 65.16885 | 69.05766 | 69.9487 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8106 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | 141.6001 | 18.35069 | 19.66723 | 20.43636 | 21.65565 | 21.9353 | 22.61483 | 23.095 | 23.27743 | 23.20436 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | 479.4029 | 351.6241 | 376.85 | 391.5893 | 414.9515 | 420.3094 | 433.3285 | 442.5298 | 446.0242 | 444.6173 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | 360.7374 | 234.5466 | 251.3741 | 261.2054 | 276.7917 | 280.3638 | 289.0484 | 295.1878 | 297.52 | 296.5794 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | 170.9535 | 47.3105 | 50.70467 | 52.68774 | 55.83125 | 56.55192 | 58.30381 | 59.54153 | 60.012 | 59.82333 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7294 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.918 | 59.11374 | 63.35491 | 65.83263 | 69.76107 | 70.66116 | 72.85007 | 74.39739 | 74.98539 | 74.74869 | 74.39661 | 74.22882 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6591 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4698 | 58.67159 | 62.88102 | 65.34027 | 69.2393 | 70.13271 | 72.30519 | 73.84092 | 74.42469 | 74.18958 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.097 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1013 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3666 | 58.56978 | 62.77191 | 65.22691 | 69.11904 | 70.01102 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8106 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | 220.9476 | 96.6342 | 103.5669 | 107.6176 | 114.038 | 115.5105 | 119.0887 | 121.6173 | 122.5777 | 122.1914 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | 466.1208 | 338.5201 | 362.8059 | 376.9959 | 399.4876 | 404.6459 | 417.1796 | 426.0383 | 429.4024 | 428.0484 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | 518.102 | 389.8044 | 417.7693 | 434.1092 | 460.0079 | 465.9476 | 480.3803 | 490.5809 | 494.4546 | 492.8957 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | 342.2161 | 216.2767 | 231.7927 | 240.8584 | 255.2281 | 258.5236 | 266.5318 | 272.191 | 274.3401 | 273.4751 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7294 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8634 | 59.0599 | 63.2972 | 65.77266 | 69.69736 | 70.5968 | 72.78371 | 74.32961 | 74.91695 | 74.68039 | 74.32881 | 74.16135 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1939 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6591 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4188 | 58.62125 | 62.82707 | 65.28424 | 69.17991 | 70.07256 | 72.24316 | 73.77755 | 74.36085 | 74.12589 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.097 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1013 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2939 | 58.498 | 62.69498 | 65.14697 | 69.03446 | 69.92525 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8106 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | 219.9166 | 95.6171 | 102.4768 | 106.4848 | 112.8376 | 114.2945 | 117.8351 | 120.3371 | 121.2874 | 120.9048 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | 175.3632 | 51.6604 | 55.36683 | 57.5321 | 60.96512 | 61.75182 | 63.66478 | 65.01691 | 65.53077 | 65.32425 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | 191.0206 | 67.10852 | 71.92299 | 74.73593 | 79.19456 | 80.21724 | 82.70221 | 84.45811 | 85.12504 | 84.85693 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | 339.637 | 213.7323 | 229.0657 | 238.0247 | 252.2254 | 255.4822 | 263.396 | 268.9887 | 271.1128 | 270.2581 | 268.9871 | 268.3812 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | 219.9166 | 95.6171 | 102.4768 | 106.4848 | 112.8376 | 114.2945 | 117.8351 | 120.3371 | 121.2874 | 120.9048 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | 175.3632 | 51.6604 | 55.36683 | 57.5321 | 60.96512 | 61.75182 | 63.66478 | 65.01691 | 65.53077 | 65.32425 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | 386.0592 | 259.5321 | 278.1512 | 289.0302 | 306.2737 | 310.2283 | 319.8379 | 326.6293 | 329.2082 | 328.1703 | 326.6266 | 325.8908 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.0939 | 109.6027 | 117.4662 | 122.0602 | 129.3439 | 131.0129 | 135.0711 | 137.9403 | 139.0304 | 138.5911 | 137.938 | 137.6278 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1664 | 28.77538 | 30.83977 | 32.04619 | 33.95786 | 34.3965 | 35.46193 | 36.21502 | 36.50117 | 36.38712 | 36.21544 | 36.13339 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-703 | EMS - Chiller | 0 | 0 | 224.4241 | 100.0627 | 107.2418 | 111.4359 | 118.0856 | 119.6093 | 123.3144 | 125.9338 | 126.9287 | 126.528 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7237 | 75.69522 | 81.12559 | 84.29919 | 89.32816 | 90.48172 | 93.28438 | 95.26531 | 96.01839 | 95.71606 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.711 | 94.42625 | 101.2009 | 105.1587 | 111.4338 | 112.8718 | 116.3682 | 118.84 | 119.7788 | 119.4007 | 118.8382 | 118.5711 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | 170.2146 | 46.5817 | 49.92349 | 51.87646 | 54.97103 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4077 | 94.12879 | 100.8816 | 104.8281 | 111.0816 | 112.5161 | 116.0013 | 118.4647 | 119.4008 | 119.0246 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9045 | 94.61899 | 101.4069 | 105.374 | 111.6601 | 113.1021 | 116.6054 | 119.0816 | 120.0224 | 119.6444 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2852 | 50.59775 | 54.22765 | 56.349 | 59.71036 | 60.48164 | 62.35508 | 63.67922 | 64.18229 | 63.9808 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | 166.4105 | 42.82852 | 45.90109 | 47.69671 | 50.54205 | 51.19472 | 52.78058 | 53.9013 | 54.32722 | 54.15656 | 53.90178 | 53.78 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | 363.5639 | 237.3393 | 254.3659 | 264.3168 | 280.0846 | 283.7018 | 292.4891 | 298.7007 | 301.06 | 300.1113 | 298.7009 | 298.0273 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.673 | 49.99297 | 53.57973 | 55.67514 | 58.99734 | 59.75861 | 61.60985 | 62.91821 | 63.4155 | 63.21588 | 62.91777 | 62.77623 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8093 | 334.2678 | 358.248 | 372.2627 | 394.4701 | 399.5646 | 411.94 | 420.689 | 424.0117 | 422.6762 | 420.6893 | 419.7405 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2944 | 126.5747 | 135.6551 | 140.9618 | 149.371 | 151.3001 | 155.9865 | 159.299 | 160.5577 | 160.0516 | 159.2995 | 158.9399 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.698 | 43.11217 | 46.2051 | 48.0126 | 50.87676 | 51.53377 | 53.1302 | 54.25832 | 54.68728 | 54.51553 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | 164.9864 | 41.42355 | 44.39529 | 46.13196 | 48.8839 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | 166.698 | 43.11217 | 46.2051 | 48.0126 | 50.87676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | 210.5204 | 86.3473 | 92.54182 | 96.16209 | 101.8985 | 103.2145 | 106.4117 | 108.6714 | 109.5298 | 109.1856 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | 210.9384 | 86.75967 | 92.98377 | 96.62146 | 102.3853 | 103.7076 | 106.9199 | 109.1904 | 110.0531 | 109.7068 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | 168.0818 | 44.47746 | 47.6683 | 49.53307 | 52.48787 | 53.16584 | 54.81273 | 55.97659 | 56.41897 | 56.24149 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | 162.8471 | 39.31297 | 42.13332 | 43.78163 | 46.39324 | 46.99251 | 48.44812 | 49.47681 | 49.86797 | 49.71152 | 49.47731 | 49.3654 |
| 12-731 | Cool Roof - DX | 0 | 0 | 342.8365 | 216.8898 | 232.4493 | 241.543 | 255.9523 | 259.2577 | 267.2879 | 272.9644 | 275.1205 | 274.2542 | 272.9651 | 272.3489 |
| 12-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8637 | 210.0104 | 225.0764 | 233.8814 | 247.8337 | 251.0343 | 258.8099 | 264.3062 | 266.3937 | 265.554 | 264.3066 | 263.71 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5569 | 493.8481 | 529.2761 | 549.9827 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | 623.5569 | 493.8481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | 581.608 | 452.4589 | 484.9188 | 503.8849 | 533.9465 | 540.8408 | 557.5932 | 569.4336 | 573.9298 | 572.12 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | 298.8404 | 173.4804 | 185.9267 | 193.1983 | 204.7266 | 207.3688 | 213.7922 | 218.3331 | 220.0583 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | 284.463 | 159.296 | 170.7247 | 177.4016 | 187.9872 | 190.4133 | 196.3117 | 200.4813 | 202.065 | 201.4267 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | 244.4141 | 119.7846 | 128.3785 | 133.3993 | 141.3592 | 143.1838 | 147.6189 | 150.7544 | 151.9455 | 151.4654 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | 327.6051 | 201.8592 | 216.3415 | 224.8026 | 238.2168 | 241.291 | 248.7654 | 254.0489 | 256.056 | 255.2467 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | 210.5953 | 86.41963 | 92.61981 | 96.2421 | 101.9848 | 103.301 | 106.501 | 108.7628 | 109.6226 | 109.2763 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.768 | 58.96575 | 63.19631 | 65.66797 | 69.5868 | 70.48457 | 72.66774 | 74.21133 | 74.79798 | 74.5618 | 74.21068 | 74.04337 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6597 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3421 | 58.5455 | 62.74596 | 65.19989 | 69.09049 | 69.98213 | 72.14989 | 73.68243 | 74.2646 | 74.03003 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3189 | 58.52264 | 62.72144 | 65.17441 | 69.06376 | 69.9548 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | 141.6004 | 18.35077 | 19.66738 | 20.43645 | 21.65601 | 21.93547 | 22.61502 | 23.09512 | 23.27818 | 23.20462 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | 479.409 | 351.6257 | 376.853 | 391.5918 | 414.9582 | 420.3134 | 433.3327 | 442.537 | 446.0328 | 444.6231 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | 360.7522 | 234.5609 | 251.3896 | 261.2215 | 276.8097 | 280.3817 | 289.0663 | 295.2066 | 297.5392 | 296.598 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | 170.9544 | 47.31073 | 50.70507 | 52.68799 | 55.83212 | 56.55251 | 58.30432 | 59.54261 | 60.01336 | 59.82431 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9233 | 59.11894 | 63.3605 | 65.83856 | 69.76752 | 70.66763 | 72.85655 | 74.40411 | 74.99229 | 74.75546 | 74.4034 | 74.23563 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6597 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4751 | 58.67669 | 62.88654 | 65.34607 | 69.24563 | 70.13898 | 72.31154 | 73.84765 | 74.43139 | 74.19617 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3719 | 58.57486 | 62.77742 | 65.23254 | 69.12513 | 70.0172 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | 220.9493 | 96.63467 | 103.5678 | 107.6182 | 114.04 | 115.5116 | 119.0898 | 121.6192 | 122.58 | 122.1934 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | 466.1267 | 338.5216 | 362.8088 | 376.9983 | 399.494 | 404.6496 | 417.1837 | 426.0451 | 429.4106 | 428.0534 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | 518.1088 | 389.8061 | 417.7726 | 434.1118 | 460.0153 | 465.9522 | 480.385 | 490.5888 | 494.4641 | 492.9019 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | 342.2198 | 216.2777 | 231.7945 | 240.86 | 255.2321 | 258.5261 | 266.5343 | 272.1954 | 274.3458 | 273.4788 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8687 | 59.06509 | 63.30278 | 65.77856 | 69.70383 | 70.60326 | 72.79018 | 74.33633 | 74.92403 | 74.68735 | 74.33562 | 74.16806 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6597 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.424 | 58.62633 | 62.83257 | 65.29001 | 69.18613 | 70.0788 | 72.2495 | 73.78428 | 74.36747 | 74.13248 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2991 | 58.50312 | 62.70051 | 65.15265 | 69.04044 | 69.93144 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8108 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | 219.9183 | 95.61752 | 102.4776 | 106.4855 | 112.8394 | 114.2957 | 117.8362 | 120.339 | 121.2899 | 120.9071 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | 170.7005 | 47.06019 | 50.43657 | 52.40907 | 55.53657 | 56.25317 | 57.99565 | 59.22762 | 59.69582 | 59.50735 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | 156.094 | 32.64981 | 34.99232 | 36.36078 | 38.53046 | 39.02775 | 40.23671 | 41.09126 | 41.41608 | 41.28601 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | 339.6407 | 213.7332 | 229.0675 | 238.0263 | 252.2294 | 255.4846 | 263.3986 | 268.9931 | 271.1184 | 270.2611 | 268.989 | 268.384 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | 386.0638 | 259.5333 | 278.1534 | 289.032 | 306.2786 | 310.2313 | 319.841 | 326.6344 | 329.2149 | 328.1743 | 326.6292 | 325.8951 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1047 | 109.6133 | 117.4776 | 122.072 | 129.3565 | 131.0256 | 135.0842 | 137.9537 | 139.0439 | 138.6045 | 137.9514 | 137.6412 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1668 | 28.77547 | 30.83996 | 32.04616 | 33.95815 | 34.39647 | 35.46205 | 36.21502 | 36.50115 | 36.38654 | 36.21497 | 36.13321 |
| 13-703 | EMS - Chiller | 0 | 0 | 224.4351 | 100.0735 | 107.2534 | 111.4479 | 118.0984 | 119.6223 | 123.3278 | 125.9474 | 126.9425 | 126.5417 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7248 | 75.69535 | 81.12605 | 84.29875 | 89.32874 | 90.48174 | 93.2845 | 95.26557 | 96.01817 | 95.7157 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7207 | 94.43581 | 101.2112 | 105.1694 | 111.4453 | 112.8832 | 116.38 | 118.852 | 119.7912 | 119.4128 | 118.8502 | 118.5831 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | 170.2152 | 46.58176 | 49.92372 | 51.87612 | 54.97152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.409 | 94.12889 | 100.8821 | 104.8275 | 111.0822 | 112.5161 | 116.0015 | 118.4648 | 119.4008 | 119.0244 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9059 | 94.61917 | 101.4075 | 105.3735 | 111.6609 | 113.1022 | 116.6057 | 119.0819 | 120.0227 | 119.6444 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2859 | 50.59779 | 54.22789 | 56.34869 | 59.71092 | 60.48148 | 62.35514 | 63.67924 | 64.18238 | 63.98044 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | 166.4111 | 42.82861 | 45.90132 | 47.69644 | 50.54227 | 51.19479 | 52.78064 | 53.90145 | 54.32742 | 54.15598 | 53.90144 | 53.77948 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | 363.5673 | 237.3397 | 254.3673 | 264.3155 | 280.0864 | 283.7017 | 292.4897 | 298.7014 | 301.0605 | 300.1096 | 298.6977 | 298.0258 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6765 | 49.99621 | 53.58327 | 55.67883 | 59.00126 | 59.76272 | 61.61393 | 62.92262 | 63.42019 | 63.22025 | 62.92209 | 62.78041 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8143 | 334.2685 | 358.2502 | 372.2614 | 394.4731 | 399.5648 | 411.9413 | 420.6902 | 424.0129 | 422.6739 | 420.685 | 419.7382 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2962 | 126.5749 | 135.6558 | 140.9613 | 149.372 | 151.3001 | 155.9869 | 159.2993 | 160.5577 | 160.0504 | 159.2979 | 158.9391 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6985 | 43.1122 | 46.20524 | 48.01227 | 50.87707 | 51.53368 | 53.13009 | 54.25825 | 54.68713 | 54.51489 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | 164.9869 | 41.42357 | 44.39546 | 46.13171 | 48.88422 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | 166.6985 | 43.1122 | 46.20524 | 48.01227 | 50.87707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | 210.5216 | 86.3474 | 92.5423 | 96.16154 | 101.8993 | 103.2145 | 106.4118 | 108.6716 | 109.5301 | 109.1846 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | 210.9396 | 86.75975 | 92.98422 | 96.62076 | 102.3859 | 103.7075 | 106.9199 | 109.1903 | 110.0531 | 109.7061 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | 168.0824 | 44.47756 | 47.66858 | 49.53281 | 52.48834 | 53.16585 | 54.81273 | 55.97669 | 56.41903 | 56.24091 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | 162.8477 | 39.31307 | 42.13356 | 43.78135 | 46.39364 | 46.99248 | 48.44824 | 49.47695 | 49.86816 | 49.71115 | 49.47661 | 49.36562 |
| 13-731 | Cool Roof - DX | 0 | 0 | 342.8394 | 216.89 | 232.4504 | 241.5415 | 255.9535 | 259.2575 | 267.2882 | 272.9644 | 275.1203 | 274.252 | 272.9612 | 272.3468 |
| 13-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8663 | 210.0103 | 225.0771 | 233.8799 | 247.8349 | 251.0338 | 258.81 | 264.3063 | 266.394 | 265.5531 | 264.3029 | 263.7084 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5603 | 493.8457 | 529.2756 | 549.9756 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | 623.5603 | 493.8457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | 581.6159 | 452.4609 | 484.9226 | 503.888 | 533.9551 | 540.8461 | 557.5987 | 569.4428 | 573.9411 | 572.1272 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | 298.8544 | 173.4939 | 185.9413 | 193.2135 | 204.7433 | 207.3854 | 213.809 | 218.3507 | 220.0761 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | 284.4621 | 159.2957 | 170.7242 | 177.4012 | 187.9861 | 190.4126 | 196.311 | 200.48 | 202.0636 | 201.425 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | 244.4134 | 119.7844 | 128.3781 | 133.399 | 141.3584 | 143.1831 | 147.6184 | 150.7533 | 151.9442 | 151.4645 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | 327.604 | 201.8588 | 216.3409 | 224.802 | 238.2152 | 241.2901 | 248.7645 | 254.0475 | 256.0541 | 255.245 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | 210.5947 | 86.41946 | 92.61954 | 96.24185 | 101.9845 | 103.3007 | 106.5006 | 108.7623 | 109.6215 | 109.276 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7661 | 58.96401 | 63.19441 | 65.66592 | 69.58421 | 70.48222 | 72.66545 | 74.20885 | 74.79523 | 74.55914 | 74.20821 | 74.04077 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1945 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3402 | 58.5438 | 62.74403 | 65.19785 | 69.08811 | 69.97984 | 72.14761 | 73.6798 | 74.26197 | 74.02768 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3171 | 58.52101 | 62.71961 | 65.17249 | 69.06142 | 69.95261 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | 141.6003 | 18.3507 | 19.66733 | 20.43636 | 21.65594 | 21.9353 | 22.61483 | 23.09489 | 23.2779 | 23.2047 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | 479.4071 | 351.6251 | 376.852 | 391.5908 | 414.9558 | 420.3118 | 433.3312 | 442.5344 | 446.0295 | 444.6212 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | 360.7466 | 234.5561 | 251.3842 | 261.2158 | 276.8024 | 280.3747 | 289.0598 | 295.1992 | 297.5312 | 296.591 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | 170.9541 | 47.31065 | 50.70492 | 52.68787 | 55.83176 | 56.5524 | 58.30419 | 59.54234 | 60.01293 | 59.8237 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | 182.9214 | 59.1172 | 63.3586 | 65.83655 | 69.76493 | 70.66531 | 72.85422 | 74.40163 | 74.98937 | 74.75296 | 74.40097 | 74.23303 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1945 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.4731 | 58.67496 | 62.88462 | 65.34393 | 69.2429 | 70.13664 | 72.30927 | 73.84487 | 74.42835 | 74.19357 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.3699 | 58.57315 | 62.7755 | 65.23055 | 69.12293 | 70.01495 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | 220.9487 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | 466.1248 | 338.521 | 362.8078 | 376.9973 | 399.4915 | 404.648 | 417.1821 | 426.0423 | 429.4073 | 428.0512 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | 518.1066 | 389.8054 | 417.7715 | 434.1106 | 460.0128 | 465.9503 | 480.3831 | 490.5857 | 494.4606 | 492.899 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | 342.2186 | 216.2773 | 231.7938 | 240.8593 | 255.2309 | 258.5251 | 266.5334 | 272.1937 | 274.3438 | 273.4774 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.7297 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 182.8668 | 59.06335 | 63.30087 | 65.77658 | 69.70139 | 70.60095 | 72.78786 | 74.33385 | 74.92124 | 74.68478 | 74.33321 | 74.1655 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1945 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.6595 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.4222 | 58.62469 | 62.83074 | 65.28795 | 69.18359 | 70.07655 | 72.24731 | 73.78162 | 74.36457 | 74.13 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0972 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.2973 | 58.50146 | 62.69866 | 65.15073 | 69.03815 | 69.92925 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.8107 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | 220.9487 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | 175.366 | 51.66318 | 55.36976 | 57.53523 | 60.96845 | 61.75522 | 63.66818 | 65.0203 | 65.53432 | 65.32803 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | 231.8414 | 107.3811 | 115.085 | 119.5859 | 126.7215 | 128.3571 | 132.333 | 135.1433 | 136.2112 | 135.7808 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | 339.6395 | 213.7328 | 229.0668 | 238.0256 | 252.228 | 255.4837 | 263.3976 | 268.9913 | 271.1163 | 270.2599 | 268.9879 | 268.3828 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | 220.9487 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | 386.0623 | 259.5328 | 278.1526 | 289.0312 | 306.2768 | 310.2301 | 319.8398 | 326.6324 | 329.2122 | 328.1721 | 326.6285 | 325.8936 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.1008 | 109.6094 | 117.4734 | 122.0677 | 129.3519 | 131.021 | 135.0794 | 137.9488 | 139.0389 | 138.5996 | 137.9465 | 137.6362 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | 152.1664 | 28.77521 | 30.83966 | 32.04582 | 33.9576 | 34.3961 | 35.46167 | 36.21449 | 36.50063 | 36.38608 | 36.21457 | 36.13306 |
| 14-703 | EMS - Chiller | 0 | 0 | 224.4311 | 100.0695 | 107.2491 | 111.4435 | 118.0937 | 119.6175 | 123.3228 | 125.9424 | 126.9374 | 126.5366 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 199.7238 | 75.69477 | 81.12531 | 84.29796 | 89.32737 | 90.48077 | 93.28365 | 95.26421 | 96.01659 | 95.71445 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 218.7172 | 94.4323 | 101.2074 | 105.1655 | 111.441 | 112.8791 | 116.3757 | 118.8476 | 119.7865 | 119.4083 | 118.8458 | 118.5787 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | 170.2146 | 46.58141 | 49.92327 | 51.87567 | 54.97073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 218.4079 | 94.12825 | 100.8812 | 104.8267 | 111.0808 | 112.5151 | 116.0004 | 118.4634 | 119.3991 | 119.0225 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 218.9047 | 94.61845 | 101.4066 | 105.3726 | 111.6595 | 113.1009 | 116.6045 | 119.0802 | 120.0209 | 119.6423 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.2854 | 50.59753 | 54.22753 | 56.34833 | 59.71014 | 60.48097 | 62.3546 | 63.67843 | 64.18168 | 63.97888 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | 166.4106 | 42.82834 | 45.90099 | 47.69615 | 50.54184 | 51.19423 | 52.78019 | 53.90072 | 54.3267 | 54.15588 | 53.90089 | 53.77904 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | 363.5644 | 237.338 | 254.3651 | 264.3133 | 280.083 | 283.699 | 292.487 | 298.6974 | 301.0562 | 300.1061 | 298.6946 | 298.0224 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 173.6752 | 49.99492 | 53.58189 | 55.6774 | 58.99973 | 59.76118 | 61.61235 | 62.921 | 63.41856 | 63.2186 | 62.92047 | 62.77879 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 461.8099 | 334.2658 | 358.2467 | 372.2576 | 394.4676 | 399.5603 | 411.9369 | 420.6841 | 424.0062 | 422.6684 | 420.6805 | 419.7329 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 251.2945 | 126.5738 | 135.6545 | 140.96 | 149.3701 | 151.2985 | 155.9852 | 159.2973 | 160.5556 | 160.0484 | 159.2959 | 158.9372 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 166.6979 | 43.11182 | 46.2048 | 48.01187 | 50.87634 | 51.53311 | 53.12957 | 54.25756 | 54.68629 | 54.51434 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | 164.9863 | 41.42319 | 44.39501 | 46.13121 | 48.88351 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | 166.6979 | 43.11182 | 46.2048 | 48.01187 | 50.87634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | 210.5204 | 86.3466 | 92.54131 | 96.16055 | 101.8977 | 103.2132 | 106.4106 | 108.6699 | 109.5282 | 109.1829 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | 210.9383 | 86.759 | 92.98327 | 96.61972 | 102.3843 | 103.7061 | 106.9187 | 109.1888 | 110.0512 | 109.7042 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | 168.0817 | 44.47712 | 47.66804 | 49.5323 | 52.48733 | 53.16505 | 54.81212 | 55.97576 | 56.4179 | 56.24063 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | 162.8471 | 39.31273 | 42.13314 | 43.7809 | 46.39314 | 46.99197 | 48.44771 | 49.4763 | 49.86724 | 49.71048 | 49.47615 | 49.36456 |
| 14-731 | Cool Roof - DX | 0 | 0 | 342.8365 | 216.8882 | 232.4481 | 241.5391 | 255.95 | 259.2544 | 267.2852 | 272.9604 | 275.1159 | 274.248 | 272.9581 | 272.3437 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 335.8648 | 210.0098 | 225.0764 | 233.8792 | 247.8332 | 251.0326 | 258.8088 | 264.3041 | 266.3914 | 265.5509 | 264.3016 | 263.7067 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | 623.5564 | 493.845 | 529.274 | 549.9751 | 582.7864 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | 623.5564 | 493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | 581.6133 | 452.4601 | 484.9212 | 503.8867 | 533.9521 | 540.8441 | 557.5966 | 569.4393 | 573.937 | 572.1246 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | 298.8492 | 173.4894 | 185.9363 | 193.2082 | 204.7371 | 207.3793 | 213.8031 | 218.344 | 220.0692 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | 123.5526 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | 284.463 | 159.296 | 170.7247 | 177.4017 | 187.9873 | 190.4134 | 196.3117 | 200.4814 | 202.0653 | 201.4264 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | 244.4141 | 119.7846 | 128.3785 | 133.3993 | 141.3595 | 143.1838 | 147.619 | 150.7545 | 151.9457 | 151.4653 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | 327.6052 | 201.8592 | 216.3416 | 224.8027 | 238.2169 | 241.2911 | 248.7654 | 254.0492 | 256.0564 | 255.2472 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | 210.5953 | 86.41963 | 92.61984 | 96.24207 | 101.985 | 103.3011 | 106.501 | 108.7629 | 109.6226 | 109.2763 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.7299 | 27.35767 | 29.32046 | 30.46716 | 32.28518 | 32.70171 | 33.71474 | 34.43083 | 34.70301 | 34.59372 | 34.43056 | 34.3533 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 182.7681 | 58.96582 | 63.19642 | 65.66812 | 69.5868 | 70.48466 | 72.66791 | 74.21142 | 74.7981 | 74.56195 | 74.21098 | 74.04358 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.1947 | 43.60157 | 46.72977 | 48.55727 | 51.45499 | 52.1189 | 53.73337 | 54.87458 | 55.30848 | 55.13388 | 54.87396 | 54.75073 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.6597 | 32.22132 | 34.53309 | 35.88359 | 38.02485 | 38.51563 | 39.70864 | 40.55212 | 40.87267 | 40.74408 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.3422 | 58.54564 | 62.74605 | 65.2001 | 69.09092 | 69.98232 | 72.14999 | 73.68273 | 74.26524 | 74.03085 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.0973 | 21.80074 | 23.36489 | 24.27873 | 25.72738 | 26.05945 | 26.86665 | 27.4372 | 27.65434 | 27.56743 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.1018 | 28.71115 | 30.77109 | 31.97444 | 33.8825 | 34.31977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.3191 | 58.52284 | 62.72163 | 65.17473 | 69.06396 | 69.95508 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | 141.7488 | 19.79562 | 21.76592 | 22.96931 | 24.2429 | 25.58456 | 26.99695 | 28.4921 | 30.06853 | 31.72665 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | 482.2519 | 379.3109 | 417.0639 | 440.1238 | 464.526 | 490.2354 | 517.2967 | 545.9514 | 576.1435 | 607.9075 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | 362.6491 | 253.0296 | 278.2139 | 293.5966 | 309.8759 | 327.026 | 345.0776 | 364.193 | 384.3339 | 405.522 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | 171.3369 | 51.03576 | 56.1154 | 59.21793 | 62.5014 | 65.96045 | 69.60164 | 73.45686 | 77.51965 | 81.79437 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.951 | 29.51167 | 32.44901 | 34.2431 | 36.14172 | 38.14185 | 40.24741 | 42.47676 | 44.82607 | 47.29797 | 49.92607 | 52.6806 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | 183.4014 | 63.77383 | 70.12139 | 73.99853 | 78.10169 | 82.42392 | 86.97375 | 91.79143 | 96.86815 | 102.2091 | 107.8894 | 113.8407 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.5472 | 47.03452 | 51.71592 | 54.57522 | 57.60137 | 60.7892 | 64.14491 | 67.69789 | 71.44226 | 75.38132 | 79.57005 | 83.95996 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.9202 | 34.75826 | 38.21783 | 40.33083 | 42.56698 | 44.92294 | 47.40272 | 50.02849 | 52.79543 | 55.707 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.9496 | 63.2968 | 69.59684 | 73.44497 | 77.51737 | 81.80731 | 86.32307 | 91.10497 | 96.14375 | 101.4451 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.2736 | 23.51721 | 25.85796 | 27.2877 | 28.80056 | 30.39459 | 32.0724 | 33.84883 | 35.72122 | 37.69131 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.3339 | 30.9717 | 34.05442 | 35.93719 | 37.92982 | 40.02908 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.8455 | 63.18687 | 69.47598 | 73.31742 | 77.38265 | 81.66524 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | 221.7306 | 104.2432 | 114.6186 | 120.9558 | 127.6621 | 134.7278 | 142.165 | 150.0397 | 158.3372 | 167.0668 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | 468.8636 | 365.1751 | 401.5212 | 423.7216 | 447.2145 | 471.9655 | 498.0186 | 525.6052 | 554.6722 | 585.2531 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | 521.2603 | 420.4974 | 462.3498 | 487.9136 | 514.9656 | 543.4665 | 573.4661 | 605.2322 | 638.7029 | 673.9161 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | 343.9684 | 233.3063 | 256.5275 | 270.711 | 285.7204 | 301.5338 | 318.179 | 335.8034 | 354.3741 | 373.9114 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.951 | 29.51167 | 32.44901 | 34.2431 | 36.14172 | 38.14185 | 40.24741 | 42.47676 | 44.82607 | 47.29797 | 49.92607 | 52.6806 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 183.3464 | 63.71574 | 70.05752 | 73.93108 | 78.03053 | 82.34885 | 86.89452 | 91.70784 | 96.77991 | 102.1161 | 107.7912 | 113.737 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.5472 | 47.03452 | 51.71592 | 54.57522 | 57.60137 | 60.7892 | 64.14491 | 67.69789 | 71.44226 | 75.38132 | 79.57005 | 83.95996 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.9202 | 34.75826 | 38.21783 | 40.33083 | 42.56698 | 44.92294 | 47.40272 | 50.02849 | 52.79543 | 55.707 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.8982 | 63.24248 | 69.53712 | 73.38195 | 77.45084 | 81.73709 | 86.24901 | 91.02678 | 96.06129 | 101.3578 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.2736 | 23.51721 | 25.85796 | 27.2877 | 28.80056 | 30.39459 | 32.0724 | 33.84883 | 35.72122 | 37.69131 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.3339 | 30.9717 | 34.05442 | 35.93719 | 37.92982 | 40.02908 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.7723 | 63.10953 | 69.39095 | 73.2277 | 77.28803 | 81.56528 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | 220.6913 | 103.1459 | 113.4122 | 119.6828 | 126.3182 | 133.3095 | 140.6686 | 148.4603 | 156.6706 | 165.3086 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | 175.7854 | 55.73256 | 61.27975 | 64.66793 | 68.25355 | 72.03098 | 76.00716 | 80.21741 | 84.65425 | 89.32169 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | 191.5643 | 72.39264 | 79.59795 | 83.99905 | 88.65611 | 93.56282 | 98.7278 | 104.1963 | 109.9589 | 116.0221 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | 341.3688 | 230.5615 | 253.5094 | 267.5262 | 282.3589 | 297.9862 | 314.4357 | 331.8528 | 350.2052 | 369.5127 | 390.0483 | 411.5661 |
| 15-603 | New transformers welding | 0 | 0 | 388.1621 | 279.9676 | 307.8329 | 324.8531 | 342.8644 | 361.8404 | 381.8146 | 402.964 | 425.2491 | 448.6936 | 473.6294 | 499.759 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.9912 | 118.244 | 130.013 | 137.2014 | 144.8088 | 152.823 | 161.2591 | 170.1918 | 179.6043 | 189.5065 | 200.0373 | 211.0727 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | 152.3995 | 31.04109 | 34.13065 | 36.01783 | 38.01459 | 40.11858 | 42.33323 | 44.67786 | 47.14891 | 49.74933 | 52.51332 | 55.41037 |
| 15-703 | EMS - Chiller | 0 | 0 | 225.2445 | 107.9532 | 118.6979 | 125.2607 | 132.2059 | 139.5227 | 147.2246 | 155.3799 | 163.9728 | 173.0136 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 200.3368 | 81.65521 | 89.78236 | 94.7463 | 99.99921 | 105.534 | 111.3596 | 117.5276 | 124.0276 | 130.8661 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 219.4845 | 101.8715 | 112.011 | 118.2039 | 124.7581 | 131.6626 | 138.9307 | 146.6264 | 154.7355 | 163.2666 | 172.3396 | 181.8472 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | 170.5919 | 50.24934 | 55.25069 | 58.30541 | 61.53797 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 219.17 | 101.5401 | 111.6464 | 117.8193 | 124.3513 | 131.2338 | 138.4783 | 146.1483 | 154.2309 | 162.7348 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 219.671 | 102.069 | 112.2279 | 118.433 | 124.9991 | 131.9176 | 139.1996 | 146.9096 | 155.0343 | 163.5825 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.6951 | 54.5817 | 60.01424 | 63.33241 | 66.84357 | 70.54315 | 74.43742 | 78.56038 | 82.90501 | 87.47705 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | 166.7574 | 46.20073 | 50.79909 | 53.60766 | 56.57975 | 59.71146 | 63.00761 | 66.49745 | 70.17506 | 74.04413 | 78.15941 | 82.47058 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | 365.4863 | 256.0267 | 281.5089 | 297.0736 | 313.5437 | 330.8977 | 349.1638 | 368.5037 | 388.882 | 410.3232 | 433.1276 | 457.0217 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 174.0808 | 53.93273 | 59.30079 | 62.57949 | 66.04917 | 69.70473 | 73.55257 | 77.62675 | 81.92033 | 86.43744 | 91.2404 | 96.27356 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 464.517 | 360.5872 | 396.4763 | 418.3976 | 441.594 | 466.035 | 491.7607 | 518.9995 | 547.7006 | 577.8976 | 610.0148 | 643.6674 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 252.3195 | 136.5407 | 150.1306 | 158.4314 | 167.2149 | 176.4698 | 186.2115 | 196.5253 | 207.3935 | 218.8283 | 230.9902 | 243.7327 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 167.047 | 46.50661 | 51.13541 | 53.96262 | 56.95446 | 60.10669 | 63.42474 | 66.93764 | 70.63982 | 74.53479 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | 165.3218 | 44.68504 | 49.13253 | 51.84902 | 54.72359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | 167.047 | 46.50661 | 51.13541 | 53.96262 | 56.95446 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | 211.2198 | 93.14595 | 102.4167 | 108.0794 | 114.0715 | 120.3849 | 127.0304 | 134.0664 | 141.4806 | 149.2817 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | 211.641 | 93.59074 | 102.9058 | 108.5955 | 114.6162 | 120.9598 | 127.6372 | 134.7064 | 142.1564 | 149.9946 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | 168.442 | 47.9795 | 52.7549 | 55.67164 | 58.75814 | 62.01036 | 65.43343 | 69.0576 | 72.87688 | 76.89493 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | 163.1656 | 42.40836 | 46.6293 | 49.20744 | 51.93552 | 54.80995 | 57.83572 | 61.03903 | 64.41481 | 67.96698 | 71.74367 | 75.70157 |
| 15-731 | Cool Roof - DX | 0 | 0 | 344.5931 | 233.967 | 257.2535 | 271.4772 | 286.528 | 302.3867 | 319.0791 | 336.7523 | 355.3751 | 374.9691 | 395.8077 | 417.6431 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 337.5642 | 226.5454 | 249.0934 | 262.8658 | 277.4395 | 292.7949 | 308.958 | 326.0706 | 344.103 | 363.0752 | 383.2529 | 404.3958 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | 627.5531 | 532.7286 | 585.7503 | 618.1368 | 652.4057 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | 627.5531 | 532.7286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | 585.274 | 488.0853 | 536.6647 | 566.3375 | 597.7374 | 630.8195 | 665.6409 | 702.5133 | 741.3634 | 782.2368 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | 300.2574 | 187.1543 | 205.782 | 217.16 | 229.201 | 241.886 | 255.238 | 269.3768 | 284.2744 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | 123.557 | 0.588059 | 0.646606 | 0.682182 | 0.720177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | 285.7511 | 171.8382 | 188.9414 | 199.3881 | 210.4432 | 222.0902 | 234.3499 | 247.3313 | 261.0094 | 275.3986 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | 245.3827 | 129.2159 | 142.0768 | 149.9322 | 158.2453 | 167.0034 | 176.2223 | 185.9837 | 196.2692 | 207.0898 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | 329.2374 | 217.7526 | 239.4257 | 252.6637 | 266.6727 | 281.4315 | 296.9671 | 313.4167 | 330.7496 | 348.9847 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | 211.2941 | 93.22391 | 102.5026 | 108.1699 | 114.1675 | 120.486 | 127.1372 | 134.1795 | 141.6002 | 149.4074 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 150.9511 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 183.2454 | 63.60901 | 69.94016 | 73.80715 | 77.89965 | 82.21075 | 86.74893 | 91.55406 | 96.61778 | 101.9451 | 107.6099 | 113.5459 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 167.5473 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 155.9202 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 182.8161 | 63.15572 | 69.44173 | 73.28112 | 77.34428 | 81.62488 | 86.13072 | 90.90158 | 95.92915 | 101.2185 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 145.2736 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 152.3339 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 182.7928 | 63.13112 | 69.4147 | 73.25259 | 77.31416 | 81.59311 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | 141.7488 | 19.7956 | 21.76593 | 22.96928 | 24.24271 | 25.58463 | 26.99695 | 28.49223 | 30.06807 | 31.72693 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | 482.2524 | 379.3111 | 417.0642 | 440.124 | 464.5266 | 490.2358 | 517.2972 | 545.9522 | 576.1445 | 607.9084 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | 362.6506 | 253.0309 | 278.2155 | 293.5982 | 309.8769 | 327.0268 | 345.0793 | 364.1944 | 384.3356 | 405.5243 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | 171.3369 | 51.03575 | 56.11543 | 59.21786 | 62.50123 | 65.96053 | 69.60164 | 73.45695 | 77.51962 | 81.79349 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 150.9511 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | 183.402 | 63.77435 | 70.12194 | 73.999 | 78.10212 | 82.42442 | 86.97443 | 91.79202 | 96.8689 | 102.2101 | 107.8896 | 113.8411 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 167.5473 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 155.9202 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | 182.9501 | 63.2972 | 69.59733 | 73.44537 | 77.51759 | 81.80774 | 86.32368 | 91.1053 | 96.14403 | 101.4451 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 145.2736 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | 152.3339 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | 182.846 | 63.18735 | 69.47655 | 73.31792 | 77.383 | 81.6658 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | 221.7307 | 104.2433 | 114.6187 | 120.956 | 127.6624 | 134.728 | 142.1652 | 150.0401 | 158.3377 | 167.0676 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | 468.8641 | 365.1753 | 401.5215 | 423.7219 | 447.2151 | 471.9662 | 498.0191 | 525.6062 | 554.6733 | 585.2538 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | 521.2609 | 420.4976 | 462.3501 | 487.9139 | 514.9661 | 543.4669 | 573.4666 | 605.2332 | 638.7038 | 673.9166 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | 343.9687 | 233.3064 | 256.5276 | 270.7111 | 285.7207 | 301.5339 | 318.1792 | 335.804 | 354.3749 | 373.912 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 150.9511 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 183.347 | 63.71626 | 70.05808 | 73.9316 | 78.03072 | 82.34935 | 86.89522 | 91.70842 | 96.78046 | 102.117 | 107.7914 | 113.7374 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 167.5473 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 155.9202 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 182.8987 | 63.24297 | 69.5377 | 73.38245 | 77.45118 | 81.73767 | 86.24971 | 91.02725 | 96.06166 | 101.3583 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 145.2736 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 152.3339 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | 182.7728 | 63.11005 | 69.39154 | 73.22803 | 77.28834 | 81.56567 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 136.921 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16-416 | Process Drives - ASD | 0 | 0 | 128.3854 | 5.686081 | 6.252026 | 6.597603 | 6.96347 | 7.348846 | 7.754639 | 8.183968 | 8.637054 | 9.113007 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | 171.0815 | 50.76592 | 55.81879 | 58.90499 | 62.17121 | 65.61203 | 69.23381 | 73.0688 | 77.11041 | 81.36197 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | 156.358 | 35.22054 | 38.7261 | 40.86724 | 43.13314 | 45.52034 | 48.03319 | 50.69376 | 53.49762 | 56.44757 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | 341.369 | 230.5616 | 253.5096 | 267.5262 | 282.3593 | 297.9865 | 314.4359 | 331.8531 | 350.2058 | 369.5128 | 390.0483 | 411.5668 |
| 16-605 | Process control | 0 | 0 | 161.2709 | 40.40766 | 44.42951 | 46.88595 | 49.48548 | 52.22426 | 55.10738 | 58.15976 | 61.3764 | 64.76154 | 68.35912 | 72.13052 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 234.9922 | 118.245 | 130.0142 | 137.2026 | 144.8101 | 152.8244 | 161.2605 | 170.1933 | 179.6059 | 189.5081 | 200.039 | 211.0745 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | 152.3995 | 31.04109 | 34.13068 | 36.01772 | 38.01447 | 40.11854 | 42.33325 | 44.67792 | 47.14893 | 49.74918 | 52.51344 | 55.41034 |
| 16-703 | EMS - Chiller | 0 | 0 | 225.2455 | 107.9542 | 118.699 | 125.2618 | 132.2072 | 139.524 | 147.226 | 155.3813 | 163.9743 | 173.0152 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 200.337 | 81.65536 | 89.78254 | 94.7466 | 99.99967 | 105.5344 | 111.36 | 117.5281 | 124.028 | 130.8664 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 219.4854 | 101.8725 | 112.012 | 118.205 | 124.7592 | 131.6638 | 138.9319 | 146.6277 | 154.7369 | 163.2681 | 172.3412 | 181.8489 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | 170.592 | 50.24948 | 55.25085 | 58.30552 | 61.538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 219.1704 | 101.5404 | 111.6467 | 117.8197 | 124.3517 | 131.2343 | 138.4787 | 146.1488 | 154.2311 | 162.7353 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 219.6712 | 102.0692 | 112.2281 | 118.4332 | 124.9995 | 131.9177 | 139.1998 | 146.9099 | 155.0346 | 163.5828 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | 174.6952 | 54.58174 | 60.01428 | 63.33234 | 66.84376 | 70.5433 | 74.43755 | 78.56026 | 82.90535 | 87.47687 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | 166.7576 | 46.20087 | 50.79927 | 53.60793 | 56.57998 | 59.71145 | 63.0078 | 66.4976 | 70.17528 | 74.04529 | 78.15926 | 82.47144 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | 365.4871 | 256.0272 | 281.5095 | 297.0743 | 313.5448 | 330.8984 | 349.1647 | 368.5046 | 388.8834 | 410.3243 | 433.1276 | 457.0228 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 174.0811 | 53.93301 | 59.30109 | 62.57981 | 66.04951 | 69.70508 | 73.55293 | 77.62715 | 81.92076 | 86.4379 | 91.24089 | 96.27408 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 464.5182 | 360.5881 | 396.4773 | 418.3987 | 441.5957 | 466.0364 | 491.7622 | 519.0012 | 547.7025 | 577.899 | 610.0166 | 643.6697 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 252.32 | 136.5411 | 150.131 | 158.4319 | 167.2157 | 176.4704 | 186.212 | 196.5261 | 207.3946 | 218.8287 | 230.9905 | 243.7335 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 167.0472 | 46.50674 | 51.13557 | 53.9627 | 56.95441 | 60.10689 | 63.42494 | 66.93785 | 70.63965 | 74.53513 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | 165.322 | 44.68515 | 49.1327 | 51.84911 | 54.72382 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | 167.0472 | 46.50674 | 51.13557 | 53.9627 | 56.95441 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | 211.2201 | 93.14618 | 102.417 | 108.0796 | 114.0717 | 120.3852 | 127.0308 | 134.0667 | 141.4815 | 149.282 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | 211.6414 | 93.59103 | 102.9061 | 108.5959 | 114.6167 | 120.9602 | 127.6375 | 134.7072 | 142.1568 | 149.9955 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | 168.4422 | 47.97964 | 52.75504 | 55.67184 | 58.75835 | 62.01047 | 65.43356 | 69.05792 | 72.87714 | 76.89542 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | 163.1657 | 42.40849 | 46.62943 | 49.20753 | 51.93561 | 54.81017 | 57.83588 | 61.03941 | 64.41521 | 67.96661 | 71.74397 | 75.70184 |
| 16-731 | Cool Roof - DX | 0 | 0 | 344.5939 | 233.9675 | 257.2542 | 271.478 | 286.5293 | 302.3877 | 319.0801 | 336.7537 | 355.3766 | 374.9705 | 395.8088 | 417.6448 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 337.5646 | 226.5455 | 249.0936 | 262.8662 | 277.4399 | 292.7954 | 308.9584 | 326.0712 | 344.1033 | 363.0754 | 383.2535 | 404.3962 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | 627.554 | 532.7289 | 585.7509 | 618.1375 | 652.4069 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | 627.554 | 532.7289 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | 585.2747 | 488.0855 | 536.6651 | 566.3378 | 597.738 | 630.82 | 665.6415 | 702.5142 | 741.3649 | 782.2378 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | 300.2587 | 187.1556 | 205.7835 | 217.1612 | 229.202 | 241.8871 | 255.2396 | 269.3781 | 284.2758 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | 123.557 | 0.588059 | 0.646606 | 0.682182 | 0.720177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | 134.544 | 12.18875 | 13.40189 | 14.14289 | 14.92688 | 15.75311 | 16.62267 | 17.54333 | 18.5139 | 19.53491 | 20.62062 | 21.75745 |
| N-807 | Flood LED 14W | 0 | 0 | 134.2563 | 11.88497 | 13.06786 | 13.79042 | 14.55471 | 15.36054 | 16.2084 | 17.10625 | 18.05234 | 19.04813 | 20.10686 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | 214.6545 | 96.77373 | 106.4052 | 112.2895 | 118.5135 | 125.0739 | 131.978 | 139.2878 | 146.9912 | 155.0969 | 163.7174 | 172.7475 |
| N-732 | Run Time Optimizer | 0 | 0 | 1074.696 | 1004.834 | 1104.849 | 1165.936 | 1230.578 | 1298.687 | 1370.374 | 1446.282 | 1526.262 | 1610.411 | 1699.911 | 1793.689 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | 748.3302 | 660.2589 | 725.9705 | 766.1198 | 808.5795 | 853.3397 | 900.4453 | 950.3207 | 1002.875 | 1058.187 | 1116.996 | 1178.612 |

| 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|----------|----------|----------|----------|----------|----------|----------|----------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.04 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39232 | 78.27904 | 78.91692 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.75 | \$819.93 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.03 | \$635.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.28 | \$3,203.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.52 | \$2,177.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.59087 | 78.48251 | 79.1219 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.52 | \$821.74 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.55 | \$637.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.10 | \$451.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.30 | \$3,088.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.11 | \$3,537.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52097 | 78.4109 | 79.04987 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.54 | \$821.10 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.97 | \$636.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.63 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,209.14 | \$943.35 |
| 587.6164 | 602.1313 | 607.0396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,320.83 | \$5,483.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,518.39 | \$1,176.92 |
| 392.3292 | 402.0196 | 405.2988 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,596.39 | \$3,702.23 |
| 142.0083 | 145.516 | 146.7018 | 150.3232 | 153.2305 | 154.4814 | 156.0476 | 157.7671 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.00 | \$1,685.33 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 37.27953 | 38.20004 | 38.5114 | 39.46292 | 40.22551 | 40.55347 | 40.96449 | 41.41605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.69 | \$999.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3451 | 125.3671 | 126.3883 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.83 | \$1,239.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.42 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48546 | 56.85585 | 57.31937 | 58.73608 | 59.87071 | 60.35916 | 60.97112 | 61.6427 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.66 | \$733.44 |
| 307.48 | 315.0748 | 317.6451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.66 | \$2,928.15 |
| 64.77177 | 66.37149 | 66.91261 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.63 | \$713.91 |
| 433.0536 | 443.7505 | 447.3695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.54 | \$4,073.76 |
| 163.9811 | 168.0313 | 169.4022 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.70 | \$1,619.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.48 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.63 |
| 50.93109 | 52.18896 | 52.61453 | 53.91451 | 54.95593 | 55.40472 | 55.96635 | 56.58267 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9865 | 287.9272 | 290.2758 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.05 | \$2,686.45 |
| 272.0744 | 278.7948 | 281.0689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.71 | \$2,605.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.42 | \$2,463.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.80 | \$4,086.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.87 | \$1,517.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.23 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.38393 | 78.27084 | 78.90891 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.63 | \$819.85 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$801.96 | \$635.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.71 | \$451.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.27 | \$3,203.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.30 | \$2,177.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.58247 | 78.4743 | 79.11394 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.40 | \$821.66 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.48 | \$636.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.05 | \$451.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.28 | \$3,088.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.10 | \$3,537.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.46 | \$2,017.61 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.51271 | 78.40283 | 79.04193 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.43 | \$821.02 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.89 | \$636.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.58 | \$451.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,987.70 | \$1,531.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,849.11 | \$2,309.79 |
| 141.9865 | 145.4937 | 146.6793 | 150.3002 | 153.2071 | 154.4577 | 156.0237 | 157.7429 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.58 | \$1,685.09 |
| 37.27843 | 38.19937 | 38.51042 | 39.46068 | 40.2243 | 40.55252 | 40.96349 | 41.41504 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.69 | \$533.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.49 | \$999.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.91 | \$786.07 |
| 122.3256 | 125.3472 | 126.3682 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.56 | \$1,238.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.56 | \$343.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.70 | \$947.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.39 | \$951.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.83 | \$566.23 |
| 55.48418 | 56.85507 | 57.31822 | 58.7318 | 59.86879 | 60.35811 | 60.96912 | 61.64069 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.63 | \$733.42 |
| 307.4713 | 315.0671 | 317.6368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.53 | \$2,928.06 |
| 64.7636 | 66.36292 | 66.90443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.52 | \$713.84 |
| 433.0379 | 443.7356 | 447.3552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.30 | \$4,073.60 |
| 163.9751 | 168.0258 | 169.3962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.61 | \$1,618.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.01 | \$500.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.81 | \$319.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.89 | \$327.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.44 | \$879.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.22 | \$882.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.84 | \$512.61 |
| 50.92953 | 52.18768 | 52.61279 | 53.91016 | 54.9539 | 55.4028 | 55.96376 | 56.58112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.33 | \$683.31 |
| 280.976 | 287.9176 | 290.2648 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,042.89 | \$2,686.34 |
| 272.0765 | 278.7982 | 281.0717 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.74 | \$2,605.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.43 | \$2,463.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.79 | \$4,086.59 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.69 | \$1,517.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 128.6145 | 131.7916 | 132.8664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,917.30 | \$1,296.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.56 | \$1,518.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.22 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.3889 | 78.27554 | 78.91396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.70 | \$819.90 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.01 | \$635.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.74 | \$451.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.26 | \$3,203.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.44 | \$2,177.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.72 | \$537.45 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.58742 | 78.47888 | 79.11894 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.47 | \$821.71 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.53 | \$636.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.08 | \$451.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.22 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.27 | \$3,088.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.09 | \$3,537.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.45 | \$2,017.60 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51759 | 78.40738 | 79.04689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.50 | \$821.07 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.94 | \$636.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.61 | \$451.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 703.8279 | 721.2134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9,215.02 | \$6,241.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$774.68 | \$615.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.65 | \$407.48 |
| 314.1971 | 321.9581 | 324.5847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,506.37 | \$2,989.43 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 142.0019 | 145.5094 | 146.6951 | 150.3164 | 153.2236 | 154.4743 | 156.0406 | 157.7599 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.88 | \$1,685.26 |
| 37.27856 | 38.19949 | 38.51109 | 39.46286 | 40.22447 | 40.55292 | 40.964 | 41.41556 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.70 | \$533.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.63 | \$999.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.92 | \$786.09 |
| 122.3395 | 125.3613 | 126.3825 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.75 | \$1,239.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.56 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.72 | \$947.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.41 | \$951.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.84 | \$566.23 |
| 55.48431 | 56.85516 | 57.31914 | 58.73582 | 59.86942 | 60.35829 | 60.96967 | 61.64154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.64 | \$733.43 |
| 307.4744 | 315.0692 | 317.6412 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.59 | \$2,928.11 |
| 64.76967 | 66.36934 | 66.91045 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.60 | \$713.89 |
| 433.0447 | 443.7413 | 447.3635 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.44 | \$4,073.69 |
| 163.9777 | 168.0278 | 169.3996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.66 | \$1,618.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.02 | \$500.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.47 | \$879.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.25 | \$883.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.62 |
| 50.92982 | 52.18803 | 52.6138 | 53.91426 | 54.95506 | 55.40363 | 55.96516 | 56.58112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.35 | \$683.32 |
| 280.9809 | 287.9216 | 290.2719 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,042.98 | \$2,686.40 |
| 272.0714 | 278.792 | 281.0676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.69 | \$2,605.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.41 | \$2,463.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.77 | \$4,086.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.81 | \$1,517.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.58 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.31 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39409 | 78.28069 | 78.9185 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.77 | \$819.94 |
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.05 | \$635.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.29 | \$3,203.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.56 | \$2,177.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.5927 | 78.48419 | 79.12364 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.54 | \$821.75 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.57 | \$637.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.11 | \$451.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.81 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.31 | \$3,088.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.13 | \$3,537.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.48 | \$2,017.62 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52283 | 78.41258 | 79.05147 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.57 | \$821.12 |
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.98 | \$636.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.63 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$454.22 | \$373.17 |
| 100.0854 | 102.5574 | 103.3934 | 105.9457 | 107.9945 | 108.876 | 109.9801 | 111.192 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,063.28 | \$1,224.11 |
| 96.00548 | 98.37711 | 99.17888 | 101.6272 | 103.5925 | 104.4383 | 105.497 | 106.6593 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,984.19 | \$1,179.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$663.29 | \$531.07 |
| 142.0115 | 145.5193 | 146.7051 | 150.3266 | 153.234 | 154.4848 | 156.0512 | 157.7707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.06 | \$1,685.37 |
| 37.27962 | 38.20064 | 38.5114 | 39.463 | 40.22542 | 40.55356 | 40.96443 | 41.41605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.72 | \$999.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3481 | 125.3701 | 126.3914 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.87 | \$1,239.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.43 | \$951.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48595 | 56.8564 | 57.32005 | 58.73598 | 59.87149 | 60.35965 | 60.97122 | 61.64301 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.67 | \$733.44 |
| 307.4825 | 315.0775 | 317.6466 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.69 | \$2,928.17 |
| 64.77287 | 66.37262 | 66.91376 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.65 | \$713.92 |
| 433.058 | 443.7548 | 447.3727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.59 | \$4,073.79 |
| 163.9826 | 168.0329 | 169.4027 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.72 | \$1,619.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.49 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.87 | \$512.63 |
| 50.93147 | 52.18944 | 52.61488 | 53.91473 | 54.95625 | 55.40463 | 55.96643 | 56.58282 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9894 | 287.9304 | 290.2776 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.08 | \$2,686.47 |
| 272.0759 | 278.7962 | 281.0695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.73 | \$2,605.15 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.43 | \$2,463.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.82 | \$4,086.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.90 | \$1,518.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.31 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.04 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39267 | 78.27922 | 78.91704 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.75 | \$819.93 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.03 | \$635.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.28 | \$3,203.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.53 | \$2,177.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.59126 | 78.48273 | 79.12215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.52 | \$821.74 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.56 | \$637.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.10 | \$451.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.30 | \$3,088.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.11 | \$3,537.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52148 | 78.41122 | 79.05009 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.55 | \$821.10 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.97 | \$636.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.63 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 123.8761 | 126.9358 | 127.9703 | 131.1304 | 133.6656 | 134.7566 | 136.1229 | 137.6223 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,524.49 | \$1,485.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,268.17 | \$987.93 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$501.01 | \$408.50 |
| 142.0087 | 145.5164 | 146.7022 | 150.3237 | 153.231 | 154.4818 | 156.0481 | 157.7676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.01 | \$1,685.34 |
| 37.27968 | 38.20013 | 38.51155 | 39.46303 | 40.22563 | 40.55359 | 40.96463 | 41.41617 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.69 | \$999.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3457 | 125.3677 | 126.3889 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.84 | \$1,239.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.43 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48567 | 56.85608 | 57.31953 | 58.73627 | 59.87099 | 60.35941 | 60.97136 | 61.64301 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.66 | \$733.44 |
| 307.4812 | 315.076 | 317.6463 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.68 | \$2,928.16 |
| 64.77211 | 66.37183 | 66.91296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.64 | \$713.92 |
| 433.0558 | 443.7525 | 447.3716 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.57 | \$4,073.78 |
| 163.982 | 168.0321 | 169.4031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.71 | \$1,619.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.91 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.49 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.87 | \$512.63 |
| 50.92993 | 52.18918 | 52.61334 | 53.9129 | 54.95848 | 55.40547 | 55.96701 | 56.58339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9802 | 287.9286 | 290.2697 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.05 | \$2,686.46 |
| 272.067 | 278.7947 | 281.0614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.70 | \$2,605.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.45 | \$2,463.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.80 | \$4,086.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.87 | \$1,517.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.58 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.31 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39378 | 78.2825 | 78.91829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.79 | \$819.96 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.06 | \$635.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.77 | \$451.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.29 | \$3,203.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.61 | \$2,177.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 76.59239 | 78.48602 | 79.1234 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.56 | \$821.77 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.58 | \$637.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.12 | \$451.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.81 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.30 | \$3,088.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.12 | \$3,537.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52251 | 78.4144 | 79.05121 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.59 | \$821.13 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.00 | \$636.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.64 | \$451.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,232.01 | \$960.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,281.78 | \$3,264.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.97 | \$786.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$184.14 | \$169.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.97 | \$786.12 |
| 142.0121 | 145.5238 | 146.7058 | 150.3261 | 153.2453 | 154.4909 | 156.0573 | 157.7769 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.15 | \$1,685.41 |
| 37.27907 | 38.20096 | 38.51091 | 39.46136 | 40.22751 | 40.55457 | 40.9655 | 41.41725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.72 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.76 | \$999.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.95 | \$786.11 |
| 122.3486 | 125.3742 | 126.3921 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.92 | \$1,239.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.75 | \$947.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.44 | \$951.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.86 | \$566.25 |
| 55.48524 | 56.85718 | 57.31906 | 58.73346 | 59.87386 | 60.36081 | 60.97256 | 61.64424 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.68 | \$733.45 |
| 307.4781 | 315.0817 | 317.641 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.72 | \$2,928.19 |
| 64.77257 | 66.3741 | 66.9135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.66 | \$713.94 |
| 433.0521 | 443.7607 | 447.365 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.63 | \$4,073.83 |
| 163.981 | 168.0351 | 169.4003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.74 | \$1,619.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.04 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.83 | \$319.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.91 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.50 | \$879.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.29 | \$883.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.87 | \$512.63 |
| 50.93066 | 52.19014 | 52.61433 | 53.91266 | 54.95921 | 55.40599 | 55.96765 | 56.58467 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.38 | \$683.34 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 280.9856 | 287.9345 | 290.2738 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.12 | \$2,686.50 |
| 272.07 | 278.7979 | 281.0626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.73 | \$2,605.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.47 | \$2,463.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.81 | \$4,086.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.93 | \$1,518.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.58 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.31 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39389 | 78.28262 | 78.9184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.79 | \$819.96 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.06 | \$635.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.77 | \$451.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$229.15 | \$203.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$389.72 | \$324.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.29 | \$3,203.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.61 | \$2,177.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.59248 | 78.48611 | 79.12349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.56 | \$821.77 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.58 | \$637.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.12 | \$451.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$229.15 | \$203.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$389.72 | \$324.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.81 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.30 | \$3,088.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.12 | \$3,537.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52272 | 78.41463 | 79.05144 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.59 | \$821.13 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.00 | \$636.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.64 | \$451.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$229.15 | \$203.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$389.72 | \$324.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$229.15 | \$203.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$389.72 | \$324.45 |
| 142.0122 | 145.5239 | 146.7059 | 150.3262 | 153.2454 | 154.4911 | 156.0574 | 157.777 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.15 | \$1,685.42 |
| 37.27907 | 38.20096 | 38.51091 | 39.46136 | 40.22751 | 40.55457 | 40.9655 | 41.41725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.72 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.76 | \$999.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.95 | \$786.11 |
| 122.3487 | 125.3742 | 126.3922 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.92 | \$1,239.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.75 | \$947.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.44 | \$951.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.86 | \$566.25 |
| 55.48514 | 56.85706 | 57.31895 | 58.73334 | 59.87373 | 60.36069 | 60.97244 | 61.64412 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.68 | \$733.45 |
| 307.4781 | 315.0816 | 317.6406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.71 | \$2,928.19 |
| 64.77269 | 66.37422 | 66.91362 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.67 | \$713.94 |
| 433.0519 | 443.7605 | 447.3649 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.63 | \$4,073.82 |
| 163.9807 | 168.035 | 169.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.74 | \$1,619.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.04 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.83 | \$319.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.91 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.50 | \$879.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.29 | \$883.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.87 | \$512.63 |
| 50.93079 | 52.1902 | 52.61453 | 53.91248 | 54.9592 | 55.40602 | 55.96771 | 56.58473 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.38 | \$683.34 |
| 280.9861 | 287.935 | 290.2733 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.12 | \$2,686.50 |
| 272.07 | 278.7979 | 281.0626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.73 | \$2,605.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.47 | \$2,463.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.81 | \$4,086.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.94 | \$1,518.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.23 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.39 | 78.27875 | 78.91457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.74 | \$819.92 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.03 | \$635.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.75 | \$451.54 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|-------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.27 | \$3,203.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.51 | \$2,177.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.58855 | 78.48215 | 79.11955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.51 | \$821.73 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.55 | \$637.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.10 | \$451.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.29 | \$3,088.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.10 | \$3,537.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.46 | \$2,017.61 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51875 | 78.41061 | 79.04741 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.54 | \$821.10 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.97 | \$636.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.63 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,472.41 | \$1,085.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,183.28 | \$3,731.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11,776.98 | \$8,433.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,318.34 | \$2,401.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,139.32 | \$2,273.86 |
| 142.0039 | 145.5154 | 146.6973 | 150.3174 | 153.2364 | 154.482 | 156.0483 | 157.7677 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.99 | \$1,685.32 |
| 37.27818 | 38.19995 | 38.51025 | 39.46124 | 40.22723 | 40.55385 | 40.96472 | 41.41634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.68 | \$999.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3413 | 125.3666 | 126.3846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.82 | \$1,239.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.73 | \$947.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.42 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48402 | 56.85597 | 57.31783 | 58.73378 | 59.87285 | 60.35966 | 60.97159 | 61.64314 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.66 | \$733.44 |
| 307.4711 | 315.0747 | 317.6364 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.64 | \$2,928.14 |
| 64.76991 | 66.37138 | 66.91075 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.63 | \$713.91 |
| 433.041 | 443.7495 | 447.3576 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.51 | \$4,073.75 |
| 163.9764 | 168.031 | 169.3975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.69 | \$1,619.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.48 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.26 | \$883.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.63 |
| 50.92952 | 52.1891 | 52.61302 | 53.91278 | 54.95825 | 55.40504 | 55.96664 | 56.58266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.36 | \$683.33 |
| 280.9781 | 287.9266 | 290.2677 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.03 | \$2,686.44 |
| 272.0666 | 278.7943 | 281.0611 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.70 | \$2,605.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.45 | \$2,463.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.80 | \$4,086.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.86 | \$1,517.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.58 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.31 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.24 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.39207 | 78.28067 | 78.91695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.77 | \$819.94 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.05 | \$635.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.29 | \$3,203.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.56 | \$2,177.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.59084 | 78.48418 | 79.12178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.54 | \$821.75 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.57 | \$637.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.11 | \$451.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.81 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.31 | \$3,088.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.12 | \$3,537.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.47 | \$2,017.62 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.35 |
| 76.52106 | 78.41261 | 79.04979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.56 | \$821.12 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.06 | \$638.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.98 | \$636.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.86 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.64 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$501.01 | \$408.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 297.0277 | 304.3731 | 306.8455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,266.92 | \$2,832.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,261.98 | \$983.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$459.11 | \$392.62 |
| 142.0077 | 145.5193 | 146.7012 | 150.3214 | 153.2405 | 154.4861 | 156.0524 | 157.772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.06 | \$1,685.37 |
| 37.27864 | 38.20058 | 38.51035 | 39.46176 | 40.22748 | 40.55403 | 40.96478 | 41.41649 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.72 | \$999.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3447 | 125.3701 | 126.388 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.87 | \$1,239.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.43 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48434 | 56.85635 | 57.31848 | 58.73386 | 59.87366 | 60.35997 | 60.97168 | 61.64348 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.67 | \$733.44 |
| 307.4739 | 315.0773 | 317.638 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.67 | \$2,928.16 |
| 64.77101 | 66.37251 | 66.9119 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.64 | \$713.92 |
| 433.0455 | 443.7543 | 447.3601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.56 | \$4,073.78 |
| 163.978 | 168.0327 | 169.3981 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.71 | \$1,619.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.91 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.49 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.87 | \$512.63 |
| 50.92992 | 52.18935 | 52.6134 | 53.91278 | 54.95871 | 55.405 | 55.96689 | 56.5833 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9816 | 287.9297 | 290.2692 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.06 | \$2,686.46 |
| 272.0686 | 278.7964 | 281.0623 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.72 | \$2,605.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.46 | \$2,463.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.82 | \$4,086.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.90 | \$1,518.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.56 | \$1,518.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.22 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.38673 | 78.27536 | 78.91174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.70 | \$819.90 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.00 | \$635.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.74 | \$451.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.25 | \$3,203.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.44 | \$2,177.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.72 | \$537.44 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.58522 | 78.47867 | 79.11671 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.47 | \$821.71 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.53 | \$636.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.08 | \$451.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.27 | \$3,088.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.08 | \$3,537.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.45 | \$2,017.60 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51541 | 78.40714 | 79.04468 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.49 | \$821.07 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.94 | \$636.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.61 | \$451.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$663.28 | \$531.07 |
| 60.34752 | 61.84 | 62.34212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$964.93 | \$673.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$752.31 | \$598.31 |
| 127.2194 | 130.3651 | 131.4249 | 134.6712 | 137.2826 | 138.3991 | 139.8021 | 141.3417 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,589.38 | \$1,522.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$336.92 | \$284.57 |
| 155.1796 | 159.0169 | 160.31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.97 | \$1,538.74 |
| 60.34752 | 61.84 | 62.34212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$964.93 | \$673.57 |
| 141.9978 | 145.5092 | 146.6911 | 150.311 | 153.2298 | 154.4754 | 156.0416 | 157.761 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.87 | \$1,685.26 |
| 37.27748 | 38.19948 | 38.50998 | 39.46144 | 40.22617 | 40.5531 | 40.96417 | 41.4156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.70 | \$533.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.63 | \$999.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.92 | \$786.09 |
| 122.3359 | 125.3611 | 126.379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.74 | \$1,239.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.56 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.72 | \$947.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.41 | \$951.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.84 | \$566.23 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 55.48283 | 56.8551 | 57.31767 | 58.73393 | 59.87199 | 60.35878 | 60.97018 | 61.64189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.64 | \$733.43 |
| 307.4658 | 315.0692 | 317.6326 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.57 | \$2,928.10 |
| 64.76782 | 66.36923 | 66.90858 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.60 | \$713.89 |
| 433.0327 | 443.7412 | 447.3515 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.41 | \$4,073.68 |
| 163.9734 | 168.0277 | 169.3951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.65 | \$1,618.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.02 | \$500.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.46 | \$879.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.25 | \$883.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.62 |
| 50.92851 | 52.18823 | 52.61241 | 53.91223 | 54.95732 | 55.40408 | 55.96556 | 56.58168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.35 | \$683.32 |
| 280.9731 | 287.9215 | 290.2642 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,042.97 | \$2,686.40 |
| 272.064 | 278.7919 | 281.06 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.67 | \$2,605.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.44 | \$2,463.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.77 | \$4,086.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.80 | \$1,517.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.56 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.23 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.38857 | 78.2774 | 78.91319 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.72 | \$819.91 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.02 | \$635.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.75 | \$451.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.26 | \$3,203.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.48 | \$2,177.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.58705 | 78.48074 | 79.11827 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.49 | \$821.72 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.54 | \$637.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.09 | \$451.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.28 | \$3,088.48 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.09 | \$3,537.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.46 | \$2,017.61 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51729 | 78.40938 | 79.04622 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.52 | \$821.09 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.95 | \$636.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.62 | \$451.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,232.00 | \$960.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.21 | \$575.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$901.35 | \$710.88 |
| 276.8902 | 283.7376 | 286.0438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,985.99 | \$2,649.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,232.00 | \$960.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.21 | \$575.58 |
| 336.224 | 344.5384 | 347.3387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,813.77 | \$3,190.45 |
| 142.0009 | 145.5124 | 146.6943 | 150.3143 | 153.2332 | 154.4788 | 156.045 | 157.7645 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.93 | \$1,685.29 |
| 37.27805 | 38.19991 | 38.51018 | 39.46144 | 40.2267 | 40.55367 | 40.96463 | 41.41618 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.70 | \$533.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.66 | \$999.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.93 | \$786.09 |
| 122.3387 | 125.3639 | 126.3818 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.78 | \$1,239.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.73 | \$947.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.41 | \$951.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.84 | \$566.24 |
| 55.48354 | 56.85564 | 57.3176 | 58.73375 | 59.87254 | 60.35921 | 60.97087 | 61.64244 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.65 | \$733.43 |
| 307.4683 | 315.0714 | 317.6343 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.60 | \$2,928.12 |
| 64.76881 | 66.37024 | 66.90962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.61 | \$713.90 |
| 433.0367 | 443.745 | 447.3544 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.45 | \$4,073.71 |
| 163.9746 | 168.0292 | 169.3958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.67 | \$1,618.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.02 | \$500.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.47 | \$879.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.25 | \$883.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.62 |
| 50.92882 | 52.18848 | 52.61287 | 53.91293 | 54.95721 | 55.4044 | 55.96582 | 56.58217 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.35 | \$683.32 |
| 280.9752 | 287.9235 | 290.265 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,042.99 | \$2,686.41 |
| 272.0653 | 278.7931 | 281.0605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.68 | \$2,605.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.44 | \$2,463.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.78 | \$4,086.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.83 | \$1,517.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.55 | \$1,518.43 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.29 | \$1,172.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.21 | \$1,891.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.31 | \$880.04 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.45 | \$446.34 |
| 76.3837 | 78.27216 | 78.90785 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.65 | \$819.86 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.04 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$801.97 | \$635.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.72 | \$451.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.23 | \$3,203.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.35 | \$2,177.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.72 | \$537.44 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.45 | \$446.34 |
| 76.5822 | 78.4754 | 79.11287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.42 | \$821.67 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.04 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.50 | \$636.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.07 | \$451.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.79 | \$969.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.24 | \$3,088.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.05 | \$3,537.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.43 | \$2,017.59 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.45 | \$446.34 |
| 76.51241 | 78.40393 | 79.04073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.45 | \$821.04 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.04 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.91 | \$636.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.59 | \$451.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,231.99 | \$960.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.18 | \$575.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$901.34 | \$710.87 |
| 276.8866 | 283.734 | 286.042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,985.95 | \$2,649.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,231.99 | \$960.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.18 | \$575.55 |
| 336.2195 | 344.534 | 347.3371 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,813.73 | \$3,190.43 |
| 141.9908 | 145.502 | 146.6839 | 150.3036 | 153.2223 | 154.4678 | 156.0339 | 157.7533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.74 | \$1,685.18 |
| 37.27843 | 38.20045 | 38.51059 | 39.46054 | 40.22705 | 40.55415 | 40.96497 | 41.4164 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.56 | \$999.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.3296 | 125.3546 | 126.3725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.66 | \$1,239.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.42 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48418 | 56.85666 | 57.31856 | 58.733 | 59.87329 | 60.36024 | 60.97168 | 61.6432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.66 | \$733.44 |
| 307.472 | 315.0765 | 317.6391 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.65 | \$2,928.14 |
| 64.76576 | 66.36728 | 66.90639 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.57 | \$713.87 |
| 433.043 | 443.7525 | 447.3619 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.53 | \$4,073.75 |
| 163.9772 | 168.0325 | 169.3991 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.70 | \$1,619.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.48 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.63 |
| 50.92999 | 52.18947 | 52.61351 | 53.91138 | 54.95883 | 55.40599 | 55.96712 | 56.58354 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9799 | 287.9297 | 290.2716 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.05 | \$2,686.45 |
| 272.0672 | 278.7962 | 281.064 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.71 | \$2,605.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.45 | \$2,463.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.73 | \$4,086.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.72 | \$1,517.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.23 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.39027 | 78.27934 | 78.91524 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.75 | \$819.93 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.03 | \$635.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.28 | \$3,203.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.53 | \$2,177.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.73 | \$537.45 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.58882 | 78.48267 | 79.12056 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.52 | \$821.74 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.56 | \$637.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.10 | \$451.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.29 | \$3,088.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.11 | \$3,537.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.46 | \$2,017.62 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51901 | 78.41116 | 79.04808 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.54 | \$821.10 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.97 | \$636.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.63 | \$451.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,232.01 | \$960.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$668.82 | \$535.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$501.69 | \$409.02 |
| 276.8915 | 283.7388 | 286.0443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,986.00 | \$2,649.15 |
| 336.2256 | 344.5396 | 347.3392 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,813.79 | \$3,190.46 |
| 142.0046 | 145.5162 | 146.6981 | 150.3182 | 153.2372 | 154.4829 | 156.0491 | 157.7686 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,876.00 | \$1,685.33 |
| 37.27867 | 38.20026 | 38.51056 | 39.4614 | 40.22725 | 40.55394 | 40.96497 | 41.41664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.71 | \$533.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.69 | \$999.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.94 | \$786.10 |
| 122.342 | 125.3673 | 126.3852 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.83 | \$1,239.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.74 | \$947.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.42 | \$951.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.85 | \$566.24 |
| 55.48409 | 56.85588 | 57.31795 | 58.73412 | 59.87341 | 60.35973 | 60.97168 | 61.64336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.66 | \$733.44 |
| 307.4722 | 315.0752 | 317.6371 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.65 | \$2,928.14 |
| 64.77025 | 66.37173 | 66.91112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.63 | \$713.91 |
| 433.0427 | 443.7507 | 447.3586 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.53 | \$4,073.76 |
| 163.977 | 168.0315 | 169.3979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.70 | \$1,619.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.03 | \$500.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.91 | \$327.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.48 | \$879.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.27 | \$883.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.63 |
| 50.92984 | 52.18913 | 52.61324 | 53.91299 | 54.95853 | 55.40535 | 55.96683 | 56.58327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.37 | \$683.33 |
| 280.9794 | 287.9276 | 290.2687 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,043.04 | \$2,686.45 |
| 272.0671 | 278.795 | 281.0615 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.70 | \$2,605.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.45 | \$2,463.77 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.41 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.80 | \$4,086.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.87 | \$1,517.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.56 | \$1,518.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.22 | \$1,891.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.32 | \$880.04 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.38765 | 78.27643 | 78.91266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.71 | \$819.90 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.01 | \$635.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.74 | \$451.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$335.84 | \$283.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,201.26 | \$3,203.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,843.46 | \$2,177.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$671.72 | \$537.45 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.5862 | 78.47977 | 79.11769 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.48 | \$821.71 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$803.53 | \$637.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$508.09 | \$451.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,049.27 | \$3,088.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,644.09 | \$3,537.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.45 | \$2,017.61 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.51634 | 78.40833 | 79.04559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,190.51 | \$821.08 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.71 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.95 | \$636.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.62 | \$451.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.58 | \$199.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.21 | \$575.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,368.44 | \$1,063.67 |
| 276.8896 | 283.737 | 286.0431 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,985.98 | \$2,649.13 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,243.80 | \$969.53 |
| 336.2231 | 344.5376 | 347.3387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,813.76 | \$3,190.45 |
| 141.9996 | 145.511 | 146.6929 | 150.3129 | 153.2318 | 154.4773 | 156.0435 | 157.763 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,875.91 | \$1,685.28 |
| 37.27771 | 38.19948 | 38.51006 | 39.46188 | 40.22647 | 40.55373 | 40.96439 | 41.4157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$845.70 | \$533.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,283.64 | \$999.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.93 | \$786.09 |
| 122.3374 | 125.3627 | 126.3805 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,829.77 | \$1,239.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.57 | \$343.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,214.73 | \$947.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,220.41 | \$951.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$709.84 | \$566.24 |
| 55.48344 | 56.85559 | 57.31761 | 58.7345 | 59.87224 | 60.3589 | 60.97055 | 61.64229 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,198.65 | \$733.43 |
| 307.4676 | 315.0712 | 317.634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,412.60 | \$2,928.11 |
| 64.7686 | 66.37003 | 66.90938 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,026.61 | \$713.90 |
| 433.0359 | 443.7443 | 447.3546 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,164.45 | \$4,073.71 |
| 163.9746 | 168.0291 | 169.3961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,410.67 | \$1,618.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$623.02 | \$500.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$345.82 | \$319.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$354.90 | \$327.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,124.47 | \$879.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,129.25 | \$883.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$638.86 | \$512.62 |
| 50.92886 | 52.18829 | 52.61282 | 53.91289 | 54.95773 | 55.40446 | 55.96568 | 56.58205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,110.35 | \$683.32 |
| 280.975 | 287.9232 | 290.2656 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,042.99 | \$2,686.41 |
| 272.0645 | 278.7923 | 281.0602 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,918.68 | \$2,605.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,779.44 | \$2,463.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,117.40 | \$1,087.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,370.78 | \$4,086.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,915.82 | \$1,517.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$125.93 | \$125.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,970.57 | \$1,518.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,512.30 | \$1,172.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,464.23 | \$1,891.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,125.33 | \$880.05 |
| 35.44171 | 36.31833 | 36.61313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$617.46 | \$446.34 |
| 76.39059 | 78.27948 | 78.9157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,188.75 | \$819.93 |
| 56.48598 | 57.88229 | 58.35268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$911.05 | \$638.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$496.72 | \$405.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$802.04 | \$635.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.85 | \$313.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$311.76 | \$284.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$507.76 | \$451.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.39 | \$309.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,920.81 | \$3,693.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,323.52 | \$2,504.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$768.54 | \$603.43 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 55.5952 | 58.67154 | 61.92912 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$775.09 | \$531.92 |
| 120.1408 | 126.7877 | 133.8285 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,532.15 | \$1,006.67 |
| 88.60606 | 93.50769 | 98.70039 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,162.27 | \$774.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$562.65 | \$450.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$923.63 | \$718.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.47 | \$344.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.26 | \$300.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$547.87 | \$484.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,441.55 | \$1,104.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,742.01 | \$3,560.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,441.77 | \$4,081.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,074.04 | \$2,319.23 |
| 55.5952 | 58.67154 | 61.92912 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$775.09 | \$531.92 |
| 120.0314 | 126.6722 | 133.7067 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,530.87 | \$1,005.86 |
| 88.60606 | 93.50769 | 98.70039 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,162.27 | \$774.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$562.65 | \$450.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$922.94 | \$718.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.47 | \$344.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.26 | \$300.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$547.35 | \$483.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,427.67 | \$1,093.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$827.95 | \$647.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,038.68 | \$804.47 |
| 434.3431 | 458.3749 | 483.8287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,217.48 | \$3,317.72 |
| 527.4169 | 556.5974 | 587.5063 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,309.15 | \$4,002.30 |
| 222.7546 | 235.0792 | 248.1327 | 261.8599 | 276.3313 | 291.6149 | 307.7581 | 324.7726 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,198.06 | \$2,264.21 |
| 58.47652 | 61.71167 | 65.13872 | 68.7431 | 72.54114 | 76.55276 | 80.79037 | 85.25775 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,192.77 | \$685.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,488.48 | \$1,139.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,155.83 | \$891.66 |
| 191.911 | 202.5291 | 213.7746 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,373.95 | \$1,534.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.94 | \$362.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,407.35 | \$1,078.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,414.04 | \$1,083.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$813.39 | \$636.80 |
| 87.03465 | 91.8497 | 96.95045 | 102.3168 | 107.9688 | 113.9397 | 120.2473 | 126.8954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,715.21 | \$959.62 |
| 482.3129 | 508.9985 | 537.2664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,780.14 | \$3,670.56 |
| 101.6012 | 107.2224 | 113.1767 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,314.70 | \$870.31 |
| 679.2881 | 716.8721 | 756.6838 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,090.49 | \$5,119.37 |
| 257.2208 | 271.4521 | 286.5266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,139.99 | \$2,014.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$711.25 | \$560.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$365.71 | \$336.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.61 | \$344.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,301.18 | \$999.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,306.80 | \$1,004.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$729.88 | \$574.65 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 79.89012 | 84.31046 | 88.99239 | 93.91788 | 99.10593 | 104.5876 | 110.3768 | 116.4792 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,584.52 | \$890.94 |
| 440.7556 | 465.142 | 490.9743 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,292.70 | \$3,364.89 |
| 426.7748 | 450.3878 | 475.4001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,128.72 | \$3,262.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,016.57 | \$2,664.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.28 | \$1,127.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,296.67 | \$4,717.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,190.33 | \$1,714.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.19 | \$125.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,296.54 | \$1,740.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,757.42 | \$1,339.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,877.30 | \$2,172.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,302.17 | \$1,000.56 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$775.09 | \$531.92 |
| 119.8304 | 126.4598 | 133.4817 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,528.51 | \$1,004.38 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,162.27 | \$774.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$562.65 | \$450.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$921.84 | \$717.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.47 | \$344.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.26 | \$300.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$547.50 | \$483.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.39 | \$309.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,920.82 | \$3,693.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,323.53 | \$2,504.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$768.54 | \$603.43 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$775.09 | \$531.92 |
| 120.142 | 126.7885 | 133.8287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,532.16 | \$1,006.68 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,162.27 | \$774.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$562.65 | \$450.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$923.63 | \$718.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.47 | \$344.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.26 | \$300.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$547.88 | \$484.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,441.55 | \$1,104.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,742.02 | \$3,560.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,441.78 | \$4,081.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,074.04 | \$2,319.23 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$775.09 | \$531.92 |
| 120.0325 | 126.673 | 133.7068 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,530.88 | \$1,005.87 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,162.27 | \$774.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$562.65 | \$450.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$922.95 | \$718.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.47 | \$344.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.26 | \$300.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$547.36 | \$483.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$221.83 | \$207.02 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|-------------|-------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$194.92 | \$176.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$765.13 | \$600.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$568.50 | \$454.55 |
| 434.3435 | 458.3752 | 483.8288 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,217.48 | \$3,317.72 |
| 76.12196 | 80.3335 | 84.79408 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,015.85 | \$682.90 |
| 222.7565 | 235.0812 | 248.1348 | 261.8622 | 276.3337 | 291.6174 | 307.7607 | 324.7754 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,198.09 | \$2,264.23 |
| 58.47661 | 61.71222 | 65.13869 | 68.74316 | 72.5415 | 76.55304 | 80.79001 | 85.25775 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,192.77 | \$685.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,488.49 | \$1,139.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,155.84 | \$891.66 |
| 191.9128 | 202.5309 | 213.7765 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,373.97 | \$1,534.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.94 | \$362.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,407.36 | \$1,078.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,414.05 | \$1,083.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$813.39 | \$636.80 |
| 87.03508 | 91.85028 | 96.9507 | 102.3156 | 107.9695 | 113.9406 | 120.2467 | 126.8943 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,715.22 | \$959.62 |
| 482.3148 | 509.0001 | 537.2667 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,780.15 | \$3,670.57 |
| 101.6018 | 107.2229 | 113.1773 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,314.71 | \$870.31 |
| 679.2907 | 716.8748 | 756.6859 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,090.52 | \$5,119.38 |
| 257.2216 | 271.4531 | 286.528 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,140.00 | \$2,014.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$711.25 | \$560.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$365.71 | \$336.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$375.61 | \$344.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,301.18 | \$999.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,306.81 | \$1,004.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$729.88 | \$574.66 |
| 79.89076 | 84.3111 | 88.99263 | 93.91797 | 99.10605 | 104.5869 | 110.3769 | 116.4783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,584.52 | \$890.95 |
| 440.7576 | 465.1438 | 490.9755 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,292.72 | \$3,364.90 |
| 426.7758 | 450.3888 | 475.4006 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,128.73 | \$3,262.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,016.58 | \$2,664.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.28 | \$1,127.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,296.68 | \$4,717.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,190.34 | \$1,714.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$126.19 | \$125.81 |
| 22.96144 | 24.23209 | 25.57768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.32 | \$291.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.44 | \$245.63 |
| 182.3065 | 192.3935 | 203.079 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,261.31 | \$1,463.92 |
| 1892.954 | 1997.688 | 2108.629 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$22,325.78 | \$14,046.23 |
| 1243.834 | 1312.656 | 1385.547 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$14,712.07 | \$9,271.70 |

| Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 | 2026 |
|-----------|--|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-101 | Compressed Air-O&M | 0 | 0 | 161.4592 | 159.2978 | 170.7191 | 177.396 | 187.991 | 190.4206 | 196.3173 | 200.4868 | 202.0631 | 201.4209 | 0 | 0 |
| 1-102 | Compressed Air - Controls | 0 | 0 | 121.4112 | 119.786 | 128.3743 | 133.3951 | 141.362 | 143.1893 | 147.6231 | 150.7585 | 151.944 | 151.4613 | 0 | 0 |
| 1-103 | Compressed Air - System Optimization | 0 | 0 | 204.6004 | 201.8615 | 216.3344 | 224.7954 | 238.2215 | 241.3004 | 248.7725 | 254.0559 | 256.0536 | 255.2397 | 0 | 0 |
| 1-104 | Compressed Air- Sizing | 0 | 0 | 87.59322 | 86.42062 | 92.61678 | 96.23904 | 101.9869 | 103.305 | 106.504 | 108.7659 | 109.6215 | 109.2731 | 0 | 0 |
| 1-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76657 | 58.96639 | 63.19416 | 65.66575 | 69.58759 | 70.48705 | 72.66975 | 74.21319 | 74.79687 | 74.55942 | 74.21222 | 74.04039 |
| 1-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34064 | 58.54616 | 62.74382 | 65.19778 | 69.09171 | 69.98479 | 72.15188 | 73.68439 | 74.26397 | 74.02811 | 0 | 0 |
| 1-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31754 | 58.52337 | 62.71938 | 65.17239 | 69.06481 | 69.95753 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-201 | Fans - O&M | 0 | 0 | 18.60001 | 18.35098 | 19.66673 | 20.43578 | 21.65644 | 21.93632 | 22.61567 | 23.09572 | 23.27798 | 23.20407 | 0 | 0 |
| 1-202 | Fans - Controls | 0 | 0 | 356.4007 | 351.6298 | 376.8405 | 391.5793 | 414.9662 | 420.3298 | 433.345 | 442.5493 | 446.0288 | 444.6105 | 0 | 0 |
| 1-203 | Fans - System Optimization | 0 | 0 | 237.7466 | 234.5637 | 251.3813 | 261.2131 | 276.8142 | 280.392 | 289.0744 | 295.2142 | 297.5354 | 296.5898 | 0 | 0 |
| 1-204 | Fans- Improve components | 0 | 0 | 47.95323 | 47.31128 | 50.7034 | 52.68632 | 55.83306 | 56.55475 | 58.30599 | 59.54424 | 60.01261 | 59.82257 | 0 | 0 |
| 1-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92192 | 59.11966 | 63.35843 | 65.83645 | 69.76847 | 70.67026 | 72.85863 | 74.40612 | 74.99125 | 74.75327 | 74.40515 | 74.23283 |
| 1-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47359 | 58.67734 | 62.88439 | 65.34383 | 69.24653 | 70.14157 | 72.31353 | 73.84948 | 74.43027 | 74.19388 | 0 | 0 |
| 1-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37038 | 58.57553 | 62.77527 | 65.23043 | 69.12661 | 70.01987 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-301 | Pumps - O&M | 0 | 0 | 97.947 | 96.63582 | 103.5644 | 107.6149 | 114.0422 | 115.5161 | 119.0932 | 121.6225 | 122.5789 | 122.1899 | 0 | 0 |
| 1-302 | Pumps - Controls | 0 | 0 | 343.1187 | 338.5256 | 362.7968 | 376.9864 | 399.5018 | 404.6654 | 417.1956 | 426.0568 | 429.4065 | 428.0414 | 0 | 0 |
| 1-303 | Pumps - System Optimization | 0 | 0 | 395.0996 | 389.8106 | 417.7589 | 434.0981 | 460.0243 | 465.9703 | 480.3987 | 490.6024 | 494.4594 | 492.8881 | 0 | 0 |
| 1-304 | Pumps - Sizing | 0 | 0 | 219.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2373 | 258.5362 | 266.5419 | 272.2031 | 274.3435 | 273.4709 | 0 | 0 |
| 1-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.28568 | 32.703 | 33.71571 | 34.43177 | 34.70251 | 34.59305 | 34.43149 | 34.35187 |
| 1-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86726 | 59.06573 | 63.30063 | 65.77639 | 69.70499 | 70.60577 | 72.79217 | 74.33819 | 74.92306 | 74.68503 | 74.33728 | 74.16515 |
| 1-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60209 | 46.72821 | 48.55576 | 51.45571 | 52.12093 | 53.73485 | 54.87606 | 55.30766 | 55.13235 | 54.87547 | 54.74867 |
| 1-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.5532 | 40.87238 | 40.74277 | 0 | 0 |
| 1-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42263 | 58.62708 | 62.83051 | 65.28785 | 69.18742 | 70.08148 | 72.25158 | 73.78622 | 74.36672 | 74.1304 | 0 | 0 |
| 1-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27792 | 25.72787 | 26.06045 | 26.86742 | 27.43798 | 27.65414 | 27.56642 | 0 | 0 |
| 1-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88303 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29773 | 58.50383 | 62.69844 | 65.15063 | 69.04206 | 69.93418 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-401 | Bakery - Process (Mixing) - O&M | 0 | 0 | 94.91766 | 93.64706 | 100.3613 | 104.2866 | 110.515 | 111.9435 | 115.4098 | 117.8609 | 118.7876 | 118.4103 | 0 | 0 |
| 1-501 | Bakery - Process | 0 | 0 | 459.7297 | 453.5756 | 486.0956 | 505.1075 | 535.2749 | 542.1934 | 558.9817 | 570.8549 | 575.3428 | 573.5142 | 570.8461 | 569.5254 |
| 1-551 | Efficient Refrigeration - Operations | 0 | 0 | 121.9427 | 120.3108 | 128.9366 | 133.9794 | 141.981 | 143.8164 | 148.2697 | 151.4184 | 152.6089 | 152.1245 | 0 | 0 |
| 1-552 | Optimization Refrigeration | 0 | 0 | 306.9443 | 302.8368 | 324.5488 | 337.2424 | 357.383 | 362.0029 | 373.2122 | 381.1381 | 384.134 | 382.914 | 381.1335 | 380.2507 |
| 1-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.102 | 109.6144 | 117.4735 | 122.068 | 129.3589 | 131.0306 | 135.0879 | 137.9574 | 139.0424 | 138.6005 | 137.9551 | 137.6358 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16606 | 28.77571 | 30.83884 | 32.04504 | 33.95868 | 34.39767 | 35.46291 | 36.21592 | 36.50068 | 36.38541 | 36.21581 | 36.13181 |
| 1-703 | EMS - Chiller | 0 | 0 | 101.4325 | 100.0744 | 107.2496 | 111.4441 | 118.1004 | 119.6266 | 123.3309 | 125.9506 | 126.941 | 126.5378 | 0 | 0 |
| 1-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.7229 | 75.69615 | 81.12329 | 84.29598 | 89.33028 | 90.48514 | 93.28706 | 95.26812 | 96.01727 | 95.71292 | 0 | 0 |
| 1-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71835 | 94.43675 | 101.2077 | 105.1659 | 111.4473 | 112.8875 | 116.3831 | 118.8551 | 119.7899 | 119.4092 | 118.8534 | 118.5785 |
| 1-706 | EMS Optimization - Chiller | 0 | 0 | 47.21406 | 46.58224 | 49.922 | 51.87438 | 54.97263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40666 | 94.1299 | 100.8786 | 104.8241 | 111.0843 | 112.5204 | 116.0047 | 118.468 | 119.3996 | 119.0208 | 0 | 0 |
| 1-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90353 | 94.62012 | 101.404 | 105.37 | 111.663 | 113.1064 | 116.6088 | 119.0851 | 120.0214 | 119.6404 | 0 | 0 |
| 1-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28471 | 50.59838 | 54.2261 | 56.34684 | 59.71217 | 60.48381 | 62.35691 | 63.68099 | 64.18206 | 63.97845 | 0 | 0 |
| 1-710 | Roof Insulation - Chiller | 0 | 0 | 43.41 | 42.82903 | 45.89973 | 47.69485 | 50.54334 | 51.1967 | 52.78204 | 53.90282 | 54.32699 | 54.15433 | 53.90295 | 53.77734 |
| 1-711 | Cool Roof - Chiller | 0 | 0 | 240.5614 | 237.3422 | 254.3586 | 264.3069 | 280.0918 | 283.7125 | 292.4977 | 298.7093 | 301.0576 | 300.1013 | 298.7057 | 298.0142 |
| 1-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67517 | 49.99662 | 53.58133 | 55.67689 | 59.00222 | 59.76486 | 61.61549 | 62.92416 | 63.4194 | 63.21826 | 62.92361 | 62.77785 |
| 1-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8058 | 334.2719 | 358.2378 | 372.249 | 394.4802 | 399.5797 | 411.9524 | 420.7012 | 424.0082 | 422.6613 | 420.6961 | 419.7219 |
| 1-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.293 | 126.5762 | 135.6512 | 140.9567 | 149.3748 | 151.3058 | 155.9911 | 159.3036 | 160.5562 | 160.0456 | 159.3022 | 158.9328 |
| 1-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69734 | 43.1126 | 46.20362 | 48.01067 | 50.87793 | 51.53558 | 53.13148 | 54.25967 | 54.6865 | 54.51321 | 0 | 0 |
| 1-725 | DX Coil Cleaning | 0 | 0 | 41.98591 | 41.42407 | 44.39399 | 46.13028 | 48.88523 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-726 | Optimize Controls | 0 | 0 | 43.69734 | 43.1126 | 46.20362 | 48.01067 | 50.87793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-727 | Aerosole Duct Sealing | 0 | 0 | 87.5194 | 86.34824 | 92.53905 | 96.15829 | 101.9012 | 103.2184 | 106.4146 | 108.6742 | 109.5291 | 109.1816 | 0 | 0 |
| 1-728 | Duct/Pipe Insulation | 0 | 0 | 87.93737 | 86.76062 | 92.98099 | 96.61749 | 102.3878 | 103.7113 | 106.9228 | 109.1931 | 110.0519 | 109.7029 | 0 | 0 |
| 1-729 | Window Film (Standard) | 0 | 0 | 45.08128 | 44.47797 | 47.66689 | 49.53111 | 52.48931 | 53.16779 | 54.81414 | 55.97814 | 56.41833 | 56.23953 | 0 | 0 |
| 1-730 | Roof Insulation | 0 | 0 | 39.84666 | 39.31343 | 42.13208 | 43.77986 | 46.39448 | 46.99422 | 48.4495 | 49.47823 | 49.8675 | 49.70963 | 49.47775 | 49.36366 |
| 1-731 | Cool Roof - DX | 0 | 0 | 219.834 | 216.8922 | 232.4425 | 241.5335 | 255.9582 | 259.2672 | 267.2954 | 272.9715 | 275.1176 | 274.2439 | 272.9684 | 272.3364 |
| 1-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8613 | 210.0127 | 225.0697 | 233.8725 | 247.8398 | 251.0436 | 258.8173 | 264.3135 | 266.3915 | 265.5456 | 264.3105 | 263.6986 |
| 1-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5486 | 493.8514 | 529.2582 | 549.9581 | 582.8013 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-803 | CFL Screw-in 18W | 0 | 0 | 500.5486 | 493.8514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-804 | High Bay T5 | 0 | 0 | 458.6052 | 452.4662 | 484.9066 | 503.8719 | 533.9656 | 540.8671 | 557.6145 | 569.4586 | 573.9357 | 572.111 | 0 | 0 |
| 1-805 | Occupancy Sensor | 0 | 0 | 175.8501 | 173.4959 | 185.9351 | 193.2073 | 204.7468 | 207.393 | 213.8149 | 218.3562 | 220.0735 | 0 | 0 | 0 |
| 1-901 | Replace V-belts | 0 | 0 | 0.552559 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-101 | Compressed Air-O&M | 0 | 0 | 161.4564 | 159.2979 | 170.7182 | 177.3973 | 187.9893 | 190.4208 | 196.3171 | 200.4861 | 202.0624 | 201.4219 | 0 | 0 |
| 2-102 | Compressed Air - Controls | 0 | 0 | 121.4091 | 119.786 | 128.3737 | 133.396 | 141.3607 | 143.1891 | 147.6229 | 150.7579 | 151.9435 | 151.4619 | 0 | 0 |
| 2-103 | Compressed Air - System Optimization | 0 | 0 | 204.5969 | 201.8616 | 216.3334 | 224.7971 | 238.219 | 241.3003 | 248.772 | 254.0549 | 256.0523 | 255.2418 | 0 | 0 |
| 2-104 | Compressed Air- Sizing | 0 | 0 | 87.59169 | 86.42067 | 92.61632 | 96.23969 | 101.9859 | 103.3052 | 106.5039 | 108.7654 | 109.6209 | 109.274 | 0 | 0 |
| 2-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72872 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.75883 | 58.95989 | 63.18687 | 65.65896 | 69.57914 | 70.47911 | 72.66158 | 74.20452 | 74.78812 | 74.55112 | 74.20534 | 74.03276 |
| 2-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19292 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |
| 2-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65834 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.3331 | 58.53986 | 62.73668 | 65.19105 | 69.08326 | 69.97714 | 72.14397 | 73.67593 | 74.2553 | 74.01993 | 0 | 0 |
| 2-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09646 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10059 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.30991 | 58.51699 | 62.71217 | 65.16557 | 69.05648 | 69.9498 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81026 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-201 | Fans - O&M | 0 | 0 | 18.59967 | 18.35099 | 19.66664 | 20.43595 | 21.65611 | 21.93631 | 22.61565 | 23.09579 | 23.27749 | 23.20401 | 0 | 0 |
| 2-202 | Fans - Controls | 0 | 0 | 356.3946 | 351.63 | 376.8388 | 391.5819 | 414.9622 | 420.3298 | 433.3441 | 442.5473 | 446.0266 | 444.6148 | 0 | 0 |
| 2-203 | Fans - System Optimization | 0 | 0 | 237.7239 | 234.5458 | 251.3607 | 261.1946 | 276.7897 | 280.3701 | 289.0514 | 295.1899 | 297.5105 | 296.5683 | 0 | 0 |
| 2-204 | Fans- Improve components | 0 | 0 | 47.9524 | 47.31128 | 50.70316 | 52.68679 | 55.83237 | 56.55479 | 58.30598 | 59.54394 | 60.01223 | 59.82236 | 0 | 0 |
| 2-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72872 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.91418 | 59.11316 | 63.35112 | 65.82964 | 69.75997 | 70.66232 | 72.85049 | 74.39741 | 74.98254 | 74.74484 | 74.39821 | 74.22511 |
| 2-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19292 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65834 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.46595 | 58.67095 | 62.87717 | 65.33701 | 69.23817 | 70.13379 | 72.3055 | 73.84089 | 74.42156 | 74.18582 | 0 | 0 |
| 2-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09646 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10059 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.36276 | 58.56913 | 62.76805 | 65.22366 | 69.11802 | 70.01213 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81026 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-301 | Pumps - O&M | 0 | 0 | 97.9453 | 96.63589 | 103.5639 | 107.6155 | 114.0408 | 115.516 | 119.093 | 121.6218 | 122.5782 | 122.1906 | 0 | 0 |
| 2-302 | Pumps - Controls | 0 | 0 | 343.1128 | 338.5258 | 362.7952 | 376.9888 | 399.4978 | 404.6652 | 417.1947 | 426.0549 | 429.4046 | 428.0451 | 0 | 0 |
| 2-303 | Pumps - System Optimization | 0 | 0 | 395.0928 | 389.8109 | 417.757 | 434.1009 | 460.0197 | 465.9701 | 480.3977 | 490.6003 | 494.4571 | 492.892 | 0 | 0 |
| 2-304 | Pumps - Sizing | 0 | 0 | 219.211 | 216.2804 | 231.7858 | 240.8539 | 255.2346 | 258.5361 | 266.5414 | 272.2017 | 274.3416 | 273.4731 | 0 | 0 |
| 2-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72872 | 27.35799 | 29.31938 | 30.46638 | 32.28545 | 32.70305 | 33.71577 | 34.4316 | 34.70274 | 34.59305 | 34.43243 | 34.35191 |
| 2-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.8596 | 59.05931 | 63.29343 | 65.76968 | 69.69666 | 70.59796 | 72.78413 | 74.32964 | 74.9143 | 74.67676 | 74.33044 | 74.15752 |
| 2-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19292 | 43.60205 | 46.72803 | 48.55608 | 51.45538 | 52.12086 | 53.73483 | 54.87582 | 55.30766 | 55.13321 | 54.87616 | 54.74895 |
| 2-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65834 | 32.22171 | 34.53179 | 35.88277 | 38.02518 | 38.51698 | 39.70972 | 40.55294 | 40.87209 | 40.74326 | 0 | 0 |
| 2-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.415 | 58.62068 | 62.82331 | 65.28104 | 69.1786 | 70.07372 | 72.24357 | 73.77763 | 74.35778 | 74.12222 | 0 | 0 |
| 2-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09646 | 21.80101 | 23.36401 | 24.27796 | 25.72776 | 26.06039 | 26.86741 | 27.4379 | 27.65382 | 27.56674 | 0 | 0 |
| 2-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10059 | 28.71151 | 30.76994 | 31.97363 | 33.88272 | 34.32111 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29011 | 58.49745 | 62.69123 | 65.14381 | 69.03321 | 69.92645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81026 | 13.6256 | 14.6025 | 15.17365 | 16.07966 | 16.2876 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-402 | O&M/drives spinning machines | 0 | 0 | 162.9533 | 160.7749 | 172.301 | 179.0419 | 189.7321 | 192.1861 | 198.1372 | 202.3448 | 203.9358 | 203.2893 | 0 | 0 |
| 2-502 | Drying (UV/IR) | 0 | 0 | 304.794 | 300.7193 | 322.2783 | 334.8867 | 354.8818 | 359.4722 | 370.6026 | 378.473 | 0 | 0 | 0 | 0 |
| 2-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.085 | 109.5976 | 117.4555 | 122.0493 | 129.3388 | 131.0105 | 135.0672 | 137.9362 | 139.0209 | 138.5792 | 137.9339 | 137.6147 |
| 2-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16479 | 28.77486 | 30.8378 | 32.04415 | 33.95747 | 34.39676 | 35.46183 | 36.21476 | 36.49981 | 36.38486 | 36.21539 | 36.1308 |
| 2-703 | EMS - Chiller | 0 | 0 | 101.4154 | 100.0575 | 107.2315 | 111.4253 | 118.0805 | 119.6065 | 123.3101 | 125.9293 | 126.92 | 126.5164 | 0 | 0 |
| 2-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.71931 | 75.69368 | 81.12025 | 84.29397 | 89.32688 | 90.48225 | 93.28405 | 95.26495 | 96.01421 | 95.70993 | 0 | 0 |
| 2-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.70311 | 94.42172 | 101.1916 | 105.1491 | 111.4294 | 112.8695 | 116.3646 | 118.8362 | 119.7706 | 119.3902 | 118.8344 | 118.5596 |
| 2-706 | EMS Optimization - Chiller | 0 | 0 | 47.2119 | 46.58072 | 49.92022 | 51.87321 | 54.97021 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40226 | 94.12685 | 100.875 | 104.8215 | 111.0799 | 112.5167 | 116.0009 | 118.4641 | 119.3958 | 119.0179 | 0 | 0 |
| 2-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.89914 | 94.61711 | 101.4003 | 105.3674 | 111.6584 | 113.1028 | 116.605 | 119.0812 | 120.0175 | 119.6379 | 0 | 0 |
| 2-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28232 | 50.59674 | 54.22414 | 56.34559 | 59.7096 | 60.4821 | 62.35492 | 63.67899 | 64.17977 | 63.97729 | 0 | 0 |
| 2-710 | Roof Insulation - Chiller | 0 | 0 | 43.40805 | 42.82771 | 45.89813 | 47.69369 | 50.54143 | 51.19511 | 52.78049 | 53.90116 | 54.32546 | 54.15359 | 53.90143 | 53.7765 |
| 2-711 | Cool Roof - Chiller | 0 | 0 | 240.55 | 237.3341 | 254.3489 | 264.2997 | 280.0802 | 283.7031 | 292.4877 | 298.6991 | 301.0474 | 300.0945 | 298.7001 | 298.007 |
| 2-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.6687 | 49.99051 | 53.57469 | 55.67002 | 58.99489 | 59.75743 | 61.60787 | 62.91613 | 63.41119 | 63.20984 | 62.91562 | 62.76976 |
| 2-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.7868 | 334.2577 | 358.221 | 372.2357 | 394.4606 | 399.563 | 411.9348 | 420.6831 | 423.9906 | 422.6487 | 420.6845 | 419.7082 |
| 2-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2858 | 126.5709 | 135.6448 | 140.9516 | 149.3673 | 151.2994 | 155.9845 | 159.2969 | 160.5494 | 160.0418 | 159.2974 | 158.9278 |
| 2-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.6949 | 43.11075 | 46.20147 | 48.00898 | 50.87535 | 51.53345 | 53.12934 | 54.25742 | 54.6845 | 54.51184 | 0 | 0 |
| 2-725 | DX Coil Cleaning | 0 | 0 | 41.98353 | 41.42223 | 44.39191 | 46.12867 | 48.88284 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-726 | Optimize Controls | 0 | 0 | 43.6949 | 43.11075 | 46.20147 | 48.00898 | 50.87535 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-727 | Aerosole Duct Sealing | 0 | 0 | 87.5144 | 86.3445 | 92.53465 | 96.15484 | 101.8959 | 103.2138 | 106.41 | 108.6695 | 109.5243 | 109.1781 | 0 | 0 |
| 2-728 | Duct/Pipe Insulation | 0 | 0 | 87.93239 | 86.75687 | 92.97661 | 96.61416 | 102.3825 | 103.7068 | 106.9182 | 109.1887 | 110.0472 | 109.6992 | 0 | 0 |
| 2-729 | Window Film (Standard) | 0 | 0 | 45.0787 | 44.47606 | 47.66463 | 49.52943 | 52.48644 | 53.16546 | 54.81185 | 55.97561 | 56.41604 | 56.23822 | 0 | 0 |
| 2-730 | Roof Insulation | 0 | 0 | 39.84444 | 39.31174 | 42.13009 | 43.7783 | 46.39219 | 46.99226 | 48.44734 | 49.4762 | 49.86547 | 49.70798 | 49.47667 | 49.36186 |
| 2-731 | Cool Roof - DX | 0 | 0 | 219.821 | 216.8824 | 232.431 | 241.5244 | 255.9448 | 259.2556 | 267.2834 | 272.9594 | 275.1054 | 274.2348 | 272.9602 | 272.3272 |
| 2-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.859 | 210.0133 | 225.0695 | 233.8748 | 247.8387 | 251.0446 | 258.818 | 264.3143 | 266.3924 | 265.5485 | 264.3148 | 263.7017 |
| 2-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5457 | 493.8549 | 529.2595 | 549.9667 | 582.8012 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-803 | CFL Screw-in 18W | 0 | 0 | 500.5457 | 493.8549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-804 | High Bay T5 | 0 | 0 | 458.5974 | 452.4665 | 484.9044 | 503.8753 | 533.9604 | 540.8671 | 557.6134 | 569.4559 | 573.933 | 572.1162 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2-805 | Occupancy Sensor | 0 | 0 | 175.8298 | 173.4792 | 185.9161 | 193.1897 | 204.7245 | 207.3727 | 213.7938 | 218.3339 | 220.0505 | 0 | 0 | 0 |
| 2-901 | Replace V-belts | 0 | 0 | 0.552559 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2-902 | Membranes for wastewater | 0 | 0 | 100.6214 | 99.2762 | 106.3935 | 110.5559 | 117.1568 | 118.6722 | 122.3468 | 124.9449 | 125.9276 | 125.5283 | 124.9456 | 124.6555 |
| 3-101 | Compressed Air-O&M | 0 | 0 | 161.4581 | 159.2975 | 170.7185 | 177.3954 | 187.9897 | 190.4201 | 196.3165 | 200.4854 | 202.0617 | 201.4192 | 0 | 0 |
| 3-102 | Compressed Air - Controls | 0 | 0 | 121.4104 | 119.7857 | 128.3738 | 133.3947 | 141.3612 | 143.1887 | 147.6226 | 150.7575 | 151.9427 | 151.4597 | 0 | 0 |
| 3-103 | Compressed Air - System Optimization | 0 | 0 | 204.599 | 201.8611 | 216.3337 | 224.7946 | 238.2197 | 241.2993 | 248.7714 | 254.054 | 256.0513 | 255.238 | 0 | 0 |
| 3-104 | Compressed Air- Sizing | 0 | 0 | 87.59261 | 86.42044 | 92.61647 | 96.23872 | 101.9864 | 103.3047 | 106.5036 | 108.7652 | 109.6204 | 109.2722 | 0 | 0 |
| 3-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72903 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76413 | 58.9643 | 63.19182 | 65.66328 | 69.58475 | 70.48428 | 72.66709 | 74.20992 | 74.79362 | 74.55615 | 74.20956 | 74.03752 |
| 3-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19339 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65871 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.33819 | 58.54405 | 62.74147 | 65.19534 | 69.08903 | 69.98207 | 72.14921 | 73.68116 | 74.26077 | 74.02505 | 0 | 0 |
| 3-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10089 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31509 | 58.52126 | 62.71704 | 65.16994 | 69.06202 | 69.95483 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81039 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-201 | Fans - O&M | 0 | 0 | 18.59984 | 18.35093 | 19.66668 | 20.43572 | 21.65603 | 21.93613 | 22.61552 | 23.09553 | 23.27714 | 23.20386 | 0 | 0 |
| 3-202 | Fans - Controls | 0 | 0 | 356.3983 | 351.629 | 376.8393 | 391.578 | 414.9636 | 420.3279 | 433.3431 | 442.546 | 446.0247 | 444.6082 | 0 | 0 |
| 3-203 | Fans - System Optimization | 0 | 0 | 237.7391 | 234.5576 | 251.3744 | 261.2059 | 276.8057 | 280.3839 | 289.0661 | 295.2048 | 297.5255 | 296.58 | 0 | 0 |
| 3-204 | Fans- Improve components | 0 | 0 | 47.95292 | 47.31119 | 50.70325 | 52.68621 | 55.83285 | 56.55452 | 58.30582 | 59.5438 | 60.01235 | 59.82208 | 0 | 0 |
| 3-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72903 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.91938 | 59.11748 | 63.35598 | 65.83382 | 69.76551 | 70.66737 | 72.85583 | 74.4027 | 74.98794 | 74.75018 | 74.4023 | 74.22993 |
| 3-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19339 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65871 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47115 | 58.67522 | 62.88205 | 65.34139 | 69.24371 | 70.13881 | 72.31084 | 73.84618 | 74.42709 | 74.19092 | 0 | 0 |
| 3-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10089 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.36795 | 58.57341 | 62.77294 | 65.22805 | 69.12357 | 70.01713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81039 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-214 | Optimize drying process | 0 | 0 | 204.599 | 201.8611 | 216.3337 | 224.7946 | 238.2197 | 241.2993 | 248.7714 | 254.054 | 256.0513 | 255.238 | 0 | 0 |
| 3-301 | Pumps - O&M | 0 | 0 | 97.94633 | 96.63562 | 103.564 | 107.6143 | 114.0413 | 115.5156 | 119.0927 | 121.6217 | 122.5778 | 122.189 | 0 | 0 |
| 3-302 | Pumps - Controls | 0 | 0 | 343.1164 | 338.5248 | 362.7956 | 376.9851 | 399.4991 | 404.6636 | 417.1937 | 426.0537 | 429.4027 | 428.039 | 0 | 0 |
| 3-303 | Pumps - System Optimization | 0 | 0 | 395.097 | 389.8098 | 417.7575 | 434.0966 | 460.0214 | 465.9682 | 480.3965 | 490.5988 | 494.4554 | 492.8849 | 0 | 0 |
| 3-304 | Pumps - Sizing | 0 | 0 | 219.2133 | 216.2798 | 231.7861 | 240.8515 | 255.2353 | 258.535 | 266.5407 | 272.2008 | 274.3405 | 273.4693 | 0 | 0 |
| 3-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72903 | 27.3579 | 29.3194 | 30.46616 | 32.28566 | 32.70294 | 33.71564 | 34.43145 | 34.70251 | 34.59262 | 34.43118 | 34.35141 |
| 3-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86482 | 59.06365 | 63.29827 | 65.77387 | 69.70211 | 70.60301 | 72.78948 | 74.33494 | 74.91965 | 74.6821 | 74.33463 | 74.1624 |
| 3-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19339 | 43.60198 | 46.72808 | 48.55556 | 51.45541 | 52.12054 | 53.73461 | 54.87557 | 55.30732 | 55.13193 | 54.87514 | 54.74806 |
| 3-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65871 | 32.22163 | 34.53183 | 35.88235 | 38.0252 | 38.5168 | 39.70956 | 40.55273 | 40.87159 | 40.74243 | 0 | 0 |
| 3-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.4201 | 58.62487 | 62.82809 | 65.28533 | 69.18436 | 70.07863 | 72.24877 | 73.78281 | 74.36321 | 74.12723 | 0 | 0 |
| 3-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0967 | 21.80095 | 23.36404 | 24.27775 | 25.72762 | 26.06026 | 26.86726 | 27.43771 | 27.65369 | 27.56645 | 0 | 0 |
| 3-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10089 | 28.71143 | 30.76997 | 31.97347 | 33.8829 | 34.32083 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.2953 | 58.50171 | 62.69611 | 65.1482 | 69.03913 | 69.93146 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81039 | 13.62553 | 14.6025 | 15.17358 | 16.07972 | 16.28764 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-403 | Air conveying systems | 0 | 0 | 550.6501 | 543.281 | 582.2321 | 605.0039 | 641.1359 | 649.4238 | 669.5322 | 683.7521 | 689.1268 | 686.9381 | 683.7434 | 682.1604 |
| 3-404 | Replace V-Belts | 0 | 0 | 56.9502 | 56.18806 | 60.21658 | 62.57172 | 66.30862 | 67.16563 | 69.24564 | 70.71589 | 71.27193 | 71.04559 | 0 | 0 |
| 3-405 | Drives - EE motor | 0 | 0 | 32.91562 | 32.47509 | 34.80347 | 36.16471 | 38.32426 | 38.81987 | 40.02193 | 40.87185 | 41.19305 | 41.06305 | 0 | 0 |
| 3-503 | Heat Pumps - Drying | 0 | 0 | 245.8168 | 242.5273 | 259.9155 | 270.0811 | 286.2108 | 289.9106 | 298.8878 | 305.235 | 307.6344 | 306.6571 | 305.2315 | 304.5248 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.0969 | 109.6095 | 117.4682 | 122.0625 | 129.353 | 131.0246 | 135.0818 | 137.9511 | 139.0361 | 138.5942 | 137.9488 | 137.6296 |
| 3-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16563 | 28.77545 | 30.83854 | 32.04462 | 33.95815 | 34.39727 | 35.46247 | 36.21528 | 36.50021 | 36.38455 | 36.21561 | 36.13129 |
| 3-703 | EMS - Chiller | 0 | 0 | 101.4275 | 100.0695 | 107.2443 | 111.4386 | 118.0946 | 119.6207 | 123.3249 | 125.9444 | 126.9347 | 126.5316 | 0 | 0 |
| 3-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72157 | 75.69527 | 81.12221 | 84.29493 | 89.32868 | 90.48383 | 93.28576 | 95.26632 | 96.01514 | 95.71109 | 0 | 0 |
| 3-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71393 | 94.43239 | 101.203 | 105.161 | 111.442 | 112.8823 | 116.3778 | 118.8497 | 119.7842 | 119.4037 | 118.8479 | 118.573 |
| 3-706 | EMS Optimization - Chiller | 0 | 0 | 47.21335 | 46.58175 | 49.92141 | 51.87376 | 54.97147 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40511 | 94.12892 | 100.8774 | 104.8228 | 111.0824 | 112.5188 | 116.0031 | 118.466 | 119.3971 | 119.0182 | 0 | 0 |
| 3-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90192 | 94.61908 | 101.4027 | 105.3688 | 111.6611 | 113.1048 | 116.6072 | 119.083 | 120.0192 | 119.6384 | 0 | 0 |
| 3-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28383 | 50.59784 | 54.22544 | 56.34621 | 59.71108 | 60.48311 | 62.35601 | 63.67988 | 64.18064 | 63.97684 | 0 | 0 |
| 3-710 | Roof Insulation - Chiller | 0 | 0 | 43.40929 | 42.82853 | 45.89919 | 47.69425 | 50.54238 | 51.19585 | 52.78133 | 53.90192 | 54.32577 | 54.1543 | 53.90172 | 53.77667 |
| 3-711 | Cool Roof - Chiller | 0 | 0 | 240.5575 | 237.3396 | 254.3555 | 264.3036 | 280.0872 | 283.7087 | 292.4938 | 298.7042 | 301.0517 | 300.0963 | 298.7018 | 298.0096 |
| 3-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67352 | 49.99499 | 53.57959 | 55.67507 | 59.00031 | 59.76292 | 61.61349 | 62.92211 | 63.41735 | 63.21619 | 62.92157 | 62.7758 |
| 3-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.7996 | 334.2677 | 358.2326 | 372.2436 | 394.4729 | 399.5735 | 411.946 | 420.6928 | 423.9991 | 422.6541 | 420.6895 | 419.7144 |
| 3-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2906 | 126.5745 | 135.6492 | 140.9546 | 149.3716 | 151.3033 | 155.9886 | 159.3006 | 160.5525 | 160.0427 | 159.2993 | 158.9297 |
| 3-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69653 | 43.11206 | 46.20301 | 48.01012 | 50.87708 | 51.53496 | 53.13078 | 54.25878 | 54.6856 | 54.51285 | 0 | 0 |
| 3-725 | DX Coil Cleaning | 0 | 0 | 41.98502 | 41.42343 | 44.39328 | 46.12955 | 48.88403 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-726 | Optimize Controls | 0 | 0 | 43.69653 | 43.11206 | 46.20301 | 48.01012 | 50.87708 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-727 | Aerosole Duct Sealing | 0 | 0 | 87.5177 | 86.34708 | 92.53767 | 96.15688 | 101.8989 | 103.2166 | 106.413 | 108.6722 | 109.5264 | 109.179 | 0 | 0 |
| 3-728 | Duct/Pipe Insulation | 0 | 0 | 87.93564 | 86.75946 | 92.97961 | 96.61619 | 102.3857 | 103.7097 | 106.9212 | 109.1913 | 110.0496 | 109.7008 | 0 | 0 |
| 3-729 | Window Film (Standard) | 0 | 0 | 45.08038 | 44.47738 | 47.66617 | 49.53051 | 52.48811 | 53.16705 | 54.81341 | 55.97709 | 56.41721 | 56.23889 | 0 | 0 |
| 3-730 | Roof Insulation | 0 | 0 | 39.84588 | 39.31293 | 42.13146 | 43.77922 | 46.39362 | 46.99348 | 48.4487 | 49.4773 | 49.86631 | 49.70856 | 49.47736 | 49.36234 |
| 3-731 | Cool Roof - DX | 0 | 0 | 219.8297 | 216.8894 | 232.439 | 241.5302 | 255.9533 | 259.263 | 267.2912 | 272.9664 | 275.1117 | 274.2387 | 272.9643 | 272.3317 |
| 3-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8596 | 210.0122 | 225.0688 | 233.8716 | 247.8376 | 251.0422 | 258.8159 | 264.3112 | 266.3885 | 265.5432 | 264.3089 | 263.6962 |
| 3-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5442 | 493.8508 | 529.2564 | 549.9581 | 582.7974 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-803 | CFL Screw-in 18W | 0 | 0 | 500.5442 | 493.8508 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3-804 | High Bay T5 | 0 | 0 | 458.6021 | 452.4652 | 484.905 | 503.8705 | 533.962 | 540.8649 | 557.6119 | 569.4543 | 573.9306 | 572.108 | 0 | 0 |
| 3-805 | Occupancy Sensor | 0 | 0 | 175.8435 | 173.4903 | 185.9288 | 193.2006 | 204.7389 | 207.3855 | 213.8076 | 218.3479 | 220.0645 | 0 | 0 | 0 |
| 3-901 | Replace V-belts | 0 | 0 | 0.552559 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-101 | Compressed Air-O&M | 0 | 0 | 161.4597 | 159.298 | 170.7193 | 177.3965 | 187.9921 | 190.4217 | 196.3178 | 200.4882 | 202.0648 | 201.4218 | 0 | 0 |
| 4-102 | Compressed Air - Controls | 0 | 0 | 121.4116 | 119.7861 | 128.3745 | 133.3954 | 141.3627 | 143.1899 | 147.6235 | 150.7592 | 151.945 | 151.4618 | 0 | 0 |
| 4-103 | Compressed Air - System Optimization | 0 | 0 | 204.601 | 201.8617 | 216.3347 | 224.796 | 238.2225 | 241.3014 | 248.773 | 254.0573 | 256.0553 | 255.2404 | 0 | 0 |
| 4-104 | Compressed Air- Sizing | 0 | 0 | 87.5935 | 86.42073 | 92.61688 | 96.23913 | 101.9873 | 103.3056 | 106.5042 | 108.7667 | 109.622 | 109.2734 | 0 | 0 |
| 4-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72929 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76778 | 58.96752 | 63.19539 | 65.66702 | 69.5893 | 70.48849 | 72.67117 | 74.21462 | 74.79858 | 74.56119 | 74.21382 | 74.04173 |
| 4-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19386 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65901 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34187 | 58.54731 | 62.74506 | 65.19903 | 69.09318 | 69.98616 | 72.15328 | 73.68572 | 74.26548 | 74.02975 | 0 | 0 |
| 4-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09691 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10119 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.3187 | 58.52443 | 62.72055 | 65.17355 | 69.06617 | 69.95883 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81054 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-201 | Fans - O&M | 0 | 0 | 18.60005 | 18.35098 | 19.66675 | 20.43578 | 21.65642 | 21.93639 | 22.61565 | 23.09593 | 23.27773 | 23.20398 | 0 | 0 |
| 4-202 | Fans - Controls | 0 | 0 | 356.4018 | 351.6301 | 376.8411 | 391.5802 | 414.9685 | 420.3315 | 433.3462 | 442.5516 | 446.0316 | 444.6123 | 0 | 0 |
| 4-203 | Fans - System Optimization | 0 | 0 | 237.7501 | 234.5668 | 251.3847 | 261.2167 | 276.8183 | 280.3958 | 289.0784 | 295.2187 | 297.5403 | 296.5938 | 0 | 0 |
| 4-204 | Fans- Improve components | 0 | 0 | 47.95339 | 47.31132 | 50.70348 | 52.68649 | 55.83352 | 56.5549 | 58.30624 | 59.5447 | 60.01321 | 59.82297 | 0 | 0 |
| 4-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72929 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92315 | 59.1208 | 63.35967 | 65.83773 | 69.77018 | 70.67169 | 72.86008 | 74.40754 | 74.993 | 74.75504 | 74.40672 | 74.23424 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19386 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65901 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47484 | 58.67846 | 62.88564 | 65.34515 | 69.24799 | 70.14294 | 72.31492 | 73.85085 | 74.43182 | 74.19556 | 0 | 0 |
| 4-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09691 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10119 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37163 | 58.57663 | 62.77652 | 65.23176 | 69.12775 | 70.02124 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81054 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-301 | Pumps - O&M | 0 | 0 | 97.94731 | 96.63593 | 103.5645 | 107.615 | 114.0429 | 115.5165 | 119.0934 | 121.6232 | 122.5799 | 122.1903 | 0 | 0 |
| 4-302 | Pumps - Controls | 0 | 0 | 343.1198 | 338.5259 | 362.7974 | 376.9874 | 399.504 | 404.6671 | 417.1967 | 426.0591 | 429.4095 | 428.0434 | 0 | 0 |
| 4-303 | Pumps - System Optimization | 0 | 0 | 395.1009 | 389.811 | 417.7595 | 434.0991 | 460.0269 | 465.9721 | 480.4 | 490.605 | 494.463 | 492.8897 | 0 | 0 |
| 4-304 | Pumps - Sizing | 0 | 0 | 219.2155 | 216.2805 | 231.7872 | 240.8528 | 255.2387 | 258.5372 | 266.5425 | 272.2043 | 274.3452 | 273.4725 | 0 | 0 |
| 4-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72929 | 27.35801 | 29.31954 | 30.46616 | 32.2858 | 32.70311 | 33.71574 | 34.43195 | 34.70269 | 34.59293 | 34.43161 | 34.3522 |
| 4-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86848 | 59.06687 | 63.30187 | 65.77766 | 69.70631 | 70.60723 | 72.7936 | 74.33965 | 74.92443 | 74.68683 | 74.33884 | 74.16652 |
| 4-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19386 | 43.60209 | 46.72831 | 48.55584 | 51.45599 | 52.1211 | 53.73495 | 54.87634 | 55.30798 | 55.13232 | 54.87575 | 54.74861 |
| 4-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65901 | 32.22171 | 34.532 | 35.88259 | 38.02578 | 38.51724 | 39.70985 | 40.55334 | 40.87252 | 40.74301 | 0 | 0 |
| 4-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.4238 | 58.6281 | 62.83168 | 65.28909 | 69.18858 | 70.08275 | 72.25286 | 73.7875 | 74.36794 | 74.13187 | 0 | 0 |
| 4-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09691 | 21.80103 | 23.36414 | 24.2779 | 25.72812 | 26.06056 | 26.86743 | 27.4381 | 27.65427 | 27.56691 | 0 | 0 |
| 4-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10119 | 28.7115 | 30.77012 | 31.97349 | 33.88323 | 34.32119 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.2989 | 58.5049 | 62.69962 | 65.1517 | 69.04311 | 69.9353 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81054 | 13.62561 | 14.60258 | 15.17362 | 16.08002 | 16.28787 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-405 | Drives - EE motor | 0 | 0 | 28.94565 | 28.55805 | 30.60566 | 31.80261 | 33.70216 | 34.13779 | 35.1948 | 35.94222 | 36.2252 | 36.1102 | 0 | 0 |
| 4-406 | Gap Forming papermachine | 0 | 0 | 78.30302 | 77.25461 | 82.79364 | 86.03179 | 91.17033 | 92.34862 | 95.20806 | 97.23046 | 97.99523 | 97.68344 | 97.22925 | 97.00414 |
| 4-407 | High Consistency forming | 0 | 0 | 75.11116 | 74.1055 | 79.41872 | 82.52486 | 87.45405 | 88.58414 | 91.32713 | 93.26698 | 94.00065 | 93.70193 | 93.26559 | 93.04985 |
| 4-408 | Optimization control PM | 0 | 0 | 47.21562 | 46.58345 | 49.9234 | 51.87595 | 54.97459 | 55.68501 | 57.40915 | 58.62855 | 59.09008 | 58.90204 | 0 | 0 |
| 4-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1045 | 109.6169 | 117.4762 | 122.0708 | 129.3618 | 131.0336 | 135.091 | 137.9605 | 139.0456 | 138.6036 | 137.9582 | 137.639 |
| 4-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16629 | 28.77583 | 30.83902 | 32.04498 | 33.95887 | 34.39788 | 35.46302 | 36.2161 | 36.50106 | 36.38556 | 36.21599 | 36.13205 |
| 4-703 | EMS - Chiller | 0 | 0 | 101.4351 | 100.077 | 107.2523 | 111.447 | 118.1035 | 119.6297 | 123.3341 | 125.9538 | 126.9442 | 126.5411 | 0 | 0 |
| 4-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.7234 | 75.69647 | 81.12366 | 84.29641 | 89.3308 | 90.48563 | 93.28753 | 95.26882 | 96.01812 | 95.71326 | 0 | 0 |
| 4-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.72067 | 94.43904 | 101.2101 | 105.1684 | 111.45 | 112.8902 | 116.386 | 118.858 | 119.7928 | 119.4121 | 118.8562 | 118.5813 |
| 4-706 | EMS Optimization - Chiller | 0 | 0 | 47.21447 | 46.58243 | 49.92227 | 51.87467 | 54.97305 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40738 | 94.13029 | 100.8792 | 104.8246 | 111.0851 | 112.521 | 116.0053 | 118.469 | 119.4006 | 119.0212 | 0 | 0 |
| 4-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90434 | 94.62062 | 101.4046 | 105.3707 | 111.6637 | 113.1071 | 116.6095 | 119.086 | 120.0223 | 119.6414 | 0 | 0 |
| 4-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28506 | 50.59853 | 54.22635 | 56.3471 | 59.71249 | 60.48431 | 62.35719 | 63.68134 | 64.18266 | 63.97955 | 0 | 0 |
| 4-710 | Roof Insulation - Chiller | 0 | 0 | 43.41037 | 42.8293 | 45.90003 | 47.69518 | 50.54375 | 51.19698 | 52.78246 | 53.90333 | 54.32742 | 54.15488 | 53.90305 | 53.77834 |
| 4-711 | Cool Roof - Chiller | 0 | 0 | 240.5633 | 237.3432 | 254.36 | 264.3083 | 280.0939 | 283.7143 | 292.4995 | 298.7117 | 301.0605 | 300.1037 | 298.7073 | 298.0163 |
| 4-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67603 | 49.99746 | 53.58223 | 55.67783 | 59.00323 | 59.76587 | 61.61652 | 62.92522 | 63.42048 | 63.21933 | 62.92468 | 62.77892 |
| 4-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8087 | 334.2737 | 358.2399 | 372.2513 | 394.4836 | 399.5825 | 411.9554 | 420.7049 | 424.0126 | 422.6649 | 420.6986 | 419.7252 |
| 4-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.294 | 126.5768 | 135.6519 | 140.9575 | 149.3759 | 151.3069 | 155.9921 | 159.3051 | 160.5577 | 160.0472 | 159.303 | 158.9343 |
| 4-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69774 | 43.11286 | 46.20392 | 48.01099 | 50.87849 | 51.5361 | 53.13189 | 54.26031 | 54.68728 | 54.51398 | 0 | 0 |
| 4-725 | DX Coil Cleaning | 0 | 0 | 41.98618 | 41.42418 | 44.39418 | 46.13041 | 48.8856 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-726 | Optimize Controls | 0 | 0 | 43.69774 | 43.11286 | 46.20392 | 48.01099 | 50.87849 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-727 | Aerosole Duct Sealing | 0 | 0 | 87.52014 | 86.34868 | 92.53963 | 96.15893 | 101.902 | 103.219 | 106.4153 | 108.6752 | 109.5298 | 109.1824 | 0 | 0 |
| 4-728 | Duct/Pipe Insulation | 0 | 0 | 87.93813 | 86.76106 | 92.98157 | 96.6181 | 102.3886 | 103.7119 | 106.9235 | 109.1942 | 110.0529 | 109.7037 | 0 | 0 |
| 4-729 | Window Film (Standard) | 0 | 0 | 45.08167 | 44.47823 | 47.66719 | 49.53143 | 52.4896 | 53.16816 | 54.81454 | 55.97869 | 56.41894 | 56.23996 | 0 | 0 |
| 4-730 | Roof Insulation | 0 | 0 | 39.84705 | 39.31366 | 42.13237 | 43.78013 | 46.39481 | 46.99464 | 48.44978 | 49.47878 | 49.86785 | 49.70987 | 49.47836 | 49.36385 |
| 4-731 | Cool Roof - DX | 0 | 0 | 219.836 | 216.8935 | 232.444 | 241.5352 | 255.9605 | 259.269 | 267.2975 | 272.9743 | 275.1206 | 274.2463 | 272.9701 | 272.3389 |
| 4-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8623 | 210.013 | 225.0703 | 233.8731 | 247.841 | 251.0444 | 258.8182 | 264.315 | 266.3933 | 265.5464 | 264.3109 | 263.6995 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5511 | 493.8522 | 529.2595 | 549.9595 | 582.8043 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-803 | CFL Screw-in 18W | 0 | 0 | 500.5511 | 493.8522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4-804 | High Bay T5 | 0 | 0 | 458.6067 | 452.4666 | 484.9074 | 503.8733 | 533.9684 | 540.8693 | 557.616 | 569.4617 | 573.9393 | 572.1134 | 0 | 0 |
| 4-805 | Occupancy Sensor | 0 | 0 | 175.8533 | 173.4987 | 185.9383 | 193.2104 | 204.7504 | 207.3966 | 213.8186 | 218.3602 | 220.0774 | 0 | 0 | 0 |
| 4-901 | Replace V-belts | 0 | 0 | 0.552559 | 0.545143 | 0.584246 | 0.606941 | 0.643341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-101 | Compressed Air-O&M | 0 | 0 | 161.4592 | 159.2979 | 170.7191 | 177.3961 | 187.9909 | 190.4207 | 196.3173 | 200.4868 | 202.0631 | 201.421 | 0 | 0 |
| 5-102 | Compressed Air - Controls | 0 | 0 | 121.4112 | 119.786 | 128.3743 | 133.395 | 141.362 | 143.1893 | 147.6231 | 150.7586 | 151.944 | 151.4615 | 0 | 0 |
| 5-103 | Compressed Air - System Optimization | 0 | 0 | 204.6004 | 201.8615 | 216.3344 | 224.7954 | 238.2214 | 241.3004 | 248.7725 | 254.056 | 256.0538 | 255.2396 | 0 | 0 |
| 5-104 | Compressed Air- Sizing | 0 | 0 | 87.59322 | 86.42062 | 92.61678 | 96.23902 | 101.9868 | 103.305 | 106.504 | 108.7659 | 109.6215 | 109.2731 | 0 | 0 |
| 5-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76666 | 58.96641 | 63.19422 | 65.66579 | 69.58799 | 70.48717 | 72.66982 | 74.21325 | 74.79719 | 74.55978 | 74.21243 | 74.04036 |
| 5-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34076 | 58.5462 | 62.74388 | 65.19779 | 69.0919 | 69.98485 | 72.15192 | 73.68435 | 74.26409 | 74.02835 | 0 | 0 |
| 5-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31764 | 58.5234 | 62.71944 | 65.1724 | 69.06495 | 69.9576 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-201 | Fans - O&M | 0 | 0 | 18.60001 | 18.35098 | 19.66673 | 20.43578 | 21.65644 | 21.93633 | 22.61567 | 23.09572 | 23.27798 | 23.20407 | 0 | 0 |
| 5-202 | Fans - Controls | 0 | 0 | 356.4008 | 351.6299 | 376.8406 | 391.5794 | 414.9664 | 420.3299 | 433.3451 | 442.5494 | 446.0289 | 444.6106 | 0 | 0 |
| 5-203 | Fans - System Optimization | 0 | 0 | 237.7471 | 234.5639 | 251.3816 | 261.2135 | 276.8149 | 280.3923 | 289.0748 | 295.215 | 297.5365 | 296.5902 | 0 | 0 |
| 5-204 | Fans- Improve components | 0 | 0 | 47.95323 | 47.31128 | 50.7034 | 52.68632 | 55.83318 | 56.55475 | 58.30599 | 59.54424 | 60.01261 | 59.82257 | 0 | 0 |
| 5-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92202 | 59.11969 | 63.35849 | 65.83648 | 69.76887 | 70.67037 | 72.85871 | 74.40615 | 74.9916 | 74.75363 | 74.40533 | 74.23283 |
| 5-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47372 | 58.67736 | 62.88446 | 65.34393 | 69.24668 | 70.14162 | 72.31356 | 73.84946 | 74.43041 | 74.19415 | 0 | 0 |
| 5-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37051 | 58.57553 | 62.77533 | 65.23052 | 69.12646 | 70.01991 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-301 | Pumps - O&M | 0 | 0 | 97.94701 | 96.63582 | 103.5644 | 107.6149 | 114.0419 | 115.5162 | 119.0932 | 121.6225 | 122.5788 | 122.1899 | 0 | 0 |
| 5-302 | Pumps - Controls | 0 | 0 | 343.1187 | 338.5256 | 362.7968 | 376.9864 | 399.5018 | 404.6655 | 417.1956 | 426.0568 | 429.4065 | 428.0416 | 0 | 0 |
| 5-303 | Pumps - System Optimization | 0 | 0 | 395.0996 | 389.8107 | 417.7589 | 434.0981 | 460.0243 | 465.9703 | 480.3987 | 490.6024 | 494.4594 | 492.8878 | 0 | 0 |
| 5-304 | Pumps - Sizing | 0 | 0 | 219.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2372 | 258.5362 | 266.5419 | 272.2031 | 274.3436 | 273.4708 | 0 | 0 |
| 5-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.7292 | 27.35799 | 29.3195 | 30.46609 | 32.2858 | 32.703 | 33.71571 | 34.43177 | 34.70267 | 34.59293 | 34.43149 | 34.35187 |
| 5-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86743 | 59.06583 | 63.30077 | 65.77651 | 69.70509 | 70.606 | 72.79234 | 74.33837 | 74.92312 | 74.68552 | 74.33755 | 74.16521 |
| 5-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1937 | 43.60208 | 46.72821 | 48.55576 | 51.456 | 52.12093 | 53.73485 | 54.87606 | 55.30807 | 55.13235 | 54.87547 | 54.74867 |
| 5-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65891 | 32.22169 | 34.53193 | 35.8825 | 38.02558 | 38.51711 | 39.7098 | 40.55322 | 40.87238 | 40.74277 | 0 | 0 |
| 5-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42276 | 58.62708 | 62.83058 | 65.28793 | 69.18736 | 70.08153 | 72.25161 | 73.7862 | 74.36666 | 74.13058 | 0 | 0 |
| 5-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09682 | 21.801 | 23.36412 | 24.27794 | 25.72791 | 26.06046 | 26.86742 | 27.43798 | 27.65401 | 27.56665 | 0 | 0 |
| 5-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10109 | 28.71149 | 30.77007 | 31.97347 | 33.88304 | 34.32106 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29787 | 58.50388 | 62.69852 | 65.15055 | 69.04191 | 69.93407 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.8105 | 13.62557 | 14.60254 | 15.17358 | 16.07993 | 16.28777 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-409 | Efficient practices printing press | 0 | 0 | 96.916 | 95.61862 | 102.4742 | 106.4822 | 112.8417 | 114.3002 | 117.8396 | 120.3423 | 121.2887 | 120.9037 | 120.3409 | 120.0624 |
| 5-410 | Efficient Printing press (fewer cylinders) | 0 | 0 | 219.2147 | 216.2802 | 231.7869 | 240.8524 | 255.2372 | 258.5362 | 266.5419 | 272.2031 | 274.3436 | 273.4708 | 0 | 0 |
| 5-411 | Light cylinders | 0 | 0 | 100.0763 | 98.7366 | 105.8158 | 109.9544 | 116.5215 | 118.0274 | 121.6821 | 124.2664 | 125.2436 | 124.8463 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5-412 | Efficient drives | 0 | 0 | 33.0339 | 32.59165 | 34.92843 | 36.29447 | 38.46215 | 38.9593 | 40.1657 | 41.01871 | 41.34151 | 41.21072 | 0 | 0 |
| 5-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1023 | 109.6148 | 117.4739 | 122.0684 | 129.3593 | 131.031 | 135.0883 | 137.9578 | 139.0429 | 138.6009 | 137.9555 | 137.6363 |
| 5-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16615 | 28.7758 | 30.83894 | 32.04514 | 33.95878 | 34.39778 | 35.46302 | 36.21603 | 36.50079 | 36.38541 | 36.21591 | 36.13191 |
| 5-703 | EMS - Chiller | 0 | 0 | 101.433 | 100.0749 | 107.25 | 111.4446 | 118.1009 | 119.6272 | 123.3315 | 125.9511 | 126.9415 | 126.5384 | 0 | 0 |
| 5-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72315 | 75.6964 | 81.12357 | 84.29626 | 89.3306 | 90.48544 | 93.28736 | 95.26842 | 96.01759 | 95.71326 | 0 | 0 |
| 5-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71878 | 94.43718 | 101.2081 | 105.1663 | 111.4478 | 112.888 | 116.3837 | 118.8557 | 119.7904 | 119.4098 | 118.8539 | 118.579 |
| 5-706 | EMS Optimization - Chiller | 0 | 0 | 47.21423 | 46.58239 | 49.92218 | 51.87461 | 54.97276 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.407 | 94.13023 | 100.879 | 104.8245 | 111.0847 | 112.5208 | 116.0051 | 118.4685 | 119.4 | 119.0212 | 0 | 0 |
| 5-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90395 | 94.62051 | 101.4044 | 105.3705 | 111.6633 | 113.1069 | 116.6093 | 119.0856 | 120.0219 | 119.6411 | 0 | 0 |
| 5-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.2849 | 50.59856 | 54.22628 | 56.34704 | 59.71237 | 60.48402 | 62.35712 | 63.68122 | 64.18229 | 63.97867 | 0 | 0 |
| 5-710 | Roof Insulation - Chiller | 0 | 0 | 43.41017 | 42.8292 | 45.89991 | 47.69502 | 50.54356 | 51.1969 | 52.78225 | 53.90304 | 54.3272 | 54.15454 | 53.90302 | 53.77757 |
| 5-711 | Cool Roof - Chiller | 0 | 0 | 240.5623 | 237.3431 | 254.3596 | 264.3079 | 280.0928 | 283.7136 | 292.4989 | 298.7104 | 301.0588 | 300.1024 | 298.7067 | 298.0153 |
| 5-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67543 | 49.99687 | 53.58159 | 55.67718 | 59.00253 | 59.76516 | 61.61579 | 62.92448 | 63.41973 | 63.21857 | 62.92393 | 62.77815 |
| 5-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8075 | 334.2735 | 358.2395 | 372.2508 | 394.4821 | 399.5817 | 411.9545 | 420.7032 | 424.0103 | 422.6633 | 420.6981 | 419.7241 |
| 5-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2936 | 126.5768 | 135.6518 | 140.9573 | 149.3755 | 151.3065 | 155.9919 | 159.3043 | 160.5569 | 160.0465 | 159.3029 | 158.9336 |
| 5-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69759 | 43.11286 | 46.20389 | 48.01098 | 50.87822 | 51.53589 | 53.1318 | 54.25997 | 54.68682 | 54.51334 | 0 | 0 |
| 5-725 | DX Coil Cleaning | 0 | 0 | 41.98706 | 41.42375 | 44.39563 | 46.13193 | 48.88442 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-726 | Optimize Controls | 0 | 0 | 43.6986 | 43.11236 | 46.20541 | 48.01248 | 50.8772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-727 | Aerosole Duct Sealing | 0 | 0 | 87.52185 | 86.34764 | 92.54255 | 96.16182 | 101.8996 | 103.2149 | 106.4121 | 108.6718 | 109.5303 | 109.185 | 0 | 0 |
| 5-728 | Duct/Pipe Insulation | 0 | 0 | 87.93982 | 86.76003 | 92.9845 | 96.621 | 102.3863 | 103.7077 | 106.9202 | 109.1906 | 110.0535 | 109.7067 | 0 | 0 |
| 5-729 | Window Film (Standard) | 0 | 0 | 45.08249 | 44.47765 | 47.66866 | 49.53288 | 52.48849 | 53.16592 | 54.8128 | 55.9768 | 56.41909 | 56.24112 | 0 | 0 |
| 5-730 | Roof Insulation | 0 | 0 | 39.84776 | 39.31314 | 42.13365 | 43.78143 | 46.39375 | 46.99257 | 48.44831 | 49.47706 | 49.86817 | 49.71127 | 49.47661 | 49.36572 |
| 5-731 | Cool Roof - DX | 0 | 0 | 219.8402 | 216.8908 | 232.4513 | 241.5424 | 255.9544 | 259.2584 | 267.2892 | 272.9654 | 275.1213 | 274.253 | 272.962 | 272.3479 |
| 5-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8662 | 210.0103 | 225.0771 | 233.8799 | 247.8348 | 251.0338 | 258.81 | 264.3063 | 266.394 | 265.5533 | 264.3031 | 263.7085 |
| 5-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5602 | 493.8457 | 529.2756 | 549.9757 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-803 | CFL Screw-in 18W | 0 | 0 | 500.5602 | 493.8457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-804 | High Bay T5 | 0 | 0 | 458.6158 | 452.4609 | 484.9226 | 503.8879 | 533.955 | 540.8459 | 557.5986 | 569.4427 | 573.9409 | 572.1276 | 0 | 0 |
| 5-805 | Occupancy Sensor | 0 | 0 | 175.8546 | 173.494 | 185.9415 | 193.2134 | 204.7431 | 207.3852 | 213.8091 | 218.3506 | 220.076 | 0 | 0 | 0 |
| 5-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-101 | Compressed Air-O&M | 0 | 0 | 161.4635 | 159.2961 | 170.7249 | 177.402 | 187.988 | 190.4138 | 196.3121 | 200.4821 | 202.066 | 201.427 | 0 | 0 |
| 6-102 | Compressed Air - Controls | 0 | 0 | 121.4145 | 119.7847 | 128.3787 | 133.3995 | 141.3599 | 143.184 | 147.6193 | 150.755 | 151.9463 | 151.4661 | 0 | 0 |
| 6-103 | Compressed Air - System Optimization | 0 | 0 | 204.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 6-104 | Compressed Air- Sizing | 0 | 0 | 87.59557 | 86.41975 | 92.61996 | 96.24213 | 101.9853 | 103.3013 | 106.5012 | 108.7636 | 109.6228 | 109.2768 | 0 | 0 |
| 6-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 6-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.77055 | 58.9682 | 63.19894 | 65.67062 | 69.58953 | 70.48735 | 72.67079 | 74.21429 | 74.801 | 74.565 | 74.21349 | 74.04626 |
| 6-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34463 | 58.54799 | 62.74859 | 65.20261 | 69.09342 | 69.98505 | 72.15292 | 73.68539 | 74.26791 | 74.03354 | 0 | 0 |
| 6-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.32145 | 58.52512 | 62.72408 | 65.17712 | 69.06641 | 69.95771 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-201 | Fans - O&M | 0 | 0 | 18.60048 | 18.35078 | 19.66741 | 20.43642 | 21.65598 | 21.93556 | 22.61504 | 23.09527 | 23.27807 | 23.20494 | 0 | 0 |
| 6-202 | Fans - Controls | 0 | 0 | 356.4102 | 351.626 | 376.8536 | 391.5923 | 414.9595 | 420.3144 | 433.3337 | 442.5387 | 446.035 | 444.6244 | 0 | 0 |
| 6-203 | Fans - System Optimization | 0 | 0 | 237.7595 | 234.568 | 251.3972 | 261.2293 | 276.8174 | 280.3895 | 289.0749 | 295.2153 | 297.5479 | 296.607 | 0 | 0 |
| 6-204 | Fans- Improve components | 0 | 0 | 47.95452 | 47.31076 | 50.70515 | 52.68811 | 55.83217 | 56.55274 | 58.30452 | 59.54293 | 60.01342 | 59.82434 | 0 | 0 |
| 6-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92592 | 59.12149 | 63.36323 | 65.84134 | 69.77041 | 70.67056 | 72.8597 | 74.40719 | 74.99543 | 74.75888 | 74.40639 | 74.23874 |
| 6-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.4776 | 58.67914 | 62.88918 | 65.34872 | 69.24822 | 70.14182 | 72.31454 | 73.85052 | 74.43424 | 74.19934 | 0 | 0 |
| 6-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37439 | 58.57732 | 62.78005 | 65.23535 | 69.128 | 70.02013 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-301 | Pumps - O&M | 0 | 0 | 97.94963 | 96.63483 | 103.5679 | 107.6184 | 114.0403 | 115.5118 | 119.0899 | 121.6196 | 122.5808 | 122.1935 | 0 | 0 |
| 6-302 | Pumps - Controls | 0 | 0 | 343.1279 | 338.5219 | 362.8094 | 376.9988 | 399.495 | 404.6505 | 417.1846 | 426.0466 | 429.4125 | 428.0555 | 0 | 0 |
| 6-303 | Pumps - System Optimization | 0 | 0 | 395.1102 | 389.8065 | 417.7734 | 434.1125 | 460.0168 | 465.953 | 480.386 | 490.5907 | 494.4666 | 492.9034 | 0 | 0 |
| 6-304 | Pumps - Sizing | 0 | 0 | 219.2206 | 216.2779 | 231.7949 | 240.8603 | 255.233 | 258.5266 | 266.5349 | 272.1964 | 274.347 | 273.4794 | 0 | 0 |
| 6-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 6-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.87125 | 59.06754 | 63.30541 | 65.78125 | 69.70652 | 70.60609 | 72.79321 | 74.3393 | 74.92684 | 74.69064 | 74.3385 | 74.17099 |
| 6-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 6-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 6-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42656 | 58.62878 | 62.83521 | 65.29266 | 69.1888 | 70.08165 | 72.25249 | 73.78716 | 74.37037 | 74.13565 | 0 | 0 |
| 6-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 6-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.30165 | 58.50557 | 62.70314 | 65.15527 | 69.04336 | 69.93419 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-413 | Clean Room - Controls | 0 | 0 | 96.91859 | 95.61763 | 102.4778 | 106.4855 | 112.8398 | 114.296 | 117.8364 | 120.3395 | 121.2903 | 120.9072 | 0 | 0 |
| 6-414 | Clean Room - New Designs | 0 | 0 | 363.4447 | 358.566 | 384.2915 | 399.3211 | 423.1497 | 428.61 | 441.8863 | 451.2731 | 454.8383 | 453.4001 | 0 | 0 |
| 6-415 | Drives - Process Controls (batch + site) | 0 | 0 | 76.72725 | 75.6973 | 81.12825 | 84.30116 | 89.33173 | 90.48436 | 93.28731 | 95.26875 | 96.02164 | 95.71829 | 0 | 0 |
| 6-416 | Process Drives - ASD | 0 | 0 | 5.342791 | 5.271069 | 5.649244 | 5.870094 | 6.220428 | 6.30069 | 6.495964 | 6.633759 | 6.686562 | 6.665237 | 0 | 0 |
| 6-601 | Other Process Controls (batch + site) | 0 | 0 | 76.72725 | 75.6973 | 81.12825 | 84.30116 | 89.33173 | 90.48436 | 93.28731 | 95.26875 | 96.02164 | 95.71829 | 0 | 0 |
| 6-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1105 | 109.619 | 117.4837 | 122.0784 | 129.3633 | 131.0325 | 135.0913 | 137.9609 | 139.0512 | 138.6118 | 137.9587 | 137.6484 |
| 6-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16726 | 28.77568 | 30.84028 | 32.04636 | 33.95869 | 34.39694 | 35.46244 | 36.21552 | 36.50185 | 36.38702 | 36.21541 | 36.13382 |
| 6-703 | EMS - Chiller | 0 | 0 | 101.4408 | 100.0792 | 107.2594 | 111.4542 | 118.105 | 119.629 | 123.3347 | 125.9545 | 126.9496 | 126.5488 | 0 | 0 |
| 6-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72603 | 75.69612 | 81.12697 | 84.29984 | 89.33033 | 90.48294 | 93.28584 | 95.26723 | 96.02012 | 95.71677 | 0 | 0 |
| 6-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.72594 | 94.44095 | 101.2167 | 105.1751 | 111.4513 | 112.8894 | 116.3863 | 118.8585 | 119.7977 | 119.4193 | 118.8567 | 118.5895 |
| 6-706 | EMS Optimization - Chiller | 0 | 0 | 47.21605 | 46.58221 | 49.92432 | 51.87675 | 54.9724 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.4106 | 94.12986 | 100.8833 | 104.8287 | 111.0843 | 112.5175 | 116.003 | 118.4671 | 119.4032 | 119.0257 | 0 | 0 |
| 6-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90755 | 94.62015 | 101.4087 | 105.3748 | 111.6628 | 113.1037 | 116.6072 | 119.084 | 120.0253 | 119.646 | 0 | 0 |
| 6-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28685 | 50.59837 | 54.22861 | 56.34935 | 59.71189 | 60.48247 | 62.356 | 63.68053 | 64.18394 | 63.98163 | 0 | 0 |
| 6-710 | Roof Insulation - Chiller | 0 | 0 | 43.41187 | 42.82909 | 45.90194 | 47.6971 | 50.54334 | 51.19557 | 52.78138 | 53.9025 | 54.32862 | 54.15738 | 53.9019 | 53.78053 |
| 6-711 | Cool Roof - Chiller | 0 | 0 | 240.5715 | 237.3422 | 254.3705 | 264.3188 | 280.0912 | 283.7057 | 292.4938 | 298.7068 | 301.0669 | 300.1155 | 298.7017 | 298.0303 |
| 6-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67833 | 49.998 | 53.58519 | 55.68083 | 59.00336 | 59.76486 | 61.61615 | 62.92487 | 63.42246 | 63.2225 | 62.92435 | 62.78265 |
| 6-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8207 | 334.2726 | 358.2551 | 372.2666 | 394.4804 | 399.571 | 411.9478 | 420.6986 | 424.0223 | 422.6819 | 420.6913 | 419.746 |
| 6-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2987 | 126.5765 | 135.6578 | 140.9633 | 149.3751 | 151.3025 | 155.9893 | 159.3028 | 160.5616 | 160.054 | 159.3005 | 158.9422 |
| 6-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69934 | 43.11275 | 46.20591 | 48.01298 | 50.87793 | 51.53453 | 53.13089 | 54.25936 | 54.68833 | 54.51569 | 0 | 0 |
| 6-725 | DX Coil Cleaning | 0 | 0 | 41.98771 | 41.4241 | 44.39612 | 46.13235 | 48.88537 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-726 | Optimize Controls | 0 | 0 | 43.69934 | 43.11275 | 46.20591 | 48.01298 | 50.87793 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-727 | Aerosole Duct Sealing | 0 | 0 | 87.52333 | 86.34855 | 92.54362 | 96.16296 | 101.9016 | 103.2164 | 106.4135 | 108.674 | 109.5326 | 109.1865 | 0 | 0 |
| 6-728 | Duct/Pipe Insulation | 0 | 0 | 87.94133 | 86.76091 | 92.98561 | 96.62216 | 102.3881 | 103.7093 | 106.9217 | 109.1929 | 110.0559 | 109.708 | 0 | 0 |
| 6-729 | Window Film (Standard) | 0 | 0 | 45.08319 | 44.47806 | 47.66917 | 49.53347 | 52.48922 | 53.16669 | 54.81352 | 55.97787 | 56.42017 | 56.24197 | 0 | 0 |
| 6-730 | Roof Insulation | 0 | 0 | 39.84842 | 39.31349 | 42.13412 | 43.78184 | 46.39448 | 46.99335 | 48.44891 | 49.47803 | 49.86907 | 49.71201 | 49.47754 | 49.36588 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6-731 | Cool Roof - DX | 0 | 0 | 219.8438 | 216.8929 | 232.4539 | 241.5453 | 255.9593 | 259.2624 | 267.2928 | 272.9708 | 275.1275 | 274.2569 | 272.9664 | 272.3528 |
| 6-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8683 | 210.0109 | 225.0782 | 233.8809 | 247.8371 | 251.0355 | 258.8115 | 264.309 | 266.3972 | 265.5555 | 264.3045 | 263.7105 |
| 6-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5659 | 493.8474 | 529.2786 | 549.9786 | 582.7966 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-803 | CFL Screw-in 18W | 0 | 0 | 500.5659 | 493.8474 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6-804 | High Bay T5 | 0 | 0 | 458.6175 | 452.4613 | 484.9234 | 503.8887 | 533.9566 | 540.8473 | 557.6 | 569.4449 | 573.9435 | 572.1289 | 0 | 0 |
| 6-805 | Occupancy Sensor | 0 | 0 | 175.861 | 173.5003 | 185.9482 | 193.2205 | 204.7504 | 207.3927 | 213.8169 | 218.3586 | 220.084 | 0 | 0 | 0 |
| 7-101 | Compressed Air-O&M | 0 | 0 | 161.4635 | 159.2961 | 170.7249 | 177.402 | 187.988 | 190.4138 | 196.3121 | 200.4821 | 202.066 | 201.427 | 0 | 0 |
| 7-102 | Compressed Air - Controls | 0 | 0 | 121.4145 | 119.7847 | 128.3787 | 133.3995 | 141.3599 | 143.184 | 147.6193 | 150.755 | 151.9463 | 151.4661 | 0 | 0 |
| 7-103 | Compressed Air - System Optimization | 0 | 0 | 204.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 7-104 | Compressed Air- Sizing | 0 | 0 | 87.59557 | 86.41975 | 92.61996 | 96.24213 | 101.9853 | 103.3013 | 106.5012 | 108.7636 | 109.6228 | 109.2768 | 0 | 0 |
| 7-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.77063 | 58.96828 | 63.19904 | 65.67072 | 69.58964 | 70.48746 | 72.6709 | 74.21439 | 74.80112 | 74.56512 | 74.21361 | 74.04636 |
| 7-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34472 | 58.54807 | 62.74868 | 65.2027 | 69.09351 | 69.98515 | 72.15302 | 73.68549 | 74.26801 | 74.03366 | 0 | 0 |
| 7-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.32154 | 58.52521 | 62.72417 | 65.17723 | 69.06652 | 69.95782 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-114 | Power recovery | 0 | 0 | 9.276852 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-115 | Refinery Controls | 0 | 0 | 23.30949 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-201 | Fans - O&M | 0 | 0 | 18.60048 | 18.35078 | 19.66741 | 20.43642 | 21.65598 | 21.93556 | 22.61504 | 23.09527 | 23.27807 | 23.20494 | 0 | 0 |
| 7-202 | Fans - Controls | 0 | 0 | 356.4102 | 351.626 | 376.8536 | 391.5923 | 414.9595 | 420.3144 | 433.3337 | 442.5387 | 446.035 | 444.6244 | 0 | 0 |
| 7-203 | Fans - System Optimization | 0 | 0 | 237.7597 | 234.5681 | 251.3973 | 261.2295 | 276.8176 | 280.3897 | 289.0751 | 295.2155 | 297.5481 | 296.6072 | 0 | 0 |
| 7-204 | Fans- Improve components | 0 | 0 | 47.95452 | 47.31076 | 50.70515 | 52.68811 | 55.83217 | 56.55274 | 58.30452 | 59.54293 | 60.01342 | 59.82434 | 0 | 0 |
| 7-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.926 | 59.12157 | 63.3633 | 65.84142 | 69.7705 | 70.67065 | 72.85979 | 74.40728 | 74.99552 | 74.75897 | 74.40648 | 74.23883 |
| 7-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47769 | 58.67923 | 62.88927 | 65.34883 | 69.24833 | 70.14194 | 72.31465 | 73.85064 | 74.43436 | 74.19943 | 0 | 0 |
| 7-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37448 | 58.57741 | 62.78014 | 65.23544 | 69.12812 | 70.02023 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-215 | Power recovery | 0 | 0 | 9.276852 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-216 | Refinery Controls | 0 | 0 | 23.30949 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-301 | Pumps - O&M | 0 | 0 | 97.94963 | 96.63483 | 103.5679 | 107.6184 | 114.0403 | 115.5118 | 119.0899 | 121.6196 | 122.5808 | 122.1935 | 0 | 0 |
| 7-302 | Pumps - Controls | 0 | 0 | 343.1279 | 338.5219 | 362.8094 | 376.9988 | 399.495 | 404.6505 | 417.1846 | 426.0466 | 429.4125 | 428.0555 | 0 | 0 |
| 7-303 | Pumps - System Optimization | 0 | 0 | 395.1102 | 389.8065 | 417.7734 | 434.1125 | 460.0168 | 465.953 | 480.386 | 490.5907 | 494.4666 | 492.9034 | 0 | 0 |
| 7-304 | Pumps - Sizing | 0 | 0 | 219.2206 | 216.2779 | 231.7949 | 240.8603 | 255.233 | 258.5266 | 266.5349 | 272.1964 | 274.347 | 273.4794 | 0 | 0 |
| 7-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46713 | 32.28536 | 32.70181 | 33.71482 | 34.43098 | 34.70321 | 34.59378 | 34.43071 | 34.35352 |
| 7-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.87143 | 59.06772 | 63.3056 | 65.78145 | 69.70673 | 70.60629 | 72.79343 | 74.33953 | 74.92707 | 74.69089 | 74.33873 | 74.1712 |
| 7-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1949 | 43.60156 | 46.72984 | 48.55731 | 51.4548 | 52.11884 | 53.73333 | 54.87469 | 55.30848 | 55.13397 | 54.87401 | 54.75056 |
| 7-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65979 | 32.22134 | 34.53314 | 35.88367 | 38.02503 | 38.51569 | 39.70874 | 40.55202 | 40.8729 | 40.74445 | 0 | 0 |
| 7-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42664 | 58.62888 | 62.8353 | 65.29276 | 69.18891 | 70.08174 | 72.25259 | 73.78725 | 74.37048 | 74.13577 | 0 | 0 |
| 7-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09743 | 21.80077 | 23.36492 | 24.2786 | 25.72729 | 26.05935 | 26.86668 | 27.43722 | 27.65427 | 27.5677 | 0 | 0 |
| 7-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71115 | 30.77113 | 31.97449 | 33.88255 | 34.31983 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.30174 | 58.50566 | 62.70323 | 65.15536 | 69.04346 | 69.9343 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81087 | 13.62545 | 14.60308 | 15.1741 | 16.07964 | 16.28702 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-314 | Power recovery | 0 | 0 | 9.276852 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-315 | Refinery Controls | 0 | 0 | 23.30949 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-602 | Efficient desalter | 0 | 0 | 204.6059 | 201.8593 | 216.3419 | 224.8029 | 238.2173 | 241.2915 | 248.7657 | 254.05 | 256.0571 | 255.2475 | 0 | 0 |
| 7-606 | Power recovery | 0 | 0 | 9.276852 | 9.152287 | 9.808973 | 10.19255 | 10.8007 | 10.94018 | 11.27912 | 11.51862 | 11.60963 | 11.57346 | 0 | 0 |
| 7-607 | Refinery Controls | 0 | 0 | 23.30949 | 22.99657 | 24.64653 | 25.61031 | 27.13845 | 27.48885 | 28.34031 | 28.94222 | 29.17126 | 29.07919 | 0 | 0 |
| 7-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1106 | 109.6191 | 117.4838 | 122.0785 | 129.3634 | 131.0326 | 135.0914 | 137.9611 | 139.0513 | 138.6119 | 137.9588 | 137.6485 |
| 7-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16726 | 28.77568 | 30.84028 | 32.04634 | 33.95869 | 34.39694 | 35.46244 | 36.21552 | 36.50185 | 36.38702 | 36.21541 | 36.13382 |
| 7-703 | EMS - Chiller | 0 | 0 | 101.441 | 100.0794 | 107.2596 | 111.4544 | 118.1052 | 119.6292 | 123.3349 | 125.9547 | 126.9498 | 126.549 | 0 | 0 |
| 7-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72603 | 75.69611 | 81.12697 | 84.29984 | 89.33033 | 90.48293 | 93.28583 | 95.26723 | 96.02012 | 95.71677 | 0 | 0 |
| 7-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.726 | 94.44102 | 101.2168 | 105.1752 | 111.4514 | 112.8895 | 116.3864 | 118.8586 | 119.7978 | 119.4193 | 118.8568 | 118.5896 |
| 7-706 | EMS Optimization - Chiller | 0 | 0 | 47.21605 | 46.58221 | 49.92434 | 51.87665 | 54.97227 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.4106 | 94.12985 | 100.8833 | 104.8287 | 111.0841 | 112.5175 | 116.003 | 118.4671 | 119.4031 | 119.0257 | 0 | 0 |
| 7-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90746 | 94.62006 | 101.4087 | 105.3747 | 111.6627 | 113.1036 | 116.6071 | 119.0839 | 120.0249 | 119.6458 | 0 | 0 |
| 7-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28677 | 50.5983 | 54.22853 | 56.34921 | 59.71183 | 60.48227 | 62.35588 | 63.68031 | 64.18375 | 63.98157 | 0 | 0 |
| 7-710 | Roof Insulation - Chiller | 0 | 0 | 43.41178 | 42.82899 | 45.90185 | 47.69701 | 50.54308 | 51.19547 | 52.78128 | 53.9024 | 54.32844 | 54.15726 | 53.90179 | 53.78043 |
| 7-711 | Cool Roof - Chiller | 0 | 0 | 240.5715 | 237.3422 | 254.3704 | 264.3187 | 280.0911 | 283.7057 | 292.4938 | 298.7067 | 301.0668 | 300.1154 | 298.7017 | 298.0303 |
| 7-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67842 | 49.99809 | 53.58528 | 55.68094 | 59.00347 | 59.76496 | 61.61625 | 62.92498 | 63.42257 | 63.22263 | 62.92445 | 62.78276 |
| 7-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8206 | 334.2725 | 358.255 | 372.2664 | 394.4801 | 399.5707 | 411.9477 | 420.6985 | 424.022 | 422.6817 | 420.6912 | 419.7458 |
| 7-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2986 | 126.5763 | 135.6577 | 140.9631 | 149.3748 | 151.3024 | 155.9892 | 159.3026 | 160.5613 | 160.0539 | 159.3002 | 158.942 |
| 7-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69934 | 43.11272 | 46.2059 | 48.01296 | 50.87833 | 51.53476 | 53.13095 | 54.25957 | 54.68876 | 54.51584 | 0 | 0 |
| 7-725 | DX Coil Cleaning | 0 | 0 | 41.98774 | 41.42413 | 44.39615 | 46.13237 | 48.88541 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-726 | Optimize Controls | 0 | 0 | 43.69934 | 43.11272 | 46.2059 | 48.01296 | 50.87833 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-727 | Aerosole Duct Sealing | 0 | 0 | 87.52333 | 86.3485 | 92.54359 | 96.16286 | 101.9013 | 103.2162 | 106.4134 | 108.6739 | 109.5326 | 109.1867 | 0 | 0 |
| 7-728 | Duct/Pipe Insulation | 0 | 0 | 87.9413 | 86.76086 | 92.98553 | 96.62207 | 102.3878 | 103.7093 | 106.9216 | 109.193 | 110.0557 | 109.708 | 0 | 0 |
| 7-729 | Window Film (Standard) | 0 | 0 | 45.08325 | 44.47807 | 47.6692 | 49.53346 | 52.48927 | 53.16658 | 54.81352 | 55.97778 | 56.42048 | 56.24216 | 0 | 0 |
| 7-730 | Roof Insulation | 0 | 0 | 39.84845 | 39.31352 | 42.13415 | 43.78197 | 46.39465 | 46.99341 | 48.44893 | 49.47817 | 49.86942 | 49.71231 | 49.4776 | 49.36609 |
| 7-731 | Cool Roof - DX | 0 | 0 | 219.8439 | 216.8929 | 232.4539 | 241.5453 | 255.959 | 259.2621 | 267.2928 | 272.9707 | 275.1273 | 274.2578 | 272.9661 | 272.3525 |
| 7-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8683 | 210.0109 | 225.0782 | 233.8809 | 247.8371 | 251.0355 | 258.8115 | 264.309 | 266.3972 | 265.5555 | 264.3045 | 263.7105 |
| 7-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5661 | 493.8476 | 529.2787 | 549.9789 | 582.7967 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-803 | CFL Screw-in 18W | 0 | 0 | 500.5661 | 493.8476 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-804 | High Bay T5 | 0 | 0 | 458.6175 | 452.4613 | 484.9234 | 503.8887 | 533.9566 | 540.8473 | 557.6 | 569.4449 | 573.9435 | 572.1289 | 0 | 0 |
| 7-805 | Occupancy Sensor | 0 | 0 | 175.8612 | 173.5005 | 185.9485 | 193.2208 | 204.7507 | 207.3931 | 213.8172 | 218.3589 | 220.0844 | 0 | 0 | 0 |
| 7-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-101 | Compressed Air-O&M | 0 | 0 | 161.4628 | 159.296 | 170.7246 | 177.4016 | 187.9873 | 190.4133 | 196.3116 | 200.4812 | 202.0651 | 201.4267 | 0 | 0 |
| 8-102 | Compressed Air - Controls | 0 | 0 | 121.4139 | 119.7846 | 128.3784 | 133.3993 | 141.3593 | 143.1836 | 147.6188 | 150.7542 | 151.9454 | 151.4648 | 0 | 0 |
| 8-103 | Compressed Air - System Optimization | 0 | 0 | 204.605 | 201.8591 | 216.3414 | 224.8025 | 238.2165 | 241.2907 | 248.7652 | 254.0485 | 256.0557 | 255.2466 | 0 | 0 |
| 8-104 | Compressed Air- Sizing | 0 | 0 | 87.59517 | 86.41962 | 92.61977 | 96.24202 | 101.985 | 103.3011 | 106.501 | 108.7628 | 109.6223 | 109.276 | 0 | 0 |
| 8-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72983 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76775 | 58.96552 | 63.19605 | 65.66763 | 69.58598 | 70.48404 | 72.6674 | 74.21084 | 74.79726 | 74.56107 | 74.20984 | 74.04285 |
| 8-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65964 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.3418 | 58.54527 | 62.74567 | 65.19963 | 69.09016 | 69.98177 | 72.14954 | 73.682 | 74.26424 | 74.02975 | 0 | 0 |
| 8-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09733 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31871 | 58.5225 | 62.72125 | 65.17427 | 69.06347 | 69.95454 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-201 | Fans - O&M | 0 | 0 | 18.60043 | 18.35076 | 19.66737 | 20.43644 | 21.65602 | 21.93542 | 22.61499 | 23.09509 | 23.27816 | 23.20462 | 0 | 0 |
| 8-202 | Fans - Controls | 0 | 0 | 356.4087 | 351.6256 | 376.8528 | 391.5916 | 414.9576 | 420.3132 | 433.3324 | 442.5365 | 446.032 | 444.6226 | 0 | 0 |
| 8-203 | Fans - System Optimization | 0 | 0 | 237.7514 | 234.5604 | 251.3889 | 261.2207 | 276.8079 | 280.3802 | 289.0654 | 295.2051 | 297.5373 | 296.5973 | 0 | 0 |
| 8-204 | Fans- Improve components | 0 | 0 | 47.9543 | 47.31071 | 50.70505 | 52.68796 | 55.83206 | 56.55247 | 58.30436 | 59.54266 | 60.01325 | 59.82449 | 0 | 0 |
| 8-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72983 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92312 | 59.1188 | 63.36033 | 65.83832 | 69.76685 | 70.66724 | 72.85632 | 74.40376 | 74.99168 | 74.75504 | 74.40266 | 74.23535 |
| 8-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65964 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47476 | 58.67645 | 62.88626 | 65.34573 | 69.24491 | 70.13854 | 72.3112 | 73.8471 | 74.43064 | 74.19568 | 0 | 0 |
| 8-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09733 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37156 | 58.57463 | 62.77714 | 65.23233 | 69.12498 | 70.01685 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-301 | Pumps - O&M | 0 | 0 | 97.94922 | 96.63469 | 103.5677 | 107.6181 | 114.0398 | 115.5115 | 119.0896 | 121.6189 | 122.5799 | 122.1924 | 0 | 0 |
| 8-302 | Pumps - Controls | 0 | 0 | 343.1264 | 338.5216 | 362.8087 | 376.998 | 399.4935 | 404.6493 | 417.1834 | 426.0446 | 429.41 | 428.0537 | 0 | 0 |
| 8-303 | Pumps - System Optimization | 0 | 0 | 395.1085 | 389.806 | 417.7725 | 434.1117 | 460.0152 | 465.952 | 480.3848 | 490.5886 | 494.4641 | 492.901 | 0 | 0 |
| 8-304 | Pumps - Sizing | 0 | 0 | 219.2197 | 216.2777 | 231.7944 | 240.8598 | 255.2319 | 258.5259 | 266.5341 | 272.1951 | 274.3455 | 273.4786 | 0 | 0 |
| 8-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72983 | 27.35764 | 29.32046 | 30.46705 | 32.285 | 32.70171 | 33.71473 | 34.4307 | 34.70278 | 34.59372 | 34.43059 | 34.35315 |
| 8-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86843 | 59.06485 | 63.30251 | 65.77826 | 69.70341 | 70.60276 | 72.78983 | 74.33587 | 74.9235 | 74.68674 | 74.33479 | 74.16754 |
| 8-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.1947 | 43.60157 | 46.72976 | 48.55725 | 51.45487 | 52.11887 | 53.7333 | 54.87446 | 55.30848 | 55.13376 | 54.8739 | 54.7506 |
| 8-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65964 | 32.2213 | 34.53306 | 35.88364 | 38.0248 | 38.51556 | 39.7086 | 40.552 | 40.87263 | 40.74432 | 0 | 0 |
| 8-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42381 | 58.62617 | 62.83238 | 65.28975 | 69.18562 | 70.07846 | 72.24924 | 73.78381 | 74.36687 | 74.13208 | 0 | 0 |
| 8-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09733 | 21.80074 | 23.36488 | 24.27872 | 25.72736 | 26.05943 | 26.86662 | 27.43718 | 27.65432 | 27.56732 | 0 | 0 |
| 8-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71117 | 30.77106 | 31.97443 | 33.88242 | 34.31969 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.2989 | 58.50296 | 62.70031 | 65.15253 | 69.04021 | 69.93118 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62543 | 14.60301 | 15.17404 | 16.07949 | 16.28713 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-417 | O&M - Extruders/Injection Moulding | 0 | 0 | 96.91818 | 95.61751 | 102.4776 | 106.4854 | 112.8394 | 114.2956 | 117.8362 | 120.3388 | 121.2898 | 120.9066 | 120.3375 | 120.0667 |
| 8-418 | Extruders/injection Moulding-multipump | 0 | 0 | 363.4431 | 358.5656 | 384.2907 | 399.3205 | 423.1478 | 428.6089 | 441.8851 | 451.2709 | 454.8357 | 453.3987 | 451.2639 | 450.2496 |
| 8-419 | Direct drive Extruders | 0 | 0 | 837.0206 | 825.786 | 885.0336 | 919.6473 | 974.5224 | 987.0996 | 1017.674 | 1039.291 | 1047.501 | 1044.19 | 1039.275 | 1036.938 |
| 8-420 | Injection Moulding - Impulse Cooling | 0 | 0 | 229.4977 | 226.4177 | 242.662 | 252.1524 | 267.1984 | 270.6467 | 279.0304 | 284.9569 | 287.208 | 286.3001 | 284.9528 | 284.3121 |
| 8-421 | Injection Moulding - Direct drive | 0 | 0 | 216.6406 | 213.7332 | 229.0674 | 238.0262 | 252.2292 | 255.4843 | 263.3984 | 268.9927 | 271.118 | 270.261 | 268.9887 | 268.3837 |
| 8-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1041 | 109.6127 | 117.4769 | 122.0714 | 129.3558 | 131.0249 | 135.0835 | 137.953 | 139.0432 | 138.6038 | 137.9507 | 137.6404 |
| 8-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16669 | 28.77535 | 30.83985 | 32.04599 | 33.95806 | 34.3963 | 35.46183 | 36.21485 | 36.50112 | 36.38651 | 36.21471 | 36.13293 |
| 8-703 | EMS - Chiller | 0 | 0 | 101.4344 | 100.0729 | 107.2526 | 111.4472 | 118.0976 | 119.6215 | 123.3269 | 125.9465 | 126.9416 | 126.5408 | 0 | 0 |
| 8-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72449 | 75.69515 | 81.1258 | 84.29846 | 89.32841 | 90.48138 | 93.28419 | 95.26531 | 96.01786 | 95.71536 | 0 | 0 |
| 8-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.7202 | 94.4353 | 101.2106 | 105.1688 | 111.4447 | 112.8826 | 116.3794 | 118.8514 | 119.7906 | 119.4121 | 118.8496 | 118.5825 |
| 8-706 | EMS Optimization - Chiller | 0 | 0 | 47.21514 | 46.58168 | 49.92361 | 51.87604 | 54.97134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40868 | 94.12868 | 100.8818 | 104.8272 | 111.0819 | 112.5159 | 116.0012 | 118.4646 | 119.4005 | 119.0235 | 0 | 0 |
| 8-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90567 | 94.61899 | 101.4073 | 105.3733 | 111.6606 | 113.1019 | 116.6054 | 119.0816 | 120.0224 | 119.6435 | 0 | 0 |
| 8-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28579 | 50.59772 | 54.22779 | 56.34856 | 59.71085 | 60.48134 | 62.35499 | 63.67901 | 64.18235 | 63.98013 | 0 | 0 |
| 8-710 | Roof Insulation - Chiller | 0 | 0 | 43.41098 | 42.82851 | 45.90121 | 47.69637 | 50.5422 | 51.19469 | 52.78048 | 53.90124 | 54.3271 | 54.15555 | 53.90108 | 53.77959 |
| 8-711 | Cool Roof - Chiller | 0 | 0 | 240.5666 | 237.3391 | 254.3666 | 264.315 | 280.0858 | 283.7011 | 292.489 | 298.7006 | 301.0598 | 300.1093 | 298.6969 | 298.0246 |
| 8-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67626 | 49.99595 | 53.58299 | 55.67856 | 59.00095 | 59.76241 | 61.61361 | 62.92229 | 63.41987 | 63.21991 | 62.92177 | 62.78008 |
| 8-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8132 | 334.2676 | 358.2491 | 372.2603 | 394.4718 | 399.5637 | 411.9401 | 420.6889 | 424.0113 | 422.6728 | 420.6837 | 419.737 |
| 8-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2958 | 126.5746 | 135.6555 | 140.9609 | 149.3716 | 151.2996 | 155.9865 | 159.2988 | 160.5574 | 160.0502 | 159.2972 | 158.9385 |
| 8-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69834 | 43.1121 | 46.20511 | 48.01213 | 50.87688 | 51.53354 | 53.12993 | 54.25813 | 54.68694 | 54.51434 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|-------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8-725 | DX Coil Cleaning | 0 | 0 | 41.98676 | 41.42345 | 44.39536 | 46.13162 | 48.88413 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-726 | Optimize Controls | 0 | 0 | 43.69834 | 43.1121 | 46.20511 | 48.01213 | 50.87688 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-727 | Aerosole Duct Sealing | 0 | 0 | 87.52127 | 86.34714 | 92.54195 | 96.16127 | 101.8989 | 103.2142 | 106.4114 | 108.671 | 109.5297 | 109.1844 | 0 | 0 |
| 8-728 | Duct/Pipe Insulation | 0 | 0 | 87.93922 | 86.75948 | 92.98392 | 96.62042 | 102.3854 | 103.707 | 106.9196 | 109.1899 | 110.0527 | 109.7058 | 0 | 0 |
| 8-729 | Window Film (Standard) | 0 | 0 | 45.08219 | 44.47738 | 47.66836 | 49.53253 | 52.48812 | 53.16561 | 54.81247 | 55.9764 | 56.41872 | 56.24106 | 0 | 0 |
| 8-730 | Roof Insulation | 0 | 0 | 39.84755 | 39.31293 | 42.13345 | 43.78127 | 46.39353 | 46.99232 | 48.44802 | 49.47687 | 49.8679 | 49.71112 | 49.47661 | 49.36551 |
| 8-731 | Cool Roof - DX | 0 | 0 | 219.8387 | 216.8895 | 232.4498 | 241.5408 | 255.9527 | 259.2566 | 267.2874 | 272.9634 | 275.1195 | 274.2512 | 272.9604 | 272.3459 |
| 8-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8661 | 210.0102 | 225.0771 | 233.8797 | 247.8346 | 251.0336 | 258.8098 | 264.3058 | 266.3936 | 265.5524 | 264.3027 | 263.7079 |
| 8-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5597 | 493.8455 | 529.2753 | 549.9753 | 582.7892 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-803 | CFL Screw-in 18W | 0 | 0 | 500.5597 | 493.8455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8-804 | High Bay T5 | 0 | 0 | 458.6156 | 452.4608 | 484.9224 | 503.8878 | 533.9547 | 540.8458 | 557.5983 | 569.4424 | 573.9406 | 572.127 | 0 | 0 |
| 8-805 | Occupancy Sensor | 0 | 0 | 175.8536 | 173.4934 | 185.9407 | 193.2128 | 204.7421 | 207.3844 | 213.8083 | 218.3496 | 220.075 | 0 | 0 | 0 |
| 8-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-101 | Compressed Air-O&M | 0 | 0 | 161.4635 | 159.2962 | 170.7249 | 177.4021 | 187.9881 | 190.414 | 196.3121 | 200.4824 | 202.0664 | 201.4272 | 0 | 0 |
| 9-102 | Compressed Air - Controls | 0 | 0 | 121.4144 | 119.7847 | 128.3787 | 133.3997 | 141.36 | 143.1843 | 147.6193 | 150.7552 | 151.9465 | 151.4662 | 0 | 0 |
| 9-103 | Compressed Air - System Optimization | 0 | 0 | 204.6058 | 201.8594 | 216.3418 | 224.8031 | 238.2178 | 241.2919 | 248.7659 | 254.0502 | 256.0578 | 255.2477 | 0 | 0 |
| 9-104 | Compressed Air- Sizing | 0 | 0 | 87.59555 | 86.41975 | 92.61996 | 96.24222 | 101.9854 | 103.3014 | 106.5012 | 108.7635 | 109.623 | 109.2768 | 0 | 0 |
| 9-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76915 | 58.96686 | 63.19748 | 65.66907 | 69.58796 | 70.48569 | 72.66911 | 74.21258 | 74.79929 | 74.56302 | 74.21187 | 74.04446 |
| 9-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19488 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65978 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |
| 9-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34324 | 58.54662 | 62.74712 | 65.20108 | 69.09182 | 69.98349 | 72.15125 | 73.6838 | 74.26609 | 74.03168 | 0 | 0 |
| 9-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09742 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.32013 | 58.52383 | 62.72269 | 65.17572 | 69.06519 | 69.95625 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81086 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-201 | Fans - O&M | 0 | 0 | 18.60048 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-202 | Fans - Controls | 0 | 0 | 356.4102 | 351.6261 | 376.8536 | 391.5926 | 414.9601 | 420.3149 | 433.3338 | 442.5394 | 446.0356 | 444.6247 | 0 | 0 |
| 9-203 | Fans - System Optimization | 0 | 0 | 237.7556 | 234.5642 | 251.3931 | 261.2252 | 276.8134 | 280.3856 | 289.0705 | 295.211 | 297.5434 | 296.6028 | 0 | 0 |
| 9-204 | Fans- Improve components | 0 | 0 | 47.95451 | 47.31077 | 50.70515 | 52.6881 | 55.83232 | 56.55273 | 58.30453 | 59.54295 | 60.01376 | 59.82431 | 0 | 0 |
| 9-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92451 | 59.1201 | 63.36173 | 65.83984 | 69.76879 | 70.66898 | 72.85796 | 74.40563 | 74.99377 | 74.75711 | 74.40494 | 74.23706 |
| 9-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19488 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65978 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |
| 9-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47628 | 58.67789 | 62.88779 | 65.34721 | 69.24693 | 70.14034 | 72.313 | 73.84898 | 74.43281 | 74.19766 | 0 | 0 |
| 9-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09742 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37299 | 58.57597 | 62.77858 | 65.23381 | 69.12644 | 70.0186 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81086 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-301 | Pumps - O&M | 0 | 0 | 97.9496 | 96.63483 | 103.5679 | 107.6185 | 114.0406 | 115.5121 | 119.09 | 121.6198 | 122.5809 | 122.1936 | 0 | 0 |
| 9-302 | Pumps - Controls | 0 | 0 | 343.1279 | 338.522 | 362.8094 | 376.999 | 399.4958 | 404.6508 | 417.1847 | 426.0471 | 429.4133 | 428.0556 | 0 | 0 |
| 9-303 | Pumps - System Optimization | 0 | 0 | 395.1101 | 389.8065 | 417.7733 | 434.1129 | 460.0175 | 465.9539 | 480.3863 | 490.5914 | 494.4673 | 492.9037 | 0 | 0 |
| 9-304 | Pumps - Sizing | 0 | 0 | 219.2206 | 216.2779 | 231.7949 | 240.8605 | 255.2334 | 258.5271 | 266.535 | 272.1969 | 274.3475 | 273.4798 | 0 | 0 |
| 9-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72993 | 27.35768 | 29.32049 | 30.46711 | 32.28536 | 32.70181 | 33.71482 | 34.43099 | 34.70322 | 34.59378 | 34.43071 | 34.35352 |
| 9-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86992 | 59.06625 | 63.30401 | 65.77986 | 69.70524 | 70.60461 | 72.79158 | 74.33785 | 74.92545 | 74.68912 | 74.33716 | 74.16949 |
| 9-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19488 | 43.60156 | 46.72984 | 48.55736 | 51.45516 | 52.11906 | 53.7334 | 54.87479 | 55.30875 | 55.13397 | 54.87411 | 54.7505 |
| 9-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65978 | 32.22134 | 34.53313 | 35.88374 | 38.02502 | 38.51573 | 39.70872 | 40.55219 | 40.87287 | 40.74451 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42524 | 58.62753 | 62.83382 | 65.29114 | 69.18729 | 70.08017 | 72.25096 | 73.78561 | 74.36878 | 74.13406 | 0 | 0 |
| 9-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09742 | 21.80077 | 23.36491 | 24.2787 | 25.72759 | 26.05955 | 26.86668 | 27.43733 | 27.6545 | 27.5677 | 0 | 0 |
| 9-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10186 | 28.71117 | 30.77113 | 31.97449 | 33.88255 | 34.31982 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.30033 | 58.50427 | 62.70174 | 65.15393 | 69.04186 | 69.93289 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81086 | 13.62545 | 14.60307 | 15.17419 | 16.07964 | 16.28724 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-405 | Drives - EE motor | 0 | 0 | 33.03477 | 32.59131 | 34.92964 | 36.29565 | 38.46156 | 38.95792 | 40.16465 | 41.01775 | 41.34206 | 41.21216 | 0 | 0 |
| 9-415 | Drives - Process Controls (batch + site) | 0 | 0 | 18.60048 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-422 | Efficient grinding | 0 | 0 | 232.3948 | 229.2754 | 245.7248 | 255.3353 | 270.572 | 274.0635 | 282.5527 | 288.555 | 290.8346 | 289.915 | 288.55 | 287.9012 |
| 9-423 | Process control | 0 | 0 | 18.60048 | 18.35079 | 19.66742 | 20.43642 | 21.65622 | 21.93556 | 22.61505 | 23.09527 | 23.27837 | 23.20494 | 0 | 0 |
| 9-424 | Process optimization | 0 | 0 | 99.53796 | 98.20186 | 105.2474 | 109.3636 | 115.8896 | 117.3851 | 121.0212 | 123.5919 | 124.5686 | 124.1746 | 0 | 0 |
| 9-504 | Top-heating (glass) | 0 | 0 | 37.58065 | 37.07615 | 39.73624 | 41.29027 | 43.75429 | 44.3188 | 45.69165 | 46.66227 | 0 | 0 | 0 | 0 |
| 9-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1071 | 109.6156 | 117.4801 | 122.0746 | 129.3592 | 131.0284 | 135.0871 | 137.9566 | 139.0469 | 138.6075 | 137.9544 | 137.6441 |
| 9-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16696 | 28.7755 | 30.84003 | 32.04607 | 33.95831 | 34.39657 | 35.46203 | 36.21511 | 36.50147 | 36.38663 | 36.21509 | 36.13333 |
| 9-703 | EMS - Chiller | 0 | 0 | 101.4374 | 100.0757 | 107.2558 | 111.4504 | 118.101 | 119.6249 | 123.3305 | 125.9502 | 126.9453 | 126.5445 | 0 | 0 |
| 9-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72511 | 75.6955 | 81.12622 | 84.2989 | 89.32897 | 90.48201 | 93.28477 | 95.26603 | 96.0189 | 95.71594 | 0 | 0 |
| 9-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.72281 | 94.43787 | 101.2134 | 105.1717 | 111.4477 | 112.8857 | 116.3826 | 118.8546 | 119.7938 | 119.4154 | 118.8528 | 118.5857 |
| 9-706 | EMS Optimization - Chiller | 0 | 0 | 47.21546 | 46.58181 | 49.92384 | 51.8762 | 54.97187 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40948 | 94.12911 | 100.8824 | 104.8279 | 111.0829 | 112.5166 | 116.002 | 118.4656 | 119.4016 | 119.0248 | 0 | 0 |
| 9-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90639 | 94.61931 | 101.4078 | 105.3738 | 111.6614 | 113.1025 | 116.606 | 119.0825 | 120.0236 | 119.6444 | 0 | 0 |
| 9-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28626 | 50.59795 | 54.22813 | 56.34889 | 59.71125 | 60.48196 | 62.3554 | 63.67956 | 64.18319 | 63.98129 | 0 | 0 |
| 9-710 | Roof Insulation - Chiller | 0 | 0 | 43.4113 | 42.82872 | 45.90144 | 47.69653 | 50.54259 | 51.19487 | 52.78085 | 53.90168 | 54.32777 | 54.15643 | 53.90118 | 53.78018 |
| 9-711 | Cool Roof - Chiller | 0 | 0 | 240.5686 | 237.3402 | 254.368 | 264.3163 | 280.088 | 283.7029 | 292.4908 | 298.7031 | 301.0629 | 300.1115 | 298.6985 | 298.027 |
| 9-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67712 | 49.9968 | 53.5839 | 55.6795 | 59.00195 | 59.76343 | 61.61467 | 62.92336 | 63.42094 | 63.22098 | 62.92284 | 62.78114 |
| 9-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8161 | 334.2693 | 358.2512 | 372.2625 | 394.4752 | 399.5663 | 411.943 | 420.6927 | 424.0161 | 422.676 | 420.6865 | 419.7403 |
| 9-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2969 | 126.5752 | 135.6562 | 140.9617 | 149.3728 | 151.3007 | 155.9874 | 159.3003 | 160.559 | 160.0513 | 159.2982 | 158.94 |
| 9-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69867 | 43.11227 | 46.20535 | 48.01241 | 50.87722 | 51.53397 | 53.13031 | 54.25869 | 54.6874 | 54.5152 | 0 | 0 |
| 9-725 | DX Coil Cleaning | 0 | 0 | 41.98718 | 41.42371 | 44.39566 | 46.13191 | 48.88453 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-726 | Optimize Controls | 0 | 0 | 43.69867 | 43.11227 | 46.20535 | 48.01241 | 50.87722 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-727 | Aerosole Duct Sealing | 0 | 0 | 87.52213 | 86.34763 | 92.5426 | 96.16183 | 101.8998 | 103.2149 | 106.4122 | 108.6721 | 109.531 | 109.1852 | 0 | 0 |
| 9-728 | Duct/Pipe Insulation | 0 | 0 | 87.94008 | 86.75999 | 92.98455 | 96.62105 | 102.3865 | 103.7078 | 106.9203 | 109.191 | 110.054 | 109.7067 | 0 | 0 |
| 9-729 | Window Film (Standard) | 0 | 0 | 45.08263 | 44.47763 | 47.66866 | 49.53293 | 52.48844 | 53.16602 | 54.81289 | 55.97701 | 56.41941 | 56.24161 | 0 | 0 |
| 9-730 | Roof Insulation | 0 | 0 | 39.84789 | 39.31313 | 42.13366 | 43.78143 | 46.39384 | 46.99275 | 48.44831 | 49.47735 | 49.86829 | 49.71121 | 49.47697 | 49.36552 |
| 9-731 | Cool Roof - DX | 0 | 0 | 219.8407 | 216.8905 | 232.4512 | 241.5423 | 255.9549 | 259.2585 | 267.2894 | 272.9662 | 275.1224 | 274.2534 | 272.9621 | 272.3483 |
| 9-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8672 | 210.0106 | 225.0777 | 233.8805 | 247.8362 | 251.0346 | 258.8108 | 264.3077 | 266.3959 | 265.5542 | 264.3037 | 263.7095 |
| 9-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5628 | 493.8465 | 529.277 | 549.9769 | 582.7928 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-803 | CFL Screw-in 18W | 0 | 0 | 500.5628 | 493.8465 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9-804 | High Bay T5 | 0 | 0 | 458.6174 | 452.4613 | 484.9234 | 503.8891 | 533.9578 | 540.848 | 557.6002 | 569.4456 | 573.9448 | 572.1295 | 0 | 0 |
| 9-805 | Occupancy Sensor | 0 | 0 | 175.8575 | 173.4969 | 185.9445 | 193.217 | 204.7469 | 207.3891 | 213.8128 | 218.3547 | 220.08 | 0 | 0 | 0 |
| 9-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-101 | Compressed Air-O&M | 0 | 0 | 161.4618 | 159.2957 | 170.724 | 177.401 | 187.9861 | 190.4125 | 196.3108 | 200.4797 | 202.0634 | 201.4252 | 0 | 0 |
| 10-102 | Compressed Air - Controls | 0 | 0 | 121.4132 | 119.7843 | 128.378 | 133.3989 | 141.3583 | 143.1831 | 147.6182 | 150.7532 | 151.944 | 151.4641 | 0 | 0 |
| 10-103 | Compressed Air - System Optimization | 0 | 0 | 204.6037 | 201.8587 | 216.3407 | 224.8018 | 238.2149 | 241.2897 | 248.7642 | 254.0469 | 256.0535 | 255.2448 | 0 | 0 |
| 10-104 | Compressed Air- Sizing | 0 | 0 | 87.5946 | 86.4194 | 92.61947 | 96.24173 | 101.9843 | 103.3007 | 106.5005 | 108.7621 | 109.6214 | 109.2756 | 0 | 0 |
| 10-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72967 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76538 | 58.96349 | 63.19379 | 65.66528 | 69.58326 | 70.48141 | 72.66479 | 74.20773 | 74.79417 | 74.55811 | 74.20723 | 74.04022 |
| 10-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19442 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65946 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.33947 | 58.5433 | 62.74344 | 65.19733 | 69.08753 | 69.97916 | 72.14699 | 73.67898 | 74.26121 | 74.02686 | 0 | 0 |
| 10-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10154 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31636 | 58.52051 | 62.71902 | 65.17194 | 69.06054 | 69.95193 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-201 | Fans - O&M | 0 | 0 | 18.60028 | 18.35071 | 19.66733 | 20.43639 | 21.65587 | 21.93526 | 22.61485 | 23.09487 | 23.27778 | 23.20419 | 0 | 0 |
| 10-202 | Fans - Controls | 0 | 0 | 356.4065 | 351.6249 | 376.8516 | 391.5903 | 414.9552 | 420.3113 | 433.3305 | 442.5336 | 446.0286 | 444.6208 | 0 | 0 |
| 10-203 | Fans - System Optimization | 0 | 0 | 237.7444 | 234.5546 | 251.3824 | 261.214 | 276.7997 | 280.3727 | 289.0576 | 295.1962 | 297.5277 | 296.5883 | 0 | 0 |
| 10-204 | Fans- Improve components | 0 | 0 | 47.95403 | 47.31065 | 50.7049 | 52.68782 | 55.83163 | 56.55227 | 58.30413 | 59.54211 | 60.01264 | 59.82339 | 0 | 0 |
| 10-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72967 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92066 | 59.11668 | 63.35798 | 65.83588 | 69.76402 | 70.66451 | 72.85359 | 74.40047 | 74.98852 | 74.75198 | 74.40007 | 74.23264 |
| 10-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19442 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65946 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |
| 10-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47243 | 58.67447 | 62.88402 | 65.3434 | 69.24221 | 70.13595 | 72.30864 | 73.84405 | 74.42748 | 74.19275 | 0 | 0 |
| 10-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10154 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.36922 | 58.57264 | 62.77489 | 65.23 | 69.12217 | 70.01424 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-301 | Pumps - O&M | 0 | 0 | 97.94858 | 96.63446 | 103.5674 | 107.6179 | 114.0392 | 115.5111 | 119.0893 | 121.6182 | 122.579 | 122.1923 | 0 | 0 |
| 10-302 | Pumps - Controls | 0 | 0 | 343.1243 | 338.5208 | 362.8075 | 376.997 | 399.491 | 404.6476 | 417.1817 | 426.0417 | 429.4064 | 428.0505 | 0 | 0 |
| 10-303 | Pumps - System Optimization | 0 | 0 | 395.106 | 389.8052 | 417.7711 | 434.1103 | 460.012 | 465.9499 | 480.3827 | 490.585 | 494.4595 | 492.8988 | 0 | 0 |
| 10-304 | Pumps - Sizing | 0 | 0 | 219.2183 | 216.2772 | 231.7937 | 240.8589 | 255.2304 | 258.5248 | 266.533 | 272.1931 | 274.3432 | 273.4771 | 0 | 0 |
| 10-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72967 | 27.35759 | 29.32036 | 30.46705 | 32.28489 | 32.70168 | 33.71467 | 34.4305 | 34.70248 | 34.59412 | 34.43034 | 34.35272 |
| 10-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86606 | 59.06282 | 63.30025 | 65.77591 | 69.70058 | 70.60014 | 72.78723 | 74.33273 | 74.92011 | 74.68387 | 74.33232 | 74.16498 |
| 10-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19442 | 43.60148 | 46.72962 | 48.5571 | 51.45438 | 52.11851 | 53.73307 | 54.87402 | 55.30773 | 55.13333 | 54.87361 | 54.75026 |
| 10-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65946 | 32.22124 | 34.53296 | 35.88345 | 38.02439 | 38.51527 | 39.7084 | 40.55153 | 40.87205 | 40.74335 | 0 | 0 |
| 10-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42148 | 58.62419 | 62.83014 | 65.28741 | 69.18299 | 70.07585 | 72.2467 | 73.7808 | 74.36378 | 74.12906 | 0 | 0 |
| 10-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.0972 | 21.8007 | 23.36481 | 24.27851 | 25.72713 | 26.05923 | 26.86649 | 27.43694 | 27.65388 | 27.5672 | 0 | 0 |
| 10-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10154 | 28.71107 | 30.77096 | 31.97441 | 33.88203 | 34.31949 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29656 | 58.50096 | 62.69807 | 65.15018 | 69.03761 | 69.92857 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.1741 | 16.07941 | 16.287 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-415 | Drives - Process Controls (batch + site) | 0 | 0 | 47.21625 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 0 | 0 |
| 10-425 | Drives - Process Control | 0 | 0 | 47.21625 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 58.62579 | 58.49374 |
| 10-426 | Efficient drives - rolling | 0 | 0 | 54.99643 | 54.25856 | 58.1513 | 60.42554 | 64.03086 | 64.85742 | 66.86653 | 68.28649 | 68.82581 | 68.60855 | 0 | 0 |
| 10-505 | Efficient electric melting | 0 | 0 | 99.53694 | 98.20151 | 105.2468 | 109.3629 | 115.8883 | 117.3841 | 121.0204 | 123.5905 | 124.5666 | 124.1738 | 123.5891 | 123.3107 |
| 10-506 | Intelligent extruder (DOE) | 0 | 0 | 18.69473 | 18.44389 | 19.76719 | 20.54024 | 21.76583 | 22.04675 | 22.72972 | 23.21221 | 23.39585 | 23.3221 | 0 | 0 |
| 10-507 | Near Net Shape Casting | 0 | 0 | 121.4132 | 119.7843 | 128.378 | 133.3989 | 141.3583 | 143.1831 | 147.6182 | 150.7532 | 151.944 | 151.4641 | 150.7515 | 150.412 |
| 10-508 | Heating - Process Control | 0 | 0 | 47.21625 | 46.58279 | 49.9248 | 51.87726 | 54.97266 | 55.68217 | 57.40713 | 58.62614 | 59.08938 | 58.90329 | 58.62579 | 58.49374 |
| 10-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.0994 | 109.608 | 117.4719 | 122.0662 | 129.3503 | 131.0193 | 135.0778 | 137.9471 | 139.0372 | 138.5979 | 137.9448 | 137.6345 |
| 10-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16623 | 28.77502 | 30.83945 | 32.04554 | 33.95732 | 34.39581 | 35.46136 | 36.21416 | 36.5005 | 36.38547 | 36.21452 | 36.1326 |
| 10-703 | EMS - Chiller | 0 | 0 | 101.4297 | 100.0682 | 107.2476 | 111.442 | 118.0921 | 119.6159 | 123.3212 | 125.9407 | 126.9357 | 126.5349 | 0 | 0 |
| 10-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72333 | 75.69441 | 81.12487 | 84.29761 | 89.32697 | 90.48027 | 93.28313 | 95.26363 | 96.01615 | 95.71359 | 0 | 0 |
| 10-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71597 | 94.43111 | 101.2061 | 105.1641 | 111.4396 | 112.8776 | 116.3742 | 118.8461 | 119.785 | 119.4068 | 118.8444 | 118.5772 |
| 10-706 | EMS Optimization - Chiller | 0 | 0 | 47.21441 | 46.58118 | 49.92304 | 51.87539 | 54.97036 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40729 | 94.12781 | 100.8807 | 104.8261 | 111.0803 | 112.5144 | 115.9998 | 118.4626 | 119.3984 | 119.0217 | 0 | 0 |
| 10-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90413 | 94.61798 | 101.4061 | 105.3722 | 111.6589 | 113.1004 | 116.6039 | 119.0796 | 120.0204 | 119.6417 | 0 | 0 |
| 10-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28501 | 50.59725 | 54.22723 | 56.34798 | 59.70989 | 60.48073 | 62.35427 | 63.67817 | 64.18124 | 63.97861 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10-710 | Roof Insulation - Chiller | 0 | 0 | 43.41029 | 42.82803 | 45.9007 | 47.69576 | 50.54137 | 51.19385 | 52.77983 | 53.9004 | 54.32629 | 54.15567 | 53.90019 | 53.77875 |
| 10-711 | Cool Roof - Chiller | 0 | 0 | 240.5628 | 237.3367 | 254.3637 | 264.3119 | 280.0813 | 283.6974 | 292.4853 | 298.6957 | 301.054 | 300.1046 | 298.6934 | 298.0204 |
| 10-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67461 | 49.99432 | 53.58125 | 55.67674 | 58.99903 | 59.76047 | 61.61161 | 62.92025 | 63.41781 | 63.21786 | 62.91972 | 62.77805 |
| 10-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8072 | 334.2636 | 358.2442 | 372.2552 | 394.4649 | 399.5576 | 411.9341 | 420.6812 | 424.003 | 422.6653 | 420.6781 | 419.7302 |
| 10-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2935 | 126.573 | 135.6536 | 140.959 | 149.3689 | 151.2973 | 155.9841 | 159.296 | 160.5541 | 160.0471 | 159.2948 | 158.9356 |
| 10-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69753 | 43.11156 | 46.20451 | 48.01162 | 50.87604 | 51.53294 | 53.12925 | 54.25726 | 54.68609 | 54.51443 | 0 | 0 |
| 10-725 | DX Coil Cleaning | 0 | 0 | 41.98598 | 41.42293 | 44.39474 | 46.13101 | 48.88309 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-726 | Optimize Controls | 0 | 0 | 43.69753 | 43.11156 | 46.20451 | 48.01162 | 50.87604 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-727 | Aerosole Duct Sealing | 0 | 0 | 87.51971 | 86.34608 | 92.54071 | 96.15991 | 101.8969 | 103.2125 | 106.4099 | 108.6692 | 109.5274 | 109.182 | 0 | 0 |
| 10-728 | Duct/Pipe Insulation | 0 | 0 | 87.93764 | 86.75847 | 92.98265 | 96.61923 | 102.3837 | 103.7056 | 106.9182 | 109.1883 | 110.0506 | 109.7038 | 0 | 0 |
| 10-729 | Window Film (Standard) | 0 | 0 | 45.0814 | 44.47685 | 47.66773 | 49.53207 | 52.48708 | 53.16493 | 54.81186 | 55.97553 | 56.41773 | 56.24051 | 0 | 0 |
| 10-730 | Roof Insulation | 0 | 0 | 39.84678 | 39.31244 | 42.13284 | 43.78069 | 46.3928 | 46.99171 | 48.44735 | 49.47598 | 49.86697 | 49.70981 | 49.47603 | 49.36449 |
| 10-731 | Cool Roof - DX | 0 | 0 | 219.8346 | 216.8867 | 232.4465 | 241.5376 | 255.9481 | 259.2527 | 267.2834 | 272.9586 | 275.114 | 274.2463 | 272.9566 | 272.3418 |
| 10-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8644 | 210.0097 | 225.0762 | 233.8789 | 247.8329 | 251.0323 | 258.8085 | 264.3038 | 266.3909 | 265.5508 | 264.3015 | 263.7061 |
| 10-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5556 | 493.8451 | 529.2737 | 549.9756 | 582.7858 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-803 | CFL Screw-in 18W | 0 | 0 | 500.5556 | 493.8451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-804 | High Bay T5 | 0 | 0 | 458.6127 | 452.4599 | 484.9209 | 503.8863 | 533.9513 | 540.8436 | 557.5959 | 569.4382 | 573.9357 | 572.1237 | 0 | 0 |
| 10-805 | Occupancy Sensor | 0 | 0 | 175.8473 | 173.488 | 185.9347 | 193.2066 | 204.7346 | 207.3773 | 213.8012 | 218.3416 | 220.0662 | 0 | 0 | 0 |
| 10-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-101 | Compressed Air-O&M | 0 | 0 | 161.4623 | 159.2958 | 170.7243 | 177.4013 | 187.9866 | 190.4129 | 196.3112 | 200.4804 | 202.0644 | 201.4256 | 0 | 0 |
| 11-102 | Compressed Air - Controls | 0 | 0 | 121.4136 | 119.7844 | 128.3782 | 133.3991 | 141.3588 | 143.1833 | 147.6187 | 150.7536 | 151.9447 | 151.4651 | 0 | 0 |
| 11-103 | Compressed Air - System Optimization | 0 | 0 | 204.6044 | 201.8589 | 216.3411 | 224.8022 | 238.2157 | 241.2903 | 248.7648 | 254.0479 | 256.0547 | 255.2457 | 0 | 0 |
| 11-104 | Compressed Air- Sizing | 0 | 0 | 87.59492 | 86.41952 | 92.61962 | 96.24194 | 101.9845 | 103.3008 | 106.5007 | 108.7624 | 109.6222 | 109.2762 | 0 | 0 |
| 11-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72976 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76653 | 58.9645 | 63.1949 | 65.66644 | 69.58471 | 70.48277 | 72.66606 | 74.20925 | 74.7958 | 74.55978 | 74.20874 | 74.0416 |
| 11-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19455 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65956 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34068 | 58.54439 | 62.74464 | 65.19849 | 69.08887 | 69.98048 | 72.14832 | 73.68043 | 74.26272 | 74.02856 | 0 | 0 |
| 11-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09726 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10168 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31749 | 58.52151 | 62.72013 | 65.173 | 69.06165 | 69.95313 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81077 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-201 | Fans - O&M | 0 | 0 | 18.60037 | 18.35073 | 19.66735 | 20.43643 | 21.6557 | 21.93539 | 22.61489 | 23.095 | 23.27766 | 23.20468 | 0 | 0 |
| 11-202 | Fans - Controls | 0 | 0 | 356.4077 | 351.6252 | 376.8523 | 391.5909 | 414.9566 | 420.3125 | 433.3316 | 442.5353 | 446.0308 | 444.6219 | 0 | 0 |
| 11-203 | Fans - System Optimization | 0 | 0 | 237.7479 | 234.5576 | 251.3857 | 261.2175 | 276.8039 | 280.3766 | 289.0616 | 295.2008 | 297.5325 | 296.593 | 0 | 0 |
| 11-204 | Fans- Improve components | 0 | 0 | 47.95415 | 47.31064 | 50.70496 | 52.68797 | 55.83183 | 56.55251 | 58.30428 | 59.5425 | 60.01307 | 59.82361 | 0 | 0 |
| 11-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72976 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92188 | 59.11777 | 63.35915 | 65.83716 | 69.76563 | 70.66597 | 72.85493 | 74.40206 | 74.9902 | 74.75385 | 74.4015 | 74.23395 |
| 11-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19455 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65956 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47362 | 58.67558 | 62.88521 | 65.34464 | 69.24374 | 70.13733 | 72.30998 | 73.84568 | 74.42936 | 74.19473 | 0 | 0 |
| 11-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09726 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10168 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37045 | 58.57376 | 62.7761 | 65.23114 | 69.12327 | 70.01555 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81077 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-301 | Pumps - O&M | 0 | 0 | 97.94891 | 96.63458 | 103.5675 | 107.618 | 114.0394 | 115.5113 | 119.0894 | 121.6186 | 122.5794 | 122.1925 | 0 | 0 |
| 11-302 | Pumps - Controls | 0 | 0 | 343.1254 | 338.5212 | 362.8081 | 376.9975 | 399.4925 | 404.6485 | 417.1826 | 426.0433 | 429.4084 | 428.0518 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11-303 | Pumps - System Optimization | 0 | 0 | 395.1073 | 389.8056 | 417.7719 | 434.1109 | 460.0135 | 465.9509 | 480.3837 | 490.5867 | 494.4619 | 492.8996 | 0 | 0 |
| 11-304 | Pumps - Sizing | 0 | 0 | 219.219 | 216.2775 | 231.7941 | 240.8596 | 255.2314 | 258.5254 | 266.5337 | 272.1943 | 274.3446 | 273.4777 | 0 | 0 |
| 11-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72976 | 27.35761 | 29.32043 | 30.46706 | 32.28507 | 32.70161 | 33.71466 | 34.43061 | 34.70274 | 34.59384 | 34.43059 | 34.35306 |
| 11-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.8673 | 59.06392 | 63.30145 | 65.77719 | 69.70206 | 70.60161 | 72.78859 | 74.33436 | 74.92194 | 74.68561 | 74.33379 | 74.16641 |
| 11-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19455 | 43.6015 | 46.72968 | 48.55725 | 51.45464 | 52.11865 | 53.73314 | 54.87437 | 55.30791 | 55.13376 | 54.87367 | 54.75044 |
| 11-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65956 | 32.22126 | 34.53302 | 35.8835 | 38.02467 | 38.51541 | 39.70849 | 40.55183 | 40.87232 | 40.74368 | 0 | 0 |
| 11-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42258 | 58.62523 | 62.83125 | 65.28844 | 69.18421 | 70.07703 | 72.24789 | 73.78207 | 74.36518 | 74.13089 | 0 | 0 |
| 11-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09726 | 21.8007 | 23.36485 | 24.27869 | 25.72723 | 26.05933 | 26.86656 | 27.43702 | 27.65412 | 27.56702 | 0 | 0 |
| 11-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10168 | 28.71113 | 30.77104 | 31.97443 | 33.88235 | 34.31955 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29769 | 58.50197 | 62.69918 | 65.15123 | 69.03883 | 69.92977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81077 | 13.6254 | 14.60301 | 15.174 | 16.07944 | 16.28707 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-427 | Drives - Optimization process (M&T) | 0 | 0 | 96.91789 | 95.6174 | 102.4774 | 106.4852 | 112.839 | 114.2955 | 117.8359 | 120.3384 | 121.289 | 120.9063 | 0 | 0 |
| 11-428 | Drives - Scheduling | 0 | 0 | 52.3664 | 51.6637 | 55.37026 | 57.53571 | 60.96888 | 61.75572 | 63.66876 | 65.02082 | 65.53483 | 65.32825 | 0 | 0 |
| 11-429 | Machinery | 0 | 0 | 68.0215 | 67.10875 | 71.92343 | 74.7363 | 79.19566 | 80.21785 | 82.7027 | 84.45913 | 85.12634 | 84.85815 | 0 | 0 |
| 11-509 | Efficient Curing ovens | 0 | 0 | 216.6399 | 213.733 | 229.067 | 238.0259 | 252.2285 | 255.484 | 263.3979 | 268.992 | 271.1169 | 270.2603 | 268.9882 | 268.3832 |
| 11-510 | Heating - Optimization process (M&T) | 0 | 0 | 96.91789 | 95.6174 | 102.4774 | 106.4852 | 112.839 | 114.2955 | 117.8359 | 120.3384 | 121.289 | 120.9063 | 0 | 0 |
| 11-511 | Heating - Scheduling | 0 | 0 | 52.3664 | 51.6637 | 55.37026 | 57.53571 | 60.96888 | 61.75572 | 63.66876 | 65.02082 | 65.53483 | 65.32825 | 0 | 0 |
| 11-603 | New transformers welding | 0 | 0 | 263.0628 | 259.533 | 278.1529 | 289.0313 | 306.2773 | 310.2304 | 319.8402 | 326.6331 | 329.2131 | 328.173 | 326.6284 | 325.894 |
| 11-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1018 | 109.6104 | 117.4745 | 122.0688 | 129.3531 | 131.0222 | 135.0807 | 137.9501 | 139.0403 | 138.6009 | 137.9478 | 137.6375 |
| 11-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16649 | 28.77524 | 30.83969 | 32.04582 | 33.95792 | 34.39616 | 35.46164 | 36.21459 | 36.50098 | 36.38614 | 36.21452 | 36.13287 |
| 11-703 | EMS - Chiller | 0 | 0 | 101.4321 | 100.0705 | 107.2502 | 111.4446 | 118.0949 | 119.6187 | 123.3241 | 125.9436 | 126.9387 | 126.5379 | 0 | 0 |
| 11-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72389 | 75.69473 | 81.1253 | 84.2981 | 89.3278 | 90.48085 | 93.28363 | 95.26437 | 96.0171 | 95.71402 | 0 | 0 |
| 11-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71814 | 94.43325 | 101.2084 | 105.1665 | 111.4421 | 112.8802 | 116.3769 | 118.8488 | 119.7877 | 119.4095 | 118.847 | 118.5799 |
| 11-706 | EMS Optimization - Chiller | 0 | 0 | 47.21476 | 46.58144 | 49.92334 | 51.87576 | 54.97099 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40791 | 94.12816 | 100.8812 | 104.8266 | 111.081 | 112.5149 | 116.0004 | 118.4635 | 119.3991 | 119.0225 | 0 | 0 |
| 11-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90488 | 94.61845 | 101.4066 | 105.3727 | 111.6597 | 113.1011 | 116.6046 | 119.0805 | 120.0214 | 119.6426 | 0 | 0 |
| 11-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.2854 | 50.59744 | 54.22751 | 56.34839 | 59.71029 | 60.48108 | 62.35466 | 63.67852 | 64.18165 | 63.97919 | 0 | 0 |
| 11-710 | Roof Insulation - Chiller | 0 | 0 | 43.41062 | 42.82829 | 45.90096 | 47.69611 | 50.54189 | 51.19427 | 52.78018 | 53.90081 | 54.3269 | 54.15573 | 53.90063 | 53.77913 |
| 11-711 | Cool Roof - Chiller | 0 | 0 | 240.5647 | 237.3379 | 254.3651 | 264.3134 | 280.0836 | 283.6992 | 292.487 | 298.6979 | 301.0569 | 300.1065 | 298.6951 | 298.0226 |
| 11-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67539 | 49.99509 | 53.58208 | 55.6776 | 58.99995 | 59.76138 | 61.61256 | 62.92121 | 63.41877 | 63.21884 | 62.92068 | 62.77901 |
| 11-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8101 | 334.2654 | 358.2465 | 372.2574 | 394.4681 | 399.5603 | 411.9369 | 420.6846 | 424.007 | 422.6685 | 420.6803 | 419.7334 |
| 11-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2945 | 126.5737 | 135.6544 | 140.9597 | 149.3699 | 151.2983 | 155.9851 | 159.2974 | 160.5554 | 160.0486 | 159.2961 | 158.937 |
| 11-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69792 | 43.11176 | 46.20476 | 48.01175 | 50.87623 | 51.53293 | 53.1295 | 54.25738 | 54.68612 | 54.51413 | 0 | 0 |
| 11-725 | DX Coil Cleaning | 0 | 0 | 41.98631 | 41.42314 | 44.39497 | 46.13113 | 48.88355 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-726 | Optimize Controls | 0 | 0 | 43.69792 | 43.11176 | 46.20476 | 48.01175 | 50.87623 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-727 | Aerosole Duct Sealing | 0 | 0 | 87.52049 | 86.34656 | 92.54133 | 96.16058 | 101.8978 | 103.2133 | 106.4106 | 108.67 | 109.5284 | 109.1833 | 0 | 0 |
| 11-728 | Duct/Pipe Insulation | 0 | 0 | 87.93837 | 86.75887 | 92.98318 | 96.61972 | 102.3844 | 103.7061 | 106.9186 | 109.1889 | 110.0515 | 109.7044 | 0 | 0 |
| 11-729 | Window Film (Standard) | 0 | 0 | 45.08178 | 44.47707 | 47.66799 | 49.53219 | 52.4875 | 53.16508 | 54.812 | 55.97579 | 56.41808 | 56.24069 | 0 | 0 |
| 11-730 | Roof Insulation | 0 | 0 | 39.84713 | 39.31265 | 42.13308 | 43.78091 | 46.39288 | 46.99174 | 48.44763 | 49.47625 | 49.86727 | 49.71011 | 49.47609 | 49.3645 |
| 11-731 | Cool Roof - DX | 0 | 0 | 219.8366 | 216.8879 | 232.448 | 241.5389 | 255.9501 | 259.2545 | 267.2852 | 272.9607 | 275.1164 | 274.2482 | 272.9579 | 272.3436 |
| 11-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8653 | 210.0099 | 225.0767 | 233.8794 | 247.8337 | 251.0331 | 258.8092 | 264.3048 | 266.3924 | 265.5518 | 264.3019 | 263.7073 |
| 11-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5576 | 493.845 | 529.2743 | 549.9744 | 582.787 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-803 | CFL Screw-in 18W | 0 | 0 | 500.5576 | 493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11-804 | High Bay T5 | 0 | 0 | 458.6142 | 452.4604 | 484.9217 | 503.8871 | 533.9532 | 540.8448 | 557.5972 | 569.4405 | 573.9387 | 572.1256 | 0 | 0 |
| 11-805 | Occupancy Sensor | 0 | 0 | 175.8505 | 173.4908 | 185.9377 | 193.2097 | 204.7383 | 207.3807 | 213.8047 | 218.3453 | 220.0705 | 0 | 0 | 0 |
| 11-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-101 | Compressed Air-O&M | 0 | 0 | 161.4602 | 159.2953 | 170.7233 | 177.4006 | 187.9842 | 190.4115 | 196.31 | 200.478 | 202.0611 | 201.4236 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-102 | Compressed Air - Controls | 0 | 0 | 121.412 | 119.784 | 128.3775 | 133.3986 | 141.3569 | 143.1822 | 147.6175 | 150.752 | 151.9424 | 151.463 | 0 | 0 |
| 12-103 | Compressed Air - System Optimization | 0 | 0 | 204.6016 | 201.8582 | 216.3398 | 224.8012 | 238.2129 | 241.2888 | 248.763 | 254.045 | 256.051 | 255.2435 | 0 | 0 |
| 12-104 | Compressed Air- Sizing | 0 | 0 | 87.59373 | 86.4192 | 92.61906 | 96.2415 | 101.9834 | 103.3002 | 106.5001 | 108.7613 | 109.6205 | 109.2746 | 0 | 0 |
| 12-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72937 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76274 | 58.96057 | 63.19076 | 65.66208 | 69.58028 | 70.47812 | 72.66133 | 74.20464 | 74.79122 | 74.5549 | 74.20378 | 74.03653 |
| 12-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19394 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65914 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.33687 | 58.54042 | 62.74045 | 65.19421 | 69.08454 | 69.97594 | 72.14355 | 73.67583 | 74.25832 | 74.02368 | 0 | 0 |
| 12-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09698 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10127 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31377 | 58.51764 | 62.71603 | 65.16885 | 69.05766 | 69.9487 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81057 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-201 | Fans - O&M | 0 | 0 | 18.60012 | 18.35069 | 19.66723 | 20.43636 | 21.65565 | 21.9353 | 22.61483 | 23.095 | 23.27743 | 23.20436 | 0 | 0 |
| 12-202 | Fans - Controls | 0 | 0 | 356.4029 | 351.6241 | 376.85 | 391.5893 | 414.9515 | 420.3094 | 433.3285 | 442.5298 | 446.0242 | 444.6173 | 0 | 0 |
| 12-203 | Fans - System Optimization | 0 | 0 | 237.7374 | 234.5466 | 251.3741 | 261.2054 | 276.7917 | 280.3638 | 289.0484 | 295.1878 | 297.52 | 296.5794 | 0 | 0 |
| 12-204 | Fans- Improve components | 0 | 0 | 47.9535 | 47.3105 | 50.70467 | 52.68774 | 55.83125 | 56.55192 | 58.30381 | 59.54153 | 60.012 | 59.82333 | 0 | 0 |
| 12-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72937 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.91797 | 59.11374 | 63.35491 | 65.83263 | 69.76107 | 70.66116 | 72.85007 | 74.39739 | 74.98539 | 74.74869 | 74.39661 | 74.22882 |
| 12-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19394 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65914 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.46982 | 58.67159 | 62.88102 | 65.34027 | 69.2393 | 70.13271 | 72.30519 | 73.84092 | 74.42469 | 74.18958 | 0 | 0 |
| 12-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09698 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10127 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.36663 | 58.56978 | 62.77191 | 65.22691 | 69.11904 | 70.01102 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81057 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-301 | Pumps - O&M | 0 | 0 | 97.94756 | 96.6342 | 103.5669 | 107.6176 | 114.038 | 115.5105 | 119.0887 | 121.6173 | 122.5777 | 122.1914 | 0 | 0 |
| 12-302 | Pumps - Controls | 0 | 0 | 343.1208 | 338.5201 | 362.8059 | 376.9959 | 399.4876 | 404.6459 | 417.1796 | 426.0383 | 429.4024 | 428.0484 | 0 | 0 |
| 12-303 | Pumps - System Optimization | 0 | 0 | 395.102 | 389.8044 | 417.7693 | 434.1092 | 460.0079 | 465.9476 | 480.3803 | 490.5809 | 494.4546 | 492.8957 | 0 | 0 |
| 12-304 | Pumps - Sizing | 0 | 0 | 219.2161 | 216.2767 | 231.7927 | 240.8584 | 255.2281 | 258.5236 | 266.5318 | 272.191 | 274.3401 | 273.4751 | 0 | 0 |
| 12-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72937 | 27.35754 | 29.32025 | 30.46698 | 32.28458 | 32.70149 | 33.71447 | 34.43025 | 34.70245 | 34.59305 | 34.43047 | 34.35239 |
| 12-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86339 | 59.0599 | 63.2972 | 65.77266 | 69.69736 | 70.5968 | 72.78371 | 74.32961 | 74.91695 | 74.68039 | 74.32881 | 74.16135 |
| 12-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19394 | 43.60132 | 46.72941 | 48.55698 | 51.45383 | 52.11823 | 53.73283 | 54.87366 | 55.30718 | 55.13361 | 54.87343 | 54.74959 |
| 12-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65914 | 32.22115 | 34.53281 | 35.88329 | 38.02427 | 38.5152 | 39.70832 | 40.55133 | 40.872 | 40.74353 | 0 | 0 |
| 12-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.4188 | 58.62125 | 62.82707 | 65.28424 | 69.17991 | 70.07256 | 72.24316 | 73.77755 | 74.36085 | 74.12589 | 0 | 0 |
| 12-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09698 | 21.80064 | 23.3647 | 24.2784 | 25.72677 | 26.05916 | 26.8664 | 27.4367 | 27.65356 | 27.56685 | 0 | 0 |
| 12-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10127 | 28.71103 | 30.77085 | 31.97436 | 33.88175 | 34.31929 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29387 | 58.498 | 62.69498 | 65.14697 | 69.03446 | 69.92525 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81057 | 13.62536 | 14.60292 | 15.17397 | 16.07926 | 16.28681 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-427 | Drives - Optimization process (M&T) | 0 | 0 | 96.91658 | 95.6171 | 102.4768 | 106.4848 | 112.8376 | 114.2945 | 117.8351 | 120.3371 | 121.2874 | 120.9048 | 0 | 0 |
| 12-428 | Drives - Scheduling | 0 | 0 | 52.36322 | 51.6604 | 55.36683 | 57.5321 | 60.96512 | 61.75182 | 63.66478 | 65.01691 | 65.53077 | 65.32425 | 0 | 0 |
| 12-429 | Machinery | 0 | 0 | 68.0206 | 67.10852 | 71.92299 | 74.73593 | 79.19456 | 80.21724 | 82.70221 | 84.45811 | 85.12504 | 84.85693 | 0 | 0 |
| 12-509 | Efficient Curing ovens | 0 | 0 | 216.637 | 213.7323 | 229.0657 | 238.0247 | 252.2254 | 255.4822 | 263.396 | 268.9887 | 271.1128 | 270.2581 | 268.9871 | 268.3812 |
| 12-510 | Heating - Optimization process (M&T) | 0 | 0 | 96.91658 | 95.6171 | 102.4768 | 106.4848 | 112.8376 | 114.2945 | 117.8351 | 120.3371 | 121.2874 | 120.9048 | 0 | 0 |
| 12-511 | Heating - Scheduling | 0 | 0 | 52.36322 | 51.6604 | 55.36683 | 57.5321 | 60.96512 | 61.75182 | 63.66478 | 65.01691 | 65.53077 | 65.32425 | 0 | 0 |
| 12-603 | New transformers welding | 0 | 0 | 263.0592 | 259.5321 | 278.1512 | 289.0302 | 306.2737 | 310.2283 | 319.8379 | 326.6293 | 329.2082 | 328.1703 | 326.6266 | 325.8908 |
| 12-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.0939 | 109.6027 | 117.4662 | 122.0602 | 129.3439 | 131.0129 | 135.0711 | 137.9403 | 139.0304 | 138.5911 | 137.938 | 137.6278 |
| 12-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16636 | 28.77538 | 30.83977 | 32.04619 | 33.95786 | 34.3965 | 35.46193 | 36.21502 | 36.50117 | 36.38712 | 36.21544 | 36.13339 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12-703 | EMS - Chiller | 0 | 0 | 101.4241 | 100.0627 | 107.2418 | 111.4359 | 118.0856 | 119.6093 | 123.3144 | 125.9338 | 126.9287 | 126.528 | 0 | 0 |
| 12-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72365 | 75.69522 | 81.12559 | 84.29919 | 89.32816 | 90.48172 | 93.28438 | 95.26531 | 96.01839 | 95.71606 | 0 | 0 |
| 12-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71104 | 94.42625 | 101.2009 | 105.1587 | 111.4338 | 112.8718 | 116.3682 | 118.84 | 119.7788 | 119.4007 | 118.8382 | 118.5711 |
| 12-706 | EMS Optimization - Chiller | 0 | 0 | 47.2146 | 46.5817 | 49.92349 | 51.87646 | 54.97103 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40765 | 94.12879 | 100.8816 | 104.8281 | 111.0816 | 112.5161 | 116.0013 | 118.4647 | 119.4008 | 119.0246 | 0 | 0 |
| 12-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.9045 | 94.61899 | 101.4069 | 105.374 | 111.6601 | 113.1021 | 116.6054 | 119.0816 | 120.0224 | 119.6444 | 0 | 0 |
| 12-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.2852 | 50.59775 | 54.22765 | 56.349 | 59.71036 | 60.48164 | 62.35508 | 63.67922 | 64.18229 | 63.9808 | 0 | 0 |
| 12-710 | Roof Insulation - Chiller | 0 | 0 | 43.41045 | 42.82852 | 45.90109 | 47.69671 | 50.54205 | 51.19472 | 52.78058 | 53.9013 | 54.32722 | 54.15656 | 53.90178 | 53.78 |
| 12-711 | Cool Roof - Chiller | 0 | 0 | 240.5639 | 237.3393 | 254.3659 | 264.3168 | 280.0846 | 283.7018 | 292.4891 | 298.7007 | 301.06 | 300.1113 | 298.7009 | 298.0273 |
| 12-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67301 | 49.99297 | 53.57973 | 55.67514 | 58.99734 | 59.75861 | 61.60985 | 62.91821 | 63.4155 | 63.21588 | 62.91777 | 62.77623 |
| 12-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8093 | 334.2678 | 358.248 | 372.2627 | 394.4701 | 399.5646 | 411.94 | 420.689 | 424.0117 | 422.6762 | 420.6893 | 419.7405 |
| 12-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2944 | 126.5747 | 135.6551 | 140.9618 | 149.371 | 151.3001 | 155.9865 | 159.299 | 160.5577 | 160.0516 | 159.2995 | 158.9399 |
| 12-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69796 | 43.11217 | 46.2051 | 48.0126 | 50.87676 | 51.53377 | 53.1302 | 54.25832 | 54.68728 | 54.51553 | 0 | 0 |
| 12-725 | DX Coil Cleaning | 0 | 0 | 41.98636 | 41.42355 | 44.39529 | 46.13196 | 48.8839 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-726 | Optimize Controls | 0 | 0 | 43.69796 | 43.11217 | 46.2051 | 48.0126 | 50.87676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-727 | Aerosole Duct Sealing | 0 | 0 | 87.52043 | 86.3473 | 92.54182 | 96.16209 | 101.8985 | 103.2145 | 106.4117 | 108.6714 | 109.5298 | 109.1856 | 0 | 0 |
| 12-728 | Duct/Pipe Insulation | 0 | 0 | 87.93839 | 86.75967 | 92.98377 | 96.62146 | 102.3853 | 103.7076 | 106.9199 | 109.1904 | 110.0531 | 109.7068 | 0 | 0 |
| 12-729 | Window Film (Standard) | 0 | 0 | 45.08176 | 44.47746 | 47.6683 | 49.53307 | 52.48787 | 53.16584 | 54.81273 | 55.97659 | 56.41897 | 56.24149 | 0 | 0 |
| 12-730 | Roof Insulation | 0 | 0 | 39.84711 | 39.31297 | 42.13332 | 43.78163 | 46.39324 | 46.99251 | 48.44812 | 49.47681 | 49.86797 | 49.71152 | 49.47731 | 49.3654 |
| 12-731 | Cool Roof - DX | 0 | 0 | 219.8365 | 216.8898 | 232.4493 | 241.543 | 255.9523 | 259.2577 | 267.2879 | 272.9644 | 275.1205 | 274.2542 | 272.9651 | 272.3489 |
| 12-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8637 | 210.0104 | 225.0764 | 233.8814 | 247.8337 | 251.0343 | 258.8099 | 264.3062 | 266.3937 | 265.554 | 264.3066 | 263.71 |
| 12-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5569 | 493.8481 | 529.2761 | 549.9827 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-803 | CFL Screw-in 18W | 0 | 0 | 500.5569 | 493.8481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-804 | High Bay T5 | 0 | 0 | 458.608 | 452.4589 | 484.9188 | 503.8849 | 533.9465 | 540.8408 | 557.5932 | 569.4336 | 573.9298 | 572.12 | 0 | 0 |
| 12-805 | Occupancy Sensor | 0 | 0 | 175.8404 | 173.4804 | 185.9267 | 193.1983 | 204.7266 | 207.3688 | 213.7922 | 218.3331 | 220.0583 | 0 | 0 | 0 |
| 12-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-101 | Compressed Air-O&M | 0 | 0 | 161.463 | 159.296 | 170.7247 | 177.4016 | 187.9872 | 190.4133 | 196.3117 | 200.4813 | 202.065 | 201.4267 | 0 | 0 |
| 13-102 | Compressed Air - Controls | 0 | 0 | 121.4141 | 119.7846 | 128.3785 | 133.3993 | 141.3592 | 143.1838 | 147.6189 | 150.7544 | 151.9455 | 151.4654 | 0 | 0 |
| 13-103 | Compressed Air - System Optimization | 0 | 0 | 204.6051 | 201.8592 | 216.3415 | 224.8026 | 238.2168 | 241.291 | 248.7654 | 254.0489 | 256.056 | 255.2467 | 0 | 0 |
| 13-104 | Compressed Air- Sizing | 0 | 0 | 87.59526 | 86.41963 | 92.61981 | 96.2421 | 101.9848 | 103.301 | 106.501 | 108.7628 | 109.6226 | 109.2763 | 0 | 0 |
| 13-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72985 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76804 | 58.96575 | 63.19631 | 65.66797 | 69.5868 | 70.48457 | 72.66774 | 74.21133 | 74.79798 | 74.5618 | 74.21068 | 74.04337 |
| 13-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19472 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65966 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |
| 13-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34211 | 58.5455 | 62.74596 | 65.19989 | 69.09049 | 69.98213 | 72.14989 | 73.68243 | 74.2646 | 74.03003 | 0 | 0 |
| 13-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09734 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31891 | 58.52264 | 62.72144 | 65.17441 | 69.06376 | 69.9548 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-201 | Fans - O&M | 0 | 0 | 18.60044 | 18.35077 | 19.66738 | 20.43645 | 21.65601 | 21.93547 | 22.61502 | 23.09512 | 23.27818 | 23.20462 | 0 | 0 |
| 13-202 | Fans - Controls | 0 | 0 | 356.409 | 351.6257 | 376.853 | 391.5918 | 414.9582 | 420.3134 | 433.3327 | 442.537 | 446.0328 | 444.6231 | 0 | 0 |
| 13-203 | Fans - System Optimization | 0 | 0 | 237.7522 | 234.5609 | 251.3896 | 261.2215 | 276.8097 | 280.3817 | 289.0663 | 295.2066 | 297.5392 | 296.598 | 0 | 0 |
| 13-204 | Fans- Improve components | 0 | 0 | 47.95435 | 47.31073 | 50.70507 | 52.68799 | 55.83212 | 56.55251 | 58.30432 | 59.54261 | 60.01336 | 59.82431 | 0 | 0 |
| 13-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72985 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92331 | 59.11894 | 63.3605 | 65.83856 | 69.76752 | 70.66763 | 72.85655 | 74.40411 | 74.99229 | 74.75546 | 74.4034 | 74.23563 |
| 13-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19472 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65966 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47506 | 58.67669 | 62.88654 | 65.34607 | 69.24563 | 70.13898 | 72.31154 | 73.84765 | 74.43139 | 74.19617 | 0 | 0 |
| 13-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09734 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.37185 | 58.57486 | 62.77742 | 65.23254 | 69.12513 | 70.0172 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-301 | Pumps - O&M | 0 | 0 | 97.94926 | 96.63467 | 103.5678 | 107.6182 | 114.04 | 115.5116 | 119.0898 | 121.6192 | 122.58 | 122.1934 | 0 | 0 |
| 13-302 | Pumps - Controls | 0 | 0 | 343.1267 | 338.5216 | 362.8088 | 376.9983 | 399.494 | 404.6496 | 417.1837 | 426.0451 | 429.4106 | 428.0534 | 0 | 0 |
| 13-303 | Pumps - System Optimization | 0 | 0 | 395.1088 | 389.8061 | 417.7726 | 434.1118 | 460.0153 | 465.9522 | 480.385 | 490.5888 | 494.4641 | 492.9019 | 0 | 0 |
| 13-304 | Pumps - Sizing | 0 | 0 | 219.2198 | 216.2777 | 231.7945 | 240.86 | 255.2321 | 258.5261 | 266.5343 | 272.1954 | 274.3458 | 273.4788 | 0 | 0 |
| 13-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72985 | 27.35767 | 29.32046 | 30.46706 | 32.28515 | 32.70172 | 33.71475 | 34.43081 | 34.70298 | 34.59393 | 34.43056 | 34.35315 |
| 13-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86872 | 59.06509 | 63.30278 | 65.77856 | 69.70383 | 70.60326 | 72.79018 | 74.33633 | 74.92403 | 74.68735 | 74.33562 | 74.16806 |
| 13-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19472 | 43.60156 | 46.72976 | 48.55727 | 51.45499 | 52.11888 | 53.73329 | 54.87453 | 55.30856 | 55.13391 | 54.8739 | 54.7507 |
| 13-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65966 | 32.22131 | 34.53307 | 35.88362 | 38.02483 | 38.5156 | 39.70866 | 40.55206 | 40.87273 | 40.74402 | 0 | 0 |
| 13-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42402 | 58.62633 | 62.83257 | 65.29001 | 69.18613 | 70.0788 | 72.2495 | 73.78428 | 74.36747 | 74.13248 | 0 | 0 |
| 13-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09734 | 21.80074 | 23.36489 | 24.27871 | 25.72738 | 26.05944 | 26.86666 | 27.4372 | 27.65426 | 27.56743 | 0 | 0 |
| 13-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.10176 | 28.71115 | 30.77108 | 31.97446 | 33.88251 | 34.3197 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29911 | 58.50312 | 62.70051 | 65.15265 | 69.04044 | 69.93144 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81082 | 13.62542 | 14.60301 | 15.17406 | 16.07961 | 16.28712 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-413 | Clean Room - Controls | 0 | 0 | 96.91826 | 95.61752 | 102.4776 | 106.4855 | 112.8394 | 114.2957 | 117.8362 | 120.339 | 121.2899 | 120.9071 | 0 | 0 |
| 13-428 | Drives - Scheduling | 0 | 0 | 47.70049 | 47.06019 | 50.43657 | 52.40907 | 55.53657 | 56.25317 | 57.99565 | 59.22762 | 59.69582 | 59.50735 | 0 | 0 |
| 13-429 | Machinery | 0 | 0 | 33.094 | 32.64981 | 34.99232 | 36.36078 | 38.53046 | 39.02775 | 40.23671 | 41.09126 | 41.41608 | 41.28601 | 0 | 0 |
| 13-509 | Efficient Curing ovens | 0 | 0 | 216.6407 | 213.7332 | 229.0675 | 238.0263 | 252.2294 | 255.4846 | 263.3986 | 268.9931 | 271.1184 | 270.2611 | 268.989 | 268.384 |
| 13-604 | Efficient processes (welding, etc.) | 0 | 0 | 263.0638 | 259.5333 | 278.1534 | 289.032 | 306.2786 | 310.2313 | 319.841 | 326.6344 | 329.2149 | 328.1743 | 326.6292 | 325.8951 |
| 13-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1047 | 109.6133 | 117.4776 | 122.072 | 129.3565 | 131.0256 | 135.0842 | 137.9537 | 139.0439 | 138.6045 | 137.9514 | 137.6412 |
| 13-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16683 | 28.77547 | 30.83996 | 32.04616 | 33.95815 | 34.39647 | 35.46205 | 36.21502 | 36.50115 | 36.38654 | 36.21497 | 36.13321 |
| 13-703 | EMS - Chiller | 0 | 0 | 101.4351 | 100.0735 | 107.2534 | 111.4479 | 118.0984 | 119.6223 | 123.3278 | 125.9474 | 126.9425 | 126.5417 | 0 | 0 |
| 13-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72476 | 75.69535 | 81.12605 | 84.29875 | 89.32874 | 90.48174 | 93.2845 | 95.26557 | 96.01817 | 95.7157 | 0 | 0 |
| 13-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.72072 | 94.43581 | 101.2112 | 105.1694 | 111.4453 | 112.8832 | 116.38 | 118.852 | 119.7912 | 119.4128 | 118.8502 | 118.5831 |
| 13-706 | EMS Optimization - Chiller | 0 | 0 | 47.21524 | 46.58176 | 49.92372 | 51.87612 | 54.97152 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40898 | 94.12889 | 100.8821 | 104.8275 | 111.0822 | 112.5161 | 116.0015 | 118.4648 | 119.4008 | 119.0244 | 0 | 0 |
| 13-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90593 | 94.61917 | 101.4075 | 105.3735 | 111.6609 | 113.1022 | 116.6057 | 119.0819 | 120.0227 | 119.6444 | 0 | 0 |
| 13-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28592 | 50.59779 | 54.22789 | 56.34869 | 59.71092 | 60.48148 | 62.35514 | 63.67924 | 64.18238 | 63.98044 | 0 | 0 |
| 13-710 | Roof Insulation - Chiller | 0 | 0 | 43.41108 | 42.82861 | 45.90132 | 47.69644 | 50.54227 | 51.19479 | 52.78064 | 53.90145 | 54.32742 | 54.15598 | 53.90144 | 53.77948 |
| 13-711 | Cool Roof - Chiller | 0 | 0 | 240.5673 | 237.3397 | 254.3673 | 264.3155 | 280.0864 | 283.7017 | 292.4897 | 298.7014 | 301.0605 | 300.1096 | 298.6977 | 298.0258 |
| 13-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67652 | 49.99621 | 53.58327 | 55.67883 | 59.00126 | 59.76272 | 61.61393 | 62.92262 | 63.42019 | 63.22025 | 62.92209 | 62.78041 |
| 13-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8143 | 334.2685 | 358.2502 | 372.2614 | 394.4731 | 399.5648 | 411.9413 | 420.6902 | 424.0129 | 422.6739 | 420.685 | 419.7382 |
| 13-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2962 | 126.5749 | 135.6558 | 140.9613 | 149.372 | 151.3001 | 155.9869 | 159.2993 | 160.5577 | 160.0504 | 159.2979 | 158.9391 |
| 13-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69846 | 43.1122 | 46.20524 | 48.01227 | 50.87707 | 51.53368 | 53.13009 | 54.25825 | 54.68713 | 54.51489 | 0 | 0 |
| 13-725 | DX Coil Cleaning | 0 | 0 | 41.9869 | 41.42357 | 44.39546 | 46.13171 | 48.88422 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-726 | Optimize Controls | 0 | 0 | 43.69846 | 43.1122 | 46.20524 | 48.01227 | 50.87707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-727 | Aerosole Duct Sealing | 0 | 0 | 87.52159 | 86.3474 | 92.5423 | 96.16154 | 101.8993 | 103.2145 | 106.4118 | 108.6716 | 109.5301 | 109.1846 | 0 | 0 |
| 13-728 | Duct/Pipe Insulation | 0 | 0 | 87.93958 | 86.75975 | 92.98422 | 96.62076 | 102.3859 | 103.7075 | 106.9199 | 109.1903 | 110.0531 | 109.7061 | 0 | 0 |
| 13-729 | Window Film (Standard) | 0 | 0 | 45.08241 | 44.47756 | 47.66858 | 49.53281 | 52.48834 | 53.16585 | 54.81273 | 55.97669 | 56.41903 | 56.24091 | 0 | 0 |
| 13-730 | Roof Insulation | 0 | 0 | 39.84768 | 39.31307 | 42.13356 | 43.78135 | 46.39364 | 46.99248 | 48.44824 | 49.47695 | 49.86816 | 49.71115 | 49.47661 | 49.36562 |
| 13-731 | Cool Roof - DX | 0 | 0 | 219.8394 | 216.89 | 232.4504 | 241.5415 | 255.9535 | 259.2575 | 267.2882 | 272.9644 | 275.1203 | 274.252 | 272.9612 | 272.3468 |
| 13-801 | Premium T8, Electronic Ballast | 0 | 0 | 212.8663 | 210.0103 | 225.0771 | 233.8799 | 247.8349 | 251.0338 | 258.81 | 264.3063 | 266.394 | 265.5531 | 264.3029 | 263.7084 |
| 13-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5603 | 493.8457 | 529.2756 | 549.9756 | 582.7899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13-803 | CFL Screw-in 18W | 0 | 0 | 500.5603 | 493.8457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-804 | High Bay T5 | 0 | 0 | 458.6159 | 452.4609 | 484.9226 | 503.888 | 533.9551 | 540.8461 | 557.5987 | 569.4428 | 573.9411 | 572.1272 | 0 | 0 |
| 13-805 | Occupancy Sensor | 0 | 0 | 175.8544 | 173.4939 | 185.9413 | 193.2135 | 204.7433 | 207.3854 | 213.809 | 218.3507 | 220.0761 | 0 | 0 | 0 |
| 13-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-101 | Compressed Air-O&M | 0 | 0 | 161.4621 | 159.2957 | 170.7242 | 177.4012 | 187.9861 | 190.4126 | 196.311 | 200.48 | 202.0636 | 201.425 | 0 | 0 |
| 14-102 | Compressed Air - Controls | 0 | 0 | 121.4134 | 119.7844 | 128.3781 | 133.399 | 141.3584 | 143.1831 | 147.6184 | 150.7533 | 151.9442 | 151.4645 | 0 | 0 |
| 14-103 | Compressed Air - System Optimization | 0 | 0 | 204.604 | 201.8588 | 216.3409 | 224.802 | 238.2152 | 241.2901 | 248.7645 | 254.0475 | 256.0541 | 255.245 | 0 | 0 |
| 14-104 | Compressed Air- Sizing | 0 | 0 | 87.59473 | 86.41946 | 92.61954 | 96.24185 | 101.9845 | 103.3007 | 106.5006 | 108.7623 | 109.6215 | 109.276 | 0 | 0 |
| 14-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72969 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.7661 | 58.96401 | 63.19441 | 65.66592 | 69.58421 | 70.48222 | 72.66545 | 74.20885 | 74.79523 | 74.55914 | 74.20821 | 74.04077 |
| 14-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19448 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65951 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.34017 | 58.5438 | 62.74403 | 65.19785 | 69.08811 | 69.97984 | 72.14761 | 73.6798 | 74.26197 | 74.02768 | 0 | 0 |
| 14-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09723 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.31707 | 58.52101 | 62.71961 | 65.17249 | 69.06142 | 69.95261 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-201 | Fans - O&M | 0 | 0 | 18.6003 | 18.3507 | 19.66733 | 20.43636 | 21.65594 | 21.9353 | 22.61483 | 23.09489 | 23.2779 | 23.2047 | 0 | 0 |
| 14-202 | Fans - Controls | 0 | 0 | 356.4071 | 351.6251 | 376.852 | 391.5908 | 414.9558 | 420.3118 | 433.3312 | 442.5344 | 446.0295 | 444.6212 | 0 | 0 |
| 14-203 | Fans - System Optimization | 0 | 0 | 237.7466 | 234.5561 | 251.3842 | 261.2158 | 276.8024 | 280.3747 | 289.0598 | 295.1992 | 297.5312 | 296.591 | 0 | 0 |
| 14-204 | Fans- Improve components | 0 | 0 | 47.95409 | 47.31065 | 50.70492 | 52.68787 | 55.83176 | 56.5524 | 58.30419 | 59.54234 | 60.01293 | 59.8237 | 0 | 0 |
| 14-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.72969 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-206 | Fans - ASD (1-5 hp) | 0 | 0 | 59.92137 | 59.1172 | 63.3586 | 65.83655 | 69.76493 | 70.66531 | 72.85422 | 74.40163 | 74.98937 | 74.75296 | 74.40097 | 74.23303 |
| 14-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19448 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.65951 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.47313 | 58.67496 | 62.88462 | 65.34393 | 69.2429 | 70.13664 | 72.30927 | 73.84487 | 74.42835 | 74.19357 | 0 | 0 |
| 14-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09723 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.36993 | 58.57315 | 62.7755 | 65.23055 | 69.12293 | 70.01495 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-301 | Pumps - O&M | 0 | 0 | 97.94872 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-302 | Pumps - Controls | 0 | 0 | 343.1248 | 338.521 | 362.8078 | 376.9973 | 399.4915 | 404.648 | 417.1821 | 426.0423 | 429.4073 | 428.0512 | 0 | 0 |
| 14-303 | Pumps - System Optimization | 0 | 0 | 395.1066 | 389.8054 | 417.7715 | 434.1106 | 460.0128 | 465.9503 | 480.3831 | 490.5857 | 494.4606 | 492.899 | 0 | 0 |
| 14-304 | Pumps - Sizing | 0 | 0 | 219.2186 | 216.2773 | 231.7938 | 240.8593 | 255.2309 | 258.5251 | 266.5334 | 272.1937 | 274.3438 | 273.4774 | 0 | 0 |
| 14-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.72969 | 27.35762 | 29.3204 | 30.46705 | 32.28498 | 32.70151 | 33.71467 | 34.43054 | 34.70254 | 34.59357 | 34.43016 | 34.35291 |
| 14-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 59.86678 | 59.06335 | 63.30087 | 65.77658 | 69.70139 | 70.60095 | 72.78786 | 74.33385 | 74.92124 | 74.68478 | 74.33321 | 74.1655 |
| 14-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19448 | 43.60146 | 46.72963 | 48.5571 | 51.45444 | 52.11852 | 53.73305 | 54.87414 | 55.30788 | 55.13345 | 54.87372 | 54.75014 |
| 14-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.65951 | 32.22125 | 34.53297 | 35.88346 | 38.02454 | 38.51534 | 39.70843 | 40.55164 | 40.87232 | 40.74335 | 0 | 0 |
| 14-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.42218 | 58.62469 | 62.83074 | 65.28795 | 69.18359 | 70.07655 | 72.24731 | 73.78162 | 74.36457 | 74.13 | 0 | 0 |
| 14-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09723 | 21.80068 | 23.36484 | 24.27859 | 25.72718 | 26.05926 | 26.86656 | 27.437 | 27.65388 | 27.56734 | 0 | 0 |
| 14-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.1016 | 28.71112 | 30.771 | 31.97449 | 33.88219 | 34.3196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.29726 | 58.50146 | 62.69866 | 65.15073 | 69.03815 | 69.92925 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.81071 | 13.62538 | 14.60298 | 15.17407 | 16.07944 | 16.28704 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-427 | Drives - Optimization process (M&T) | 0 | 0 | 97.94872 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-428 | Drives - Scheduling | 0 | 0 | 52.36596 | 51.66318 | 55.36976 | 57.53523 | 60.96845 | 61.75522 | 63.66818 | 65.0203 | 65.53432 | 65.32803 | 0 | 0 |
| 14-429 | Machinery | 0 | 0 | 108.8414 | 107.3811 | 115.085 | 119.5859 | 126.7215 | 128.3571 | 132.333 | 135.1433 | 136.2112 | 135.7808 | 0 | 0 |
| 14-509 | Efficient Curing ovens | 0 | 0 | 216.6395 | 213.7328 | 229.0668 | 238.0256 | 252.228 | 255.4837 | 263.3976 | 268.9913 | 271.1163 | 270.2599 | 268.9879 | 268.3828 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14-510 | Heating - Optimization process (M&T) | 0 | 0 | 97.94872 | 96.63452 | 103.5675 | 107.6179 | 114.0392 | 115.511 | 119.0893 | 121.6183 | 122.5791 | 122.1924 | 0 | 0 |
| 14-603 | New transformers welding | 0 | 0 | 263.0623 | 259.5328 | 278.1526 | 289.0312 | 306.2768 | 310.2301 | 319.8398 | 326.6324 | 329.2122 | 328.1721 | 326.6285 | 325.8936 |
| 14-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.1008 | 109.6094 | 117.4734 | 122.0677 | 129.3519 | 131.021 | 135.0794 | 137.9488 | 139.0389 | 138.5996 | 137.9465 | 137.6362 |
| 14-702 | High Efficiency Chiller Motors | 0 | 0 | 29.16643 | 28.77521 | 30.83966 | 32.04582 | 33.9576 | 34.3961 | 35.46167 | 36.21449 | 36.50063 | 36.38608 | 36.21457 | 36.13306 |
| 14-703 | EMS - Chiller | 0 | 0 | 101.4311 | 100.0695 | 107.2491 | 111.4435 | 118.0937 | 119.6175 | 123.3228 | 125.9424 | 126.9374 | 126.5366 | 0 | 0 |
| 14-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 76.72382 | 75.69477 | 81.12531 | 84.29796 | 89.32737 | 90.48077 | 93.28365 | 95.26421 | 96.01659 | 95.71445 | 0 | 0 |
| 14-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 95.71718 | 94.4323 | 101.2074 | 105.1655 | 111.441 | 112.8791 | 116.3757 | 118.8476 | 119.7865 | 119.4083 | 118.8458 | 118.5787 |
| 14-706 | EMS Optimization - Chiller | 0 | 0 | 47.21463 | 46.58141 | 49.92327 | 51.87567 | 54.97073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 95.40787 | 94.12825 | 100.8812 | 104.8267 | 111.0808 | 112.5151 | 116.0004 | 118.4634 | 119.3991 | 119.0225 | 0 | 0 |
| 14-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 95.90474 | 94.61845 | 101.4066 | 105.3726 | 111.6595 | 113.1009 | 116.6045 | 119.0802 | 120.0209 | 119.6423 | 0 | 0 |
| 14-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.28537 | 50.59753 | 54.22753 | 56.34833 | 59.71014 | 60.48097 | 62.3546 | 63.67843 | 64.18168 | 63.97888 | 0 | 0 |
| 14-710 | Roof Insulation - Chiller | 0 | 0 | 43.41063 | 42.82834 | 45.90099 | 47.69615 | 50.54184 | 51.19423 | 52.78019 | 53.90072 | 54.3267 | 54.15588 | 53.90089 | 53.77904 |
| 14-711 | Cool Roof - Chiller | 0 | 0 | 240.5644 | 237.338 | 254.3651 | 264.3133 | 280.083 | 283.699 | 292.487 | 298.6974 | 301.0562 | 300.1061 | 298.6946 | 298.0224 |
| 14-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 50.67521 | 49.99492 | 53.58189 | 55.6774 | 58.99973 | 59.76118 | 61.61235 | 62.921 | 63.41856 | 63.2186 | 62.92047 | 62.77879 |
| 14-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 338.8099 | 334.2658 | 358.2467 | 372.2576 | 394.4676 | 399.5603 | 411.9369 | 420.6841 | 424.0062 | 422.6684 | 420.6805 | 419.7329 |
| 14-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 128.2945 | 126.5738 | 135.6545 | 140.96 | 149.3701 | 151.2985 | 155.9852 | 159.2973 | 160.5556 | 160.0484 | 159.2959 | 158.9372 |
| 14-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 43.69788 | 43.11182 | 46.2048 | 48.01187 | 50.87634 | 51.53311 | 53.12957 | 54.25756 | 54.68629 | 54.51434 | 0 | 0 |
| 14-725 | DX Coil Cleaning | 0 | 0 | 41.98632 | 41.42319 | 44.39501 | 46.13121 | 48.88351 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-726 | Optimize Controls | 0 | 0 | 43.69788 | 43.11182 | 46.2048 | 48.01187 | 50.87634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-727 | Aerosole Duct Sealing | 0 | 0 | 87.52037 | 86.3466 | 92.54131 | 96.16055 | 101.8977 | 103.2132 | 106.4106 | 108.6699 | 109.5282 | 109.1829 | 0 | 0 |
| 14-728 | Duct/Pipe Insulation | 0 | 0 | 87.93834 | 86.759 | 92.98327 | 96.61972 | 102.3843 | 103.7061 | 106.9187 | 109.1888 | 110.0512 | 109.7042 | 0 | 0 |
| 14-729 | Window Film (Standard) | 0 | 0 | 45.08173 | 44.47712 | 47.66804 | 49.5323 | 52.48733 | 53.16505 | 54.81212 | 55.97576 | 56.4179 | 56.24063 | 0 | 0 |
| 14-730 | Roof Insulation | 0 | 0 | 39.84712 | 39.31273 | 42.13314 | 43.7809 | 46.39314 | 46.99197 | 48.44771 | 49.4763 | 49.86724 | 49.71048 | 49.47615 | 49.36456 |
| 14-731 | Cool Roof - DX | 0 | 0 | 219.8365 | 216.8882 | 232.4481 | 241.5391 | 255.95 | 259.2544 | 267.2852 | 272.9604 | 275.1159 | 274.248 | 272.9581 | 272.3437 |
| 14-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 212.8648 | 210.0098 | 225.0764 | 233.8792 | 247.8332 | 251.0326 | 258.8088 | 264.3041 | 266.3914 | 265.5509 | 264.3016 | 263.7067 |
| 14-802 | CFL Hardwired, Modular 18W | 0 | 0 | 500.5564 | 493.845 | 529.274 | 549.9751 | 582.7864 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-803 | CFL Screw-in 18W | 0 | 0 | 500.5564 | 493.845 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14-804 | High Bay T5 | 0 | 0 | 458.6133 | 452.4601 | 484.9212 | 503.8867 | 533.9521 | 540.8441 | 557.5966 | 569.4393 | 573.937 | 572.1246 | 0 | 0 |
| 14-805 | Occupancy Sensor | 0 | 0 | 175.8492 | 173.4894 | 185.9363 | 193.2082 | 204.7371 | 207.3793 | 213.8031 | 218.344 | 220.0692 | 0 | 0 | 0 |
| 14-901 | Replace V-belts | 0 | 0 | 0.552574 | 0.545139 | 0.584265 | 0.606949 | 0.643333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-101 | Compressed Air-O&M | 0 | 0 | 161.463 | 159.296 | 170.7247 | 177.4017 | 187.9873 | 190.4134 | 196.3117 | 200.4814 | 202.0653 | 201.4264 | 0 | 0 |
| 15-102 | Compressed Air - Controls | 0 | 0 | 121.4141 | 119.7846 | 128.3785 | 133.3993 | 141.3595 | 143.1838 | 147.619 | 150.7545 | 151.9457 | 151.4653 | 0 | 0 |
| 15-103 | Compressed Air - System Optimization | 0 | 0 | 204.6052 | 201.8592 | 216.3416 | 224.8027 | 238.2169 | 241.2911 | 248.7654 | 254.0492 | 256.0564 | 255.2472 | 0 | 0 |
| 15-104 | Compressed Air- Sizing | 0 | 0 | 87.59529 | 86.41963 | 92.61984 | 96.24207 | 101.985 | 103.3011 | 106.501 | 108.7629 | 109.6226 | 109.2763 | 0 | 0 |
| 15-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.72985 | 27.35767 | 29.32046 | 30.46716 | 32.28518 | 32.70171 | 33.71474 | 34.43083 | 34.70301 | 34.59372 | 34.43056 | 34.3533 |
| 15-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 59.76812 | 58.96582 | 63.19642 | 65.66812 | 69.5868 | 70.48466 | 72.66791 | 74.21142 | 74.7981 | 74.56195 | 74.21098 | 74.04358 |
| 15-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.19473 | 43.60157 | 46.72977 | 48.55727 | 51.45499 | 52.1189 | 53.73337 | 54.87458 | 55.30848 | 55.13388 | 54.87396 | 54.75073 |
| 15-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.65969 | 32.22132 | 34.53309 | 35.88359 | 38.02485 | 38.51563 | 39.70864 | 40.55212 | 40.87267 | 40.74408 | 0 | 0 |
| 15-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.3422 | 58.54564 | 62.74605 | 65.2001 | 69.09092 | 69.98232 | 72.14999 | 73.68273 | 74.26524 | 74.03085 | 0 | 0 |
| 15-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.09734 | 21.80074 | 23.36489 | 24.27873 | 25.72738 | 26.05945 | 26.86665 | 27.4372 | 27.65434 | 27.56743 | 0 | 0 |
| 15-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.10179 | 28.71115 | 30.77109 | 31.97444 | 33.8825 | 34.31977 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.3191 | 58.52284 | 62.72163 | 65.17473 | 69.06396 | 69.95508 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.92097 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-201 | Fans - O&M | 0 | 0 | 18.7488 | 19.79562 | 21.76592 | 22.96931 | 24.2429 | 25.58456 | 26.99695 | 28.4921 | 30.06853 | 31.72665 | 0 | 0 |
| 15-202 | Fans - Controls | 0 | 0 | 359.2519 | 379.3109 | 417.0639 | 440.1238 | 464.526 | 490.2354 | 517.2967 | 545.9514 | 576.1435 | 607.9075 | 0 | 0 |
| 15-203 | Fans - System Optimization | 0 | 0 | 239.6491 | 253.0296 | 278.2139 | 293.5966 | 309.8759 | 327.026 | 345.0776 | 364.193 | 384.3339 | 405.522 | 0 | 0 |
| 15-204 | Fans- Improve components | 0 | 0 | 48.33686 | 51.03576 | 56.1154 | 59.21793 | 62.5014 | 65.96045 | 69.60164 | 73.45686 | 77.51965 | 81.79437 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.95102 | 29.51167 | 32.44901 | 34.2431 | 36.14172 | 38.14185 | 40.24741 | 42.47676 | 44.82607 | 47.29797 | 49.92607 | 52.6806 |
| 15-206 | Fans - ASD (1-5 hp) | 0 | 0 | 60.40144 | 63.77383 | 70.12139 | 73.99853 | 78.10169 | 82.42392 | 86.97375 | 91.79143 | 96.86815 | 102.2091 | 107.8894 | 113.8407 |
| 15-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.54723 | 47.03452 | 51.71592 | 54.57522 | 57.60137 | 60.7892 | 64.14491 | 67.69789 | 71.44226 | 75.38132 | 79.57005 | 83.95996 |
| 15-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.92018 | 34.75826 | 38.21783 | 40.33083 | 42.56698 | 44.92294 | 47.40272 | 50.02849 | 52.79543 | 55.707 | 0 | 0 |
| 15-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.94961 | 63.2968 | 69.59684 | 73.44497 | 77.51737 | 81.80731 | 86.32307 | 91.10497 | 96.14375 | 101.4451 | 0 | 0 |
| 15-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.27359 | 23.51721 | 25.85796 | 27.2877 | 28.80056 | 30.39459 | 32.0724 | 33.84883 | 35.72122 | 37.69131 | 0 | 0 |
| 15-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.3339 | 30.9717 | 34.05442 | 35.93719 | 37.92982 | 40.02908 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.8455 | 63.18687 | 69.47598 | 73.31742 | 77.38265 | 81.66524 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.92097 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-301 | Pumps - O&M | 0 | 0 | 98.73056 | 104.2432 | 114.6186 | 120.9558 | 127.6621 | 134.7278 | 142.165 | 150.0397 | 158.3372 | 167.0668 | 0 | 0 |
| 15-302 | Pumps - Controls | 0 | 0 | 345.8636 | 365.1751 | 401.5212 | 423.7216 | 447.2145 | 471.9655 | 498.0186 | 525.6052 | 554.6722 | 585.2531 | 0 | 0 |
| 15-303 | Pumps - System Optimization | 0 | 0 | 398.2603 | 420.4974 | 462.3498 | 487.9136 | 514.9656 | 543.4665 | 573.4661 | 605.2322 | 638.7029 | 673.9161 | 0 | 0 |
| 15-304 | Pumps - Sizing | 0 | 0 | 220.9684 | 233.3063 | 256.5275 | 270.711 | 285.7204 | 301.5338 | 318.179 | 335.8034 | 354.3741 | 373.9114 | 0 | 0 |
| 15-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.95102 | 29.51167 | 32.44901 | 34.2431 | 36.14172 | 38.14185 | 40.24741 | 42.47676 | 44.82607 | 47.29797 | 49.92607 | 52.6806 |
| 15-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 60.34642 | 63.71574 | 70.05752 | 73.93108 | 78.03053 | 82.34885 | 86.89452 | 91.70784 | 96.77991 | 102.1161 | 107.7912 | 113.737 |
| 15-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.54723 | 47.03452 | 51.71592 | 54.57522 | 57.60137 | 60.7892 | 64.14491 | 67.69789 | 71.44226 | 75.38132 | 79.57005 | 83.95996 |
| 15-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.92018 | 34.75826 | 38.21783 | 40.33083 | 42.56698 | 44.92294 | 47.40272 | 50.02849 | 52.79543 | 55.707 | 0 | 0 |
| 15-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.89816 | 63.24248 | 69.53712 | 73.38195 | 77.45084 | 81.73709 | 86.24901 | 91.02678 | 96.06129 | 101.3578 | 0 | 0 |
| 15-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.27359 | 23.51721 | 25.85796 | 27.2877 | 28.80056 | 30.39459 | 32.0724 | 33.84883 | 35.72122 | 37.69131 | 0 | 0 |
| 15-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.3339 | 30.9717 | 34.05442 | 35.93719 | 37.92982 | 40.02908 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.77226 | 63.10953 | 69.39095 | 73.2277 | 77.28803 | 81.56528 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.92097 | 14.69822 | 16.16119 | 17.05468 | 18.00026 | 18.99663 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-427 | Drives - Optimization process (M&T) | 0 | 0 | 97.69134 | 103.1459 | 113.4122 | 119.6828 | 126.3182 | 133.3095 | 140.6686 | 148.4603 | 156.6706 | 165.3086 | 0 | 0 |
| 15-428 | Drives - Scheduling | 0 | 0 | 52.78542 | 55.73256 | 61.27975 | 64.66793 | 68.25355 | 72.03098 | 76.00716 | 80.21741 | 84.65425 | 89.32169 | 0 | 0 |
| 15-429 | Machinery | 0 | 0 | 68.56434 | 72.39264 | 79.59795 | 83.99905 | 88.65611 | 93.56282 | 98.7278 | 104.1963 | 109.9589 | 116.0221 | 0 | 0 |
| 15-509 | Efficient Curing ovens | 0 | 0 | 218.3688 | 230.5615 | 253.5094 | 267.5262 | 282.3589 | 297.9862 | 314.4357 | 331.8528 | 350.2052 | 369.5127 | 390.0483 | 411.5661 |
| 15-603 | New transformers welding | 0 | 0 | 265.1621 | 279.9676 | 307.8329 | 324.8531 | 342.8644 | 361.8404 | 381.8146 | 402.964 | 425.2491 | 448.6936 | 473.6294 | 499.759 |
| 15-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.9912 | 118.244 | 130.013 | 137.2014 | 144.8088 | 152.823 | 161.2591 | 170.1918 | 179.6043 | 189.5065 | 200.0373 | 211.0727 |
| 15-702 | High Efficiency Chiller Motors | 0 | 0 | 29.39946 | 31.04109 | 34.13065 | 36.01783 | 38.01459 | 40.11858 | 42.33323 | 44.67786 | 47.14891 | 49.74933 | 52.51332 | 55.41037 |
| 15-703 | EMS - Chiller | 0 | 0 | 102.2445 | 107.9532 | 118.6979 | 125.2607 | 132.2059 | 139.5227 | 147.2246 | 155.3799 | 163.9728 | 173.0136 | 0 | 0 |
| 15-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 77.33675 | 81.65521 | 89.78236 | 94.7463 | 99.99921 | 105.534 | 111.3596 | 117.5276 | 124.0276 | 130.8661 | 0 | 0 |
| 15-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 96.48454 | 101.8715 | 112.011 | 118.2039 | 124.7581 | 131.6626 | 138.9307 | 146.6264 | 154.7355 | 163.2666 | 172.3396 | 181.8472 |
| 15-706 | EMS Optimization - Chiller | 0 | 0 | 47.59186 | 50.24934 | 55.25069 | 58.30541 | 61.53797 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 96.17004 | 101.5401 | 111.6464 | 117.8193 | 124.3513 | 131.2338 | 138.4783 | 146.1483 | 154.2309 | 162.7348 | 0 | 0 |
| 15-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 96.67097 | 102.069 | 112.2279 | 118.433 | 124.9991 | 131.9176 | 139.1996 | 146.9096 | 155.0343 | 163.5825 | 0 | 0 |
| 15-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.69511 | 54.5817 | 60.01424 | 63.33241 | 66.84357 | 70.54315 | 74.43742 | 78.56038 | 82.90501 | 87.47705 | 0 | 0 |
| 15-710 | Roof Insulation - Chiller | 0 | 0 | 43.75737 | 46.20073 | 50.79909 | 53.60766 | 56.57975 | 59.71146 | 63.00761 | 66.49745 | 70.17506 | 74.04413 | 78.15941 | 82.47058 |
| 15-711 | Cool Roof - Chiller | 0 | 0 | 242.4863 | 256.0267 | 281.5089 | 297.0736 | 313.5437 | 330.8977 | 349.1638 | 368.5037 | 388.882 | 410.3232 | 433.1276 | 457.0217 |
| 15-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 51.0808 | 53.93273 | 59.30079 | 62.57949 | 66.04917 | 69.70473 | 73.55257 | 77.62675 | 81.92033 | 86.43744 | 91.2404 | 96.27356 |
| 15-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 341.517 | 360.5872 | 396.4763 | 418.3976 | 441.594 | 466.035 | 491.7607 | 518.9995 | 547.7006 | 577.8976 | 610.0148 | 643.6674 |
| 15-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 129.3195 | 136.5407 | 150.1306 | 158.4314 | 167.2149 | 176.4698 | 186.2115 | 196.5253 | 207.3935 | 218.8283 | 230.9902 | 243.7327 |
| 15-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 44.04704 | 46.50661 | 51.13541 | 53.96262 | 56.95446 | 60.10669 | 63.42474 | 66.93764 | 70.63982 | 74.53479 | 0 | 0 |
| 15-725 | DX Coil Cleaning | 0 | 0 | 42.3218 | 44.68504 | 49.13253 | 51.84902 | 54.72359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-726 | Optimize Controls | 0 | 0 | 44.04704 | 46.50661 | 51.13541 | 53.96262 | 56.95446 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-727 | Aerosole Duct Sealing | 0 | 0 | 88.21975 | 93.14595 | 102.4167 | 108.0794 | 114.0715 | 120.3849 | 127.0304 | 134.0664 | 141.4806 | 149.2817 | 0 | 0 |
| 15-728 | Duct/Pipe Insulation | 0 | 0 | 88.64103 | 93.59074 | 102.9058 | 108.5955 | 114.6162 | 120.9598 | 127.6372 | 134.7064 | 142.1564 | 149.9946 | 0 | 0 |
| 15-729 | Window Film (Standard) | 0 | 0 | 45.44202 | 47.9795 | 52.7549 | 55.67164 | 58.75814 | 62.01036 | 65.43343 | 69.0576 | 72.87688 | 76.89493 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15-730 | Roof Insulation | 0 | 0 | 40.16556 | 42.40836 | 46.6293 | 49.20744 | 51.93552 | 54.80995 | 57.83572 | 61.03903 | 64.41481 | 67.96698 | 71.74367 | 75.70157 |
| 15-731 | Cool Roof - DX | 0 | 0 | 221.5931 | 233.967 | 257.2535 | 271.4772 | 286.528 | 302.3867 | 319.0791 | 336.7523 | 355.3751 | 374.9691 | 395.8077 | 417.6431 |
| 15-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 214.5642 | 226.5454 | 249.0934 | 262.8658 | 277.4395 | 292.7949 | 308.958 | 326.0706 | 344.103 | 363.0752 | 383.2529 | 404.3958 |
| 15-802 | CFL Hardwired, Modular 18W | 0 | 0 | 504.5531 | 532.7286 | 585.7503 | 618.1368 | 652.4057 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-803 | CFL Screw-in 18W | 0 | 0 | 504.5531 | 532.7286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-804 | High Bay T5 | 0 | 0 | 462.274 | 488.0853 | 536.6647 | 566.3375 | 597.7374 | 630.8195 | 665.6409 | 702.5133 | 741.3634 | 782.2368 | 0 | 0 |
| 15-805 | Occupancy Sensor | 0 | 0 | 177.2574 | 187.1543 | 205.782 | 217.16 | 229.201 | 241.886 | 255.238 | 269.3768 | 284.2744 | 0 | 0 | 0 |
| 15-901 | Replace V-belts | 0 | 0 | 0.556978 | 0.588059 | 0.646606 | 0.682182 | 0.720177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-101 | Compressed Air-O&M | 0 | 0 | 162.7511 | 171.8382 | 188.9414 | 199.3881 | 210.4432 | 222.0902 | 234.3499 | 247.3313 | 261.0094 | 275.3986 | 0 | 0 |
| 16-102 | Compressed Air - Controls | 0 | 0 | 122.3827 | 129.2159 | 142.0768 | 149.9322 | 158.2453 | 167.0034 | 176.2223 | 185.9837 | 196.2692 | 207.0898 | 0 | 0 |
| 16-103 | Compressed Air - System Optimization | 0 | 0 | 206.2374 | 217.7526 | 239.4257 | 252.6637 | 266.6727 | 281.4315 | 296.9671 | 313.4167 | 330.7496 | 348.9847 | 0 | 0 |
| 16-104 | Compressed Air- Sizing | 0 | 0 | 88.29406 | 93.22391 | 102.5026 | 108.1699 | 114.1675 | 120.486 | 127.1372 | 134.1795 | 141.6002 | 149.4074 | 0 | 0 |
| 16-105 | Comp Air - Replace 1-5 HP motor | 0 | 0 | 27.95108 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-106 | Comp Air - ASD (1-5 hp) | 0 | 0 | 60.24536 | 63.60901 | 69.94016 | 73.80715 | 77.89965 | 82.21075 | 86.74893 | 91.55406 | 96.61778 | 101.9451 | 107.6099 | 113.5459 |
| 16-107 | Comp Air - Motor practices-1 (1-5 HP) | 0 | 0 | 44.54729 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-108 | Comp Air - Replace 6-100 HP motor | 0 | 0 | 32.92022 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-109 | Comp Air - ASD (6-100 hp) | 0 | 0 | 59.81605 | 63.15572 | 69.44173 | 73.28112 | 77.34428 | 81.62488 | 86.13072 | 90.90158 | 95.92915 | 101.2185 | 0 | 0 |
| 16-110 | Comp Air - Motor practices-1 (6-100 HP) | 0 | 0 | 22.27364 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-111 | Comp Air - Replace 100+ HP motor | 0 | 0 | 29.33393 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-112 | Comp Air - ASD (100+ hp) | 0 | 0 | 59.79276 | 63.13112 | 69.4147 | 73.25259 | 77.31416 | 81.59311 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-113 | Comp Air - Motor practices-1 (100+ HP) | 0 | 0 | 13.92101 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-201 | Fans - O&M | 0 | 0 | 18.74882 | 19.7956 | 21.76593 | 22.96928 | 24.24271 | 25.58463 | 26.99695 | 28.49223 | 30.06807 | 31.72693 | 0 | 0 |
| 16-202 | Fans - Controls | 0 | 0 | 359.2524 | 379.3111 | 417.0642 | 440.124 | 464.5266 | 490.2358 | 517.2972 | 545.9522 | 576.1445 | 607.9084 | 0 | 0 |
| 16-203 | Fans - System Optimization | 0 | 0 | 239.6506 | 253.0309 | 278.2155 | 293.5982 | 309.8769 | 327.0268 | 345.0793 | 364.1944 | 384.3356 | 405.5243 | 0 | 0 |
| 16-204 | Fans- Improve components | 0 | 0 | 48.33691 | 51.03575 | 56.11543 | 59.21786 | 62.50123 | 65.96053 | 69.60164 | 73.45695 | 77.51962 | 81.79349 | 0 | 0 |
| 16-205 | Fans - Replace 1-5 HP motor | 0 | 0 | 27.95108 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-206 | Fans - ASD (1-5 hp) | 0 | 0 | 60.40196 | 63.77435 | 70.12194 | 73.999 | 78.10212 | 82.42442 | 86.97443 | 91.79202 | 96.8689 | 102.2101 | 107.8896 | 113.8411 |
| 16-207 | Fans - Motor practices-1 (1-5 HP) | 0 | 0 | 44.54729 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-208 | Fans - Replace 6-100 HP motor | 0 | 0 | 32.92022 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-209 | Fans - ASD (6-100 hp) | 0 | 0 | 59.95007 | 63.2972 | 69.59733 | 73.44537 | 77.51759 | 81.80774 | 86.32368 | 91.1053 | 96.14403 | 101.4451 | 0 | 0 |
| 16-210 | Fans - Motor practices-1 (6-100 HP) | 0 | 0 | 22.27364 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-211 | Fans - Replace 100+ HP motor | 0 | 0 | 29.33393 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-212 | Fans - ASD (100+ hp) | 0 | 0 | 59.84604 | 63.18735 | 69.47655 | 73.31792 | 77.383 | 81.6658 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-213 | Fans - Motor practices-1 (100+ HP) | 0 | 0 | 13.92101 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-301 | Pumps - O&M | 0 | 0 | 98.7307 | 104.2433 | 114.6187 | 120.956 | 127.6624 | 134.728 | 142.1652 | 150.0401 | 158.3377 | 167.0676 | 0 | 0 |
| 16-302 | Pumps - Controls | 0 | 0 | 345.8641 | 365.1753 | 401.5215 | 423.7219 | 447.2151 | 471.9662 | 498.0191 | 525.6062 | 554.6733 | 585.2538 | 0 | 0 |
| 16-303 | Pumps - System Optimization | 0 | 0 | 398.2609 | 420.4976 | 462.3501 | 487.9139 | 514.9661 | 543.4669 | 573.4666 | 605.2332 | 638.7038 | 673.9166 | 0 | 0 |
| 16-304 | Pumps - Sizing | 0 | 0 | 220.9687 | 233.3064 | 256.5276 | 270.7111 | 285.7207 | 301.5339 | 318.1792 | 335.804 | 354.3749 | 373.912 | 0 | 0 |
| 16-305 | Pumps - Replace 1-5 HP motor | 0 | 0 | 27.95108 | 29.51167 | 32.44904 | 34.24317 | 36.14165 | 38.14191 | 40.24751 | 42.47696 | 44.82596 | 47.29794 | 49.92595 | 52.68088 |
| 16-306 | Pumps - ASD (1-5 hp) | 0 | 0 | 60.34695 | 63.71626 | 70.05808 | 73.9316 | 78.03072 | 82.34935 | 86.89522 | 91.70842 | 96.78046 | 102.117 | 107.7914 | 113.7374 |
| 16-307 | Pumps - Motor practices-1 (1-5 HP) | 0 | 0 | 44.54729 | 47.03453 | 51.71597 | 54.57534 | 57.60107 | 60.78911 | 64.14482 | 67.6978 | 71.44202 | 75.38174 | 79.57018 | 83.95963 |
| 16-308 | Pumps - Replace 6-100 HP motor | 0 | 0 | 32.92022 | 34.75827 | 38.21785 | 40.33087 | 42.56687 | 44.92288 | 47.40277 | 50.02832 | 52.79532 | 55.70715 | 0 | 0 |
| 16-309 | Pumps - ASD (6-100 hp) | 0 | 0 | 59.89871 | 63.24297 | 69.5377 | 73.38245 | 77.45118 | 81.73767 | 86.24971 | 91.02725 | 96.06166 | 101.3583 | 0 | 0 |
| 16-310 | Pumps - Motor practices-1 (6-100 HP) | 0 | 0 | 22.27364 | 23.51722 | 25.85797 | 27.28773 | 28.80064 | 30.39467 | 32.07244 | 33.849 | 35.72153 | 37.69168 | 0 | 0 |
| 16-311 | Pumps - Replace 100+ HP motor | 0 | 0 | 29.33393 | 30.97175 | 34.05444 | 35.93726 | 37.92982 | 40.02912 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-312 | Pumps - ASD (100+ hp) | 0 | 0 | 59.77281 | 63.11005 | 69.39154 | 73.22803 | 77.28834 | 81.56567 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-313 | Pumps - Motor practices-1 (100+ HP) | 0 | 0 | 13.92101 | 14.69825 | 16.16121 | 17.0547 | 18.00034 | 18.99666 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|--------|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16-416 | Process Drives - ASD | 0 | 0 | 5.385405 | 5.686081 | 6.252026 | 6.597603 | 6.96347 | 7.348846 | 7.754639 | 8.183968 | 8.637054 | 9.113007 | 0 | 0 |
| 16-428 | Drives - Scheduling | 0 | 0 | 48.08145 | 50.76592 | 55.81879 | 58.90499 | 62.17121 | 65.61203 | 69.23381 | 73.0688 | 77.11041 | 81.36197 | 0 | 0 |
| 16-430 | Efficient Machinery | 0 | 0 | 33.35801 | 35.22054 | 38.7261 | 40.86724 | 43.13314 | 45.52034 | 48.03319 | 50.69376 | 53.49762 | 56.44757 | 0 | 0 |
| 16-509 | Efficient Curing ovens | 0 | 0 | 218.369 | 230.5616 | 253.5096 | 267.5262 | 282.3593 | 297.9865 | 314.4359 | 331.8531 | 350.2058 | 369.5128 | 390.0483 | 411.5668 |
| 16-605 | Process control | 0 | 0 | 38.27086 | 40.40766 | 44.42951 | 46.88595 | 49.48548 | 52.22426 | 55.10738 | 58.15976 | 61.3764 | 64.76154 | 68.35912 | 72.13052 |
| 16-701 | Centrifugal Chiller, 0.51 kW/ton, 500 tons | 0 | 0 | 111.9922 | 118.245 | 130.0142 | 137.2026 | 144.8101 | 152.8244 | 161.2605 | 170.1933 | 179.6059 | 189.5081 | 200.039 | 211.0745 |
| 16-702 | High Efficiency Chiller Motors | 0 | 0 | 29.39953 | 31.04109 | 34.13068 | 36.01772 | 38.01447 | 40.11854 | 42.33325 | 44.67792 | 47.14893 | 49.74918 | 52.51344 | 55.41034 |
| 16-703 | EMS - Chiller | 0 | 0 | 102.2455 | 107.9542 | 118.699 | 125.2618 | 132.2072 | 139.524 | 147.226 | 155.3813 | 163.9743 | 173.0152 | 0 | 0 |
| 16-704 | Chiller Tune Up/Diagnostics | 0 | 0 | 77.33701 | 81.65536 | 89.78254 | 94.7466 | 99.99967 | 105.5344 | 111.36 | 117.5281 | 124.028 | 130.8664 | 0 | 0 |
| 16-705 | VSD for Chiller Pumps and Towers | 0 | 0 | 96.48542 | 101.8725 | 112.012 | 118.205 | 124.7592 | 131.6638 | 138.9319 | 146.6277 | 154.7369 | 163.2681 | 172.3412 | 181.8489 |
| 16-706 | EMS Optimization - Chiller | 0 | 0 | 47.59204 | 50.24948 | 55.25085 | 58.30552 | 61.538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-707 | Aerosole Duct Sealing - Chiller | 0 | 0 | 96.17036 | 101.5404 | 111.6467 | 117.8197 | 124.3517 | 131.2343 | 138.4787 | 146.1488 | 154.2311 | 162.7353 | 0 | 0 |
| 16-708 | Duct/Pipe Insulation - Chiller | 0 | 0 | 96.67119 | 102.0692 | 112.2281 | 118.4332 | 124.9995 | 131.9177 | 139.1998 | 146.9099 | 155.0346 | 163.5828 | 0 | 0 |
| 16-709 | Window Film (Standard) - Chiller | 0 | 0 | 51.6952 | 54.58174 | 60.01428 | 63.33234 | 66.84376 | 70.5433 | 74.43755 | 78.56026 | 82.90535 | 87.47687 | 0 | 0 |
| 16-710 | Roof Insulation - Chiller | 0 | 0 | 43.75755 | 46.20087 | 50.79927 | 53.60793 | 56.57998 | 59.71145 | 63.0078 | 66.4976 | 70.17528 | 74.04529 | 78.15926 | 82.47144 |
| 16-711 | Cool Roof - Chiller | 0 | 0 | 242.4871 | 256.0272 | 281.5095 | 297.0743 | 313.5448 | 330.8984 | 349.1647 | 368.5046 | 388.8834 | 410.3243 | 433.1276 | 457.0228 |
| 16-721 | DX Packaged System, EER=10.9, 10 tons | 0 | 0 | 51.08106 | 53.93301 | 59.30109 | 62.57981 | 66.04951 | 69.70508 | 73.55293 | 77.62715 | 81.92076 | 86.4379 | 91.24089 | 96.27408 |
| 16-722 | Hybrid Dessicant-DX System (Trane CDQ) | 0 | 0 | 341.5182 | 360.5881 | 396.4773 | 418.3987 | 441.5957 | 466.0364 | 491.7622 | 519.0012 | 547.7025 | 577.899 | 610.0166 | 643.6697 |
| 16-723 | Geothermal Heat Pump, EER=13, 10 tons | 0 | 0 | 129.32 | 136.5411 | 150.131 | 158.4319 | 167.2157 | 176.4704 | 186.212 | 196.5261 | 207.3946 | 218.8287 | 230.9905 | 243.7335 |
| 16-724 | DX Tune Up/ Advanced Diagnostics | 0 | 0 | 44.04721 | 46.50674 | 51.13557 | 53.9627 | 56.95441 | 60.10689 | 63.42494 | 66.93785 | 70.63965 | 74.53513 | 0 | 0 |
| 16-725 | DX Coil Cleaning | 0 | 0 | 42.32195 | 44.68515 | 49.1327 | 51.84911 | 54.72382 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-726 | Optimize Controls | 0 | 0 | 44.04721 | 46.50674 | 51.13557 | 53.9627 | 56.95441 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-727 | Aerosole Duct Sealing | 0 | 0 | 88.22007 | 93.14618 | 102.417 | 108.0796 | 114.0717 | 120.3852 | 127.0308 | 134.0667 | 141.4815 | 149.282 | 0 | 0 |
| 16-728 | Duct/Pipe Insulation | 0 | 0 | 88.64139 | 93.59103 | 102.9061 | 108.5959 | 114.6167 | 120.9602 | 127.6375 | 134.7072 | 142.1568 | 149.9955 | 0 | 0 |
| 16-729 | Window Film (Standard) | 0 | 0 | 45.4422 | 47.97964 | 52.75504 | 55.67184 | 58.75835 | 62.01047 | 65.43356 | 69.05792 | 72.87714 | 76.89542 | 0 | 0 |
| 16-730 | Roof Insulation | 0 | 0 | 40.1657 | 42.40849 | 46.62943 | 49.20753 | 51.93561 | 54.81017 | 57.83588 | 61.03941 | 64.41521 | 67.96661 | 71.74397 | 75.70184 |
| 16-731 | Cool Roof - DX | 0 | 0 | 221.5939 | 233.9675 | 257.2542 | 271.478 | 286.5293 | 302.3877 | 319.0801 | 336.7537 | 355.3766 | 374.9705 | 395.8088 | 417.6448 |
| 16-801 | Premium T8, Elecctronic Ballast | 0 | 0 | 214.5646 | 226.5455 | 249.0936 | 262.8662 | 277.4399 | 292.7954 | 308.9584 | 326.0712 | 344.1033 | 363.0754 | 383.2535 | 404.3962 |
| 16-802 | CFL Hardwired, Modular 18W | 0 | 0 | 504.554 | 532.7289 | 585.7509 | 618.1375 | 652.4069 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-803 | CFL Screw-in 18W | 0 | 0 | 504.554 | 532.7289 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-804 | High Bay T5 | 0 | 0 | 462.2747 | 488.0855 | 536.6651 | 566.3378 | 597.738 | 630.82 | 665.6415 | 702.5142 | 741.3649 | 782.2378 | 0 | 0 |
| 16-805 | Occupancy Sensor | 0 | 0 | 177.2587 | 187.1556 | 205.7835 | 217.1612 | 229.202 | 241.8871 | 255.2396 | 269.3781 | 284.2758 | 0 | 0 | 0 |
| 16-901 | Replace V-belts | 0 | 0 | 0.556978 | 0.588059 | 0.646606 | 0.682182 | 0.720177 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| N-806 | LED Linear Tube 22W | 0 | 0 | 11.54403 | 12.18875 | 13.40189 | 14.14289 | 14.92688 | 15.75311 | 16.62267 | 17.54333 | 18.5139 | 19.53491 | 20.62062 | 21.75745 |
| N-807 | Flood LED 14W | 0 | 0 | 11.25629 | 11.88497 | 13.06786 | 13.79042 | 14.55471 | 15.36054 | 16.2084 | 17.10625 | 18.05234 | 19.04813 | 20.10686 | 0 |
| N-808 | LED High Bay 83W | 0 | 0 | 91.65446 | 96.77373 | 106.4052 | 112.2895 | 118.5135 | 125.0739 | 131.978 | 139.2878 | 146.9912 | 155.0969 | 163.7174 | 172.7475 |
| N-732 | Run Time Optimizer | 0 | 0 | 951.6959 | 1004.834 | 1104.849 | 1165.936 | 1230.578 | 1298.687 | 1370.374 | 1446.282 | 1526.262 | 1610.411 | 1699.911 | 1793.689 |
| N-733 | Dehumidification Hybrid Desiccant Heat Pump PER 5 TON | 0 | 0 | 625.3302 | 660.2589 | 725.9705 | 766.1198 | 808.5795 | 853.3397 | 900.4453 | 950.3207 | 1002.875 | 1058.187 | 1116.996 | 1178.612 |

| 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|----------|----------|----------|----------|----------|----------|----------|----------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.04 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39232 | 78.27904 | 78.91692 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.75 | \$696.93 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.03 | \$512.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.28 | \$3,080.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.52 | \$2,054.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.59087 | 78.48251 | 79.1219 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.52 | \$698.74 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.55 | \$514.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.10 | \$328.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.30 | \$2,965.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.11 | \$3,414.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 35.44266 | 36.31805 | 36.614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52097 | 78.4109 | 79.04987 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.54 | \$698.10 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.97 | \$513.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.63 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,086.14 | \$820.35 |
| 587.6164 | 602.1313 | 607.0396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$8,197.83 | \$5,360.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,395.39 | \$1,053.92 |
| 392.3292 | 402.0196 | 405.2988 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,473.39 | \$3,579.23 |
| 142.0083 | 145.516 | 146.7018 | 150.3232 | 153.2305 | 154.4814 | 156.0476 | 157.7671 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.00 | \$1,562.33 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 37.27953 | 38.20004 | 38.5114 | 39.46292 | 40.22551 | 40.55347 | 40.96449 | 41.41605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.69 | \$876.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3451 | 125.3671 | 126.3883 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.83 | \$1,116.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.42 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48546 | 56.85585 | 57.31937 | 58.73608 | 59.87071 | 60.35916 | 60.97112 | 61.6427 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.66 | \$610.44 |
| 307.48 | 315.0748 | 317.6451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.66 | \$2,805.15 |
| 64.77177 | 66.37149 | 66.91261 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.63 | \$590.91 |
| 433.0536 | 443.7505 | 447.3695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.54 | \$3,950.76 |
| 163.9811 | 168.0313 | 169.4022 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.70 | \$1,496.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.48 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.63 |
| 50.93109 | 52.18896 | 52.61453 | 53.91451 | 54.95593 | 55.40472 | 55.96635 | 56.58267 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9865 | 287.9272 | 290.2758 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.05 | \$2,563.45 |
| 272.0744 | 278.7948 | 281.0689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.71 | \$2,482.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.42 | \$2,340.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.80 | \$3,963.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.87 | \$1,394.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.23 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.38393 | 78.27084 | 78.90891 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.63 | \$696.85 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$678.96 | \$512.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.71 | \$328.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.27 | \$3,080.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.30 | \$2,054.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.58247 | 78.4743 | 79.11394 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.40 | \$698.66 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.48 | \$513.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.05 | \$328.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.28 | \$2,965.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.10 | \$3,414.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.46 | \$1,894.61 |
| 35.44254 | 36.31842 | 36.61426 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.51271 | 78.40283 | 79.04193 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.43 | \$698.02 |
| 56.48737 | 57.88303 | 58.35481 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.89 | \$513.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.58 | \$328.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,864.70 | \$1,408.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,726.11 | \$2,186.79 |
| 141.9865 | 145.4937 | 146.6793 | 150.3002 | 153.2071 | 154.4577 | 156.0237 | 157.7429 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.58 | \$1,562.09 |
| 37.27843 | 38.19937 | 38.51042 | 39.46068 | 40.2243 | 40.55252 | 40.96349 | 41.41504 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.69 | \$410.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.49 | \$876.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.91 | \$663.07 |
| 122.3256 | 125.3472 | 126.3682 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.56 | \$1,115.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.56 | \$220.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.70 | \$824.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.39 | \$828.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.83 | \$443.23 |
| 55.48418 | 56.85507 | 57.31822 | 58.7318 | 59.86879 | 60.35811 | 60.96912 | 61.64069 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.63 | \$610.42 |
| 307.4713 | 315.0671 | 317.6368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.53 | \$2,805.06 |
| 64.7636 | 66.36292 | 66.90443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.52 | \$590.84 |
| 433.0379 | 443.7356 | 447.3552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.30 | \$3,950.60 |
| 163.9751 | 168.0258 | 169.3962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.61 | \$1,495.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.01 | \$377.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.81 | \$196.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.89 | \$204.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.44 | \$756.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.22 | \$759.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.84 | \$389.61 |
| 50.92953 | 52.18768 | 52.61279 | 53.91016 | 54.9539 | 55.4028 | 55.96376 | 56.58112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.33 | \$560.31 |
| 280.976 | 287.9176 | 290.2648 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.89 | \$2,563.34 |
| 272.0765 | 278.7982 | 281.0717 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.74 | \$2,482.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.43 | \$2,340.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.79 | \$3,963.59 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.69 | \$1,394.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 128.6145 | 131.7916 | 132.8664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,794.30 | \$1,173.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.56 | \$1,395.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.22 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.3889 | 78.27554 | 78.91396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.70 | \$696.90 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.01 | \$512.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.74 | \$328.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.26 | \$3,080.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.44 | \$2,054.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.72 | \$414.45 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.58742 | 78.47888 | 79.11894 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.47 | \$698.71 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.53 | \$513.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.08 | \$328.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.22 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.27 | \$2,965.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.09 | \$3,414.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.45 | \$1,894.60 |
| 35.44205 | 36.3179 | 36.61409 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51759 | 78.40738 | 79.04689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.50 | \$698.07 |
| 56.48679 | 57.8822 | 58.35368 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.94 | \$513.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.61 | \$328.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 703.8279 | 721.2134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9,092.02 | \$6,118.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$651.68 | \$492.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$376.65 | \$284.48 |
| 314.1971 | 321.9581 | 324.5847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,383.37 | \$2,866.43 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 142.0019 | 145.5094 | 146.6951 | 150.3164 | 153.2236 | 154.4743 | 156.0406 | 157.7599 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.88 | \$1,562.26 |
| 37.27856 | 38.19949 | 38.51109 | 39.46286 | 40.22447 | 40.55292 | 40.964 | 41.41556 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.70 | \$410.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.63 | \$876.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.92 | \$663.09 |
| 122.3395 | 125.3613 | 126.3825 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.75 | \$1,116.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.56 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.72 | \$824.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.41 | \$828.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.84 | \$443.23 |
| 55.48431 | 56.85516 | 57.31914 | 58.73582 | 59.86942 | 60.35829 | 60.96967 | 61.64154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.64 | \$610.43 |
| 307.4744 | 315.0692 | 317.6412 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.59 | \$2,805.11 |
| 64.76967 | 66.36934 | 66.91045 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.60 | \$590.89 |
| 433.0447 | 443.7413 | 447.3635 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.44 | \$3,950.69 |
| 163.9777 | 168.0278 | 169.3996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.66 | \$1,495.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.02 | \$377.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.47 | \$756.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.25 | \$760.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.62 |
| 50.92982 | 52.18803 | 52.6138 | 53.91426 | 54.95506 | 55.40363 | 55.96516 | 56.58112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.35 | \$560.32 |
| 280.9809 | 287.9216 | 290.2719 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.98 | \$2,563.40 |
| 272.0714 | 278.792 | 281.0676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.69 | \$2,482.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.41 | \$2,340.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.77 | \$3,963.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.81 | \$1,394.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.58 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.31 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39409 | 78.28069 | 78.9185 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.77 | \$696.94 |
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.05 | \$512.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.29 | \$3,080.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.56 | \$2,054.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.5927 | 78.48419 | 79.12364 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.54 | \$698.75 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.57 | \$514.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.11 | \$328.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.81 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.31 | \$2,965.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.13 | \$3,414.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.48 | \$1,894.62 |
| 35.44302 | 36.31821 | 36.6143 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52283 | 78.41258 | 79.05147 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.57 | \$698.12 |
| 56.48755 | 57.88272 | 58.35472 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.98 | \$513.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.63 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$331.22 | \$250.17 |
| 100.0854 | 102.5574 | 103.3934 | 105.9457 | 107.9945 | 108.876 | 109.9801 | 111.192 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,940.28 | \$1,101.11 |
| 96.00548 | 98.37711 | 99.17888 | 101.6272 | 103.5925 | 104.4383 | 105.497 | 106.6593 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,861.19 | \$1,056.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$540.29 | \$408.07 |
| 142.0115 | 145.5193 | 146.7051 | 150.3266 | 153.234 | 154.4848 | 156.0512 | 157.7707 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.06 | \$1,562.37 |
| 37.27962 | 38.20064 | 38.5114 | 39.463 | 40.22542 | 40.55356 | 40.96443 | 41.41605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.72 | \$876.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3481 | 125.3701 | 126.3914 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.87 | \$1,116.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.43 | \$828.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48595 | 56.8564 | 57.32005 | 58.73598 | 59.87149 | 60.35965 | 60.97122 | 61.64301 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.67 | \$610.44 |
| 307.4825 | 315.0775 | 317.6466 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.69 | \$2,805.17 |
| 64.77287 | 66.37262 | 66.91376 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.65 | \$590.92 |
| 433.058 | 443.7548 | 447.3727 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.59 | \$3,950.79 |
| 163.9826 | 168.0329 | 169.4027 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.72 | \$1,496.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.49 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.87 | \$389.63 |
| 50.93147 | 52.18944 | 52.61488 | 53.91473 | 54.95625 | 55.40463 | 55.96643 | 56.58282 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9894 | 287.9304 | 290.2776 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.08 | \$2,563.47 |
| 272.0759 | 278.7962 | 281.0695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.73 | \$2,482.15 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.43 | \$2,340.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.82 | \$3,963.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.90 | \$1,395.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.31 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.04 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39267 | 78.27922 | 78.91704 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.75 | \$696.93 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.03 | \$512.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.28 | \$3,080.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.53 | \$2,054.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.59126 | 78.48273 | 79.12215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.52 | \$698.74 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.56 | \$514.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.10 | \$328.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.30 | \$2,965.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.11 | \$3,414.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 35.44266 | 36.31805 | 36.61404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52148 | 78.41122 | 79.05009 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.55 | \$698.10 |
| 56.4873 | 57.88232 | 58.35423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.97 | \$513.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.63 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 123.8761 | 126.9358 | 127.9703 | 131.1304 | 133.6656 | 134.7566 | 136.1229 | 137.6223 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,401.49 | \$1,362.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,145.17 | \$864.93 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$378.01 | \$285.50 |
| 142.0087 | 145.5164 | 146.7022 | 150.3237 | 153.231 | 154.4818 | 156.0481 | 157.7676 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.01 | \$1,562.34 |
| 37.27968 | 38.20013 | 38.51155 | 39.46303 | 40.22563 | 40.55359 | 40.96463 | 41.41617 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.69 | \$876.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3457 | 125.3677 | 126.3889 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.84 | \$1,116.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.43 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48567 | 56.85608 | 57.31953 | 58.73627 | 59.87099 | 60.35941 | 60.97136 | 61.64301 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.66 | \$610.44 |
| 307.4812 | 315.076 | 317.6463 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.68 | \$2,805.16 |
| 64.77211 | 66.37183 | 66.91296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.64 | \$590.92 |
| 433.0558 | 443.7525 | 447.3716 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.57 | \$3,950.78 |
| 163.982 | 168.0321 | 169.4031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.71 | \$1,496.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.91 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.49 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.87 | \$389.63 |
| 50.92993 | 52.18918 | 52.61334 | 53.9129 | 54.95848 | 55.40547 | 55.96701 | 56.58339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9802 | 287.9286 | 290.2697 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.05 | \$2,563.46 |
| 272.067 | 278.7947 | 281.0614 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.70 | \$2,482.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.45 | \$2,340.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.80 | \$3,963.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.87 | \$1,394.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.58 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.31 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39378 | 78.2825 | 78.91829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.79 | \$696.96 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.06 | \$512.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.77 | \$328.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.29 | \$3,080.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.61 | \$2,054.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 76.59239 | 78.48602 | 79.1234 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.56 | \$698.77 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.58 | \$514.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.12 | \$328.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.81 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.30 | \$2,965.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.12 | \$3,414.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52251 | 78.4144 | 79.05121 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.59 | \$698.13 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.00 | \$513.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.64 | \$328.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,109.01 | \$837.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,158.78 | \$3,141.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.97 | \$663.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.14 | \$46.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.97 | \$663.12 |
| 142.0121 | 145.5238 | 146.7058 | 150.3261 | 153.2453 | 154.4909 | 156.0573 | 157.7769 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.15 | \$1,562.41 |
| 37.27907 | 38.20096 | 38.51091 | 39.46136 | 40.22751 | 40.55457 | 40.9655 | 41.41725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.72 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.76 | \$876.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.95 | \$663.11 |
| 122.3486 | 125.3742 | 126.3921 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.92 | \$1,116.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.75 | \$824.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.44 | \$828.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.86 | \$443.25 |
| 55.48524 | 56.85718 | 57.31906 | 58.73346 | 59.87386 | 60.36081 | 60.97256 | 61.64424 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.68 | \$610.45 |
| 307.4781 | 315.0817 | 317.641 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.72 | \$2,805.19 |
| 64.77257 | 66.3741 | 66.9135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.66 | \$590.94 |
| 433.0521 | 443.7607 | 447.365 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.63 | \$3,950.83 |
| 163.981 | 168.0351 | 169.4003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.74 | \$1,496.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.04 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.83 | \$196.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.91 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.50 | \$756.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.29 | \$760.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.87 | \$389.63 |
| 50.93066 | 52.19014 | 52.61433 | 53.91266 | 54.95921 | 55.40599 | 55.96765 | 56.58467 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.38 | \$560.34 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 280.9856 | 287.9345 | 290.2738 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.12 | \$2,563.50 |
| 272.07 | 278.7979 | 281.0626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.73 | \$2,482.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.47 | \$2,340.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.81 | \$3,963.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.93 | \$1,395.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.58 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.31 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39389 | 78.28262 | 78.9184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.79 | \$696.96 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.06 | \$512.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.77 | \$328.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$106.15 | \$80.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$266.72 | \$201.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.29 | \$3,080.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.61 | \$2,054.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.59248 | 78.48611 | 79.12349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.56 | \$698.77 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.58 | \$514.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.12 | \$328.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$106.15 | \$80.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$266.72 | \$201.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.81 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.30 | \$2,965.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.12 | \$3,414.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 35.44209 | 36.3183 | 36.61336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52272 | 78.41463 | 79.05144 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.59 | \$698.13 |
| 56.48582 | 57.88266 | 58.35274 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.00 | \$513.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.64 | \$328.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$106.15 | \$80.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$266.72 | \$201.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$106.15 | \$80.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$266.72 | \$201.45 |
| 142.0122 | 145.5239 | 146.7059 | 150.3262 | 153.2454 | 154.4911 | 156.0574 | 157.777 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.15 | \$1,562.42 |
| 37.27907 | 38.20096 | 38.51091 | 39.46136 | 40.22751 | 40.55457 | 40.9655 | 41.41725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.72 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.76 | \$876.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.95 | \$663.11 |
| 122.3487 | 125.3742 | 126.3922 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.92 | \$1,116.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.75 | \$824.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.44 | \$828.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.86 | \$443.25 |
| 55.48514 | 56.85706 | 57.31895 | 58.73334 | 59.87373 | 60.36069 | 60.97244 | 61.64412 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.68 | \$610.45 |
| 307.4781 | 315.0816 | 317.6406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.71 | \$2,805.19 |
| 64.77269 | 66.37422 | 66.91362 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.67 | \$590.94 |
| 433.0519 | 443.7605 | 447.3649 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.63 | \$3,950.82 |
| 163.9807 | 168.035 | 169.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.74 | \$1,496.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.04 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.83 | \$196.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.91 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.50 | \$756.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.29 | \$760.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.87 | \$389.63 |
| 50.93079 | 52.1902 | 52.61453 | 53.91248 | 54.9592 | 55.40602 | 55.96771 | 56.58473 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.38 | \$560.34 |
| 280.9861 | 287.935 | 290.2733 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.12 | \$2,563.50 |
| 272.07 | 278.7979 | 281.0626 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.73 | \$2,482.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.47 | \$2,340.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.81 | \$3,963.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.94 | \$1,395.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.23 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.39 | 78.27875 | 78.91457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.74 | \$696.92 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.03 | \$512.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.75 | \$328.54 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|-------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.27 | \$3,080.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.51 | \$2,054.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.58855 | 78.48215 | 79.11955 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.51 | \$698.73 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.55 | \$514.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.10 | \$328.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.29 | \$2,965.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.10 | \$3,414.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.46 | \$1,894.61 |
| 35.4417 | 36.31812 | 36.61296 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51875 | 78.41061 | 79.04741 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.54 | \$698.10 |
| 56.48576 | 57.88226 | 58.35252 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.97 | \$513.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.63 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,349.41 | \$962.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,060.28 | \$3,608.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11,653.98 | \$8,310.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,195.34 | \$2,278.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,016.32 | \$2,150.86 |
| 142.0039 | 145.5154 | 146.6973 | 150.3174 | 153.2364 | 154.482 | 156.0483 | 157.7677 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.99 | \$1,562.32 |
| 37.27818 | 38.19995 | 38.51025 | 39.46124 | 40.22723 | 40.55385 | 40.96472 | 41.41634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.68 | \$876.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3413 | 125.3666 | 126.3846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.82 | \$1,116.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.73 | \$824.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.42 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48402 | 56.85597 | 57.31783 | 58.73378 | 59.87285 | 60.35966 | 60.97159 | 61.64314 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.66 | \$610.44 |
| 307.4711 | 315.0747 | 317.6364 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.64 | \$2,805.14 |
| 64.76991 | 66.37138 | 66.91075 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.63 | \$590.91 |
| 433.041 | 443.7495 | 447.3576 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.51 | \$3,950.75 |
| 163.9764 | 168.031 | 169.3975 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.69 | \$1,496.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.48 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.26 | \$760.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.63 |
| 50.92952 | 52.1891 | 52.61302 | 53.91278 | 54.95825 | 55.40504 | 55.96664 | 56.58266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.36 | \$560.33 |
| 280.9781 | 287.9266 | 290.2677 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.03 | \$2,563.44 |
| 272.0666 | 278.7943 | 281.0611 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.70 | \$2,482.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.45 | \$2,340.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.80 | \$3,963.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.86 | \$1,394.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.58 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.31 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.24 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.39207 | 78.28067 | 78.91695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.77 | \$696.94 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.05 | \$512.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.29 | \$3,080.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.56 | \$2,054.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.59084 | 78.48418 | 79.12178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.54 | \$698.75 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.57 | \$514.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.11 | \$328.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.81 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.31 | \$2,965.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.12 | \$3,414.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.47 | \$1,894.62 |
| 35.44208 | 36.31833 | 36.6134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.35 |
| 76.52106 | 78.41261 | 79.04979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.56 | \$698.12 |
| 56.48592 | 57.88272 | 58.35313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.06 | \$515.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.98 | \$513.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.86 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.64 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$378.01 | \$285.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 297.0277 | 304.3731 | 306.8455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,143.92 | \$2,709.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,138.98 | \$860.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$336.11 | \$269.62 |
| 142.0077 | 145.5193 | 146.7012 | 150.3214 | 153.2405 | 154.4861 | 156.0524 | 157.772 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.06 | \$1,562.37 |
| 37.27864 | 38.20058 | 38.51035 | 39.46176 | 40.22748 | 40.55403 | 40.96478 | 41.41649 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.72 | \$876.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3447 | 125.3701 | 126.388 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.87 | \$1,116.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.43 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48434 | 56.85635 | 57.31848 | 58.73386 | 59.87366 | 60.35997 | 60.97168 | 61.64348 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.67 | \$610.44 |
| 307.4739 | 315.0773 | 317.638 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.67 | \$2,805.16 |
| 64.77101 | 66.37251 | 66.9119 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.64 | \$590.92 |
| 433.0455 | 443.7543 | 447.3601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.56 | \$3,950.78 |
| 163.978 | 168.0327 | 169.3981 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.71 | \$1,496.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.91 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.49 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.87 | \$389.63 |
| 50.92992 | 52.18935 | 52.6134 | 53.91278 | 54.95871 | 55.405 | 55.96689 | 56.5833 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9816 | 287.9297 | 290.2692 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.06 | \$2,563.46 |
| 272.0686 | 278.7964 | 281.0623 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.72 | \$2,482.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.46 | \$2,340.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.82 | \$3,963.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.90 | \$1,395.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.56 | \$1,395.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.22 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.38673 | 78.27536 | 78.91174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.70 | \$696.90 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.00 | \$512.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.74 | \$328.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.25 | \$3,080.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.44 | \$2,054.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.72 | \$414.44 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.58522 | 78.47867 | 79.11671 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.47 | \$698.71 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.53 | \$513.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.08 | \$328.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.27 | \$2,965.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.08 | \$3,414.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.45 | \$1,894.60 |
| 35.44118 | 36.31793 | 36.61317 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51541 | 78.40714 | 79.04468 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.49 | \$698.07 |
| 56.48528 | 57.88226 | 58.35211 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.94 | \$513.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.61 | \$328.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$540.28 | \$408.07 |
| 60.34752 | 61.84 | 62.34212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$841.93 | \$550.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$629.31 | \$475.31 |
| 127.2194 | 130.3651 | 131.4249 | 134.6712 | 137.2826 | 138.3991 | 139.8021 | 141.3417 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,466.38 | \$1,399.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$213.92 | \$161.57 |
| 155.1796 | 159.0169 | 160.31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,164.97 | \$1,415.74 |
| 60.34752 | 61.84 | 62.34212 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$841.93 | \$550.57 |
| 141.9978 | 145.5092 | 146.6911 | 150.311 | 153.2298 | 154.4754 | 156.0416 | 157.761 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.87 | \$1,562.26 |
| 37.27748 | 38.19948 | 38.50998 | 39.46144 | 40.22617 | 40.5531 | 40.96417 | 41.4156 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.70 | \$410.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.63 | \$876.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.92 | \$663.09 |
| 122.3359 | 125.3611 | 126.379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.74 | \$1,116.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.56 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.72 | \$824.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.41 | \$828.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.84 | \$443.23 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 55.48283 | 56.8551 | 57.31767 | 58.73393 | 59.87199 | 60.35878 | 60.97018 | 61.64189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.64 | \$610.43 |
| 307.4658 | 315.0692 | 317.6326 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.57 | \$2,805.10 |
| 64.76782 | 66.36923 | 66.90858 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.60 | \$590.89 |
| 433.0327 | 443.7412 | 447.3515 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.41 | \$3,950.68 |
| 163.9734 | 168.0277 | 169.3951 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.65 | \$1,495.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.02 | \$377.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.46 | \$756.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.25 | \$760.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.62 |
| 50.92851 | 52.18823 | 52.61241 | 53.91223 | 54.95732 | 55.40408 | 55.96556 | 56.58168 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.35 | \$560.32 |
| 280.9731 | 287.9215 | 290.2642 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.97 | \$2,563.40 |
| 272.064 | 278.7919 | 281.06 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.67 | \$2,482.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.44 | \$2,340.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.77 | \$3,963.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.80 | \$1,394.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.56 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.23 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.38857 | 78.2774 | 78.91319 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.72 | \$696.91 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.02 | \$512.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.75 | \$328.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.26 | \$3,080.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.48 | \$2,054.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.58705 | 78.48074 | 79.11827 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.49 | \$698.72 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.54 | \$514.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.09 | \$328.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.28 | \$2,965.48 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.09 | \$3,414.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.46 | \$1,894.61 |
| 35.44153 | 36.31824 | 36.6129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51729 | 78.40938 | 79.04622 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.52 | \$698.09 |
| 56.4857 | 57.88226 | 58.35263 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.95 | \$513.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.62 | \$328.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,109.00 | \$837.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$599.21 | \$452.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$778.35 | \$587.88 |
| 276.8902 | 283.7376 | 286.0438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,862.99 | \$2,526.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,109.00 | \$837.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$599.21 | \$452.58 |
| 336.224 | 344.5384 | 347.3387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,690.77 | \$3,067.45 |
| 142.0009 | 145.5124 | 146.6943 | 150.3143 | 153.2332 | 154.4788 | 156.045 | 157.7645 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.93 | \$1,562.29 |
| 37.27805 | 38.19991 | 38.51018 | 39.46144 | 40.2267 | 40.55367 | 40.96463 | 41.41618 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.70 | \$410.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.66 | \$876.63 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.93 | \$663.09 |
| 122.3387 | 125.3639 | 126.3818 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.78 | \$1,116.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.73 | \$824.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.41 | \$828.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.84 | \$443.24 |
| 55.48354 | 56.85564 | 57.3176 | 58.73375 | 59.87254 | 60.35921 | 60.97087 | 61.64244 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.65 | \$610.43 |
| 307.4683 | 315.0714 | 317.6343 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.60 | \$2,805.12 |
| 64.76881 | 66.37024 | 66.90962 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.61 | \$590.90 |
| 433.0367 | 443.745 | 447.3544 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.45 | \$3,950.71 |
| 163.9746 | 168.0292 | 169.3958 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.67 | \$1,495.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.02 | \$377.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.47 | \$756.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.25 | \$760.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.62 |
| 50.92882 | 52.18848 | 52.61287 | 53.91293 | 54.95721 | 55.4044 | 55.96582 | 56.58217 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.35 | \$560.32 |
| 280.9752 | 287.9235 | 290.265 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.99 | \$2,563.41 |
| 272.0653 | 278.7931 | 281.0605 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.68 | \$2,482.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.44 | \$2,340.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.78 | \$3,963.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.83 | \$1,394.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.55 | \$1,395.43 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.29 | \$1,049.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.21 | \$1,768.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.31 | \$757.04 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.45 | \$323.34 |
| 76.3837 | 78.27216 | 78.90785 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.65 | \$696.86 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.04 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$678.97 | \$512.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.72 | \$328.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.23 | \$3,080.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.35 | \$2,054.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.72 | \$414.44 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.45 | \$323.34 |
| 76.5822 | 78.4754 | 79.11287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.42 | \$698.67 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.04 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.50 | \$513.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.07 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.79 | \$846.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.24 | \$2,965.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.05 | \$3,414.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.43 | \$1,894.59 |
| 35.44118 | 36.31775 | 36.6127 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.45 | \$323.34 |
| 76.51241 | 78.40393 | 79.04073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.45 | \$698.04 |
| 56.48466 | 57.88184 | 58.35222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.04 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.91 | \$513.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.59 | \$328.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,108.99 | \$837.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$599.18 | \$452.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$778.34 | \$587.87 |
| 276.8866 | 283.734 | 286.042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,862.95 | \$2,526.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,108.99 | \$837.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$599.18 | \$452.55 |
| 336.2195 | 344.534 | 347.3371 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,690.73 | \$3,067.43 |
| 141.9908 | 145.502 | 146.6839 | 150.3036 | 153.2223 | 154.4678 | 156.0339 | 157.7533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.74 | \$1,562.18 |
| 37.27843 | 38.20045 | 38.51059 | 39.46054 | 40.22705 | 40.55415 | 40.96497 | 41.4164 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.56 | \$876.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.3296 | 125.3546 | 126.3725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.66 | \$1,116.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.42 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48418 | 56.85666 | 57.31856 | 58.733 | 59.87329 | 60.36024 | 60.97168 | 61.6432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.66 | \$610.44 |
| 307.472 | 315.0765 | 317.6391 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.65 | \$2,805.14 |
| 64.76576 | 66.36728 | 66.90639 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.57 | \$590.87 |
| 433.043 | 443.7525 | 447.3619 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.53 | \$3,950.75 |
| 163.9772 | 168.0325 | 169.3991 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.70 | \$1,496.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.48 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.63 |
| 50.92999 | 52.18947 | 52.61351 | 53.91138 | 54.95883 | 55.40599 | 55.96712 | 56.58354 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9799 | 287.9297 | 290.2716 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.05 | \$2,563.45 |
| 272.0672 | 278.7962 | 281.064 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.71 | \$2,482.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.45 | \$2,340.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.73 | \$3,963.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.72 | \$1,394.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.23 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.39027 | 78.27934 | 78.91524 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.75 | \$696.93 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.03 | \$512.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.28 | \$3,080.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.53 | \$2,054.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.73 | \$414.45 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.58882 | 78.48267 | 79.12056 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.52 | \$698.74 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.56 | \$514.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.10 | \$328.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.29 | \$2,965.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.11 | \$3,414.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.46 | \$1,894.62 |
| 35.44168 | 36.31815 | 36.6131 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51901 | 78.41116 | 79.04808 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.54 | \$698.10 |
| 56.48573 | 57.88223 | 58.35278 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.97 | \$513.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.63 | \$328.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,109.01 | \$837.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$545.82 | \$412.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$378.69 | \$286.02 |
| 276.8915 | 283.7388 | 286.0443 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,863.00 | \$2,526.15 |
| 336.2256 | 344.5396 | 347.3392 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,690.79 | \$3,067.46 |
| 142.0046 | 145.5162 | 146.6981 | 150.3182 | 153.2372 | 154.4829 | 156.0491 | 157.7686 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,753.00 | \$1,562.33 |
| 37.27867 | 38.20026 | 38.51056 | 39.4614 | 40.22725 | 40.55394 | 40.96497 | 41.41664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.71 | \$410.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.69 | \$876.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.94 | \$663.10 |
| 122.342 | 125.3673 | 126.3852 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.83 | \$1,116.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.74 | \$824.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.42 | \$828.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.85 | \$443.24 |
| 55.48409 | 56.85588 | 57.31795 | 58.73412 | 59.87341 | 60.35973 | 60.97168 | 61.64336 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.66 | \$610.44 |
| 307.4722 | 315.0752 | 317.6371 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.65 | \$2,805.14 |
| 64.77025 | 66.37173 | 66.91112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.63 | \$590.91 |
| 433.0427 | 443.7507 | 447.3586 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.53 | \$3,950.76 |
| 163.977 | 168.0315 | 169.3979 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.70 | \$1,496.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.03 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.91 | \$204.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.48 | \$756.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.27 | \$760.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.63 |
| 50.92984 | 52.18913 | 52.61324 | 53.91299 | 54.95853 | 55.40535 | 55.96683 | 56.58327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.37 | \$560.33 |
| 280.9794 | 287.9276 | 290.2687 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,920.04 | \$2,563.45 |
| 272.0671 | 278.795 | 281.0615 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.70 | \$2,482.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.45 | \$2,340.77 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.41 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.80 | \$3,963.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.87 | \$1,394.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.56 | \$1,395.44 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.22 | \$1,768.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.32 | \$757.04 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.38765 | 78.27643 | 78.91266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.71 | \$696.90 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.01 | \$512.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.74 | \$328.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.84 | \$160.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,078.26 | \$3,080.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,720.46 | \$2,054.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$548.72 | \$414.45 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.5862 | 78.47977 | 79.11769 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,068.48 | \$698.71 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$680.53 | \$514.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$385.09 | \$328.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,926.27 | \$2,965.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,521.09 | \$3,414.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,508.45 | \$1,894.61 |
| 35.44136 | 36.31784 | 36.61327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.51634 | 78.40833 | 79.04559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,067.51 | \$698.08 |
| 56.48534 | 57.88196 | 58.3522 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.71 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.95 | \$513.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.62 | \$328.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.58 | \$76.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$599.21 | \$452.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,245.44 | \$940.67 |
| 276.8896 | 283.737 | 286.0431 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,862.98 | \$2,526.13 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,120.80 | \$846.53 |
| 336.2231 | 344.5376 | 347.3387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,690.76 | \$3,067.45 |
| 141.9996 | 145.511 | 146.6929 | 150.3129 | 153.2318 | 154.4773 | 156.0435 | 157.763 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,752.91 | \$1,562.28 |
| 37.27771 | 38.19948 | 38.51006 | 39.46188 | 40.22647 | 40.55373 | 40.96439 | 41.4157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$722.70 | \$410.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,160.64 | \$876.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$877.93 | \$663.09 |
| 122.3374 | 125.3627 | 126.3805 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,706.77 | \$1,116.11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.57 | \$220.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,091.73 | \$824.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,097.41 | \$828.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$586.84 | \$443.24 |
| 55.48344 | 56.85559 | 57.31761 | 58.7345 | 59.87224 | 60.3589 | 60.97055 | 61.64229 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,075.65 | \$610.43 |
| 307.4676 | 315.0712 | 317.634 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,289.60 | \$2,805.11 |
| 64.7686 | 66.37003 | 66.90938 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$903.61 | \$590.90 |
| 433.0359 | 443.7443 | 447.3546 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,041.45 | \$3,950.71 |
| 163.9746 | 168.0291 | 169.3961 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,287.67 | \$1,495.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.02 | \$377.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.82 | \$196.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.90 | \$204.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,001.47 | \$756.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,006.25 | \$760.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$515.86 | \$389.62 |
| 50.92886 | 52.18829 | 52.61282 | 53.91289 | 54.95773 | 55.40446 | 55.96568 | 56.58205 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$987.35 | \$560.32 |
| 280.975 | 287.9232 | 290.2656 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,919.99 | \$2,563.41 |
| 272.0645 | 278.7923 | 281.0602 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,795.68 | \$2,482.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,656.44 | \$2,340.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$994.40 | \$964.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,247.78 | \$3,963.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,792.82 | \$1,394.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.93 | \$2.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,847.57 | \$1,395.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,389.30 | \$1,049.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,341.23 | \$1,768.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,002.33 | \$757.05 |
| 35.44171 | 36.31833 | 36.61313 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$494.46 | \$323.34 |
| 76.39059 | 78.27948 | 78.9157 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,065.75 | \$696.93 |
| 56.48598 | 57.88229 | 58.35268 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.05 | \$515.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$373.72 | \$282.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$679.04 | \$512.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.85 | \$190.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.76 | \$161.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.76 | \$328.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.39 | \$186.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,797.81 | \$3,570.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,200.52 | \$2,381.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$645.54 | \$480.43 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 55.5952 | 58.67154 | 61.92912 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$652.09 | \$408.92 |
| 120.1408 | 126.7877 | 133.8285 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,409.15 | \$883.67 |
| 88.60606 | 93.50769 | 98.70039 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.27 | \$651.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.65 | \$327.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$800.63 | \$595.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.47 | \$221.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$208.26 | \$177.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.87 | \$361.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,318.55 | \$981.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,619.01 | \$3,437.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,318.77 | \$3,958.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,951.04 | \$2,196.23 |
| 55.5952 | 58.67154 | 61.92912 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$652.09 | \$408.92 |
| 120.0314 | 126.6722 | 133.7067 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,407.87 | \$882.86 |
| 88.60606 | 93.50769 | 98.70039 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.27 | \$651.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.65 | \$327.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$799.94 | \$595.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.47 | \$221.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$208.26 | \$177.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.35 | \$360.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,304.67 | \$970.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$704.95 | \$524.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$915.68 | \$681.47 |
| 434.3431 | 458.3749 | 483.8287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,094.48 | \$3,194.72 |
| 527.4169 | 556.5974 | 587.5063 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,186.15 | \$3,879.30 |
| 222.7546 | 235.0792 | 248.1327 | 261.8599 | 276.3313 | 291.6149 | 307.7581 | 324.7726 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,075.06 | \$2,141.21 |
| 58.47652 | 61.71167 | 65.13872 | 68.7431 | 72.54114 | 76.55276 | 80.79037 | 85.25775 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,069.77 | \$562.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,365.48 | \$1,016.22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,032.83 | \$768.66 |
| 191.911 | 202.5291 | 213.7746 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,250.95 | \$1,411.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.94 | \$239.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,284.35 | \$955.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,291.04 | \$960.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$690.39 | \$513.80 |
| 87.03465 | 91.8497 | 96.95045 | 102.3168 | 107.9688 | 113.9397 | 120.2473 | 126.8954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,592.21 | \$836.62 |
| 482.3129 | 508.9985 | 537.2664 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,657.14 | \$3,547.56 |
| 101.6012 | 107.2224 | 113.1767 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.70 | \$747.31 |
| 679.2881 | 716.8721 | 756.6838 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,967.49 | \$4,996.37 |
| 257.2208 | 271.4521 | 286.5266 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,016.99 | \$1,891.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$588.25 | \$437.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$242.71 | \$213.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.61 | \$221.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,178.18 | \$876.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,183.80 | \$881.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.88 | \$451.65 |

| | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 79.89012 | 84.31046 | 88.99239 | 93.91788 | 99.10593 | 104.5876 | 110.3768 | 116.4792 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,461.52 | \$767.94 |
| 440.7556 | 465.142 | 490.9743 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,169.70 | \$3,241.89 |
| 426.7748 | 450.3878 | 475.4001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,005.72 | \$3,139.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,893.57 | \$2,541.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.28 | \$1,004.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,173.67 | \$4,594.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,067.33 | \$1,591.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3.19 | \$2.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,173.54 | \$1,617.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,634.42 | \$1,216.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,754.30 | \$2,049.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,179.17 | \$877.56 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$652.09 | \$408.92 |
| 119.8304 | 126.4598 | 133.4817 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,405.51 | \$881.38 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.27 | \$651.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.65 | \$327.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$798.84 | \$594.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.47 | \$221.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$208.26 | \$177.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.50 | \$360.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$250.39 | \$186.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,797.82 | \$3,570.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,200.53 | \$2,381.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$645.54 | \$480.43 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$652.09 | \$408.92 |
| 120.142 | 126.7885 | 133.8287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,409.16 | \$883.68 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.27 | \$651.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.65 | \$327.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$800.63 | \$595.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.47 | \$221.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$208.26 | \$177.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.88 | \$361.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,318.55 | \$981.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,619.02 | \$3,437.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,318.78 | \$3,958.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,951.04 | \$2,196.23 |
| 55.59544 | 58.67126 | 61.92909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$652.09 | \$408.92 |
| 120.0325 | 126.673 | 133.7068 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,407.88 | \$882.87 |
| 88.60597 | 93.50839 | 98.70042 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.27 | \$651.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$439.65 | \$327.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$799.95 | \$595.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.47 | \$221.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$208.26 | \$177.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.36 | \$360.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$98.83 | \$84.02 |

| | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|-------------|-------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$71.92 | \$53.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$642.13 | \$477.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$445.50 | \$331.55 |
| 434.3435 | 458.3752 | 483.8288 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,094.48 | \$3,194.72 |
| 76.12196 | 80.3335 | 84.79408 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$892.85 | \$559.90 |
| 222.7565 | 235.0812 | 248.1348 | 261.8622 | 276.3337 | 291.6174 | 307.7607 | 324.7754 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,075.09 | \$2,141.23 |
| 58.47661 | 61.71222 | 65.13869 | 68.74316 | 72.5415 | 76.55304 | 80.79001 | 85.25775 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,069.77 | \$562.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,365.49 | \$1,016.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,032.84 | \$768.66 |
| 191.9128 | 202.5309 | 213.7765 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,250.97 | \$1,411.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.94 | \$239.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,284.36 | \$955.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,291.05 | \$960.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$690.39 | \$513.80 |
| 87.03508 | 91.85028 | 96.9507 | 102.3156 | 107.9695 | 113.9406 | 120.2467 | 126.8943 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,592.22 | \$836.62 |
| 482.3148 | 509.0001 | 537.2667 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,657.15 | \$3,547.57 |
| 101.6018 | 107.2229 | 113.1773 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,191.71 | \$747.31 |
| 679.2907 | 716.8748 | 756.6859 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,967.52 | \$4,996.38 |
| 257.2216 | 271.4531 | 286.528 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,017.00 | \$1,891.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$588.25 | \$437.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$242.71 | \$213.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.61 | \$221.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,178.18 | \$876.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,183.81 | \$881.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.88 | \$451.66 |
| 79.89076 | 84.3111 | 88.99263 | 93.91797 | 99.10605 | 104.5869 | 110.3769 | 116.4783 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,461.52 | \$767.95 |
| 440.7576 | 465.1438 | 490.9755 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,169.72 | \$3,241.90 |
| 426.7758 | 450.3888 | 475.4006 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,005.73 | \$3,139.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,893.58 | \$2,541.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,037.28 | \$1,004.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,173.68 | \$4,594.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,067.34 | \$1,591.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3.19 | \$2.81 |
| 22.96144 | 24.23209 | 25.57768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$269.32 | \$168.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$170.44 | \$122.63 |
| 182.3065 | 192.3935 | 203.079 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,138.31 | \$1,340.92 |
| 1892.954 | 1997.688 | 2108.629 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$22,202.78 | \$13,923.23 |
| 1243.834 | 1312.656 | 1385.547 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$14,589.07 | \$9,148.70 |

| Building # | Measure # | Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------|-----------|---|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1 | 101 | 101 Compressed Air-O&M / Food | 0 | 0 | -192.479 | -66.1925 | -68.1138 | -46.9694 | -48.8623 | -42.9696 | -33.8682 | -28.6159 | -25.8562 | -35.3781 | 0 |
| 1 | 102 | 102 Compressed Air - Controls / Food | 0 | 0 | -176.003 | -49.7524 | -51.2157 | -35.5168 | -37.0013 | -32.478 | -25.402 | -21.764 | -19.4182 | -26.5058 | 0 |
| 1 | 103 | 103 Compressed Air - System Optimization / Food | 0 | 0 | -211.561 | -84.1967 | -86.1696 | -59.3991 | -62.7403 | -54.4198 | -43.1702 | -35.852 | -32.2325 | -44.6842 | 0 |
| 1 | 104 | 104 Compressed Air- Sizing / Food | 0 | 0 | -161.341 | -35.7935 | -36.7397 | -25.0787 | -26.4448 | -23.967 | -18.4941 | -15.8497 | -13.2131 | -19.1929 | 0 |
| 1 | 105 | 105 Comp Air - Replace 1-5 HP motor / Food | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.23567 | -7.09342 | -6.14324 | -5.44146 | -4.85282 | -5.88399 | -4.6443 |
| 1 | 106 | 106 Comp Air - ASD (1-5 hp) / Food | 0 | 0 | -149.336 | -24.1613 | -25.139 | -17.2522 | -17.9612 | -16.5247 | -12.7552 | -10.7871 | -8.84733 | -13.1802 | -10.3955 |
| 1 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -142.239 | -18.2724 | -18.6485 | -12.8101 | -13.0596 | -12.1477 | -9.21768 | -7.8783 | -6.86459 | -9.47053 | -7.32302 |
| 1 | 108 | 108 Comp Air - Replace 6-100 HP motor / Food | 0 | 0 | -137.293 | -13.2305 | -13.2907 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52293 | -5.23274 | -6.84531 | 0 |
| 1 | 109 | 109 Comp Air - ASD (6-100 hp) / Food | 0 | 0 | -149.04 | -24.2451 | -24.9427 | -17.0383 | -17.9693 | -16.2765 | -12.2414 | -10.7583 | -8.56443 | -13.1489 | 0 |
| 1 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.13908 | -6.47771 | -5.79661 | -4.79987 | -3.74165 | -2.95 | -4.5654 | 0 |
| 1 | 111 | 111 Comp Air - Replace 100+ HP motor / Food | 0 | 0 | -135.473 | -12.0831 | -12.1417 | -8.36559 | -8.68238 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 1 | 112 | 112 Comp Air - ASD (100+ hp) / Food | 0 | 0 | -149.016 | -24.0973 | -24.9183 | -17.0129 | -17.9424 | -16.2492 | 0 | 0 | 0 | 0 | 0 |
| 1 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Food | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 1 | 201 | 201 Fans - O&M / Food | 0 | 0 | -130.919 | -7.29494 | -7.86069 | -5.4813 | -5.34942 | -5.11954 | -4.01275 | -3.10218 | -2.30787 | -3.64803 | 0 |
| 1 | 202 | 202 Fans - Controls / Food | 0 | 0 | -278.034 | -146.138 | -150.098 | -103.46 | -108.38 | -94.7703 | -74.9701 | -62.7525 | -56.2164 | -78.1653 | 0 |
| 1 | 203 | 203 Fans - System Optimization / Food | 0 | 0 | -226.074 | -97.3916 | -99.9592 | -69.3222 | -72.7163 | -63.63 | -50.5976 | -42.0342 | -37.8554 | -51.5583 | 0 |
| 1 | 204 | 204 Fans- Improve components / Food | 0 | 0 | -143.894 | -19.6269 | -20.269 | -14.0712 | -14.5549 | -12.9465 | -10.2622 | -8.75043 | -7.25005 | -10.06 | 0 |
| 1 | 205 | 205 Fans - Replace 1-5 HP motor / Food | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.23567 | -7.09342 | -6.14324 | -5.44146 | -4.85282 | -5.88399 | -4.6443 |
| 1 | 206 | 206 Fans - ASD (1-5 hp) / Food | 0 | 0 | -149.242 | -24.3145 | -25.3033 | -17.4229 | -17.8921 | -16.4579 | -12.9441 | -10.726 | -9.03769 | -13.12 | -10.0844 |
| 1 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -142.239 | -18.2724 | -18.6485 | -12.8101 | -13.0596 | -12.1477 | -9.21768 | -7.8783 | -6.86459 | -9.47053 | -7.32302 |
| 1 | 208 | 208 Fans - Replace 6-100 HP motor / Food | 0 | 0 | -137.293 | -13.2305 | -13.2907 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52293 | -5.23274 | -6.84531 | 0 |
| 1 | 209 | 209 Fans - ASD (6-100 hp) / Food | 0 | 0 | -149.047 | -24.3762 | -24.8333 | -17.1843 | -17.8741 | -16.4332 | -12.4031 | -10.4234 | -8.73073 | -13.3147 | 0 |
| 1 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.13908 | -6.47771 | -5.79661 | -4.79987 | -3.74165 | -2.95 | -4.5654 | 0 |
| 1 | 211 | 211 Fans - Replace 100+ HP motor / Food | 0 | 0 | -135.473 | -12.0831 | -12.1417 | -8.36559 | -8.68238 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 1 | 212 | 212 Fans - ASD (100+ hp) / Food | 0 | 0 | -148.944 | -24.1494 | -24.7242 | -16.8209 | -17.6986 | -16.3115 | 0 | 0 | 0 | 0 | 0 |
| 1 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Food | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 1 | 301 | 301 Pumps - O&M / Food | 0 | 0 | -165.502 | -40.0654 | -41.119 | -28.5611 | -29.5548 | -26.4847 | -20.7962 | -17.3802 | -14.7975 | -21.2132 | 0 |
| 1 | 302 | 302 Pumps - Controls / Food | 0 | 0 | -271.775 | -140.432 | -144.454 | -100.302 | -104.654 | -91.6025 | -72.2196 | -59.6902 | -54.3289 | -74.6982 | 0 |
| 1 | 303 | 303 Pumps - System Optimization / Food | 0 | 0 | -294.451 | -161.787 | -166.36 | -115.073 | -120.617 | -105.082 | -82.8439 | -69.4851 | -62.4515 | -86.8333 | 0 |
| 1 | 304 | 304 Pumps - Sizing / Food | 0 | 0 | -218.361 | -90.0512 | -92.4329 | -64.1234 | -66.8237 | -58.2603 | -46.4769 | -38.2475 | -34.5364 | -48.0544 | 0 |
| 1 | 305 | 305 Pumps - Replace 1-5 HP motor / Food | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.23567 | -7.09342 | -6.14324 | -5.44146 | -4.85282 | -5.88399 | -4.6443 |
| 1 | 306 | 306 Pumps - ASD (1-5 hp) / Food | 0 | 0 | -149.187 | -24.2606 | -25.2455 | -17.3629 | -17.7729 | -16.6434 | -12.8777 | -11.1581 | -8.57106 | -13.0518 | -10.2665 |
| 1 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -142.239 | -18.2724 | -18.6485 | -12.8101 | -13.0596 | -12.1477 | -9.21768 | -7.8783 | -6.86459 | -9.47053 | -7.32302 |
| 1 | 308 | 308 Pumps - Replace 6-100 HP motor / Food | 0 | 0 | -137.293 | -13.2305 | -13.2907 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52293 | -5.23274 | -6.84531 | 0 |
| 1 | 309 | 309 Pumps - ASD (6-100 hp) / Food | 0 | 0 | -149.122 | -24.451 | -24.7794 | -17.1284 | -17.7594 | -16.3732 | -12.3411 | -10.3601 | -8.51874 | -13.0012 | 0 |
| 1 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.13908 | -6.47771 | -5.79661 | -4.79987 | -3.74165 | -2.95 | -4.5654 | 0 |
| 1 | 311 | 311 Pumps - Replace 100+ HP motor / Food | 0 | 0 | -135.473 | -12.0831 | -12.1417 | -8.36559 | -8.68238 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 1 | 312 | 312 Pumps - ASD (100+ hp) / Food | 0 | 0 | -148.997 | -24.0777 | -24.8973 | -16.9911 | -17.864 | -16.2259 | 0 | 0 | 0 | 0 | 0 |
| 1 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Food | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 1 | 401 | 401 Bakery - Process (Mixing) - O&M / Food | 0 | 0 | -164.557 | -38.6613 | -40.0005 | -27.7783 | -28.8788 | -25.2194 | -20.2599 | -17.0351 | -14.3056 | -20.6705 | 0 |
| 1 | 501 | 501 Bakery - Process / Food | 0 | 0 | -322.635 | -188.606 | -193.751 | -133.815 | -140.33 | -121.984 | -96.2386 | -80.7797 | -72.8222 | -100.931 | -75.7474 |
| 1 | 551 | 551 Efficient Refrigeration - Operations / Food | 0 | 0 | -176.159 | -50.0272 | -51.528 | -35.897 | -36.6036 | -32.1324 | -25.7361 | -21.3457 | -18.3644 | -26.2784 | 0 |
| 1 | 552 | 552 Optimization Refrigeration / Food | 0 | 0 | -257.237 | -126.005 | -129.592 | -89.1214 | -92.7249 | -80.9053 | -63.5756 | -52.5171 | -47.4583 | -66.8321 | -49.5203 |
| 1 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Food | 0 | 0 | -171 | -45.512 | -46.8711 | -32.4295 | -33.987 | -30.3589 | -23.634 | -20.0425 | -17.0338 | -24.4669 | -18.4621 |

| | | | | | | | | | | | | | | |
|---|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1 | 702 702 High Efficiency Chiller Motors / Food | 0 | 0 | -135.663 | -11.8973 | -12.2105 | -8.38833 | -8.95236 | -7.83178 | -6.17827 | -5.24781 | -4.65757 | -6.08918 | -5.07583 |
| 1 | 703 703 EMS - Chiller / Food | 0 | 0 | -166.612 | -40.8791 | -42.9293 | -29.5603 | -31.3211 | -27.0026 | -21.8465 | -18.0365 | -16.0894 | -22.3112 | 0 |
| 1 | 704 704 Chiller Tune Up/Diagnostics / Food | 0 | 0 | -156.426 | -31.3995 | -32.0766 | -22.1897 | -22.9291 | -20.7431 | -15.7638 | -13.4011 | -11.5643 | -16.3225 | 0 |
| 1 | 705 705 VSD for Chiller Pumps and Towers / Food | 0 | 0 | -164.329 | -38.9227 | -40.3187 | -27.9273 | -29.2829 | -25.937 | -20.5957 | -17.3958 | -14.7837 | -20.7233 | -15.8863 |
| 1 | 706 706 EMS Optimization - Chiller / Food | 0 | 0 | -143.546 | -19.2889 | -19.7537 | -13.7266 | -14.0992 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 707 707 Aerosol Duct Sealing - Chiller / Food | 0 | 0 | -164.796 | -39.1441 | -40.2678 | -27.9096 | -28.7919 | -25.1313 | -19.183 | -16.2088 | -14.2263 | -20.4881 | 0 |
| 1 | 708 708 Duct/Pipe Insulation - Chiller / Food | 0 | 0 | -165.023 | -39.3642 | -40.5231 | -27.8807 | -28.7401 | -24.8895 | -19.6263 | -16.4073 | -14.0545 | -20.2282 | 0 |
| 1 | 709 709 Window Film (Standard) - Chiller / Food | 0 | 0 | -145.621 | -21.3092 | -21.6869 | -14.7657 | -15.3849 | -13.638 | -10.474 | -8.80586 | -7.43193 | -11.4236 | 0 |
| 1 | 710 710 Roof Insulation - Chiller / Food | 0 | 0 | -141.855 | -17.8985 | -18.3442 | -12.2233 | -12.8658 | -11.9977 | -9.03905 | -7.43327 | -6.51369 | -9.02071 | -7.12871 |
| 1 | 711 711 Cool Roof - Chiller / Food | 0 | 0 | -228.466 | -98.8717 | -102.138 | -69.9438 | -72.4289 | -63.4373 | -49.6756 | -41.3794 | -37.0715 | -52.2402 | -38.5633 |
| 1 | 721 721 DX Packaged System, EER=10.9, 10 tons / Food | 0 | 0 | -144.765 | -20.8365 | -21.2962 | -14.756 | -15.4124 | -13.5891 | -11.1663 | -9.2015 | -7.99361 | -10.98 | -8.52907 |
| 1 | 722 722 Hybrid Dessicant-DX System (Trane CDQ) / Food | 0 | 0 | -271.019 | -138.985 | -143.326 | -98.3879 | -102.896 | -88.8397 | -70.6265 | -58.0081 | -51.9479 | -73.7963 | -54.9717 |
| 1 | 723 723 Geothermal Heat Pump, EER=13, 10 tons / Food | 0 | 0 | -179.316 | -52.2242 | -54.2992 | -36.6623 | -38.5101 | -34.1286 | -26.3813 | -22.1469 | -19.6808 | -28.0217 | -20.8564 |
| 1 | 724 724 DX Tune Up/ Advanced Diagnostics / Food | 0 | 0 | -142.009 | -17.924 | -18.3901 | -12.2264 | -12.6259 | -12.0209 | -8.9898 | -7.38362 | -6.74014 | -10.0278 | 0 |
| 1 | 725 725 DX Coil Cleaning / Food | 0 | 0 | -140.979 | -17.2919 | -17.8868 | -12.0587 | -12.3556 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 726 726 Optimize Controls / Food | 0 | 0 | -142.009 | -17.924 | -18.3901 | -12.2264 | -12.6259 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 727 727 Aerosol Duct Sealing / Food | 0 | 0 | -161.509 | -35.8381 | -36.9039 | -25.0358 | -26.1293 | -23.1545 | -17.8341 | -15.2031 | -13.2689 | -18.7027 | 0 |
| 1 | 728 728 Duct/Pipe Insulation / Food | 0 | 0 | -161.802 | -36.0005 | -37.0958 | -25.245 | -26.6159 | -23.3974 | -18.3423 | -15.472 | -13.2917 | -18.974 | 0 |
| 1 | 729 729 Window Film (Standard) / Food | 0 | 0 | -142.602 | -18.3741 | -18.813 | -12.855 | -13.3464 | -11.7544 | -9.35092 | -7.53055 | -6.64261 | -9.26069 | 0 |
| 1 | 730 730 Roof Insulation / Food | 0 | 0 | -140.271 | -15.9877 | -16.9314 | -11.4219 | -11.6439 | -11.1743 | -8.5144 | -6.55875 | -5.77615 | -8.68078 | -6.80827 |
| 1 | 731 731 Cool Roof - DX / Food | 0 | 0 | -219.238 | -90.2962 | -93.0965 | -63.6524 | -66.3583 | -57.3148 | -44.8948 | -37.1412 | -33.9357 | -47.8042 | -35.2943 |
| 1 | 801 801 Premium T8, Electronic Ballast / Food | 0 | 0 | -216.096 | -86.9972 | -90.1792 | -61.8229 | -64.6564 | -55.7039 | -43.9971 | -36.8683 | -32.7667 | -46.4989 | -34.5607 |
| 1 | 802 802 CFL Hardwired, Modular 18W / Food | 0 | 0 | -342.822 | -206 | -212.031 | -144.946 | -150.398 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 803 803 CFL Screw-in 18W / Food | 0 | 0 | -342.822 | -206 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 804 804 High Bay T5 / Food | 0 | 0 | -321.922 | -188.158 | -193.098 | -133.974 | -140.418 | -122.303 | -96.1811 | -80.9627 | -72.7523 | -100.24 | 0 |
| 1 | 805 805 Occupancy Sensor / Food | 0 | 0 | -198.914 | -71.9353 | -74.3745 | -50.9904 | -53.7692 | -47.3363 | -37.5199 | -31.5809 | -27.6732 | 0 | 0 |
| 1 | 901 901 Replace V-belts / Food | 0 | 0 | -123.282 | -0.15 | -0.0641 | -0.07996 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 101 101 Compressed Air-O&M / Textiles | 0 | 0 | -195.907 | -67.1239 | -69.5442 | -46.9733 | -47.5643 | -41.6677 | -32.5806 | -26.7768 | -23.9625 | -35.0408 | 0 |
| 2 | 102 102 Compressed Air - Controls / Textiles | 0 | 0 | -178.037 | -50.2886 | -51.8763 | -35.3087 | -36.4609 | -31.2259 | -25.1567 | -20.7408 | -18.7233 | -26.9917 | 0 |
| 2 | 103 103 Compressed Air - System Optimization / Textiles | 0 | 0 | -215.299 | -85.1885 | -88.1603 | -59.499 | -60.7803 | -52.9554 | -40.638 | -34.0262 | -30.8283 | -45.0022 | 0 |
| 2 | 104 104 Compressed Air- Sizing / Textiles | 0 | 0 | -162.557 | -36.7612 | -37.5819 | -25.4094 | -25.9925 | -22.7659 | -17.6804 | -14.2778 | -12.8677 | -18.5677 | 0 |
| 2 | 105 105 Comp Air - Replace 1-5 HP motor / Textiles | 0 | 0 | -135.173 | -11.3021 | -11.5135 | -7.8822 | -8.05674 | -7.20969 | -6.00366 | -4.53602 | -3.81497 | -5.36934 | -4.61497 |
| 2 | 106 106 Comp Air - ASD (1-5 hp) / Textiles | 0 | 0 | -150.151 | -24.9773 | -25.4543 | -17.4566 | -17.6473 | -16.2065 | -12.1243 | -9.86254 | -9.41489 | -13.0373 | -9.51962 |
| 2 | 107 107 Comp Air - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -142.783 | -17.9417 | -18.9427 | -12.5901 | -12.7706 | -11.4117 | -8.59011 | -7.48109 | -6.577 | -9.51974 | -6.38769 |
| 2 | 108 108 Comp Air - Replace 6-100 HP motor / Textiles | 0 | 0 | -137.586 | -13.2748 | -13.8349 | -9.24253 | -9.47283 | -8.43631 | -6.76284 | -5.66856 | -4.92521 | -7.34325 | 0 |
| 2 | 109 109 Comp Air - ASD (6-100 hp) / Textiles | 0 | 0 | -150.117 | -24.6984 | -25.7702 | -17.5527 | -17.4625 | -15.7724 | -11.7322 | -9.97129 | -9.02722 | -12.6356 | 0 |
| 2 | 110 110 Comp Air - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -132.827 | -8.78132 | -9.46932 | -6.31394 | -6.38776 | -5.96453 | -4.30085 | -3.72693 | -2.96629 | -4.89483 | 0 |
| 2 | 111 111 Comp Air - Replace 100+ HP motor / Textiles | 0 | 0 | -136.137 | -11.9984 | -12.4318 | -8.24979 | -8.81709 | -7.43126 | 0 | 0 | 0 | 0 | 0 |
| 2 | 112 112 Comp Air - ASD (100+ hp) / Textiles | 0 | 0 | -150.093 | -24.6755 | -25.7457 | -17.5272 | -17.3908 | -15.745 | 0 | 0 | 0 | 0 | 0 |
| 2 | 113 113 Comp Air - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -129.165 | -5.23073 | -6.20763 | -3.18796 | -3.82248 | -3.96304 | 0 | 0 | 0 | 0 | 0 |
| 2 | 201 201 Fans - O&M / Textiles | 0 | 0 | -131.189 | -7.31509 | -8.13074 | -4.89322 | -5.31357 | -5.03127 | -3.72038 | -3.08333 | -2.67909 | -3.71499 | 0 |
| 2 | 202 202 Fans - Controls / Textiles | 0 | 0 | -283.955 | -148.94 | -153.524 | -103.676 | -105.727 | -91.8664 | -71.1541 | -58.3261 | -53.946 | -78.3936 | 0 |
| 2 | 203 203 Fans - System Optimization / Textiles | 0 | 0 | -230.35 | -99.0468 | -102.487 | -69.7103 | -71.2634 | -61.6699 | -47.6384 | -39.269 | -35.7381 | -52.1787 | 0 |
| 2 | 204 204 Fans- Improve components / Textiles | 0 | 0 | -144.558 | -19.9171 | -20.809 | -13.8102 | -14.0222 | -13.1607 | -9.70871 | -7.67727 | -7.17681 | -10.2916 | 0 |
| 2 | 205 205 Fans - Replace 1-5 HP motor / Textiles | 0 | 0 | -135.173 | -11.3021 | -11.5135 | -7.8822 | -8.05674 | -7.20969 | -6.00366 | -4.53602 | -3.81497 | -5.36934 | -4.61497 |
| 2 | 206 206 Fans - ASD (1-5 hp) / Textiles | 0 | 0 | -150.182 | -24.8806 | -25.6185 | -17.3773 | -17.5782 | -15.8897 | -12.0632 | -10.0554 | -9.10931 | -13.231 | -9.46249 |
| 2 | 207 207 Fans - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -142.783 | -17.9417 | -18.9427 | -12.5901 | -12.7706 | -11.4117 | -8.59011 | -7.48109 | -6.577 | -9.51974 | -6.38769 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2 | 208 | 208 Fans - Replace 6-100 HP motor / Textiles | 0 | 0 | -137.586 | -13.2748 | -13.8349 | -9.24253 | -9.47283 | -8.43631 | -6.76284 | -5.66856 | -4.92521 | -7.34325 | 0 |
| 2 | 209 | 209 Fans - ASD (6-100 hp) / Textiles | 0 | 0 | -150.249 | -24.8295 | -25.6607 | -17.4487 | -17.5725 | -15.929 | -12.1437 | -10.1362 | -9.06848 | -12.8015 | 0 |
| 2 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -132.827 | -8.78132 | -9.46932 | -6.31394 | -6.38776 | -5.96453 | -4.30085 | -3.72693 | -2.96629 | -4.89483 | 0 |
| 2 | 211 | 211 Fans - Replace 100+ HP motor / Textiles | 0 | 0 | -136.137 | -11.9984 | -12.4318 | -8.24979 | -8.81709 | -7.43126 | 0 | 0 | 0 | 0 | 0 |
| 2 | 212 | 212 Fans - ASD (100+ hp) / Textiles | 0 | 0 | -150.146 | -24.7277 | -25.5516 | -17.5853 | -17.4523 | -15.8074 | 0 | 0 | 0 | 0 | 0 |
| 2 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -129.165 | -5.23073 | -6.20763 | -3.18796 | -3.82248 | -3.96304 | 0 | 0 | 0 | 0 | 0 |
| 2 | 301 | 301 Pumps - O&M / Textiles | 0 | 0 | -167.375 | -40.5654 | -42.2434 | -28.919 | -29.189 | -25.5607 | -19.7959 | -16.6138 | -15.1327 | -21.3701 | 0 |
| 2 | 302 | 302 Pumps - Controls / Textiles | 0 | 0 | -278.439 | -143.227 | -147.871 | -99.6115 | -101.797 | -88.5496 | -68.919 | -56.5682 | -51.957 | -76.1053 | 0 |
| 2 | 303 | 303 Pumps - System Optimization / Textiles | 0 | 0 | -301.791 | -164.384 | -170.08 | -115.373 | -117.296 | -101.748 | -79.0331 | -65.0757 | -60.1278 | -87.4689 | 0 |
| 2 | 304 | 304 Pumps - Sizing / Textiles | 0 | 0 | -221.873 | -91.4423 | -94.6977 | -63.9533 | -65.626 | -56.7683 | -43.7971 | -36.5121 | -32.9098 | -48.5725 | 0 |
| 2 | 305 | 305 Pumps - Replace 1-5 HP motor / Textiles | 0 | 0 | -135.173 | -11.3021 | -11.5135 | -7.8822 | -8.05674 | -7.20969 | -6.00366 | -4.53602 | -3.81497 | -5.36934 | -4.61497 |
| 2 | 306 | 306 Pumps - ASD (1-5 hp) / Textiles | 0 | 0 | -150.377 | -25.0767 | -25.5608 | -17.5674 | -17.4484 | -16.0753 | -11.9968 | -9.98766 | -9.14264 | -12.9129 | -9.39472 |
| 2 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -142.783 | -17.9417 | -18.9427 | -12.5901 | -12.7706 | -11.4117 | -8.59011 | -7.48109 | -6.577 | -9.51974 | -6.38769 |
| 2 | 308 | 308 Pumps - Replace 6-100 HP motor / Textiles | 0 | 0 | -137.586 | -13.2748 | -13.8349 | -9.24253 | -9.47283 | -8.43631 | -6.76284 | -5.66856 | -4.92521 | -7.34325 | 0 |
| 2 | 309 | 309 Pumps - ASD (6-100 hp) / Textiles | 0 | 0 | -150.199 | -24.7792 | -25.6068 | -17.6427 | -17.5578 | -15.869 | -12.3318 | -9.82299 | -9.1297 | -12.7379 | 0 |
| 2 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -132.827 | -8.78132 | -9.46932 | -6.31394 | -6.38776 | -5.96453 | -4.30085 | -3.72693 | -2.96629 | -4.89483 | 0 |
| 2 | 311 | 311 Pumps - Replace 100+ HP motor / Textiles | 0 | 0 | -136.137 | -11.9984 | -12.4318 | -8.24979 | -8.81709 | -7.43126 | 0 | 0 | 0 | 0 | 0 |
| 2 | 312 | 312 Pumps - ASD (100+ hp) / Textiles | 0 | 0 | -150.199 | -24.656 | -25.7248 | -17.5055 | -17.4124 | -15.9717 | 0 | 0 | 0 | 0 | 0 |
| 2 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -129.165 | -5.23073 | -6.20763 | -3.18796 | -3.82248 | -3.96304 | 0 | 0 | 0 | 0 | 0 |
| 2 | 402 | 402 O&M/drives spinning machines / Textiles | 0 | 0 | -196.864 | -67.8106 | -70.3367 | -47.4702 | -48.4065 | -42.5275 | -32.8292 | -27.3024 | -24.7762 | -35.7 | 0 |
| 2 | 502 | 502 Drying (UV/IR) / Textiles | 0 | 0 | -260.603 | -126.903 | -130.962 | -88.8225 | -90.471 | -78.6102 | -61.2396 | -50.3131 | 0 | 0 | 0 |
| 2 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Textiles | 0 | 0 | -170.983 | -45.4952 | -46.8531 | -32.4108 | -34.2726 | -30.3388 | -23.6133 | -20.0213 | -17.1295 | -24.4456 | -18.4409 |
| 2 | 702 | 702 High Efficiency Chiller Motors / Textiles | 0 | 0 | -136.077 | -12.0618 | -12.4997 | -8.32031 | -8.58617 | -7.50691 | -6.18624 | -4.7751 | -4.2789 | -6.42177 | -5.17417 |
| 2 | 703 | 703 EMS - Chiller / Textiles | 0 | 0 | -166.595 | -40.8622 | -42.6612 | -29.5415 | -31.0072 | -27.2325 | -21.8257 | -18.2652 | -15.9434 | -22.2898 | 0 |
| 2 | 704 | 704 Chiller Tune Up/Diagnostics / Textiles | 0 | 0 | -157.636 | -32.1106 | -33.1622 | -22.4736 | -22.6374 | -20.0086 | -15.2869 | -13.3694 | -11.6577 | -16.5956 | 0 |
| 2 | 705 | 705 VSD for Chiller Pumps and Towers / Textiles | 0 | 0 | -164.314 | -38.9077 | -40.3026 | -27.9105 | -29.3314 | -25.919 | -20.5772 | -17.3769 | -14.9128 | -20.7043 | -15.8673 |
| 2 | 706 | 706 EMS Optimization - Chiller / Textiles | 0 | 0 | -144.483 | -19.4769 | -20.3164 | -13.6336 | -14.0617 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 707 | 707 Aerosol Duct Sealing - Chiller / Textiles | 0 | 0 | -166.412 | -39.5119 | -41.3851 | -27.9107 | -27.965 | -24.8647 | -19.0969 | -16.3335 | -14.4527 | -20.6686 | 0 |
| 2 | 708 | 708 Duct/Pipe Insulation - Chiller / Textiles | 0 | 0 | -166.393 | -39.6111 | -41.3943 | -28.1416 | -28.2774 | -24.878 | -19.263 | -16.2899 | -14.5543 | -21.1591 | 0 |
| 2 | 709 | 709 Window Film (Standard) - Chiller / Textiles | 0 | 0 | -145.933 | -21.622 | -22.2494 | -14.8738 | -15.0415 | -13.733 | -10.0052 | -8.80961 | -8.06821 | -10.8423 | 0 |
| 2 | 710 | 710 Roof Insulation - Chiller / Textiles | 0 | 0 | -142.409 | -17.9536 | -18.899 | -12.3723 | -13.0033 | -11.6365 | -8.92203 | -7.56236 | -6.15853 | -9.78354 | -6.89075 |
| 2 | 711 | 711 Cool Roof - Chiller / Textiles | 0 | 0 | -231.894 | -100.303 | -103.693 | -70.3769 | -71.8097 | -63.0654 | -48.3784 | -40.0585 | -36.1724 | -53.1414 | -37.9033 |
| 2 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Textiles | 0 | 0 | -145.142 | -20.9634 | -21.2976 | -14.4105 | -14.9961 | -13.7303 | -10.3776 | -8.66247 | -7.82159 | -11.2921 | -8.07602 |
| 2 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Textiles | 0 | 0 | -276.427 | -141.398 | -145.736 | -99.2626 | -101.504 | -88.128 | -68.3328 | -56.4171 | -51.6699 | -75.2577 | -52.3872 |
| 2 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Textiles | 0 | 0 | -181.103 | -53.1381 | -54.962 | -37.6067 | -38.4882 | -33.2944 | -26.3173 | -21.536 | -19.9604 | -28.0621 | -19.8802 |
| 2 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Textiles | 0 | 0 | -142.575 | -17.9907 | -18.7064 | -12.4417 | -12.8412 | -11.9788 | -9.02491 | -7.66862 | -6.51757 | -9.89179 | 0 |
| 2 | 725 | 725 DX Coil Cleaning / Textiles | 0 | 0 | -142.025 | -17.4634 | -18.4331 | -12.4492 | -12.302 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 726 | 726 Optimize Controls / Textiles | 0 | 0 | -142.575 | -17.9907 | -18.7064 | -12.4417 | -12.8412 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 727 | 727 Aerosol Duct Sealing / Textiles | 0 | 0 | -162.774 | -36.7294 | -37.5445 | -25.4724 | -26.0474 | -23.3282 | -17.9121 | -15.0153 | -13.3311 | -18.9536 | 0 |
| 2 | 728 | 728 Duct/Pipe Insulation / Textiles | 0 | 0 | -162.801 | -36.6256 | -37.9704 | -25.6109 | -26.2679 | -23.2533 | -18.0135 | -15.12 | -13.5878 | -18.8648 | 0 |
| 2 | 729 | 729 Window Film (Standard) / Textiles | 0 | 0 | -143.547 | -18.5697 | -19.3833 | -13.0675 | -13.3614 | -11.7103 | -8.67116 | -7.83491 | -7.05659 | -9.87878 | 0 |
| 2 | 730 | 730 Roof Insulation / Textiles | 0 | 0 | -141.083 | -16.1755 | -17.4938 | -11.6264 | -11.5509 | -11.1226 | -8.29545 | -6.83994 | -6.17452 | -9.05609 | -6.18416 |
| 2 | 731 | 731 Cool Roof - DX / Textiles | 0 | 0 | -222.676 | -91.4878 | -94.9114 | -64.8007 | -66.016 | -57.1647 | -44.381 | -37.1233 | -33.7927 | -48.8518 | -34.8116 |
| 2 | 801 | 801 Premium T8, Electronic Ballast / Textiles | 0 | 0 | -219.226 | -88.7557 | -91.6869 | -61.752 | -63.4805 | -55.3388 | -42.8182 | -35.6427 | -32.6036 | -46.9315 | -33.4635 |
| 2 | 802 | 802 CFL Hardwired, Modular 18W / Textiles | 0 | 0 | -351.33 | -209.389 | -216.169 | -148.818 | -152.49 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 803 | 803 CFL Screw-in 18W / Textiles | 0 | 0 | -351.33 | -209.389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 804 | 804 High Bay T5 / Textiles | 0 | 0 | -330.208 | -191.202 | -197.64 | -133.735 | -136.474 | -118.159 | -91.9662 | -75.1368 | -69.6452 | -101.242 | 0 |

| | | | | | | | | | | | | | | |
|---|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2 | 805 805 Occupancy Sensor / Textiles | 0 | 0 | -202.745 | -73.1442 | -75.8311 | -51.1682 | -52.1893 | -45.945 | -35.2323 | -29.2136 | -26.3912 | 0 | 0 |
| 2 | 901 901 Replace V-belts / Textiles | 0 | 0 | -123.282 | -0.15 | -0.0641 | -0.07996 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 902 902 Membranes for wastewater / Textiles | 0 | 0 | -168.712 | -41.742 | -43.4843 | -29.5169 | -29.6451 | -26.6097 | -20.008 | -16.6217 | -15.2763 | -21.6348 | -15.4427 |
| 3 | 101 101 Compressed Air-O&M / Lumber | 0 | 0 | -193.728 | -66.0672 | -68.3632 | -46.9053 | -48.5953 | -42.6371 | -33.0549 | -27.7785 | -24.9173 | -34.5639 | 0 |
| 3 | 102 102 Compressed Air - Controls / Lumber | 0 | 0 | -175.885 | -49.6352 | -50.9733 | -35.3203 | -36.5476 | -32.0128 | -25.0971 | -20.6929 | -18.3625 | -25.8717 | 0 |
| 3 | 103 103 Compressed Air - System Optimization / Lumber | 0 | 0 | -212.708 | -83.9705 | -86.6931 | -59.36 | -61.6914 | -53.1167 | -42.3573 | -35.2884 | -31.6372 | -44.613 | 0 |
| 3 | 104 104 Compressed Air- Sizing / Lumber | 0 | 0 | -161.47 | -35.9224 | -37.2434 | -25.4321 | -26.0323 | -23.3047 | -18.0758 | -15.4234 | -13.5129 | -18.9147 | 0 |
| 3 | 105 105 Comp Air - Replace 1-5 HP motor / Lumber | 0 | 0 | -134.77 | -11.2738 | -11.4853 | -7.70143 | -8.12933 | -7.28489 | -5.75658 | -5.0427 | -4.79813 | -6.03981 | -4.78462 |
| 3 | 106 106 Comp Air - ASD (1-5 hp) / Lumber | 0 | 0 | -149.596 | -24.5463 | -25.1488 | -17.1642 | -17.6091 | -16.1815 | -12.4912 | -10.5028 | -9.05527 | -12.9975 | -10.2134 |
| 3 | 107 107 Comp Air - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -142.122 | -18.1554 | -18.6565 | -12.7632 | -12.9453 | -11.8478 | -9.33488 | -7.99146 | -6.8529 | -9.63845 | -7.00666 |
| 3 | 108 108 Comp Air - Replace 6-100 HP motor / Lumber | 0 | 0 | -137.309 | -13.2465 | -13.5567 | -9.11429 | -9.84992 | -8.82491 | -6.90635 | -5.79261 | -5.09584 | -6.86512 | 0 |
| 3 | 109 109 Comp Air - ASD (6-100 hp) / Lumber | 0 | 0 | -149.549 | -24.13 | -24.7025 | -17.4503 | -17.8117 | -16.1833 | -12.4774 | -9.97406 | -8.39742 | -12.9664 | 0 |
| 3 | 110 110 Comp Air - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -132.686 | -8.76515 | -9.20324 | -6.15503 | -6.24357 | -5.81254 | -4.56583 | -3.75347 | -2.96164 | -4.57752 | 0 |
| 3 | 111 111 Comp Air - Replace 100+ HP motor / Lumber | 0 | 0 | -135.852 | -11.8371 | -12.1456 | -8.32079 | -8.83569 | -7.75897 | 0 | 0 | 0 | 0 | 0 |
| 3 | 112 112 Comp Air - ASD (100+ hp) / Lumber | 0 | 0 | -149.526 | -24.2323 | -24.678 | -17.1749 | -18.0904 | -16.1561 | 0 | 0 | 0 | 0 | 0 |
| 3 | 113 113 Comp Air - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -128.883 | -5.19842 | -6.17539 | -3.40565 | -3.79031 | -3.68085 | 0 | 0 | 0 | 0 | 0 |
| 3 | 201 201 Fans - O&M / Lumber | 0 | 0 | -131.052 | -7.05295 | -7.8687 | -4.9893 | -5.66273 | -4.8774 | -4.02066 | -3.11005 | -2.72134 | -3.65588 | 0 |
| 3 | 202 202 Fans - Controls / Lumber | 0 | 0 | -278.838 | -146.943 | -150.654 | -103.498 | -107.585 | -94.026 | -73.3683 | -61.3916 | -54.9328 | -77.735 | 0 |
| 3 | 203 203 Fans - System Optimization / Lumber | 0 | 0 | -226.978 | -97.9217 | -100.489 | -69.1911 | -71.744 | -62.7177 | -49.0083 | -41.1549 | -36.8427 | -51.7879 | 0 |
| 3 | 204 204 Fans- Improve components / Lumber | 0 | 0 | -143.889 | -19.6227 | -20.5148 | -13.7204 | -14.3836 | -12.5897 | -9.9533 | -8.46471 | -7.0817 | -10.368 | 0 |
| 3 | 205 205 Fans - Replace 1-5 HP motor / Lumber | 0 | 0 | -134.77 | -11.2738 | -11.4853 | -7.70143 | -8.12933 | -7.28489 | -5.75658 | -5.0427 | -4.79813 | -6.03981 | -4.78462 |
| 3 | 206 206 Fans - ASD (1-5 hp) / Lumber | 0 | 0 | -149.747 | -24.5704 | -25.0589 | -17.3307 | -17.7858 | -16.3605 | -12.676 | -10.4456 | -9.24959 | -13.4415 | -10.1561 |
| 3 | 207 207 Fans - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -142.122 | -18.1554 | -18.6565 | -12.7632 | -12.9453 | -11.8478 | -9.33488 | -7.99146 | -6.8529 | -9.63845 | -7.00666 |
| 3 | 208 208 Fans - Replace 6-100 HP motor / Lumber | 0 | 0 | -137.309 | -13.2465 | -13.5567 | -9.11429 | -9.84992 | -8.82491 | -6.90635 | -5.79261 | -5.09584 | -6.86512 | 0 |
| 3 | 209 209 Fans - ASD (6-100 hp) / Lumber | 0 | 0 | -149.553 | -24.3822 | -24.839 | -17.0923 | -18.0181 | -16.336 | -12.385 | -10.3891 | -8.68874 | -12.8823 | 0 |
| 3 | 210 210 Fans - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -132.686 | -8.76515 | -9.20324 | -6.15503 | -6.24357 | -5.81254 | -4.56583 | -3.75347 | -2.96164 | -4.57752 | 0 |
| 3 | 211 211 Fans - Replace 100+ HP motor / Lumber | 0 | 0 | -135.852 | -11.8371 | -12.1456 | -8.32079 | -8.83569 | -7.75897 | 0 | 0 | 0 | 0 | 0 |
| 3 | 212 212 Fans - ASD (100+ hp) / Lumber | 0 | 0 | -149.454 | -24.1594 | -24.7339 | -17.483 | -17.6519 | -16.2184 | 0 | 0 | 0 | 0 | 0 |
| 3 | 213 213 Fans - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -128.883 | -5.19842 | -6.17539 | -3.40565 | -3.79031 | -3.68085 | 0 | 0 | 0 | 0 | 0 |
| 3 | 214 214 Optimize drying process / Lumber | 0 | 0 | -212.708 | -83.9705 | -86.6931 | -59.36 | -61.6914 | -53.1167 | -42.3573 | -35.2884 | -31.6372 | -44.613 | 0 |
| 3 | 301 301 Pumps - O&M / Lumber | 0 | 0 | -166.013 | -39.9523 | -41.1307 | -28.4163 | -29.4654 | -25.5803 | -20.3937 | -16.9852 | -14.7538 | -20.9432 | 0 |
| 3 | 302 302 Pumps - Controls / Lumber | 0 | 0 | -273.068 | -140.601 | -145.247 | -99.5768 | -103.346 | -89.8462 | -70.1058 | -58.5948 | -53.0766 | -74.7754 | 0 |
| 3 | 303 303 Pumps - System Optimization / Lumber | 0 | 0 | -295.368 | -162.206 | -166.903 | -114.245 | -118.947 | -103.961 | -81.2298 | -67.6002 | -61.1052 | -86.2379 | 0 |
| 3 | 304 304 Pumps - Sizing / Lumber | 0 | 0 | -219.021 | -89.837 | -92.7183 | -63.8511 | -66.0806 | -57.4751 | -45.4183 | -37.4143 | -34.3509 | -48.0109 | 0 |
| 3 | 305 305 Pumps - Replace 1-5 HP motor / Lumber | 0 | 0 | -134.77 | -11.2738 | -11.4853 | -7.70143 | -8.12933 | -7.28489 | -5.75658 | -5.0427 | -4.79813 | -6.03981 | -4.78462 |
| 3 | 306 306 Pumps - ASD (1-5 hp) / Lumber | 0 | 0 | -149.693 | -24.6416 | -24.7512 | -17.5207 | -17.4168 | -16.2962 | -12.6096 | -10.8778 | -8.8063 | -13.1234 | -10.0885 |
| 3 | 307 307 Pumps - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -142.122 | -18.1554 | -18.6565 | -12.7632 | -12.9453 | -11.8478 | -9.33488 | -7.99146 | -6.8529 | -9.63845 | -7.00666 |
| 3 | 308 308 Pumps - Replace 6-100 HP motor / Lumber | 0 | 0 | -137.309 | -13.2465 | -13.5567 | -9.11429 | -9.84992 | -8.82491 | -6.90635 | -5.79261 | -5.09584 | -6.86512 | 0 |
| 3 | 309 309 Pumps - ASD (6-100 hp) / Lumber | 0 | 0 | -149.506 | -24.3359 | -24.7891 | -17.2903 | -17.4071 | -16.2799 | -12.577 | -10.3257 | -8.49986 | -12.8186 | 0 |
| 3 | 310 310 Pumps - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -132.686 | -8.76515 | -9.20324 | -6.15503 | -6.24357 | -5.81254 | -4.56583 | -3.75347 | -2.96164 | -4.57752 | 0 |
| 3 | 311 311 Pumps - Replace 100+ HP motor / Lumber | 0 | 0 | -135.852 | -11.8371 | -12.1456 | -8.32079 | -8.83569 | -7.75897 | 0 | 0 | 0 | 0 | 0 |
| 3 | 312 312 Pumps - ASD (100+ hp) / Lumber | 0 | 0 | -149.506 | -24.2127 | -24.6571 | -16.9031 | -17.7618 | -16.1327 | 0 | 0 | 0 | 0 | 0 |
| 3 | 313 313 Pumps - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -128.883 | -5.19842 | -6.17539 | -3.40565 | -3.79031 | -3.68085 | 0 | 0 | 0 | 0 | 0 |
| 3 | 403 403 Air conveying systems / Lumber | 0 | 0 | -363.368 | -226.124 | -233.2 | -160.419 | -166.162 | -144.702 | -113.859 | -94.3918 | -85.0165 | -120 | -88.9612 |
| 3 | 404 404 Replace V-Belts / Lumber | 0 | 0 | -148.242 | -23.3546 | -24.2582 | -16.3623 | -17.0846 | -15.4142 | -11.7169 | -9.64028 | -8.06351 | -12.9465 | 0 |
| 3 | 405 405 Drives - EE motor / Lumber | 0 | 0 | -137.174 | -13.3589 | -13.5623 | -9.33268 | -9.88286 | -8.56011 | -6.81197 | -5.47439 | -5.39716 | -7.05622 | 0 |
| 3 | 503 503 Heat Pumps - Drying / Lumber | 0 | 0 | -230.56 | -101.021 | -104.034 | -71.8479 | -73.9424 | -64.482 | -50.3889 | -42.0018 | -37.5965 | -53.4942 | -39.5061 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Lumber | 0 | 0 | -170.995 | -45.5071 | -46.8658 | -32.424 | -33.9811 | -30.3529 | -23.6279 | -20.0362 | -17.0275 | -24.4606 | -18.4558 |
| 3 | 702 | 702 High Efficiency Chiller Motors / Lumber | 0 | 0 | -135.67 | -12.0301 | -12.4682 | -8.3364 | -8.66497 | -8.02694 | -6.29527 | -5.13401 | -4.29394 | -6.01422 | -5.25153 |
| 3 | 703 | 703 EMS - Chiller / Lumber | 0 | 0 | -166.607 | -40.8742 | -42.924 | -29.5548 | -31.3153 | -26.9967 | -21.8405 | -18.0303 | -16.0831 | -22.305 | 0 |
| 3 | 704 | 704 Chiller Tune Up/Diagnostics / Lumber | 0 | 0 | -156.933 | -31.4066 | -32.3336 | -22.0405 | -22.5303 | -20.5897 | -15.3799 | -12.9777 | -11.3984 | -16.5475 | 0 |
| 3 | 705 | 705 VSD for Chiller Pumps and Towers / Lumber | 0 | 0 | -164.325 | -38.9184 | -40.314 | -27.9224 | -29.344 | -25.9318 | -20.5904 | -17.3904 | -14.9264 | -20.7178 | -15.8808 |
| 3 | 706 | 706 EMS Optimization - Chiller / Lumber | 0 | 0 | -143.686 | -19.5546 | -20.0192 | -13.1942 | -13.6142 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 707 | 707 Aerosol Duct Sealing - Chiller / Lumber | 0 | 0 | -165.443 | -39.1673 | -40.2908 | -28.0252 | -28.3981 | -24.9869 | -19.2837 | -15.8247 | -14.3183 | -20.4784 | 0 |
| 3 | 708 | 708 Duct/Pipe Insulation - Chiller / Lumber | 0 | 0 | -165.404 | -39.6212 | -40.7798 | -28.1824 | -28.5353 | -24.6782 | -19.3203 | -15.8664 | -13.7401 | -20.1093 | 0 |
| 3 | 709 | 709 Window Film (Standard) - Chiller / Lumber | 0 | 0 | -145.628 | -21.4417 | -21.6943 | -14.1754 | -15.2913 | -13.7928 | -10.2077 | -8.51594 | -7.38388 | -10.7426 | 0 |
| 3 | 710 | 710 Roof Insulation - Chiller / Lumber | 0 | 0 | -141.745 | -17.6642 | -18.3598 | -11.6842 | -12.8809 | -11.9553 | -8.91383 | -7.30407 | -6.53261 | -9.69708 | -7.0695 |
| 3 | 711 | 711 Cool Roof - Chiller / Lumber | 0 | 0 | -228.998 | -99.1554 | -102.171 | -70.0178 | -72.2662 | -62.7276 | -48.4424 | -39.6684 | -35.9612 | -52.6308 | -38.1738 |
| 3 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Lumber | 0 | 0 | -144.763 | -20.8348 | -21.2944 | -14.7542 | -15.4105 | -13.5871 | -11.1643 | -9.19945 | -7.99156 | -10.9779 | -8.52703 |
| 3 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Lumber | 0 | 0 | -272.577 | -139.92 | -143.885 | -98.3317 | -101.048 | -87.7407 | -68.5283 | -56.3532 | -51.0501 | -73.6973 | -53.3265 |
| 3 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Lumber | 0 | 0 | -179.596 | -52.8797 | -54.3294 | -36.9874 | -38.6221 | -33.4415 | -25.8563 | -21.348 | -19.2952 | -28.1604 | -19.7451 |
| 3 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Lumber | 0 | 0 | -142.008 | -17.7985 | -18.6395 | -12.1243 | -12.5245 | -11.4118 | -8.70785 | -7.35551 | -6.2042 | -9.57833 | 0 |
| 3 | 725 | 725 DX Coil Cleaning / Lumber | 0 | 0 | -141.494 | -17.3074 | -17.9023 | -11.7704 | -12.1205 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 726 | 726 Optimize Controls / Lumber | 0 | 0 | -142.008 | -17.7985 | -18.6395 | -12.1243 | -12.5245 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 727 | 727 Aerosol Duct Sealing / Lumber | 0 | 0 | -161.794 | -36.1232 | -37.4388 | -24.9672 | -25.8576 | -23.0865 | -17.5875 | -14.6983 | -13.1463 | -18.5489 | 0 |
| 3 | 728 | 728 Duct/Pipe Insulation / Lumber | 0 | 0 | -161.925 | -36.2493 | -37.5945 | -25.0386 | -25.9576 | -22.679 | -17.5282 | -14.1461 | -12.8638 | -18.5853 | 0 |
| 3 | 729 | 729 Window Film (Standard) / Lumber | 0 | 0 | -142.852 | -18.4985 | -19.0623 | -12.746 | -13.2905 | -11.8894 | -9.60019 | -7.01387 | -6.48524 | -9.55692 | 0 |
| 3 | 730 | 730 Roof Insulation / Lumber | 0 | 0 | -140.786 | -16.1283 | -17.1968 | -11.6337 | -11.5479 | -10.8821 | -8.11565 | -6.6755 | -5.7442 | -8.83645 | -6.48025 |
| 3 | 731 | 731 Cool Roof - DX / Lumber | 0 | 0 | -220.528 | -90.4628 | -93.6374 | -63.7784 | -65.7591 | -56.4203 | -44.5599 | -36.8054 | -33.2398 | -47.7964 | -34.7877 |
| 3 | 801 | 801 Premium T8, Electronic Ballast / Lumber | 0 | 0 | -216.876 | -87.279 | -90.7106 | -61.4333 | -63.5028 | -55.0443 | -42.9342 | -35.5233 | -31.9131 | -46.4662 | -33.5288 |
| 3 | 802 | 802 CFL Hardwired, Modular 18W / Lumber | 0 | 0 | -345.781 | -207.088 | -213.618 | -144.945 | -148.533 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 803 | 803 CFL Screw-in 18W / Lumber | 0 | 0 | -345.781 | -207.088 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 804 | 804 High Bay T5 / Lumber | 0 | 0 | -323.471 | -188.334 | -194.149 | -132.796 | -138.462 | -120.336 | -94.3012 | -78.2842 | -71.0496 | -99.9145 | 0 |
| 3 | 805 | 805 Occupancy Sensor / Lumber | 0 | 0 | -199.577 | -71.974 | -74.4125 | -50.7693 | -53.539 | -46.3497 | -36.6116 | -30.4175 | -27.2357 | 0 | 0 |
| 3 | 901 | 901 Replace V-belts / Lumber | 0 | 0 | -123.282 | -0.15 | -0.0641 | -0.07996 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 101 | 101 Compressed Air-O&M / Paper | 0 | 0 | -192.645 | -65.7331 | -68.0294 | -46.0269 | -48.6791 | -42.7767 | -33.5029 | -28.2436 | -25.0077 | -34.6069 | 0 |
| 4 | 102 | 102 Compressed Air - Controls / Paper | 0 | 0 | -175.713 | -49.2122 | -50.9256 | -34.9768 | -36.9617 | -32.4383 | -25.1121 | -20.9744 | -18.8789 | -26.216 | 0 |
| 4 | 103 | 103 Compressed Air - System Optimization / Paper | 0 | 0 | -211.102 | -83.8623 | -86.0853 | -59.2614 | -61.851 | -54.5354 | -42.4533 | -35.3782 | -31.5324 | -44.2253 | 0 |
| 4 | 104 | 104 Compressed Air- Sizing / Paper | 0 | 0 | -161.043 | -35.9953 | -36.6914 | -25.2326 | -26.3968 | -23.3675 | -18.3053 | -15.4156 | -13.1693 | -18.8051 | 0 |
| 4 | 105 | 105 Comp Air - Replace 1-5 HP motor / Paper | 0 | 0 | -134.758 | -11.3869 | -11.4734 | -7.74794 | -8.22773 | -7.58547 | -5.88521 | -5.17955 | -4.34091 | -5.87178 | -4.88233 |
| 4 | 106 | 106 Comp Air - ASD (1-5 hp) / Paper | 0 | 0 | -149.205 | -24.1543 | -25.1322 | -17.2454 | -18.1492 | -16.2681 | -12.4986 | -10.5224 | -8.68449 | -12.6659 | -9.88098 |
| 4 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -142.348 | -18.1313 | -18.6325 | -12.794 | -13.0438 | -12.1318 | -9.70167 | -8.36649 | -6.85282 | -9.70841 | -7.31122 |
| 4 | 108 | 108 Comp Air - Replace 6-100 HP motor / Paper | 0 | 0 | -137.281 | -13.0934 | -13.2787 | -8.83633 | -9.82229 | -8.79715 | -6.87843 | -5.51098 | -4.81454 | -6.58347 | 0 |
| 4 | 109 | 109 Comp Air - ASD (6-100 hp) / Paper | 0 | 0 | -148.92 | -24.0002 | -24.948 | -17.3414 | -17.9748 | -16.3336 | -12.1375 | -10.8808 | -8.56997 | -13.2483 | 0 |
| 4 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -132.416 | -8.74508 | -9.18319 | -6.13503 | -6.51885 | -5.54269 | -5.04585 | -3.73371 | -3.34051 | -4.30783 | 0 |
| 4 | 111 | 111 Comp Air - Replace 100+ HP motor / Paper | 0 | 0 | -135.59 | -11.9501 | -12.1337 | -8.35755 | -8.67452 | -7.799 | 0 | 0 | 0 | 0 | 0 |
| 4 | 112 | 112 Comp Air - ASD (100+ hp) / Paper | 0 | 0 | -148.897 | -23.9774 | -24.9235 | -17.3159 | -18.0035 | -16.3063 | 0 | 0 | 0 | 0 | 0 |
| 4 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -128.891 | -5.20656 | -5.93353 | -3.46258 | -3.54867 | -3.74089 | 0 | 0 | 0 | 0 | 0 |
| 4 | 201 | 201 Fans - O&M / Paper | 0 | 0 | -130.911 | -7.41188 | -7.85265 | -5.22324 | -5.39701 | -4.86155 | -3.75467 | -3.34433 | -2.70582 | -3.63988 | 0 |
| 4 | 202 | 202 Fans - Controls / Paper | 0 | 0 | -276.64 | -145.493 | -149.704 | -102.714 | -107.627 | -94.2744 | -74.295 | -61.5745 | -55.7732 | -77.5805 | 0 |
| 4 | 203 | 203 Fans - System Optimization / Paper | 0 | 0 | -225.687 | -97.6285 | -99.9464 | -69.6681 | -72.7599 | -63.7261 | -50.8667 | -42.7882 | -37.7114 | -51.9993 | 0 |
| 4 | 204 | 204 Fans- Improve components / Paper | 0 | 0 | -143.737 | -19.4697 | -20.2368 | -13.7403 | -14.4118 | -12.8636 | -10.3161 | -8.79679 | -7.2028 | -9.95006 | 0 |
| 4 | 205 | 205 Fans - Replace 1-5 HP motor / Paper | 0 | 0 | -134.758 | -11.3869 | -11.4734 | -7.74794 | -8.22773 | -7.58547 | -5.88521 | -5.17955 | -4.34091 | -5.87178 | -4.88233 |
| 4 | 206 | 206 Fans - ASD (1-5 hp) / Paper | 0 | 0 | -149.106 | -24.3036 | -25.2925 | -17.4121 | -18.076 | -16.4473 | -12.6835 | -10.9653 | -8.62891 | -13.6097 | -9.57388 |

| | | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -142.348 | -18.1313 | -18.6325 | -12.794 | -13.0438 | -12.1318 | -9.70167 | -8.36649 | -6.85282 | -9.70841 | -7.31122 |
| 4 | 208 | 208 Fans - Replace 6-100 HP motor / Paper | 0 | 0 | -137.281 | -13.0934 | -13.2787 | -8.83633 | -9.82229 | -8.79715 | -6.87843 | -5.51098 | -4.81454 | -6.58347 | 0 |
| 4 | 209 | 209 Fans - ASD (6-100 hp) / Paper | 0 | 0 | -148.928 | -24.0064 | -24.8386 | -17.2375 | -18.1296 | -16.4904 | -12.2991 | -10.796 | -8.73631 | -13.4141 | 0 |
| 4 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -132.416 | -8.74508 | -9.18319 | -6.13503 | -6.51885 | -5.54269 | -5.04585 | -3.73371 | -3.34051 | -4.30783 | 0 |
| 4 | 211 | 211 Fans - Replace 100+ HP motor / Paper | 0 | 0 | -135.59 | -11.9501 | -12.1337 | -8.35755 | -8.67452 | -7.799 | 0 | 0 | 0 | 0 | 0 |
| 4 | 212 | 212 Fans - ASD (100+ hp) / Paper | 0 | 0 | -148.95 | -23.9046 | -24.7295 | -17.1241 | -18.0651 | -16.3687 | 0 | 0 | 0 | 0 | 0 |
| 4 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -128.891 | -5.20656 | -5.93353 | -3.46258 | -3.54867 | -3.74089 | 0 | 0 | 0 | 0 | 0 |
| 4 | 301 | 301 Pumps - O&M / Paper | 0 | 0 | -165.329 | -39.6422 | -41.3207 | -28.464 | -29.7015 | -26.385 | -20.8574 | -17.1841 | -14.0939 | -20.8372 | 0 |
| 4 | 302 | 302 Pumps - Controls / Paper | 0 | 0 | -271.136 | -140.292 | -144.063 | -99.304 | -104.154 | -90.8547 | -71.0484 | -59.7896 | -53.6712 | -74.602 | 0 |
| 4 | 303 | 303 Pumps - System Optimization / Paper | 0 | 0 | -293.295 | -161.88 | -165.704 | -114.559 | -119.807 | -104.561 | -82.4381 | -68.5609 | -61.8408 | -85.5019 | 0 |
| 4 | 304 | 304 Pumps - Sizing / Paper | 0 | 0 | -218.023 | -89.7128 | -91.8445 | -63.2363 | -66.6701 | -57.8709 | -45.9983 | -38.2616 | -33.8088 | -47.6236 | 0 |
| 4 | 305 | 305 Pumps - Replace 1-5 HP motor / Paper | 0 | 0 | -134.758 | -11.3869 | -11.4734 | -7.74794 | -8.22773 | -7.58547 | -5.88521 | -5.17955 | -4.34091 | -5.87178 | -4.88233 |
| 4 | 306 | 306 Pumps - ASD (1-5 hp) / Paper | 0 | 0 | -149.18 | -24.2537 | -25.2387 | -17.3561 | -18.0718 | -16.3868 | -12.621 | -10.8974 | -8.70878 | -13.2915 | -9.506 |
| 4 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -142.348 | -18.1313 | -18.6325 | -12.794 | -13.0438 | -12.1318 | -9.70167 | -8.36649 | -6.85282 | -9.70841 | -7.31122 |
| 4 | 308 | 308 Pumps - Replace 6-100 HP motor / Paper | 0 | 0 | -137.281 | -13.0934 | -13.2787 | -8.83633 | -9.82229 | -8.79715 | -6.87843 | -5.51098 | -4.81454 | -6.58347 | 0 |
| 4 | 309 | 309 Pumps - ASD (6-100 hp) / Paper | 0 | 0 | -149.002 | -23.956 | -24.7846 | -17.1815 | -17.8202 | -16.4302 | -12.487 | -10.7326 | -8.67243 | -13.1004 | 0 |
| 4 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -132.416 | -8.74508 | -9.18319 | -6.13503 | -6.51885 | -5.54269 | -5.04585 | -3.73371 | -3.34051 | -4.30783 | 0 |
| 4 | 311 | 311 Pumps - Replace 100+ HP motor / Paper | 0 | 0 | -135.59 | -11.9501 | -12.1337 | -8.35755 | -8.67452 | -7.799 | 0 | 0 | 0 | 0 | 0 |
| 4 | 312 | 312 Pumps - ASD (100+ hp) / Paper | 0 | 0 | -148.893 | -24.099 | -24.9187 | -17.3698 | -17.9965 | -16.3614 | 0 | 0 | 0 | 0 | 0 |
| 4 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -128.891 | -5.20656 | -5.93353 | -3.46258 | -3.54867 | -3.74089 | 0 | 0 | 0 | 0 | 0 |
| 4 | 405 | 405 Drives - EE motor / Paper | 0 | 0 | -135.434 | -11.6716 | -11.9692 | -8.18667 | -8.43778 | -7.6156 | -6.29273 | -5.14574 | -4.12403 | -6.14966 | 0 |
| 4 | 406 | 406 Gap Forming papermachine / Paper | 0 | 0 | -157.035 | -31.7362 | -32.9002 | -22.53 | -23.6177 | -21.2081 | -16.2287 | -13.8801 | -11.5746 | -16.6222 | -12.9336 |
| 4 | 407 | 407 High Consistency forming / Paper | 0 | 0 | -155.198 | -30.6919 | -31.3801 | -21.3866 | -22.4779 | -20.3238 | -15.8744 | -13.2087 | -11.247 | -16.2218 | -12.551 |
| 4 | 408 | 408 Optimization control PM / Paper | 0 | 0 | -143.394 | -19.1369 | -19.7269 | -13.4988 | -14.1287 | -12.5647 | -10.1033 | -8.57265 | -7.19825 | -9.6274 | 0 |
| 4 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Paper | 0 | 0 | -171.002 | -45.5145 | -46.8738 | -32.4323 | -33.9899 | -30.3619 | -23.6371 | -20.0456 | -17.037 | -24.47 | -18.4652 |
| 4 | 702 | 702 High Efficiency Chiller Motors / Paper | 0 | 0 | -135.671 | -11.9055 | -12.2187 | -8.44516 | -8.76628 | -7.89181 | -6.32707 | -5.43171 | -4.56042 | -6.18711 | -4.70504 |
| 4 | 703 | 703 EMS - Chiller / Paper | 0 | 0 | -166.615 | -40.8817 | -42.932 | -29.5632 | -31.3242 | -27.0057 | -21.8497 | -18.0397 | -16.0926 | -22.3145 | 0 |
| 4 | 704 | 704 Chiller Tune Up/Diagnostics / Paper | 0 | 0 | -156.161 | -31.2587 | -32.0608 | -22.2326 | -22.9692 | -20.541 | -15.8888 | -13.7529 | -11.6975 | -16.6817 | 0 |
| 4 | 705 | 705 VSD for Chiller Pumps and Towers / Paper | 0 | 0 | -164.332 | -38.925 | -40.3211 | -27.9298 | -29.2856 | -25.9397 | -20.5986 | -17.3987 | -14.7866 | -20.7262 | -15.8891 |
| 4 | 706 | 706 EMS Optimization - Chiller / Paper | 0 | 0 | -143.288 | -19.1561 | -19.7459 | -13.7676 | -14.1473 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 707 | 707 Aerosol Duct Sealing - Chiller / Paper | 0 | 0 | -164.539 | -38.8864 | -40.2603 | -27.7536 | -28.8959 | -25.7322 | -19.6755 | -17.4908 | -14.5083 | -20.9336 | 0 |
| 4 | 708 | 708 Duct/Pipe Insulation - Chiller / Paper | 0 | 0 | -164.769 | -39.2356 | -40.2696 | -27.9799 | -29.4027 | -25.7446 | -19.9042 | -17.1892 | -14.4614 | -20.9243 | 0 |
| 4 | 709 | 709 Window Film (Standard) - Chiller / Paper | 0 | 0 | -145.367 | -21.0553 | -21.4331 | -14.5715 | -15.4476 | -13.6911 | -11.1108 | -9.16156 | -7.57694 | -11.2957 | 0 |
| 4 | 710 | 710 Roof Insulation - Chiller / Paper | 0 | 0 | -141.855 | -18.0238 | -18.3445 | -12.2715 | -12.7158 | -11.7997 | -9.43009 | -7.80096 | -6.8188 | -9.63064 | -7.23818 |
| 4 | 711 | 711 Cool Roof - Chiller / Paper | 0 | 0 | -227.452 | -98.3566 | -101.623 | -70.1928 | -73.1815 | -63.9474 | -49.841 | -41.807 | -37.523 | -52.7068 | -39.7792 |
| 4 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Paper | 0 | 0 | -144.766 | -20.8373 | -21.2971 | -14.7569 | -15.4134 | -13.5901 | -11.1673 | -9.20256 | -7.99469 | -10.981 | -8.53014 |
| 4 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Paper | 0 | 0 | -269.982 | -138.697 | -143.038 | -98.6634 | -102.932 | -89.8842 | -70.9017 | -59.034 | -53.2792 | -74.119 | -56.0277 |
| 4 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Paper | 0 | 0 | -178.547 | -52.0796 | -54.0297 | -36.9955 | -38.9071 | -34.2189 | -26.9012 | -22.4173 | -20.1152 | -27.7063 | -21.0558 |
| 4 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Paper | 0 | 0 | -141.88 | -18.0453 | -18.3863 | -12.5274 | -12.9388 | -11.825 | -9.37681 | -7.77867 | -6.61189 | -9.36828 | 0 |
| 4 | 725 | 725 DX Coil Cleaning / Paper | 0 | 0 | -141.35 | -17.288 | -17.633 | -12.1036 | -12.1694 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 726 | 726 Optimize Controls / Paper | 0 | 0 | -141.88 | -18.0453 | -18.3863 | -12.5274 | -12.9388 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 727 | 727 Aerosol Duct Sealing / Paper | 0 | 0 | -161.502 | -35.8305 | -36.8964 | -25.1358 | -26.5391 | -23.5113 | -17.8268 | -15.7157 | -12.9297 | -18.887 | 0 |
| 4 | 728 | 728 Duct/Pipe Insulation / Paper | 0 | 0 | -161.67 | -36.1178 | -36.8384 | -25.595 | -26.5257 | -23.7542 | -18.335 | -15.7307 | -13.4487 | -18.9042 | 0 |
| 4 | 729 | 729 Window Film (Standard) / Paper | 0 | 0 | -142.595 | -18.6163 | -19.3053 | -12.8951 | -13.4392 | -11.7984 | -9.48389 | -8.1755 | -6.67825 | -9.85084 | 0 |
| 4 | 730 | 730 Roof Insulation / Paper | 0 | 0 | -140.146 | -16.2379 | -16.9316 | -11.47 | -11.6999 | -11.2265 | -8.6553 | -6.70774 | -6.17493 | -8.50914 | -6.66826 |
| 4 | 731 | 731 Cool Roof - DX / Paper | 0 | 0 | -218.962 | -90.1443 | -92.5698 | -64.081 | -66.6098 | -58.2552 | -46.1499 | -38.1704 | -33.8792 | -47.9034 | -35.6741 |
| 4 | 801 | 801 Premium T8, Electronic Ballast / Paper | 0 | 0 | -215.452 | -87.3524 | -89.6597 | -61.7584 | -64.8484 | -56.4072 | -44.2904 | -36.8966 | -34.0686 | -46.3702 | -34.6815 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4 | 802 | 802 CFL Hardwired, Modular 18W / Paper | 0 | 0 | -341.397 | -205.823 | -211.73 | -145.711 | -151.143 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 803 | 803 CFL Screw-in 18W / Paper | 0 | 0 | -341.397 | -205.823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 804 | 804 High Bay T5 / Paper | 0 | 0 | -321.242 | -188.227 | -192.668 | -132.935 | -139.128 | -121.514 | -96.2278 | -79.7454 | -72.2777 | -99.8893 | 0 |
| 4 | 805 | 805 Occupancy Sensor / Paper | 0 | 0 | -198.918 | -71.9381 | -74.1277 | -51.0961 | -53.6331 | -47.4551 | -37.8049 | -31.6199 | -27.9465 | 0 | 0 |
| 4 | 901 | 901 Replace V-belts / Paper | 0 | 0 | -123.282 | -0.15 | -0.0641 | -0.07996 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 101 | 101 Compressed Air-O&M / Printing | 0 | 0 | -192.6 | -66.1886 | -68.1098 | -46.9655 | -48.9138 | -42.9657 | -34.3642 | -28.6159 | -26.0047 | -35.3782 | 0 |
| 5 | 102 | 102 Compressed Air - Controls / Printing | 0 | 0 | -176.003 | -49.7524 | -51.2157 | -35.2667 | -37.0013 | -32.228 | -25.152 | -21.7641 | -19.4182 | -26.506 | 0 |
| 5 | 103 | 103 Compressed Air - System Optimization / Printing | 0 | 0 | -211.561 | -84.0717 | -86.1696 | -59.6491 | -62.4345 | -54.4198 | -43.1702 | -35.8481 | -32.1115 | -44.6801 | 0 |
| 5 | 104 | 104 Compressed Air- Sizing / Printing | 0 | 0 | -161.341 | -35.7935 | -36.7397 | -25.0787 | -26.4447 | -23.967 | -18.4941 | -15.8497 | -13.4631 | -19.1929 | 0 |
| 5 | 105 | 105 Comp Air - Replace 1-5 HP motor / Printing | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.1811 | -7.09342 | -6.14324 | -5.44146 | -4.70454 | -5.88387 | -4.8943 |
| 5 | 106 | 106 Comp Air - ASD (1-5 hp) / Printing | 0 | 0 | -149.203 | -24.1532 | -25.131 | -17.2442 | -18.1479 | -16.2668 | -12.4973 | -10.521 | -8.6831 | -12.6644 | -9.87959 |
| 5 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -142.11 | -18.2684 | -18.6445 | -12.806 | -13.0002 | -12.1437 | -9.21365 | -7.8783 | -6.96656 | -9.47053 | -7.32302 |
| 5 | 108 | 108 Comp Air - Replace 6-100 HP motor / Printing | 0 | 0 | -137.043 | -13.2305 | -13.5407 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52295 | -4.98274 | -6.84531 | 0 |
| 5 | 109 | 109 Comp Air - ASD (6-100 hp) / Printing | 0 | 0 | -148.919 | -23.9991 | -24.9468 | -17.3402 | -17.9735 | -16.3323 | -12.1361 | -10.8795 | -8.56858 | -13.2469 | 0 |
| 5 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.1391 | -6.52267 | -5.79662 | -5.04987 | -3.74165 | -3.0983 | -4.56563 | 0 |
| 5 | 111 | 111 Comp Air - Replace 100+ HP motor / Printing | 0 | 0 | -135.473 | -11.9581 | -12.1417 | -8.36559 | -8.68239 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 5 | 112 | 112 Comp Air - ASD (100+ hp) / Printing | 0 | 0 | -148.896 | -23.9763 | -24.9224 | -17.3148 | -18.0023 | -16.3051 | 0 | 0 | 0 | 0 | 0 |
| 5 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 5 | 201 | 201 Fans - O&M / Printing | 0 | 0 | -130.919 | -7.29494 | -7.86069 | -5.4813 | -5.34942 | -5.11955 | -4.01275 | -3.10218 | -2.30787 | -3.64803 | 0 |
| 5 | 202 | 202 Fans - Controls / Printing | 0 | 0 | -277.909 | -145.888 | -150.099 | -103.46 | -108.631 | -95.0204 | -74.9702 | -62.7526 | -56.2165 | -78.4154 | 0 |
| 5 | 203 | 203 Fans - System Optimization / Printing | 0 | 0 | -225.684 | -97.6256 | -99.9433 | -69.6649 | -72.7565 | -63.7226 | -50.8631 | -42.7845 | -37.7076 | -51.9957 | 0 |
| 5 | 204 | 204 Fans- Improve components / Printing | 0 | 0 | -143.894 | -19.5019 | -20.269 | -14.0712 | -14.4993 | -12.9465 | -10.2622 | -8.75043 | -7.25005 | -10.06 | 0 |
| 5 | 205 | 205 Fans - Replace 1-5 HP motor / Printing | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.1811 | -7.09342 | -6.14324 | -5.44146 | -4.70454 | -5.88387 | -4.8943 |
| 5 | 206 | 206 Fans - ASD (1-5 hp) / Printing | 0 | 0 | -149.105 | -24.3025 | -25.2913 | -17.4109 | -18.0747 | -16.6959 | -12.6821 | -10.9639 | -8.62751 | -13.6083 | -9.57249 |
| 5 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -142.11 | -18.2684 | -18.6445 | -12.806 | -13.0002 | -12.1437 | -9.21365 | -7.8783 | -6.96656 | -9.47053 | -7.32302 |
| 5 | 208 | 208 Fans - Replace 6-100 HP motor / Printing | 0 | 0 | -137.043 | -13.2305 | -13.5407 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52295 | -4.98274 | -6.84531 | 0 |
| 5 | 209 | 209 Fans - ASD (6-100 hp) / Printing | 0 | 0 | -148.927 | -24.0053 | -24.8374 | -17.2363 | -18.1283 | -16.4891 | -12.2977 | -10.7946 | -8.7349 | -13.1627 | 0 |
| 5 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.1391 | -6.52267 | -5.79662 | -5.04987 | -3.74165 | -3.0983 | -4.56563 | 0 |
| 5 | 211 | 211 Fans - Replace 100+ HP motor / Printing | 0 | 0 | -135.473 | -11.9581 | -12.1417 | -8.36559 | -8.68239 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 5 | 212 | 212 Fans - ASD (100+ hp) / Printing | 0 | 0 | -148.948 | -23.9035 | -24.7283 | -17.1229 | -18.0638 | -16.3674 | 0 | 0 | 0 | 0 | 0 |
| 5 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 5 | 301 | 301 Pumps - O&M / Printing | 0 | 0 | -165.502 | -40.0654 | -41.119 | -28.5611 | -29.6102 | -26.4848 | -20.7962 | -17.3802 | -14.9459 | -20.9632 | 0 |
| 5 | 302 | 302 Pumps - Controls / Printing | 0 | 0 | -271.771 | -140.553 | -144.7 | -100.048 | -104.65 | -91.3485 | -72.2156 | -59.9402 | -54.3289 | -75.1984 | 0 |
| 5 | 303 | 303 Pumps - System Optimization / Printing | 0 | 0 | -294.576 | -161.787 | -166.36 | -115.073 | -120.617 | -105.082 | -83.3439 | -69.2351 | -62.4515 | -86.833 | 0 |
| 5 | 304 | 304 Pumps - Sizing / Printing | 0 | 0 | -218.357 | -89.9222 | -92.4289 | -64.1194 | -66.8196 | -58.2563 | -46.4729 | -38.2475 | -34.5365 | -48.0543 | 0 |
| 5 | 305 | 305 Pumps - Replace 1-5 HP motor / Printing | 0 | 0 | -134.766 | -11.5199 | -11.4814 | -7.75593 | -8.1811 | -7.09342 | -6.14324 | -5.44146 | -4.70454 | -5.88387 | -4.8943 |
| 5 | 306 | 306 Pumps - ASD (1-5 hp) / Printing | 0 | 0 | -149.179 | -24.2526 | -25.2376 | -17.3549 | -18.0706 | -16.3856 | -12.6198 | -10.8962 | -8.70747 | -13.2902 | -9.50471 |
| 5 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -142.11 | -18.2684 | -18.6445 | -12.806 | -13.0002 | -12.1437 | -9.21365 | -7.8783 | -6.96656 | -9.47053 | -7.32302 |
| 5 | 308 | 308 Pumps - Replace 6-100 HP motor / Printing | 0 | 0 | -137.043 | -13.2305 | -13.5407 | -9.09832 | -10.1398 | -8.80911 | -6.89047 | -5.52295 | -4.98274 | -6.84531 | 0 |
| 5 | 309 | 309 Pumps - ASD (6-100 hp) / Printing | 0 | 0 | -149.001 | -23.955 | -24.7835 | -17.1803 | -17.819 | -16.429 | -12.4858 | -10.7313 | -8.67115 | -13.0991 | 0 |
| 5 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -132.42 | -8.74908 | -9.1872 | -6.1391 | -6.52267 | -5.79662 | -5.04987 | -3.74165 | -3.0983 | -4.56563 | 0 |
| 5 | 311 | 311 Pumps - Replace 100+ HP motor / Printing | 0 | 0 | -135.473 | -11.9581 | -12.1417 | -8.36559 | -8.68239 | -7.80693 | 0 | 0 | 0 | 0 | 0 |
| 5 | 312 | 312 Pumps - ASD (100+ hp) / Printing | 0 | 0 | -148.892 | -24.0979 | -24.9176 | -17.3686 | -17.9953 | -16.3602 | 0 | 0 | 0 | 0 | 0 |
| 5 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -128.891 | -5.20652 | -5.93349 | -3.46254 | -3.54858 | -3.99079 | 0 | 0 | 0 | 0 | 0 |
| 5 | 409 | 409 Efficient practices printing press / Printing | 0 | 0 | -164.866 | -39.4434 | -40.5489 | -28.0032 | -29.2348 | -25.8466 | -20.7034 | -17.2686 | -14.8009 | -20.5566 | -15.9313 |
| 5 | 410 | 410 Efficient Printing press (fewer cylinders) / Printing | 0 | 0 | -218.357 | -89.9222 | -92.4289 | -64.1194 | -66.8196 | -58.2563 | -46.4729 | -38.2475 | -34.5365 | -48.0543 | 0 |
| 5 | 411 | 411 Light cylinders / Printing | 0 | 0 | -166.554 | -40.5896 | -42.0438 | -29.119 | -30.5405 | -26.4517 | -20.9961 | -17.6507 | -15.1904 | -21.9181 | 0 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5 | 412 | 412 Efficient drives / Printing | 0 | 0 | -137.039 | -13.4714 | -13.6832 | -9.25626 | -10.0724 | -8.74727 | -7.09234 | -5.98441 | -5.19784 | -7.05923 | 0 |
| 5 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Printing | 0 | 0 | -171 | -45.5124 | -46.8715 | -32.4299 | -33.9874 | -30.3593 | -23.6344 | -20.0429 | -17.0343 | -24.4673 | -18.4625 |
| 5 | 702 | 702 High Efficiency Chiller Motors / Printing | 0 | 0 | -135.663 | -11.8974 | -12.2106 | -8.38843 | -8.95246 | -7.58189 | -6.17838 | -5.24792 | -4.65768 | -6.08918 | -5.07593 |
| 5 | 703 | 703 EMS - Chiller / Printing | 0 | 0 | -166.613 | -40.8796 | -42.9297 | -29.5608 | -31.3216 | -27.0032 | -21.8471 | -18.037 | -16.0899 | -22.3118 | 0 |
| 5 | 704 | 704 Chiller Tune Up/Diagnostics / Printing | 0 | 0 | -156.426 | -31.3997 | -32.0769 | -22.19 | -22.9294 | -20.4934 | -16.0141 | -13.4014 | -11.3146 | -16.3228 | 0 |
| 5 | 705 | 705 VSD for Chiller Pumps and Towers / Printing | 0 | 0 | -164.33 | -38.9232 | -40.3191 | -27.9277 | -29.2834 | -25.9375 | -20.5963 | -17.3964 | -14.7842 | -20.7239 | -15.8868 |
| 5 | 706 | 706 EMS Optimization - Chiller / Printing | 0 | 0 | -143.546 | -19.2891 | -19.7539 | -13.7268 | -14.155 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 707 | 707 Aerosol Duct Sealing - Chiller / Printing | 0 | 0 | -164.796 | -39.1444 | -40.2682 | -27.91 | -28.7923 | -25.1317 | -19.6834 | -16.4593 | -14.2267 | -20.4885 | 0 |
| 5 | 708 | 708 Duct/Pipe Insulation - Chiller / Printing | 0 | 0 | -165.023 | -39.3646 | -40.2735 | -27.8812 | -29.046 | -24.89 | -19.6268 | -16.4078 | -14.2035 | -20.2289 | 0 |
| 5 | 709 | 709 Window Film (Standard) - Chiller / Printing | 0 | 0 | -145.621 | -21.3094 | -21.6871 | -14.7659 | -15.3851 | -13.6382 | -10.4742 | -8.80609 | -7.43216 | -11.4239 | 0 |
| 5 | 710 | 710 Roof Insulation - Chiller / Printing | 0 | 0 | -141.855 | -17.8987 | -18.3444 | -12.2235 | -12.866 | -11.9979 | -9.03926 | -7.68349 | -6.5139 | -9.52092 | -7.12878 |
| 5 | 711 | 711 Cool Roof - Chiller / Printing | 0 | 0 | -228.467 | -98.7476 | -101.889 | -69.9448 | -72.4299 | -63.1884 | -49.6768 | -41.1305 | -37.5727 | -52.4913 | -38.5643 |
| 5 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Printing | 0 | 0 | -144.765 | -20.8367 | -21.2964 | -14.7563 | -15.4127 | -13.5894 | -11.1666 | -9.20182 | -7.99394 | -10.9803 | -8.52939 |
| 5 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Printing | 0 | 0 | -271.021 | -138.987 | -143.328 | -98.3897 | -102.898 | -89.0917 | -70.6286 | -58.0101 | -52.2 | -74.0483 | -54.9737 |
| 5 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Printing | 0 | 0 | -179.317 | -52.3498 | -54.2998 | -36.6629 | -38.5547 | -34.1293 | -26.3821 | -22.1476 | -19.8611 | -28.0226 | -20.8571 |
| 5 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Printing | 0 | 0 | -142.009 | -17.9243 | -18.3903 | -12.2267 | -12.9426 | -12.0212 | -9.24012 | -7.38392 | -6.61546 | -10.0279 | 0 |
| 5 | 725 | 725 DX Coil Cleaning / Printing | 0 | 0 | -140.98 | -17.2916 | -17.8885 | -12.0603 | -12.3548 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 726 | 726 Optimize Controls / Printing | 0 | 0 | -142.01 | -17.9238 | -18.3919 | -12.2282 | -12.9416 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 727 | 727 Aerosol Duct Sealing / Printing | 0 | 0 | -161.512 | -35.7125 | -36.9074 | -25.0394 | -25.9334 | -23.151 | -17.8316 | -15.2007 | -13.1608 | -18.9561 | 0 |
| 5 | 728 | 728 Duct/Pipe Insulation / Printing | 0 | 0 | -161.68 | -35.9999 | -37.0993 | -25.2485 | -26.3644 | -23.3938 | -18.3397 | -15.4655 | -13.2893 | -19.2238 | 0 |
| 5 | 729 | 729 Window Film (Standard) / Printing | 0 | 0 | -142.604 | -18.3738 | -18.8148 | -12.8568 | -13.3456 | -11.7525 | -9.59958 | -7.52518 | -6.38934 | -9.25825 | 0 |
| 5 | 730 | 730 Roof Insulation / Printing | 0 | 0 | -140.397 | -16.1124 | -16.9329 | -11.4235 | -11.6432 | -11.1727 | -8.51321 | -6.55758 | -5.77682 | -8.68242 | -6.80713 |
| 5 | 731 | 731 Cool Roof - DX / Printing | 0 | 0 | -219.119 | -90.2948 | -93.1053 | -63.6613 | -66.4102 | -57.306 | -45.1386 | -37.1351 | -34.0878 | -47.8133 | -35.5379 |
| 5 | 801 | 801 Premium T8, Electronic Ballast / Printing | 0 | 0 | -216.226 | -86.9948 | -90.1866 | -61.5803 | -64.6514 | -55.6941 | -43.9898 | -36.8611 | -32.7692 | -46.7566 | -34.8033 |
| 5 | 802 | 802 CFL Hardwired, Modular 18W / Printing | 0 | 0 | -342.829 | -205.865 | -212.045 | -145.21 | -150.328 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 803 | 803 CFL Screw-in 18W / Printing | 0 | 0 | -342.829 | -205.865 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 804 | 804 High Bay T5 / Printing | 0 | 0 | -322.053 | -188.273 | -193.36 | -133.986 | -140.348 | -122.278 | -96.4112 | -80.6968 | -72.3591 | -100.257 | 0 |
| 5 | 805 | 805 Occupancy Sensor / Printing | 0 | 0 | -198.919 | -71.9334 | -74.1309 | -51.0991 | -53.6258 | -47.4437 | -37.7954 | -31.6103 | -27.9451 | 0 | 0 |
| 5 | 901 | 901 Replace V-belts / Printing | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 101 | 101 Compressed Air-O&M / Chemicals | 0 | 0 | -192.705 | -65.9126 | -68.0914 | -46.8046 | -49.498 | -43.2979 | -33.8661 | -28.868 | -25.53 | -35.0551 | 0 |
| 6 | 102 | 102 Compressed Air - Controls / Chemicals | 0 | 0 | -175.74 | -49.485 | -51.204 | -35.1076 | -37.2994 | -32.3091 | -25.4133 | -21.5334 | -19.5528 | -26.6976 | 0 |
| 6 | 103 | 103 Compressed Air - System Optimization / Chemicals | 0 | 0 | -211.05 | -83.6784 | -86.411 | -59.5956 | -62.6926 | -55.1174 | -43.4363 | -36.6347 | -32.7902 | -44.8009 | 0 |
| 6 | 104 | 104 Compressed Air- Sizing / Chemicals | 0 | 0 | -160.827 | -35.9015 | -36.7267 | -25.6253 | -26.7776 | -24.0096 | -18.5845 | -15.9445 | -13.7099 | -18.7858 | 0 |
| 6 | 105 | 105 Comp Air - Replace 1-5 HP motor / Chemicals | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |
| 6 | 106 | 106 Comp Air - ASD (1-5 hp) / Chemicals | 0 | 0 | -149.207 | -24.155 | -25.1358 | -17.249 | -18.1494 | -16.2669 | -12.4982 | -10.5221 | -8.68691 | -12.6697 | -9.88065 |
| 6 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 6 | 108 | 108 Comp Air - Replace 6-100 HP motor / Chemicals | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 6 | 109 | 109 Comp Air - ASD (6-100 hp) / Chemicals | 0 | 0 | -148.923 | -24.0009 | -24.9515 | -17.345 | -17.9751 | -16.3325 | -12.1371 | -10.8805 | -8.5724 | -13.2521 | 0 |
| 6 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 6 | 111 | 111 Comp Air - Replace 100+ HP motor / Chemicals | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |
| 6 | 112 | 112 Comp Air - ASD (100+ hp) / Chemicals | 0 | 0 | -148.899 | -23.9781 | -24.927 | -17.3195 | -18.0037 | -16.3052 | 0 | 0 | 0 | 0 | 0 |
| 6 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 6 | 201 | 201 Fans - O&M / Chemicals | 0 | 0 | -130.911 | -7.28668 | -7.85331 | -5.22388 | -5.39657 | -4.86072 | -4.00406 | -3.34367 | -2.95616 | -3.64084 | 0 |
| 6 | 202 | 202 Fans - Controls / Chemicals | 0 | 0 | -276.878 | -145.594 | -149.571 | -103.995 | -108.906 | -95.2967 | -75.731 | -63.2641 | -57.2682 | -78.2326 | 0 |
| 6 | 203 | 203 Fans - System Optimization / Chemicals | 0 | 0 | -225.696 | -97.6297 | -99.9589 | -69.6807 | -72.759 | -63.7198 | -50.8632 | -42.7848 | -37.719 | -52.0125 | 0 |
| 6 | 204 | 204 Fans- Improve components / Chemicals | 0 | 0 | -143.754 | -19.3602 | -20.2546 | -13.8069 | -14.2879 | -13.1784 | -10.2446 | -8.97897 | -7.48071 | -10.0416 | 0 |
| 6 | 205 | 205 Fans - Replace 1-5 HP motor / Chemicals | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |

| | | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6 | 206 | 206 Fans - ASD (1-5 hp) / Chemicals | 0 | 0 | -149.109 | -24.3043 | -25.296 | -17.4157 | -18.0762 | -16.6961 | -12.6831 | -10.965 | -8.63134 | -13.6135 | -9.57355 |
| 6 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 6 | 208 | 208 Fans - Replace 6-100 HP motor / Chemicals | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 6 | 209 | 209 Fans - ASD (6-100 hp) / Chemicals | 0 | 0 | -148.931 | -24.0071 | -24.8421 | -17.2411 | -18.1299 | -16.4893 | -12.2987 | -10.7956 | -8.73873 | -13.1679 | 0 |
| 6 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 6 | 211 | 211 Fans - Replace 100+ HP motor / Chemicals | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |
| 6 | 212 | 212 Fans - ASD (100+ hp) / Chemicals | 0 | 0 | -148.952 | -23.9053 | -24.733 | -17.1277 | -18.0653 | -16.3676 | 0 | 0 | 0 | 0 | 0 |
| 6 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 6 | 301 | 301 Pumps - O&M / Chemicals | 0 | 0 | -165.375 | -39.8104 | -41.3685 | -28.9131 | -29.9092 | -26.5848 | -21.0701 | -17.6623 | -15.3189 | -21.6659 | 0 |
| 6 | 302 | 302 Pumps - Controls / Chemicals | 0 | 0 | -271.123 | -140.142 | -143.93 | -100.085 | -105.182 | -91.6275 | -72.7348 | -60.9874 | -55.1737 | -75.5354 | 0 |
| 6 | 303 | 303 Pumps - System Optimization / Chemicals | 0 | 0 | -293.55 | -161.872 | -165.839 | -115.162 | -121.146 | -105.411 | -83.7715 | -70.1675 | -63.2544 | -87.0115 | 0 |
| 6 | 304 | 304 Pumps - Sizing / Chemicals | 0 | 0 | -217.971 | -89.9037 | -91.9207 | -64.327 | -67.5659 | -58.4532 | -46.731 | -39.0175 | -34.7385 | -48.699 | 0 |
| 6 | 305 | 305 Pumps - Replace 1-5 HP motor / Chemicals | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |
| 6 | 306 | 306 Pumps - ASD (1-5 hp) / Chemicals | 0 | 0 | -149.183 | -24.2544 | -25.2422 | -17.3597 | -18.072 | -16.3857 | -12.6206 | -10.8971 | -8.71119 | -13.2953 | -9.50566 |
| 6 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 6 | 308 | 308 Pumps - Replace 6-100 HP motor / Chemicals | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 6 | 309 | 309 Pumps - ASD (6-100 hp) / Chemicals | 0 | 0 | -149.004 | -23.9567 | -24.7881 | -17.185 | -17.8204 | -16.4291 | -12.4867 | -10.7323 | -8.67486 | -13.1042 | 0 |
| 6 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 6 | 311 | 311 Pumps - Replace 100+ HP motor / Chemicals | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |
| 6 | 312 | 312 Pumps - ASD (100+ hp) / Chemicals | 0 | 0 | -148.896 | -24.0996 | -24.9222 | -17.3733 | -17.9968 | -16.3603 | 0 | 0 | 0 | 0 | 0 |
| 6 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 6 | 413 | 413 Clean Room - Controls / Chemicals | 0 | 0 | -164.489 | -39.1883 | -40.7985 | -28.1041 | -29.5902 | -25.9468 | -21.1962 | -17.5508 | -15.3376 | -21.2592 | 0 |
| 6 | 414 | 414 Clean Room - New Designs / Chemicals | 0 | 0 | -280.211 | -148.582 | -152.308 | -106.249 | -110.795 | -97.092 | -77.4571 | -64.6524 | -58.3114 | -79.5685 | 0 |
| 6 | 415 | 415 Drives - Process Controls (batch + site) / Chemicals | 0 | 0 | -156.156 | -30.8764 | -31.8074 | -22.327 | -23.0177 | -20.6342 | -16.6617 | -13.7916 | -11.5601 | -16.3662 | 0 |
| 6 | 416 | 416 Process Drives - ASD / Chemicals | 0 | 0 | -125.557 | -1.9849 | -2.23807 | -1.34076 | -1.14715 | -1.22643 | -0.78792 | -1.34759 | -0.70508 | -1.20719 | 0 |
| 6 | 601 | 601 Other Process Controls (batch + site) / Chemicals | 0 | 0 | -156.156 | -30.8764 | -31.8074 | -22.327 | -23.0177 | -20.6342 | -16.6617 | -13.7916 | -11.5601 | -16.3662 | 0 |
| 6 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Chemicals | 0 | 0 | -171.008 | -45.5166 | -46.8813 | -32.4399 | -33.9914 | -30.3608 | -23.6374 | -20.046 | -17.0426 | -24.4782 | -18.4657 |
| 6 | 702 | 702 High Efficiency Chiller Motors / Chemicals | 0 | 0 | -135.656 | -11.8892 | -11.9538 | -8.43042 | -8.49998 | -7.87475 | -6.31037 | -5.41501 | -4.29509 | -5.67245 | -5.18834 |
| 6 | 703 | 703 EMS - Chiller / Chemicals | 0 | 0 | -166.62 | -40.8839 | -42.9391 | -29.5704 | -31.3257 | -27.005 | -21.8503 | -18.0404 | -16.098 | -22.3222 | 0 |
| 6 | 704 | 704 Chiller Tune Up/Diagnostics / Chemicals | 0 | 0 | -156.155 | -30.8752 | -31.8061 | -22.3256 | -23.0163 | -20.3828 | -16.6603 | -13.7901 | -11.3086 | -16.3646 | 0 |
| 6 | 705 | 705 VSD for Chiller Pumps and Towers / Chemicals | 0 | 0 | -164.337 | -38.9269 | -40.3277 | -27.9365 | -29.2869 | -25.9389 | -20.5989 | -17.3992 | -14.7915 | -20.7334 | -15.8896 |
| 6 | 706 | 706 EMS Optimization - Chiller / Chemicals | 0 | 0 | -143.407 | -19.0228 | -19.7399 | -13.8154 | -14.2489 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 707 | 707 Aerosol Duct Sealing - Chiller / Chemicals | 0 | 0 | -164.401 | -38.6199 | -39.7483 | -28.0941 | -28.9239 | -26.071 | -20.2196 | -17.2618 | -14.401 | -20.5938 | 0 |
| 6 | 708 | 708 Duct/Pipe Insulation - Chiller / Chemicals | 0 | 0 | -164.377 | -38.84 | -40.2536 | -28.3222 | -29.1874 | -26.0853 | -20.163 | -17.4679 | -14.5967 | -20.8659 | 0 |
| 6 | 709 | 709 Window Film (Standard) - Chiller / Chemicals | 0 | 0 | -145.107 | -20.9181 | -21.1733 | -14.8595 | -15.7406 | -13.9848 | -11.246 | -9.29709 | -7.93332 | -11.3638 | 0 |
| 6 | 710 | 710 Roof Insulation - Chiller / Chemicals | 0 | 0 | -141.723 | -17.8905 | -18.5884 | -12.5691 | -12.7073 | -11.5969 | -9.56939 | -8.46395 | -6.56194 | -9.4532 | -7.08835 |
| 6 | 711 | 711 Cool Roof - Chiller / Chemicals | 0 | 0 | -226.928 | -98.3233 | -101.352 | -70.7345 | -74.0352 | -64.7327 | -51.639 | -42.8911 | -38.2355 | -52.7998 | -40.6047 |
| 6 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Chemicals | 0 | 0 | -144.768 | -20.8378 | -21.3 | -14.7599 | -15.4135 | -13.5891 | -11.1669 | -9.20221 | -7.99667 | -10.9842 | -8.52981 |
| 6 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Chemicals | 0 | 0 | -269.32 | -138.772 | -142.505 | -99.0405 | -103.63 | -90.509 | -71.9707 | -60.3856 | -54.5296 | -74.6032 | -56.2845 |
| 6 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Chemicals | 0 | 0 | -178.281 | -52.3092 | -53.7655 | -37.1374 | -38.7357 | -34.6094 | -27.3001 | -22.5511 | -20.1537 | -27.9742 | -21.3144 |
| 6 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Chemicals | 0 | 0 | -142.124 | -18.0371 | -18.3803 | -12.5692 | -13.0298 | -11.6171 | -9.50838 | -7.88685 | -6.90957 | -9.4713 | 0 |
| 6 | 725 | 725 DX Coil Cleaning / Chemicals | 0 | 0 | -141.206 | -17.1428 | -17.6148 | -12.0854 | -12.149 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 726 | 726 Optimize Controls / Chemicals | 0 | 0 | -142.124 | -18.0371 | -18.3803 | -12.5692 | -13.0298 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 727 | 727 Aerosol Duct Sealing / Chemicals | 0 | 0 | -160.961 | -36.036 | -36.6061 | -25.0955 | -26.4943 | -23.7144 | -18.2806 | -15.4161 | -12.8841 | -18.5927 | 0 |
| 6 | 728 | 728 Duct/Pipe Insulation / Chemicals | 0 | 0 | -161.375 | -36.0693 | -36.794 | -25.3007 | -26.4211 | -23.7033 | -18.2848 | -15.435 | -13.0324 | -18.6142 | 0 |
| 6 | 729 | 729 Window Film (Standard) / Chemicals | 0 | 0 | -142.447 | -18.592 | -19.0331 | -12.623 | -13.1647 | -11.5228 | -9.45869 | -8.40051 | -7.40531 | -9.57867 | 0 |
| 6 | 730 | 730 Roof Insulation / Chemicals | 0 | 0 | -140.124 | -16.2136 | -16.9092 | -11.1976 | -11.6754 | -10.7011 | -8.63025 | -6.93684 | -5.90601 | -8.24113 | -6.64729 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6 | 731 | 731 Cool Roof - DX / Chemicals | 0 | 0 | -218.369 | -90.043 | -92.229 | -64.044 | -66.8135 | -58.1996 | -45.4351 | -37.7068 | -33.6839 | -47.4383 | -36.1634 |
| 6 | 801 | 801 Premium T8, Electronic Ballast / Chemicals | 0 | 0 | -214.946 | -87.2132 | -89.6555 | -62.3059 | -65.4154 | -57.4624 | -45.3654 | -37.7182 | -33.9236 | -46.9413 | -35.5184 |
| 6 | 802 | 802 CFL Hardwired, Modular 18W / Chemicals | 0 | 0 | -339.839 | -204.996 | -210.677 | -146.381 | -152.829 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 803 | 803 CFL Screw-in 18W / Chemicals | 0 | 0 | -339.839 | -204.996 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 804 | 804 High Bay T5 / Chemicals | 0 | 0 | -321.136 | -188.23 | -193.067 | -134.101 | -140.793 | -122.424 | -97.4698 | -81.5257 | -73.6024 | -101.257 | 0 |
| 6 | 805 | 805 Occupancy Sensor / Chemicals | 0 | 0 | -198.8 | -71.9397 | -74.1376 | -51.1062 | -53.9388 | -47.4512 | -37.8032 | -31.6183 | -28.1015 | 0 | 0 |
| 7 | 101 | 101 Compressed Air-O&M / Petroleum | 0 | 0 | -192.705 | -65.9126 | -68.0914 | -46.8046 | -49.498 | -43.2979 | -33.8661 | -28.868 | -25.53 | -35.0551 | 0 |
| 7 | 102 | 102 Compressed Air - Controls / Petroleum | 0 | 0 | -175.74 | -49.485 | -51.204 | -35.1076 | -37.2994 | -32.3091 | -25.4133 | -21.5334 | -19.5528 | -26.6976 | 0 |
| 7 | 103 | 103 Compressed Air - System Optimization / Petroleum | 0 | 0 | -211.05 | -83.6784 | -86.411 | -59.5956 | -62.6926 | -55.1174 | -43.4363 | -36.6347 | -32.7902 | -44.8009 | 0 |
| 7 | 104 | 104 Compressed Air- Sizing / Petroleum | 0 | 0 | -160.827 | -35.9015 | -36.7267 | -25.6253 | -26.7776 | -24.0096 | -18.5845 | -15.9445 | -13.7099 | -18.7858 | 0 |
| 7 | 105 | 105 Comp Air - Replace 1-5 HP motor / Petroleum | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |
| 7 | 106 | 106 Comp Air - ASD (1-5 hp) / Petroleum | 0 | 0 | -149.207 | -24.1551 | -25.1359 | -17.2491 | -18.1495 | -16.267 | -12.4983 | -10.5222 | -8.68703 | -12.6698 | -9.88077 |
| 7 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 7 | 108 | 108 Comp Air - Replace 6-100 HP motor / Petroleum | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 7 | 109 | 109 Comp Air - ASD (6-100 hp) / Petroleum | 0 | 0 | -148.923 | -24.001 | -24.9516 | -17.3451 | -17.9752 | -16.3326 | -12.1372 | -10.8806 | -8.5725 | -13.2522 | 0 |
| 7 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 7 | 111 | 111 Comp Air - Replace 100+ HP motor / Petroleum | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |
| 7 | 112 | 112 Comp Air - ASD (100+ hp) / Petroleum | 0 | 0 | -148.899 | -23.9781 | -24.9271 | -17.3196 | -18.0038 | -16.3053 | 0 | 0 | 0 | 0 | 0 |
| 7 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 7 | 114 | 114 Power recovery / Petroleum | 0 | 0 | -126.87 | -3.62024 | -4.02692 | -2.22984 | -2.33994 | -2.66301 | -2.10644 | -2.01782 | -1.56977 | -1.91641 | 0 |
| 7 | 115 | 115 Refinery Controls / Petroleum | 0 | 0 | -132.85 | -9.28741 | -9.68737 | -6.39041 | -7.35605 | -6.63614 | -5.5999 | -4.56522 | -3.68488 | -4.93656 | 0 |
| 7 | 201 | 201 Fans - O&M / Petroleum | 0 | 0 | -130.911 | -7.28668 | -7.85331 | -5.22388 | -5.39657 | -4.86072 | -4.00406 | -3.34367 | -2.95616 | -3.64084 | 0 |
| 7 | 202 | 202 Fans - Controls / Petroleum | 0 | 0 | -276.878 | -145.594 | -149.571 | -103.995 | -108.906 | -95.2967 | -75.731 | -63.2641 | -57.2682 | -78.2326 | 0 |
| 7 | 203 | 203 Fans - System Optimization / Petroleum | 0 | 0 | -225.696 | -97.6298 | -99.959 | -69.6809 | -72.7592 | -63.72 | -50.8634 | -42.785 | -37.7192 | -52.0127 | 0 |
| 7 | 204 | 204 Fans- Improve components / Petroleum | 0 | 0 | -143.754 | -19.3602 | -20.2546 | -13.8069 | -14.2879 | -13.1784 | -10.2446 | -8.97897 | -7.48071 | -10.0416 | 0 |
| 7 | 205 | 205 Fans - Replace 1-5 HP motor / Petroleum | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |
| 7 | 206 | 206 Fans - ASD (1-5 hp) / Petroleum | 0 | 0 | -149.109 | -24.3044 | -25.2961 | -17.4158 | -18.0763 | -16.6962 | -12.6832 | -10.9651 | -8.63143 | -13.6136 | -9.57364 |
| 7 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 7 | 208 | 208 Fans - Replace 6-100 HP motor / Petroleum | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 7 | 209 | 209 Fans - ASD (6-100 hp) / Petroleum | 0 | 0 | -148.931 | -24.0072 | -24.8422 | -17.2412 | -18.13 | -16.4894 | -12.2988 | -10.7958 | -8.73885 | -13.168 | 0 |
| 7 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 7 | 211 | 211 Fans - Replace 100+ HP motor / Petroleum | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |
| 7 | 212 | 212 Fans - ASD (100+ hp) / Petroleum | 0 | 0 | -148.952 | -23.9053 | -24.7331 | -17.1278 | -18.0654 | -16.3677 | 0 | 0 | 0 | 0 | 0 |
| 7 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 7 | 215 | 215 Power recovery / Petroleum | 0 | 0 | -126.87 | -3.62024 | -4.02692 | -2.22984 | -2.33994 | -2.66301 | -2.10644 | -2.01782 | -1.56977 | -1.91641 | 0 |
| 7 | 216 | 216 Refinery Controls / Petroleum | 0 | 0 | -132.85 | -9.28741 | -9.68737 | -6.39041 | -7.35605 | -6.63614 | -5.5999 | -4.56522 | -3.68488 | -4.93656 | 0 |
| 7 | 301 | 301 Pumps - O&M / Petroleum | 0 | 0 | -165.375 | -39.8104 | -41.3685 | -28.9131 | -29.9092 | -26.5848 | -21.0701 | -17.6623 | -15.3189 | -21.6659 | 0 |
| 7 | 302 | 302 Pumps - Controls / Petroleum | 0 | 0 | -271.123 | -140.142 | -143.93 | -100.085 | -105.182 | -91.6275 | -72.7348 | -60.9874 | -55.1737 | -75.5354 | 0 |
| 7 | 303 | 303 Pumps - System Optimization / Petroleum | 0 | 0 | -293.55 | -161.872 | -165.839 | -115.162 | -121.146 | -105.411 | -83.7715 | -70.1675 | -63.2544 | -87.0115 | 0 |
| 7 | 304 | 304 Pumps - Sizing / Petroleum | 0 | 0 | -217.971 | -89.9037 | -91.9207 | -64.327 | -67.5659 | -58.4532 | -46.731 | -39.0175 | -34.7385 | -48.699 | 0 |
| 7 | 305 | 305 Pumps - Replace 1-5 HP motor / Petroleum | 0 | 0 | -135.009 | -11.2615 | -11.4743 | -7.74891 | -8.17261 | -7.08417 | -5.88429 | -5.42858 | -4.19299 | -5.87263 | -4.88143 |
| 7 | 306 | 306 Pumps - ASD (1-5 hp) / Petroleum | 0 | 0 | -149.183 | -24.2545 | -25.2424 | -17.3599 | -18.0723 | -16.3859 | -12.6209 | -10.8973 | -8.71142 | -13.2956 | -9.50589 |
| 7 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -142.236 | -18.1429 | -18.8961 | -12.8554 | -13.0986 | -11.9433 | -10.1028 | -8.49412 | -7.27166 | -9.33152 | -7.43094 |
| 7 | 308 | 308 Pumps - Replace 6-100 HP motor / Petroleum | 0 | 0 | -137.044 | -12.9801 | -13.2919 | -8.90907 | -9.63929 | -8.87019 | -7.2566 | -6.17422 | -4.73728 | -6.69477 | 0 |
| 7 | 309 | 309 Pumps - ASD (6-100 hp) / Petroleum | 0 | 0 | -149.005 | -23.9568 | -24.7882 | -17.1851 | -17.8206 | -16.4292 | -12.4868 | -10.7324 | -8.67497 | -13.1043 | 0 |
| 7 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -132.304 | -8.75691 | -9.19606 | -6.19665 | -6.84651 | -5.85533 | -4.94782 | -4.13957 | -3.51287 | -4.40287 | 0 |
| 7 | 311 | 311 Pumps - Replace 100+ HP motor / Petroleum | 0 | 0 | -135.59 | -11.9497 | -12.1347 | -8.35855 | -8.61817 | -7.79764 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7 | 312 | 312 Pumps - ASD (100+ hp) / Petroleum | 0 | 0 | -148.896 | -24.0997 | -24.9223 | -17.3734 | -17.9969 | -16.3604 | 0 | 0 | 0 | 0 | 0 |
| 7 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -128.779 | -5.21849 | -5.94612 | -3.52788 | -3.8553 | -3.80877 | 0 | 0 | 0 | 0 | 0 |
| 7 | 314 | 314 Power recovery / Petroleum | 0 | 0 | -126.87 | -3.62024 | -4.02692 | -2.22984 | -2.33994 | -2.66301 | -2.10644 | -2.01782 | -1.56977 | -1.91641 | 0 |
| 7 | 315 | 315 Refinery Controls / Petroleum | 0 | 0 | -132.85 | -9.28741 | -9.68737 | -6.39041 | -7.35605 | -6.63614 | -5.5999 | -4.56522 | -3.68488 | -4.93656 | 0 |
| 7 | 602 | 602 Efficient desalter / Petroleum | 0 | 0 | -211.05 | -83.6784 | -86.411 | -59.5956 | -62.6926 | -55.1174 | -43.4363 | -36.6347 | -32.7902 | -44.8009 | 0 |
| 7 | 606 | 606 Power recovery / Petroleum | 0 | 0 | -126.87 | -3.62024 | -4.02692 | -2.22984 | -2.33994 | -2.66301 | -2.10644 | -2.01782 | -1.56977 | -1.91641 | 0 |
| 7 | 607 | 607 Refinery Controls / Petroleum | 0 | 0 | -132.85 | -9.28741 | -9.68737 | -6.39041 | -7.35605 | -6.63614 | -5.5999 | -4.56522 | -3.68488 | -4.93656 | 0 |
| 7 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Petroleum | 0 | 0 | -171.008 | -45.5167 | -46.8814 | -32.44 | -33.9915 | -30.3609 | -23.6375 | -20.0462 | -17.0427 | -24.4783 | -18.4658 |
| 7 | 702 | 702 High Efficiency Chiller Motors / Petroleum | 0 | 0 | -135.656 | -11.8892 | -11.9538 | -8.4304 | -8.49998 | -7.87475 | -6.56037 | -5.41501 | -4.29509 | -5.92245 | -5.18834 |
| 7 | 703 | 703 EMS - Chiller / Petroleum | 0 | 0 | -166.621 | -40.8841 | -42.9393 | -29.5706 | -31.3259 | -27.0052 | -21.8505 | -18.0406 | -16.0982 | -22.3224 | 0 |
| 7 | 704 | 704 Chiller Tune Up/Diagnostics / Petroleum | 0 | 0 | -156.155 | -30.8752 | -31.8061 | -22.3256 | -23.0163 | -20.3828 | -16.6603 | -13.7901 | -11.5586 | -16.3646 | 0 |
| 7 | 705 | 705 VSD for Chiller Pumps and Towers / Petroleum | 0 | 0 | -164.337 | -38.927 | -40.3278 | -27.9366 | -29.287 | -25.939 | -20.599 | -17.3993 | -14.7916 | -20.7334 | -15.8897 |
| 7 | 706 | 706 EMS Optimization - Chiller / Petroleum | 0 | 0 | -143.423 | -19.0389 | -19.756 | -13.8861 | -14.3206 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 707 | 707 Aerosol Duct Sealing - Chiller / Petroleum | 0 | 0 | -164.401 | -38.6199 | -39.9983 | -28.0941 | -28.9901 | -25.821 | -19.9696 | -17.2578 | -14.7953 | -20.5898 | 0 |
| 7 | 708 | 708 Duct/Pipe Insulation - Chiller / Petroleum | 0 | 0 | -164.498 | -38.8359 | -40.2495 | -28.0681 | -29.2282 | -26.0812 | -20.1589 | -17.4678 | -14.7526 | -20.8657 | 0 |
| 7 | 709 | 709 Window Film (Standard) - Chiller / Petroleum | 0 | 0 | -145.123 | -20.9341 | -21.1893 | -14.9243 | -15.8006 | -14.0525 | -11.6526 | -9.45362 | -7.84768 | -11.4893 | 0 |
| 7 | 710 | 710 Roof Insulation - Chiller / Petroleum | 0 | 0 | -141.598 | -17.8904 | -18.5883 | -12.569 | -13.0245 | -11.5968 | -9.31929 | -8.46385 | -6.9602 | -9.45308 | -6.83824 |
| 7 | 711 | 711 Cool Roof - Chiller / Petroleum | 0 | 0 | -226.928 | -98.4483 | -101.352 | -70.7344 | -74.0351 | -64.7327 | -51.889 | -42.891 | -38.2354 | -52.7997 | -40.6047 |
| 7 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Petroleum | 0 | 0 | -144.768 | -20.8379 | -21.3001 | -14.76 | -15.4136 | -13.5892 | -11.167 | -9.20232 | -7.99678 | -10.9843 | -8.52991 |
| 7 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Petroleum | 0 | 0 | -269.328 | -138.78 | -142.513 | -99.1011 | -103.693 | -90.5675 | -72.3615 | -60.5148 | -54.4398 | -74.7401 | -56.6559 |
| 7 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Petroleum | 0 | 0 | -178.297 | -52.2001 | -53.7815 | -37.458 | -39.1129 | -34.6831 | -27.199 | -22.9577 | -20.9351 | -27.8496 | -21.4396 |
| 7 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Petroleum | 0 | 0 | -141.983 | -18.021 | -18.3641 | -12.7552 | -12.6645 | -11.7994 | -9.60169 | -8.00375 | -6.58919 | -9.34596 | 0 |
| 7 | 725 | 725 DX Coil Cleaning / Petroleum | 0 | 0 | -141.202 | -17.1388 | -17.6108 | -11.8314 | -12.395 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 726 | 726 Optimize Controls / Petroleum | 0 | 0 | -141.983 | -18.021 | -18.3641 | -12.7552 | -12.6645 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 727 | 727 Aerosol Duct Sealing / Petroleum | 0 | 0 | -160.989 | -35.8142 | -36.6343 | -24.9703 | -26.3269 | -23.8459 | -18.6213 | -15.9755 | -13.092 | -18.8242 | 0 |
| 7 | 728 | 728 Duct/Pipe Insulation / Petroleum | 0 | 0 | -161.266 | -36.0854 | -36.8101 | -25.3656 | -26.5473 | -23.7712 | -18.4727 | -15.8379 | -13.599 | -18.7357 | 0 |
| 7 | 729 | 729 Window Film (Standard) / Petroleum | 0 | 0 | -142.463 | -18.4831 | -19.0492 | -12.6928 | -13.1808 | -12.3454 | -10.1154 | -8.29532 | -6.91771 | -9.70032 | 0 |
| 7 | 730 | 730 Roof Insulation / Petroleum | 0 | 0 | -139.999 | -16.3386 | -16.9092 | -11.1977 | -11.3699 | -10.4511 | -8.63027 | -6.93295 | -5.75389 | -8.2374 | -6.64332 |
| 7 | 731 | 731 Cool Roof - DX / Petroleum | 0 | 0 | -218.534 | -89.9583 | -92.0193 | -63.9857 | -67.2588 | -58.6556 | -46.1473 | -38.4345 | -34.3958 | -47.7607 | -36.0002 |
| 7 | 801 | 801 Premium T8, Electronic Ballast / Petroleum | 0 | 0 | -214.946 | -87.2132 | -89.6555 | -62.3059 | -65.4154 | -57.4624 | -45.3654 | -37.7182 | -33.9236 | -46.9413 | -35.5184 |
| 7 | 802 | 802 CFL Hardwired, Modular 18W / Petroleum | 0 | 0 | -339.714 | -205.246 | -210.677 | -146.43 | -153.19 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 803 | 803 CFL Screw-in 18W / Petroleum | 0 | 0 | -339.714 | -205.246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 804 | 804 High Bay T5 / Petroleum | 0 | 0 | -321.136 | -188.23 | -193.067 | -134.101 | -140.793 | -122.424 | -97.4698 | -81.5257 | -73.6024 | -101.257 | 0 |
| 7 | 805 | 805 Occupancy Sensor / Petroleum | 0 | 0 | -198.801 | -71.9399 | -74.1379 | -51.1065 | -53.9391 | -47.4516 | -37.8035 | -31.6186 | -28.1019 | 0 | 0 |
| 7 | 901 | 901 Replace V-belts / Petroleum | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 101 | 101 Compressed Air-O&M / Rubber-Plastics | 0 | 0 | -192.724 | -66.4326 | -68.3612 | -46.9181 | -48.2958 | -42.9025 | -33.4639 | -28.4616 | -25.2252 | -35.2977 | 0 |
| 8 | 102 | 102 Compressed Air - Controls / Rubber-Plastics | 0 | 0 | -176.138 | -49.6341 | -51.2279 | -35.529 | -36.7117 | -32.2303 | -25.4058 | -21.7637 | -19.033 | -26.5133 | 0 |
| 8 | 103 | 103 Compressed Air - System Optimization / Rubber-Plastics | 0 | 0 | -211.823 | -83.9523 | -86.4346 | -59.4143 | -62.4933 | -54.4181 | -43.1709 | -35.6027 | -32.2427 | -44.6992 | 0 |
| 8 | 104 | 104 Compressed Air- Sizing / Rubber-Plastics | 0 | 0 | -161.331 | -35.7804 | -36.7306 | -25.0218 | -26.3761 | -23.8992 | -18.3384 | -15.6939 | -13.0222 | -19.0899 | 0 |
| 8 | 105 | 105 Comp Air - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -134.896 | -11.3986 | -11.4864 | -8.01092 | -8.23902 | -7.09616 | -6.14629 | -5.44039 | -4.60309 | -5.88466 | -4.6434 |
| 8 | 106 | 106 Comp Air - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -149.346 | -24.1685 | -25.149 | -17.2622 | -18.2176 | -16.7797 | -12.761 | -10.7847 | -8.84772 | -13.4318 | -10.3931 |
| 8 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -142.365 | -18.1469 | -18.6501 | -12.8116 | -13.0031 | -12.1456 | -9.46613 | -8.13073 | -6.971 | -9.47597 | -7.07548 |
| 8 | 108 | 108 Comp Air - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -137.043 | -13.2301 | -13.2919 | -8.84946 | -9.8334 | -8.80756 | -6.88927 | -6.02173 | -5.07674 | -6.84686 | 0 |
| 8 | 109 | 109 Comp Air - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -148.92 | -24.2482 | -24.9486 | -16.7942 | -17.9718 | -16.2775 | -12.2431 | -10.7599 | -8.81873 | -13.1546 | 0 |
| 8 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -132.549 | -8.62785 | -9.19199 | -6.14391 | -6.52615 | -5.79962 | -5.0531 | -3.74085 | -3.09861 | -4.8163 | 0 |
| 8 | 111 | 111 Comp Air - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -135.602 | -11.8368 | -12.1467 | -8.37058 | -8.6858 | -7.55959 | 0 | 0 | 0 | 0 | 0 |
| 8 | 112 | 112 Comp Air - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -148.772 | -24.2254 | -24.9242 | -16.7688 | -17.8895 | -16.2502 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -129.017 | -5.20638 | -5.93396 | -3.463 | -3.84306 | -3.99015 | 0 | 0 | 0 | 0 | 0 |
| 8 | 201 | 201 Fans - O&M / Rubber-Plastics | 0 | 0 | -130.919 | -7.29472 | -7.86133 | -5.48196 | -5.349 | -5.11864 | -4.26207 | -3.10155 | -2.05805 | -3.64858 | 0 |
| 8 | 202 | 202 Fans - Controls / Rubber-Plastics | 0 | 0 | -277.921 | -145.888 | -150.365 | -103.422 | -108.321 | -94.456 | -74.5474 | -62.0719 | -56.0752 | -78.0876 | 0 |
| 8 | 203 | 203 Fans - System Optimization / Rubber-Plastics | 0 | 0 | -226.216 | -97.5253 | -99.9788 | -69.3419 | -72.7221 | -63.6303 | -50.6007 | -42.0372 | -37.8694 | -51.5779 | 0 |
| 8 | 204 | 204 Fans- Improve components / Rubber-Plastics | 0 | 0 | -143.879 | -19.6102 | -20.5045 | -14.0079 | -14.4821 | -13.1273 | -10.3304 | -8.56489 | -7.62142 | -10.2217 | 0 |
| 8 | 205 | 205 Fans - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -134.896 | -11.3986 | -11.4864 | -8.01092 | -8.23902 | -7.09616 | -6.14629 | -5.44039 | -4.60309 | -5.88466 | -4.6434 |
| 8 | 206 | 206 Fans - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -149.372 | -24.0677 | -25.3092 | -17.4288 | -17.8945 | -16.4589 | -12.9458 | -11.2277 | -9.04214 | -13.1258 | -10.3359 |
| 8 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -142.365 | -18.1469 | -18.6501 | -12.8116 | -13.0031 | -12.1456 | -9.46613 | -8.13073 | -6.971 | -9.47597 | -7.07548 |
| 8 | 208 | 208 Fans - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -137.043 | -13.2301 | -13.2919 | -8.84946 | -9.8334 | -8.80756 | -6.88927 | -6.02173 | -5.07674 | -6.84686 | 0 |
| 8 | 209 | 209 Fans - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -148.928 | -24.6294 | -24.8392 | -16.9403 | -17.8766 | -16.4342 | -12.4048 | -10.675 | -8.98513 | -13.0705 | 0 |
| 8 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -132.549 | -8.62785 | -9.19199 | -6.14391 | -6.52615 | -5.79962 | -5.0531 | -3.74085 | -3.09861 | -4.8163 | 0 |
| 8 | 211 | 211 Fans - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -135.602 | -11.8368 | -12.1467 | -8.37058 | -8.6858 | -7.55959 | 0 | 0 | 0 | 0 | 0 |
| 8 | 212 | 212 Fans - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -149.074 | -24.2776 | -24.9801 | -17.0769 | -17.701 | -16.3126 | 0 | 0 | 0 | 0 | 0 |
| 8 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -129.017 | -5.20638 | -5.93396 | -3.463 | -3.84306 | -3.99015 | 0 | 0 | 0 | 0 | 0 |
| 8 | 301 | 301 Pumps - O&M / Rubber-Plastics | 0 | 0 | -165.633 | -39.9433 | -40.8763 | -28.8183 | -29.8064 | -26.4842 | -20.5467 | -17.6306 | -14.8026 | -20.9698 | 0 |
| 8 | 302 | 302 Pumps - Controls / Rubber-Plastics | 0 | 0 | -272.053 | -140.824 | -144.736 | -100.084 | -104.61 | -91.6065 | -72.4775 | -59.6981 | -54.4932 | -75.2306 | 0 |
| 8 | 303 | 303 Pumps - System Optimization / Rubber-Plastics | 0 | 0 | -294.573 | -161.77 | -166.362 | -115.217 | -119.941 | -105.186 | -82.818 | -69.4477 | -61.745 | -86.6663 | 0 |
| 8 | 304 | 304 Pumps - Sizing / Rubber-Plastics | 0 | 0 | -218.503 | -89.9358 | -92.2025 | -64.3929 | -66.8304 | -58.2621 | -46.2312 | -38.7516 | -34.3004 | -48.0742 | 0 |
| 8 | 305 | 305 Pumps - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -134.896 | -11.3986 | -11.4864 | -8.01092 | -8.23902 | -7.09616 | -6.14629 | -5.44039 | -4.60309 | -5.88466 | -4.6434 |
| 8 | 306 | 306 Pumps - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -149.442 | -24.0138 | -25.2514 | -17.3688 | -18.0254 | -16.6444 | -12.8794 | -11.1598 | -8.57552 | -13.0575 | -10.2681 |
| 8 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -142.365 | -18.1469 | -18.6501 | -12.8116 | -13.0031 | -12.1456 | -9.46613 | -8.13073 | -6.971 | -9.47597 | -7.07548 |
| 8 | 308 | 308 Pumps - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -137.043 | -13.2301 | -13.2919 | -8.84946 | -9.8334 | -8.80756 | -6.88927 | -6.02173 | -5.07674 | -6.84686 | 0 |
| 8 | 309 | 309 Pumps - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -148.877 | -24.3291 | -24.7853 | -17.1343 | -18.0673 | -16.3742 | -12.3428 | -10.3617 | -8.92136 | -13.0069 | 0 |
| 8 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -132.549 | -8.62785 | -9.19199 | -6.14391 | -6.52615 | -5.79962 | -5.0531 | -3.74085 | -3.09861 | -4.8163 | 0 |
| 8 | 311 | 311 Pumps - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -135.602 | -11.8368 | -12.1467 | -8.37058 | -8.6858 | -7.55959 | 0 | 0 | 0 | 0 | 0 |
| 8 | 312 | 312 Pumps - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -148.877 | -24.2059 | -24.9032 | -16.9971 | -17.9219 | -16.2269 | 0 | 0 | 0 | 0 | 0 |
| 8 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -129.017 | -5.20638 | -5.93396 | -3.463 | -3.84306 | -3.99015 | 0 | 0 | 0 | 0 | 0 |
| 8 | 417 | 417 O&M - Extruders/Injection Moulding / Rubber-Plastics | 0 | 0 | -165.251 | -39.4503 | -40.5604 | -28.0145 | -29.4359 | -25.6001 | -20.708 | -17.0231 | -14.1851 | -20.5675 | -15.9359 |
| 8 | 418 | 418 Extruders/injection Moulding-multipump / Rubber-Plastics | 0 | 0 | -280.987 | -148.61 | -152.835 | -106.117 | -110.693 | -96.1835 | -76.8669 | -63.7996 | -57.3254 | -79.5524 | -59.7457 |
| 8 | 419 | 419 Direct drive Extruders / Rubber-Plastics | 0 | 0 | -486.438 | -343.829 | -353.326 | -244.064 | -254.94 | -221.575 | -175.67 | -146.017 | -132.422 | -183.947 | -137.532 |
| 8 | 420 | 420 Injection Moulding - Impulse Cooling / Rubber-Plastics | 0 | 0 | -222.591 | -94.0115 | -97.0058 | -67.046 | -70.1496 | -60.4495 | -48.1945 | -39.9373 | -35.9774 | -50.4992 | -37.9176 |
| 8 | 421 | 421 Injection Moulding - Direct drive / Rubber-Plastics | 0 | 0 | -217.004 | -88.9719 | -91.5561 | -63.1057 | -66.1749 | -57.7737 | -45.7074 | -37.6726 | -34.1182 | -47.5894 | -35.6139 |
| 8 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Rubber-Plastics | 0 | 0 | -171.002 | -45.5103 | -46.8745 | -32.4329 | -33.9839 | -30.3532 | -23.6296 | -20.0381 | -17.0346 | -24.4702 | -18.4577 |
| 8 | 702 | 702 High Efficiency Chiller Motors / Rubber-Plastics | 0 | 0 | -135.542 | -11.901 | -12.2155 | -8.39331 | -8.91085 | -7.58444 | -6.18122 | -5.49674 | -4.29082 | -6.09028 | -5.07473 |
| 8 | 703 | 703 EMS - Chiller / Rubber-Plastics | 0 | 0 | -166.614 | -40.8776 | -42.9323 | -29.5634 | -31.3183 | -26.9975 | -21.8425 | -18.0324 | -16.09 | -22.3142 | 0 |
| 8 | 704 | 704 Chiller Tune Up/Diagnostics / Rubber-Plastics | 0 | 0 | -156.432 | -31.4025 | -32.0831 | -22.1962 | -22.8766 | -20.4934 | -15.765 | -13.6523 | -11.6939 | -16.5789 | 0 |
| 8 | 705 | 705 VSD for Chiller Pumps and Towers / Rubber-Plastics | 0 | 0 | -164.331 | -38.9213 | -40.3216 | -27.9302 | -29.2803 | -25.9321 | -20.592 | -17.3921 | -14.7844 | -20.7262 | -15.8825 |
| 8 | 706 | 706 EMS Optimization - Chiller / Rubber-Plastics | 0 | 0 | -143.547 | -19.2884 | -20.0053 | -13.4782 | -13.9036 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 707 | 707 Aerosol Duct Sealing - Chiller / Rubber-Plastics | 0 | 0 | -164.79 | -39.2598 | -40.2629 | -27.8499 | -28.7267 | -25.0611 | -19.7808 | -16.5448 | -13.8401 | -20.3694 | 0 |
| 8 | 708 | 708 Duct/Pipe Insulation - Chiller / Rubber-Plastics | 0 | 0 | -165.033 | -39.2461 | -40.5344 | -27.892 | -28.9957 | -24.8931 | -19.881 | -16.4118 | -14.3136 | -20.2394 | 0 |
| 8 | 709 | 709 Window Film (Standard) - Chiller / Rubber-Plastics | 0 | 0 | -145.626 | -21.1876 | -21.4426 | -14.7714 | -15.3876 | -13.6395 | -10.7261 | -8.80791 | -7.43625 | -10.9293 | 0 |
| 8 | 710 | 710 Roof Insulation - Chiller / Rubber-Plastics | 0 | 0 | -141.86 | -17.902 | -18.0997 | -12.2289 | -12.6743 | -11.9997 | -9.04152 | -7.43571 | -6.41626 | -9.27596 | -7.13087 |
| 8 | 711 | 711 Cool Roof - Chiller / Rubber-Plastics | 0 | 0 | -228.346 | -98.9936 | -102.146 | -69.9031 | -72.3673 | -62.8683 | -49.7763 | -40.7614 | -37.1752 | -52.4044 | -38.4452 |
| 8 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Rubber-Plastics | 0 | 0 | -144.766 | -20.8358 | -21.2978 | -14.7577 | -15.4111 | -13.5866 | -11.1644 | -9.19963 | -7.99408 | -10.9816 | -8.52723 |
| 8 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Rubber-Plastics | 0 | 0 | -271.143 | -138.848 | -143.579 | -98.7945 | -102.324 | -88.7072 | -70.3249 | -57.6987 | -52.2945 | -73.8779 | -53.9981 |
| 8 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Rubber-Plastics | 0 | 0 | -179.327 | -52.3557 | -54.3116 | -36.6746 | -38.515 | -33.8805 | -26.3847 | -21.6502 | -19.69 | -27.7844 | -20.6095 |
| 8 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Rubber-Plastics | 0 | 0 | -142.01 | -17.7985 | -18.3916 | -12.2279 | -12.9413 | -12.0188 | -9.23825 | -7.38611 | -6.61961 | -9.78294 | 0 |

| | | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8 | 725 | 725 DX Coil Cleaning / Rubber-Plastics | 0 | 0 | -140.98 | -17.2913 | -17.8882 | -12.06 | -12.4219 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 726 | 726 Optimize Controls / Rubber-Plastics | 0 | 0 | -142.01 | -17.7985 | -18.3916 | -12.2279 | -12.9413 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 727 | 727 Aerosol Duct Sealing / Rubber-Plastics | 0 | 0 | -161.519 | -35.72 | -37.1648 | -25.2969 | -25.8851 | -23.1584 | -17.839 | -14.9539 | -13.2736 | -18.7095 | 0 |
| 8 | 728 | 728 Duct/Pipe Insulation / Rubber-Plastics | 0 | 0 | -161.808 | -36.0033 | -37.1028 | -25.502 | -26.3676 | -23.3972 | -18.0932 | -15.2228 | -13.2966 | -18.7309 | 0 |
| 8 | 729 | 729 Window Film (Standard) / Rubber-Plastics | 0 | 0 | -142.603 | -18.3735 | -18.8145 | -12.8564 | -13.4009 | -11.7522 | -9.59925 | -7.27881 | -6.79144 | -9.26222 | 0 |
| 8 | 730 | 730 Roof Insulation / Rubber-Plastics | 0 | 0 | -140.401 | -15.9912 | -16.9367 | -11.4273 | -11.5914 | -10.9265 | -8.26694 | -6.56142 | -5.88214 | -8.43629 | -6.81116 |
| 8 | 731 | 731 Cool Roof - DX / Rubber-Plastics | 0 | 0 | -219.384 | -90.1847 | -93.12 | -64.1758 | -66.1189 | -57.5703 | -45.4029 | -37.1492 | -33.9537 | -47.8276 | -35.3024 |
| 8 | 801 | 801 Premium T8, Electronic Ballast / Rubber-Plastics | 0 | 0 | -216.117 | -87.2609 | -90.2028 | -61.8462 | -64.1673 | -55.96 | -43.7558 | -36.6268 | -32.7849 | -46.7718 | -34.569 |
| 8 | 802 | 802 CFL Hardwired, Modular 18W / Rubber-Plastics | 0 | 0 | -342.837 | -205.998 | -212.052 | -145.109 | -150.029 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 803 | 803 CFL Screw-in 18W / Rubber-Plastics | 0 | 0 | -342.837 | -205.998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 804 | 804 High Bay T5 / Rubber-Plastics | 0 | 0 | -322.178 | -188.023 | -193.36 | -133.877 | -139.748 | -121.418 | -95.8874 | -80.1494 | -72.3273 | -100.076 | 0 |
| 8 | 805 | 805 Occupancy Sensor / Rubber-Plastics | 0 | 0 | -198.789 | -71.8038 | -74.3761 | -50.6882 | -53.7605 | -47.2729 | -37.1187 | -30.9256 | -27.6666 | 0 | 0 |
| 8 | 901 | 901 Replace V-belts / Rubber-Plastics | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 101 | 101 Compressed Air-O&M / Stone-Clay-Glass | 0 | 0 | -192.677 | -65.7595 | -68.0632 | -46.4191 | -49.1086 | -42.9066 | -33.5566 | -28.3051 | -24.9516 | -34.828 | 0 |
| 9 | 102 | 102 Compressed Air - Controls / Stone-Clay-Glass | 0 | 0 | -175.716 | -49.3358 | -50.9298 | -34.9811 | -37.209 | -32.4327 | -25.1079 | -20.9663 | -18.8764 | -25.9664 | 0 |
| 9 | 103 | 103 Compressed Air - System Optimization / Stone-Clay-Glass | 0 | 0 | -210.993 | -83.747 | -86.3544 | -59.3343 | -61.8584 | -54.5887 | -42.841 | -35.5238 | -31.297 | -44.3697 | 0 |
| 9 | 104 | 104 Compressed Air- Sizing / Stone-Clay-Glass | 0 | 0 | -160.811 | -35.7604 | -36.7106 | -25.0497 | -26.411 | -24.1811 | -18.4591 | -16.0651 | -13.1824 | -18.6643 | 0 |
| 9 | 105 | 105 Comp Air - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -134.759 | -11.3865 | -11.4743 | -7.74889 | -8.17261 | -7.33417 | -5.88429 | -5.17859 | -4.193 | -5.87263 | -4.63143 |
| 9 | 106 | 106 Comp Air - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -149.081 | -24.1537 | -25.1343 | -17.2475 | -18.1478 | -16.5153 | -12.4965 | -10.7744 | -8.43923 | -12.9217 | -9.38306 |
| 9 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -142.349 | -18.1308 | -18.6341 | -12.7956 | -12.9873 | -12.1297 | -9.95012 | -8.11494 | -6.95515 | -9.71006 | -7.30958 |
| 9 | 108 | 108 Comp Air - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -137.281 | -12.968 | -13.2798 | -8.83748 | -9.82153 | -8.79564 | -7.1273 | -5.50983 | -5.06489 | -6.58497 | 0 |
| 9 | 109 | 109 Comp Air - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -149.034 | -23.9875 | -24.688 | -17.0335 | -17.7114 | -16.2671 | -12.4827 | -10.4996 | -8.5585 | -13.1444 | 0 |
| 9 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -132.291 | -8.74482 | -9.18396 | -6.13583 | -6.76832 | -5.54168 | -5.0451 | -3.73294 | -3.34074 | -4.30862 | 0 |
| 9 | 111 | 111 Comp Air - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -135.59 | -11.8247 | -12.1347 | -8.35855 | -8.61817 | -8.04763 | 0 | 0 | 0 | 0 | 0 |
| 9 | 112 | 112 Comp Air - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -149.011 | -23.9647 | -24.9135 | -17.0082 | -17.6291 | -16.2399 | 0 | 0 | 0 | 0 | 0 |
| 9 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -128.888 | -5.20237 | -5.92999 | -3.45912 | -3.58918 | -3.98623 | 0 | 0 | 0 | 0 | 0 |
| 9 | 201 | 201 Fans - O&M / Stone-Clay-Glass | 0 | 0 | -130.911 | -7.28669 | -7.85332 | -5.22388 | -5.34114 | -4.86072 | -4.00407 | -3.34367 | -2.30021 | -3.64084 | 0 |
| 9 | 202 | 202 Fans - Controls / Stone-Clay-Glass | 0 | 0 | -276.938 | -145.529 | -149.757 | -103.418 | -108.325 | -94.4524 | -74.9635 | -62.255 | -56.2669 | -77.9341 | 0 |
| 9 | 203 | 203 Fans - System Optimization / Stone-Clay-Glass | 0 | 0 | -225.749 | -97.5574 | -99.8863 | -68.8434 | -72.4639 | -63.123 | -49.8372 | -41.5167 | -36.8257 | -51.9398 | 0 |
| 9 | 204 | 204 Fans- Improve components / Stone-Clay-Glass | 0 | 0 | -143.754 | -19.4852 | -20.2546 | -13.8069 | -14.2324 | -13.1784 | -10.4946 | -8.98302 | -7.3679 | -10.0456 | 0 |
| 9 | 205 | 205 Fans - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -134.759 | -11.3865 | -11.4743 | -7.74889 | -8.17261 | -7.33417 | -5.88429 | -5.17859 | -4.193 | -5.87263 | -4.63143 |
| 9 | 206 | 206 Fans - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -149.095 | -24.2908 | -25.2824 | -17.3533 | -18.0625 | -16.1317 | -12.5287 | -10.5294 | -8.86759 | -12.7403 | -9.70064 |
| 9 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -142.349 | -18.1308 | -18.6341 | -12.7956 | -12.9873 | -12.1297 | -9.95012 | -8.11494 | -6.95515 | -9.71006 | -7.30958 |
| 9 | 208 | 208 Fans - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -137.281 | -12.968 | -13.2798 | -8.83748 | -9.82153 | -8.79564 | -7.1273 | -5.50983 | -5.06489 | -6.58497 | 0 |
| 9 | 209 | 209 Fans - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -149.038 | -23.8647 | -24.8246 | -17.1756 | -17.8068 | -16.1699 | -12.3904 | -10.6648 | -8.57678 | -13.0604 | 0 |
| 9 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -132.291 | -8.74482 | -9.18396 | -6.13583 | -6.76832 | -5.54168 | -5.0451 | -3.73294 | -3.34074 | -4.30862 | 0 |
| 9 | 211 | 211 Fans - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -135.59 | -11.8247 | -12.1347 | -8.35855 | -8.61817 | -8.04763 | 0 | 0 | 0 | 0 | 0 |
| 9 | 212 | 212 Fans - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -149.064 | -24.0168 | -24.7194 | -17.0663 | -17.996 | -16.0522 | 0 | 0 | 0 | 0 | 0 |
| 9 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -128.888 | -5.20237 | -5.92999 | -3.45912 | -3.58918 | -3.98623 | 0 | 0 | 0 | 0 | 0 |
| 9 | 301 | 301 Pumps - O&M / Stone-Clay-Glass | 0 | 0 | -165.343 | -39.6532 | -41.3362 | -28.5284 | -29.7669 | -26.4445 | -21.0068 | -17.3453 | -14.5173 | -20.9347 | 0 |
| 9 | 302 | 302 Pumps - Controls / Stone-Clay-Glass | 0 | 0 | -271.075 | -140.344 | -143.882 | -99.827 | -104.357 | -91.3617 | -72.1475 | -60.1427 | -54.4308 | -75.0809 | 0 |
| 9 | 303 | 303 Pumps - System Optimization / Stone-Clay-Glass | 0 | 0 | -293.329 | -161.9 | -165.742 | -114.704 | -120.227 | -104.682 | -82.4486 | -69.3371 | -62.3224 | -85.9619 | 0 |
| 9 | 304 | 304 Pumps - Sizing / Stone-Clay-Glass | 0 | 0 | -218.04 | -89.8473 | -91.8643 | -63.8049 | -67.0372 | -58.1746 | -45.8935 | -38.6648 | -33.87 | -47.7367 | 0 |
| 9 | 305 | 305 Pumps - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -134.759 | -11.3865 | -11.4743 | -7.74889 | -8.17261 | -7.33417 | -5.88429 | -5.17859 | -4.193 | -5.87263 | -4.63143 |
| 9 | 306 | 306 Pumps - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -149.041 | -24.2369 | -25.2247 | -17.2933 | -17.999 | -16.3173 | -12.4623 | -10.4617 | -8.54927 | -12.6723 | -9.88286 |
| 9 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -142.349 | -18.1308 | -18.6341 | -12.7956 | -12.9873 | -12.1297 | -9.95012 | -8.11494 | -6.95515 | -9.71006 | -7.30958 |
| 9 | 308 | 308 Pumps - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -137.281 | -12.968 | -13.2798 | -8.83748 | -9.82153 | -8.79564 | -7.1273 | -5.50983 | -5.06489 | -6.58497 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9 | 309 | 309 Pumps - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -149.116 | -23.9434 | -24.7747 | -17.1236 | -17.8068 | -16.1138 | -12.3324 | -10.6015 | -8.66119 | -13.2468 | 0 |
| 9 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -132.291 | -8.74482 | -9.18396 | -6.13583 | -6.76832 | -5.54168 | -5.0451 | -3.73294 | -3.34074 | -4.30862 | 0 |
| 9 | 311 | 311 Pumps - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -135.59 | -11.8247 | -12.1347 | -8.35855 | -8.61817 | -8.04763 | 0 | 0 | 0 | 0 | 0 |
| 9 | 312 | 312 Pumps - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -148.991 | -23.9451 | -24.8926 | -16.9864 | -17.9114 | -16.2165 | 0 | 0 | 0 | 0 | 0 |
| 9 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -128.888 | -5.20237 | -5.92999 | -3.45912 | -3.58918 | -3.98623 | 0 | 0 | 0 | 0 | 0 |
| 9 | 405 | 405 Drives - EE motor / Stone-Clay-Glass | 0 | 0 | -137.152 | -13.459 | -13.6723 | -9.24536 | -10.004 | -8.7338 | -7.0792 | -5.97136 | -5.03005 | -7.04859 | 0 |
| 9 | 415 | 415 Drives - Process Controls (batch + site) / Stone-Clay-Glass | 0 | 0 | -130.911 | -7.28669 | -7.85332 | -5.22388 | -5.34114 | -4.86072 | -4.00407 | -3.34367 | -2.30021 | -3.64084 | 0 |
| 9 | 422 | 422 Efficient grinding / Stone-Clay-Glass | 0 | 0 | -223.561 | -94.8169 | -97.6413 | -67.8465 | -70.5793 | -61.2163 | -48.727 | -40.534 | -35.962 | -50.0659 | -38.1696 |
| 9 | 423 | 423 Process control / Stone-Clay-Glass | 0 | 0 | -130.911 | -7.28669 | -7.85332 | -5.22388 | -5.34114 | -4.86072 | -4.00407 | -3.34367 | -2.30021 | -3.64084 | 0 |
| 9 | 424 | 424 Process optimization / Stone-Clay-Glass | 0 | 0 | -166.016 | -40.1799 | -41.7254 | -29.3807 | -30.52 | -26.6678 | -20.8664 | -17.5152 | -15.5544 | -21.4495 | 0 |
| 9 | 504 | 504 Top-heating (glass) / Stone-Clay-Glass | 0 | 0 | -139.061 | -15.1818 | -15.8419 | -10.4917 | -10.7818 | -10.3239 | -7.98483 | -6.99048 | 0 | 0 | 0 |
| 9 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Stone-Clay-Glass | 0 | 0 | -171.005 | -45.5132 | -46.8777 | -32.4361 | -33.9873 | -30.3567 | -23.6332 | -20.0417 | -17.0383 | -24.4739 | -18.4614 |
| 9 | 702 | 702 High Efficiency Chiller Motors / Stone-Clay-Glass | 0 | 0 | -135.547 | -11.9052 | -12.2197 | -8.44625 | -8.96005 | -7.8905 | -6.32608 | -5.43072 | -4.16239 | -6.18818 | -4.45414 |
| 9 | 703 | 703 EMS - Chiller / Stone-Clay-Glass | 0 | 0 | -166.617 | -40.8804 | -42.9355 | -29.5666 | -31.3217 | -27.0009 | -21.8461 | -18.0361 | -16.0937 | -22.3179 | 0 |
| 9 | 704 | 704 Chiller Tune Up/Diagnostics / Stone-Clay-Glass | 0 | 0 | -156.303 | -31.2738 | -32.0795 | -22.3001 | -22.9834 | -20.6043 | -16.2928 | -13.6646 | -11.7144 | -16.7786 | 0 |
| 9 | 705 | 705 VSD for Chiller Pumps and Towers / Stone-Clay-Glass | 0 | 0 | -164.334 | -38.9239 | -40.3244 | -27.9331 | -29.2833 | -25.9352 | -20.5952 | -17.3953 | -14.7876 | -20.7295 | -15.8857 |
| 9 | 706 | 706 EMS Optimization - Chiller / Stone-Clay-Glass | 0 | 0 | -143.414 | -19.1554 | -19.7475 | -13.7692 | -14.1461 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 707 | 707 Aerosol Duct Sealing - Chiller / Stone-Clay-Glass | 0 | 0 | -164.416 | -38.7603 | -40.2635 | -27.7569 | -29.0881 | -25.7278 | -19.9222 | -17.2374 | -14.1109 | -20.9372 | 0 |
| 9 | 708 | 708 Duct/Pipe Insulation - Chiller / Stone-Clay-Glass | 0 | 0 | -164.767 | -39.2303 | -40.2688 | -27.9789 | -29.3408 | -25.736 | -20.3967 | -17.1857 | -14.3221 | -20.6773 | 0 |
| 9 | 709 | 709 Window Film (Standard) - Chiller / Stone-Clay-Glass | 0 | 0 | -145.368 | -20.9297 | -21.4349 | -14.5732 | -15.4463 | -13.6887 | -11.109 | -9.15978 | -7.57747 | -11.2974 | 0 |
| 9 | 710 | 710 Roof Insulation - Chiller / Stone-Clay-Glass | 0 | 0 | -141.856 | -17.8982 | -18.3459 | -12.5229 | -12.7146 | -11.7976 | -9.42848 | -7.79931 | -6.81915 | -9.38219 | -7.23631 |
| 9 | 711 | 711 Cool Roof - Chiller / Stone-Clay-Glass | 0 | 0 | -227.449 | -98.5955 | -101.623 | -70.1927 | -73.1675 | -63.428 | -50.3242 | -41.7944 | -37.5213 | -52.4606 | -39.5163 |
| 9 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Stone-Clay-Glass | 0 | 0 | -144.767 | -20.8366 | -21.2987 | -14.7586 | -15.4121 | -13.5876 | -11.1654 | -9.2007 | -7.99515 | -10.9827 | -8.5283 |
| 9 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Stone-Clay-Glass | 0 | 0 | -269.856 | -138.684 | -143.291 | -98.6665 | -102.971 | -89.61 | -70.8812 | -59.0137 | -53.3918 | -74.122 | -55.2575 |
| 9 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Stone-Clay-Glass | 0 | 0 | -178.562 | -52.0901 | -54.0461 | -37.0655 | -38.9161 | -34.2815 | -27.0492 | -22.5418 | -20.1286 | -27.8162 | -21.1413 |
| 9 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Stone-Clay-Glass | 0 | 0 | -141.881 | -18.0447 | -18.3878 | -12.5288 | -13.2432 | -11.8228 | -9.37523 | -7.52705 | -6.76045 | -9.3695 | 0 |
| 9 | 725 | 725 DX Coil Cleaning / Stone-Clay-Glass | 0 | 0 | -141.351 | -17.1625 | -17.6345 | -11.8551 | -12.4622 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 726 | 726 Optimize Controls / Stone-Clay-Glass | 0 | 0 | -141.881 | -18.0447 | -18.3878 | -12.5288 | -13.2432 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 727 | 727 Aerosol Duct Sealing / Stone-Clay-Glass | 0 | 0 | -161.254 | -35.7044 | -36.8994 | -25.1387 | -25.9812 | -23.7572 | -17.8237 | -15.4586 | -12.8018 | -18.8857 | 0 |
| 9 | 728 | 728 Duct/Pipe Insulation / Stone-Clay-Glass | 0 | 0 | -161.297 | -36.1168 | -36.8413 | -25.5979 | -26.2179 | -23.7501 | -18.3318 | -15.9775 | -13.0748 | -19.1572 | 0 |
| 9 | 729 | 729 Window Film (Standard) / Stone-Clay-Glass | 0 | 0 | -142.471 | -18.6157 | -19.3068 | -12.6466 | -13.4381 | -11.7963 | -9.48224 | -8.1698 | -6.9247 | -9.84846 | 0 |
| 9 | 730 | 730 Roof Insulation / Stone-Clay-Glass | 0 | 0 | -140.272 | -16.2374 | -16.9329 | -11.4713 | -11.699 | -10.9746 | -8.65383 | -6.70631 | -6.17537 | -8.26048 | -6.41687 |
| 9 | 731 | 731 Cool Roof - DX / Stone-Clay-Glass | 0 | 0 | -218.979 | -90.1534 | -92.5891 | -64.1539 | -66.9219 | -58.0585 | -46.0445 | -38.0651 | -34.2916 | -48.2976 | -35.7719 |
| 9 | 801 | 801 Premium T8, Electronic Ballast / Stone-Clay-Glass | 0 | 0 | -215.828 | -87.221 | -89.9131 | -61.7618 | -65.0446 | -56.6434 | -44.779 | -36.8853 | -33.2 | -46.3739 | -34.9203 |
| 9 | 802 | 802 CFL Hardwired, Modular 18W / Stone-Clay-Glass | 0 | 0 | -341.034 | -205.817 | -211.498 | -145.777 | -151.492 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 803 | 803 CFL Screw-in 18W / Stone-Clay-Glass | 0 | 0 | -341.034 | -205.817 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 804 | 804 High Bay T5 / Stone-Clay-Glass | 0 | 0 | -321.293 | -188.262 | -192.974 | -133.648 | -139.769 | -121.949 | -96.6664 | -80.6993 | -72.3704 | -100.227 | 0 |
| 9 | 805 | 805 Occupancy Sensor / Stone-Clay-Glass | 0 | 0 | -198.74 | -71.8799 | -74.0775 | -50.5912 | -53.6572 | -46.9176 | -36.6801 | -30.7299 | -27.4708 | 0 | 0 |
| 9 | 901 | 901 Replace V-belts / Stone-Clay-Glass | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 101 | 101 Compressed Air-O&M / Primary Metals | 0 | 0 | -193.486 | -66.3194 | -68.3727 | -46.915 | -48.5401 | -42.6335 | -33.0533 | -27.7769 | -24.5246 | -35.0739 | 0 |
| 10 | 102 | 102 Compressed Air - Controls / Primary Metals | 0 | 0 | -175.888 | -49.7588 | -51.2275 | -35.3245 | -36.2947 | -32.0072 | -25.3427 | -20.6926 | -18.3678 | -25.8801 | 0 |
| 10 | 103 | 103 Compressed Air - System Optimization / Primary Metals | 0 | 0 | -212.846 | -84.3511 | -86.4581 | -59.1253 | -61.6946 | -53.1151 | -42.3582 | -35.2853 | -31.3934 | -44.8738 | 0 |
| 10 | 104 | 104 Compressed Air- Sizing / Primary Metals | 0 | 0 | -161.584 | -35.7842 | -36.9843 | -25.1193 | -26.2681 | -23.2368 | -17.67 | -15.037 | -13.2478 | -18.7927 | 0 |
| 10 | 105 | 105 Comp Air - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -134.896 | -11.2735 | -11.7363 | -7.70232 | -8.43422 | -7.28363 | -5.75561 | -5.04175 | -4.20435 | -6.04131 | -4.53378 |
| 10 | 106 | 106 Comp Air - ASD (1-5 hp) / Primary Metals | 0 | 0 | -149.722 | -24.5455 | -25.1508 | -17.4162 | -17.6076 | -16.1786 | -12.4889 | -10.2506 | -9.05582 | -12.9994 | -10.2111 |
| 10 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -142.123 | -18.1549 | -18.658 | -12.7648 | -13.0107 | -11.8457 | -9.33334 | -7.73991 | -6.97831 | -9.63985 | -7.00513 |
| 10 | 108 | 108 Comp Air - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -137.309 | -13.2462 | -13.5579 | -9.11539 | -9.90477 | -8.82338 | -6.90519 | -6.04141 | -5.00255 | -6.86604 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10 | 109 | 109 Comp Air - ASD (6-100 hp) / Primary Metals | 0 | 0 | -149.425 | -24.2543 | -24.7044 | -17.4523 | -17.5602 | -16.1804 | -12.2252 | -10.2259 | -8.40189 | -12.9722 | 0 |
| 10 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -132.686 | -8.7649 | -9.20401 | -6.15579 | -6.78801 | -5.81151 | -4.56506 | -3.7527 | -3.36026 | -4.82827 | 0 |
| 10 | 111 | 111 Comp Air - Replace 100+ HP motor / Primary Metals | 0 | 0 | -135.727 | -11.8367 | -12.1466 | -8.32173 | -8.87974 | -7.75763 | 0 | 0 | 0 | 0 | 0 |
| 10 | 112 | 112 Comp Air - ASD (100+ hp) / Primary Metals | 0 | 0 | -149.652 | -24.1065 | -24.68 | -17.1769 | -17.8389 | -16.1532 | 0 | 0 | 0 | 0 | 0 |
| 10 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40617 | -3.79 | -3.68021 | 0 | 0 | 0 | 0 | 0 |
| 10 | 201 | 201 Fans - O&M / Primary Metals | 0 | 0 | -131.052 | -7.05273 | -8.11935 | -4.98997 | -5.35691 | -4.87653 | -4.01999 | -3.35939 | -2.31573 | -3.65621 | 0 |
| 10 | 202 | 202 Fans - Controls / Primary Metals | 0 | 0 | -278.729 | -146.822 | -150.674 | -103.268 | -107.584 | -94.0175 | -73.3638 | -61.1372 | -54.9447 | -77.7557 | 0 |
| 10 | 203 | 203 Fans - System Optimization / Primary Metals | 0 | 0 | -226.988 | -97.7977 | -100.501 | -69.2032 | -71.7977 | -62.4606 | -49.0039 | -41.4043 | -36.9702 | -52.3042 | 0 |
| 10 | 204 | 204 Fans- Improve components / Primary Metals | 0 | 0 | -143.77 | -19.6262 | -20.5205 | -13.726 | -14.6921 | -12.8415 | -9.95564 | -8.21302 | -7.73043 | -10.3693 | 0 |
| 10 | 205 | 205 Fans - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -134.896 | -11.2735 | -11.7363 | -7.70232 | -8.43422 | -7.28363 | -5.75561 | -5.04175 | -4.20435 | -6.04131 | -4.53378 |
| 10 | 206 | 206 Fans - ASD (1-5 hp) / Primary Metals | 0 | 0 | -149.628 | -24.6986 | -24.8149 | -17.5868 | -17.7884 | -16.3617 | -12.6777 | -10.1934 | -9.25017 | -13.1933 | -10.1539 |
| 10 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -142.123 | -18.1549 | -18.658 | -12.7648 | -13.0107 | -11.8457 | -9.33334 | -7.73991 | -6.97831 | -9.63985 | -7.00513 |
| 10 | 208 | 208 Fans - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -137.309 | -13.2462 | -13.5579 | -9.11539 | -9.90477 | -8.82338 | -6.90519 | -6.04141 | -5.00255 | -6.86604 | 0 |
| 10 | 209 | 209 Fans - ASD (6-100 hp) / Primary Metals | 0 | 0 | -149.558 | -24.3855 | -24.845 | -17.3483 | -18.0206 | -16.3372 | -12.3868 | -10.391 | -8.69316 | -12.8881 | 0 |
| 10 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -132.686 | -8.7649 | -9.20401 | -6.15579 | -6.78801 | -5.81151 | -4.56506 | -3.7527 | -3.36026 | -4.82827 | 0 |
| 10 | 211 | 211 Fans - Replace 100+ HP motor / Primary Metals | 0 | 0 | -135.727 | -11.8367 | -12.1466 | -8.32173 | -8.87974 | -7.75763 | 0 | 0 | 0 | 0 | 0 |
| 10 | 212 | 212 Fans - ASD (100+ hp) / Primary Metals | 0 | 0 | -149.33 | -24.1586 | -24.7359 | -17.2349 | -17.5949 | -16.2155 | 0 | 0 | 0 | 0 | 0 |
| 10 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40617 | -3.79 | -3.68021 | 0 | 0 | 0 | 0 | 0 |
| 10 | 301 | 301 Pumps - O&M / Primary Metals | 0 | 0 | -166.124 | -39.935 | -41.118 | -28.105 | -29.3808 | -25.5079 | -20.2258 | -16.825 | -14.8483 | -21.0866 | 0 |
| 10 | 302 | 302 Pumps - Controls / Primary Metals | 0 | 0 | -273.333 | -140.855 | -145.267 | -99.5968 | -103.64 | -89.8382 | -70.3518 | -58.8368 | -53.2328 | -74.2909 | 0 |
| 10 | 303 | 303 Pumps - System Optimization / Primary Metals | 0 | 0 | -295.76 | -162.334 | -167.175 | -114.767 | -119.252 | -103.95 | -81.2241 | -67.5945 | -61.2737 | -86.2598 | 0 |
| 10 | 304 | 304 Pumps - Sizing / Primary Metals | 0 | 0 | -219.03 | -89.8385 | -92.73 | -63.8626 | -66.0241 | -56.9689 | -45.4146 | -37.4106 | -33.9982 | -47.7727 | 0 |
| 10 | 305 | 305 Pumps - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -134.896 | -11.2735 | -11.7363 | -7.70232 | -8.43422 | -7.28363 | -5.75561 | -5.04175 | -4.20435 | -6.04131 | -4.53378 |
| 10 | 306 | 306 Pumps - ASD (1-5 hp) / Primary Metals | 0 | 0 | -149.573 | -24.6448 | -24.7572 | -17.5268 | -17.4193 | -16.5473 | -12.3614 | -10.1256 | -8.55676 | -13.1252 | -10.0862 |
| 10 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -142.123 | -18.1549 | -18.658 | -12.7648 | -13.0107 | -11.8457 | -9.33334 | -7.73991 | -6.97831 | -9.63985 | -7.00513 |
| 10 | 308 | 308 Pumps - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -137.309 | -13.2462 | -13.5579 | -9.11539 | -9.90477 | -8.82338 | -6.90519 | -6.04141 | -5.00255 | -6.86604 | 0 |
| 10 | 309 | 309 Pumps - ASD (6-100 hp) / Primary Metals | 0 | 0 | -149.382 | -24.3352 | -24.7911 | -17.2923 | -17.6557 | -16.2771 | -12.3249 | -10.5777 | -8.25446 | -13.0744 | 0 |
| 10 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -132.686 | -8.7649 | -9.20401 | -6.15579 | -6.78801 | -5.81151 | -4.56506 | -3.7527 | -3.36026 | -4.82827 | 0 |
| 10 | 311 | 311 Pumps - Replace 100+ HP motor / Primary Metals | 0 | 0 | -135.727 | -11.8367 | -12.1466 | -8.32173 | -8.87974 | -7.75763 | 0 | 0 | 0 | 0 | 0 |
| 10 | 312 | 312 Pumps - ASD (100+ hp) / Primary Metals | 0 | 0 | -149.508 | -24.087 | -24.6591 | -17.1551 | -17.7603 | -16.1298 | 0 | 0 | 0 | 0 | 0 |
| 10 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40617 | -3.79 | -3.68021 | 0 | 0 | 0 | 0 | 0 |
| 10 | 415 | 415 Drives - Process Controls (batch + site) / Primary Metals | 0 | 0 | -143.548 | -19.2895 | -20.0065 | -13.4795 | -13.9049 | -12.7892 | -9.71538 | -7.92658 | -7.47576 | -10.0787 | 0 |
| 10 | 425 | 425 Drives - Process Control / Primary Metals | 0 | 0 | -143.548 | -19.2895 | -20.0065 | -13.4795 | -13.9049 | -12.7892 | -9.71538 | -7.92658 | -7.47576 | -10.0787 | -7.87935 |
| 10 | 426 | 426 Efficient drives - rolling / Primary Metals | 0 | 0 | -146.969 | -22.4815 | -22.9993 | -15.9298 | -16.8242 | -14.5667 | -11.5348 | -9.95479 | -7.74411 | -11.8784 | 0 |
| 10 | 505 | 505 Efficient electric melting / Primary Metals | 0 | 0 | -166.797 | -40.4618 | -41.7571 | -28.9523 | -29.84 | -26.2323 | -21.1166 | -17.4601 | -14.7722 | -21.0747 | -15.9275 |
| 10 | 506 | 506 Intelligent extruder (DOE) / Primary Metals | 0 | 0 | -131.131 | -7.37979 | -7.95309 | -5.27399 | -5.45075 | -4.92015 | -3.97812 | -3.31998 | -2.41769 | -3.66425 | 0 |
| 10 | 507 | 507 Near Net Shape Casting / Primary Metals | 0 | 0 | -175.888 | -49.7588 | -51.2275 | -35.3245 | -36.2947 | -32.0072 | -25.3427 | -20.6926 | -18.3678 | -25.8801 | -19.2612 |
| 10 | 508 | 508 Heating - Process Control / Primary Metals | 0 | 0 | -143.548 | -19.2895 | -20.0065 | -13.4795 | -13.9049 | -12.7892 | -9.71538 | -7.92658 | -7.47576 | -10.0787 | -7.87935 |
| 10 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Primary Metals | 0 | 0 | -170.997 | -45.5056 | -46.8695 | -32.4277 | -33.9784 | -30.3476 | -23.6239 | -20.0322 | -17.0286 | -24.4643 | -18.4518 |
| 10 | 702 | 702 High Efficiency Chiller Motors / Primary Metals | 0 | 0 | -135.796 | -12.0297 | -12.4691 | -8.33732 | -8.66414 | -7.77548 | -6.29416 | -4.88289 | -4.29423 | -6.01514 | -5.00044 |
| 10 | 703 | 703 EMS - Chiller / Primary Metals | 0 | 0 | -166.609 | -40.8729 | -42.9273 | -29.5582 | -31.3128 | -26.9919 | -21.8368 | -18.0266 | -16.0841 | -22.3083 | 0 |
| 10 | 704 | 704 Chiller Tune Up/Diagnostics / Primary Metals | 0 | 0 | -157.06 | -31.4058 | -32.3362 | -22.0432 | -22.4729 | -20.5862 | -15.8773 | -12.979 | -11.255 | -16.554 | 0 |
| 10 | 705 | 705 VSD for Chiller Pumps and Towers / Primary Metals | 0 | 0 | -164.327 | -38.9171 | -40.3171 | -27.9255 | -29.3416 | -25.9271 | -20.5868 | -17.3868 | -14.9272 | -20.7209 | -15.8773 |
| 10 | 706 | 706 EMS Optimization - Chiller / Primary Metals | 0 | 0 | -143.687 | -19.554 | -20.0208 | -13.1959 | -13.6131 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 707 | 707 Aerosol Duct Sealing - Chiller / Primary Metals | 0 | 0 | -165.571 | -39.2912 | -40.2941 | -28.0285 | -28.3511 | -24.9825 | -19.2804 | -15.8213 | -13.9211 | -20.7319 | 0 |
| 10 | 708 | 708 Duct/Pipe Insulation - Chiller / Primary Metals | 0 | 0 | -165.535 | -39.6241 | -40.7872 | -28.1899 | -28.5371 | -24.9278 | -19.321 | -15.617 | -14.2453 | -20.3666 | 0 |
| 10 | 709 | 709 Window Film (Standard) - Chiller / Primary Metals | 0 | 0 | -145.629 | -21.4411 | -21.6961 | -14.1772 | -15.2901 | -13.7904 | -10.2059 | -8.51423 | -7.63448 | -10.7444 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10 | 710 | 710 Roof Insulation - Chiller / Primary Metals | 0 | 0 | -141.75 | -17.6677 | -18.3654 | -11.6897 | -12.8175 | -11.9573 | -8.91636 | -7.55255 | -6.40813 | -9.69845 | -6.81797 |
| 10 | 711 | 711 Cool Roof - Chiller / Primary Metals | 0 | 0 | -229.258 | -99.2815 | -102.183 | -69.7801 | -72.0144 | -62.7203 | -48.1879 | -39.668 | -35.9716 | -52.1472 | -38.1735 |
| 10 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Primary Metals | 0 | 0 | -144.764 | -20.8342 | -21.2961 | -14.7558 | -15.4092 | -13.5847 | -11.1624 | -9.19759 | -7.99202 | -10.9796 | -8.52518 |
| 10 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Primary Metals | 0 | 0 | -272.577 | -139.783 | -144.139 | -98.2816 | -101.227 | -87.6592 | -68.6177 | -56.4663 | -50.8975 | -73.3567 | -53.1976 |
| 10 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Primary Metals | 0 | 0 | -179.853 | -53.0073 | -54.3379 | -36.9958 | -38.3178 | -33.1896 | -25.8559 | -21.5974 | -19.4024 | -27.6689 | -19.9947 |
| 10 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Primary Metals | 0 | 0 | -142.138 | -17.927 | -18.645 | -12.1298 | -12.5275 | -11.4138 | -8.96035 | -7.35399 | -6.20469 | -9.57991 | 0 |
| 10 | 725 | 725 DX Coil Cleaning / Primary Metals | 0 | 0 | -141.245 | -17.3069 | -17.9037 | -11.7718 | -12.1196 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 726 | 726 Optimize Controls / Primary Metals | 0 | 0 | -142.138 | -17.927 | -18.645 | -12.1298 | -12.5275 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 727 | 727 Aerosol Duct Sealing / Primary Metals | 0 | 0 | -161.8 | -36.1262 | -37.4458 | -24.9742 | -25.8597 | -23.0864 | -17.5885 | -14.6953 | -13.3973 | -18.5519 | 0 |
| 10 | 728 | 728 Duct/Pipe Insulation / Primary Metals | 0 | 0 | -161.936 | -36.3814 | -37.6055 | -25.2997 | -25.9636 | -22.683 | -17.5333 | -14.3931 | -12.8648 | -18.3383 | 0 |
| 10 | 729 | 729 Window Film (Standard) / Primary Metals | 0 | 0 | -142.728 | -18.498 | -19.0639 | -12.7476 | -13.0395 | -11.8873 | -9.59864 | -7.01634 | -6.48979 | -9.56257 | 0 |
| 10 | 730 | 730 Roof Insulation / Primary Metals | 0 | 0 | -140.646 | -16.1117 | -17.1821 | -11.5643 | -11.237 | -10.8076 | -7.981 | -6.27928 | -5.36558 | -8.99748 | -6.12308 |
| 10 | 731 | 731 Cool Roof - DX / Primary Metals | 0 | 0 | -220.412 | -90.5891 | -93.6489 | -63.7898 | -65.463 | -56.4141 | -44.5561 | -36.8016 | -32.8476 | -48.0581 | -34.784 |
| 10 | 801 | 801 Premium T8, Electronic Ballast / Primary Metals | 0 | 0 | -216.889 | -87.4095 | -90.726 | -61.6986 | -63.4398 | -55.0425 | -42.9349 | -35.5199 | -32.2711 | -46.2278 | -33.5254 |
| 10 | 802 | 802 CFL Hardwired, Modular 18W / Primary Metals | 0 | 0 | -345.663 | -206.953 | -213.881 | -144.659 | -148.518 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 803 | 803 CFL Screw-in 18W / Primary Metals | 0 | 0 | -345.663 | -206.953 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 804 | 804 High Bay T5 / Primary Metals | 0 | 0 | -323.615 | -188.462 | -194.173 | -133.07 | -138.392 | -120.323 | -94.0433 | -78.2762 | -70.6564 | -100.188 | 0 |
| 10 | 805 | 805 Occupancy Sensor / Primary Metals | 0 | 0 | -199.569 | -71.9596 | -74.4063 | -50.7095 | -53.5226 | -46.2718 | -36.2025 | -30.2585 | -27.2253 | 0 | 0 |
| 10 | 901 | 901 Replace V-belts / Primary Metals | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 101 | 101 Compressed Air-O&M / Fab Metals | 0 | 0 | -193.361 | -66.3195 | -68.123 | -47.0715 | -48.4459 | -42.7989 | -33.4755 | -28.2072 | -24.9475 | -35.3556 | 0 |
| 11 | 102 | 102 Compressed Air - Controls / Fab Metals | 0 | 0 | -175.888 | -49.8839 | -51.2277 | -35.4263 | -36.3391 | -32.1158 | -25.6166 | -21.2281 | -18.7629 | -26.0646 | 0 |
| 11 | 103 | 103 Compressed Air - System Optimization / Fab Metals | 0 | 0 | -212.456 | -84.2102 | -86.4424 | -59.5158 | -62.0846 | -54.2656 | -42.5145 | -35.4304 | -32.0779 | -44.6439 | 0 |
| 11 | 104 | 104 Compressed Air- Sizing / Fab Metals | 0 | 0 | -161.339 | -36.0384 | -36.9885 | -25.4809 | -26.328 | -23.6052 | -18.1743 | -15.561 | -13.1551 | -18.9888 | 0 |
| 11 | 105 | 105 Comp Air - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -135.029 | -11.2816 | -11.4944 | -7.76898 | -8.19246 | -7.10412 | -5.90428 | -5.19835 | -4.21267 | -5.89283 | -4.65146 |
| 11 | 106 | 106 Comp Air - ASD (1-5 hp) / Fab Metals | 0 | 0 | -149.332 | -24.4053 | -25.1357 | -17.1512 | -17.5929 | -16.4139 | -12.4741 | -10.236 | -9.04134 | -12.985 | -10.1965 |
| 11 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -142.236 | -18.1428 | -18.396 | -13.0029 | -12.9989 | -12.0838 | -9.57132 | -7.72817 | -6.9664 | -9.12819 | -6.9931 |
| 11 | 108 | 108 Comp Air - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -137.176 | -12.9881 | -13.5499 | -9.10738 | -9.84133 | -9.06546 | -6.89722 | -6.02962 | -5.08448 | -6.60428 | 0 |
| 11 | 109 | 109 Comp Air - ASD (6-100 hp) / Fab Metals | 0 | 0 | -149.068 | -24.5215 | -24.9717 | -17.3172 | -17.689 | -16.3004 | -12.516 | -10.5325 | -8.44295 | -13.1775 | 0 |
| 11 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -132.553 | -8.75684 | -9.19599 | -6.14791 | -6.53005 | -5.30355 | -4.80707 | -3.74472 | -3.10244 | -4.57003 | 0 |
| 11 | 111 | 111 Comp Air - Replace 100+ HP motor / Fab Metals | 0 | 0 | -135.86 | -11.9698 | -12.4047 | -8.62864 | -8.63812 | -8.06751 | 0 | 0 | 0 | 0 | 0 |
| 11 | 112 | 112 Comp Air - ASD (100+ hp) / Fab Metals | 0 | 0 | -149.045 | -24.4986 | -24.9472 | -17.2917 | -17.9675 | -16.273 | 0 | 0 | 0 | 0 | 0 |
| 11 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -128.9 | -5.21441 | -6.19202 | -3.47102 | -4.10107 | -3.99815 | 0 | 0 | 0 | 0 | 0 |
| 11 | 201 | 201 Fans - O&M / Fab Metals | 0 | 0 | -130.923 | -7.17372 | -8.11534 | -4.98598 | -5.15837 | -4.87263 | -4.016 | -3.10549 | -2.96783 | -3.40267 | 0 |
| 11 | 202 | 202 Fans - Controls / Fab Metals | 0 | 0 | -277.936 | -146.278 | -150.63 | -103.679 | -107.558 | -94.6921 | -74.1331 | -61.3915 | -55.6213 | -77.6187 | 0 |
| 11 | 203 | 203 Fans - System Optimization / Fab Metals | 0 | 0 | -226.725 | -97.6596 | -100.488 | -69.0978 | -72.2028 | -62.6144 | -49.6558 | -41.3222 | -37.1539 | -51.8472 | 0 |
| 11 | 204 | 204 Fans- Improve components / Fab Metals | 0 | 0 | -143.879 | -19.4851 | -20.2544 | -13.9601 | -14.1762 | -12.8256 | -9.93967 | -8.45132 | -7.46877 | -10.1074 | 0 |
| 11 | 205 | 205 Fans - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -135.029 | -11.2816 | -11.4944 | -7.76898 | -8.19246 | -7.10412 | -5.90428 | -5.19835 | -4.21267 | -5.89283 | -4.65146 |
| 11 | 206 | 206 Fans - ASD (1-5 hp) / Fab Metals | 0 | 0 | -149.484 | -24.8046 | -25.046 | -17.3179 | -17.4642 | -16.343 | -12.4089 | -10.4288 | -8.61074 | -12.9291 | -9.88922 |
| 11 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -142.236 | -18.1428 | -18.396 | -13.0029 | -12.9989 | -12.0838 | -9.57132 | -7.72817 | -6.9664 | -9.12819 | -6.9931 |
| 11 | 208 | 208 Fans - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -137.176 | -12.9881 | -13.5499 | -9.10738 | -9.84133 | -9.06546 | -6.89722 | -6.02962 | -5.08448 | -6.60428 | 0 |
| 11 | 209 | 209 Fans - ASD (6-100 hp) / Fab Metals | 0 | 0 | -149.185 | -24.6366 | -25.0962 | -17.1484 | -17.5221 | -16.3903 | -12.521 | -10.5058 | -8.44101 | -12.9642 | 0 |
| 11 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -132.553 | -8.75684 | -9.19599 | -6.14791 | -6.53005 | -5.30355 | -4.80707 | -3.74472 | -3.10244 | -4.57003 | 0 |
| 11 | 211 | 211 Fans - Replace 100+ HP motor / Fab Metals | 0 | 0 | -135.86 | -11.9698 | -12.4047 | -8.62864 | -8.63812 | -8.06751 | 0 | 0 | 0 | 0 | 0 |
| 11 | 212 | 212 Fans - ASD (100+ hp) / Fab Metals | 0 | 0 | -149.098 | -24.5509 | -25.0032 | -17.0999 | -18.0291 | -16.3354 | 0 | 0 | 0 | 0 | 0 |
| 11 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -128.9 | -5.21441 | -6.19202 | -3.47102 | -4.10107 | -3.99815 | 0 | 0 | 0 | 0 | 0 |
| 11 | 301 | 301 Pumps - O&M / Fab Metals | 0 | 0 | -165.753 | -40.0642 | -41.1221 | -28.4616 | -29.4963 | -26.1206 | -20.5112 | -16.8685 | -14.6418 | -21.294 | 0 |
| 11 | 302 | 302 Pumps - Controls / Fab Metals | 0 | 0 | -272.564 | -140.71 | -144.997 | -99.8311 | -103.854 | -90.5934 | -72.0357 | -59.5136 | -53.7849 | -75.0065 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11 | 303 | 303 Pumps - System Optimization / Fab Metals | 0 | 0 | -295.116 | -162.189 | -166.906 | -115.055 | -120 | -104.762 | -82.0409 | -68.6579 | -61.9706 | -87.0489 | 0 |
| 11 | 304 | 304 Pumps - Sizing / Fab Metals | 0 | 0 | -218.869 | -90.0525 | -92.4441 | -63.4295 | -66.3384 | -57.7858 | -45.4103 | -37.9187 | -33.983 | -47.663 | 0 |
| 11 | 305 | 305 Pumps - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -135.029 | -11.2816 | -11.4944 | -7.76898 | -8.19246 | -7.10412 | -5.90428 | -5.19835 | -4.21267 | -5.89283 | -4.65146 |
| 11 | 306 | 306 Pumps - ASD (1-5 hp) / Fab Metals | 0 | 0 | -149.433 | -24.6298 | -25.2423 | -17.262 | -17.9046 | -16.5327 | -12.3466 | -10.3611 | -8.54248 | -12.8608 | -9.57151 |
| 11 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -142.236 | -18.1428 | -18.396 | -13.0029 | -12.9989 | -12.0838 | -9.57132 | -7.72817 | -6.9664 | -9.12819 | -6.9931 |
| 11 | 308 | 308 Pumps - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -137.176 | -12.9881 | -13.5499 | -9.10738 | -9.84133 | -9.06546 | -6.89722 | -6.02962 | -5.08448 | -6.60428 | 0 |
| 11 | 309 | 309 Pumps - ASD (6-100 hp) / Fab Metals | 0 | 0 | -149.15 | -24.6023 | -25.0584 | -17.1572 | -17.7844 | -16.3969 | -12.6156 | -10.6302 | -8.54138 | -13.0258 | 0 |
| 11 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -132.553 | -8.75684 | -9.19599 | -6.14791 | -6.53005 | -5.30355 | -4.80707 | -3.74472 | -3.10244 | -4.57003 | 0 |
| 11 | 311 | 311 Pumps - Replace 100+ HP motor / Fab Metals | 0 | 0 | -135.86 | -11.9698 | -12.4047 | -8.62864 | -8.63812 | -8.06751 | 0 | 0 | 0 | 0 | 0 |
| 11 | 312 | 312 Pumps - ASD (100+ hp) / Fab Metals | 0 | 0 | -149.15 | -24.4791 | -24.9263 | -17.2699 | -17.639 | -16.2497 | 0 | 0 | 0 | 0 | 0 |
| 11 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -128.9 | -5.21441 | -6.19202 | -3.47102 | -4.10107 | -3.99815 | 0 | 0 | 0 | 0 | 0 |
| 11 | 427 | 427 Drives - Optimization process (M&T) / Fab Metals | 0 | 0 | -165.259 | -39.7082 | -40.5682 | -27.9676 | -29.1935 | -25.8004 | -20.5752 | -16.6324 | -14.9423 | -20.7159 | 0 |
| 11 | 428 | 428 Drives - Scheduling / Fab Metals | 0 | 0 | -145.541 | -21.3382 | -21.7948 | -15.1194 | -15.6053 | -13.8219 | -10.6089 | -9.17974 | -7.49844 | -11.159 | 0 |
| 11 | 429 | 429 Machinery / Fab Metals | 0 | 0 | -152.854 | -27.6909 | -28.6306 | -19.8614 | -20.2593 | -18.2512 | -14.3708 | -11.8225 | -10.56 | -15.0965 | 0 |
| 11 | 509 | 509 Efficient Curing ovens / Fab Metals | 0 | 0 | -217.37 | -88.7136 | -91.5476 | -63.1315 | -65.6495 | -56.5427 | -45.1676 | -37.371 | -33.3944 | -47.1784 | -34.9375 |
| 11 | 510 | 510 Heating - Optimization process (M&T) / Fab Metals | 0 | 0 | -165.259 | -39.7082 | -40.5682 | -27.9676 | -29.1935 | -25.8004 | -20.5752 | -16.6324 | -14.9423 | -20.7159 | 0 |
| 11 | 511 | 511 Heating - Scheduling / Fab Metals | 0 | 0 | -145.541 | -21.3382 | -21.7948 | -15.1194 | -15.6053 | -13.8219 | -10.6089 | -9.17974 | -7.49844 | -11.159 | 0 |
| 11 | 603 | 603 New transformers welding / Fab Metals | 0 | 0 | -237.54 | -108.261 | -111.255 | -76.3946 | -79.5547 | -69.33 | -54.5521 | -46.0325 | -41.4954 | -57.6037 | -42.9341 |
| 11 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Fab Metals | 0 | 0 | -170.999 | -45.508 | -46.8721 | -32.4303 | -33.9812 | -30.3505 | -23.6268 | -20.0352 | -17.0317 | -24.4673 | -18.4548 |
| 11 | 702 | 702 High Efficiency Chiller Motors / Fab Metals | 0 | 0 | -135.788 | -12.0219 | -12.2113 | -8.32954 | -8.35199 | -7.76777 | -6.03638 | -4.87527 | -3.88822 | -6.00775 | -4.49238 |
| 11 | 703 | 703 EMS - Chiller / Fab Metals | 0 | 0 | -166.612 | -40.8752 | -42.9299 | -29.5608 | -31.3156 | -26.9947 | -21.8397 | -18.0295 | -16.0871 | -22.3113 | 0 |
| 11 | 704 | 704 Chiller Tune Up/Diagnostics / Fab Metals | 0 | 0 | -156.552 | -31.523 | -32.0786 | -22.3442 | -22.5213 | -20.6363 | -15.7291 | -13.1161 | -11.3923 | -16.4017 | 0 |
| 11 | 705 | 705 VSD for Chiller Pumps and Towers / Fab Metals | 0 | 0 | -164.329 | -38.9192 | -40.3194 | -27.9279 | -29.3441 | -25.9297 | -20.5895 | -17.3895 | -14.9299 | -20.7236 | -15.8799 |
| 11 | 706 | 706 EMS Optimization - Chiller / Fab Metals | 0 | 0 | -143.421 | -19.4131 | -20.005 | -13.4301 | -13.8476 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 707 | 707 Aerosol Duct Sealing - Chiller / Fab Metals | 0 | 0 | -165.18 | -39.2754 | -40.5285 | -27.5666 | -28.4363 | -25.0245 | -19.6555 | -16.1614 | -14.4564 | -20.0563 | 0 |
| 11 | 708 | 708 Duct/Pipe Insulation - Chiller / Fab Metals | 0 | 0 | -165.407 | -39.2456 | -40.5337 | -28.0389 | -28.6442 | -25.0329 | -19.3489 | -16.4029 | -14.2579 | -20.5666 | 0 |
| 11 | 709 | 709 Window Film (Standard) - Chiller / Fab Metals | 0 | 0 | -145.504 | -21.1913 | -21.4464 | -14.4764 | -15.3911 | -13.5915 | -10.3391 | -8.88176 | -7.43958 | -10.8543 | 0 |
| 11 | 710 | 710 Roof Insulation - Chiller / Fab Metals | 0 | 0 | -141.859 | -17.7768 | -18.0995 | -12.1739 | -12.6184 | -11.9416 | -8.90059 | -7.03685 | -6.51762 | -9.68239 | -6.80229 |
| 11 | 711 | 711 Cool Roof - Chiller / Fab Metals | 0 | 0 | -228.61 | -98.7585 | -101.911 | -69.9625 | -72.1595 | -62.9157 | -48.7592 | -40.4466 | -36.626 | -52.5271 | -38.0688 |
| 11 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Fab Metals | 0 | 0 | -144.765 | -20.8349 | -21.2969 | -14.7567 | -15.4101 | -13.5856 | -11.1633 | -9.19855 | -7.99298 | -10.9806 | -8.52614 |
| 11 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Fab Metals | 0 | 0 | -271.922 | -139.503 | -143.359 | -98.3091 | -101.77 | -88.7117 | -69.4242 | -57.2813 | -51.7365 | -73.3902 | -53.527 |
| 11 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Fab Metals | 0 | 0 | -179.463 | -52.8668 | -54.3225 | -36.578 | -38.7197 | -33.7828 | -26.372 | -21.6218 | -19.5907 | -27.8574 | -20.183 |
| 11 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Fab Metals | 0 | 0 | -141.9 | -18.0643 | -18.4073 | -12.2436 | -12.7067 | -12.0343 | -9.25394 | -7.65148 | -6.8849 | -9.79885 | 0 |
| 11 | 725 | 725 DX Coil Cleaning / Fab Metals | 0 | 0 | -141.229 | -17.416 | -17.8878 | -11.7558 | -12.1039 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 726 | 726 Optimize Controls / Fab Metals | 0 | 0 | -141.9 | -18.0643 | -18.4073 | -12.2436 | -12.7067 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 727 | 727 Aerosol Duct Sealing / Fab Metals | 0 | 0 | -161.53 | -36.1065 | -37.1763 | -25.2594 | -26.3961 | -23.1178 | -17.7096 | -14.8206 | -13.2884 | -18.6308 | 0 |
| 11 | 728 | 728 Duct/Pipe Insulation / Fab Metals | 0 | 0 | -161.557 | -36.3777 | -37.352 | -25.3978 | -26.0052 | -23.5437 | -18.0609 | -14.9328 | -13.0219 | -18.542 | 0 |
| 11 | 729 | 729 Window Film (Standard) / Fab Metals | 0 | 0 | -142.869 | -18.5143 | -19.0803 | -12.8722 | -13.3607 | -12.0178 | -9.1149 | -7.29431 | -6.40847 | -9.52796 | 0 |
| 11 | 730 | 730 Roof Insulation / Fab Metals | 0 | 0 | -140.413 | -16.003 | -17.1985 | -11.6891 | -11.6028 | -10.938 | -8.27864 | -6.57692 | -5.89762 | -8.7014 | -6.82676 |
| 11 | 731 | 731 Cool Roof - DX / Fab Metals | 0 | 0 | -219.644 | -90.3201 | -93.6302 | -63.7309 | -65.9624 | -57.1135 | -44.8503 | -37.1039 | -33.2986 | -47.9461 | -34.9214 |
| 11 | 801 | 801 Premium T8, Electronic Ballast / Fab Metals | 0 | 0 | -216.749 | -87.5186 | -90.2104 | -61.8881 | -63.9078 | -54.9949 | -43.482 | -36.087 | -32.323 | -46.373 | -33.9044 |
| 11 | 802 | 802 CFL Hardwired, Modular 18W / Fab Metals | 0 | 0 | -344.117 | -206.654 | -212.834 | -145.378 | -149.265 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 803 | 803 CFL Screw-in 18W / Fab Metals | 0 | 0 | -344.117 | -206.654 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 804 | 804 High Bay T5 / Fab Metals | 0 | 0 | -322.951 | -188.422 | -193.883 | -133.344 | -139.186 | -120.866 | -95.0668 | -79.3319 | -71.9942 | -99.5092 | 0 |
| 11 | 805 | 805 Occupancy Sensor / Fab Metals | 0 | 0 | -199.322 | -71.9624 | -74.1593 | -50.8688 | -53.3759 | -46.4412 | -36.6279 | -31.1879 | -27.5225 | 0 | 0 |
| 11 | 901 | 901 Replace V-belts / Fab Metals | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 101 | 101 Compressed Air-O&M / Ind Machinery | 0 | 0 | -194.54 | -66.6254 | -68.9284 | -46.6634 | -47.5663 | -41.8686 | -32.5151 | -26.7338 | -24.356 | -34.7653 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12 | 102 | 102 Compressed Air - Controls / Ind Machinery | 0 | 0 | -177.044 | -50.1657 | -51.0092 | -35.3467 | -36.2972 | -31.7631 | -24.7023 | -20.2783 | -18.1797 | -25.6612 | 0 |
| 12 | 103 | 103 Compressed Air - System Optimization / Ind Machinery | 0 | 0 | -213.243 | -84.3748 | -87.2314 | -59.3813 | -60.6728 | -52.8405 | -40.7561 | -33.925 | -30.2669 | -44.1704 | 0 |
| 12 | 104 | 104 Compressed Air- Sizing / Ind Machinery | 0 | 0 | -161.85 | -36.4252 | -37.25 | -24.9301 | -26.0714 | -22.5356 | -17.3732 | -14.4782 | -12.9468 | -18.1712 | 0 |
| 12 | 105 | 105 Comp Air - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -135.032 | -11.2856 | -11.7483 | -7.91551 | -8.14034 | -7.24377 | -6.12687 | -4.44018 | -3.80613 | -5.43892 | -4.46384 |
| 12 | 106 | 106 Comp Air - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -149.091 | -24.1635 | -25.1437 | -17.2566 | -18.1563 | -16.5238 | -12.7549 | -11.0326 | -8.44727 | -12.9297 | -10.3911 |
| 12 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -142.38 | -18.0378 | -18.9159 | -12.1712 | -12.9069 | -11.7451 | -9.3099 | -7.46636 | -6.72019 | -9.44506 | -7.29425 |
| 12 | 108 | 108 Comp Air - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -137.309 | -13.1211 | -13.8077 | -9.26855 | -9.48766 | -8.7198 | -6.59261 | -5.24812 | -4.29535 | -7.15907 | 0 |
| 12 | 109 | 109 Comp Air - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -149.04 | -24.2434 | -24.9434 | -16.7887 | -17.6605 | -16.2716 | -12.4871 | -10.7538 | -8.41437 | -13.1485 | 0 |
| 12 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -132.565 | -8.64386 | -8.95792 | -6.36088 | -6.49675 | -5.75883 | -4.67837 | -3.60805 | -3.21553 | -4.72257 | 0 |
| 12 | 111 | 111 Comp Air - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -135.739 | -11.7238 | -12.4086 | -8.5242 | -8.84663 | -7.70702 | 0 | 0 | 0 | 0 | 0 |
| 12 | 112 | 112 Comp Air - ASD (100+ hp) / Ind Machinery | 0 | 0 | -149.017 | -24.2206 | -24.919 | -17.0134 | -17.6336 | -16.2444 | 0 | 0 | 0 | 0 | 0 |
| 12 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -128.9 | -5.33937 | -6.19193 | -3.17216 | -3.55597 | -3.94613 | 0 | 0 | 0 | 0 | 0 |
| 12 | 201 | 201 Fans - O&M / Ind Machinery | 0 | 0 | -131.165 | -7.29062 | -8.10716 | -4.86945 | -5.53894 | -4.75609 | -3.44538 | -2.80836 | -2.40486 | -3.69116 | 0 |
| 12 | 202 | 202 Fans - Controls / Ind Machinery | 0 | 0 | -280.798 | -147.394 | -151.745 | -102.763 | -106.026 | -92.2131 | -71.4656 | -58.4403 | -53.2082 | -77.7466 | 0 |
| 12 | 203 | 203 Fans - System Optimization / Ind Machinery | 0 | 0 | -226.194 | -97.3785 | -99.956 | -69.2697 | -72.5865 | -63.2992 | -49.9428 | -42.09 | -37.2894 | -51.4582 | 0 |
| 12 | 204 | 204 Fans- Improve components / Ind Machinery | 0 | 0 | -144.027 | -19.7591 | -20.7783 | -13.6256 | -13.7828 | -12.9849 | -9.96338 | -8.17766 | -7.03875 | -10.1938 | 0 |
| 12 | 205 | 205 Fans - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -135.032 | -11.2856 | -11.7483 | -7.91551 | -8.14034 | -7.24377 | -6.12687 | -4.44018 | -3.80613 | -5.43892 | -4.46384 |
| 12 | 206 | 206 Fans - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -149.371 | -24.1917 | -25.3078 | -17.4272 | -17.8371 | -16.7069 | -12.9436 | -11.2253 | -8.64144 | -13.1235 | -10.3339 |
| 12 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -142.38 | -18.0378 | -18.9159 | -12.1712 | -12.9069 | -11.7451 | -9.3099 | -7.46636 | -6.72019 | -9.44506 | -7.29425 |
| 12 | 208 | 208 Fans - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -137.309 | -13.1211 | -13.8077 | -9.26855 | -9.48766 | -8.7198 | -6.59261 | -5.24812 | -4.29535 | -7.15907 | 0 |
| 12 | 209 | 209 Fans - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -149.048 | -24.3745 | -25.084 | -16.9348 | -17.8153 | -16.4284 | -12.6487 | -10.6689 | -8.83074 | -13.3144 | 0 |
| 12 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -132.565 | -8.64386 | -8.95792 | -6.36088 | -6.49675 | -5.75883 | -4.67837 | -3.60805 | -3.21553 | -4.72257 | 0 |
| 12 | 211 | 211 Fans - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -135.739 | -11.7238 | -12.4086 | -8.5242 | -8.84663 | -7.70702 | 0 | 0 | 0 | 0 | 0 |
| 12 | 212 | 212 Fans - ASD (100+ hp) / Ind Machinery | 0 | 0 | -149.07 | -24.2727 | -24.9748 | -16.8214 | -18.0007 | -16.3067 | 0 | 0 | 0 | 0 | 0 |
| 12 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -128.9 | -5.33937 | -6.19193 | -3.17216 | -3.55597 | -3.94613 | 0 | 0 | 0 | 0 | 0 |
| 12 | 301 | 301 Pumps - O&M / Ind Machinery | 0 | 0 | -166.651 | -40.213 | -41.6457 | -28.6778 | -28.9468 | -25.8188 | -19.9487 | -15.7742 | -14.5471 | -20.4733 | 0 |
| 12 | 302 | 302 Pumps - Controls / Ind Machinery | 0 | 0 | -274.894 | -141.919 | -146.08 | -99.0801 | -102.29 | -89.0211 | -68.9767 | -56.1401 | -51.0901 | -74.0408 | 0 |
| 12 | 303 | 303 Pumps - System Optimization / Ind Machinery | 0 | 0 | -297.961 | -163.789 | -168.254 | -114.919 | -117.352 | -101.789 | -78.8335 | -64.9013 | -59.0172 | -85.802 | 0 |
| 12 | 304 | 304 Pumps - Sizing / Ind Machinery | 0 | 0 | -220.197 | -90.5073 | -93.5233 | -63.6388 | -65.3161 | -56.4632 | -43.5827 | -36.3122 | -32.7504 | -48.3151 | 0 |
| 12 | 305 | 305 Pumps - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -135.032 | -11.2856 | -11.7483 | -7.91551 | -8.14034 | -7.24377 | -6.12687 | -4.44018 | -3.80613 | -5.43892 | -4.46384 |
| 12 | 306 | 306 Pumps - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -149.441 | -24.3878 | -25.0001 | -17.3672 | -17.829 | -16.6425 | -12.8773 | -11.1575 | -8.97144 | -13.0552 | -10.2661 |
| 12 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -142.38 | -18.0378 | -18.9159 | -12.1712 | -12.9069 | -11.7451 | -9.3099 | -7.46636 | -6.72019 | -9.44506 | -7.29425 |
| 12 | 308 | 308 Pumps - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -137.309 | -13.1211 | -13.8077 | -9.26855 | -9.48766 | -8.7198 | -6.59261 | -5.24812 | -4.29535 | -7.15907 | 0 |
| 12 | 309 | 309 Pumps - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -148.997 | -24.3242 | -25.03 | -16.8788 | -17.7559 | -16.3683 | -12.3367 | -10.8555 | -8.5169 | -13.2507 | 0 |
| 12 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -132.565 | -8.64386 | -8.95792 | -6.36088 | -6.49675 | -5.75883 | -4.67837 | -3.60805 | -3.21553 | -4.72257 | 0 |
| 12 | 311 | 311 Pumps - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -135.739 | -11.7238 | -12.4086 | -8.5242 | -8.84663 | -7.70702 | 0 | 0 | 0 | 0 | 0 |
| 12 | 312 | 312 Pumps - ASD (100+ hp) / Ind Machinery | 0 | 0 | -148.997 | -24.2009 | -24.8979 | -16.9915 | -17.6104 | -16.221 | 0 | 0 | 0 | 0 | 0 |
| 12 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -128.9 | -5.33937 | -6.19193 | -3.17216 | -3.55597 | -3.94613 | 0 | 0 | 0 | 0 | 0 |
| 12 | 427 | 427 Drives - Optimization process (M&T) / Ind Machinery | 0 | 0 | -166.157 | -39.9821 | -41.3418 | -28.1789 | -28.644 | -25.2474 | -19.7861 | -16.0615 | -14.5977 | -20.6604 | 0 |
| 12 | 428 | 428 Drives - Scheduling / Ind Machinery | 0 | 0 | -145.409 | -21.3309 | -21.7873 | -15.1606 | -16.164 | -14.3657 | -10.9915 | -9.85149 | -7.63879 | -11.7291 | 0 |
| 12 | 429 | 429 Machinery / Ind Machinery | 0 | 0 | -153.248 | -28.0858 | -28.6503 | -19.6712 | -20.373 | -17.8039 | -13.8592 | -11.5057 | -9.88358 | -14.4905 | 0 |
| 12 | 509 | 509 Efficient Curing ovens / Ind Machinery | 0 | 0 | -218.815 | -89.5354 | -92.3688 | -62.8376 | -64.5529 | -55.9621 | -43.3319 | -36.2528 | -32.2597 | -46.8268 | -34.0715 |
| 12 | 510 | 510 Heating - Optimization process (M&T) / Ind Machinery | 0 | 0 | -166.157 | -39.9821 | -41.3418 | -28.1789 | -28.644 | -25.2474 | -19.7861 | -16.0615 | -14.5977 | -20.6604 | 0 |
| 12 | 511 | 511 Heating - Scheduling / Ind Machinery | 0 | 0 | -145.409 | -21.3309 | -21.7873 | -15.1606 | -16.164 | -14.3657 | -10.9915 | -9.85149 | -7.63879 | -11.7291 | 0 |
| 12 | 603 | 603 New transformers welding / Ind Machinery | 0 | 0 | -239.476 | -108.824 | -112.068 | -76.1269 | -78.4886 | -68.2616 | -53.1768 | -43.6167 | -39.0237 | -57.3373 | -41.1686 |
| 12 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Ind Machinery | 0 | 0 | -170.992 | -45.5003 | -46.8638 | -32.4217 | -34.222 | -30.3412 | -23.6172 | -20.0254 | -17.0218 | -24.4575 | -18.445 |
| 12 | 702 | 702 High Efficiency Chiller Motors / Ind Machinery | 0 | 0 | -135.8 | -12.0341 | -12.2235 | -8.24532 | -8.80836 | -7.42766 | -6.26751 | -4.60653 | -4.25206 | -6.0677 | -4.53664 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12 | 703 | 703 EMS - Chiller / Ind Machinery | 0 | 0 | -166.604 | -40.8674 | -42.6715 | -29.5521 | -31.3063 | -27.2353 | -21.83 | -18.0197 | -16.0771 | -22.3014 | 0 |
| 12 | 704 | 704 Chiller Tune Up/Diagnostics / Ind Machinery | 0 | 0 | -157.447 | -32.0437 | -32.599 | -22.0529 | -22.2088 | -19.8253 | -14.9375 | -12.2934 | -11.2965 | -16.0801 | 0 |
| 12 | 705 | 705 VSD for Chiller Pumps and Towers / Ind Machinery | 0 | 0 | -164.322 | -38.9122 | -40.3119 | -27.9201 | -29.3358 | -25.9213 | -20.5808 | -17.3807 | -14.921 | -20.7148 | -15.8711 |
| 12 | 706 | 706 EMS Optimization - Chiller / Ind Machinery | 0 | 0 | -144.07 | -19.3126 | -20.0294 | -13.7978 | -13.4109 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 707 | 707 Aerosol Duct Sealing - Chiller / Ind Machinery | 0 | 0 | -165.837 | -39.5583 | -41.3111 | -27.739 | -27.5355 | -24.6751 | -18.462 | -15.4723 | -13.5803 | -20.1572 | 0 |
| 12 | 708 | 708 Duct/Pipe Insulation - Chiller / Ind Machinery | 0 | 0 | -166.068 | -39.5324 | -41.3203 | -27.7093 | -27.7922 | -24.6874 | -18.9328 | -15.7059 | -13.8108 | -20.6671 | 0 |
| 12 | 709 | 709 Window Film (Standard) - Chiller / Ind Machinery | 0 | 0 | -146.016 | -21.4537 | -21.9586 | -14.7841 | -15.1923 | -13.3874 | -10.047 | -8.59768 | -7.132 | -10.2118 | 0 |
| 12 | 710 | 710 Roof Insulation - Chiller / Ind Machinery | 0 | 0 | -142.254 | -18.0472 | -18.6198 | -12.0384 | -12.167 | -11.5472 | -8.25708 | -7.12377 | -5.71374 | -9.41809 | -6.50706 |
| 12 | 711 | 711 Cool Roof - Chiller / Ind Machinery | 0 | 0 | -231.19 | -99.8405 | -103.242 | -69.3639 | -70.8192 | -61.7655 | -46.8419 | -38.7566 | -34.78 | -52.1125 | -36.6084 |
| 12 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Ind Machinery | 0 | 0 | -145.15 | -20.9699 | -21.3067 | -14.4675 | -15.6022 | -13.5432 | -10.7821 | -8.81701 | -7.59555 | -11.1303 | -8.42595 |
| 12 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Ind Machinery | 0 | 0 | -275.292 | -141.126 | -145.481 | -97.6404 | -99.5929 | -86.4648 | -66.3529 | -54.1487 | -49.6746 | -73.5812 | -51.1568 |
| 12 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Ind Machinery | 0 | 0 | -180.624 | -53.1541 | -54.8595 | -36.6086 | -37.9074 | -32.7662 | -25.5347 | -20.269 | -19.0355 | -27.4123 | -19.4727 |
| 12 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Ind Machinery | 0 | 0 | -142.55 | -18.0889 | -18.9318 | -12.3624 | -12.5098 | -11.3943 | -8.36475 | -7.24287 | -6.08589 | -9.78915 | 0 |
| 12 | 725 | 725 DX Coil Cleaning / Ind Machinery | 0 | 0 | -141.636 | -17.1986 | -18.4204 | -11.9364 | -11.9705 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 726 | 726 Optimize Controls / Ind Machinery | 0 | 0 | -142.55 | -18.0889 | -18.9318 | -12.3624 | -12.5098 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 727 | 727 Aerosol Duct Sealing / Ind Machinery | 0 | 0 | -162.45 | -36.5266 | -37.7211 | -25.2418 | -25.6188 | -22.5823 | -17.1926 | -14.2764 | -12.7363 | -18.564 | 0 |
| 12 | 728 | 728 Duct/Pipe Insulation / Ind Machinery | 0 | 0 | -162.477 | -36.5479 | -38.147 | -25.3872 | -25.7731 | -22.7575 | -17.544 | -14.1427 | -12.8491 | -18.245 | 0 |
| 12 | 729 | 729 Window Film (Standard) / Ind Machinery | 0 | 0 | -143.127 | -18.6478 | -19.3386 | -13.1761 | -12.9531 | -11.5598 | -8.319 | -7.25629 | -6.74555 | -9.6462 | 0 |
| 12 | 730 | 730 Roof Insulation / Ind Machinery | 0 | 0 | -140.933 | -16.2735 | -17.4689 | -11.5527 | -11.7737 | -11.0429 | -7.88522 | -6.93734 | -5.89882 | -8.90643 | -5.81284 |
| 12 | 731 | 731 Cool Roof - DX / Ind Machinery | 0 | 0 | -221.857 | -91.6607 | -94.7202 | -63.7485 | -64.6304 | -56.0745 | -42.9729 | -35.6924 | -31.9345 | -47.4822 | -33.4119 |
| 12 | 801 | 801 Premium T8, Electronic Ballast / Ind Machinery | 0 | 0 | -218.312 | -88.4586 | -91.7746 | -61.1294 | -62.5944 | -53.9415 | -41.8284 | -34.395 | -30.8731 | -46.1116 | -32.3798 |
| 12 | 802 | 802 CFL Hardwired, Modular 18W / Ind Machinery | 0 | 0 | -349.62 | -209.161 | -215.964 | -147.042 | -150.085 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 803 | 803 CFL Screw-in 18W / Ind Machinery | 0 | 0 | -349.62 | -209.161 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 804 | 804 High Bay T5 / Ind Machinery | 0 | 0 | -326.074 | -189.8 | -195.509 | -132.573 | -136.399 | -118.01 | -91.9886 | -74.9384 | -68.6455 | -99.7263 | 0 |
| 12 | 805 | 805 Occupancy Sensor / Ind Machinery | 0 | 0 | -198.78 | -71.9198 | -74.3661 | -50.6777 | -53.499 | -47.2613 | -37.1066 | -30.9131 | -27.6539 | 0 | 0 |
| 12 | 901 | 901 Replace V-belts / Ind Machinery | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 101 | 101 Compressed Air-O&M / Electronics | 0 | 0 | -192.729 | -66.0617 | -68.1154 | -47.221 | -49.1601 | -42.9583 | -34.1086 | -28.6063 | -26.0025 | -35.6299 | 0 |
| 13 | 102 | 102 Compressed Air - Controls / Electronics | 0 | 0 | -176.005 | -49.626 | -50.9699 | -35.271 | -36.9985 | -32.2225 | -25.1478 | -21.5058 | -19.1657 | -26.2559 | 0 |
| 13 | 103 | 103 Compressed Air - System Optimization / Electronics | 0 | 0 | -211.686 | -83.8153 | -86.1726 | -59.6523 | -62.4815 | -54.4063 | -43.159 | -35.591 | -32.2309 | -44.6872 | 0 |
| 13 | 104 | 104 Compressed Air- Sizing / Electronics | 0 | 0 | -161.343 | -35.7925 | -36.7427 | -25.0818 | -26.4427 | -23.963 | -18.2411 | -16.0926 | -13.4602 | -19.192 | 0 |
| 13 | 105 | 105 Comp Air - Replace 1-5 HP motor / Electronics | 0 | 0 | -134.767 | -11.5196 | -11.4824 | -7.7569 | -8.18045 | -7.09214 | -6.14228 | -5.4405 | -4.70485 | -5.88487 | -4.89337 |
| 13 | 106 | 106 Comp Air - ASD (1-5 hp) / Electronics | 0 | 0 | -149.177 | -24.1244 | -25.1049 | -17.1205 | -17.5071 | -16.3834 | -12.1935 | -10.4559 | -8.38628 | -12.9548 | -9.91617 |
| 13 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -142.236 | -18.1429 | -18.6461 | -12.8076 | -12.9992 | -11.8916 | -9.46209 | -7.87677 | -6.71705 | -9.47209 | -7.32145 |
| 13 | 108 | 108 Comp Air - Replace 6-100 HP motor / Electronics | 0 | 0 | -137.043 | -13.1051 | -13.5419 | -8.84944 | -10.1391 | -8.8076 | -6.88933 | -5.52179 | -4.98309 | -6.59656 | 0 |
| 13 | 109 | 109 Comp Air - ASD (6-100 hp) / Electronics | 0 | 0 | -148.912 | -24.2404 | -24.9408 | -16.7864 | -17.7141 | -16.2698 | -12.4854 | -10.7523 | -8.31104 | -13.1468 | 0 |
| 13 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -132.42 | -8.74882 | -9.18797 | -6.13987 | -6.52214 | -5.7956 | -4.79911 | -3.74087 | -3.09855 | -4.56641 | 0 |
| 13 | 111 | 111 Comp Air - Replace 100+ HP motor / Electronics | 0 | 0 | -135.598 | -11.9578 | -12.1427 | -8.61658 | -8.62619 | -8.05557 | 0 | 0 | 0 | 0 | 0 |
| 13 | 112 | 112 Comp Air - ASD (100+ hp) / Electronics | 0 | 0 | -148.764 | -24.2175 | -24.9163 | -17.0109 | -17.6317 | -16.2424 | 0 | 0 | 0 | 0 | 0 |
| 13 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -129.017 | -5.20637 | -5.93396 | -3.46302 | -3.54826 | -3.99014 | 0 | 0 | 0 | 0 | 0 |
| 13 | 201 | 201 Fans - O&M / Electronics | 0 | 0 | -130.794 | -7.29473 | -7.86134 | -5.48197 | -5.34899 | -4.86869 | -4.0121 | -3.10158 | -2.30807 | -3.64858 | 0 |
| 13 | 202 | 202 Fans - Controls / Electronics | 0 | 0 | -278.038 | -145.88 | -150.107 | -103.719 | -108.564 | -94.7499 | -74.9538 | -62.7362 | -55.8179 | -78.4238 | 0 |
| 13 | 203 | 203 Fans - System Optimization / Electronics | 0 | 0 | -225.6 | -97.284 | -99.3627 | -68.7229 | -71.774 | -62.9905 | -49.0316 | -40.9531 | -36.3873 | -51.4773 | 0 |
| 13 | 204 | 204 Fans- Improve components / Electronics | 0 | 0 | -143.895 | -19.5013 | -20.5206 | -14.0729 | -14.2483 | -13.1943 | -10.5105 | -8.7488 | -7.38362 | -10.0618 | 0 |
| 13 | 205 | 205 Fans - Replace 1-5 HP motor / Electronics | 0 | 0 | -134.767 | -11.5196 | -11.4824 | -7.7569 | -8.18045 | -7.09214 | -6.14228 | -5.4405 | -4.70485 | -5.88487 | -4.89337 |
| 13 | 206 | 206 Fans - ASD (1-5 hp) / Electronics | 0 | 0 | -149.082 | -24.2776 | -25.2691 | -17.2911 | -17.6879 | -16.3165 | -12.6324 | -10.3987 | -8.33059 | -13.1484 | -9.85889 |
| 13 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -142.236 | -18.1429 | -18.6461 | -12.8076 | -12.9992 | -11.8916 | -9.46209 | -7.87677 | -6.71705 | -9.47209 | -7.32145 |
| 13 | 208 | 208 Fans - Replace 6-100 HP motor / Electronics | 0 | 0 | -137.043 | -13.1051 | -13.5419 | -8.84944 | -10.1391 | -8.8076 | -6.88933 | -5.52179 | -4.98309 | -6.59656 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13 | 209 | 209 Fans - ASD (6-100 hp) / Electronics | 0 | 0 | -149.029 | -24.3554 | -24.8153 | -16.8676 | -17.9918 | -16.1097 | -12.2403 | -10.4755 | -8.41081 | -12.9334 | 0 |
| 13 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -132.42 | -8.74882 | -9.18797 | -6.13987 | -6.52214 | -5.7956 | -4.79911 | -3.74087 | -3.09855 | -4.56641 | 0 |
| 13 | 211 | 211 Fans - Replace 100+ HP motor / Electronics | 0 | 0 | -135.598 | -11.9578 | -12.1427 | -8.61658 | -8.62619 | -8.05557 | 0 | 0 | 0 | 0 | 0 |
| 13 | 212 | 212 Fans - ASD (100+ hp) / Electronics | 0 | 0 | -148.817 | -24.2697 | -24.7223 | -17.069 | -17.9987 | -16.3048 | 0 | 0 | 0 | 0 | 0 |
| 13 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -129.017 | -5.20637 | -5.93396 | -3.46302 | -3.54826 | -3.99014 | 0 | 0 | 0 | 0 | 0 |
| 13 | 301 | 301 Pumps - O&M / Electronics | 0 | 0 | -165.5 | -40.0602 | -40.8684 | -28.8104 | -29.7986 | -26.7262 | -20.7888 | -17.3769 | -15.0486 | -20.9667 | 0 |
| 13 | 302 | 302 Pumps - Controls / Electronics | 0 | 0 | -271.904 | -140.549 | -144.712 | -100.31 | -104.586 | -91.0826 | -71.9537 | -59.9244 | -54.2196 | -74.7062 | 0 |
| 13 | 303 | 303 Pumps - System Optimization / Electronics | 0 | 0 | -294.581 | -161.779 | -166.37 | -115.082 | -120.354 | -105.309 | -83.0762 | -69.4675 | -62.7022 | -86.3431 | 0 |
| 13 | 304 | 304 Pumps - Sizing / Electronics | 0 | 0 | -218.362 | -89.7947 | -92.1865 | -64.377 | -66.8584 | -58.2462 | -46.7153 | -38.4858 | -34.4409 | -48.0583 | 0 |
| 13 | 305 | 305 Pumps - Replace 1-5 HP motor / Electronics | 0 | 0 | -134.767 | -11.5196 | -11.4824 | -7.7569 | -8.18045 | -7.09214 | -6.14228 | -5.4405 | -4.70485 | -5.88487 | -4.89337 |
| 13 | 306 | 306 Pumps - ASD (1-5 hp) / Electronics | 0 | 0 | -149.152 | -24.2237 | -25.2114 | -17.2311 | -17.6798 | -16.2521 | -12.566 | -10.5809 | -8.38733 | -13.0803 | -9.79111 |
| 13 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -142.236 | -18.1429 | -18.6461 | -12.8076 | -12.9992 | -11.8916 | -9.46209 | -7.87677 | -6.71705 | -9.47209 | -7.32145 |
| 13 | 308 | 308 Pumps - Replace 6-100 HP motor / Electronics | 0 | 0 | -137.043 | -13.1051 | -13.5419 | -8.84944 | -10.1391 | -8.8076 | -6.88933 | -5.52179 | -4.98309 | -6.59656 | 0 |
| 13 | 309 | 309 Pumps - ASD (6-100 hp) / Electronics | 0 | 0 | -149.103 | -24.3051 | -24.7613 | -16.8115 | -17.7379 | -16.0496 | -12.4283 | -10.4162 | -8.49935 | -12.8737 | 0 |
| 13 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -132.42 | -8.74882 | -9.18797 | -6.13987 | -6.52214 | -5.7956 | -4.79911 | -3.74087 | -3.09855 | -4.56641 | 0 |
| 13 | 311 | 311 Pumps - Replace 100+ HP motor / Electronics | 0 | 0 | -135.598 | -11.9578 | -12.1427 | -8.61658 | -8.62619 | -8.05557 | 0 | 0 | 0 | 0 | 0 |
| 13 | 312 | 312 Pumps - ASD (100+ hp) / Electronics | 0 | 0 | -148.744 | -23.948 | -24.8954 | -17.2391 | -17.914 | -16.2191 | 0 | 0 | 0 | 0 | 0 |
| 13 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -129.017 | -5.20637 | -5.93396 | -3.46302 | -3.54826 | -3.99014 | 0 | 0 | 0 | 0 | 0 |
| 13 | 413 | 413 Clean Room - Controls / Electronics | 0 | 0 | -164.884 | -39.4584 | -40.5684 | -28.5705 | -29.2486 | -25.659 | -20.8567 | -17.172 | -14.5682 | -21.1698 | 0 |
| 13 | 428 | 428 Drives - Scheduling / Electronics | 0 | 0 | -143.738 | -19.3476 | -20.2239 | -13.4669 | -14.1189 | -12.8159 | -10.2596 | -8.48374 | -7.13944 | -9.88847 | 0 |
| 13 | 429 | 429 Machinery / Electronics | 0 | 0 | -136.974 | -13.5296 | -13.4971 | -9.07257 | -9.83503 | -9.06572 | -6.91335 | -6.05696 | -5.11616 | -7.38452 | 0 |
| 13 | 509 | 509 Efficient Curing ovens / Electronics | 0 | 0 | -217.238 | -88.8307 | -91.54 | -63.3397 | -66.3533 | -57.5079 | -45.4414 | -37.6609 | -33.9894 | -47.3274 | -35.6022 |
| 13 | 604 | 604 Efficient processes (welding, etc.) / Electronics | 0 | 0 | -237.142 | -107.612 | -110.982 | -76.5762 | -79.9381 | -69.5245 | -55.3413 | -46.5644 | -41.3871 | -57.4715 | -43.317 |
| 13 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Electronics | 0 | 0 | -171.002 | -45.5109 | -46.8752 | -32.4335 | -33.9846 | -30.3539 | -23.6303 | -20.0388 | -17.0353 | -24.4709 | -18.4584 |
| 13 | 702 | 702 High Efficiency Chiller Motors / Electronics | 0 | 0 | -135.663 | -11.8971 | -12.2116 | -8.38945 | -8.95183 | -7.58058 | -6.17741 | -5.24691 | -4.65804 | -6.09031 | -5.07499 |
| 13 | 703 | 703 EMS - Chiller / Electronics | 0 | 0 | -166.615 | -40.8782 | -42.9331 | -29.5641 | -31.3191 | -26.9983 | -21.8434 | -18.0333 | -16.0909 | -22.3151 | 0 |
| 13 | 704 | 704 Chiller Tune Up/Diagnostics / Electronics | 0 | 0 | -156.428 | -31.3987 | -32.3294 | -22.1925 | -22.8729 | -20.4897 | -15.7612 | -13.3945 | -11.4362 | -16.5712 | 0 |
| 13 | 705 | 705 VSD for Chiller Pumps and Towers / Electronics | 0 | 0 | -164.332 | -38.9218 | -40.3222 | -27.9308 | -29.2809 | -25.9327 | -20.5926 | -17.3927 | -14.785 | -20.7269 | -15.8831 |
| 13 | 706 | 706 EMS Optimization - Chiller / Electronics | 0 | 0 | -143.547 | -19.2884 | -19.7554 | -13.7283 | -14.4038 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 707 | 707 Aerosol Duct Sealing - Chiller / Electronics | 0 | 0 | -164.798 | -39.1431 | -40.2713 | -27.913 | -28.7898 | -25.127 | -19.6798 | -16.9515 | -14.4735 | -20.4877 | 0 |
| 13 | 708 | 708 Duct/Pipe Insulation - Chiller / Electronics | 0 | 0 | -164.9 | -39.3632 | -40.2766 | -27.8842 | -29.0436 | -24.8853 | -19.6232 | -16.4041 | -14.4543 | -20.2322 | 0 |
| 13 | 709 | 709 Window Film (Standard) - Chiller / Electronics | 0 | 0 | -145.497 | -21.3086 | -21.6887 | -14.7675 | -15.45 | -13.6356 | -10.4722 | -8.80411 | -7.08069 | -11.4256 | 0 |
| 13 | 710 | 710 Roof Insulation - Chiller / Electronics | 0 | 0 | -141.731 | -18.0231 | -18.0958 | -12.4749 | -12.4204 | -11.9957 | -9.28765 | -7.6819 | -6.41255 | -9.27236 | -7.1272 |
| 13 | 711 | 711 Cool Roof - Chiller / Electronics | 0 | 0 | -228.484 | -98.7563 | -102.159 | -70.0231 | -72.4913 | -63.2462 | -49.5782 | -41.282 | -37.7036 | -53.1199 | -38.6455 |
| 13 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Electronics | 0 | 0 | -144.766 | -20.836 | -21.2981 | -14.7579 | -15.4114 | -13.5869 | -11.1647 | -9.19996 | -7.9944 | -10.982 | -8.52755 |
| 13 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Electronics | 0 | 0 | -271.148 | -138.978 | -143.334 | -98.6463 | -102.635 | -88.8208 | -70.3613 | -58.243 | -52.4486 | -73.8049 | -54.9566 |
| 13 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Electronics | 0 | 0 | -179.319 | -52.3479 | -54.3038 | -36.6669 | -38.5512 | -34.1229 | -26.3771 | -21.8926 | -20.1119 | -27.7765 | -20.8521 |
| 13 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Electronics | 0 | 0 | -142.01 | -17.9236 | -18.3917 | -12.228 | -12.625 | -12.019 | -9.23841 | -7.3822 | -6.49077 | -10.0295 | 0 |
| 13 | 725 | 725 DX Coil Cleaning / Electronics | 0 | 0 | -140.98 | -17.4164 | -17.8883 | -12.0601 | -12.172 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 726 | 726 Optimize Controls / Electronics | 0 | 0 | -142.01 | -17.9236 | -18.3917 | -12.228 | -12.625 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 727 | 727 Aerosol Duct Sealing / Electronics | 0 | 0 | -161.528 | -35.7284 | -36.9233 | -25.3589 | -26.1992 | -23.4685 | -17.9881 | -15.3298 | -13.4226 | -18.8271 | 0 |
| 13 | 728 | 728 Duct/Pipe Insulation / Electronics | 0 | 0 | -161.675 | -35.9956 | -37.095 | -25.2443 | -26.36 | -23.3896 | -18.0854 | -15.4652 | -13.5389 | -19.2232 | 0 |
| 13 | 729 | 729 Window Film (Standard) / Electronics | 0 | 0 | -142.604 | -18.4987 | -19.0647 | -12.8567 | -13.4011 | -12.0024 | -9.34951 | -7.77507 | -6.53772 | -9.50804 | 0 |
| 13 | 730 | 730 Roof Insulation / Electronics | 0 | 0 | -140.397 | -16.1123 | -16.9328 | -11.4234 | -11.5874 | -11.1726 | -8.26314 | -6.55747 | -5.87837 | -8.6823 | -6.80713 |
| 13 | 731 | 731 Cool Roof - DX / Electronics | 0 | 0 | -219.239 | -90.29 | -93.1004 | -63.6564 | -66.4053 | -57.5511 | -45.1335 | -37.63 | -33.8328 | -47.8083 | -35.2831 |
| 13 | 801 | 801 Premium T8, Electronic Ballast / Electronics | 0 | 0 | -216.226 | -87.1198 | -90.1866 | -61.5803 | -64.6515 | -55.6941 | -43.9898 | -36.8571 | -32.7651 | -46.7524 | -34.549 |
| 13 | 802 | 802 CFL Hardwired, Modular 18W / Electronics | 0 | 0 | -342.825 | -205.736 | -212.291 | -145.205 | -150.324 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13 | 803 | 803 CFL Screw-in 18W / Electronics | 0 | 0 | -342.825 | -205.736 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 804 | 804 High Bay T5 / Electronics | 0 | 0 | -322.178 | -187.898 | -193.36 | -133.986 | -140.098 | -122.028 | -96.4113 | -80.6929 | -72.8552 | -100.502 | 0 |
| 13 | 805 | 805 Occupancy Sensor / Electronics | 0 | 0 | -198.604 | -72.1188 | -74.0662 | -50.5259 | -53.0342 | -46.8492 | -36.7855 | -30.6006 | -26.6854 | 0 | 0 |
| 13 | 901 | 901 Replace V-belts / Electronics | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 101 | 101 Compressed Air-O&M / Transp Eqp | 0 | 0 | -193.498 | -66.3315 | -68.385 | -47.0356 | -48.7075 | -43.0099 | -32.8234 | -28.2971 | -25.2088 | -35.0077 | 0 |
| 14 | 102 | 102 Compressed Air - Controls / Transp Eqp | 0 | 0 | -175.888 | -49.8839 | -51.4776 | -35.3725 | -36.3387 | -32.0638 | -25.2647 | -21.1146 | -18.7664 | -26.2242 | 0 |
| 14 | 103 | 103 Compressed Air - System Optimization / Transp Eqp | 0 | 0 | -212.709 | -84.0891 | -86.4462 | -59.4122 | -61.9875 | -53.161 | -42.237 | -35.1684 | -31.5657 | -44.9441 | 0 |
| 14 | 104 | 104 Compressed Air- Sizing / Transp Eqp | 0 | 0 | -161.46 | -35.7843 | -36.9844 | -25.4231 | -26.0183 | -23.2886 | -17.5608 | -15.4124 | -13.506 | -18.9105 | 0 |
| 14 | 105 | 105 Comp Air - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -135.033 | -11.0356 | -11.4984 | -8.023 | -8.1964 | -7.35805 | -5.90832 | -5.45231 | -4.4665 | -5.64659 | -4.65506 |
| 14 | 106 | 106 Comp Air - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -149.34 | -24.5379 | -25.1433 | -17.4576 | -17.6005 | -16.7231 | -12.6144 | -10.8609 | -8.29882 | -12.5705 | -9.78211 |
| 14 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -142.24 | -18.0218 | -18.65 | -12.7567 | -13.0027 | -11.8377 | -9.32526 | -7.736 | -6.72443 | -9.63594 | -7.00121 |
| 14 | 108 | 108 Comp Air - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -137.184 | -13.2462 | -13.5579 | -9.1154 | -9.90492 | -9.07345 | -6.90522 | -6.03749 | -5.24879 | -7.11201 | 0 |
| 14 | 109 | 109 Comp Air - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -149.059 | -24.2629 | -24.9631 | -17.0585 | -17.7359 | -16.5417 | -12.5073 | -10.5239 | -8.83258 | -13.1686 | 0 |
| 14 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -132.686 | -8.88988 | -9.20404 | -6.15587 | -6.78806 | -5.81154 | -4.56513 | -3.99873 | -3.35623 | -4.57438 | 0 |
| 14 | 111 | 111 Comp Air - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -135.723 | -11.8327 | -12.3926 | -8.31778 | -8.87587 | -7.50371 | 0 | 0 | 0 | 0 | 0 |
| 14 | 112 | 112 Comp Air - ASD (100+ hp) / Transp Eqp | 0 | 0 | -149.036 | -24.2401 | -24.9387 | -17.0331 | -17.9035 | -16.5144 | 0 | 0 | 0 | 0 | 0 |
| 14 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40614 | -3.79003 | -3.93025 | 0 | 0 | 0 | 0 | 0 |
| 14 | 201 | 201 Fans - O&M / Transp Eqp | 0 | 0 | -131.052 | -7.30272 | -7.86935 | -5.23994 | -5.10698 | -5.12657 | -4.01997 | -3.10941 | -2.31585 | -3.65672 | 0 |
| 14 | 202 | 202 Fans - Controls / Transp Eqp | 0 | 0 | -278.338 | -146.556 | -150.658 | -103.104 | -107.975 | -94.1161 | -73.3796 | -61.3797 | -55.6248 | -77.6931 | 0 |
| 14 | 203 | 203 Fans - System Optimization / Transp Eqp | 0 | 0 | -226.458 | -97.517 | -100.47 | -69.3779 | -72.4899 | -62.8971 | -49.3098 | -41.457 | -37.289 | -51.9425 | 0 |
| 14 | 204 | 204 Fans- Improve components / Transp Eqp | 0 | 0 | -143.887 | -19.4932 | -20.2624 | -13.718 | -14.1285 | -12.5835 | -9.94764 | -8.70922 | -7.32825 | -10.3656 | 0 |
| 14 | 205 | 205 Fans - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -135.033 | -11.0356 | -11.4984 | -8.023 | -8.1964 | -7.35805 | -5.90832 | -5.45231 | -4.4665 | -5.64659 | -4.65506 |
| 14 | 206 | 206 Fans - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -149.495 | -24.5661 | -25.0575 | -17.6282 | -17.5869 | -16.4062 | -12.8031 | -10.8037 | -9.14139 | -13.2644 | -9.72487 |
| 14 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -142.24 | -18.0218 | -18.65 | -12.7567 | -13.0027 | -11.8377 | -9.32526 | -7.736 | -6.72443 | -9.63594 | -7.00121 |
| 14 | 208 | 208 Fans - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -137.184 | -13.2462 | -13.5579 | -9.1154 | -9.90492 | -9.07345 | -6.90522 | -6.03749 | -5.24879 | -7.11201 | 0 |
| 14 | 209 | 209 Fans - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -149.192 | -24.519 | -25.1037 | -17.2046 | -17.8907 | -16.4485 | -12.6689 | -10.6889 | -8.99896 | -12.8345 | 0 |
| 14 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -132.686 | -8.88988 | -9.20404 | -6.15587 | -6.78806 | -5.81154 | -4.56513 | -3.99873 | -3.35623 | -4.57438 | 0 |
| 14 | 211 | 211 Fans - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -135.723 | -11.8327 | -12.3926 | -8.31778 | -8.87587 | -7.50371 | 0 | 0 | 0 | 0 | 0 |
| 14 | 212 | 212 Fans - ASD (100+ hp) / Transp Eqp | 0 | 0 | -149.089 | -24.4172 | -24.9946 | -17.0912 | -17.965 | -16.3268 | 0 | 0 | 0 | 0 | 0 |
| 14 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40614 | -3.79003 | -3.93025 | 0 | 0 | 0 | 0 | 0 |
| 14 | 301 | 301 Pumps - O&M / Transp Eqp | 0 | 0 | -165.644 | -39.8302 | -40.8882 | -28.4777 | -29.7622 | -25.8864 | -20.5272 | -17.1343 | -15.4076 | -21.31 | 0 |
| 14 | 302 | 302 Pumps - Controls / Transp Eqp | 0 | 0 | -272.826 | -140.847 | -145.259 | -99.4474 | -103.754 | -90.189 | -71.3754 | -59.1222 | -53.7372 | -74.9827 | 0 |
| 14 | 303 | 303 Pumps - System Optimization / Transp Eqp | 0 | 0 | -295.369 | -162.193 | -167.159 | -114.604 | -119.598 | -104.298 | -81.513 | -67.6141 | -61.5515 | -86.1618 | 0 |
| 14 | 304 | 304 Pumps - Sizing / Transp Eqp | 0 | 0 | -218.877 | -89.9354 | -92.7019 | -63.5848 | -66.2464 | -57.441 | -45.3868 | -37.383 | -33.7206 | -47.7448 | 0 |
| 14 | 305 | 305 Pumps - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -135.033 | -11.0356 | -11.4984 | -8.023 | -8.1964 | -7.35805 | -5.90832 | -5.45231 | -4.4665 | -5.64659 | -4.65506 |
| 14 | 306 | 306 Pumps - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -149.441 | -24.6373 | -25.2498 | -17.5683 | -17.4677 | -16.3418 | -12.7368 | -10.9859 | -8.67483 | -13.1962 | -9.65711 |
| 14 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -142.24 | -18.0218 | -18.65 | -12.7567 | -13.0027 | -11.8377 | -9.32526 | -7.736 | -6.72443 | -9.63594 | -7.00121 |
| 14 | 308 | 308 Pumps - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -137.184 | -13.2462 | -13.5579 | -9.1154 | -9.90492 | -9.07345 | -6.90522 | -6.03749 | -5.24879 | -7.11201 | 0 |
| 14 | 309 | 309 Pumps - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -149.016 | -24.4687 | -25.0498 | -17.1486 | -17.8314 | -16.3884 | -12.607 | -10.6257 | -9.18518 | -12.7709 | 0 |
| 14 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -132.686 | -8.88988 | -9.20404 | -6.15587 | -6.78806 | -5.81154 | -4.56513 | -3.99873 | -3.35623 | -4.57438 | 0 |
| 14 | 311 | 311 Pumps - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -135.723 | -11.8327 | -12.3926 | -8.31778 | -8.87587 | -7.50371 | 0 | 0 | 0 | 0 | 0 |
| 14 | 312 | 312 Pumps - ASD (100+ hp) / Transp Eqp | 0 | 0 | -149.016 | -24.2205 | -24.9177 | -17.0114 | -17.9359 | -16.4911 | 0 | 0 | 0 | 0 | 0 |
| 14 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -128.884 | -5.19827 | -6.17587 | -3.40614 | -3.79003 | -3.93025 | 0 | 0 | 0 | 0 | 0 |
| 14 | 427 | 427 Drives - Optimization process (M&T) / Transp Eqp | 0 | 0 | -165.644 | -39.8302 | -40.8882 | -28.4777 | -29.7622 | -25.8864 | -20.5272 | -17.1343 | -15.4076 | -21.31 | 0 |
| 14 | 428 | 428 Drives - Scheduling / Transp Eqp | 0 | 0 | -145.536 | -21.2087 | -21.7903 | -15.1149 | -15.8509 | -14.0673 | -10.6043 | -9.42116 | -7.73987 | -11.1508 | 0 |
| 14 | 429 | 429 Machinery / Transp Eqp | 0 | 0 | -170.691 | -44.6053 | -45.8092 | -31.4156 | -32.5648 | -29.3977 | -22.4556 | -18.7581 | -16.7244 | -23.0206 | 0 |
| 14 | 509 | 509 Efficient Curing ovens / Transp Eqp | 0 | 0 | -217.753 | -89.2215 | -91.8055 | -62.7926 | -65.3407 | -56.4479 | -44.6441 | -37.0775 | -33.5072 | -47.2289 | -35.2538 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14 | 510 | 510 Heating - Optimization process (M&T) / Transp Eqp | 0 | 0 | -165.644 | -39.8302 | -40.8882 | -28.4777 | -29.7622 | -25.8864 | -20.5272 | -17.1343 | -15.4076 | -21.31 | 0 |
| 14 | 603 | 603 New transformers welding / Transp Eqp | 0 | 0 | -237.786 | -107.881 | -111.001 | -76.4842 | -79.3841 | -69.1597 | -54.6571 | -45.3403 | -41.0686 | -56.8019 | -42.3989 |
| 14 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Transp Eqp | 0 | 0 | -170.998 | -45.507 | -46.871 | -32.4292 | -33.98 | -30.3493 | -23.6255 | -20.0339 | -17.0303 | -24.466 | -18.4535 |
| 14 | 702 | 702 High Efficiency Chiller Motors / Transp Eqp | 0 | 0 | -135.667 | -12.0259 | -12.2153 | -8.33357 | -8.66039 | -8.02174 | -6.04044 | -4.87919 | -4.29033 | -6.26172 | -4.74646 |
| 14 | 703 | 703 EMS - Chiller / Transp Eqp | 0 | 0 | -166.611 | -40.8742 | -42.9288 | -29.5597 | -31.3144 | -26.9935 | -21.8384 | -18.0283 | -16.0858 | -22.31 | 0 |
| 14 | 704 | 704 Chiller Tune Up/Diagnostics / Transp Eqp | 0 | 0 | -156.818 | -31.2892 | -32.3447 | -22.1102 | -22.5819 | -20.4023 | -15.9953 | -12.8821 | -11.7751 | -16.6682 | 0 |
| 14 | 705 | 705 VSD for Chiller Pumps and Towers / Transp Eqp | 0 | 0 | -164.328 | -38.9183 | -40.3184 | -27.9269 | -29.343 | -25.9286 | -20.5883 | -17.3883 | -14.9287 | -20.7224 | -15.8787 |
| 14 | 706 | 706 EMS Optimization - Chiller / Transp Eqp | 0 | 0 | -143.558 | -19.5502 | -20.017 | -13.1921 | -13.6094 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 707 | 707 Aerosol Duct Sealing - Chiller / Transp Eqp | 0 | 0 | -165.555 | -39.2755 | -40.2785 | -27.513 | -28.3804 | -25.467 | -19.2648 | -16.06 | -14.0582 | -20.2207 | 0 |
| 14 | 708 | 708 Duct/Pipe Insulation - Chiller / Transp Eqp | 0 | 0 | -165.427 | -39.3907 | -40.8039 | -28.3089 | -28.9142 | -25.0528 | -19.8689 | -16.4228 | -14.2775 | -20.8364 | 0 |
| 14 | 709 | 709 Window Film (Standard) - Chiller / Transp Eqp | 0 | 0 | -145.637 | -21.3245 | -21.7045 | -14.4844 | -15.3541 | -13.8495 | -10.5971 | -8.63973 | -7.54923 | -11.3621 | 0 |
| 14 | 710 | 710 Roof Insulation - Chiller / Transp Eqp | 0 | 0 | -141.867 | -17.7849 | -18.6076 | -11.932 | -12.31 | -11.6997 | -9.15866 | -7.29482 | -6.40048 | -9.6906 | -6.81061 |
| 14 | 711 | 711 Cool Roof - Chiller / Transp Eqp | 0 | 0 | -228.755 | -99.1538 | -102.181 | -69.881 | -72.3851 | -62.5714 | -48.7481 | -39.9194 | -36.2392 | -52.8437 | -38.3854 |
| 14 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Transp Eqp | 0 | 0 | -144.765 | -20.8348 | -21.2967 | -14.7565 | -15.4099 | -13.5854 | -11.1631 | -9.19834 | -7.99277 | -10.9803 | -8.52593 |
| 14 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Transp Eqp | 0 | 0 | -272.196 | -139.402 | -143.633 | -97.9273 | -101.444 | -88.0698 | -68.2843 | -56.6215 | -51.7092 | -73.637 | -53.2585 |
| 14 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Transp Eqp | 0 | 0 | -179.459 | -52.9879 | -54.3186 | -36.7266 | -38.0489 | -33.6706 | -25.8368 | -21.5786 | -19.1338 | -27.9 | -19.9756 |
| 14 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Transp Eqp | 0 | 0 | -141.896 | -17.9354 | -18.4033 | -11.936 | -12.5915 | -11.4738 | -9.10936 | -7.26078 | -6.61139 | -9.43163 | 0 |
| 14 | 725 | 725 DX Coil Cleaning / Transp Eqp | 0 | 0 | -141.237 | -17.2991 | -17.8959 | -11.764 | -12.068 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 726 | 726 Optimize Controls / Transp Eqp | 0 | 0 | -141.896 | -17.9354 | -18.4033 | -11.936 | -12.5915 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 727 | 727 Aerosol Duct Sealing / Transp Eqp | 0 | 0 | -161.659 | -36.2356 | -37.1803 | -25.2087 | -25.8443 | -22.821 | -17.8231 | -14.6839 | -13.386 | -18.5407 | 0 |
| 14 | 728 | 728 Duct/Pipe Insulation / Transp Eqp | 0 | 0 | -161.827 | -36.273 | -37.3723 | -25.1679 | -26.0253 | -23.0639 | -18.0812 | -14.9528 | -13.2918 | -19.062 | 0 |
| 14 | 729 | 729 Window Film (Standard) / Transp Eqp | 0 | 0 | -142.865 | -18.6354 | -19.0763 | -12.8136 | -13.3565 | -11.7071 | -9.47818 | -7.39182 | -6.90426 | -9.94575 | 0 |
| 14 | 730 | 730 Roof Insulation / Transp Eqp | 0 | 0 | -140.658 | -16.1241 | -17.1945 | -11.6313 | -11.5434 | -10.8766 | -8.11063 | -6.42047 | -5.7411 | -8.83434 | -6.22501 |
| 14 | 731 | 731 Cool Roof - DX / Transp Eqp | 0 | 0 | -220.16 | -90.3366 | -93.3965 | -63.6398 | -65.5722 | -56.7643 | -44.5851 | -36.8385 | -33.1111 | -48.0089 | -34.719 |
| 14 | 801 | 801 Premium T8, Electronic Ballast / Transp Eqp | 0 | 0 | -217.011 | -87.5306 | -90.7222 | -62.0533 | -63.5581 | -55.404 | -43.2124 | -35.5515 | -32.0684 | -46.1811 | -33.7286 |
| 14 | 802 | 802 CFL Hardwired, Modular 18W / Transp Eqp | 0 | 0 | -344.906 | -207.07 | -213.624 | -144.905 | -148.721 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 803 | 803 CFL Screw-in 18W / Transp Eqp | 0 | 0 | -344.906 | -207.07 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 804 | 804 High Bay T5 / Transp Eqp | 0 | 0 | -322.966 | -188.188 | -193.899 | -133.405 | -138.98 | -120.914 | -94.7698 | -78.8 | -70.9305 | -99.6181 | 0 |
| 14 | 805 | 805 Occupancy Sensor / Transp Eqp | 0 | 0 | -199.297 | -72.0618 | -74.1337 | -50.8431 | -53.3506 | -47.1656 | -36.8521 | -31.1664 | -27.501 | 0 | 0 |
| 14 | 901 | 901 Replace V-belts / Transp Eqp | 0 | 0 | -123.282 | -0.14999 | -0.06412 | -0.07997 | -0.12319 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 101 | 101 Compressed Air-O&M / Instruments | 0 | 0 | -192.721 | -66.0536 | -68.1073 | -47.213 | -48.9021 | -43.2003 | -33.8506 | -28.5984 | -25.9948 | -34.8715 | 0 |
| 15 | 102 | 102 Compressed Air - Controls / Instruments | 0 | 0 | -176.122 | -49.6179 | -51.2118 | -35.2629 | -36.9458 | -32.4644 | -25.1398 | -21.2519 | -18.7712 | -26.5018 | 0 |
| 15 | 103 | 103 Compressed Air - System Optimization / Instruments | 0 | 0 | -211.799 | -84.0533 | -86.1607 | -59.3903 | -62.4139 | -54.1443 | -42.897 | -35.8332 | -32.106 | -44.4297 | 0 |
| 15 | 104 | 104 Compressed Air- Sizing / Instruments | 0 | 0 | -161.46 | -36.0345 | -36.7347 | -25.3237 | -26.4348 | -23.955 | -18.233 | -15.8387 | -13.4562 | -18.688 | 0 |
| 15 | 105 | 105 Comp Air - Replace 1-5 HP motor / Instruments | 0 | 0 | -134.767 | -11.3946 | -11.4824 | -7.757 | -8.18048 | -7.09213 | -6.14227 | -5.43649 | -4.70085 | -5.88063 | -4.63934 |
| 15 | 106 | 106 Comp Air - ASD (1-5 hp) / Instruments | 0 | 0 | -149.177 | -24.3744 | -25.105 | -17.1207 | -17.8128 | -16.3835 | -12.4437 | -10.456 | -8.2614 | -13.2049 | -10.1665 |
| 15 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -142.107 | -18.2638 | -18.642 | -12.8035 | -12.9952 | -11.8876 | -9.45814 | -7.87682 | -6.96697 | -9.47206 | -7.07151 |
| 15 | 108 | 108 Comp Air - Replace 6-100 HP motor / Instruments | 0 | 0 | -137.039 | -13.1011 | -13.2879 | -8.84538 | -10.0794 | -8.8036 | -6.63528 | -5.51782 | -4.82275 | -6.59259 | 0 |
| 15 | 109 | 109 Comp Air - ASD (6-100 hp) / Instruments | 0 | 0 | -149.021 | -23.9744 | -24.6748 | -16.7216 | -17.8371 | -16.2031 | -12.3287 | -10.0606 | -7.99466 | -12.5181 | 0 |
| 15 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -132.42 | -8.49882 | -9.18797 | -6.13989 | -6.52214 | -6.04561 | -5.0491 | -3.73684 | -3.09461 | -4.56238 | 0 |
| 15 | 111 | 111 Comp Air - Replace 100+ HP motor / Instruments | 0 | 0 | -135.598 | -11.7078 | -12.1427 | -8.61656 | -8.62618 | -7.55564 | 0 | 0 | 0 | 0 | 0 |
| 15 | 112 | 112 Comp Air - ASD (100+ hp) / Instruments | 0 | 0 | -148.998 | -23.9516 | -24.6504 | -16.9463 | -17.6158 | -16.1758 | 0 | 0 | 0 | 0 | 0 |
| 15 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -129.002 | -6.27917 | -7.49214 | -5.34364 | -5.51383 | -6.69965 | 0 | 0 | 0 | 0 | 0 |
| 15 | 201 | 201 Fans - O&M / Instruments | 0 | 0 | -130.943 | -8.73958 | -9.95988 | -7.76483 | -7.93588 | -8.51778 | -8.39403 | -8.49453 | -9.09439 | -11.9166 | 0 |
| 15 | 202 | 202 Fans - Controls / Instruments | 0 | 0 | -280.756 | -173.565 | -190.318 | -152.05 | -158.186 | -164.724 | -159.027 | -166.268 | -186.577 | -241.568 | 0 |
| 15 | 203 | 203 Fans - System Optimization / Instruments | 0 | 0 | -227.477 | -115.858 | -126.167 | -101.018 | -105.07 | -109.307 | -104.882 | -109.771 | -123.162 | -160.022 | 0 |
| 15 | 204 | 204 Fans- Improve components / Instruments | 0 | 0 | -144.273 | -23.2223 | -25.9269 | -20.5988 | -21.1635 | -22.3482 | -22.0538 | -22.659 | -24.8859 | -32.2778 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15 | 205 | 205 Fans - Replace 1-5 HP motor / Instruments | 0 | 0 | -134.988 | -13.5486 | -14.6109 | -11.5329 | -12.037 | -12.5323 | -12.6749 | -13.4824 | -14.8239 | -18.5849 | -20.1349 |
| 15 | 206 | 206 Fans - ASD (1-5 hp) / Instruments | 0 | 0 | -149.556 | -28.9284 | -31.776 | -25.4471 | -26.018 | -28.0687 | -26.7455 | -27.786 | -30.2065 | -40.6021 | -43.3449 |
| 15 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -142.46 | -21.6968 | -23.6282 | -18.8215 | -19.1416 | -20.5579 | -19.8697 | -20.7001 | -23.1008 | -29.7195 | -31.7676 |
| 15 | 208 | 208 Fans - Replace 6-100 HP motor / Instruments | 0 | 0 | -137.3 | -15.638 | -16.9726 | -13.2926 | -14.6215 | -15.2109 | -14.3294 | -14.9942 | -16.7455 | -21.5555 | 0 |
| 15 | 209 | 209 Fans - ASD (6-100 hp) / Instruments | 0 | 0 | -149.503 | -28.7256 | -31.5256 | -24.9665 | -26.0135 | -28.0281 | -26.2518 | -27.4828 | -30.1232 | -39.9323 | 0 |
| 15 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -132.597 | -10.2153 | -11.681 | -9.14886 | -9.59532 | -10.3808 | -10.2549 | -10.1485 | -11.1615 | -14.6863 | 0 |
| 15 | 211 | 211 Fans - Replace 100+ HP motor / Instruments | 0 | 0 | -135.831 | -13.9683 | -15.426 | -12.5793 | -12.6735 | -13.265 | 0 | 0 | 0 | 0 | 0 |
| 15 | 212 | 212 Fans - ASD (100+ hp) / Instruments | 0 | 0 | -149.274 | -28.8656 | -31.4047 | -24.839 | -25.9345 | -27.636 | 0 | 0 | 0 | 0 | 0 |
| 15 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -129.002 | -6.27917 | -7.49214 | -5.34364 | -5.51383 | -6.69965 | 0 | 0 | 0 | 0 | 0 |
| 15 | 301 | 301 Pumps - O&M / Instruments | 0 | 0 | -166.406 | -47.6688 | -52.1692 | -41.898 | -43.4763 | -45.6924 | -43.614 | -45.7934 | -50.7003 | -65.8361 | 0 |
| 15 | 302 | 302 Pumps - Controls / Instruments | 0 | 0 | -274.407 | -167.219 | -183.19 | -146.896 | -152.422 | -159.023 | -152.828 | -160.298 | -179.536 | -232.375 | 0 |
| 15 | 303 | 303 Pumps - System Optimization / Instruments | 0 | 0 | -297.467 | -192.454 | -210.681 | -168.868 | -175.232 | -182.558 | -176.391 | -184.091 | -206.491 | -267.087 | 0 |
| 15 | 304 | 304 Pumps - Sizing / Instruments | 0 | 0 | -219.852 | -106.94 | -117.161 | -93.9699 | -97.3387 | -101.496 | -98.102 | -102.336 | -114.211 | -148.233 | 0 |
| 15 | 305 | 305 Pumps - Replace 1-5 HP motor / Instruments | 0 | 0 | -134.988 | -13.5486 | -14.6109 | -11.5329 | -12.037 | -12.5323 | -12.6749 | -13.4824 | -14.8239 | -18.5849 | -20.1349 |
| 15 | 306 | 306 Pumps - ASD (1-5 hp) / Instruments | 0 | 0 | -149.626 | -28.8703 | -31.9621 | -25.3796 | -25.9468 | -27.7437 | -26.6663 | -27.9524 | -30.1182 | -40.7591 | -43.2467 |
| 15 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -142.46 | -21.6968 | -23.6282 | -18.8215 | -19.1416 | -20.5579 | -19.8697 | -20.7001 | -23.1008 | -29.7195 | -31.7676 |
| 15 | 308 | 308 Pumps - Replace 6-100 HP motor / Instruments | 0 | 0 | -137.3 | -15.638 | -16.9726 | -13.2926 | -14.6215 | -15.2109 | -14.3294 | -14.9942 | -16.7455 | -21.5555 | 0 |
| 15 | 309 | 309 Pumps - ASD (6-100 hp) / Instruments | 0 | 0 | -149.452 | -28.6712 | -31.4659 | -24.9035 | -25.947 | -27.7078 | -26.1778 | -27.6546 | -30.0407 | -40.095 | 0 |
| 15 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -132.597 | -10.2153 | -11.681 | -9.14886 | -9.59532 | -10.3808 | -10.2549 | -10.1485 | -11.1615 | -14.6863 | 0 |
| 15 | 311 | 311 Pumps - Replace 100+ HP motor / Instruments | 0 | 0 | -135.831 | -13.9683 | -15.426 | -12.5793 | -12.6735 | -13.265 | 0 | 0 | 0 | 0 | 0 |
| 15 | 312 | 312 Pumps - ASD (100+ hp) / Instruments | 0 | 0 | -149.451 | -28.7883 | -31.3197 | -24.9992 | -25.7842 | -27.786 | 0 | 0 | 0 | 0 | 0 |
| 15 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -129.002 | -6.27917 | -7.49214 | -5.34364 | -5.51383 | -6.69965 | 0 | 0 | 0 | 0 | 0 |
| 15 | 427 | 427 Drives - Optimization process (M&T) / Instruments | 0 | 0 | -165.528 | -46.9827 | -51.499 | -41.2638 | -43.279 | -44.6688 | -43.6851 | -45.2893 | -50.3355 | -65.5673 | 0 |
| 15 | 428 | 428 Drives - Scheduling / Instruments | 0 | 0 | -145.807 | -25.0039 | -27.6761 | -21.9735 | -22.8169 | -24.3189 | -23.6691 | -24.3481 | -26.4412 | -35.3743 | 0 |
| 15 | 429 | 429 Machinery / Instruments | 0 | 0 | -153.259 | -32.8377 | -36.293 | -28.9168 | -29.8189 | -31.8858 | -30.5244 | -31.657 | -35.154 | -46.1234 | 0 |
| 15 | 509 | 509 Efficient Curing ovens / Instruments | 0 | 0 | -218.833 | -105.776 | -115.724 | -92.8315 | -96.5304 | -100.251 | -96.7205 | -100.509 | -112.931 | -146.817 | -156.399 |
| 15 | 603 | 603 New transformers welding / Instruments | 0 | 0 | -239.224 | -128.03 | -140.395 | -112.381 | -116.758 | -121.618 | -117.299 | -122.882 | -137.159 | -177.979 | -190.055 |
| 15 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Instruments | 0 | 0 | -171.889 | -54.1416 | -59.4106 | -47.5629 | -49.4369 | -52.1513 | -49.8052 | -52.2769 | -57.5957 | -75.3729 | -80.5443 |
| 15 | 702 | 702 High Efficiency Chiller Motors / Instruments | 0 | 0 | -136.021 | -14.1627 | -15.7523 | -12.3611 | -12.9634 | -13.3027 | -13.0486 | -13.7057 | -14.9346 | -19.4491 | -21.1193 |
| 15 | 703 | 703 EMS - Chiller / Instruments | 0 | 0 | -167.424 | -48.7579 | -54.3776 | -43.3769 | -45.4266 | -46.8987 | -45.7402 | -47.4658 | -53.1212 | -68.787 | 0 |
| 15 | 704 | 704 Chiller Tune Up/Diagnostics / Instruments | 0 | 0 | -156.907 | -37.2255 | -40.7276 | -32.632 | -33.59 | -35.5339 | -33.5783 | -35.4025 | -39.0666 | -51.7176 | 0 |
| 15 | 705 | 705 VSD for Chiller Pumps and Towers / Instruments | 0 | 0 | -165.096 | -46.3575 | -51.122 | -40.9653 | -42.5937 | -44.7121 | -43.1433 | -45.1671 | -49.7293 | -64.5807 | -69.3725 |
| 15 | 706 | 706 EMS Optimization - Chiller / Instruments | 0 | 0 | -143.932 | -22.9641 | -25.3404 | -20.2145 | -20.9783 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 707 | 707 Aerosol Duct Sealing - Chiller / Instruments | 0 | 0 | -165.567 | -46.5624 | -51.0437 | -40.9607 | -42.3169 | -43.9035 | -42.3052 | -44.5377 | -48.8157 | -64.3039 | 0 |
| 15 | 708 | 708 Duct/Pipe Insulation - Chiller / Instruments | 0 | 0 | -165.661 | -46.934 | -51.0929 | -40.9396 | -42.1278 | -43.6967 | -42.4631 | -44.4737 | -49.2078 | -64.6622 | 0 |
| 15 | 709 | 709 Window Film (Standard) - Chiller / Instruments | 0 | 0 | -146.031 | -25.1675 | -27.225 | -21.5012 | -22.8327 | -23.9473 | -22.5545 | -23.6812 | -26.2993 | -34.9182 | 0 |
| 15 | 710 | 710 Roof Insulation - Chiller / Instruments | 0 | 0 | -142.077 | -21.2702 | -23.2436 | -18.1362 | -18.4579 | -20.2624 | -19.2646 | -20.2779 | -22.5102 | -29.1605 | -31.3852 |
| 15 | 711 | 711 Cool Roof - Chiller / Instruments | 0 | 0 | -229.891 | -117.556 | -129.038 | -103.019 | -105.936 | -110.43 | -106.24 | -111.068 | -125.259 | -162.817 | -173.059 |
| 15 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Instruments | 0 | 0 | -145.171 | -24.7726 | -27.0156 | -21.6586 | -22.4593 | -23.5289 | -23.1033 | -23.9041 | -26.4945 | -34.1992 | -36.8459 |
| 15 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Instruments | 0 | 0 | -273.722 | -165.167 | -181.306 | -144.827 | -150.058 | -155.089 | -150.317 | -156.416 | -176.031 | -229.15 | -244.126 |
| 15 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Instruments | 0 | 0 | -180.334 | -62.1806 | -68.5205 | -53.879 | -56.3861 | -59.0345 | -56.8436 | -59.1105 | -66.9397 | -86.5464 | -92.2864 |
| 15 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Instruments | 0 | 0 | -142.479 | -21.314 | -23.3178 | -18.4243 | -18.6984 | -20.5879 | -19.529 | -20.0576 | -22.6894 | -30.0453 | 0 |
| 15 | 725 | 725 DX Coil Cleaning / Instruments | 0 | 0 | -141.307 | -20.6698 | -22.6173 | -17.7694 | -18.0033 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 726 | 726 Optimize Controls / Instruments | 0 | 0 | -142.479 | -21.314 | -23.3178 | -18.4243 | -18.6984 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 727 | 727 Aerosol Duct Sealing / Instruments | 0 | 0 | -162.343 | -42.7688 | -47.0396 | -37.5187 | -38.6133 | -40.3808 | -38.5986 | -40.7205 | -45.3691 | -58.6702 | 0 |
| 15 | 728 | 728 Duct/Pipe Insulation / Instruments | 0 | 0 | -162.373 | -42.8225 | -47.0126 | -37.215 | -38.5863 | -40.8879 | -38.5487 | -40.9772 | -45.3882 | -59.0076 | 0 |
| 15 | 729 | 729 Window Film (Standard) / Instruments | 0 | 0 | -142.955 | -21.9926 | -24.143 | -18.9875 | -19.6628 | -20.5889 | -19.9622 | -20.606 | -22.9956 | -30.1621 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15 | 730 | 730 Roof Insulation / Instruments | 0 | 0 | -140.715 | -19.0826 | -21.4286 | -17.0995 | -17.185 | -18.9901 | -17.6506 | -18.3696 | -20.3235 | -26.9381 | -29.0742 |
| 15 | 731 | 731 Cool Roof - DX / Instruments | 0 | 0 | -220.997 | -107.496 | -117.658 | -93.8949 | -96.7338 | -100.735 | -97.2878 | -101.063 | -114.092 | -148.373 | -158.493 |
| 15 | 801 | 801 Premium T8, Electronic Ballast / Instruments | 0 | 0 | -217.799 | -103.655 | -114.203 | -90.865 | -94.0061 | -97.7628 | -94.2785 | -98.4926 | -110.478 | -144.357 | -153.581 |
| 15 | 802 | 802 CFL Hardwired, Modular 18W / Instruments | 0 | 0 | -346.314 | -244.615 | -268.511 | -213.465 | -220.351 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 803 | 803 CFL Screw-in 18W / Instruments | 0 | 0 | -346.314 | -244.615 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 804 | 804 High Bay T5 / Instruments | 0 | 0 | -325.687 | -223.624 | -245.078 | -196.161 | -203.912 | -211.727 | -203.929 | -213.739 | -240.152 | -310.088 | 0 |
| 15 | 805 | 805 Occupancy Sensor / Instruments | 0 | 0 | -199.991 | -85.5131 | -93.8908 | -74.4026 | -77.4202 | -81.2819 | -78.0812 | -81.4622 | -91.2191 | 0 | 0 |
| 15 | 901 | 901 Replace V-belts / Instruments | 0 | 0 | -123.287 | -0.19291 | -0.12646 | -0.1552 | -0.20003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 101 | 101 Compressed Air-O&M / Misc | 0 | 0 | -193.993 | -78.3297 | -86.3079 | -68.9333 | -71.3419 | -75.111 | -71.8726 | -75.4281 | -84.6687 | -108.824 | 0 |
| 16 | 102 | 102 Compressed Air - Controls / Misc | 0 | 0 | -176.966 | -58.9242 | -64.6601 | -51.5995 | -53.8765 | -56.5848 | -54.1338 | -56.6217 | -63.2354 | -81.97 | 0 |
| 16 | 103 | 103 Compressed Air - System Optimization / Misc | 0 | 0 | -213.19 | -99.7047 | -109.253 | -87.357 | -90.9891 | -94.9071 | -91.6458 | -95.7516 | -106.819 | -138.359 | 0 |
| 16 | 104 | 104 Compressed Air- Sizing / Misc | 0 | 0 | -162.026 | -42.9557 | -46.8594 | -37.2435 | -38.6092 | -41.1318 | -38.8612 | -41.4972 | -45.1757 | -58.8111 | 0 |
| 16 | 105 | 105 Comp Air - Replace 1-5 HP motor / Misc | 0 | 0 | -134.988 | -13.5486 | -14.6109 | -11.533 | -12.3416 | -13.0323 | -12.425 | -12.9786 | -14.7182 | -18.3308 | -20.1307 |
| 16 | 106 | 106 Comp Air - ASD (1-5 hp) / Misc | 0 | 0 | -149.682 | -28.7958 | -31.877 | -25.3856 | -26.4595 | -27.9903 | -26.5764 | -27.8618 | -30.5037 | -40.0498 | -43.2771 |
| 16 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -142.597 | -21.5839 | -23.6403 | -19.1315 | -19.253 | -20.8717 | -20.0223 | -21.3253 | -23.4133 | -29.5874 | -32.1352 |
| 16 | 108 | 108 Comp Air - Replace 6-100 HP motor / Misc | 0 | 0 | -137.312 | -15.6501 | -16.9847 | -13.3643 | -14.4949 | -15.0354 | -14.9587 | -15.4045 | -17.0231 | -21.9115 | 0 |
| 16 | 109 | 109 Comp Air - ASD (6-100 hp) / Misc | 0 | 0 | -149.394 | -28.6087 | -31.6447 | -25.4235 | -26.2259 | -27.9723 | -26.1149 | -28.0967 | -30.2336 | -40.4371 | 0 |
| 16 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -132.472 | -10.4653 | -11.681 | -9.14889 | -9.55048 | -9.88083 | -10.0049 | -10.3986 | -11.2634 | -14.6866 | 0 |
| 16 | 111 | 111 Comp Air - Replace 100+ HP motor / Misc | 0 | 0 | -135.831 | -14.0934 | -15.4261 | -12.3294 | -12.6735 | -13.265 | 0 | 0 | 0 | 0 | 0 |
| 16 | 112 | 112 Comp Air - ASD (100+ hp) / Misc | 0 | 0 | -149.371 | -28.5841 | -31.6176 | -25.395 | -26.2515 | -27.9406 | 0 | 0 | 0 | 0 | 0 |
| 16 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -128.877 | -6.2792 | -7.49216 | -5.34366 | -5.46899 | -6.69968 | 0 | 0 | 0 | 0 | 0 |
| 16 | 201 | 201 Fans - O&M / Misc | 0 | 0 | -131.06 | -8.7315 | -9.95183 | -8.00674 | -7.9833 | -8.25979 | -8.38597 | -8.74466 | -9.75018 | -12.1669 | 0 |
| 16 | 202 | 202 Fans - Controls / Misc | 0 | 0 | -280.119 | -173.428 | -190.306 | -152.395 | -158.081 | -165.076 | -159.078 | -166.296 | -186.738 | -241.994 | 0 |
| 16 | 203 | 203 Fans - System Optimization / Misc | 0 | 0 | -227.587 | -116.093 | -126.777 | -102.05 | -105.819 | -110.357 | -106.868 | -111.764 | -124.507 | -161.18 | 0 |
| 16 | 204 | 204 Fans- Improve components / Misc | 0 | 0 | -144.144 | -23.2183 | -25.6729 | -20.3447 | -21.215 | -22.3442 | -21.7998 | -22.9051 | -24.999 | -32.2729 | 0 |
| 16 | 205 | 205 Fans - Replace 1-5 HP motor / Misc | 0 | 0 | -134.988 | -13.5486 | -14.6109 | -11.533 | -12.3416 | -13.0323 | -12.425 | -12.9786 | -14.7182 | -18.3308 | -20.1307 |
| 16 | 206 | 206 Fans - ASD (1-5 hp) / Misc | 0 | 0 | -149.585 | -28.9571 | -32.0547 | -25.5734 | -26.408 | -28.2 | -26.7978 | -28.3498 | -30.5048 | -41.0648 | -43.0568 |
| 16 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -142.597 | -21.5839 | -23.6403 | -19.1315 | -19.253 | -20.8717 | -20.0223 | -21.3253 | -23.4133 | -29.5874 | -32.1352 |
| 16 | 208 | 208 Fans - Replace 6-100 HP motor / Misc | 0 | 0 | -137.312 | -15.6501 | -16.9847 | -13.3643 | -14.4949 | -15.0354 | -14.9587 | -15.4045 | -17.0231 | -21.9115 | 0 |
| 16 | 209 | 209 Fans - ASD (6-100 hp) / Misc | 0 | 0 | -149.403 | -28.6251 | -31.5503 | -25.3378 | -26.3992 | -28.1552 | -26.3079 | -28.0504 | -30.4485 | -40.6637 | 0 |
| 16 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -132.472 | -10.4653 | -11.681 | -9.14889 | -9.55048 | -9.88083 | -10.0049 | -10.3986 | -11.2634 | -14.6866 | 0 |
| 16 | 211 | 211 Fans - Replace 100+ HP motor / Misc | 0 | 0 | -135.831 | -14.0934 | -15.4261 | -12.3294 | -12.6735 | -13.265 | 0 | 0 | 0 | 0 | 0 |
| 16 | 212 | 212 Fans - ASD (100+ hp) / Misc | 0 | 0 | -149.424 | -28.5153 | -31.4295 | -25.2103 | -26.3203 | -28.0133 | 0 | 0 | 0 | 0 | 0 |
| 16 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -128.877 | -6.2792 | -7.49216 | -5.34366 | -5.46899 | -6.69968 | 0 | 0 | 0 | 0 | 0 |
| 16 | 301 | 301 Pumps - O&M / Misc | 0 | 0 | -166.265 | -47.6527 | -52.4031 | -41.882 | -43.4605 | -45.6765 | -43.8481 | -46.0277 | -50.6846 | -65.8208 | 0 |
| 16 | 302 | 302 Pumps - Controls / Misc | 0 | 0 | -274.384 | -167.07 | -182.916 | -146.682 | -152.465 | -158.807 | -153.172 | -160.411 | -179.634 | -232.957 | 0 |
| 16 | 303 | 303 Pumps - System Optimization / Misc | 0 | 0 | -297.072 | -192.309 | -210.411 | -168.951 | -175.63 | -182.89 | -176.653 | -184.115 | -207.421 | -267.775 | 0 |
| 16 | 304 | 304 Pumps - Sizing / Misc | 0 | 0 | -219.857 | -107.069 | -116.666 | -94.0824 | -97.3987 | -101.364 | -98.3562 | -102.348 | -114.364 | -148.191 | 0 |
| 16 | 305 | 305 Pumps - Replace 1-5 HP motor / Misc | 0 | 0 | -134.988 | -13.5486 | -14.6109 | -11.533 | -12.3416 | -13.0323 | -12.425 | -12.9786 | -14.7182 | -18.3308 | -20.1307 |
| 16 | 306 | 306 Pumps - ASD (1-5 hp) / Misc | 0 | 0 | -149.659 | -28.9031 | -31.9949 | -25.51 | -26.3962 | -28.1289 | -26.7227 | -28.2662 | -30.5648 | -40.7217 | -42.9586 |
| 16 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -142.597 | -21.5839 | -23.6403 | -19.1315 | -19.253 | -20.8717 | -20.0223 | -21.3253 | -23.4133 | -29.5874 | -32.1352 |
| 16 | 308 | 308 Pumps - Replace 6-100 HP motor / Misc | 0 | 0 | -137.312 | -15.6501 | -16.9847 | -13.3643 | -14.4949 | -15.0354 | -14.9587 | -15.4045 | -17.0231 | -21.9115 | 0 |
| 16 | 309 | 309 Pumps - ASD (6-100 hp) / Misc | 0 | 0 | -149.477 | -28.5709 | -31.4906 | -25.2748 | -26.0828 | -28.0851 | -26.4839 | -27.9724 | -30.3662 | -40.5769 | 0 |
| 16 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -132.472 | -10.4653 | -11.681 | -9.14889 | -9.55048 | -9.88083 | -10.0049 | -10.3986 | -11.2634 | -14.6866 | 0 |
| 16 | 311 | 311 Pumps - Replace 100+ HP motor / Misc | 0 | 0 | -135.831 | -14.0934 | -15.4261 | -12.3294 | -12.6735 | -13.265 | 0 | 0 | 0 | 0 | 0 |
| 16 | 312 | 312 Pumps - ASD (100+ hp) / Misc | 0 | 0 | -149.367 | -28.7041 | -31.6106 | -25.4461 | -26.2418 | -27.9918 | 0 | 0 | 0 | 0 | 0 |
| 16 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -128.877 | -6.2792 | -7.49216 | -5.34366 | -5.46899 | -6.69968 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16 | 416 | 416 Process Drives - ASD / Misc | 0 | 0 | -125.599 | -2.39991 | -2.84085 | -2.06827 | -1.89019 | -2.27459 | -2.04659 | -2.8978 | -2.65557 | -3.65496 | 0 |
| 16 | 428 | 428 Drives - Scheduling / Misc | 0 | 0 | -143.881 | -22.9404 | -25.6182 | -20.2738 | -20.8212 | -22.2377 | -21.6739 | -22.7589 | -24.4646 | -31.8333 | 0 |
| 16 | 430 | 430 Efficient Machinery / Misc | 0 | 0 | -137.484 | -16.0963 | -17.4768 | -13.825 | -14.4337 | -15.3043 | -15.4558 | -15.6554 | -17.4437 | -22.0421 | 0 |
| 16 | 509 | 509 Efficient Curing ovens / Misc | 0 | 0 | -218.583 | -105.526 | -115.724 | -92.9292 | -96.5865 | -100.611 | -97.0019 | -101.056 | -113.346 | -147.013 | -157.095 |
| 16 | 605 | 605 Process control / Misc | 0 | 0 | -139.627 | -18.1383 | -20.5352 | -16.0873 | -16.3187 | -18.2294 | -17.1506 | -17.992 | -19.5602 | -25.5235 | -27.9961 |
| 16 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Misc | 0 | 0 | -171.89 | -54.1426 | -59.4118 | -47.5641 | -49.4382 | -52.1527 | -49.8066 | -52.2784 | -57.5973 | -75.3745 | -80.546 |
| 16 | 702 | 702 High Efficiency Chiller Motors / Misc | 0 | 0 | -135.783 | -14.1748 | -15.7644 | -12.4219 | -12.8259 | -13.6165 | -13.2013 | -13.8976 | -15.2123 | -19.5548 | -21.0065 |
| 16 | 703 | 703 EMS - Chiller / Misc | 0 | 0 | -167.425 | -48.7589 | -54.3787 | -43.378 | -45.4279 | -46.9 | -45.7416 | -47.4672 | -53.1227 | -68.7886 | 0 |
| 16 | 704 | 704 Chiller Tune Up/Diagnostics / Misc | 0 | 0 | -156.899 | -36.9675 | -40.7197 | -32.8742 | -33.2777 | -35.5263 | -34.0706 | -35.8909 | -39.1799 | -51.7058 | 0 |
| 16 | 705 | 705 VSD for Chiller Pumps and Towers / Misc | 0 | 0 | -165.096 | -46.3585 | -51.123 | -40.9664 | -42.5948 | -44.7133 | -43.1445 | -45.1684 | -49.7307 | -64.5822 | -69.3741 |
| 16 | 706 | 706 EMS Optimization - Chiller / Misc | 0 | 0 | -143.928 | -22.9602 | -25.0866 | -20.2106 | -20.53 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 707 | 707 Aerosol Duct Sealing - Chiller / Misc | 0 | 0 | -165.552 | -46.6715 | -51.0278 | -40.695 | -42.3569 | -43.8879 | -42.2895 | -44.5221 | -49.1904 | -64.2883 | 0 |
| 16 | 708 | 708 Duct/Pipe Insulation - Chiller / Misc | 0 | 0 | -165.536 | -46.9342 | -51.0931 | -40.9945 | -42.1282 | -44.2544 | -42.6039 | -44.8765 | -49.2121 | -64.5259 | 0 |
| 16 | 709 | 709 Window Film (Standard) - Chiller / Misc | 0 | 0 | -145.914 | -25.3006 | -27.2331 | -21.8188 | -22.8409 | -23.7622 | -23.2033 | -24.0485 | -26.3077 | -34.5511 | 0 |
| 16 | 710 | 710 Roof Insulation - Chiller / Misc | 0 | 0 | -142.085 | -21.4034 | -23.2518 | -18.4423 | -19.0101 | -20.5722 | -19.6635 | -20.1533 | -22.9247 | -29.2791 | -31.5025 |
| 16 | 711 | 711 Cool Roof - Chiller / Misc | 0 | 0 | -230.009 | -117.549 | -128.781 | -102.859 | -106.029 | -110.525 | -106.506 | -111.604 | -125.061 | -162.752 | -174.024 |
| 16 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Misc | 0 | 0 | -145.171 | -24.7728 | -27.0159 | -21.6589 | -22.4597 | -23.5293 | -23.1037 | -23.9045 | -26.495 | -34.1996 | -36.8464 |
| 16 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Misc | 0 | 0 | -273.465 | -165.41 | -181.299 | -144.727 | -150.207 | -155.497 | -150.225 | -156.851 | -176.724 | -228.928 | -244.686 |
| 16 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Misc | 0 | 0 | -179.972 | -62.3181 | -68.533 | -54.4941 | -55.9654 | -59.1566 | -57.1453 | -59.6625 | -67.0779 | -86.762 | -92.5175 |
| 16 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Misc | 0 | 0 | -142.363 | -21.3222 | -23.326 | -18.4872 | -19.0785 | -20.6538 | -19.9279 | -20.4643 | -22.4708 | -29.6475 | 0 |
| 16 | 725 | 725 DX Coil Cleaning / Misc | 0 | 0 | -141.569 | -20.557 | -22.3796 | -17.5804 | -18.2656 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 726 | 726 Optimize Controls / Misc | 0 | 0 | -142.363 | -21.3222 | -23.326 | -18.4872 | -19.0785 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 727 | 727 Aerosol Duct Sealing / Misc | 0 | 0 | -162.093 | -42.6441 | -46.7899 | -37.0726 | -38.1692 | -40.4436 | -38.4584 | -40.6233 | -45.0225 | -59.0027 | 0 |
| 16 | 728 | 728 Duct/Pipe Insulation / Misc | 0 | 0 | -162.373 | -43.0728 | -47.0129 | -37.5191 | -38.6424 | -40.69 | -38.9396 | -41.3452 | -45.5292 | -59.3679 | 0 |
| 16 | 729 | 729 Window Film (Standard) / Misc | 0 | 0 | -143.092 | -22.1298 | -24.1552 | -18.7976 | -19.6751 | -20.9028 | -19.865 | -21.5128 | -23.0039 | -30.5144 | 0 |
| 16 | 730 | 730 Roof Insulation / Misc | 0 | 0 | -140.707 | -19.1997 | -21.4206 | -17.0915 | -17.177 | -18.7322 | -17.6427 | -18.1119 | -20.3158 | -26.9297 | -29.0664 |
| 16 | 731 | 731 Cool Roof - DX / Misc | 0 | 0 | -220.853 | -107.351 | -117.638 | -93.6793 | -96.7706 | -100.779 | -97.6593 | -101.919 | -113.979 | -148.464 | -158.083 |
| 16 | 801 | 801 Premium T8, Electronic Ballast / Misc | 0 | 0 | -217.408 | -103.764 | -113.937 | -90.6481 | -94.3517 | -98.049 | -94.4034 | -98.149 | -110.517 | -143.7 | -153.425 |
| 16 | 802 | 802 CFL Hardwired, Modular 18W / Misc | 0 | 0 | -346.041 | -244.716 | -268.488 | -214.147 | -220.289 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 803 | 803 CFL Screw-in 18W / Misc | 0 | 0 | -346.041 | -244.716 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 804 | 804 High Bay T5 / Misc | 0 | 0 | -325.43 | -223.866 | -244.82 | -196.31 | -204.32 | -212.135 | -204.82 | -213.888 | -240.817 | -310.643 | 0 |
| 16 | 805 | 805 Occupancy Sensor / Misc | 0 | 0 | -200.323 | -85.595 | -93.9729 | -75.0469 | -78.0847 | -81.9456 | -79.2259 | -82.6378 | -92.1449 | 0 | 0 |
| 16 | 901 | 901 Replace V-belts / Misc | 0 | 0 | -123.287 | -0.19291 | -0.12646 | -0.1552 | -0.20003 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19 | 806 | 806 LED Linear Tube 22W (per unit) / All | 0 | 0 | -128.222 | -5.36641 | -6.32955 | -4.4348 | -4.39751 | -5.46885 | -5.12845 | -5.67008 | -5.71096 | -7.42729 | -8.49737 |
| 19 | 807 | 807 Flood LED 14W (per unit) / All | 0 | 0 | -127.934 | -5.18763 | -5.99552 | -4.08233 | -4.08198 | -5.32628 | -4.96418 | -5.23703 | -5.65187 | -7.19454 | -7.98764 |
| 19 | 808 | 808 LED High Bay 83W (per unit) / All | 0 | 0 | -164.745 | -44.7394 | -49.2459 | -38.5218 | -39.8122 | -41.5786 | -39.2171 | -41.5816 | -46.4959 | -60.9063 | -64.4643 |
| 19 | 732 | 732 Run Time Optimizer / All | 0 | 0 | -542.201 | -461.214 | -505.479 | -403.191 | -417.848 | -434.212 | -419.472 | -436.677 | -492.376 | -640.197 | -681.822 |
| 19 | 733 | 733 Dehumidification Hybrid Desiccant Heat Pump PER 5 TON / All | 0 | 0 | -410.992 | -307.421 | -338.508 | -268.828 | -275.284 | -286.506 | -276.31 | -288.662 | -326.85 | -425.99 | -448.424 |

| 2026 | 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV | BC Ratio |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|------|------|------|------|------|------|------|--------------|--------------|----------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$589.30) | (\$500.63) | 0.670299 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$475.06) | (\$408.23) | 0.651777 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$714.42) | (\$602.25) | 0.681571 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$376.11) | (\$328.12) | 0.627159 |
| -4.70531 | -2.6711 | -6.23399 | -4.68619 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$226.11) | (\$198.57) | 0.555112 |
| -10.4737 | -4.49747 | -12.7592 | -9.20957 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$343.28) | (\$285.57) | 0.651716 |
| -7.9306 | -3.55985 | -9.98612 | -7.05178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$286.46) | (\$243.41) | 0.618679 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.35) | (\$198.68) | 0.509753 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.22) | (\$261.84) | 0.58821 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.83) | (\$173.21) | 0.448349 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.55) | (\$176.93) | 0.377391 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$249.24) | (\$233.58) | 0.4827 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.03) | (\$147.57) | 0.260287 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$175.10) | (\$165.39) | 0.417151 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,152.98) | (\$957.62) | 0.701051 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$811.14) | (\$680.45) | 0.687549 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$261.68) | (\$235.48) | 0.561862 |
| -4.70531 | -2.6711 | -6.23399 | -4.68619 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$226.11) | (\$198.57) | 0.555112 |
| -10.6621 | -4.69199 | -12.9586 | -9.16052 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$344.02) | (\$286.06) | 0.651884 |
| -7.9306 | -3.55985 | -9.98612 | -7.05178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$286.46) | (\$243.41) | 0.618679 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.35) | (\$198.68) | 0.509753 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.62) | (\$262.13) | 0.588504 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.83) | (\$173.21) | 0.448349 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.55) | (\$176.93) | 0.377391 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$248.65) | (\$233.08) | 0.484137 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.03) | (\$147.57) | 0.260287 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$405.47) | (\$351.98) | 0.63696 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,114.16) | (\$926.20) | 0.700111 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,264.98) | (\$1,048.23) | 0.703702 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$757.37) | (\$637.10) | 0.68423 |
| -4.70531 | -2.6711 | -6.23399 | -4.68619 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$226.11) | (\$198.57) | 0.555112 |
| -10.8444 | -4.6221 | -12.637 | -9.08849 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$343.59) | (\$285.79) | 0.651941 |
| -7.9306 | -3.55985 | -9.98612 | -7.05178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$286.46) | (\$243.41) | 0.618679 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.35) | (\$198.68) | 0.509753 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$293.83) | (\$261.66) | 0.588962 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.83) | (\$173.21) | 0.448349 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.55) | (\$176.93) | 0.377391 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$249.05) | (\$233.43) | 0.482913 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.03) | (\$147.57) | 0.260287 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$397.37) | (\$345.43) | 0.633825 |
| -84.1455 | -31.2052 | -94.0014 | -69.7222 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,806.71) | (\$1,367.89) | 0.750559 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$474.07) | (\$407.87) | 0.653447 |
| -55.9188 | -20.091 | -60.9064 | -45.9669 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,238.37) | (\$949.55) | 0.743518 |
| -20.6897 | -8.24968 | -23.1949 | -16.7869 | -18.8458 | -10.7219 | -6.97278 | -3.38272 | -0.47723 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$573.12) | (\$440.38) | 0.738698 |

| | | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|--------------|--------------|----------|
| -5.25745 | -2.21767 | -6.35693 | -4.57454 | -5.11981 | -2.35115 | -2.21036 | -0.40263 | -0.29169 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$240.97) | (\$206.13) | 0.613356 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$416.59) | (\$360.58) | 0.639291 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$342.82) | (\$301.39) | 0.616605 |
| -17.877 | -7.36234 | -20.4156 | -14.8743 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$476.63) | (\$383.65) | 0.690396 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$210.41) | (\$201.44) | 0.414057 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$396.15) | (\$344.91) | 0.636007 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$396.74) | (\$345.51) | 0.637021 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$270.54) | (\$242.83) | 0.571157 |
| -7.98747 | -3.33622 | -8.98786 | -6.54513 | -6.52434 | -3.72147 | -2.64742 | -0.97813 | 0.537792 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.51) | (\$244.93) | 0.666054 |
| -43.9812 | -15.572 | -48.5731 | -36.3621 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$998.70) | (\$771.85) | 0.736405 |
| -9.66456 | -4.17411 | -11.1176 | -7.75245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$311.23) | (\$261.51) | 0.633694 |
| -61.4038 | -22.5167 | -67.8699 | -50.4264 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,355.02) | (\$1,035.86) | 0.745723 |
| -23.3464 | -8.94159 | -26.148 | -18.8627 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$589.53) | (\$468.38) | 0.710701 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$248.34) | (\$224.54) | 0.551508 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$200.57) | (\$192.61) | 0.396845 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.18) | (\$195.03) | 0.404208 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$373.58) | (\$326.48) | 0.628749 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$376.24) | (\$328.52) | 0.627963 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$250.53) | (\$226.67) | 0.55783 |
| -7.02231 | -3.01161 | -8.26948 | -5.32005 | -6.21378 | -3.8177 | -2.95399 | -1.26562 | -0.19444 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$281.84) | (\$235.22) | 0.655773 |
| -40.0061 | -14.0468 | -44.0187 | -33.4298 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$920.53) | (\$714.03) | 0.73421 |
| -38.3706 | -13.8089 | -42.9668 | -32.0534 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$897.35) | (\$696.59) | 0.73261 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,056.20) | (\$960.56) | 0.610121 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$548.82) | (\$536.31) | 0.5068 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,450.01) | (\$1,198.16) | 0.706809 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$594.09) | (\$513.72) | 0.661577 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$123.70) | (\$123.64) | 0.015462 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$587.14) | (\$500.83) | 0.670168 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$474.81) | (\$408.87) | 0.651231 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$712.38) | (\$602.57) | 0.681398 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$374.46) | (\$327.89) | 0.627415 |
| -5.30008 | -2.45321 | -5.54784 | -4.24993 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$223.03) | (\$196.95) | 0.558756 |
| -10.5658 | -4.37008 | -11.5382 | -8.98881 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$341.31) | (\$285.24) | 0.652085 |
| -8.1511 | -3.57702 | -8.66018 | -6.47571 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$281.86) | (\$240.92) | 0.622587 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.55) | (\$198.93) | 0.509143 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.74) | (\$262.87) | 0.586557 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$185.63) | (\$173.93) | 0.446027 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$185.07) | (\$177.51) | 0.375364 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$251.18) | (\$235.56) | 0.478275 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.58) | (\$148.07) | 0.257759 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$175.07) | (\$165.38) | 0.417159 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,149.51) | (\$958.46) | 0.700787 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$809.35) | (\$681.52) | 0.687033 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$261.13) | (\$235.43) | 0.561945 |
| -5.30008 | -2.45321 | -5.54784 | -4.24993 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$223.03) | (\$196.95) | 0.558756 |
| -11.0081 | -4.06862 | -11.9917 | -8.94384 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$341.46) | (\$285.21) | 0.652886 |
| -8.1511 | -3.57702 | -8.66018 | -6.47571 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$281.86) | (\$240.92) | 0.622587 |

| | | | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|------------|--------------|--------------|----------|
| -20.6835 | -8.24328 | -23.1883 | -16.7802 | -18.839 | -10.715 | -6.96568 | -3.37573 | -0.47002 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$572.99) | (\$440.31) | 0.738729 | |
| -5.18284 | -2.03323 | -6.04791 | -4.73451 | -4.40503 | -2.22914 | -2.08884 | -0.28117 | 0.329768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$238.86) | (\$205.42) | 0.614694 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$416.53) | (\$360.54) | 0.639318 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$342.14) | (\$301.07) | 0.617001 |
| -17.8715 | -7.35674 | -20.4098 | -14.8685 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$476.77) | (\$383.74) | 0.690311 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$210.07) | (\$201.25) | 0.414618 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$396.22) | (\$345.16) | 0.635743 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$396.24) | (\$345.48) | 0.637049 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$268.87) | (\$241.73) | 0.573089 |
| -7.94445 | -3.48021 | -9.19481 | -6.14268 | -5.71561 | -3.72421 | -2.36933 | -0.19946 | 0.347423 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$292.23) | (\$243.71) | 0.667715 |
| -43.1691 | -14.1339 | -46.6975 | -35.457 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$989.67) | (\$767.19) | 0.737992 |
| -9.66251 | -4.17201 | -11.1154 | -7.75029 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$311.20) | (\$261.49) | 0.633711 |
| -60.9139 | -20.3535 | -65.8001 | -49.75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,343.28) | (\$1,030.05) | 0.747146 |
| -22.8599 | -8.59543 | -25.3955 | -18.7512 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$585.86) | (\$466.74) | 0.711706 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$246.35) | (\$223.24) | 0.5541 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$200.59) | (\$192.73) | 0.396458 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.09) | (\$194.97) | 0.404393 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$373.25) | (\$326.53) | 0.628688 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$372.57) | (\$326.21) | 0.63057 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$250.99) | (\$227.13) | 0.556923 |
| -7.2246 | -2.80771 | -8.22217 | -5.77294 | -6.0734 | -3.6767 | -2.84402 | -0.1243 | -0.08401 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$280.86) | (\$235.31) | 0.655637 |
| -40.0144 | -12.8043 | -42.745 | -32.8765 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$916.22) | (\$712.42) | 0.734806 |
| -38.3692 | -12.5257 | -41.4338 | -31.7406 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$889.28) | (\$692.30) | 0.734254 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,059.96) | (\$964.49) | 0.608525 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$552.87) | (\$540.30) | 0.503136 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,441.10) | (\$1,192.63) | 0.70816 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$590.89) | (\$511.73) | 0.662877 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$123.70) | (\$123.64) | 0.015462 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$585.25) | (\$497.79) | 0.672176 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$471.41) | (\$405.47) | 0.654133 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$710.29) | (\$599.19) | 0.683186 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$374.42) | (\$326.96) | 0.628474 |
| -4.69355 | -2.40937 | -5.72206 | -4.9244 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$225.09) | (\$197.99) | 0.556427 |
| -10.4589 | -4.23313 | -12.7447 | -9.52365 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$341.37) | (\$284.36) | 0.653201 |
| -8.41845 | -3.54802 | -9.72444 | -6.54019 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$287.25) | (\$244.02) | 0.617733 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$214.90) | (\$197.64) | 0.512327 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.35) | (\$261.86) | 0.588186 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.97) | (\$173.29) | 0.448078 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.50) | (\$176.90) | 0.37751 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$249.42) | (\$233.69) | 0.482458 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$150.78) | (\$147.38) | 0.261203 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$175.10) | (\$165.33) | 0.417346 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,145.67) | (\$951.88) | 0.702844 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$812.78) | (\$681.50) | 0.687072 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$260.72) | (\$234.67) | 0.563358 |
| -4.69355 | -2.40937 | -5.72206 | -4.9244 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$225.09) | (\$197.99) | 0.556427 |
| -10.6514 | -4.43174 | -12.6982 | -9.65018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$343.53) | (\$285.72) | 0.652299 |

| | | | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|------------|--------------|--------------|----------|
| -7.94653 | -3.47873 | -8.94475 | -6.14121 | -5.96372 | -3.22678 | -1.86982 | -0.19997 | 0.347073 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$291.07) | (\$243.26) | 0.668322 | |
| -42.938 | -14.3834 | -46.9555 | -35.4564 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$989.12) | (\$766.85) | 0.738107 |
| -9.66476 | -4.17016 | -11.1153 | -7.74842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$311.20) | (\$261.49) | 0.633713 |
| -60.5935 | -20.146 | -65.7295 | -50.246 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,342.92) | (\$1,029.88) | 0.747187 |
| -22.6199 | -8.59516 | -25.6495 | -19.0007 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$586.09) | (\$466.89) | 0.711616 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$246.88) | (\$223.68) | 0.553226 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$200.35) | (\$192.49) | 0.397238 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.37) | (\$195.23) | 0.403595 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$373.53) | (\$326.71) | 0.628489 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$373.00) | (\$326.60) | 0.630128 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$250.63) | (\$226.82) | 0.557533 |
| -7.40216 | -2.66931 | -8.39778 | -5.77558 | -6.16915 | -3.43299 | -2.3485 | -0.62873 | 0.411404 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$278.71) | (\$234.00) | 0.65755 |
| -39.5286 | -13.0505 | -42.9989 | -32.6228 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$915.57) | (\$711.99) | 0.734965 |
| -38.3831 | -12.7723 | -41.4377 | -31.737 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$890.01) | (\$692.82) | 0.734054 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,059.67) | (\$964.23) | 0.608635 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$552.62) | (\$540.05) | 0.503363 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,441.20) | (\$1,192.81) | 0.708116 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$590.13) | (\$511.19) | 0.663229 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$123.70) | (\$123.64) | 0.015462 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$588.11) | (\$500.18) | 0.670595 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$472.55) | (\$406.55) | 0.653211 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$713.64) | (\$602.03) | 0.681685 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$375.66) | (\$327.98) | 0.627308 |
| -4.71455 | -2.92802 | -6.24223 | -4.94314 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$225.56) | (\$198.15) | 0.55607 |
| -10.3262 | -4.14192 | -12.3432 | -9.62015 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$341.40) | (\$284.43) | 0.65309 |
| -7.86987 | -3.18325 | -9.67356 | -6.98768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$284.96) | (\$242.59) | 0.61996 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.34) | (\$198.63) | 0.50987 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.54) | (\$262.17) | 0.587685 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.71) | (\$173.14) | 0.448545 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$185.57) | (\$177.82) | 0.374268 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$250.02) | (\$234.28) | 0.481146 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.88) | (\$148.25) | 0.256847 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$174.72) | (\$165.03) | 0.418418 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,149.54) | (\$955.48) | 0.701717 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$808.77) | (\$679.12) | 0.688153 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$260.55) | (\$234.58) | 0.563519 |
| -4.71455 | -2.92802 | -6.24223 | -4.94314 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$225.56) | (\$198.15) | 0.55607 |
| -10.5185 | -4.0904 | -12.7966 | -9.32523 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$341.46) | (\$284.64) | 0.653604 |
| -7.86987 | -3.18325 | -9.67356 | -6.98768 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$284.96) | (\$242.59) | 0.61996 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$216.34) | (\$198.63) | 0.50987 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$294.41) | (\$262.17) | 0.588438 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$184.71) | (\$173.14) | 0.448545 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$185.57) | (\$177.82) | 0.374268 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$250.12) | (\$234.36) | 0.481292 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$151.88) | (\$148.25) | 0.256847 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$404.33) | (\$351.26) | 0.637696 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,112.89) | (\$925.59) | 0.700309 |

| | | | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---------|---|---|---|---|---|---|---|---|---|---|------------|--------------|--------------|----------|
| -33.1102 | -32.2206 | -40.391 | -41.9479 | -46.4672 | -47.9677 | -52.1369 | -55.6761 | -60.091 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$756.87) | (\$443.35) | 0.502382 | |
| -185.375 | -174.003 | -221.796 | -233.941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$2,171.94) | (\$1,393.53) | 0.585863 |
| -179.396 | -168.416 | -214.122 | -226.478 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$2,107.89) | (\$1,353.90) | 0.584955 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,293.26) | (\$1,161.39) | 0.564172 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$590.93) | (\$576.08) | 0.489265 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$2,374.10) | (\$1,827.92) | 0.612532 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$863.26) | (\$705.93) | 0.58816 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$123.96) | (\$123.86) | 0.015435 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$914.81) | (\$722.52) | 0.5849 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$718.57) | (\$574.09) | 0.571378 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,127.98) | (\$883.99) | 0.593159 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$553.17) | (\$449.00) | 0.551255 |
| -23.2763 | -22.5658 | -28.3291 | -30.2432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$383.05) | (\$283.77) | 0.466516 |
| -49.9631 | -47.6694 | -60.9238 | -64.0869 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$681.10) | (\$468.80) | 0.533248 |
| -37.4777 | -35.8741 | -45.4328 | -47.1399 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$539.48) | (\$381.01) | 0.508202 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$282.14) | (\$243.34) | 0.459483 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$414.15) | (\$343.50) | 0.521259 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$229.55) | (\$203.61) | 0.408774 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.62) | (\$192.46) | 0.35856 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$289.16) | (\$266.02) | 0.450224 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$160.16) | (\$154.97) | 0.251426 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$213.04) | (\$191.16) | 0.382052 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,873.51) | (\$1,448.31) | 0.607892 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,293.00) | (\$1,008.74) | 0.597294 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$358.92) | (\$301.57) | 0.500237 |
| -23.2763 | -22.5658 | -28.3291 | -30.2432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$383.05) | (\$283.77) | 0.466516 |
| -50.2583 | -47.981 | -61.2525 | -64.3552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$684.40) | (\$470.76) | 0.532364 |
| -37.4777 | -35.8741 | -45.4328 | -47.1399 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$539.48) | (\$381.01) | 0.508202 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$282.14) | (\$243.34) | 0.459483 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$414.94) | (\$344.01) | 0.52145 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$229.55) | (\$203.61) | 0.408774 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.62) | (\$192.46) | 0.35856 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$288.91) | (\$265.80) | 0.451051 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$160.16) | (\$154.97) | 0.251426 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$603.72) | (\$487.16) | 0.558853 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,808.50) | (\$1,399.09) | 0.60706 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$2,063.23) | (\$1,591.90) | 0.609957 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,199.70) | (\$938.43) | 0.595371 |
| -23.2763 | -22.5658 | -28.3291 | -30.2432 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$383.05) | (\$283.77) | 0.466516 |
| -50.4046 | -47.8715 | -60.887 | -64.2333 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$683.22) | (\$470.11) | 0.532637 |
| -37.4777 | -35.8741 | -45.4328 | -47.1399 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$539.48) | (\$381.01) | 0.508202 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$282.14) | (\$243.34) | 0.459483 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$414.38) | (\$343.60) | 0.521679 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$229.55) | (\$203.61) | 0.408774 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$203.62) | (\$192.46) | 0.35856 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$289.36) | (\$266.20) | 0.449725 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$160.16) | (\$154.97) | 0.251426 |

| Customer | Annual Cost | 8.650827 Payback (Yrs) | Payback Sensitivity | | | Fails RIM and <2-yr Payback | 2-yr Payback Incentive | Verify Payback | Final RIM Incentive | Program Costs | Payback W/Incentive (Yrs) | Industrial | Savings per 10k Sq | |
|----------|-------------|---------------------------|---------------------|-------|-------|-----------------------------|------------------------|----------------|---------------------|---------------|---------------------------|-----------------|--------------------|------|
| | | | <1-yr | <2-yr | <3-yr | | | | | | | Max Penetration | kWh | skW |
| 109 | 1866.581654 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1867 | 0.25 |
| 186 | 1403.599078 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1404 | 0.19 |
| 173 | 2365.324373 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365 | 0.32 |
| 49 | 1012.638869 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1013 | 0.14 |
| 577 | 320.5690091 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 690.9421101 | 13.85259 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 691 | 0.01 |
| 228 | 510.9100639 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.07 |
| 321 | 377.5601381 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.05 |
| 28 | 686.0181974 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289134 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.05 |
| 62 | 685.7509619 | 1.045124 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 11 | 215.0294882 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215 | 0.03 |
| 1000 | 4120.242463 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120 | 0.56 |
| 650 | 2748.512129 | 2.733745 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2749 | 0.18 |
| 54 | 554.3728994 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554 | 0.08 |
| 577 | 320.5690091 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 692.7378775 | 13.81668 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 693 | 0.01 |
| 228 | 510.9100639 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.07 |
| 321 | 377.5601381 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.05 |
| 28 | 687.5553109 | 0.470753 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 688 | 0.01 |
| 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289134 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.05 |
| 62 | 686.3620914 | 1.044193 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 54 | 1132.336135 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132 | 0.15 |
| 292 | 3966.693053 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3967 | 0.54 |
| 715 | 4567.628999 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4568 | 0.62 |
| 217 | 2534.276116 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534 | 0.35 |
| 577 | 320.5690091 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 692.1064631 | 13.82929 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692 | 0.01 |
| 228 | 510.9100639 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.07 |
| 321 | 377.5601381 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.05 |
| 28 | 686.9656711 | 0.471157 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687 | 0.01 |
| 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289134 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.05 |
| 62 | 685.5216603 | 1.045473 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 54 | 1097.31543 | 0.568859 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1097 | 0.15 |
| 541 | 5314.797692 | 1.176665 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5315 | 0.72 |
| 78 | 1409.752415 | 0.639579 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1410 | 0.24 |
| 1183 | 3548.514292 | 3.853724 | No | No | No | Drop | \$569.05 | 2 | NA | NA | NA | 5.63% | 3549 | 0.60 |
| 159.08 | 1284.411581 | 1.431706 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284 | 0.04 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|------|------|
| 88.59 | 337.1821237 | 3.037124 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337 | 0.06 |
| 272.71 | 1172.627085 | 2.688336 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1173 | 0.04 |
| 241.68 | 886.975529 | 3.149716 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 887 | 0.15 |
| 190.9 | 1106.567228 | 1.994208 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1107 | 0.04 |
| 72.5 | 545.8312946 | 1.535401 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 546 | 0.09 |
| 89.18 | 1102.974887 | 0.93464 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1103 | 0.19 |
| 7433.12 | 1108.719411 | 77.49824 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1109 | 0.19 |
| 315.33 | 592.8907048 | 6.147988 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 593 | 0.10 |
| 356.72 | 501.8533263 | 8.216617 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 502 | 0.09 |
| 3224.02 | 2781.075943 | 13.40069 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781 | 0.47 |
| 346.13 | 585.8383345 | 6.829735 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 586 | 0.05 |
| 1293.46 | 3916.857836 | 3.817311 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3917 | 0.67 |
| 3106.64 | 1483.166627 | 24.21271 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483 | 0.25 |
| 174.29 | 505.1762886 | 3.988154 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505 | 0.09 |
| 25.95 | 485.3895281 | 0.618001 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485 | 0.09 |
| 55.77 | 505.1762886 | 1.276145 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505 | 0.09 |
| 51.45 | 1011.793208 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012 | 0.18 |
| 4288.34 | 1016.625124 | 48.76079 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1017 | 0.18 |
| 190.99 | 521.1746757 | 4.236134 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521 | 0.09 |
| 205.8 | 460.6589093 | 5.164262 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 461 | 0.08 |
| 1860.01 | 2541.453156 | 8.460101 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541 | 0.45 |
| 275.12 | 2460.841285 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2461 | 0.42 |
| 1374.08 | 5786.751372 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5787 | 1.11 |
| 190.17 | 5786.751372 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5787 | 1.11 |
| 404.42 | 5301.798092 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5302 | 0.72 |
| 386.89 | 2032.947281 | 2.199904 | No | No | Yes | Drop | \$35.16 | 2 | NA | NA | NA | 5.63% | 2033 | 0.06 |
| 1 | 6.388292286 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6 | 0.00 |
| 109 | 1866.581603 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1867 | 0.48 |
| 186 | 1403.599038 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1404 | 0.36 |
| 173 | 2365.324304 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365 | 0.60 |
| 49 | 1012.638841 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1013 | 0.26 |
| 577 | 320.5690006 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.08 |
| 828 | 690.8664076 | 13.85411 | No | No | No | Drop | \$708.47 | 2 | NA | NA | NA | 5.63% | 691 | 0.02 |
| 228 | 510.9100505 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.13 |
| 321 | 377.5601281 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.10 |
| 28 | 685.9435699 | 0.471859 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.02 |
| 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.07 |
| 96 | 336.4289044 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.09 |
| 62 | 685.6763926 | 1.045237 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.02 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.04 |
| 11 | 215.0294825 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215 | 0.05 |
| 1000 | 4120.242324 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120 | 1.05 |
| 650 | 2748.301589 | 2.733955 | No | No | Yes | Drop | \$174.50 | 2 | NA | NA | NA | 5.63% | 2748 | 0.33 |
| 54 | 554.3728843 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554 | 0.14 |
| 577 | 320.5690006 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.08 |
| 828 | 692.661781 | 13.8182 | No | No | No | Drop | \$708.16 | 2 | NA | NA | NA | 5.63% | 693 | 0.02 |
| 228 | 510.9100505 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.13 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|------|------|
| 321 | 377.5601281 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.10 |
| 28 | 687.4803487 | 0.470804 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687 | 0.02 |
| 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.07 |
| 96 | 336.4289044 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.09 |
| 62 | 686.2873891 | 1.044307 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.02 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.04 |
| 54 | 1132.336104 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132 | 0.29 |
| 292 | 3966.692924 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3967 | 1.01 |
| 715 | 4567.628843 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4568 | 1.17 |
| 217 | 2534.276037 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534 | 0.65 |
| 577 | 320.5690006 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.08 |
| 828 | 692.0305052 | 13.83081 | No | No | No | Drop | \$708.27 | 2 | NA | NA | NA | 5.63% | 692 | 0.02 |
| 228 | 510.9100505 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.13 |
| 321 | 377.5601281 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.10 |
| 28 | 686.8908374 | 0.471208 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687 | 0.02 |
| 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.07 |
| 96 | 336.4289044 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.09 |
| 62 | 685.4471408 | 1.045587 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685 | 0.02 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.04 |
| 347 | 1883.886614 | 2.129203 | No | No | Yes | Drop | \$21.06 | 2 | NA | NA | NA | 5.63% | 1884 | 0.48 |
| 812 | 3523.692839 | 2.663792 | No | No | Yes | Drop | \$202.34 | 2 | NA | NA | NA | 5.63% | 3524 | 0.52 |
| 159.08 | 1284.214751 | 1.431925 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284 | 0.08 |
| 88.59 | 337.1705354 | 3.037228 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337 | 0.11 |
| 272.71 | 1172.429085 | 2.68879 | No | No | Yes | Drop | \$69.86 | 2 | NA | NA | NA | 5.63% | 1172 | 0.07 |
| 241.68 | 886.9438754 | 3.149829 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 887 | 0.28 |
| 190.9 | 1106.390906 | 1.994526 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106 | 0.07 |
| 72.5 | 545.8121151 | 1.535455 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 546 | 0.17 |
| 89.18 | 1102.935729 | 0.934673 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1103 | 0.35 |
| 7433.12 | 1108.679844 | 77.50101 | No | No | No | Drop | \$7,241.30 | 2 | NA | NA | NA | 5.63% | 1109 | 0.35 |
| 315.33 | 592.8698831 | 6.148204 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 593 | 0.19 |
| 356.72 | 501.8356466 | 8.216906 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 502 | 0.16 |
| 3224.02 | 2780.972644 | 13.40119 | No | No | No | Drop | \$2,742.87 | 2 | NA | NA | NA | 5.63% | 2781 | 0.89 |
| 346.13 | 585.7680143 | 6.830554 | No | No | No | Drop | \$244.78 | 2 | NA | NA | NA | 5.63% | 586 | 0.09 |
| 1293.46 | 3916.678954 | 3.817486 | No | No | No | Drop | \$615.81 | 2 | NA | NA | NA | 5.63% | 3917 | 1.25 |
| 3106.64 | 1483.098797 | 24.21381 | No | No | No | Drop | \$2,850.04 | 2 | NA | NA | NA | 5.63% | 1483 | 0.48 |
| 174.29 | 505.1524837 | 3.988342 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505 | 0.17 |
| 25.95 | 485.366855 | 0.61803 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485 | 0.16 |
| 55.77 | 505.1524837 | 1.276205 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505 | 0.17 |
| 51.45 | 1011.745462 | 0.587836 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012 | 0.33 |
| 4288.34 | 1016.576922 | 48.7631 | No | No | No | Drop | \$4,112.46 | 2 | NA | NA | NA | 5.63% | 1017 | 0.34 |
| 190.99 | 521.150349 | 4.236332 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521 | 0.17 |
| 205.8 | 460.6373248 | 5.164504 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 461 | 0.15 |
| 1860.01 | 2541.32816 | 8.460517 | No | No | No | Drop | \$1,420.32 | 2 | NA | NA | NA | 5.63% | 2541 | 0.84 |
| 275.12 | 2460.841215 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2461 | 0.78 |
| 1374.08 | 5786.751185 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5787 | 2.08 |
| 190.17 | 5786.751185 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5787 | 2.08 |
| 404.42 | 5301.797949 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5302 | 1.35 |

| | | | | | | | | | | | | | | |
|--------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|------|------|
| 411.52 | 2032.750627 | 2.34018 | No | No | Yes | Drop | \$59.82 | 2 | NA | NA | NA | 5.63% | 2033 | 0.11 |
| 1 | 6.388292119 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6 | 0.00 |
| 379 | 1163.274248 | 3.766166 | No | No | No | Drop | \$177.73 | 2 | NA | NA | NA | 5.63% | 1163 | 0.30 |
| 109 | 1866.581591 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1867 | 0.32 |
| 186 | 1403.599028 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1404 | 0.24 |
| 173 | 2365.324288 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365 | 0.41 |
| 49 | 1012.638835 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1013 | 0.18 |
| 577 | 320.5689987 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.06 |
| 828 | 690.9186261 | 13.85306 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 691 | 0.01 |
| 228 | 510.9100474 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.09 |
| 321 | 377.5601258 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.07 |
| 28 | 685.9950469 | 0.471823 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.04 |
| 96 | 336.4289023 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.06 |
| 62 | 685.7278295 | 1.045159 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.03 |
| 11 | 215.0294812 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215 | 0.04 |
| 1000 | 4120.242291 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120 | 0.71 |
| 650 | 2748.446782 | 2.73381 | No | No | Yes | Drop | \$174.47 | 2 | NA | NA | NA | 5.63% | 2748 | 0.22 |
| 54 | 554.3728808 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554 | 0.10 |
| 577 | 320.5689987 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.06 |
| 828 | 692.7142712 | 13.81715 | No | No | No | Drop | \$708.15 | 2 | NA | NA | NA | 5.63% | 693 | 0.01 |
| 228 | 510.9100474 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.09 |
| 321 | 377.5601258 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.07 |
| 28 | 687.5320565 | 0.470769 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 688 | 0.01 |
| 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.04 |
| 96 | 336.4289023 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.06 |
| 62 | 686.3389177 | 1.044228 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.03 |
| 541 | 2365.324288 | 2.643924 | No | No | Yes | Drop | \$131.76 | 2 | NA | NA | NA | 5.63% | 2365 | 0.41 |
| 54 | 1132.336096 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132 | 0.20 |
| 292 | 3966.692893 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3967 | 0.69 |
| 715 | 4567.628807 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4568 | 0.79 |
| 217 | 2534.276018 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534 | 0.44 |
| 577 | 320.5689987 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.06 |
| 828 | 692.0828999 | 13.82976 | No | No | No | Drop | \$708.26 | 2 | NA | NA | NA | 5.63% | 692 | 0.01 |
| 228 | 510.9100474 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.09 |
| 321 | 377.5601258 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.07 |
| 28 | 686.9424566 | 0.471173 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687 | 0.01 |
| 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.04 |
| 96 | 336.4289023 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.06 |
| 62 | 685.4985433 | 1.045508 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685 | 0.01 |
| 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.03 |
| 412 | 6365.937712 | 0.74813 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 6366 | 0.27 |
| 65 | 658.3892359 | 1.14123 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 658 | 0.11 |
| 68 | 380.5296997 | 2.065678 | No | No | Yes | Drop | \$2.16 | 2 | NA | NA | NA | 5.63% | 381 | 0.07 |
| 1906 | 2841.833786 | 7.752943 | No | No | No | Drop | \$1,414.32 | 2 | NA | NA | NA | 5.63% | 2842 | 0.49 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|------|------|
| 159.08 | 1284.354286 | 1.43177 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284 | 0.06 |
| 88.59 | 337.1795111 | 3.037148 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337 | 0.07 |
| 272.71 | 1172.569449 | 2.688468 | No | No | Yes | Drop | \$69.84 | 2 | NA | NA | NA | 5.63% | 1173 | 0.05 |
| 241.68 | 886.9683926 | 3.149742 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 887 | 0.19 |
| 190.9 | 1106.515902 | 1.994301 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1107 | 0.05 |
| 72.5 | 545.8269705 | 1.535414 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 546 | 0.12 |
| 89.18 | 1102.966059 | 0.934647 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1103 | 0.24 |
| 7433.12 | 1108.710491 | 77.49887 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1109 | 0.24 |
| 315.33 | 592.8860105 | 6.148037 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 593 | 0.13 |
| 356.72 | 501.8493404 | 8.216682 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 502 | 0.11 |
| 3224.02 | 2781.052654 | 13.4008 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781 | 0.60 |
| 346.13 | 585.8188017 | 6.829962 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 586 | 0.06 |
| 1293.46 | 3916.817532 | 3.81735 | No | No | No | Drop | \$615.79 | 2 | NA | NA | NA | 5.63% | 3917 | 0.85 |
| 3106.64 | 1483.151344 | 24.21296 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483 | 0.32 |
| 174.29 | 505.1709251 | 3.988196 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505 | 0.12 |
| 25.95 | 485.3844196 | 0.618008 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485 | 0.11 |
| 55.77 | 505.1709251 | 1.276159 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505 | 0.12 |
| 51.45 | 1011.782451 | 0.587815 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012 | 0.23 |
| 4288.34 | 1016.614264 | 48.76131 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1017 | 0.23 |
| 190.99 | 521.1691946 | 4.236179 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521 | 0.12 |
| 205.8 | 460.654046 | 5.164316 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 461 | 0.10 |
| 1860.01 | 2541.424993 | 8.460195 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541 | 0.57 |
| 275.12 | 2460.841198 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2461 | 0.53 |
| 1374.08 | 5786.751141 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5787 | 1.41 |
| 190.17 | 5786.751141 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5787 | 1.41 |
| 404.42 | 5301.797916 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5302 | 0.92 |
| 411.52 | 2032.88627 | 2.340024 | No | No | Yes | Drop | \$59.80 | 2 | NA | NA | NA | 5.63% | 2033 | 0.07 |
| 1 | 6.38829208 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6 | 0.00 |
| 109 | 1866.581583 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1867 | 0.22 |
| 186 | 1403.599022 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1404 | 0.16 |
| 173 | 2365.324277 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365 | 0.27 |
| 49 | 1012.63883 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1013 | 0.12 |
| 577 | 320.5689973 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 690.9547894 | 13.85234 | No | No | No | Drop | \$708.45 | 2 | NA | NA | NA | 5.63% | 691 | 0.01 |
| 228 | 510.9100452 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.06 |
| 321 | 377.5601242 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.04 |
| 28 | 686.0306965 | 0.471799 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289008 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.04 |
| 62 | 685.7634514 | 1.045105 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 11 | 215.0294802 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215 | 0.02 |
| 1000 | 4120.242269 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120 | 0.48 |
| 650 | 2748.547335 | 2.73371 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2749 | 0.15 |
| 54 | 554.3728783 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554 | 0.06 |
| 577 | 320.5689973 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 692.7506227 | 13.81643 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 693 | 0.01 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 228 | 510.9100452 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.06 |
| 321 | 377.5601242 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.04 |
| 28 | 687.5678662 | 0.470744 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 688 | 0.01 |
| 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289008 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.04 |
| 62 | 686.3746031 | 1.044174 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 54 | 1132.336091 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132 | 0.13 |
| 292 | 3966.692872 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3967 | 0.46 |
| 715 | 4567.628782 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4568 | 0.53 |
| 217 | 2534.276005 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534 | 0.29 |
| 577 | 320.5689973 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 321 | 0.04 |
| 828 | 692.1191851 | 13.82903 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692 | 0.01 |
| 228 | 510.9100452 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 511 | 0.06 |
| 321 | 377.5601242 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 378 | 0.04 |
| 28 | 686.9782049 | 0.471148 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687 | 0.01 |
| 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255 | 0.03 |
| 96 | 336.4289008 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336 | 0.04 |
| 62 | 685.5341414 | 1.045454 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686 | 0.01 |
| 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 160 | 0.02 |
| 60.25 | 334.6308376 | 2.081294 | No | No | Yes | Drop | \$2.35 | 2 | NA | NA | NA | 5.63% | 335 | 0.04 |
| 86 | 905.2349888 | 1.098195 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 905 | 0.11 |
| 82 | 868.3350186 | 1.091614 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 868 | 0.10 |
| 135 | 545.844065 | 2.858956 | No | No | Yes | Drop | \$40.56 | 2 | NA | NA | NA | 5.63% | 546 | 0.06 |
| 159.08 | 1284.440918 | 1.431673 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284 | 0.04 |
| 88.59 | 337.1830937 | 3.037115 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337 | 0.05 |
| 272.71 | 1172.656597 | 2.688268 | No | No | Yes | Drop | \$69.82 | 2 | NA | NA | NA | 5.63% | 1173 | 0.03 |
| 241.68 | 886.9781784 | 3.149707 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 887 | 0.13 |
| 190.9 | 1106.593508 | 1.994161 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1107 | 0.03 |
| 72.5 | 545.8328999 | 1.535397 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 546 | 0.08 |
| 89.18 | 1102.978165 | 0.934637 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1103 | 0.16 |
| 7433.12 | 1108.722723 | 77.49801 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1109 | 0.16 |
| 315.33 | 592.8924476 | 6.14797 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 593 | 0.09 |
| 356.72 | 501.8548061 | 8.216592 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 502 | 0.07 |
| 3224.02 | 2781.08459 | 13.40065 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.08 | 0.40 |
| 346.13 | 585.8478895 | 6.829623 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.85 | 0.04 |
| 1293.46 | 3916.872826 | 3.817297 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.87 | 0.57 |
| 3106.64 | 1483.172311 | 24.21261 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.22 |
| 174.29 | 505.1782835 | 3.988138 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 25.95 | 485.3914281 | 0.617999 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.07 |
| 55.77 | 505.1782835 | 1.27614 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 51.45 | 1011.797209 | 0.587806 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.15 |
| 4288.34 | 1016.629164 | 48.7606 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.15 |
| 190.99 | 521.1767142 | 4.236117 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.08 |
| 205.8 | 460.660718 | 5.164242 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.07 |
| 1860.01 | 2541.463631 | 8.460066 | No | No | No | Drop | \$1,420.29 | 2 | NA | NA | NA | 5.63% | 2541.46 | 0.38 |
| 275.12 | 2460.841187 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.35 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|----------|----|----|----|----|--------|---------|------|
| 1374.08 | 5786.751111 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 0.95 |
| 190.17 | 5786.751111 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 0.95 |
| 404.42 | 5301.797893 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.62 |
| 411.52 | 2032.980208 | 2.339915 | No | No | Yes | Drop | \$59.78 | 2 | NA | NA | NA | 5.63% | 2032.98 | 0.05 |
| 1 | 6.388292053 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581691 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.25 |
| 186 | 1403.599108 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.19 |
| 173 | 2365.324423 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.32 |
| 49 | 1012.63889 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.14 |
| 577 | 320.5690152 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.942248 | 13.85259 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.94 | 0.01 |
| 228 | 510.9100736 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601454 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.0183333 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.02 | 0.01 |
| 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289199 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.7510978 | 1.045123 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.75 | 0.01 |
| 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294923 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.242565 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.56 |
| 650 | 2748.51254 | 2.733745 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.51 | 0.18 |
| 54 | 554.3729105 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.08 |
| 577 | 320.5690152 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7380161 | 13.81668 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.74 | 0.01 |
| 228 | 510.9100736 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601454 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 687.5554475 | 0.470753 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.56 | 0.01 |
| 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289199 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 686.3622275 | 1.044193 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.36 | 0.01 |
| 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336158 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.15 |
| 292 | 3966.693147 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.54 |
| 715 | 4567.629112 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.62 |
| 217 | 2534.276173 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.34 |
| 577 | 320.5690152 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1066015 | 13.82928 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.11 | 0.01 |
| 228 | 510.9100736 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601454 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.9658075 | 0.471157 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.97 | 0.01 |
| 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289199 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.521796 | 1.045473 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.52 | 0.01 |
| 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 108 | 1120.41683 | 1.11426 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.15 |
| 650 | 2534.276173 | 2.964844 | No | No | Yes | Drop | \$211.53 | 2 | NA | NA | NA | 5.63% | 2534.28 | 0.34 |
| 758 | 1156.952162 | 7.573492 | No | No | No | Drop | \$557.83 | 2 | NA | NA | NA | 5.63% | 1156.95 | 0.16 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 61 | 381.8950237 | 1.84641 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 381.90 | 0.05 |
| 159.08 | 1284.416479 | 1.4317 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.42 | 0.04 |
| 88.59 | 337.1833472 | 3.037113 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.06 |
| 272.71 | 1172.632012 | 2.688324 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.63 | 0.04 |
| 241.68 | 886.9788709 | 3.149704 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.15 |
| 190.9 | 1106.571615 | 1.9942 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.57 | 0.04 |
| 72.5 | 545.8333195 | 1.535396 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.09 |
| 89.18 | 1102.979021 | 0.934636 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.19 |
| 7433.12 | 1108.723589 | 77.49795 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.19 |
| 315.33 | 592.8929031 | 6.147965 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.10 |
| 356.72 | 501.8551929 | 8.216586 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.86 | 0.09 |
| 3224.02 | 2781.086849 | 13.40064 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.09 | 0.47 |
| 346.13 | 585.8412313 | 6.829701 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.84 | 0.05 |
| 1293.46 | 3916.876723 | 3.817293 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.88 | 0.67 |
| 3106.64 | 1483.173788 | 24.21259 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.25 |
| 174.29 | 505.1788019 | 3.988134 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 25.95 | 485.391922 | 0.617998 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.09 |
| 55.77 | 505.1788019 | 1.276139 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 51.45 | 1011.798249 | 0.587806 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.18 |
| 4288.34 | 1016.630214 | 48.76055 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.18 |
| 190.99 | 521.1772441 | 4.236113 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.09 |
| 205.8 | 460.6611882 | 5.164236 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.08 |
| 1860.01 | 2541.466354 | 8.460057 | No | No | No | Drop | \$1,420.29 | 2 | NA | NA | NA | 5.63% | 2541.47 | 0.45 |
| 275.12 | 2460.841337 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.42 |
| 1374.08 | 5786.751509 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.11 |
| 190.17 | 5786.751509 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.11 |
| 404.42 | 5301.798196 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.72 |
| 411.52 | 2032.947644 | 2.339953 | No | No | Yes | Drop | \$59.79 | 2 | NA | NA | NA | 5.63% | 2032.95 | 0.06 |
| 1 | 6.388292408 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581582 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.17 |
| 186 | 1403.599021 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.13 |
| 173 | 2365.324275 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.21 |
| 49 | 1012.63883 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.09 |
| 577 | 320.5689971 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |
| 828 | 690.9710421 | 13.85201 | No | No | No | Drop | \$708.45 | 2 | NA | NA | NA | 5.63% | 690.97 | 0.01 |
| 228 | 510.9100449 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.560124 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 686.0467185 | 0.471788 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.05 | 0.01 |
| 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289007 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |
| 62 | 685.7794608 | 1.04508 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.78 | 0.01 |
| 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 11 | 215.0294801 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.02 |
| 1000 | 4120.242266 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.37 |
| 650 | 2748.592529 | 2.733665 | No | No | Yes | Drop | \$174.45 | 2 | NA | NA | NA | 5.63% | 2748.59 | 0.12 |
| 54 | 554.372878 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.05 |
| 577 | 320.5689971 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 828 | 692.7669601 | 13.8161 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.77 | 0.01 |
| 228 | 510.9100449 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.560124 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 687.58396 | 0.470733 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.58 | 0.01 |
| 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289007 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |
| 62 | 686.3906411 | 1.04415 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.39 | 0.01 |
| 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 54 | 1132.336091 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.10 |
| 292 | 3966.69287 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.36 |
| 715 | 4567.628779 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.41 |
| 217 | 2534.276004 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.23 |
| 577 | 320.5689971 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |
| 828 | 692.1354927 | 13.82871 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.14 | 0.01 |
| 228 | 510.9100449 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.560124 | 9.827913 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 686.9942711 | 0.471137 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.99 | 0.01 |
| 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289007 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |
| 62 | 685.5501401 | 1.04543 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.55 | 0.01 |
| 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 238 | 1120.416764 | 2.455499 | No | No | Yes | Drop | \$44.15 | 2 | NA | NA | NA | 5.63% | 1120.42 | 0.10 |
| 1428 | 4201.562834 | 3.928798 | No | No | No | Drop | \$701.06 | 2 | NA | NA | NA | 5.63% | 4201.56 | 0.38 |
| 260 | 886.9966048 | 3.388393 | No | No | No | Drop | \$106.53 | 2 | NA | NA | NA | 5.63% | 887.00 | 0.08 |
| 19 | 61.76548542 | 3.555905 | No | No | No | Drop | \$8.31 | 2 | NA | NA | NA | 5.63% | 61.77 | 0.01 |
| 260 | 886.9966048 | 3.388393 | No | No | No | Drop | \$106.53 | 2 | NA | NA | NA | 5.63% | 887.00 | 0.08 |
| 159.08 | 1284.480534 | 1.431629 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.48 | 0.03 |
| 88.59 | 337.1848837 | 3.037099 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.04 |
| 272.71 | 1172.696449 | 2.688177 | No | No | Yes | Drop | \$69.81 | 2 | NA | NA | NA | 5.63% | 1172.70 | 0.03 |
| 241.68 | 886.9830677 | 3.14969 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.10 |
| 190.9 | 1106.628996 | 1.994097 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.63 | 0.03 |
| 72.5 | 545.8358624 | 1.535389 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.84 | 0.06 |
| 89.18 | 1102.984213 | 0.934632 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.12 |
| 7433.12 | 1108.728835 | 77.49759 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.73 | 0.13 |
| 315.33 | 592.8956637 | 6.147937 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.90 | 0.07 |
| 356.72 | 501.857537 | 8.216548 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.86 | 0.06 |
| 3224.02 | 2781.100545 | 13.40057 | No | No | No | Drop | \$2,742.84 | 2 | NA | NA | NA | 5.63% | 2781.10 | 0.32 |
| 346.13 | 585.8613739 | 6.829466 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.86 | 0.03 |
| 1293.46 | 3916.900433 | 3.81727 | No | No | No | Drop | \$615.77 | 2 | NA | NA | NA | 5.63% | 3916.90 | 0.44 |
| 3106.64 | 1483.182779 | 24.21244 | No | No | No | Drop | \$2,850.02 | 2 | NA | NA | NA | 5.63% | 1483.18 | 0.17 |
| 174.29 | 505.1819572 | 3.988109 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.06 |
| 25.95 | 485.3949272 | 0.617994 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.06 |
| 55.77 | 505.1819572 | 1.276131 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.06 |
| 51.45 | 1011.804578 | 0.587802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.12 |
| 4288.34 | 1016.636603 | 48.76024 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.64 | 0.12 |
| 190.99 | 521.1804685 | 4.236087 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.06 |
| 205.8 | 460.6640491 | 5.164204 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.05 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 1860.01 | 2541.482921 | 8.460002 | No | No | No | Drop | \$1,420.29 | 2 | NA | NA | NA | 5.63% | 2541.48 | 0.30 |
| 275.12 | 2460.841185 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.28 |
| 1374.08 | 5786.751107 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 0.74 |
| 190.17 | 5786.751107 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 0.74 |
| 404.42 | 5301.79789 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.48 |
| 411.52 | 2033.022427 | 2.339867 | No | No | Yes | Drop | \$59.77 | 2 | NA | NA | NA | 5.63% | 2033.02 | 0.04 |
| 109 | 1866.581651 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.17 |
| 186 | 1403.599076 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.12 |
| 173 | 2365.324368 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.21 |
| 49 | 1012.638868 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.09 |
| 577 | 320.5690085 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |
| 828 | 690.9720821 | 13.85199 | No | No | No | Drop | \$708.45 | 2 | NA | NA | NA | 5.63% | 690.97 | 0.01 |
| 228 | 510.910063 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.5601375 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 686.0477437 | 0.471787 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.05 | 0.01 |
| 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289128 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |
| 62 | 685.7804852 | 1.045079 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.78 | 0.01 |
| 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 32 | 107.2439259 | 3.44921 | No | No | No | Drop | \$13.45 | 2 | NA | NA | NA | 5.63% | 107.24 | 0.01 |
| 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 269.47 | 0.02 |
| 11 | 215.0294878 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.02 |
| 1000 | 4120.242454 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.37 |
| 650 | 2748.59547 | 2.733663 | No | No | Yes | Drop | \$174.45 | 2 | NA | NA | NA | 5.63% | 2748.60 | 0.12 |
| 54 | 554.3728985 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.05 |
| 577 | 320.5690085 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |
| 828 | 692.7680055 | 13.81608 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.77 | 0.01 |
| 228 | 510.910063 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.5601375 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 687.5849898 | 0.470732 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.58 | 0.01 |
| 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289128 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |
| 62 | 686.3916673 | 1.044148 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.39 | 0.01 |
| 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 32 | 107.2439259 | 3.44921 | No | No | No | Drop | \$13.45 | 2 | NA | NA | NA | 5.63% | 107.24 | 0.01 |
| 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 269.47 | 0.02 |
| 54 | 1132.336133 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.10 |
| 292 | 3966.693045 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.35 |
| 715 | 4567.628989 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.41 |
| 217 | 2534.276111 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.23 |
| 577 | 320.5690085 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.03 |
| 828 | 692.1365362 | 13.82869 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.14 | 0.01 |
| 228 | 510.910063 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.05 |
| 321 | 377.5601375 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.03 |
| 28 | 686.9952991 | 0.471136 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.00 | 0.01 |
| 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.02 |
| 96 | 336.4289128 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.03 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 62 | 685.5511639 | 1.045428 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.55 | 0.01 |
| 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.01 |
| 32 | 107.2439259 | 3.44921 | No | No | No | Drop | \$13.45 | 2 | NA | NA | NA | 5.63% | 107.24 | 0.01 |
| 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 269.47 | 0.02 |
| 433 | 2365.324368 | 2.116116 | No | No | Yes | Drop | \$23.76 | 2 | NA | NA | NA | 5.63% | 2365.32 | 0.21 |
| 32 | 107.2439259 | 3.44921 | No | No | No | Drop | \$13.45 | 2 | NA | NA | NA | 5.63% | 107.24 | 0.01 |
| 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 269.47 | 0.02 |
| 159.08 | 1284.48221 | 1.431627 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.48 | 0.03 |
| 88.59 | 337.1847853 | 3.0371 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.04 |
| 272.71 | 1172.698135 | 2.688173 | No | No | Yes | Drop | \$69.81 | 2 | NA | NA | NA | 5.63% | 1172.70 | 0.03 |
| 241.68 | 886.982799 | 3.149691 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.10 |
| 190.9 | 1106.630498 | 1.994094 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.63 | 0.02 |
| 72.5 | 545.8356996 | 1.535389 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.84 | 0.06 |
| 89.18 | 1102.983881 | 0.934632 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.12 |
| 7433.12 | 1108.728499 | 77.49761 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.73 | 0.12 |
| 315.33 | 592.895487 | 6.147939 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.90 | 0.07 |
| 356.72 | 501.8573869 | 8.21655 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.86 | 0.06 |
| 3224.02 | 2781.099669 | 13.40058 | No | No | No | Drop | \$2,742.84 | 2 | NA | NA | NA | 5.63% | 2781.10 | 0.31 |
| 346.13 | 585.8617325 | 6.829462 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.86 | 0.03 |
| 1293.46 | 3916.898923 | 3.817271 | No | No | No | Drop | \$615.77 | 2 | NA | NA | NA | 5.63% | 3916.90 | 0.44 |
| 3106.64 | 1483.182207 | 24.21245 | No | No | No | Drop | \$2,850.02 | 2 | NA | NA | NA | 5.63% | 1483.18 | 0.17 |
| 174.29 | 505.1817563 | 3.98811 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.06 |
| 25.95 | 485.3947359 | 0.617995 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.06 |
| 55.77 | 505.1817563 | 1.276131 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.06 |
| 51.45 | 1011.804175 | 0.587802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.12 |
| 4288.34 | 1016.636196 | 48.76026 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.64 | 0.12 |
| 190.99 | 521.1802632 | 4.236089 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.06 |
| 205.8 | 460.663867 | 5.164206 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.05 |
| 1860.01 | 2541.481867 | 8.460005 | No | No | No | Drop | \$1,420.29 | 2 | NA | NA | NA | 5.63% | 2541.48 | 0.29 |
| 275.12 | 2460.841281 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.27 |
| 1374.08 | 5786.751361 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 0.73 |
| 190.17 | 5786.751361 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 0.73 |
| 404.42 | 5301.798083 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.47 |
| 411.52 | 2033.025137 | 2.339864 | No | No | Yes | Drop | \$59.77 | 2 | NA | NA | NA | 5.63% | 2033.03 | 0.04 |
| 1 | 6.388292276 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581596 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.26 |
| 186 | 1403.599032 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.20 |
| 173 | 2365.324294 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.33 |
| 49 | 1012.638837 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.14 |
| 577 | 320.5689995 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.9399411 | 13.85264 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.94 | 0.01 |
| 228 | 510.9100487 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601268 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.0160592 | 0.471809 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.02 | 0.01 |
| 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289032 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.7488254 | 1.045127 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.75 | 0.01 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294817 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.242305 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.57 |
| 650 | 2748.506056 | 2.733751 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.51 | 0.18 |
| 54 | 554.3728823 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.08 |
| 577 | 320.5689995 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7356972 | 13.81673 | No | No | No | Drop | \$708.15 | 2 | NA | NA | NA | 5.63% | 692.74 | 0.01 |
| 228 | 510.9100487 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601268 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 687.5531631 | 0.470754 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.55 | 0.01 |
| 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289032 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 686.3599511 | 1.044196 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.36 | 0.01 |
| 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336099 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.16 |
| 292 | 3966.692906 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.55 |
| 715 | 4567.628822 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.64 |
| 217 | 2534.276026 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.35 |
| 577 | 320.5689995 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1042868 | 13.82933 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.10 | 0.01 |
| 228 | 510.9100487 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601268 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.9635271 | 0.471158 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.96 | 0.01 |
| 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289032 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.5195252 | 1.045476 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.52 | 0.01 |
| 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1120.416772 | 0.55713 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.16 |
| 1071 | 4201.562875 | 2.946599 | No | No | Yes | Drop | \$344.06 | 2 | NA | NA | NA | 5.63% | 4201.56 | 0.59 |
| 3332 | 9676.326527 | 3.980493 | No | No | No | Drop | \$1,657.84 | 2 | NA | NA | NA | 5.63% | 9676.33 | 1.35 |
| 750 | 2653.093715 | 3.267767 | No | No | No | Drop | \$290.97 | 2 | NA | NA | NA | 5.63% | 2653.09 | 0.37 |
| 1047 | 2504.461015 | 4.832532 | No | No | No | Drop | \$613.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.35 |
| 159.08 | 1284.406539 | 1.431711 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.41 | 0.04 |
| 88.59 | 337.1819383 | 3.037126 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.06 |
| 272.71 | 1172.622013 | 2.688347 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.62 | 0.04 |
| 241.68 | 886.9750225 | 3.149718 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.15 |
| 190.9 | 1106.562711 | 1.994216 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.56 | 0.04 |
| 72.5 | 545.8309876 | 1.535402 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.10 |
| 89.18 | 1102.97426 | 0.93464 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.97 | 0.19 |
| 7433.12 | 1108.718778 | 77.49829 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.19 |
| 315.33 | 592.8903716 | 6.147992 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.10 |
| 356.72 | 501.8530434 | 8.216621 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.09 |
| 3224.02 | 2781.07429 | 13.4007 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.07 | 0.49 |
| 346.13 | 585.8366724 | 6.829754 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.84 | 0.05 |
| 1293.46 | 3916.85499 | 3.817314 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.85 | 0.68 |
| 3106.64 | 1483.165548 | 24.21273 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.26 |
| 174.29 | 505.1759099 | 3.988157 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.09 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 25.95 | 485.3891674 | 0.618002 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.09 |
| 55.77 | 505.1759099 | 1.276146 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 51.45 | 1011.792449 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.79 | 0.18 |
| 4288.34 | 1016.624358 | 48.76083 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.62 | 0.18 |
| 190.99 | 521.1742887 | 4.236137 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.17 | 0.09 |
| 205.8 | 460.6585659 | 5.164266 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.08 |
| 1860.01 | 2541.451168 | 8.460107 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.45 | 0.46 |
| 275.12 | 2460.841205 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.43 |
| 1374.08 | 5786.751159 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.14 |
| 190.17 | 5786.751159 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.14 |
| 404.42 | 5301.79793 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.74 |
| 411.52 | 2032.94164 | 2.33996 | No | No | Yes | Drop | \$59.79 | 2 | NA | NA | NA | 5.63% | 2032.94 | 0.06 |
| 1 | 6.388292096 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581624 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.21 |
| 186 | 1403.599054 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.16 |
| 173 | 2365.324332 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.27 |
| 49 | 1012.638853 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.12 |
| 577 | 320.5690042 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.9554812 | 13.85232 | No | No | No | Drop | \$708.45 | 2 | NA | NA | NA | 5.63% | 690.96 | 0.01 |
| 228 | 510.9100561 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601323 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.04 |
| 28 | 686.0313785 | 0.471798 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.03 | 0.01 |
| 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289081 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.7641328 | 1.045103 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.76 | 0.01 |
| 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294849 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.02 |
| 1000 | 4120.242382 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.47 |
| 650 | 2748.549289 | 2.733708 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.55 | 0.15 |
| 54 | 554.3728906 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.06 |
| 577 | 320.5690042 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7513181 | 13.81641 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.75 | 0.01 |
| 228 | 510.9100561 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601323 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.04 |
| 28 | 687.5685512 | 0.470744 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.57 | 0.01 |
| 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289081 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 686.3752857 | 1.044173 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.38 | 0.01 |
| 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336117 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.13 |
| 292 | 3966.692977 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.46 |
| 715 | 4567.628908 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.53 |
| 217 | 2534.276069 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.29 |
| 577 | 320.5690042 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1198792 | 13.82902 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.12 | 0.01 |
| 228 | 510.9100561 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601323 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.04 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 28 | 686.9788887 | 0.471148 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.98 | 0.01 |
| 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289081 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.5348224 | 1.045453 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.53 | 0.01 |
| 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 56.64 | 381.8950103 | 1.714437 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 381.90 | 0.04 |
| 260 | 215.0294849 | 13.97712 | No | No | No | Drop | \$222.80 | 2 | NA | NA | NA | 5.63% | 215.03 | 0.02 |
| 2501 | 2686.576314 | 10.76111 | No | No | No | Drop | \$2,036.18 | 2 | NA | NA | NA | 5.63% | 2686.58 | 0.31 |
| 22 | 215.0294849 | 1.182679 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.02 |
| 325 | 1150.698324 | 3.264858 | No | No | No | Drop | \$125.91 | 2 | NA | NA | NA | 5.63% | 1150.70 | 0.13 |
| 43 | 434.4473265 | 1.144126 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 434.45 | 0.05 |
| 159.08 | 1284.440769 | 1.431673 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.44 | 0.04 |
| 88.59 | 337.1826945 | 3.037119 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.05 |
| 272.71 | 1172.656447 | 2.688268 | No | No | Yes | Drop | \$69.82 | 2 | NA | NA | NA | 5.63% | 1172.66 | 0.03 |
| 241.68 | 886.977088 | 3.149711 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.13 |
| 190.9 | 1106.593374 | 1.994161 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.59 | 0.03 |
| 72.5 | 545.8322391 | 1.535399 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.08 |
| 89.18 | 1102.976816 | 0.934638 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.16 |
| 7433.12 | 1108.72136 | 77.49811 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.16 |
| 315.33 | 592.8917303 | 6.147977 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.09 |
| 356.72 | 501.8541971 | 8.216602 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.07 |
| 3224.02 | 2781.081031 | 13.40067 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.08 | 0.40 |
| 346.13 | 585.8473602 | 6.829629 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.85 | 0.04 |
| 1293.46 | 3916.866683 | 3.817303 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.87 | 0.56 |
| 3106.64 | 1483.169982 | 24.21265 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.21 |
| 174.29 | 505.1774659 | 3.988144 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 25.95 | 485.3906495 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.07 |
| 55.77 | 505.1774659 | 1.276142 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 51.45 | 1011.79557 | 0.587807 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.15 |
| 4288.34 | 1016.627508 | 48.76068 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.15 |
| 190.99 | 521.1758788 | 4.236124 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.08 |
| 205.8 | 460.6599767 | 5.16425 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.07 |
| 1860.01 | 2541.459338 | 8.46008 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.46 | 0.38 |
| 275.12 | 2460.841244 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.35 |
| 1374.08 | 5786.751263 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 0.94 |
| 190.17 | 5786.751263 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 0.94 |
| 404.42 | 5301.798009 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.61 |
| 411.52 | 2032.98201 | 2.339913 | No | No | Yes | Drop | \$59.78 | 2 | NA | NA | NA | 5.63% | 2032.98 | 0.05 |
| 1 | 6.388292188 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581634 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.33 |
| 186 | 1403.599063 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.24 |
| 173 | 2365.324346 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.41 |
| 49 | 1012.638859 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.18 |
| 577 | 320.5690058 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.06 |
| 828 | 690.9178279 | 13.85308 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.92 | 0.01 |
| 228 | 510.9100588 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601343 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.07 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 28 | 685.99426 | 0.471824 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.99 | 0.01 |
| 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289099 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 685.7270432 | 1.04516 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.73 | 0.01 |
| 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 11 | 215.029486 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.04 |
| 1000 | 4120.24241 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.72 |
| 650 | 2748.444594 | 2.733813 | No | No | Yes | Drop | \$174.47 | 2 | NA | NA | NA | 5.63% | 2748.44 | 0.23 |
| 54 | 554.3728936 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.10 |
| 577 | 320.5690058 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.06 |
| 828 | 692.7134689 | 13.81717 | No | No | No | Drop | \$708.15 | 2 | NA | NA | NA | 5.63% | 692.71 | 0.01 |
| 228 | 510.9100588 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601343 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.07 |
| 28 | 687.5312662 | 0.470769 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.53 | 0.01 |
| 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289099 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 686.33813 | 1.044229 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.34 | 0.01 |
| 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 54 | 1132.336123 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.20 |
| 292 | 3966.693003 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.69 |
| 715 | 4567.628939 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.80 |
| 217 | 2534.276085 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.44 |
| 577 | 320.5690058 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.06 |
| 828 | 692.082099 | 13.82977 | No | No | No | Drop | \$708.26 | 2 | NA | NA | NA | 5.63% | 692.08 | 0.01 |
| 228 | 510.9100588 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601343 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.07 |
| 28 | 686.9416676 | 0.471173 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.94 | 0.01 |
| 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289099 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 685.4977576 | 1.04551 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.50 | 0.01 |
| 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 260 | 545.8440799 | 5.506138 | No | No | No | Drop | \$165.56 | 2 | NA | NA | NA | 5.63% | 545.84 | 0.10 |
| 162 | 545.8440799 | 3.430748 | No | No | No | Drop | \$67.56 | 2 | NA | NA | NA | 5.63% | 545.84 | 0.10 |
| 100 | 635.7874916 | 1.818153 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 635.79 | 0.11 |
| 357 | 1150.698331 | 3.586321 | No | No | No | Drop | \$157.91 | 2 | NA | NA | NA | 5.63% | 1150.70 | 0.20 |
| 173 | 216.1210062 | 9.25319 | No | No | No | Drop | \$135.61 | 2 | NA | NA | NA | 5.63% | 216.12 | 0.04 |
| 130 | 1403.599063 | 1.070638 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.24 |
| 162 | 545.8440799 | 3.430748 | No | No | No | Drop | \$67.56 | 2 | NA | NA | NA | 5.63% | 545.84 | 0.10 |
| 159.08 | 1284.352289 | 1.431772 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.35 | 0.06 |
| 88.59 | 337.179418 | 3.037148 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.07 |
| 272.71 | 1172.56744 | 2.688473 | No | No | Yes | Drop | \$69.84 | 2 | NA | NA | NA | 5.63% | 1172.57 | 0.05 |
| 241.68 | 886.9681382 | 3.149743 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.97 | 0.19 |
| 190.9 | 1106.514113 | 1.994304 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.51 | 0.05 |
| 72.5 | 545.8268163 | 1.535414 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.12 |
| 89.18 | 1102.965744 | 0.934647 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.97 | 0.24 |
| 7433.12 | 1108.710173 | 77.49889 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.71 | 0.24 |
| 315.33 | 592.8858431 | 6.148039 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.13 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 356.72 | 501.8491983 | 8.216684 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.11 |
| 3224.02 | 2781.051824 | 13.40081 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.05 | 0.61 |
| 346.13 | 585.8181176 | 6.82997 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.82 | 0.06 |
| 1293.46 | 3916.81609 | 3.817352 | No | No | No | Drop | \$615.79 | 2 | NA | NA | NA | 5.63% | 3916.82 | 0.85 |
| 3106.64 | 1483.150797 | 24.21297 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.15 | 0.32 |
| 174.29 | 505.1707332 | 3.988198 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.17 | 0.12 |
| 25.95 | 485.3842368 | 0.618008 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.38 | 0.11 |
| 55.77 | 505.1707332 | 1.276159 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.17 | 0.12 |
| 51.45 | 1011.782066 | 0.587815 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.78 | 0.23 |
| 4288.34 | 1016.613875 | 48.76133 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.61 | 0.23 |
| 190.99 | 521.1689985 | 4.23618 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.17 | 0.12 |
| 205.8 | 460.653872 | 5.164318 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.65 | 0.11 |
| 1860.01 | 2541.423985 | 8.460198 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.42 | 0.57 |
| 275.12 | 2460.841258 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.53 |
| 1374.08 | 5786.7513 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.42 |
| 190.17 | 5786.7513 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.42 |
| 404.42 | 5301.798037 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.92 |
| 411.52 | 2032.884202 | 2.340026 | No | No | Yes | Drop | \$59.80 | 2 | NA | NA | NA | 5.63% | 2032.88 | 0.07 |
| 1 | 6.388292222 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581603 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.29 |
| 186 | 1403.599038 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.22 |
| 173 | 2365.324304 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.37 |
| 49 | 1012.638842 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.16 |
| 577 | 320.5690007 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 690.9294254 | 13.85285 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.93 | 0.01 |
| 228 | 510.9100506 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.08 |
| 321 | 377.5601282 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 686.0056928 | 0.471816 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.01 | 0.01 |
| 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289045 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.7384671 | 1.045143 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.74 | 0.01 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294826 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.242325 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.64 |
| 650 | 2748.47682 | 2.733781 | No | No | Yes | Drop | \$174.47 | 2 | NA | NA | NA | 5.63% | 2748.48 | 0.20 |
| 54 | 554.3728844 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.09 |
| 577 | 320.5690007 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 692.7251268 | 13.81694 | No | No | No | Drop | \$708.15 | 2 | NA | NA | NA | 5.63% | 692.73 | 0.01 |
| 228 | 510.9100506 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.08 |
| 321 | 377.5601282 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 687.5427503 | 0.470761 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.54 | 0.01 |
| 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289045 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 686.3495743 | 1.044212 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.35 | 0.01 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336104 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.18 |
| 292 | 3966.692925 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.62 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 715 | 4567.628845 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.71 |
| 217 | 2534.276037 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.40 |
| 577 | 320.5690007 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 692.0937356 | 13.82954 | No | No | No | Drop | \$708.26 | 2 | NA | NA | NA | 5.63% | 692.09 | 0.01 |
| 228 | 510.9100506 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.08 |
| 321 | 377.5601282 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 686.953132 | 0.471165 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.95 | 0.01 |
| 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.4289045 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.5091738 | 1.045492 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.51 | 0.01 |
| 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 87 | 1120.416777 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.17 |
| 108 | 605.3796522 | 2.062236 | No | No | Yes | Drop | \$3.26 | 2 | NA | NA | NA | 5.63% | 605.38 | 0.02 |
| 136 | 786.3611151 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 786.36 | 0.12 |
| 866 | 2504.461026 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.39 |
| 87 | 1120.416777 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.17 |
| 108 | 605.3796522 | 2.062236 | No | No | Yes | Drop | \$3.26 | 2 | NA | NA | NA | 5.63% | 605.38 | 0.02 |
| 541 | 3041.131247 | 2.056385 | No | No | Yes | Drop | \$14.83 | 2 | NA | NA | NA | 5.63% | 3041.13 | 0.47 |
| 159.08 | 1284.379894 | 1.431741 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.38 | 0.05 |
| 88.59 | 337.1805147 | 3.037139 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.07 |
| 272.71 | 1172.595209 | 2.688409 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.60 | 0.05 |
| 241.68 | 886.9711338 | 3.149732 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.97 | 0.17 |
| 190.9 | 1106.538842 | 1.994259 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.54 | 0.04 |
| 72.5 | 545.8286314 | 1.535409 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.11 |
| 89.18 | 1102.96945 | 0.934644 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.97 | 0.22 |
| 7433.12 | 1108.713917 | 77.49863 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.71 | 0.22 |
| 315.33 | 592.8878136 | 6.148018 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.12 |
| 356.72 | 501.8508714 | 8.216657 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.10 |
| 3224.02 | 2781.0616 | 13.40076 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.06 | 0.54 |
| 346.13 | 585.8273257 | 6.829863 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.83 | 0.06 |
| 1293.46 | 3916.832979 | 3.817335 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.83 | 0.76 |
| 3106.64 | 1483.157201 | 24.21286 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.16 | 0.29 |
| 174.29 | 505.1729807 | 3.98818 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.17 | 0.10 |
| 25.95 | 485.3863775 | 0.618005 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.10 |
| 55.77 | 505.1729807 | 1.276153 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.17 | 0.10 |
| 51.45 | 1011.786574 | 0.587813 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.79 | 0.20 |
| 4288.34 | 1016.618426 | 48.76111 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.62 | 0.21 |
| 190.99 | 521.1712953 | 4.236162 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.17 | 0.11 |
| 205.8 | 460.6559099 | 5.164296 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.09 |
| 1860.01 | 2541.435787 | 8.460159 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.44 | 0.51 |
| 275.12 | 2460.841215 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.48 |
| 1374.08 | 5786.751187 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.27 |
| 190.17 | 5786.751187 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.27 |
| 404.42 | 5301.797951 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.83 |
| 411.52 | 2032.914325 | 2.339991 | No | No | Yes | Drop | \$59.79 | 2 | NA | NA | NA | 5.63% | 2032.91 | 0.07 |
| 1 | 6.38829212 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581625 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.43 |

| | | | | | | | | | | | | | | |
|--------|-------------|----------|-----|-----|-----|------|----------|----|----|----|----|-------|---------|------|
| 186 | 1403.599055 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.32 |
| 173 | 2365.324334 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.55 |
| 49 | 1012.638853 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.23 |
| 577 | 320.5690043 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.07 |
| 828 | 690.8817461 | 13.8538 | No | No | No | Drop | \$708.47 | 2 | NA | NA | NA | 5.63% | 690.88 | 0.01 |
| 228 | 510.9100563 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.12 |
| 321 | 377.5601325 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.09 |
| 28 | 685.9586906 | 0.471848 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.96 | 0.01 |
| 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.06 |
| 96 | 336.4289083 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.08 |
| 62 | 685.6915015 | 1.045214 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.69 | 0.01 |
| 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.04 |
| 11 | 215.029485 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.05 |
| 1000 | 4120.242385 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.95 |
| 650 | 2748.344256 | 2.733912 | No | No | Yes | Drop | \$174.49 | 2 | NA | NA | NA | 5.63% | 2748.34 | 0.30 |
| 54 | 554.3728909 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.13 |
| 577 | 320.5690043 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.07 |
| 828 | 692.6771993 | 13.81789 | No | No | No | Drop | \$708.16 | 2 | NA | NA | NA | 5.63% | 692.68 | 0.01 |
| 228 | 510.9100563 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.12 |
| 321 | 377.5601325 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.09 |
| 28 | 687.4955372 | 0.470794 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.50 | 0.01 |
| 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.06 |
| 96 | 336.4289083 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.08 |
| 62 | 686.3025249 | 1.044284 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.30 | 0.01 |
| 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.04 |
| 54 | 1132.336117 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.26 |
| 292 | 3966.69298 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.92 |
| 715 | 4567.628911 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 1.06 |
| 217 | 2534.276071 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.59 |
| 577 | 320.5690043 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.07 |
| 828 | 692.0458955 | 13.8305 | No | No | No | Drop | \$708.26 | 2 | NA | NA | NA | 5.63% | 692.05 | 0.01 |
| 228 | 510.9100563 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.12 |
| 321 | 377.5601325 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.09 |
| 28 | 686.9059999 | 0.471198 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.91 | 0.01 |
| 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.06 |
| 96 | 336.4289083 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.08 |
| 62 | 685.4622396 | 1.045564 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.46 | 0.01 |
| 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.04 |
| 87 | 1120.41679 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.26 |
| 108 | 605.3410964 | 2.062367 | No | No | Yes | Drop | \$3.27 | 2 | NA | NA | NA | 5.63% | 605.34 | 0.03 |
| 136 | 786.3611243 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 786.36 | 0.18 |
| 866 | 2504.461059 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.58 |
| 87 | 1120.41679 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.26 |
| 108 | 605.3410964 | 2.062367 | No | No | Yes | Drop | \$3.27 | 2 | NA | NA | NA | 5.63% | 605.34 | 0.03 |
| 541 | 3041.131286 | 2.056385 | No | No | Yes | Drop | \$14.83 | 2 | NA | NA | NA | 5.63% | 3041.13 | 0.70 |
| 159.08 | 1284.288599 | 1.431843 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.29 | 0.07 |
| 88.59 | 337.1818296 | 3.037127 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.10 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 272.71 | 1172.503371 | 2.688619 | No | No | Yes | Drop | \$69.85 | 2 | NA | NA | NA | 5.63% | 1172.50 | 0.07 |
| 241.68 | 886.9747257 | 3.149719 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.97 | 0.26 |
| 190.9 | 1106.457059 | 1.994407 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.46 | 0.06 |
| 72.5 | 545.8308078 | 1.535403 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.16 |
| 89.18 | 1102.973893 | 0.934641 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.97 | 0.32 |
| 7433.12 | 1108.718407 | 77.49831 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.32 |
| 315.33 | 592.8901763 | 6.147994 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.17 |
| 356.72 | 501.8528776 | 8.216624 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.14 |
| 3224.02 | 2781.073322 | 13.40071 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.07 | 0.80 |
| 346.13 | 585.8029135 | 6.830148 | No | No | No | Drop | \$244.78 | 2 | NA | NA | NA | 5.63% | 585.80 | 0.08 |
| 1293.46 | 3916.853275 | 3.817316 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.85 | 1.13 |
| 3106.64 | 1483.164897 | 24.21274 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.16 | 0.43 |
| 174.29 | 505.1756816 | 3.988158 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.15 |
| 25.95 | 485.38895 | 0.618002 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.15 |
| 55.77 | 505.1756816 | 1.276147 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.15 |
| 51.45 | 1011.791991 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.79 | 0.30 |
| 4288.34 | 1016.623895 | 48.76085 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.62 | 0.30 |
| 190.99 | 521.1740554 | 4.236139 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.17 | 0.16 |
| 205.8 | 460.6583589 | 5.164268 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.14 |
| 1860.01 | 2541.449969 | 8.460111 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.45 | 0.76 |
| 275.12 | 2460.841245 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.71 |
| 1374.08 | 5786.751267 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.88 |
| 190.17 | 5786.751267 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.88 |
| 404.42 | 5301.798012 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 1.22 |
| 411.52 | 2032.790474 | 2.340134 | No | No | Yes | Drop | \$59.81 | 2 | NA | NA | NA | 5.63% | 2032.79 | 0.10 |
| 1 | 6.388292192 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581646 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.25 |
| 186 | 1403.599072 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.19 |
| 173 | 2365.324362 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.32 |
| 49 | 1012.638865 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.14 |
| 577 | 320.5690078 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.94259 | 13.85258 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.94 | 0.01 |
| 228 | 510.9100619 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601367 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.0186704 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.02 | 0.01 |
| 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289121 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.7514346 | 1.045123 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.75 | 0.01 |
| 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294874 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.242443 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.56 |
| 650 | 2748.513458 | 2.733744 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.51 | 0.18 |
| 54 | 554.3728972 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.08 |
| 577 | 320.5690078 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7383598 | 13.81667 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.74 | 0.01 |
| 228 | 510.9100619 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601367 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 28 | 687.5557861 | 0.470752 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.56 | 0.01 |
| 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289121 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 686.3625649 | 1.044192 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.36 | 0.01 |
| 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336131 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.15 |
| 292 | 3966.693034 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.54 |
| 715 | 4567.628976 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.62 |
| 217 | 2534.276104 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.34 |
| 577 | 320.5690078 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1069446 | 13.82928 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.11 | 0.01 |
| 228 | 510.9100619 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601367 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.9661455 | 0.471156 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.97 | 0.01 |
| 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289121 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.05 |
| 62 | 685.5221327 | 1.045472 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.52 | 0.01 |
| 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 297.5 | 1120.416803 | 3.069373 | No | No | No | Drop | \$103.65 | 2 | NA | NA | NA | 5.63% | 1120.42 | 0.15 |
| 108 | 551.4372705 | 2.263967 | No | No | Yes | Drop | \$12.59 | 2 | NA | NA | NA | 5.63% | 551.44 | 0.01 |
| 68 | 382.5813472 | 2.054601 | No | No | Yes | Drop | \$1.81 | 2 | NA | NA | NA | 5.63% | 382.58 | 0.05 |
| 866 | 2504.461091 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.34 |
| 541 | 3041.131324 | 2.056385 | No | No | Yes | Drop | \$14.83 | 2 | NA | NA | NA | 5.63% | 3041.13 | 0.41 |
| 159.08 | 1284.414054 | 1.431703 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.41 | 0.04 |
| 88.59 | 337.1825184 | 3.03712 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.06 |
| 272.71 | 1172.629573 | 2.68833 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.63 | 0.04 |
| 241.68 | 886.9766069 | 3.149713 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.15 |
| 190.9 | 1106.569443 | 1.994204 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.57 | 0.04 |
| 72.5 | 545.8319477 | 1.5354 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.09 |
| 89.18 | 1102.976221 | 0.934639 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.19 |
| 7433.12 | 1108.720759 | 77.49815 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.19 |
| 315.33 | 592.8914138 | 6.147981 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.10 |
| 356.72 | 501.8539284 | 8.216607 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.08 |
| 3224.02 | 2781.079461 | 13.40068 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.08 | 0.47 |
| 346.13 | 585.8395235 | 6.829721 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.84 | 0.05 |
| 1293.46 | 3916.863928 | 3.817305 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.86 | 0.66 |
| 3106.64 | 1483.168937 | 24.21267 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.25 |
| 174.29 | 505.1770993 | 3.988147 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 25.95 | 485.3903003 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.09 |
| 55.77 | 505.1770993 | 1.276143 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 51.45 | 1011.794834 | 0.587808 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.79 | 0.18 |
| 4288.34 | 1016.626766 | 48.76071 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.18 |
| 190.99 | 521.1755041 | 4.236127 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.09 |
| 205.8 | 460.6596443 | 5.164254 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.08 |
| 1860.01 | 2541.457413 | 8.460087 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.46 | 0.44 |
| 275.12 | 2460.841275 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.41 |
| 1374.08 | 5786.751345 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.10 |

| | | | | | | | | | | | | | | |
|--------|-------------|----------|-----|-----|-----|------|----------|----|----|----|----|--------|---------|------|
| 190.17 | 5786.751345 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.10 |
| 404.42 | 5301.798071 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.72 |
| 411.52 | 2032.948527 | 2.339952 | No | No | Yes | Drop | \$59.79 | 2 | NA | NA | NA | 5.63% | 2032.95 | 0.06 |
| 1 | 6.388292262 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581669 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.31 |
| 186 | 1403.59909 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.23 |
| 173 | 2365.324393 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.39 |
| 49 | 1012.638878 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.17 |
| 577 | 320.5690116 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 690.9227842 | 13.85298 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.92 | 0.01 |
| 228 | 510.9100678 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601411 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 685.9991459 | 0.471821 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.00 | 0.01 |
| 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.428916 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 685.7319253 | 1.045153 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.73 | 0.01 |
| 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 11 | 215.0294899 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.04 |
| 1000 | 4120.242504 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.69 |
| 650 | 2748.458401 | 2.733799 | No | No | Yes | Drop | \$174.47 | 2 | NA | NA | NA | 5.63% | 2748.46 | 0.22 |
| 54 | 554.3729039 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.09 |
| 577 | 320.5690116 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 692.718451 | 13.81707 | No | No | No | Drop | \$708.15 | 2 | NA | NA | NA | 5.63% | 692.72 | 0.01 |
| 228 | 510.9100678 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601411 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 687.536174 | 0.470766 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.54 | 0.01 |
| 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.428916 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 686.3430208 | 1.044222 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.34 | 0.01 |
| 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 54 | 1132.336145 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.19 |
| 292 | 3966.693091 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.66 |
| 715 | 4567.629045 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.76 |
| 217 | 2534.276139 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.42 |
| 577 | 320.5690116 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.05 |
| 828 | 692.087072 | 13.82967 | No | No | No | Drop | \$708.26 | 2 | NA | NA | NA | 5.63% | 692.09 | 0.01 |
| 228 | 510.9100678 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.09 |
| 321 | 377.5601411 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.06 |
| 28 | 686.946567 | 0.47117 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.95 | 0.01 |
| 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.04 |
| 96 | 336.428916 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.06 |
| 62 | 685.5026364 | 1.045502 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.50 | 0.01 |
| 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.03 |
| 87 | 1132.336145 | 0.88815 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.19 |
| 108 | 605.3742839 | 2.062254 | No | No | Yes | Drop | \$3.26 | 2 | NA | NA | NA | 5.63% | 605.37 | 0.02 |
| 209.85 | 1258.261443 | 1.927882 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1258.26 | 0.21 |
| 866 | 2504.461125 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.42 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 87 | 1132.336145 | 0.88815 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.19 |
| 541 | 3041.131364 | 2.056385 | No | No | Yes | Drop | \$14.83 | 2 | NA | NA | NA | 5.63% | 3041.13 | 0.51 |
| 159.08 | 1284.36814 | 1.431754 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.37 | 0.05 |
| 88.59 | 337.1809631 | 3.037134 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.07 |
| 272.71 | 1172.583385 | 2.688436 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.58 | 0.05 |
| 241.68 | 886.9723588 | 3.149728 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.97 | 0.18 |
| 190.9 | 1106.528313 | 1.994278 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.53 | 0.05 |
| 72.5 | 545.8293736 | 1.535407 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.11 |
| 89.18 | 1102.970965 | 0.934643 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.97 | 0.23 |
| 7433.12 | 1108.715448 | 77.49852 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.23 |
| 315.33 | 592.8886194 | 6.14801 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.12 |
| 356.72 | 501.8515556 | 8.216646 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.10 |
| 3224.02 | 2781.065597 | 13.40074 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.07 | 0.58 |
| 346.13 | 585.8245265 | 6.829896 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.82 | 0.06 |
| 1293.46 | 3916.839911 | 3.817329 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.84 | 0.82 |
| 3106.64 | 1483.15983 | 24.21282 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.16 | 0.31 |
| 174.29 | 505.1739033 | 3.988172 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.17 | 0.11 |
| 25.95 | 485.3872562 | 0.618004 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.11 |
| 55.77 | 505.1739033 | 1.276151 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.17 | 0.11 |
| 51.45 | 1011.788424 | 0.587811 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.79 | 0.22 |
| 4288.34 | 1016.620294 | 48.76102 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.62 | 0.22 |
| 190.99 | 521.172238 | 4.236154 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.17 | 0.11 |
| 205.8 | 460.6567464 | 5.164286 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.10 |
| 1860.01 | 2541.440631 | 8.460143 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.44 | 0.55 |
| 275.12 | 2460.841306 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.51 |
| 1374.08 | 5786.751428 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.36 |
| 190.17 | 5786.751428 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.36 |
| 404.42 | 5301.798134 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.88 |
| 411.52 | 2032.897082 | 2.340011 | No | No | Yes | Drop | \$59.80 | 2 | NA | NA | NA | 5.63% | 2032.90 | 0.07 |
| 1 | 6.388292336 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581642 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.25 |
| 186 | 1403.599068 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.19 |
| 173 | 2365.324356 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.31 |
| 49 | 1012.638863 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.13 |
| 577 | 320.5690071 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.9444056 | 13.85255 | No | No | No | Drop | \$708.46 | 2 | NA | NA | NA | 5.63% | 690.94 | 0.01 |
| 228 | 510.9100607 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601357 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.0204603 | 0.471806 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.02 | 0.01 |
| 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289112 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.7532231 | 1.04512 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.75 | 0.01 |
| 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294868 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.24243 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.55 |
| 650 | 2748.518503 | 2.733739 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.52 | 0.17 |
| 54 | 554.3728958 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.07 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|-------|---------|------|
| 577 | 320.5690071 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7401849 | 13.81664 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.74 | 0.01 |
| 228 | 510.9100607 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601357 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 687.5575839 | 0.470751 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.56 | 0.01 |
| 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289112 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 686.3643565 | 1.04419 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.36 | 0.01 |
| 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336128 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.15 |
| 292 | 3966.693022 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.53 |
| 715 | 4567.628962 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.61 |
| 217 | 2534.276097 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.34 |
| 577 | 320.5690071 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1087663 | 13.82924 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.11 | 0.01 |
| 228 | 510.9100607 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.07 |
| 321 | 377.5601357 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.9679403 | 0.471155 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.97 | 0.01 |
| 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289112 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.5239199 | 1.04547 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.52 | 0.01 |
| 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 87 | 1120.4168 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1120.42 | 0.15 |
| 108 | 605.3917674 | 2.062194 | No | No | Yes | Drop | \$3.26 | 2 | NA | NA | NA | 5.63% | 605.39 | 0.01 |
| 136 | 786.3611314 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 786.36 | 0.10 |
| 866 | 2504.461084 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.33 |
| 541 | 3041.131315 | 2.056385 | No | No | Yes | Drop | \$14.83 | 2 | NA | NA | NA | 5.63% | 3041.13 | 0.40 |
| 159.08 | 1284.41796 | 1.431699 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.42 | 0.04 |
| 88.59 | 337.1825806 | 3.03712 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.06 |
| 272.71 | 1172.633502 | 2.688321 | No | No | Yes | Drop | \$69.83 | 2 | NA | NA | NA | 5.63% | 1172.63 | 0.04 |
| 241.68 | 886.9767769 | 3.149712 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.15 |
| 190.9 | 1106.572942 | 1.994198 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.57 | 0.04 |
| 72.5 | 545.8320507 | 1.535399 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.09 |
| 89.18 | 1102.976431 | 0.934638 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.18 |
| 7433.12 | 1108.720971 | 77.49814 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.18 |
| 315.33 | 592.8915257 | 6.14798 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.10 |
| 356.72 | 501.8540233 | 8.216605 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.08 |
| 3224.02 | 2781.080016 | 13.40067 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.08 | 0.46 |
| 346.13 | 585.8407126 | 6.829707 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.84 | 0.05 |
| 1293.46 | 3916.864884 | 3.817304 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.86 | 0.65 |
| 3106.64 | 1483.169299 | 24.21266 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.25 |
| 174.29 | 505.1772265 | 3.988146 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 25.95 | 485.3904215 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.08 |
| 55.77 | 505.1772265 | 1.276143 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.09 |
| 51.45 | 1011.795089 | 0.587808 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.17 |
| 4288.34 | 1016.627024 | 48.7607 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.17 |
| 190.99 | 521.1756341 | 4.236126 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.09 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|---------|------|
| 205.8 | 460.6597597 | 5.164252 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.08 |
| 1860.01 | 2541.458081 | 8.460084 | No | No | No | Drop | \$1,420.30 | 2 | NA | NA | NA | 5.63% | 2541.46 | 0.43 |
| 275.12 | 2460.841268 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.40 |
| 1374.08 | 5786.751327 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.08 |
| 190.17 | 5786.751327 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.08 |
| 404.42 | 5301.798058 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.70 |
| 411.52 | 2032.953242 | 2.339946 | No | No | Yes | Drop | \$59.79 | 2 | NA | NA | NA | 5.63% | 2032.95 | 0.06 |
| 1 | 6.388292246 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 109 | 1866.581599 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1866.58 | 0.23 |
| 186 | 1403.599035 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1403.60 | 0.18 |
| 173 | 2365.324299 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2365.32 | 0.30 |
| 49 | 1012.638839 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1012.64 | 0.13 |
| 577 | 320.5690001 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 690.9492261 | 13.85245 | No | No | No | Drop | \$708.45 | 2 | NA | NA | NA | 5.63% | 690.95 | 0.01 |
| 228 | 510.9100496 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601275 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.0252123 | 0.471803 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.03 | 0.01 |
| 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289038 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.7579714 | 1.045113 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.76 | 0.01 |
| 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 11 | 215.0294821 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 215.03 | 0.03 |
| 1000 | 4120.242315 | 2.80556 | No | No | Yes | Drop | \$287.13 | 2 | NA | NA | NA | 5.63% | 4120.24 | 0.51 |
| 650 | 2748.531877 | 2.733726 | No | No | Yes | Drop | \$174.46 | 2 | NA | NA | NA | 5.63% | 2748.53 | 0.16 |
| 54 | 554.3728833 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 554.37 | 0.07 |
| 577 | 320.5690001 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.7450305 | 13.81654 | No | No | No | Drop | \$708.14 | 2 | NA | NA | NA | 5.63% | 692.75 | 0.01 |
| 228 | 510.9100496 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601275 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 687.5623573 | 0.470748 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 687.56 | 0.01 |
| 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289038 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 686.3691134 | 1.044182 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.37 | 0.01 |
| 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |
| 54 | 1132.336102 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1132.34 | 0.14 |
| 292 | 3966.692915 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 3966.69 | 0.50 |
| 715 | 4567.628833 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 4567.63 | 0.57 |
| 217 | 2534.276031 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2534.28 | 0.32 |
| 577 | 320.5690001 | 20.80639 | No | No | No | Drop | \$521.54 | 2 | NA | NA | NA | 5.63% | 320.57 | 0.04 |
| 828 | 692.1136031 | 13.82914 | No | No | No | Drop | \$708.25 | 2 | NA | NA | NA | 5.63% | 692.11 | 0.01 |
| 228 | 510.9100496 | 5.158611 | No | No | No | Drop | \$139.60 | 2 | NA | NA | NA | 5.63% | 510.91 | 0.06 |
| 321 | 377.5601275 | 9.827912 | No | No | No | Drop | \$255.68 | 2 | NA | NA | NA | 5.63% | 377.56 | 0.05 |
| 28 | 686.9727055 | 0.471152 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 686.97 | 0.01 |
| 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | \$12.80 | 2 | NA | NA | NA | 5.63% | 255.46 | 0.03 |
| 96 | 336.4289038 | 3.298529 | No | No | No | Drop | \$37.79 | 2 | NA | NA | NA | 5.63% | 336.43 | 0.04 |
| 62 | 685.5286651 | 1.045462 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 685.53 | 0.01 |
| 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 159.66 | 0.02 |

| | | | | | | | | | | | | | | |
|---------|-------------|----------|-----|-----|-----|------|------------|----|----|----|----|--------|----------|------|
| 19.61 | 61.76548598 | 3.670068 | No | No | No | Drop | \$8.92 | 2 | NA | NA | NA | 5.63% | 61.77 | 0.01 |
| 108 | 551.4421406 | 2.263947 | No | No | Yes | Drop | \$12.59 | 2 | NA | NA | NA | 5.63% | 551.44 | 0.01 |
| 68 | 382.5813378 | 2.054601 | No | No | Yes | Drop | \$1.81 | 2 | NA | NA | NA | 5.63% | 382.58 | 0.05 |
| 866 | 2504.46102 | 3.997109 | No | No | No | Drop | \$432.69 | 2 | NA | NA | NA | 5.63% | 2504.46 | 0.31 |
| 173 | 438.9261592 | 4.556139 | No | No | No | Drop | \$97.06 | 2 | NA | NA | NA | 5.63% | 438.93 | 0.05 |
| 159.08 | 1284.429369 | 1.431686 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1284.43 | 0.04 |
| 88.59 | 337.1830138 | 3.037116 | No | No | No | Drop | \$30.25 | 2 | NA | NA | NA | 5.63% | 337.18 | 0.05 |
| 272.71 | 1172.644979 | 2.688295 | No | No | Yes | Drop | \$69.82 | 2 | NA | NA | NA | 5.63% | 1172.64 | 0.04 |
| 241.68 | 886.9779602 | 3.149708 | No | No | No | Drop | \$88.22 | 2 | NA | NA | NA | 5.63% | 886.98 | 0.14 |
| 190.9 | 1106.583162 | 1.994179 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1106.58 | 0.03 |
| 72.5 | 545.8327676 | 1.535397 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 545.83 | 0.09 |
| 89.18 | 1102.977895 | 0.934637 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1102.98 | 0.17 |
| 7433.12 | 1108.72245 | 77.49803 | No | No | No | Drop | \$7,241.29 | 2 | NA | NA | NA | 5.63% | 1108.72 | 0.17 |
| 315.33 | 592.892304 | 6.147972 | No | No | No | Drop | \$212.75 | 2 | NA | NA | NA | 5.63% | 592.89 | 0.09 |
| 356.72 | 501.8546842 | 8.216594 | No | No | No | Drop | \$269.89 | 2 | NA | NA | NA | 5.63% | 501.85 | 0.08 |
| 3224.02 | 2781.083877 | 13.40065 | No | No | No | Drop | \$2,742.85 | 2 | NA | NA | NA | 5.63% | 2781.08 | 0.43 |
| 346.13 | 585.8444947 | 6.829663 | No | No | No | Drop | \$244.77 | 2 | NA | NA | NA | 5.63% | 585.84 | 0.05 |
| 1293.46 | 3916.871562 | 3.817298 | No | No | No | Drop | \$615.78 | 2 | NA | NA | NA | 5.63% | 3916.87 | 0.61 |
| 3106.64 | 1483.171831 | 24.21262 | No | No | No | Drop | \$2,850.03 | 2 | NA | NA | NA | 5.63% | 1483.17 | 0.23 |
| 174.29 | 505.1781151 | 3.988139 | No | No | No | Drop | \$86.89 | 2 | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 25.95 | 485.3912678 | 0.617999 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 485.39 | 0.08 |
| 55.77 | 505.1781151 | 1.27614 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 505.18 | 0.08 |
| 51.45 | 1011.796872 | 0.587807 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 1011.80 | 0.16 |
| 4288.34 | 1016.628823 | 48.76061 | No | No | No | Drop | \$4,112.45 | 2 | NA | NA | NA | 5.63% | 1016.63 | 0.16 |
| 190.99 | 521.1765422 | 4.236119 | No | No | No | Drop | \$100.82 | 2 | NA | NA | NA | 5.63% | 521.18 | 0.08 |
| 205.8 | 460.6605654 | 5.164243 | No | No | No | Drop | \$126.10 | 2 | NA | NA | NA | 5.63% | 460.66 | 0.08 |
| 1860.01 | 2541.462747 | 8.460069 | No | No | No | Drop | \$1,420.29 | 2 | NA | NA | NA | 5.63% | 2541.46 | 0.41 |
| 275.12 | 2460.84121 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 2460.84 | 0.38 |
| 1374.08 | 5786.751172 | 2.744856 | No | No | Yes | Drop | \$372.88 | 2 | NA | NA | NA | 5.63% | 5786.75 | 1.02 |
| 190.17 | 5786.751172 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5786.75 | 1.02 |
| 404.42 | 5301.79794 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | NA | NA | 5.63% | 5301.80 | 0.66 |
| 411.52 | 2032.965759 | 2.339932 | No | No | Yes | Drop | \$59.78 | 2 | NA | NA | NA | 5.63% | 2032.97 | 0.05 |
| 1 | 6.388292108 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | NA | NA | 60.03% | 6.39 | 0.00 |
| 47.2 | 132.4 | 4.120941 | No | No | No | Drop | \$24.29 | 2 | NA | NA | NA | 5.63% | 132.40 | 0.04 |
| 32.61 | 129.1 | 2.919893 | No | No | Yes | Drop | \$10.27 | 2 | NA | NA | NA | 5.63% | 129.10 | 0.04 |
| 299.17 | 1051.2 | 3.289842 | No | No | No | Drop | \$117.30 | 2 | NA | NA | NA | 5.63% | 1051.2 | 0.32 |
| 3105 | 10915 | 3.288367 | No | No | No | Drop | \$1,216.52 | 2 | NA | NA | NA | 5.63% | 10915.00 | 1.70 |
| 2500 | 7172 | 4.029416 | No | No | No | Drop | \$1,259.13 | 2 | NA | NA | NA | 5.63% | 7172.00 | 1.78 |

| 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$201.00 | \$201.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,306.00 | \$1,306.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$509.89 | \$509.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$470.00 | \$470.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$935.00 | \$935.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$502.00 | \$502.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$535.00 | \$535.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$188.00 | \$188.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.00 | \$191.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,029.00 | \$2,029.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$183.25 | \$183.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$209.00 | \$209.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.00 | \$205.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$258.00 | \$258.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$881.00 | \$881.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$184.00 | \$184.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$361.00 | \$361.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,551.00 | \$1,551.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$383.00 | \$383.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$142.00 | \$142.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$383.00 | \$383.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$155.00 | \$155.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$164.00 | \$164.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$155.00 | \$155.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$164.00 | \$164.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$155.00 | \$155.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$164.00 | \$164.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$556.00 | \$556.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$155.00 | \$155.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$164.00 | \$164.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,194.00 | \$1,194.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,455.00 | \$3,455.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$873.00 | \$873.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,170.00 | \$1,170.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$179.64 | \$179.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$383.00 | \$383.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,624.00 | \$2,624.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$145.00 | \$145.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$448.00 | \$448.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$166.00 | \$166.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$383.00 | \$383.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$285.00 | \$285.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$223.00 | \$223.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$480.00 | \$480.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$253.00 | \$253.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$285.00 | \$285.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.00 | \$210.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.00 | \$259.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$989.00 | \$989.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.00 | \$210.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.50 | \$420.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.00 | \$191.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$989.00 | \$989.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.00 | \$210.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$332.85 | \$332.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$989.00 | \$989.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.00 | \$210.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.00 | \$210.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.00 | \$259.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$989.00 | \$989.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.00 | \$664.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.00 | \$232.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$309.00 | \$309.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$172.00 | \$172.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$134.00 | \$134.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,123.00 | \$1,123.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$773.00 | \$773.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$177.00 | \$177.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$415.00 | \$415.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$838.00 | \$838.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$340.00 | \$340.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$700.00 | \$700.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$951.00 | \$951.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$351.00 | \$351.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$444.00 | \$444.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$151.00 | \$151.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$180.00 | \$180.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.00 | \$219.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$185.00 | \$185.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$146.00 | \$146.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$142.61 | \$142.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$231.00 | \$231.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$191.00 | \$191.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$989.00 | \$989.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$296.00 | \$296.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$282.08 | \$282.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$211.59 | \$211.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.71 | \$395.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$364.68 | \$364.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.90 | \$313.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$195.50 | \$195.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$212.18 | \$212.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,556.12 | \$7,556.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$438.33 | \$438.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$479.72 | \$479.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,347.02 | \$3,347.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$469.13 | \$469.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,416.46 | \$1,416.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,229.64 | \$3,229.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.29 | \$297.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$148.95 | \$148.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.77 | \$178.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.45 | \$174.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,411.34 | \$4,411.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.99 | \$313.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$328.80 | \$328.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,983.01 | \$1,983.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.12 | \$398.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,497.08 | \$1,497.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$313.17 | \$313.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$527.42 | \$527.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$534.52 | \$534.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$124.00 | \$124.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$170.20 | \$170.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$155.61 | \$155.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$422.17 | \$422.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,228.00 | \$3,228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,623.00 | \$2,623.00 |

| 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$78.00 | \$78.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,183.00 | \$1,183.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$386.89 | \$386.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$347.00 | \$347.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$812.00 | \$812.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$379.00 | \$379.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$412.00 | \$412.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$65.00 | \$65.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$68.00 | \$68.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,906.00 | \$1,906.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$60.25 | \$60.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$86.00 | \$86.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$82.00 | \$82.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$135.00 | \$135.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$758.00 | \$758.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$61.00 | \$61.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$238.00 | \$238.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,428.00 | \$1,428.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$260.00 | \$260.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$19.00 | \$19.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$260.00 | \$260.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$32.00 | \$32.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$41.00 | \$41.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$32.00 | \$32.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$41.00 | \$41.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$32.00 | \$32.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$41.00 | \$41.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$433.00 | \$433.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$32.00 | \$32.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$41.00 | \$41.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,071.00 | \$1,071.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,332.00 | \$3,332.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$750.00 | \$750.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,047.00 | \$1,047.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$56.64 | \$56.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$260.00 | \$260.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,501.00 | \$2,501.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$22.00 | \$22.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$325.00 | \$325.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$43.00 | \$43.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$260.00 | \$260.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$162.00 | \$162.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$100.00 | \$100.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.00 | \$357.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$130.00 | \$130.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$162.00 | \$162.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$136.00 | \$136.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$136.00 | \$136.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$297.50 | \$297.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$68.00 | \$68.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$209.85 | \$209.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$87.00 | \$87.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$136.00 | \$136.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$541.00 | \$541.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |

| | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$109.00 | \$109.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$186.00 | \$186.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$49.00 | \$49.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.00 | \$11.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,000.00 | \$1,000.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$650.00 | \$650.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.00 | \$54.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.00 | \$292.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$715.00 | \$715.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$217.00 | \$217.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$577.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$828.00 | \$828.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$228.00 | \$228.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$321.00 | \$321.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$28.00 | \$28.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$57.00 | \$57.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$96.00 | \$96.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$62.00 | \$62.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$23.00 | \$23.00 |

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$19.61 | \$19.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$108.00 | \$108.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$68.00 | \$68.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$866.00 | \$866.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$173.00 | \$173.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$159.08 | \$159.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$88.59 | \$88.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.71 | \$272.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$241.68 | \$241.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.90 | \$190.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.50 | \$72.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$89.18 | \$89.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$7,433.12 | \$7,433.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$315.33 | \$315.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.72 | \$356.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,224.02 | \$3,224.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$346.13 | \$346.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,293.46 | \$1,293.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,106.64 | \$3,106.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$174.29 | \$174.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$25.95 | \$25.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$55.77 | \$55.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$51.45 | \$51.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$4,288.34 | \$4,288.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.99 | \$190.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$205.80 | \$205.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,860.01 | \$1,860.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.12 | \$275.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,374.08 | \$1,374.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$190.17 | \$190.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.42 | \$404.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$411.52 | \$411.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.00 | \$1.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$47.20 | \$47.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$32.61 | \$32.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$299.17 | \$299.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,105.00 | \$3,105.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,500.00 | \$2,500.00 |

| Building # | Measure # | DSMdb Measure Name | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
|------------|-----------|---|------|------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1 | 101 | 101 Compressed Air-O&M / Food | 0 | 0 | -140.02 | 93.1053 | 102.6053 | 130.4266 | 139.1287 | 147.451 | 162.4491 | 171.8709 | 176.2069 | 166.0428 |
| 1 | 102 | 102 Compressed Air - Controls / Food | 0 | 0 | -240.591 | 70.0336 | 77.1586 | 97.87833 | 104.3607 | 110.7113 | 122.2211 | 128.9945 | 132.5258 | 124.9555 |
| 1 | 103 | 103 Compressed Air - System Optimization / Food | 0 | 0 | -179.96 | 117.6648 | 130.1648 | 165.3963 | 175.4812 | 186.8806 | 205.6023 | 218.2039 | 223.8211 | 210.5555 |
| 1 | 104 | 104 Compressed Air- Sizing / Food | 0 | 0 | -122.748 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.00991 | 92.91616 | 96.40835 | 90.08023 |
| 1 | 105 | 105 Comp Air - Replace 1-5 HP motor / Food | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 |
| 1 | 106 | 106 Comp Air - ASD (1-5 hp) / Food | 0 | 0 | -917.57 | 34.80513 | 38.05513 | 48.41352 | 51.62641 | 53.96235 | 59.91451 | 63.4261 | 65.94954 | 61.37922 |
| 1 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -326.045 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 |
| 1 | 108 | 108 Comp Air - Replace 6-100 HP motor / Food | 0 | 0 | -425.634 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 |
| 1 | 109 | 109 Comp Air - ASD (6-100 hp) / Food | 0 | 0 | -117.699 | 34.3011 | 37.8011 | 48.15949 | 51.12239 | 53.70832 | 59.91048 | 62.9261 | 65.69954 | 60.87922 |
| 1 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 |
| 1 | 111 | 111 Comp Air - Replace 100+ HP motor / Food | 0 | 0 | -202.372 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 1 | 112 | 112 Comp Air - ASD (100+ hp) / Food | 0 | 0 | -151.699 | 34.4261 | 37.8011 | 48.15949 | 51.12239 | 53.70832 | 0 | 0 | 0 | 0 |
| 1 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Food | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 1 | 201 | 201 Fans - O&M / Food | 0 | 0 | -123.319 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 |
| 1 | 202 | 202 Fans - Controls / Food | 0 | 0 | -921.633 | 205.4921 | 226.7421 | 288.1191 | 306.5859 | 325.5595 | 358.3749 | 379.7968 | 389.8124 | 366.4452 |
| 1 | 203 | 203 Fans - System Optimization / Food | 0 | 0 | -638.328 | 137.1721 | 151.4221 | 191.8909 | 204.0979 | 216.762 | 238.4768 | 253.18 | 259.68 | 245.0315 |
| 1 | 204 | 204 Fans- Improve components / Food | 0 | 0 | -149.941 | 27.68443 | 30.43443 | 38.61509 | 41.27818 | 43.60826 | 48.04381 | 50.79381 | 52.76256 | 49.76256 |
| 1 | 205 | 205 Fans - Replace 1-5 HP motor / Food | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 |
| 1 | 206 | 206 Fans - ASD (1-5 hp) / Food | 0 | 0 | -917.32 | 34.80513 | 38.05513 | 48.41352 | 51.87641 | 54.21235 | 59.91451 | 63.68013 | 65.95357 | 61.63325 |
| 1 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -326.045 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 |
| 1 | 208 | 208 Fans - Replace 6-100 HP motor / Food | 0 | 0 | -425.634 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 |
| 1 | 209 | 209 Fans - ASD (6-100 hp) / Food | 0 | 0 | -117.574 | 34.3011 | 38.0511 | 48.15949 | 51.37239 | 53.70832 | 59.91048 | 63.4261 | 65.69954 | 60.87922 |
| 1 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 |
| 1 | 211 | 211 Fans - Replace 100+ HP motor / Food | 0 | 0 | -202.372 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 1 | 212 | 212 Fans - ASD (100+ hp) / Food | 0 | 0 | -151.574 | 34.4261 | 38.0511 | 48.40949 | 51.42805 | 53.70832 | 0 | 0 | 0 | 0 |
| 1 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Food | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 1 | 301 | 301 Pumps - O&M / Food | 0 | 0 | -121.555 | 56.57042 | 62.44542 | 79.05381 | 84.48741 | 89.03135 | 98.29698 | 104.2423 | 107.7814 | 100.9767 |
| 1 | 302 | 302 Pumps - Controls / Food | 0 | 0 | -220.657 | 198.0932 | 218.3432 | 276.684 | 294.8481 | 313.0629 | 344.976 | 366.3667 | 375.0776 | 353.3432 |
| 1 | 303 | 303 Pumps - System Optimization / Food | 0 | 0 | -614.351 | 228.0235 | 251.3985 | 319.0255 | 339.4073 | 360.8887 | 397.5548 | 421.1173 | 432.0079 | 406.0548 |
| 1 | 304 | 304 Pumps - Sizing / Food | 0 | 0 | -216.146 | 126.229 | 139.354 | 176.729 | 188.4136 | 200.2759 | 220.065 | 233.9556 | 239.8071 | 225.4165 |
| 1 | 305 | 305 Pumps - Replace 1-5 HP motor / Food | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.05001 | 25.60958 | 27.57247 | 28.99031 | 29.84969 | 28.70906 |
| 1 | 306 | 306 Pumps - ASD (1-5 hp) / Food | 0 | 0 | -917.32 | 34.80513 | 38.05513 | 48.41352 | 51.93208 | 53.96235 | 59.91451 | 63.18013 | 66.35201 | 61.63325 |
| 1 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Food | 0 | 0 | -326.045 | 25.32967 | 28.07967 | 35.74568 | 38.39607 | 39.97322 | 44.51717 | 46.99776 | 48.44307 | 45.66182 |
| 1 | 308 | 308 Pumps - Replace 6-100 HP motor / Food | 0 | 0 | -425.634 | 18.99121 | 21.24121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.63965 | 33.89746 |
| 1 | 309 | 309 Pumps - ASD (6-100 hp) / Food | 0 | 0 | -117.699 | 34.1761 | 38.0511 | 48.15949 | 51.42805 | 53.70832 | 59.91048 | 63.4261 | 65.84798 | 61.12922 |
| 1 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Food | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.26384 | 22.06755 | 23.69633 | 24.70414 | 23.00102 |
| 1 | 311 | 311 Pumps - Replace 100+ HP motor / Food | 0 | 0 | -202.372 | 16.62839 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 1 | 312 | 312 Pumps - ASD (100+ hp) / Food | 0 | 0 | -151.699 | 34.4261 | 37.8011 | 48.15949 | 51.17805 | 53.70832 | 0 | 0 | 0 | 0 |
| 1 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Food | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 1 | 401 | 401 Bakery - Process (Mixing) - O&M / Food | 0 | 0 | -123.639 | 54.9858 | 60.3608 | 76.50826 | 81.63619 | 86.72408 | 95.14986 | 100.8258 | 104.482 | 97.73983 |
| 1 | 501 | 501 Bakery - Process / Food | 0 | 0 | -403.905 | 264.9697 | 292.3447 | 371.2929 | 394.9453 | 420.2099 | 462.7431 | 490.0753 | 502.5206 | 472.5831 |
| 1 | 551 | 551 Efficient Refrigeration - Operations / Food | 0 | 0 | -132.216 | 70.2836 | 77.4086 | 98.08243 | 105.3774 | 111.684 | 122.5336 | 130.0727 | 134.2445 | 125.8461 |
| 1 | 552 | 552 Optimization Refrigeration / Food | 0 | 0 | -1133.29 | 176.8319 | 194.9569 | 248.121 | 264.6581 | 281.0976 | 309.6366 | 328.621 | 336.6757 | 316.0819 |
| 1 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Food | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 1 | 702 | 702 High Efficiency Chiller Motors / Food | 0 | 0 | -195.087 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.56589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 |
| 1 | 703 | 703 EMS - Chiller / Food | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 1 | 704 | 704 Chiller Tune Up/Diagnostics / Food | 0 | 0 | -321.383 | 44.2967 | 49.0467 | 62.10627 | 66.40119 | 69.74201 | 77.52326 | 81.86701 | 84.45295 | 79.39045 |
| 1 | 705 | 705 VSD for Chiller Pumps and Towers / Food | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 1 | 706 | 706 EMS Optimization - Chiller / Food | 0 | 0 | -168.832 | 27.29331 | 30.16831 | 38.14781 | 40.87339 | 0 | 0 | 0 | 0 | 0 |
| 1 | 707 | 707 Aerosol Duct Sealing - Chiller / Food | 0 | 0 | -158.569 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.82174 | 102.2592 | 105.1733 | 98.53268 |
| 1 | 708 | 708 Duct/Pipe Insulation - Chiller / Food | 0 | 0 | -7502.24 | 55.25595 | 60.88095 | 77.48935 | 82.92294 | 88.21689 | 96.98251 | 102.6778 | 105.9669 | 99.4122 |
| 1 | 709 | 709 Window Film (Standard) - Chiller / Food | 0 | 0 | -409.666 | 29.28919 | 32.53919 | 41.58118 | 44.32728 | 46.84583 | 51.88294 | 54.87513 | 56.75013 | 52.55482 |
| 1 | 710 | 710 Roof Insulation - Chiller / Food | 0 | 0 | -455.165 | 24.93049 | 27.55549 | 35.47151 | 37.67756 | 39.19905 | 43.74299 | 46.46956 | 47.81331 | 45.13362 |
| 1 | 711 | 711 Cool Roof - Chiller / Food | 0 | 0 | -3211.92 | 138.4705 | 152.2205 | 194.3631 | 207.6629 | 220.2752 | 242.8221 | 257.3299 | 263.9861 | 247.8611 |
| 1 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Food | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 1 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Food | 0 | 0 | -1225.67 | 195.2869 | 214.9119 | 273.8611 | 291.5838 | 310.74 | 341.326 | 362.6931 | 372.0603 | 348.865 |
| 1 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Food | 0 | 0 | -3157.66 | 74.35201 | 81.35201 | 104.2944 | 110.8647 | 117.1772 | 129.6098 | 137.1567 | 140.8754 | 132.0239 |
| 1 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Food | 0 | 0 | -272.601 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 39.51472 | 44.14168 | 46.87605 | 47.94636 | 44.48543 |
| 1 | 725 | 725 DX Coil Cleaning / Food | 0 | 0 | -124.943 | 24.13214 | 26.50714 | 34.07159 | 36.5296 | 0 | 0 | 0 | 0 | 0 |
| 1 | 726 | 726 Optimize Controls / Food | 0 | 0 | -154.081 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 0 | 0 | 0 | 0 | 0 |
| 1 | 727 | 727 Aerosol Duct Sealing / Food | 0 | 0 | -125.44 | 50.51016 | 55.63516 | 71.12247 | 75.77188 | 80.06387 | 88.58047 | 93.4711 | 96.26016 | 90.47891 |
| 1 | 728 | 728 Duct/Pipe Insulation / Food | 0 | 0 | -4362.2 | 50.76016 | 55.88516 | 71.37247 | 75.77188 | 80.31387 | 88.58047 | 93.7211 | 96.76016 | 90.72891 |
| 1 | 729 | 729 Window Film (Standard) / Food | 0 | 0 | -288.511 | 26.10384 | 28.85384 | 36.67611 | 39.14291 | 41.41341 | 45.46322 | 48.44759 | 49.77572 | 46.97884 |
| 1 | 730 | 730 Roof Insulation / Food | 0 | 0 | -306.224 | 23.32573 | 25.20073 | 32.35796 | 34.75054 | 35.81987 | 39.93511 | 42.91948 | 44.09136 | 41.02886 |
| 1 | 731 | 731 Cool Roof - DX / Food | 0 | 0 | -1859.41 | 126.596 | 139.346 | 177.8811 | 189.5999 | 201.9524 | 222.4006 | 235.8303 | 241.1819 | 226.4397 |
| 1 | 801 | 801 Premium T8, Electronic Ballast / Food | 0 | 0 | -278.355 | 123.0155 | 134.8905 | 172.0496 | 183.1834 | 195.3397 | 214.8202 | 227.4452 | 233.6248 | 219.0467 |
| 1 | 802 | 802 CFL Hardwired, Modular 18W / Food | 0 | 0 | -1216.35 | 287.8519 | 317.2269 | 405.0121 | 432.4037 | 0 | 0 | 0 | 0 | 0 |
| 1 | 803 | 803 CFL Screw-in 18W / Food | 0 | 0 | -32.4431 | 287.8519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 804 | 804 High Bay T5 / Food | 0 | 0 | -267.737 | 264.3084 | 291.8084 | 369.8982 | 393.5477 | 418.5643 | 461.4334 | 488.4959 | 501.1834 | 471.8709 |
| 1 | 805 | 805 Occupancy Sensor / Food | 0 | 0 | -409.954 | 101.5606 | 111.5606 | 142.2169 | 150.9776 | 160.0567 | 176.295 | 186.7753 | 192.4003 | 0 |
| 1 | 901 | 901 Replace V-belts / Food | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 2 | 101 | 101 Compressed Air-O&M / Textiles | 0 | 0 | -143.451 | 92.17398 | 101.174 | 130.424 | 140.425 | 148.7531 | 163.7365 | 173.7093 | 178.0999 | 166.3811 |
| 2 | 102 | 102 Compressed Air - Controls / Textiles | 0 | 0 | -242.628 | 69.49743 | 76.49743 | 98.08727 | 104.8998 | 111.9633 | 122.4662 | 130.0171 | 133.2202 | 124.4702 |
| 2 | 103 | 103 Compressed Air - System Optimization / Textiles | 0 | 0 | -183.702 | 116.6731 | 128.1731 | 165.2981 | 177.4387 | 188.3449 | 208.134 | 220.0287 | 225.224 | 210.2396 |
| 2 | 104 | 104 Compressed Air- Sizing / Textiles | 0 | 0 | -123.966 | 49.65943 | 55.03443 | 70.83033 | 75.99341 | 80.53931 | 88.82349 | 94.48756 | 96.75318 | 90.70631 |
| 2 | 105 | 105 Comp Air - Replace 1-5 HP motor / Textiles | 0 | 0 | -684.444 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 |
| 2 | 106 | 106 Comp Air - ASD (1-5 hp) / Textiles | 0 | 0 | -918.392 | 33.9826 | 37.7326 | 48.20233 | 51.93182 | 54.27264 | 60.53729 | 64.34198 | 65.37323 | 61.51385 |
| 2 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -326.59 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 |
| 2 | 108 | 108 Comp Air - Replace 6-100 HP motor / Textiles | 0 | 0 | -425.928 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 |
| 2 | 109 | 109 Comp Air - ASD (6-100 hp) / Textiles | 0 | 0 | -118.784 | 33.84148 | 36.96648 | 47.63836 | 51.62078 | 54.20476 | 60.41179 | 63.70464 | 65.22808 | 61.38433 |
| 2 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -167.73 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 |
| 2 | 111 | 111 Comp Air - Replace 100+ HP motor / Textiles | 0 | 0 | -203.037 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 |
| 2 | 112 | 112 Comp Air - ASD (100+ hp) / Textiles | 0 | 0 | -152.784 | 33.84148 | 36.96648 | 47.63836 | 51.6657 | 54.20476 | 0 | 0 | 0 | 0 |
| 2 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -138.355 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 |
| 2 | 201 | 201 Fans - O&M / Textiles | 0 | 0 | -123.589 | 11.0359 | 11.5359 | 15.54273 | 16.34254 | 16.90504 | 18.89527 | 20.01246 | 20.5984 | 19.48902 |
| 2 | 202 | 202 Fans - Controls / Textiles | 0 | 0 | -927.56 | 202.69 | 223.315 | 287.9058 | 309.2349 | 328.4634 | 362.19 | 384.2213 | 392.0806 | 366.2213 |
| 2 | 203 | 203 Fans - System Optimization / Textiles | 0 | 0 | -642.626 | 135.499 | 148.874 | 191.4843 | 205.5263 | 218.7002 | 241.413 | 255.9209 | 261.7724 | 244.3896 |
| 2 | 204 | 204 Fans- Improve components / Textiles | 0 | 0 | -150.606 | 27.39414 | 29.89414 | 38.87656 | 41.81015 | 43.39414 | 48.59727 | 51.86667 | 52.83542 | 49.53073 |
| 2 | 205 | 205 Fans - Replace 1-5 HP motor / Textiles | 0 | 0 | -684.444 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 |
| 2 | 206 | 206 Fans - ASD (1-5 hp) / Textiles | 0 | 0 | -918.267 | 34.2326 | 37.7326 | 48.45233 | 52.18182 | 54.77264 | 60.78729 | 64.34198 | 65.87323 | 61.51385 |
| 2 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -326.59 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2 | 208 | 208 Fans - Replace 6-100 HP motor / Textiles | 0 | 0 | -425.928 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 |
| 2 | 209 | 209 Fans - ASD (6-100 hp) / Textiles | 0 | 0 | -118.784 | 33.84148 | 37.21648 | 47.88836 | 51.6657 | 54.20476 | 60.16179 | 63.70464 | 65.35308 | 61.38433 |
| 2 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -167.73 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 |
| 2 | 211 | 211 Fans - Replace 100+ HP motor / Textiles | 0 | 0 | -203.037 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 |
| 2 | 212 | 212 Fans - ASD (100+ hp) / Textiles | 0 | 0 | -152.784 | 33.84148 | 37.21648 | 47.63836 | 51.6657 | 54.20476 | 0 | 0 | 0 | 0 |
| 2 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -138.355 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 |
| 2 | 301 | 301 Pumps - O&M / Textiles | 0 | 0 | -123.429 | 56.07051 | 61.32051 | 78.69649 | 84.85176 | 89.95527 | 99.29707 | 105.008 | 107.4455 | 100.8205 |
| 2 | 302 | 302 Pumps - Controls / Textiles | 0 | 0 | -227.326 | 195.2992 | 214.9242 | 277.3773 | 297.7005 | 316.1156 | 348.2757 | 369.4867 | 377.4476 | 351.9398 |
| 2 | 303 | 303 Pumps - System Optimization / Textiles | 0 | 0 | -621.698 | 225.4271 | 247.6771 | 318.7279 | 342.724 | 364.222 | 401.3646 | 425.5246 | 434.3293 | 405.4231 |
| 2 | 304 | 304 Pumps - Sizing / Textiles | 0 | 0 | -219.662 | 124.8381 | 137.0881 | 176.9006 | 189.6086 | 201.7678 | 222.7443 | 235.6896 | 241.4318 | 224.9006 |
| 2 | 305 | 305 Pumps - Replace 1-5 HP motor / Textiles | 0 | 0 | -684.444 | 16.05586 | 17.80586 | 22.58418 | 24.22871 | 25.49336 | 27.71211 | 29.89558 | 30.88777 | 29.22371 |
| 2 | 306 | 306 Pumps - ASD (1-5 hp) / Textiles | 0 | 0 | -918.517 | 33.9826 | 37.7326 | 48.20233 | 52.24822 | 54.52264 | 60.78729 | 64.34198 | 65.77166 | 61.76385 |
| 2 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Textiles | 0 | 0 | -326.59 | 25.66035 | 27.78535 | 35.96601 | 38.68476 | 40.70917 | 45.14472 | 47.39473 | 48.73066 | 45.61347 |
| 2 | 308 | 308 Pumps - Replace 6-100 HP motor / Textiles | 0 | 0 | -425.928 | 18.94688 | 20.69688 | 26.64024 | 28.55235 | 30.08067 | 32.94688 | 34.88438 | 35.94688 | 33.40001 |
| 2 | 309 | 309 Pumps - ASD (6-100 hp) / Textiles | 0 | 0 | -118.784 | 33.84148 | 37.21648 | 47.63836 | 51.62078 | 54.20476 | 59.91179 | 63.95464 | 65.22808 | 61.38433 |
| 2 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Textiles | 0 | 0 | -167.73 | 13.01969 | 13.89469 | 17.96402 | 19.34 | 20.09586 | 22.56656 | 23.71097 | 24.68753 | 22.67191 |
| 2 | 311 | 311 Pumps - Replace 100+ HP motor / Textiles | 0 | 0 | -203.037 | 16.71309 | 18.33809 | 23.72384 | 25.06563 | 26.88985 | 0 | 0 | 0 | 0 |
| 2 | 312 | 312 Pumps - ASD (100+ hp) / Textiles | 0 | 0 | -152.909 | 33.84148 | 36.96648 | 47.63836 | 51.62078 | 53.95476 | 0 | 0 | 0 | 0 |
| 2 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Textiles | 0 | 0 | -138.355 | 8.394871 | 8.394871 | 11.98569 | 12.25718 | 12.32456 | 0 | 0 | 0 | 0 |
| 2 | 402 | 402 O&M/drives spinning machines / Textiles | 0 | 0 | -380.911 | 92.96428 | 101.9643 | 131.5717 | 141.3256 | 149.6586 | 165.308 | 175.0424 | 179.1596 | 167.5893 |
| 2 | 502 | 502 Drying (UV/IR) / Textiles | 0 | 0 | -767.809 | 173.8161 | 191.3161 | 246.0642 | 264.4108 | 280.862 | 309.363 | 328.1599 | 0 | 0 |
| 2 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Textiles | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.06624 | 100.6717 | 111.4539 | 117.9149 | 121.8914 | 114.1336 |
| 2 | 702 | 702 High Efficiency Chiller Motors / Textiles | 0 | 0 | -195.502 | 16.71309 | 18.33809 | 23.72384 | 25.3713 | 26.88985 | 29.27559 | 31.43966 | 32.22091 | 29.96309 |
| 2 | 703 | 703 EMS - Chiller / Textiles | 0 | 0 | -337.89 | 59.19532 | 64.57032 | 81.8838 | 87.07325 | 92.37404 | 101.4844 | 107.6641 | 110.9766 | 104.2266 |
| 2 | 704 | 704 Chiller Tune Up/Diagnostics / Textiles | 0 | 0 | -322.597 | 43.58306 | 47.95806 | 61.82036 | 66.6895 | 70.47368 | 77.99712 | 81.89556 | 84.3565 | 79.11431 |
| 2 | 705 | 705 VSD for Chiller Pumps and Towers / Textiles | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 2 | 706 | 706 EMS Optimization - Chiller / Textiles | 0 | 0 | -169.771 | 27.10384 | 29.60384 | 38.23959 | 40.90853 | 0 | 0 | 0 | 0 | 0 |
| 2 | 707 | 707 Aerosol Duct Sealing - Chiller / Textiles | 0 | 0 | -160.19 | 54.61492 | 59.48992 | 76.91082 | 83.11492 | 87.65203 | 96.90398 | 102.1306 | 104.9431 | 98.3493 |
| 2 | 708 | 708 Duct/Pipe Insulation - Chiller / Textiles | 0 | 0 | -7503.61 | 55.00604 | 60.00604 | 77.22577 | 83.38104 | 88.22479 | 97.34198 | 102.7913 | 105.4632 | 98.47882 |
| 2 | 709 | 709 Window Film (Standard) - Chiller / Textiles | 0 | 0 | -409.98 | 28.97472 | 31.97472 | 41.47179 | 44.66808 | 46.74914 | 52.34972 | 54.86938 | 56.11156 | 53.135 |
| 2 | 710 | 710 Roof Insulation - Chiller / Textiles | 0 | 0 | -455.721 | 24.87408 | 26.99908 | 35.32135 | 37.53815 | 39.55865 | 43.85846 | 46.3388 | 48.16693 | 44.37005 |
| 2 | 711 | 711 Cool Roof - Chiller / Textiles | 0 | 0 | -3215.36 | 137.0312 | 150.6562 | 193.9228 | 208.2705 | 220.6377 | 244.1093 | 258.6406 | 264.875 | 246.9531 |
| 2 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Textiles | 0 | 0 | -440.603 | 29.0271 | 32.2771 | 41.25953 | 43.99878 | 46.0271 | 51.23023 | 54.25366 | 55.5896 | 51.91773 |
| 2 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Textiles | 0 | 0 | -1231.1 | 192.8598 | 212.4848 | 272.9731 | 292.9565 | 311.435 | 343.602 | 364.266 | 372.3207 | 347.391 |
| 2 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Textiles | 0 | 0 | -3159.46 | 73.43278 | 80.68278 | 103.3449 | 110.8791 | 118.005 | 129.6672 | 137.7609 | 140.589 | 131.9797 |
| 2 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Textiles | 0 | 0 | -273.17 | 25.12005 | 27.49505 | 35.56732 | 38.03412 | 39.55462 | 44.10443 | 46.5888 | 48.16693 | 44.62005 |
| 2 | 725 | 725 DX Coil Cleaning / Textiles | 0 | 0 | -125.991 | 23.95879 | 25.95879 | 33.67949 | 36.58086 | 0 | 0 | 0 | 0 | 0 |
| 2 | 726 | 726 Optimize Controls / Textiles | 0 | 0 | -154.65 | 25.12005 | 27.49505 | 35.56732 | 38.03412 | 0 | 0 | 0 | 0 | 0 |
| 2 | 727 | 727 Aerosol Duct Sealing / Textiles | 0 | 0 | -126.71 | 49.61511 | 54.99011 | 70.68249 | 75.8485 | 79.88561 | 88.49792 | 93.65417 | 96.19324 | 90.22449 |
| 2 | 728 | 728 Duct/Pipe Insulation / Textiles | 0 | 0 | -4363.21 | 50.13122 | 55.00622 | 71.00329 | 76.11462 | 80.45349 | 88.90466 | 94.06872 | 96.45935 | 90.83435 |
| 2 | 729 | 729 Window Film (Standard) / Textiles | 0 | 0 | -289.459 | 25.90632 | 28.28132 | 36.46198 | 39.12507 | 41.45514 | 46.14069 | 48.1407 | 49.35945 | 46.35944 |
| 2 | 730 | 730 Roof Insulation / Textiles | 0 | 0 | -307.039 | 23.13626 | 24.63626 | 32.15189 | 34.84134 | 35.86966 | 40.15189 | 42.63626 | 43.69095 | 40.65189 |
| 2 | 731 | 731 Cool Roof - DX / Textiles | 0 | 0 | -1862.87 | 125.3946 | 137.5196 | 176.7237 | 189.9288 | 202.0909 | 222.9024 | 235.8361 | 241.3127 | 225.383 |
| 2 | 801 | 801 Premium T8, Electronic Ballast / Textiles | 0 | 0 | -281.487 | 121.2576 | 133.3826 | 172.1228 | 184.3582 | 195.7058 | 215.9998 | 228.6717 | 233.7888 | 218.617 |
| 2 | 802 | 802 CFL Hardwired, Modular 18W / Textiles | 0 | 0 | -1224.86 | 284.4655 | 313.0905 | 401.149 | 430.3112 | 0 | 0 | 0 | 0 | 0 |
| 2 | 803 | 803 CFL Screw-in 18W / Textiles | 0 | 0 | -40.9546 | 284.4655 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 804 | 804 High Bay T5 / Textiles | 0 | 0 | -276.031 | 261.2645 | 287.2645 | 370.1404 | 397.4861 | 422.7078 | 465.6473 | 494.3192 | 504.2879 | 470.8738 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 2 | 805 | 805 Occupancy Sensor / Textiles | 0 | 0 | -438.435 | 100.335 | 110.085 | 142.0215 | 152.5352 | 161.4277 | 178.5615 | 189.1203 | 193.6593 | 0 |
| 2 | 901 | 901 Replace V-belts / Textiles | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 2 | 902 | 902 Membranes for wastewater / Textiles | 0 | 0 | -447.091 | 57.53415 | 62.90915 | 81.03904 | 87.51169 | 92.06247 | 102.3388 | 108.3232 | 110.6513 | 103.8935 |
| 3 | 101 | 101 Compressed Air-O&M / Lumber | 0 | 0 | -141.27 | 93.2303 | 102.3553 | 130.4901 | 139.3944 | 147.783 | 163.2616 | 172.7069 | 177.1444 | 166.8553 |
| 3 | 102 | 102 Compressed Air - Controls / Lumber | 0 | 0 | -240.474 | 70.15054 | 77.40054 | 98.07437 | 104.8136 | 111.1759 | 122.5255 | 130.0646 | 133.5802 | 125.588 |
| 3 | 103 | 103 Compressed Air - System Optimization / Lumber | 0 | 0 | -181.109 | 117.8906 | 129.6406 | 165.4346 | 176.5283 | 188.1826 | 206.4141 | 218.7656 | 224.4141 | 210.625 |
| 3 | 104 | 104 Compressed Air- Sizing / Lumber | 0 | 0 | -122.877 | 50.49807 | 55.37307 | 70.80667 | 75.95413 | 80.00003 | 88.42776 | 93.34182 | 96.10745 | 90.35745 |
| 3 | 105 | 105 Comp Air - Replace 1-5 HP motor / Lumber | 0 | 0 | -684.041 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 |
| 3 | 106 | 106 Comp Air - ASD (1-5 hp) / Lumber | 0 | 0 | -917.832 | 34.41804 | 38.04304 | 48.49909 | 51.97565 | 54.3028 | 60.17585 | 63.7071 | 65.73835 | 61.55866 |
| 3 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 |
| 3 | 108 | 108 Comp Air - Replace 6-100 HP motor / Lumber | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 |
| 3 | 109 | 109 Comp Air - ASD (6-100 hp) / Lumber | 0 | 0 | -118.211 | 34.41401 | 38.03901 | 47.74506 | 51.27729 | 53.79877 | 59.67182 | 63.7071 | 65.86335 | 61.05866 |
| 3 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 |
| 3 | 111 | 111 Comp Air - Replace 100+ HP motor / Lumber | 0 | 0 | -202.751 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 |
| 3 | 112 | 112 Comp Air - ASD (100+ hp) / Lumber | 0 | 0 | -152.211 | 34.28901 | 38.03901 | 47.99506 | 50.97163 | 53.79877 | 0 | 0 | 0 | 0 |
| 3 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 3 | 201 | 201 Fans - O&M / Lumber | 0 | 0 | -123.452 | 11.29798 | 11.79798 | 15.44642 | 15.9933 | 17.05873 | 18.59486 | 19.98548 | 20.5558 | 19.54798 |
| 3 | 202 | 202 Fans - Controls / Lumber | 0 | 0 | -922.439 | 204.6857 | 226.1857 | 288.0802 | 307.3791 | 326.3019 | 359.9748 | 381.1545 | 391.092 | 366.8732 |
| 3 | 203 | 203 Fans - System Optimization / Lumber | 0 | 0 | -639.239 | 136.6359 | 150.8859 | 192.0148 | 205.0617 | 217.6662 | 240.0578 | 254.0499 | 260.6828 | 244.7921 |
| 3 | 204 | 204 Fans- Improve components / Lumber | 0 | 0 | -149.937 | 27.68846 | 30.18846 | 38.9658 | 41.4492 | 43.96483 | 48.35252 | 51.07909 | 52.93065 | 49.45408 |
| 3 | 205 | 205 Fans - Replace 1-5 HP motor / Lumber | 0 | 0 | -684.041 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 |
| 3 | 206 | 206 Fans - ASD (1-5 hp) / Lumber | 0 | 0 | -917.828 | 34.54707 | 38.29707 | 48.50312 | 51.97968 | 54.30683 | 60.17988 | 63.9571 | 65.73835 | 61.30866 |
| 3 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 |
| 3 | 208 | 208 Fans - Replace 6-100 HP motor / Lumber | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 |
| 3 | 209 | 209 Fans - ASD (6-100 hp) / Lumber | 0 | 0 | -118.082 | 34.29304 | 38.04304 | 48.24909 | 51.22565 | 53.8028 | 59.92585 | 63.4571 | 65.73835 | 61.30866 |
| 3 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 |
| 3 | 211 | 211 Fans - Replace 100+ HP motor / Lumber | 0 | 0 | -202.751 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 |
| 3 | 212 | 212 Fans - ASD (100+ hp) / Lumber | 0 | 0 | -152.086 | 34.41401 | 38.03901 | 47.74506 | 51.47163 | 53.79877 | 0 | 0 | 0 | 0 |
| 3 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 3 | 214 | 214 Optimize drying process / Lumber | 0 | 0 | -549.109 | 117.8906 | 129.6406 | 165.4346 | 176.5283 | 188.1826 | 206.4141 | 218.7656 | 224.4141 | 210.625 |
| 3 | 301 | 301 Pumps - O&M / Lumber | 0 | 0 | -122.067 | 56.68333 | 62.43333 | 79.19798 | 84.57591 | 89.93528 | 98.69896 | 104.6365 | 107.824 | 101.2458 |
| 3 | 302 | 302 Pumps - Controls / Lumber | 0 | 0 | -221.951 | 197.9239 | 217.5489 | 277.4083 | 296.1534 | 314.8174 | 347.0879 | 367.4589 | 376.3261 | 353.2636 |
| 3 | 303 | 303 Pumps - System Optimization / Lumber | 0 | 0 | -615.271 | 227.6042 | 250.8542 | 319.8513 | 341.0739 | 362.0075 | 399.1667 | 422.9986 | 433.3502 | 406.647 |
| 3 | 304 | 304 Pumps - Sizing / Lumber | 0 | 0 | -216.807 | 126.4428 | 139.0678 | 177.0004 | 189.1547 | 201.0599 | 221.1224 | 234.7865 | 239.9896 | 225.4584 |
| 3 | 305 | 305 Pumps - Replace 1-5 HP motor / Lumber | 0 | 0 | -684.041 | 16.08406 | 17.83406 | 22.76473 | 24.15633 | 25.41805 | 27.95906 | 29.38875 | 29.90438 | 28.55281 |
| 3 | 306 | 306 Pumps - ASD (1-5 hp) / Lumber | 0 | 0 | -917.828 | 34.42207 | 38.54707 | 48.25312 | 52.28535 | 54.30683 | 60.17988 | 63.4571 | 66.11335 | 61.55866 |
| 3 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Lumber | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.51009 | 40.27278 | 44.39973 | 46.88411 | 48.45442 | 45.49348 |
| 3 | 308 | 308 Pumps - Replace 6-100 HP motor / Lumber | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.17528 | 29.69189 | 32.80321 | 34.76012 | 35.77575 | 33.87731 |
| 3 | 309 | 309 Pumps - ASD (6-100 hp) / Lumber | 0 | 0 | -118.086 | 34.28901 | 38.03901 | 47.99506 | 51.77729 | 53.79877 | 59.67182 | 63.4571 | 65.86335 | 61.30866 |
| 3 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Lumber | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 19.48405 | 20.24772 | 22.30143 | 23.68424 | 24.69205 | 22.98893 |
| 3 | 311 | 311 Pumps - Replace 100+ HP motor / Lumber | 0 | 0 | -202.751 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.56186 | 0 | 0 | 0 | 0 |
| 3 | 312 | 312 Pumps - ASD (100+ hp) / Lumber | 0 | 0 | -152.211 | 34.28901 | 38.03901 | 48.24506 | 51.27729 | 53.79877 | 0 | 0 | 0 | 0 |
| 3 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Lumber | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 3 | 403 | 403 Air conveying systems / Lumber | 0 | 0 | -224.718 | 317.1572 | 349.0322 | 444.5849 | 474.9736 | 504.7217 | 555.6728 | 589.3603 | 604.1103 | 566.9385 |
| 3 | 404 | 404 Replace V-Belts / Lumber | 0 | 0 | -156.292 | 32.83342 | 35.95842 | 46.2094 | 49.22405 | 51.75139 | 57.52873 | 61.07561 | 63.20842 | 58.09905 |
| 3 | 405 | 405 Drives - EE motor / Lumber | 0 | 0 | -172.259 | 19.11621 | 21.24121 | 26.83203 | 28.4414 | 30.25976 | 33.20996 | 35.39746 | 35.7959 | 34.00683 |
| 3 | 503 | 503 Heat Pumps - Drying / Lumber | 0 | 0 | -1890.74 | 141.5067 | 155.8817 | 198.2332 | 212.2684 | 225.4286 | 248.4989 | 263.2332 | 270.0379 | 253.1629 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 3 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Lumber | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 3 | 702 | 702 High Efficiency Chiller Motors / Lumber | 0 | 0 | -195.095 | 16.74533 | 18.37033 | 23.70822 | 25.29318 | 26.37033 | 29.1672 | 31.08127 | 32.20627 | 30.37033 |
| 3 | 703 | 703 EMS - Chiller / Lumber | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 3 | 704 | 704 Chiller Tune Up/Diagnostics / Lumber | 0 | 0 | -321.891 | 44.28864 | 48.78864 | 62.25446 | 66.79841 | 69.89411 | 77.90583 | 82.28864 | 84.61677 | 79.16364 |
| 3 | 705 | 705 VSD for Chiller Pumps and Towers / Lumber | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 3 | 706 | 706 EMS Optimization - Chiller / Lumber | 0 | 0 | -168.973 | 27.0272 | 29.9022 | 38.67954 | 41.35727 | 0 | 0 | 0 | 0 | 0 |
| 3 | 707 | 707 Aerosol Duct Sealing - Chiller / Lumber | 0 | 0 | -159.218 | 54.96163 | 60.58663 | 76.79756 | 82.68428 | 87.53194 | 96.71944 | 102.6413 | 105.0788 | 98.53976 |
| 3 | 708 | 708 Duct/Pipe Insulation - Chiller / Lumber | 0 | 0 | -7502.62 | 54.99789 | 60.62289 | 77.18637 | 83.12582 | 88.4266 | 97.28695 | 103.2166 | 106.2791 | 99.52914 |
| 3 | 709 | 709 Window Film (Standard) - Chiller / Lumber | 0 | 0 | -409.674 | 29.15613 | 32.53113 | 42.17078 | 44.41981 | 46.69031 | 52.14832 | 55.16394 | 56.79676 | 53.23426 |
| 3 | 710 | 710 Roof Insulation - Chiller / Lumber | 0 | 0 | -455.056 | 25.16438 | 27.53938 | 36.01008 | 37.66145 | 39.24055 | 43.8675 | 46.59785 | 47.79316 | 44.45722 |
| 3 | 711 | 711 Cool Roof - Chiller / Lumber | 0 | 0 | -3212.46 | 138.1842 | 152.1842 | 194.2858 | 207.821 | 220.9811 | 244.0514 | 259.0358 | 265.0905 | 247.4655 |
| 3 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Lumber | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 3 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Lumber | 0 | 0 | -1227.24 | 194.3474 | 214.3474 | 273.9119 | 293.4246 | 311.8328 | 343.4177 | 364.3396 | 372.949 | 348.9568 |
| 3 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Lumber | 0 | 0 | -3157.95 | 73.69477 | 81.31977 | 103.9672 | 110.7495 | 117.8618 | 130.1323 | 137.9526 | 141.2573 | 131.8823 |
| 3 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Lumber | 0 | 0 | -272.601 | 25.31355 | 27.56355 | 35.88582 | 38.35261 | 40.12312 | 44.42293 | 46.90327 | 48.4814 | 44.93452 |
| 3 | 725 | 725 DX Coil Cleaning / Lumber | 0 | 0 | -125.459 | 24.11602 | 26.49102 | 34.35919 | 36.76348 | 0 | 0 | 0 | 0 | 0 |
| 3 | 726 | 726 Optimize Controls / Lumber | 0 | 0 | -154.081 | 25.31355 | 27.56355 | 35.88582 | 38.35261 | 0 | 0 | 0 | 0 | 0 |
| 3 | 727 | 727 Aerosol Duct Sealing / Lumber | 0 | 0 | -125.726 | 50.2239 | 55.0989 | 71.18972 | 76.04128 | 80.13015 | 88.82546 | 93.9739 | 96.38015 | 90.63015 |
| 3 | 728 | 728 Duct/Pipe Insulation / Lumber | 0 | 0 | -4362.33 | 50.51016 | 55.38516 | 71.57754 | 76.42813 | 81.03067 | 89.39297 | 95.04519 | 97.18582 | 91.11551 |
| 3 | 729 | 729 Window Film (Standard) / Lumber | 0 | 0 | -288.761 | 25.97884 | 28.60384 | 36.78451 | 39.19759 | 41.27767 | 45.21322 | 48.96322 | 49.93197 | 46.68197 |
| 3 | 730 | 730 Roof Insulation / Lumber | 0 | 0 | -306.74 | 23.18461 | 24.93461 | 32.14555 | 34.84575 | 36.11137 | 40.33305 | 42.8018 | 44.12211 | 40.87211 |
| 3 | 731 | 731 Cool Roof - DX / Lumber | 0 | 0 | -1860.71 | 126.4266 | 138.8016 | 177.7518 | 190.1942 | 202.8427 | 222.7313 | 236.161 | 241.8719 | 226.4423 |
| 3 | 801 | 801 Premium T8, Electronic Ballast / Lumber | 0 | 0 | -279.137 | 122.7332 | 134.3582 | 172.4383 | 184.3348 | 195.9979 | 215.8817 | 228.7879 | 234.4754 | 219.077 |
| 3 | 802 | 802 CFL Hardwired, Modular 18W / Lumber | 0 | 0 | -1219.32 | 286.7633 | 315.6383 | 405.0133 | 434.2642 | 0 | 0 | 0 | 0 | 0 |
| 3 | 803 | 803 CFL Screw-in 18W / Lumber | 0 | 0 | -35.4068 | 286.7633 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 804 | 804 High Bay T5 / Lumber | 0 | 0 | -269.289 | 264.131 | 290.756 | 371.0744 | 395.5002 | 420.5285 | 463.3107 | 491.1701 | 502.881 | 472.1935 |
| 3 | 805 | 805 Occupancy Sensor / Lumber | 0 | 0 | -435.254 | 101.5163 | 111.5163 | 142.4313 | 151.1999 | 161.0358 | 177.196 | 187.9304 | 192.8288 | 0 |
| 3 | 901 | 901 Replace V-belts / Lumber | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 4 | 101 | 101 Compressed Air-O&M / Paper | 0 | 0 | -140.185 | 93.56492 | 102.6899 | 131.3696 | 139.313 | 147.645 | 162.8149 | 172.2446 | 177.0571 | 166.8149 |
| 4 | 102 | 102 Compressed Air - Controls / Paper | 0 | 0 | -240.301 | 70.5739 | 77.4489 | 98.41862 | 104.401 | 110.7516 | 122.5114 | 129.7848 | 133.0661 | 125.2458 |
| 4 | 103 | 103 Compressed Air - System Optimization / Paper | 0 | 0 | -179.501 | 117.9994 | 130.2494 | 165.5346 | 176.3715 | 186.766 | 206.3197 | 218.6791 | 224.5229 | 211.0151 |
| 4 | 104 | 104 Compressed Air- Sizing / Paper | 0 | 0 | -122.45 | 50.42545 | 55.92545 | 71.00651 | 75.59049 | 79.93815 | 88.19889 | 93.35111 | 96.45267 | 90.4683 |
| 4 | 105 | 105 Comp Air - Replace 1-5 HP motor / Paper | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 |
| 4 | 106 | 106 Comp Air - ASD (1-5 hp) / Paper | 0 | 0 | -917.437 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 |
| 4 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 |
| 4 | 108 | 108 Comp Air - Replace 6-100 HP motor / Paper | 0 | 0 | -425.622 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 |
| 4 | 109 | 109 Comp Air - ASD (6-100 hp) / Paper | 0 | 0 | -117.578 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 |
| 4 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -167.319 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 4 | 111 | 111 Comp Air - Replace 100+ HP motor / Paper | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 |
| 4 | 112 | 112 Comp Air - ASD (100+ hp) / Paper | 0 | 0 | -151.578 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 4 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 |
| 4 | 201 | 201 Fans - O&M / Paper | 0 | 0 | -123.311 | 10.9391 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.86098 | 19.7516 | 20.57191 | 19.5641 |
| 4 | 202 | 202 Fans - Controls / Paper | 0 | 0 | -920.238 | 206.1372 | 227.1372 | 288.8667 | 307.3413 | 326.0571 | 359.0512 | 380.9771 | 390.2584 | 367.0318 |
| 4 | 203 | 203 Fans - System Optimization / Paper | 0 | 0 | -637.937 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 |
| 4 | 204 | 204 Fans- Improve components / Paper | 0 | 0 | -149.783 | 27.84166 | 30.46666 | 38.94616 | 41.42174 | 43.69127 | 47.9901 | 50.74791 | 52.81041 | 49.87291 |
| 4 | 205 | 205 Fans - Replace 1-5 HP motor / Paper | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 |
| 4 | 206 | 206 Fans - ASD (1-5 hp) / Paper | 0 | 0 | -917.183 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 54.22444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 |
| 4 | 208 | 208 Fans - Replace 6-100 HP motor / Paper | 0 | 0 | -425.622 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 |
| 4 | 209 | 209 Fans - ASD (6-100 hp) / Paper | 0 | 0 | -117.453 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 60.78144 |
| 4 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -167.319 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 4 | 211 | 211 Fans - Replace 100+ HP motor / Paper | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 |
| 4 | 212 | 212 Fans - ASD (100+ hp) / Paper | 0 | 0 | -151.578 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 4 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 |
| 4 | 301 | 301 Pumps - O&M / Paper | 0 | 0 | -121.381 | 56.99377 | 62.24377 | 79.15099 | 84.34142 | 89.13146 | 98.23596 | 104.4391 | 108.486 | 101.3531 |
| 4 | 302 | 302 Pumps - Controls / Paper | 0 | 0 | -220.016 | 198.2342 | 218.7342 | 277.6835 | 295.3504 | 313.8124 | 346.1483 | 366.2695 | 375.7383 | 353.4414 |
| 4 | 303 | 303 Pumps - System Optimization / Paper | 0 | 0 | -613.194 | 227.9307 | 252.0557 | 319.54 | 340.2197 | 361.4111 | 397.9619 | 422.0441 | 432.6222 | 407.3878 |
| 4 | 304 | 304 Pumps - Sizing / Paper | 0 | 0 | -215.807 | 126.5677 | 139.9427 | 177.6165 | 188.5686 | 200.6663 | 220.5442 | 233.9427 | 240.5364 | 225.8489 |
| 4 | 305 | 305 Pumps - Replace 1-5 HP motor / Paper | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.05807 | 25.11764 | 27.83053 | 29.2524 | 30.36178 | 28.72115 |
| 4 | 306 | 306 Pumps - ASD (1-5 hp) / Paper | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 |
| 4 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Paper | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.41219 | 39.98934 | 44.03329 | 46.50985 | 48.45516 | 45.42391 |
| 4 | 308 | 308 Pumps - Replace 6-100 HP motor / Paper | 0 | 0 | -425.622 | 19.1283 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.83142 | 35.04236 | 36.05798 | 34.15955 |
| 4 | 309 | 309 Pumps - ASD (6-100 hp) / Paper | 0 | 0 | -117.578 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 |
| 4 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Paper | 0 | 0 | -167.319 | 13.05595 | 14.18095 | 18.14287 | 19.20927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 4 | 311 | 311 Pumps - Replace 100+ HP motor / Paper | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.20871 | 26.52219 | 0 | 0 | 0 | 0 |
| 4 | 312 | 312 Pumps - ASD (100+ hp) / Paper | 0 | 0 | -151.594 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 |
| 4 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Paper | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.54698 | 0 | 0 | 0 | 0 |
| 4 | 405 | 405 Drives - EE motor / Paper | 0 | 0 | -166.739 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 28.90207 | 30.79648 | 32.10117 | 29.96054 |
| 4 | 406 | 406 Gap Forming papermachine / Paper | 0 | 0 | -164.732 | 45.5184 | 49.8934 | 63.5018 | 67.55258 | 71.14047 | 78.97934 | 83.35031 | 86.42062 | 81.06125 |
| 4 | 407 | 407 High Consistency forming / Paper | 0 | 0 | -162.086 | 43.41364 | 48.03864 | 61.13825 | 64.97614 | 68.26032 | 75.4527 | 80.0583 | 82.75361 | 77.48017 |
| 4 | 408 | 408 Optimization control PM / Paper | 0 | 0 | -231.178 | 27.44652 | 30.19652 | 38.37718 | 40.84593 | 43.12035 | 47.30589 | 50.0559 | 51.89183 | 49.27464 |
| 4 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Paper | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 4 | 702 | 702 High Efficiency Chiller Motors / Paper | 0 | 0 | -195.095 | 16.87033 | 18.62033 | 23.59982 | 25.19259 | 26.50607 | 29.13595 | 30.78439 | 31.94064 | 30.19845 |
| 4 | 703 | 703 EMS - Chiller / Paper | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 4 | 704 | 704 Chiller Tune Up/Diagnostics / Paper | 0 | 0 | -321.117 | 44.43782 | 49.06282 | 62.06379 | 66.36164 | 69.94465 | 77.39876 | 81.51595 | 84.32063 | 79.03157 |
| 4 | 705 | 705 VSD for Chiller Pumps and Towers / Paper | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 4 | 706 | 706 EMS Optimization - Chiller / Paper | 0 | 0 | -168.574 | 27.42637 | 30.17637 | 38.10704 | 40.82579 | 0 | 0 | 0 | 0 | 0 |
| 4 | 707 | 707 Aerosol Duct Sealing - Chiller / Paper | 0 | 0 | -158.311 | 55.24386 | 60.61886 | 77.07101 | 82.18917 | 86.78878 | 96.3298 | 100.9782 | 104.8923 | 98.08761 |
| 4 | 708 | 708 Duct/Pipe Insulation - Chiller / Paper | 0 | 0 | -7501.99 | 55.38498 | 61.13498 | 77.39084 | 82.26095 | 87.36252 | 96.70529 | 101.8968 | 105.5609 | 98.71714 |
| 4 | 709 | 709 Window Film (Standard) - Chiller / Paper | 0 | 0 | -409.412 | 29.54322 | 32.79322 | 41.77564 | 44.2649 | 46.79322 | 51.24635 | 54.51978 | 56.60572 | 52.68385 |
| 4 | 710 | 710 Roof Insulation - Chiller / Paper | 0 | 0 | -455.165 | 24.80549 | 27.55549 | 35.42366 | 37.82795 | 39.39729 | 43.35237 | 46.10237 | 47.50862 | 44.52424 |
| 4 | 711 | 711 Cool Roof - Chiller / Paper | 0 | 0 | -3210.91 | 138.9866 | 152.7366 | 194.1155 | 206.9124 | 219.7669 | 242.6585 | 256.9047 | 263.5375 | 247.3969 |
| 4 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Paper | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 4 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Paper | 0 | 0 | -1224.63 | 195.5772 | 215.2022 | 273.5879 | 291.5518 | 309.6983 | 341.0537 | 361.6709 | 370.7334 | 348.5459 |
| 4 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Paper | 0 | 0 | -3156.89 | 74.49715 | 81.62215 | 103.962 | 110.4688 | 117.088 | 129.0909 | 136.8878 | 140.4425 | 132.3409 |
| 4 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Paper | 0 | 0 | -272.472 | 25.06758 | 27.81758 | 35.4836 | 37.93965 | 39.71114 | 43.75508 | 46.48164 | 48.07539 | 45.14571 |
| 4 | 725 | 725 DX Coil Cleaning / Paper | 0 | 0 | -125.314 | 24.13617 | 26.76117 | 34.0268 | 36.71625 | 0 | 0 | 0 | 0 | 0 |
| 4 | 726 | 726 Optimize Controls / Paper | 0 | 0 | -153.952 | 25.06758 | 27.81758 | 35.4836 | 37.93965 | 0 | 0 | 0 | 0 | 0 |
| 4 | 727 | 727 Aerosol Duct Sealing / Paper | 0 | 0 | -125.432 | 50.51822 | 55.64322 | 71.0231 | 75.36295 | 79.70767 | 88.58853 | 92.9595 | 96.60013 | 90.29544 |
| 4 | 728 | 728 Duct/Pipe Insulation / Paper | 0 | 0 | -4362.07 | 50.64322 | 56.14322 | 71.0231 | 75.86295 | 79.95767 | 88.58853 | 93.46353 | 96.60416 | 90.79947 |
| 4 | 729 | 729 Window Film (Standard) / Paper | 0 | 0 | -288.503 | 25.8619 | 28.3619 | 36.63632 | 39.05038 | 41.36972 | 45.33065 | 47.80319 | 49.74069 | 46.38912 |
| 4 | 730 | 730 Roof Insulation / Paper | 0 | 0 | -306.099 | 23.07573 | 25.20073 | 32.31011 | 34.69487 | 35.76811 | 39.79448 | 42.77104 | 43.69292 | 41.20073 |
| 4 | 731 | 731 Cool Roof - DX / Paper | 0 | 0 | -1859.14 | 126.7492 | 139.8742 | 177.4542 | 189.3507 | 201.0138 | 221.1476 | 234.8039 | 241.2414 | 226.3429 |
| 4 | 801 | 801 Premium T8, Electronic Ballast / Paper | 0 | 0 | -277.709 | 122.6606 | 135.4106 | 172.1147 | 182.9926 | 194.6372 | 214.5278 | 227.4184 | 232.3247 | 219.1762 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 4 | 802 | 802 CFL Hardwired, Modular 18W / Paper | 0 | 0 | -1214.93 | 288.0293 | 317.5293 | 404.248 | 431.6611 | 0 | 0 | 0 | 0 | 0 |
| 4 | 803 | 803 CFL Screw-in 18W / Paper | 0 | 0 | -31.0157 | 288.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 804 | 804 High Bay T5 / Paper | 0 | 0 | -267.055 | 264.2397 | 292.2397 | 370.938 | 394.8403 | 419.355 | 461.3882 | 489.7163 | 501.6616 | 472.2241 |
| 4 | 805 | 805 Occupancy Sensor / Paper | 0 | 0 | -434.584 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 |
| 4 | 901 | 901 Replace V-belts / Paper | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 5 | 101 | 101 Compressed Air-O&M / Printing | 0 | 0 | -140.141 | 93.10933 | 102.6093 | 130.4306 | 139.0771 | 147.455 | 161.9531 | 171.8709 | 176.0584 | 166.0428 |
| 5 | 102 | 102 Compressed Air - Controls / Printing | 0 | 0 | -240.591 | 70.0336 | 77.1586 | 98.12833 | 104.3607 | 110.9613 | 122.4711 | 128.9945 | 132.5258 | 124.9555 |
| 5 | 103 | 103 Compressed Air - System Optimization / Printing | 0 | 0 | -179.96 | 117.7898 | 130.1648 | 165.1463 | 175.7869 | 186.8806 | 205.6023 | 218.2079 | 223.9423 | 210.5595 |
| 5 | 104 | 104 Compressed Air- Sizing / Printing | 0 | 0 | -122.748 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.00991 | 92.91616 | 96.15835 | 90.08023 |
| 5 | 105 | 105 Comp Air - Replace 1-5 HP motor / Printing | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 5 | 106 | 106 Comp Air - ASD (1-5 hp) / Printing | 0 | 0 | -917.437 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 |
| 5 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -325.916 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 |
| 5 | 108 | 108 Comp Air - Replace 6-100 HP motor / Printing | 0 | 0 | -425.384 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 |
| 5 | 109 | 109 Comp Air - ASD (6-100 hp) / Printing | 0 | 0 | -117.578 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 |
| 5 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 |
| 5 | 111 | 111 Comp Air - Replace 100+ HP motor / Printing | 0 | 0 | -202.372 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 5 | 112 | 112 Comp Air - ASD (100+ hp) / Printing | 0 | 0 | -151.578 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 5 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 5 | 201 | 201 Fans - O&M / Printing | 0 | 0 | -123.319 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 |
| 5 | 202 | 202 Fans - Controls / Printing | 0 | 0 | -921.508 | 205.7421 | 226.7421 | 288.1191 | 306.3359 | 325.3095 | 358.3749 | 379.7968 | 389.8124 | 366.1952 |
| 5 | 203 | 203 Fans - System Optimization / Printing | 0 | 0 | -637.937 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 |
| 5 | 204 | 204 Fans- Improve components / Printing | 0 | 0 | -149.941 | 27.80943 | 30.43443 | 38.61509 | 41.33384 | 43.60826 | 48.04381 | 50.79381 | 52.76256 | 49.76256 |
| 5 | 205 | 205 Fans - Replace 1-5 HP motor / Printing | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 5 | 206 | 206 Fans - ASD (1-5 hp) / Printing | 0 | 0 | -917.183 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 |
| 5 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -325.916 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 |
| 5 | 208 | 208 Fans - Replace 6-100 HP motor / Printing | 0 | 0 | -425.384 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 |
| 5 | 209 | 209 Fans - ASD (6-100 hp) / Printing | 0 | 0 | -117.453 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 |
| 5 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 |
| 5 | 211 | 211 Fans - Replace 100+ HP motor / Printing | 0 | 0 | -202.372 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 5 | 212 | 212 Fans - ASD (100+ hp) / Printing | 0 | 0 | -151.578 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 5 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 5 | 301 | 301 Pumps - O&M / Printing | 0 | 0 | -121.555 | 56.57042 | 62.44542 | 79.05381 | 84.43174 | 89.03135 | 98.29698 | 104.2423 | 107.6329 | 101.2267 |
| 5 | 302 | 302 Pumps - Controls / Printing | 0 | 0 | -220.653 | 197.9722 | 218.0972 | 276.9381 | 294.8521 | 313.317 | 344.98 | 366.1167 | 375.0776 | 352.8432 |
| 5 | 303 | 303 Pumps - System Optimization / Printing | 0 | 0 | -614.476 | 228.0235 | 251.3985 | 319.0255 | 339.4073 | 360.8887 | 397.0548 | 421.3673 | 432.0079 | 406.0548 |
| 5 | 304 | 304 Pumps - Sizing / Printing | 0 | 0 | -216.142 | 126.358 | 139.358 | 176.733 | 188.4176 | 200.2799 | 220.069 | 233.9556 | 239.8071 | 225.4165 |
| 5 | 305 | 305 Pumps - Replace 1-5 HP motor / Printing | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 5 | 306 | 306 Pumps - ASD (1-5 hp) / Printing | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 |
| 5 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Printing | 0 | 0 | -325.916 | 25.3337 | 28.0837 | 35.74971 | 38.45577 | 39.97725 | 44.5212 | 46.99776 | 48.34151 | 45.66182 |
| 5 | 308 | 308 Pumps - Replace 6-100 HP motor / Printing | 0 | 0 | -425.384 | 18.99121 | 20.99121 | 26.78418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 33.89746 |
| 5 | 309 | 309 Pumps - ASD (6-100 hp) / Printing | 0 | 0 | -117.578 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 |
| 5 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Printing | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 21.81755 | 23.69633 | 24.55571 | 23.00102 |
| 5 | 311 | 311 Pumps - Replace 100+ HP motor / Printing | 0 | 0 | -202.372 | 16.75339 | 18.62839 | 23.60788 | 25.20065 | 26.51413 | 0 | 0 | 0 | 0 |
| 5 | 312 | 312 Pumps - ASD (100+ hp) / Printing | 0 | 0 | -151.594 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 |
| 5 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Printing | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 5 | 409 | 409 Efficient practices printing press / Printing | 0 | 0 | -175.95 | 56.17527 | 61.92527 | 78.47898 | 83.60691 | 88.45359 | 97.13621 | 103.0737 | 106.4878 | 100.3471 |
| 5 | 410 | 410 Efficient Printing press (fewer cylinders) / Printing | 0 | 0 | -649.142 | 126.358 | 139.358 | 176.733 | 188.4176 | 200.2799 | 220.069 | 233.9556 | 239.8071 | 225.4165 |
| 5 | 411 | 411 Light cylinders / Printing | 0 | 0 | -824.478 | 58.14697 | 63.77197 | 80.83545 | 85.98096 | 91.57568 | 100.686 | 106.6157 | 110.0532 | 102.9282 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 5 | 412 | 412 Efficient drives / Printing | 0 | 0 | -165.005 | 19.12024 | 21.24524 | 27.03821 | 28.38977 | 30.21203 | 33.07336 | 35.0343 | 36.14367 | 34.15149 |
| 5 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Printing | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 5 | 702 | 702 High Efficiency Chiller Motors / Printing | 0 | 0 | -195.087 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.81589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 |
| 5 | 703 | 703 EMS - Chiller / Printing | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 5 | 704 | 704 Chiller Tune Up/Diagnostics / Printing | 0 | 0 | -321.383 | 44.2967 | 49.0467 | 62.10627 | 66.40119 | 69.99201 | 77.27326 | 81.86701 | 84.70295 | 79.39045 |
| 5 | 705 | 705 VSD for Chiller Pumps and Towers / Printing | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 5 | 706 | 706 EMS Optimization - Chiller / Printing | 0 | 0 | -168.832 | 27.29331 | 30.16831 | 38.14781 | 40.81773 | 0 | 0 | 0 | 0 | 0 |
| 5 | 707 | 707 Aerosol Duct Sealing - Chiller / Printing | 0 | 0 | -158.569 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.32174 | 102.0092 | 105.1733 | 98.53268 |
| 5 | 708 | 708 Duct/Pipe Insulation - Chiller / Printing | 0 | 0 | -7502.24 | 55.25595 | 61.13095 | 77.48935 | 82.61728 | 88.21689 | 96.98251 | 102.6778 | 105.8184 | 99.4122 |
| 5 | 709 | 709 Window Film (Standard) - Chiller / Printing | 0 | 0 | -409.666 | 29.28919 | 32.53919 | 41.58118 | 44.32728 | 46.84583 | 51.88294 | 54.87513 | 56.75013 | 52.55482 |
| 5 | 710 | 710 Roof Insulation - Chiller / Printing | 0 | 0 | -455.165 | 24.93049 | 27.55549 | 35.47151 | 37.67756 | 39.19905 | 43.74299 | 46.21956 | 47.81331 | 44.63362 |
| 5 | 711 | 711 Cool Roof - Chiller / Printing | 0 | 0 | -3211.92 | 138.5955 | 152.4705 | 194.3631 | 207.6629 | 220.5252 | 242.8221 | 257.5799 | 263.4861 | 247.6111 |
| 5 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Printing | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 5 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Printing | 0 | 0 | -1225.67 | 195.2869 | 214.9119 | 273.8611 | 291.5838 | 310.49 | 341.326 | 362.6931 | 371.8103 | 348.615 |
| 5 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Printing | 0 | 0 | -3157.66 | 74.22701 | 81.35201 | 104.2944 | 110.8208 | 117.1772 | 129.6098 | 137.1567 | 140.6958 | 132.0239 |
| 5 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Printing | 0 | 0 | -272.601 | 25.18855 | 27.81355 | 35.78425 | 37.93562 | 39.51472 | 43.89168 | 46.87605 | 48.07136 | 44.48543 |
| 5 | 725 | 725 DX Coil Cleaning / Printing | 0 | 0 | -124.943 | 24.13214 | 26.50714 | 34.07159 | 36.5296 | 0 | 0 | 0 | 0 | 0 |
| 5 | 726 | 726 Optimize Controls / Printing | 0 | 0 | -154.081 | 25.18855 | 27.81355 | 35.78425 | 37.93562 | 0 | 0 | 0 | 0 | 0 |
| 5 | 727 | 727 Aerosol Duct Sealing / Printing | 0 | 0 | -125.44 | 50.63516 | 55.63516 | 71.12247 | 75.96622 | 80.06387 | 88.58047 | 93.4711 | 96.36954 | 90.22891 |
| 5 | 728 | 728 Duct/Pipe Insulation / Printing | 0 | 0 | -4362.08 | 50.76016 | 55.88516 | 71.37247 | 76.02188 | 80.31387 | 88.58047 | 93.72513 | 96.76419 | 90.48294 |
| 5 | 729 | 729 Window Film (Standard) / Printing | 0 | 0 | -288.511 | 26.10384 | 28.85384 | 36.67611 | 39.14291 | 41.41341 | 45.21322 | 48.45162 | 50.02975 | 46.98287 |
| 5 | 730 | 730 Roof Insulation / Printing | 0 | 0 | -306.349 | 23.20073 | 25.20073 | 32.35796 | 34.75054 | 35.81987 | 39.93511 | 42.91948 | 44.09136 | 41.02886 |
| 5 | 731 | 731 Cool Roof - DX / Printing | 0 | 0 | -1859.29 | 126.596 | 139.346 | 177.8811 | 189.5442 | 201.9524 | 222.1506 | 235.8303 | 241.0335 | 226.4397 |
| 5 | 801 | 801 Premium T8, Electronic Ballast / Printing | 0 | 0 | -278.48 | 123.0155 | 134.8905 | 172.2996 | 183.1834 | 195.3397 | 214.8202 | 227.4452 | 233.6248 | 218.7967 |
| 5 | 802 | 802 CFL Hardwired, Modular 18W / Printing | 0 | 0 | -1216.35 | 287.9809 | 317.2309 | 404.7661 | 432.4624 | 0 | 0 | 0 | 0 | 0 |
| 5 | 803 | 803 CFL Screw-in 18W / Printing | 0 | 0 | -32.4391 | 287.9809 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 804 | 804 High Bay T5 / Printing | 0 | 0 | -267.858 | 264.1874 | 291.5624 | 369.9023 | 393.6074 | 418.5683 | 461.1874 | 488.7459 | 501.5818 | 471.8709 |
| 5 | 805 | 805 Occupancy Sensor / Printing | 0 | 0 | -434.584 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 |
| 5 | 901 | 901 Replace V-belts / Printing | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 6 | 101 | 101 Compressed Air-O&M / Chemicals | 0 | 0 | -140.241 | 93.38351 | 102.6335 | 130.5974 | 138.49 | 147.1159 | 162.446 | 171.6141 | 176.536 | 166.3719 |
| 6 | 102 | 102 Compressed Air - Controls / Chemicals | 0 | 0 | -240.325 | 70.29972 | 77.17472 | 98.29191 | 104.0605 | 110.8749 | 122.206 | 129.2216 | 132.3935 | 124.7685 |
| 6 | 103 | 103 Compressed Air - System Optimization / Chemicals | 0 | 0 | -179.444 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 |
| 6 | 104 | 104 Compressed Air- Sizing / Chemicals | 0 | 0 | -122.232 | 50.51822 | 55.89322 | 70.61685 | 75.20767 | 79.29166 | 87.91666 | 92.81913 | 95.91288 | 90.491 |
| 6 | 105 | 105 Comp Air - Replace 1-5 HP motor / Chemicals | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |
| 6 | 106 | 106 Comp Air - ASD (1-5 hp) / Chemicals | 0 | 0 | -917.437 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 |
| 6 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 6 | 108 | 108 Comp Air - Replace 6-100 HP motor / Chemicals | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 6 | 109 | 109 Comp Air - ASD (6-100 hp) / Chemicals | 0 | 0 | -117.578 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 |
| 6 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 6 | 111 | 111 Comp Air - Replace 100+ HP motor / Chemicals | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |
| 6 | 112 | 112 Comp Air - ASD (100+ hp) / Chemicals | 0 | 0 | -151.578 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 6 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 6 | 201 | 201 Fans - O&M / Chemicals | 0 | 0 | -123.311 | 11.0641 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.61098 | 19.7516 | 20.32191 | 19.5641 |
| 6 | 202 | 202 Fans - Controls / Chemicals | 0 | 0 | -920.468 | 206.0324 | 227.2824 | 287.5969 | 306.0539 | 325.0178 | 357.6027 | 379.2746 | 388.7668 | 366.3918 |
| 6 | 203 | 203 Fans - System Optimization / Chemicals | 0 | 0 | -637.937 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 |
| 6 | 204 | 204 Fans- Improve components / Chemicals | 0 | 0 | -149.799 | 27.95055 | 30.45055 | 38.88121 | 41.5443 | 43.37438 | 48.05992 | 50.56396 | 52.53271 | 49.7827 |
| 6 | 205 | 205 Fans - Replace 1-5 HP motor / Chemicals | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6 | 206 | 206 Fans - ASD (1-5 hp) / Chemicals | 0 | 0 | -917.183 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 |
| 6 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 6 | 208 | 208 Fans - Replace 6-100 HP motor / Chemicals | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 6 | 209 | 209 Fans - ASD (6-100 hp) / Chemicals | 0 | 0 | -117.453 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 |
| 6 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 6 | 211 | 211 Fans - Replace 100+ HP motor / Chemicals | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |
| 6 | 212 | 212 Fans - ASD (100+ hp) / Chemicals | 0 | 0 | -151.578 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 6 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 6 | 301 | 301 Pumps - O&M / Chemicals | 0 | 0 | -121.426 | 56.82445 | 62.19945 | 78.7053 | 84.13109 | 88.92698 | 98.01976 | 103.9573 | 107.2619 | 100.5276 |
| 6 | 302 | 302 Pumps - Controls / Chemicals | 0 | 0 | -219.996 | 198.3795 | 218.8795 | 276.9137 | 294.3131 | 313.023 | 344.4498 | 365.0592 | 374.2389 | 352.5201 |
| 6 | 303 | 303 Pumps - System Optimization / Chemicals | 0 | 0 | -613.44 | 227.9348 | 251.9348 | 318.9504 | 338.8713 | 360.5422 | 396.6145 | 420.4232 | 431.2123 | 405.8919 |
| 6 | 304 | 304 Pumps - Sizing / Chemicals | 0 | 0 | -215.751 | 126.3742 | 139.8742 | 176.5333 | 187.6671 | 200.0734 | 219.8039 | 233.1789 | 239.6085 | 224.7804 |
| 6 | 305 | 305 Pumps - Replace 1-5 HP motor / Chemicals | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |
| 6 | 306 | 306 Pumps - ASD (1-5 hp) / Chemicals | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 |
| 6 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Chemicals | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 6 | 308 | 308 Pumps - Replace 6-100 HP motor / Chemicals | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 6 | 309 | 309 Pumps - ASD (6-100 hp) / Chemicals | 0 | 0 | -117.578 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 |
| 6 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Chemicals | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 6 | 311 | 311 Pumps - Replace 100+ HP motor / Chemicals | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |
| 6 | 312 | 312 Pumps - ASD (100+ hp) / Chemicals | 0 | 0 | -151.594 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 |
| 6 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Chemicals | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 6 | 413 | 413 Clean Room - Controls / Chemicals | 0 | 0 | -305.571 | 56.4293 | 61.6793 | 78.38145 | 83.24961 | 88.34922 | 96.64024 | 102.7887 | 105.9527 | 99.64805 |
| 6 | 414 | 414 Clean Room - New Designs / Chemicals | 0 | 0 | -1344.77 | 209.9839 | 231.9839 | 293.0718 | 312.355 | 331.518 | 364.4292 | 386.6207 | 396.527 | 373.8316 |
| 6 | 415 | 415 Drives - Process Controls (batch + site) / Chemicals | 0 | 0 | -339.429 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 69.85017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 |
| 6 | 416 | 416 Process Drives - ASD / Chemicals | 0 | 0 | -139.214 | 3.286172 | 3.411172 | 4.529336 | 5.073281 | 5.074258 | 5.708047 | 5.286172 | 5.981485 | 5.458047 |
| 6 | 601 | 601 Other Process Controls (batch + site) / Chemicals | 0 | 0 | -339.429 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 69.85017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 |
| 6 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Chemicals | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 6 | 702 | 702 High Efficiency Chiller Motors / Chemicals | 0 | 0 | -195.079 | 16.88645 | 18.88645 | 23.61594 | 25.45871 | 26.52219 | 29.15207 | 30.80051 | 32.20676 | 30.71457 |
| 6 | 703 | 703 EMS - Chiller / Chemicals | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 6 | 704 | 704 Chiller Tune Up/Diagnostics / Chemicals | 0 | 0 | -321.109 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 70.10017 | 76.62557 | 81.47713 | 84.71151 | 79.35213 |
| 6 | 705 | 705 VSD for Chiller Pumps and Towers / Chemicals | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 6 | 706 | 706 EMS Optimization - Chiller / Chemicals | 0 | 0 | -168.691 | 27.55943 | 30.18443 | 38.06138 | 40.72349 | 0 | 0 | 0 | 0 | 0 |
| 6 | 707 | 707 Aerosol Duct Sealing - Chiller / Chemicals | 0 | 0 | -158.17 | 55.50998 | 61.13498 | 76.73459 | 82.16037 | 86.4465 | 95.78342 | 101.2053 | 105.0022 | 98.43186 |
| 6 | 708 | 708 Duct/Pipe Insulation - Chiller / Chemicals | 0 | 0 | -7501.59 | 55.78012 | 61.15512 | 77.05258 | 82.47544 | 87.0184 | 96.44418 | 101.6161 | 105.4286 | 98.78012 |
| 6 | 709 | 709 Window Film (Standard) - Chiller / Chemicals | 0 | 0 | -409.15 | 29.68031 | 33.05531 | 41.48988 | 43.97133 | 46.49769 | 51.11 | 54.38344 | 56.25062 | 52.61781 |
| 6 | 710 | 710 Roof Insulation - Chiller / Chemicals | 0 | 0 | -455.031 | 24.93855 | 27.31355 | 35.128 | 37.83601 | 39.59871 | 43.21199 | 45.43855 | 47.76668 | 44.70418 |
| 6 | 711 | 711 Cool Roof - Chiller / Chemicals | 0 | 0 | -3210.38 | 139.0189 | 153.0189 | 193.5843 | 206.056 | 218.973 | 240.8548 | 255.8157 | 262.8314 | 247.3157 |
| 6 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Chemicals | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 6 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Chemicals | 0 | 0 | -1223.96 | 195.5005 | 215.7505 | 273.2261 | 290.8501 | 309.0621 | 339.9771 | 360.313 | 369.4927 | 348.0787 |
| 6 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Chemicals | 0 | 0 | -3156.62 | 74.2673 | 81.8923 | 103.8259 | 110.6394 | 116.6931 | 128.6892 | 136.7517 | 140.4079 | 132.0798 |
| 6 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Chemicals | 0 | 0 | -272.714 | 25.07564 | 27.82564 | 35.4438 | 37.8481 | 39.91744 | 43.62251 | 46.37251 | 47.77876 | 45.04439 |
| 6 | 725 | 725 DX Coil Cleaning / Chemicals | 0 | 0 | -125.169 | 24.28132 | 26.78132 | 34.04694 | 36.73639 | 0 | 0 | 0 | 0 | 0 |
| 6 | 726 | 726 Optimize Controls / Chemicals | 0 | 0 | -154.194 | 25.07564 | 27.82564 | 35.4438 | 37.8481 | 0 | 0 | 0 | 0 | 0 |
| 6 | 727 | 727 Aerosol Duct Sealing / Chemicals | 0 | 0 | -124.887 | 50.31254 | 55.93754 | 71.06742 | 75.40727 | 79.50199 | 88.13285 | 93.25785 | 96.64848 | 90.59379 |
| 6 | 728 | 728 Duct/Pipe Insulation / Chemicals | 0 | 0 | -4361.77 | 50.69157 | 56.19157 | 71.32145 | 75.96696 | 80.00602 | 88.63688 | 93.75785 | 97.02348 | 91.09379 |
| 6 | 729 | 729 Window Film (Standard) / Chemicals | 0 | 0 | -288.354 | 25.88608 | 28.63608 | 36.91049 | 39.32456 | 41.64389 | 45.35483 | 47.57736 | 49.01486 | 46.6633 |
| 6 | 730 | 730 Roof Insulation / Chemicals | 0 | 0 | -306.075 | 23.09991 | 25.22491 | 32.58428 | 34.71905 | 36.29229 | 39.81866 | 42.54119 | 43.96307 | 41.47088 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 6 | 731 | 731 Cool Roof - DX / Chemicals | 0 | 0 | -1858.54 | 126.8499 | 140.2249 | 177.5013 | 189.1458 | 201.0628 | 221.8577 | 235.264 | 241.4436 | 226.8186 |
| 6 | 801 | 801 Premium T8, Electronic Ballast / Chemicals | 0 | 0 | -277.197 | 122.7977 | 135.4227 | 171.575 | 182.4217 | 193.5731 | 213.4461 | 226.5908 | 232.4736 | 218.6142 |
| 6 | 802 | 802 CFL Hardwired, Modular 18W / Chemicals | 0 | 0 | -1213.35 | 288.8518 | 318.6018 | 403.5979 | 429.968 | 0 | 0 | 0 | 0 | 0 |
| 6 | 803 | 803 CFL Screw-in 18W / Chemicals | 0 | 0 | -29.4432 | 288.8518 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 804 | 804 High Bay T5 / Chemicals | 0 | 0 | -266.938 | 264.2318 | 291.8568 | 369.7874 | 393.1634 | 418.4232 | 460.1302 | 487.9193 | 500.3411 | 470.8724 |
| 6 | 805 | 805 Occupancy Sensor / Chemicals | 0 | 0 | -434.459 | 101.5606 | 111.8106 | 142.1143 | 150.8116 | 159.9415 | 176.0137 | 186.7403 | 191.9825 | 0 |
| 7 | 101 | 101 Compressed Air-O&M / Petroleum | 0 | 0 | -140.241 | 93.38351 | 102.6335 | 130.5974 | 138.49 | 147.1159 | 162.446 | 171.6141 | 176.536 | 166.3719 |
| 7 | 102 | 102 Compressed Air - Controls / Petroleum | 0 | 0 | -240.325 | 70.29972 | 77.17472 | 98.29191 | 104.0605 | 110.8749 | 122.206 | 129.2216 | 132.3935 | 124.7685 |
| 7 | 103 | 103 Compressed Air - System Optimization / Petroleum | 0 | 0 | -179.444 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 |
| 7 | 104 | 104 Compressed Air- Sizing / Petroleum | 0 | 0 | -122.232 | 50.51822 | 55.89322 | 70.61685 | 75.20767 | 79.29166 | 87.91666 | 92.81913 | 95.91288 | 90.491 |
| 7 | 105 | 105 Comp Air - Replace 1-5 HP motor / Petroleum | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |
| 7 | 106 | 106 Comp Air - ASD (1-5 hp) / Petroleum | 0 | 0 | -917.437 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 |
| 7 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 7 | 108 | 108 Comp Air - Replace 6-100 HP motor / Petroleum | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 7 | 109 | 109 Comp Air - ASD (6-100 hp) / Petroleum | 0 | 0 | -117.578 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 |
| 7 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 7 | 111 | 111 Comp Air - Replace 100+ HP motor / Petroleum | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |
| 7 | 112 | 112 Comp Air - ASD (100+ hp) / Petroleum | 0 | 0 | -151.578 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 7 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 7 | 114 | 114 Power recovery / Petroleum | 0 | 0 | -149.593 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 |
| 7 | 115 | 115 Refinery Controls / Petroleum | 0 | 0 | -150.541 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 |
| 7 | 201 | 201 Fans - O&M / Petroleum | 0 | 0 | -123.311 | 11.0641 | 11.8141 | 15.21254 | 16.25941 | 17.07484 | 18.61098 | 19.7516 | 20.32191 | 19.5641 |
| 7 | 202 | 202 Fans - Controls / Petroleum | 0 | 0 | -920.468 | 206.0324 | 227.2824 | 287.5969 | 306.0539 | 325.0178 | 357.6027 | 379.2746 | 388.7668 | 366.3918 |
| 7 | 203 | 203 Fans - System Optimization / Petroleum | 0 | 0 | -637.937 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.5945 |
| 7 | 204 | 204 Fans- Improve components / Petroleum | 0 | 0 | -149.799 | 27.95055 | 30.45055 | 38.88121 | 41.5443 | 43.37438 | 48.05992 | 50.56396 | 52.53271 | 49.7827 |
| 7 | 205 | 205 Fans - Replace 1-5 HP motor / Petroleum | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |
| 7 | 206 | 206 Fans - ASD (1-5 hp) / Petroleum | 0 | 0 | -917.183 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 53.97444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 |
| 7 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 7 | 208 | 208 Fans - Replace 6-100 HP motor / Petroleum | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 7 | 209 | 209 Fans - ASD (6-100 hp) / Petroleum | 0 | 0 | -117.453 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 61.03144 |
| 7 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 7 | 211 | 211 Fans - Replace 100+ HP motor / Petroleum | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |
| 7 | 212 | 212 Fans - ASD (100+ hp) / Petroleum | 0 | 0 | -151.578 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 7 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 7 | 215 | 215 Power recovery / Petroleum | 0 | 0 | -149.593 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 |
| 7 | 216 | 216 Refinery Controls / Petroleum | 0 | 0 | -150.541 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 |
| 7 | 301 | 301 Pumps - O&M / Petroleum | 0 | 0 | -121.426 | 56.82445 | 62.19945 | 78.7053 | 84.13109 | 88.92698 | 98.01976 | 103.9573 | 107.2619 | 100.5276 |
| 7 | 302 | 302 Pumps - Controls / Petroleum | 0 | 0 | -219.996 | 198.3795 | 218.8795 | 276.9137 | 294.3131 | 313.023 | 344.4498 | 365.0592 | 374.2389 | 352.5201 |
| 7 | 303 | 303 Pumps - System Optimization / Petroleum | 0 | 0 | -613.44 | 227.9348 | 251.9348 | 318.9504 | 338.8713 | 360.5422 | 396.6145 | 420.4232 | 431.2123 | 405.8919 |
| 7 | 304 | 304 Pumps - Sizing / Petroleum | 0 | 0 | -215.751 | 126.3742 | 139.8742 | 176.5333 | 187.6671 | 200.0734 | 219.8039 | 233.1789 | 239.6085 | 224.7804 |
| 7 | 305 | 305 Pumps - Replace 1-5 HP motor / Petroleum | 0 | 0 | -684.279 | 16.09615 | 17.84615 | 22.71822 | 24.11275 | 25.61764 | 27.83053 | 29.0024 | 30.51022 | 28.72115 |
| 7 | 306 | 306 Pumps - ASD (1-5 hp) / Petroleum | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 |
| 7 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Petroleum | 0 | 0 | -326.041 | 25.4587 | 27.8337 | 35.70186 | 38.35616 | 40.17549 | 43.63057 | 46.38057 | 48.03682 | 45.80245 |
| 7 | 308 | 308 Pumps - Replace 6-100 HP motor / Petroleum | 0 | 0 | -425.384 | 19.24121 | 21.24121 | 26.97461 | 28.38574 | 29.6455 | 32.45215 | 34.3778 | 36.13562 | 34.04968 |
| 7 | 309 | 309 Pumps - ASD (6-100 hp) / Petroleum | 0 | 0 | -117.578 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 61.03144 |
| 7 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Petroleum | 0 | 0 | -167.206 | 13.04386 | 14.16886 | 18.08195 | 18.88078 | 20.20402 | 21.91886 | 23.29765 | 24.1414 | 23.16483 |
| 7 | 311 | 311 Pumps - Replace 100+ HP motor / Petroleum | 0 | 0 | -202.489 | 16.76145 | 18.63645 | 23.61594 | 25.26438 | 26.52219 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | |
|---|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 7 | 312 | 312 Pumps - ASD (100+ hp) / Petroleum | 0 | 0 | -151.594 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 |
| 7 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Petroleum | 0 | 0 | -137.968 | 8.406959 | 8.656959 | 11.64622 | 12.22434 | 12.47825 | 0 | 0 | 0 | 0 |
| 7 | 314 | 314 Power recovery / Petroleum | 0 | 0 | -149.593 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 |
| 7 | 315 | 315 Refinery Controls / Petroleum | 0 | 0 | -150.541 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 |
| 7 | 602 | 602 Efficient desalter / Petroleum | 0 | 0 | -439.444 | 118.1809 | 129.9309 | 165.2073 | 175.5247 | 186.1741 | 205.3294 | 217.4153 | 223.2669 | 210.4466 |
| 7 | 606 | 606 Power recovery / Petroleum | 0 | 0 | -149.593 | 5.532051 | 5.782051 | 7.962715 | 8.460762 | 8.277168 | 9.172676 | 9.500801 | 10.03986 | 9.657051 |
| 7 | 607 | 607 Refinery Controls / Petroleum | 0 | 0 | -150.541 | 13.70916 | 14.95916 | 19.2199 | 19.7824 | 20.85271 | 22.74041 | 24.377 | 25.48638 | 24.14263 |
| 7 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Petroleum | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 7 | 702 | 702 High Efficiency Chiller Motors / Petroleum | 0 | 0 | -195.079 | 16.88645 | 18.88645 | 23.61594 | 25.45871 | 26.52219 | 28.90207 | 30.80051 | 32.20676 | 30.46457 |
| 7 | 703 | 703 EMS - Chiller / Petroleum | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 7 | 704 | 704 Chiller Tune Up/Diagnostics / Petroleum | 0 | 0 | -321.109 | 44.82088 | 49.32088 | 61.9742 | 66.31404 | 70.10017 | 76.62557 | 81.47713 | 84.46151 | 79.35213 |
| 7 | 705 | 705 VSD for Chiller Pumps and Towers / Petroleum | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 7 | 706 | 706 EMS Optimization - Chiller / Petroleum | 0 | 0 | -168.707 | 27.54331 | 30.16831 | 37.99058 | 40.65171 | 0 | 0 | 0 | 0 | 0 |
| 7 | 707 | 707 Aerosol Duct Sealing - Chiller / Petroleum | 0 | 0 | -158.17 | 55.50998 | 60.88498 | 76.73459 | 82.09396 | 86.6965 | 96.03342 | 101.2093 | 104.6078 | 98.43589 |
| 7 | 708 | 708 Duct/Pipe Insulation - Chiller / Petroleum | 0 | 0 | -7501.71 | 55.78415 | 61.15915 | 77.30661 | 82.43454 | 87.02243 | 96.44821 | 101.6161 | 105.2723 | 98.78012 |
| 7 | 709 | 709 Window Film (Standard) - Chiller / Petroleum | 0 | 0 | -409.166 | 29.66419 | 33.03919 | 41.42493 | 43.91126 | 46.42982 | 50.70325 | 54.22669 | 56.33607 | 52.49232 |
| 7 | 710 | 710 Roof Insulation - Chiller / Petroleum | 0 | 0 | -454.906 | 24.93855 | 27.31355 | 35.128 | 37.51863 | 39.59871 | 43.46199 | 45.43855 | 47.36824 | 44.70418 |
| 7 | 711 | 711 Cool Roof - Chiller / Petroleum | 0 | 0 | -3210.38 | 138.8939 | 153.0189 | 193.5843 | 206.056 | 218.973 | 240.6048 | 255.8157 | 262.8314 | 247.3157 |
| 7 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Petroleum | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 7 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Petroleum | 0 | 0 | -1223.97 | 195.4925 | 215.7425 | 273.1653 | 290.7874 | 309.0032 | 339.5862 | 360.1838 | 369.5822 | 347.9416 |
| 7 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Petroleum | 0 | 0 | -3156.64 | 74.37618 | 81.87618 | 103.5051 | 110.2619 | 116.6193 | 128.7902 | 136.3449 | 139.6262 | 132.2043 |
| 7 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Petroleum | 0 | 0 | -272.573 | 25.09176 | 27.84176 | 35.25777 | 38.21383 | 39.73531 | 43.52926 | 46.25582 | 48.09957 | 45.16988 |
| 7 | 725 | 725 DX Coil Cleaning / Petroleum | 0 | 0 | -125.165 | 24.28535 | 26.78535 | 34.30097 | 36.49042 | 0 | 0 | 0 | 0 | 0 |
| 7 | 726 | 726 Optimize Controls / Petroleum | 0 | 0 | -154.053 | 25.09176 | 27.84176 | 35.25777 | 38.21383 | 0 | 0 | 0 | 0 | 0 |
| 7 | 727 | 727 Aerosol Duct Sealing / Petroleum | 0 | 0 | -124.916 | 50.53434 | 55.90934 | 71.19254 | 75.57438 | 79.37027 | 87.79215 | 92.6984 | 96.44059 | 90.36247 |
| 7 | 728 | 728 Duct/Pipe Insulation / Petroleum | 0 | 0 | -4361.66 | 50.67545 | 56.17545 | 71.25651 | 75.84049 | 79.93815 | 88.44889 | 93.35514 | 96.4567 | 90.97233 |
| 7 | 729 | 729 Window Film (Standard) / Petroleum | 0 | 0 | -288.37 | 25.99496 | 28.61996 | 36.84066 | 39.30844 | 40.82113 | 44.69809 | 47.68246 | 49.50277 | 46.54184 |
| 7 | 730 | 730 Roof Insulation / Petroleum | 0 | 0 | -305.95 | 22.97491 | 25.22491 | 32.58428 | 35.02471 | 36.54229 | 39.81866 | 42.54522 | 44.11553 | 41.47491 |
| 7 | 731 | 731 Cool Roof - DX / Petroleum | 0 | 0 | -1858.7 | 126.9346 | 140.4346 | 177.5596 | 188.7002 | 200.6065 | 221.1455 | 234.5362 | 240.7315 | 226.4971 |
| 7 | 801 | 801 Premium T8, Electronic Ballast / Petroleum | 0 | 0 | -277.197 | 122.7977 | 135.4227 | 171.575 | 182.4217 | 193.5731 | 213.4461 | 226.5908 | 232.4736 | 218.6142 |
| 7 | 802 | 802 CFL Hardwired, Modular 18W / Petroleum | 0 | 0 | -1213.23 | 288.6018 | 318.6018 | 403.5491 | 429.6067 | 0 | 0 | 0 | 0 | 0 |
| 7 | 803 | 803 CFL Screw-in 18W / Petroleum | 0 | 0 | -29.3182 | 288.6018 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 804 | 804 High Bay T5 / Petroleum | 0 | 0 | -266.938 | 264.2318 | 291.8568 | 369.7874 | 393.1634 | 418.4232 | 460.1302 | 487.9193 | 500.3411 | 470.8724 |
| 7 | 805 | 805 Occupancy Sensor / Petroleum | 0 | 0 | -434.459 | 101.5606 | 111.8106 | 142.1143 | 150.8116 | 159.9415 | 176.0137 | 186.7403 | 191.9825 | 0 |
| 7 | 901 | 901 Replace V-belts / Petroleum | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 8 | 101 | 101 Compressed Air-O&M / Rubber-Plastics | 0 | 0 | -140.262 | 92.86336 | 102.3634 | 130.4835 | 139.6915 | 147.5108 | 162.8477 | 172.0196 | 176.8399 | 166.129 |
| 8 | 102 | 102 Compressed Air - Controls / Rubber-Plastics | 0 | 0 | -240.724 | 70.15054 | 77.15054 | 97.87027 | 104.6476 | 110.9533 | 122.213 | 128.9905 | 132.9124 | 124.9515 |
| 8 | 103 | 103 Compressed Air - System Optimization / Rubber-Plastics | 0 | 0 | -180.218 | 117.9068 | 129.9068 | 165.3882 | 175.7232 | 186.8726 | 205.5943 | 218.4458 | 223.813 | 210.5474 |
| 8 | 104 | 104 Compressed Air- Sizing / Rubber-Plastics | 0 | 0 | -122.736 | 50.63919 | 55.88919 | 71.22024 | 75.60892 | 79.40188 | 88.16263 | 93.06888 | 96.60013 | 90.18607 |
| 8 | 105 | 105 Comp Air - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -684.166 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 |
| 8 | 106 | 106 Comp Air - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -917.578 | 34.79707 | 38.04707 | 48.40546 | 51.36836 | 53.70429 | 59.90645 | 63.4261 | 65.94954 | 61.12922 |
| 8 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -326.17 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 |
| 8 | 108 | 108 Comp Air - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -425.384 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 |
| 8 | 109 | 109 Comp Air - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -117.578 | 34.29707 | 37.79707 | 48.40546 | 51.11836 | 53.70429 | 59.90645 | 62.92207 | 65.44551 | 60.87519 |
| 8 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -167.452 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 |
| 8 | 111 | 111 Comp Air - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -202.501 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 |
| 8 | 112 | 112 Comp Air - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -151.453 | 34.29707 | 37.79707 | 48.40546 | 51.17402 | 53.70429 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 |
| 8 | 201 | 201 Fans - O&M / Rubber-Plastics | 0 | 0 | -123.319 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 16.81679 | 18.35292 | 19.99354 | 21.22011 | 19.55604 |
| 8 | 202 | 202 Fans - Controls / Rubber-Plastics | 0 | 0 | -921.512 | 205.7381 | 226.4881 | 288.1697 | 306.6365 | 325.8572 | 358.785 | 380.4646 | 389.9568 | 366.535 |
| 8 | 203 | 203 Fans - System Optimization / Rubber-Plastics | 0 | 0 | -638.465 | 137.0351 | 151.4101 | 191.8788 | 204.0858 | 216.7499 | 238.4648 | 253.1679 | 259.6679 | 245.0194 |
| 8 | 204 | 204 Fans- Improve components / Rubber-Plastics | 0 | 0 | -149.924 | 27.70055 | 30.20055 | 38.68004 | 41.34996 | 43.42516 | 47.97399 | 50.97777 | 52.39183 | 49.60277 |
| 8 | 205 | 205 Fans - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -684.166 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 |
| 8 | 206 | 206 Fans - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -917.449 | 35.0511 | 38.0511 | 48.40949 | 51.87239 | 54.20832 | 59.91048 | 63.1761 | 65.94954 | 61.62922 |
| 8 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -326.17 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 |
| 8 | 208 | 208 Fans - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -425.384 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 |
| 8 | 209 | 209 Fans - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -117.453 | 34.04707 | 38.04707 | 48.40546 | 51.36836 | 53.70429 | 59.90645 | 63.17207 | 65.44551 | 61.12519 |
| 8 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -167.452 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 |
| 8 | 211 | 211 Fans - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -202.501 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 |
| 8 | 212 | 212 Fans - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -151.703 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 |
| 8 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 |
| 8 | 301 | 301 Pumps - O&M / Rubber-Plastics | 0 | 0 | -121.684 | 56.69139 | 62.69139 | 78.79979 | 84.23338 | 89.02733 | 98.54295 | 103.9883 | 107.7773 | 101.2226 |
| 8 | 302 | 302 Pumps - Controls / Rubber-Plastics | 0 | 0 | -220.927 | 197.6981 | 218.0731 | 276.9139 | 294.8836 | 313.0428 | 344.7059 | 366.3465 | 374.9168 | 352.8231 |
| 8 | 303 | 303 Pumps - System Optimization / Rubber-Plastics | 0 | 0 | -614.464 | 228.0356 | 251.4106 | 318.895 | 340.0747 | 360.7661 | 397.5669 | 421.141 | 432.7191 | 406.2347 |
| 8 | 304 | 304 Pumps - Sizing / Rubber-Plastics | 0 | 0 | -216.283 | 126.3419 | 139.5919 | 176.4669 | 188.4015 | 200.2638 | 220.3029 | 233.4435 | 240.0451 | 225.4044 |
| 8 | 305 | 305 Pumps - Replace 1-5 HP motor / Rubber-Plastics | 0 | 0 | -684.166 | 15.95906 | 17.83406 | 22.45613 | 24.04598 | 25.60555 | 27.56844 | 28.99031 | 30.09969 | 28.70906 |
| 8 | 306 | 306 Pumps - ASD (1-5 hp) / Rubber-Plastics | 0 | 0 | -917.574 | 35.0511 | 38.0511 | 48.40949 | 51.67805 | 53.95832 | 59.91048 | 63.1761 | 66.34798 | 61.62922 |
| 8 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Rubber-Plastics | 0 | 0 | -326.17 | 25.45467 | 28.07967 | 35.74568 | 38.45174 | 39.97322 | 44.26717 | 46.74373 | 48.33748 | 45.65779 |
| 8 | 308 | 308 Pumps - Replace 6-100 HP motor / Rubber-Plastics | 0 | 0 | -425.384 | 18.99121 | 21.24121 | 27.03418 | 28.1914 | 29.708 | 32.81933 | 34.53027 | 35.7959 | 33.89746 |
| 8 | 309 | 309 Pumps - ASD (6-100 hp) / Rubber-Plastics | 0 | 0 | -117.453 | 34.29707 | 38.04707 | 48.15546 | 51.11836 | 53.70429 | 59.90645 | 63.42207 | 65.44551 | 61.12519 |
| 8 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Rubber-Plastics | 0 | 0 | -167.452 | 13.17289 | 14.17289 | 18.13481 | 19.20121 | 20.25981 | 21.81352 | 23.69633 | 24.55571 | 22.75102 |
| 8 | 311 | 311 Pumps - Replace 100+ HP motor / Rubber-Plastics | 0 | 0 | -202.501 | 16.87436 | 18.62436 | 23.60385 | 25.19662 | 26.7601 | 0 | 0 | 0 | 0 |
| 8 | 312 | 312 Pumps - ASD (100+ hp) / Rubber-Plastics | 0 | 0 | -151.578 | 34.29707 | 37.79707 | 48.15546 | 51.11836 | 53.70429 | 0 | 0 | 0 | 0 |
| 8 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Rubber-Plastics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.23643 | 12.29698 | 0 | 0 | 0 | 0 |
| 8 | 417 | 417 O&M - Extruders/Injection Moulding / Rubber-Plastics | 0 | 0 | -122.333 | 56.16721 | 61.91721 | 78.47092 | 83.40354 | 88.69553 | 97.12815 | 103.3157 | 107.1047 | 100.3391 |
| 8 | 418 | 418 Extruders/injection Moulding-multipump / Rubber-Plastics | 0 | 0 | -988.544 | 209.9557 | 231.4557 | 293.2037 | 312.4547 | 332.4254 | 365.0182 | 387.4713 | 397.5104 | 373.8463 |
| 8 | 419 | 419 Direct drive Extruders / Rubber-Plastics | 0 | 0 | -2981.42 | 481.9573 | 531.7073 | 675.5833 | 719.5823 | 765.5247 | 842.0042 | 893.2738 | 915.0785 | 860.2426 |
| 8 | 420 | 420 Injection Moulding - Impulse Cooling / Rubber-Plastics | 0 | 0 | -743.094 | 132.4062 | 145.6562 | 185.1064 | 197.0488 | 210.1972 | 230.8359 | 245.0196 | 251.2306 | 235.8009 |
| 8 | 421 | 421 Injection Moulding - Direct drive / Rubber-Plastics | 0 | 0 | -1047.36 | 124.7613 | 137.5113 | 174.9205 | 186.0543 | 197.7106 | 217.691 | 231.3201 | 236.9998 | 222.6716 |
| 8 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Rubber-Plastics | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 8 | 702 | 702 High Efficiency Chiller Motors / Rubber-Plastics | 0 | 0 | -194.966 | 16.87436 | 18.62436 | 23.65268 | 25.04721 | 26.81186 | 29.28061 | 30.71811 | 32.2103 | 30.29623 |
| 8 | 703 | 703 EMS - Chiller / Rubber-Plastics | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 8 | 704 | 704 Chiller Tune Up/Diagnostics / Rubber-Plastics | 0 | 0 | -321.387 | 44.29267 | 49.04267 | 62.10224 | 66.45185 | 69.98798 | 77.51923 | 81.61298 | 84.32392 | 79.13642 |
| 8 | 705 | 705 VSD for Chiller Pumps and Towers / Rubber-Plastics | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 8 | 706 | 706 EMS Optimization - Chiller / Rubber-Plastics | 0 | 0 | -168.832 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 0 | 0 | 0 | 0 | 0 |
| 8 | 707 | 707 Aerosol Duct Sealing - Chiller / Rubber-Plastics | 0 | 0 | -158.561 | 54.86886 | 60.61886 | 76.97726 | 82.35519 | 87.4548 | 96.22042 | 101.9198 | 105.5604 | 98.65414 |
| 8 | 708 | 708 Duct/Pipe Insulation - Chiller / Rubber-Plastics | 0 | 0 | -7502.25 | 55.37289 | 60.87289 | 77.48129 | 82.66488 | 88.20883 | 96.72445 | 102.6698 | 105.7088 | 99.40414 |
| 8 | 709 | 709 Window Film (Standard) - Chiller / Rubber-Plastics | 0 | 0 | -409.67 | 29.41016 | 32.78516 | 41.57715 | 44.32325 | 46.8418 | 51.62891 | 54.8711 | 56.7461 | 53.05079 |
| 8 | 710 | 710 Roof Insulation - Chiller / Rubber-Plastics | 0 | 0 | -455.169 | 24.92646 | 27.80146 | 35.46748 | 37.86787 | 39.19502 | 43.73896 | 46.46553 | 47.91084 | 44.87959 |
| 8 | 711 | 711 Cool Roof - Chiller / Rubber-Plastics | 0 | 0 | -3211.8 | 138.3455 | 152.2205 | 194.4119 | 207.7186 | 220.8328 | 242.7127 | 257.9393 | 263.8846 | 247.7049 |
| 8 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Rubber-Plastics | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 8 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Rubber-Plastics | 0 | 0 | -1225.79 | 195.4199 | 214.6699 | 273.4658 | 292.1475 | 310.8565 | 341.6153 | 362.9903 | 371.7168 | 348.7949 |
| 8 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Rubber-Plastics | 0 | 0 | -3157.67 | 74.21895 | 81.34395 | 104.2863 | 110.8566 | 117.4191 | 129.6018 | 137.6486 | 140.8674 | 132.2658 |
| 8 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Rubber-Plastics | 0 | 0 | -272.601 | 25.31355 | 27.81355 | 35.78425 | 37.93562 | 39.51472 | 43.89168 | 46.87202 | 48.06733 | 44.7314 |

| | | | | | | | | | | | | | | |
|---|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 8 | 725 | 725 DX Coil Cleaning / Rubber-Plastics | 0 | 0 | -124.943 | 24.13214 | 26.50714 | 34.07159 | 36.46222 | 0 | 0 | 0 | 0 | 0 |
| 8 | 726 | 726 Optimize Controls / Rubber-Plastics | 0 | 0 | -154.081 | 25.31355 | 27.81355 | 35.78425 | 37.93562 | 0 | 0 | 0 | 0 | 0 |
| 8 | 727 | 727 Aerosol Duct Sealing / Rubber-Plastics | 0 | 0 | -125.448 | 50.6271 | 55.3771 | 70.86441 | 76.01382 | 80.05581 | 88.57241 | 93.71707 | 96.25613 | 90.47488 |
| 8 | 728 | 728 Duct/Pipe Insulation / Rubber-Plastics | 0 | 0 | -4362.21 | 50.75613 | 55.88113 | 71.11844 | 76.01785 | 80.30984 | 88.82644 | 93.96707 | 96.75613 | 90.97488 |
| 8 | 729 | 729 Window Film (Standard) / Rubber-Plastics | 0 | 0 | -288.511 | 26.10384 | 28.85384 | 36.67611 | 39.08724 | 41.41341 | 45.21322 | 48.69759 | 49.62728 | 46.97884 |
| 8 | 730 | 730 Roof Insulation / Rubber-Plastics | 0 | 0 | -306.353 | 23.3217 | 25.1967 | 32.35393 | 34.80217 | 36.06584 | 40.18108 | 42.91545 | 43.98576 | 41.27483 |
| 8 | 731 | 731 Cool Roof - DX / Rubber-Plastics | 0 | 0 | -1859.56 | 126.7048 | 139.3298 | 177.365 | 189.8338 | 201.6863 | 221.8845 | 235.8142 | 241.1658 | 226.4236 |
| 8 | 801 | 801 Premium T8, Electronic Ballast / Rubber-Plastics | 0 | 0 | -278.371 | 122.7493 | 134.8743 | 172.0335 | 183.6673 | 195.0736 | 215.054 | 227.679 | 233.6087 | 218.7806 |
| 8 | 802 | 802 CFL Hardwired, Modular 18W / Rubber-Plastics | 0 | 0 | -1216.36 | 287.8479 | 317.2229 | 404.8664 | 432.76 | 0 | 0 | 0 | 0 | 0 |
| 8 | 803 | 803 CFL Screw-in 18W / Rubber-Plastics | 0 | 0 | -32.4471 | 287.8479 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 804 | 804 High Bay T5 / Rubber-Plastics | 0 | 0 | -267.983 | 264.4374 | 291.5624 | 370.0107 | 394.207 | 419.4277 | 461.7109 | 489.293 | 501.6133 | 472.0508 |
| 8 | 805 | 805 Occupancy Sensor / Rubber-Plastics | 0 | 0 | -434.455 | 101.6896 | 111.5646 | 142.5246 | 150.9816 | 160.1115 | 176.6896 | 187.424 | 192.4084 | 0 |
| 8 | 901 | 901 Replace V-belts / Rubber-Plastics | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 9 | 101 | 101 Compressed Air-O&M / Stone-Clay-Glass | 0 | 0 | -140.213 | 93.53671 | 102.6617 | 130.983 | 138.8795 | 147.5074 | 162.7555 | 172.1773 | 177.1148 | 166.5992 |
| 9 | 102 | 102 Compressed Air - Controls / Stone-Clay-Glass | 0 | 0 | -240.301 | 70.4489 | 77.4489 | 98.41862 | 104.151 | 110.7516 | 122.5114 | 129.7889 | 133.0701 | 125.4998 |
| 9 | 103 | 103 Compressed Air - System Optimization / Stone-Clay-Glass | 0 | 0 | -179.388 | 118.1124 | 129.9874 | 165.4688 | 176.3594 | 186.7032 | 205.9249 | 218.5264 | 224.7608 | 210.878 |
| 9 | 104 | 104 Compressed Air- Sizing / Stone-Clay-Glass | 0 | 0 | -122.216 | 50.65934 | 55.90934 | 71.19254 | 75.57438 | 79.12027 | 88.04215 | 92.6984 | 96.44059 | 90.61247 |
| 9 | 105 | 105 Comp Air - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 |
| 9 | 106 | 106 Comp Air - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 53.97041 | 60.17256 | 63.43818 | 66.36006 | 61.64131 |
| 9 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 |
| 9 | 108 | 108 Comp Air - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -425.622 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 |
| 9 | 109 | 109 Comp Air - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -117.691 | 34.55915 | 38.05915 | 48.16755 | 51.38044 | 53.71638 | 59.66853 | 63.18415 | 65.70759 | 60.88728 |
| 9 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -167.194 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 9 | 111 | 111 Comp Air - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -202.489 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 |
| 9 | 112 | 112 Comp Air - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -151.691 | 34.55915 | 37.80915 | 48.16755 | 51.43611 | 53.71638 | 0 | 0 | 0 | 0 |
| 9 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -138.077 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 |
| 9 | 201 | 201 Fans - O&M / Stone-Clay-Glass | 0 | 0 | -123.311 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 |
| 9 | 202 | 202 Fans - Controls / Stone-Clay-Glass | 0 | 0 | -920.528 | 206.0969 | 227.0969 | 288.175 | 306.635 | 325.8625 | 358.3703 | 380.2844 | 389.7688 | 366.6906 |
| 9 | 203 | 203 Fans - System Optimization / Stone-Clay-Glass | 0 | 0 | -637.993 | 137.0068 | 151.5068 | 192.3818 | 204.3495 | 217.2626 | 239.2333 | 253.6943 | 260.7177 | 244.663 |
| 9 | 204 | 204 Fans- Improve components / Stone-Clay-Glass | 0 | 0 | -149.799 | 27.82555 | 30.45055 | 38.88121 | 41.59996 | 43.37438 | 47.80992 | 50.55993 | 52.64586 | 49.77867 |
| 9 | 205 | 205 Fans - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 |
| 9 | 206 | 206 Fans - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -917.171 | 34.8293 | 38.0793 | 48.48653 | 51.70625 | 54.53731 | 60.3293 | 63.87618 | 66.12618 | 62.0168 |
| 9 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 |
| 9 | 208 | 208 Fans - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -425.622 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 |
| 9 | 209 | 209 Fans - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -117.562 | 34.81318 | 38.06318 | 48.17158 | 51.44014 | 53.97041 | 59.92256 | 63.18415 | 65.85603 | 61.13728 |
| 9 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -167.194 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 9 | 211 | 211 Fans - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -202.489 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 |
| 9 | 212 | 212 Fans - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -151.691 | 34.55915 | 38.05915 | 48.16755 | 51.13044 | 53.96638 | 0 | 0 | 0 | 0 |
| 9 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -138.077 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 |
| 9 | 301 | 301 Pumps - O&M / Stone-Clay-Glass | 0 | 0 | -121.393 | 56.98168 | 62.23168 | 79.09008 | 84.27367 | 89.06762 | 98.08324 | 104.2745 | 108.0636 | 101.2589 |
| 9 | 302 | 302 Pumps - Controls / Stone-Clay-Glass | 0 | 0 | -219.947 | 198.1778 | 218.9278 | 277.172 | 295.1388 | 313.2892 | 345.0372 | 365.9044 | 374.9825 | 352.9747 |
| 9 | 303 | 303 Pumps - System Optimization / Stone-Clay-Glass | 0 | 0 | -613.219 | 227.9065 | 252.0315 | 319.4084 | 339.7903 | 361.2717 | 397.9377 | 421.2543 | 432.1449 | 406.9418 |
| 9 | 304 | 304 Pumps - Sizing / Stone-Clay-Glass | 0 | 0 | -215.819 | 126.4306 | 139.9306 | 177.0556 | 188.1962 | 200.3525 | 220.6415 | 233.5321 | 240.4775 | 225.7431 |
| 9 | 305 | 305 Pumps - Replace 1-5 HP motor / Stone-Clay-Glass | 0 | 0 | -684.029 | 15.97115 | 17.84615 | 22.71822 | 24.11275 | 25.36764 | 27.83053 | 29.2524 | 30.51022 | 28.72115 |
| 9 | 306 | 306 Pumps - ASD (1-5 hp) / Stone-Clay-Glass | 0 | 0 | -917.171 | 34.8293 | 38.0793 | 48.48653 | 51.70625 | 54.28731 | 60.3293 | 63.87618 | 66.37618 | 62.0168 |
| 9 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Stone-Clay-Glass | 0 | 0 | -326.154 | 25.47079 | 28.09579 | 35.7618 | 38.46786 | 39.98934 | 43.78329 | 46.75985 | 48.3536 | 45.42391 |
| 9 | 308 | 308 Pumps - Replace 6-100 HP motor / Stone-Clay-Glass | 0 | 0 | -425.622 | 19.2533 | 21.2533 | 27.04626 | 28.20349 | 29.72009 | 32.58142 | 35.04236 | 35.80798 | 34.15955 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 9 | 309 | 309 Pumps - ASD (6-100 hp) / Stone-Clay-Glass | 0 | 0 | -117.691 | 34.68415 | 38.05915 | 48.16755 | 51.38044 | 53.96638 | 59.91853 | 63.18415 | 65.70759 | 60.88728 |
| 9 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Stone-Clay-Glass | 0 | 0 | -167.194 | 13.05595 | 14.18095 | 18.14287 | 18.95927 | 20.51787 | 21.82158 | 23.70439 | 24.31376 | 23.25908 |
| 9 | 311 | 311 Pumps - Replace 100+ HP motor / Stone-Clay-Glass | 0 | 0 | -202.489 | 16.88645 | 18.63645 | 23.61594 | 25.26438 | 26.27219 | 0 | 0 | 0 | 0 |
| 9 | 312 | 312 Pumps - ASD (100+ hp) / Stone-Clay-Glass | 0 | 0 | -151.691 | 34.55915 | 37.80915 | 48.16755 | 51.13044 | 53.71638 | 0 | 0 | 0 | 0 |
| 9 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Stone-Clay-Glass | 0 | 0 | -138.077 | 8.423076 | 8.673076 | 11.71507 | 12.49046 | 12.30101 | 0 | 0 | 0 | 0 |
| 9 | 405 | 405 Drives - EE motor / Stone-Clay-Glass | 0 | 0 | -160.758 | 19.13232 | 21.25732 | 27.05029 | 28.45752 | 30.22412 | 33.08545 | 35.04639 | 36.31201 | 34.16357 |
| 9 | 415 | 415 Drives - Process Controls (batch + site) / Stone-Clay-Glass | 0 | 0 | -372.311 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 |
| 9 | 422 | 422 Efficient grinding / Stone-Clay-Glass | 0 | 0 | -2492.17 | 134.4585 | 148.0835 | 187.4888 | 199.9927 | 212.8472 | 233.8257 | 248.021 | 254.8726 | 239.8491 |
| 9 | 423 | 423 Process control / Stone-Clay-Glass | 0 | 0 | -134.311 | 11.0641 | 11.8141 | 15.21254 | 16.31508 | 17.07484 | 18.61098 | 19.7516 | 20.97816 | 19.5641 |
| 9 | 424 | 424 Process optimization / Stone-Clay-Glass | 0 | 0 | -391.478 | 58.02197 | 63.52197 | 79.98291 | 85.36963 | 90.71729 | 100.1548 | 106.0767 | 109.0142 | 102.7251 |
| 9 | 504 | 504 Top-heating (glass) / Stone-Clay-Glass | 0 | 0 | -144.481 | 21.89432 | 23.89432 | 30.79862 | 32.97245 | 33.99491 | 37.70682 | 39.67179 | 0 | 0 |
| 9 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Stone-Clay-Glass | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 9 | 702 | 702 High Efficiency Chiller Motors / Stone-Clay-Glass | 0 | 0 | -194.97 | 16.87033 | 18.62033 | 23.59982 | 24.99826 | 26.50607 | 29.13595 | 30.78439 | 32.33908 | 30.19845 |
| 9 | 703 | 703 EMS - Chiller / Stone-Clay-Glass | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 9 | 704 | 704 Chiller Tune Up/Diagnostics / Stone-Clay-Glass | 0 | 0 | -321.258 | 44.4217 | 49.0467 | 61.99885 | 66.34553 | 69.87775 | 76.99201 | 81.60139 | 84.30451 | 78.93733 |
| 9 | 705 | 705 VSD for Chiller Pumps and Towers / Stone-Clay-Glass | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 9 | 706 | 706 EMS Optimization - Chiller / Stone-Clay-Glass | 0 | 0 | -168.699 | 27.42637 | 30.17637 | 38.10704 | 40.82579 | 0 | 0 | 0 | 0 | 0 |
| 9 | 707 | 707 Aerosol Duct Sealing - Chiller / Stone-Clay-Glass | 0 | 0 | -158.186 | 55.36886 | 60.61886 | 77.07101 | 81.99484 | 86.78878 | 96.0798 | 101.2282 | 105.2907 | 98.08761 |
| 9 | 708 | 708 Duct/Pipe Insulation - Chiller / Stone-Clay-Glass | 0 | 0 | -7501.98 | 55.38901 | 61.13901 | 77.39487 | 82.32065 | 87.36655 | 96.20932 | 101.8968 | 105.7015 | 98.96714 |
| 9 | 709 | 709 Window Film (Standard) - Chiller / Stone-Clay-Glass | 0 | 0 | -409.412 | 29.66822 | 32.79322 | 41.77564 | 44.2649 | 46.79322 | 51.24635 | 54.51978 | 56.60572 | 52.68385 |
| 9 | 710 | 710 Roof Insulation - Chiller / Stone-Clay-Glass | 0 | 0 | -455.165 | 24.93049 | 27.55549 | 35.17366 | 37.82795 | 39.39729 | 43.35237 | 46.10237 | 47.50862 | 44.77424 |
| 9 | 711 | 711 Cool Roof - Chiller / Stone-Clay-Glass | 0 | 0 | -3210.9 | 138.7447 | 152.7447 | 194.1236 | 206.9205 | 220.2749 | 242.1666 | 256.9087 | 263.5416 | 247.6509 |
| 9 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Stone-Clay-Glass | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 9 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Stone-Clay-Glass | 0 | 0 | -1224.5 | 195.5852 | 214.9602 | 273.596 | 291.5042 | 309.9563 | 341.0618 | 361.679 | 370.6243 | 348.554 |
| 9 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Stone-Clay-Glass | 0 | 0 | -3156.9 | 74.48507 | 81.61007 | 103.8962 | 110.4567 | 117.0192 | 128.9382 | 136.7585 | 140.4304 | 132.2351 |
| 9 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Stone-Clay-Glass | 0 | 0 | -272.472 | 25.06758 | 27.81758 | 35.4836 | 37.63399 | 39.71114 | 43.75508 | 46.73164 | 47.92696 | 45.14571 |
| 9 | 725 | 725 DX Coil Cleaning / Stone-Clay-Glass | 0 | 0 | -125.314 | 24.26117 | 26.76117 | 34.2768 | 36.4223 | 0 | 0 | 0 | 0 | 0 |
| 9 | 726 | 726 Optimize Controls / Stone-Clay-Glass | 0 | 0 | -153.952 | 25.06758 | 27.81758 | 35.4836 | 37.63399 | 0 | 0 | 0 | 0 | 0 |
| 9 | 727 | 727 Aerosol Duct Sealing / Stone-Clay-Glass | 0 | 0 | -125.182 | 50.64322 | 55.64322 | 71.0231 | 75.91861 | 79.45767 | 88.58853 | 93.21353 | 96.72916 | 90.29947 |
| 9 | 728 | 728 Duct/Pipe Insulation / Stone-Clay-Glass | 0 | 0 | -4361.7 | 50.64322 | 56.14322 | 71.0231 | 76.16861 | 79.95767 | 88.58853 | 93.21353 | 96.97916 | 90.54947 |
| 9 | 729 | 729 Window Film (Standard) / Stone-Clay-Glass | 0 | 0 | -288.378 | 25.8619 | 28.3619 | 36.88632 | 39.05038 | 41.36972 | 45.33065 | 47.80722 | 49.49472 | 46.39315 |
| 9 | 730 | 730 Roof Insulation / Stone-Clay-Glass | 0 | 0 | -306.224 | 23.07573 | 25.20073 | 32.31011 | 34.69487 | 36.01811 | 39.79448 | 42.77104 | 43.69292 | 41.45073 |
| 9 | 731 | 731 Cool Roof - DX / Stone-Clay-Glass | 0 | 0 | -1859.15 | 126.7371 | 139.8621 | 177.3884 | 189.033 | 201.2 | 221.2449 | 234.9011 | 240.8308 | 225.9558 |
| 9 | 801 | 801 Premium T8, Electronic Ballast / Stone-Clay-Glass | 0 | 0 | -278.08 | 122.7896 | 135.1646 | 172.1187 | 182.7916 | 194.3912 | 214.0318 | 227.4225 | 233.1959 | 219.1803 |
| 9 | 802 | 802 CFL Hardwired, Modular 18W / Stone-Clay-Glass | 0 | 0 | -1214.55 | 288.0293 | 317.7793 | 404.2002 | 431.3008 | 0 | 0 | 0 | 0 | 0 |
| 9 | 803 | 803 CFL Screw-in 18W / Stone-Clay-Glass | 0 | 0 | -30.6407 | 288.0293 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 804 | 804 High Bay T5 / Stone-Clay-Glass | 0 | 0 | -267.096 | 264.1994 | 291.9494 | 370.2414 | 394.1887 | 418.8986 | 460.9338 | 488.7463 | 501.5744 | 471.9026 |
| 9 | 805 | 805 Occupancy Sensor / Stone-Clay-Glass | 0 | 0 | -434.403 | 101.617 | 111.867 | 142.6258 | 151.0897 | 160.4715 | 177.1327 | 187.6248 | 192.6092 | 0 |
| 9 | 901 | 901 Replace V-belts / Stone-Clay-Glass | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 10 | 101 | 101 Compressed Air-O&M / Primary Metals | 0 | 0 | -141.024 | 92.97627 | 102.3513 | 130.486 | 139.446 | 147.779 | 163.2575 | 172.7028 | 177.5388 | 166.3513 |
| 10 | 102 | 102 Compressed Air - Controls / Primary Metals | 0 | 0 | -240.474 | 70.02554 | 77.15054 | 98.07437 | 105.0636 | 111.1759 | 122.2755 | 130.0606 | 133.5762 | 125.584 |
| 10 | 103 | 103 Compressed Air - System Optimization / Primary Metals | 0 | 0 | -181.242 | 117.5076 | 129.8826 | 165.6765 | 176.5203 | 188.1746 | 206.406 | 218.7616 | 224.6601 | 210.371 |
| 10 | 104 | 104 Compressed Air- Sizing / Primary Metals | 0 | 0 | -122.99 | 50.63516 | 55.63516 | 71.12247 | 75.71622 | 80.06387 | 88.83047 | 93.72513 | 96.37357 | 90.48294 |
| 10 | 105 | 105 Comp Air - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -684.166 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 |
| 10 | 106 | 106 Comp Air - ASD (1-5 hp) / Primary Metals | 0 | 0 | -917.957 | 34.41804 | 38.04304 | 48.24909 | 51.97565 | 54.3028 | 60.17585 | 63.9571 | 65.73835 | 61.55866 |
| 10 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 |
| 10 | 108 | 108 Comp Air - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10 | 109 | 109 Comp Air - ASD (6-100 hp) / Primary Metals | 0 | 0 | -118.086 | 34.28901 | 38.03901 | 47.74506 | 51.52729 | 53.79877 | 59.92182 | 63.45307 | 65.85932 | 61.05463 |
| 10 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 |
| 10 | 111 | 111 Comp Air - Replace 100+ HP motor / Primary Metals | 0 | 0 | -202.626 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 |
| 10 | 112 | 112 Comp Air - ASD (100+ hp) / Primary Metals | 0 | 0 | -152.336 | 34.41401 | 38.03901 | 47.99506 | 51.22163 | 53.79877 | 0 | 0 | 0 | 0 |
| 10 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 10 | 201 | 201 Fans - O&M / Primary Metals | 0 | 0 | -123.452 | 11.29798 | 11.54798 | 15.44642 | 16.29896 | 17.05873 | 18.59486 | 19.73548 | 20.96205 | 19.54798 |
| 10 | 202 | 202 Fans - Controls / Primary Metals | 0 | 0 | -922.322 | 204.8026 | 226.1776 | 288.3222 | 307.371 | 326.2939 | 359.9667 | 381.3964 | 391.0839 | 366.8651 |
| 10 | 203 | 203 Fans - System Optimization / Primary Metals | 0 | 0 | -639.243 | 136.7569 | 150.8819 | 192.0108 | 205.002 | 217.9121 | 240.0537 | 253.7919 | 260.5575 | 244.2841 |
| 10 | 204 | 204 Fans- Improve components / Primary Metals | 0 | 0 | -149.816 | 27.68443 | 30.18443 | 38.96177 | 41.13951 | 43.7108 | 48.34849 | 51.32909 | 52.28221 | 49.45408 |
| 10 | 205 | 205 Fans - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -684.166 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 |
| 10 | 206 | 206 Fans - ASD (1-5 hp) / Primary Metals | 0 | 0 | -917.707 | 34.41804 | 38.54304 | 48.24909 | 51.97565 | 54.3028 | 60.17585 | 64.2071 | 65.73835 | 61.55866 |
| 10 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 |
| 10 | 208 | 208 Fans - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 |
| 10 | 209 | 209 Fans - ASD (6-100 hp) / Primary Metals | 0 | 0 | -118.086 | 34.28901 | 38.03901 | 47.99506 | 51.22163 | 53.79877 | 59.92182 | 63.45307 | 65.73432 | 61.30463 |
| 10 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 |
| 10 | 211 | 211 Fans - Replace 100+ HP motor / Primary Metals | 0 | 0 | -202.626 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 |
| 10 | 212 | 212 Fans - ASD (100+ hp) / Primary Metals | 0 | 0 | -151.961 | 34.41401 | 38.03901 | 47.99506 | 51.52729 | 53.79877 | 0 | 0 | 0 | 0 |
| 10 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 10 | 301 | 301 Pumps - O&M / Primary Metals | 0 | 0 | -122.176 | 56.69945 | 62.44945 | 79.51292 | 84.65843 | 90.00316 | 98.86351 | 104.7932 | 107.7307 | 101.1057 |
| 10 | 302 | 302 Pumps - Controls / Primary Metals | 0 | 0 | -222.209 | 197.6658 | 217.5408 | 277.4002 | 295.8514 | 314.8094 | 346.8299 | 367.2049 | 376.1736 | 353.7596 |
| 10 | 303 | 303 Pumps - System Optimization / Primary Metals | 0 | 0 | -615.654 | 227.4711 | 250.5961 | 319.3432 | 340.7602 | 361.9995 | 399.1586 | 422.9905 | 433.1859 | 406.639 |
| 10 | 304 | 304 Pumps - Sizing / Primary Metals | 0 | 0 | -216.811 | 126.4387 | 139.0637 | 176.9963 | 189.2063 | 201.5559 | 221.1184 | 234.7825 | 240.345 | 225.7044 |
| 10 | 305 | 305 Pumps - Replace 1-5 HP motor / Primary Metals | 0 | 0 | -684.166 | 16.08406 | 17.58406 | 22.76473 | 23.85067 | 25.41805 | 27.95906 | 29.38875 | 30.49813 | 28.55281 |
| 10 | 306 | 306 Pumps - ASD (1-5 hp) / Primary Metals | 0 | 0 | -917.707 | 34.41804 | 38.54304 | 48.24909 | 52.28132 | 54.0528 | 60.42585 | 64.2071 | 66.36335 | 61.55866 |
| 10 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Primary Metals | 0 | 0 | -325.928 | 25.44661 | 28.07161 | 35.79231 | 38.44368 | 40.27278 | 44.39973 | 47.13411 | 48.32942 | 45.49348 |
| 10 | 308 | 308 Pumps - Replace 6-100 HP motor / Primary Metals | 0 | 0 | -425.65 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.69189 | 32.80321 | 34.51012 | 35.8695 | 33.87731 |
| 10 | 309 | 309 Pumps - ASD (6-100 hp) / Primary Metals | 0 | 0 | -117.961 | 34.28901 | 38.03901 | 47.99506 | 51.52729 | 53.79877 | 59.92182 | 63.20307 | 66.10932 | 61.05463 |
| 10 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Primary Metals | 0 | 0 | -167.589 | 13.0358 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.68424 | 24.29362 | 22.73893 |
| 10 | 311 | 311 Pumps - Replace 100+ HP motor / Primary Metals | 0 | 0 | -202.626 | 16.87436 | 18.62436 | 23.65268 | 25.00229 | 26.56186 | 0 | 0 | 0 | 0 |
| 10 | 312 | 312 Pumps - ASD (100+ hp) / Primary Metals | 0 | 0 | -152.211 | 34.41401 | 38.03901 | 47.99506 | 51.27729 | 53.79877 | 0 | 0 | 0 | 0 |
| 10 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Primary Metals | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.60679 | 0 | 0 | 0 | 0 |
| 10 | 415 | 415 Drives - Process Controls (batch + site) / Primary Metals | 0 | 0 | -356.332 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 |
| 10 | 425 | 425 Drives - Process Control / Primary Metals | 0 | 0 | -258.332 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 |
| 10 | 426 | 426 Efficient drives - rolling / Primary Metals | 0 | 0 | -191.973 | 31.77701 | 35.15201 | 44.49576 | 47.2067 | 50.29068 | 55.3317 | 58.3317 | 61.0817 | 56.73014 |
| 10 | 505 | 505 Efficient electric melting / Primary Metals | 0 | 0 | -424.26 | 57.73974 | 63.48974 | 80.41064 | 86.04833 | 91.15185 | 99.9038 | 106.1304 | 109.7944 | 103.0991 |
| 10 | 506 | 506 Intelligent extruder (DOE) / Primary Metals | 0 | 0 | -285.436 | 11.0641 | 11.8141 | 15.26625 | 16.31508 | 17.1266 | 18.7516 | 19.89223 | 20.97816 | 19.65785 |
| 10 | 507 | 507 Near Net Shape Casting / Primary Metals | 0 | 0 | -184.474 | 70.02554 | 77.15054 | 98.07437 | 105.0636 | 111.1759 | 122.2755 | 130.0606 | 133.5762 | 125.584 |
| 10 | 508 | 508 Heating - Process Control / Primary Metals | 0 | 0 | -258.332 | 27.29331 | 29.91831 | 38.39781 | 41.06773 | 42.89292 | 47.69175 | 50.69956 | 51.61362 | 48.82456 |
| 10 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Primary Metals | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 10 | 702 | 702 High Efficiency Chiller Motors / Primary Metals | 0 | 0 | -195.22 | 16.74533 | 18.37033 | 23.70822 | 25.29318 | 26.62033 | 29.1672 | 31.33127 | 32.20627 | 30.37033 |
| 10 | 703 | 703 EMS - Chiller / Primary Metals | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 10 | 704 | 704 Chiller Tune Up/Diagnostics / Primary Metals | 0 | 0 | -322.016 | 44.28864 | 48.78864 | 62.25446 | 66.85407 | 69.89411 | 77.40583 | 82.28461 | 84.76117 | 79.15961 |
| 10 | 705 | 705 VSD for Chiller Pumps and Towers / Primary Metals | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 10 | 706 | 706 EMS Optimization - Chiller / Primary Metals | 0 | 0 | -168.973 | 27.0272 | 29.9022 | 38.67954 | 41.35727 | 0 | 0 | 0 | 0 | 0 |
| 10 | 707 | 707 Aerosol Duct Sealing - Chiller / Primary Metals | 0 | 0 | -159.343 | 54.83663 | 60.58663 | 76.79756 | 82.7292 | 87.53194 | 96.71944 | 102.6413 | 105.4773 | 98.28976 |
| 10 | 708 | 708 Duct/Pipe Insulation - Chiller / Primary Metals | 0 | 0 | -7502.75 | 54.99386 | 60.61886 | 77.18234 | 83.12179 | 88.17257 | 97.28292 | 103.4626 | 105.7751 | 99.27511 |
| 10 | 709 | 709 Window Film (Standard) - Chiller / Primary Metals | 0 | 0 | -409.674 | 29.15613 | 32.53113 | 42.17078 | 44.41981 | 46.69031 | 52.14832 | 55.16394 | 56.54676 | 53.23426 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 10 | 710 | 710 Roof Insulation - Chiller / Primary Metals | 0 | 0 | -455.06 | 25.16035 | 27.53535 | 36.00605 | 37.72382 | 39.23652 | 43.86347 | 46.34785 | 47.91816 | 44.45722 |
| 10 | 711 | 711 Cool Roof - Chiller / Primary Metals | 0 | 0 | -3212.71 | 138.0552 | 152.1802 | 194.5318 | 208.0669 | 220.9771 | 244.2974 | 259.0277 | 265.0824 | 247.9574 |
| 10 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Primary Metals | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 10 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Primary Metals | 0 | 0 | -1227.23 | 194.4805 | 214.1055 | 273.9736 | 293.2383 | 311.8985 | 343.3164 | 364.2149 | 373.1055 | 349.3086 |
| 10 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Primary Metals | 0 | 0 | -3158.2 | 73.56574 | 81.31574 | 103.9632 | 111.0511 | 118.1077 | 130.1282 | 137.6986 | 141.1517 | 132.3782 |
| 10 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Primary Metals | 0 | 0 | -272.73 | 25.18452 | 27.55952 | 35.88179 | 38.34859 | 40.11909 | 44.1689 | 46.90327 | 48.4814 | 44.93452 |
| 10 | 725 | 725 DX Coil Cleaning / Primary Metals | 0 | 0 | -125.209 | 24.11602 | 26.49102 | 34.35919 | 36.76348 | 0 | 0 | 0 | 0 | 0 |
| 10 | 726 | 726 Optimize Controls / Primary Metals | 0 | 0 | -154.21 | 25.18452 | 27.55952 | 35.88179 | 38.34859 | 0 | 0 | 0 | 0 | 0 |
| 10 | 727 | 727 Aerosol Duct Sealing / Primary Metals | 0 | 0 | -125.73 | 50.21987 | 55.09487 | 71.18569 | 76.03725 | 80.12612 | 88.82143 | 93.9739 | 96.13015 | 90.63015 |
| 10 | 728 | 728 Duct/Pipe Insulation / Primary Metals | 0 | 0 | -4362.34 | 50.3771 | 55.3771 | 71.31949 | 76.42007 | 81.02261 | 89.38491 | 94.79519 | 97.18582 | 91.36551 |
| 10 | 729 | 729 Window Film (Standard) / Primary Metals | 0 | 0 | -288.636 | 25.97884 | 28.60384 | 36.78451 | 39.44759 | 41.27767 | 45.21322 | 48.95919 | 49.92794 | 46.67794 |
| 10 | 730 | 730 Roof Insulation / Primary Metals | 0 | 0 | -306.599 | 23.20073 | 24.95073 | 32.21636 | 35.15581 | 36.18413 | 40.46636 | 43.1967 | 44.50139 | 40.71233 |
| 10 | 731 | 731 Cool Roof - DX / Primary Metals | 0 | 0 | -1860.59 | 126.2976 | 138.7976 | 177.7478 | 190.4851 | 202.8386 | 222.7273 | 236.157 | 242.2664 | 226.1882 |
| 10 | 801 | 801 Premium T8, Electronic Ballast / Primary Metals | 0 | 0 | -279.145 | 122.6002 | 134.3502 | 172.1803 | 184.3931 | 195.9898 | 215.8736 | 228.7839 | 234.1198 | 219.323 |
| 10 | 802 | 802 CFL Hardwired, Modular 18W / Primary Metals | 0 | 0 | -1219.19 | 286.8923 | 315.3923 | 405.3161 | 434.2683 | 0 | 0 | 0 | 0 | 0 |
| 10 | 803 | 803 CFL Screw-in 18W / Primary Metals | 0 | 0 | -35.2777 | 286.8923 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 804 | 804 High Bay T5 / Primary Metals | 0 | 0 | -269.422 | 263.998 | 290.748 | 370.8163 | 395.5595 | 420.5204 | 463.5527 | 491.162 | 503.2793 | 471.9355 |
| 10 | 805 | 805 Occupancy Sensor / Primary Metals | 0 | 0 | -435.242 | 101.5284 | 111.5284 | 142.4971 | 151.212 | 161.1055 | 177.5987 | 188.0831 | 192.8409 | 0 |
| 10 | 901 | 901 Replace V-belts / Primary Metals | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 11 | 101 | 101 Compressed Air-O&M / Fab Metals | 0 | 0 | -140.899 | 92.97627 | 102.6013 | 130.3298 | 139.5407 | 147.614 | 162.8357 | 172.2732 | 177.1169 | 166.07 |
| 11 | 102 | 102 Compressed Air - Controls / Fab Metals | 0 | 0 | -240.474 | 69.90054 | 77.15054 | 97.97281 | 105.0197 | 111.0675 | 122.0021 | 129.5255 | 133.1818 | 125.4005 |
| 11 | 103 | 103 Compressed Air - System Optimization / Fab Metals | 0 | 0 | -180.851 | 117.6487 | 129.8987 | 165.2864 | 176.1311 | 187.0247 | 206.2503 | 218.6175 | 223.9768 | 210.6018 |
| 11 | 104 | 104 Compressed Air- Sizing / Fab Metals | 0 | 0 | -122.744 | 50.38113 | 55.63113 | 70.76101 | 75.65652 | 79.69558 | 88.32644 | 93.20144 | 96.46707 | 90.28738 |
| 11 | 105 | 105 Comp Air - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -684.299 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 |
| 11 | 106 | 106 Comp Air - ASD (1-5 hp) / Fab Metals | 0 | 0 | -917.566 | 34.55915 | 38.05915 | 48.51521 | 51.99177 | 54.06892 | 60.19196 | 63.97321 | 65.75446 | 61.57478 |
| 11 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -326.041 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 |
| 11 | 108 | 108 Comp Air - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -425.517 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 |
| 11 | 109 | 109 Comp Air - ASD (6-100 hp) / Fab Metals | 0 | 0 | -117.727 | 34.02289 | 37.77289 | 47.88129 | 51.39984 | 53.68012 | 59.63227 | 63.14789 | 65.81977 | 60.85102 |
| 11 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -167.456 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 |
| 11 | 111 | 111 Comp Air - Replace 100+ HP motor / Fab Metals | 0 | 0 | -202.759 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 |
| 11 | 112 | 112 Comp Air - ASD (100+ hp) / Fab Metals | 0 | 0 | -151.727 | 34.02289 | 37.77289 | 47.88129 | 51.09418 | 53.68012 | 0 | 0 | 0 | 0 |
| 11 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -138.089 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 |
| 11 | 201 | 201 Fans - O&M / Fab Metals | 0 | 0 | -123.323 | 11.17701 | 11.55201 | 15.45045 | 16.49733 | 17.06276 | 18.59889 | 19.98951 | 20.30983 | 19.80201 |
| 11 | 202 | 202 Fans - Controls / Fab Metals | 0 | 0 | -921.528 | 205.347 | 226.222 | 287.9114 | 307.3987 | 325.6204 | 359.1985 | 381.1438 | 390.4095 | 367.0032 |
| 11 | 203 | 203 Fans - System Optimization / Fab Metals | 0 | 0 | -638.977 | 136.898 | 150.898 | 192.1197 | 204.6011 | 217.7622 | 239.4058 | 253.8786 | 260.3786 | 244.7458 |
| 11 | 204 | 204 Fans- Improve components / Fab Metals | 0 | 0 | -149.924 | 27.82555 | 30.45055 | 38.72789 | 41.65563 | 43.72691 | 48.36461 | 51.09118 | 52.5443 | 49.71617 |
| 11 | 205 | 205 Fans - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -684.299 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 |
| 11 | 206 | 206 Fans - ASD (1-5 hp) / Fab Metals | 0 | 0 | -917.562 | 34.31318 | 38.31318 | 48.51924 | 52.30147 | 54.32295 | 60.44599 | 63.97321 | 66.37946 | 61.82478 |
| 11 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -326.041 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 |
| 11 | 208 | 208 Fans - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -425.517 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 |
| 11 | 209 | 209 Fans - ASD (6-100 hp) / Fab Metals | 0 | 0 | -117.711 | 34.03901 | 37.78901 | 48.19624 | 51.72163 | 53.74702 | 59.78901 | 63.33992 | 65.98835 | 61.23054 |
| 11 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -167.456 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 |
| 11 | 211 | 211 Fans - Replace 100+ HP motor / Fab Metals | 0 | 0 | -202.759 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 |
| 11 | 212 | 212 Fans - ASD (100+ hp) / Fab Metals | 0 | 0 | -151.727 | 34.02289 | 37.77289 | 48.13129 | 51.09418 | 53.68012 | 0 | 0 | 0 | 0 |
| 11 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -138.089 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 |
| 11 | 301 | 301 Pumps - O&M / Fab Metals | 0 | 0 | -121.805 | 56.57042 | 62.44542 | 79.15635 | 84.54307 | 89.39073 | 98.57823 | 104.7501 | 107.9376 | 100.8985 |
| 11 | 302 | 302 Pumps - Controls / Fab Metals | 0 | 0 | -221.439 | 197.811 | 217.811 | 277.1664 | 295.6381 | 314.0551 | 345.1469 | 366.5297 | 375.6235 | 353.0454 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 11 | 303 | 303 Pumps - System Optimization / Fab Metals | 0 | 0 | -615.009 | 227.6163 | 250.8663 | 319.0557 | 340.0137 | 361.1886 | 398.3428 | 421.9288 | 432.4913 | 405.8507 |
| 11 | 304 | 304 Pumps - Sizing / Fab Metals | 0 | 0 | -216.65 | 126.225 | 139.35 | 177.4301 | 188.893 | 200.7396 | 221.1234 | 234.2756 | 240.3616 | 225.8147 |
| 11 | 305 | 305 Pumps - Replace 1-5 HP motor / Fab Metals | 0 | 0 | -684.299 | 16.07601 | 17.82601 | 22.69808 | 24.09261 | 25.59749 | 27.81038 | 29.23226 | 30.49007 | 28.70101 |
| 11 | 306 | 306 Pumps - ASD (1-5 hp) / Fab Metals | 0 | 0 | -917.566 | 34.43415 | 38.05915 | 48.51521 | 51.79744 | 54.06892 | 60.44196 | 63.97321 | 66.37946 | 61.82478 |
| 11 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Fab Metals | 0 | 0 | -326.041 | 25.4587 | 28.3337 | 35.5544 | 38.45577 | 40.03487 | 44.16182 | 47.1462 | 48.34151 | 46.00557 |
| 11 | 308 | 308 Pumps - Replace 6-100 HP motor / Fab Metals | 0 | 0 | -425.517 | 19.23315 | 20.98315 | 26.77612 | 28.18334 | 29.44995 | 32.81127 | 34.52221 | 35.78784 | 34.1394 |
| 11 | 309 | 309 Pumps - ASD (6-100 hp) / Fab Metals | 0 | 0 | -117.727 | 34.02289 | 37.77289 | 48.13129 | 51.39984 | 53.68012 | 59.63227 | 63.15192 | 65.8238 | 61.10505 |
| 11 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Fab Metals | 0 | 0 | -167.456 | 13.04386 | 14.16886 | 18.13078 | 19.19718 | 20.75578 | 22.05949 | 23.6923 | 24.55168 | 22.99699 |
| 11 | 311 | 311 Pumps - Replace 100+ HP motor / Fab Metals | 0 | 0 | -202.759 | 16.7413 | 18.3663 | 23.34579 | 25.24423 | 26.25204 | 0 | 0 | 0 | 0 |
| 11 | 312 | 312 Pumps - ASD (100+ hp) / Fab Metals | 0 | 0 | -151.852 | 34.02289 | 37.77289 | 47.88129 | 51.39984 | 53.68012 | 0 | 0 | 0 | 0 |
| 11 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Fab Metals | 0 | 0 | -138.089 | 8.410988 | 8.410988 | 11.70298 | 11.97837 | 12.28892 | 0 | 0 | 0 | 0 |
| 11 | 427 | 427 Drives - Optimization process (M&T) / Fab Metals | 0 | 0 | -155.341 | 55.90915 | 61.90915 | 78.51755 | 83.64548 | 88.49509 | 97.26071 | 103.706 | 106.3467 | 100.1904 |
| 11 | 428 | 428 Drives - Scheduling / Fab Metals | 0 | 0 | -201.175 | 30.32546 | 33.57546 | 42.41628 | 45.36354 | 47.93385 | 53.05984 | 55.84109 | 58.0364 | 54.16921 |
| 11 | 429 | 429 Machinery / Fab Metals | 0 | 0 | -220.832 | 39.41785 | 43.29285 | 54.87489 | 58.93641 | 61.96668 | 68.33191 | 72.6366 | 74.56629 | 69.7616 |
| 11 | 509 | 509 Efficient Curing ovens / Fab Metals | 0 | 0 | -866.731 | 125.0194 | 137.5194 | 174.8944 | 186.579 | 198.9413 | 218.2303 | 231.621 | 237.7225 | 223.0819 |
| 11 | 510 | 510 Heating - Optimization process (M&T) / Fab Metals | 0 | 0 | -155.341 | 55.90915 | 61.90915 | 78.51755 | 83.64548 | 88.49509 | 97.26071 | 103.706 | 106.3467 | 100.1904 |
| 11 | 511 | 511 Heating - Scheduling / Fab Metals | 0 | 0 | -201.175 | 30.32546 | 33.57546 | 42.41628 | 45.36354 | 47.93385 | 53.05984 | 55.84109 | 58.0364 | 54.16921 |
| 11 | 603 | 603 New transformers welding / Fab Metals | 0 | 0 | -515.478 | 151.2724 | 166.8974 | 212.6367 | 226.7226 | 240.9004 | 265.2881 | 280.6006 | 287.7177 | 270.5693 |
| 11 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Fab Metals | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 11 | 702 | 702 High Efficiency Chiller Motors / Fab Metals | 0 | 0 | -195.212 | 16.75339 | 18.62839 | 23.71628 | 25.60593 | 26.62839 | 29.42526 | 31.33932 | 32.61276 | 30.37839 |
| 11 | 703 | 703 EMS - Chiller / Fab Metals | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 11 | 704 | 704 Chiller Tune Up/Diagnostics / Fab Metals | 0 | 0 | -321.508 | 44.1717 | 49.0467 | 61.95393 | 66.80647 | 69.84455 | 77.55451 | 82.14826 | 84.62483 | 79.31233 |
| 11 | 705 | 705 VSD for Chiller Pumps and Towers / Fab Metals | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 11 | 706 | 706 EMS Optimization - Chiller / Fab Metals | 0 | 0 | -168.707 | 27.16831 | 29.91831 | 38.44566 | 41.12339 | 0 | 0 | 0 | 0 | 0 |
| 11 | 707 | 707 Aerosol Duct Sealing - Chiller / Fab Metals | 0 | 0 | -158.952 | 54.85274 | 60.35274 | 77.25997 | 82.64473 | 87.49044 | 96.34493 | 102.3021 | 104.9427 | 98.96615 |
| 11 | 708 | 708 Duct/Pipe Insulation - Chiller / Fab Metals | 0 | 0 | -7502.62 | 55.37289 | 60.87289 | 77.33383 | 83.01547 | 88.0682 | 97.2557 | 102.6776 | 105.7635 | 99.07602 |
| 11 | 709 | 709 Window Film (Standard) - Chiller / Fab Metals | 0 | 0 | -409.549 | 29.40613 | 32.78113 | 41.87195 | 44.31922 | 46.88953 | 52.01551 | 54.79676 | 56.74207 | 53.12488 |
| 11 | 710 | 710 Roof Insulation - Chiller / Fab Metals | 0 | 0 | -455.169 | 25.05146 | 27.80146 | 35.52217 | 37.92353 | 39.25264 | 43.87959 | 46.86396 | 47.80928 | 44.47334 |
| 11 | 711 | 711 Cool Roof - Chiller / Fab Metals | 0 | 0 | -3212.07 | 138.5794 | 152.4544 | 194.3509 | 207.9241 | 220.7835 | 243.7278 | 258.2513 | 264.4309 | 247.5794 |
| 11 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Fab Metals | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 11 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Fab Metals | 0 | 0 | -1226.57 | 194.7627 | 214.8877 | 273.9483 | 292.6983 | 310.8487 | 342.5127 | 363.4033 | 372.2705 | 349.2783 |
| 11 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Fab Metals | 0 | 0 | -3157.81 | 73.70686 | 81.33186 | 104.3817 | 110.6502 | 117.5155 | 129.6131 | 137.6756 | 140.9647 | 132.1912 |
| 11 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Fab Metals | 0 | 0 | -272.493 | 25.04743 | 27.79743 | 35.76814 | 38.1695 | 39.49861 | 43.87556 | 46.6059 | 47.80122 | 44.71528 |
| 11 | 725 | 725 DX Coil Cleaning / Fab Metals | 0 | 0 | -125.193 | 24.00714 | 26.50714 | 34.37531 | 36.7796 | 0 | 0 | 0 | 0 | 0 |
| 11 | 726 | 726 Optimize Controls / Fab Metals | 0 | 0 | -153.973 | 25.04743 | 27.79743 | 35.76814 | 38.1695 | 0 | 0 | 0 | 0 | 0 |
| 11 | 727 | 727 Aerosol Duct Sealing / Fab Metals | 0 | 0 | -125.46 | 50.24001 | 55.36501 | 70.90115 | 75.50173 | 80.09548 | 88.70095 | 93.84939 | 96.24001 | 90.55251 |
| 11 | 728 | 728 Duct/Pipe Insulation / Fab Metals | 0 | 0 | -4361.96 | 50.38113 | 55.63113 | 71.22195 | 76.37918 | 80.16238 | 88.85769 | 94.25613 | 97.02957 | 91.16238 |
| 11 | 729 | 729 Window Film (Standard) / Fab Metals | 0 | 0 | -288.777 | 25.96273 | 28.58773 | 36.65999 | 39.12679 | 41.1473 | 45.6971 | 48.68148 | 50.00961 | 46.71273 |
| 11 | 730 | 730 Roof Insulation / Fab Metals | 0 | 0 | -306.365 | 23.30961 | 24.93461 | 32.09184 | 34.79008 | 36.05375 | 40.16899 | 42.89933 | 43.96965 | 41.00871 |
| 11 | 731 | 731 Cool Roof - DX / Fab Metals | 0 | 0 | -1859.82 | 126.5678 | 138.8178 | 177.808 | 189.9877 | 202.141 | 222.4349 | 235.8568 | 241.8178 | 226.3021 |
| 11 | 801 | 801 Premium T8, Electronic Ballast / Fab Metals | 0 | 0 | -279.004 | 122.4913 | 134.8663 | 171.9913 | 183.9259 | 196.0382 | 215.3272 | 228.2178 | 234.0694 | 219.1788 |
| 11 | 802 | 802 CFL Hardwired, Modular 18W / Fab Metals | 0 | 0 | -1217.64 | 287.1906 | 316.4406 | 404.5969 | 433.5217 | 0 | 0 | 0 | 0 | 0 |
| 11 | 803 | 803 CFL Screw-in 18W / Fab Metals | 0 | 0 | -33.7294 | 287.1906 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | 804 | 804 High Bay T5 / Fab Metals | 0 | 0 | -268.757 | 264.0383 | 291.0383 | 370.5431 | 394.7668 | 419.9787 | 462.5304 | 490.1086 | 501.9446 | 472.6164 |
| 11 | 805 | 805 Occupancy Sensor / Fab Metals | 0 | 0 | -434.992 | 101.5284 | 111.7784 | 142.3409 | 151.3624 | 160.9395 | 177.1768 | 187.1574 | 192.548 | 0 |
| 11 | 901 | 901 Replace V-belts / Fab Metals | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 12 | 101 | 101 Compressed Air-O&M / Ind Machinery | 0 | 0 | -142.08 | 92.66986 | 101.7949 | 130.7372 | 140.4179 | 148.5429 | 163.7949 | 173.7442 | 177.7051 | 166.6583 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12 | 102 | 102 Compressed Air - Controls / Ind Machinery | 0 | 0 | -241.632 | 69.61831 | 77.36831 | 98.0519 | 105.0597 | 111.4191 | 122.9152 | 130.4737 | 133.7627 | 125.8018 |
| 12 | 103 | 103 Compressed Air - System Optimization / Ind Machinery | 0 | 0 | -181.642 | 117.4834 | 129.1084 | 165.4199 | 177.5401 | 188.4483 | 208.0069 | 220.12 | 225.7841 | 211.0731 |
| 12 | 104 | 104 Compressed Air- Sizing / Ind Machinery | 0 | 0 | -123.256 | 49.99404 | 55.36904 | 71.31143 | 75.91201 | 80.76455 | 89.12685 | 94.2831 | 96.67373 | 91.10342 |
| 12 | 105 | 105 Comp Air - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -684.303 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 |
| 12 | 106 | 106 Comp Air - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -917.328 | 34.79707 | 38.04707 | 48.40546 | 51.42402 | 53.95429 | 59.90645 | 63.17207 | 66.34395 | 61.62519 |
| 12 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -326.186 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 |
| 12 | 108 | 108 Comp Air - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -425.65 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 |
| 12 | 109 | 109 Comp Air - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -117.703 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.65645 | 62.92207 | 65.84395 | 60.87519 |
| 12 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -167.468 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 |
| 12 | 111 | 111 Comp Air - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -202.638 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 |
| 12 | 112 | 112 Comp Air - ASD (100+ hp) / Ind Machinery | 0 | 0 | -151.703 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 |
| 12 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -138.089 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 |
| 12 | 201 | 201 Fans - O&M / Ind Machinery | 0 | 0 | -123.565 | 11.06007 | 11.56007 | 15.56691 | 16.11671 | 17.17921 | 19.16945 | 20.28664 | 20.87257 | 19.5132 |
| 12 | 202 | 202 Fans - Controls / Ind Machinery | 0 | 0 | -924.395 | 204.2301 | 225.1051 | 288.8258 | 308.9254 | 328.0963 | 361.8629 | 384.0895 | 392.8161 | 366.8707 |
| 12 | 203 | 203 Fans - System Optimization / Ind Machinery | 0 | 0 | -638.457 | 137.1681 | 151.4181 | 191.9357 | 204.2052 | 217.0646 | 239.1056 | 253.0978 | 260.2306 | 245.1212 |
| 12 | 204 | 204 Fans- Improve components / Ind Machinery | 0 | 0 | -150.074 | 27.55137 | 29.92637 | 39.06211 | 42.04844 | 43.567 | 48.34043 | 51.36387 | 52.97325 | 49.6295 |
| 12 | 205 | 205 Fans - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -684.303 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 |
| 12 | 206 | 206 Fans - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -917.453 | 34.92207 | 38.04707 | 48.40546 | 51.92402 | 53.95429 | 59.90645 | 63.17207 | 66.34395 | 61.62519 |
| 12 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -326.186 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 |
| 12 | 208 | 208 Fans - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -425.65 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 |
| 12 | 209 | 209 Fans - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -117.578 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.65645 | 63.17207 | 65.59395 | 60.87519 |
| 12 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -167.468 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 |
| 12 | 211 | 211 Fans - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -202.638 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 |
| 12 | 212 | 212 Fans - ASD (100+ hp) / Ind Machinery | 0 | 0 | -151.703 | 34.29707 | 37.79707 | 48.40546 | 51.11836 | 53.70429 | 0 | 0 | 0 | 0 |
| 12 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -138.089 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 |
| 12 | 301 | 301 Pumps - O&M / Ind Machinery | 0 | 0 | -122.704 | 56.42124 | 61.92124 | 78.9398 | 85.09116 | 89.69175 | 99.13999 | 105.8431 | 108.0306 | 101.7181 |
| 12 | 302 | 302 Pumps - Controls / Ind Machinery | 0 | 0 | -223.774 | 196.6014 | 216.7264 | 277.9158 | 297.198 | 315.6248 | 348.2029 | 369.8982 | 378.3123 | 354.0076 |
| 12 | 303 | 303 Pumps - System Optimization / Ind Machinery | 0 | 0 | -617.859 | 226.0156 | 249.5156 | 319.1904 | 342.6562 | 364.1581 | 401.5468 | 425.6796 | 435.4374 | 407.0937 |
| 12 | 304 | 304 Pumps - Sizing / Ind Machinery | 0 | 0 | -217.981 | 125.7694 | 138.2694 | 177.2196 | 189.912 | 202.0604 | 222.9491 | 235.8788 | 241.5897 | 225.16 |
| 12 | 305 | 305 Pumps - Replace 1-5 HP motor / Ind Machinery | 0 | 0 | -684.303 | 16.07198 | 17.57198 | 22.55147 | 24.14424 | 25.45772 | 27.5876 | 29.99007 | 30.89632 | 29.15413 |
| 12 | 306 | 306 Pumps - ASD (1-5 hp) / Ind Machinery | 0 | 0 | -917.578 | 34.67207 | 38.29707 | 48.40546 | 51.86836 | 53.95429 | 59.90645 | 63.17207 | 65.94551 | 61.62519 |
| 12 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Ind Machinery | 0 | 0 | -326.186 | 25.56355 | 27.81355 | 36.38582 | 38.54695 | 40.37312 | 44.42293 | 47.4073 | 48.58699 | 45.68855 |
| 12 | 308 | 308 Pumps - Replace 6-100 HP motor / Ind Machinery | 0 | 0 | -425.65 | 19.10009 | 20.72509 | 26.61474 | 28.53661 | 29.7954 | 33.11571 | 35.30321 | 36.57665 | 33.58446 |
| 12 | 309 | 309 Pumps - ASD (6-100 hp) / Ind Machinery | 0 | 0 | -117.578 | 34.29707 | 37.79707 | 48.40546 | 51.42402 | 53.70429 | 59.90645 | 62.92207 | 65.84395 | 60.87519 |
| 12 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Ind Machinery | 0 | 0 | -167.468 | 13.15678 | 14.40678 | 17.91752 | 19.23002 | 20.30033 | 22.18803 | 23.82865 | 24.43803 | 22.84428 |
| 12 | 311 | 311 Pumps - Replace 100+ HP motor / Ind Machinery | 0 | 0 | -202.638 | 16.98727 | 18.36227 | 23.45016 | 25.03512 | 26.61227 | 0 | 0 | 0 | 0 |
| 12 | 312 | 312 Pumps - ASD (100+ hp) / Ind Machinery | 0 | 0 | -151.703 | 34.29707 | 37.79707 | 48.15546 | 51.42402 | 53.70429 | 0 | 0 | 0 | 0 |
| 12 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Ind Machinery | 0 | 0 | -138.089 | 8.285988 | 8.410988 | 12.00181 | 12.52329 | 12.34068 | 0 | 0 | 0 | 0 |
| 12 | 427 | 427 Drives - Optimization process (M&T) / Ind Machinery | 0 | 0 | -156.24 | 55.63498 | 61.13498 | 78.30587 | 84.19357 | 89.04709 | 98.04904 | 104.2756 | 106.6897 | 100.2444 |
| 12 | 428 | 428 Drives - Scheduling / Ind Machinery | 0 | 0 | -201.046 | 30.32948 | 33.57948 | 42.37148 | 44.80116 | 47.38613 | 52.67323 | 55.16542 | 57.89198 | 53.59511 |
| 12 | 429 | 429 Machinery / Ind Machinery | 0 | 0 | -221.227 | 39.02271 | 43.27271 | 55.0647 | 58.82154 | 62.41333 | 68.84302 | 72.9524 | 75.24146 | 70.36646 |
| 12 | 509 | 509 Efficient Curing ovens / Ind Machinery | 0 | 0 | -868.178 | 124.1969 | 136.6969 | 175.1871 | 187.6725 | 199.5201 | 220.0641 | 232.7359 | 238.8531 | 223.4313 |
| 12 | 510 | 510 Heating - Optimization process (M&T) / Ind Machinery | 0 | 0 | -156.24 | 55.63498 | 61.13498 | 78.30587 | 84.19357 | 89.04709 | 98.04904 | 104.2756 | 106.6897 | 100.2444 |
| 12 | 511 | 511 Heating - Scheduling / Ind Machinery | 0 | 0 | -201.046 | 30.32948 | 33.57948 | 42.37148 | 44.80116 | 47.38613 | 52.67323 | 55.16542 | 57.89198 | 53.59511 |
| 12 | 603 | 603 New transformers welding / Ind Machinery | 0 | 0 | -517.417 | 150.708 | 166.083 | 212.9033 | 227.7851 | 241.9667 | 266.6611 | 283.0126 | 290.1845 | 270.833 |
| 12 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Ind Machinery | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.12191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 12 | 702 | 702 High Efficiency Chiller Motors / Ind Machinery | 0 | 0 | -195.224 | 16.7413 | 18.6163 | 23.80087 | 25.1495 | 26.96884 | 29.19442 | 31.60849 | 32.24911 | 30.31942 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 12 | 703 | 703 EMS - Chiller / Ind Machinery | 0 | 0 | -337.89 | 59.19532 | 64.57032 | 81.8838 | 86.77931 | 92.37404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 12 | 704 | 704 Chiller Tune Up/Diagnostics / Ind Machinery | 0 | 0 | -322.403 | 43.65155 | 48.52655 | 62.24628 | 67.11933 | 70.65644 | 78.34686 | 82.97186 | 84.72186 | 79.63593 |
| 12 | 705 | 705 VSD for Chiller Pumps and Towers / Ind Machinery | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 12 | 706 | 706 EMS Optimization - Chiller / Ind Machinery | 0 | 0 | -169.356 | 27.26914 | 29.89414 | 38.07871 | 41.56015 | 0 | 0 | 0 | 0 | 0 |
| 12 | 707 | 707 Aerosol Duct Sealing - Chiller / Ind Machinery | 0 | 0 | -159.609 | 54.57051 | 59.57051 | 77.08906 | 83.54609 | 87.84102 | 97.53926 | 102.9924 | 105.8205 | 98.86739 |
| 12 | 708 | 708 Duct/Pipe Insulation - Chiller / Ind Machinery | 0 | 0 | -7503.28 | 55.08663 | 60.08663 | 77.66475 | 83.86788 | 88.41475 | 97.67257 | 103.3757 | 106.2116 | 98.97726 |
| 12 | 709 | 709 Window Film (Standard) - Chiller / Ind Machinery | 0 | 0 | -410.061 | 29.14405 | 32.26905 | 41.56494 | 44.51807 | 47.09424 | 52.30811 | 55.08155 | 57.0503 | 53.76905 |
| 12 | 710 | 710 Roof Insulation - Chiller / Ind Machinery | 0 | 0 | -455.564 | 24.78132 | 27.28132 | 35.65827 | 38.37507 | 39.64753 | 44.5235 | 46.77753 | 48.61348 | 44.73847 |
| 12 | 711 | 711 Cool Roof - Chiller / Ind Machinery | 0 | 0 | -3214.65 | 137.4988 | 151.1238 | 194.9529 | 209.2654 | 221.9363 | 245.6472 | 259.9441 | 266.28 | 247.9988 |
| 12 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Ind Machinery | 0 | 0 | -440.607 | 29.02307 | 32.27307 | 41.20764 | 43.39514 | 46.21546 | 50.82776 | 54.1012 | 55.81995 | 52.08557 |
| 12 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Ind Machinery | 0 | 0 | -1229.94 | 193.1418 | 212.7668 | 274.6223 | 294.8772 | 313.0998 | 345.5871 | 366.5403 | 374.3371 | 349.095 |
| 12 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Ind Machinery | 0 | 0 | -3158.97 | 73.4206 | 80.7956 | 104.3532 | 111.4636 | 118.5339 | 130.4518 | 139.03 | 141.5222 | 132.6393 |
| 12 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Ind Machinery | 0 | 0 | -273.142 | 25.02326 | 27.27326 | 35.65021 | 38.36701 | 40.13947 | 44.76545 | 47.01545 | 48.60139 | 44.72638 |
| 12 | 725 | 725 DX Coil Cleaning / Ind Machinery | 0 | 0 | -125.6 | 24.22491 | 25.97491 | 34.19561 | 36.91338 | 0 | 0 | 0 | 0 | 0 |
| 12 | 726 | 726 Optimize Controls / Ind Machinery | 0 | 0 | -154.622 | 25.02326 | 27.27326 | 35.65021 | 38.36701 | 0 | 0 | 0 | 0 | 0 |
| 12 | 727 | 727 Aerosol Duct Sealing / Ind Machinery | 0 | 0 | -126.379 | 49.82069 | 54.82069 | 70.9203 | 76.27968 | 80.63221 | 89.21913 | 94.39503 | 96.79347 | 90.6216 |
| 12 | 728 | 728 Duct/Pipe Insulation / Ind Machinery | 0 | 0 | -4362.88 | 50.21181 | 54.83681 | 71.23427 | 76.6122 | 80.95009 | 89.37587 | 95.04775 | 97.204 | 91.46181 |
| 12 | 729 | 729 Window Film (Standard) / Ind Machinery | 0 | 0 | -289.035 | 25.82967 | 28.32967 | 36.35701 | 39.53475 | 41.60604 | 46.49373 | 48.7203 | 49.67342 | 46.59529 |
| 12 | 730 | 730 Roof Insulation / Ind Machinery | 0 | 0 | -306.886 | 23.03947 | 24.66447 | 32.22892 | 34.61955 | 35.94962 | 40.56291 | 42.53947 | 43.96916 | 40.80509 |
| 12 | 731 | 731 Cool Roof - DX / Ind Machinery | 0 | 0 | -1862.03 | 125.2291 | 137.7291 | 177.7945 | 191.3219 | 203.1832 | 224.315 | 237.272 | 243.186 | 226.772 |
| 12 | 801 | 801 Premium T8, Electronic Ballast / Ind Machinery | 0 | 0 | -280.568 | 121.5518 | 133.3018 | 172.752 | 185.2393 | 197.0928 | 216.9815 | 229.9112 | 235.5206 | 219.4425 |
| 12 | 802 | 802 CFL Hardwired, Modular 18W / Ind Machinery | 0 | 0 | -1223.14 | 284.6871 | 313.3121 | 402.941 | 432.7046 | 0 | 0 | 0 | 0 | 0 |
| 12 | 803 | 803 CFL Screw-in 18W / Ind Machinery | 0 | 0 | -39.2329 | 284.6871 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 804 | 804 High Bay T5 / Ind Machinery | 0 | 0 | -271.886 | 262.6593 | 289.4093 | 371.3117 | 397.548 | 422.8312 | 465.6046 | 494.4952 | 505.2843 | 472.3937 |
| 12 | 805 | 805 Occupancy Sensor / Ind Machinery | 0 | 0 | -434.459 | 101.5606 | 111.5606 | 142.5206 | 151.2276 | 160.1075 | 176.6856 | 187.42 | 192.4044 | 0 |
| 12 | 901 | 901 Replace V-belts / Ind Machinery | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 13 | 101 | 101 Compressed Air-O&M / Electronics | 0 | 0 | -140.266 | 93.23433 | 102.6093 | 130.1806 | 138.8271 | 147.455 | 162.2031 | 171.875 | 176.0625 | 165.7968 |
| 13 | 102 | 102 Compressed Air - Controls / Electronics | 0 | 0 | -240.591 | 70.1586 | 77.4086 | 98.12833 | 104.3607 | 110.9613 | 122.4711 | 129.2486 | 132.7798 | 125.2095 |
| 13 | 103 | 103 Compressed Air - System Optimization / Electronics | 0 | 0 | -180.081 | 118.0439 | 130.1689 | 165.1503 | 175.7353 | 186.8847 | 205.6064 | 218.4579 | 223.8251 | 210.5595 |
| 13 | 104 | 104 Compressed Air- Sizing / Electronics | 0 | 0 | -122.748 | 50.6271 | 55.8771 | 71.1603 | 75.54214 | 79.33804 | 88.25991 | 92.67019 | 96.16238 | 90.08426 |
| 13 | 105 | 105 Comp Air - Replace 1-5 HP motor / Electronics | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 13 | 106 | 106 Comp Air - ASD (1-5 hp) / Electronics | 0 | 0 | -917.409 | 34.84139 | 38.09139 | 48.54744 | 52.07967 | 54.10116 | 60.4742 | 63.75545 | 66.4117 | 61.60701 |
| 13 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -326.041 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 |
| 13 | 108 | 108 Comp Air - Replace 6-100 HP motor / Electronics | 0 | 0 | -425.384 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 |
| 13 | 109 | 109 Comp Air - ASD (6-100 hp) / Electronics | 0 | 0 | -117.57 | 34.30513 | 37.80513 | 48.41352 | 51.37641 | 53.71235 | 59.66451 | 62.93013 | 65.95357 | 60.88325 |
| 13 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 |
| 13 | 111 | 111 Comp Air - Replace 100+ HP motor / Electronics | 0 | 0 | -202.497 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 |
| 13 | 112 | 112 Comp Air - ASD (100+ hp) / Electronics | 0 | 0 | -151.445 | 34.30513 | 37.80513 | 48.16352 | 51.43208 | 53.71235 | 0 | 0 | 0 | 0 |
| 13 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 13 | 201 | 201 Fans - O&M / Electronics | 0 | 0 | -123.194 | 11.05604 | 11.80604 | 14.95448 | 16.30702 | 17.06679 | 18.60292 | 19.99354 | 20.97011 | 19.55604 |
| 13 | 202 | 202 Fans - Controls / Electronics | 0 | 0 | -921.629 | 205.7461 | 226.7461 | 287.8731 | 306.3946 | 325.5635 | 358.3789 | 379.8008 | 390.2149 | 366.1993 |
| 13 | 203 | 203 Fans - System Optimization / Electronics | 0 | 0 | -637.848 | 137.2769 | 152.0269 | 192.4986 | 205.0357 | 217.3912 | 240.0347 | 254.2535 | 261.1519 | 245.1207 |
| 13 | 204 | 204 Fans- Improve components / Electronics | 0 | 0 | -149.941 | 27.80943 | 30.18443 | 38.61509 | 41.58384 | 43.35826 | 47.79381 | 50.79381 | 52.62974 | 49.76256 |
| 13 | 205 | 205 Fans - Replace 1-5 HP motor / Electronics | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 13 | 206 | 206 Fans - ASD (1-5 hp) / Electronics | 0 | 0 | -917.159 | 34.84139 | 38.09139 | 48.54744 | 52.07967 | 54.35116 | 60.2242 | 64.00545 | 66.6617 | 61.60701 |
| 13 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -326.041 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 |
| 13 | 208 | 208 Fans - Replace 6-100 HP motor / Electronics | 0 | 0 | -425.384 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13 | 209 | 209 Fans - ASD (6-100 hp) / Electronics | 0 | 0 | -117.554 | 34.32124 | 38.07124 | 48.47847 | 51.25386 | 54.02925 | 60.07124 | 63.37215 | 66.02058 | 61.26277 |
| 13 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 |
| 13 | 211 | 211 Fans - Replace 100+ HP motor / Electronics | 0 | 0 | -202.497 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 |
| 13 | 212 | 212 Fans - ASD (100+ hp) / Electronics | 0 | 0 | -151.445 | 34.30513 | 38.05513 | 48.16352 | 51.12641 | 53.71235 | 0 | 0 | 0 | 0 |
| 13 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 13 | 301 | 301 Pumps - O&M / Electronics | 0 | 0 | -121.551 | 56.57445 | 62.69945 | 78.80784 | 84.24144 | 88.78538 | 98.30101 | 104.2423 | 107.5314 | 101.2267 |
| 13 | 302 | 302 Pumps - Controls / Electronics | 0 | 0 | -220.778 | 197.9722 | 218.0972 | 276.6881 | 294.9078 | 313.567 | 345.23 | 366.1207 | 375.191 | 353.3472 |
| 13 | 303 | 303 Pumps - System Optimization / Electronics | 0 | 0 | -614.472 | 228.0275 | 251.4025 | 319.0295 | 339.6613 | 360.6428 | 397.3088 | 421.1213 | 431.7619 | 406.5588 |
| 13 | 304 | 304 Pumps - Sizing / Electronics | 0 | 0 | -216.142 | 126.483 | 139.608 | 176.483 | 188.3737 | 200.2799 | 219.819 | 233.7096 | 239.9049 | 225.4205 |
| 13 | 305 | 305 Pumps - Replace 1-5 HP motor / Electronics | 0 | 0 | -684.037 | 15.83809 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99031 | 29.99813 | 28.70906 |
| 13 | 306 | 306 Pumps - ASD (1-5 hp) / Electronics | 0 | 0 | -917.284 | 34.84139 | 38.09139 | 48.54744 | 52.02401 | 54.35116 | 60.2242 | 63.75545 | 66.5367 | 61.60701 |
| 13 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Electronics | 0 | 0 | -326.041 | 25.4587 | 28.0837 | 35.74971 | 38.45577 | 40.22725 | 44.2712 | 46.99776 | 48.59151 | 45.66182 |
| 13 | 308 | 308 Pumps - Replace 6-100 HP motor / Electronics | 0 | 0 | -425.384 | 19.11621 | 20.99121 | 27.03418 | 27.88574 | 29.708 | 32.81933 | 35.03027 | 35.88965 | 34.14746 |
| 13 | 309 | 309 Pumps - ASD (6-100 hp) / Electronics | 0 | 0 | -117.679 | 34.32124 | 38.07124 | 48.47847 | 51.4482 | 54.02925 | 59.82124 | 63.36812 | 65.86812 | 61.25874 |
| 13 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Electronics | 0 | 0 | -167.323 | 13.05192 | 14.17692 | 18.13884 | 19.20524 | 20.26384 | 22.06755 | 23.69633 | 24.55571 | 23.00102 |
| 13 | 311 | 311 Pumps - Replace 100+ HP motor / Electronics | 0 | 0 | -202.497 | 16.75339 | 18.62839 | 23.35788 | 25.25632 | 26.26413 | 0 | 0 | 0 | 0 |
| 13 | 312 | 312 Pumps - ASD (100+ hp) / Electronics | 0 | 0 | -151.445 | 34.55513 | 37.80513 | 47.91352 | 51.12641 | 53.71235 | 0 | 0 | 0 | 0 |
| 13 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Electronics | 0 | 0 | -138.206 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 13 | 413 | 413 Clean Room - Controls / Electronics | 0 | 0 | -365.466 | 56.15915 | 61.90915 | 77.91501 | 83.59079 | 88.63669 | 96.97946 | 103.167 | 106.7217 | 99.73728 |
| 13 | 428 | 428 Drives - Scheduling / Electronics | 0 | 0 | -204.037 | 27.71264 | 30.21264 | 38.94213 | 41.41771 | 43.43724 | 47.73608 | 50.74389 | 52.55639 | 49.61889 |
| 13 | 429 | 429 Machinery / Electronics | 0 | 0 | -171.88 | 19.12024 | 21.49524 | 27.28821 | 28.69543 | 29.96203 | 33.32336 | 35.0343 | 36.29992 | 33.90149 |
| 13 | 509 | 509 Efficient Curing ovens / Electronics | 0 | 0 | -866.598 | 124.9025 | 137.5275 | 174.6866 | 185.8761 | 197.9767 | 217.9572 | 231.3322 | 237.129 | 222.9337 |
| 13 | 604 | 604 Efficient processes (welding, etc.) / Electronics | 0 | 0 | -515.078 | 151.9216 | 167.1716 | 212.4558 | 226.3405 | 240.7068 | 264.4997 | 280.07 | 287.8278 | 270.7028 |
| 13 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Electronics | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 13 | 702 | 702 High Efficiency Chiller Motors / Electronics | 0 | 0 | -195.087 | 16.87839 | 18.62839 | 23.65671 | 25.00632 | 26.81589 | 29.28464 | 30.96811 | 31.84311 | 30.29623 |
| 13 | 703 | 703 EMS - Chiller / Electronics | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 13 | 704 | 704 Chiller Tune Up/Diagnostics / Electronics | 0 | 0 | -321.383 | 44.2967 | 48.7967 | 62.10627 | 66.45588 | 69.99201 | 77.52326 | 81.87104 | 84.58198 | 79.14448 |
| 13 | 705 | 705 VSD for Chiller Pumps and Towers / Electronics | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 13 | 706 | 706 EMS Optimization - Chiller / Electronics | 0 | 0 | -168.832 | 27.29331 | 30.16831 | 38.14781 | 40.56773 | 0 | 0 | 0 | 0 | 0 |
| 13 | 707 | 707 Aerosol Duct Sealing - Chiller / Electronics | 0 | 0 | -158.569 | 54.9858 | 60.6108 | 76.91451 | 82.29244 | 87.38912 | 96.32174 | 101.5133 | 104.9273 | 98.53671 |
| 13 | 708 | 708 Duct/Pipe Insulation - Chiller / Electronics | 0 | 0 | -7502.11 | 55.25595 | 61.13095 | 77.48935 | 82.61728 | 88.21689 | 96.98251 | 102.6778 | 105.5684 | 99.4122 |
| 13 | 709 | 709 Window Film (Standard) - Chiller / Electronics | 0 | 0 | -409.541 | 29.28919 | 32.53919 | 41.58118 | 44.26087 | 46.84583 | 51.88294 | 54.87513 | 57.10169 | 52.55482 |
| 13 | 710 | 710 Roof Insulation - Chiller / Electronics | 0 | 0 | -455.04 | 24.80549 | 27.80549 | 35.22151 | 38.1219 | 39.19905 | 43.49299 | 46.21956 | 47.91487 | 44.88362 |
| 13 | 711 | 711 Cool Roof - Chiller / Electronics | 0 | 0 | -3211.94 | 138.5834 | 152.2084 | 194.2924 | 207.5951 | 220.4555 | 242.9115 | 257.4194 | 263.3569 | 246.9897 |
| 13 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Electronics | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 13 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Electronics | 0 | 0 | -1225.79 | 195.2909 | 214.9159 | 273.6151 | 291.8378 | 310.744 | 341.58 | 362.4472 | 371.5644 | 348.869 |
| 13 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Electronics | 0 | 0 | -3157.66 | 74.22701 | 81.35201 | 104.2944 | 110.8208 | 117.1772 | 129.6098 | 137.4067 | 140.4458 | 132.2739 |
| 13 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Electronics | 0 | 0 | -272.601 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 39.51472 | 43.89168 | 46.87605 | 48.19636 | 44.48543 |
| 13 | 725 | 725 DX Coil Cleaning / Electronics | 0 | 0 | -124.943 | 24.00714 | 26.50714 | 34.07159 | 36.71222 | 0 | 0 | 0 | 0 | 0 |
| 13 | 726 | 726 Optimize Controls / Electronics | 0 | 0 | -154.081 | 25.18855 | 27.81355 | 35.78425 | 38.25203 | 0 | 0 | 0 | 0 | 0 |
| 13 | 727 | 727 Aerosol Duct Sealing / Electronics | 0 | 0 | -125.456 | 50.61904 | 55.61904 | 70.80264 | 75.7001 | 79.746 | 88.42373 | 93.34182 | 96.10745 | 90.35745 |
| 13 | 728 | 728 Duct/Pipe Insulation / Electronics | 0 | 0 | -4362.08 | 50.76419 | 55.88919 | 71.37649 | 76.02591 | 80.3179 | 88.8345 | 93.72513 | 96.51419 | 90.48294 |
| 13 | 729 | 729 Window Film (Standard) / Electronics | 0 | 0 | -288.511 | 25.97884 | 28.60384 | 36.67611 | 39.08724 | 41.16341 | 45.46322 | 48.20162 | 49.88131 | 46.73287 |
| 13 | 730 | 730 Roof Insulation / Electronics | 0 | 0 | -306.349 | 23.20073 | 25.20073 | 32.35796 | 34.8062 | 35.81987 | 40.18511 | 42.91948 | 43.98979 | 41.02886 |
| 13 | 731 | 731 Cool Roof - DX / Electronics | 0 | 0 | -1859.41 | 126.6 | 139.35 | 177.8851 | 189.5482 | 201.7064 | 222.1547 | 235.3344 | 241.2875 | 226.4437 |
| 13 | 801 | 801 Premium T8, Electronic Ballast / Electronics | 0 | 0 | -278.48 | 122.8905 | 134.8905 | 172.2996 | 183.1834 | 195.3397 | 214.8202 | 227.4492 | 233.6289 | 218.8007 |
| 13 | 802 | 802 CFL Hardwired, Modular 18W / Electronics | 0 | 0 | -1216.35 | 288.11 | 316.985 | 404.7701 | 432.4664 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 13 | 803 | 803 CFL Screw-in 18W / Electronics | 0 | 0 | -32.435 | 288.11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13 | 804 | 804 High Bay T5 / Electronics | 0 | 0 | -267.983 | 264.5624 | 291.5624 | 369.9023 | 393.8574 | 418.8183 | 461.1874 | 488.7499 | 501.0859 | 471.6249 |
| 13 | 805 | 805 Occupancy Sensor / Electronics | 0 | 0 | -434.27 | 101.3751 | 111.8751 | 142.6876 | 151.7091 | 160.5362 | 177.0235 | 187.7501 | 193.3907 | 0 |
| 13 | 901 | 901 Replace V-belts / Electronics | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 14 | 101 | 101 Compressed Air-O&M / Transp Eqp | 0 | 0 | -141.036 | 92.96419 | 102.3392 | 130.3656 | 139.2786 | 147.4027 | 163.4876 | 172.1829 | 176.8548 | 166.4173 |
| 14 | 102 | 102 Compressed Air - Controls / Transp Eqp | 0 | 0 | -240.474 | 69.90054 | 76.90054 | 98.02652 | 105.0197 | 111.1193 | 122.3537 | 129.6387 | 133.1778 | 125.2403 |
| 14 | 103 | 103 Compressed Air - System Optimization / Transp Eqp | 0 | 0 | -181.105 | 117.7697 | 129.8947 | 165.3898 | 176.2277 | 188.1291 | 206.5275 | 218.8791 | 224.4884 | 210.3009 |
| 14 | 104 | 104 Compressed Air- Sizing / Transp Eqp | 0 | 0 | -122.865 | 50.63516 | 55.63516 | 70.81875 | 75.96622 | 80.01211 | 88.93985 | 93.34988 | 96.11551 | 90.36551 |
| 14 | 105 | 105 Comp Air - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -684.303 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 |
| 14 | 106 | 106 Comp Air - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -917.574 | 34.4261 | 38.0511 | 48.20832 | 51.98371 | 53.7591 | 60.0511 | 63.34798 | 66.49641 | 61.9886 |
| 14 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -326.045 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 |
| 14 | 108 | 108 Comp Air - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -425.525 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 |
| 14 | 109 | 109 Comp Air - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -117.719 | 34.28095 | 37.78095 | 48.13935 | 51.35224 | 53.43818 | 59.64033 | 63.15595 | 65.42939 | 60.85907 |
| 14 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -167.589 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 |
| 14 | 111 | 111 Comp Air - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -202.622 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 |
| 14 | 112 | 112 Comp Air - ASD (100+ hp) / Transp Eqp | 0 | 0 | -151.719 | 34.28095 | 37.78095 | 48.13935 | 51.1579 | 53.43818 | 0 | 0 | 0 | 0 |
| 14 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 |
| 14 | 201 | 201 Fans - O&M / Transp Eqp | 0 | 0 | -123.452 | 11.04798 | 11.79798 | 15.19642 | 16.54896 | 16.80873 | 18.59486 | 19.98548 | 20.96205 | 19.54798 |
| 14 | 202 | 202 Fans - Controls / Transp Eqp | 0 | 0 | -921.931 | 205.0688 | 226.1938 | 288.4867 | 306.9809 | 326.1957 | 359.9516 | 381.1547 | 390.4047 | 366.9281 |
| 14 | 203 | 203 Fans - System Optimization / Transp Eqp | 0 | 0 | -638.711 | 137.0391 | 150.9141 | 191.8379 | 204.3125 | 217.4776 | 239.75 | 253.7422 | 260.2422 | 244.6485 |
| 14 | 204 | 204 Fans- Improve components / Transp Eqp | 0 | 0 | -149.933 | 27.81749 | 30.44249 | 38.96983 | 41.70323 | 43.96886 | 48.35655 | 50.83312 | 52.68468 | 49.45811 |
| 14 | 205 | 205 Fans - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -684.303 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 |
| 14 | 206 | 206 Fans - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -917.574 | 34.5511 | 38.3011 | 48.20832 | 52.17805 | 54.2591 | 60.0511 | 63.59798 | 65.84798 | 61.4886 |
| 14 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -326.045 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 |
| 14 | 208 | 208 Fans - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -425.525 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 |
| 14 | 209 | 209 Fans - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -117.719 | 34.15595 | 37.78095 | 48.13935 | 51.35224 | 53.68818 | 59.64033 | 63.15595 | 65.42939 | 61.35907 |
| 14 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -167.589 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 |
| 14 | 211 | 211 Fans - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -202.622 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 |
| 14 | 212 | 212 Fans - ASD (100+ hp) / Transp Eqp | 0 | 0 | -151.719 | 34.15595 | 37.78095 | 48.13935 | 51.1579 | 53.68818 | 0 | 0 | 0 | 0 |
| 14 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 |
| 14 | 301 | 301 Pumps - O&M / Transp Eqp | 0 | 0 | -121.696 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 |
| 14 | 302 | 302 Pumps - Controls / Transp Eqp | 0 | 0 | -221.701 | 197.6739 | 217.5489 | 277.5499 | 295.7374 | 314.459 | 345.8067 | 366.9201 | 375.6701 | 353.0685 |
| 14 | 303 | 303 Pumps - System Optimization / Transp Eqp | 0 | 0 | -615.263 | 227.6123 | 250.6123 | 319.5068 | 340.415 | 361.6523 | 398.8701 | 422.9716 | 432.9091 | 406.7373 |
| 14 | 304 | 304 Pumps - Sizing / Transp Eqp | 0 | 0 | -216.658 | 126.3419 | 139.0919 | 177.2745 | 188.9845 | 201.0841 | 221.1466 | 234.8107 | 240.6232 | 225.7326 |
| 14 | 305 | 305 Pumps - Replace 1-5 HP motor / Transp Eqp | 0 | 0 | -684.303 | 16.32198 | 17.82198 | 22.44405 | 24.08858 | 25.34346 | 27.80635 | 28.97823 | 30.23604 | 28.94698 |
| 14 | 306 | 306 Pumps - ASD (1-5 hp) / Transp Eqp | 0 | 0 | -917.574 | 34.4261 | 38.0511 | 48.20832 | 52.23371 | 54.2591 | 60.0511 | 63.34798 | 66.24641 | 61.4886 |
| 14 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Transp Eqp | 0 | 0 | -326.045 | 25.57967 | 28.07967 | 35.80037 | 38.45174 | 40.28084 | 44.40779 | 47.13814 | 48.58345 | 45.49751 |
| 14 | 308 | 308 Pumps - Replace 6-100 HP motor / Transp Eqp | 0 | 0 | -425.525 | 18.97509 | 20.97509 | 26.76806 | 28.11962 | 29.44189 | 32.80321 | 34.51415 | 35.62353 | 33.63134 |
| 14 | 309 | 309 Pumps - ASD (6-100 hp) / Transp Eqp | 0 | 0 | -117.594 | 34.15595 | 37.78095 | 48.13935 | 51.35224 | 53.68818 | 59.64033 | 63.15595 | 65.17939 | 61.35907 |
| 14 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Transp Eqp | 0 | 0 | -167.589 | 12.9108 | 14.1608 | 18.12272 | 18.93912 | 20.24772 | 22.30143 | 23.43827 | 24.29765 | 22.99296 |
| 14 | 311 | 311 Pumps - Replace 100+ HP motor / Transp Eqp | 0 | 0 | -202.622 | 16.87839 | 18.37839 | 23.65671 | 25.00632 | 26.81589 | 0 | 0 | 0 | 0 |
| 14 | 312 | 312 Pumps - ASD (100+ hp) / Transp Eqp | 0 | 0 | -151.719 | 34.28095 | 37.78095 | 48.13935 | 51.10224 | 53.43818 | 0 | 0 | 0 | 0 |
| 14 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Transp Eqp | 0 | 0 | -138.073 | 8.427106 | 8.427106 | 11.76793 | 12.28941 | 12.35679 | 0 | 0 | 0 | 0 |
| 14 | 427 | 427 Drives - Optimization process (M&T) / Transp Eqp | 0 | 0 | -154.696 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 |
| 14 | 428 | 428 Drives - Scheduling / Transp Eqp | 0 | 0 | -201.171 | 30.45448 | 33.57948 | 42.4203 | 45.11757 | 47.68788 | 53.06386 | 55.59914 | 57.79445 | 54.17726 |
| 14 | 429 | 429 Machinery / Transp Eqp | 0 | 0 | -271.699 | 62.77582 | 69.27582 | 88.17035 | 94.15668 | 98.95941 | 109.8774 | 116.3852 | 119.4868 | 112.7602 |
| 14 | 509 | 509 Efficient Curing ovens / Transp Eqp | 0 | 0 | -867.114 | 124.5113 | 137.2613 | 175.233 | 186.8873 | 199.0358 | 218.7535 | 231.9138 | 237.6091 | 223.031 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 14 | 510 | 510 Heating - Optimization process (M&T) / Transp Eqp | 0 | 0 | -154.696 | 56.8043 | 62.6793 | 79.14024 | 84.27696 | 89.62461 | 98.56211 | 104.484 | 107.1715 | 100.8824 |
| 14 | 603 | 603 New transformers welding / Transp Eqp | 0 | 0 | -515.724 | 151.6515 | 167.1515 | 212.547 | 226.8927 | 241.0704 | 265.1827 | 281.2921 | 288.1436 | 271.3702 |
| 14 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Transp Eqp | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 14 | 702 | 702 High Efficiency Chiller Motors / Transp Eqp | 0 | 0 | -195.091 | 16.74936 | 18.62436 | 23.71225 | 25.29721 | 26.37436 | 29.42123 | 31.3353 | 32.2103 | 30.12436 |
| 14 | 703 | 703 EMS - Chiller / Transp Eqp | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 14 | 704 | 704 Chiller Tune Up/Diagnostics / Transp Eqp | 0 | 0 | -321.774 | 44.40558 | 48.78058 | 62.18781 | 66.74543 | 70.07843 | 77.28839 | 82.38214 | 84.24152 | 79.04621 |
| 14 | 705 | 705 VSD for Chiller Pumps and Towers / Transp Eqp | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.09799 | 86.95053 | 95.78745 | 101.4593 | 104.8578 | 98.68589 |
| 14 | 706 | 706 EMS Optimization - Chiller / Transp Eqp | 0 | 0 | -168.844 | 27.03123 | 29.90623 | 38.68357 | 41.3613 | 0 | 0 | 0 | 0 | 0 |
| 14 | 707 | 707 Aerosol Duct Sealing - Chiller / Transp Eqp | 0 | 0 | -159.327 | 54.85274 | 60.60274 | 77.31368 | 82.7004 | 87.04806 | 96.73555 | 102.4034 | 105.3409 | 98.80184 |
| 14 | 708 | 708 Duct/Pipe Insulation - Chiller / Transp Eqp | 0 | 0 | -7502.64 | 55.22774 | 60.60274 | 77.06368 | 82.74532 | 88.04806 | 96.73555 | 102.6574 | 105.7434 | 98.80587 |
| 14 | 709 | 709 Window Film (Standard) - Chiller / Transp Eqp | 0 | 0 | -409.682 | 29.27307 | 32.52307 | 41.86389 | 44.35608 | 46.63147 | 51.75745 | 55.0387 | 56.63245 | 52.61682 |
| 14 | 710 | 710 Roof Insulation - Chiller / Transp Eqp | 0 | 0 | -455.177 | 25.0434 | 27.2934 | 35.76411 | 38.23188 | 39.49458 | 43.62153 | 46.6059 | 47.92622 | 44.46528 |
| 14 | 711 | 711 Cool Roof - Chiller / Transp Eqp | 0 | 0 | -3212.21 | 138.1842 | 152.1842 | 194.4323 | 207.6979 | 221.1276 | 243.7389 | 258.778 | 264.817 | 247.2624 |
| 14 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Transp Eqp | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 14 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Transp Eqp | 0 | 0 | -1226.85 | 194.8635 | 214.6135 | 274.3303 | 293.0237 | 311.4905 | 343.6526 | 364.0626 | 372.297 | 349.0314 |
| 14 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Transp Eqp | 0 | 0 | -3157.8 | 73.58589 | 81.33589 | 104.2334 | 111.3212 | 117.6279 | 130.1484 | 137.7187 | 141.4218 | 132.1484 |
| 14 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Transp Eqp | 0 | 0 | -272.489 | 25.17646 | 27.80146 | 36.07588 | 38.28486 | 40.05928 | 44.02021 | 46.99678 | 48.0749 | 45.08271 |
| 14 | 725 | 725 DX Coil Cleaning / Transp Eqp | 0 | 0 | -125.201 | 24.12408 | 26.49908 | 34.36725 | 36.81549 | 0 | 0 | 0 | 0 | 0 |
| 14 | 726 | 726 Optimize Controls / Transp Eqp | 0 | 0 | -153.969 | 25.17646 | 27.80146 | 36.07588 | 38.28486 | 0 | 0 | 0 | 0 | 0 |
| 14 | 727 | 727 Aerosol Duct Sealing / Transp Eqp | 0 | 0 | -125.589 | 50.11098 | 55.36098 | 70.9518 | 76.05337 | 80.39223 | 88.58754 | 93.98598 | 96.14223 | 90.64223 |
| 14 | 728 | 728 Duct/Pipe Insulation / Transp Eqp | 0 | 0 | -4362.23 | 50.48598 | 55.61098 | 71.4518 | 76.35903 | 80.64223 | 88.83754 | 94.23598 | 96.75942 | 90.64223 |
| 14 | 729 | 729 Window Film (Standard) / Transp Eqp | 0 | 0 | -288.773 | 25.84176 | 28.59176 | 36.71871 | 39.13082 | 41.45797 | 45.33394 | 48.58394 | 49.51364 | 46.29488 |
| 14 | 730 | 730 Roof Insulation / Transp Eqp | 0 | 0 | -306.611 | 23.18864 | 24.93864 | 32.14958 | 34.84978 | 36.1154 | 40.33708 | 43.05583 | 44.12614 | 40.87614 |
| 14 | 731 | 731 Cool Roof - DX / Transp Eqp | 0 | 0 | -1860.33 | 126.5516 | 139.0516 | 177.8993 | 190.3778 | 202.4901 | 222.7001 | 236.1219 | 242.0048 | 226.2391 |
| 14 | 801 | 801 Premium T8, Electronic Ballast / Transp Eqp | 0 | 0 | -279.266 | 122.4792 | 134.3542 | 171.8259 | 184.2751 | 195.6286 | 215.5964 | 228.7526 | 234.323 | 219.3698 |
| 14 | 802 | 802 CFL Hardwired, Modular 18W / Transp Eqp | 0 | 0 | -1218.43 | 286.7753 | 315.6503 | 405.0703 | 434.0654 | 0 | 0 | 0 | 0 | 0 |
| 14 | 803 | 803 CFL Screw-in 18W / Transp Eqp | 0 | 0 | -34.5197 | 286.7753 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 14 | 804 | 804 High Bay T5 / Transp Eqp | 0 | 0 | -268.773 | 264.2721 | 291.0221 | 370.4821 | 394.9723 | 419.9303 | 462.8268 | 490.6393 | 503.0065 | 472.5065 |
| 14 | 805 | 805 Occupancy Sensor / Transp Eqp | 0 | 0 | -434.967 | 101.4276 | 111.8026 | 142.3651 | 151.3865 | 160.2137 | 176.951 | 187.1776 | 192.5682 | 0 |
| 14 | 901 | 901 Replace V-belts / Transp Eqp | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 15 | 101 | 101 Compressed Air-O&M / Instruments | 0 | 0 | -140.258 | 93.24239 | 102.6174 | 130.1887 | 139.0852 | 147.2131 | 162.4611 | 171.883 | 176.0705 | 166.5549 |
| 15 | 102 | 102 Compressed Air - Controls / Instruments | 0 | 0 | -240.708 | 70.16666 | 77.16666 | 98.13639 | 104.4137 | 110.7194 | 122.4792 | 129.5026 | 133.1745 | 124.9635 |
| 15 | 103 | 103 Compressed Air - System Optimization / Instruments | 0 | 0 | -180.194 | 117.8059 | 130.1809 | 165.4124 | 175.803 | 187.1468 | 205.8684 | 218.216 | 223.9504 | 210.8175 |
| 15 | 104 | 104 Compressed Air- Sizing / Instruments | 0 | 0 | -122.865 | 50.38516 | 55.88516 | 70.91836 | 75.5502 | 79.3461 | 88.26797 | 92.92422 | 96.16641 | 90.58829 |
| 15 | 105 | 105 Comp Air - Replace 1-5 HP motor / Instruments | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 |
| 15 | 106 | 106 Comp Air - ASD (1-5 hp) / Instruments | 0 | 0 | -917.409 | 34.59139 | 38.09139 | 48.54744 | 51.77401 | 54.10116 | 60.2242 | 63.75545 | 66.5367 | 61.35701 |
| 15 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -325.912 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 |
| 15 | 108 | 108 Comp Air - Replace 6-100 HP motor / Instruments | 0 | 0 | -425.38 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 |
| 15 | 109 | 109 Comp Air - ASD (6-100 hp) / Instruments | 0 | 0 | -117.679 | 34.57124 | 38.07124 | 48.47847 | 51.25386 | 53.77925 | 59.82124 | 63.62215 | 66.27058 | 61.51277 |
| 15 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -167.323 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 |
| 15 | 111 | 111 Comp Air - Replace 100+ HP motor / Instruments | 0 | 0 | -202.497 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 15 | 112 | 112 Comp Air - ASD (100+ hp) / Instruments | 0 | 0 | -151.679 | 34.57124 | 38.07124 | 48.22847 | 51.4482 | 53.77925 | 0 | 0 | 0 | 0 |
| 15 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 |
| 15 | 201 | 201 Fans - O&M / Instruments | 0 | 0 | -123.194 | 11.05604 | 11.80604 | 15.20448 | 16.30702 | 17.06679 | 18.60292 | 19.99757 | 20.97414 | 19.81007 |
| 15 | 202 | 202 Fans - Controls / Instruments | 0 | 0 | -921.504 | 205.7461 | 226.7461 | 288.0743 | 306.3399 | 325.5118 | 358.2696 | 379.6836 | 389.5664 | 366.3399 |
| 15 | 203 | 203 Fans - System Optimization / Instruments | 0 | 0 | -637.828 | 137.1721 | 152.0471 | 192.5783 | 204.8058 | 217.7189 | 240.1955 | 254.4221 | 261.1721 | 245.5002 |
| 15 | 204 | 204 Fans- Improve components / Instruments | 0 | 0 | -149.937 | 27.81346 | 30.18846 | 38.61912 | 41.33787 | 43.61229 | 47.54783 | 50.79784 | 52.63377 | 49.51658 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15 | 205 | 205 Fans - Replace 1-5 HP motor / Instruments | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 |
| 15 | 206 | 206 Fans - ASD (1-5 hp) / Instruments | 0 | 0 | -917.155 | 34.84542 | 38.34542 | 48.55147 | 52.0837 | 54.35518 | 60.22823 | 64.00545 | 66.6617 | 61.60701 |
| 15 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -325.912 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 |
| 15 | 208 | 208 Fans - Replace 6-100 HP motor / Instruments | 0 | 0 | -425.38 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 |
| 15 | 209 | 209 Fans - ASD (6-100 hp) / Instruments | 0 | 0 | -117.554 | 34.57124 | 38.07124 | 48.47847 | 51.50386 | 53.77925 | 60.07124 | 63.62215 | 66.02058 | 61.51277 |
| 15 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -167.323 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 |
| 15 | 211 | 211 Fans - Replace 100+ HP motor / Instruments | 0 | 0 | -202.497 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 15 | 212 | 212 Fans - ASD (100+ hp) / Instruments | 0 | 0 | -151.429 | 34.32124 | 38.07124 | 48.47847 | 51.4482 | 54.02925 | 0 | 0 | 0 | 0 |
| 15 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 |
| 15 | 301 | 301 Pumps - O&M / Instruments | 0 | 0 | -121.676 | 56.57445 | 62.44945 | 79.05784 | 84.18577 | 89.03538 | 98.55101 | 104.2463 | 107.6369 | 101.2307 |
| 15 | 302 | 302 Pumps - Controls / Instruments | 0 | 0 | -220.544 | 197.9561 | 218.3311 | 276.8253 | 294.7921 | 312.9425 | 345.1905 | 365.3077 | 375.1358 | 352.878 |
| 15 | 303 | 303 Pumps - System Optimization / Instruments | 0 | 0 | -614.206 | 228.0437 | 251.6687 | 319.0456 | 339.7331 | 360.9089 | 397.0749 | 421.1414 | 432.2118 | 406.8289 |
| 15 | 304 | 304 Pumps - Sizing / Instruments | 0 | 0 | -215.884 | 126.3661 | 139.3661 | 176.7411 | 188.3817 | 200.038 | 220.077 | 233.4677 | 240.163 | 225.6786 |
| 15 | 305 | 305 Pumps - Replace 1-5 HP motor / Instruments | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 24.1047 | 25.60958 | 27.57247 | 28.99434 | 30.00216 | 28.71309 |
| 15 | 306 | 306 Pumps - ASD (1-5 hp) / Instruments | 0 | 0 | -917.28 | 34.84542 | 38.09542 | 48.55147 | 52.0837 | 54.60518 | 60.22823 | 63.75545 | 66.6617 | 61.35701 |
| 15 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Instruments | 0 | 0 | -325.912 | 25.33773 | 28.08773 | 35.75374 | 38.4598 | 40.23128 | 44.27523 | 46.99776 | 48.34151 | 45.66182 |
| 15 | 308 | 308 Pumps - Replace 6-100 HP motor / Instruments | 0 | 0 | -425.38 | 19.12024 | 21.24524 | 27.03821 | 27.94543 | 29.71203 | 33.07336 | 35.0343 | 36.04992 | 34.15149 |
| 15 | 309 | 309 Pumps - ASD (6-100 hp) / Instruments | 0 | 0 | -117.554 | 34.57124 | 38.07124 | 48.47847 | 51.50386 | 54.02925 | 60.07124 | 63.37215 | 66.02058 | 61.26277 |
| 15 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Instruments | 0 | 0 | -167.323 | 13.30192 | 14.17692 | 18.13884 | 19.20524 | 20.01384 | 21.81755 | 23.70036 | 24.55973 | 23.00505 |
| 15 | 311 | 311 Pumps - Replace 100+ HP motor / Instruments | 0 | 0 | -202.497 | 17.00339 | 18.62839 | 23.35788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 15 | 312 | 312 Pumps - ASD (100+ hp) / Instruments | 0 | 0 | -151.679 | 34.32124 | 38.07124 | 48.22847 | 51.50386 | 53.77925 | 0 | 0 | 0 | 0 |
| 15 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Instruments | 0 | 0 | -138.081 | 8.419047 | 8.669047 | 11.71104 | 12.48643 | 12.29698 | 0 | 0 | 0 | 0 |
| 15 | 427 | 427 Drives - Optimization process (M&T) / Instruments | 0 | 0 | -154.837 | 56.16318 | 61.91318 | 78.41904 | 83.03916 | 88.64072 | 96.98349 | 103.171 | 106.3351 | 99.74131 |
| 15 | 428 | 428 Drives - Scheduling / Instruments | 0 | 0 | -201.021 | 30.72866 | 33.60366 | 42.69448 | 45.43667 | 47.71206 | 52.33804 | 55.86929 | 58.21304 | 53.94741 |
| 15 | 429 | 429 Machinery / Instruments | 0 | 0 | -220.695 | 39.55494 | 43.30494 | 55.08229 | 58.83717 | 61.67701 | 68.20338 | 72.53932 | 74.80494 | 69.89869 |
| 15 | 509 | 509 Efficient Curing ovens / Instruments | 0 | 0 | -866.464 | 124.7855 | 137.7855 | 174.6947 | 185.8285 | 197.7347 | 217.7152 | 231.3442 | 237.2739 | 222.6958 |
| 15 | 603 | 603 New transformers welding / Instruments | 0 | 0 | -515.062 | 151.9377 | 167.4377 | 212.4719 | 226.1067 | 240.2229 | 264.5158 | 280.0821 | 288.0899 | 270.7149 |
| 15 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Instruments | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 15 | 702 | 702 High Efficiency Chiller Motors / Instruments | 0 | 0 | -195.212 | 16.87839 | 18.37839 | 23.65671 | 25.05124 | 26.81589 | 29.28464 | 30.97214 | 32.21432 | 30.30026 |
| 15 | 703 | 703 EMS - Chiller / Instruments | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 15 | 704 | 704 Chiller Tune Up/Diagnostics / Instruments | 0 | 0 | -321.25 | 44.42976 | 49.05476 | 62.11433 | 66.40925 | 70.00007 | 77.78132 | 82.12507 | 84.96101 | 79.14851 |
| 15 | 705 | 705 VSD for Chiller Pumps and Towers / Instruments | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 15 | 706 | 706 EMS Optimization - Chiller / Instruments | 0 | 0 | -168.84 | 27.28525 | 29.91025 | 38.09092 | 40.55967 | 0 | 0 | 0 | 0 | 0 |
| 15 | 707 | 707 Aerosol Duct Sealing - Chiller / Instruments | 0 | 0 | -158.577 | 54.97774 | 60.60274 | 76.8586 | 82.03438 | 87.33028 | 96.17305 | 101.6106 | 105.4152 | 98.43087 |
| 15 | 708 | 708 Duct/Pipe Insulation - Chiller / Instruments | 0 | 0 | -7502.11 | 55.13498 | 61.13498 | 77.49338 | 82.87131 | 88.22092 | 96.73654 | 102.4359 | 105.8265 | 98.92026 |
| 15 | 709 | 709 Window Film (Standard) - Chiller / Instruments | 0 | 0 | -409.666 | 29.41419 | 32.78919 | 41.83118 | 44.01087 | 46.59583 | 51.88294 | 54.87916 | 56.60572 | 52.55885 |
| 15 | 710 | 710 Roof Insulation - Chiller / Instruments | 0 | 0 | -455.04 | 24.93049 | 27.55549 | 35.47151 | 38.1219 | 39.44905 | 43.74299 | 46.21956 | 47.66487 | 44.88362 |
| 15 | 711 | 711 Cool Roof - Chiller / Instruments | 0 | 0 | -3211.42 | 138.4705 | 152.4705 | 194.0545 | 207.6072 | 220.4676 | 242.9236 | 257.4355 | 263.623 | 247.5058 |
| 15 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Instruments | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 15 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Instruments | 0 | 0 | -1225.67 | 195.4199 | 215.1699 | 273.5703 | 291.5362 | 310.9463 | 341.4434 | 362.584 | 371.6699 | 348.7481 |
| 15 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Instruments | 0 | 0 | -3157.65 | 74.36007 | 81.61007 | 104.5524 | 110.8288 | 117.4353 | 129.3679 | 137.4148 | 140.4538 | 132.2819 |
| 15 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Instruments | 0 | 0 | -272.722 | 25.19258 | 27.81758 | 35.53828 | 38.25606 | 39.51875 | 43.89571 | 46.88008 | 47.95039 | 44.48946 |
| 15 | 725 | 725 DX Coil Cleaning / Instruments | 0 | 0 | -124.935 | 24.0152 | 26.5152 | 34.07965 | 36.72028 | 0 | 0 | 0 | 0 | 0 |
| 15 | 726 | 726 Optimize Controls / Instruments | 0 | 0 | -154.202 | 25.19258 | 27.81758 | 35.53828 | 38.25606 | 0 | 0 | 0 | 0 | 0 |
| 15 | 727 | 727 Aerosol Duct Sealing / Instruments | 0 | 0 | -125.573 | 50.3771 | 55.3771 | 70.5607 | 75.45816 | 80.00406 | 88.43179 | 93.34585 | 96.11148 | 90.61148 |
| 15 | 728 | 728 Duct/Pipe Insulation / Instruments | 0 | 0 | -4362.07 | 50.76822 | 55.89322 | 71.38052 | 76.02994 | 80.07193 | 89.08853 | 93.72916 | 96.76822 | 90.98697 |
| 15 | 729 | 729 Window Film (Standard) / Instruments | 0 | 0 | -288.503 | 25.9869 | 28.6119 | 36.68417 | 39.0953 | 41.42147 | 45.47128 | 48.45162 | 49.88131 | 46.73287 |

| | | | | | | | | | | | | | | |
|----|-----|--|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 15 | 730 | 730 Roof Insulation / Instruments | 0 | 0 | -306.349 | 23.32573 | 25.20073 | 32.10796 | 34.75054 | 35.81987 | 40.18511 | 42.66948 | 44.09136 | 41.02886 |
| 15 | 731 | 731 Cool Roof - DX / Instruments | 0 | 0 | -1859.41 | 126.471 | 139.596 | 177.5823 | 189.7942 | 201.6516 | 221.7913 | 235.6897 | 241.2835 | 226.596 |
| 15 | 801 | 801 Premium T8, Electronic Ballast / Instruments | 0 | 0 | -278.355 | 122.8905 | 134.8905 | 172.0008 | 183.4334 | 195.0321 | 214.6795 | 227.578 | 233.6248 | 218.7186 |
| 15 | 802 | 802 CFL Hardwired, Modular 18W / Instruments | 0 | 0 | -1215.84 | 288.114 | 317.239 | 404.6716 | 432.0544 | 0 | 0 | 0 | 0 | 0 |
| 15 | 803 | 803 CFL Screw-in 18W / Instruments | 0 | 0 | -31.931 | 288.114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 804 | 804 High Bay T5 / Instruments | 0 | 0 | -267.833 | 264.4616 | 291.5866 | 370.1765 | 393.8259 | 419.0925 | 461.7116 | 488.7741 | 501.2116 | 472.1491 |
| 15 | 805 | 805 Occupancy Sensor / Instruments | 0 | 0 | -434.254 | 101.6412 | 111.8912 | 142.7574 | 151.7808 | 160.6041 | 177.1568 | 187.9146 | 193.0553 | 0 |
| 15 | 901 | 901 Replace V-belts / Instruments | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 16 | 101 | 101 Compressed Air-O&M / Misc | 0 | 0 | -140.241 | 93.50851 | 102.6335 | 130.4548 | 139.1013 | 146.9792 | 162.4773 | 171.9032 | 176.3407 | 166.575 |
| 16 | 102 | 102 Compressed Air - Controls / Misc | 0 | 0 | -240.583 | 70.29166 | 77.41666 | 98.33268 | 104.3688 | 110.4186 | 122.0885 | 129.362 | 133.0339 | 125.1198 |
| 16 | 103 | 103 Compressed Air - System Optimization / Misc | 0 | 0 | -179.952 | 118.0479 | 130.1729 | 165.3067 | 175.6836 | 186.5244 | 205.3213 | 217.6651 | 223.9307 | 210.626 |
| 16 | 104 | 104 Compressed Air- Sizing / Misc | 0 | 0 | -122.732 | 50.26822 | 55.64322 | 70.92642 | 75.55826 | 79.35416 | 88.27603 | 92.68228 | 96.42447 | 90.59635 |
| 16 | 105 | 105 Comp Air - Replace 1-5 HP motor / Misc | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 |
| 16 | 106 | 106 Comp Air - ASD (1-5 hp) / Misc | 0 | 0 | -917.437 | 34.81318 | 38.06318 | 48.42158 | 51.44014 | 54.22041 | 60.17256 | 63.69221 | 66.11409 | 61.89534 |
| 16 | 107 | 107 Comp Air - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -326.049 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 |
| 16 | 108 | 108 Comp Air - Replace 6-100 HP motor / Misc | 0 | 0 | -425.392 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 |
| 16 | 109 | 109 Comp Air - ASD (6-100 hp) / Misc | 0 | 0 | -117.578 | 34.54707 | 37.79707 | 47.85761 | 51.11836 | 53.65254 | 60.01582 | 62.80488 | 65.69551 | 60.78144 |
| 16 | 110 | 110 Comp Air - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -167.198 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 |
| 16 | 111 | 111 Comp Air - Replace 100+ HP motor / Misc | 0 | 0 | -202.497 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 16 | 112 | 112 Comp Air - ASD (100+ hp) / Misc | 0 | 0 | -151.578 | 34.54707 | 37.79707 | 47.85761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 16 | 113 | 113 Comp Air - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -137.956 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 16 | 201 | 201 Fans - O&M / Misc | 0 | 0 | -123.311 | 11.0641 | 11.8141 | 14.96254 | 16.25941 | 17.32484 | 18.61098 | 19.74757 | 20.31789 | 19.56007 |
| 16 | 202 | 202 Fans - Controls / Misc | 0 | 0 | -920.867 | 205.8832 | 226.7582 | 287.7289 | 306.4457 | 325.1596 | 358.2192 | 379.6567 | 389.4067 | 365.9145 |
| 16 | 203 | 203 Fans - System Optimization / Misc | 0 | 0 | -637.937 | 136.9383 | 151.4383 | 191.5486 | 204.0584 | 216.6697 | 238.2117 | 252.4305 | 259.8289 | 244.3445 |
| 16 | 204 | 204 Fans- Improve components / Misc | 0 | 0 | -149.808 | 27.81749 | 30.44249 | 38.87315 | 41.28624 | 43.61632 | 47.80186 | 50.55187 | 52.52062 | 49.52061 |
| 16 | 205 | 205 Fans - Replace 1-5 HP motor / Misc | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 |
| 16 | 206 | 206 Fans - ASD (1-5 hp) / Misc | 0 | 0 | -917.183 | 34.81721 | 38.06721 | 48.42561 | 51.69417 | 54.22444 | 60.17659 | 63.44221 | 66.36409 | 61.14534 |
| 16 | 207 | 207 Fans - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -326.049 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 |
| 16 | 208 | 208 Fans - Replace 6-100 HP motor / Misc | 0 | 0 | -425.392 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 |
| 16 | 209 | 209 Fans - ASD (6-100 hp) / Misc | 0 | 0 | -117.453 | 34.67207 | 38.04707 | 48.10761 | 51.11836 | 53.65254 | 60.01582 | 63.05488 | 65.69551 | 60.78144 |
| 16 | 210 | 210 Fans - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -167.198 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 |
| 16 | 211 | 211 Fans - Replace 100+ HP motor / Misc | 0 | 0 | -202.497 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 16 | 212 | 212 Fans - ASD (100+ hp) / Misc | 0 | 0 | -151.578 | 34.67207 | 38.04707 | 48.10761 | 51.06269 | 53.65254 | 0 | 0 | 0 | 0 |
| 16 | 213 | 213 Fans - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -137.956 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |
| 16 | 301 | 301 Pumps - O&M / Misc | 0 | 0 | -121.534 | 56.59056 | 62.21556 | 79.07396 | 84.20189 | 89.0515 | 98.31712 | 104.0124 | 107.6531 | 101.2468 |
| 16 | 302 | 302 Pumps - Controls / Misc | 0 | 0 | -220.52 | 198.1053 | 218.6053 | 277.0399 | 294.7498 | 313.159 | 344.8475 | 365.1953 | 375.039 | 352.2968 |
| 16 | 303 | 303 Pumps - System Optimization / Misc | 0 | 0 | -613.811 | 228.1888 | 251.9388 | 318.9632 | 339.3363 | 360.5765 | 396.8138 | 421.1185 | 431.2826 | 406.1419 |
| 16 | 304 | 304 Pumps - Sizing / Misc | 0 | 0 | -215.888 | 126.2371 | 139.8621 | 176.6287 | 188.322 | 200.1697 | 219.823 | 233.4558 | 240.0105 | 225.7215 |
| 16 | 305 | 305 Pumps - Replace 1-5 HP motor / Misc | 0 | 0 | -684.037 | 15.96309 | 17.83809 | 22.71016 | 23.80001 | 25.10958 | 27.82247 | 29.49837 | 30.10775 | 28.96712 |
| 16 | 306 | 306 Pumps - ASD (1-5 hp) / Misc | 0 | 0 | -917.312 | 34.81318 | 38.06318 | 48.42158 | 51.63447 | 54.22041 | 60.17256 | 63.44221 | 66.21565 | 61.39534 |
| 16 | 307 | 307 Pumps - Motor practices-1 (1-5 HP) / Misc | 0 | 0 | -326.049 | 25.45064 | 28.07564 | 35.4438 | 38.3481 | 39.91744 | 44.12251 | 46.37251 | 48.02876 | 45.79439 |
| 16 | 308 | 308 Pumps - Replace 6-100 HP motor / Misc | 0 | 0 | -425.392 | 19.10815 | 21.23315 | 26.96655 | 28.07202 | 29.88745 | 32.44409 | 34.62377 | 35.77221 | 33.79565 |
| 16 | 309 | 309 Pumps - ASD (6-100 hp) / Misc | 0 | 0 | -117.578 | 34.67207 | 38.04707 | 48.10761 | 51.36836 | 53.65254 | 59.76582 | 63.05488 | 65.69551 | 60.78144 |
| 16 | 310 | 310 Pumps - Motor practices-1 (6-100 HP) / Misc | 0 | 0 | -167.198 | 13.05192 | 14.17692 | 18.13884 | 19.25016 | 20.51384 | 22.06755 | 23.45036 | 24.45817 | 23.00505 |
| 16 | 311 | 311 Pumps - Replace 100+ HP motor / Misc | 0 | 0 | -202.497 | 16.87839 | 18.62839 | 23.60788 | 25.25632 | 26.76413 | 0 | 0 | 0 | 0 |
| 16 | 312 | 312 Pumps - ASD (100+ hp) / Misc | 0 | 0 | -151.594 | 34.40595 | 37.78095 | 47.78193 | 51.04657 | 53.57392 | 0 | 0 | 0 | 0 |
| 16 | 313 | 313 Pumps - Motor practices-1 (100+ HP) / Misc | 0 | 0 | -137.956 | 8.419047 | 8.669047 | 11.71104 | 12.53135 | 12.29698 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | |
|----|-----|---|---|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 16 | 416 | 416 Process Drives - ASD / Misc | 0 | 0 | -139.824 | 3.286172 | 3.411172 | 4.529336 | 5.073281 | 5.074258 | 5.708047 | 5.286172 | 5.981485 | 5.458047 |
| 16 | 428 | 428 Drives - Scheduling / Misc | 0 | 0 | -203.799 | 27.82555 | 30.20055 | 38.63121 | 41.34996 | 43.37438 | 47.55992 | 50.30993 | 52.64586 | 49.52867 |
| 16 | 430 | 430 Efficient Machinery / Misc | 0 | 0 | -172.126 | 19.12427 | 21.24927 | 27.04223 | 28.69946 | 30.21606 | 32.57739 | 35.03833 | 36.05395 | 34.40552 |
| 16 | 509 | 509 Efficient Curing ovens / Misc | 0 | 0 | -866.214 | 125.0355 | 137.7855 | 174.597 | 185.7728 | 197.3754 | 217.434 | 230.7971 | 236.8596 | 222.5002 |
| 16 | 605 | 605 Process control / Misc | 0 | 0 | -274.356 | 22.26932 | 23.89432 | 30.79862 | 33.16678 | 33.99491 | 37.95682 | 40.16776 | 41.8162 | 39.23807 |
| 16 | 701 | 701 Centrifugal Chiller, 0.51 kW/ton, 500 tons / Misc | 0 | 0 | -218.978 | 64.10238 | 70.60238 | 89.63851 | 95.37191 | 100.6717 | 111.4539 | 117.9149 | 122.0086 | 114.1336 |
| 16 | 702 | 702 High Efficiency Chiller Motors / Misc | 0 | 0 | -194.974 | 16.8663 | 18.3663 | 23.59579 | 25.18856 | 26.50204 | 29.13192 | 30.78036 | 31.93661 | 30.19442 |
| 16 | 703 | 703 EMS - Chiller / Misc | 0 | 0 | -337.89 | 59.19532 | 64.32032 | 81.8838 | 86.77931 | 92.62404 | 101.4844 | 107.9141 | 110.8516 | 104.2266 |
| 16 | 704 | 704 Chiller Tune Up/Diagnostics / Misc | 0 | 0 | -321.242 | 44.68782 | 49.06282 | 61.87239 | 66.722 | 70.00813 | 77.28938 | 81.63716 | 84.8481 | 79.1606 |
| 16 | 705 | 705 VSD for Chiller Pumps and Towers / Misc | 0 | 0 | -259.511 | 55.51401 | 60.88901 | 77.23862 | 82.1644 | 86.95053 | 95.78745 | 101.4593 | 105.0062 | 98.68589 |
| 16 | 706 | 706 EMS Optimization - Chiller / Misc | 0 | 0 | -168.836 | 27.28928 | 30.16428 | 38.09495 | 41.00803 | 0 | 0 | 0 | 0 | 0 |
| 16 | 707 | 707 Aerosol Duct Sealing - Chiller / Misc | 0 | 0 | -158.561 | 54.86886 | 60.61886 | 77.12472 | 81.99484 | 87.3464 | 96.18917 | 101.6267 | 105.0407 | 98.44699 |
| 16 | 708 | 708 Duct/Pipe Insulation - Chiller / Misc | 0 | 0 | -7501.99 | 55.13498 | 61.13498 | 77.43869 | 82.8713 | 87.6633 | 96.59592 | 102.0334 | 105.8225 | 99.05686 |
| 16 | 709 | 709 Window Film (Standard) - Chiller / Misc | 0 | 0 | -409.549 | 29.28113 | 32.78113 | 41.51356 | 44.00281 | 46.78113 | 51.23426 | 54.51172 | 56.59766 | 52.92579 |
| 16 | 710 | 710 Roof Insulation - Chiller / Misc | 0 | 0 | -455.048 | 24.79743 | 27.54743 | 35.1656 | 37.56989 | 39.13923 | 43.34431 | 46.34431 | 47.25056 | 44.76618 |
| 16 | 711 | 711 Cool Roof - Chiller / Misc | 0 | 0 | -3211.54 | 138.4786 | 152.7286 | 194.2149 | 207.5157 | 220.3731 | 242.6582 | 256.9004 | 263.8223 | 247.5723 |
| 16 | 721 | 721 DX Packaged System, EER=10.9, 10 tons / Misc | 0 | 0 | -440.22 | 29.16016 | 32.28516 | 40.9209 | 43.58985 | 46.17579 | 50.44922 | 53.72266 | 55.42579 | 52.23829 |
| 16 | 722 | 722 Hybrid Dessicant-DX System (Trane CDQ) / Misc | 0 | 0 | -1225.41 | 195.178 | 215.178 | 273.6721 | 291.3889 | 310.5393 | 341.5374 | 362.1505 | 370.9787 | 348.9709 |
| 16 | 723 | 723 Geothermal Heat Pump, EER=13, 10 tons / Misc | 0 | 0 | -3157.29 | 74.22298 | 81.59798 | 103.9378 | 111.2503 | 117.3138 | 129.0667 | 136.8636 | 140.3167 | 132.0667 |
| 16 | 724 | 724 DX Tune Up/ Advanced Diagnostics / Misc | 0 | 0 | -272.605 | 25.18452 | 27.80952 | 35.47554 | 37.87593 | 39.45308 | 43.49702 | 46.47358 | 48.1689 | 44.88765 |
| 16 | 725 | 725 DX Coil Cleaning / Misc | 0 | 0 | -125.197 | 24.12811 | 26.75311 | 34.26874 | 36.45819 | 0 | 0 | 0 | 0 | 0 |
| 16 | 726 | 726 Optimize Controls / Misc | 0 | 0 | -154.085 | 25.18452 | 27.80952 | 35.47554 | 37.87593 | 0 | 0 | 0 | 0 | 0 |
| 16 | 727 | 727 Aerosol Duct Sealing / Misc | 0 | 0 | -125.323 | 50.5021 | 55.6271 | 71.00698 | 75.90249 | 79.94155 | 88.57241 | 93.44338 | 96.45901 | 90.27932 |
| 16 | 728 | 728 Duct/Pipe Insulation / Misc | 0 | 0 | -4362.07 | 50.51822 | 55.89322 | 71.07681 | 75.97427 | 80.27017 | 88.69791 | 93.36197 | 96.6276 | 90.6276 |
| 16 | 729 | 729 Window Film (Standard) / Misc | 0 | 0 | -288.64 | 25.84981 | 28.59981 | 36.87423 | 39.08321 | 41.10763 | 45.56856 | 47.54513 | 49.87325 | 46.38106 |
| 16 | 730 | 730 Roof Insulation / Misc | 0 | 0 | -306.341 | 23.20879 | 25.20879 | 32.11602 | 34.75859 | 36.07793 | 40.19316 | 42.92754 | 44.09941 | 41.03691 |
| 16 | 731 | 731 Cool Roof - DX / Misc | 0 | 0 | -1859.27 | 126.6161 | 139.6161 | 177.7987 | 189.7587 | 201.6083 | 221.4208 | 234.8349 | 241.3974 | 226.5067 |
| 16 | 801 | 801 Premium T8, Electronic Ballast / Misc | 0 | 0 | -277.963 | 122.7816 | 135.1566 | 172.2181 | 183.0882 | 194.7464 | 214.555 | 227.9222 | 233.5863 | 219.3753 |
| 16 | 802 | 802 CFL Hardwired, Modular 18W / Misc | 0 | 0 | -1215.57 | 288.0132 | 317.2632 | 403.9907 | 432.1177 | 0 | 0 | 0 | 0 | 0 |
| 16 | 803 | 803 CFL Screw-in 18W / Misc | 0 | 0 | -31.6568 | 288.0132 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 804 | 804 High Bay T5 / Misc | 0 | 0 | -267.575 | 264.2197 | 291.8447 | 370.0283 | 393.4179 | 418.6855 | 460.8212 | 488.6259 | 500.5478 | 471.5947 |
| 16 | 805 | 805 Occupancy Sensor / Misc | 0 | 0 | -434.584 | 101.5606 | 111.8106 | 142.1143 | 151.1173 | 159.9415 | 176.0137 | 186.7403 | 192.1309 | 0 |
| 16 | 901 | 901 Replace V-belts / Misc | 0 | 0 | -123.73 | 0.395146 | 0.520146 | 0.526982 | 0.520146 | 0 | 0 | 0 | 0 | 0 |
| 19 | 806 | 806 LED Linear Tube 22W (per unit) / All | 0 | 0 | -163.878 | 6.822344 | 7.072344 | 9.708086 | 10.52938 | 10.28426 | 11.49422 | 11.87325 | 12.80294 | 12.10762 |
| 19 | 807 | 807 Flood LED 14W (per unit) / All | 0 | 0 | -149.288 | 6.697344 | 7.072344 | 9.708086 | 10.47273 | 10.03426 | 11.24422 | 11.86922 | 12.40047 | 11.85359 |
| 19 | 808 | 808 LED High Bay 83W (per unit) / All | 0 | 0 | -372.261 | 52.03434 | 57.15934 | 73.76773 | 78.70133 | 83.49527 | 92.7609 | 97.70622 | 100.4953 | 94.19059 |
| 19 | 732 | 732 Run Time Optimizer / All | 0 | 0 | -2695.5 | 543.6203 | 599.3703 | 762.7448 | 812.7297 | 864.4748 | 950.9016 | 1009.605 | 1033.886 | 970.2141 |
| 19 | 733 | 733 Dehumidification Hybrid Desiccant Heat Pump PER 5 TON / All | 0 | 0 | -2285.66 | 352.838 | 387.463 | 497.2921 | 533.296 | 566.8341 | 624.1349 | 661.6583 | 676.0255 | 632.1974 |

| 2025 | 2026 | 2027 | 2028 | 2029 | 2030 | 2031 | 2032 | 2033 | 2034 | 2035 | 2036 | 2037 | 2038 | 2039 | 2040 | 2041 | 2042 | Sum | NPV |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|------|------|------|------|------|------|------|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,149.27 | \$785.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$728.25 | \$455.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,453.81 | \$993.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.21 | \$379.93 |
| 29.78719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.65) | (\$452.23) |
| 63.81672 | 63.56672 | 71.89485 | 65.51985 | 69.70735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$105.53) | (\$416.64) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.60 | \$43.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.64) | (\$237.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.81 | \$223.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.03 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.79) | (\$111.75) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.52 | \$32.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.74 | (\$15.63) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,925.30 | \$1,122.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,259.39 | \$724.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.04 | \$124.97 |
| 29.78719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.65) | (\$452.23) |
| 64.32075 | 63.57075 | 71.89888 | 65.52388 | 69.96138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.50) | (\$415.32) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.60 | \$43.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.64) | (\$237.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.93 | \$223.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.03 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.79) | (\$111.75) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.45 | \$33.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$661.33 | \$440.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,520.14 | \$1,747.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,541.13 | \$1,651.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,534.10 | \$1,040.51 |
| 29.78719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.65) | (\$452.23) |
| 64.07075 | 63.32075 | 71.89888 | 65.77388 | 69.96138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$104.05) | (\$415.69) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.60 | \$43.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.64) | (\$237.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$358.14 | \$223.92 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.03 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.79) | (\$111.75) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.57 | \$33.00 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$634.77 | \$420.92 |
| 495.0987 | 485.3799 | 556.4112 | 508.1299 | 537.3174 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$5,850.12 | \$3,451.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$843.32 | \$568.05 |
| 331.6132 | 324.3319 | 372.2382 | 341.1132 | 359.3319 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,052.02 | \$1,446.67 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |

| | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|--------------|--------------|
| 31.13998 | 30.87436 | 35.06186 | 31.84311 | 33.93686 | 34.34311 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.14 | \$115.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.44 | \$120.03 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.35) | (\$53.15) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.41 | \$390.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,732.43) | (\$6,949.76) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0.98 | (\$114.92) |
| 46.77424 | 45.78987 | 52.14924 | 47.86799 | 50.77424 | 52.21174 | 56.14924 | 57.71174 | 59.99299 | 62.18049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$424.43 | \$8.79 |
| 260.1424 | 254.033 | 291.908 | 266.5018 | 281.283 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$66.93 | (\$1,190.72) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 365.7244 | 358.3181 | 410.5369 | 375.8806 | 396.9431 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,393.06 | \$1,621.44 |
| 138.4458 | 135.5864 | 155.0395 | 141.8833 | 150.5395 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,408.46) | (\$2,079.01) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$77.40 | (\$21.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.70) | (\$22.22) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.04) | (\$46.45) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.45 | \$378.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.31) | (\$3,856.84) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.34 | (\$28.03) |
| 42.66948 | 42.34136 | 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.73 | \$119.31 |
| 237.6741 | 232.3303 | 266.9397 | 243.9085 | 256.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,139.51 | (\$10.59) |
| 229.7498 | 225.328 | 258.2655 | 235.828 | 249.0155 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,623.25 | \$1,510.43 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$226.14 | \$6.10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$255.41 | \$237.93 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,393.37 | \$2,361.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$811.89 | \$494.37 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,151.43 | \$785.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$728.49 | \$454.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,455.85 | \$992.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$578.86 | \$380.15 |
| 29.81746 | 29.05183 | 32.98933 | 30.77058 | 32.36433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$305.56) | (\$450.60) |
| 64.68572 | 63.46697 | 72.01385 | 66.7326 | 69.9201 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.68) | (\$416.39) |
| 48.48847 | 46.59785 | 52.91035 | 49.22285 | 51.8791 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$278.20 | \$46.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.83) | (\$237.66) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.22 | \$221.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.22 | (\$39.96) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.31) | (\$112.33) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$71.53 | \$30.94 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$85.00) | (\$94.58) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.77 | (\$15.63) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,928.76 | \$1,121.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,260.95 | \$723.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.59 | \$125.01 |
| 29.81746 | 29.05183 | 32.98933 | 30.77058 | 32.36433 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$305.56) | (\$450.60) |
| 64.93572 | 63.21697 | 72.51385 | 66.4826 | 70.1701 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$101.06) | (\$414.55) |
| 48.48847 | 46.59785 | 52.91035 | 49.22285 | 51.8791 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$278.20 | \$46.42 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$789.31 | \$469.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 109.5029 | 106.2998 | 122.3154 | 111.9092 | 118.0029 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$927.20 | \$399.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,151.95 | \$787.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$732.90 | \$458.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,456.79 | \$994.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.99 | \$380.28 |
| 29.64656 | 29.44344 | 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.29) | (\$451.37) |
| 63.99616 | 63.69929 | 72.23054 | 65.66804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$104.21) | (\$416.01) |
| 47.86848 | 46.61848 | 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.47 | \$44.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.85) | (\$237.60) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.36 | \$223.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.13 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.99) | (\$111.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.88 | \$32.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.83 | (\$15.47) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,929.29 | \$1,124.73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,262.61 | \$726.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$234.14 | \$125.77 |
| 29.64656 | 29.44344 | 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.29) | (\$451.37) |
| 64.24616 | 63.69929 | 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.31) | (\$415.38) |
| 47.86848 | 46.61848 | 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.47 | \$44.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.85) | (\$237.60) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.96 | \$223.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.13 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.99) | (\$111.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.38 | \$32.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,088.79 | \$626.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$663.16 | \$441.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,526.04 | \$1,750.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,548.28 | \$1,655.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,537.28 | \$1,042.57 |
| 29.64656 | 29.44344 | 32.92781 | 30.42781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.29) | (\$451.37) |
| 64.24616 | 63.69929 | 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.00) | (\$415.20) |
| 47.86848 | 46.61848 | 53.29036 | 48.44661 | 51.85286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.47 | \$44.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.85) | (\$237.60) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$358.11 | \$223.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.13 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.99) | (\$111.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.44 | \$32.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 594.7822 | 581.7353 | 668.376 | 611.0635 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$6,637.79 | \$4,134.58 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$299.60 | \$170.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$92.04 | \$17.61 |
| 265.7254 | 260.0379 | 298.5379 | 272.5692 | 287.8817 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,462.26 | \$176.05 |

| | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|--------------|--------------|
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 30.96408 | 30.94845 | 35.24533 | 32.15158 | 33.77658 | 35.05783 | 37.99533 | 38.46408 | 40.68283 | 41.74533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.25 | \$116.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$294.11 | \$120.34 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.09 | \$541.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.01) | (\$52.96) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.32 | \$390.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,731.95) | (\$6,949.74) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.64 | (\$113.83) |
| 46.83222 | 45.83222 | 52.0041 | 47.66035 | 51.17646 | 53.02021 | 56.14521 | 57.98896 | 60.77021 | 61.98896 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$426.69 | \$10.00 |
| 260.528 | 254.8405 | 293.3405 | 268.3717 | 282.1842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$75.90 | (\$1,186.10) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 367.3631 | 358.8006 | 412.6912 | 377.9412 | 397.6135 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,404.70 | \$1,627.18 |
| 139.5542 | 136.0698 | 155.3823 | 142.6323 | 150.6484 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,404.84) | (\$2,077.40) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.38 | (\$19.87) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.73) | (\$22.35) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$26.97) | (\$46.40) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.77 | \$378.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,654.66) | (\$3,854.54) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.87 | (\$28.50) |
| 42.99711 | 42.13774 | 48.12211 | 43.96586 | 46.84086 | 47.84086 | 51.27836 | 52.55961 | 55.84086 | 56.49711 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.69 | \$119.21 |
| 238.1766 | 232.3173 | 268.1766 | 245.1766 | 257.3954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,143.76 | (\$9.02) |
| 230.7801 | 225.327 | 259.5457 | 237.3582 | 249.327 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,631.29 | \$1,514.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.36 | \$2.16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$251.36 | \$233.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,402.26 | \$2,366.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$790.40 | \$471.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,153.33 | \$788.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$731.90 | \$457.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,457.96 | \$996.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$578.91 | \$381.09 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.62) | (\$451.64) |
| 64.33284 | 63.58284 | 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.60) | (\$415.41) |
| 47.56454 | 46.33016 | 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.80 | \$43.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.18) | (\$236.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.69 | \$223.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.89 | (\$39.31) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.74) | (\$111.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.34 | \$32.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.20) | (\$93.89) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.74 | (\$15.58) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,932.62 | \$1,128.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,257.78 | \$723.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$234.01 | \$125.78 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.62) | (\$451.64) |
| 64.83284 | 63.58284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$102.99) | (\$414.97) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 47.56454 | 46.33016 | 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.80 | \$43.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.18) | (\$236.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.69 | \$223.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.89 | (\$39.31) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.74) | (\$111.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.96 | \$33.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.20) | (\$93.89) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$662.99 | \$441.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,525.40 | \$1,751.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,547.98 | \$1,656.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,538.43 | \$1,043.84 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.6899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.62) | (\$451.64) |
| 64.83284 | 63.33284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.35) | (\$415.24) |
| 47.56454 | 46.33016 | 52.93954 | 48.15829 | 51.81454 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$272.80 | \$43.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.18) | (\$236.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.82 | \$223.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.89 | (\$39.31) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.74) | (\$111.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.00 | \$32.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.20) | (\$93.89) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$65.95 | \$0.40 |
| 84.29562 | 82.5925 | 94.79562 | 85.95187 | 91.45187 | 92.70187 | 101.2019 | 103.7331 | 107.7331 | 111.6394 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,418.78 | \$671.11 |
| 80.71455 | 79.16767 | 90.60517 | 82.76142 | 87.98017 | 89.01142 | 96.94892 | 99.51142 | 102.9802 | 106.3552 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,355.52 | \$639.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$147.34 | \$40.62 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.51095 | 30.80783 | 34.90158 | 32.02658 | 33.62033 | 34.49533 | 37.74533 | 38.18283 | 40.40158 | 40.99533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.44 | \$115.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.02 | \$119.93 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.04) | (\$52.83) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$603.89 | \$389.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,735.57) | (\$6,951.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0.81 | (\$114.81) |
| 46.66487 | 45.71174 | 51.96174 | 47.55549 | 50.96174 | 51.80549 | 56.02424 | 57.08674 | 59.86799 | 61.55549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.53 | \$6.96 |
| 258.9281 | 253.9594 | 291.1469 | 266.1781 | 281.4281 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$63.75 | (\$1,191.97) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 364.6709 | 358.2022 | 410.0772 | 374.9834 | 395.7959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,386.72 | \$1,618.45 |
| 138.2472 | 134.9815 | 155.4659 | 142.0284 | 150.3248 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,409.44) | (\$2,079.36) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$77.00 | (\$21.56) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.67) | (\$22.26) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.64) | (\$46.93) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$575.27 | \$377.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.99) | (\$3,857.28) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.04 | (\$29.69) |
| 42.81011 | 42.27886 | 48.04448 | 43.57573 | 46.95073 | 47.29448 | 51.26323 | 52.79448 | 55.04448 | 56.26323 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$498.73 | \$118.63 |
| 237.296 | 232.3429 | 266.3117 | 243.3742 | 257.233 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,135.40 | (\$13.05) |
| 229.6294 | 224.5825 | 257.8481 | 235.8169 | 248.4731 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,619.90 | \$1,508.80 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$226.54 | \$6.75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.01 | \$239.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,399.55 | \$2,365.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$786.84 | \$469.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,148.47 | \$785.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$729.00 | \$455.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,454.12 | \$993.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.96 | \$379.78 |
| 29.53719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.70) | (\$452.23) |
| 64.33284 | 63.58284 | 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.60) | (\$415.41) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.70 | \$44.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.39) | (\$237.24) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.69 | \$223.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.58 | (\$39.53) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.67) | (\$111.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.34 | \$32.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.74 | (\$15.63) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,924.92 | \$1,122.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,257.78 | \$723.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.22 | \$125.13 |
| 29.53719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.70) | (\$452.23) |
| 64.83284 | 63.58284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.24) | (\$415.15) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.70 | \$44.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.39) | (\$237.24) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.94 | \$223.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.58 | (\$39.53) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.67) | (\$111.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.96 | \$33.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$661.38 | \$440.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,519.54 | \$1,746.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,540.75 | \$1,651.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,534.25 | \$1,040.65 |
| 29.53719 | 29.64656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.70) | (\$452.23) |
| 64.83284 | 63.33284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.35) | (\$415.24) |
| 47.55245 | 46.81807 | 52.92745 | 47.8962 | 51.30245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.70 | \$44.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.39) | (\$237.24) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.82 | \$223.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.58 | (\$39.53) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.67) | (\$111.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.00 | \$32.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.45) | (\$94.08) |
| 104.4096 | 102.0034 | 116.6753 | 106.8003 | 113.0815 | 115.5815 | 125.1128 | 129.0503 | 134.144 | 137.6753 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,784.27 | \$858.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,101.25 | \$607.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$23.88) | (\$249.56) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$99.40 | \$24.94 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.13998 | 30.87436 | 35.06186 | 32.09311 | 33.93686 | 34.34311 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.64 | \$115.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.69 | \$120.19 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.40) | (\$53.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$605.66 | \$389.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,732.64) | (\$6,949.87) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0.98 | (\$114.92) |
| 46.77424 | 45.78987 | 52.14924 | 47.86799 | 50.77424 | 52.21174 | 56.14924 | 57.71174 | 59.99299 | 61.68049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$423.18 | \$8.19 |
| 260.1424 | 254.033 | 292.158 | 266.5018 | 281.283 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$67.31 | (\$1,190.36) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 365.7244 | 358.5681 | 410.5369 | 375.6306 | 396.6931 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,392.06 | \$1,620.87 |
| 138.4458 | 135.3364 | 155.0395 | 141.8833 | 150.2895 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,409.31) | (\$2,079.50) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.96 | (\$21.51) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.70) | (\$22.22) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.36) | (\$46.70) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.63 | \$378.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.17) | (\$3,856.65) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.36 | (\$28.04) |
| 42.66948 | 42.34136 | 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.48 | \$119.07 |
| 237.4241 | 232.0803 | 266.9397 | 243.9085 | 256.846 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,138.68 | (\$11.03) |
| 229.4998 | 225.078 | 258.2655 | 235.828 | 248.7655 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,622.37 | \$1,510.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$226.09 | \$6.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$255.54 | \$238.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,393.36 | \$2,360.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$786.84 | \$469.52 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,148.95 | \$785.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$728.97 | \$455.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,452.03 | \$992.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.44 | \$379.42 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.37) | (\$451.47) |
| 64.33284 | 63.58284 | 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.60) | (\$415.41) |
| 47.44307 | 46.48995 | 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.58 | \$42.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.88) | (\$236.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.69 | \$223.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.70 | (\$40.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.69) | (\$111.68) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.34 | \$32.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.56) | (\$94.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.36 | (\$15.78) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,923.55 | \$1,122.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,257.78 | \$723.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.34 | \$125.37 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.37) | (\$451.47) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 236.803 | 232.8811 | 266.2249 | 243.1624 | 257.5999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,138.30 | (\$10.92) |
| 228.7861 | 224.1924 | 256.1142 | 234.6455 | 248.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,611.59 | \$1,504.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$227.67 | \$8.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.41 | \$241.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,389.79 | \$2,358.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$786.52 | \$469.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,148.95 | \$785.50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$728.97 | \$455.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,452.03 | \$992.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.44 | \$379.42 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.37) | (\$451.47) |
| 64.33284 | 63.58284 | 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.60) | (\$415.41) |
| 47.44307 | 46.48995 | 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.58 | \$42.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.88) | (\$236.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.69 | \$223.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.70 | (\$40.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.69) | (\$111.68) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.34 | \$32.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.56) | (\$94.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$75.21) | (\$96.05) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$34.73 | (\$17.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.36 | (\$15.78) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,923.55 | \$1,122.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,257.78 | \$723.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.34 | \$125.37 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.37) | (\$451.47) |
| 64.83284 | 63.58284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.24) | (\$415.15) |
| 47.44307 | 46.48995 | 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.58 | \$42.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.88) | (\$236.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.94 | \$223.99 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.70 | (\$40.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.69) | (\$111.68) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.96 | \$33.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.56) | (\$94.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$75.21) | (\$96.05) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$34.73 | (\$17.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$659.13 | \$439.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,517.78 | \$1,746.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,538.94 | \$1,650.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,532.14 | \$1,039.45 |
| 29.54928 | 29.65865 | 33.03365 | 30.59615 | 31.61129 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.37) | (\$451.47) |
| 64.83284 | 63.33284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.35) | (\$415.24) |
| 47.44307 | 46.48995 | 52.98995 | 47.8337 | 51.48995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.58 | \$42.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.88) | (\$236.72) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.82 | \$223.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.70 | (\$40.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.69) | (\$111.68) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.00 | \$32.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.56) | (\$94.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$75.21) | (\$96.05) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$34.73 | (\$17.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,192.03 | \$732.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$75.21) | (\$96.05) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$34.73 | (\$17.37) |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.02707 | 30.82395 | 34.9177 | 31.7927 | 33.88645 | 34.32395 | 37.51145 | 38.19895 | 40.4177 | 41.01145 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.58 | \$115.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.34 | \$120.24 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.35) | (\$53.09) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.04 | \$389.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,735.89) | (\$6,951.73) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$0.94) | (\$115.90) |
| 47.06355 | 45.6573 | 51.81355 | 47.25105 | 50.62605 | 51.7198 | 55.87605 | 56.93855 | 59.2198 | 61.43855 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$418.17 | \$5.91 |
| 258.097 | 253.597 | 289.9251 | 265.5189 | 280.2689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$54.12 | (\$1,197.53) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 364.0353 | 357.3947 | 409.1447 | 373.8634 | 395.6447 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,377.60 | \$1,613.31 |
| 137.8606 | 134.9699 | 155.0637 | 141.4699 | 149.3762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,414.29) | (\$2,082.05) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.62 | (\$21.85) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.30) | (\$21.89) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.65) | (\$46.96) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$574.96 | \$377.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.55) | (\$3,856.81) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$71.64 | (\$29.80) |
| 42.83428 | 42.05303 | 47.81866 | 43.59991 | 46.72491 | 47.06866 | 51.53741 | 52.81866 | 54.56866 | 56.28741 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.67 | \$119.62 |
| 236.9659 | 232.1377 | 265.4659 | 242.6534 | 257.0909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,132.76 | (\$14.11) |
| 228.7861 | 224.1924 | 256.1142 | 234.6455 | 248.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,611.59 | \$1,504.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$227.13 | \$7.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$259.28 | \$241.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,389.79 | \$2,358.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$786.52 | \$469.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,150.49 | \$786.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$729.12 | \$455.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,453.98 | \$993.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$578.04 | \$380.49 |
| 29.78719 | 29.39656 | 33.02156 | 30.08406 | 32.42781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.18) | (\$452.11) |
| 63.81672 | 63.56672 | 71.89485 | 65.51985 | 69.70735 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$106.34) | (\$417.21) |
| 47.79842 | 46.81404 | 52.92342 | 48.14217 | 51.54842 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.77 | \$43.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.17) | (\$236.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.89 | \$223.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.31 | (\$39.70) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.44) | (\$111.48) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.92 | \$33.32 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$358.26 | \$224.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.76 | (\$39.38) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.81) | (\$111.74) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.69 | \$33.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.47) | (\$94.09) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$103.97 | \$29.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$221.93) | (\$264.34) |
| 250.3804 | 245.3648 | 281.396 | 256.521 | 271.6299 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$672.56 | (\$540.71) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$16.07 | (\$26.34) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$404.11 | \$179.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.45 | \$24.69 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.76095 | 30.80783 | 34.65158 | 32.02658 | 33.62033 | 34.40158 | 37.74533 | 38.18283 | 40.40158 | 40.49533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$392.18 | \$115.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$292.27 | \$119.36 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.16) | (\$52.96) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.34 | \$389.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,735.60) | (\$6,951.77) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$0.94 | (\$114.69) |
| 46.66487 | 45.96174 | 52.21174 | 47.80549 | 50.96174 | 51.55549 | 55.77424 | 57.08674 | 59.86799 | 61.55549 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$420.90 | \$7.18 |
| 259.1822 | 253.7134 | 290.9009 | 265.9322 | 281.1822 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$63.09 | (\$1,192.30) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 365.429 | 358.2102 | 410.0852 | 374.9915 | 395.6941 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,387.43 | \$1,618.86 |
| 138.1569 | 135.1569 | 155.0476 | 141.9226 | 150.3288 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,410.46) | (\$2,079.97) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.80 | (\$21.73) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.59) | (\$22.16) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.95) | (\$47.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.33 | \$378.48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.43) | (\$3,856.74) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.18 | (\$29.50) |
| 43.06011 | 42.27886 | 47.79448 | 43.57573 | 46.95073 | 47.04448 | 51.26323 | 52.79448 | 55.04448 | 56.26323 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$498.85 | \$118.75 |
| 237.1902 | 232.2683 | 266.1121 | 242.7996 | 256.9871 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,133.36 | (\$14.13) |
| 229.3834 | 224.8365 | 257.8521 | 235.5709 | 248.4771 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,619.13 | \$1,508.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$226.76 | \$7.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$257.39 | \$239.90 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,395.54 | \$2,362.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$790.63 | \$472.23 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,151.87 | \$787.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$732.51 | \$457.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,456.72 | \$994.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$579.60 | \$381.41 |
| 29.89656 | 29.69344 | 32.92781 | 30.17781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.13) | (\$451.45) |
| 63.99616 | 63.69929 | 72.23054 | 65.66804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$104.34) | (\$416.18) |
| 47.86848 | 46.86848 | 53.29036 | 48.69661 | 51.60286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.78 | \$45.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.06) | (\$237.74) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.60 | \$223.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.94 | (\$40.04) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.91) | (\$111.86) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.13 | \$32.53 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.04 | (\$15.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,929.96 | \$1,125.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,262.01 | \$725.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$233.28 | \$125.22 |
| 29.89656 | 29.69344 | 32.92781 | 30.17781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.13) | (\$451.45) |
| 64.24616 | 63.69929 | 72.48054 | 65.66804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$102.84) | (\$415.07) |
| 47.86848 | 46.86848 | 53.29036 | 48.69661 | 51.60286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.78 | \$45.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.06) | (\$237.74) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.67 | \$223.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.94 | (\$40.04) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.91) | (\$111.86) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.81 | \$33.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$663.64 | \$442.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,525.03 | \$1,749.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,546.49 | \$1,654.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,538.40 | \$1,043.31 |
| 29.89656 | 29.69344 | 32.92781 | 30.17781 | 32.24031 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.13) | (\$451.45) |
| 64.24616 | 63.69929 | 72.23054 | 65.91804 | 69.60554 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$101.91) | (\$414.48) |
| 47.86848 | 46.86848 | 53.29036 | 48.69661 | 51.60286 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.78 | \$45.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.06) | (\$237.74) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.98 | \$223.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.94 | (\$40.04) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.91) | (\$111.86) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.31 | \$32.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.55) | (\$94.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$22.07 | (\$84.64) |
| 50.74644 | 50.04331 | 56.44956 | 51.66831 | 55.32456 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.30 | \$138.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$248.42 | \$124.19 |
| 107.6616 | 105.0366 | 120.646 | 110.3335 | 116.146 | 119.1147 | 129.0835 | 132.0522 | 137.646 | 141.7397 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,592.97 | \$640.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$134.57) | (\$177.14) |
| 131.4903 | 128.209 | 146.9278 | 134.459 | 141.1153 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,470.71 | \$836.19 |
| 50.74644 | 50.04331 | 56.44956 | 51.66831 | 55.32456 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$384.30 | \$138.14 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.21408 | 30.94845 | 35.24533 | 31.90158 | 33.77658 | 34.80783 | 38.24533 | 38.46408 | 40.68283 | 41.74533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$395.62 | \$116.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.67 | \$119.99 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.09 | \$541.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.01) | (\$52.96) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.27 | \$390.12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,732.87) | (\$6,950.36) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.39 | (\$113.98) |

| | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|--------------|--------------|
| 47.08222 | 45.83222 | 52.0041 | 47.91035 | 51.17646 | 52.77021 | 56.64521 | 58.48896 | 60.77021 | 61.98896 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$427.86 | \$10.45 |
| 260.5199 | 255.0824 | 293.0824 | 268.1137 | 282.1762 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.44 | (\$1,185.77) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 367.4805 | 359.1367 | 412.8867 | 378.0117 | 397.1055 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,405.03 | \$1,627.34 |
| 139.3001 | 136.3157 | 155.3782 | 142.3782 | 150.3944 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,405.07) | (\$2,077.55) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$78.85 | (\$20.31) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.48) | (\$22.10) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.24) | (\$46.66) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.49 | \$378.24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,655.09) | (\$3,854.93) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.23 | (\$28.19) |
| 43.35295 | 41.96233 | 48.2592 | 43.79045 | 46.83683 | 47.74308 | 51.52433 | 53.05558 | 55.33683 | 56.99308 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$502.84 | \$120.52 |
| 238.1726 | 232.8132 | 267.9226 | 244.9226 | 257.6414 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,144.39 | (\$8.60) |
| 230.7761 | 225.323 | 259.2917 | 237.3542 | 249.323 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,630.54 | \$1,514.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$222.68 | \$2.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$251.61 | \$234.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,402.15 | \$2,366.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$791.15 | \$472.21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,150.46 | \$786.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$730.75 | \$456.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,454.58 | \$993.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.66 | \$380.06 |
| 29.77913 | 29.63851 | 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.10) | (\$451.80) |
| 64.01228 | 63.7154 | 72.24665 | 65.93415 | 69.29304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.68) | (\$415.52) |
| 47.88057 | 46.88057 | 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.09 | \$44.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.63) | (\$237.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.48 | \$222.68 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.14 | (\$39.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.81) | (\$112.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.72 | \$32.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$85.30) | (\$94.76) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.12 | (\$15.27) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,928.73 | \$1,124.79 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,261.71 | \$725.62 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$234.18 | \$125.86 |
| 29.77913 | 29.63851 | 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.10) | (\$451.80) |
| 64.51228 | 63.7154 | 72.49665 | 65.68415 | 69.79304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$100.97) | (\$413.92) |
| 47.88057 | 46.88057 | 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.09 | \$44.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.63) | (\$237.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$358.13 | \$223.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.14 | (\$39.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.81) | (\$112.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.97 | \$32.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$85.30) | (\$94.76) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$662.47 | \$441.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,521.39 | \$1,747.89 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,542.35 | \$1,651.96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,537.56 | \$1,042.79 |
| 29.77913 | 29.63851 | 32.51351 | 30.07601 | 31.66976 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.10) | (\$451.80) |
| 64.76228 | 63.7154 | 72.49665 | 65.93415 | 69.54304 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$101.62) | (\$414.48) |
| 47.88057 | 46.88057 | 53.30245 | 48.2087 | 51.36495 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$275.09 | \$44.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.63) | (\$237.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.99 | \$223.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$11.14 | (\$39.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.81) | (\$112.64) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.90 | \$32.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$85.30) | (\$94.76) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$620.64 | \$401.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.55 | \$100.88 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$322.95 | \$169.70 |
| 234.0507 | 228.7225 | 262.5507 | 239.7382 | 253.4257 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,085.37 | \$953.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$620.64 | \$401.81 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$219.55 | \$100.88 |
| 283.6943 | 277.5224 | 318.7412 | 291.4287 | 307.601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,066.12 | \$1,692.53 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.72214 | 30.95651 | 35.50339 | 32.15964 | 34.28464 | 34.90964 | 38.00339 | 38.47214 | 40.69089 | 41.75339 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.33 | \$117.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.95 | \$120.32 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.09 | \$541.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.05) | (\$52.92) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.20 | \$390.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,733.19) | (\$6,950.33) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.40 | (\$113.85) |
| 47.09834 | 45.84834 | 52.27021 | 47.92646 | 51.08271 | 52.61396 | 56.02021 | 57.33271 | 60.14521 | 61.36396 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$425.11 | \$9.55 |
| 260.6263 | 254.595 | 292.9856 | 267.3606 | 282.3919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.98 | (\$1,186.77) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 367.1533 | 358.5127 | 411.669 | 376.8565 | 396.9502 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,399.18 | \$1,624.51 |
| 139.1131 | 135.7069 | 155.3631 | 142.2694 | 150.1756 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,407.15) | (\$2,078.55) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$76.79 | (\$21.61) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.52) | (\$22.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.19) | (\$46.57) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$575.99 | \$377.95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,656.88) | (\$3,855.99) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.81 | (\$28.58) |
| 42.64933 | 41.82121 | 47.39933 | 43.64933 | 47.10295 | 47.9467 | 51.29045 | 53.0717 | 55.35295 | 56.5092 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.65 | \$118.86 |
| 238.0365 | 232.5678 | 267.3178 | 244.4115 | 257.1303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,141.38 | (\$9.93) |
| 230.3975 | 225.8194 | 258.8975 | 236.585 | 249.2725 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,628.07 | \$1,512.83 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$224.11 | \$4.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$253.46 | \$236.02 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,398.81 | \$2,364.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$789.84 | \$471.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,153.99 | \$788.08 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$732.84 | \$457.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,461.34 | \$997.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$581.28 | \$382.23 |
| 29.96663 | 29.76351 | 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$304.73) | (\$450.24) |
| 63.81269 | 63.31269 | 71.89082 | 65.26582 | 69.70332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$105.67) | (\$416.62) |
| 47.57918 | 46.73543 | 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.89 | \$45.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.30) | (\$236.59) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.22 | \$223.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.84 | (\$39.33) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.19) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.67 | \$33.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.53) | (\$94.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.76 | (\$14.97) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,936.43 | \$1,128.76 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,260.89 | \$725.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$234.39 | \$125.83 |
| 29.96663 | 29.76351 | 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$304.73) | (\$450.24) |
| 64.06269 | 63.56269 | 71.89082 | 65.26582 | 69.95332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$104.42) | (\$415.88) |
| 47.57918 | 46.73543 | 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.89 | \$45.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.30) | (\$236.59) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.35 | \$223.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.84 | (\$39.33) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.19) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.62 | \$33.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.53) | (\$94.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$664.09 | \$441.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,530.71 | \$1,752.89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,553.43 | \$1,657.87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,540.83 | \$1,044.32 |
| 29.96663 | 29.76351 | 33.60726 | 30.73226 | 32.07601 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$304.73) | (\$450.24) |
| 64.06269 | 63.81269 | 71.89082 | 65.26582 | 69.70332 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$105.00) | (\$416.28) |
| 47.57918 | 46.73543 | 52.87605 | 49.0948 | 52.00105 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.89 | \$45.78 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.30) | (\$236.59) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.60 | \$223.65 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.84 | (\$39.33) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.19) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.67 | \$33.06 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.53) | (\$94.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$621.34 | \$401.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$216.75 | \$99.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$324.77 | \$170.62 |
| 234.9156 | 229.1969 | 263.6969 | 241.5406 | 254.0094 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,093.54 | \$957.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$621.34 | \$401.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$216.75 | \$99.03 |
| 285.458 | 279.0205 | 320.5517 | 293.0205 | 308.6455 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,079.42 | \$1,699.00 |
| 119.493 | 116.6961 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.30 | \$962.55 |
| 31.6788 | 30.81942 | 35.5538 | 32.3038 | 33.9288 | 33.8038 | 38.9913 | 38.71005 | 40.96005 | 42.0538 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$398.23 | \$117.70 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$295.47 | \$120.87 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.09 | \$541.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.55) | (\$53.46) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$608.23 | \$391.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,731.93) | (\$6,949.81) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2.74 | (\$114.07) |
| 47.39472 | 46.28535 | 52.5041 | 47.8791 | 51.03535 | 51.09785 | 56.8791 | 57.22285 | 60.5666 | 61.72285 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$427.42 | \$10.60 |
| 262.0925 | 255.4675 | 294.8738 | 269.3425 | 282.7952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$84.57 | (\$1,182.23) |
| 54.49182 | 53.67932 | 60.49182 | 55.55432 | 58.96057 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$247.52 | (\$16.15) |
| 369.5325 | 359.3137 | 415.1418 | 379.2981 | 398.1731 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,415.58 | \$1,631.83 |
| 139.8268 | 136.3425 | 156.7018 | 143.4518 | 150.3893 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,400.05) | (\$2,075.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$78.42 | (\$20.85) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$4.29) | (\$22.86) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$28.31) | (\$47.65) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.12 | \$378.25 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,655.94) | (\$3,855.86) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.10 | (\$28.49) |
| 43.66447 | 42.75822 | 47.66447 | 43.85197 | 47.22697 | 46.66447 | 51.47697 | 53.28947 | 56.07072 | 56.78947 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.95 | \$118.91 |
| 239.5532 | 233.3032 | 268.8813 | 245.4751 | 257.8652 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,149.85 | (\$6.58) |
| 231.9268 | 226.0675 | 260.1768 | 238.4268 | 249.8956 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,637.72 | \$1,517.31 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$210.50 | (\$8.60) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$245.45 | \$228.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,409.65 | \$2,370.13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$789.03 | \$471.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,147.98 | \$784.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$730.14 | \$456.46 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,454.35 | \$993.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.97 | \$379.79 |
| 29.53719 | 29.39656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.95) | (\$452.35) |
| 64.29451 | 63.74764 | 72.77889 | 65.71639 | 69.82527 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$101.14) | (\$413.94) |
| 47.55245 | 46.81807 | 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$274.45 | \$44.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.76) | (\$236.77) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.47 | \$223.56 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.83 | (\$39.35) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.24) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.97 | \$33.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.58) | (\$94.20) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.12 | (\$15.32) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,925.29 | \$1,122.67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,266.94 | \$729.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.59 | \$124.67 |
| 29.53719 | 29.39656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.95) | (\$452.35) |
| 64.54451 | 63.74764 | 72.77889 | 65.96639 | 69.90389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$99.81) | (\$413.09) |
| 47.55245 | 46.81807 | 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$274.45 | \$44.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.76) | (\$236.77) |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$359.33 | \$224.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.83 | (\$39.35) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.24) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.92 | \$33.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.58) | (\$94.20) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$660.86 | \$440.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,520.34 | \$1,747.33 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,541.04 | \$1,651.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,533.94 | \$1,040.48 |
| 29.53719 | 29.39656 | 32.77156 | 30.08406 | 31.92781 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.95) | (\$452.35) |
| 64.54451 | 63.74764 | 72.77889 | 65.96639 | 69.82527 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$100.44) | (\$413.53) |
| 47.55245 | 46.81807 | 52.92745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$274.45 | \$44.42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.76) | (\$236.77) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$358.99 | \$224.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.83 | (\$39.35) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$92.24) | (\$112.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.67 | \$33.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.58) | (\$94.20) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$409.35 | \$190.91 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$178.34 | \$70.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$93.24 | \$18.67 |
| 233.3868 | 228.465 | 261.9025 | 239.465 | 253.1525 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,080.10 | \$950.06 |
| 283.3122 | 277.531 | 318.0778 | 290.6716 | 307.2341 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,063.45 | \$1,691.45 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 |
| 31.13998 | 30.87436 | 35.06186 | 32.09311 | 33.93686 | 34.49936 | 37.87436 | 38.34311 | 40.56186 | 41.12436 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$393.80 | \$115.77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.39 | \$119.98 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.30 | \$541.61 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$32.65) | (\$53.39) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$604.92 | \$389.51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,732.76) | (\$6,949.89) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.39 | (\$114.63) |
| 46.77424 | 45.53987 | 52.14924 | 47.86799 | 51.02424 | 52.21174 | 56.14924 | 57.21174 | 59.99299 | 62.18049 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$423.73 | \$8.55 |
| 260.0522 | 253.9428 | 292.2709 | 266.4272 | 281.287 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$65.86 | (\$1,191.33) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 365.7284 | 358.3222 | 410.2909 | 375.3847 | 396.6972 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,391.49 | \$1,620.60 |
| 138.4458 | 135.3364 | 155.0395 | 141.8833 | 150.2895 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,409.06) | (\$2,079.35) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$77.40 | (\$21.19) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.64) | (\$22.20) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$27.04) | (\$46.45) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$575.26 | \$377.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,658.15) | (\$3,856.61) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.28 | (\$28.83) |
| 42.66948 | 42.34136 | 47.91948 | 43.91948 | 47.29448 | 47.70073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$499.68 | \$119.22 |
| 237.6781 | 232.3344 | 266.9437 | 243.6625 | 257.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,138.62 | (\$11.22) |
| 229.7539 | 225.332 | 258.2695 | 236.082 | 248.7695 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,623.03 | \$1,510.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$225.99 | \$5.99 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$255.67 | \$238.18 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,393.37 | \$2,361.03 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$792.08 | \$473.20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,150.26 | \$785.98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$730.90 | \$456.86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,456.50 | \$994.59 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$578.97 | \$381.05 |
| 29.7751 | 29.63448 | 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.58) | (\$452.13) |
| 64.4261 | 63.37922 | 72.08235 | 65.3636 | 69.0511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$104.96) | (\$416.35) |
| 47.87251 | 47.12251 | 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.62 | \$45.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.67) | (\$238.09) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.36 | \$222.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.82 | (\$40.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.89) | (\$111.88) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.08 | \$32.60 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.80) | (\$94.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.04 | (\$15.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,929.43 | \$1,125.15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,261.25 | \$725.38 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$234.30 | \$126.02 |
| 29.7751 | 29.63448 | 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.58) | (\$452.13) |
| 64.6761 | 63.87922 | 72.08235 | 65.6136 | 69.3011 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.54) | (\$415.41) |
| 47.87251 | 47.12251 | 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.62 | \$45.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.67) | (\$238.09) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.98 | \$223.07 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.82 | (\$40.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.89) | (\$111.88) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.20 | \$32.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.80) | (\$94.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$661.93 | \$441.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,522.73 | \$1,748.70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,546.02 | \$1,654.30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,538.43 | \$1,043.33 |
| 29.7751 | 29.63448 | 32.50948 | 30.07198 | 31.74434 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.58) | (\$452.13) |
| 64.6761 | 63.62922 | 72.33235 | 65.3636 | 69.5511 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.71) | (\$415.64) |
| 47.87251 | 47.12251 | 53.54439 | 48.45064 | 51.85689 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$276.62 | \$45.57 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$164.67) | (\$238.09) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.86 | \$223.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$9.82 | (\$40.17) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.89) | (\$111.88) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.02 | \$32.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.80) | (\$94.37) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$628.93 | \$408.09 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$218.72 | \$100.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$600.15 | \$354.18 |
| 233.7341 | 228.8435 | 263.1404 | 239.8904 | 253.218 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,085.95 | \$953.40 |

| | | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|--------------|--------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$628.93 | \$408.09 |
| 284.2296 | 278.4796 | 319.464 | 291.4015 | 307.7452 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,070.90 | \$1,695.29 |
| 119.493 | 116.9461 | 133.7586 | 122.3211 | 129.9149 | 131.4774 | 142.5086 | 147.5086 | 152.6649 | 157.2899 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,020.80 | \$962.87 | |
| 31.46811 | 30.95248 | 35.24936 | 32.15561 | 34.03061 | 34.99936 | 37.99936 | 38.46811 | 40.68686 | 41.74936 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$396.52 | \$116.93 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$471.39 | \$243.36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$293.38 | \$119.94 |
| 102.9671 | 100.7015 | 114.9828 | 104.9515 | 111.514 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,039.09 | \$541.47 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$31.86) | (\$52.82) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$606.47 | \$390.28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$6,735.01) | (\$6,951.71) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1.01 | (\$114.88) |
| 47.09028 | 45.59028 | 52.26215 | 47.9184 | 51.32465 | 52.94965 | 56.01215 | 58.32465 | 60.13715 | 61.8559 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$426.73 | \$10.01 | |
| 260.3092 | 254.6999 | 293.028 | 267.7467 | 282.028 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.82 | (\$1,187.06) |
| 54.39454 | 53.11329 | 60.59766 | 55.25391 | 59.16016 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$246.27 | (\$16.73) |
| 367.422 | 358.6876 | 412.6095 | 376.797 | 396.9694 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,403.00 | \$1,626.87 |
| 139.3203 | 136.3359 | 155.6484 | 142.3984 | 150.3359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$1,404.22) | (\$2,076.84) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$79.08 | (\$20.00) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3.40) | (\$22.03) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$26.63) | (\$46.10) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$576.64 | \$378.39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$3,657.20) | (\$3,856.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$72.69 | (\$29.26) |
| 43.25114 | 41.89177 | 48.12614 | 44.21989 | 46.84489 | 47.93864 | 51.28239 | 52.56364 | 55.34489 | 56.50114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$500.99 | \$119.54 |
| 238.2391 | 232.9423 | 267.3954 | 244.7704 | 257.3178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,143.77 | (\$8.62) |
| 230.573 | 225.4323 | 258.9792 | 236.9792 | 249.1667 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,628.47 | \$1,512.80 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$223.13 | \$2.97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$252.26 | \$234.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,400.89 | \$2,365.66 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$788.92 | \$470.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,149.06 | \$785.54 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$730.01 | \$456.27 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,455.01 | \$993.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.17 | \$379.73 |
| 29.79122 | 29.40059 | 33.02559 | 30.08809 | 31.93184 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$308.29) | (\$451.97) |
| 64.04451 | 63.74764 | 72.77889 | 65.96639 | 69.90389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$101.99) | (\$414.64) |
| 47.80245 | 46.56807 | 52.67745 | 48.1462 | 51.55245 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$273.98 | \$44.19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$162.01) | (\$236.21) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$359.70 | \$225.05 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.60 | (\$39.47) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.49) | (\$111.51) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$74.42 | \$33.71 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.50) | (\$94.11) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$27.63 | (\$14.97) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,924.77 | \$1,122.41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,267.78 | \$730.35 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.13 | \$124.38 |

| | | | | | | | | | | | | | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---|---|---|---|---|---|---|---|------------|------------|
| 42.66948 | 42.59136 | 47.66948 | 43.91948 | 47.04448 | 47.45073 | 51.13823 | 52.45073 | 54.70073 | 56.38823 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$498.85 | \$118.79 |
| 237.3147 | 232.2678 | 266.7522 | 243.346 | 257.0335 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,137.76 | (\$11.65) |
| 229.6717 | 224.9998 | 258.3592 | 236.2655 | 248.9217 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,622.71 | \$1,510.04 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$226.24 | \$6.32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$256.18 | \$238.69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$3,395.16 | \$2,362.26 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$792.55 | \$473.64 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$121.77) | (\$122.06) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,149.73 | \$786.08 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$729.85 | \$456.29 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,453.33 | \$992.82 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$577.00 | \$379.57 |
| 29.79525 | 29.40462 | 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.96) | (\$451.85) |
| 64.33284 | 63.58284 | 72.16096 | 65.53596 | 69.39485 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.60) | (\$415.41) |
| 47.43501 | 46.48189 | 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.79 | \$42.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.49) | (\$237.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$356.69 | \$223.01 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.91 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.36) | (\$111.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.34 | \$32.85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.33) | (\$93.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$26.35 | (\$15.81) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,924.31 | \$1,122.34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,257.53 | \$723.17 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$232.62 | \$124.86 |
| 29.79525 | 29.40462 | 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.96) | (\$451.85) |
| 64.83284 | 63.58284 | 72.16096 | 65.53596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.24) | (\$415.08) |
| 47.43501 | 46.48189 | 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.79 | \$42.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.49) | (\$237.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.69 | \$223.84 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.91 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.36) | (\$111.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.96 | \$33.40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.33) | (\$93.95) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$660.83 | \$440.14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,518.52 | \$1,746.49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$2,540.55 | \$1,651.45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$1,534.34 | \$1,040.80 |
| 29.79525 | 29.40462 | 33.02962 | 30.34212 | 31.68587 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$307.96) | (\$451.85) |
| 64.83284 | 63.33284 | 72.16096 | 65.78596 | 69.47346 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$103.35) | (\$415.24) |
| 47.43501 | 46.48189 | 52.73189 | 48.07564 | 51.56051 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$271.79 | \$42.72 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$163.49) | (\$237.14) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$357.57 | \$223.74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$10.91 | (\$39.23) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$91.36) | (\$111.42) |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | \$73.00 | \$32.55 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (\$84.33) | (\$93.95) |

| BC Ratio | Customer Cost | Annual kWh/10k Sqft | 8.650827 Payback (Yrs) | Payback Sensitivity | | | Fails RIM and <2-yr Payback | 2-yr Payback Incentive | Verify Payback | 2-yr PB Incentive % of Cust Cost | Program Costs | Industrial | Savi kWh |
|----------|---------------|---------------------|------------------------|---------------------|-------|-------|-----------------------------|------------------------|----------------|----------------------------------|---------------|------------------------|----------|
| | | | | <1-yr | <2-yr | <3-yr | | | | | | 2yr PB Max Penetration | |
| 4.387131 | 109 | 1866.581654 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1867 |
| 2.472798 | 186 | 1403.599078 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1404 |
| 4.354935 | 173 | 2365.324373 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365 |
| 3.208884 | 49 | 1012.638869 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1013 |
| 0.35396 | 577 | 320.5690091 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 321 |
| 0.561892 | 828 | 690.9421101 | 13.85259 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 691 |
| 1.125141 | 228 | 510.9100639 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 511 |
| 0.465279 | 321 | 377.5601381 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 378 |
| 2.476971 | 28 | 686.0181974 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.782064 | 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255 |
| 0.48971 | 96 | 336.4289134 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336 |
| 1.178144 | 62 | 685.7509619 | 1.045124 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.35565 | 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 160 |
| 0.883349 | 11 | 215.0294882 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999698 | 1000 | 4120.242463 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.937038 | 650 | 2748.512129 | 2.733745 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.51 |
| 1.70605 | 54 | 554.3728994 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.35396 | 577 | 320.5690091 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563279 | 828 | 692.7378775 | 13.81668 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.74 |
| 1.125141 | 228 | 510.9100639 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465279 | 321 | 377.5601381 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482684 | 28 | 687.5553109 | 0.470753 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.56 |
| 0.782064 | 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48971 | 96 | 336.4289134 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.182418 | 62 | 686.3620914 | 1.044193 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.36 |
| 0.35565 | 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.488993 | 54 | 1132.336135 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.210314 | 292 | 3966.693053 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.97078 | 715 | 4567.628999 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.060332 | 217 | 2534.276116 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.35396 | 577 | 320.5690091 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562891 | 828 | 692.1064631 | 13.82929 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.11 |
| 1.125141 | 228 | 510.9100639 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465279 | 321 | 377.5601381 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482903 | 28 | 686.9656711 | 0.471157 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.97 |
| 0.782064 | 57 | 255.4550319 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48971 | 96 | 336.4289134 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178378 | 62 | 685.5216603 | 1.045473 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.52 |
| 0.35565 | 23 | 159.659395 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.378067 | 54 | 1097.31543 | 0.568859 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1097.32 |
| 6.198695 | 541 | 5314.797692 | 1.176665 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5314.80 |
| 3.826143 | 78 | 1409.752415 | 0.639579 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1409.75 |
| 2.107712 | 1183 | 3548.514292 | 3.853724 | No | No | No | Keep | \$569.05 | 2 | 48.1% | \$123.00 | 30.34% | 3548.51 |
| 4.413467 | 159.08 | 1284.411581 | 1.431706 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.41 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.545458 | 88.59 | 337.1821237 | 3.037124 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.627085 | 2.688336 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1173 |
| 1.32914 | 241.68 | 886.975529 | 3.149716 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.567228 | 1.994208 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.57 |
| 0.728126 | 72.5 | 545.8312946 | 1.535401 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 546 |
| 2.840347 | 89.18 | 1102.974887 | 0.93464 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.080248 | 7433.12 | 1108.719411 | 77.49824 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.737829 | 315.33 | 592.8907048 | 6.147988 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.018322 | 356.72 | 501.8533263 | 8.216617 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.644245 | 3224.02 | 2781.075943 | 13.40069 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8383345 | 6.829735 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.144711 | 1293.46 | 3916.857836 | 3.817311 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.86 |
| 0.356271 | 3106.64 | 1483.166627 | 24.21271 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.928794 | 174.29 | 505.1762886 | 3.988154 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.850816 | 25.95 | 485.3895281 | 0.618001 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.740142 | 55.77 | 505.1762886 | 1.276145 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.169549 | 51.45 | 1011.793208 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.1257 | 4288.34 | 1016.625124 | 48.76079 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.910724 | 190.99 | 521.1746757 | 4.236134 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.362865 | 205.8 | 460.6589093 | 5.164262 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994659 | 1860.01 | 2541.453156 | 8.460101 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.45 |
| 4.793911 | 275.12 | 2460.841285 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.004076 | 1374.08 | 5786.751372 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.759754 | 190.17 | 5786.751372 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.476558 | 404.42 | 5301.798092 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.969567 | 386.89 | 2032.947281 | 2.199904 | No | No | Yes | Keep | \$35.16 | 2 | 9.1% | \$123.00 | 30.34% | 2033 |
| 0.01566 | 1 | 6.388292286 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.386265 | 109 | 1866.581603 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1867 |
| 2.470718 | 186 | 1403.599038 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1404 |
| 4.353814 | 173 | 2365.324304 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365 |
| 3.210184 | 49 | 1012.638841 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1013 |
| 0.356283 | 577 | 320.5690006 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 321 |
| 0.562157 | 828 | 690.8664076 | 13.85411 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 691 |
| 1.132249 | 228 | 510.9100505 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 511 |
| 0.464722 | 321 | 377.5601281 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 378 |
| 2.469783 | 28 | 685.9435699 | 0.471859 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.778012 | 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255 |
| 0.48708 | 96 | 336.4289044 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336 |
| 1.167246 | 62 | 685.6763926 | 1.045237 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.352195 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 160 |
| 0.883363 | 11 | 215.0294825 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.998938 | 1000 | 4120.242324 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935435 | 650 | 2748.301589 | 2.733955 | No | No | Yes | Keep | \$174.50 | 2 | 26.8% | \$123.00 | 30.34% | 2748.30 |
| 1.706298 | 54 | 554.3728843 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.356283 | 577 | 320.5690006 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.564091 | 828 | 692.661781 | 13.8182 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.66 |
| 1.132249 | 228 | 510.9100505 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 0.464722 | 321 | 377.5601281 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.472212 | 28 | 687.4803487 | 0.470804 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.48 |
| 0.778012 | 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48708 | 96 | 336.4289044 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.168438 | 62 | 686.2873891 | 1.044307 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.29 |
| 0.352195 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.478905 | 54 | 1132.336104 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.204609 | 292 | 3966.692924 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.968644 | 715 | 4567.628843 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.057364 | 217 | 2534.276037 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.356283 | 577 | 320.5690006 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563303 | 828 | 692.0305052 | 13.83081 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.03 |
| 1.132249 | 228 | 510.9100505 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464722 | 321 | 377.5601281 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.470038 | 28 | 686.8908374 | 0.471208 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.89 |
| 0.778012 | 57 | 255.4550252 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48708 | 96 | 336.4289044 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.165393 | 62 | 685.4471408 | 1.045587 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.45 |
| 0.352195 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 2.181226 | 347 | 1883.886614 | 2.129203 | No | No | Yes | Keep | \$21.06 | 2 | 6.1% | \$123.00 | 30.34% | 1883.89 |
| 1.645386 | 812 | 3523.692839 | 2.663792 | No | No | Yes | Keep | \$202.34 | 2 | 24.9% | \$123.00 | 30.34% | 3523.69 |
| 4.411927 | 159.08 | 1284.214751 | 1.431925 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.21 |
| 1.545706 | 88.59 | 337.1705354 | 3.037228 | No | No | No | Keep | \$30.25 | 2 | 34.2% | \$123.00 | 30.34% | 337.17 |
| 1.615451 | 272.71 | 1172.429085 | 2.68879 | No | No | Yes | Keep | \$69.86 | 2 | 25.6% | \$123.00 | 30.34% | 1172 |
| 1.323125 | 241.68 | 886.9438754 | 3.149829 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.94 |
| 2.724961 | 190.9 | 1106.390906 | 1.994526 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.39 |
| 0.720391 | 72.5 | 545.8121151 | 1.535455 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 546 |
| 2.82904 | 89.18 | 1102.935729 | 0.934673 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.94 |
| 0.079883 | 7433.12 | 1108.679844 | 77.50101 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.68 |
| 0.736132 | 315.33 | 592.8698831 | 6.148204 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.87 |
| 1.014586 | 356.72 | 501.8356466 | 8.216906 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.84 |
| 0.643617 | 3224.02 | 2780.972644 | 13.40119 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2780.97 |
| 0.96775 | 346.13 | 585.7680143 | 6.830554 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.77 |
| 2.141789 | 1293.46 | 3916.678954 | 3.817486 | No | No | No | Keep | \$615.81 | 2 | 47.6% | \$123.00 | 30.34% | 3916.68 |
| 0.355559 | 3106.64 | 1483.098797 | 24.21381 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.10 |
| 0.924641 | 174.29 | 505.1524837 | 3.988342 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.15 |
| 0.837523 | 25.95 | 485.366855 | 0.61803 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.37 |
| 0.733076 | 55.77 | 505.1524837 | 1.276205 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.15 |
| 3.150982 | 51.45 | 1011.745462 | 0.587836 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.75 |
| 0.12525 | 4288.34 | 1016.576922 | 48.7631 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.58 |
| 0.90392 | 190.99 | 521.150349 | 4.236332 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.15 |
| 1.356582 | 205.8 | 460.6373248 | 5.164504 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.64 |
| 0.991709 | 1860.01 | 2541.32816 | 8.460517 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.33 |
| 4.788518 | 275.12 | 2460.841215 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 0.990602 | 1374.08 | 5786.751185 | 2.744856 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 1.722419 | 190.17 | 5786.751185 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.474846 | 404.42 | 5301.797949 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |

| | | | | | | | | | | | | | |
|----------|--------|-------------|----------|-----|-----|-----|------|------------|----|-------|----------|--------|---------|
| 1.878028 | 411.52 | 2032.750627 | 2.34018 | No | No | Yes | Keep | \$59.82 | 2 | 14.5% | \$123.00 | 30.34% | 2033 |
| 0.01566 | 1 | 6.388292119 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 1.796037 | 379 | 1163.274248 | 3.766166 | No | No | No | Keep | \$177.73 | 2 | 46.9% | \$123.00 | 30.34% | 1163.27 |
| 4.392633 | 109 | 1866.581591 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1867 |
| 2.483132 | 186 | 1403.599028 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1404 |
| 4.360739 | 173 | 2365.324288 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365 |
| 3.21094 | 49 | 1012.638835 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1013 |
| 0.355184 | 577 | 320.5689987 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 321 |
| 0.562559 | 828 | 690.9186261 | 13.85306 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 691 |
| 1.128092 | 228 | 510.9100474 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 511 |
| 0.464873 | 321 | 377.5601258 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 378 |
| 2.478219 | 28 | 685.9950469 | 0.471823 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.782065 | 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255 |
| 0.488802 | 96 | 336.4289023 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336 |
| 1.174801 | 62 | 685.7278295 | 1.045159 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.354879 | 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 160 |
| 0.884551 | 11 | 215.0294812 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.001538 | 1000 | 4120.242291 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.939295 | 650 | 2748.446782 | 2.73381 | No | No | Yes | Keep | \$174.47 | 2 | 26.8% | \$123.00 | 30.34% | 2748.45 |
| 1.710556 | 54 | 554.3728808 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.355184 | 577 | 320.5689987 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563216 | 828 | 692.7142712 | 13.81715 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.71 |
| 1.128092 | 228 | 510.9100474 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464873 | 321 | 377.5601258 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481392 | 28 | 687.5320565 | 0.470769 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.53 |
| 0.782065 | 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488802 | 96 | 336.4289023 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177095 | 62 | 686.3389177 | 1.044228 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.34 |
| 0.354879 | 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 1.943944 | 541 | 2365.324288 | 2.643924 | No | No | Yes | Keep | \$131.76 | 2 | 24.4% | \$123.00 | 30.34% | 2365.32 |
| 3.495444 | 54 | 1132.336096 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.219014 | 292 | 3966.692893 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.976123 | 715 | 4567.628807 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.066386 | 217 | 2534.276018 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.355184 | 577 | 320.5689987 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563406 | 828 | 692.0828999 | 13.82976 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.08 |
| 1.128092 | 228 | 510.9100474 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464873 | 321 | 377.5601258 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482092 | 28 | 686.9424566 | 0.471173 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.94 |
| 0.782065 | 57 | 255.4550237 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488802 | 96 | 336.4289023 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177207 | 62 | 685.4985433 | 1.045508 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.50 |
| 0.354879 | 23 | 159.6593898 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 8.72818 | 412 | 6365.937712 | 0.74813 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6365.94 |
| 1.909471 | 65 | 658.3892359 | 1.14123 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 658.39 |
| 1.09222 | 68 | 380.5296997 | 2.065678 | No | No | Yes | Keep | \$2.16 | 2 | 3.2% | \$123.00 | 30.34% | 380.53 |
| 1.086769 | 1906 | 2841.833786 | 7.752943 | No | No | No | Keep | \$1,414.32 | 2 | 74.2% | \$123.00 | 30.34% | 2842 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 4.413467 | 159.08 | 1284.354286 | 1.43177 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.35 |
| 1.548813 | 88.59 | 337.1795111 | 3.037148 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.569449 | 2.688468 | No | No | Yes | Keep | \$69.84 | 2 | 25.6% | \$123.00 | 30.34% | 1173 |
| 1.329976 | 241.68 | 886.9683926 | 3.149742 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.97 |
| 2.724961 | 190.9 | 1106.515902 | 1.994301 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.52 |
| 0.729105 | 72.5 | 545.8269705 | 1.535414 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 546 |
| 2.839133 | 89.18 | 1102.966059 | 0.934647 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.08025 | 7433.12 | 1108.710491 | 77.49887 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.71 |
| 0.740316 | 315.33 | 592.8860105 | 6.148037 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.020849 | 356.72 | 501.8493404 | 8.216682 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.645625 | 3224.02 | 2781.052654 | 13.4008 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.05 |
| 0.964345 | 346.13 | 585.8188017 | 6.829962 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.82 |
| 2.148766 | 1293.46 | 3916.817532 | 3.81735 | No | No | No | Keep | \$615.79 | 2 | 47.6% | \$123.00 | 30.34% | 3916.82 |
| 0.356769 | 3106.64 | 1483.151344 | 24.21296 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.15 |
| 0.933149 | 174.29 | 505.1709251 | 3.988196 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 0.849976 | 25.95 | 485.3844196 | 0.618008 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.38 |
| 0.740474 | 55.77 | 505.1709251 | 1.276159 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 3.169188 | 51.45 | 1011.782451 | 0.587815 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.78 |
| 0.12622 | 4288.34 | 1016.614264 | 48.76131 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.61 |
| 0.909233 | 190.99 | 521.1691946 | 4.236179 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.362564 | 205.8 | 460.654046 | 5.164316 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.65 |
| 0.99545 | 1860.01 | 2541.424993 | 8.460195 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.42 |
| 4.804641 | 275.12 | 2460.841198 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.001445 | 1374.08 | 5786.751141 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.747025 | 190.17 | 5786.751141 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.487004 | 404.42 | 5301.797916 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.882441 | 411.52 | 2032.88627 | 2.340024 | No | No | Yes | Keep | \$59.80 | 2 | 14.5% | \$123.00 | 30.34% | 2033 |
| 0.01566 | 1 | 6.38829208 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.399435 | 109 | 1866.581583 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1867 |
| 2.481743 | 186 | 1403.599022 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1404 |
| 4.365268 | 173 | 2365.324277 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365 |
| 3.21562 | 49 | 1012.63883 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1013 |
| 0.354798 | 577 | 320.5689973 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 321 |
| 0.563182 | 828 | 690.9547894 | 13.85234 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 691 |
| 1.123422 | 228 | 510.9100452 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 511 |
| 0.46763 | 321 | 377.5601242 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 378 |
| 2.476908 | 28 | 686.0306965 | 0.471799 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.781593 | 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255 |
| 0.489866 | 96 | 336.4289008 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336 |
| 1.177569 | 62 | 685.7634514 | 1.045105 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686 |
| 0.356902 | 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 160 |
| 0.883762 | 11 | 215.0294802 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.004819 | 1000 | 4120.242269 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935719 | 650 | 2748.547335 | 2.73371 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.55 |
| 1.710601 | 54 | 554.3728783 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.354798 | 577 | 320.5689973 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563647 | 828 | 692.7506227 | 13.81643 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.75 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.123422 | 228 | 510.9100452 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.46763 | 321 | 377.5601242 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482414 | 28 | 687.5678662 | 0.470744 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.57 |
| 0.781593 | 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489866 | 96 | 336.4289008 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180516 | 62 | 686.3746031 | 1.044174 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.37 |
| 0.356902 | 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.495543 | 54 | 1132.336091 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.220155 | 292 | 3966.692872 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.976865 | 715 | 4567.628782 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.070115 | 217 | 2534.276005 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.354798 | 577 | 320.5689973 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563369 | 828 | 692.1191851 | 13.82903 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.12 |
| 1.123422 | 228 | 510.9100452 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.46763 | 321 | 377.5601242 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.48268 | 28 | 686.9782049 | 0.471148 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.98 |
| 0.781593 | 57 | 255.4550226 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489866 | 96 | 336.4289008 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175971 | 62 | 685.5341414 | 1.045454 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.53 |
| 0.356902 | 23 | 159.6593891 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 1.002203 | 60.25 | 334.6308376 | 2.081294 | No | No | Yes | Keep | \$2.35 | 2 | 3.9% | \$123.00 | 30.34% | 334.63 |
| 4.211034 | 86 | 905.2349888 | 1.098195 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 905.23 |
| 4.117998 | 82 | 868.3350186 | 1.091614 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 868.34 |
| 1.157447 | 135 | 545.844065 | 2.858956 | No | No | Yes | Keep | \$40.56 | 2 | 30.0% | \$123.00 | 30.34% | 545.84 |
| 4.413467 | 159.08 | 1284.440918 | 1.431673 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.44 |
| 1.544129 | 88.59 | 337.1830937 | 3.037115 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.656597 | 2.688268 | No | No | Yes | Keep | \$69.82 | 2 | 25.6% | \$123.00 | 30.34% | 1173 |
| 1.328863 | 241.68 | 886.9781784 | 3.149707 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.593508 | 1.994161 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.59 |
| 0.729759 | 72.5 | 545.8328999 | 1.535397 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 546 |
| 2.833421 | 89.18 | 1102.978165 | 0.934637 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.079989 | 7433.12 | 1108.722723 | 77.49801 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.738081 | 315.33 | 592.8924476 | 6.14797 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.014509 | 356.72 | 501.8548061 | 8.216592 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.64387 | 3224.02 | 2781.08459 | 13.40065 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8478895 | 6.829623 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.85 |
| 2.142601 | 1293.46 | 3916.872826 | 3.817297 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.87 |
| 0.356163 | 3106.64 | 1483.172311 | 24.21261 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.927463 | 174.29 | 505.1782835 | 3.988138 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.850581 | 25.95 | 485.3914281 | 0.617999 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.737495 | 55.77 | 505.1782835 | 1.27614 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.164612 | 51.45 | 1011.797209 | 0.587806 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125599 | 4288.34 | 1016.629164 | 48.7606 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.905457 | 190.99 | 521.1767142 | 4.236117 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.360797 | 205.8 | 460.660718 | 5.164242 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.993421 | 1860.01 | 2541.463631 | 8.460066 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.46 |
| 4.789803 | 275.12 | 2460.841187 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.00451 | 1374.08 | 5786.751111 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.764844 | 190.17 | 5786.751111 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.48545 | 404.42 | 5301.797893 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.878402 | 411.52 | 2032.980208 | 2.339915 | No | No | Yes | Keep | \$59.78 | 2 | 14.5% | \$123.00 | 30.34% | 2032.98 |
| 0.01566 | 1 | 6.388292053 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.384639 | 109 | 1866.581691 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.474616 | 186 | 1403.599108 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.3557 | 173 | 2365.324423 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.208003 | 49 | 1012.63889 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.353958 | 577 | 320.5690152 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563182 | 828 | 690.942248 | 13.85259 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.94 |
| 1.125512 | 228 | 510.9100736 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465687 | 321 | 377.5601454 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.476908 | 28 | 686.0183333 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.02 |
| 0.780417 | 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490247 | 96 | 336.4289199 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177569 | 62 | 685.7510978 | 1.045123 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.75 |
| 0.35565 | 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.883349 | 11 | 215.0294923 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999556 | 1000 | 4120.242565 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935719 | 650 | 2748.51254 | 2.733745 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.51 |
| 1.706958 | 54 | 554.3729105 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.353958 | 577 | 320.5690152 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563455 | 828 | 692.7380161 | 13.81668 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.74 |
| 1.125512 | 228 | 510.9100736 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465687 | 321 | 377.5601454 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.483356 | 28 | 687.5554475 | 0.470753 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.56 |
| 0.780417 | 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490247 | 96 | 336.4289199 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180516 | 62 | 686.3622275 | 1.044193 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.36 |
| 0.35565 | 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.489044 | 54 | 1132.336158 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.209421 | 292 | 3966.693147 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.970414 | 715 | 4567.629112 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.060747 | 217 | 2534.276173 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.353958 | 577 | 320.5690152 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563369 | 828 | 692.1066015 | 13.82928 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.11 |
| 1.125512 | 228 | 510.9100736 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465687 | 321 | 377.5601454 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.48268 | 28 | 686.9658075 | 0.471157 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.97 |
| 0.780417 | 57 | 255.4550368 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490247 | 96 | 336.4289199 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175971 | 62 | 685.521796 | 1.045473 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.52 |
| 0.35565 | 23 | 159.659398 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 4.715914 | 108 | 1120.41683 | 1.11426 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.786098 | 650 | 2534.276173 | 2.964844 | No | No | Yes | Keep | \$211.53 | 2 | 32.5% | \$123.00 | 30.34% | 2534.28 |
| 0.716728 | 758 | 1156.952162 | 7.573492 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1156.95 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.135522 | 61 | 381.8950237 | 1.84641 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 381.90 |
| 4.413467 | 159.08 | 1284.416479 | 1.4317 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.42 |
| 1.546845 | 88.59 | 337.1833472 | 3.037113 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.632012 | 2.688324 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.63 |
| 1.329586 | 241.68 | 886.9788709 | 3.149704 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.571615 | 1.9942 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.57 |
| 0.727904 | 72.5 | 545.8333195 | 1.535396 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.837969 | 89.18 | 1102.979021 | 0.934636 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.080233 | 7433.12 | 1108.723589 | 77.49795 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.737829 | 315.33 | 592.8929031 | 6.147965 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.017075 | 356.72 | 501.8551929 | 8.216586 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.86 |
| 0.644351 | 3224.02 | 2781.086849 | 13.40064 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.09 |
| 0.964345 | 346.13 | 585.8412313 | 6.829701 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.144311 | 1293.46 | 3916.876723 | 3.817293 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.88 |
| 0.356119 | 3106.64 | 1483.173788 | 24.21259 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.927643 | 174.29 | 505.1788019 | 3.988134 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.850816 | 25.95 | 485.391922 | 0.617998 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.738765 | 55.77 | 505.1788019 | 1.276139 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.170654 | 51.45 | 1011.798249 | 0.587806 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125742 | 4288.34 | 1016.630214 | 48.76055 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.910683 | 190.99 | 521.1772441 | 4.236113 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.362128 | 205.8 | 460.6611882 | 5.164236 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994437 | 1860.01 | 2541.466354 | 8.460057 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.47 |
| 4.792848 | 275.12 | 2460.841337 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.004057 | 1374.08 | 5786.751509 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.760154 | 190.17 | 5786.751509 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.476245 | 404.42 | 5301.798196 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.878402 | 411.52 | 2032.947644 | 2.339953 | No | No | Yes | Keep | \$59.79 | 2 | 14.5% | \$123.00 | 30.34% | 2032.95 |
| 0.01566 | 1 | 6.388292408 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.385763 | 109 | 1866.581582 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.47509 | 186 | 1403.599021 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.351764 | 173 | 2365.324275 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.205921 | 49 | 1012.63883 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.355043 | 577 | 320.5689971 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563182 | 828 | 690.9710421 | 13.85201 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.97 |
| 1.121358 | 228 | 510.9100449 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.560124 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.476908 | 28 | 686.0467185 | 0.471788 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.05 |
| 0.777158 | 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289007 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177569 | 62 | 685.7794608 | 1.04508 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.78 |
| 0.355175 | 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.882226 | 11 | 215.0294801 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999142 | 1000 | 4120.242266 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935719 | 650 | 2748.592529 | 2.733665 | No | No | Yes | Keep | \$174.45 | 2 | 26.8% | \$123.00 | 30.34% | 2748.59 |
| 1.708293 | 54 | 554.372878 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.355043 | 577 | 320.5689971 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 0.563455 | 828 | 692.7669601 | 13.8161 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.77 |
| 1.121358 | 228 | 510.9100449 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.560124 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.483356 | 28 | 687.58396 | 0.470733 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.58 |
| 0.777158 | 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289007 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180516 | 62 | 686.3906411 | 1.04415 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.39 |
| 0.355175 | 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.480878 | 54 | 1132.336091 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.207823 | 292 | 3966.69287 | 0.850936 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.969468 | 715 | 4567.628779 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.057204 | 217 | 2534.276004 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.355043 | 577 | 320.5689971 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563369 | 828 | 692.1354927 | 13.82871 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.14 |
| 1.121358 | 228 | 510.9100449 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.560124 | 9.827913 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.48268 | 28 | 686.9942711 | 0.471137 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.99 |
| 0.777158 | 57 | 255.4550225 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289007 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175971 | 62 | 685.5501401 | 1.04543 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.55 |
| 0.355175 | 23 | 159.659389 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 1.691879 | 238 | 1120.416764 | 2.455499 | No | No | Yes | Keep | \$44.15 | 2 | 18.6% | \$123.00 | 30.34% | 1120.42 |
| 1.475921 | 1428 | 4201.562834 | 3.928798 | No | No | No | Keep | \$701.06 | 2 | 49.1% | \$123.00 | 30.34% | 4201.56 |
| 1.265631 | 260 | 886.9966048 | 3.388393 | No | No | No | Keep | \$106.53 | 2 | 41.0% | \$123.00 | 30.34% | 887.00 |
| 0.241933 | 19 | 61.76548542 | 3.555905 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 61.77 |
| 1.265631 | 260 | 886.9966048 | 3.388393 | No | No | No | Keep | \$106.53 | 2 | 41.0% | \$123.00 | 30.34% | 887.00 |
| 4.413467 | 159.08 | 1284.480534 | 1.431629 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.48 |
| 1.547181 | 88.59 | 337.1848837 | 3.037099 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.696449 | 2.688177 | No | No | Yes | Keep | \$69.81 | 2 | 25.6% | \$123.00 | 30.34% | 1172.70 |
| 1.330127 | 241.68 | 886.9830677 | 3.14969 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.628996 | 1.994097 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.63 |
| 0.729236 | 72.5 | 545.8358624 | 1.535389 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.84 |
| 2.83497 | 89.18 | 1102.984213 | 0.934632 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.07999 | 7433.12 | 1108.728835 | 77.49759 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.73 |
| 0.736954 | 315.33 | 592.8956637 | 6.147937 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.90 |
| 1.012474 | 356.72 | 501.857537 | 8.216548 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.86 |
| 0.642339 | 3224.02 | 2781.100545 | 13.40057 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.10 |
| 0.964345 | 346.13 | 585.8613739 | 6.829466 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.86 |
| 2.139619 | 1293.46 | 3916.900433 | 3.81727 | No | No | No | Keep | \$615.77 | 2 | 47.6% | \$123.00 | 30.34% | 3916.90 |
| 0.355688 | 3106.64 | 1483.182779 | 24.21244 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.18 |
| 0.925514 | 174.29 | 505.1819572 | 3.988109 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.852808 | 25.95 | 485.3949272 | 0.617994 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.73564 | 55.77 | 505.1819572 | 1.276131 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.16811 | 51.45 | 1011.804578 | 0.587802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125916 | 4288.34 | 1016.636603 | 48.76024 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.64 |
| 0.907502 | 190.99 | 521.1804685 | 4.236087 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.362751 | 205.8 | 460.6640491 | 5.164204 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 0.994491 | 1860.01 | 2541.482921 | 8.460002 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.48 |
| 4.778123 | 275.12 | 2460.841185 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.005469 | 1374.08 | 5786.751107 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.772332 | 190.17 | 5786.751107 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.472632 | 404.42 | 5301.79789 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.878023 | 411.52 | 2033.022427 | 2.339867 | No | No | Yes | Keep | \$59.77 | 2 | 14.5% | \$123.00 | 30.34% | 2033.02 |
| 4.385763 | 109 | 1866.581651 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.47509 | 186 | 1403.599076 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.351764 | 173 | 2365.324368 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.205921 | 49 | 1012.638868 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.355043 | 577 | 320.5690085 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563182 | 828 | 690.9720821 | 13.85199 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.97 |
| 1.121358 | 228 | 510.910063 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.5601375 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.476908 | 28 | 686.0477437 | 0.471787 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.05 |
| 0.777158 | 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289128 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177569 | 62 | 685.7804852 | 1.045079 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.78 |
| 0.355175 | 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.3803 | 32 | 107.2439259 | 3.44921 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 107.24 |
| 0.894065 | 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 269.47 |
| 0.882226 | 11 | 215.0294878 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999142 | 1000 | 4120.242454 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935719 | 650 | 2748.59547 | 2.733663 | No | No | Yes | Keep | \$174.45 | 2 | 26.8% | \$123.00 | 30.34% | 2748.60 |
| 1.708293 | 54 | 554.3728985 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.355043 | 577 | 320.5690085 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563455 | 828 | 692.7680055 | 13.81608 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.77 |
| 1.121358 | 228 | 510.910063 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.5601375 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.483356 | 28 | 687.5849898 | 0.470732 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.58 |
| 0.777158 | 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289128 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180516 | 62 | 686.3916673 | 1.044148 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.39 |
| 0.355175 | 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.3803 | 32 | 107.2439259 | 3.44921 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 107.24 |
| 0.894065 | 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 269.47 |
| 3.480878 | 54 | 1132.336133 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.207823 | 292 | 3966.693045 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.969468 | 715 | 4567.628989 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.057204 | 217 | 2534.276111 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.355043 | 577 | 320.5690085 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563369 | 828 | 692.1365362 | 13.82869 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.14 |
| 1.121358 | 228 | 510.910063 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466856 | 321 | 377.5601375 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.48268 | 28 | 686.9952991 | 0.471136 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.00 |
| 0.777158 | 57 | 255.4550315 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490064 | 96 | 336.4289128 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.175971 | 62 | 685.5511639 | 1.045428 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.55 |
| 0.355175 | 23 | 159.6593947 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.3803 | 32 | 107.2439259 | 3.44921 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 107.24 |
| 0.894065 | 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 269.47 |
| 2.316767 | 433 | 2365.324368 | 2.116116 | No | No | Yes | Keep | \$23.76 | 2 | 5.5% | \$123.00 | 30.34% | 2365.32 |
| 0.3803 | 32 | 107.2439259 | 3.44921 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 107.24 |
| 0.894065 | 41 | 269.4673329 | 1.758815 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 269.47 |
| 4.413467 | 159.08 | 1284.48221 | 1.431627 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.48 |
| 1.545489 | 88.59 | 337.1847853 | 3.0371 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.698135 | 2.688173 | No | No | Yes | Keep | \$69.81 | 2 | 25.6% | \$123.00 | 30.34% | 1172.70 |
| 1.329712 | 241.68 | 886.982799 | 3.149691 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.630498 | 1.994094 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.63 |
| 0.728417 | 72.5 | 545.8356996 | 1.535389 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.84 |
| 2.834254 | 89.18 | 1102.983881 | 0.934632 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.079987 | 7433.12 | 1108.728499 | 77.49761 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.73 |
| 0.735595 | 315.33 | 592.895487 | 6.147939 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.90 |
| 1.012326 | 356.72 | 501.8573869 | 8.21655 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.86 |
| 0.64221 | 3224.02 | 2781.099669 | 13.40058 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.10 |
| 0.964345 | 346.13 | 585.8617325 | 6.829462 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.86 |
| 2.13897 | 1293.46 | 3916.898923 | 3.817271 | No | No | No | Keep | \$615.77 | 2 | 47.6% | \$123.00 | 30.34% | 3916.90 |
| 0.35533 | 3106.64 | 1483.182207 | 24.21245 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.18 |
| 0.926504 | 174.29 | 505.1817563 | 3.98811 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.853012 | 25.95 | 485.3947359 | 0.617995 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.737324 | 55.77 | 505.1817563 | 1.276131 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.164902 | 51.45 | 1011.804175 | 0.587802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125706 | 4288.34 | 1016.636196 | 48.76026 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.64 |
| 0.905092 | 190.99 | 521.1802632 | 4.236089 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.363815 | 205.8 | 460.663867 | 5.164206 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.992884 | 1860.01 | 2541.481867 | 8.460005 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.48 |
| 4.778123 | 275.12 | 2460.841281 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.00518 | 1374.08 | 5786.751361 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.771981 | 190.17 | 5786.751361 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.472632 | 404.42 | 5301.798083 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.878023 | 411.52 | 2033.025137 | 2.339864 | No | No | Yes | Keep | \$59.77 | 2 | 14.5% | \$123.00 | 30.34% | 2033.03 |
| 0.01566 | 1 | 6.388292276 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.389926 | 109 | 1866.581596 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.474698 | 186 | 1403.599032 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.355132 | 173 | 2365.324294 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.212153 | 49 | 1012.638837 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.354122 | 577 | 320.5689995 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.561296 | 828 | 690.9399411 | 13.85264 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.94 |
| 1.125063 | 228 | 510.9100487 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466332 | 321 | 377.5601268 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.477963 | 28 | 686.0160592 | 0.471809 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.02 |
| 0.779453 | 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490952 | 96 | 336.4289032 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180102 | 62 | 685.7488254 | 1.045127 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.75 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|------------|----|-------|----------|--------|---------|
| 0.353221 | 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.883198 | 11 | 215.0294817 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.000836 | 1000 | 4120.242305 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.936605 | 650 | 2748.506056 | 2.733751 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.51 |
| 1.703541 | 54 | 554.3728823 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.354122 | 577 | 320.5689995 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563361 | 828 | 692.7356972 | 13.81673 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.74 |
| 1.125063 | 228 | 510.9100487 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466332 | 321 | 377.5601268 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481995 | 28 | 687.5531631 | 0.470754 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.55 |
| 0.779453 | 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490952 | 96 | 336.4289032 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178683 | 62 | 686.3599511 | 1.044196 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.36 |
| 0.353221 | 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.488615 | 54 | 1132.336099 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.207258 | 292 | 3966.692906 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.97172 | 715 | 4567.628822 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.060078 | 217 | 2534.276026 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.354122 | 577 | 320.5689995 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562876 | 828 | 692.1042868 | 13.82933 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.10 |
| 1.125063 | 228 | 510.9100487 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466332 | 321 | 377.5601268 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481958 | 28 | 686.9635271 | 0.471158 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.96 |
| 0.779453 | 57 | 255.4550243 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490952 | 96 | 336.4289032 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178073 | 62 | 685.5195252 | 1.045476 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.52 |
| 0.353221 | 23 | 159.6593902 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 4.063987 | 54 | 1120.416772 | 0.55713 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 2.254859 | 1071 | 4201.562875 | 2.946599 | No | No | Yes | Keep | \$344.06 | 2 | 32.1% | \$123.00 | 30.34% | 4201.56 |
| 1.794205 | 3332 | 9676.326527 | 3.980493 | No | No | No | Keep | \$1,657.84 | 2 | 49.8% | \$123.00 | 30.34% | 9676.33 |
| 1.946994 | 750 | 2653.093715 | 3.267767 | No | No | No | Keep | \$290.97 | 2 | 38.8% | \$123.00 | 30.34% | 2653.09 |
| 1.370994 | 1047 | 2504.461015 | 4.832532 | No | No | No | Keep | \$613.69 | 2 | 58.6% | \$123.00 | 30.34% | 2504.46 |
| 4.413467 | 159.08 | 1284.406539 | 1.431711 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.41 |
| 1.548213 | 88.59 | 337.1819383 | 3.037126 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.622013 | 2.688347 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.62 |
| 1.328634 | 241.68 | 886.9750225 | 3.149718 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.562711 | 1.994216 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.56 |
| 0.728831 | 72.5 | 545.8309876 | 1.535402 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.839055 | 89.18 | 1102.97426 | 0.93464 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.080187 | 7433.12 | 1108.718778 | 77.49829 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.738787 | 315.33 | 592.8903716 | 6.147992 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.017829 | 356.72 | 501.8530434 | 8.216621 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.644661 | 3224.02 | 2781.07429 | 13.4007 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.07 |
| 0.964345 | 346.13 | 585.8366724 | 6.829754 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.145409 | 1293.46 | 3916.85499 | 3.817314 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.85 |
| 0.356419 | 3106.64 | 1483.165548 | 24.21273 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.928492 | 174.29 | 505.1759099 | 3.988157 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 0.850464 | 25.95 | 485.3891674 | 0.618002 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.739421 | 55.77 | 505.1759099 | 1.276146 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.169498 | 51.45 | 1011.792449 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.125798 | 4288.34 | 1016.624358 | 48.76083 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.62 |
| 0.910266 | 190.99 | 521.1742887 | 4.236137 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.364521 | 205.8 | 460.6585659 | 5.164266 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994321 | 1860.01 | 2541.451168 | 8.460107 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.45 |
| 4.793699 | 275.12 | 2460.841205 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.004173 | 1374.08 | 5786.751159 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.759729 | 190.17 | 5786.751159 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.480281 | 404.42 | 5301.79793 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.881144 | 411.52 | 2032.94164 | 2.33996 | No | No | Yes | Keep | \$59.79 | 2 | 14.5% | \$123.00 | 30.34% | 2032.94 |
| 0.01566 | 1 | 6.388292096 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.395081 | 109 | 1866.581624 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.481218 | 186 | 1403.599054 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.363829 | 173 | 2365.324332 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.212882 | 49 | 1012.638853 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.35544 | 577 | 320.5690042 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563651 | 828 | 690.9554812 | 13.85232 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.96 |
| 1.123341 | 228 | 510.9100561 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467166 | 321 | 377.5601323 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481616 | 28 | 686.0313785 | 0.471798 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.03 |
| 0.781207 | 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489765 | 96 | 336.4289081 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180289 | 62 | 685.7641328 | 1.045103 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.76 |
| 0.355552 | 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.885517 | 11 | 215.0294849 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.002117 | 1000 | 4120.242382 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.940263 | 650 | 2748.549289 | 2.733708 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.55 |
| 1.707264 | 54 | 554.3728906 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.35544 | 577 | 320.5690042 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.56501 | 828 | 692.7513181 | 13.81641 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.75 |
| 1.123341 | 228 | 510.9100561 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467166 | 321 | 377.5601323 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.488327 | 28 | 687.5685512 | 0.470744 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.57 |
| 0.781207 | 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489765 | 96 | 336.4289081 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.181184 | 62 | 686.3752857 | 1.044173 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.38 |
| 0.355552 | 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.491563 | 54 | 1132.336117 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.214114 | 292 | 3966.692977 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.974857 | 715 | 4567.628908 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.06591 | 217 | 2534.276069 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.35544 | 577 | 320.5690042 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.56472 | 828 | 692.1198792 | 13.82902 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.12 |
| 1.123341 | 228 | 510.9100561 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467166 | 321 | 377.5601323 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.484741 | 28 | 686.9788887 | 0.471148 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.98 |
| 0.781207 | 57 | 255.455028 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489765 | 96 | 336.4289081 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.179003 | 62 | 685.5348224 | 1.045453 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.53 |
| 0.355552 | 23 | 159.6593925 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 1.16367 | 56.64 | 381.8950103 | 1.714437 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 381.90 |
| 0.309815 | 260 | 215.0294849 | 13.97712 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 0.793938 | 2501 | 2686.576314 | 10.76111 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2686.58 |
| 0.81834 | 22 | 215.0294849 | 1.182679 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.40141 | 325 | 1150.698324 | 3.264858 | No | No | No | Keep | \$125.91 | 2 | 38.7% | \$123.00 | 30.34% | 1150.70 |
| 1.148744 | 43 | 434.4473265 | 1.144126 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 434.45 |
| 4.413467 | 159.08 | 1284.440769 | 1.431673 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.44 |
| 1.544328 | 88.59 | 337.1826945 | 3.037119 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.656447 | 2.688268 | No | No | Yes | Keep | \$69.82 | 2 | 25.6% | \$123.00 | 30.34% | 1172.66 |
| 1.32729 | 241.68 | 886.977088 | 3.149711 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.593374 | 1.994161 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.59 |
| 0.72912 | 72.5 | 545.8322391 | 1.535399 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.834939 | 89.18 | 1102.976816 | 0.934638 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.079982 | 7433.12 | 1108.72136 | 77.49811 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.738348 | 315.33 | 592.8917303 | 6.147977 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.014962 | 356.72 | 501.8541971 | 8.216602 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.643771 | 3224.02 | 2781.081031 | 13.40067 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8473602 | 6.829629 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.85 |
| 2.14289 | 1293.46 | 3916.866683 | 3.817303 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.87 |
| 0.355975 | 3106.64 | 1483.169982 | 24.21265 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.926903 | 174.29 | 505.1774659 | 3.988144 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.851224 | 25.95 | 485.3906495 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.736164 | 55.77 | 505.1774659 | 1.276142 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.16955 | 51.45 | 1011.79557 | 0.587807 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125721 | 4288.34 | 1016.627508 | 48.76068 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.906056 | 190.99 | 521.1758788 | 4.236124 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.361156 | 205.8 | 460.6599767 | 5.16425 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.992874 | 1860.01 | 2541.459338 | 8.46008 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.46 |
| 4.788002 | 275.12 | 2460.841244 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.004694 | 1374.08 | 5786.751263 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.766041 | 190.17 | 5786.751263 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.479903 | 404.42 | 5301.798009 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.883459 | 411.52 | 2032.98201 | 2.339913 | No | No | Yes | Keep | \$59.78 | 2 | 14.5% | \$123.00 | 30.34% | 2032.98 |
| 0.01566 | 1 | 6.388292188 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.392566 | 109 | 1866.581634 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.482088 | 186 | 1403.599063 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.360419 | 173 | 2365.324346 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.217491 | 49 | 1012.638859 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.355076 | 577 | 320.5690058 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562379 | 828 | 690.9178279 | 13.85308 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.92 |
| 1.128565 | 228 | 510.9100588 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464541 | 321 | 377.5601343 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.479578 | 28 | 685.99426 | 0.471824 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.99 |
| 0.777577 | 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489213 | 96 | 336.4289099 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175812 | 62 | 685.7270432 | 1.04516 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.73 |
| 0.354879 | 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.885314 | 11 | 215.029486 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.002027 | 1000 | 4120.24241 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.938909 | 650 | 2748.444594 | 2.733813 | No | No | Yes | Keep | \$174.47 | 2 | 26.8% | \$123.00 | 30.34% | 2748.44 |
| 1.707444 | 54 | 554.3728936 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.355076 | 577 | 320.5690058 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.56354 | 828 | 692.7134689 | 13.81717 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.71 |
| 1.128565 | 228 | 510.9100588 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464541 | 321 | 377.5601343 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.479815 | 28 | 687.5312662 | 0.470769 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.53 |
| 0.777577 | 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489213 | 96 | 336.4289099 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.179125 | 62 | 686.33813 | 1.044229 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.34 |
| 0.354879 | 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.497552 | 54 | 1132.336123 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.21683 | 292 | 3966.693003 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.974307 | 715 | 4567.628939 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.068557 | 217 | 2534.276085 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.355076 | 577 | 320.5690058 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.564169 | 828 | 692.082099 | 13.82977 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.08 |
| 1.128565 | 228 | 510.9100588 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.464541 | 321 | 377.5601343 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481713 | 28 | 686.9416676 | 0.471173 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.94 |
| 0.777577 | 57 | 255.4550294 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489213 | 96 | 336.4289099 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.176722 | 62 | 685.4977576 | 1.04551 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.50 |
| 0.354879 | 23 | 159.6593934 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.779002 | 260 | 545.8440799 | 5.506138 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.84 |
| 1.484693 | 162 | 545.8440799 | 3.430748 | No | No | No | Keep | \$67.56 | 2 | 41.7% | \$123.00 | 30.34% | 545.84 |
| 1.55691 | 100 | 635.7874916 | 1.818153 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 635.79 |
| 2.333435 | 357 | 1150.698331 | 3.586321 | No | No | No | Keep | \$157.91 | 2 | 44.2% | \$123.00 | 30.34% | 1150.70 |
| 0.401545 | 173 | 216.1210062 | 9.25319 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 216.12 |
| 4.305097 | 130 | 1403.599063 | 1.070638 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 1.484693 | 162 | 545.8440799 | 3.430748 | No | No | No | Keep | \$67.56 | 2 | 41.7% | \$123.00 | 30.34% | 545.84 |
| 4.413467 | 159.08 | 1284.352289 | 1.431772 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.35 |
| 1.549929 | 88.59 | 337.179418 | 3.037148 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.56744 | 2.688473 | No | No | Yes | Keep | \$69.84 | 2 | 25.6% | \$123.00 | 30.34% | 1172.57 |
| 1.329037 | 241.68 | 886.9681382 | 3.149743 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.97 |
| 2.724961 | 190.9 | 1106.514113 | 1.994304 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.51 |
| 0.729105 | 72.5 | 545.8268163 | 1.535414 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.838622 | 89.18 | 1102.965744 | 0.934647 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.080168 | 7433.12 | 1108.710173 | 77.49889 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.71 |
| 0.73997 | 315.33 | 592.8858431 | 6.148039 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.021777 | 356.72 | 501.8491983 | 8.216684 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.645723 | 3224.02 | 2781.051824 | 13.40081 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.05 |
| 0.964345 | 346.13 | 585.8181176 | 6.82997 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.82 |
| 2.148881 | 1293.46 | 3916.81609 | 3.817352 | No | No | No | Keep | \$615.79 | 2 | 47.6% | \$123.00 | 30.34% | 3916.82 |
| 0.356723 | 3106.64 | 1483.150797 | 24.21297 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.15 |
| 0.931676 | 174.29 | 505.1707332 | 3.988198 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 0.851654 | 25.95 | 485.3842368 | 0.618008 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.38 |
| 0.739018 | 55.77 | 505.1707332 | 1.276159 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 3.168184 | 51.45 | 1011.782066 | 0.587815 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.78 |
| 0.126131 | 4288.34 | 1016.613875 | 48.76133 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.61 |
| 0.910227 | 190.99 | 521.1689985 | 4.23618 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.366539 | 205.8 | 460.653872 | 5.164318 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.65 |
| 0.995663 | 1860.01 | 2541.423985 | 8.460198 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.42 |
| 4.803321 | 275.12 | 2460.841258 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.001637 | 1374.08 | 5786.7513 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.747824 | 190.17 | 5786.7513 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.486656 | 404.42 | 5301.798037 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.883435 | 411.52 | 2032.884202 | 2.340026 | No | No | Yes | Keep | \$59.80 | 2 | 14.5% | \$123.00 | 30.34% | 2032.88 |
| 0.01566 | 1 | 6.388292222 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.38906 | 109 | 1866.581603 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.478233 | 186 | 1403.599038 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.35565 | 173 | 2365.324304 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.209642 | 49 | 1012.638842 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.354569 | 577 | 320.5690007 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563065 | 828 | 690.9294254 | 13.85285 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.93 |
| 1.127466 | 228 | 510.9100506 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465385 | 321 | 377.5601282 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.474714 | 28 | 686.0056928 | 0.471816 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.01 |
| 0.782404 | 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48566 | 96 | 336.4289045 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.174333 | 62 | 685.7384671 | 1.045143 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.74 |
| 0.350949 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.886028 | 11 | 215.0294826 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.001593 | 1000 | 4120.242325 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.938711 | 650 | 2748.47682 | 2.733781 | No | No | Yes | Keep | \$174.47 | 2 | 26.8% | \$123.00 | 30.34% | 2748.48 |
| 1.711081 | 54 | 554.3728844 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.354569 | 577 | 320.5690007 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.564753 | 828 | 692.7251268 | 13.81694 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.73 |
| 1.127466 | 228 | 510.9100506 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465385 | 321 | 377.5601282 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482366 | 28 | 687.5427503 | 0.470761 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.54 |
| 0.782404 | 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48566 | 96 | 336.4289045 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175453 | 62 | 686.3495743 | 1.044212 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.35 |
| 0.350949 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.493015 | 54 | 1132.336104 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.211776 | 292 | 3966.692925 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.971316 | 715 | 4567.628845 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.067031 | 217 | 2534.276037 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.354569 | 577 | 320.5690007 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.564166 | 828 | 692.0937356 | 13.82954 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.09 |
| 1.127466 | 228 | 510.9100506 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465385 | 321 | 377.5601282 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.477077 | 28 | 686.953132 | 0.471165 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.95 |
| 0.782404 | 57 | 255.4550253 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.48566 | 96 | 336.4289045 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.174944 | 62 | 685.5091738 | 1.045492 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.51 |
| 0.350949 | 23 | 159.6593908 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 2.913358 | 87 | 1120.416777 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.43673 | 108 | 605.3796522 | 2.062236 | No | No | Yes | Keep | \$3.26 | 2 | 3.0% | \$123.00 | 30.34% | 605.38 |
| 1.655211 | 136 | 786.3611151 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 786.36 |
| 1.9639 | 866 | 2504.461026 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |
| 2.913358 | 87 | 1120.416777 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.43673 | 108 | 605.3796522 | 2.062236 | No | No | Yes | Keep | \$3.26 | 2 | 3.0% | \$123.00 | 30.34% | 605.38 |
| 3.54899 | 541 | 3041.131247 | 2.056385 | No | No | Yes | Keep | \$14.83 | 2 | 2.7% | \$123.00 | 30.34% | 3041.13 |
| 4.413467 | 159.08 | 1284.379894 | 1.431741 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.38 |
| 1.557559 | 88.59 | 337.1805147 | 3.037139 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.595209 | 2.688409 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.60 |
| 1.32992 | 241.68 | 886.9711338 | 3.149732 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.97 |
| 2.724961 | 190.9 | 1106.538842 | 1.994259 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.54 |
| 0.729294 | 72.5 | 545.8286314 | 1.535409 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.838962 | 89.18 | 1102.96945 | 0.934644 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.080172 | 7433.12 | 1108.713917 | 77.49863 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.71 |
| 0.740263 | 315.33 | 592.8878136 | 6.148018 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.019913 | 356.72 | 501.8508714 | 8.216657 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.645425 | 3224.02 | 2781.0616 | 13.40076 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.06 |
| 0.964345 | 346.13 | 585.8273257 | 6.829863 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.83 |
| 2.14688 | 1293.46 | 3916.832979 | 3.817335 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.83 |
| 0.356413 | 3106.64 | 1483.157201 | 24.21286 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.16 |
| 0.927309 | 174.29 | 505.1729807 | 3.98818 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 0.851345 | 25.95 | 485.3863775 | 0.618005 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.739496 | 55.77 | 505.1729807 | 1.276153 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 3.166532 | 51.45 | 1011.786574 | 0.587813 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.125892 | 4288.34 | 1016.618426 | 48.76111 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.62 |
| 0.908966 | 190.99 | 521.1712953 | 4.236162 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.361497 | 205.8 | 460.6559099 | 5.164296 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994993 | 1860.01 | 2541.435787 | 8.460159 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.44 |
| 4.799944 | 275.12 | 2460.841215 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.00269 | 1374.08 | 5786.751187 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.753663 | 190.17 | 5786.751187 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.482707 | 404.42 | 5301.797951 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.882074 | 411.52 | 2032.914325 | 2.339991 | No | No | Yes | Keep | \$59.79 | 2 | 14.5% | \$123.00 | 30.34% | 2032.91 |
| 0.01566 | 1 | 6.38829212 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.396895 | 109 | 1866.581625 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |

| | | | | | | | | | | | | | |
|----------|--------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.481283 | 186 | 1403.599055 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.36965 | 173 | 2365.324334 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.222239 | 49 | 1012.638853 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.356802 | 577 | 320.5690043 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.561914 | 828 | 690.8817461 | 13.8538 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.88 |
| 1.130429 | 228 | 510.9100563 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467149 | 321 | 377.5601325 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.479173 | 28 | 685.9586906 | 0.471848 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.96 |
| 0.781516 | 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488105 | 96 | 336.4289083 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178683 | 62 | 685.6915015 | 1.045214 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.69 |
| 0.355005 | 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.888273 | 11 | 215.029485 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.005126 | 1000 | 4120.242385 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.938292 | 650 | 2748.344256 | 2.733912 | No | No | Yes | Keep | \$174.49 | 2 | 26.8% | \$123.00 | 30.34% | 2748.34 |
| 1.710892 | 54 | 554.3728909 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.356802 | 577 | 320.5690043 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562697 | 828 | 692.6771993 | 13.81789 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.68 |
| 1.130429 | 228 | 510.9100563 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467149 | 321 | 377.5601325 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.480065 | 28 | 687.4955372 | 0.470794 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.50 |
| 0.781516 | 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488105 | 96 | 336.4289083 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178517 | 62 | 686.3025249 | 1.044284 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.30 |
| 0.355005 | 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.496287 | 54 | 1132.336117 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.223832 | 292 | 3966.69298 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.978363 | 715 | 4567.628911 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.071537 | 217 | 2534.276071 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.356802 | 577 | 320.5690043 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562274 | 828 | 692.0458955 | 13.8305 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.05 |
| 1.130429 | 228 | 510.9100563 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.467149 | 321 | 377.5601325 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481137 | 28 | 686.9059999 | 0.471198 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.91 |
| 0.781516 | 57 | 255.4550282 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488105 | 96 | 336.4289083 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.178683 | 62 | 685.4622396 | 1.045564 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.46 |
| 0.355005 | 23 | 159.6593926 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 2.913179 | 87 | 1120.41679 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.428702 | 108 | 605.3410964 | 2.062367 | No | No | Yes | Keep | \$3.27 | 2 | 3.0% | \$123.00 | 30.34% | 605.34 |
| 1.658757 | 136 | 786.3611243 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 786.36 |
| 1.967657 | 866 | 2504.461059 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |
| 2.913179 | 87 | 1120.41679 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.428702 | 108 | 605.3410964 | 2.062367 | No | No | Yes | Keep | \$3.27 | 2 | 3.0% | \$123.00 | 30.34% | 605.34 |
| 3.558736 | 541 | 3041.131286 | 2.056385 | No | No | Yes | Keep | \$14.83 | 2 | 2.7% | \$123.00 | 30.34% | 3041.13 |
| 4.412332 | 159.08 | 1284.288599 | 1.431843 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.29 |
| 1.55628 | 88.59 | 337.1818296 | 3.037127 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.615089 | 272.71 | 1172.503371 | 2.688619 | No | No | Yes | Keep | \$69.85 | 2 | 25.6% | \$123.00 | 30.34% | 1172.50 |
| 1.331442 | 241.68 | 886.9747257 | 3.149719 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.97 |
| 2.724961 | 190.9 | 1106.457059 | 1.994407 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.46 |
| 0.726532 | 72.5 | 545.8308078 | 1.535403 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.843415 | 89.18 | 1102.973893 | 0.934641 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.080241 | 7433.12 | 1108.718407 | 77.49831 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.739756 | 315.33 | 592.8901763 | 6.147994 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.022097 | 356.72 | 501.8528776 | 8.216624 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.646782 | 3224.02 | 2781.073322 | 13.40071 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.07 |
| 0.965583 | 346.13 | 585.8029135 | 6.830148 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.80 |
| 2.152048 | 1293.46 | 3916.853275 | 3.817316 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.85 |
| 0.357478 | 3106.64 | 1483.164897 | 24.21274 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.16 |
| 0.929854 | 174.29 | 505.1756816 | 3.988158 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.846531 | 25.95 | 485.38895 | 0.618002 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.733464 | 55.77 | 505.1756816 | 1.276147 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.168268 | 51.45 | 1011.791991 | 0.587809 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.125922 | 4288.34 | 1016.623895 | 48.76085 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.62 |
| 0.909261 | 190.99 | 521.1740554 | 4.236139 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.361662 | 205.8 | 460.6583589 | 5.164268 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.996684 | 1860.01 | 2541.449969 | 8.460111 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.45 |
| 4.811184 | 275.12 | 2460.841245 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 0.994258 | 1374.08 | 5786.751267 | 2.744856 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 1.728581 | 190.17 | 5786.751267 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.493824 | 404.42 | 5301.798012 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.881235 | 411.52 | 2032.790474 | 2.340134 | No | No | Yes | Keep | \$59.81 | 2 | 14.5% | \$123.00 | 30.34% | 2032.79 |
| 0.01566 | 1 | 6.388292192 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.383033 | 109 | 1866.581646 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.477206 | 186 | 1403.599072 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.35631 | 173 | 2365.324362 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.208107 | 49 | 1012.638865 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.353779 | 577 | 320.5690078 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.564729 | 828 | 690.94259 | 13.85258 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.94 |
| 1.126566 | 228 | 510.9100619 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466738 | 321 | 377.5601367 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.48053 | 28 | 686.0186704 | 0.471807 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.02 |
| 0.78137 | 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488093 | 96 | 336.4289121 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180259 | 62 | 685.7514346 | 1.045123 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.75 |
| 0.354793 | 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.885646 | 11 | 215.0294874 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999703 | 1000 | 4120.242443 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.944167 | 650 | 2748.513458 | 2.733744 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.51 |
| 1.704354 | 54 | 554.3728972 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.353779 | 577 | 320.5690078 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.565624 | 828 | 692.7383598 | 13.81667 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.74 |
| 1.126566 | 228 | 510.9100619 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466738 | 321 | 377.5601367 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.488988 | 28 | 687.5557861 | 0.470752 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.56 |
| 0.78137 | 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488093 | 96 | 336.4289121 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180165 | 62 | 686.3625649 | 1.044192 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.36 |
| 0.354793 | 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.487018 | 54 | 1132.336131 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.210442 | 292 | 3966.693034 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.970636 | 715 | 4567.628976 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.06024 | 217 | 2534.276104 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.353779 | 577 | 320.5690078 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.565164 | 828 | 692.1069446 | 13.82928 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.11 |
| 1.126566 | 228 | 510.9100619 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.466738 | 321 | 377.5601367 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.487381 | 28 | 686.9661455 | 0.471156 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.97 |
| 0.78137 | 57 | 255.455031 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.488093 | 96 | 336.4289121 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.179122 | 62 | 685.5221327 | 1.045472 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.52 |
| 0.354793 | 23 | 159.6593944 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 1.453996 | 297.5 | 1120.416803 | 3.069373 | No | No | No | Keep | \$103.65 | 2 | 34.8% | \$123.00 | 30.34% | 1120.42 |
| 1.305235 | 108 | 551.4372705 | 2.263967 | No | No | Yes | Keep | \$12.59 | 2 | 11.7% | \$123.00 | 30.34% | 551.44 |
| 1.097738 | 68 | 382.5813472 | 2.054601 | No | No | Yes | Keep | \$1.81 | 2 | 2.7% | \$123.00 | 30.34% | 382.58 |
| 1.960627 | 866 | 2504.461091 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |
| 3.547364 | 541 | 3041.131324 | 2.056385 | No | No | Yes | Keep | \$14.83 | 2 | 2.7% | \$123.00 | 30.34% | 3041.13 |
| 4.413467 | 159.08 | 1284.414054 | 1.431703 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.41 |
| 1.547134 | 88.59 | 337.1825184 | 3.03712 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.629573 | 2.68833 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.63 |
| 1.328991 | 241.68 | 886.9766069 | 3.149713 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.569443 | 1.994204 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.57 |
| 0.726909 | 72.5 | 545.8319477 | 1.5354 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.83577 | 89.18 | 1102.976221 | 0.934639 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.08023 | 7433.12 | 1108.720759 | 77.49815 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.738482 | 315.33 | 592.8914138 | 6.147981 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.01782 | 356.72 | 501.8539284 | 8.216607 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.644063 | 3224.02 | 2781.079461 | 13.40068 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8395235 | 6.829721 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.144123 | 1293.46 | 3916.863928 | 3.817305 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.86 |
| 0.356167 | 3106.64 | 1483.168937 | 24.21267 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.928726 | 174.29 | 505.1770993 | 3.988147 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.850982 | 25.95 | 485.3903003 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.740142 | 55.77 | 505.1770993 | 1.276143 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.164768 | 51.45 | 1011.794834 | 0.587808 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.125752 | 4288.34 | 1016.626766 | 48.76071 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.90818 | 190.99 | 521.1755041 | 4.236127 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.362595 | 205.8 | 460.6596443 | 5.164254 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994344 | 1860.01 | 2541.457413 | 8.460087 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.46 |
| 4.793525 | 275.12 | 2460.841275 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.004 | 1374.08 | 5786.751345 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |

| | | | | | | | | | | | | | |
|----------|--------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.760554 | 190.17 | 5786.751345 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.476561 | 404.42 | 5301.798071 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.885279 | 411.52 | 2032.948527 | 2.339952 | No | No | Yes | Keep | \$59.79 | 2 | 14.5% | \$123.00 | 30.34% | 2032.95 |
| 0.01566 | 1 | 6.388292262 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.387853 | 109 | 1866.581669 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.4785 | 186 | 1403.59909 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.360117 | 173 | 2365.324393 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.215398 | 49 | 1012.638878 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.354093 | 577 | 320.5690116 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562202 | 828 | 690.9227842 | 13.85298 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.92 |
| 1.129832 | 228 | 510.9100678 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.463765 | 321 | 377.5601411 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.474954 | 28 | 685.9991459 | 0.471821 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.00 |
| 0.77686 | 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489135 | 96 | 336.428916 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.176194 | 62 | 685.7319253 | 1.045153 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.73 |
| 0.353627 | 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.884953 | 11 | 215.0294899 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 2.001915 | 1000 | 4120.242504 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.938396 | 650 | 2748.458401 | 2.733799 | No | No | Yes | Keep | \$174.47 | 2 | 26.8% | \$123.00 | 30.34% | 2748.46 |
| 1.711973 | 54 | 554.3729039 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.354093 | 577 | 320.5690116 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563189 | 828 | 692.718451 | 13.81707 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.72 |
| 1.129832 | 228 | 510.9100678 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.463765 | 321 | 377.5601411 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.477272 | 28 | 687.536174 | 0.470766 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.54 |
| 0.77686 | 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489135 | 96 | 336.428916 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.176547 | 62 | 686.3430208 | 1.044222 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.34 |
| 0.353627 | 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.492051 | 54 | 1132.336145 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.213739 | 292 | 3966.693091 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.974103 | 715 | 4567.629045 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.068622 | 217 | 2534.276139 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.354093 | 577 | 320.5690116 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.562948 | 828 | 692.087072 | 13.82967 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.09 |
| 1.129832 | 228 | 510.9100678 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.463765 | 321 | 377.5601411 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.477096 | 28 | 686.946567 | 0.47117 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.95 |
| 0.77686 | 57 | 255.4550339 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.489135 | 96 | 336.428916 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175959 | 62 | 685.5026364 | 1.045502 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.50 |
| 0.353627 | 23 | 159.6593962 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 2.9433 | 87 | 1132.336145 | 0.88815 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 1.434417 | 108 | 605.3742839 | 2.062254 | No | No | Yes | Keep | \$3.26 | 2 | 3.0% | \$123.00 | 30.34% | 605.37 |
| 2.064098 | 209.85 | 1258.261443 | 1.927882 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1258.26 |
| 1.964004 | 866 | 2504.461125 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 2.9433 | 87 | 1132.336145 | 0.88815 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 3.553146 | 541 | 3041.131364 | 2.056385 | No | No | Yes | Keep | \$14.83 | 2 | 2.7% | \$123.00 | 30.34% | 3041.13 |
| 4.413467 | 159.08 | 1284.36814 | 1.431754 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.37 |
| 1.55262 | 88.59 | 337.1809631 | 3.037134 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.583385 | 2.688436 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.58 |
| 1.328879 | 241.68 | 886.9723588 | 3.149728 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.97 |
| 2.724961 | 190.9 | 1106.528313 | 1.994278 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.53 |
| 0.729835 | 72.5 | 545.8293736 | 1.535407 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.839392 | 89.18 | 1102.970965 | 0.934643 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.97 |
| 0.079989 | 7433.12 | 1108.715448 | 77.49852 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.737915 | 315.33 | 592.8886194 | 6.14801 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.020857 | 356.72 | 501.8515556 | 8.216646 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.645339 | 3224.02 | 2781.065597 | 13.40074 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.07 |
| 0.964345 | 346.13 | 585.8245265 | 6.829896 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.82 |
| 2.148545 | 1293.46 | 3916.839911 | 3.817329 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.84 |
| 0.356942 | 3106.64 | 1483.15983 | 24.21282 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.16 |
| 0.932724 | 174.29 | 505.1739033 | 3.988172 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 0.852124 | 25.95 | 485.3872562 | 0.618004 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.742146 | 55.77 | 505.1739033 | 1.276151 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.17 |
| 3.169034 | 51.45 | 1011.788424 | 0.587811 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.79 |
| 0.125858 | 4288.34 | 1016.620294 | 48.76102 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.62 |
| 0.906807 | 190.99 | 521.172238 | 4.236154 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.17 |
| 1.363559 | 205.8 | 460.6567464 | 5.164286 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.995654 | 1860.01 | 2541.440631 | 8.460143 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.44 |
| 4.799871 | 275.12 | 2460.841306 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.001981 | 1374.08 | 5786.751428 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.749894 | 190.17 | 5786.751428 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.485343 | 404.42 | 5301.798134 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.880819 | 411.52 | 2032.897082 | 2.340011 | No | No | Yes | Keep | \$59.80 | 2 | 14.5% | \$123.00 | 30.34% | 2032.90 |
| 0.01566 | 1 | 6.388292336 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.38593 | 109 | 1866.581642 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.476613 | 186 | 1403.599068 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.357602 | 173 | 2365.324356 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.207719 | 49 | 1012.638863 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.35433 | 577 | 320.5690071 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563992 | 828 | 690.9444056 | 13.85255 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.94 |
| 1.12591 | 228 | 510.9100607 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.468002 | 321 | 377.5601357 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.490381 | 28 | 686.0204603 | 0.471806 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.02 |
| 0.780746 | 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490835 | 96 | 336.4289112 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.182238 | 62 | 685.7532231 | 1.04512 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.75 |
| 0.35541 | 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.888308 | 11 | 215.0294868 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999478 | 1000 | 4120.24243 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.944831 | 650 | 2748.518503 | 2.733739 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.52 |
| 1.702688 | 54 | 554.3728958 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 0.35433 | 577 | 320.5690071 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.565874 | 828 | 692.7401849 | 13.81664 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.74 |
| 1.12591 | 228 | 510.9100607 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.468002 | 321 | 377.5601357 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.492632 | 28 | 687.5575839 | 0.470751 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.56 |
| 0.780746 | 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490835 | 96 | 336.4289112 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.184428 | 62 | 686.3643565 | 1.04419 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.36 |
| 0.35541 | 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.488383 | 54 | 1132.336128 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.20837 | 292 | 3966.693022 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.971899 | 715 | 4567.628962 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.061129 | 217 | 2534.276097 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.35433 | 577 | 320.5690071 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.5655 | 828 | 692.1087663 | 13.82924 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.11 |
| 1.12591 | 228 | 510.9100607 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.468002 | 321 | 377.5601357 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.491832 | 28 | 686.9679403 | 0.471155 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.97 |
| 0.780746 | 57 | 255.4550303 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.490835 | 96 | 336.4289112 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.181203 | 62 | 685.5239199 | 1.04547 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.52 |
| 0.35541 | 23 | 159.659394 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 2.910982 | 87 | 1120.4168 | 0.897598 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1120.42 |
| 1.437533 | 108 | 605.3917674 | 2.062194 | No | No | Yes | Keep | \$3.26 | 2 | 3.0% | \$123.00 | 30.34% | 605.39 |
| 1.656103 | 136 | 786.3611314 | 1.999214 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 786.36 |
| 1.960529 | 866 | 2504.461084 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |
| 3.547834 | 541 | 3041.131315 | 2.056385 | No | No | Yes | Keep | \$14.83 | 2 | 2.7% | \$123.00 | 30.34% | 3041.13 |
| 4.413467 | 159.08 | 1284.41796 | 1.431699 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.42 |
| 1.546742 | 88.59 | 337.1825806 | 3.03712 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.633502 | 2.688321 | No | No | Yes | Keep | \$69.83 | 2 | 25.6% | \$123.00 | 30.34% | 1172.63 |
| 1.331829 | 241.68 | 886.9767769 | 3.149712 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.572942 | 1.994198 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.57 |
| 0.725391 | 72.5 | 545.8320507 | 1.535399 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.835219 | 89.18 | 1102.976431 | 0.934638 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.080184 | 7433.12 | 1108.720971 | 77.49814 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.737905 | 315.33 | 592.8915257 | 6.14798 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.018333 | 356.72 | 501.8540233 | 8.216605 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.644487 | 3224.02 | 2781.080016 | 13.40067 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8407126 | 6.829707 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.144384 | 1293.46 | 3916.864884 | 3.817304 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.86 |
| 0.356535 | 3106.64 | 1483.169299 | 24.21266 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.927203 | 174.29 | 505.1772265 | 3.988146 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.851221 | 25.95 | 485.3904215 | 0.618 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.738384 | 55.77 | 505.1772265 | 1.276143 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.161313 | 51.45 | 1011.795089 | 0.587808 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125855 | 4288.34 | 1016.627024 | 48.7607 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.909426 | 190.99 | 521.1756341 | 4.236126 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|----------|----|-------|----------|--------|---------|
| 1.361296 | 205.8 | 460.6597597 | 5.164252 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994127 | 1860.01 | 2541.458081 | 8.460084 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.46 |
| 4.792923 | 275.12 | 2460.841268 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.00422 | 1374.08 | 5786.751327 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.762175 | 190.17 | 5786.751327 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.478891 | 404.42 | 5301.798058 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.886099 | 411.52 | 2032.953242 | 2.339946 | No | No | Yes | Keep | \$59.79 | 2 | 14.5% | \$123.00 | 30.34% | 2032.95 |
| 0.01566 | 1 | 6.388292246 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 4.388264 | 109 | 1866.581599 | 0.675028 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1866.58 |
| 2.476663 | 186 | 1403.599035 | 1.531836 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1403.60 |
| 4.354138 | 173 | 2365.324299 | 0.845469 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2365.32 |
| 3.206783 | 49 | 1012.638839 | 0.55935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1012.64 |
| 0.3545 | 577 | 320.5690001 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563182 | 828 | 690.9492261 | 13.85245 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 690.95 |
| 1.121696 | 228 | 510.9100496 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465897 | 321 | 377.5601275 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.476908 | 28 | 686.0252123 | 0.471803 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.03 |
| 0.782078 | 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.491244 | 96 | 336.4289038 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.177569 | 62 | 685.7579714 | 1.045113 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.76 |
| 0.356506 | 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 0.881989 | 11 | 215.0294821 | 0.59134 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 215.03 |
| 1.999411 | 1000 | 4120.242315 | 2.80556 | No | No | Yes | Keep | \$287.13 | 2 | 28.7% | \$123.00 | 30.34% | 4120.24 |
| 1.935535 | 650 | 2748.531877 | 2.733726 | No | No | Yes | Keep | \$174.46 | 2 | 26.8% | \$123.00 | 30.34% | 2748.53 |
| 1.705399 | 54 | 554.3728833 | 1.125989 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 554.37 |
| 0.3545 | 577 | 320.5690001 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563531 | 828 | 692.7450305 | 13.81654 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.75 |
| 1.121696 | 228 | 510.9100496 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465897 | 321 | 377.5601275 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.482414 | 28 | 687.5623573 | 0.470748 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 687.56 |
| 0.782078 | 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.491244 | 96 | 336.4289038 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.180516 | 62 | 686.3691134 | 1.044182 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.37 |
| 0.356506 | 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |
| 3.48666 | 54 | 1132.336102 | 0.551265 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1132.34 |
| 5.208399 | 292 | 3966.692915 | 0.850935 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 3966.69 |
| 2.970708 | 715 | 4567.628833 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 4567.63 |
| 4.061185 | 217 | 2534.276031 | 0.989802 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2534.28 |
| 0.3545 | 577 | 320.5690001 | 20.80639 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 320.57 |
| 0.563369 | 828 | 692.1136031 | 13.82914 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 692.11 |
| 1.121696 | 228 | 510.9100496 | 5.158611 | No | No | No | Keep | \$139.60 | 2 | 61.2% | \$123.00 | 30.34% | 510.91 |
| 0.465897 | 321 | 377.5601275 | 9.827912 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 377.56 |
| 2.481737 | 28 | 686.9727055 | 0.471152 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 686.97 |
| 0.782078 | 57 | 255.4550248 | 2.579305 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 255.46 |
| 0.491244 | 96 | 336.4289038 | 3.298529 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 336.43 |
| 1.175971 | 62 | 685.5286651 | 1.045462 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 685.53 |
| 0.356506 | 23 | 159.6593905 | 1.665236 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 159.66 |

| | | | | | | | | | | | | | |
|----------|---------|-------------|----------|-----|-----|-----|------|------------|----|-------|----------|--------|----------|
| 0.240898 | 19.61 | 61.76548598 | 3.670068 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 61.77 |
| 1.303412 | 108 | 551.4421406 | 2.263947 | No | No | Yes | Keep | \$12.59 | 2 | 11.7% | \$123.00 | 30.34% | 551.44 |
| 1.093309 | 68 | 382.5813378 | 2.054601 | No | No | Yes | Keep | \$1.81 | 2 | 2.7% | \$123.00 | 30.34% | 382.58 |
| 1.958956 | 866 | 2504.46102 | 3.997109 | No | No | No | Keep | \$432.69 | 2 | 50.0% | \$123.00 | 30.34% | 2504.46 |
| 1.148182 | 173 | 438.9261592 | 4.556139 | No | No | No | Keep | \$97.06 | 2 | 56.1% | \$123.00 | 30.34% | 438.93 |
| 4.413467 | 159.08 | 1284.429369 | 1.431686 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1284.43 |
| 1.544528 | 88.59 | 337.1830138 | 3.037116 | No | No | No | Keep | \$30.25 | 2 | 34.1% | \$123.00 | 30.34% | 337.18 |
| 1.614994 | 272.71 | 1172.644979 | 2.688295 | No | No | Yes | Keep | \$69.82 | 2 | 25.6% | \$123.00 | 30.34% | 1172.64 |
| 1.330711 | 241.68 | 886.9779602 | 3.149708 | No | No | No | Keep | \$88.22 | 2 | 36.5% | \$123.00 | 30.34% | 886.98 |
| 2.725412 | 190.9 | 1106.583162 | 1.994179 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1106.58 |
| 0.72838 | 72.5 | 545.8327676 | 1.535397 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 545.83 |
| 2.834904 | 89.18 | 1102.977895 | 0.934637 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1102.98 |
| 0.080103 | 7433.12 | 1108.72245 | 77.49803 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1108.72 |
| 0.736473 | 315.33 | 592.892304 | 6.147972 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 592.89 |
| 1.014464 | 356.72 | 501.8546842 | 8.216594 | No | No | No | Keep | \$269.89 | 2 | 75.7% | \$123.00 | 30.34% | 501.85 |
| 0.64401 | 3224.02 | 2781.083877 | 13.40065 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2781.08 |
| 0.964345 | 346.13 | 585.8444947 | 6.829663 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 585.84 |
| 2.143126 | 1293.46 | 3916.871562 | 3.817298 | No | No | No | Keep | \$615.78 | 2 | 47.6% | \$123.00 | 30.34% | 3916.87 |
| 0.356214 | 3106.64 | 1483.171831 | 24.21262 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1483.17 |
| 0.92562 | 174.29 | 505.1781151 | 3.988139 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 0.851265 | 25.95 | 485.3912678 | 0.617999 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 485.39 |
| 0.73701 | 55.77 | 505.1781151 | 1.27614 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 505.18 |
| 3.169562 | 51.45 | 1011.796872 | 0.587807 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 1011.80 |
| 0.125588 | 4288.34 | 1016.628823 | 48.76061 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 1016.63 |
| 0.905984 | 190.99 | 521.1765422 | 4.236119 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 521.18 |
| 1.363757 | 205.8 | 460.6605654 | 5.164243 | No | No | No | Keep | \$126.10 | 2 | 61.3% | \$123.00 | 30.34% | 460.66 |
| 0.994191 | 1860.01 | 2541.462747 | 8.460069 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 2541.46 |
| 4.793693 | 275.12 | 2460.84121 | 1.292352 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 2460.84 |
| 1.00401 | 1374.08 | 5786.751172 | 2.744856 | No | No | Yes | Keep | \$372.88 | 2 | 27.1% | \$123.00 | 30.34% | 5786.75 |
| 1.762748 | 190.17 | 5786.751172 | 0.379883 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5786.75 |
| 5.475281 | 404.42 | 5301.79794 | 0.881763 | Yes | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 5301.80 |
| 1.878402 | 411.52 | 2032.965759 | 2.339932 | No | No | Yes | Keep | \$59.78 | 2 | 14.5% | \$123.00 | 30.34% | 2032.97 |
| 0.01566 | 1 | 6.388292108 | 1.809496 | No | Yes | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 6.39 |
| 0.606835 | 47.2 | 132.4 | 4.120941 | No | No | No | Drop | NA | NA | NA | \$123.00 | 5.63% | 132.40 |
| 0.50447 | 32.61 | 129.1 | 2.919893 | No | No | Yes | Drop | NA | NA | NA | \$123.00 | 5.63% | 129.10 |
| 1.934773 | 299.17 | 1051.2 | 3.289842 | No | No | No | Keep | \$117.30 | 2 | 39.2% | \$123.00 | 30.34% | 1051.20 |
| 2.620676 | 3105 | 10915 | 3.288367 | No | No | No | Keep | \$1,216.52 | 2 | 39.2% | \$123.00 | 30.34% | 10915.00 |
| 2.105153 | 2500 | 7172 | 4.029416 | No | No | No | Keep | \$1,259.13 | 2 | 50.4% | \$123.00 | 30.34% | 7172.00 |

\$666,056.43

255

\$240,412.11

\$282,107.08

| | | | | | | | | | | | | | | | | |
|------|------|------------|-----|---|----|----|----|----|----|----|----|----|----|----|----|----|
| 0.06 | 0.00 | 6,701,933 | 102 | N | 6 | 6 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 0.04 | 0.01 | 421,272 | 6 | N | 8 | 8 | 0 | 1 | 1 | 2 | 4 | 6 | 7 | 7 | 8 | 8 |
| 0.15 | 0.01 | 2,792,472 | 42 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 0.04 | 0.01 | 3,447,642 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 2,792,472 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.19 | 0.01 | 3,630,214 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.19 | 0.01 | 3,350,967 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.10 | 0.00 | 3,070,496 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 2,233,978 | 34 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.47 | 0.02 | 2,523,683 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.00 | 13,133,356 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.67 | 0.00 | 6,566,678 | 100 | N | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.25 | 0.00 | 3,250,506 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 3,250,506 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 4,925,009 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 3,263,585 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.18 | 0.00 | 6,428,274 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.18 | 0.00 | 5,933,792 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 5,437,142 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 3,955,861 | 60 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.45 | 0.00 | 4,468,863 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.42 | 0.30 | 12,541,274 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1.11 | 0.71 | 1,403,141 | 21 | M | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1.11 | 0.71 | 1,403,141 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.72 | 0.65 | 1,683,787 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.25 | 5,225,071 | 79 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.00 | 0.00 | 10,429,368 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.48 | 0.57 | 682,169 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.36 | 0.43 | 227,390 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.60 | 0.72 | 454,779 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.26 | 0.31 | 363,823 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.10 | 37,983 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.21 | 35,455 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.13 | 0.16 | 43,659 | 1 | M | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0.10 | 0.11 | 201,322 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.21 | 299,598 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.08 | 324,712 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.10 | 204,960 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.21 | 500,913 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.05 | 539,368 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.07 | 860,832 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1.05 | 1.25 | 430,416 | 7 | N | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0.33 | 0.84 | 258,250 | 4 | N | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0.14 | 0.17 | 344,333 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.10 | 71,897 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.21 | 63,811 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.13 | 0.16 | 82,640 | 1 | N | 1 | -1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |

| | | | | | | | | | | | | | | | | | |
|------|------|------------|-----|---|-----|-----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| 0.11 | 0.62 | 411,930 | 6 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0.00 | 0.00 | 798,390 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.30 | 0.35 | 97,762 | 1 | N | 20 | 20 | 1 | 2 | 3 | 6 | 10 | 14 | 17 | 18 | 19 | 20 | 20 |
| 0.32 | 0.30 | 3,858,829 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.24 | 0.23 | 1,286,276 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.41 | 0.39 | 2,572,553 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.18 | 0.16 | 2,058,042 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 214,860 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 200,557 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.08 | 246,965 | 4 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.07 | 0.06 | 1,138,818 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 1,694,740 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.04 | 1,836,803 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 1,159,398 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 2,833,520 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.03 | 3,051,047 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.04 | 4,869,475 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.71 | 0.67 | 2,434,737 | 37 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.22 | 0.45 | 1,460,842 | 22 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.10 | 0.09 | 1,947,790 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 406,699 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 360,959 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.08 | 467,470 | 7 | N | 7 | -1 | 0 | 1 | 1 | 2 | 4 | 5 | 6 | 7 | 7 | 7 | 7 |
| 0.07 | 0.06 | 2,155,619 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 3,087,301 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.04 | 3,476,805 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 2,194,575 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 5,283,634 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.03 | 5,775,197 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.41 | 0.39 | 4,869,475 | 74 | N | 50 | 50 | 2 | 4 | 8 | 15 | 25 | 35 | 42 | 46 | 49 | 50 | 50 |
| 0.20 | 0.18 | 5,108,354 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.69 | 0.65 | 4,469,810 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.79 | 0.74 | 3,831,266 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.44 | 0.41 | 2,554,177 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 533,312 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 481,925 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.08 | 613,003 | 9 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.07 | 0.06 | 2,826,708 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 4,109,023 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.04 | 4,559,206 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.05 | 2,877,791 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.11 | 7,072,521 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.03 | 7,573,136 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.27 | 1.04 | 3,445,383 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.11 | 0.11 | 16,078,454 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.06 | 18,375,376 | 279 | N | 390 | 390 | 12 | 31 | 62 | 117 | 195 | 273 | 328 | 359 | 378 | 390 | 390 |
| 0.49 | 0.46 | 1,112,542 | 17 | N | 10 | 10 | 0 | 1 | 2 | 3 | 5 | 7 | 8 | 9 | 10 | 10 | 10 |

| | | | | | | | | | | | | | | | | | |
|------|------|------------|----|---|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0.32 | 0.18 | 5,866,238 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.55 | 0.30 | 11,732,475 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.23 | 0.13 | 9,385,980 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.04 | 979,896 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 914,669 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.12 | 0.06 | 1,126,318 | 17 | M | 6 | 6 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 | 6 |
| 0.09 | 0.05 | 5,193,732 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 7,729,092 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.03 | 8,376,987 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.04 | 5,287,592 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 12,922,654 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.02 | 13,914,716 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.03 | 4,248,048 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.95 | 0.52 | 2,124,024 | 32 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.30 | 0.35 | 1,274,414 | 19 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.13 | 0.07 | 1,699,219 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.04 | 354,797 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 314,894 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.12 | 0.06 | 407,813 | 6 | N | 6 | -1 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 | 6 |
| 0.09 | 0.05 | 1,880,526 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 2,693,310 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.03 | 3,033,106 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.04 | 1,914,510 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 4,609,353 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.02 | 5,038,184 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.26 | 0.14 | 4,456,442 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.92 | 0.50 | 3,899,387 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1.06 | 0.58 | 3,342,332 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.59 | 0.32 | 2,228,221 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.04 | 465,253 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 420,423 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.12 | 0.06 | 534,773 | 8 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.09 | 0.05 | 2,465,972 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 3,584,643 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.03 | 3,977,375 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.04 | 2,510,537 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.09 | 6,169,948 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.02 | 6,606,676 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.26 | 0.14 | 5,975,546 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.08 | 3,585,328 | 54 | N | 6 | 6 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 | 6 |
| 0.18 | 0.10 | 3,734,717 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.58 | 0.32 | 1,397,364 | 21 | N | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.26 | 0.14 | 2,235,782 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.08 | 1,341,469 | 20 | N | 8 | 8 | 0 | 1 | 1 | 2 | 4 | 6 | 7 | 7 | 8 | 8 | 8 |
| 0.70 | 0.38 | 550,107 | 8 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 0.07 | 0.01 | 5,789,474 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.10 | 0.00 | 5,210,526 | 79 | N | 5 | 5 | 0 | 0 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 5 | 5 |

| | | | | | | | | | | | | | | | | |
|------|------|------------|-----|---|----|----|----|----|----|----|----|----|----|----|----|----|
| 0.01 | 0.08 | 3,263,671 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.03 | 3,675,426 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.04 | 2,319,945 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.08 | 5,585,475 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.02 | 6,105,119 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.15 | 0.13 | 5,400,182 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.54 | 0.46 | 4,725,159 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.62 | 0.53 | 4,050,136 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.34 | 0.29 | 2,700,091 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.04 | 563,779 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.08 | 509,456 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.07 | 0.06 | 648,022 | 10 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 0.05 | 0.04 | 2,988,191 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.08 | 4,343,761 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.03 | 0.03 | 4,819,662 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.04 | 3,042,192 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.08 | 7,476,556 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.02 | 0.02 | 8,005,770 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.15 | 0.13 | 8,663,689 | 131 | N | 6 | 6 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 0.01 | 0.06 | 3,465,476 | 53 | N | 6 | 6 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 0.05 | 0.04 | 3,609,871 | 55 | N | 10 | 10 | 0 | 1 | 2 | 3 | 5 | 7 | 8 | 9 | 10 | 10 |
| 0.34 | 0.29 | 5,469,259 | 83 | N | 3 | 3 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 |
| 0.41 | 0.35 | 6,489,915 | 98 | N | 50 | 50 | 2 | 4 | 8 | 15 | 25 | 35 | 42 | 46 | 49 | 50 |
| 0.04 | 0.01 | 17,835,044 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.06 | 0.00 | 16,051,540 | 243 | N | 15 | 15 | 0 | 1 | 2 | 5 | 8 | 11 | 13 | 14 | 15 | 15 |
| 0.04 | 0.01 | 1,008,973 | 15 | N | 18 | 18 | 1 | 1 | 3 | 5 | 9 | 13 | 15 | 17 | 17 | 18 |
| 0.15 | 0.01 | 6,688,142 | 101 | N | 5 | 5 | 0 | 0 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 5 |
| 0.04 | 0.01 | 8,257,313 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 6,688,142 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.19 | 0.01 | 8,694,584 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.19 | 0.01 | 8,025,770 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.10 | 0.00 | 7,354,025 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 5,350,513 | 81 | M | 3 | 3 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 |
| 0.47 | 0.02 | 6,044,375 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.00 | 32,543,982 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.66 | 0.00 | 16,271,991 | 247 | N | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 0.25 | 0.00 | 8,054,636 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 8,054,636 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 12,203,993 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 5,622,942 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.18 | 0.00 | 11,075,492 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.18 | 0.00 | 10,223,531 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 9,367,837 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 6,815,687 | 103 | M | 2 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 0.44 | 0.00 | 7,699,555 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.41 | 0.28 | 22,026,264 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1.10 | 0.67 | 933,992 | 14 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |

| | | | | | | | | | | | | | | | | |
|------|------|-------------|-------|---|----|----|----|----|----|----|----|----|----|----|----|----|
| 0.01 | 0.01 | 8,172,272 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.01 | 0.06 | 2,680,016 | 41 | N | 5 | 5 | 0 | 0 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 5 |
| 0.05 | 0.04 | 2,791,684 | 42 | N | 10 | 10 | 0 | 1 | 2 | 3 | 5 | 7 | 8 | 9 | 10 | 10 |
| 0.31 | 0.27 | 1,368,919 | 21 | N | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.05 | 0.05 | 177,088 | 3 | N | 30 | 30 | 1 | 2 | 5 | 9 | 15 | 21 | 25 | 28 | 29 | 30 |
| 0.04 | 0.01 | 4,168,294 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.00 | 3,751,464 | 57 | N | 4 | 4 | 0 | 0 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 4 |
| 0.04 | 0.01 | 235,811 | 4 | N | 4 | 4 | 0 | 0 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 4 |
| 0.14 | 0.01 | 1,563,110 | 24 | N | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.03 | 0.01 | 1,929,847 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 1,563,110 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.17 | 0.01 | 2,032,043 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.17 | 0.01 | 1,875,732 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.09 | 0.00 | 1,718,736 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 1,250,488 | 19 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.43 | 0.02 | 1,412,653 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.00 | 8,175,844 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.61 | 0.00 | 4,087,922 | 62 | N | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.23 | 0.00 | 2,023,521 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 2,023,521 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 3,065,942 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 1,436,292 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.16 | 0.00 | 2,829,060 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.16 | 0.00 | 2,611,440 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 2,392,866 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.08 | 0.00 | 1,740,960 | 26 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.41 | 0.00 | 1,966,730 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.38 | 0.27 | 9,627,645 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 1.02 | 0.62 | 308,412 | 5 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1.02 | 0.62 | 308,412 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.66 | 0.57 | 83,272 | NA | M | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.05 | 0.22 | 3,277,211 | 50 | M | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| 0.00 | 0.00 | 4,908,486 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.03 | 120,822,192 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.04 | 0.03 | 5,082,046 | NA | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 0.32 | 0.20 | 10,519,180 | 160 | N | 50 | 50 | 2 | 4 | 8 | 15 | 25 | 35 | 42 | 46 | 49 | 50 |
| 1.70 | 0.00 | 22,419,958 | 340 | M | 10 | 10 | 0 | 1 | 2 | 3 | 5 | 7 | 8 | 9 | 10 | 10 |
| 1.78 | 2.50 | 70,329,745 | 1,067 | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

5.14


4.34

| |
|-------|
| 30.59 |
| 5.14 |
| 4.34 |

| |
|------|
| 2.46 |
| 0.35 |
| 0.29 |

| | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|
| 0.07 | 0.20 | 0.39 | 0.74 | 1.23 | 1.72 | 2.07 | 2.26 | 2.39 | 2.46 |
| 0.01 | 0.03 | 0.06 | 0.10 | 0.17 | 0.24 | 0.29 | 0.32 | 0.34 | 0.35 |
| 0.01 | 0.02 | 0.05 | 0.09 | 0.14 | 0.20 | 0.24 | 0.27 | 0.28 | 0.29 |

| Payback Year | Max Adoption Rate | |
|-----------------|-------------------|------------|
| | Residential | industrial |
| 0 | 60.00% | 90.00% |
| 0.05 | 59.62% | 88.49% |
| 0.1 | 59.23% | 86.98% |
| 0.15 | 58.85% | 85.48% |
| 0.2 | 58.47% | 83.97% |
| 0.25 | 58.08% | 82.46% |
| 0.3 | 57.63% | 80.89% |
| 0.35 | 57.17% | 79.32% |
| 0.4 | 56.71% | 77.75% |
| 0.45 | 56.26% | 76.18% |
| 0.5 | 55.80% | 74.61% |
| 0.55 | 55.31% | 73.23% |
| 0.6 | 54.82% | 71.84% |
| 0.65 | 54.33% | 70.45% |
| 0.7 | 53.84% | 69.07% |
| 0.75 | 53.35% | 67.68% |
| 0.8 | 52.88% | 66.15% |
| 0.85 | 52.41% | 64.62% |
| 0.9 | 51.94% | 63.09% |
| 0.95 | 51.47% | 61.56% |
| 1 | 51.00% | 60.03% |
| 1.05 | 50.56% | 58.49% |
| 1.1 | 50.13% | 56.94% |
| 1.15 | 49.69% | 55.40% |
| 1.2 | 49.25% | 53.86% |
| 1.25 | 48.82% | 52.32% |
| 1.3 | 48.35% | 50.86% |
| 1.35 | 47.89% | 49.40% |
| 1.4 | 47.42% | 47.94% |
| 1.45 | 46.96% | 46.49% |
| 1.5 | 46.49% | 45.03% |
| 1.55 | 46.02% | 43.58% |
| 1.6 | 45.54% | 42.14% |
| 1.65 | 45.07% | 40.69% |
| 1.7 | 44.59% | 39.25% |
| 1.75 | 44.12% | 37.80% |
| 1.8 | 43.64% | 36.31% |
| 1.85 | 43.17% | 34.81% |
| 1.9 | 42.70% | 33.32% |
| 1.95 | 42.23% | 31.83% |
| 2 | 41.76% | 30.34% |
| 2.05 | 41.30% | 29.01% |
| 2.1 | 40.84% | 27.67% |




| | | |
|------|--------|--------|
| 2.15 | 40.39% | 26.34% |
| 2.2 | 39.93% | 25.01% |
| 2.25 | 39.47% | 23.68% |
| 2.3 | 39.04% | 22.92% |
| 2.35 | 38.61% | 22.16% |
| 2.4 | 38.18% | 21.40% |
| 2.45 | 37.74% | 20.64% |
| 2.5 | 37.31% | 19.88% |
| 2.55 | 36.91% | 19.47% |
| 2.6 | 36.51% | 19.05% |
| 2.65 | 36.12% | 18.64% |
| 2.7 | 35.72% | 18.23% |
| 2.75 | 35.32% | 17.81% |
| 2.8 | 34.96% | 17.50% |
| 2.85 | 34.59% | 17.20% |
| 2.9 | 34.23% | 16.89% |
| 2.95 | 33.87% | 16.58% |
| 3 | 33.51% | 16.28% |
| 3.05 | 33.19% | 16.07% |
| 3.1 | 32.87% | 15.87% |
| 3.15 | 32.55% | 15.66% |
| 3.2 | 32.23% | 15.46% |
| 3.25 | 31.92% | 15.25% |
| 3.3 | 31.64% | 15.08% |
| 3.35 | 31.37% | 14.90% |
| 3.4 | 31.10% | 14.72% |
| 3.45 | 30.82% | 14.55% |
| 3.5 | 30.55% | 14.37% |
| 3.55 | 30.33% | 14.21% |
| 3.6 | 30.11% | 14.04% |
| 3.65 | 29.89% | 13.87% |
| 3.7 | 29.67% | 13.70% |
| 3.75 | 29.45% | 13.54% |
| 3.8 | 29.24% | 13.38% |
| 3.85 | 29.04% | 13.22% |
| 3.9 | 28.83% | 13.06% |
| 3.95 | 28.62% | 12.90% |
| 4 | 28.41% | 12.75% |
| 4.05 | 28.22% | 12.60% |
| 4.1 | 28.03% | 12.45% |
| 4.15 | 27.84% | 12.31% |
| 4.2 | 27.65% | 12.16% |
| 4.25 | 27.46% | 12.01% |
| 4.3 | 27.28% | 11.87% |
| 4.35 | 27.10% | 11.74% |
| 4.4 | 26.91% | 11.60% |
| 4.45 | 26.73% | 11.46% |

| | | |
|------|--------|--------|
| 4.5 | 26.55% | 11.33% |
| 4.55 | 26.40% | 11.20% |
| 4.6 | 26.25% | 11.07% |
| 4.65 | 26.10% | 10.94% |
| 4.7 | 25.95% | 10.81% |
| 4.75 | 25.80% | 10.68% |
| 4.8 | 25.68% | 10.56% |
| 4.85 | 25.55% | 10.44% |
| 4.9 | 25.42% | 10.32% |
| 4.95 | 25.29% | 10.20% |
| 5 | 25.17% | 10.08% |
| 5.05 | 25.04% | 9.98% |
| 5.1 | 24.91% | 9.87% |
| 5.15 | 24.78% | 9.77% |
| 5.2 | 24.65% | 9.67% |
| 5.25 | 24.51% | 9.56% |
| 5.3 | 24.38% | 9.47% |
| 5.35 | 24.25% | 9.38% |
| 5.4 | 24.12% | 9.29% |
| 5.45 | 23.98% | 9.19% |
| 5.5 | 23.85% | 9.10% |
| 5.55 | 23.71% | 9.02% |
| 5.6 | 23.58% | 8.94% |
| 5.65 | 23.44% | 8.86% |
| 5.7 | 23.31% | 8.77% |
| 5.75 | 23.17% | 8.69% |
| 5.8 | 23.04% | 8.62% |
| 5.85 | 22.90% | 8.55% |
| 5.9 | 22.76% | 8.48% |
| 5.95 | 22.63% | 8.41% |
| 6 | 22.49% | 8.33% |
| 6.05 | 22.35% | 8.27% |
| 6.1 | 22.21% | 8.21% |
| 6.15 | 22.07% | 8.15% |
| 6.2 | 21.94% | 8.09% |
| 6.25 | 21.80% | 8.03% |
| 6.3 | 21.67% | 7.97% |
| 6.35 | 21.55% | 7.91% |
| 6.4 | 21.42% | 7.84% |
| 6.45 | 21.29% | 7.78% |
| 6.5 | 21.17% | 7.72% |
| 6.55 | 21.04% | 7.67% |
| 6.6 | 20.92% | 7.62% |
| 6.65 | 20.79% | 7.57% |
| 6.7 | 20.66% | 7.52% |
| 6.75 | 20.54% | 7.46% |
| 6.8 | 20.41% | 7.41% |

| | | |
|------|--------|-------|
| 6.85 | 20.28% | 7.36% |
| 6.9 | 20.15% | 7.31% |
| 6.95 | 20.03% | 7.26% |
| 7 | 19.90% | 7.21% |
| 7.05 | 19.78% | 7.17% |
| 7.1 | 19.67% | 7.13% |
| 7.15 | 19.56% | 7.08% |
| 7.2 | 19.44% | 7.04% |
| 7.25 | 19.33% | 7.00% |
| 7.3 | 19.22% | 6.96% |
| 7.35 | 19.10% | 6.92% |
| 7.4 | 18.99% | 6.88% |
| 7.45 | 18.87% | 6.84% |
| 7.5 | 18.76% | 6.79% |
| 7.55 | 18.64% | 6.75% |
| 7.6 | 18.53% | 6.71% |
| 7.65 | 18.42% | 6.67% |
| 7.7 | 18.30% | 6.63% |
| 7.75 | 18.19% | 6.59% |
| 7.8 | 18.09% | 6.56% |
| 7.85 | 17.99% | 6.53% |
| 7.9 | 17.88% | 6.49% |
| 7.95 | 17.78% | 6.46% |
| 8 | 17.68% | 6.43% |
| 8.05 | 17.58% | 6.40% |
| 8.1 | 17.48% | 6.37% |
| 8.15 | 17.38% | 6.34% |
| 8.2 | 17.28% | 6.31% |
| 8.25 | 17.18% | 6.27% |
| 8.3 | 17.08% | 6.24% |
| 8.35 | 16.98% | 6.21% |
| 8.4 | 16.88% | 6.18% |
| 8.45 | 16.78% | 6.15% |
| 8.5 | 16.68% | 6.12% |
| 8.55 | 16.59% | 6.09% |
| 8.6 | 16.50% | 6.07% |
| 8.65 | 16.42% | 6.05% |
| 8.7 | 16.33% | 6.03% |
| 8.75 | 16.24% | 6.01% |
| 8.8 | 16.16% | 5.99% |
| 8.85 | 16.07% | 5.97% |
| 8.9 | 15.99% | 5.95% |
| 8.95 | 15.90% | 5.92% |
| 9 | 15.81% | 5.90% |
| 9.05 | 15.73% | 5.88% |
| 9.1 | 15.64% | 5.86% |
| 9.15 | 15.55% | 5.84% |

| | | |
|------|--------|-------|
| 9.2 | 15.47% | 5.82% |
| 9.25 | 15.38% | 5.79% |
| 9.3 | 15.31% | 5.78% |
| 9.35 | 15.24% | 5.77% |
| 9.4 | 15.16% | 5.76% |
| 9.45 | 15.09% | 5.75% |
| 9.5 | 15.02% | 5.74% |
| 9.55 | 14.95% | 5.73% |
| 9.6 | 14.87% | 5.72% |
| 9.65 | 14.80% | 5.71% |
| 9.7 | 14.73% | 5.70% |
| 9.75 | 14.66% | 5.68% |
| 9.8 | 14.58% | 5.67% |
| 9.85 | 14.51% | 5.66% |
| 9.9 | 14.44% | 5.65% |
| 9.95 | 14.37% | 5.64% |
| 10 | 14.29% | 5.63% |



Assumptions

- 1 Started with updated Technical Potential completed on 9/30/13
- 2 Used unstacked Impacts from ITRON, except where measure matched existing DEF measure, DEF impacts were applied.
- 3 Impacts are adjusted for Codes and Standards 2015
- 4 Included new measures provided by stakeholders and adjusted for FL specific conditions
- 5 Used commission prescribed cost effectiveness test for RIM and TRC
- 6 RIM and TRC Benefits are equal see tab: RIM & TRC Benefits
- 7 RIM Economic Potential uses only lost revenue on cost side of equation
- 8 TRC Economic Potential uses only incremental customer cost on cost side of equation
- 9 Participation is from Program Managers where available or ICF Adoption curve
- 10 Where Program Managers' projections exceeded Applicable Participants from ITRON, Participation set to Applicable Participants
- 11 Base Case provided by DEF IRP group on 11/11/13
- 12 DEF Retail rates provided by DEF Regulatory Planning on 12/23
- 13 Program Costs based on Florida experience as filed in ECCR
- 14 Incentive projections were calculated as either the incentive level that brought measure to two year payback or the residual net benefit
- 15 For Achievable Potential all measures screened at 2 year payback