



STATE OF FLORIDA WELL COMPLETION REPORT

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

Date Stamp
Official Use Only

1. Permit Number W201303981 *CUP/WUP Number *DID Number 62-524 Delineation No.
2. Number of permitted wells constructed, repaired, or abandoned 1 *Number of permitted wells not constructed, repaired, or abandoned
3. Owner's Name Gulf Power Company 4. Completion Date 8-2-13 5. Florida Unique ID
6. Well Location - Address, Road Name or Number, City, ZIP Camp Road & North Pine Barron Road McDavid 32568
7. County Escambia *Section 19 Land Grant *Township 05N *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10. Type of Work Construction Repair Modification Abandonment
11. Specify Intended Use(s) of Well(s): Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Livestock Monitoring
Public Water Supply (Limited Use/DOH) Nursery Irrigation Test
Public Water Supply (Community or Non-Community/DEP) Commercial/Industrial Earth-Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC Supply
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)
12. Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13. Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. Measuring Point (Describe) Which is ft. Above Below Land Surface Flowing: Yes No
15. Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. Total Well Depth 50 ft. Cased Depth 40 ft. *Open Hole: From To ft. *Screen: From 40 To 50 ft. Slot Size
17. Abandonment: Other (Explain)
From 0 ft. To 50 ft. No. of Bags 10 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
18. Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
19. Primary Casing Diameter and Depth:
Dia 4 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
20. Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
21. Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
Horsepower Pump Capacity (GPM)
Pump Depth ft. Intake Depth ft.
23. Chemical Analysis (When Required):
Iron ppm Sulfate ppm Chloride ppm
Laboratory Test Field Test Kit
24. Water Well Contractor:
Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
Contractor's Signature John M Matthews *Driller's Name (Print or Type) Paul GAO
(I certify that the information provided in this report is accurate and true.)

160186-OPC-POD-90-1993



STATE OF FLORIDA WELL COMPLETION REPORT

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

Date Stamp
Official Use Only

1 *Permit Number W201303826 *CUP/WUP Number *DID Number 62-524 Delineation No.
2 *Number of permitted wells constructed, repaired, or abandoned 1 *Number of permitted wells not constructed, repaired, or abandoned
3 *Owner's Name Gulf Power Company 4 *Completion Date 8-2-13 5. Florida Unique ID
6 Camp Road at Pine Barren Road McDavid 32568
Well Location - Address, Road Name or Number, City, ZIP
7 *County Escambia *Section 19 Land Grant *Township 03N *Range 31W
8 Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10 *Type of Work: Construction Repair Modification Abandonment
11 *Specify Intended Use(s) of Well(s):
Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Recreation Area Irrigation Livestock Monitoring P
Public Water Supply (Limited Use/DOH) Nursery Irrigation Test
Public Water Supply (Community or Non-Community/DEP) Commercial/Industrial Earth-Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC Supply
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)
12 *Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13 *Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14 *Measuring Point (Describe) Which is ft. Above Below Land Surface Flowing: Yes No
15 *Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16 *Total Well Depth 46 ft. Cased Depth 36 ft. *Open Hole: From To ft. *Screen: From 36 To 46 ft. Slot Size
17 *Abandonment: Other (Explain)
From 0 ft. To 46 ft. No. of Bags 4 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
18 *Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
19 *Primary Casing Diameter and Depth:
Dia 2 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
20 *Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
21 *Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
Horsepower Pump Capacity (GPM)
Pump Depth ft. Intake Depth ft.
23. Chemical Analysis (When Required):
Iron ppm Sulfate ppm Chloride ppm
Laboratory Test Field Test Kit
24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
*Contractor's Signature John M Matthews *Driller's Name (Print or Type) Paul Otto
(I certify that the information provided in this report is accurate and true.)



STATE OF FLORIDA WELL COMPLETION REPORT

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

Date Stamp
Official Use Only

1. Permit Number W201303941 *CUP/WUP Number *DID Number 62-524 Delineation No.
2. Number of permitted wells constructed, repaired, or abandoned 1 *Number of permitted wells not constructed, repaired, or abandoned
3. Owner's Name Gulf Power Company 4. Completion Date 8-2-13 5. Florida Unique ID
6. Well Location - Address, Road Name or Number, City, ZIP Camp Road Pine Barren Road McDavid 32568
7. County Escambia *Section 19 Land Grant *Township 09W *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10. Type of Work: Construction Repair Modification Abandonment
11. Specify Intended Use(s) of Well(s): Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Recreation Area Irrigation Livestock Monitoring
Public Water Supply (Limited Use/DOH) Nursery Irrigation Test
Public Water Supply (Community or Non-Community/DEP) Commercial/Industrial Earth-Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC Supply
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)
12. Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13. Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. Measuring Point (Describe) Which is ft. Above Below Land Surface *Flowing: Yes No
15. Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. Total Well Depth 12 ft. Cased Depth 2 ft. *Open Hole: From To ft. *Screen: From 2 To 12 ft. Slot Size
17. Abandonment: Other (Explain)
From 0 ft. To 12 ft. No. of Bags 2 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
18. Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
19. Primary Casing Diameter and Depth:
Dia 1.5 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
20. Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
21. Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine 23. Chemical Analysis (When Required):
Horsepower Pump Capacity (GPM) Iron ppm Sulfate ppm Chloride ppm
Pump Depth ft. Intake Depth ft. Laboratory Test Field Test Kit
24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
*Contractor's Signature John M Matthews *Driller's Name (Print or Type) Paul Otto
(I certify that the information provided in this report is accurate and true.)



STATE OF FLORIDA WELL COMPLETION REPORT


Date Stamp
Official Use Only

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

1. *Permit Number W201303828 CUP/WUP Number *DID Number 62-524 Delineation No.
2. *Number of permitted wells constructed, repaired, or abandoned 4 *Number of permitted wells not constructed, repaired, or abandoned 6
3. *Owner's Name Gulf Power Company 4. *Completion Date 8-2-13 5. Florida Unique ID
6. Camp Road & Pine Burrer Road McDavid 32568
Well Location - Address, Road Name or Number, City, ZIP
7. *County Escambia *Section 9 Land Grant *Township 05N *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10. *Type of Work: Construction Repair Modification Abandonment
11. *Specify Intended Use(s) of Well(s):
Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Livestock Monitoring
Bottled Water Supply Recreation Area Irrigation Nursery Irrigation Test
Public Water Supply (Limited Use/DOH) Commercial/Industrial Earth-Coupled Geothermal
Public Water Supply (Community or Non-Community/DEP) Golf Course Irrigation HVAC Supply
Class I Injection HVAC Return
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)
12. *Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13. *Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. *Measuring Point (Describe) Which is ft. Above Below Land Surface Flowing Yes No
15. *Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. *Total Well Depth 46 ft. Cased Depth 36 ft. *Open Hole: From To ft. *Screen: From 36 To 46 ft. Slot Size
17. *Abandonment: Other (Explain)
From 0 ft. To 46 ft. No. of Bags 4 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
18. *Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
19. *Primary Casing Diameter and Depth:
Dia 2 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
20. *Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
21. *Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
Horsepower Pump Capacity (GPM)
Pump Depth ft. Intake Depth ft.
23. Chemical Analysis (When Required):
Iron ppm Sulfate ppm Chloride ppm
Laboratory Test Field Test Kit
24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
*Contractor's Signature John M Matthews *Driller's Name (Print or Type) Paul GTE
(I certify that the information provided in this report is accurate and true.)

160186-OPC-POD-90-1999




STATE OF FLORIDA WELL COMPLETION REPORT

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

Date Stamp
Official Use Only

1. *Permit Number W201363934 *CUP/WUP Number *DID Number 62-524 Delineation No.
2. *Number of permitted wells constructed, repaired, or abandoned 1 *Number of permitted wells not constructed, repaired, or abandoned
3. *Owner's Name Gulf Power 4. *Completion Date 8-2-13 5. Florida Unique ID
6. Camp Road 2 North Pine Barren Road McDavid 32568
7. *County Escambia *Section 19 Land Grant *Township OSU *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10. *Type of Work: Construction Repair Modification Abandonment
11. *Specify Intended Use(s) of Well(s):
Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Recreation Area Irrigation Livestock Monitoring
Public Water Supply (Limited Use/DOH) Nursery Irrigation Test
Public Water Supply (Community or Non-Community/DEP) Commercial/Industrial Earth-Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC Supply
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)
12. *Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13. *Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. *Measuring Point (Describe) Which is ft. Above Below Land Surface *Flowing: Yes No
15. *Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. *Total Well Depth 50 ft. Cased Depth 40 ft. *Open Hole: From To ft. *Screen: From 40 To 50 ft. Slot Size
17. *Abandonment: Other (Explain)
From 0 ft. To 50 ft. No. of Bags 16 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
18. *Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
19. *Primary Casing Diameter and Depth:
Dia 4 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
20. *Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
21. *Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
Horsepower Pump Capacity (GPM)
Pump Depth ft. Intake Depth ft.
23. Chemical Analysis (When Required):
Iron ppm Sulfate ppm Chloride ppm
Laboratory Test Field Test Kit
24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address john.matthews@singleycc.com
*Contractor's Signature John M. Matthews *Driller's Name (Print or Type) Paul Otto
(I certify that the information provided in this report is accurate and true.)



STATE OF FLORIDA WELL COMPLETION REPORT

- Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

PLEASE, FILL OUT ALL APPLICABLE FIELDS
(*Denotes Required Fields Where Applicable)

Date Stamp
Official Use Only

1. *Permit Number W201303938
2. *Number of permitted wells constructed, repaired, or abandoned 1
3. *Owner's Name Gulf Power Company
4. *Completion Date 8-2-13
5. Florida Unique ID
6. *Well Location - Address, Road Name or Number, City, ZIP
7. *County Escambia *Section 14 Land Grant *Township 05N *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84
10. *Type of Work: Construction Repair Modification Abandonment
11. *Specify Intended Use(s) of Well(s):
12. *Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
13. *Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. *Measuring Point (Describe) Which is ft. Above Below Land Surface *Flowing: Yes No
15. *Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. *Total Well Depth 50 ft. Cased Depth 40 ft. *Open Hole: From To ft. *Screen: From 40 To 50 ft. Slot Size
17. *Abandonment: Other (Explain)
18. *Surface Casing Diameter and Depth:
19. *Primary Casing Diameter and Depth:
20. *Liner Casing Diameter and Depth:
21. *Telescope Casing Diameter and Depth:
22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
23. Chemical Analysis (When Required): Iron ppm Sulfate ppm Chloride ppm
24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
*Contractor's Signature John M. Matthews *Driller's Name (Print or Type) Paul Otto



STATE OF FLORIDA WELL COMPLETION REPORT

PLEASE, FILL OUT ALL APPLICABLE FIELDS (*Denotes Required Fields Where Applicable)
Southwest
Northwest
St. Johns River
South Florida
Suwannee River
DEP
Delegated Authority (If Applicable)

Date Stamp
Official Use Only

1. *Permit Number W201303827 *CUP/WUP Number *DID Number 62-524 Delineation No.
2. *Number of permitted wells constructed, repaired, or abandoned 1 *Number of permitted wells not constructed, repaired, or abandoned
3. *Owner's Name Gulf Power Company 4. *Completion Date 8-2-13 5. Florida Unique ID
6. Camp Road at Pine Barken Road McDavid 32568
*Well Location - Address, Road Name or Number, City, ZIP
7. *County Escambia *Section 19 Land Grant *Township OSU *Range 31W
8. Latitude Longitude
9. Data Obtained From: GPS Map Survey Datum: NAD 27 NAD 83 WGS 84

10. *Type of Work: Construction Repair Modification Abandonment
11. *Specify Intended Use(s) of Well(s):
Domestic Landscape Irrigation Agricultural Irrigation Site Investigation
Bottled Water Supply Livestock Monitoring
Public Water Supply (Limited Use/DOH) Recreation Area Irrigation Nursery Irrigation Test
Public Water Supply (Community or Non-Community/DEP) Commercial/Industrial Earth-Coupled Geothermal
Class I Injection Golf Course Irrigation HVAC Supply
Class V Injection: Recharge Commercial/Industrial Disposal Aquifer Storage and Recovery Drainage
Remediation: Recovery Air Sparge Other (Describe)
Other (Describe)

12. *Drill Method: Auger Cable Tool Rotary Combination (Two or More Methods) Jetted Sonic
Horizontal Drilling Hydraulic Point (Direct Push) Other Plugged
13. *Measured Static Water Level ft. Measured Pumping Water Level ft. After Hours at GPM
14. *Measuring Point (Describe) Which is ft. Above Below Land Surface *Flowing: Yes No
15. *Casing Material: Black Steel Galvanized PVC Stainless Steel Not Cased Other
16. *Total Well Depth 46 ft. Cased Depth 36 ft. *Open Hole: From To ft. *Screen: From 36 To 46 ft. Slot Size

17. *Abandonment: Other (Explain)
From 0 ft. To 46 ft. No. of Bags 4 Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other

18. *Surface Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other

19. *Primary Casing Diameter and Depth:
Dia 2 in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other

20. *Liner Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other

21. *Telescope Casing Diameter and Depth:
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other
Dia in. From ft. To ft. No. of Bags Seal Material (Check One): Neat Cement Bentonite Other

22. Pump Type (If Known): Centrifugal Jet Submersible Turbine
Horsepower Pump Capacity (GPM)
Pump Depth ft. Intake Depth ft.
23. Chemical Analysis (When Required): Iron ppm Sulfate ppm Chloride ppm
Laboratory Test Field Test Kit

24. Water Well Contractor:
*Contractor Name John Matthews *License Number 3199 E-mail Address johnmatthews@singleycc.com
*Contractor's Signature John M Matthews *Driller's Name (Print or Type) Paul Otto
(I certify that the information provided in this report is accurate and true.)

