

**Brian Schultz**

---

**From:** Brian Schultz on behalf of Records Clerk  
**Sent:** Monday, January 04, 2021 12:27 PM  
**To:** 'gil@gcus.com'  
**Cc:** Consumer Contact  
**Subject:** RE: Docket #20200226-SU

Good Afternoon, Gilbert and Lori Green

We will be placing your comments below in consumer correspondence in Docket No. 20200226-SU and forwarding your comments to the Office of Consumer Assistance and Outreach.

Sincerely,

*Brian Schultz*

Commission Deputy Clerk II  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, Florida 32399  
850.413.6770

*PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your e-mail message may be subject to public disclosure.*

---

**From:** gil@gcus.com <gil@gcus.com>  
**Sent:** Monday, January 04, 2021 11:05 AM  
**To:** Records Clerk <CLERK@PSC.STATE.FL.US>  
**Subject:** Docket #20200226-SU

**SUBJECT: Docket #20200226-SU**

To Whom It May Concern,

I am writing to you as an owner on Don Pedro Island, which is within the service area contained in the application from Environmental Utilities, LLC ("EU") for central sewer.

**I object to EU's request for the bifurcation of the certificate and rate-making proceedings and I object to the granting of a temporary waiver of Rule 25-30.033(1)(p) and (q).**

Of primary concern are:

- the inadequate information regarding the applicant's financial strength;
- the lack of adequate management experience;
- the failure to disclose any (either construction or ongoing maintenance) costs (other than an admitted guess that the construction cost to be paid by each homeowner will be at least \$20,000 each);
- the lack of third party studies or sufficient documentation evidencing the need for the project;
- the anticipated use of a system acknowledged to be of lesser quality than other alternative systems;
- the environmental impact of the system to threatened species and shorelines (the proposed pumping plant will sit to the east of the wooden bridge and the entire system will run through mangrove protected shoreline through flats and waterways which are home to protected species);
- the failure of the applicant to disclose financial and/or business relationships which may represent conflicts of interest;
- the lack of resident support for the project; and
- no documented (nor perceived) benefit for the environment, residents or stakeholders other than the profits of the applicant.

We are a small island community and the proposed project is an overreach (and arguably unnecessary); the community deserves the opportunity to have greater transparency and the chance to be more fully informed of the need and alternatives which might be available. As a stakeholder in the proposed service area, it is important to have all of the relevant information regarding the actual need for the proposed central sewer, as well as the proposed rates, connection fees and the type of system intended for installation.

**I therefore request that EU's request for bifurcation and a temporary waiver be denied.**

Yours truly,

**Gilbert and Lori Green  
Don Pedro Island House Condominium Unit 1  
160 N. Gulf Blvd**