

3042 Dominion Ct
Safety Harbor, FL 34695

Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Blvd
Tallahassee, FL 32399-0850

January 18, 2021

RE: **Docket No. 20200226-SU**

To Whom it may Concern:

Please accept this as our objection to the Waste Water Application by Environmental Utilities for Palm Island in Charlotte County. Since the inception of the development of the Island we have had septic service and have been please with its operation (if it's not broke don't mess with it) and its nominal costs.

Palm Island is a very sensitive ecosystem with many species of turtles, birds, etc. We are concerned about the damage that will take place in installing the sewer system. Also it is my understanding that a separate pump will be required for each homeowner who would use the sewer service. That would increase expenses and would possibly cause sewage backups if a pump went out – which is very likely in the island environment (so close to the Gulf, with many power outages).

We question the experience of Environmental Utilities since they have not provided any cost estimates for the service. They appear to be unprepared, therefore I question the quality of craftsmanship in proceeding with such a project – we would not want a pipe to break and have raw sewage on the Island.

Thank you for the opportunity to express our concerns.

Sincerely,



Fred W. Brown
fredwbrown@hotmail.com
101 S Gulf Blvd; Placida 33946

cc: Martin S Friedman, Esquire
Dean Mead
420 S Orange Ave Ste 700
Orlando, FL 32801

RECEIVED-FPSC
2021 JAN 25 AM 11:03
COMMISSION
CLERK

Mr. and Mrs. Fred W. Brown
3042 Dominion Ct
Safety Harbor FL 34695-5246

TAMPA FL 335
SAINT PETERSBURG FL
19 JAN 2021 PM 3 L



2021 JAN 25 AM 7:30

Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 SHOMARA OAK BLVD
TALLAHASSEE, FL 32399-0850

32399-085099

