

**Antonia Hover**

---

**From:** Office of Commissioner Clark  
**Sent:** Monday, July 25, 2022 10:37 AM  
**To:** Commissioner Correspondence  
**Subject:** FW: Request for Wastewater

Good morning,

Please place the attached email in Docket No. 20200226.

**Hannah E. Branum**  
Executive Assistant to Commissioner Clark  
Florida Public Service Commission  
[2540 Shumard Oak Blvd.](#)  
[Tallahassee, FL 32399](#)  
(850) 413-6004

**From:** karress boyer <karressboyer@gmail.com>  
**Sent:** Monday, July 25, 2022 10:17 AM  
**To:** Office of Commissioner Clark <Commissioner.Clark@psc.state.fl.us>  
**Subject:** Request for Wastewater

Good morning, I live at 9296 LGI. I am requesting for wastewater. We have had nothing but problems with our septic. They have come and pumped it out in the last 6 months and it still is overflowing, smells terrible, and causing major issues. my family, this island, and all the wild life surrounding it would greatly benefit by changing from septic to sewer.

Recently I was on Palm Island and noticed an entire septic tank overflowing into the main road. I contacted the property manager and her response was "This happens all the time." That is unacceptable.

These islands desperately need wastewater and we need it fast!

--

Thank you and God Bless,  
Karress Boyer