

State of Florida



## Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD  
TALLAHASSEE, FLORIDA 32399-0850

**-M-E-M-O-R-A-N-D-U-M-**

---

**DATE:** August 24, 2022  
**TO:** Adam Teitzman, Commission Clerk, Office of Commission Clerk  
**FROM:** Donald Phillips, Engineering Specialist, Division of Engineering  
**RE:** Docket No. 20220000-OT - Undocketed filings for 2022.

---

*DP POE TB*

Please file in the above mentioned docket file the attached document, Staff's Data Request #4 to **TECO** regarding the 2022 Ten-Year Site Plan.

DP/pz

Attachment

**From:** [Patti Zellner](mailto:Patti.Zellner@tecoenergy.com)  
**To:** ["regdept@tecoenergy.com"](mailto:regdept@tecoenergy.com); ["parusk@tecoenergy.com"](mailto:parusk@tecoenergy.com); ["MSirianni@tecoenergy.com"](mailto:MSirianni@tecoenergy.com); ["pkbrown@tecoenergy.com"](mailto:pkbrown@tecoenergy.com)  
**Cc:** [Donald Phillips](mailto:Donald.Phillips@psc.state.fl.us); [Phillip Ellis](mailto:Phillip.Ellis@psc.state.fl.us); [Tom Ballinger](mailto:Tom.Ballinger@psc.state.fl.us); [Laura King](mailto:Laura.King@psc.state.fl.us); [Patti Zellner](mailto:Patti.Zellner@tecoenergy.com)  
**Subject:** DN 20220000-OT (Undocketed Filings for 2022) - Review of the Ten-Year Site Plan - Staff's Data Request #4 to TECO  
**Date:** Wednesday, August 24, 2022 10:57:28 AM  
**Attachments:** [DN 20220000-OT \(Undocketed filings for 2022\) TYSP-Staff's Data Request #4 to TECO.pdf](#)  
[DN 20220000-OT \(Undocketed filings for 2022\) TYSP-Staff's Data Request #4 to TECO.docx](#)

---

Dear Ms. Rusk,

Attached is Staff's Data Request #4 to TECO (in WORD and PDF format) for the Ten-Year Site Plan Review process. Please submit your responses to this data request to both the Florida Public Service Commission's (FPSC) Division of Engineering and the FPSC Office of Commission Clerk by following the instructions below:

Submission to the FPSC Division of Engineering

1. Please email your responses to Donald Phillips by **Wednesday, September 14, 2022**.
  - a. Please submit all **narrative** and any **non-narrative** (if applicable) responses following their respective questions in a **single Microsoft Word** document, making sure to preserve question order.

Submission to the FPSC Office of Commission Clerk

1. Please convert and combine the responses sent to the FPSC Division of Engineering into a **single PDF** document.
2. Please electronically file this PDF document via the Commission's website no later than **Wednesday, September 14, 2022**.
  - a. Navigate to [www.floridapsc.com](http://www.floridapsc.com).
  - b. At the top of the page, hover the mouse cursor over the "Clerk's Office" tab.
  - c. Select from the drop-down menu "Electronic Filing Web Form."
  - d. Please complete the form, referencing "Docket No. 20220000-OT."
  - e. Attach to the form the PDF created in Step 1 as the "Primary PDF."
  - f. Submit the form.

If you have any questions, please contact Donald Phillips.

Donald Phillips Office: (850) 413-6974 Email: <a href="mailto:DPhillip@psc.state.fl.us">DPhillip@psc.state.fl.us</a>
--

Sincerely,  
Patti Zellner, Administrative Assistant  
Division of Engineering  
Phone: (850) 413-6208  
Email: [pzellner@psc.state.fl.us](mailto:pzellner@psc.state.fl.us)

Attachment

cc: Office of Commission Clerk (20220000-OT – Undocketed filings for 2022)

1. Please refer to TECO's Ten-Year Site Plan, Schedule 3.1 Summer Peak Demand, and Schedule 3.2 Winter Peak Demand. Please explain why TECO's Winter Peak Demand Forecast reflects a relatively large increase when compared to the Summer Peak Demand forecast.