

**Antonia Hover**

**From:** Antonia Hover on behalf of Records Clerk  
**Sent:** Thursday, April 18, 2024 3:44 PM  
**To:** 'Jon Goranson'  
**Cc:** Consumer Contact  
**Subject:** RE: RE. Docket #20240032-SU

Good Afternoon, Jon Goranson.

We will be placing your comments below in consumer correspondence in Docket No. 20240032, and forwarding them to the Office of Consumer Assistance and Outreach.

Thank you!

*Toni Hover*

*Commission Deputy Clerk I  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399  
Phone: (850) 413-6467*

*PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your email message may be subject to public disclosure.*

**From:** Jon Goranson <goranson@springsips.com>  
**Sent:** Tuesday, April 9, 2024 6:58 AM  
**To:** Records Clerk <CLERK@PSC.STATE.FL.US>  
**Cc:** Office of Chairman La Rosa <Commissioner.LaRosa@psc.state.fl.us>; Office of Commissioner Clark <Commissioner.Clark@psc.state.fl.us>; Office of Commissioner Passidomo <Commissioner.Passidomo@psc.state.fl.us>; Commissioner.Graham@psc.state.fl.us; Office of Commissioner Fay <Commissioner.Fay@psc.state.fl.us>  
**Subject:** RE. Docket #20240032-SU

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Commissioners,

My name is Jon Goranson and I live at 2 Pointe Way on Don Pedro Island. I am formally requesting that the PSC deny Environmental Utilities application for wastewater service.

1. There has not been a proven need for sewer on Don Pedro/Knight Island. Water testing has not been performed to substantiate the claims that the existing septic systems are a problem. Property owners on Don Pedro/Knight Island have constructed new and repaired existing septic systems as required, permitted and inspected by the state to the current strict standards. The condition of the septic systems on Don Pedro/Knight Island are completely different than the systems on Little Gasparilla Island which are only accessible by boat, not ferry service and therefore cannot be repaired or replaced as easily as those on Don Pedro/Knight Island.

2. The financial history and financial capability EU have not been proven. There is no information presented in the application that EU could finance the engineering, procurement and construction of the project including a payment and performance bond for the estimated cost in excess of 20 million dollars.
3. Environmental Utilities has no expertise or history in the operation of a wastewater system. EU is not a contractor who bid and built a sewer system. The operation and maintenance of the system with regards to equipment and emergencies has also not been addressed in the event of a failure during a storm or any other adverse condition that may occur. In addition, there is no single point of recourse in the event of costs overruns, project failure and project nonperformance.
4. The costs to the homeowner for the new system have been estimated but not been firmly established. The hook-up cost, the electric cost with new panels and generators to operate the grinder pump, the removal of an existing functioning septic system are significant and are an open cost to the homeowner. Also, due to the harsh salt environment on the island, electrical and mechanical equipment have a shorter life span and require replacing on shorter intervals, all at the expense of the homeowner.

Based on the above, I am formally requesting the PSC deny Environmental Utilities application for wastewater service.

Jon Goranson  
970-846-3703 cell  
[goranson@springsips.com](mailto:goranson@springsips.com)