

Charlie Smith

From: Office of Commissioner Fay
Sent: Tuesday, June 18, 2024 4:21 PM
To: Commissioner Correspondence
Subject: Docket No. 20240032-SU

Follow Up Flag: Follow up
Flag Status: Flagged

Please place the email below in Docket No. 20240032

Thanks

From: Fred Brown <fredwbrown@hotmail.com>
Sent: Monday, June 17, 2024 1:24 PM
To: Office of Commissioner Fay <Commissioner.Fay@psc.state.fl.us>; Office of Commissioner Graham <Commissioner.Graham@PSC.STATE.FL.US>; Office of Chairman La Rosa <Commissioner.LaRosa@psc.state.fl.us>; Office of Commissioner Clark <Commissioner.Clark@psc.state.fl.us>; Office of Commissioner Passidomo <Commissioner.Passidomo@psc.state.fl.us>; Records Clerk <CLERK@PSC.STATE.FL.US>
Subject: Docket #20240032-SU

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

As follow-up to my previous concern not to proceed with the above project due to having taxpayers paying for something that is not needed - for the sake of having a few individuals benefit financially. The recent article below is yet another story of the risk of having sewage spills just like it did in St.Petersburg, FL.

<https://www.bradenton.com/news/local/article289285880.html>

4,000 gallons of raw sewage spilled into Bradenton streets after lift station failure