

COMMISSIONERS:  
GABRIELLA PASSIDOMO SMITH, CHAIRMAN  
GARY F. CLARK  
MIKE LA ROSA  
BOBBY PAYNE  
ANA ORTEGA

STATE OF FLORIDA



ADRIA E. HARPER  
GENERAL COUNSEL  
(850) 413-6199

# Public Service Commission

March 4, 2026

**STAFF'S SECOND DATA REQUEST**  
*via email*

Susan F. Clark, Esq.  
Thomas A. Crabb, Esq.  
Radey Law Firm  
301 South Bronough Street, Suite 200  
Tallahassee, FL 32301  
[sc Clark@radeylaw.com](mailto:sc Clark@radeylaw.com)  
[tc Crabb@radeylaw.com](mailto:tc Crabb@radeylaw.com)

RE: Docket No. 20250038-WS – Petition for an acquisition adjustment for a non-viable utility, by CSWR-Florida Utility Operating Company, LLC.

Dear : Ms. Clark and Mr. Crabb:

By this letter, the Commission staff requests that CSWR-Florida Utility Operating Company (CSWR) provide responses to the following data requests:

1. Please refer to pages 8 through 9 of the company's petition and Exhibit 14. For the completed projects, please fill out the table. In addition, please indicate if any of these projects are included in Exhibit 14, the Engineering Memo.

<b>Project Name</b>	<b>In-Service Date</b>	<b>Total Cost</b>	<b>Included in Engineering Memo</b>
Facility Tanks			
Aeration Equipment			
Disinfection Systems			
Electrical Equipment			
Monitoring Equipment			

Solids Handling Equipment			
Rapid Infiltration Basin			
Collection System			
Lift Stations			
Basic Site Cleanup			
Site Safety			

- Please refer to pages 9 through 10 of the company's petition and Exhibit 14. For the long-term options, please fill out the table. In addition, please indicate if any of these projects are included in Exhibit 14, the Engineering Memo.

<b>Project Name</b>	<b>In-Service Date</b>	<b>Total Cost</b>	<b>Included in Engineering Memo</b>
Rehabilitation of Existing Infrastructure	N/A		
Total Plant Replacement	N/A		
Connection to Ormond Beach			

- Please refer to CSWR's responses to Staff's first data request, question number 11 and the attachment. Please explain why an Engineering GIS and Survey were needed, in addition to the Study contained in the Engineering Memo.
- Please refer to CSWR's responses to Staff's first data request, question number 15 and the attachment. Please explain why CSWR paid for purchase sewage treatment when the project to connect to Ormond Beach is not yet complete.

Please file all responses electronically no later than Tuesday, March 24, 2026, through the Commission's website at [www.floridapsc.com](http://www.floridapsc.com), by selecting the Clerk's Office tab and Electronic Filing Web Form. *In addition, please email the filed response to [discovery-gcl@psc.state.fl.us](mailto:discovery-gcl@psc.state.fl.us).*

Staff's Second Data Request

March 4, 2026

Page 3

Please feel free to call me at (850) 413-6846 if you have any questions.

Sincerely,

*/s/ Daniel Dose*

Daniel Dose

Senior Attorney

DD/ds

cc: Office of Commission Clerk