



BellSouth Telecommunications, Inc.

150 South Monroe Street
Suite 400
Tallahassee, Florida 32301

jerry.hendrix@bellsouth.com

Jerry D. Hendrix
Vice-President
Regulatory Relations

Phone: (850) 577-5550
Fax (850) 222-8640

October 25, 2005

Mrs. Beth Salak
Director, Division of Communications
Florida Public Service Commission
2540 Shumard Oak Boulevard
Gerald L. Gunter Building, Room 270
Tallahassee, Florida 32399-0850

Dear Mrs. Salak:

Pursuant to Florida Statute 364.051, we are filing revisions to our General Subscriber Service Tariff. Attached for filing with the Commission are the following tariff pages:

General Subscriber Service Tariff

A12 2nd Revised Page 109.0.1
A42 5th Revised Page 36
4th Revised Page 40
5th Revised Page 41
Original Page 41.1
8th Revised Page 42
3rd Revised Page 43.1

This tariff will introduce Secondary Calling Name Delivery for Centrex and PRI customers.

Acknowledgment, date of receipt, and authority number of this filing are requested.

Your consideration and approval will be appreciated.

Yours very truly,

Jerry D. Hendrix (slg)

Regulatory Vice President

Attachments

EXECUTIVE SUMMARY
Secondary Calling Name Delivery
FL 2005-217

Introduction

The purpose of this tariff is to introduce Secondary Calling Name Delivery for Centrex and PRI. SCND allows a calling name other than the main listing to be displayed. This optional feature will be tariffed for both Centrex and PRI.

Revenue Impact

The revenue for the feature will cover its cost.

ISSUED: October 25, 2005 ~~June 10, 2005~~

EFFECTIVE: November 9, 2005 ~~June 25, 2005~~

BY: Marshall M. Criser III, President -FL
Miami, Florida

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

A12.25.12 Optional Features (Cont'd)

A. Rates and Charges (Cont'd)

35. BellSouth Centrex RingMaster (DMS-100, 5ESS, EWSD®) (C)

- a. BellSouth Centrex RingMaster service will enable a subscriber to have up to three telephone numbers associated with a single line.
- b. BellSouth Centrex RingMaster is not compatible with: Station Links in a different Wire Center; Station Links terminated on Electronic Business Sets; lines equipped with multi-line hunting arrangements, Integrated Services Digital Network (ISDN), and/or Automatic Call Distribution (ACD).
- c. BellSouth Centrex RingMaster is provided subject to the availability of facilities.
- d. All telephone numbers associated with a line equipped with BellSouth Centrex RingMaster must originate from the same Centrex customer group.
- e. When establishing BellSouth Centrex RingMaster service, Call Forwarding service subscribers must choose one of the following options:
 - (1) All telephone numbers associated with one line will be forwarded to a single number when Call Forwarding service is activated.
 - (2) The primary telephone number only will be forwarded when Call Forwarding service is activated. The additional BellSouth Centrex RingMaster service numbers will continue to ring and may be answered at the subscriber's premises.
 - (3) Both the primary and additional BellSouth Centrex RingMaster telephone numbers can be forwarded independent of each other to their own remote locations.
- f. Appropriate nonrecurring charges will apply when changing from one option to the other subsequent to the establishment of BellSouth Centrex RingMaster service.
- g. BellSouth Centrex RingMaster service can be suspended as specified in A2.3.16 of this Tariff. During the period of suspension, no recurring charge applies.

	Installation Charge	Monthly Rate	USOC	
h. Per Station Link ^{1,2,3}				
(1) BellSouth Centrex RingMaster				
(a) First additional telephone number with distinctive ringing, per line	\$-	\$5.00	CENRF	
(b) Second additional telephone number with distinctive ringing, per line	-	5.00	CENRG	
36. Remote Access Call Forwarding (DMS-100, 5ESS, EWSD®, requires Call Forwarding Variable)				(N)
(a) Per station link	-	7.75	CENO2	(N)
37. <u>Secondary Calling Name Delivery (DMS-100, 1AESS, 5ESS, EWSD®)^{1,4,5}</u>				(N)
(a) <u>Per station link</u>	-	<u>1.00</u>	<u>CENO4</u>	(N)

Note 1: Listings for BellSouth Centrex RingMaster service are subject to regulations specified in Section A6. for directory listings.

Note 2: Available on Analog Station Links only.

Note 3: Not available with foreign exchange service and foreign central office service.

Note 4: Each line requires an additional listing. (N)

Note 5: Charge is waived for existing lines for a period of ninety (90) days. (N)

ISSUED: October 25, 2005 ~~December 17, 2001~~

EFFECTIVE: November 9, 2005 ~~January 1, 2002~~

BY: Marshall M. Criser III, President - FL
Miami, Florida

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth[®]-Primary Rate ISDN

A42.3.1 General

- A. BellSouth[®] Primary Rate ISDN is an intraLATA offering supported by the Integrated Services Digital Network (ISDN) architecture. (T)
- B. BellSouth[®] Primary Rate ISDN provides an ISDN based, DS1 access to the telecommunications network and includes the flexibility of integration of multiple voice and/or data transmission channels on the same line. The service will provide connectivity between ISDN compatible CPE and a serving central office. The basic channel structure for BellSouth[®] Primary Rate ISDN is twenty-three 64 Kbps B-Channels and one 64 Kbps D-Channel. The customer has the option to activate up to 23 B-Channels on the first BellSouth[®] Primary Rate ISDN arrangement and up to 24 channels on additional BellSouth[®] Primary Rate ISDN arrangements. A Digital Data Only option and an Inward Data Option are also available. The 23 B-Channels can be used to connect the customer's CPE to the Public Circuit Switched Network, e.g., outward, inward and 2-way network access. Calling Number Delivery, Called Number Delivery, Outgoing Calling Name Delivery, and Hunting functionality are inherent to this service. Incoming Calling Name Delivery, an optional feature offered at rates listed in A42.3.4.D.5., is available in switch types where equipped. Redirecting Number, an optional feature described in A42.3.3, is offered at no charge to the customer in switch types where equipped. Telephone numbers for use on BellSouth[®] Primary Rate ISDN are available in this Tariff. One Directory Listing will be furnished at no charge for each BellSouth[®] Primary Rate ISDN B-Channel. Additional listings can be obtained as specified in Section A6. of this tariff. (C)
- C. BellSouth[®] Primary Rate ISDN provides capability for the transmission of digital signals only. Clear Channel Capability and Extended Superframe Format are inherent to the service. (T)
- D. BellSouth[®] Primary Rate ISDN is provided within a LATA from wire centers where appropriate ISDN facilities are available as determined by the Company. Special Construction charges may apply as specified in Section A5. of this Tariff. (T)
- E. BellSouth[®] Primary Rate ISDN Access Lines furnished between a serving wire center and a customer's premises will be offered at a non-distance sensitive rate per BellSouth[®] Primary Rate ISDN Access Line. If a customer wishes to utilize another Company provided transport facility, e.g., SMARTRing[®] service, that can meet the required standards to carry the BellSouth Primary Rate ISDN Access (DS1) Line, the customer will incur no charge for the BellSouth[®] Primary Rate ISDN Access (DS1) Line. MegaLink[®] service cannot be utilized to provide transport for BellSouth[®] Primary Rate ISDN except where the BellSouth[®] Primary Rate ISDN is terminated in FlexServ[®] service. Asynchronous Transfer Mode (ATM) Service can be utilized to transport BellSouth[®] Primary Rate ISDN Voice/Data – Flat Rate under the regulations states in A42.3.2.CC. (C)
- F. Interoffice Channels furnished between central offices will be charged at rates based on airline distance between the central offices, except as provided in A42.3.2.Q. following. (T)
- G. Airline distance between Company central offices shall be developed using the methodology found in B3.3.3 of the Private Line Service Tariff. Fractional mileage shall be rounded up to the next full mile. (T)
- H. The required components for BellSouth[®] Primary Rate ISDN are as follows: (T)
- BellSouth[®] Primary Rate ISDN Access Line where applicable (T)
 - Interoffice Channels where applicable
 - BellSouth[®] Primary Rate ISDN Interface (T)
 - BellSouth[®] Primary Rate ISDN B-Channels (T)
 - BellSouth[®] Primary Rate ISDN D-Channel (T)
 - Telephone Numbers
 - Call Types

[®] Registered Service Mark of BellSouth Intellectual Property Corporation

[®] BellSouth is a registered trademark of BellSouth Intellectual Property Corporation

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth[®] Primary Rate ISDN (Cont'd)

(T)

A42.3.3 Definitions

CALL-BY-CALL CAPABILITY

The term "Call-by-Call" denotes the ability of a BellSouth[®] Primary Rate ISDN B-Channel to carry a call of any call type (e.g., Inward, Outward, or 2-Way) as needed. This is distinct from other technologies where transmission channels are, due to technical limitations, segregated by call types.

(T)

CALL TYPES

The term "Call Types" denotes the use of three types of Simulated Facility Groups (SFGs) available with BellSouth[®] Primary Rate ISDN which are described as Inward, Outward, and 2-way

(T)

D-CHANNEL

The term "D-Channel" denotes a 64 Kbps digital signaling only channel for call establishment when used with BellSouth[®] Primary Rate ISDN .

(T)

D-CHANNEL BACKUP

D-Channel Backup (DCBU) provides one of the DS-1's in the NFAS arrangement with a spare D-Channel. This spare D-Channel is used to control signaling and call setup if the main D-Channel fails. The main D-Channel and the spare D-Channel are never provided on the same DS-1. The channel configuration for NFAS with DCBU arrangements may be described as pB+2D where $1 \leq p \leq 478$. Thus, the maximum channel configuration for a NFAS with DCBU arrangement is 478B+2D.

DIGITAL DATA ONLY B-CHANNEL

The term "Digital Data Only B-Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digitally transmitted data mode calls when provisioned by the BellSouth[®] Primary Rate ISDN - Digital Data Only option.

(T)

EXTENDED REACH SERVICE FINAL TELEPHONE NUMBER (ERS FTN)

ERS FTNs are telephone numbers assigned in the ERS subscriber's serving central office. These numbers are required for ERS Final Route Arrangements and may be required where the Overflow Feature for ERS Dedicated Route arrangements is utilized for call overflows to interoffice trunk groups.

(N)

(N)

EXTENDED REACH SERVICE REMOTE TELEPHONE NUMBER (ERS RTN)

ERS RTNs are telephone numbers assigned to each local calling area to which the Extended Reach subscriber provides local number access. These telephone numbers are applicable for both ERS Dedicated Route Arrangements and ERS Final Route Arrangements.

(N)

(N)

FACILITY ASSOCIATED SIGNALING

In Facility Associated Signaling (FAS) arrangements for BellSouth[®] Primary Rate ISDN, a D-Channel is provided for every DS-1 facility. Since the subscriber may select the number of B-Channels activated (up to 23), the channel configuration for FAS arrangements may be described as nB+D where $1 \leq n \leq 23$. Thus, the maximum channel configuration for a FAS arrangement is 23B+D.

(T)

HIGH USE OPTION

The term "High Use Option" for Incoming Call Extension denotes that more than one simultaneous incoming call is received per telephone number.

INCOMING CALLING NAME DELIVERY

Delivery of the name associated with a call incoming to the customer's PRI and customers premise equipment for display on a telephone with appropriate display equipment.

(N)

(N)

INTEROFFICE CHANNEL

An Interoffice Channel provides for the transmission facilities between Company serving wire centers within a LATA.

INWARD CALL

An Inward call denotes a call that is switched through the BellSouth Network and terminates in a BellSouth[®] Primary Rate ISDN arrangement.

(T)

INWARD DATA B-CHANNEL

An Inward Data B-Channel provides circuit switched service that will allow either analog data or digital data transmission at up to 64 Kbps and will include the functionality of Hunting and Calling/Called Number Delivery.

LOW USE OPTION

The term "Low Use Option" for Incoming Call Extension denotes that a maximum of one incoming call is received per telephone number at one time.

ISSUED: October 25, 2005 ~~March 1, 2004~~

EFFECTIVE: November 9, 2005 ~~March 16, 2004~~

BY: Marshall M. Criser III, President -FL
Miami, Florida

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions (Cont'd)

NEXT ROUTE INDEX FEATURE

The Next Route Index Feature allows a BellSouth Primary Rate ISDN Digital Data Only customer to arrange analog calls to overflow to a Voice/Data arrangement in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement in the same switch. These same capabilities are available to a BellSouth Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement in the same switch.

NON-FACILITY ASSOCIATED SIGNALING

In Non-Facility Associated Signaling (NFAS) arrangements for BellSouth Primary Rate ISDN, a D-Channel controls multiple (up to 20) DS-1 facilities. In NFAS arrangements, the first DS-1 will typically be configured as 23B+D, and all other DS-1's controlled by the D-Channel will be configured as 24B. The channel configuration for NFAS arrangements may be described as mB+D where $1 \leq m \leq 479$. Thus, the maximum channel configuration for a NFAS arrangement is 479B+D.

OUTGOING CALLING NAME DELIVERY

The name that is delivered to Calling Name Display equipment when an outgoing call is placed. This name is defined in A6.2.1 of this tariff. All customer phone numbers will use this name unless Secondary Calling Name Delivery is purchased.

OUTWARD CALL

An Outward call denotes a call that originates on a BellSouth Primary Rate ISDN arrangement and is switched through the BellSouth network.

OVERFLOW FEATURE FOR EXTENDED REACH SERVICE DEDICATED ROUTE ARRANGEMENTS

The Overflow Feature for Extended Reach Service Dedicated Route Arrangements allows calls to overflow from a customer's ERS Dedicated Route Arrangement to the same customer's Final Route Arrangement. When all facilities are busy on the customer's Dedicated Route Arrangement from a particular target local calling area, additional calls are switched over interoffice trunk groups to the customer's local serving central office, where they terminate on ERS Final Route Primary Rate Interfaces and B-Channels, via an ERS Final Telephone Number.

OVERFLOW FEATURE FOR VOICE/DATA ARRANGEMENTS

The Overflow Feature allows calls to overflow from a customer's Voice/Data PRI Arrangement to a BellSouth business telephone number residing in the same central office switch as the customer's Voice/Data Arrangement.

OUTWARD CALL

BELLSOUTH PRIMARY RATE ISDN ACCESS LINE

A BellSouth Primary Rate ISDN Access Line provides a four-wire access loop from the serving wire center to the customer premises. The transmission characteristics of this loop support Clear Channel Capability and Extended Superframe Format (ESF). When the customer provides this access line, via an acceptable transport facility.

BELLSOUTH PRIMARY RATE ISDN B-CHANNEL

A BellSouth Primary Rate ISDN B-Channel - provides circuit switched service that will allow either voice or data transmission at up to 64 Kbps and will include the functionality of hunting and calling/called number delivery.

BELLSOUTH PRIMARY RATE ISDN SERVICE D-CHANNEL

A BellSouth Primary Rate ISDN D-Channel - provides a 64 Kbps digital signaling-only channel for call establishment and control.

BELLSOUTH PRIMARY RATE ISDN INTERFACE

A BellSouth Primary Rate ISDN Interface - provides multiplexing to support up to 23 B-Channels at 64 Kbps and one D-Channel for signaling also at 64 Kbps. When Non-facility Associated Signaling (NFAS) is ordered, the BellSouth Primary Rate ISDN Interface can provide up to 24 B-Channels at 64 Kbps. One BellSouth Primary Rate ISDN Interface is required for each BellSouth Primary Rate ISDN Access Line.

REDIRECTING NUMBER FEATURE

This feature provides delivery of up to two Redirecting Numbers on a terminating Primary Rate Interface. When a call is redirected by a line to a Primary Rate Interface, the directory number of the redirecting line is passed by the switch to the terminating Primary Rate Interface along with the calling party number.

SECONDARY CALLING NAME DELIVERY

Secondary Calling Name Delivery is an optional feature that allows the delivery of a Listed Directory Name other than the name defined in Outgoing Name Delivery, below. A secondary calling name may be associated with a number or range of numbers.

Material previously appearing on this page now appears on page(s) 41.1 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

ISSUED: October 25, 2005

EFFECTIVE: November 9, 2005

BY: Marshall M. Criser III, President -FL
Miami, Florida

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions (Cont'd)

SIGNALING GROUP

(M)

A set of BellSouth Primary Rate ISDN DS-1's that is controlled by one D-Channel, or by one D-Channel together with the associated backup D-Channel, is called a BellSouth Primary Rate ISDN Signaling Group. In a FAS arrangement, each DS-1 constitutes a Signaling Group. In NFAS arrangements, all the DS-1's controlled by the main D-Channel (and, optionally, by the Backup D-Channel) constitute a Signaling Group.

(F)(M)

VOICE/DATA B CHANNEL

(M)

The term "Voice/Data B Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digital transmission.

(M)

2-WAY CALL

(M)

The term "2-Way calls" denotes calls which either originate or terminate on a BellSouth Primary Rate ISDN arrangement.

(M)

64KBPS CLEAR CHANNEL CAPACITY (CCC)

(M)

The term "64 KBPS Clear Channel Capacity (CCC)" denotes a B-Channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.

(M)

Material appearing on this page previously appeared on page(s) 41 and 42 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

ISSUED: October 25, 2005 March 1, 2004

EFFECTIVE: November 9, 2005 March 16, 2004

BY: Marshall M. Criser III, President -FL
Miami, Florida

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions (Cont'd)

~~64KBPS CLEAR CHANNEL CAPACITY (CCC)~~

~~The term "64 KBPS Clear Channel Capacity (CCC)" denotes a B Channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.~~

~~2-WAY CALL~~

~~The term "2-Way calls" denotes calls which either originate or terminate on a BellSouth Primary Rate ISDN arrangement.~~

~~VOICE/DATA B-CHANNEL~~

~~The term "Voice/Data B-Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digital transmission.~~

A42.3.4 Rates and Charges

- A. A BellSouth Primary Rate ISDN Access Line is furnished between a serving wire center and the customer's premises. If other tariffed services are used for transport as described in A42.3.1.E., no additional rate applies (Provisioning USOC: 1LD1F).

1. BellSouth Primary Rate ISDN Access Line, each

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a) BellSouth Primary Rate ISDN Access Line, each	\$875.00	\$140.00	\$135.00	\$130.00	\$120.00	1LD1E

- B. Interoffice Channels furnished between central offices. Rates are based on the airline distance between central offices.

1. Interoffice Channel, each channel

(a) Fixed Monthly Rate	125.00	75.00	72.50	70.00	65.00	1LN1A
(b) Each airline mile or fraction thereof	-	24.00	23.00	22.00	20.00	1LN1B

- C. BellSouth Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly.

1. BellSouth Primary Rate ISDN Interface, each

(a) Voice/Data (Standard)	110.00	400.00	385.00	375.00	340.00	PR71V
(b) Digital Data Only Option	110.00	400.00	385.00	375.00	340.00	PR71D
(c) Inward Data Option	110.00	400.00	385.00	375.00	340.00	PR71E
(d) Inward Data Option with Extended Reach Service – Dedicated Route	110.00	400.00	385.00	375.00	340.00	PR71C
(e) Inward Data Option with Extended Reach Service – Final Route	110.00	400.00	385.00	375.00	340.00	PR71U

2. BellSouth Primary Rate ISDN B-Channels, each

(a) Voice/Data (Standard)	5.00	48.40	47.00	45.70	41.25	PR7BV
(b) Voice/Data (Standard for use over ATM)	5.00	38.00	34.00	32.00	30.00	PR7BT
(c) Digital Data Only Option	5.00	24.50	23.00	21.80	20.60	PR7BF
(d) Inward Data Option	5.00	29.00	28.00	26.40	25.10	PR7BD
(e) Inward Data Option with Extended Reach Service – Dedicated Route	5.00	38.00	37.50	35.00	32.00	PR7BE
(f) Inward Data Option with Extended Reach Service – Final Route	5.00	53.00	51.00	49.00	45.00	PR7BL

3. BellSouth Primary Rate ISDN D-Channel - No Rate (Requires Provisioning USOC: PR7EX)

4. Extended Reach Dedicated Interoffice Channel - No Rate (Requires Provisioning USOC: PR7OE)

~~Material previously appearing on this page now appears on page(s) 41.1 of this section.~~

~~Material appearing on this page previously appeared on page(s) 43 of this section.~~

~~Material appearing on this page previously appeared on page(s) 41 of this section.~~

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.4 Rates and Charges (Cont'd)

D. Optional Offerings (Cont'd)

3. Next Route Index Feature

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a) Per analog arrangement	\$100.00	\$30.00	\$28.50	\$27.00	\$25.00	PR7GX
(b) Per analog and digital arrangement	100.00	30.00	28.50	27.00	25.00	PR7GY
4. Overflow Feature for Extended Reach Service Dedicated Route Arrangement						
(a) Per Remote Telephone Number	100.00	54.00	52.00	50.00	46.00	PR7AU
5. Calling Name Delivery Feature						
(a) Per Primary Rate Interface	-	100.00	85.00	75.00	69.00	PR7CN
6. Redirecting Number Feature per Primary Rate Interface – No Rate (Provisioning USOC: PR7RN) ¹						
7. PRI Overflow Feature for Voice/Data Arrangements						
(a) Per analog and digital arrangement	100.00	30.00	28.50	27.00	25.00	PR7OF
8. <u>Secondary Calling Name Delivery^{1,2}</u>						
(a) <u>Per number</u>	<u>0.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>1.00</u>	<u>PR7SN</u>

Note 1: Each number requires an additional listing. Listings for this service are subject to regulations specified in Section A6. for directory listings.

Note 2: Charge is waived for existing numbers for a period of ninety (90) days.

A12. CENTRAL OFFICE NON-TRANSPORT SERVICE OFFERINGS

A12.25 BellSouth Centrex Service (Cont'd)

A12.25.12 Optional Features (Cont'd)

A. Rates and Charges (Cont'd)

35. BellSouth Centrex RingMaster (DMS-100, 5ESS, EWSD®) (C)

- a. BellSouth Centrex RingMaster service will enable a subscriber to have up to three telephone numbers associated with a single line.
- b. BellSouth Centrex RingMaster is not compatible with: Station Links in a different Wire Center; Station Links terminated on Electronic Business Sets; lines equipped with multi-line hunting arrangements, Integrated Services Digital Network (ISDN), and/or Automatic Call Distribution (ACD).
- c. BellSouth Centrex RingMaster is provided subject to the availability of facilities.
- d. All telephone numbers associated with a line equipped with BellSouth Centrex RingMaster must originate from the same Centrex customer group.
- e. When establishing BellSouth Centrex RingMaster service, Call Forwarding service subscribers must choose one of the following options:
 - (1) All telephone numbers associated with one line will be forwarded to a single number when Call Forwarding service is activated.
 - (2) The primary telephone number only will be forwarded when Call Forwarding service is activated. The additional BellSouth Centrex RingMaster service numbers will continue to ring and may be answered at the subscriber's premises.
 - (3) Both the primary and additional BellSouth Centrex RingMaster telephone numbers can be forwarded independent of each other to their own remote locations.
- f. Appropriate nonrecurring charges will apply when changing from one option to the other subsequent to the establishment of BellSouth Centrex RingMaster service.
- g. BellSouth Centrex RingMaster service can be suspended as specified in A2.3.16 of this Tariff. During the period of suspension, no recurring charge applies.

h. Per Station Link^{1,2,3}

	Installation Charge	Monthly Rate	USOC
(1) BellSouth Centrex RingMaster			
(a) First additional telephone number with distinctive ringing, per line	\$-	\$5.00	CENRF
(b) Second additional telephone number with distinctive ringing, per line	-	5.00	CENRG
36. Remote Access Call Forwarding (DMS-100, 5ESS, EWSD®, requires Call Forwarding Variable)			
(a) Per station link	-	7.75	CENO2
37. Secondary Calling Name Delivery (DMS-100, 1AESS, 5ESS, EWSD®) ^{1,4,5}			
(a) Per station link	-	1.00	CENO4

Note 1: Listings for BellSouth Centrex RingMaster service are subject to regulations specified in Section A6. for directory listings.

Note 2: Available on Analog Station Links only.

Note 3: Not available with foreign exchange service and foreign central office service.

Note 4: Each line requires an additional listing.

Note 5: Charge is waived for existing lines for a period of ninety (90) days.

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN

(T)

A42.3.1 General

- A. BellSouth Primary Rate ISDN is an intraLATA offering supported by the Integrated Services Digital Network (ISDN) architecture. (T)
- B. BellSouth Primary Rate ISDN provides an ISDN based, DS1 access to the telecommunications network and includes the flexibility of integration of multiple voice and/or data transmission channels on the same line. The service will provide connectivity between ISDN compatible CPE and a serving central office. The basic channel structure for BellSouth Primary Rate ISDN is twenty-three 64 Kbps B-Channels and one 64 Kbps D-Channel. The customer has the option to activate up to 23 B-Channels on the first BellSouth Primary Rate ISDN arrangement and up to 24 channels on additional BellSouth Primary Rate ISDN arrangements. A Digital Data Only option and an Inward Data Option are also available. The 23 B-Channels can be used to connect the customer's CPE to the Public Circuit Switched Network, e.g., outward, inward and 2-way network access. Calling Number Delivery, Called Number Delivery, **Outgoing Calling Name Delivery**, and Hunting functionality are inherent to this service. **Incoming** Calling Name Delivery, an optional feature offered at rates listed in A42.3.4.D.5., is available in switch types where equipped. Redirecting Number, an optional feature described in A42.3.3, is offered at no charge to the customer in switch types where equipped. Telephone numbers for use on BellSouth Primary Rate ISDN are available in this Tariff. One Directory Listing will be furnished at no charge for each BellSouth Primary Rate ISDN B-Channel. Additional listings can be obtained as specified in Section A6. of this tariff. (C)
- C. BellSouth Primary Rate ISDN provides capability for the transmission of digital signals only. Clear Channel Capability and Extended Superframe Format are inherent to the service. (T)
- D. BellSouth Primary Rate ISDN is provided within a LATA from wire centers where appropriate ISDN facilities are available as determined by the Company. Special Construction charges may apply as specified in Section A5. of this Tariff. (T)
- E. BellSouth Primary Rate ISDN Access Lines furnished between a serving wire center and a customer's premises will be offered at a non-distance sensitive rate per BellSouth Primary Rate ISDN Access Line. If a customer wishes to utilize another Company provided transport facility, e.g., SMARTRing service, that can meet the required standards to carry the BellSouth Primary Rate ISDN Access (DS1) Line, the customer will incur no charge for the BellSouth Primary Rate ISDN Access (DS1) Line. MegaLink service cannot be utilized to provide transport for BellSouth Primary Rate ISDN except where the BellSouth Primary Rate ISDN is terminated in FlexServ service. Asynchronous Transfer Mode (ATM) Service can be utilized to transport BellSouth Primary Rate ISDN Voice/Data – Flat Rate under the regulations states in A42.3.2.CC. (T)
- F. Interoffice Channels furnished between central offices will be charged at rates based on airline distance between the central offices, except as provided in A42.3.2.Q. following. (T)
- G. Airline distance between Company central offices shall be developed using the methodology found in B3.3.3 of the Private Line Service Tariff. Fractional mileage shall be rounded up to the next full mile. (T)
- H. The required components for BellSouth Primary Rate ISDN are as follows: (T)
 - BellSouth Primary Rate ISDN Access Line where applicable (T)
 - Interoffice Channels where applicable (T)
 - BellSouth Primary Rate ISDN Interface (T)
 - BellSouth Primary Rate ISDN B-Channels (T)
 - BellSouth Primary Rate ISDN D-Channel (T)
 - Telephone Numbers (T)
 - Call Types (T)

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

(T)

A42.3.3 Definitions

CALL-BY-CALL CAPABILITY

The term "Call-by-Call" denotes the ability of a BellSouth Primary Rate ISDN B-Channel to carry a call of any call type (e.g., Inward, Outward, or 2-Way) as needed. This is distinct from other technologies where transmission channels are, due to technical limitations, segregated by call types.

(T)

CALL TYPES

The term "Call Types" denotes the use of three types of Simulated Facility Groups (SFGs) available with BellSouth Primary Rate ISDN which are described as Inward, Outward, and 2-way

(T)

D-CHANNEL

The term "D-Channel" denotes a 64 Kbps digital signaling only channel for call establishment when used with BellSouth Primary Rate ISDN.

(T)

D-CHANNEL BACKUP

D-Channel Backup (DCBU) provides one of the DS-1's in the NFAS arrangement with a spare D-Channel. This spare D-Channel is used to control signaling and call setup if the main D-Channel fails. The main D-Channel and the spare D-Channel are never provided on the same DS-1. The channel configuration for NFAS with DCBU arrangements may be described as $pB+2D$ where $1 \leq p \leq 478$. Thus, the maximum channel configuration for a NFAS with DCBU arrangement is $478B+2D$.

DIGITAL DATA ONLY B-CHANNEL

The term "Digital Data Only B-Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digitally transmitted data mode calls when provisioned by the BellSouth Primary Rate ISDN - Digital Data Only option.

(T)

EXTENDED REACH SERVICE FINAL TELEPHONE NUMBER (ERS FTN)

ERS FTNs are telephone numbers assigned in the ERS subscriber's serving central office. These numbers are required for ERS Final Route Arrangements and may be required where the Overflow Feature for ERS Dedicated Route arrangements is utilized for call overflows to interoffice trunk groups.

EXTENDED REACH SERVICE REMOTE TELEPHONE NUMBER (ERS RTN)

ERS RTNs are telephone numbers assigned to each local calling area to which the Extended Reach subscriber provides local number access. These telephone numbers are applicable for both ERS Dedicated Route Arrangements and ERS Final Route Arrangements.

FACILITY ASSOCIATED SIGNALING

In Facility Associated Signaling (FAS) arrangements for BellSouth Primary Rate ISDN, a D-Channel is provided for every DS-1 facility. Since the subscriber may select the number of B-Channels activated (up to 23), the channel configuration for FAS arrangements may be described as $nB+D$ where $1 \leq n \leq 23$. Thus, the maximum channel configuration for a FAS arrangement is $23B+D$.

(T)

HIGH USE OPTION

The term "High Use Option" for Incoming Call Extension denotes that more than one simultaneous incoming call is received per telephone number.

INCOMING CALLING NAME DELIVERY

Delivery of the name associated with a call incoming to the customer's PRI and customers premise equipment for display on a telephone with appropriate display equipment.

(N)

(N)

INTEROFFICE CHANNEL

An Interoffice Channel provides for the transmission facilities between Company serving wire centers within a LATA.

INWARD CALL

An Inward call denotes a call that is switched through the BellSouth Network and terminates in a BellSouth Primary Rate ISDN arrangement.

(T)

INWARD DATA B-CHANNEL

An Inward Data B-Channel provides circuit switched service that will allow either analog data or digital data transmission at up to 64 Kbps and will include the functionality of Hunting and Calling/Called Number Delivery.

LOW USE OPTION

The term "Low Use Option" for Incoming Call Extension denotes that a maximum of one incoming call is received per telephone number at one time.

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions (Cont'd)

NEXT ROUTE INDEX FEATURE

The Next Route Index Feature allows a BellSouth Primary Rate ISDN Digital Data Only customer to arrange analog calls to overflow to a Voice/Data arrangement in the same switch or allows the customer to overflow analog and digital calls to a Voice/Data arrangement in the same switch. These same capabilities are available to a BellSouth Primary Rate ISDN Inward Data customer to overflow calls to a Voice/Data arrangement in the same switch.

NON-FACILITY ASSOCIATED SIGNALING

In Non-Facility Associated Signaling (NFAS) arrangements for BellSouth Primary Rate ISDN, a D-Channel controls multiple (up to 20) DS-1 facilities. In NFAS arrangements, the first DS-1 will typically be configured as 23B+D, and all other DS-1's controlled by the D-Channel will be configured as 24B. The channel configuration for NFAS arrangements may be described as mB+D where $1 \leq m \leq 479$. Thus, the maximum channel configuration for a NFAS arrangement is 479B+D.

OUTGOING CALLING NAME DELIVERY

The name that is delivered to Calling Name Display equipment when an outgoing call is placed. This name is defined in A6.2.1 of this tariff. All customer phone numbers will use this name unless Secondary Calling Name Delivery is purchased.

OUTWARD CALL

An Outward call denotes a call that originates on a BellSouth Primary Rate ISDN arrangement and is switched through the BellSouth network.

OVERFLOW FEATURE FOR EXTENDED REACH SERVICE DEDICATED ROUTE ARRANGEMENTS

The Overflow Feature for Extended Reach Service Dedicated Route Arrangements allows calls to overflow from a customer's ERS Dedicated Route Arrangement to the same customer's Final Route Arrangement. When all facilities are busy on the customer's Dedicated Route Arrangement from a particular target local calling area, additional calls are switched over interoffice trunk groups to the customer's local serving central office, where they terminate on ERS Final Route Primary Rate Interfaces and B-Channels, via an ERS Final Telephone Number.

OVERFLOW FEATURE FOR VOICE/DATA ARRANGEMENTS

The Overflow Feature allows calls to overflow from a customer's Voice/Data PRI Arrangement to a BellSouth business telephone number residing in the same central office switch as the customer's Voice/Data Arrangement.

BELLSOUTH PRIMARY RATE ISDN ACCESS LINE

A BellSouth Primary Rate ISDN Access Line provides a four-wire access loop from the serving wire center to the customer premises. The transmission characteristics of this loop support Clear Channel Capability and Extended Superframe Format (ESF). When the customer provides this access line, via an acceptable transport facility.

BELLSOUTH PRIMARY RATE ISDN B-CHANNEL

A BellSouth Primary Rate ISDN B-Channel - provides circuit switched service that will allow either voice or data transmission at up to 64 Kbps and will include the functionality of hunting and calling/called number delivery.

BELLSOUTH PRIMARY RATE ISDN SERVICE D-CHANNEL

A BellSouth Primary Rate ISDN D-Channel - provides a 64 Kbps digital signaling-only channel for call establishment and control.

BELLSOUTH PRIMARY RATE ISDN INTERFACE

A BellSouth Primary Rate ISDN Interface - provides multiplexing to support up to 23 B-Channels at 64 Kbps and one D-Channel for signaling also at 64 Kbps. When Non-facility Associated Signaling (NFAS) is ordered, the BellSouth Primary Rate ISDN Interface can provide up to 24 B-Channels at 64 Kbps. One BellSouth Primary Rate ISDN Interface is required for each BellSouth Primary Rate ISDN Access Line.

REDIRECTING NUMBER FEATURE

This feature provides delivery of up to two Redirecting Numbers on a terminating Primary Rate Interface. When a call is redirected by a line to a Primary Rate Interface, the directory number of the redirecting line is passed by the switch to the terminating Primary Rate Interface along with the calling party number.

SECONDARY CALLING NAME DELIVERY

Secondary Calling Name Delivery is an optional feature that allows the delivery of a Listed Directory Name other than the name defined in Outgoing Name Delivery, below. A secondary calling name may be associated with a number or range of numbers.

ISSUED: October 25, 2005

EFFECTIVE: November 9, 2005

BY: Marshall M. Criser III, President -FL
Miami, Florida

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.3 Definitions (Cont'd)

SIGNALING GROUP

A set of BellSouth Primary Rate ISDN DS-1's that is controlled by one D-Channel, or by one D-Channel together with the associated backup D-Channel, is called a BellSouth Primary Rate ISDN Signaling Group. In a FAS arrangement, each DS-1 constitutes a Signaling Group. In NFAS arrangements all the DS-1's controlled by the main D-Channel (and, optionally, by the Backup D-Channel) constitute a Signaling Group.

(M)

(M)

VOICE/DATA B CHANNEL

The term "Voice/Data B Channel" denotes a bi-directional synchronous channel capable of supporting 64 Kbps of digital transmission.

(M)

(M)

2-WAY CALL

The term "2-Way calls" denotes calls which either originate or terminate on a BellSouth Primary Rate ISDN arrangement.

(M)

(M)

64KBPS CLEAR CHANNEL CAPACITY (CCC)

The term "64 KBPS Clear Channel Capacity (CCC)" denotes a B-Channel connection that provides end-to-end digital connection in which all 64 Kbps of bandwidth are available for customer use.

(M)

(M)

Material appearing on this page previously appeared on page(s) 41 and 42 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

ISSUED: October 25, 2005
BY: Marshall M. Criser III, President -FL
Miami, Florida

EFFECTIVE: November 9, 2005

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

(M)

A42.3.4 Rates and Charges

- A. A BellSouth Primary Rate ISDN Access Line is furnished between a serving wire center and the customer's premises. If other tariffed services are used for transport as described in A42.3.1.E., no additional rate applies (Provisioning USOC: 1LD1F).

1. BellSouth Primary Rate ISDN Access Line, each

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a) BellSouth Primary Rate ISDN Access Line, each	\$875.00	\$140.00	\$135.00	\$130.00	\$120.00	1LD1E

- B. Interoffice Channels furnished between central offices. Rates are based on the airline distance between central offices.

1. Interoffice Channel, each channel

(a) Fixed Monthly Rate	125.00	75.00	72.50	70.00	65.00	1LN1A
(b) Each airline mile or fraction thereof	-	24.00	23.00	22.00	20.00	1LN1B

- C. BellSouth Primary Rate ISDN will be available in combinations of channels according to the limits of the Company central office type. Customers will choose the most appropriate combinations and will be billed for the services accordingly.

1. BellSouth Primary Rate ISDN Interface, each

(a) Voice/Data (Standard)	110.00	400.00	385.00	375.00	340.00	PR71V
(b) Digital Data Only Option	110.00	400.00	385.00	375.00	340.00	PR71D
(c) Inward Data Option	110.00	400.00	385.00	375.00	340.00	PR71E
(d) Inward Data Option with Extended Reach Service – Dedicated Route	110.00	400.00	385.00	375.00	340.00	PR71C
(e) Inward Data Option with Extended Reach Service – Final Route	110.00	400.00	385.00	375.00	340.00	PR71U

2. BellSouth Primary Rate ISDN B-Channels, each

(a) Voice/Data (Standard)	5.00	48.40	47.00	45.70	41.25	PR7BV
(b) Voice/Data (Standard for use over ATM)	5.00	38.00	34.00	32.00	30.00	PR7BT
(c) Digital Data Only Option	5.00	24.50	23.00	21.80	20.60	PR7BF
(d) Inward Data Option	5.00	29.00	28.00	26.40	25.10	PR7BD
(e) Inward Data Option with Extended Reach Service – Dedicated Route	5.00	38.00	37.50	35.00	32.00	PR7BE
(f) Inward Data Option with Extended Reach Service – Final Route	5.00	53.00	51.00	49.00	45.00	PR7BL

3. BellSouth Primary Rate ISDN D-Channel - No Rate (Requires Provisioning USOC: PR7EX)

4. Extended Reach Dedicated Interoffice Channel - No Rate (Requires Provisioning USOC: PR7OE)

Material previously appearing on this page now appears on page(s) 41.1 of this section.

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

A42. INTEGRATED SERVICES DIGITAL NETWORK (ISDN)

A42.3 BellSouth Primary Rate ISDN (Cont'd)

A42.3.4 Rates and Charges (Cont'd)

D. Optional Offerings (Cont'd)

3. Next Route Index Feature

	Nonrecurring Charge	Month to Month	12 to 23 Months	24 to 48 Months	49 to 72 Months	USOC
(a) Per analog arrangement	\$100.00	\$30.00	\$28.50	\$27.00	\$25.00	PR7GX
(b) Per analog and digital arrangement	100.00	30.00	28.50	27.00	25.00	PR7GY
4. Overflow Feature for Extended Reach Service Dedicated Route Arrangement						
(a) Per Remote Telephone Number	100.00	54.00	52.00	50.00	46.00	PR7AU
5. Calling Name Delivery Feature						
(a) Per Primary Rate Interface	-	100.00	85.00	75.00	69.00	PR7CN
6. Redirecting Number Feature per Primary Rate Interface – No Rate (Provisioning USOC: PR7RN) ¹						(T)
7. PRI Overflow Feature for Voice/Data Arrangements						
(a) Per analog and digital arrangement	100.00	30.00	28.50	27.00	25.00	PR7OF
8. Secondary Calling Name Delivery ^{1,2}						(N)
(a) Per number	0.00	1.00	1.00	1.00	1.00	PR7SN

Note 1: Each number requires an additional listing. Listings for this service are subject to regulations specified in Section A6. for directory listings.

Note 2: Charge is waived for existing numbers for a period of ninety (90) days.

(N)