## MEMORANDUM

## March 18, 1995

## TO: ALICE CROSBY, DIVISION OF LEGAL SERVICES DIVISION OF RECORDS AND REPORTING

FROM:

OPC.

CHRISTINE MOMLINSON, DIVISION OF WATER AND WASTEWATER

RE: DOCKET NO. 960144-WS; REQUEST FOR EXEMPTION FROM FLORIDA PUBLIC SERVICE COMMISSION REGULATION FOR PROVISION OF WATER AND WASTEWATER SERVICE IN HIGHLANDS COUNTY BY PINE RIDGE PARK.

On February 8, 1996, this Commission received an application from Pine Ridge Park (Pine Ridge or utility) for a landlord-tenant exemption pursuant to Section 367.022(5), Florida Statutes and Rule 25-30.060(3)(e), Florida Administrative Code. The primary contact person for Pine Ridge is Mr. Mark Tucciarone, Vice President of Pine Ridge. The mailing address for the above contact person is 303 S.R. 70 East, Lake Placid, Florida 33852. The physical and mailing address for the utility is the same as the above address. The utility, located in Highlands County, will provide water and wastewater service solely to its tenants.

The applicant, operating as a sole proprietor, has filed in accorúance with Section 367.022(5), Florida Statutes, and Rules 25-30.060(3)(e), Florida Administrative Code. In addition, the ACK \_\_\_\_ applicant acknowledged Section 837.06, Florida Statutes, regarding AFA \_\_\_\_ false statements. A copy of the landlord's most recent version of APP \_ a standard lease was included with the application. A statement that there are no additional charges for water or wastewater; CAF charges for this service are non-specifically contained in rental CMU\_ \_\_\_\_\_ charges; and the service territory is located at Lake Placid, Florida Section 4, Township 38 South, Range 30 East, was included CTR \_ In the application. Based on the information provided, it is the EAG .... recommendation of Staff that Pine Ridge be granted a certificate of exemption for the utility located at 303 S. R. 70 East, Lake LEG Placid, Florida 33852, pursuant to Section 367.021(5), Florida LIN Statutes.

03482 MAR 22 %

FPSC-RECORDS/REPORTING



method of operation of its wather system. Furthermore, Staff recommends that this docket be closed.

c:\WP\960144.REC