



Bouthern States Utilities \* 1000 Color Place \* Apopka, FL 32703 \* 407/880-0058

DEPOSIT TREAS. REC

. . .

Check monted with they not

D381

SEP 30 '96

September 27, 1996

Ms. Blanca Bayo, Director Division of Records & Reporting Florida Public Service Commission Via Federal Express

2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850 ACK Docket Number / 10/ Re: AFA Application for Amendment of Certificate No. 322-S APP In Marion County, Florida, by Southern States Utilities, Inc. CAF Dear Ms. Bayo: CMU CTR Enclosed for filing is one original application as described above. Also enclosed are 15 EAG copies of the application, along with the required maps, an original and two copies of the applicable tariff sheets, SSU's original certificate No. 322-S, and the required filing fee LEG check in the amount of \$100. The filing fee represents a wastewater filing fee for "an LIN area to be extended which has the proposed capacity to serve up to 100 ERCs." OPC RCH Please note that this application is being filed pursuant to the conditions set forth in Rule

THE FACE OF THIS DOCUMENT HAS A BLUE BACKGROUND ON WHITE PAPER - THE BACK CONTAINS AN ARTIFICIAL WATERMANK

25-30.036(2)(b) and Rule 25-30.036(3). The proposed new territory does not exceed 25 equivalent residential connections. Therefore, the utility intends to begin providing

service to the new territory as soon as the objection period has run.

## SOUTHERN STATES UTILITIES, INCHECKS

1000 COLOR PLACE APOPKA, FL 32703 (407) 880-0058 183546 9/25/96

63-215 631 590

SunBank, N.A. COLLEGE PARK OFFICE ORLANDO, FL 32804

PAY One Hundred and 00 /100th Dollars

TO THE ORDER OF


SEC

WAS

OTH

FLORIDA PUBLIC SERVICE CONHISS 101 EAST GAINES STREET TALLAHASSEE FL 32399-0876 SAMOUNT
SAMOUNT
SOUTHERN STATES UTILITIES, INC.

10515 OCT - Vilginia & Clark





thern States Utilities • 1000 Color Place • Apopks, FL 32703 • 407/880-0058

DEPOSIT TREAS. REC

D381

SEP 30 '96

September 27, 1996


OTH

Via Federal Express

Ms. Blanca Bayo, Director Division of Records & Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

AT

	Tallallassee, Florida 32377-0630
ACK . AFA . APP .	Re: Docket Number 961183-50 = WII- Application for Amendment of Certificate No. 322-S In Marion County, Florida, by Southern States Utilities, Inc.
CAF .	Dear Ms. Bayo:
CTR .	Enclosed for filing is one original application as described above. Also enclosed are 15
EAG .	copies of the application, along with the required maps, an original and two copies of the
EG _	applicable tariff sheets, SSU's original certificate No. 322-S, and the required filing fee
IN -	check in the amount of \$100. The filing fee represents a wastewater filing fee for "an area to be extended which has the proposed capacity to serve up to 100 ERCs."
OPC -	
RCH _	Please note that this application is being filed pursuant to the conditions set forth in Rule
SEC _	25-30.036(2)(b) and Rule 25-30.036(3). The proposed new territory does not exceed 25 equivalent residential connections. Therefore, the utility intends to begin providing
WAS _	equivalent residential connections. Therefore, the utility intends to begin providing



DEPOSIT TREAS. REC

Check received with Minn and

D381

SEP 30 96

(1) (1) THE

September 27, 1996

Via Federal Express

Ms. Blanca Bayo, Director Division of Records & Reporting Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399-0850

AJ

Re:

Docket Number

-WU

Application for Amendment of Certificate No. 322-S

In Marion County, Florida, by Southern States Utilities, Inc.

Dear Ms. Bayo:

Enclosed for filing is one original application as described above. Also enclosed are 15 copies of the application, along with the required maps, an original and two copies of the applicable tariff sheets, SSU's original certificate No. 322-S, and the required filing fee check in the amount of \$100. The filing fee represents a wastewater filing fee for "an area to be extended which has the proposed capacity to serve up to 100 ERCs."

Please note that this application is being filed pursuant to the conditions set forth in Rule 25-30.036(2)(b) and Rule 25-30.036(3). The proposed new territory does not exceed 25 equivalent residential connections. Therefore, the utility intends to begin providing service to the new territory as soon as the objection period has run.

Exhibits A and B have been added to the application in accordance with the provisions of Rule 25-30.936(2)(b). Exhibit A contains a statement from an officer of the company confirming that the proposed new territory includes a maximum of 25 equivalent residential connections; Exhibit B consists of a statement from an officer of the company confirming that, to the best of his knowledge, there are no other utilities capable of providing reasonably adequate service as economically, efficiently and promptly as SSU and that the company requesting service has demonstrated that service is necessary because the current septic system is over capacity and new construction is scheduled to begin which would necessitate removal of the existing septic tank.

Ms. Blanca Bayo September 27, 1996 Page 2 of 2

In order to confirm filing of this application, please date-stamp the enclosed copy of this letter and return it to me in the stamped, self-addressed envelope which is provided for your convenience.

If you need any additional information or other assistance, please call me at 407/880-0058, x260. Thank you for your cooperation.

Very truly yours,

Matthew J. Feil Staff Attorney

lfs enclosures