

ORIGINAL

ATTACHMENT B

BellSouth Telecommunications, Inc.
FPSC Docket 980800-TP
Staff's Request for BellSouth's
Responses to Supra's Discovery
Request for Confidential Classification
Page 1
11/6/98

REQUEST FOR CONFIDENTIAL CLASSIFICATION OF BELLSOUTH'S
RESPONSES TO SUPRA'S DISCOVERY REQUESTED BY FLORIDA STAFF
OCTOBER 13, 1998, IN DOCKET 980800-TP

2 REDACTED COPIES OF MATERIAL
FOR
PUBLIC RECORD

ACK _____
AFA _____
APP _____
CAF _____
CMU _____
CTR _____
EAG _____
LEG _____
LIN _____
OPC _____
RCH _____
SEC 1 _____
WAS _____
OTH _____

DOCUMENT NUMBER-DATE

12560 NOV-6 98

FPSC-RECORDS/REPORTING

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 44 + 45

Proprietary

Yes

No

ENTIRE DOCUMENT

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 6

Proprietary **Yes** **No**

ENTIRE DOCUMENT

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 8

Proprietary Yes No

1 July 24, 1998

2 TO: John Macdonald

3 FROM: Ron Peet

4 SUBJECT: CCSN Plans for West Palm Beach Gardens and Miami Golden Glades

5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

22 Please call me at 770-391-2106, should you need additional information.

23 Thanks,
24 Ron Peet

25 cc: Joe Badgett
26 Jerome Ruben
27 Guy Ream

8/24/98

1 **GOLDEN GLADES - PLANNED EQUIPMENT GROWTH**

2	CIRCUIT &		3 YR	SQUARE
3	SWITCH TYPE	PURPOSE	GROWTH	FOOT SPACE
4		Local service		REDUCTION
5		Toll Tandem		
6		Operator Services		
7		Toll Tandem		
8		Signal Trans. Point		
	CIRCUIT	Circuit equipment		
	Collocation (Virtual)	Circuit equipment		
	Totals			

2

MESSAGE
Subject: Gardens Growth
Creator: Carl R. Smoot /FL,MIAM02

Dated: 7/20/98 at 17:08
Contents: 2

1 Item 1

2 TO: Guy J. Ream /FL,MIAM04; PHONE=954-492-3631
3 CC: Paul E. Carlson /FL,MIAM02; PHONE=954-492-2971
4 Sandra M. Fox /FL,MIAM02; PHONE=305-492-2925

5 Item 2

6 Guy:

7 I've looked back over the 1997 and 1998 Gardens growth jobs in the local
8 (WPBHFLGRDS0) and the tandem (WPBHFLGE02T). I do not have the folders for 1996.

9 A summary follows:

10 GRDS0
11 1997 PEA8968 frames
12 1998 PEB2620 frames
13 GR02T
14 1997 PEB2079 frames
15 PEB2733 frames
16 --- total
17 1998 PEB3136 frames.

18
19
20 That growth rate, in frames, may continue through 2000.

21 Carl Smoot

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 9

Proprietary

Yes

No

ENTIRE DOCUMENT

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 17

Proprietary

Yes

No

ENTIRE DOCUMENT

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 27

Proprietary

Yes No

ENTIRE DOCUMENT

SUPRA's 1st Request for Production of Documents

FPSC Docket 980800

POD Item No. 28

Proprietary

Yes

No

ENTIRE DOCUMENT

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DOCKET 980800-TP

SUPRA'S SECOND REQUEST FOR PRODUCTION OF
DOCUMENTS

P.O.D. NO. 32

PROPRIETARY

Reference Number:

**VIRTUAL EXPANDED INTERCONNECTION
INQUIRY TRACKING FORM**BSTEI-2-V
2/6/97

Draft

Customer Name:
CLLI for Virtual Location: NDADFLGGInquiry Date: 7/7/98
Issue Number: 1**COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM**Date inquiry received by CSCM: 7/20/98Date response forwarded to INAC: 7/21/98Estimated CSCM engineering time for installation: 1 Hours

(Additional engineering time will include the time required to: identify and assign floor space, estimate riser cable length, coordinate the job with the collocator's certified vendor, and update building study plans. See CSCM Collocation M&P for details.)

Space available: Yes X No _____Proposed location in building (floor, room #) First FloorRack location identification RR126.46 through 126.40

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

Estimated Floor space requirements: 30.34 square feetEstimated riser cable length: 100 feetRack Height in CO: 7 feetRack depth in CO: 12 inchesMaximum cable length between the collocator's equipment and the BST DSX-1? 130 feetMaximum cable length between the collocator's equipment and the BST DSX-3? 100 feetMaximum cable length between the collocator's equipment and the BST TMDF? 130 feetMaximum cable length between the collocator's equipment and the BST LGX? 80 feet

Cable distance to interconnect multiple collocation arrangements: _____ feet

CSCM name and contact number: Jerome Rubin 305-622-3211Remarks: Equipment has been place in line up that will not support equipment depths greater then 12".**OUTSIDE PLANT ENGINEERING**

Note: Evaluate the attached BSTEI-1-V and provide a response to the INAC (see cover fax for INAC name and fax number) with the required information shown in your section of this tracking document. Please evaluate and respond within 10 days of receipt!

Reference Number:



VIRTUAL EXPANDED INTERCONNECTION
INQUIRY TRACKING FORM

BSTEI-2-V
2/6/97

Draft

Customer Name
CLLI for Virtual Location: NDADFLGG

Inquiry Date: 6/10/98
Issue Number: 1

COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM

Date inquiry received by CSCM: 6/12/98

Date response forwarded to INAC: 6/18/98

Estimated CSCM engineering time for installation: 4 Hours

(Additional engineering time will include the time required to: identify and assign floor space, estimate riser cable length, coordinate the job with the collocator's certified vendor, and update building study plans. See CSCM Collocation M&P for details.)

Space available: Yes X No _____

Proposed location in building (floor, room #) First Floor

Rack location identification RR126.58 through 126.48

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

Estimated Floor space requirements: 45.5 square feet

Estimated riser cable length: 100 feet

Rack Height in CO: 7 feet

Rack depth in CO: 12 inches

Maximum cable length between the collocator's equipment and the BST DSX-1? 130 feet

Maximum cable length between the collocator's equipment and the BST DSX-3? 100 feet

Maximum cable length between the collocator's equipment and the BST TMDF? 130 feet

Maximum cable length between the collocator's equipment and the BST LGX? 80 feet

Cable distance to interconnect multiple collocation arrangements: _____ feet

CSCM name and contact number: Jerome Rubin 305-622-3211

Remarks: Equipment has been place in line up that will not support equipment depths greater then 12".

OUTSIDE PLANT ENGINEERING

Note: Evaluate the attached BSTEI-1-V and provide a response to the INAC (see cover fax for INAC name and fax number) with the required information shown in your section of this tracking document. Please evaluate and respond within 10 days of receipt!

Reference Number:



VIRTUAL EXPANDED INTERCONNECTION
INQUIRY TRACKING FORM

BSTEI-2-V
2/6/97

Draft

Customer Name:
CLLI for Virtual Location: NDADFLGG

Inquiry Date: 8/6/98
Issue Number: 1

COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM

Date inquiry received by CSCM: 8/21/98

Date response forwarded to INAC: 8/21/98

Estimated CSCM engineering time for installation: 1 Hours

(Additional engineering time will include the time required to: identify and assign floor space, estimate riser cable length, coordinate the job with the collocator's certified vendor, and update building study plans. See CSCM Collocation M&P for details.)

Space available: Yes No

Proposed location in building (floor, room #) First Floor

Rack location identification RR126.57

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

Estimated Floor space requirements: 7.58 square feet

Estimated riser cable length: _____ feet

Rack Height in CO: 7 feet

Rack depth in CO: 12 inches

Maximum cable length between the collocator's equipment and the BST DSX-1? 130 feet

Maximum cable length between the collocator's equipment and the BST DSX-3? 100 feet

Maximum cable length between the collocator's equipment and the BST TMDF? 130 feet

Maximum cable length between the collocator's equipment and the BST LGX? _____ feet

Cable distance to interconnect multiple collocation arrangements: _____ feet

CSCM name and contact number: Jerome Rubin 305-622-3211

Remarks: Equipment has been place in line up that will not support equipment depths greater then 12".

OUTSIDE PLANT ENGINEERING

Note: Evaluate the attached BSTEI-1-V and provide a response to the INAC (see cover fax for INAC name and fax number) with the required information shown in your section of this tracking document. Please evaluate and respond within 10 days of receipt!

Reference Number:



VIRTUAL EXPANDED INTERCONNECTION
INQUIRY TRACKING FORM

BSTEI-2-V
2/6/97

Draft

Customer Name:
CLLI for Virtual Location: _____

Applic. Date: 5/1/98
Issue Number: 1

COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM

Date inquiry received by CSCM: 5-3-98

Date response forwarded to INAC: 5-5-98

Estimated CSCM engineering time for installation: 2 Hours

(Additional engineering time will include the time required to: identify and assign floor space, estimate riser cable length, coordinate the job with the collocator's certified vendor, and update building study plans. See CSCM Collocation M&P for details.)

Space available: Yes X No _____

Proposed location in building (floor, room #) FIRST FLOOR

Rack location identification 132.00, 02, 04, 06

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

Estimated Floor space requirements: 10 square feet

Estimated riser cable length: 80' feet

Rack Height in CO: 7' feet

Rack depth in CO: 12 inches

Maximum cable length between the collocator's equipment and the BST DSX-1? 50 feet

Maximum cable length between the collocator's equipment and the BST DSX-3? 100 feet

Maximum cable length between the collocator's equipment and the BST TMDF? 100 feet

Maximum cable length between the collocator's equipment and the BST LGX? 50 feet

Cable distance to interconnect multiple collocation arrangements: 100 feet

CSCM name and contact number: Guy RETAM

Remarks: _____

OUTSIDE PLANT ENGINEERING

Date inquiry received by OSPE: _____

Note: Evaluate the attached BSTEI-1-V and provide a response to the INAC (see cover fax for INAC name and fax number) with the required information shown in your section of this tracking document. Please evaluate and respond within 10 days of receipt!

Reference Number:

**VIRTUAL EXPANDED INTERCONNECTION
INQUIRY TRACKING FORM**

BSTEI-2-V
2/6/97

Draft

Customer Name: _____
CLLI for Virtual Location: _____

Inquiry Date: 8-5-98
Issue Number: _____

COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM

Date inquiry received by CSCM: 8-7-98

Date response forwarded to INAC: 8-10-98

Estimated CSCM engineering time for installation: 1 Hours

(Additional engineering time will include the time required to: identify and assign floor space, estimate riser cable length, coordinate the job with the collocator's certified vendor, and update building study plans. See CSCM Collocation M&P for details.)

Space available: Yes X No _____

Proposed location in building (floor, room #) 1st FLOOR

Rack location identification 01126.14

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

Estimated Floor space requirements: 3 square feet

Estimated riser cable length: 175 feet

Rack Height in CO: 7' feet

Rack depth in CO: 12 inches

Maximum cable length between the collocator's equipment and the BST DSX-1? 20 feet

Maximum cable length between the collocator's equipment and the BST DSX-3? 35 feet

Maximum cable length between the collocator's equipment and the BST TMDF? NR feet

Maximum cable length between the collocator's equipment and the BST LGX? 80 feet

Cable distance to interconnect multiple collocation arrangements: NR feet

CSCM name and contact number: Guy REMM 954 492-3631

Remarks: _____

OUTSIDE PLANT ENGINEERING

Date inquiry received by OSPE: _____

Note: Evaluate the attached BSTEI-1-V and provide a response to the INAC (see cover fax for INAC name and fax number) with the required information shown in your section of this tracking document. Please evaluate and respond within 10 days of receipt!

**INQUIRY AND FIRM ORDER
TRACKING FORM**

8/24/95
Page 3 of 10

Reference Number: _____
Customer Name: _____
CLLI for Virtual Location: WPBHFLGR

Inquiry Date: _____
Issue Number: _____
Firm Order Date: _____

TYPE OF INTERCONNECTION ACTIVITY:

- Initial equipment installation
- Existing arrangement, equipment change and/or DSX cabling change
- Existing arrangement, software change/upgrade
- Existing arrangement, complete equipment disconnect and removal

COMMON SYSTEMS CAPACITY MANAGEMENT - CSCM

INQUIRY

Date inquiry received by CSCM: 6/17/96 Date response forwarded to INAC: _____

• Estimated CSCM engineering time for installation: 4 HRS Hours

(Additional engineering time will include the time required to: open the engineering job, perform DSX assignments, coordinate the job with the collocators certified vendor, and perform completion including TIRKS inventory. See CSCM Collocation M&P for details.)

• Estimated interval to complete CSCM activities for installation: _____ calendar days

• Space available: YES NO _____

• Proposed location in building (floor, room #) 126, 16, 18

(CSCM should confer with PPSM, CCM and Network CO Operations to determine optimum location for placement of collocator equipment.)

• Estimated Floor space requirements: 6759 Sq. Feet

• Estimated Power requirements: 10 Amperes

• Estimated riser cable length: 200' Ft

• Rack Height in CO: 7 Ft Rack depth in CO: 12' inches

• Maximum cable length between the collocator's equipment and the BST DSX-1? 50' feet

• Maximum cable length between the collocator's equipment and the BST DSX-3? 30' feet

• Certified Vendor information (List the BellSouth certified vendor that performs installation work in the location/central office requested by the virtual collocator.)

BST Certified Installation Vendor Name	BST Certified Installation Vendor Address	BST Certified Installation Vendor Phone #
<u>ADC/DATEL</u>	<u>11460 ALPHARETTA HWY ROSWELL, GA 30076</u>	<u>800-223-9773</u>

Note: Each work group should evaluate the attached Expanded Interconnection Inquiry (or Firm Order) and provide a response to the INAC with the required information shown in your section of this tracking document. (Information to be provided to the INAC is indicated by a " *".) Please evaluate and respond promptly!

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DOCKET 980800-TP

SUPRA'S SECOND REQUEST FOR PRODUCTION OF
DOCUMENTS

P.O.D. NO. 34

PROPRIETARY

WEST PALM BEACH GARDENS CENTRAL OFFICE FULL TIME WORK FORCE

NAME OF EMPLOYEE	TITLE	HRS WORK	RESPONSIBILITIES
	ELECTRONIC TECH.	8A-5P	MAINTAINING THE SWITCH
	ELECTRONIC TECH.	7:15A-4:15P	"
	ELECTRONIC TECH.	8A-5P	"
	FRAME ATTENDANT	8A-5P	WIRE S.O.'S & PERFORM TSTG
	FRAME ATTENDANT	8:30A-5:30P	"
	ELECTRONIC TECH.	8:30A-5:30P	WIRE SPECIALS & TBLESHOOT
	"	7:30A-4:30P	"
	NETWORK MGR	6:00A-6:00P	SUPV EMP & CO-ORD CO EVENTS.

NORTH DADE GOLDEN GLADES FULL TIME WORK FORCE

NAME OF EMPLOYEE	TITLE	HRS WORK	RESPONSIBILITIES
	NETWORK MGR	6:00A-6:00P	SUPV EMP & CO-ORD CO
	FRAME ATTNDNT	8 - 5: 00P	WIRE S.O.'S & PERFORM TSTG
	FRAME ATTNDNT	9 - 8:00p	WIRE S.O.'S & PERFORM TSTG
	ELECTRONIC TECH	7:30-4:00P	MAINTAINING THE SWITCH
	ELECTRONIC TECH	7:30-4:00P	MAINTAINING THE SWITCH
	ELECTRONIC TECH	8- 5:00P	MAINTAINING THE SWITCH
	ELECTRONIC TECH	8- 5:00P	MAINTAINING THE SWITCH
	ELECTRONIC TECH	10 - 7:00P	WIRE SPECIALS & TBLESHOOT
	ELECTRONIC TECH	11 - 8:00P	WIRE SPECIALS & TBLESHOOT
	ELECTRONIC TECH	10 - 6A	WIRE SPECIALS & TBLESHOOT

JOB RESPONSIBILITIES

NETWORK MANAGER- ADMINISTERS THE DAY TO DAY PROVISIONING AND MAINTENANCE ACTIVITIES OF TECHNICIANS FOR SWITCHES, MAIN FRAMES, AND ASSORTED TRANSMISSION EQUIPMENT.

ELECTRONIC TECHNICIAN

PERFORMS PROVISIONING AND MAINTENANCE ACTIVITIES FOR SWITCHES, TRANSMISSION EQUIPMENT, AS WELL AS POWER EQUIPMENT WITHIN OFFICES.

FRAME ATTENDANT - PERFORMS PROVISIONING AND MAINTENANCE ACTIVITIES FOR COOPER MAIN FRAMES

HOURS OF OPERATION-

THIS IS NOT CAST IN CONCRETE, CAN VARY BY 1-3 HOURS IN TERMS OF START-END TIMES BASED ON TIME OF YEAR AND WORK LOAD.

MON-FRI:

FRAME COVERAGE- FA'S WORKING STAGGERED SHIFTS

ET COVERAGE STAGGERED SHIFTS

SAT-SUNDAY

**FRAME COVERAGE - AT LEAST ONE FA USE ROVER ON WEEKENDS BETWEEN OFFICES
ET COVERAGE- FA'S AND ONE ROVER SHARED WITH OTHER CENTRAL OFFICES**

**THIS COVERS BELLSOUTH FULL TIME EMPLOYEES. WE ALSO HAVE CONTRACTORS AND
VENDORS ON A DAILY BASIS WHOSE NUMBERS CAN VARY ACCORDING TO WORK LOAD.
ON THE CONSERVATIVE SIDE, 4-5 ARE IN EACH OF THE OFFICES ON ANY GIVEN DAY
BETWEEN THE HOURS OF 8-5.**

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DOCKET 980800-TP

SUPRA'S SECOND REQUEST FOR PRODUCTION OF
DOCUMENTS

P.O.D. NO. 24

PROPRIETARY

Basic File 10 Data

ST PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL 57C	1	LTS0	260221	J1P023AH-1	ARSB MLT 2	93		870
FL 57C	1	CAS0	110216	J1P132A-1	CRAFT SYS APPL PROCR	87		870
FL 377C	2	IO00	165132	SHELF	DMS-100 DDU SHLF	85		6073A
FL 57C	1	LTF0	267026	J1P023KG-1	TEST PKG UN	89		870
FL 57C	1	LTS0	2093	J99338A-1	SW GAIN RPTR SHELF	89		870
FL 57C	1	LTS0	66601	SHELF	MITS T-2000 SAM SHLF	87		870
FL 57C	1	LTS0	260221	J1P023AH-1	ARSB MLT 2	89		870
FL 357C	1	143A05	161725	BAY	D4-CHAN BK EQPT 11.5FT	98		809
FL 357C	1	143A07	161725	BAY	D4-CHAN BK EQPT 11.5FT	98		809
FL 357C	1	14400A	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88		983BY
FL 357C	1	1FL	61585	ED-81434-32	ROLL LADDERS AND EQUIP	74		010M0
FL 357C	1	1FLOOR	101271	UNIT	460 ACS AISLE ALM UN	93		870
FL 57C	1	ALM0	P67006	CONV UNIT	CONVERTER UNIT	75		983BY
FL 377C	1	ALM0	109215	J93016DW-1	SPKPHN SIGG ON	91		607F0
FL 377C	1	ALM0	129070	J93016DK-1	REM TST MOD L SPKR UN	91		607F0
FL 377C	1	ALM00	27584	J93016DH-1	TEL LSPK UN	91		607F0
FL 377C	2	BUS	P67001	BATT PLANT	BATTERY PLANT	84		983BY
FL 117C	1	DCE000	165103	SHELF	DMS-100 DIGL CARR MOD	90		109C0
FL 377C	2	DNI000	165361	PANEL	DMS-100 NET JCTR CONNG	85		607F0
FL 377C	2	DNI000	165361	PANEL	DMS-100 NET JCTR CONNG	86		6073A
FL 377C	2	DNI001	165361	PANEL	DMS-100 NET JCTR CONNG	86		6073A
FL 377C	2	DNI100	165361	PANEL	DMS-100 NET JCTR CONNG	85		607F0
FL 377C	2	DNI100	165361	PANEL	DMS-100 NET JCTR CONNG	86		607F0
FL 377C	2	DSN11	262070	ASSEMBLY	DMS-100 DBL SH NETWK	97		607F0
FL 377C	2	DSN11	368810	UNIT	DMS-100 CLG INVR/FAN	97		607F0
FL 377C	2	DSN11	368853	FRAME	DMS-100 NET EQPT FR	97		607F0
FL 117C	1	DTE000	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 117C	1	DTE000	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE000	165114	UNIT	DMS-100 CLG INVR/FAN	85		607F0
FL 377C	2	DTE000	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE000	165333	FRAME	DMS-100 COMM PERI CONT	85		607F0
FL 377C	2	DTE000	165333	FRAME	DMS-100 COMM PERI CONT	86		6073A
FL 377C	2	DTE000	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL 377C	2	DTE000	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		6073A
FL 117C	1	DTE001	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 117C	1	DTE001	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE001	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL 377C	2	DTE001	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE001	165333	FRAME	DMS-100 COMM PERI CONT	86		6073A
FL 377C	2	DTE001	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL 377C	2	DTE001	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		6073A
FL 117C	1	DTE002	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 117C	1	DTE002	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE002	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL 377C	2	DTE002	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE002	165333	FRAME	DMS-100 COMM PERI CONT			6073A
FL 377C	2	DTE002	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL 377C	2	DTE002	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL 117C	1	DTE003	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 117C	1	DTE003	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE003	165114	UNIT	DMS-100 CLG INVR/FAN			6073A
FL 377C	2	DTE003	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL 377C	2	DTE003	165333	FRAME	DMS-100 COMM PERI CONT			6073A
FL 377C	2	DTE003	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL 377C	2	DTE003	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL 117C	1	DTE004	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 117C	1	DTE004	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE004	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL 377C	2	DTE004	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE004	165333	FRAME	DMS-100 COMM PERI CONT	86		6073A
FL 377C	2	DTE004	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		6073A
FL 117C	1	DTE005	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 117C	1	DTE005	368810	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL 377C	2	DTE005	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE005	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL 377C	2	DTE005	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL 117C	1	DTE006	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL 377C	2	DTE006	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL 377C	2	DTE006	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL 377C	2	DTE006	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	2	DTE006	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		
FL	117C	1	DTE008	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL	377C	2	DTE008	368810	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	DTE016	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE016	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE016	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE017	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE017	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE017	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE018	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE018	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE018	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE019	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE019	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE019	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE020	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE020	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE020	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE021	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE021	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE021	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE022	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE022	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE022	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE023	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE023	165333	FRAME	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE023	165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		607F0
FL	377C	2	DTE026	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL	377C	2	DTE026	165333	FRAME	DMS-100 COMM PERI CONT	86		6073A
FL	377C	2	DTE027	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL	377C	2	DTE027	165333	FRAME	DMS-100 COMM PERI CONT	86		6073A
FL	377C	2	DTE24	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	2	DTE25	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	1	DTE28	262436	SHELF	DMS-100 NET SHLF	90		
FL	377C	2	DTE28	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	1	DTE29	262436	SHELF	DMS-100 NET SHLF	90		
FL	377C	2	DTE29	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	1	DTE32	262436	SHELF	DMS-100 NET SHLF	90		
FL	377C	2	DTE32	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	1	DTE33	262436	SHELF	DMS-100 NET SHLF	90		
FL	377C	2	DTE33	262436	SHELF	DMS-100 NET SHLF	90		6073A
FL	377C	1	IOE00	165102	SHELF	DMS-100 I/O CONT SHLF	85		6073A
FL	377C	1	IOE00	260795	UNIT	2216-DIG MAG TP TRANS	84		6073A
FL	117C	1	IOE000	165087	FRAME	DMS-100 MAG TP CTR FR	87		109C0
FL	117C	1	IOE000	165102	SHELF	DMS-100 I/O CONT SHLF	87		109C0
FL	117C	1	IOE000	165129	SHELF	DMS-100 MAG TP DRV/HP	87		109C0
FL	117C	1	IOE000	260795	UNIT	2216-DIG MAG TP TRANS	87		109C0
FL	377C	2	IOE000	165132	SHELF	DMS-100 DDU SHLF	84		607F0
FL	117C	1	IOE001	165087	FRAME	DMS-100 MAG TP CTR FR	87		109C0
FL	117C	1	IOE001	165102	SHELF	DMS-100 I/O CONT SHLF	87		109C0
FL	117C	1	IOE001	260795	UNIT	2216-DIG MAG TP TRANS	87		109C0
FL	377C	2	IOE001	165087	FRAME	DMS-100 MAG TP CTR FR	84		6073A
FL	377C	2	IOE001	260795	UNIT	2216-DIG MAG TP TRANS	85		6073A
FL	117C	1	IOE002	165087	FRAME	DMS-100 MAG TP CTR FR	88		109C0
FL	117C	1	IOE002	165102	SHELF	DMS-100 I/O CONT SHLF	88		109C0
FL	117C	1	IOE002	165656	UNIT	DMS-100 DPP W/140MB DK	87		
FL	117C	1	IOE002	262271	UNIT	DMS-100 DISTR PROC PER	87		109C0
FL	377C	2	IOE002	165087	FRAME	DMS-100 MAG TP CTR FR			9838Y
FL	377C	2	IOE002	165087	FRAME	DMS-100 MAG TP CTR FR	84		6073A
FL	377C	2	LCE023	165387	DRAWER	DMS-100 LN CONCG DRWR	87		607F0
FL	377C	2	LCE023	165637	FRAME	DMS-100 LN CONCG EQPT	87		607F0
FL	377C	2	LCE024	165387	DRAWER	DMS-100 LN CONCG DRWR	87		607F0
FL	377C	2	LCE024	165637	FRAME	DMS-100 LN CONCG EQPT	87		607F0
FL	377C	2	LGE000	165114	UNIT	DMS-100 CLG INVR/FAN	87		607F0
FL	377C	2	LGE000	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	2	LGE001	165114	UNIT	DMS-100 CLG INVR/FAN	87		607F0
FL	377C	2	LGE001	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	2	LME030	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME031	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME031	165126	DRAWER	DMS-100 LN DWR	84		607F0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD# / J#	Description	Yr	Qty	ECN #
FL	377C	2	LME040	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME041	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME041	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME050	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME051	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME051	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME060	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME060	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME061	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME061	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME070	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME071	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME071	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME080	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME081	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME081	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME090	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME091	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME091	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME100	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME101	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME101	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME110	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME111	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME120	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME121	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME121	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME130	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME131	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME131	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME140	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME141	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME141	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME150	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME150	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME151	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME151	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME160	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME161	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME161	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME170	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME171	165124	FRAME	DMS-100 LN MOD EQPT FR	84		983BY
FL	377C	2	LME171	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME180	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME181	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME181	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME190	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME191	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME191	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME200	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME201	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME201	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME210	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME211	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME211	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME220	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	377C	2	LME221	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME221	165126	DRAWER	DMS-100 LN DWR	84		607F0
FL	57C	1	LTC	268583	CABINET	LTC-LOC TST CAB	84		870
FL	377C	1	LTC	161953	ASSEMBLY	LTC UPGR CD CAGE	91		607F0
FL	57C	1	LTF0	161064	ED-2P296-30	EQPT ACC SW UNIT	82		870
FL	57C	1	LTF0	161065	ED-2P137-30	POWER SUPPLY UNIT	84		870
FL	57C	1	LTF0	161067	ED-2P134-30	TRK SEL SW UNIT	84		870
FL	57C	1	LTF0	161068	ED-2P136-30	FS/ALM UN	84		870
FL	57C	1	LTF0	267025	J1P023KH-1	TEST PKG AUX UN	84		870
FL	57C	1	LTF0	267026	J1P023KG-1	TEST PKG UN	84		870
FL	57C	1	LTF0	267027	J1P023KF-1	SOURCE/OUTPUT INTFC UN	84		870
FL	57C	1	LTF0	267031	J1P023KD-1	ACC SW CONT EXP UN	84		870
FL	57C	1	LTF0	267032	J1P023KC-1	SUPV AND CONT UN	82		870
FL	57C	1	LTF0	267033	J1P023KB-1	COMM CONT UN	84		870

Basic File 10 Data

ST PAC	FL	Relay Rack	CPR	SD#/#	Description	Yr	Qty	ECN #
FL 57C	1	LTF0	267034	J1P023KA-1	ACC SW CONT UN	82		870
FL 57C	1	LTS0	100369	UNIT	MTS T-9-X REM TST UN	84		870
FL 57C	1	LTS0	369847	CAGE	MTS-UNIV CD CAGE	84		870
FL 377C	1	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	87		607F0
FL 377C	1	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	88		
FL 377C	2	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	84		607F0
FL 377C	2	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	85		6073A
FL 377C	2	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	87		
FL 377C	2	MAP00	165095	PANEL	DMS-100 ALM CONT/DISPL	84		607F0
FL 57C	1	M0FF11	68923	BRIDGE	BRDG 2W 10WY KPD 211AF	88		851
FL 57C	1	M0FF11	69400	GENERATOR	SLG CUR 20MA 211AF	81		851
FL 57C	1	M0FF11	169966	BRIDGE	BRDG 10 PORT-900 OHMS	81		851
FL 257C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	87		010F0
FL 257C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	88		010M0
FL 357C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	80		010F0
FL 357C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	84		010M0
FL 357C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	85		808
FL 357C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	86		
FL 357C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	89		
FL 377C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	70		010M0
FL 377C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	71		
FL 377C	1	M0FF11	61702	ED-10801-70	MAIN DISTG FR ASSY	74		
FL 377C	1	M0FF11	65963	KS-21316	TST/TLK PNL	91		607F0
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	72		010M0
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	73		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	74		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	78		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	79		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	80		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	81		
FL 377C	1	M0FF11	67201	BLOCK	DVACS CONRZD FRAME BLK	83		
FL 377C	1	M0FF11	169025	ED-6C110-10	MIN TLK/TST SYS PNL	91		010T0
FL 377C	2	MIS00	165101	PANEL	DMS-100 MISC EQPT SUPV	85		6073A
FL 117C	1	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	87		109C0
FL 117C	1	MIS000	165100	UNIT	DMS-100 INVR	87		109C0
FL 117C	1	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	87		109C0
FL 117C	1	MIS000	165498	SHELF	DMS/TOP TN/SCRM BLR	87		109C0
FL 117C	1	MIS000	262440	SHELF	DTH SHELF	87		109C0
FL 377C	1	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	84		6073A
FL 117C	1	MIS001	160855	J1P056A-1	E-TELM DAS UN	90		109C0
FL 117C	1	MIS001	162826	UNIT	TST LN/RSPDR MINI	87		109C0
FL 117C	1	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	87		109C0
FL 117C	1	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	87		109C0
FL 377C	1	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	84		6073A
FL 57C	2	MIS002	160759	RESPONDER	DMS-100/200 ROTL RSPDR	85		839
FL 57C	2	MIS002	160760	SUPPLY	UNIV PWRSY	85		839
FL 117C	1	MIS002	165073	FRAME	DMS-100 MISC EQPT FR	87		109C0
FL 117C	1	MIS002	165101	PANEL	DMS-100 MISC EQPT SUPV	87		109C0
FL 117C	1	MIS002	360046	ASSEMBLY	UNIV SHLF DA ASBY	87		109C0
FL 117C	1	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	87		109C0
FL 117C	1	MIS003	165100	UNIT	DMS-100 INVR	87		109C0
FL 117C	1	MIS003	165101	PANEL	DMS-100 MISC EQPT SUPV	87		109C0
FL 377C	1	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	84		315A0
FL 377C	2	MIS004	165100	UNIT	DMS-100 INVR	89		607F0
FL 117C	1	MIS007	165100	UNIT	DMS-100 INVR	87		109C0
FL 117C	1	MIS06	165073	FRAME	DMS-100 MISC EQPT FR	92		109C0
FL 117C	1	MIS06	165101	PANEL	DMS-100 MISC EQPT SUPV	92		109C0
FL 117C	1	MIS07	135204	ROUTER	ASN BASE ROUTER	97		6071C
FL 117C	1	MIS07	165073	FRAME	DMS-100 MISC EQPT FR	96		109C0
FL 377C	2	NETC05	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL 377C	1	P4RNM	P67012	BATT LARGE	BAT STRG SQ CELLS-L	97		983BY
FL 377C	2	PDC000	165086	PANEL	DMS-100 GRD	86		607F0
FL 377C	1	PDC00	165082	FRAME	DMS-100 PWR DISTN CTR	86		607F0
FL 377C	1	PDC00	165085	PANEL	DMS-100 DISTG FUSE/A	95		607F0
FL 377C	2	PDC00	165082	FRAME	DMS-100 PWR DISTN CTR	84		607F0
FL 377C	2	PDC00	165082	FRAME	DMS-100 PWR DISTN CTR	85		6073A
FL 377C	2	PDC00	165085	PANEL	DMS-100 DISTG FUSE/A	84		607F0
FL 377C	2	PDC00	165085	PANEL	DMS-100 DISTG FUSE/A	85		6073A
FL 377C	2	PDC00	165085	PANEL	DMS-100 DISTG FUSE/A	86		
FL 377C	2	PDC00	165086	PANEL	DMS-100 GRD	85		6073A

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	117C	1	PDC000	165082	FRAME	DMS-100 PWR DISTN CTR	87		109C0
FL	117C	1	PDC000	165085	PANEL	DMS-100 DISTG FUSE/A	87		109C0
FL	117C	1	PDC000	165086	PANEL	DMS-100 GRD	87		109C0
FL	377C	2	PDC002	165085	PANEL	DMS-100 DISTG FUSE/A	87		607F0
FL	377C	2	PDC002	165085	PANEL	DMS-100 DISTG FUSE/A	88		
FL	377C	1	PDC01	165082	FRAME	DMS-100 PWR DISTN CTR	84		6073A
FL	377C	2	PDC01	165082	FRAME	DMS-100 PWR DISTN CTR			6073A
FL	377C	2	PDC01	165082	FRAME	DMS-100 PWR DISTN CTR	84		607F0
FL	377C	2	PDC01	165085	PANEL	DMS-100 DISTG FUSE/A	84		607F0
FL	377C	2	PDC01	165085	PANEL	DMS-100 DISTG FUSE/A	85		6073A
FL	377C	2	PDC01	165086	PANEL	DMS-100 GRD	84		607F0
FL	377C	1	PDC02	262379	PANEL	DMS-100 DISTG FUSE/A	94		607F0
FL	377C	2	PDC02	165082	FRAME	DMS-100 PWR DISTN CTR			6073A
FL	377C	2	PDC02	165082	FRAME	DMS-100 PWR DISTN CTR	84		607F0
FL	377C	2	PDC02	165085	PANEL	DMS-100 DISTG FUSE/A	84		607F0
FL	377C	2	PDC02	165086	PANEL	DMS-100 GRD	84		607F0
FL	377C	2	PDC02	262379	PANEL	DMS-100 DISTG FUSE/A	94		
FL	377C	1	PLUG	110635	UNIT	DMS-100 C42 COOLING UN	97		607F0
FL	377C	2	SLC000	165090	FRAME	DMS-100 SP LK CONN	85		6073A
FL	377C	2	SLC000	165091	PANEL	DMS-100 NET SP LK			6073A
FL	377C	2	SLC000	165091	PANEL	DMS-100 NET SP LK	86		607F0
FL	377C	2	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	85		607F0
FL	377C	2	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	86		6073A
FL	117C	1	SLC001	165090	FRAME	DMS-100 SP LK CONN	87		109C0
FL	117C	1	SLC001	165090	FRAME	DMS-100 SP LK CONN	93		
FL	377C	2	SLC001	165091	PANEL	DMS-100 NET SP LK	86		6073A
FL	377C	2	SLC001	165092	PANEL	DMS-100 PERIPH SP LK	86		6073A
FL	377C	2	SLC100	165090	FRAME	DMS-100 SP LK CONN	85		6073A
FL	377C	2	SLC100	165091	PANEL	DMS-100 NET SP LK	85		607F0
FL	117C	1	SLC101	165090	FRAME	DMS-100 SP LK CONN	87		109C0
FL	117C	1	SLC101	165091	PANEL	DMS-100 NET SP LK	87		109C0
FL	117C	1	SLC101	165092	PANEL	DMS-100 PERIPH SP LK	87		109C0
FL	377C	2	TME000	165113	SHELF	DMS-100 ALM CRS-CONN	84		607F0
FL	117C	1	TME000	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME000	165104	SHELF	DMS-100 BAS 2W TRK SH	87		109C0
FL	117C	1	TME000	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	117C	1	TME000	165113	SHELF	DMS-100 ALM CRS-CONN	87		109C0
FL	377C	1	TME000	165088	FRAME	DMS-100 PERIPH FR	84		6073A
FL	117C	1	TME001	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME001	165104	SHELF	DMS-100 BAS 2W TRK SH	87		109C0
FL	117C	1	TME001	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	377C	1	TME001	165088	FRAME	DMS-100 PERIPH FR	84		6073A
FL	117C	1	TME002	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME002	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	377C	1	TME002	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	117C	1	TME003	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME003	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	117C	1	TME004	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME004	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	117C	1	TME005	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME005	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	117C	1	TME006	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME006	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	117C	1	TME007	165088	FRAME	DMS-100 PERIPH FR	87		109C0
FL	117C	1	TME007	165105	SHELF	DMS-100 MTCE TRK MOD	87		109C0
FL	377C	2	TME008	165088	FRAME	DMS-100 PERIPH FR	86		607F0
FL	377C	2	TME009	165088	FRAME	DMS-100 PERIPH FR	86		607F0
FL	377C	2	TME009	165105	SHELF	DMS-100 MTCE TRK MOD	86		607F0
FL	377C	2	TME010	165088	FRAME	DMS-100 PERIPH FR	86		607F0
FL	377C	2	TME010	165105	SHELF	DMS-100 MTCE TRK MOD	84		6073A
FL	377C	2	TME012	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME013	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME014	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME015	165088	FRAME	DMS-100 PERIPH FR	86		6073A
FL	377C	2	TME015	165105	SHELF	DMS-100 MTCE TRK MOD	86		6073A
FL	377C	2	TTP00	165094	PANEL	DMS-100 TRK TST/AUDALM	84		607F0
FL	377C	1	010108A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	377C	1	010108B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	377C	1	010109A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	377C	1	010109B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	1	010110A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	377C	1	010110B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88		983BY
FL	377C	1	010111A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89		983BY
FL	377C	1	010111B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89		983BY
FL	357C	1	014400A	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88		983BY
FL	377C	2	020303A	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020303A	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020303B	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020303B	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020303C	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020303C	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020304A	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020304A	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020304B	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020304B	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020304C	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020304C	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020304D	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	84		983BY
FL	377C	2	020304D	P67003	MED RECT	RECT-MEDIUM (200 AMPS)	85		
FL	377C	2	020307A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	377C	2	020307B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	377C	2	020308A	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	377C	2	020308B	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL	357C	1	14301A	131062	J98726E-1	D4 CHAN BK BAY	84		809
FL	357C	1	14303A	131062	J98726E-1	D4 CHAN BK BAY	84		809
FL	357C	1	14402A	P67007	RING PLANT	RINGING PLANT	94		983BY
FL	57C	1	ALM00	21674	J28353N-50	CARR ALARM/TRANS UNIT	80		870
FL	117C	1	DCE000	165088	FRAME	DMS-100 PERIPH FR	90		109C0
FL	377C	2	DCE000	165103	SHELF	DMS-100 DIGL CARR MOD	95		607F0
FL	377C	2	DCE001	165088	FRAME	DMS-100 PERIPH FR	95		607F0
FL	117C	1	DCE002	165088	FRAME	DMS-100 PERIPH FR	90		109C0
FL	117C	1	DNI000	165361	PANEL	DMS-100 NET JCTR CONNG	93		109C0
FL	117C	2	DNI000	165361	PANEL	DMS-100 NET JCTR CONNG	90		6141Q
FL	377C	2	DNI000	165076	FRAME	DMS-100 DIGL NET CONN	84		607F0
FL	117C	1	DNI0000	165076	FRAME	DMS-100 DIGL NET CONN	87		109C0
FL	117C	2	DNI0000	165361	PANEL	DMS-100 NET JCTR CONNG	87		109C0
FL	117C	1	DNI100	165361	PANEL	DMS-100 NET JCTR CONNG	92		109C0
FL	117C	2	DNI100	165361	PANEL	DMS-100 NET JCTR CONNG	87		109C0
FL	377C	2	DNI100	165076	FRAME	DMS-100 DIGL NET CONN	84		607F0
FL	117C	1	DNI1000	165076	FRAME	DMS-100 DIGL NET CONN	87		109C0
FL	377C	2	DNI101	165361	PANEL	DMS-100 NET JCTR CONNG	96		607F0
FL	377C	1	DSNE005	368810	UNIT	DMS-100 CLG INVR/FAN	88		750F6
FL	117C	1	DSNE09	368810	UNIT	DMS-100 CLG INVR/FAN	94		109C0
FL	117C	1	DSNE09	368853	FRAME	DMS-100 NET EQPT FR	94		109C0
FL	377C	2	DTE000	165114	UNIT	DMS-100 CLG INVR/FAN			6073A
FL	377C	2	DTE000	165114	UNIT	DMS-100 CLG INVR/FAN	85		607F0
FL	377C	2	DTE000	165333	FRAME	DMS-100 COMM PERI CONT			6073A
FL	377C	2	DTE000	165333	FRAME	DMS-100 COMM PERI CONT	85		607F0
FL	377C	2	DTE000	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE001	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE001	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE001	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE002	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE002	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE002	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE003	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE003	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE003	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE004	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE004	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE004	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE005	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	DTE005	165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE005	165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE005	165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	117C	1	DTE006	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL	377C	2	DTE006	165114	UNIT	DMS-100 CLG INVR/FAN	86		607F0
FL	377C	2	DTE006	165114	UNIT	DMS-100 CLG INVR/FAN	87		6073A
FL	377C	2	DTE006	165333	FRAME	DMS-100 COMM PERI CONT	85		607F0
FL	377C	2	DTE006	165333	FRAME	DMS-100 COMM PERI CONT	87		6073A

Basic File 10 Data

ST	PAC	FL	Relay	Reck	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	2	DTE006		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE006		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	2	DTE007		165114	UNIT	DMS-100 CLG INVR/FAN			6073A
FL	377C	2	DTE007		165114	UNIT	DMS-100 CLG INVR/FAN	85		607F0
FL	377C	2	DTE007		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE007		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE007		262704	FRAME	DMS-100 COMM PERI CONT	94		607F0
FL	377C	2	DTE007		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	117C	1	DTE008		368810	UNIT	DMS-100 CLG INVR/FAN	94		109C0
FL	377C	2	DTE008		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE008		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE008		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE008		262704	FRAME	DMS-100 COMM PERI CONT	84		607F0
FL	377C	2	DTE009		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE009		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE009		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE010		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE010		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE010		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE011		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE011		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE011		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	117C	1	DTE012		165333	FRAME	DMS-100 COMM PERI CONT	93		109C0
FL	377C	2	DTE012		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE012		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE012		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	117C	1	DTE013		165333	FRAME	DMS-100 COMM PERI CONT	93		109C0
FL	377C	2	DTE013		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE013		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE013		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	117C	1	DTE014		165114	UNIT	DMS-100 CLG INVR/FAN	94		109C0
FL	117C	1	DTE014		165333	FRAME	DMS-100 COMM PERI CONT	94		109C0
FL	377C	2	DTE014		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE014		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE014		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	117C	1	DTE015		165114	UNIT	DMS-100 CLG INVR/FAN	94		109C0
FL	117C	1	DTE015		165333	FRAME	DMS-100 COMM PERI CONT	94		109C0
FL	377C	2	DTE015		165114	UNIT	DMS-100 CLG INVR/FAN	85		6073A
FL	377C	2	DTE015		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE015		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE016		165114	UNIT	DMS-100 CLG INVR/FAN			6073A
FL	377C	2	DTE016		165114	UNIT	DMS-100 CLG INVR/FAN	85		607F0
FL	377C	2	DTE016		165333	FRAME	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE016		165334	ASSEMBLY	DMS-100 COMM PERI CONT	85		6073A
FL	377C	2	DTE026		165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		6073A
FL	377C	2	DTE027		165334	ASSEMBLY	DMS-100 COMM PERI CONT	86		6073A
FL	377C	1	DTE028		165333	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL	377C	2	DTE029		165333	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL	377C	1	DTEN000		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN000		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN001		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN001		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN002		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN002		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN003		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN003		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN004		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN004		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN005		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN005		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN006		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN006		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN007		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN007		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN008		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN008		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN009		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN009		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL	377C	1	DTEN010		165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL	377C	1	DTEN010		368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6

Basic File 10 Data

ST PAC	FL	Relay Rack	CPR	SD# / J#	Description	Yr	Qty	ECN #
FL 377C	1	DTEN011	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL 377C	1	DTEN011	368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL 117C	1	DTEN012	368810	UNIT	DMS-100 CLG INVR/FAN	93		109C0
FL 377C	1	DTEN012	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL 377C	1	DTEN012	368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL 117C	1	DTEN013	368810	UNIT	DMS-100 CLG INVR/FAN	93		109C0
FL 377C	1	DTEN013	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL 377C	1	DTEN013	368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL 377C	1	DTEN014	165333	FRAME	DMS-100 COMM PERI CONT	87		607F0
FL 377C	1	DTEN014	368810	UNIT	DMS-100 CLG INVR/FAN	87		750F6
FL 377C	2	DTEN08	165091	PANEL	DMS-100 NET SP LK	97		607F0
FL 377C	2	DTEN08	165092	PANEL	DMS-100 PERIPH SP LK	97		607F0
FL 377C	2	DTEN08	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	2	DTEN08	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	1	DTEN273	262704	FRAME	DMS-100 COMM PERI CONT	94		607F0
FL 377C	1	DTEN273	368810	UNIT	DMS-100 CLG INVR/FAN	94		750F6
FL 377C	1	DTEN283	262704	FRAME	DMS-100 COMM PERI CONT	94		607F0
FL 377C	1	DTEN283	368810	UNIT	DMS-100 CLG INVR/FAN	94		750F6
FL 377C	1	DTEN293	262704	FRAME	DMS-100 COMM PERI CONT	94		607F0
FL 377C	1	DTEN293	368810	UNIT	DMS-100 CLG INVR/FAN	94		750F6
FL 377C	1	DTEN301	262704	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL 377C	1	DTEN301	368810	UNIT	DMS-100 CLG INVR/FAN	95		750F6
FL 377C	2	DTEN301	262704	FRAME	DMS-100 COMM PERI CONT	93		607F0
FL 377C	2	DTEN301	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL 377C	1	DTEN311	262704	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL 377C	1	DTEN311	368810	UNIT	DMS-100 CLG INVR/FAN	95		750F6
FL 377C	2	DTEN311	262704	FRAME	DMS-100 COMM PERI CONT	93		607F0
FL 377C	2	DTEN311	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL 377C	2	DTEN320	262704	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL 377C	2	DTEN320	368810	UNIT	DMS-100 CLG INVR/FAN	95		750F6
FL 377C	2	DTEN330	262704	FRAME	DMS-100 COMM PERI CONT	95		607F0
FL 377C	2	DTEN330	368810	UNIT	DMS-100 CLG INVR/FAN	95		750F6
FL 377C	1	DTEN343	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	1	DTEN343	368810	UNIT	DMS-100 CLG INVR/FAN	96		750F6
FL 377C	1	DTEN353	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	1	DTEN353	368810	UNIT	DMS-100 CLG INVR/FAN	96		750F6
FL 377C	2	DTEN361	165092	PANEL	DMS-100 PERIPH SP LK	96		607F0
FL 377C	1	DTEN371	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	1	DTEN371	368810	UNIT	DMS-100 CLG INVR/FAN	96		750F6
FL 377C	1	DTEN38	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	2	DTEN390	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	2	DTEN390	368810	UNIT	DMS-100 CLG INVR/FAN	96		607F0
FL 377C	1	DTEN400	368810	UNIT	DMS-100 CLG INVR/FAN	96		607F0
FL 377C	2	DTEN400	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 117C	1	DTEN41	262704	FRAME	DMS-100 COMM PERI CONT	94		109C0
FL 377C	1	DTEN410	368810	UNIT	DMS-100 CLG INVR/FAN	96		607F0
FL 377C	2	DTEN410	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL 377C	1	DTEN42	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL 377C	1	DTEN42	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	1	DTEN42	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	2	DTEN42	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	2	DTEN42	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	1	DTEN43	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL 377C	1	DTEN43	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	1	DTEN43	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	2	DTEN43	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	2	DTEN43	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	1	DTEN44	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL 377C	1	DTEN44	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	1	DTEN44	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	2	DTEN44	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	2	DTEN44	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	1	DTEN45	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL 377C	1	DTEN45	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	1	DTEN45	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	2	DTEN45	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	2	DTEN45	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL 377C	1	DTEN46	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL 377C	1	DTEN46	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL 377C	1	DTEN46	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/#	Description	Yr	Qty	ECN #
FL	377C	2	DTEN46	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN46	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN47	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL	377C	1	DTEN47	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN47	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN47	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN47	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN48	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL	377C	1	DTEN48	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN48	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN48	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN48	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN49	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL	377C	1	DTEN49	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN49	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN49	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN49	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN50	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN50	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN50	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN50	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN51	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN51	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN51	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN51	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN52	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN52	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN52	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN52	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN53	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN53	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN53	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN53	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN54	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN54	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN54	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN54	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN55	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN55	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEN55	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEN55	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN56	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN56	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN57	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN57	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN58	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN58	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	1	DTEN59	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	1	DTEN59	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	IOE00	165102	SHELF	DMS-100 I/O CONT SHLF	84		607F0
FL	377C	2	IOE000	260795	UNIT	2216-DIG MAG TP TRANS	85		6073A
FL	377C	2	IOE000	260795	UNIT	2216-DIG MAG TP TRANS	87		
FL	377C	1	IOE001	260795	UNIT	2216-DIG MAG TP TRANS	84		6073A
FL	377C	2	IOE001	165129	SHELF	DMS-100 MAG TP DRV/HP	87		607F0
FL	377C	2	IOE001	260795	UNIT	2216-DIG MAG TP TRANS	87		607F0
FL	117C	1	IOE002	165102	SHELF	DMS-100 I/O CONT SHLF	92		109C0
FL	377C	2	IOE002	165087	FRAME	DMS-100 MAG TP CTR FR	87		607F0
FL	377C	2	IOE002	165102	SHELF	DMS-100 I/O CONT SHLF	87		607F0
FL	377C	2	IOE006	165087	FRAME	DMS-100 MAG TP CTR FR	85		6073A
FL	377C	2	IOE01	165087	FRAME	DMS-100 MAG TP CTR FR	84		607F0
FL	117C	1	IOEN000	165102	SHELF	DMS-100 I/O CONT SHLF	96		6141Q
FL	377C	1	IOEN000	165087	FRAME	DMS-100 MAG TP CTR FR	87		607F0
FL	377C	2	IOEN000	165102	SHELF	DMS-100 I/O CONT SHLF	87		607F0
FL	377C	1	IOEN001	165087	FRAME	DMS-100 MAG TP CTR FR	87		607F0
FL	377C	2	IOEN001	165102	SHELF	DMS-100 I/O CONT SHLF	87		607F0
FL	377C	1	IOEN002	165087	FRAME	DMS-100 MAG TP CTR FR	87		607F0
FL	377C	2	IOEN002	165102	SHELF	DMS-100 I/O CONT SHLF	87		607F0
FL	377C	2	LCEN21	165387	DRAWER	DMS-100 LN CONCG DRWR	97		607F0
FL	377C	2	LCEN21	262074	PANEL	DMS-100 FR SUPV PNL	97		607F0
FL	377C	2	LCEN22	165387	DRAWER	DMS-100 LN CONCG DRWR	97		607F0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	2	LCEN22	262074	PANEL	DMS-100 FR SUPV PNL	97		607F0
FL	377C	2	LCEN250	165387	DRAWER	DMS-100 LN CONCG DRWR	87		607F0
FL	377C	2	LCEN250	165637	FRAME	DMS-100 LN CONCG EQPT	87		607F0
FL	377C	2	LCEN260	165387	DRAWER	DMS-100 LN CONCG DRWR	87		607F0
FL	377C	2	LCEN260	165637	FRAME	DMS-100 LN CONCG EQPT	87		607F0
FL	377C	2	LCEN270	165387	DRAWER	DMS-100 LN CONCG DRWR	94		607F0
FL	377C	2	LCEN280	165387	DRAWER	DMS-100 LN CONCG DRWR	94		607F0
FL	377C	2	LCEN290	165387	DRAWER	DMS-100 LN CONCG DRWR	96		607F0
FL	377C	2	LCEN290	262074	PANEL	DMS-100 FR SUPV PNL	96		607F0
FL	377C	2	LGEN02	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	LGEN02	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	LME030	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME040	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME050	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME07	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME070	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME080	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME090	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME100	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME110	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME111	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME120	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME13	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME140	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME160	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME170	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME180	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME190	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME200	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME210	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	377C	2	LME220	165124	FRAME	DMS-100 LN MOD EQPT FR	84		607F0
FL	57C	1	MDFF11	69400	GENERATOR	SLG CUR 20MA 211AF	82		851
FL	57C	1	MDFF11	160475	BRIDGE	BRDG 10 PORT-600 OHMS	75		851
FL	77C	1	MDFF11	67201	BLOCK	DVACS CONRZD FRAME BLK	88		010F0
FL	257C	1	MDFF11	67201	BLOCK	DVACS CONRZD FRAME BLK	98		010F0
FL	357C	1	MDFF11	61702	ED-10801-70	MAIN DISTG FR ASSY	86		010M0
FL	377C	1	MDFF11	67201	BLOCK	DVACS CONRZD FRAME BLK	86		010F0
FL	57C	2	MIS000	160759	RESPONDER	DMS-100/200 ROTL RSPDR	87		839
FL	117C	1	MIS000	165498	SHELF	DMS/TOP TN/SCRM BLR	93		109C0
FL	117C	2	MIS000	165100	UNIT	DMS-100 INVR	90		6141Q
FL	357C	2	MIS000	160760	SUPPLY	UNIV PWRSY	87		809
FL	377C	1	MIS000	165073	FRAME	DMS-100 MISC EQPT FR			607F0
FL	377C	1	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	89		315A0
FL	377C	1	MIS000	165498	SHELF	DMS/TOP TN/SCRM BLR	95		607F0
FL	377C	2	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	87		607F0
FL	377C	2	MIS000	165100	UNIT	DMS-100 INVR	87		607F0
FL	377C	2	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	87		607F0
FL	377C	2	MIS000	165365	UNIT	DMS-100 INACTV SYS TMG	90		607F0
FL	377C	2	MIS000	165366	UNIT	DMS-100 OTG TST APLQ	90		607F0
FL	377C	2	MIS000	165555	UNIT	DMS-100 AUD ALM C/O	90		607F0
FL	377C	1	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	94		607F0
FL	377C	2	MIS001	160855	J1P056A-1	E-TELM DAS UN	85		6073A
FL	377C	2	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	85		607F0
FL	377C	2	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	87		6073A
FL	377C	2	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	85		607F0
FL	377C	2	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	87		6073A
FL	57C	1	MIS002	160760	SUPPLY	UNIV PWRSY	87		839
FL	117C	1	MIS002	P67010	UPS INV	UINTRUPBL PWR SYS INVR	92		983BY
FL	357C	1	MIS002	160759	RESPONDER	DMS-100/200 ROTL RSPDR	87		809
FL	377C	1	MIS002	160855	J1P056A-1	E-TELM DAS UN	87		607F0
FL	377C	1	MIS002	162771	UNIT	CALLSTORE II	93		598
FL	377C	2	MIS002	165073	FRAME	DMS-100 MISC EQPT FR	87		607F0
FL	377C	2	MIS002	165101	PANEL	DMS-100 MISC EQPT SUPV	87		607F0
FL	377C	2	MIS002	165450	UNIT	DMS-200 UNIV CAMA POS	85		6073A
FL	377C	2	MIS002	165451	UNIT	DMS-200 AUX CAMA POS	85		6073A
FL	377C	2	MIS002	569222	ANNOUNCER	687 ANA	84		6073A
FL	57C	1	MIS003	160855	J1P056A-1	E-TELM DAS UN	86		848
FL	57C	2	MIS003	66214	LINE	LN TN GEN TST	84		870
FL	57C	2	MIS003	160759	RESPONDER	DMS-100/200 ROTL RSPDR	84		870
FL	377C	1	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	93		607F0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	1	MIS003	262122	UNIT	DMS-100 ALM EXT UN	88		607F0
FL	377C	2	MIS003	P67010	UPS INV	UNTRUPBL PWR SYS INVR	93		983BY
FL	377C	2	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	88		607F0
FL	377C	2	MIS003	165101	PANEL	DMS-100 MISC EQPT SUPV	84		607F0
FL	377C	1	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	90		607F0
FL	377C	2	MIS004	160855	J1P056A-1	E-TELM DAS UN	88		607F0
FL	377C	2	MIS004	160855	J1P056A-1	E-TELM DAS UN	90		
FL	377C	2	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	87		607F0
FL	57C	2	MIS005	100397	SHELF	RM-16M 19IN DC DA MDM	84		870
FL	57C	2	MIS005	360045	ASSEMBLY	UNIV SHLF ASBY	84		870
FL	377C	2	MIS005	165073	FRAME	DMS-100 MISC EQPT FR	84		607F0
FL	377C	2	MIS005	165101	PANEL	DMS-100 MISC EQPT SUPV	93		607F0
FL	377C	2	MIS006	165100	UNIT	DMS-100 INVR	90		607F0
FL	377C	2	MIS006	165101	PANEL	DMS-100 MISC EQPT SUPV	89		607F0
FL	377C	2	MIS007	161945	SHELF	LP TST SHLF	90		607F0
FL	377C	1	MISN001	165100	UNIT	DMS-100 INVR	87		607F0
FL	377C	2	MISN08	165101	PANEL	DMS-100 MISC EQPT SUPV	94		607F0
FL	377C	2	MISN08	262628	PANEL	DMS-100 WIDEBAND TST	94		607F0
FL	377C	2	NETC00	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	NETC00	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	117C	1	NETC000	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL	117C	1	NETC000	165115	FRAME	DMS-100 NET COMB FR	87		109C0
FL	117C	1	NETC001	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL	117C	1	NETC001	165115	FRAME	DMS-100 NET COMB FR	87		109C0
FL	117C	1	NETC002	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL	117C	1	NETC002	165115	FRAME	DMS-100 NET COMB FR	87		109C0
FL	117C	1	NETC003	165114	UNIT	DMS-100 CLG INVR/FAN	87		109C0
FL	117C	1	NETC003	165115	FRAME	DMS-100 NET COMB FR	87		109C0
FL	377C	2	NETC006	165115	FRAME	DMS-100 NET COMB FR	86		6073A
FL	377C	2	NETC007	165115	FRAME	DMS-100 NET COMB FR	86		6073A
FL	377C	2	NETC009	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	2	NETC009	165115	FRAME	DMS-100 NET COMB FR	87		
FL	377C	2	NETC01	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	NETC01	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	2	NETC011	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	2	NETC014	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL	377C	2	NETC014	165115	FRAME	DMS-100 NET COMB FR	86		6073A
FL	377C	2	NETC015	165114	UNIT	DMS-100 CLG INVR/FAN	86		6073A
FL	377C	2	NETC015	165115	FRAME	DMS-100 NET COMB FR	86		6073A
FL	117C	2	NETC017	165114	UNIT	DMS-100 CLG INVR/FAN	93		109C0
FL	117C	2	NETC017	165115	FRAME	DMS-100 NET COMB FR	93		109C0
FL	377C	2	NETC02	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	NETC02	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	2	NETC03	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	NETC03	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	2	NETC04	165114	UNIT	DMS-100 CLG INVR/FAN	84		607F0
FL	377C	2	NETC04	165115	FRAME	DMS-100 NET COMB FR	84		607F0
FL	377C	1	P4MJ	P67015	BATT STAND	BATTERY STAND	84		983BY
FL	377C	1	P4ML	P67015	BATT STAND	BATTERY STAND	84		983BY
FL	377C	2	P4RNA	P67012	BATT LARGE	BAT STRG SQ CELLS-L	92		983BY
FL	377C	2	P4RNB	P67012	BATT LARGE	BAT STRG SQ CELLS-L	92		983BY
FL	377C	2	P4RNC	P67012	BATT LARGE	BAT STRG SQ CELLS-L	92		983BY
FL	377C	2	P4RNC	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	377C	2	P4RND	P67012	BATT LARGE	BAT STRG SQ CELLS-L	93		983BY
FL	377C	2	P4RNE	P67012	BATT LARGE	BAT STRG SQ CELLS-L	91		983BY
FL	377C	2	P4RNF	P67012	BATT LARGE	BAT STRG SQ CELLS-L	91		983BY
FL	377C	2	P4RNG	P67012	BATT LARGE	BAT STRG SQ CELLS-L	92		983BY
FL	377C	2	P4RNH	P67012	BATT LARGE	BAT STRG SQ CELLS-L	93		983BY
FL	377C	2	P4RNH	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	377C	2	P4RNJ	P67012	BATT LARGE	BAT STRG SQ CELLS-L	93		983BY
FL	377C	1	P4SA	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	377C	1	P4SH	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	117C	2	PCFD10	P67001	BATT PLANT	BATTERY PLANT	87		983BY
FL	117C	2	PCFD10	P67001	BATT PLANT	BATTERY PLANT	90		
FL	117C	1	PDC000	165085	PANEL	DMS-100 DISTG FUSE/A	90		6141Q
FL	377C	1	PDC003	262380	PANEL	DMS-100 FS DISTG PNL	94		607F0
FL	377C	2	PDC003	262379	PANEL	DMS-100 DISTG FUSE/A	94		607F0
FL	377C	2	PDC003	262380	PANEL	DMS-100 FS DISTG PNL	94		
FL	377C	1	PDCN000	165081	UNIT	DMS-100 PWR DISTN CTR	87		607F0
FL	377C	1	PDCN000	165085	PANEL	DMS-100 DISTG FUSE/A	87		607F0

Basic File 10 Dms

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	1	PDCN000	165085	PANEL	DMS-100 DISTG FUSE/A	95		
FL	377C	1	PDCN000	165086	PANEL	DMS-100 GRD	87		607F0
FL	377C	2	PDCN000	165584	PANEL	DMS-100 FILTER PNL	87		607F0
FL	377C	1	PDCN001	165081	UNIT	DMS-100 PWR DISTN CTR	87		607F0
FL	377C	1	PDCN001	165085	PANEL	DMS-100 DISTG FUSE/A	87		607F0
FL	377C	1	PDCN001	165086	PANEL	DMS-100 GRD	87		607F0
FL	377C	2	PDCN001	165584	PANEL	DMS-100 FILTER PNL	87		607F0
FL	377C	1	PDCN002	262380	PANEL	DMS-100 FS DISTG PNL	94		607F0
FL	377C	2	PDCN020	165085	PANEL	DMS-100 DISTG FUSE/A	96		607F0
FL	377C	2	PDCN03	262379	PANEL	DMS-100 DISTG FUSE/A	97		607F0
FL	377C	2	PDCN03	262380	PANEL	DMS-100 FS DISTG PNL	97		607F0
FL	117C	1	SLC000	165091	PANEL	DMS-100 NET SP LK	92		109C0
FL	377C	2	SLC000	165090	FRAME	DMS-100 SP LK CONN	84		607F0
FL	117C	1	SLC0000	165090	FRAME	DMS-100 SP LK CONN	87		109C0
FL	117C	1	SLC0000	165091	PANEL	DMS-100 NET SP LK	87		109C0
FL	117C	1	SLC0000	165092	PANEL	DMS-100 PERIPH SP LK	87		109C0
FL	117C	1	SLC001	165092	PANEL	DMS-100 PERIPH SP LK	93		109C0
FL	117C	2	SLC001	165092	PANEL	DMS-100 PERIPH SP LK	92		109C0
FL	377C	2	SLC001	165091	PANEL	DMS-100 NET SP LK	85		607F0
FL	377C	2	SLC001	165092	PANEL	DMS-100 PERIPH SP LK	93		607F0
FL	117C	2	SLC002	165091	PANEL	DMS-100 NET SP LK	93		109C0
FL	377C	2	SLC002	165091	PANEL	DMS-100 NET SP LK	95		607F0
FL	117C	1	SLC100	165091	PANEL	DMS-100 NET SP LK	90		6141Q
FL	377C	1	SLC100	165091	PANEL	DMS-100 NET SP LK	86		607F0
FL	377C	1	SLC100	165092	PANEL	DMS-100 PERIPH SP LK	86		607F0
FL	377C	2	SLC100	165090	FRAME	DMS-100 SP LK CONN	84		607F0
FL	377C	2	SLC100	165091	PANEL	DMS-100 NET SP LK	84		607F0
FL	117C	1	SLC1000	165090	FRAME	DMS-100 SP LK CONN	87		109C0
FL	117C	1	SLC101	165091	PANEL	DMS-100 NET SP LK	87		109C0
FL	117C	1	SLC101	165092	PANEL	DMS-100 PERIPH SP LK	87		109C0
FL	377C	2	SLC101	165091	PANEL	DMS-100 NET SP LK			6073A
FL	377C	2	SLC101	165091	PANEL	DMS-100 NET SP LK	84		607F0
FL	377C	2	SLC101	165092	PANEL	DMS-100 PERIPH SP LK	93		607F0
FL	377C	2	SLC102	165092	PANEL	DMS-100 PERIPH SP LK	85		6073A
FL	377C	2	SMEN050	262704	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL	377C	2	SMEN050	368810	UNIT	DMS-100 CLG INVR/FAN	96		7506F
FL	377C	2	SMEN06	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	SMEN06	368810	UNIT	DMS-100 CLG INVR/FAN	97		7506F
FL	377C	1	TANK	P67020	UST TANK	UNDGRD STG TANK	95		981BY
FL	377C	2	TME000	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME000	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME000	165098	PANEL	DMS-100 PERIPH FR SUPV	87		607F0
FL	377C	2	TME000	165104	SHELF	DMS-100 BAS 2W TRK SH	84		6073A
FL	377C	2	TME000	165104	SHELF	DMS-100 BAS 2W TRK SH	85		
FL	377C	2	TME000	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME000	165105	SHELF	DMS-100 MTCE TRK MOD	85		6073A
FL	377C	2	TME000	165113	SHELF	DMS-100 ALM CRS-CONN	84		607F0
FL	377C	2	TME000	165113	SHELF	DMS-100 ALM CRS-CONN	85		6073A
FL	377C	2	TME000	165113	SHELF	DMS-100 ALM CRS-CONN	87		
FL	377C	2	TME001	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME001	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME001	165098	PANEL	DMS-100 PERIPH FR SUPV	87		607F0
FL	377C	2	TME001	165104	SHELF	DMS-100 BAS 2W TRK SH	84		607F0
FL	377C	2	TME001	165105	SHELF	DMS-100 MTCE TRK MOD	84		6073A
FL	377C	2	TME001	165105	SHELF	DMS-100 MTCE TRK MOD	85		
FL	377C	2	TME002	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME002	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME002	165098	PANEL	DMS-100 PERIPH FR SUPV	87		607F0
FL	377C	2	TME002	165104	SHELF	DMS-100 BAS 2W TRK SH	84		607F0
FL	377C	2	TME002	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME002	165105	SHELF	DMS-100 MTCE TRK MOD	85		6073A
FL	377C	2	TME003	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME003	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME003	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME003	165105	SHELF	DMS-100 MTCE TRK MOD	85		6073A
FL	377C	2	TME004	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME004	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME004	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME004	165105	SHELF	DMS-100 MTCE TRK MOD	85		6073A
FL	377C	2	TME005	165088	FRAME	DMS-100 PERIPH FR	84		607F0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	2	TME005	165088	FRAME	DMS-100 PERIPH FR	85		6073A
FL	377C	2	TME005	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME005	165105	SHELF	DMS-100 MTCE TRK MOD	85		6073A
FL	377C	2	TME006	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME006	165105	SHELF	DMS-100 MTCE TRK MOD	85		
FL	377C	2	TME007	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME007	165105	SHELF	DMS-100 MTCE TRK MOD	84		607F0
FL	377C	2	TME007	165105	SHELF	DMS-100 MTCE TRK MOD	85		
FL	377C	2	TME008	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME008	165104	SHELF	DMS-100 BAS 2W TRK SH	84		607F0
FL	377C	2	TME009	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	377C	2	TME009	165104	SHELF	DMS-100 BAS 2W TRK SH	84		607F0
FL	377C	2	TME010	165088	FRAME	DMS-100 PERIPH FR	84		607F0
FL	117C	2	TME015	368815	SHELF	DMS-100 DRA SHLF	94		109C0
FL	377C	2	TME015	106131	SHELF	DMS-100 DRA SHELF	92		607F0
FL	377C	2	TME015	165652	SHELF	DMS-100 MTCE TRK MOD	90		607F0
FL	377C	1	TMEN000	165104	SHELF	DMS-100 BAS 2W TRK SH	87		607F0
FL	377C	1	TMEN000	165652	SHELF	DMS-100 MTCE TRK MOD	87		607F0
FL	377C	1	TMEN001	165104	SHELF	DMS-100 BAS 2W TRK SH	87		607F0
FL	377C	1	TMEN001	165652	SHELF	DMS-100 MTCE TRK MOD	87		607F0
FL	377C	1	TMEN001	368815	SHELF	DMS-100 DRA SHLF	87		607F0
FL	377C	1	TMEN002	165104	SHELF	DMS-100 BAS 2W TRK SH	87		607F0
FL	377C	1	TMEN002	368815	SHELF	DMS-100 DRA SHLF	87		607F0
FL	117C	1	TMEN152	262707	SHELF	DMS-100 BASIC 8W TRK	94		109C0
FL	377C	2	TMEN16	165088	FRAME	DMS-100 PERIPH FR	94		607F0
FL	377C	2	TMEN16	165652	SHELF	DMS-100 MTCE TRK MOD	94		607F0
FL	377C	2	TMEN16	262707	SHELF	DMS-100 BASIC 8W TRK	94		607F0
FL	377C	2	TMEN17	165088	FRAME	DMS-100 PERIPH FR	94		607F0
FL	377C	2	TMEN17	165652	SHELF	DMS-100 MTCE TRK MOD	94		607F0
FL	377C	2	TMEN17	262707	SHELF	DMS-100 BASIC 8W TRK	94		607F0
FL	377C	2	TMEN18	165088	FRAME	DMS-100 PERIPH FR	94		607F0
FL	377C	2	TMEN18	165652	SHELF	DMS-100 MTCE TRK MOD	94		607F0
FL	257C	1	WALL	134434	CABINET	LG CAB ENCLR	96		813
FL	377C	1	WALL	165096	PANEL	DMS-100 EXIT ALM DISPL	87		607F0
FL	377C	1	WALL	165097	PANEL	DMS-100 AUD ALM	84		607F0
FL	377C	1	WALL	165097	PANEL	DMS-100 AUD ALM	87		
FL	377C	2	WALL	165096	PANEL	DMS-100 EXIT ALM DISPL	84		607F0
FL	117C	1	DCE-N001	165103	SHELF	DMS-100 DIGL CARR MOD	92		109C0
FL	117C	1	DCE-N002	165103	SHELF	DMS-100 DIGL CARR MOD	93		109C0
FL	117C	1	DPC-N000	161911	CABINET	DMS-100E DPCC CAB	87		109C0
FL	117C	1	DPC-N000	161911	CABINET	DMS-100E DPCC CAB	90		6141Q
FL	377C	2	DPC-N000	161911	CABINET	DMS-100E DPCC CAB	89		607F0
FL	377C	2	DPC-N000	161911	CABINET	DMS-100E DPCC CAB	90		
FL	377C	2	DSNEN10	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DSNEN10	368853	FRAME	DMS-100 NET EQPT FR	97		607F0
FL	377C	2	DSNEN20	165090	FRAME	DMS-100 SP LK CONN	97		607F0
FL	377C	2	DSNEN20	165091	PANEL	DMS-100 NET SP LK	97		607F0
FL	377C	2	DSNEN20	165092	PANEL	DMS-100 PERIPH SP LK	97		607F0
FL	377C	2	DSNEN20	165361	PANEL	DMS-100 NET JCTR CONNG	97		607F0
FL	377C	2	DSNEN20	262070	ASSEMBLY	DMS-100 DBL SH NETWK	97		607F0
FL	377C	2	DSNEN20	262381	PANEL	DMS-100 FR SUPVY PNL	97		607F0
FL	377C	2	DSNEN21	262379	PANEL	DMS-100 DISTG FUSE/A	97		607F0
FL	377C	2	DSNEN21	262380	PANEL	DMS-100 FS DISTG PNL	97		607F0
FL	377C	2	DSNEN21	262382	PANEL	DMS-100 FILTER PNL	97		607F0
FL	117C	1	DSN-N004	368853	FRAME	DMS-100 NET EQPT FR	90		6141Q
FL	117C	1	DSN-N005	262070	ASSEMBLY	DMS-100 DBL SH NETWK	92		109C0
FL	117C	1	DSN-N005	368853	FRAME	DMS-100 NET EQPT FR	92		109C0
FL	377C	2	DTEIN00	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEIN00	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTEIN01	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	DTEIN01	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	377C	2	DTE-N005	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	DTE-N005	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	117C	1	DTE-N006	165333	FRAME	DMS-100 COMM PERI CONT	90		6141Q
FL	117C	1	DTE-N006	368810	UNIT	DMS-100 CLG INVR/FAN	90		6141Q
FL	377C	2	DTE-N006	165392	PANEL	DMS-100 FR SUPV	92		607F0
FL	377C	2	DTE-N006	165414	BACKPLANE	DMS-100 COMM PERI CONT	92		607F0
FL	117C	1	DTE-N007	165333	FRAME	DMS-100 COMM PERI CONT	90		6141Q
FL	117C	1	DTE-N007	368810	UNIT	DMS-100 CLG INVR/FAN	90		6141Q
FL	117C	1	DTE-N008	165392	PANEL	DMS-100 FR SUPV	92		109C0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Oty	ECN #
FL	117C	1	DTE-N008	165414	BACKPLANE	DMS-100 COMM PERI CONT	92		109C0
FL	117C	1	DTE-N009	165333	FRAME	DMS-100 COMM PERI CONT	87		109C0
FL	117C	1	DTE-N009	165392	PANEL	DMS-100 FR SUPV	92		109C0
FL	117C	1	DTE-N009	165414	BACKPLANE	DMS-100 COMM PERI CONT	92		109C0
FL	117C	1	DTE-N010	165333	FRAME	DMS-100 COMM PERI CONT	92		109C0
FL	117C	1	DTE-N010	368810	UNIT	DMS-100 CLG INVR/FAN	92		109C0
FL	117C	1	DTE-N011	165333	FRAME	DMS-100 COMM PERI CONT	92		109C0
FL	117C	1	DTE-N011	368810	UNIT	DMS-100 CLG INVR/FAN	92		109C0
FL	377C	1	DTE-N015	165333	FRAME	DMS-100 COMM PERI CONT	88		607F0
FL	377C	1	DTE-N015	368810	UNIT	DMS-100 CLG INVR/FAN	88		750F6
FL	377C	1	DTE-N016	165333	FRAME	DMS-100 COMM PERI CONT	88		607F0
FL	377C	1	DTE-N016	368810	UNIT	DMS-100 CLG INVR/FAN	88		750F6
FL	377C	1	DTE-N017	165333	FRAME	DMS-100 COMM PERI CONT	89		607F0
FL	377C	2	DTE-N017	165114	UNIT	DMS-100 CLG INVR/FAN	89		607F0
FL	377C	2	DTE-N017	165334	ASSEMBLY	DMS-100 COMM PERI CONT	89		607F0
FL	377C	1	DTE-N018	165333	FRAME	DMS-100 COMM PERI CONT	89		607F0
FL	377C	2	DTE-N018	165114	UNIT	DMS-100 CLG INVR/FAN	89		607F0
FL	377C	2	DTE-N018	165334	ASSEMBLY	DMS-100 COMM PERI CONT	89		607F0
FL	377C	1	DTE-N019	165333	FRAME	DMS-100 COMM PERI CONT	89		607F0
FL	377C	1	DTE-N019	368810	UNIT	DMS-100 CLG INVR/FAN	89		750F6
FL	377C	1	DTE-N020	165333	FRAME	DMS-100 COMM PERI CONT	89		607F0
FL	377C	1	DTE-N020	368810	UNIT	DMS-100 CLG INVR/FAN	89		750F6
FL	377C	1	DTE-N021	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	1	DTE-N021	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	1	DTE-N022	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	1	DTE-N022	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	1	DTE-N023	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	1	DTE-N023	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	1	DTE-N024	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	1	DTE-N024	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	1	DTE-N025	165333	FRAME	DMS-100 COMM PERI CONT	93		607F0
FL	377C	1	DTE-N025	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL	377C	1	DTE-N026	165333	FRAME	DMS-100 COMM PERI CONT	93		607F0
FL	377C	1	DTE-N026	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL	377C	2	DTEN0281	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL	377C	2	DTEN0281	368810	UNIT	DMS-100 CLG INVR/FAN	95		
FL	377C	2	DTEN0291	368810	UNIT	DMS-100 CLG INVR/FAN	93		750F6
FL	377C	2	DTEN0291	368810	UNIT	DMS-100 CLG INVR/FAN	95		
FL	377C	2	DTEN390	165333	FRAME	DMS-100 COMM PERI CONT	96		607F0
FL	377C	1	ENCON00	110635	UNIT	DMS-100 C42 COOLING UN	97		607F0
FL	377C	1	ENCON00	134075	SHELF	DMS-100 ENET SHELF	97		607F0
FL	377C	1	ENCON00	161913	PANEL	DMS-100E CORE FSP	97		607F0
FL	377C	1	ENCON00	262662	CABINET	DMS-100 ENHNCD NETWK	97		607F0
FL	377C	1	ENC1N00	110635	UNIT	DMS-100 C42 COOLING UN	97		607F0
FL	377C	1	ENC1N00	134075	SHELF	DMS-100 ENET SHELF	97		607F0
FL	377C	1	ENC1N00	161913	PANEL	DMS-100E CORE FSP	97		607F0
FL	377C	1	ENC1N00	262662	CABINET	DMS-100 ENHNCD NETWK	97		607F0
FL	377C	1	ENG/RM	P67017	ALTERNATOR	STA ENG / ALTNR SET	84		981BY
FL	377C	1	ENG/RM	P67017	ALTERNATOR	STA ENG / ALTNR SET	87		
FL	377C	1	ENG/RM	P67017	ALTERNATOR	STA ENG / ALTNR SET	91		
FL	377C	1	ENG/RM	P67021	DAY IN TNK	INSIDE OR DAY TANK	85		981BY
FL	357C	1	FLOOR	100793	NE00315-10	MCC & SUPPLY LN WK STA	94		814
FL	257C	1	FLOOR	134369	SHELF	MINIPLEX 4N1 COT CONN	98		810
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	70		010M0
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	71		809
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	72		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	73		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	74		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	75		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	77		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	79		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	80		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	81		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	83		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	84		
FL	357C	1	FLOOR	61585	ED-81434-32	ROLL LADDERS AND EQUIP	93		
FL	357C	1	FLOOR	480767	CAGE	DS-3 MOD CKT CAGE	98		808
FL	357C	1	FLOOR	487194	PANEL	DSX 84-CKT RE X-CONN	98		808
FL	357C	1	FLOOR	669623	PANEL	16-RS50 X.25 MXR	97		809
FL	377C	1	FLOOR	160952	TERMINAL	DECWRITER III TERM	88		607F0

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qt	ECN #
FL	377C	1	FLOOR	165073	FRAME	DMS-100 MISC EQPT FR	97		607F0
FL	377C	1	FLOOR	165340	FRAME	DMS-100 LN CONCG EQPT	97		607F0
FL	377C	1	FLOOR	262070	ASSEMBLY	DMS-100 DBL SH NETWK	97		607F0
FL	377C	1	FLOOR	467184	PANEL	DSX 84-CKT RE X-CONN	97		607F0
FL	377C	2	FLOOR	460009	UNIT	DMS-100 TP EMULTR UN	90		607F0
FL	F257C	1	FLOOR	460951	PANEL	FBR CONNR MOD BICONIC	97		814
FL	T357C	1	FLOOR	460767	CAGE	DS-3 MOD CKT CAGE	97		813
FL	377C	2	IOE-N002	63987	ASSEMBLY	BMC-11 760MB DKDR	90		607F0
FL	377C	2	IOE00	165087	FRAME	DMS-100 MAG TP CTR FR	84		607F0
FL	117C	1	IOE001	165102	SHELF	DMS-100 VO CONT SHLF	90		109C0
FL	377C	2	LCEIN30	262278	FRAME	DMS-100 ISDN LN CONCG	97		607F0
FL	377C	2	LGEIN00	262704	FRAME	DMS-100 COMM PERI CONT	97		607F0
FL	377C	2	LGEIN00	368810	UNIT	DMS-100 CLG INVR/FAN	97		750F6
FL	117C	1	LIM-N000	110635	UNIT	DMS-100 C42 COOLING UN	94		109C0
FL	117C	1	LIM-N000	161913	PANEL	DMS-100E CORE FSP	94		109C0
FL	117C	1	LIM-N000	262644	CABINET	DMS-100 LK INTFC MOD	94		109C0
FL	377C	1	LIM-N000	110635	UNIT	DMS-100 C42 COOLING UN	95		607F0
FL	377C	1	LIM-N000	262644	CABINET	DMS-100 LK INTFC MOD	84		6073A
FL	377C	2	LIM-N000	161913	PANEL	DMS-100E CORE FSP	90		607F0
FL	377C	2	LIM-N000	262156	CABINET	DMS-100 LN INTFC MOD	84		607F0
FL	377C	2	LIM-N000	262156	CABINET	DMS-100 LN INTFC MOD	90		6073A
FL	377C	2	LIM-N000	262190	UNIT	DMS-10/100 FAN/BLOWER	89		607F0
FL	377C	2	LIM-N000	262190	UNIT	DMS-10/100 FAN/BLOWER	93		6073A
FL	117C	1	LIM-N001	110635	UNIT	DMS-100 C42 COOLING UN	94		109C0
FL	117C	1	LIM-N001	161913	PANEL	DMS-100E CORE FSP	94		109C0
FL	117C	1	LIM-N001	262644	CABINET	DMS-100 LK INTFC MOD	94		109C0
FL	377C	1	LIM-N004	161913	PANEL	DMS-100E CORE FSP	95		607F0
FL	377C	1	LIM-N004	262644	CABINET	DMS-100 LK INTFC MOD	95		607F0
FL	117C	1	MIS-N004	165073	FRAME	DMS-100 MISC EQPT FR	90		6141Q
FL	117C	1	MIS-N004	165100	UNIT	DMS-100 INVR	90		6141Q
FL	117C	1	MIS-N004	165101	PANEL	DMS-100 MISC EQPT SUPV	90		6141Q
FL	377C	2	MIS-N004	165073	FRAME	DMS-100 MISC EQPT FR	89		607F0
FL	377C	2	MIS-N004	165101	PANEL	DMS-100 MISC EQPT SUPV	89		607F0
FL	117C	1	MIS-N005	165073	FRAME	DMS-100 MISC EQPT FR	90		109C0
FL	117C	1	MIS-N005	165100	UNIT	DMS-100 INVR	90		109C0
FL	117C	1	MIS-N005	165101	PANEL	DMS-100 MISC EQPT SUPV	90		109C0
FL	377C	2	MIS-N007	165100	UNIT	DMS-100 INVR	90		607F0
FL	377C	2	MIS-N007	165101	PANEL	DMS-100 MISC EQPT SUPV	90		607F0
FL	377C	1	MONITOR	P67022	FUEL MON	FL TNK MON SYS	95		981BY
FL	377C	2	MVIEN00	133825	FRAME	DMS-100 MULTI VNDR INT	97		607F0
FL	377C	1	P01017A	P67024	AC DIST CB	AC PWR DISTN CABINETS	87		983BY
FL	377C	1	P01017B	P67024	AC DIST CB	AC PWR DISTN CABINETS	87		983BY
FL	377C	1	P01017B	P67024	AC DIST CB	AC PWR DISTN CABINETS	93		
FL	377C	2	P020305A	P67024	AC DIST CB	AC PWR DISTN CABINETS	84		983BY
FL	377C	2	P020305A	P67024	AC DIST CB	AC PWR DISTN CABINETS	85		
FL	377C	2	P020305B	P67024	AC DIST CB	AC PWR DISTN CABINETS	84		983BY
FL	377C	2	P020305B	P67024	AC DIST CB	AC PWR DISTN CABINETS	85		
FL	377C	2	P020306A	P67024	AC DIST CB	AC PWR DISTN CABINETS	87		983BY
FL	377C	2	P020306A	P67024	AC DIST CB	AC PWR DISTN CABINETS	91		
FL	377C	2	P020306B	P67024	AC DIST CB	AC PWR DISTN CABINETS	87		983BY
FL	377C	1	P4RNJ	P67012	BATT LARGE	BAT STRG SQ CELLS-L	90		983BY
FL	377C	1	P4RNK	P67012	BATT LARGE	BAT STRG SQ CELLS-L	91		983BY
FL	377C	1	P4RNL	P67012	BATT LARGE	BAT STRG SQ CELLS-L	91		983BY
FL	377C	1	P4SAB	P67015	BATT STAND	BATTERY STAND	87		983BY
FL	377C	1	P4SAB	P67015	BATT STAND	BATTERY STAND	90		
FL	377C	1	P4SAB	P67015	BATT STAND	BATTERY STAND	91		
FL	377C	1	P4SAB	P67015	BATT STAND	BATTERY STAND	94		
FL	377C	1	P4SCD	P67015	BATT STAND	BATTERY STAND	87		983BY
FL	377C	1	P4SEF	P67015	BATT STAND	BATTERY STAND	87		983BY
FL	377C	1	P4SEF	P67015	BATT STAND	BATTERY STAND	91		
FL	377C	1	P4SGH	P67015	BATT STAND	BATTERY STAND	87		983BY
FL	377C	1	P4SGH	P67015	BATT STAND	BATTERY STAND	89		
FL	377C	1	P4YNA	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNB	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNC	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YND	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNE	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNF	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNG	P67013	BATT ROUND	BAT STRG RD CELLS	87		983BY
FL	377C	1	P4YNH	P67013	BATT ROUND	BAT STRG RD CELLS	89		983BY

Basic File 10 Data

ST	PAC	FL	Relay Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	1	PDC-N000	165085	PANEL	DMS-100 DISTG FUSE/A	89		607F0
FL	117C	1	PDC-N001	262379	PANEL	DMS-100 DISTG FUSE/A	92		109C0
FL	117C	1	PDC-N001	262380	PANEL	DMS-100 FS DISTG PNL	92		109C0
FL	117C	1	PDC-N001	262382	PANEL	DMS-100 FILTER PNL	92		109C0
FL	377C	1	PDC-N001	165085	PANEL	DMS-100 DISTG FUSE/A	90		607F0
FL	377C	2	PDC-N003	262379	PANEL	DMS-100 DISTG FUSE/A	90		607F0
FL	377C	2	PDC-N003	262380	PANEL	DMS-100 FS DISTG PNL	90		607F0
FL	377C	2	PDC-N003	262381	PANEL	DMS-100 FR SUPVY PNL	90		607F0
FL	377C	2	PDC-N003	262382	PANEL	DMS-100 FILTER PNL	90		607F0
FL	257C	0	REMOTE	134369	SHELF	MINIPLX 4N1 COT CONN	97		810
FL	377C	2	SME-N000	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	SME-N000	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	2	SME-N001	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	SME-N001	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	2	SME-N002	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	SME-N002	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	2	SME-N003	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	SME-N003	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	2	SME-N004	165333	FRAME	DMS-100 COMM PERI CONT	90		607F0
FL	377C	2	SME-N004	368810	UNIT	DMS-100 CLG INVR/FAN	90		750F6
FL	377C	1	TME-N002	165652	SHELF	DMS-100 MTCE TRK MOD	89		607F0
FL	117C	1	TME-N008	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N008	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N009	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N009	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N010	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N010	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N011	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N011	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N012	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N012	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N013	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N013	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N014	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N014	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	117C	1	TME-N015	106130	SHELF	DMS-100 MTCE SHELF	92		109C0
FL	117C	1	TME-N015	165088	FRAME	DMS-100 PERIPH FR	92		109C0
FL	377C	1	WALL/MTD	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	377C	2	WALL/MTD	126311	ASSEMBLY	TEMP INTFC MOD ASBY	94		983BY
FL	57C	1	10100	110234	SHELF	RM-16MS222 DC MDM SHLF	86		848
FL	357C	1	10100	62592	ED-1C642-30	FUSE/ALM PANEL	91		848
FL	357C	1	10100	P67005	CONV PLANT	CONVERTER PLANT	77		983BY
FL	357C	1	10100	67684	CONVERTER	CONV DC SB15A	77		983BY
FL	357C	1	10100	68256	CONVERTER	DC-DC CONVR 48/72 VDC	77		983BY
FL	377C	1	10100	102237	SUBRACK	MACBS 23IN TRK SUBRK	87		616Z1
FL	377C	1	10100	102237	SUBRACK	MACBS 23IN TRK SUBRK	89		
FL	377C	1	10100	102238	SUBRACK	MACBS 19IN TRK SUBRK	87		616Z1
FL	377C	1	10100	161748	RACK	ULDS AC MDM RK	87		607F0
FL	357C	1	10101	P67005	CONV PLANT	CONVERTER PLANT	93		983BY
FL	357C	1	10101	P67006	CONV UNIT	CONVERTER UNIT	93		983BY
FL	257C	1	10102	66771	SHELF	MINIPLX COT V6 23IN	94		810
FL	377C	1	10102	P67009	PWR MON	REM PWR MON SYS (RPMS)	94		983BY
FL	117C	1	10104	P67001	BATT PLANT	BATTERY PLANT	92		983BY
FL	377C	1	10104	P67001	BATT PLANT	BATTERY PLANT	85		983BY
FL	377C	1	10104	P67001	BATT PLANT	BATTERY PLANT	88		
FL	357C	1	10105	P67010	UPS INV	UINTRUPBL PWR SYS INVR	98		983BY
FL	377C	1	10105	P67001	BATT PLANT	BATTERY PLANT	87		983BY
FL	377C	1	10106	P67001	BATT PLANT	BATTERY PLANT	87		983BY
FL	377C	1	10112	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	377C	1	10113	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	377C	1	10114	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	377C	1	10115	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL	57C	1	10117	6124	J94052A-1	ATMS 52A RESPONDER	87		839
FL	357C	1	10119	61414	ED-3B015-10	TMS 1A CONN PNL	88		809
FL	357C	1	10119	167481	J3B018C-1	EXPANDED REV CONT UN	88		809
FL	377C	1	10119	164400	UNIT	ATICS CONTR UN	96		598
FL	377C	1	10119	164401	SHELF	ATICS CONTR EQPT SHELF	86		598
FL	377C	1	10119	164401	SHELF	ATICS CONTR EQPT SHELF	90		607F0
FL	357C	1	10126	P67001	BATT PLANT	BATTERY PLANT	98		983BY
FL	257C	1	12001	62592	ED-1C642-30	FUSE/ALM PANEL	86		810

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD#/JI	Description	Yr	Qty	ECN #
FL	357C	1		12001	260294	PANEL	56 CKT DSX PNL	89		808
FL	357C	1		12001	260294	PANEL	56 CKT DSX PNL	92		814
FL	357C	1		12003	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12003	160241	ED-2C497-30	T1C-T1 BRDG RPTR SHLF	85		808
FL	357C	1		12003	160914	JACKFIELD	HI DENS DIGL TERM JKFD	89		809
FL	357C	1		12003	260294	PANEL	56 CKT DSX PNL	88		808
FL	357C	1		12003	260294	PANEL	56 CKT DSX PNL	93		
FL	357C	1		12003	260294	PANEL	56 CKT DSX PNL	94		
FL	357C	1		12005	487194	PANEL	DSX 84-CKT RE X-CONN	91		808
FL	257C	1		12007	260259	PANEL	INTER BAY JK PNL	90		810
FL	357C	1		12009	467194	PANEL	DSX 84-CKT RE X-CONN	97		809
FL	377C	1		12009	467194	PANEL	DSX 84-CKT RE X-CONN	96		607F0
FL	257C	1		12011	260294	PANEL	56 CKT DSX PNL	91		814
FL	357C	1		12011	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12011	360689	PANEL	60 CKT DSX PNL	93		814
FL	357C	1		12011	260294	PANEL	56 CKT DSX PNL	85		808
FL	357C	1		12013	62002	ED-2C544-30	PTCH/CROSS CONN PNL	91		808
FL	357C	1		12013	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12013	260294	PANEL	56 CKT DSX PNL	92		808
FL	257C	1		12015	260259	PANEL	INTER BAY JK PNL	90		810
FL	257C	1		12015	260294	PANEL	56 CKT DSX PNL	89		808
FL	357C	1		12015	62002	ED-2C544-30	PTCH/CROSS CONN PNL	87		808
FL	357C	1		12015	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12015	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12015	260294	PANEL	56 CKT DSX PNL	92		808
FL	357C	1		12015	260294	PANEL	56 CKT DSX PNL	93		
FL	357C	1		12015	260294	PANEL	56 CKT DSX PNL	94		
FL	257C	1		12017	63578	PANEL	DSX-1 CRS AIS PNL	90		810
FL	357C	1		12017	62002	ED-2C544-30	PTCH/CROSS CONN PNL	87		808
FL	357C	1		12017	62592	ED-1C642-30	FUSE/ALM PANEL	86		808
FL	357C	1		12017	260294	PANEL	56 CKT DSX PNL	87		808
FL	357C	1		12017	260294	PANEL	56 CKT DSX PNL	89		
FL	357C	1		12017	260294	PANEL	56 CKT DSX PNL	89		808
FL	377C	1		12017	467194	PANEL	DSX 84-CKT RE X-CONN	97		607F0
FL	357C	1		12019	62002	ED-2C544-30	PTCH/CROSS CONN PNL	87		808
FL	357C	1		12019	110086	ED-3C660-32	660 COMM PNL	84		808
FL	357C	1		12019	260294	PANEL	56 CKT DSX PNL	87		808
FL	357C	1		12019	467194	PANEL	DSX 84-CKT RE X-CONN	91		808
FL	257C	1		12021	260294	PANEL	56 CKT DSX PNL	90		808
FL	357C	1		12021	260294	PANEL	56 CKT DSX PNL	87		808
FL	357C	1		12021	260294	PANEL	56 CKT DSX PNL	88		814
FL	357C	1		12021	260294	PANEL	56 CKT DSX PNL	89		
FL	357C	1		12023	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12023	160720	PANEL	LFDSX TYPE MISC JK PNL	87		808
FL	357C	1		12023	260294	PANEL	56 CKT DSX PNL	91		808
FL	117C	1		12025	260294	PANEL	56 CKT DSX PNL	90		6141Q
FL	357C	1		12025	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12025	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12025	260294	PANEL	56 CKT DSX PNL	90		808
FL	357C	1		12025	260294	PANEL	56 CKT DSX PNL	92		
FL	357C	1		12025	260294	PANEL	56 CKT DSX PNL	93		
FL	357C	1		12025	260294	PANEL	56 CKT DSX PNL	95		
FL	357C	1		12027	260294	PANEL	56 CKT DSX PNL	87		808
FL	357C	1		12027	260294	PANEL	56 CKT DSX PNL	89		
FL	357C	1		12027	260294	PANEL	56 CKT DSX PNL	89		808
FL	357C	1		12029	62592	ED-1C642-30	FUSE/ALM PANEL	89		809
FL	357C	1		12029	110086	ED-3C660-32	660 COMM PNL	89		809
FL	357C	1		12029	260294	PANEL	56 CKT DSX PNL	89		808
FL	357C	1		12031	62592	ED-1C642-30	FUSE/ALM PANEL	91		808
FL	357C	1		12031	260294	PANEL	56 CKT DSX PNL	92		814
FL	357C	1		12033	62592	ED-1C642-30	FUSE/ALM PANEL	89		814
FL	357C	1		12033	260294	PANEL	56 CKT DSX PNL	85		808
FL	357C	1		12033	260294	PANEL	56 CKT DSX PNL	87		
FL	357C	1		12033	260294	PANEL	56 CKT DSX PNL	89		
FL	357C	1		12033	260294	PANEL	56 CKT DSX PNL	92		
FL	357C	1		12035	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12035	260294	PANEL	56 CKT DSX PNL	86		808
FL	377C	1		12035	260294	PANEL	56 CKT DSX PNL	89		607F0
FL	357C	1		12037	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12037	260294	PANEL	56 CKT DSX PNL	85		808

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD# / J#	Description	Yr	Qty	ECN #
FL	357C	1		12037	260294	PANEL	56 CKT DSX PNL	86		
FL	357C	1		12039	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12039	260294	PANEL	56 CKT DSX PNL	91		808
FL	357C	1		12039	460460	PANEL	DSX INTER BA JK PNL	92		814
FL	357C	1		12041	62592	ED-1C642-30	FUSE/ALM PANEL	94		839
FL	357C	1		12041	110086	ED-3C660-32	660 COMM PNL	87		809
FL	357C	1		12041	260294	PANEL	56 CKT DSX PNL	91		808
FL	357C	1		12041	260294	PANEL	56 CKT DSX PNL	94		
FL	357C	1		12041	467194	PANEL	DSX 84-CKT RE X-CONN	97		808
FL	377C	1		12041	260294	PANEL	56 CKT DSX PNL	95	607F0	
FL	377C	2		12041	185092	PANEL	DMS-100 PERIPH SP LK	97	607F0	
FL	357C	1		12043	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12043	467194	PANEL	DSX 84-CKT RE X-CONN	97		808
FL	377C	1		12043	467194	PANEL	DSX 84-CKT RE X-CONN	97	607F0	
FL	257C	1		12045	467195	PANEL	DSX 84-CKT RE X-CONN	95		814
FL	357C	1		12045	62592	ED-1C642-30	FUSE/ALM PANEL	85		808
FL	357C	1		12045	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		12045	467194	PANEL	DSX 84-CKT RE X-CONN	97		808
FL	357C	1		12105	468390	PANEL	GMT FUSE/ALM PNL	82		814
FL	357C	1		12105	120245	SHELF	FD-31201A SIMPL SW SH	91		814
FL	357C	1		12105	368891	SHELF	O-LTM SHLF	91		814
FL	357C	1		12106	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97		863
FL	T357C	1		12106	135601	ED-8C902-30	FT-2000 OC-48 LTWV BAY	97		863
FL	T357C	1		12106	460356	CAGE	DS3 MOD CKT CAGE	97		863
FL	357C	1		12107	66336	PANEL	LTS-1565 PDU -48VDC	91		814
FL	357C	1		12107	162336	SHELF	LTS-1565 TERM SHELF	91		814
FL	357C	1		12107	162338	SHELF	LTS-21130 MTCE SS	91		814
FL	357C	1		12107	162702	SHELF	LTS-21130 PROT DISTN	91		814
FL	357C	1		12107	162903	ASSEMBLY	LTS-21130 FAN(-48V)	91		814
FL	T357C	1		12108	460356	CAGE	DS3 MOD CKT CAGE	97		863
FL	T357C	1		12108	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97		863
FL	357C	1		12109	162336	SHELF	LTS-1565 TERM SHELF	90		814
FL	357C	1		12109	162702	SHELF	LTS-21130 PROT DISTN	90		814
FL	357C	1		12109	162902	ASSEMBLY	LTS-1565 FAN(-24V)	90		814
FL	357C	1		12110	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	96		863
FL	357C	1		12111	66336	PANEL	LTS-1565 PDU -48VDC	90		814
FL	357C	1		12111	162338	SHELF	LTS-21130 MTCE SS	90		814
FL	357C	1		12111	162702	SHELF	LTS-21130 PROT DISTN	92		814
FL	357C	1		12111	162903	ASSEMBLY	LTS-21130 FAN(-48V)	90		814
FL	357C	1		12112	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	96		808
FL	357C	1		12113	162338	SHELF	LTS-21130 MTCE SS	90		814
FL	357C	1		12114	669027	PANEL	SYS III DSX PANEL HW	96		863
FL	357C	1		12114	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	96		863
FL	357C	1		12115	66336	PANEL	LTS-1565 PDU -48VDC	93		814
FL	357C	1		12115	162338	SHELF	LTS-21130 MTCE SS	93		814
FL	357C	1		12115	162702	SHELF	LTS-21130 PROT DISTN	90		814
FL	357C	1		12115	162702	SHELF	LTS-21130 PROT DISTN	93		
FL	357C	1		12115	162903	ASSEMBLY	LTS-21130 FAN(-48V)	93		814
FL	357C	1		12115	260385	ASBY	LTS-135 BLO(48V)W FLTR	85		814
FL	357C	1		12115	260385	ASBY	LTS-135 BLO(48V)W FLTR	87		
FL	357C	1		12116	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	96		863
FL	357C	1		12117	66336	PANEL	LTS-1565 PDU -48VDC	92		814
FL	357C	1		12117	162338	SHELF	LTS-21130 MTCE SS	90		814
FL	357C	1		12117	162702	SHELF	LTS-21130 PROT DISTN	90		814
FL	357C	1		12117	260383	ASBY	LTS-135 BLO(48V)	86		814
FL	357C	1		12118	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	96		863
FL	357C	1		12119	66336	PANEL	LTS-1565 PDU -48VDC	92		814
FL	357C	1		12119	162336	SHELF	LTS-1565 TERM SHELF	90		814
FL	357C	1		12119	162338	SHELF	LTS-21130 MTCE SS	90		814
FL	357C	1		12119	162702	SHELF	LTS-21130 PROT DISTN	90		814
FL	357C	1		12119	162903	ASSEMBLY	LTS-21130 FAN(-48V)	92		814
FL	357C	1		12121	162336	SHELF	LTS-1565 TERM SHELF	88		814
FL	357C	1		12121	162338	SHELF	LTS-21130 MTCE SS	88		814
FL	357C	1		12121	162702	SHELF	LTS-21130 PROT DISTN	88		814
FL	357C	1		12121	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88		814
FL	357C	1		12122	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	94		814
FL	357C	1		12122	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	95		863
FL	357C	1		12122	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	94		814
FL	357C	1		12123	162336	SHELF	LTS-1565 TERM SHELF	88		814
FL	357C	1		12123	162338	SHELF	LTS-21130 MTCE SS	88		814

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	357C	1		12123	162702	SHELF	LTS-21130 PROT DISTN	88		814
FL	357C	1		12123	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88		814
FL	357C	1		12125	162336	SHELF	LTS-1565 TERM SHELF	88		814
FL	357C	1		12125	162336	SHELF	LTS-1565 TERM SHELF	91		
FL	357C	1		12125	162338	SHELF	LTS-21130 MTCE SS	88		814
FL	357C	1		12125	162702	SHELF	LTS-21130 PROT DISTN	88		814
FL	357C	1		12125	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88		814
FL	T357C	1		12126	102601	SHELF	OSS-TE99A 48V MPT BUFR	93		814
FL	357C	1		12127	162336	SHELF	LTS-1565 TERM SHELF	89		814
FL	357C	1		12127	162338	SHELF	LTS-21130 MTCE SS	89		814
FL	357C	1		12127	162702	SHELF	LTS-21130 PROT DISTN	89		814
FL	357C	1		12127	162903	ASSEMBLY	LTS-21130 FAN(-48V)	89		814
FL	357C	1		12128	63890	BOARD	DCP-1100 FN ALM -48VDC	93		814
FL	357C	1		12128	66369	CABINET	DCP-1500HX 48V CAB	93		814
FL	357C	1		12129	162336	SHELF	LTS-1565 TERM SHELF	87		814
FL	357C	1		12129	162336	SHELF	LTS-1565 TERM SHELF	88		
FL	357C	1		12129	162338	SHELF	LTS-21130 MTCE SS	87		814
FL	357C	1		12129	162903	ASSEMBLY	LTS-21130 FAN(-48V)	90		814
FL	T357C	1		12129	162336	SHELF	LTS-1565 TERM SHELF	89		814
FL	357C	1		12131	162336	SHELF	LTS-1565 TERM SHELF	87		814
FL	357C	1		12131	162336	SHELF	LTS-1565 TERM SHELF	88		
FL	357C	1		12131	162338	SHELF	LTS-21130 MTCE SS	87		814
FL	357C	1		12131	162538	ASSEMBLY	LTS-1565 FAN(-48V)	87		814
FL	T357C	1		12131	162336	SHELF	LTS-1565 TERM SHELF	89		814
FL	357C	1		12132	110653	RACK	FLM-600/2400 7' COT RK	98		809
FL	357C	1		12132	136266	ASSEMBLY	FLM-2400 FAN SHLF ASBY	98		809
FL	357C	1		12132	667025	SHELF	FLM-2400 HI SPD SHLF	98		809
FL	357C	1		12132	669476	SHELF	FLM-2400 ADM TRIB SHLF	98		809
FL	357C	1		12134	101087	MOUNTING	460 ACS 400 TYP MTG	93		809
FL	357C	1		12134	569734	SHELF	14 POS 400 TYPE MTG	89		813
FL	357C	1		12134	569734	SHELF	14 POS 400 TYPE MTG	92		814
FL	357C	1		12134	569734	SHELF	14 POS 400 TYPE MTG	93		870
FL	357C	1		12135	66336	PANEL	LTS-1565 PDU -48VDC	93		814
FL	357C	1		12135	66502	SHELF	LTS-1565R/21130R TERM	93		814
FL	357C	1		12135	162338	SHELF	LTS-21130 MTCE SS	93		814
FL	357C	1		12135	162702	SHELF	LTS-21130 PROT DISTN	93		814
FL	357C	1		12135	162903	ASSEMBLY	LTS-21130 FAN(-48V)	93		814
FL	257C	1		12136	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	94		813
FL	357C	1		12136	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	94		863
FL	357C	1		12137	162336	SHELF	LTS-1565 TERM SHELF	90		814
FL	357C	1		12137	162338	SHELF	LTS-21130 MTCE SS	92		814
FL	357C	1		12137	162903	ASSEMBLY	LTS-21130 FAN(-48V)	90		814
FL	357C	1		12138	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	85		814
FL	357C	1		12139	162336	SHELF	LTS-1565 TERM SHELF	90		814
FL	357C	1		12139	162903	ASSEMBLY	LTS-21130 FAN(-48V)	90		814
FL	T357C	1		12140	4727	SHELF	FLM-2400 ADM TRIB SHLF	97		863
FL	T357C	1		12140	110653	RACK	FLM-600/2400 7' COT RK	97		863
FL	T357C	1		12140	136266	ASSEMBLY	FLM-2400 FAN SHLF ASBY	97		863
FL	T357C	1		12140	667025	SHELF	FLM-2400 HI SPD SHLF	97		863
FL	357C	1		12141	162336	SHELF	LTS-1565 TERM SHELF	89		814
FL	357C	1		12141	162338	SHELF	LTS-21130 MTCE SS	89		814
FL	357C	1		12141	162702	SHELF	LTS-21130 PROT DISTN	89		814
FL	357C	1		12141	162903	ASSEMBLY	LTS-21130 FAN(-48V)	89		814
FL	357C	1		12143	162336	SHELF	LTS-1565 TERM SHELF	90		814
FL	357C	1		12143	162903	ASSEMBLY	LTS-21130 FAN(-48V)	93		814
FL	357C	1		12143	66336	PANEL	LTS-1565 PDU -48VDC	93		814
FL	357C	1		12143	162338	SHELF	LTS-21130 MTCE SS	93		814
FL	357C	1		12143	162702	SHELF	LTS-21130 PROT DISTN	93		814
FL	357C	1		12144	669530	SHELF	FLM-600 ADM SHLF	98		863
FL	357C	1		12145	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	95		863
FL	357C	1		12147	669204	J68974E-1	FT-2000 OC-48 LTWV BAY	94		814
FL	357C	1		12149	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	95		863
FL	357C	1		12151	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	94		814
FL	357C	1		12153	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	94		814
FL	357C	1		12155	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	93		814
FL	357C	1		12157	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	93		863
FL	357C	1		12200	60370	ED-95170-70	FUSE BAY	70		809
FL	357C	1		12200	110136	H-400-445	MODULAR FUSE BAY	85		808
FL	357C	1		12201	669623	PANEL	16-RS50 X.25 MXR	97		809
FL	357C	1		12208	137358	J68974D-1	LIGHTWAVE TERM BAY	98		862

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD# / J#	Description	Yr	Qty	ECN #
FL	357C	1		12208	460767	CAGE	DS-3 MOD CKT CAGE			809
FL	357C	1		12208	460767	CAGE	DS-3 MOD CKT CAGE	98		808
FL	357C	1		12208	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	98		863
FL	T357C	1		12208	66604	PANEL	SYS III DSX3/4 RE ACC	97		814
FL	T357C	1		12208	110654	RACK	FLM-150/600 7 COT RK	97		814
FL	T357C	1		12208	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97		863
FL	T357C	1		12208	669530	SHELF	FLM-600 ADM SHLF	97		814
FL	357C	1		12210	133150	PANEL	DSX CROSS-CONNECT MOD	96		813
FL	T357C	1		12210	133150	PANEL	DSX CROSS-CONNECT MOD	97		814
FL	T357C	1		12210	360800	PANEL	DSX FSE/ALM PNL	97		808
FL	T357C	1		12210	460356	CAGE	DS3 MOD CKT CAGE	97		808
FL	357C	1		12212	133150	PANEL	DSX CROSS-CONNECT MOD	96		
FL	T357C	1		12212	133150	PANEL	DSX CROSS-CONNECT MOD			863
FL	T357C	1		12212	133150	PANEL	DSX CROSS-CONNECT MOD	96		808
FL	357C	1		12214	162942	PANEL	DSX-3 CRS CONN PNL	94		808
FL	357C	1		12214	460768	CAGE	DSX-4M 16 CKT CAGE	95		814
FL	357C	1		12214	360823	SHELF	DSX-4M CHAS 16 CKT	95		863
FL	57C	1		12216	9060	J93016CY-1	TEST TRUNK UNIT	87		870
FL	357C	1		12216	162243	PANEL	DSX MOD CKT CAGE	85		808
FL	357C	1		12216	460768	CAGE	DSX-4M 16 CKT CAGE	95		808
FL	357C	1		12216	460768	CAGE	DSX-4M 16 CKT CAGE	96		863
FL	357C	1		12216	360823	SHELF	DSX-4M CHAS 16 CKT	95		814
FL	57C	1		12218	168796	J70180AA-1	DSS UN	87		870
FL	357C	1		12218	162942	PANEL	DSX-3 CRS CONN PNL	94		814
FL	357C	1		12218	460767	CAGE	DS-3 MOD CKT CAGE	98		808
FL	357C	1		12220	110086	ED-3C660-32	660 COMM PNL	95		808
FL	357C	1		12220	162942	PANEL	DSX-3 CRS CONN PNL	93		814
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	87		808
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	88		809
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	89		814
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	90		838
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	92		
FL	357C	1		12222	162942	PANEL	DSX-3 CRS CONN PNL	93		
FL	357C	1		12222	360822	SHELF	DSX-4M CHAS 12 CKT	93		809
FL	357C	1		12224	162942	PANEL	DSX-3 CRS CONN PNL	91		808
FL	357C	1		12224	162942	PANEL	DSX-3 CRS CONN PNL	93		814
FL	T357C	1		12224	162942	PANEL	DSX-3 CRS CONN PNL			814
FL	T357C	1		12224	162942	PANEL	DSX-3 CRS CONN PNL	93		809
FL	357C	1		12226	162942	PANEL	DSX-3 CRS CONN PNL	93		814
FL	357C	1		12226	162942	PANEL	DSX-3 CRS CONN PNL	94		
FL	357C	1		12228	66154	ED-3C660-30	COMM PNL	87		809
FL	357C	1		12228	162942	PANEL	DSX-3 CRS CONN PNL	87		814
FL	357C	1		12230	162942	PANEL	DSX-3 CRS CONN PNL	87		814
FL	T357C	1		12230	133150	PANEL	DSX CROSS-CONNECT MOD	97		863
FL	T357C	1		12230	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97		863
FL	357C	1		12232	162942	PANEL	DSX-3 CRS CONN PNL	87		814
FL	T357C	1		12234	110653	RACK	FLM-600/2400 7 COT RK	97		814
FL	T357C	1		12234	133150	PANEL	DSX CROSS-CONNECT MOD	97		863
FL	T357C	1		12234	136266	ASSEMBLY	FLM-2400 FAN SHLF ASBY	97		814
FL	T357C	1		12234	667025	SHELF	FLM-2400 HI SPD SHLF	97		814
FL	T357C	1		12234	669476	SHELF	FLM-2400 ADM TRIB SHLF	97		814
FL	357C	1		12235	162603	RACK	DMX-3003 RACK -24V	91		814
FL	357C	1		12235	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	91		814
FL	357C	1		12235	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	92		
FL	357C	1		12237	162603	RACK	DMX-3003 RACK -24V	91		814
FL	357C	1		12237	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	91		814
FL	357C	1		12239	162603	RACK	DMX-3003 RACK -24V	91		814
FL	357C	1		12239	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	91		814
FL	357C	1		12241	162603	RACK	DMX-3003 RACK -24V	91		814
FL	357C	1		12241	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	91		814
FL	357C	1		12242	101466	BAY	IDST LOOP BAY 70"	94		813
FL	357C	1		12243	162603	RACK	DMX-3003 RACK -24V	91		814
FL	357C	1		12243	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	91		814
FL	357C	1		12244	101464	BAY	IDST T1 BAY 70"	94		813
FL	357C	1		12245	162603	RACK	DMX-3003 RACK -24V	89		814
FL	357C	1		12245	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	92		814
FL	357C	1		12246	101466	BAY	IDST LOOP BAY 70"	94		813
FL	357C	1		12247	162603	RACK	DMX-3003 RACK -24V	89		814
FL	357C	1		12247	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	92		814
FL	357C	1		12248	101466	BAY	IDST LOOP BAY 70"	94		813

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	357C	1		12249	1841	ASSEMBLY	828A FP ASBY	89		814
FL	357C	1		12249	63310	ASSEMBLY	828AF MX3 B3ZS CG ASBY	89		814
FL	357C	1		12249	63310	ASSEMBLY	828AF MX3 B3ZS CG ASBY	90		
FL	357C	1		12250	101466	BAY	IDST LOOP BAY 70"	94		813
FL	357C	1		12251	1841	ASSEMBLY	828A FP ASBY	89		814
FL	357C	1		12251	63227	ASSEMBLY	828 FBOP MXR REM CG	89		814
FL	357C	1		12253	63310	ASSEMBLY	828AF MX3 B3ZS CG ASBY	88		814
FL	357C	1		12253	1841	ASSEMBLY	828A FP ASBY	88		814
FL	57C	1		12254	16826	J99386F-1	MFT BAY	80		868
FL	357C	1		12254	110086	ED-3C650-32	660 COMM PNL	95		808
FL	357C	1		12329	460305	SHELF	T3AS HI-SPD INTFC SHLF	92		809
FL	357C	1		12329	460306	SHELF	T3AS TST RSCE SHLF	92		809
FL	357C	1		12329	460308	UNIT	T3AS PWR DISTN UN	92		809
FL	357C	1		12331	460307	SHELF	T3AS ADMIN SHLF	92		809
FL	357C	1		12345	106067	J98774A-2	DACS II FRAME	91		809
FL	357C	1		12402	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88		9838Y
FL	T357C	1		124047	1884	J98786A-1	DACS IV SW BA ASBY			814
FL	T357C	1		124047	1884	J98786A-1	DACS IV SW BA ASBY	94		809
FL	357C	1		12441	1884	J98786A-1	DACS IV SW BA ASBY	95		814
FL	T357C	1		12441	1884	J98786A-1	DACS IV SW BA ASBY			814
FL	T357C	1		12441	1884	J98786A-1	DACS IV SW BA ASBY	93		809
FL	357C	1		12443	900548	TERMINAL	715/4425 AMBER CRT	93		814
FL	T357C	1		12443	1884	J98786A-1	DACS IV SW BA ASBY	93		814
FL	357C	1		12445	1884	J98786A-1	DACS IV SW BA ASBY	94		809
FL	T357C	1		12445	1884	J98786A-1	DACS IV SW BA ASBY	93		814
FL	357C	1		12447	1884	J98786A-1	DACS IV SW BA ASBY	94		809
FL	T357C	1		12447	1884	J98786A-1	DACS IV SW BA ASBY	93		809
FL	T357C	1		12447	1884	J98786A-1	DACS IV SW BA ASBY	94		814
FL	357C	1		12449	1884	J98786A-1	DACS IV SW BA ASBY	96		809
FL	T357C	1		12449	1884	J98786A-1	DACS IV SW BA ASBY	93		814
FL	57C	1		12454	360045	ASSEMBLY	UNIV SHLF ASBY	92		846
FL	357C	1		12454	63272	SHELF	9900 DTAU SHLF	88		848
FL	357C	1		12454	63272	SHELF	9900 DTAU SHLF	91		
FL	357C	1		12454	63274	SHELF	9900 H CAP DTU SHLF	89		809
FL	357C	1		12454	63274	SHELF	9900 H CAP DTU SHLF	92		848
FL	357C	1		12454	100397	SHELF	RM-16M 19IN DC DA MDM	92		809
FL	357C	1		12454	260707	PANEL	CMTS PWR FLT/FSE PNL	88		848
FL	357C	1		12456	63274	SHELF	9900 H CAP DTU SHLF	92		814
FL	357C	1		12456	63274	SHELF	9900 H CAP DTU SHLF	93		848
FL	357C	1		12456	63274	SHELF	9900 H CAP DTU SHLF	95		
FL	357C	1		12456	101853	SHELF	DATSPLUS MASTER SHELF	97		809
FL	357C	1		12456	110438	SHELF	9968 DIG FAC TST SHLF	93		814
FL	T357C	1		12500	669525	J98786B-1	DACS IV SWITCH BAY	97		809
FL	T357C	1		12502	133597	J98786D-1	DACS IV INTFC BAY	97		809
FL	T357C	1		12508	669526	J98786S-1	DACS+STS1 DS3 SW BAY	97		809
FL	T357C	1		12510	669526	J98786S-1	DACS+STS1 DS3 SW BAY	97		809
FL	357C	1		12548	669526	J98786S-1	DACS+STS1 DS3 SW BAY	91		809
FL	357C	1		12550	669526	J98786S-1	DACS+STS1 DS3 SW BAY	91		809
FL	357C	1		12554	669525	J98786B-1	DACS IV SWITCH BAY	91		809
FL	357C	1		12556	669525	J98786B-1	DACS IV SWITCH BAY	91		809
FL	357C	1		12558	669525	J98786B-1	DACS IV SWITCH BAY	91		809
FL	357C	1		14000	62592	ED-1C642-30	FUSE/ALM PANEL	88		808
FL	357C	1		14000	162848	PANEL	DSX-1 MOD 56 CKTS	88		809
FL	57C	1		14002	11171	J68769AJ-1	L TEL SET PNL	86		848
FL	357C	1		14002	62592	ED-1C642-30	FUSE/ALM PANEL	84		808
FL	357C	1		14002	63578	PANEL	DSX-1 CRS AIS PNL	92		809
FL	357C	1		14002	260294	PANEL	56 CKT DSX PNL	93		808
FL	57C	1		14004	62592	ED-1C642-30	FUSE/ALM PANEL	84		848
FL	257C	1		14004	260259	PANEL	INTER BAY JK PNL	90		810
FL	357C	1		14004	160914	JACKFIELD	HI DENS DIGL TERM JKFD	91		808
FL	357C	1		14004	260294	PANEL	56 CKT DSX PNL	93		808
FL	57C	1		14006	11171	J68769AJ-1	L TEL SET PNL	86		848
FL	257C	1		14006	62612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	89		810
FL	357C	1		14006	62592	ED-1C642-30	FUSE/ALM PANEL	83		808
FL	357C	1		14006	64861	ED-2C273-30	CONF BRDGE PANEL	83		809
FL	357C	1		14008	62592	ED-1C642-30	FUSE/ALM PANEL	83		808
FL	357C	1		14008	260294	PANEL	56 CKT DSX PNL	93		808
FL	357C	1		14008	467194	PANEL	DSX 84-CKT RE X-CONN	95		808
FL	357C	1		14008	467194	PANEL	DSX 84-CKT RE X-CONN	96		
FL	T357C	1		14008	467194	PANEL	DSX 84-CKT RE X-CONN	97		808

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD# / J#	Description	Yr	Qty	ECN	#
FL	357C	1		14010	62592	ED-1C642-30	FUSE/ALM PANEL	80		808	
FL	357C	1		14010	63578	PANEL	DSX-1 CRS AIS PNL	92		809	
FL	357C	1		14010	133293	PANEL	DSX-1/1C PANEL	94		814	
FL	357C	1		14010	260294	PANEL	56 CKT DSX PNL	92		808	
FL	357C	1		14012	62592	ED-1C642-30	FUSE/ALM PANEL	80		808	
FL	357C	1		14012	63578	PANEL	DSX-1 CRS AIS PNL	92		809	
FL	357C	1		14012	260294	PANEL	56 CKT DSX PNL	94		814	
FL	357C	1		14012	467152	PANEL	DSX MOD 84-CKT	94		813	
FL	357C	1		14014	62592	ED-1C642-30	FUSE/ALM PANEL	80		809	
FL	357C	1		14014	62612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	92		809	
FL	357C	1		14014	62612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	93			
FL	357C	1		14014	126090	SHELF	DCD-ST2 SHLF ASSY	88		861	
FL	357C	1		14014	162655	SHELF	DCD-400 SHLF ASSY	88		861	
FL	357C	1		14016	62592	ED-1C642-30	FUSE/ALM PANEL	80		808	
FL	357C	1		14016	101825	SHELF	DCD-LPR SHELF	80		861	
FL	357C	1		14016	162655	SHELF	DCD-400 SHLF ASSY	80		861	
FL	357C	1		14016	260294	PANEL	56 CKT DSX PNL	95		863	
FL	257C	1		14018	260259	PANEL	INTER BAY JK PNL	90		810	
FL	257C	1		14018	260294	PANEL	56 CKT DSX PNL	94		808	
FL	357C	1		14018	62592	ED-1C642-30	FUSE/ALM PANEL	81		808	
FL	357C	1		14018	63578	PANEL	DSX-1 CRS AIS PNL	92		809	
FL	357C	1		14018	260294	PANEL	56 CKT DSX PNL	93		808	
FL	357C	1		14112	102038	ED-8C006-50	LG CA INTCONN EQPT	84		814	
FL	357C	1		14112	102054	ED-8C008-50	LG CA INTCONN EQPT	84		814	
FL	357C	1		14112	102054	ED-8C008-50	LG CA INTCONN EQPT	85			
FL	T357C	1		14112	102054	ED-8C008-50	LG CA INTCONN EQPT	87		814	
FL	357C	1		14116	267092	J1P033H-1	SMAS STG1 DIST NET FR	84		848	
FL	357C	1		14116	267092	J1P033H-1	SMAS STG1 DIST NET FR	87		849	
FL	357C	1		14118	160616	UNIT	VERIF SET-TRK UN	91		809	
FL	357C	1		14118	163030	UNIT	RESPONDER VOICE/ DATA	93		870	
FL	357C	1		14118	267088	J1P033J-1	SMAS STG1 DIST NET FR	84		848	
FL	357C	1		14118	267088	J1P033J-1	SMAS STG1 DIST NET FR	87		849	
FL	57C	1		14120	66216	J99359AP-1	JK/KY/LP CKT	86		848	
FL	357C	1		14120	66220	J99359AT-1	INTFC FR	80		848	
FL	357C	1		14120	66220	J99359AT-1	INTFC FR	82			
FL	357C	1		14120	66220	J99359AT-1	INTFC FR	84			
FL	357C	1		14120	160793	J1P033AY-1	SMAS DTAC PNL	87		849	
FL	357C	1		14120	268617	SHELF	T1 DSS SHELF	86		808	
FL	357C	1		14120	368250	SHELF	B303 SPAN TERM RPTR SH	87		808	
FL	357C	1		14120	66220	J99359AT-1	INTFC FR	81		848	
FL	377C	1		14120	28239	J70177AT-1	DIGITAL RPTR SHELF	87	607F0		
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	80		848	
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	82		849	
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	84			
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	87			
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	91			
FL	357C	1		14122	167402	J1P033AF-1	REM TST PORT	81		848	
FL	357C	1		14122	268125	J1P033AE-1	CONTR UN	84		848	
FL	357C	1		14122	167400	J1P033A-1	SMAS RTS/RTP FR	81		848	
FL	357C	1		14130	120075	ED-1P465-32	SMAS 5 MC BAY	84		848	
FL	357C	1		14130	160660	J1P033AT-1	TYP 4 MTCE CONNR	87		849	
FL	357C	1		14130	160661	J1P033AU-1	TYP 4 MTCE CONNR CONT	87		849	
FL	357C	1		14130	167774	J1P033AJ-1	SMAS REM MTCE LP UN	84		848	
FL	357C	1		14132	160055	LINE	LN TN GEN TST	77	010M0		
FL	357C	1		14132	160055	LINE	LN TN GEN TST	83			
FL	357C	1		14132	168900	FACILITY	FAC TST	78		849	
FL	357C	1		14132	66216	J99359AP-1	JK/KY/LP CKT	81		848	
FL	357C	1		14132	167837	J1P033AK-1	SMAS LTP CONT UN	81		848	
FL	257C	1		14202	367411	ED-2C841-30	DDM-1000 SHLF ASBY	91		814	
FL	257C	1		14204	367411	ED-2C841-30	DDM-1000 SHLF ASBY	90		814	
FL	257C	1		14204	367411	ED-2C841-30	DDM-1000 SHLF ASBY	91		814	
FL	257C	1		14206	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	95		814	
FL	357C	1		14206	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	77		848	
FL	357C	1		14208	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	77		848	
FL	257C	1		14210	367411	ED-2C841-30	DDM-1000 SHLF ASBY	91		814	
FL	257C	1		14211	100537	ED-6C321-50	LGX FR	91		814	
FL	257C	1		14211	127186	HOUSING	CONNR MOD HSG	96		813	
FL	257C	1		14211	560071	PANEL	FBR CONNR MOD PCST	95		814	
FL	357C	1		14211	560191	PANEL	FBR CONNR MOD SC	96		863	
FL	F257C	1		14211	460951	PANEL	FBR CONNR MOD BICONIC	97		814	

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD#/J#	Description	Yr	Qty	ECN	#
FL	257C	1		14213	100537	ED-6C321-50	LGX FR	90			813
FL	257C	1		14213	360745	SHELF	LG TERMN SHELF	94			809
FL	257C	1		14213	360758	SHELF	LG SPLICE SHELF	90			813
FL	257C	1		14213	360745	SHELF	LG TERMN SHELF	91			814
FL	257C	1		14215	100537	ED-6C321-50	LGX FR	91			814
FL	257C	1		14215	360745	SHELF	LG TERMN SHELF	90			813
FL	257C	1		14215	360745	SHELF	LG TERMN SHELF	94			813
FL	257C	1		14217	560191	PANEL	FBR CONNR MOD SC	98			810
FL	F257C	1		14217	360979	BAY	7FT FBR DISTN FR	91			813
FL	F257C	1		14219	360979	BAY	7FT FBR DISTN FR	91			813
FL	257C	1		14221	360979	BAY	7FT FBR DISTN FR	86			810
FL	257C	1		14221	560191	PANEL	FBR CONNR MOD SC	95			814
FL	357C	1		14221	460764	PANEL	FBR DISTN PNL	96			813
FL	257C	1		14223	1841	ASSEMBLY	828A FP ASBY	91			838
FL	257C	1		14223	102337	ASSEMBLY	FOX-2 T-HUB CAGE ASBY	91			814
FL	257C	1		14225	102194	J1C182D-1	SLC-5 COT 11'8" BAY	88			810
FL	257C	1		14225	161139	J1C141AC-1	SLC-96 FLT LOC/OW PNL	90			810
FL	357C	1		14225	110086	ED-3C660-32	660 COMM PNL	86			808
FL	257C	1		14232	63255	PANEL	DISC*S FS/ALM PNL COT	96			810
FL	257C	1		14232	63336	SHELF	DISC*S COM EQPT SH COT	96			810
FL	257C	1		14232	63756	SHELF	DISC*S CHAN SHLF COT	96			810
FL	257C	1		14232	63756	SHELF	DISC*S CHAN SHLF COT	97			810
FL	257C	1		14233	102136	J1C141G-2	SLC-96 CO TERM BAY	88			810
FL	257C	1		14233	161139	J1C141AC-1	SLC-96 FLT LOC/OW PNL	86			810
FL	257C	1		14233	164291	ED-3C835-30	JK PNL	86			810
FL	257C	1		14234	101428	CONTROLLER	DISC*S SUPVY SYS	96			810
FL	257C	1		14235	161151	J1C142A-1	PAIR GAIN TEST CONTR	86			810
FL	377C	1		14235	102131	J1C141AK-1	SLC-96 RT CHAN BK UN	90		607F0	
FL	377C	1		14235	569734	SHELF	14 POS 400 TYPE MTG	91		607F0	
FL	377C	1		14300	100397	SHELF	RM-16M 19IN DC DA MDM	87		607F0	
FL	377C	1		14300	250027	ASSEMBLY	COMMON CONTROL ASBLY	85		6073A	
FL	377C	1		14300	250028	PANEL	COMMON CONTROL PANEL	85		6073A	
FL	377C	1		14300	250029	ASSEMBLY	POWER SUPPLY ASBY	85		6073A	
FL	357C	1		14303	569599	J98733D-1	CHAN BK/SMAS BAY	84			809
FL	357C	1		14304	131062	J98726E-1	D4 CHAN BK BAY	86			809
FL	357C	1		14305	110086	ED-3C660-32	660 COMM PNL	83			808
FL	357C	1		14305	131062	J98726E-1	D4 CHAN BK BAY	82			809
FL	357C	1		14306	131062	J98726E-1	D4 CHAN BK BAY	88			809
FL	357C	1		14307	131062	J98726E-1	D4 CHAN BK BAY	82			809
FL	357C	1		14308	131062	J98726E-1	D4 CHAN BK BAY	88			809
FL	357C	1		14309	131062	J98726E-1	D4 CHAN BK BAY	82			809
FL	357C	1		14310	130066	J98726E-2	D4 CHAN BK BAY	89			809
FL	357C	1		14311	131062	J98726E-1	D4 CHAN BK BAY	82			809
FL	357C	1		14312	130066	J98726E-2	D4 CHAN BK BAY	89			809
FL	357C	1		14313	131020	J98726M-1	D4 MNTCE BANK	80			809
FL	357C	1		14313	131062	J98726E-1	D4 CHAN BK BAY	80			809
FL	357C	1		14314	130066	J98726E-2	D4 CHAN BK BAY	92			809
FL	357C	1		14315	131062	J98726E-1	D4 CHAN BK BAY	80			809
FL	357C	1		14316	130066	J98726E-2	D4 CHAN BK BAY	92			809
FL	357C	1		14317	131062	J98726E-1	D4 CHAN BK BAY	80			809
FL	257C	1		14320	62592	ED-1C642-30	FUSE/ALM PANEL	89			810
FL	257C	1		14320	110086	ED-3C660-32	660 COMM PNL	89			810
FL	257C	1		14320	260294	PANEL	56 CKT DSX PNL	90			808
FL	357C	1		14320	260294	PANEL	56 CKT DSX PNL	86			808
FL	357C	1		14320	260294	PANEL	56 CKT DSX PNL	89			808
FL	257C	1		14322	260259	PANEL	INTER BAY JK PNL	90			810
FL	257C	1		14322	260260	PANEL	MISC DSX JK PNL	90			810
FL	257C	1		14322	260294	PANEL	56 CKT DSX PNL	90			808
FL	257C	1		14322	260294	PANEL	56 CKT DSX PNL	96			808
FL	357C	1		14322	63578	PANEL	DSX-1 CRS AIS PNL	92			809
FL	357C	1		14324	63578	PANEL	DSX-1 CRS AIS PNL	92			809
FL	357C	1		14324	260294	PANEL	56 CKT DSX PNL	86			808
FL	357C	1		14324	467194	PANEL	DSX 84-CKT RE X-CONN	97			808
FL	257C	1		14326	133032	J1C182BB-1	SLC-96-5 RT PWR SHLF	90			810
FL	257C	1		14326	368009	J1C182BA-1	SLC-96-5 RT PWR SHLF	93			814
FL	357C	1		14326	102208	ED-3C650-33	D4 CHAN BK ASBY	92			809
FL	377C	1		14326	102131	J1C141AK-1	SLC-96 RT CHAN BK UN	86		607F0	
FL	357C	1		14328	162848	PANEL	DSX-1 MOD 56 CKTS	88			808
FL	357C	1		14328	260294	PANEL	56 CKT DSX PNL	92			808
FL	357C	1		14330	260294	PANEL	56 CKT DSX PNL	94			814

Basic File 10 Data

ST PAC	FL	Relay Rack	CPR	SD# / J#	Description	Yr	Qty	ECN #
FL 257C	1	14400	268617	SHELF	T1 DSS SHELF			810
FL 257C	1	14400	268617	SHELF	T1 DSS SHELF	88		808
FL 357C	1	14400	26744	J99359K-1	SMAS SW CONN/CONT	81		848
FL 357C	1	14400	129147	J99359AJ-1	PH CONNR GR UN	81		848
FL 357C	1	14400	129149	J99359AL-1	PH NT CONNR ACC REL UN	81		848
FL 357C	1	14400	268617	SHELF	T1 DSS SHELF	90		808
FL 377C	1	14400	267746	MTG DATA	MOUNTING DATA	88		607F0
FL 257C	1	14402	63292	SHELF	T-TERM220 WWRP SHLF	90		810
FL 357C	1	14402	63292	SHELF	T-TERM220 WWRP SHLF	93		814
FL 57C	1	14409	16826	J99386F-1	MFT BAY	88		868
FL 57C	1	14411	16826	J99386F-1	MFT BAY	82		868
FL 257C	1	14433	63371	BAY	T-TERM220 ORB 7FT	90		810
FL 357C	1	14500	P67008	BATT DS BD	BAT DISTN FUSE BD BOFB	87		983BY
FL 357C	1	14502	P67008	BATT DS BO	BAT DISTN FUSE BD BOFB	87		983BY
FL 357C	1	14504	P67008	BATT DS BO	BAT DISTN FUSE BD BOFB	92		983BY
FL 357C	1	14512	26738	J99359D-1	SMAS SW CONN CTR CONT	77		848
FL 357C	1	14513	26736	J99359B-1	SMAS SW CONN GR CONT	77		848
FL 357C	1	14514	100397	SHELF	RM-16M 19IN DC DA MDM	91		813
FL 357C	1	14514	901058	RACK	CONVERTER RACK	91		848
FL 357C	1	14515	26737	J99359C-1	SMAS CONN/GR CONT	77		848
FL 357C	1	14516	67048	J1P186A-1	DATAKIT II VCS MOD CAB	93		809
FL 357C	1	14516	102361	J1P186B-1	DATAKIT II VCS CO FR	93		809
FL 357C	1	14517	26736	J99359B-1	SMAS SW CONN GR CONT	77		848
FL 357C	1	14519	26737	J99359C-1	SMAS CONN/GR CONT	77		848
FL 357C	1	14521	26736	J99359B-1	SMAS SW CONN GR CONT	81		848
FL 357C	1	14522	130220	PANEL	DB25M TO 50 PIN PNL	87		809
FL 357C	1	14522	467559	CHASSIS	SER180 CHAS W/CRAFT PR	87		809
FL 357C	1	14522	669623	PANEL	16-RS50 X.25 MXR	95		809
FL 357C	1	14522	468611	PANEL	FS PNL DUAL 10/10 GMT	94		814
FL 357C	1	14522	468611	PANEL	FS PNL DUAL 10/10 GMT	94		814
FL 357C	1	14523	26737	J99359C-1	SMAS CONN/GR CONT	81		848
FL 357C	1	14523	26745	J99359L-1	SMAS CONN GR/CONT	82		848
FL 357C	1	14524	269042	J99359BF-1	SW CONN/CNTR FR	84		848
FL 357C	1	14524	467559	CHASSIS	SER180 CHAS W/CRAFT PR	87		809
FL 357C	1	14525	26736	J99359B-1	SMAS SW CONN GR CONT	83		848
FL 357C	1	14527	269043	J99359AW-1	SW CONN/CNTR FR	84		848
FL 377C	2	20102	P67010	UPS INV	UNTRUPBL PWR SYS INVR	93		983BY
FL 377C	2	20104	P67009	PWR MON	REM PWR MON SYS (RPMS)	94		983BY
FL 377C	2	20104	P67009	PWR MON	REM PWR MON SYS (RPMS)	97		983BY
FL 377C	2	20201	P67001	BATT PLANT	BATTERY PLANT	87		983BY
FL 377C	2	20201	P67001	BATT PLANT	BATTERY PLANT	90		983BY
FL 377C	2	20201	P67001	BATT PLANT	BATTERY PLANT	98		983BY
FL 377C	2	20202	P67001	BATT PLANT	BATTERY PLANT	85		983BY
FL 377C	2	20202	P67001	BATT PLANT	BATTERY PLANT	89		983BY
FL 377C	2	20202	P67001	BATT PLANT	BATTERY PLANT	90		983BY
FL 377C	2	20203	P67001	BATT PLANT	BATTERY PLANT	98		983BY
FL 377C	2	20309	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL 377C	2	20310	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	87		983BY
FL 377C	2	20311	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL 377C	2	20312	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	84		983BY
FL 377C	2	20312	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	91		983BY
FL 77C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		86		50
FL 77C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		92		50
FL 77C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		93		50
FL 257C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		92		50
FL 257C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		93		50
FL 257C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		94		50
FL 257C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		95		50
FL 257C	UN ALOC OC	40004	UNALL O C	UNALLOCATED OTHER COST		96		50
FL 117C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		87		109C0
FL 117C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		92		6141Q
FL 117C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		94		6141Q
FL 257C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		92		810
FL 257C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		96		810
FL 357C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		70		800
FL 357C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		86		809
FL 357C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		89		809
FL 357C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		91		809
FL 357C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		95		809
FL 377C	UN DETAILED	40000	UNDET INV	UNDETAILED INVESTMENT		75		315A0

Basic File 10 Data

ST	PAC	FL	Relay	Rack	CPR	SD#/J#	Description	Yr	Qty	ECN #
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	84		607F0
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	85		6073A
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	86		983BY
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	87		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	88		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	89		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	90		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	91		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	93		
FL	377C	UN	DETAILED		40000	UNDET INV	UNDETAILED INVESTMENT	96		
FL	257C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	97		
FL	257C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	98		
FL	357C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	97		
FL	357C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	98		
FL	377C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	97		
FL	377C	DE	LAY CHG		40010	DELAY	DELAYED CHARGES	98		
FL	257C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	94		810
FL	257C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	95		813
FL	357C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	93		814
FL	357C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	95		863
FL	377C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	89		607F0
FL	377C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	90		
FL	377C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	93		
FL	377C	RT	UI CAP		40008	PICS DCPR	CAPITALIZED RTUI	97		

AC-LOC E8519 FRC 57C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
UNALOC	OC	040004	UNALL 0 C			UNALLOCATED OTHER COST			97
01	MDF11	006466	J98620B-1			MISC VF BRI LIFT EQPT			78
01	MDF11	068910	BRIDGE			BRDG 4W 4WY 600 211AF			88
01	MDF11	068911	BRIDGE			BRDG 4W 6WY 600 211AF			88
01	MDF11	068924	BRIDGE			BRDG 4W 4WY KPD 211AF			93
01	MDF11	168196	MOUNTING			K-PAD MTG-211AF TS BLK			85
01	MDF11	169025	ED-6C110-10			MIN TLK/TST SYS PNL			93
01	MDF11	169328	GENERATOR			SLG CUR GEN ASBY			85
01	MDF11	268583	CABINET			LTC-LOC TST CAB			85
01	MIS005	360046	ASSEMBLY			UNIV SHLF DA ASBY			79
01	MIS006	161945	SHLF			LP TST SHLF			88
01	10223	P67010	UPS INV			UINTRUPBL PWR SYS INVR			87
01	12108	002093	J99330A-1			SW GAIN RPTR SHLF			88
01	12108	009060	J93016CY-1			TEST TRUNK UNIT			79
01	12108	009132	J93016AP-2			COND ID T CKT			88
01	12108	027584	J93016DH-1			TEL LSPK UN			93
01	12108	109215	J93016DM-1			SPKPHN SIGG ON			93
01	12108	260221	J1P023AH-1			ARSB HLT 2			91
01	12108	260221	J1P023AH-1			ARSB HLT 2			93
01	12108	260221	J1P023AH-1			ARSB HLT 2			95
01	12110	066601	SHLF			HITS T-2000 SAM SHLF			88
01	12110	100369	UNIT			HITS T-9-X REM TST UN			88
01	12122	162655	SHLF			DCD-400 SHLF ASSY			88
01	12124	126090	SHLF			DCD-ST2 SHLF ASSY			88
01	12133	110086	ED-3C660-32			660 COMM PNL			83
01	12136	260294	PANEL			56 CKT DSX PNL			88
01	12138	009019	J93016CH-1			REM TST CKT FAR END			88
01	12138	014443	J68941S-1			FUSE/ALM PNL			93
01	12140	163030	UNIT			RESPONDER VOICE/ DATA			94
01	12140	360046	ASSEMBLY			UNIV SHLF DA ASBY			90
01	12209	569734	SHLF			14 POS 400 TYPE MTG			90
01	12211	168796	J70180AA-1			DSS UN			86
01	12334	460416	SHLF			FN6000 UNIV MM-FRM			92
01	12348	260380	ASSEMBLY			828 FSE/ALM ASBY			88
01	12350	260307	ASSEMBLY			828 B3ZS MXR CAGE ASBY			88
01	12352	063225	ASSEMBLY			828 B3ZS MXR CAGE ASBY			88
01	12402	016826	J99386F-1			MFT BAY			82
01	12403	026628	J99343A-1			LOOP SIG REPTR UNIT			74
01	12403	062805	ED-1C726-30			FUSE PANEL			74
01	12403	062808	ED-1C716-30			FLT/FUSE/ALARM UNIT			74
01	12404	016826	J99386F-1			MFT BAY			82
01	12405	026628	J99343A-1			LOOP SIG REPTR UNIT			74
01	12405	062805	ED-1C726-30			FUSE PANEL			74
01	12405	062808	ED-1C716-30			FLT/FUSE/ALARM UNIT			74

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 57C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12406	569105	ASSEMBLY	DISTV DA BRDG MTG ASBY	80				
01	12407	026628	J99343A-1	LOOP SIG REPTR UNIT	74				
01	12407	062805	ED-1C726-30	FUSE PANEL	74				
01	12407	062808	ED-1C716-30	FLT/FUSE/ALARM UNIT	74				
01	12408	569105	ASSEMBLY	DISTV DA BRDG MTG ASBY	81				
01	12408	569105	ASSEMBLY	DISTV DA BRDG MTG ASBY	83				
01	12408	569105	ASSEMBLY	DISTV DA BRDG MTG ASBY	88				
01	12408	569105	ASSEMBLY	DISTV DA BRDG MTG ASBY	89				
01	12409	026628	J99343A-1	LOOP SIG REPTR UNIT	74				
01	12409	062805	ED-1C726-30	FUSE PANEL	74				
01	12409	062808	ED-1C716-30	FLT/FUSE/ALARM UNIT	74				
01	12410	016826	J99386F-1	MFT BAY	84				
01	12411	026628	J99343A-1	LOOP SIG REPTR UNIT	74				
01	12411	062805	ED-1C726-30	FUSE PANEL	74				
01	12411	062808	ED-1C716-30	FLT/FUSE/ALARM UNIT	74				
01	12428	167603	J98625G-1	CONN REG BAY	82				
01	12452	110086	ED-3C660-32	660 COMM PNL	88				
01	12500	020539	J27055C-51	PWR RNG/T DISTG FR	70				
01	12500	020539	J27055C-51	PWR RNG/T DISTG FR	72				
01	12500	020539	J27055C-51	PWR RNG/T DISTG FR	73				
01	12500	020539	J27055C-51	PWR RNG/T DISTG FR	74				
01	12500	020543	J27055G-50	PRTD FUSE ALM REL UNIT	70				
01	12500	020543	J27055G-50	PRTD FUSE ALM REL UNIT	72				
01	12500	020543	J27055G-50	PRTD FUSE ALM REL UNIT	73				
01	12500	020543	J27055G-50	PRTD FUSE ALM REL UNIT	74				
01	12500	062645	ED-92173-71	FILTER ASSY/EQPT	74				
01	12502	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88				
01	HMDF11	168196	MOUNTING	K-PAD MTG-211AF TS BLK	79				
01	HMDF11	169328	GENERATOR	SLG CUR GEN ASBY	80				
01	HMDF11	169328	GENERATOR	SLG CUR GEN ASBY	83				

FRC YEAR QUANTITY YEAR MATERIAL COST YEAR IN PLACE COST ECN IN PLACE COST

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HW/CPR PRINT
 BELLSOUTH TELECOMMUNICATIONS
 ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
 PRINT SUBSYSTEM
 VULA ELLIS

BR 756-123-371-01
 PAGE 3
 RUN DATE 09/30/98

AC-LOC E8519 FRC 77C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
UNALOC DC	040004	UNALL O C	UNALLOCATED OTHER COST						91
UNALOC DC	040004	UNALL O C	UNALLOCATED OTHER COST						92
UNDETAILED	040000	UNDET INV	UNDETAILED INVESTMENT						87
00	BUSB	P67001	BATT PLANT	BATTERY PLANT					70
00	BUSB	P67001	BATT PLANT	BATTERY PLANT					71
00	BUSB	P67001	BATT PLANT	BATTERY PLANT					74
00	BUSB	P67001	BATT PLANT	BATTERY PLANT					75
00	BUSD	P67001	BATT PLANT	BATTERY PLANT					70
00	BUSD	P67001	BATT PLANT	BATTERY PLANT					74
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK					85
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK					86

FRC	YEAR QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	---------------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 117C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
RTUI CAP	040008	PICS DCPR	CAPITALIZED RTUI		91				
RTUI CAP	040008	PICS DCPR	CAPITALIZED RTUI		98				
UNALOC OC	040004	UNALL O C	UNALLOCATED OTHER COST		97				
UNDETAILED	040000	UNDET INV	UNDETAILED INVESTMENT		85				
UNDETAILED	040000	UNDET INV	UNDETAILED INVESTMENT		95				
01 DCE000	165088	FRAME	DMS-100 PERIPH FR		86				
01 DCE000	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE001	165088	FRAME	DMS-100 PERIPH FR		86				
01 DCE001	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE002	165088	FRAME	DMS-100 PERIPH FR		86				
01 DCE002	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE003	165088	FRAME	DMS-100 PERIPH FR		86				
01 DCE003	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE004	165088	FRAME	DMS-100 PERIPH FR		93				
01 DCE004	165103	SHELF	DMS-100 DIGL CARR MOD		93				
01 DCE005	165088	FRAME	DMS-100 PERIPH FR		95				
01 DCE005	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE006	165088	FRAME	DMS-100 PERIPH FR		95				
01 DCE006	165103	SHELF	DMS-100 DIGL CARR MOD		86				
01 DCE006	165103	SHELF	DMS-100 DIGL CARR MOD		92				
01 DCE007	165088	FRAME	DMS-100 PERIPH FR		93				
01 DCE007	165098	PANEL	DMS-100 PERIPH FR SUPV		92				
01 DCE007	165103	SHELF	DMS-100 DIGL CARR MOD		92				
01 DCE008	165088	FRAME	DMS-100 PERIPH FR		93				
01 DCE008	165098	PANEL	DMS-100 PERIPH FR SUPV		92				
01 DCE008	165103	SHELF	DMS-100 DIGL CARR MOD		92				
01 DMI108	165361	PANEL	DMS-100 NET JCTR CONNG		89				
01 DPCC00	110635	UNIT	DMS-100 C42 COOLING UN		86				
01 DPCC00	161911	CABINET	DMS-100E DPCC CAB		86				
01 DPCC00	161911	CABINET	DMS-100E DPCC CAB		88				
01 DTE000	165414	BACKPLANE	DMS-100 COMM PERI CONT		95				
01 DTE001	165414	BACKPLANE	DMS-100 COMM PERI CONT		95				
01 IOE000	165078	PANEL	DMS-100 FR SUPV		95				
01 IOE000	165087	FRAME	DMS-100 MAG TP CTR FR		86				
01 IOE000	165102	SHELF	DMS-100 I/O CONT SHLF		86				
01 IOE000	165132	SHELF	DMS-100 DDU SHLF		86				
01 IOE000	165132	SHELF	DMS-100 DDU SHLF		87				
01 IOE000	260795	UNIT	2216-DIG MAG TP TRANS		86				
01 IOE001	165078	PANEL	DMS-100 FR SUPV		95				
01 IOE001	165087	FRAME	DMS-100 MAG TP CTR FR		86				
01 IOE001	165102	SHELF	DMS-100 I/O CONT SHLF		86				
01 IOE001	165132	SHELF	DMS-100 DDU SHLF		86				
01 IOE001	165132	SHELF	DMS-100 DDU SHLF		87				
01 IOE001	260795	UNIT	2216-DIG MAG TP TRANS		86				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 117C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	IOE002	063987	ASSEMBLY	BMC-11 760MB DKDR	92				
01	IOE002	165078	PANEL	DMS-100 FR SUPV	95				
01	IOE002	165087	FRAME	DMS-100 HAG TP CTR FR	95				
01	IOE002	165100	UNIT	DMS-100 INVR	95				
01	IOE002	165102	SHELF	DMS-100 I/O CONT SHLF	90				
01	IOE002	165102	SHELF	DMS-100 I/O CONT SHLF	92				
01	IOE002	262475	UNIT	DMS-100 DISTR PROC PER	95				
01	MAP	165095	PANEL	DMS-100 ALM CONT/DISPL	86				
01	MIS000	160855	J1P056A-1	E-TELM DAS UN	95				
01	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS000	262440	SHELF	DTH SHELF	94				
01	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS001	165100	UNIT	DMS-100 INVR	86				
01	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS001	165498	SHELF	DMS/TOP TN/SCRMBLR	95				
01	MIS002	100397	SHELF	RM-16H 19IN DC DA MDH	90				
01	MIS002	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS002	165100	UNIT	DMS-100 INVR	95				
01	MIS002	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS002	360046	ASSEMBLY	UNIV SHLF DA ASBY	95				
01	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	95				
01	MIS003	165100	UNIT	DMS-100 INVR	95				
01	MIS004	P67010	UPS INV	UINTRUPBL PWR SYS INVR	90				
01	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	92				
01	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	95				
01	MIS004	165101	PANEL	DMS-100 MISC EQPT SUPV	92				
01	PDC000	165082	FRAME	DMS-100 PWR DISTRN CTR	86				
01	PDC000	165085	PANEL	DMS-100 DISTG FUSE/A	90				
01	PDC000	165085	PANEL	DMS-100 DISTG FUSE/A	95				
01	PDC000	165086	PANEL	DMS-100 GRD	86				
01	PDC000	165584	PANEL	DMS-100 FILTER PNL	95				
01	PDC001	165584	PANEL	DMS-100 FILTER PNL	95				
01	SLC000	165091	PANEL	DMS-100 NET SP LK	90				
01	SLC000	165091	PANEL	DMS-100 NET SP LK	91				
01	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	86				
01	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	90				
01	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	91				
01	SLC000	165092	PANEL	DMS-100 PERIPH SP LK	92				
01	SLC100	165092	PANEL	DMS-100 PERIPH SP LK	86				
01	SLC100	165092	PANEL	DMS-100 PERIPH SP LK	92				
01	SP CAB	P67010	UPS INV	UINTRUPBL PWR SYS INVR	90				
01	THE000	165088	FRAME	DMS-100 PERIPH FR	86				
01	THE000	165104	SHELF	DMS-100 BAS 2W TRK SH	86				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 117C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	THE000	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE000	165113	SHELF	DMS-100	ALM CRS-CONN	86			
01	THE001	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE001	165100	UNIT	DMS-100	INVR	86			
01	THE001	165104	SHELF	DMS-100	BAS 2W TRK SH	86			
01	THE001	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE002	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE002	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE003	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE003	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE004	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE004	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE005	165088	FRAME	DMS-100	PERIPH FR	91			
01	THE005	165105	SHELF	DMS-100	MTCE TRK MOD	95			
01	THE006	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE006	165105	SHELF	DMS-100	MTCE TRK MOD	95			
01	THE007	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE007	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE008	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE008	165104	SHELF	DMS-100	BAS 2W TRK SH	95			
01	THE016	165088	FRAME	DMS-100	PERIPH FR	95			
01	THE016	165652	SHELF	DMS-100	MTCE TRK MOD	91			
01	WALL	165097	PANEL	DMS-100	AUD ALM	86			
01	12120	360550	BLOCK CONNG		BLOCK CONNG	90			
01	12134	260294	PANEL		56 CKT DSX PNL	92			
01	12136	360431	BLOCK CONNG		BLOCK CONNG PNL	90			
01	12316	160726	PANEL		DSX JK PNL	93			
01	DPCC0	161913	PANEL	DMS-100E	CORE FSP	93			
01	LTEI000	262274	FRAME	DMS-100	CPEI FR	90			
01	LTEI000	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	LTEI001	262274	FRAME	DMS-100	CPEI FR	90			
01	LTEI001	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	LTEI002	262274	FRAME	DMS-100	CPEI FR	91			
01	LTEI002	368810	UNIT	DMS-100	CLG INVR/FAN	91			
01	LTEI003	262274	FRAME	DMS-100	CPEI FR	93			
01	LTEI003	262456	SHELF	DMS/ISDN	PERIPH CONTR	92			
01	LTEI003	368810	UNIT	DMS-100	CLG INVR/FAN	92			
01	LTEI004	262274	FRAME	DMS-100	CPEI FR	93			
01	LTEI004	262456	SHELF	DMS/ISDN	PERIPH CONTR	92			
01	LTEI004	368810	UNIT	DMS-100	CLG INVR/FAN	88			
01	LTEI005	262274	FRAME	DMS-100	CPEI FR	93			
01	LTEI005	262456	SHELF	DMS/ISDN	PERIPH CONTR	92			
01	LTEI005	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	NETC000	165114	UNIT	DMS-100	CLG INVR/FAN	86			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 117C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	NETC000	165115	FRAME	DMS-100	NET COMB FR	86			
01	NETC001	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	NETC001	165115	FRAME	DMS-100	NET COMB FR	86			
01	NETC004	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	NETC005	165115	FRAME	DMS-100	NET COMB FR	86			
01	NETC005	165116	SHELF	DMS-200	CPS SHLF	90			
01	NETC005	165492	SHELF	DMS-100	NET SER INTFC	90			
01	PDCN01	262379	PANEL	DMS-100	DISTG FUSE/A	98			
01	PDCN01	262380	PANEL	DMS-100	FS DISTG PNL	98			
01	PDC000	165081	UNIT	DMS-100	PNR DISTN CTR	95			
01	PDC000	262381	PANEL	DMS-100	FR SUPVY PNL	86			
01	PDC001	165086	PANEL	DMS-100	GRD	91			
01	PDC001	262381	PANEL	DMS-100	FR SUPVY PNL	91			
01	SLC000	165090	FRAME	DMS-100	SP LK CONN	86			
01	SLC000	165090	FRAME	DMS-100	SP LK CONN	87			
01	SLC000	165091	PANEL	DMS-100	NET SP LK	86			
01	SLC100	165090	FRAME	DMS-100	SP LK CONN	86			
01	SLC100	165090	FRAME	DMS-100	SP LK CONN	87			
01	SLC100	165091	PANEL	DMS-100	NET SP LK	86			
01	DNI-N000	165076	FRAME	DMS-100	DIGL NET CONN	90			
01	DNI-N000	165361	PANEL	DMS-100	NET JCTR CONNG	90			
01	DNI-N000	165361	PANEL	DMS-100	NET JCTR CONNG	91			
01	DNI-M100	165076	FRAME	DMS-100	DIGL NET CONN	90			
01	DNI-M100	165361	PANEL	DMS-100	NET JCTR CONNG	89			
01	DSN-E001	368810	UNIT	DMS-100	CLG INVR/FAN	92			
01	DSN-E006	165394	PANEL	DMS-100	FR SUPV	95			
01	DSN-E006	262070	ASSEMBLY	DMS-100	DBL SH NETWK	91			
01	DSN-E006	368810	UNIT	DMS-100	CLG INVR/FAN	91			
01	DSN-E006	368853	FRAME	DMS-100	NET EQPT FR	91			
01	DSN-N002	165394	PANEL	DMS-100	FR SUPV	95			
01	DSN-N002	262070	ASSEMBLY	DMS-100	DBL SH NETWK	90			
01	DSN-N002	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	DSN-N002	368853	FRAME	DMS-100	NET EQPT FR	90			
01	DSN-N011	262070	ASSEMBLY	DMS-100	DBL SH NETWK	91			
01	DTE-N000	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	DTE-N000	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	DTE-N001	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	DTE-N001	165333	FRAME	DMS-100	COMM PERI CONT	92			
01	DTE-N001	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	DTE-N003	165333	FRAME	DMS-100	COMM PERI CONT	91			
01	DTE-N003	368810	UNIT	DMS-100	CLG INVR/FAN	91			
01	DTE-N004	165333	FRAME	DMS-100	COMM PERI CONT	92			
01	DTE-N004	368810	UNIT	DMS-100	CLG INVR/FAN	92			
01	FLOOR	165096	PANEL	DMS-100	EXIT ALM DISPL	95			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 117C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	FLOOR	485494	KIT	TOPS HPX POS TYP 2 KIT	90				
01	LTEIN06	262704	FRAME	DMS-100 COMM PERI CONT	98				
01	LTEIN06	368810	UNIT	DMS-100 CLG INVR/FAN	98				
01	LTEIN07	262704	FRAME	DMS-100 COMM PERI CONT	98				
01	LTEIN07	368810	UNIT	DMS-100 CLG INVR/FAN	98				
01	SILCON00	165092	PANEL	DMS-100 PERIPH SP LK	98				
01	TME-N008	165652	SHELF	DMS-100 MTCE TRK MOD	98				
01	TME-N009	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N009	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N010	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N010	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N011	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N011	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N012	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N012	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N013	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N013	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N014	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N014	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N015	165088	FRAME	DMS-100 PERIPH FR	90				
01	TME-N015	165652	SHELF	DMS-100 MTCE TRK MOD	90				
01	TME-N017	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N017	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N018	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N018	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N019	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N019	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N020	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N020	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N021	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N021	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N022	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N022	165652	SHELF	DMS-100 MTCE TRK MOD	91				
01	TME-N023	165088	FRAME	DMS-100 PERIPH FR	91				
01	TME-N023	165652	SHELF	DMS-100 MTCE TRK MOD	91				

FRC	YEAR QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	---------------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HM/CPR PRINT
BELLSOUTH TELECOMMUNICATIONS
ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
PRINT SUBSYSTEM
VULA ELLIS

BR 756-123-371-01
PAGE 9
RUN DATE 09/30/98

AC-LOC E8519 FRC 157C

FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

DELAY CHG	040010	DELAY	DELAYED CHARGES	97					
DELAY CHG	040010	DELAY	DELAYED CHARGES	98					
01	12138	128022	J70177AT-1	DIGITAL RPTR SHELF	82				

FRC	YEAR QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	---------------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

46

AC-LOC E8519 FRC 257C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
DELAY CHG	040010	DELAY	DELAYED CHARGES	97					
DELAY CHG	040010	DELAY	DELAYED CHARGES	98					
RTUI CAP	040008	PICS DCPR	CAPITALIZED RTUI	94					
UNDETAILED	040000	UNDET INV	UNDETAILED INVESTMENT	91					
01	MDFF11	068923	BRIDGE	BRDG 2W 10WY KPD 211AF	91				
01	MDFF11	068926	BRIDGE	BRDG 2W 4WY KPD 183AF	91				
01	MIS010	467000	CHARGER BAT	CHARGER BATTERY	91				
01	12000	360757	SHELF	LG SPLICE SHELF	91				
01	12004	669180	PANEL	FDI FBR DISTN FR	94				
01	12006	669180	PANEL	FDI FBR DISTN FR	94				
01	12006	669180	PANEL	FDI FBR DISTN FR	95				
01	12028	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12028	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12030	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12030	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12032	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12032	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12034	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12034	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12036	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12036	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12038	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12038	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12040	165152	BAY	DMS-1U BAY-CT /11.5FT	88				
01	12040	165156	SHELF	DMS-1U SHLF-CT/544 LN	88				
01	12101	112000	J98725D-1	TIC/T1 RPTR BAY	88				
01	12103	112000	J98725D-1	TIC/T1 RPTR BAY	88				
01	12107	112000	J98725D-1	TIC/T1 RPTR BAY	88				
01	12109	360431	BLOCK CONNG	BLOCK CONNG PNL	89				
01	12109	367411	ED-2C041-30	DDM-1000 SHLF ASBY	88				
01	12111	062592	ED-1C642-30	FUSE/ALM PANEL	88				
01	12111	110086	ED-3C660-32	660 COMM PNL	88				
01	12111	360431	BLOCK CONNG	BLOCK CONNG PNL	88				
01	12115	360331	BLOCK CONNG	BLOCK CONNG PAN	88				
01	12115	360431	BLOCK CONNG	BLOCK CONNG PNL	88				
01	12117	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	94				
01	12117	360421	KS-23254	COMPACT MEASUREMENT UN	88				
01	12119	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	94				
01	12122	062592	ED-1C642-30	FUSE/ALM PANEL	94				
01	12122	467210	PANEL	DSX MOD 84-CKT X-CONN	95				
01	12126	360431	BLOCK CONNG	BLOCK CONNG PNL	89				
01	12127	135792	SHELF	BRITENUX 32C CO TERM	97				
01	12210	101426	CONTROLLER	DISCWS SUPVY SYS	95				
01	12212	063255	PANEL	DISCWS FS/ALM PNL COT	95				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 257C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12212	063336	SHELF	DISCMS COM EQPT SH COT	95				
01	12212	063756	SHELF	DISCMS CHAN SHLF COT	95				
01	12227	102054	ED-8C008-50	LG CA INTCONN EQPT	89				
01	12310	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	94				
01	12320	360431	BLOCK CONNG	BLOCK CONNG PNL	94				
01	12406	063293	SHELF	T-TERM220 CNTRZD SHLF	91				
01	12406	467449	SHELF	T-TERM OFF RPTR SHLF	95				
01	12406	467449	SHELF	T-TERM OFF RPTR SHLF	95				
01	12430	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88				
01	12528	669199	PANEL	NRDNT CO FS/ALM PNL	94				
01	12528	669471	SHELF	FLM-150 SHLF	94				
01	12530	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	94				
01	12532	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	94				
01	12534	133119	ED-8C724-30	DDM-2000 SHLF ASSEMBLY	94				
01	12536	367411	ED-2C841-30	DDM-1000 SHLF ASBY	91				
01	12538	367411	ED-2C841-30	DDM-1000 SHLF ASBY	91				
01	12540	367411	ED-2C841-30	DDM-1000 SHLF ASBY	89				
01	12542	367411	ED-2C841-30	DDM-1000 SHLF ASBY	89				
01	12625	467210	PANEL	DSX MOD 84-CKT X-CONN	94				
01	12627	467210	PANEL	DSX MOD 84-CKT X-CONN	95				
01	12749	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	94				
01	012134	110072	ED-3C660-31	660 COMM PNL	86				
01	012134	161157	ED-1C642-31	FUSE/ALM PNL	86				
01	012213	161139	J1C141AC-1	SLC-96 FLT LOC/OW PNL	84				
01	012213	164291	ED-3C835-30	JK PNL	84				
01	012213	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012215	164291	ED-3C835-30	JK PNL	84				
01	012215	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012217	164291	ED-3C835-30	JK PNL	84				
01	012217	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012219	164291	ED-3C835-30	JK PNL	84				
01	012219	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012221	164291	ED-3C835-30	JK PNL	84				
01	012221	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012223	164291	ED-3C835-30	JK PNL	84				
01	012223	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012225	161139	J1C141AC-1	SLC-96 FLT LOC/OW PNL	84				
01	012225	164291	ED-3C835-30	JK PNL	84				
01	012225	260057	J1C141G-1	SLC-96 COT BAY	84				
01	012227	161151	J1C142A-1	PAIR GAIN TEST CONTR	84				
01	012229	161139	J1C141AC-1	SLC-96 FLT LOC/OW PNL	85				
01	012229	164291	ED-3C835-30	JK PNL	85				
01	012229	260057	J1C141G-1	SLC-96 COT BAY	85				
01	012231	164291	ED-3C835-30	JK PNL	85				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 257C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	012231	260057	JIC141G-1	SLC-96	COT BAY	85			
01	012246	102136	JIC141G-2	SLC-96	CO TERM BAY	86			
01	012248	102136	JIC141G-2	SLC-96	CO TERM BAY	86			
01	012248	161139	JIC141AC-1	SLC-96	FLT LOC/OW PNL	86			
01	012250	161139	JIC141AC-1	SLC-96	FLT LOC/OW PNL	85			
01	012250	164291	ED-3C835-30	JK	PNL	85			
01	012250	260057	JIC141G-1	SLC-96	COT BAY	85			
01	012252	164291	ED-3C835-30	JK	PNL	85			
01	012252	260057	JIC141G-1	SLC-96	COT BAY	85			
01	012534	133119	ED-8C724-30	DDM-2000	SHLF ASSEMBLY	95			
01	012536	133119	ED-8C724-30	DDM-2000	SHLF ASSEMBLY	95			

FRC	YEAR QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	---------------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
DELAY CHG	040010	DELAY	DELAYED CHARGES	97					
DELAY CHG	040010	DELAY	DELAYED CHARGES	98					
RTUI CAP	040008	PICS DCPR	CAPITALIZED RTUI	95					
RTUI CAP	040008	PICS DCPR	CAPITALIZED RTUI	96					
UNDETAILED	040008	UNDET INV	UNDETAILED INVESTMENT	88					
UNDETAILED	040008	UNDET INV	UNDETAILED INVESTMENT	93					
01	MDFF11	061702	ED-10801-70 MAIN DISTG FR ASSY	74					
01	MDFF11	061702	ED-10801-70 MAIN DISTG FR ASSY	87					
01	MDFF11	067201	BLOCK DVACS CONRZD FRAME BLK	81					
01	MIS001	102208	ED-3C650-33 D4 CHAN BK ASBY	88					
01	MIS001	102208	ED-3C650-33 D4 CHAN BK ASBY	96					
01	MIS003	102208	ED-3C650-33 D4 CHAN BK ASBY	96					
01	MIS008	066214	LINE LN TM GEN TST	85					
01	MIS008	100398	SHELF RM-16M 23IN DC DA MDM	86					
01	MIS008	102208	ED-3C650-33 D4 CHAN BK ASBY	88					
01	MIS012	100398	SHELF RM-16M 23IN DC DA MDM	86					
01	10201	P67005	CONV PLANT CONVERTER PLANT	88					
01	10201	P67006	CONV UNIT CONVERTER UNIT	85					
01	10203	P67006	CONV UNIT CONVERTER UNIT	88					
01	10222	P67005	CONV PLANT CONVERTER PLANT	88					
01	10222	P67006	CONV UNIT CONVERTER UNIT	88					
01	12000	360745	SHELF LG TERMN SHELF	88					
01	12105	669471	SHELF FLN-150 SHLF	98					
01	12114	167462	JIP029A-1 E2A ALARM REN BAY	86					
01	12115	360350	BLOCK CONNG BLOCK CONNECTING HW	88					
01	12116	250001	UNIT ALM TERM & X-CONN FLD	86					
01	12117	360431	BLOCK CONNG BLOCK CONNG PNL	88					
01	12118	004710	BLOCK CONNG DSX-1 CONN BLK PNL	94					
01	12119	062612	ED-1C544-30 DSX-PTCH/CRS CONN PNL	93					
01	12119	360431	BLOCK CONNG BLOCK CONNG PNL	95					
01	12120	004710	BLOCK CONNG DSX-1 CONN BLK PNL	85					
01	12120	360350	BLOCK CONNG BLOCK CONNECTING HW	90					
01	12120	360350	BLOCK CONNG BLOCK CONNECTING HW	91					
01	12122	004710	BLOCK CONNG DSX-1 CONN BLK PNL	94					
01	12122	011171	J68769AJ-1 L TEL SET PNL	85					
01	12122	062612	ED-1C544-30 DSX-PTCH/CRS CONN PNL	86					
01	12122	064861	ED-2C273-30 CONF BRDGE PANEL	85					
01	12122	110209	J98726W-2 SYNCRN DISTN EXPNDR	88					
01	12122	160241	ED-2C497-30 TIC-T1 BRDG RPTR SHLF	85					
01	12124	004710	BLOCK CONNG DSX-1 CONN BLK PNL	94					
01	12124	011171	J68769AJ-1 L TEL SET PNL	93					
01	12124	062592	ED-1C642-30 FUSE/ALM PANEL	84					
01	12124	062612	ED-1C544-30 DSX-PTCH/CRS CONN PNL	90					
01	12124	064861	ED-2C273-30 CONF BRDGE PANEL	84					

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12124	101068	ANTENNA	DCD-ST2 LORAN-C ANT	95				
01	12124	101625	RECEIVER	DCD GPS TNG RCVR	94				
01	12124	101627	SHELF	DCD-LPR SHELF	94				
01	12124	110086	ED-3C660-32	660 COMM PNL	84				
01	12124	160241	ED-2C497-30	TIC-T1 BRDG RPTR SHLF	85				
01	12124	160720	PANEL	LFDSX TYPE MISC JK PNL	86				
01	12124	167651	J98725AF-1	TIC/T1 QUASI RNDM SIG	85				
01	12124	360431	BLOCK CONNG	BLOCK CONNG PNL	89				
01	12125	560271	SHELF	T400 TYPE 23" MTG SHLF	97				
01	12126	062592	ED-1C642-30	FUSE/ALM PANEL	85				
01	12126	062612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	90				
01	12126	360350	BLOCK CONNG	BLOCK CONNECTING HW	90				
01	12126	360350	BLOCK CONNG	BLOCK CONNECTING HW	91				
01	12128	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	85				
01	12128	360331	BLOCK CONNG	BLOCK CONNG PAN	87				
01	12128	360431	BLOCK CONNG	BLOCK CONNG PNL	88				
01	12130	062592	ED-1C642-30	FUSE/ALM PANEL	85				
01	12130	360431	BLOCK CONNG	BLOCK CONNG PNL	88				
01	12131	167400	J1P033A-1	SMAS RTS/RTP FR	83				
01	12131	167400	J1P033A-1	SMAS RTS/RTP FR	88				
01	12133	062612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	85				
01	12133	066220	J99359AT-1	INTFC FR	83				
01	12134	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	85				
01	12134	260294	PANEL	56 CKT DSX PNL	85				
01	12135	026737	J99359C-1	SMAS CONN/GR CONT	78				
01	12136	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	85				
01	12137	026736	J99359B-1	SMAS SW CONN GR CONT	78				
01	12138	012427	J87300A-1	REMOTE TESTING PWR SUP	88				
01	12138	026744	J99359K-1	SMAS SW CONN/CONT	83				
01	12138	129147	J99359AJ-1	PH CONNR GR UM	83				
01	12138	129149	J99359AL-1	PH NT CONNR ACC REL UM	83				
01	12138	268617	SHELF	T1 DSS SHELF	85				
01	12139	026737	J99359C-1	SMAS CONN/GR CONT	78				
01	12140	063272	SHELF	9900 DTAU SHLF	88				
01	12140	063274	SHELF	9900 H CAP DTU SHLF	90				
01	12140	063274	SHELF	9900 H CAP DTU SHLF	91				
01	12140	100397	SHELF	RH-16H 19IN DC DA MDH	92				
01	12140	260707	PANEL	CHTS PWR FLT/FSE PNL	88				
01	12141	026736	J99359B-1	SMAS SW CONN GR CONT	78				
01	12142	063274	SHELF	9900 H CAP DTU SHLF	94				
01	12200	130066	J98726E-2	D4 CHAN BK BAY	89				
01	12202	130066	J98726E-2	D4 CHAN BK BAY	89				
01	12204	110086	ED-3C660-32	660 COMM PNL	88				
01	12204	130066	J98726E-2	D4 CHAN BK BAY	89				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12205	110653	RACK	FLM-600/2400 7' COT RK	98				
01	12205	136266	ASSEMBLY	FLM-2400 FAN SHLF ASBY	98				
01	12205	667025	SHELF	FLM-2400 HI SPD SHLF	98				
01	12205	669476	SHELF	FLM-2400 ADM TRIB SHLF	98				
01	12206	130066	J98726E-2	D4 CHAN BK BAY	92				
01	12207	004727	SHELF	FLM-2400 ADM TRIB SHLF	98				
01	12207	110653	RACK	FLM-600/2400 7' COT RK	98				
01	12207	136266	ASSEMBLY	FLM-2400 FAN SHLF ASBY	98				
01	12207	667025	SHELF	FLM-2400 HI SPD SHLF	98				
01	12208	130066	J98726E-2	D4 CHAN BK BAY	92				
01	12209	569734	SHELF	14 POS 400 TYPE MTG	69				
01	12209	569734	SHELF	14 POS 400 TYPE MTG	92				
01	12227	102054	ED-8C008-50	LG CA INTCONN EQPT	88				
01	12227	460540	PANEL	FBR STG PNL	92				
01	12232	066154	ED-3C660-30	CONN PNL	80				
01	12232	131020	J98726M-1	D4 MNTCE BANK	80				
01	12232	131020	J98726M-1	D4 MNTCE BANK	82				
01	12232	131062	J98726E-1	D4 CHAN BK BAY	80				
01	12234	131062	J98726E-1	D4 CHAN BK BAY	82				
01	12236	131062	J98726E-1	D4 CHAN BK BAY	83				
01	12238	131062	J98726E-1	D4 CHAN BK BAY	84				
01	12240	131062	J98726E-1	D4 CHAN BK BAY	84				
01	12242	131062	J98726E-1	D4 CHAN BK BAY	86				
01	12245	120109	ED-2C671-30	DSX-3 REGENR MTG ASBY	86				
01	12247	120104	ED-2C666-30	DSX-3 CRS CONN BA ASBY	88				
01	12247	120105	ED-2C667-30	DSX-3 REG LN PNL	88				
01	12247	120107	ED-2C670-30	DSX3 PWR/FR LN ACC PNL	85				
01	12247	120107	ED-2C670-30	DSX3 PWR/FR LN ACC PNL	87				
01	12253	260307	ASSEMBLY	828 B3ZS HXR CAGE ASBY	86				
01	12253	260307	ASSEMBLY	828 B3ZS HXR CAGE ASBY	87				
01	12300	130066	J98726E-2	D4 CHAN BK BAY	87				
01	12302	110086	ED-3C660-32	660 CONN PNL	88				
01	12302	130066	J98726E-2	D4 CHAN BK BAY	88				
01	12304	130066	J98726E-2	D4 CHAN BK BAY	88				
01	12306	130066	J98726E-2	D4 CHAN BK BAY	97				
01	12308	130066	J98726E-2	D4 CHAN BK BAY	97				
01	12310	004711	BLOCK CONNG	DSX-1 CONN BLK PNL	97				
01	12310	160726	PANEL	DSX JK PNL	92				
01	12312	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	94				
01	12312	160726	PANEL	DSX JK PNL	94				
01	12312	260294	PANEL	56 CXT DSX PNL	90				
01	12314	062612	ED-1C544-30	DSX-PTCH/CRS CONN PNL	90				
01	12314	160726	PANEL	DSX JK PNL	90				
01	12314	360350	BLOCK CONNG	BLOCK CONNECTING HW	90				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12314	360350	BLOCK CONNG	BLOCK CONNECTING HW	91				
01	12316	062612	ED-1C544-30	DSX-PYCH/CRS CONN PNL	90				
01	12316	260294	PANEL	56 CKT DSX PNL	90				
01	12316	360350	BLOCK CONNG	BLOCK CONNECTING HW	90				
01	12316	360350	BLOCK CONNG	BLOCK CONNECTING HW	91				
01	12318	360350	BLOCK CONNG	BLOCK CONNECTING HW	88				
01	12318	360425	BLOCK CONNG	BLOCK CONNECTING	90				
01	12318	360431	BLOCK CONNG	BLOCK CONNG PNL	88				
01	12320	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	84				
01	12320	062592	ED-1C642-30	FUSE/ALM PANEL	90				
01	12322	120104	ED-2C666-30	DSX-3 CRS CONN BA ASBY	88				
01	12322	120105	ED-2C667-30	DSX-3 REG LN PNL	88				
01	12322	120105	ED-2C667-30	DSX-3 REG LN PNL	89				
01	12324	100560	PANEL	SYS III DSX3/4	86				
01	12324	120104	ED-2C666-30	DSX-3 CRS CONN BA ASBY	88				
01	12324	120104	ED-2C666-30	DSX-3 CRS CONN BA ASBY	89				
01	12324	120105	ED-2C667-30	DSX-3 REG LN PNL	92				
01	12326	100560	PANEL	SYS III DSX3/4	89				
01	12326	100560	PANEL	SYS III DSX3/4	90				
01	12326	100561	PANEL	SYS III DSX3/4	90				
01	12326	120104	ED-2C666-30	DSX-3 CRS CONN BA ASBY	89				
01	12326	360350	BLOCK CONNG	BLOCK CONNECTING HW	89				
01	12326	669027	PANEL	SYS III DSX PANEL HW	89				
01	12328	162603	RACK	DMX-3003 RACK -24V	88				
01	12328	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	88				
01	12330	162336	SHELF	LTS-1565 TERM SHELF	88				
01	12330	162338	SHELF	LTS-21130 MTCE SS	88				
01	12330	162702	SHELF	LTS-21130 PROT DISTN	88				
01	12330	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88				
01	12332	162336	SHELF	LTS-1565 TERM SHELF	88				
01	12332	162338	SHELF	LTS-21130 MTCE SS	88				
01	12332	162702	SHELF	LTS-21130 PROT DISTN	88				
01	12332	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88				
01	12334	110086	ED-3C660-32	660 COMM PNL	88				
01	12334	460417	SHELF	FN6000 NET CNTL SHLF	88				
01	12338	260696	ASSEMBLY	M560T CAGE ASBY	88				
01	12340	162334	PANEL	LTS-1565 PWR DISTN	87				
01	12340	162336	SHELF	LTS-1565 TERM SHELF	87				
01	12340	162336	SHELF	LTS-1565 TERM SHELF	90				
01	12340	162338	SHELF	LTS-21130 MTCE SS	87				
01	12340	162538	ASSEMBLY	LTS-1565 FAN(-48V)	87				
01	12340	162702	SHELF	LTS-21130 PROT DISTN	92				
01	12342	162334	PANEL	LTS-1565 PWR DISTN	88				
01	12342	162336	SHELF	LTS-1565 TERM SHELF	88				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12342	162338	SHELF	LTS-21130	MTCE	SS	88		
01	12342	162702	SHELF	LTS-21130	PROT	DISTN	88		
01	12342	162903	ASSEMBLY	LTS-21130	FAN(-48V)		88		
01	12346	260307	ASSEMBLY	828	B3ZS	MXR CAGE	ASBY	87	
01	12346	260380	ASSEMBLY	828	FSE/ALM	ASBY	87		
01	12348	063225	ASSEMBLY	828	B3ZS	MXR CAGE	ASBY	88	
01	12350	260307	ASSEMBLY	828	B3ZS	MXR CAGE	ASBY	87	
01	12350	260380	ASSEMBLY	828	FSE/ALM	ASBY	88		
01	12352	260380	ASSEMBLY	828	FSE/ALM	ASBY	92		
01	124A01	P67008	BATT DS	BD	BAT	DISTN FUSE	BD BDFB	88	
01	12406	063293	SHELF	T-TERM220	CNTRZD	SHLF	94		
01	12406	369617	UNIT	UN	BASIC	CONT/MON	23IN	86	
01	12406	569105	ASSEMBLY	DISTV	DA	BRDG	MTG	ASBY	92
01	12412	101127	BAY	TITAN	HTCE	BAY	7'	95	
01	12412	110438	SHELF	9968	DIG	FAC	TST	SHLF	95
01	12413	569105	ASSEMBLY	DISTV	DA	BRDG	MTG	ASBY	92
01	12414	101130	RACK	TITAN-5500	7'	EQPT	RK	95	
01	12414	101785	SHELF	TITAN-5500	CTR/END		95		
01	12414	102520	SHELF	TITAN-5500	ADMN	SHLF	95		
01	12414	110408	PANEL	TITAN	532L	ALM/TST	PNL	95	
01	12414	667031	PANEL	TITAN-5500	FS/ALM	PNL	95		
01	12415	110653	RACK	FLM-600/2400	7'	COT	RK	97	
01	12415	136266	ASSEMBLY	FLM-2400	FAN	SHLF	ASBY	97	
01	12415	667025	SHELF	FLM-2400	HI	SPD	SHLF	97	
01	12415	669476	SHELF	FLM-2400	ADM	TRIB	SHLF	97	
01	12417	162334	PANEL	LTS-1565	PWR	DISTN	92		
01	12417	162336	SHELF	LTS-1565	TERM	SHELF	88		
01	12417	162338	SHELF	LTS-21130	MTCE	SS	88		
01	12417	162702	SHELF	LTS-21130	PROT	DISTN	88		
01	12417	162903	ASSEMBLY	LTS-21130	FAN(-48V)		88		
01	12421	162334	PANEL	LTS-1565	PWR	DISTN	92		
01	12421	162336	SHELF	LTS-1565	TERM	SHELF	90		
01	12421	162338	SHELF	LTS-21130	MTCE	SS	90		
01	12421	162702	SHELF	LTS-21130	PROT	DISTN	90		
01	12421	162903	ASSEMBLY	LTS-21130	FAN(-48V)		90		
01	12423	162334	PANEL	LTS-1565	PWR	DISTN	92		
01	12423	162336	SHELF	LTS-1565	TERM	SHELF	88		
01	12423	162338	SHELF	LTS-21130	MTCE	SS	88		
01	12423	162338	SHELF	LTS-21130	MTCE	SS	92		
01	12423	162702	SHELF	LTS-21130	PROT	DISTN	88		
01	12423	162903	ASSEMBLY	LTS-21130	FAN(-48V)		88		
01	12423	162903	ASSEMBLY	LTS-21130	FAN(-48V)		92		
01	12425	162334	PANEL	LTS-1565	PWR	DISTN	92		
01	12425	162336	SHELF	LTS-1565	TERM	SHELF	90		

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12425	162338	SHELF	LTS-21130	MTCE SS	90			
01	12425	162702	SHELF	LTS-21130	PROT DISTN	90			
01	12425	162903	ASSEMBLY	LTS-21130	FAN(-48V)	90			
01	12427	162334	PANEL	LTS-1565	PWR DISTN	92			
01	12427	162336	SHELF	LTS-1565	TERM SHELF	92			
01	12427	162338	SHELF	LTS-21130	MTCE SS	90			
01	12427	162702	SHELF	LTS-21130	PROT DISTN	92			
01	12427	162903	ASSEMBLY	LTS-21130	FAN(-48V)	90			
01	12431	669203	J68974E-1	FT-2000	OC-48 LTWV BAY	95			
01	12432	102521	SHELF	TITAN-5500	DS1/1 SHLF	95			
01	12432	102521	SHELF	TITAN-5500	DS1/1 SHLF	96			
01	12432	667031	PANEL	TITAN-5500	FS/ALM PNL	95			
01	12433	162334	PANEL	LTS-1565	PWR DISTN	92			
01	12433	162336	SHELF	LTS-1565	TERM SHELF	91			
01	12433	162338	SHELF	LTS-21130	MTCE SS	91			
01	12433	162702	SHELF	LTS-21130	PROT DISTN	91			
01	12433	162903	ASSEMBLY	LTS-21130	FAN(-48V)	91			
01	12434	102522	ASSEMBLY	TITAN-5500	DS3 SHELF	95			
01	12434	102522	ASSEMBLY	TITAN-5500	DS3 SHELF	96			
01	12434	667031	PANEL	TITAN-5500	FS/ALM PNL	95			
01	12435	066369	CABINET	DCP-1500HX	48V CAB	92			
01	12437	066336	PANEL	LTS-1565	PDU -48VDC	92			
01	12437	066502	SHELF	LTS-1565R/21130R	TERM	92			
01	12437	162338	SHELF	LTS-21130	MTCE SS	92			
01	12437	162702	SHELF	LTS-21130	PROT DISTN	90			
01	12437	162903	ASSEMBLY	LTS-21130	FAN(-48V)	92			
01	12439	669203	J68974E-1	FT-2000	OC-48 LTWV BAY	96			
01	12441	066336	PANEL	LTS-1565	PDU -48VDC	92			
01	12441	066502	SHELF	LTS-1565R/21130R	TERM	92			
01	12441	162338	SHELF	LTS-21130	MTCE SS	88			
01	12441	162338	SHELF	LTS-21130	MTCE SS	92			
01	12441	162702	SHELF	LTS-21130	PROT DISTN	92			
01	12441	162903	ASSEMBLY	LTS-21130	FAN(-48V)	92			
01	12443	669203	J68974E-1	FT-2000	OC-48 LTWV BAY	96			
01	12452	160660	J1P033AT-1	TYP 4	MTCE CONNR	88			
01	12452	160661	J1P033AU-1	TYP 4	MTCE CONNR CONT	88			
01	12452	161057	J1P033AL-1	SMAS NET	INTFC CONT UM	90			
01	12452	267092	J1P033H-1	SMAS STG1	DIST NET FR	88			
01	12500	013949	J86724A-3	506A	PWR PLT CALC SUP	70			
01	12502	P67008	BATT DS BD	BAT DISTN	FUSE BD BDFB	88			
01	12506	101467	BAY	IDST LOOP	BAY 11'6"	97			
01	12508	101464	BAY	IDST T1	BAY 7'0"	95			
01	12508	102301	SHELF	IDST T1	SHLF-PROTD	97			
01	12510	101464	BAY	IDST T1	BAY 7'0"	90			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12510	116007	COMPUTER	IDST CRAFT INTFC DEV	95				
01	12512	101466	BAY	IDST LOOP BAY 7'0"	95				
01	12514	101466	BAY	IDST LOOP BAY 7'0"	90				
01	12516	101466	BAY	IDST LOOP BAY 7'0"	90				
01	12534	102208	ED-3C650-33	D4 CHAN BK ASBY	94				
01	12534	900445	CHASSIS	SER100 PRIM/EXP CHAS	94				
01	12534	901058	RACK	CONVERTER RACK	88				
01	12544	162603	RACK	DMX-3003 RACK -24V	92				
01	12544	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	92				
01	12546	162603	RACK	DMX-3003 RACK -24V	90				
01	12546	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	88				
01	12548	162603	RACK	DMX-3003 RACK -24V	88				
01	12548	162604	ASSEMBLY	DMX-3003 SAW COM EQPT	92				
01	12601	066604	PANEL	SYS III DSX3/4 RE ACC	95				
01	12601	100560	PANEL	SYS III DSX3/4	92				
01	12601	100560	PANEL	SYS III DSX3/4	93				
01	12601	669027	PANEL	SYS III DSX PANEL HW	92				
01	12603	066604	PANEL	SYS III DSX3/4 RE ACC	95				
01	12603	066604	PANEL	SYS III DSX3/4 RE ACC	96				
01	12603	066604	PANEL	SYS III DSX3/4 RE ACC	97				
01	12603	100560	PANEL	SYS III DSX3/4	93				
01	12603	467596	CHASSIS	DS3 24 POS UNLD CHAS	96				
01	12603	669027	PANEL	SYS III DSX PANEL HW	95				
01	12604	066336	PANEL	LTS-1565 PDU -48VDC	93				
01	12604	066502	SHELF	LTS-1565R/21130R TERM	93				
01	12604	162338	SHELF	LTS-21130 HTCE SS	93				
01	12604	162702	SHELF	LTS-21130 PROT DISTN	93				
01	12604	162903	ASSEMBLY	LTS-21130 FAN(-48V)	93				
01	12605	135291	CHASSIS	DSX-3 MINI FR X/C CHAS	98				
01	12605	135291	CHASSIS	DSX-3 MINI FR X/C CHAS	98				
01	12608	133609	PANEL	48 PORTS PATCH PANEL	96				
01	12608	560181	ENCLOSURE	T1 RK MT 48-CH ENCLR	96				
01	12610	134367	PANEL	-48V FUSE PANEL	96				
01	12610	134515	PANEL	AI100 CAG & DISTN PNL	96				
01	12610	467559	CHASSIS	SER100 CHAS W/CRAFT PR	96				
01	12610	669623	PANEL	16-RS50 X.25 MXR	96				
01	12625	004711	BLOCK CONNG	DSX-1 CONN BLK PNL	97				
01	12627	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	96				
01	12629	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	93				
01	12629	467210	PANEL	DSX MOD 84-CKT X-CONN	95				
01	12629	467210	PANEL	DSX MOD 84-CKT X-CONN	96				
01	12631	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	86				
01	12631	467209	PANEL	DSX MOD 84-CKT X-CONN	96				
01	12633	004710	BLOCK CONNG	DSX-1 CONN BLK PNL	86				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12633	467210	PANEL	DSX MOD 84-CKT X-CONN	95				
01	12637	467210	PANEL	DSX MOD 84-CKT X-CONN	88				
01	12641	130133	SHELF	DEXCS CD SHLF	96				
01	12641	368989	SHELF	DEXCS1L MTX CD SHLF	96				
01	12641	468335	FRAME	DEXCS-1L 11.5' MTX RE	96				
01	12643	133637	SHELF	DEXCS ADMIN-5 SHLF	96				
01	12643	133640	SHELF	DEXECS DKDR SHLF ASBY	96				
01	12643	368988	SHELF	DEXCS TNG CD SHLF	96				
01	12645	368119	SHELF	DEXCS1 UNIT SH	90				
01	12645	368119	SHELF	DEXCS1 UNIT SH	96				
01	12645	468304	FRAME	DEXCS-1 7' 4-UN CONT	90				
01	12647	368119	SHELF	DEXCS1 UNIT SH	90				
01	12647	368119	SHELF	DEXCS1 UNIT SH	96				
01	12647	468304	FRAME	DEXCS-1 7' 4-UN CONT	90				
01	12649	368119	SHELF	DEXCS1 UNIT SH	90				
01	12649	368119	SHELF	DEXCS1 UNIT SH	96				
01	12649	468304	FRAME	DEXCS-1 7' 4-UN CONT	90				
01	12651	001953	SHELF	DEXCS1 ADMN STV SHLF	90				
01	12651	368119	SHELF	DEXCS1 UNIT SH	96				
01	12651	368120	SHELF	DEXCS1 MTX SH	90				
01	12651	368122	SHELF	DEXCS1 DSX DR ASBY HW	90				
01	12651	468318	FRAME	DEXCS-1 7' 4-UN CONT	90				
01	12653	468299	FRAME	DEXCS 7' MTCE FR	90				
01	14100	066216	J99359AP-1	JK/KY/LP CKT	83				
01	14100	068760	HOUSING	HSG DISTANT VIEW	79				
01	14100	167837	J1P033AK-1	SHAS LTP CONT UN	83				
01	14100	469064	PANEL	PNL SHAS/TST FAC INTFC	83				
01	HMDFF11	169328	GENERATOR	SLG CUR GEN ASBY	80				
01	HMDFF11	169328	GENERATOR	SLG CUR GEN ASBY	83				
01	012128	062592	ED-1C642-30	FUSE/ALM PANEL	85				
01	012241	260307	ASSEMBLY	828 B3ZS MXR CAGE ASBY	85				
01	012241	260308	ASSEMBLY	828 FSE/ALM ASBY	85				
01	012242	260261	PANEL	COMM PNL	89				
01	012243	260307	ASSEMBLY	828 B3ZS MXR CAGE ASBY	85				
01	012243	260380	ASSEMBLY	828 FSE/ALM ASBY	85				
01	012245	260307	ASSEMBLY	828 B3ZS MXR CAGE ASBY	85				
01	012245	260380	ASSEMBLY	828 FSE/ALM ASBY	85				
01	012247	120105	ED-2C667-30	DSX-3 REG LN PNL	85				
01	012247	120105	ED-2C667-30	DSX-3 REG LN PNL	86				
01	012247	120105	ED-2C667-30	DSX-3 REG LN PNL	87				
01	012247	120107	ED-2C670-30	DSX3 PWR/FR LN ACC PNL	85				
01	012249	260307	ASSEMBLY	828 B3ZS MXR CAGE ASBY	86				
01	012249	260380	ASSEMBLY	828 FSE/ALM ASBY	86				
01	012251	260307	ASSEMBLY	828 B3ZS MXR CAGE ASBY	86				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	012251	260380	ASSEMBLY	820 FSE/ALM ASBY	86				
01	012253	260380	ASSEMBLY	820 FSE/ALM ASBY	86				
01	012334	162914	SHELF	LTS-1565D/21130 TERM	88				
01	012334	164446	ASSEMBLY	LTS-1565D BLO(-48V)	91				
01	012334	267525	SHELF	MCS-DISTN SH	88				
01	012336	162334	PANEL	LTS-1565 PWR DISTN	88				
01	012336	162336	SHELF	LTS-1565 TERM SHELF	88				
01	012336	162338	SHELF	LTS-21130 HTCE SS	88				
01	012336	162702	SHELF	LTS-21130 PROT DISTN	88				
01	012336	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88				
01	012406	268617	SHELF	T1 DSS SHELF	85				
01	012419	669203	J68974E-1	FT-2000 OC-48 LTWV DAY	95				
01	12120	062592	ED-1C642-30	FUSE/ALM PANEL	85				
01	12247	120105	ED-2C667-30	DSX-3 REG LM PNL	88				
01	12421	162336	SHELF	LTS-1565 TERM SHELF	88				
01	12421	162702	SHELF	LTS-21130 PROT DISTN	88				
01	12421	162903	ASSEMBLY	LTS-21130 FAN(-48V)	88				
01	12510	460860	CABINET	T1 RK MT 24-CH BK	97				
01	12550	P67008	BATT DS BD	BAT DISTN FUSE BD BDFB	88				
01	12629	467210	PANEL	DSX MOD 84-CKT X-CONN	95				
01	ENGINE	P67001	BATT PLANT	BATTERY PLANT	76				
01	ENGINE	P67017	ALTERNATOR	STA ENG / ALTNR SET	82				
01	FLOOR	P67001	BATT PLANT	BATTERY PLANT	85				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	70				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	71				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	72				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	73				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	74				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	75				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	78				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	79				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	82				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	93				
01	FLOOR	061585	ED-81434-32	ROLL LADDERS AND EQUIP	94				
01	FLOOR	467194	PANEL	DSX 84-CKT RE X-CONN	98				
01	14100	068385	SHELF	EQUIPMENT SHELF	78				
01	14100	068751	PANEL	PNL LEVEL/NOISE	78				
01	14100	068752	PANEL	PNL RETURN LOSS	78				
01	14100	068753	PANEL	PNL OSCILLATOR	78				
01	14100	068758	HOUSING	HSG PNL	78				
01	14100	069743	MODULE	MOD 112A/B-TF SIG TST	78				
01	14100	069745	PANEL	PNL 112A-TF PWR	78				
01	14100	069801	PANEL	PNL 112A-TF CD REEL	78				
01	14100	069803	JACKFIELD	JACKFIELD	78				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HW/CPR PRINT
BELLSOUTH TELECOMMUNICATIONS
ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
PRINT SUBSYSTEM
VULA ELLIS

BR 756-123-371-01
PAGE 22
RUN DATE 09/30/98

AC-LOC E8519 FRC 357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	14100	168609	MODULE						
			MODULE 111C-TF TST		78				
01	14100	168610	MODULE						
			MODULE 111C-TF SERV		78				
01	14100	168613	CAGE						
			CAGE 111C CARD		78				
05	55721	063274	SHELF						
			9900 H CAP DTU SHLF		90				
05	56219	260294	PANEL						
			56 CKT DSX PNL		90				

FRC	YEAR	QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	------	----------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

DELAY CHG	040010	DELAY	DELAYED CHARGES	97					
DELAY CHG	040010	DELAY	DELAYED CHARGES	98					
01	01	165100	UNIT	DMS-100	INVR	85			
01	01	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	+240VH	P67014	BATTERY	BAT STRG	VLU REGD	90			
01	CHDC0	262077	CABINET	DMS-100E	COMP MOD DUP	86			
01	DCE000	165000	FRAME	DMS-100	PERIPH FR	93			
01	DCE000	165090	PANEL	DMS-100	PERIPH FR SUPV	93			
01	DCE000	165103	SHELF	DMS-100	DIGL CARR MOD	87			
01	DCE001	165000	FRAME	DMS-100	PERIPH FR	93			
01	DCE001	165090	PANEL	DMS-100	PERIPH FR SUPV	93			
01	DCE001	165103	SHELF	DMS-100	DIGL CARR MOD	93			
01	DCE009	165103	SHELF	DMS-100	DIGL CARR MOD	87			
01	DPC000	161911	CABINET	DMS-100E	DPCC CAB	89			
01	DTE000	165114	UNIT	DMS-100	CLG INVR/FAN	85			
01	DTE000	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE000	165333	FRAME	DMS-100	COMM PERI CONT	85			
01	DTE000	165333	FRAME	DMS-100	COMM PERI CONT	88			
01	DTE000	165392	PANEL	DMS-100	FR SUPV	85			
01	DTE000	165392	PANEL	DMS-100	FR SUPV	89			
01	DTE000	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE000	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE000	165414	BACKPLANE	DMS-100	COMM PERI CONT	94			
01	DTE001	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE001	165333	FRAME	DMS-100	COMM PERI CONT	85			
01	DTE001	165333	FRAME	DMS-100	COMM PERI CONT	88			
01	DTE001	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE001	165392	PANEL	DMS-100	FR SUPV	93			
01	DTE001	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE001	165414	BACKPLANE	DMS-100	COMM PERI CONT	94			
01	DTE002	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE002	165333	FRAME	DMS-100	COMM PERI CONT	85			
01	DTE002	165333	FRAME	DMS-100	COMM PERI CONT	88			
01	DTE002	165392	PANEL	DMS-100	FR SUPV	85			
01	DTE002	165392	PANEL	DMS-100	FR SUPV	93			
01	DTE002	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE002	165414	BACKPLANE	DMS-100	COMM PERI CONT	90			
01	DTE003	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE003	165333	FRAME	DMS-100	COMM PERI CONT	85			
01	DTE003	165333	FRAME	DMS-100	COMM PERI CONT	88			
01	DTE003	165392	PANEL	DMS-100	FR SUPV	93			
01	DTE003	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE003	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE004	165114	UNIT	DMS-100	CLG INVR/FAN	86			

24

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST

01	DTE004	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE004	165333	FRAME	DMS-100	COMM PERI	CONT	88		
01	DTE004	165392	PANEL	DMS-100	FR SUPV				
01	DTE004	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE004	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE004	165414	BACKPLANE	DMS-100	COMM PERI	CONT	86		
01	DTE005	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE005	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE005	165333	FRAME	DMS-100	COMM PERI	CONT	89		
01	DTE005	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE005	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE005	165414	BACKPLANE	DMS-100	COMM PERI	CONT	86		
01	DTE005	368810	UNIT	DMS-100	CLG INVR/FAN		89		
01	DTE006	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE006	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE006	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE006	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE006	165414	BACKPLANE	DMS-100	COMM PERI	CONT	86		
01	DTE007	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE007	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE007	165333	FRAME	DMS-100	COMM PERI	CONT	87		
01	DTE007	165333	FRAME	DMS-100	COMM PERI	CONT	89		
01	DTE007	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE007	165414	BACKPLANE	DMS-100	COMM PERI	CONT	86		
01	DTE008	133384	SHELF	DMS-100/200	ISDN RDV		94		
01	DTE008	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE008	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE008	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE008	165414	BACKPLANE	DMS-100	COMM PERI	CONT	86		
01	DTE008	262704	FRAME	DMS-100	COMM PERI	CONT	94		
01	DTE008	262704	FRAME	DMS-100	COMM PERI	CONT	96		
01	DTE008	368810	UNIT	DMS-100	CLG INVR/FAN		94		
01	DTE008	368810	UNIT	DMS-100	CLG INVR/FAN		96		
01	DTE009	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE009	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE009	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE009	165414	BACKPLANE	DMS-100	COMM PERI	CONT	94		
01	DTE010	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE010	165333	FRAME	DMS-100	COMM PERI	CONT	85		
01	DTE010	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE010	165414	BACKPLANE	DMS-100	COMM PERI	CONT	94		
01	DTE011	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE011	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE011	165392	PANEL	DMS-100	FR SUPV		86		

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	DTE011	165414	BACKPLANE	DMS-100	COMM PERI	CONT	94		
01	DTE012	165114	UNIT	DMS-100	CLG INVR/FAN		86		
01	DTE012	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE012	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE013	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE013	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE013	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE013	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE014	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE014	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE014	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE014	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE015	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE015	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE015	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE015	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE016	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE016	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE016	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE016	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE017	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE017	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE017	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE017	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE018	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE018	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE018	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE018	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE019	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE019	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE019	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE019	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE020	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE020	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE020	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE020	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE021	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE021	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE021	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE021	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		
01	DTE022	165114	UNIT	DMS-100	CLG INVR/FAN		85		
01	DTE022	165333	FRAME	DMS-100	COMM PERI	CONT	86		
01	DTE022	165392	PANEL	DMS-100	FR SUPV		86		
01	DTE022	165414	BACKPLANE	DMS-100	COMM PERI	CONT	85		

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-HAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	DTE023	165114	UNIT	DMS-100	CLG INVR/FAN	85			
01	DTE023	165333	FRAME	DMS-100	COMM PERI CONT	86			
01	DTE023	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE023	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE024	165114	UNIT	DMS-100	CLG INVR/FAN	85			
01	DTE024	165333	FRAME	DMS-100	COMM PERI CONT	88			
01	DTE024	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE025	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE025	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE026	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	DTE026	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE026	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	DTE027	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	DTE027	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE027	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE028	165333	FRAME	DMS-100	COMM PERI CONT	86			
01	DTE028	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE028	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE028	368810	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE029	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	DTE029	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE029	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE030	165333	FRAME	DMS-100	COMM PERI CONT	91			
01	DTE030	165392	PANEL	DMS-100	FR SUPV	91			
01	DTE030	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE031	165333	FRAME	DMS-100	COMM PERI CONT	91			
01	DTE031	165392	PANEL	DMS-100	FR SUPV	91			
01	DTE031	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE032	165333	FRAME	DMS-100	COMM PERI CONT	91			
01	DTE032	165392	PANEL	DMS-100	FR SUPV	91			
01	DTE032	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE033	165333	FRAME	DMS-100	COMM PERI CONT	86			
01	DTE033	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE033	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE033	368810	UNIT	DMS-100	CLG INVR/FAN	86			
01	DTE034	165333	FRAME	DMS-100	COMM PERI CONT	86			
01	DTE034	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE034	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE034	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	DTE035	165333	FRAME	DMS-100	COMM PERI CONT	86			
01	DTE035	165392	PANEL	DMS-100	FR SUPV	86			
01	DTE035	165414	BACKPLANE	DMS-100	COMM PERI CONT	86			
01	DTE035	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	DTE036	165333	FRAME	DMS-100	COMM PERI CONT	86			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

01	DTE036	165392	PANEL	DMS-100 FR SUPV	86				
01	DTE036	165414	BACKPLANE	DMS-100 COMM PERI CONT	86				
01	DTE036	368810	UNIT	DMS-100 CLG INVR/FAN	93				
01	DTE037	133384	SHELF	DMS-100/200 ISDN RDY	93				
01	DTE037	262500	PANEL	DMS-100 FR SUPV PNL	91				
01	DTE037	262704	FRAME	DMS-100 COMM PERI CONT	94				
01	DTE037	368810	UNIT	DMS-100 CLG INVR/FAN	94				
01	DTE038	133384	SHELF	DMS-100/200 ISDN RDY	93				
01	DTE038	262500	PANEL	DMS-100 FR SUPV PNL	91				
01	DTE038	262704	FRAME	DMS-100 COMM PERI CONT	94				
01	DTE038	368810	UNIT	DMS-100 CLG INVR/FAN	94				
01	DTE039	133384	SHELF	DMS-100/200 ISDN RDY	93				
01	DTE039	262500	PANEL	DMS-100 FR SUPV PNL	86				
01	DTE039	262704	FRAME	DMS-100 COMM PERI CONT	94				
01	DTE039	368810	UNIT	DMS-100 CLG INVR/FAN	94				
01	DTE040	133384	SHELF	DMS-100/200 ISDN RDY	93				
01	DTE040	262500	PANEL	DMS-100 FR SUPV PNL	92				
01	DTE040	262704	FRAME	DMS-100 COMM PERI CONT	94				
01	DTE040	368810	UNIT	DMS-100 CLG INVR/FAN	94				
01	DTE041	133384	SHELF	DMS-100/200 ISDN RDY	85				
01	DTE041	262500	PANEL	DMS-100 FR SUPV PNL	92				
01	DTE041	262704	FRAME	DMS-100 COMM PERI CONT	94				
01	DTE041	368810	UNIT	DMS-100 CLG INVR/FAN	94				
01	DTE042	133384	SHELF	DMS-100/200 ISDN RDY	87				
01	DTE042	262704	FRAME	DMS-100 COMM PERI CONT	96				
01	DTE042	368810	UNIT	DMS-100 CLG INVR/FAN	96				
01	DTE043	133384	SHELF	DMS-100/200 ISDN RDY	87				
01	DTE043	262704	FRAME	DMS-100 COMM PERI CONT	96				
01	DTE043	368810	UNIT	DMS-100 CLG INVR/FAN	96				
01	DTE044	133384	SHELF	DMS-100/200 ISDN RDY	87				
01	DTE044	262704	FRAME	DMS-100 COMM PERI CONT	96				
01	DTE044	368810	UNIT	DMS-100 CLG INVR/FAN	96				
01	DTE045	133384	SHELF	DMS-100/200 ISDN RDY	87				
01	DTE045	262704	FRAME	DMS-100 COMM PERI CONT	96				
01	DTE045	368810	UNIT	DMS-100 CLG INVR/FAN	96				
01	IOE00	260795	UNIT	2216-DIG MAG TP TRANS	85				
01	IOE000	165078	PANEL	DMS-100 FR SUPV	89				
01	IOE000	165087	FRAME	DMS-100 MAG TP CTR FR					
01	IOE000	165087	FRAME	DMS-100 MAG TP CTR FR	85				
01	IOE000	165102	SHELF	DMS-100 I/O CONT SHLF	85				
01	IOE000	165102	SHELF	DMS-100 I/O CONT SHLF	86				
01	IOE000	165132	SHELF	DMS-100 DDU SHLF	85				
01	IOE000	260795	UNIT	2216-DIG MAG TP TRANS	85				
01	IOE000	260795	UNIT	2216-DIG MAG TP TRANS	86				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	IOE001	165078	PANEL	DMS-100	FR SUPV		89		
01	IOE001	165078	PANEL	DMS-100	FR SUPV		92		
01	IOE001	165087	FRAME	DMS-100	MAG TP CTR FR		85		
01	IOE001	165087	FRAME	DMS-100	MAG TP CTR FR		86		
01	IOE001	165100	UNIT	DMS-100	INVR		89		
01	IOE001	165102	SHELF	DMS-100	I/O CONT SHLF		85		
01	IOE001	165102	SHELF	DMS-100	I/O CONT SHLF		92		
01	IOE001	165132	SHELF	DMS-100	DDU SHLF		92		
01	IOE002	063987	ASSEMBLY	BHC-11	760MB DKDR		90		
01	IOE002	063987	ASSEMBLY	BHC-11	760MB DKDR		92		
01	IOE002	165078	PANEL	DMS-100	FR SUPV		89		
01	IOE002	165078	PANEL	DMS-100	FR SUPV		92		
01	IOE002	165087	FRAME	DMS-100	MAG TP CTR FR		88		
01	IOE002	165087	FRAME	DMS-100	MAG TP CTR FR		89		
01	IOE002	165100	UNIT	DMS-100	INVR		89		
01	IOE002	165102	SHELF	DMS-100	I/O CONT SHLF		88		
01	IOE002	165102	SHELF	DMS-100	I/O CONT SHLF		89		
01	IOE002	165132	SHELF	DMS-100	DDU SHLF		86		
01	IOE002	262271	UNIT	DMS-100	DISTR PROC PER		89		
01	IOE002	262475	UNIT	DMS-100	DISTR PROC PER		85		
01	IOE002	262475	UNIT	DMS-100	DISTR PROC PER		89		
01	IOE002	262475	UNIT	DMS-100	DISTR PROC PER		92		
01	IOE01	165087	FRAME	DMS-100	MAG TP CTR FR		85		
01	IOE01	260795	UNIT	2216-DIG	MAG TP TRANS		85		
01	LCE000	165340	FRAME	DMS-100	LN CONCG EQPT		85		
01	LCE000	165340	FRAME	DMS-100	LN CONCG EQPT		93		
01	LCE000	165363	ASSEMBLY	DMS-100	LCH ASBY		85		
01	LCE000	165387	DRAWER	DMS-100	LN CONCG DRWR		85		
01	LCE000	262074	PANEL	DMS-100	FR SUPV PNL		93		
01	LCE001	165340	FRAME	DMS-100	LN CONCG EQPT		93		
01	LCE001	165363	ASSEMBLY	DMS-100	LCH ASBY		85		
01	LCE001	165387	DRAWER	DMS-100	LN CONCG DRWR		85		
01	LCE001	262074	PANEL	DMS-100	FR SUPV PNL		93		
01	LCE002	165340	FRAME	DMS-100	LN CONCG EQPT		93		
01	LCE002	165363	ASSEMBLY	DMS-100	LCH ASBY		85		
01	LCE002	165387	DRAWER	DMS-100	LN CONCG DRWR		85		
01	LCE002	262074	PANEL	DMS-100	FR SUPV PNL		93		
01	LCE003	165340	FRAME	DMS-100	LN CONCG EQPT		93		
01	LCE003	165363	ASSEMBLY	DMS-100	LCH ASBY		85		
01	LCE003	165387	DRAWER	DMS-100	LN CONCG DRWR		85		
01	LCE003	262074	PANEL	DMS-100	FR SUPV PNL		93		
01	LCE004	165340	FRAME	DMS-100	LN CONCG EQPT		93		
01	LCE004	165363	ASSEMBLY	DMS-100	LCH ASBY		85		
01	LCE004	165387	DRAWER	DMS-100	LN CONCG DRWR		85		

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	LCE004	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE005	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE005	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE005	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE005	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE006	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE006	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE006	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE006	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE007	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE007	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE007	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE007	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE008	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE008	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE008	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE008	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE009	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE009	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE009	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE009	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE01	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE010	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE010	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE010	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE010	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE011	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE011	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE011	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE011	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE012	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE012	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE012	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE012	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE013	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE013	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE013	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE013	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE014	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE014	165363	ASSEMBLY	DMS-100	LCM ASBY	85			
01	LCE014	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE014	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE015	165340	FRAME	DMS-100	LN CONCG EQPT	93			
01	LCE015	165363	ASSEMBLY	DMS-100	LCM ASBY	85			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECM ECM-IN-PLC-COST

01	LCE015	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE015	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE016	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE016	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE016	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE016	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE017	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE017	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE017	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE017	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE018	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE018	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE018	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE018	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE019	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE019	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE019	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE019	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE020	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE020	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE020	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE020	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE021	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE021	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE021	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE021	262074	PANEL	DMS-100	FR SUPV PNL	88				
01	LCE022	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE022	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE022	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE022	262074	PANEL	DMS-100	FR SUPV PNL	88				
01	LCE023	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE023	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE023	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE023	262074	PANEL	DMS-100	FR SUPV PNL	88				
01	LCE024	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE024	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE024	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE024	262074	PANEL	DMS-100	FR SUPV PNL	88				
01	LCE025	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE025	165363	ASSEMBLY	DMS-100	LCM ASBY	85				
01	LCE025	165387	DRAWER	DMS-100	LN CONCG DRWR	85				
01	LCE025	262074	PANEL	DMS-100	FR SUPV PNL	93				
01	LCE026	165340	FRAME	DMS-100	LN CONCG EQPT	93				
01	LCE026	165363	ASSEMBLY	DMS-100	LCM ASBY	85				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	LCE026	165387	DRAWER	DMS-100	LN CONCG DRWR	85			
01	LCE026	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE027	165387	DRAWER	DMS-100	LN CONCG DRWR	88			
01	LCE027	165637	FRAME	DMS-100	LN CONCG EQPT	88			
01	LCE027	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE028	165387	DRAWER	DMS-100	LN CONCG DRWR	88			
01	LCE028	165637	FRAME	DMS-100	LN CONCG EQPT	88			
01	LCE028	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE029	165387	DRAWER	DMS-100	LN CONCG DRWR	88			
01	LCE029	165637	FRAME	DMS-100	LN CONCG EQPT	88			
01	LCE029	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE030	165387	DRAWER	DMS-100	LN CONCG DRWR	88			
01	LCE030	165637	FRAME	DMS-100	LN CONCG EQPT	88			
01	LCE030	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE031	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE032	262074	PANEL	DMS-100	FR SUPV PNL	93			
01	LCE133	165387	DRAWER	DMS-100	LN CONCG DRWR	93			
01	LGE00	165114	UNIT	DMS-100	CLG INVR/FAN	85			
01	LGE00	165333	FRAME	DMS-100	COMM PERI CONT	85			
01	LGE000	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	LGE000	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	LGE000	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE000	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	LGE001	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	LGE001	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	LGE001	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE001	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	LGE002	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	LGE002	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	LGE002	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE002	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	LGE003	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	LGE003	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	LGE003	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE003	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	LGE004	165114	UNIT	DMS-100	CLG INVR/FAN	93			
01	LGE004	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	LGE004	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE004	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	LGE005	165114	UNIT	DMS-100	CLG INVR/FAN	86			
01	LGE005	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	LGE005	165392	PANEL	DMS-100	FR SUPV	86			
01	LGE005	165414	BACKPLANE	DMS-100	COMM PERI CONT	85			
01	HAP	130081	PRINTER	PRINTER		88			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	MAP	160952	TERMINAL	DECWRITER III TERM	88				
01	MAP	165094	PANEL	DMS-100 TRK TST/AUDALM	88				
01	MAP	262081	UNIT	DMS-100 DISPLPHONE 220	89				
01	MAP	262168	DIALER	DMS-100 AUTO DIALER	89				
01	MAP02	052372	COMPUTER	ADAS/DMS MAIL	94				
01	MDFF11	061702	ED-10801-70	MAIN DISTG FR ASSY	70				
01	MDFF11	061702	ED-10801-70	MAIN DISTG FR ASSY	71				
01	MDFF11	061702	ED-10801-70	MAIN DISTG FR ASSY	74				
01	MDFF11	061702	ED-10801-70	MAIN DISTG FR ASSY	75				
01	MDFF11	061705	ED-30126-73	TRUNK DISTG FR	70				
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK	72				
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK	74				
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK	77				
01	MDFF11	067201	BLOCK	DVACS CONRZD FRAME BLK	78				
01	MDFF11	260254	LOUDSPEAKER	106B TYPE LDSPKR	85				
01	MIS000	P67010	UPS INV	UINTRUPBL PWR SYS INVR	86				
01	MIS000	P67010	UPS INV	UINTRUPBL PWR SYS INVR	90				
01	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	85				
01	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS000	165073	FRAME	DMS-100 MISC EQPT FR	89				
01	MIS000	165100	UNIT	DMS-100 INVR	86				
01	MIS000	165100	UNIT	DMS-100 INVR	88				
01	MIS000	165100	UNIT	DMS-100 INVR	89				
01	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS000	165101	PANEL	DMS-100 MISC EQPT SUPV	89				
01	MIS000	165127	UNIT	DMS-100 MET TST ACC	85				
01	MIS001	161945	SHELF	LP TST SHLF	93				
01	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	85				
01	MIS001	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS001	165100	UNIT	DMS-100 INVR	86				
01	MIS001	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS001	165127	UNIT	DMS-100 MET TST ACC	85				
01	MIS001	165491	UNIT	DMS-100 ALM IND APLQ	86				
01	MIS001	165498	SHELF	DMS/TOP TN/SCRMBLR	86				
01	MIS001	262440	SHELF	DTH SHELF	94				
01	MIS002	165100	UNIT	DMS-100 INVR	86				
01	MIS002	165100	UNIT	DMS-100 INVR	88				
01	MIS002	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS002	165127	UNIT	DMS-100 MET TST ACC	85				
01	MIS002	360046	ASSEMBLY	UNIV SHLF DA ASBY	86				
01	MIS002	360010	UNIT	DMS-100 CLG INVR/FAN	86				
01	MIS003	100390	SHELF	RM-16M 23IN DC DA MDH	90				
01	MIS003	102237	SUBRACK	MACBS 23IN TRK SUBRK	88				
01	MIS003	102238	SUBRACK	MACBS 19IN TRK SUBRK	88				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	MIS003	160855	J1P056A-1	E-TELM DAS UN	86				
01	MIS003	165073	FRAME	DMS-100 MISC EQPT FR	86				
01	MIS003	165101	PANEL	DMS-100 MISC EQPT SUPV	86				
01	MIS003	165127	UNIT	DMS-100 MET TST ACC	85				
01	MIS003	165366	UNIT	DMS-100 OTG TST APLQ	88				
01	MIS003	360046	ASSEMBLY	UNIV SHLF DA ASBY	90				
01	MIS004	P67010	UPS INV	UINTRUPBL PWR SYS INVR	95				
01	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	85				
01	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	87				
01	MIS004	165073	FRAME	DMS-100 MISC EQPT FR	89				
01	MIS004	165100	UNIT	DMS-100 INVR	89				
01	MIS004	165100	UNIT	DMS-100 INVR	90				
01	MIS004	165100	UNIT	DMS-100 INVR	92				
01	MIS004	165101	PANEL	DMS-100 MISC EQPT SUPV	89				
01	MIS004	165341	UNIT	DMS-100 HT CKT	88				
01	MIS004	165450	UNIT	DMS-200 UNIV CAMA POS	85				
01	MIS004	165451	UNIT	DMS-200 AUX CAMA POS	87				
01	MIS004	262440	SHELF	DTH SHELF	95				
01	MIS005	P67010	UPS INV	UINTRUPBL PWR SYS INVR	90				
01	MIS005	135204	ROUTER	ASN BASE ROUTER	97				
01	MIS005	165073	FRAME	DMS-100 MISC EQPT FR	85				
01	MIS005	165073	FRAME	DMS-100 MISC EQPT FR	89				
01	MIS005	165073	FRAME	DMS-100 MISC EQPT FR	94				
01	MIS005	165088	FRAME	DMS-100 PERIPH FR	94				
01	MIS005	165100	UNIT	DMS-100 INVR	94				
01	MIS005	165101	PANEL	DMS-100 MISC EQPT SUPV	89				
01	MIS006	P67010	UPS INV	UINTRUPBL PWR SYS INVR	94				
01	MIS006	000228	J97021B-1	MR RES U-H U REPT	87				
01	MIS006	000228	J97021B-1	MR RES U-H U REPT	90				
01	MIS006	160855	J1P056A-1	E-TELM DAS UN	85				
01	MIS006	162826	UNIT	TST LN/RSPDR MINI	89				
01	MIS006	165073	FRAME	DMS-100 MISC EQPT FR	85				
01	MIS006	165073	FRAME	DMS-100 MISC EQPT FR	89				
01	MIS006	165073	FRAME	DMS-100 MISC EQPT FR	94				
01	MIS006	165088	FRAME	DMS-100 PERIPH FR	94				
01	MIS006	165100	UNIT	DMS-100 INVR	89				
01	MIS006	165101	PANEL	DMS-100 MISC EQPT SUPV	85				
01	MIS006	165101	PANEL	DMS-100 MISC EQPT SUPV	87				
01	MIS006	165127	UNIT	DMS-100 MET TST ACC	88				
01	MIS007	P67010	UPS INV	UINTRUPBL PWR SYS INVR	94				
01	MIS007	160616	UNIT	VERIF SET-TRK UN	90				
01	MIS007	165073	FRAME	DMS-100 MISC EQPT FR	92				
01	MIS007	165073	FRAME	DMS-100 MISC EQPT FR	94				
01	MIS007	165088	FRAME	DMS-100 PERIPH FR	94				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	MIS007	165100	UNIT	DMS-100	INVR		90		
01	MIS007	165101	PANEL	DMS-100	MISC EQPT SUPV		92		
01	MIS007	165101	PANEL	DMS-100	MISC EQPT SUPV		94		
01	MIS007	267854	MTG DATA		MOUNTING DATA		94		
01	MIS007	360048	ASSEMBLY		DA STA TERMN MTG ASBY		87		
01	MIS008	168616	UNIT		VERIF SET-TRK UN		90		
01	MIS008	165073	FRAME	DMS-100	MISC EQPT FR		85		
01	MIS008	165100	UNIT	DMS-100	INVR		85		
01	MIS008	165100	UNIT	DMS-100	INVR		87		
01	MIS008	165101	PANEL	DMS-100	MISC EQPT SUPV		87		
01	MIS008	360046	ASSEMBLY		UNIV SHLF DA ASBY		95		
01	MIS009	100397	SHELF		RH-16M 191N DC DA HDM		90		
01	MIS009	141945	SHELF		LP TST SHLF		93		
01	MIS009	165073	FRAME	DMS-100	MISC EQPT FR		89		
01	MIS009	165100	UNIT	DMS-100	INVR		89		
01	MIS009	165101	PANEL	DMS-100	MISC EQPT SUPV		89		
01	MIS010	102131	JIC141AK-1	SLC-96	RT CHAN BK UN		89		
01	MIS010	165073	FRAME	DMS-100	MISC EQPT FR		89		
01	MIS010	367075	PNL PWR JK		POWER & JACK PANEL		90		
01	MIS011	165073	FRAME	DMS-100	MISC EQPT FR		85		
01	MIS011	165100	UNIT	DMS-100	INVR		89		
01	MIS012	100398	SHELF		RH-16M 231N DC DA HDM		91		
01	MIS012	165073	FRAME	DMS-100	MISC EQPT FR		85		
01	MIS012	165073	FRAME	DMS-100	MISC EQPT SUPV		85		
01	MIS012	165101	PANEL	DMS-100	MISC EQPT SUPV		92		
01	MIS012	368810	UNIT	DMS-100	CLG INVR/FAN		92		
01	MIS013	165073	FRAME	DMS-100	MISC EQPT FR		97		
01	MIS013	165101	PANEL	DMS-100	MISC EQPT SUPV		97		
01	MIS013	262628	PANEL	DMS-100	WIDEBAND TST		97		
01	PDC000	165081	UNIT	DMS-100	PWR DISTN CTR		86		
01	PDC000	165085	PANEL	DMS-100	DISTG FUSE/A		88		
01	PDC000	165584	PANEL	DMS-100	FILTER PNL		90		
01	PDC000	165584	PANEL	DMS-100	FILTER PNL		94		
01	PDC001	165081	UNIT	DMS-100	PWR DISTN CTR		86		
01	PDC001	165081	UNIT	DMS-100	PWR DISTN CTR		93		
01	PDC001	165082	FRAME	DMS-100	PWR DISTN CTR		85		
01	PDC001	165082	FRAME	DMS-100	PWR DISTN CTR		88		
01	PDC001	165085	PANEL	DMS-100	DISTG FUSE/A		87		
01	PDC001	165085	PANEL	DMS-100	DISTG FUSE/A		88		
01	PDC001	165086	PANEL	DMS-100	GRD		80		
01	PDC001	165584	PANEL	DMS-100	FILTER PNL				
01	PDC001	165584	PANEL	DMS-100	FILTER PNL		88		
01	PDC002	165081	UNIT	DMS-100	PWR DISTN CTR		90		
01	PDC002	165081	UNIT	DMS-100	PWR DISTN CTR		93		
01	PDC002	165082	FRAME	DMS-100	PWR DISTN CTR		86		

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	PDC002	165082	FRAME	DMS-100	PWR	DISTN	CTR	90	
01	PDC002	165085	PANEL	DMS-100	DISTG	FUSE/A		90	
01	PDC002	165085	PANEL	DMS-100	DISTG	FUSE/A		93	
01	PDC002	165085	PANEL	DMS-100	DISTG	FUSE/A		94	
01	PDC002	165086	PANEL	DMS-100	GRD			86	
01	PDC002	165086	PANEL	DMS-100	GRD			90	
01	PDC002	165584	PANEL	DMS-100	FILTER	PNL		90	
01	PDC002	165584	PANEL	DMS-100	FILTER	PNL		93	
01	PDC003	165081	UNIT	DMS-100	PWR	DISTN	CTR	93	
01	PDC003	165082	FRAME	DMS-100	PWR	DISTN	CTR	86	
01	PDC003	165082	FRAME	DMS-100	PWR	DISTN	CTR	94	
01	PDC003	165085	PANEL	DMS-100	DISTG	FUSE/A		88	
01	PDC003	165085	PANEL	DMS-100	DISTG	FUSE/A		93	
01	PDC003	165086	PANEL	DMS-100	GRD			86	
01	PDC003	165086	PANEL	DMS-100	GRD			93	
01	PDC003	165584	PANEL	DMS-100	FILTER	PNL		87	
01	PDC004	165081	UNIT	DMS-100	PWR	DISTN	CTR	86	
01	PDC004	165085	PANEL	DMS-100	DISTG	FUSE/A		90	
01	PDC004	165584	PANEL	DMS-100	FILTER	PNL		90	
01	PDC005	165081	UNIT	DMS-100	PWR	DISTN	CTR	86	
01	PDC005	165085	PANEL	DMS-100	DISTG	FUSE/A		93	
01	PDC02	165085	PANEL	DMS-100	DISTG	FUSE/A		86	
01	SHE000	165333	FRAME	DMS-100	COMM	PERI	CONT	86	
01	SHE000	165392	PANEL	DMS-100	FR	SUPV		86	
01	SHE000	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE000	368810	UNIT	DMS-100	CLG	INVR/FAN		87	
01	SHE001	165333	FRAME	DMS-100	COMM	PERI	CONT	93	
01	SHE001	165392	PANEL	DMS-100	FR	SUPV		86	
01	SHE001	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE001	368810	UNIT	DMS-100	CLG	INVR/FAN		89	
01	SHE002	165392	PANEL	DMS-100	FR	SUPV		91	
01	SHE002	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE003	165392	PANEL	DMS-100	FR	SUPV		91	
01	SHE003	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE004	165392	PANEL	DMS-100	FR	SUPV		89	
01	SHE004	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE005	165392	PANEL	DMS-100	FR	SUPV		89	
01	SHE005	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE006	165392	PANEL	DMS-100	FR	SUPV		89	
01	SHE006	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE007	165392	PANEL	DMS-100	FR	SUPV		89	
01	SHE007	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	
01	SHE008	165392	PANEL	DMS-100	FR	SUPV		89	
01	SHE008	165414	BACKPLANE	DMS-100	COMM	PERI	CONT	85	

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	SME009	165392	PANEL	DMS-100	FR SUPV				89
01	SME009	165414	BACKPLANE	DMS-100	COMM PERI CONT				85
01	SME010	165392	PANEL	DMS-100	FR SUPV				89
01	SME010	165414	BACKPLANE	DMS-100	COMM PERI CONT				90
01	SME011	165392	PANEL	DMS-100	FR SUPV				89
01	SME011	165414	BACKPLANE	DMS-100	COMM PERI CONT				90
01	SME012	165392	PANEL	DMS-100	FR SUPV				89
01	SME012	165414	BACKPLANE	DMS-100	COMM PERI CONT				86
01	SME013	165392	PANEL	DMS-100	FR SUPV				89
01	SME013	165414	BACKPLANE	DMS-100	COMM PERI CONT				86
01	SME014	165333	FRAME	DMS-100	COMM PERI CONT				94
01	SME014	368810	UNIT	DMS-100	CLG INVR/FAN				94
01	SME015	165333	FRAME	DMS-100	COMM PERI CONT				94
01	SME015	368810	UNIT	DMS-100	CLG INVR/FAN				94
01	SME016	165333	FRAME	DMS-100	COMM PERI CONT				94
01	SME016	368810	UNIT	DMS-100	CLG INVR/FAN				94
01	SME022	165392	PANEL	DMS-100	FR SUPV				93
01	SME022	165414	BACKPLANE	DMS-100	COMM PERI CONT				86
01	SME023	165392	PANEL	DMS-100	FR SUPV				93
01	SME023	165414	BACKPLANE	DMS-100	COMM PERI CONT				86
01	SME024	165333	FRAME	DMS-100	COMM PERI CONT				93
01	SME024	165392	PANEL	DMS-100	FR SUPV				93
01	SME024	165414	BACKPLANE	DMS-100	COMM PERI CONT				86
01	SME024	368810	UNIT	DMS-100	CLG INVR/FAN				93
01	SP CAB	135025	MOUNTING	MEGAMUB	V.32 TERBO MDH				97
01	SP CAB	368810	UNIT	DMS-100	CLG INVR/FAN				88
01	SP CAB	569802	FAN	DEX-STP	FAN				97
01	TANK	P67019	AST TANK	ABVGRD	STG TANK				96
01	THE000	165113	SHELF	DMS-100	ALM CRS-COMN				86
01	THE000	165088	FRAME	DMS-100	PERIPH FR				85
01	THE000	165088	FRAME	DMS-100	PERIPH FR				88
01	THE000	165088	FRAME	DMS-100	PERIPH FR				94
01	THE000	165098	PANEL	DMS-100	PERIPH FR SUPV				86
01	THE000	165098	PANEL	DMS-100	PERIPH FR SUPV				94
01	THE000	165104	SHELF	DMS-100	BAS 2W TRK SH				85
01	THE000	165104	SHELF	DMS-100	BAS 2W TRK SH				86
01	THE000	165105	SHELF	DMS-100	MTCE TRK MOD				85
01	THE000	165105	SHELF	DMS-100	MTCE TRK MOD				88
01	THE000	165113	SHELF	DMS-100	ALM CRS-COMN				85
01	THE001	165088	FRAME	DMS-100	PERIPH FR				85
01	THE001	165088	FRAME	DMS-100	PERIPH FR				94
01	THE001	165098	PANEL	DMS-100	PERIPH FR SUPV				85
01	THE001	165098	PANEL	DMS-100	PERIPH FR SUPV				86
01	THE001	165104	SHELF	DMS-100	BAS 2W TRK SH				86

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

01	THE001	165104	SHELF	DMS-100	BAS 2W TRK SH	92			
01	THE001	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE001	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE002	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE002	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE002	165098	PANEL	DMS-100	PERIPH FR SUPV	85			
01	THE002	165098	PANEL	DMS-100	PERIPH FR SUPV	86			
01	THE002	165104	SHELF	DMS-100	BAS 2W TRK SH	90			
01	THE002	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE002	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE003	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE003	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE003	165098	PANEL	DMS-100	PERIPH FR SUPV				
01	THE003	165098	PANEL	DMS-100	PERIPH FR SUPV	85			
01	THE003	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE003	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE004	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE004	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE004	165098	PANEL	DMS-100	PERIPH FR SUPV	92			
01	THE004	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE004	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE004	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE005	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE005	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE005	165098	PANEL	DMS-100	PERIPH FR SUPV	92			
01	THE005	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE005	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE005	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE006	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE006	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE006	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE006	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE006	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE007	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE007	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE007	165098	PANEL	DMS-100	PERIPH FR SUPV	93			
01	THE007	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE007	165105	SHELF	DMS-100	HTCE TRK MOD	85			
01	THE007	165105	SHELF	DMS-100	HTCE TRK MOD	94			
01	THE008	165088	FRAME	DMS-100	PERIPH FR				
01	THE008	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE008	165098	PANEL	DMS-100	PERIPH FR SUPV	93			
01	THE008	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE008	165105	SHELF	DMS-100	HTCE TRK MOD	86			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

01	THE008	165105	SHELF	DMS-100	MTCE TRK MOD	92			
01	THE009	165088	FRAME	DMS-100	PERIPH FR	87			
01	THE009	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE009	165098	PANEL	DMS-100	PERIPH FR SUPV	93			
01	THE009	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE009	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE009	165105	SHELF	DMS-100	MTCE TRK MOD	87			
01	THE009	165105	SHELF	DMS-100	MTCE TRK MOD	92			
01	THE010	165088	FRAME	DMS-100	PERIPH FR	93			
01	THE010	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE010	165098	PANEL	DMS-100	PERIPH FR SUPV	92			
01	THE010	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE010	165105	SHELF	DMS-100	MTCE TRK MOD	88			
01	THE010	165105	SHELF	DMS-100	MTCE TRK MOD	93			
01	THE011	165088	FRAME	DMS-100	PERIPH FR	85			
01	THE011	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE011	165098	PANEL	DMS-100	PERIPH FR SUPV	90			
01	THE011	165098	PANEL	DMS-100	PERIPH FR SUPV	92			
01	THE011	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE011	165105	SHELF	DMS-100	MTCE TRK MOD	87			
01	THE011	165105	SHELF	DMS-100	MTCE TRK MOD	94			
01	THE012	165088	FRAME	DMS-100	PERIPH FR	86			
01	THE012	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE012	165098	PANEL	DMS-100	PERIPH FR SUPV	92			
01	THE012	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE012	165105	SHELF	DMS-100	MTCE TRK MOD	86			
01	THE012	165105	SHELF	DMS-100	MTCE TRK MOD	94			
01	THE013	165088	FRAME	DMS-100	PERIPH FR	89			
01	THE013	165088	FRAME	DMS-100	PERIPH FR	93			
01	THE013	165098	PANEL	DMS-100	PERIPH FR SUPV	93			
01	THE013	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE013	165105	SHELF	DMS-100	MTCE TRK MOD	85			
01	THE013	165652	SHELF	DMS-100	MTCE TRK MOD	94			
01	THE013	368815	SHELF	DMS-100	DRA SHLF	89			
01	THE014	165088	FRAME	DMS-100	PERIPH FR	94			
01	THE014	165098	PANEL	DMS-100	PERIPH FR SUPV	94			
01	THE014	165652	SHELF	DMS-100	MTCE TRK MOD	94			
01	THE014	368815	SHELF	DMS-100	DRA SHLF	91			
01	THE015	165088	FRAME	DMS-100	PERIPH FR	93			
01	THE015	165104	SHELF	DMS-100	BAS 2W TRK SH	93			
01	THE015	165652	SHELF	DMS-100	MTCE TRK MOD	95			
01	102A06	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)		88			
01	102A07	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)		88			
01	102A08	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)		88			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E0519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	102A09	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	102A10	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	102A11	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	93				
01	102A12	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	93				
01	102A13	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	102A14	P67024	AC DIST CB	AC PWR DISTN CABINETS	85				
01	102A14	P67024	AC DIST CB	AC PWR DISTN CABINETS	86				
01	10202	P67007	RING PLANT	RINGING PLANT	87				
01	10202	P67007	RING PLANT	RINGING PLANT	88				
01	10202	P67007	RING PLANT	RINGING PLANT	89				
01	10203	P67005	CONV PLANT	CONVERTER PLANT	88				
01	10206	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	10206	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	96				
01	10207	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	10208	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	10209	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89				
01	10210	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89				
01	10211	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89				
01	10212	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	89				
01	10214	P67024	AC DIST CB	AC PWR DISTN CABINETS	85				
01	10214	P67024	AC DIST CB	AC PWR DISTN CABINETS	86				
01	10215	P67001	BATT PLANT	BATTERY PLANT	88				
01	10215	P67001	BATT PLANT	BATTERY PLANT	96				
01	10215	P67004	LARGE RECT	RECT-LARGE (>201 AMPS)	88				
01	10216	P67001	BATT PLANT	BATTERY PLANT	88				
01	10216	P67001	BATT PLANT	BATTERY PLANT	92				
01	10216	P67009	PWR MON	REM PWR MON SYS (RPMS)	92				
01	10217	P67001	BATT PLANT	BATTERY PLANT	88				
01	10218	P67001	BATT PLANT	BATTERY PLANT	88				
01	10219	P67001	BATT PLANT	BATTERY PLANT	92				
01	10220	P67001	BATT PLANT	BATTERY PLANT	96				
01	10301	P67001	BATT PLANT	BATTERY PLANT	97				
01	11200	P67009	PWR MON	REM PWR MON SYS (RPMS)	97				
01	11200	P67010	UPS INV	UINTRUPBL PWR SYS INVR	90				
01	11200	126311	ASSEMBLY	TEMP INTFC MOD ASBY	92				
01	12113	360431	BLOCK CONNG	BLOCK CONNG PNL	87				
01	12115	360350	BLOCK CONNG	BLOCK CONNECTING HW	88				
01	12118	062592	ED-1C642-30	FUSE/ALM PANEL	93				
01	12120	360431	BLOCK CONNG	BLOCK CONNG PNL	98				
01	12129	360560	X-R CHASSIS	X-R CARD CAGE	90				
01	12129	360561	CHASSIS	SIH CHASSIS	90				
01	12129	360565	FUSE PANEL	X-R 5-8 FUSE PAN	90				
01	12209	162428	SHELF	3 POS/400 TYP MTG SHLF	89				
01	12614	067048	J1P186A-1	DATAKIT II VCS MOD CAB	89				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12620	460860	CABINET	T1 RK MT 24-CH BK	97				
01	12622	900943	PROCESSOR	REM SITE PROCR -48VDC	97				
01	12624	106522	UNIT	MULT BRDG ISOLATOR	97				
01	12624	669514	CARDCAGE	CCS/SS7 MTWK MON SYS	97				
01	12625	467209	PANEL	DSX MOD 84-CKT X-COMM	96				
01	12626	669514	CARDCAGE	CCS/SS7 MTWK MON SYS	97				
01	12631	467209	PANEL	DSX MOD 84-CKT X-COMM	96				
01	19201	900717	TERMINAL	15IN. COLOR VIDEO TERM	95				
01	19201	900718	PRINTER	DOT MATRIX PRINTER	95				
01	19202	900717	TERMINAL	15IN. COLOR VIDEO TERM	95				
01	19202	900718	PRINTER	DOT MATRIX PRINTER	90				
01	19205	100711	PANEL	FUSE&ALM PNL	97				
01	19205	460860	CABINET	T1 RK MT 24-CH BK	97				
01	19300	134509	FRAME	MEGAHUBSTP PD FRAME	97				
01	19300	134991	INVERTER	MEGAHUB INVR DC-AC	97				
01	19301	101700	DRIVE	MEGAHUB 48VDC TP DRIVE	97				
01	19301	134507	FRAME	MEGAHUBSTP EMI FR ASBY	97				
01	19301	135022	PANEL	MEGAHUB PTCH PNL	97				
01	19301	135023	PANEL	MEGAHUB RS-449 PTCHPNL	97				
01	19301	135437	ASSEMBLY	MEGAHUB DK DR ASBY	97				
01	19301	135639	CHASSIS	MEGAHUB RK MT MDM CHAS	97				
01	19301	901127	UNIT	MEGAHUB IPU SPARC-2	97				
01	19302	133640	SHELF	DEXECS DKDR SHLF ASBY	97				
01	19302	134506	FRAME	MEGAHUBSTP FRAME ASBY	97				
01	19303	134601	FRAME	MEGAHUBSTP FRM ASBY	97				
01	19303	134991	INVERTER	MEGAHUB INVR DC-AC	97				
01	19304	135151	PANEL	MEGAHUB DSX1 RX MODULE	97				
01	19304	135496	FRAME	MEGAHUBSTP EMI PATCH	97				
01	19305	134508	FRAME	MEGAHUBSTP FR ASBY	97				
01	19306	134508	FRAME	MEGAHUBSTP FR ASBY	97				
01	19307	134508	FRAME	MEGAHUBSTP FR ASBY	97				
01	19404	134508	FRAME	MEGAHUBSTP FR ASBY	97				
01	19405	135151	PANEL	MEGAHUB DSX1 RX MODULE	97				
01	19405	135496	FRAME	MEGAHUBSTP EMI PATCH	97				
01	DTEN460	262704	FRAME	DMS-100 COMM PERI CONT	97				
01	DTEN460	368810	UNIT	DMS-100 CLG INVR/FAN	97				
01	DTEN470	262704	FRAME	DMS-100 COMM PERI CONT	97				
01	DTEN470	368810	UNIT	DMS-100 CLG INVR/FAN	97				
01	DTEN480	262704	FRAME	DMS-100 COMM PERI CONT	97				
01	DTEN480	368810	UNIT	DMS-100 CLG INVR/FAN	97				
01	DTEN490	262704	FRAME	DMS-100 COMM PERI CONT	97				
01	DTEN490	368810	UNIT	DMS-100 CLG INVR/FAN	97				
01	DTEN500	262704	FRAME	DMS-100 COMM PERI CONT	97				
01	DTEN500	368810	UNIT	DMS-100 CLG INVR/FAN	97				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	DTEN510	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN510	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN520	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN520	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN530	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN530	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN54	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN54	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN55	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN55	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN56	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN56	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN57	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN57	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN58	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN58	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN59	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN59	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN60	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN60	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	DTEN61	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	DTEN61	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	LCEI033	262278	FRAME	DMS-100	ISDN LN CONCG	93			
01	LCEI033	262278	FRAME	DMS-100	ISDN LN CONCG	96			
01	LGEI000	133304	SHELF	DMS-100/200	ISDN RDY	93			
01	LGEI000	262704	FRAME	DMS-100	COMM PERI CONT	93			
01	LGEI000	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	LIMN00	110635	UNIT	DMS-100	C42 COOLING UN	90			
01	LIMN00	161913	PANEL	DMS-100E	CORE FSP	90			
01	LIMN00	262644	CABINET	DMS-100	LK INTFC MOD	90			
01	LIMN011	110635	UNIT	DMS-100	C42 COOLING UN	94			
01	LIMN011	161913	PANEL	DMS-100E	CORE FSP	94			
01	LIMN011	262644	CABINET	DMS-100	LK INTFC MOD	94			
01	MAP-STP	130240	PRINTER		DOT MATRIX PRINTER	97			
01	MONITOR	P67022	FUEL MON		FL TNK MON SYS	96			
01	PDC000	165081	UNIT	DMS-100	PWR DISTN CTR	86			
01	PDC000	165082	FRAME	DMS-100	PWR DISTN CTR	85			
01	PDC000	165085	PANEL	DMS-100	DISTG FUSE/A	85			
01	PDC000	165085	PANEL	DMS-100	DISTG FUSE/A	90			
01	PDC000	165086	PANEL	DMS-100	GRD	85			
01	PDC000	165504	PANEL	DMS-100	FILTER PNL	86			
01	PDC001	262379	PANEL	DMS-100	DISTG FUSE/A	97			
01	PDC001	262380	PANEL	DMS-100	FS DISTG PNL	97			
01	PDC002	165085	PANEL	DMS-100	DISTG FUSE/A	87			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	PDC002	165085	PANEL	DMS-100	DISTG FUSE/A	89			
01	PDC002	165085	PANEL	DMS-100	DISTG FUSE/A	90			
01	PDC003	165085	PANEL	DMS-100	DISTG FUSE/A	88			
01	PDC003	262379	PANEL	DMS-100	DISTG FUSE/A	91			
01	PDC003	262380	PANEL	DMS-100	FS DISTG PNL	91			
01	PDC003	262381	PANEL	DMS-100	FR SUPVY PNL	91			
01	PDC003	262382	PANEL	DMS-100	FILTER PNL	91			
01	PDC004	165082	FRAME	DMS-100	PWR DISTN CTR	89			
01	PDC004	165085	PANEL	DMS-100	DISTG FUSE/A	89			
01	PDC005	165082	FRAME	DMS-100	PWR DISTN CTR	89			
01	PDC005	165082	FRAME	DMS-100	PWR DISTN CTR	90			
01	PDC005	165085	PANEL	DMS-100	DISTG FUSE/A	89			
01	PDSC101	P67024	AC DIST CB	AC PWR DISTN	CABINETS	74			
01	P4RNG	P67012	BATT LARGE	BAT STRG	SQ CELLS-L	96			
01	P4RNJ	P67012	BATT LARGE	BAT STRG	SQ CELLS-L	97			
01	SHEN172	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN172	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN182	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN182	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN192	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN192	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN202	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN202	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN212	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN212	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN222	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN222	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN232	165333	FRAME	DMS-100	COMM PERI CONT	93			
01	SHEN232	368810	UNIT	DMS-100	CLG INVR/FAN	93			
01	SHEN250	262704	FRAME	DMS-100	COMM PERI CONT	94			
01	SHEN250	368810	UNIT	DMS-100	CLG INVR/FAN	94			
01	SHEN26	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	SHEN26	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	SHEN27	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	SHEN27	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	SHEN28	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	SHEN28	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	SHEN29	262704	FRAME	DMS-100	COMM PERI CONT	97			
01	SHEN29	368810	UNIT	DMS-100	CLG INVR/FAN	97			
01	SP CAB	165100	UNIT	DMS-100	INVR	86			
01	SP CAB	165114	UNIT	DMS-100	CLG INVR/FAN	85			
01	010301	P67001	BATT PLANT	BATTERY PLANT		97			
01	10213	P67004	LARGE RECT	RECT-LARGE (>201 AHPS)		88			
01	12129	250027	ASSEMBLY	COMMON CONTROL ASBLY		86			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12129	250028	PANEL	COMMON CONTROL PANEL	86				
01	12129	250029	ASSEMBLY	POWER SUPPLY ASBY	86				
01	12209	164401	SHELF	ATICS CONTR EQPT SHELF	89				
01	CMD-N000	161913	PANEL	DMS-100E CORE FSP	88				
01	CMD-N000	161915	SHELF	DMS-100E MESS SW PROCR	88				
01	CMD-N000	161993	SHELF	DMS-100E LD UN SHLF	88				
01	CHISN00	262715	CABINET	DMS-100 CHIS CABINET	97				
01	CHISN00	262718	PANEL	DMS-100 MOD SUPVY PNL	97				
01	DTE-N006	165333	FRAME	DMS-100 COMM PERI CONT	91				
01	DTE-N006	368810	UNIT	DMS-100 CLG INVR/FAN	91				
01	DTE-N007	165392	PANEL	DMS-100 FR SUPV	93				
01	DTE-N007	165414	BACKPLANE	DMS-100 COMM PERI CONT	93				
01	DTE-N007	368810	UNIT	DMS-100 CLG INVR/FAN	89				
01	DTE-N025	165333	FRAME	DMS-100 COMM PERI CONT	89				
01	DTE-N025	368810	UNIT	DMS-100 CLG INVR/FAN	89				
01	DTE-N026	368810	UNIT	DMS-100 CLG INVR/FAN	89				
01	DTE-N027	368810	UNIT	DMS-100 CLG INVR/FAN	89				
01	DTE-N029	368810	UNIT	DMS-100 CLG INVR/FAN	90				
01	DTE-N030	368810	UNIT	DMS-100 CLG INVR/FAN	91				
01	DTE-N031	368810	UNIT	DMS-100 CLG INVR/FAN	91				
01	DTE-N032	368810	UNIT	DMS-100 CLG INVR/FAN	91				
01	DTE-N032	368810	UNIT	DMS-100 CLG INVR/FAN	97				
01	ENCON00	134075	SHELF	DMS-100 ENET SHELF	97				
01	ENCON001	110635	UNIT	DMS-100 C42 COOLING UN	94				
01	ENCON001	161913	PANEL	DMS-100E CORE FSP	94				
01	ENCON001	262525	SHELF	DMS-100 SHPLX NETWK	94				
01	ENCON001	262662	CABINET	DMS-100 ENHNCN NETWK	94				
01	ENCIN00	134075	SHELF	DMS-100 ENET SHELF	97				
01	ENCIN001	110635	UNIT	DMS-100 C42 COOLING UN	94				
01	ENCIN001	161913	PANEL	DMS-100E CORE FSP	94				
01	ENCIN001	262525	SHELF	DMS-100 SHPLX NETWK	94				
01	ENCIN001	262662	CABINET	DMS-100 ENHNCN NETWK	94				
01	ENGINE	P67001	BATT PLANT	BATTERY PLANT	87				
01	ENGINE	P67017	ALTERNATOR	STA ENG / ALTRN SET	90				
01	FLOOR	106522	UNIT	MULT BRDG ISOLATOR	98				
01	FLOOR	165094	PANEL	DMS-100 TRK TST/AUDALM	85				
01	FLOOR	165095	PANEL	DMS-100 ALM CONT/DISPL	85				
01	FLOOR	165095	PANEL	DMS-100 ALM CONT/DISPL	93				
01	FLOOR	165096	PANEL	DMS-100 EXIT ALM DISPL	85				
01	FLOOR	165097	PANEL	DMS-100 AUD ALM	85				
01	FLOOR	165097	PANEL	DMS-100 AUD ALM	88				
01	FLOOR	669514	CARDCAGE	CCS/SS7 NTKW MON SYS	98				
01	FLOOR	900943	PROCESSOR	REM SITE PROCR -48VDC	98				
01	ISMEN00	134099	SHELF	DMS-100 ISH SHELF	97				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E0519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	ISMEN00	134280	CABINET	DMS-100 ISHE FRAME CAB	97				
01	ISMEN00	262718	PANEL	DMS-100 MOD SUPVY PNL	97				
01	ISMEN01	134099	SHELF	DMS-100 ISH SHELF	97				
01	ISMEN01	134280	CABINET	DMS-100 ISHE FRAME CAB	97				
01	ISMEN01	262718	PANEL	DMS-100 MOD SUPVY PNL	97				
01	ISMEN02	134099	SHELF	DMS-100 ISH SHELF	97				
01	ISMEN02	134280	CABINET	DMS-100 ISHE FRAME CAB	97				
01	ISMEN02	262718	PANEL	DMS-100 MOD SUPVY PNL	97				
01	LCE-N031	165340	FRAME	DMS-100 LN CONCG EQPT	88				
01	LCE-N031	165367	DRAWER	DMS-100 LN CONCG DRWR	88				
01	LCE-N032	165340	FRAME	DMS-100 LN CONCG EQPT	89				
01	LCE-N032	368822	ASSEMBLY	DMS100/200 LCH DWR	88				
01	LCE-N032	368822	ASSEMBLY	DMS100/200 LCH DWR	89				
01	LGEIN001	262704	FRAME	DMS-100 COMM PERI CONT	96				
01	LGEIN001	368810	UNIT	DMS-100 CLG INVR/FAN	96				
01	LIM-N000	110635	UNIT	DMS-100 C42 COOLING UN	90				
01	LIM-N000	161913	PANEL	DMS-100E CORE FSP	90				
01	LIM-N000	262156	CABINET	DMS-100 LN INTFC MOD	90				
01	MSD-N000	262079	CABINET	DMS-100E MSG SW DUP	88				
01	MS6-E000	165114	UNIT	DMS-100 CLG INVR/FAN	86				
01	MVIEN00	133825	FRAME	DMS-100 MULTI VNDR INT	97				
01	P4RNA	P67012	BATT LARGE	BAT STRG SQ CELLS-L	88				
01	P4RNB	P67012	BATT LARGE	BAT STRG SQ CELLS-L	88				
01	P4RNC	P67012	BATT LARGE	BAT STRG SQ CELLS-L	88				
01	P4RND	P67012	BATT LARGE	BAT STRG SQ CELLS-L	88				
01	P4RNE	P67012	BATT LARGE	BAT STRG SQ CELLS-L	93				
01	P4RNF	P67012	BATT LARGE	BAT STRG SQ CELLS-L	93				
01	P4RNH	P67012	BATT LARGE	BAT STRG SQ CELLS-L	90				
01	SCP0/MC0	103001	JIS002B-1	SRV CONT POINT CAB AIN	88				
01	SCP0/MSC	900614	DRIVE	STARSRV-FT 1GB HD DR	95				
01	SCP0/MSC	900665	DRIVE	STARSRV-FT 150MB DR	95				
01	SCP0/MSC	900665	DRIVE	STARSRV-FT 150MB DR	97				
01	SCP0/MSC	900914	CABINET	STARSRV-FT STG CABINET	95				
01	SCP00/CS	900913	COMPUTER	STARSRV-FT MINI CHPTR	95				
01	SHE-N002	165333	FRAME	DMS-100 COMM PERI CONT	88				
01	SHE-N002	368810	UNIT	DMS-100 CLG INVR/FAN	88				
01	SHE-N003	165333	FRAME	DMS-100 COMM PERI CONT	88				
01	SHE-N003	368810	UNIT	DMS-100 CLG INVR/FAN	88				
01	SHE-N004	165333	FRAME	DMS-100 COMM PERI CONT	88				
01	SHE-N004	368810	UNIT	DMS-100 CLG INVR/FAN	88				
01	SHE-N005	165333	FRAME	DMS-100 COMM PERI CONT	88				
01	SHE-N005	368810	UNIT	DMS-100 CLG INVR/FAN	88				
01	SHE-N006	165333	FRAME	DMS-100 COMM PERI CONT	88				
01	SHE-N006	368810	UNIT	DMS-100 CLG INVR/FAN	88				

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC 377C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	SHE-N007	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	SHE-N007	368810	UNIT	DMS-100	CLG INVR/FAN	89			
01	SHE-N008	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	SHE-N008	368810	UNIT	DMS-100	CLG INVR/FAN	89			
01	SHE-N009	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	SHE-N009	368810	UNIT	DMS-100	CLG INVR/FAN	89			
01	SHE-N010	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	SHE-N010	368810	UNIT	DMS-100	CLG INVR/FAN	89			
01	SHE-N011	165333	FRAME	DMS-100	COMM PERI CONT	89			
01	SHE-N011	368810	UNIT	DMS-100	CLG INVR/FAN	89			
01	SHE-N014	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N014	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N015	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N015	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N016	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N016	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N017	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N017	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N018	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N018	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N019	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N019	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N020	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N020	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SHE-N021	165392	PANEL	DMS-100	FR SUPV	93			
01	SHE-N021	165414	BACKPLANE	DMS-100	COMM PERI CONT	93			
01	SMEN012	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	SMEN012	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	SMEN013	165333	FRAME	DMS-100	COMM PERI CONT	90			
01	SMEN013	368810	UNIT	DMS-100	CLG INVR/FAN	90			
01	01	165092	PANEL	DMS-100	PERIPH SP LK	87			

FRC YEAR QUANTITY YEAR MATERIAL COST YEAR IN PLACE COST ECN IN PLACE COST

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HW/CPR PRINT
 BELL SOUTH TELECOMMUNICATIONS
 ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
 PRINT SUBSYSTEM
 VULA ELLIS

BR 756-123-371-01
 PAGE 46
 RUN DATE 09/30/98

AC-LOC E8519 FRC 377X

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	DN10N00	165361	PANEL	DMS-100	NET JCTR CONNG	97			
01	DSNEN10	262070	ASSEMBLY	DMS-100	DBL SH NETWK	97			
01	SLCON01	165091	PANEL	DMS-100	NET SP LK	97			
01	SLCON01	165092	PANEL	DMS-100	PERIPH SP LK	97			

FRC	YEAR QUANTITY	YEAR MATERIAL COST	YEAR IN PLACE COST	ECN IN PLACE COST
-----	---------------	--------------------	--------------------	-------------------

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HW/CPR PRINT
BELLSOUTH TELECOMMUNICATIONS
ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
PRINT SUBSYSTEM
VULA ELLIS

BR 756-123-371-01
PAGE 47
RUN DATE 09/30/98

AC-LOC E0519 FRC D257C

FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

UNALOC OC 040004 UNALL O C UNALLOCATED OTHER COST 97

FRC YEAR QUANTITY YEAR MATERIAL COST YEAR IN PLACE COST ECN IN PLACE COST

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC-LOC E8519 FRC F257C

 FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECM ECN-IN-PLC-COST

RTUI	CAP		PICS	DCPR	CAPITALIZED	RTUI	
RTUI	CAP	040008	PICS	DCPR	CAPITALIZED	RTUI	95
01	12002	560191	PANEL		FBR CONNR MOD SC		96
01	12004	560191	PANEL		FBR CONNR MOD SC		97
01	12004	669180	PANEL		FDI FBR DISTN FR		97
01	12125	100969	ED-8C727-30	DDM-2000	OC-12 SHLF		97
01	12125	133119	ED-8C724-30	DDM-2000	SHLF ASSEMBLY		97
01	12127	135792	SHLF		BRITEMUX 32C CO TERM		97
01	12212	063756	SHLF		DISCS CHAN SHLF COT		97
01	12214	063255	PANEL		DISCS FS/ALM PNL COT		97
01	12214	063336	SHLF		DISCS COM EQPT SH COT		97
01	12214	063756	SHLF		DISCS CHAN SHLF COT		97
01	12216	063255	PANEL		DISCS FS/ALM PNL COT		97
01	12216	063336	SHLF		DISCS COM EQPT SH COT		97
01	12216	063756	SHLF		DISCS CHAN SHLF COT		97
01	12218	063255	PANEL		DISCS FS/ALM PNL COT		97
01	12218	063336	SHLF		DISCS COM EQPT SH COT		97
01	12218	063756	SHLF		DISCS CHAN SHLF COT		97
01	12220	063255	PANEL		DISCS FS/ALM PNL COT		97
01	12220	063336	SHLF		DISCS COM EQPT SH COT		97
01	12220	063756	SHLF		DISCS CHAN SHLF COT		97
01	12222	063255	PANEL		DISCS FS/ALM PNL COT		97
01	12222	063336	SHLF		DISCS COM EQPT SH COT		97
01	12222	063756	SHLF		DISCS CHAN SHLF COT		97
01	12227	467170	PANEL		FBR STG PNL		97
01	12235	101230	ASSEMBLY		LS2000 CC ASBY		97
01	12235	101320	ASSEMBLY		LS2000 FU & ALM PNL		97
01	12235	124004	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12235	124101	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12237	101230	ASSEMBLY		LS2000 CC ASBY		97
01	12237	101320	ASSEMBLY		LS2000 FU & ALM PNL		97
01	12237	124004	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12237	124101	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12239	101230	ASSEMBLY		LS2000 CC ASBY		97
01	12239	101320	ASSEMBLY		LS2000 FU & ALM PNL		97
01	12239	124004	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12239	124101	ASSEMBLY		LITESPAN-2000 CHAN BK		97
01	12522	133119	ED-8C724-30	DDM-2000	SHLF ASSEMBLY		97
01	12524	669471	SHLF		FLM-150 SHLF		97
01	12526	669471	SHLF		FLM-150 SHLF		97
01	12530	133093	UNIT		THR & CTR UN		94
01	12532	133093	UNIT		THR & CTR UN		94
01	12603	066604	PANEL		SYS III DSX3/4 RE ACC		97
01	12631	467194	PANEL		DSX 04-CKT RE X-CONN		97

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

PICS/DCPR RUN: HW/CPR PRINT
BELLSOUTH TELECOMMUNICATIONS
ACCOUNTING AREA: FL

CONTINUING PROPERTY RECORD REPORT
PRINT SUBSYSTEM
VULA ELLIS

BR 756-123-371-01
PAGE 49
RUN DATE 09/30/98

AC-LOC E8519 FRC F257C

FRAME-ID CPR BASIC UNIT CPR-DESCRIPTION YR YR-QTY YR-MAT-COST YR-IN-PLC-COST ECN ECN-IN-PLC-COST

01	12633	467194	PANEL	DSX 84-CKT RE X-CONN	97				
01	12635	467209	PANEL	DSX MOD 84-CKT X-CONN	97				
01	12637	467194	PANEL	DSX 84-CKT RE X-CONN	97				
01	12637	467209	PANEL	DSX MOD 84-CKT X-CONN	97				

FRC	YEAR	QUANTITY	YEAR	MATERIAL COST	YEAR	IN PLACE COST	YEAR	IN PLACE COST
-----	------	----------	------	---------------	------	---------------	------	---------------

JAC

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT.

AC LQC E8519 FRC T357C

FRAME-ID	CPR	BASIC UNIT	CPR-DESCRIPTION	YR	YR-QTY	YR-MAT-COST	YR-IN-PLC-COST	ECN	ECN-IN-PLC-COST
01	12000	360745	SHELF	LG TERMN SHELF	97				
01	12002	669180	PANEL	FDI FBR DISTN FR	97				
01	12127	101037	PANEL	DCD WIRE WRPD PNL	97				
01	12127	162655	SHELF	DCD-400 SHLF ASSY	97				
01	124C01	133253	J68974R-1	FT-2000 OC-48 RPTR BAY					
01	124C01	133253	J68974R-1	FT-2000 OC-48 RPTR BAY	97				
01	124D01	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97				
01	12415	110653	RACK	FLM-600/2400 7' COT RK	97				
01	12418	110389	SHELF	TITAN-5500 CTR SW SHLF	97				
01	12418	110390	SHELF	TITAN-5500 END SW SHLF	97				
01	12418	135030	PANEL	TITAN-5500 FS/ALM PNL	97				
01	12422	110389	SHELF	TITAN-5500 CTR SW SHLF	97				
01	12422	135030	PANEL	TITAN-5500 FS/ALM PNL	97				
01	12429	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97				
01	12601	066604	PANEL	SYS III DSX3/4 RE ACC	95				
01	12601	066604	PANEL	SYS III DSX3/4 RE ACC	97				
01	12605	066604	PANEL	SYS III DSX3/4 RE ACC	97				
01	12605	135291	CHASSIS	DSX-3 MINI FR X/C CHAS					
01	12605	135291	CHASSIS	DSX-3 MINI FR X/C CHAS	97				
01	12623	460203	BAY	DSX BAY 9FT	97				
01	12627	467209	PANEL	DSX MOD 84-CKT X-CONN	97				
01	12633	467209	PANEL	DSX MOD 84-CKT X-CONN	97				
01	12700	135029	RACK	1024 PR EQPT EXPN RK	97				
01	13400	101827	SHELF	OC3 PT SHLF	97				
01	13400	101828	SHELF	OC12 EQPT SHLF	97				
01	13400	135030	PANEL	TITAN-5500 FS/ALM PNL	97				
01	13402	101144	RACK	DS1/1 7' RK	97				
01	13402	135030	PANEL	TITAN-5500 FS/ALM PNL	97				
01	13402	669621	SHELF	TITAN-5500 OCT DS1 SH	97				
01	13404	101135	RACK	TITAN-5500 DS3/1 7' RK	97				
01	13404	102522	ASSEMBLY	TITAN-5500 DS3 SHELF	97				
01	13404	135030	PANEL	TITAN-5500 FS/ALM PNL	97				
01	12401D	135601	ED-8C902-30	FT-2000 OC-48 LTWV BAY	97				
01	12401D	669203	J68974E-1	FT-2000 OC-48 LTWV BAY	97				

FRC AREA YEAR QUANTITY YEAR MATERIAL COST YEAR IN PLACE COST ECN IN PLACE COST

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELL SOUTH EXCEPT UNDER WRITTEN AGREEMENT.

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:26

ORDER NO.: BHEB383800 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDAFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	--

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHEB383800 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 08/04/1998 SHIP: 08/15/1998 ON JOB: 09/01/1998 ADV.COMP: COMPLETE: 09/15/1998 SERVICE: 09/15/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

	BellSouth Telecommunications, Inc. Scheduling 1243 CLINT MOORE ROAD BOCA RATON, FL 33487
--	---

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO: CONTACTS:

ATTN: COIG DAVE KUTTLER Fax: (561) 266-0712 SECOND FLOOR 321 S.E. 2nd STREET DELRAY BEACH, FL 33483	Bell South Contact: Betty G. Engelhardt Telephone: (561) 912-3324 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	--

TEO prepared by:
 BST CCM: Elaine Buri (954)492-2853

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SLH	RCO: NS403200	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____
TELCO ORDER APPROVAL			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

2. TEOPS TEO Notes

3. BELLSOUTH TELECOMMUNICATIONS	
4. TELECO ORDER NUMBER: BHEB383800	APPX NUMBER: 0

5. BHEB383800 - NOTES

6. 1. NO NEW SYNCTRACK ASSIGNMENTS REQUIRED.

7.
8. EXISTING ASSIGNMENTS ARE AS FOLLOWS:

9. DCD400 SHELF 2 RR 140.14		
10.	PRIMARY	SECONDARY
11. TOTA CARD	7	8
12. SLOT	6	4

13. BHEB383800 - WORK ITEM

14.1.
15.

1.	POWER EQUIPMENT ORDER FOR BELL SOUTH TELECOMMUNICATIONS, INC.		
2.	Prepared by		Page: 1 of 1
3.	ORDER #:	CODE :	Date: 4/29/98
4.	TELCO ORDER # BHMA504400	APPX	TYPE ORDER: (x) ENGINEER (x) FURNISH (x) INSTALL
5.	CUSTOMER SERVICE CONTACT		JOB LOCATION
6.	Name: --	CLLI: NDADFLGG Earth Quake Zone 0	
7.	Tel #: :	Base: 6U39	
8.	Fax #:	Address: 18400 N.E. 5 th AVE	
9.	E-Mail -	City: North Miami Beach	
10.	Installation ?	State: FL.	Zip: 33162
11.	Phone: (County: Dade	Dist: South
12.	CONTRACT # LS096PR9579A		
13.	SHIPPING INFORMATION		SCHEDULE INFORMATION
14.	Number of Shipments 1 2 3	Bldg Ready: Now	
15.	Ship to address if other than site	Ship Date : 6/11/98	
16.		Arrive Job Site : 6/22/98	
17.		Start Date : 6/22/98	
18.		Complete Date : 7/17/98 Service: 7/17/98	
19.		Adv Complete : 6/15/98	
20.		Adv Complete Detail: NEEDS TO BE IN SERVICE	
21.		FOR NEW DACS 4 ADDITION	
22.	CONTACTS		
23.	Central Office Supervisor: Eric Johnson	Phone:	
24.	Phone: (305) 651-9917	Fax:	
25.	Fax: (305) 653-7650	E-Mail:	
26.	Address: 18400 N. E. 5 th AVE	BST PCM: Stan Flanders	
27.	Miami, FL. 33132	Phone: (305) 622-3256	
28.	BST CSCM: JERRY RUBIN		
29.	Phone: (305) 622-3211		
30.	Job Size: S <input checked="" type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> PSIAM 100% Utilized? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Co-Locator? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		
31.	JOB DESC:		
32.			
33.			
34.			
	NPO Application Code		
	Equipment Type: POWER	RCO	
	Accounting Classification FRC	Area# : M6506	Authorization # : JMA5044

1.	POWER EQUIPMENT ORDER FOR BELLSOUTH TELECOMMUNICATIONS, INC.		
2.	Prepared by :		Page: 1 of 1
3.	ORDER #:	CODE :	Date: 6/1/98
4.	TELCO ORDER # BHMA506900	APPX	TYPE ORDER: (x) ENGINEER (x) FURNISH (x) INSTALL
5.	CUSTOMER SERVICE CONTACT		JOB LOCATION
6.	Name:	CLLI: NDADFLGG Earth Quake Zone 0	
7.	Tel #:	Base: 6U39	
8.	Fax #:	Address: 18400 N. E. 5 th AVE	
9.	E-Mail = :	City: North Miami Beach	
10.	Installation	State: FL	Zip: 33162
11.	Phone:	County: Dade	Dist: South
12.	CONTRACT # LS096PR9579A		
	SHIPPING INFORMATION		SCHEDULE INFORMATION
	Number of Shipments 1 2 3	Bldg Ready: Yes	
	Ship to address if other than site	Ship Date : 8/5/98	
		Arrive Job Site : 8/17/98	
		Start Date : 8/17/98	
		Complete Date : 9/27/98 Service: 9/27/98	
		Adv Complete : 7/15/98	
		Adv Complete Detail: ADD THREE 225A BREAKERS TO PANEL IN 202.01 FOR SERVICE 7/15/98	
	CONTACTS		
23.	Central Office Supervisor:		
24.	Phone: (305)	Phone:	
25.	Fax: (305)	Fax:	
26.	Address:	E-Mail:	
27.	BST CSCM:	BST PCM: Stan Flanders	
	Phone: (305)	Phone: (305) 622-3256	
	Job Size: S <input type="checkbox"/> M <input checked="" type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> PSIAM 100% Utilized? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Co-Locator? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>		
32.	JOB DESC:		
33.	****		
34.			
35.			
36.			
	MVPC 1.88	BATT HRS REQ. 5.00	
	NPO Application Code		
	Equipment Type: POWER	RCO	
	Accounting Classification FRC	Area# : M6506	Authorization # : JMA5069

4

1 **POWER EQUIPMENT ORDER FOR BELL SOUTH TELECOMMUNICATIONS, INC.**
 2 Prepared by _____ Page: 1 of 1
 3 ORDER #: _____ CODE: _____ Date: 9/28/98

4 **TELCO ORDER # BHMA509700** APPX **TYPE ORDER: (x) ENGINEER (x) FURNISH (x) INSTALL**

5 **CUSTOMER SERVICE CONTACT** **JOB LOCATION**

6 **Name:** _____ **CLLI: NDADFLGG Earth Quake Zone 0**
 7 **Tel #:** _____ **Base: 6U39**
 8 **Fax #:** _____ **Address: 18400 N.E. 5th AVE**
 9 **E-Mail =:** _____ **City: North Miami Beach**
 10 **Installation** _____ **State: FL. Zip: 33162**
 11 **Phone: /** _____ **County: Dade Dist: South**

12 **CONTRACT # LS096PR9579A**

13 **SHIPPING INFORMATION** **SCHEDULE INFORMATION**

Number of Shipments 1 2 3 Ship to address if other than site	Bldg Ready: Now Ship Date : 12/18/98 Arrive Job Site : 12/28/98 Start Date : 12/28/98 Complete Date : 1/24/99 Service: 1/24/99 Adv Complete : Adv Complete Detail:
---	--

14 **CONTACTS**

22 Central Office Supervisor: James E. Collins 23 Phone: (305) 651-9917 24 Fax: (305) 653-7650 25 Address: 18400 N. E. 5th AVE 26 Miami, Fl. 33132 BST CSCM: JERRY RUBIN Phone: (305) 622-3211	Phone: Fax: E-Mail: BST PCM: Stan Flanders Phone: (305) 622-3256
--	---

Job Size: S M L XL PSIAM 100% Utilized? Yes No Co-Locator? Yes No

30 **JOB DESC:**
 31
 32
 33

NPO Application Code

Equipment Type: POWER RCO
Accounting Classification FRC Area# : M6506 Authorization # : JMA5097

5

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:27

ORDER NO.: BHMA524600 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

1
2
3
4
5
6
7
8

NAME:	CLLI: NDADFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#:	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

14

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 04/13/1998 SHIP: 05/28/1998
SPECIAL SHIP AUTH: No	ON JOB: 06/14/1998 ADV.COMP:
MARK PACKAGES: BHMA524600	COMPLETE: 08/07/1998 SERVICE: 08/07/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO: (NDADFLGG03T)

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES TOPS REMOTE (BHMA524600) ERIC JOHNSON 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth Telecommunications, Inc. Scheduling Room 330 18560 N.W. 27th Avenue Miami, FL 33056
---	---

MAIL INSTALLER'S PAPERS TO: (NDADFLGG03T)

MAIL BILLING INFORMATION TO:

GOLDEN GLADES TOPS REMOTE (BHMA524600) ERIC JOHNSON 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
---	--

SEND COMPLETION NOTICE TO:

CONTACTS:

31
32

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

33
34
35
36
37
38

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: TOPS RCO: NS403400 AUTHORIZATION#: D1984
 ACCOUNTING CLASSIFICATION FRC: 117C Area: M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

6

Handwritten: 1.12.97
 1.15.97

POWER EQUIPMENT ORDER FOR BELLSOUTH TELECOMMUNICATIONS, INC.
 Prepared by _____ Page: 1 of 1
 ORDER #: **K31184** CODE: _____ Date: 15-Dec-97

2. TELCO ORDER # **WIMAS52800** APPX TYPE ORDER: (x) ENGINEER (x) FURNISH (x) INSTALL

3. CUSTOMER SERVICE CONTACT JOB LOCATION

Handwritten: 10 9 8 7 6 5 4 3 2 1
 Name: _____ C.L.I: **NDADFT.GG Earth Quake Zone 0**
 Tel #: _____ Base: **6U39**
 Fax #: _____ Address: **18400 N.E. 5th AVI**
 E-Mail = _____ City: **North Miami Beach**
 Installation State: **FL** Zip: **33162**
 Phone: _____ County: **Dade** Dist: **South**

CONTRACT # **LS096PR9579A**

SHIPPING INFORMATION	SCHEDULE INFORMATION
Number of Shipments 1 2 3 Ship to address if other than site	Bldg Ready: Now Ship Date: 1/16/98 Arrive Job Site: 11/20/98 Start Date: 11/20/98 Complete Date: 12/23/98 Service: 2/23/98 Adv Complete : Adv Complete Detail:

Handwritten: 3/2
 MH
 Ship 1-15
 out to 1-24
 & 1-27

CONTACTS

20 Central Office Supervisor: **James E. Collins**
 21 Phone: (305) 651-9917
 22 Fax: (305) 653-7650
 23 Address: 18400 N. E. 5th
 24 Miami, FL 33132
 BST CSCM:
 Phone: (305) 622-3280
 Phone: _____
 Fax: _____
 E-Mail: _____
 BST PCM: **Stan Flanders**
 Phone: (305) 622-3256

Handwritten: Conf 12-23-97
 Sub

Job Size: S M L XL PSIAM 100% Utilized? Yes No Co-Locutor? Yes No

29 JOB DESC:
 30
 31
 32
 33

NPO Application Code
 Equipment Type: **POWER** RC0
 Accounting Classification **FRC** Area# : **M6506** Authorization # : **JMAS528**

Handwritten: M

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:23

ORDER NO.: BHMA554200 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: CLLI: NDADFLGG EARTH QUAKE ZONE:
 ADDR: BASE#: T-6U39 EIU REQUIRED: Yes
 ADDRESS: 18400 NE 5TH AVE
 CITY: NORTH DADE
 STATE: FL ZIP: 33179
 Tel#: COUNTY: DADE DIST.:
 FAX#: Contact: ERIC JOHNSON
 CONTRACT#: Turf Order Contact Ph.: (305) 651-9917

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated BLDG RDY: Now
 SHIP VIA: Best Way ORDER DUE: 01/09/1998 SHIP: 01/19/1998
 SPECIAL SHIP AUTH: No ON JOB: 01/22/1998 ADV.COMP: 02/06/1998
 MARK PACKAGES: BHMA554200 COMPLETE: 02/27/1998 SERVICE: 04/14/1998
 ASSOC. PROJECTS: ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
Scheduling

1243 CLINT MOORE ROAD
BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

BellSouth
PPRM Group - South Florida
Room 5DD1
301 West Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications
Debbie Llano Fax:(305) 622-3292
Room 330
18560 NW 27th Avenue
Miami, FL 33056
 Bell South Contact:
 Telephone: () -
 CSCM: Jerry . Rubin
 Telephone: (305) 622-3211
 Prepared By:
 Telephone:

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS305000 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

(Handwritten mark)

1.
2.
3.
4.
5.

19
20
21
22
23
24
25

31
32

33
34

35
36

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA554200	APPX NUMBER: 0

BHMA554200 - WORK ITEMS

1
2
3
4
5
6
7

9

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:29

ORDER NO.: BHMA555400 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA555400 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 01/15/1998 SHIP: 02/14/1998 ON JOB: 03/02/1998 ADV. COMP: COMPLETE: 03/31/1998 SERVICE: 03/31/1998 ADV. COMP. DET:
--	---

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling
 Suite #4
 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS403200 AUTHORIZATION#:
 ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA555400	APPX NUMBER: 1

WORK ITEMS:

1
2
3
4
5

BHMA555400, APPENDIX 1 -

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:31

ORDER NO.: BHMA556400 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6039 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA556400 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 01/16/1998 SHIP: 02/02/1998 ON JOB: 02/16/1998 ADV.COMP: COMPLETE: 02/20/1998 SERVICE: 03/13/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

	BellSouth Telecommunications, Inc. Scheduling Suite #4 1243 CLINT MOORE ROAD BOCA RATON, FL 33487
--	---

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS403200 AUTHORIZATION#:
 ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE:
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

12

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA556400	APPX NUMBER: 1

WORK ITEMS:

- 1
- 2
- 3

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:31

ORDER NO.: BHMA561600 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME:	CLLI: NDADFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#: Turf Order	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 02/11/1998 SHIP: 02/25/1998
SPECIAL SHIP AUTH: No	ON JOB: 03/02/1998 ADV.COMP:
MARK PACKAGES: BHMA561600	COMPLETE: 03/11/1998 SERVICE: 03/11/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

	BellSouth Telecommunications, Inc. Scheduling Suite #4 1243 CLINT MOORE ROAD BOCA RATON, FL 33487
--	---

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

TEO prepared by:
BST CCM: Yvonne Harris (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS403200 AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE:
TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

14

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:31

ORDER NO.: BHMA562200 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6039 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA562200 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 02/16/1998 SHIP: 03/02/1998 ON JOB: 03/09/1998 ADV.COMP: COMPLETE: 03/27/1998 SERVICE: 03/27/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling
 Suite #4
 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO prepared by:
 BST CCM: Yvonne Harris

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: HCX RCO: NS403200 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: Area: M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

15

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:31

ORDER NO.: BHMA562600 Appx: 3 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: SR-1274-S	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
---	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA562600 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 03/12/1998 SHIP: 04/14/1998 ON JOB: 04/21/1998 ADV.COMP: COMPLETE: 05/15/1998 SERVICE: 05/15/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling
 Suite #4
 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

TEO APPENDIX PREPARED BY:
 BST CCM: YVONNE HARRIS (305)622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS403200 AUTHORIZATION#:
 ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA562600	APPX NUMBER: 3

1 WORK ITEMS:

- 2
- 3
- 4
- 5

6 NOTE:

9 BHMA562600 APPENDIX 1 WORK ITEMS AND NOTE:

- 10
- 11
- 12
- 13
- 14
- 15

16 BHMA562600 APPENDIX 2 WORK ITEMS:

- 17
- 18

19 BHMA562600 APPENDIX 3 NOTE:

- 20
- 21

17

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:32

ORDER NO.: BHMA578000 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA578000 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 04/22/1998 SHIP: 04/22/1998 ON JOB: 05/04/1998 ADV. COMP: COMPLETE: 05/22/1998 SERVICE: 05/22/1998 ADV. COMP. DET:
--	---

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling

 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO Appendix prepared by:
 BST CCM: Yvonne Harris (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH	RCO: NS403300	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____
TELCO ORDER APPROVAL			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

18

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA578000	APPX NUMBER: 1

BHMA578000, WORK ITEMS -

1
2

19

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:32

ORDER NO.: BHMA594000 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: SR-1274-S	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
---	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA594000 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 07/06/1998 SHIP: 08/10/1998 ON JOB: 08/24/1998 ADV.COMP: COMPLETE: 09/13/1998 SERVICE: 09/13/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling

 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Yvonne F. Harris Telephone: (305) 622-3270 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

TEO APPENDIX PREPARED BY:
 BST CCM: YVONNE HARRIS (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: TEST	RCO: NS403200	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

20

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA594000	APPX NUMBER: 1

BHMA594000 WORK ITEMS:

1
2
3
4
5
6
7
8
9
10

BHMA594000 WORK ITEMS:

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:32

ORDER NO.: BHMA605700 Appx: 2 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

ORDER PLACED ON COMPANY:	JOB LOCATION:
NAME:	CLLI: NDADFLGG EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39 EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE
	CITY: NORTH DADE
ATTN:	STATE: FL ZIP: 33179
Tel#:	COUNTY: DADE DIST.:
FAX#:	Contact: ERIC JOHNSON
CONTRACT#: SR-1274-S	Contact Ph.: (305) 651-9917

SHIPPING INFORMATION:	SCHEDULE INFORMATION:
SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 08/10/1998 SHIP: 08/17/1998
SPECIAL SHIP AUTH: No	ON JOB: 08/24/1998 ADV.COMP:
MARK PACKAGES: BHMA605700	COMPLETE: 09/11/1998 SERVICE: 09/11/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO:	SEND SCHEDULE INFORMATION TO:
	BellSouth Telecommunications, Inc. Scheduling
	1243 CLINT MOORE ROAD BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:	MAIL BILLING INFORMATION TO:
	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:	CONTACTS:
BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Fernando . Menendez Telephone: (305) 622-3253 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:

TEO APPENDIX PREPARED BY:
BST CCM: FERNANDEZ MENENDEZ (305) 622-3253

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH RCO: NS403200

ACCOUNTING CLASSIFICATION FRC: Area:M6506 AUTHORIZATION#: DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

22

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA605700	APPX NUMBER: 2

1 Appx: 0 TEO: BHMA605701 From:

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA605700	APPX NUMBER: 2

1 BHMA605700 WORK ITEMS:

2

3 SYNC ASSIGNMENTS:

4

5
6
7

CARD	OUTPUT	TYPE	EQPLOC	EQPTYPE	EQPNAME	UNIT	USE	EFFECTIVE	NOTE
1		T08							
2		T08							

8 BHMA605700 WORK ITEMS:

9

1. ADD PASS THROUGH JUMPERS AS FOLLOWS:

A B C D

CO
NDADFLBR

MIAMFLPB

MIAMFLPL

MIAMFLAE

MIAMFLFL

MIAMFLGR

NDADFLAC

MIAMFLHL

MIAMFLWM

30 BHMA605700 APPENDIX 2 NOTE:

31
32

24

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:33

ORDER NO.: BHMA606500 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: (ACSI) JOB LOCATION:

NAME: CLLI: NDADFLGG EARTH QUAKE ZONE:
 ADDR: BASE#: T-6U39 EIU REQUIRED: Yes
 ADDRESS: 18400 NE 5TH AVE
 CITY: NORTH DADE
 STATE: FL ZIP: 33179
 COUNTY: DADE DIST.:
 Contact: ERIC JOHNSON
 Contact Ph.: (305) 651-9917

CONTRACT#: SR-1274-S

SHIPPING INFORMATION: SCHEDULE INFORMATION:
 SHIP: Consolidated BLDG RDY: Now
 SHIP VIA: Best Way ORDER DUE: 08/17/1998 SHIP: 08/24/1998
 SPECIAL SHIP AUTH: No ON JOB: 08/28/1998 ADV.COMP:
 MARK PACKAGES: BHMA606500 COMPLETE: 09/12/1998 SERVICE: 09/12/1998
 ASSOC. PROJECTS: ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling
 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications
 Debbie Llano Fax: (305) 622-3292
 Room 330
 18560 NW 27th Avenue
 Miami, FL 33056

Bell South Contact: Yvonne F. Harris
 Telephone: (305) 622-3270
 CSCM: Jerry . Rubin
 Telephone: (305) 622-3211
 Prepared By:
 Telephone:

TEO. PREPARED BY:
 BST CCM: YVONNE HARRIS (305) 622-3232

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: CSP RCO: NS403200 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: Area: M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

25

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA606500	APPX NUMBER: 0

1
2
3
4

Appx: 0 TEO: BHMA606502 From:

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	
2	FURNISH		\$0	\$0	\$0	

> ln

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA606500	APPX NUMBER: 0

BHMA606500 WORK ITEMS:

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:33

ORDER NO.: BHMA606900 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	--

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA606900 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 08/17/1998 SHIP: 09/14/1998 ON JOB: 09/21/1998 ADV.COMP: COMPLETE: 10/16/1998 SERVICE: 10/16/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

06900)	BellSouth Telecommunications, Inc. Scheduling 1243 CLINT MOORE ROAD BOCA RATON, FL 33487
--------	---

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Jack H. Jackson Telephone: (305) 622-3232 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	--

TEO PREPARED BY:
 BST CCM: JACK JACKSON (305) 622-3232

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SNH	RCO: NS403200	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

28

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA606900	APPX NUMBER: 0

1
2
3

Appx: 0	TEO: BHMA606901	From: ' '				
Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	

2.9

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA606900	APPX NUMBER: 0

1 BHMA606900 WORK ITEMS AND NOTE:

2
3 SYNC ASSIGNMENTS:

4 SHELF 3

5
CARD OUTPUT TYPE EQPLOC EQPTYPE EQPNAME UNIT USE EFFECTIVE NOTE

30

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:33

ORDER NO.: BHMA607100 Appx: 0

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME:	CLLI: NDADFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#: Turf Order	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 08/14/1998 SHIP: 08/17/1998
SPECIAL SHIP AUTH: No	ON JOB: 08/24/1998 ADV.COMP: 08/31/1998
MARK PACKAGES: BHMA607100	COMPLETE: 08/31/1998 SERVICE: 08/31/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
Scheduling

1243 CLINT MOORE ROAD
BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
PPRM Group - South Florida
Room 5DD1
301 West Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications	Bell South Contact: Yvonne F. Harris
Debbie Llano Fax: (305) 622-3292	Telephone: (305) 622-3270
Room 330	CSCM: Jerry . Rubin
18560 NW 27th Avenue	Telephone: (305) 622-3211
Miami, FL 33056	Prepared By:
	Telephone:

TEO PREPARED BY:
BST CCM: YVONNE HARRIS (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: CSP	RCO: NS403200	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____
TELCO ORDER APPROVAL			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607100	APPX NUMBER: 0

1
2
3
4

Appx: 0 TEO: BHMA607102 From:

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	
2	FURNISH		\$0	\$0	\$0	

32

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607100	APPX NUMBER: 0

BHMA607100 WORK ITEMS:

1
2
3
JMC

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:34

ORDER NO.: BHMA607200 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: . ADDR: . ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDAFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	--

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA607200 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 08/14/1998 SHIP: 08/17/1998 ON JOB: 08/24/1998 ADV.COMP: COMPLETE: 08/31/1998 SERVICE: 08/31/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
 Scheduling

 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Yvonne F. Harris Telephone: (305) 622-3270 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO PREPARED BY:
 BST CCM: YVONNE HARRIS (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: CSP	RCO: NS403200	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____
TELCO ORDER APPROVAL			

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

34

31
32
33
34
35
36

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607200	APPX NUMBER: 0

1 Appx: 0 TEO: BHMA607202 From: L

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
2 1	FURNISH		\$0	\$0	\$0	
3 2	FURNISH		\$0	\$0	\$0	

35

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607200	APPX NUMBER: 0

1
2
3
4
5

BHMA607200 WORK ITEMS:

36

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: _____ DATE RECEIVED: _____ DATE: Oct 5, 1998 at 17:34

ORDER NO.: BHMA607500 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: _____ JOB LOCATION: _____

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION: _____ SCHEDULE INFORMATION: _____

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA607500 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 08/11/1998 SHIP: 08/15/1998 ON JOB: 08/24/1998 ADV.COMP: COMPLETE: 09/01/1998 SERVICE: 09/01/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO: _____ SEND SCHEDULE INFORMATION TO: _____

BellSouth Telecommunications, Inc.
Scheduling

1243 CLINT MOORE ROAD
BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: _____ MAIL BILLING INFORMATION TO: _____

BellSouth
PPRM Group - South Florida
Room 5DD1
301 West Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: _____ CONTACTS: _____

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Elaine A. Buri Telephone: (954) 492-2853 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO APPENDIX PREPARED BY:
BST CCM: ELAINE BURI (954) 492-2853

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SLH RCO: NS403300 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: _____ Area: M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

37

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607500	APPX NUMBER: 1

1
2
3

Appx: 0 TEO: BHMA607503 From: _____

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	

36

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA607500	APPX NUMBER: 1

BHMA607500 - WORK ITEMS

1

2
3

4
5

NOTE

6 BHMA607500 - NOTES

7
8
9
10

11
12

13 BHMA607500 - NOTES - APPENDIX 1

14
15
16
17
18

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:34

ORDER NO.: BHMA612700 Appx: 0

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME:
ADDR:

CLLI: NDADFLGG EARTH QUAKE ZONE:
BASE#: T-6U39 EIU REQUIRED: Yes
ADDRESS: 18400 NE 5TH AVE
CITY: NORTH DADE
STATE: FL ZIP: 33179
COUNTY: DADE DIST.:
Contact: ERIC JOHNSON
Contact Ph.: (305) 651-9917

ATTN:
Tel#:
FAX#:
CONTRACT#: Turf Order

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated
SHIP VIA: Best Way
SPECIAL SHIP AUTH: No
MARK PACKAGES: BHMA612700
ASSOC. PROJECTS:

BLDG RDY: Now
ORDER DUE: 09/30/1998 SHIP: 10/19/1998
ON JOB: 10/26/1998 ADV.COMP:
COMPLETE: 12/01/1998 SERVICE: 12/01/1998
ADV. COMP. DET:

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
Scheduling

1243 CLINT MOORE ROAD
BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

BellSouth
PPRM Group - South Florida
Room 5DD1
301 West Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications
Debbie Llano Fax: (305) 622-3292
Room 330
18560 NW 27th Avenue
Miami, FL 33056

Bell South Contact: Yvonne F. Harris
Telephone: (305) 622-3270
CSCM: Jerry . Rubin
Telephone: (305) 622-3211
Prepared By:
Telephone:

TEO prepared by:
BST CCM: Yvonne Harris (305)62-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: SHN RCO: NS403200
ACCOUNTING CLASSIFICATION FRC: 357C

Area: M6506

AUTHORIZATION#:

DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

40

TEOPS Custom Detail Component Requirements (Entire Project By TEO)

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA612700	APPX NUMBER: 0

Appx: 0 TEO: BHMA612701 From:

Item#	Action	Qty	Eng(\$)	Inst(\$)	Min Mat(\$)	Description
1	FURNISH		\$0	\$0	\$0	
2	FURNISH		\$0	\$0	\$0	
3	FURNISH		\$0	\$0	\$0	
4	FURNISH		\$0	\$0	\$0	
5	FURNISH		\$0	\$0	\$0	
6	FURNISH		\$0	\$0	\$0	
7	FURNISH		\$0	\$0	\$0	
8	FURNISH		\$0	\$0	\$0	
9	FURNISH		\$0	\$0	\$0	
10	FURNISH		\$0	\$0	\$0	
11.0	FURNISH		\$0	\$0	\$0	
12.0	FURNISH		\$0	\$0	\$0	
13.0	FURNISH		\$0	\$0	\$0	
14.0	FURNISH		\$0	\$0	\$0	
15.0	FURNISH		\$0	\$0	\$0	

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMA612700	APPX NUMBER: 0

1 BHMA612700 - WORK ITEMS

2 :

3

JCENT

42

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: _____ DATE RECEIVED: _____ DATE: Oct 5, 1998 at 17:35

ORDER NO.: BHMS758700 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: _____ JOB LOCATION: _____

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: Turf Order	CLLI: NDADFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
--	---

SHIPPING INFORMATION: _____ SCHEDULE INFORMATION: _____

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMS758700 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 12/15/1997 SHIP: 12/20/1997 ON JOB: 12/30/1997 ADV.COMP: COMPLETE: 01/30/1998 SERVICE: 01/30/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO: _____ SEND SCHEDULE INFORMATION TO: _____

BellSouth Telecommunications, Inc.
 Scheduling
 Suite #4
 1243 CLINT MOORE ROAD
 BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: _____ MAIL BILLING INFORMATION TO: _____

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: _____ CONTACTS: _____

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO prepared by:
 BST CCM: Yvonne Harris (305)622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: DLE	RCO: NS403000	Area: M6506	AUTHORIZATION#:
ACCOUNTING CLASSIFICATION FRC:			DATE: _____
TELCO ORDER APPROVAL _____			

43

20
 22
 23
 24
 33
 34
 35
 36
 37

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMS758700	APPX NUMBER: 0

1 WORK ITEMS:

2
3

4

5

6 NOTE:

8

9
10

11 BHMS758700, APPENDIX 1 -

12

13

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:35

ORDER NO.: BHMS758700 Appx: 1 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME:	CLLI: NDAFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#: Turf Order	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 12/15/1997 SHIP: 12/20/1997
SPECIAL SHIP AUTH: No	ON JOB: 12/30/1997 ADV.COMP:
MARK PACKAGES: BHMS758700	COMPLETE: 01/30/1998 SERVICE: 01/30/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

BellSouth Telecommunications, Inc.
Scheduling
Suite #4
1243 CLINT MOORE ROAD
BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

BellSouth
PPRM Group - South Florida
Room 5DD1
301 West Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

TEO Appendix prepared by:
BST CCM: Yvonne Harris (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: DLE RCO: NS403000 AUTHORIZATION#: _____
ACCOUNTING CLASSIFICATION FRC: Area: M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

45

TEOPS TEO Notes

BELLSOUTH TELECOMMUNICATIONS	
TELECO ORDER NUMBER: BHMS758700	APPX NUMBER: 1

1 WORK ITEMS:

2
3
4
5
6

7 NOTE:

8
9
10

11 BHMS758700, APPENDIX 1 -

12
13

1

40

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:35

ORDER NO.: BHMS760200 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall
 ORDER PLACED ON COMPANY: JOB LOCATION:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

NAME:	CELLI: NDADFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#: Turf Order	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION:	SCHEDULE INFORMATION:
SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 07/30/1998 SHIP: 08/30/1998
SPECIAL SHIP AUTH: No	ON JOB: 08/30/1998 ADV.COMP:
MARK PACKAGES: BHMS760200	COMPLETE: 08/30/1998 SERVICE: 08/30/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO:	SEND SCHEDULE INFORMATION TO:
	BellSouth Telecommunications, Inc. Scheduling 1243 CLINT MOORE ROAD BOCA RATON, FL 33487

MAIL INSTALLER'S PAPERS TO:	MAIL BILLING INFORMATION TO:
	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:	CONTACTS:
BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: VICKI L. GRIECO Telephone: (561) 912-3330 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:

TEO PREPARED BY:
BST CCM: YVONNE HARRIS (305) 622-3270

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: DLE RCO: TEMP000 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: Area:M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

47

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: _____ DATE RECEIVED: _____ DATE: Oct 5, 1998 at 17:40

ORDER NO.: BHMA523900 Appx: 0

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME:	CLLI: NDADFLGG	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.:
FAX#:	Contact: ERIC JOHNSON	
CONTRACT#: PR-6900-A	Contact Ph.: (305) 651-9917	

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 04/24/1998 SHIP: 06/12/1998
SPECIAL SHIP AUTH: No	ON JOB: 06/22/1998 ADV.COMP:
MARK PACKAGES: BHMA523900	COMPLETE: 09/13/1998 SERVICE: 09/13/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA523900) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth Telecommunications, Inc. Scheduling Room 330 18560 N.W. 27th Avenue Miami, FL 33056
--	---

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA523900) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax:(305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
--	---

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D100 RCO: NS403400
ACCOUNTING CLASSIFICATION FRC: 377C Area:M6506 AUTHORIZATION#: D2000
TELCO ORDER APPROVAL DATE: _____

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

48

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: H2E077

DATE RECEIVED:

DATE: Oct 5, 1998 at 17:38

ORDER NO.: BHMA523900 Appx: 1

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME:
ADDR:

CLLI: NDADFLGG EARTH QUAKE ZONE:
BASE#: T-6U39 EIU REQUIRED: No
ADDRESS: 18400 NE 5TH AVE
CITY: NORTH DADE
STATE: FL ZIP: 33179
COUNTY: DADE DIST.:
Contact: ERIC JOHNSON
Contact Ph.: (305) 651-9917

ATTN:
Tel#:
FAX#:

CONTRACT#: PR-6900-A

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: As Available
SHIP VIA: Best Way
SPECIAL SHIP AUTH: No
MARK PACKAGES: BHMA523900

BLDG RDY: Now
ORDER DUE: 04/24/1998 SHIP: 06/12/1998
ON JOB: 06/22/1998 ADV.COMP:
COMPLETE: 09/13/1998 SERVICE: 09/13/1998
ADV. COMP. DET:

ASSOC. PROJECTS:

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA523900)
SUPERVISOR
18400 NE 5TH AVE
MIAMI, FL 33162

BellSouth Telecommunications, Inc.
Scheduling
Room 330
18560 N.W. 27th Avenue
Miami, FL 33056

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA523900)
SUPERVISOR
18400 NE 5TH AVE
MIAMI, FL 33162

BellSouth
PPRM Group
Room 5DD1
301 W. Bay Street
Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications
Debbie Llano Fax: (305) 622-3292
Room 330
18560 NW 27th Avenue
Miami, FL 33056

Bell South Contact:
Telephone: () -
CSCM: Jerry . Rubin
Telephone: (305) 622-3211
Prepared By:
Telephone:

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D100 RCO: NS403400
ACCOUNTING CLASSIFICATION FRC: 377C

Area: M6506

AUTHORIZATION#: D2000
DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

49

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:44

ORDER NO.: BHMA545500 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall
 ORDER PLACED ON COMPANY: JOB LOCATION:

1-236-98

NAME: CLLI: NDADFLGGE65 EARTH QUAKE ZONE:
 ADDR: BASE#: T-6U39 EIU REQUIRED: No
 ADDRESS: 18400 NE 5TH AVE
 CITY: NORTH DADE
 STATE: FL ZIP: 33179
 COUNTY: DADE DIST.: NORTH DADE
 Contact: DON STARKIE
 CONTRACT#: PR-6900-A Contact Ph.: (305) 651-1296

SHIPPING INFORMATION: SCHEDULE INFORMATION:
 SHIP: Consolidated BLDG RDY: Now
 SHIP VIA: Best Way ORDER DUE: 12/12/1997 SHIP: 01/09/1998
 SPECIAL SHIP AUTH: No ON JOB: 01/16/1998 ADV.COMP:
 MARK PACKAGES: BHMA545500 COMPLETE: 01/23/1998 SERVICE: 01/23/1998
 ASSOC. PROJECTS: ADV. COMP. DET:

18

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:
 GOLDEN GLADES CENTRAL OFFICE (BHMA545500) BellSouth Telecommunications, Inc.
 SUPERVISOR Scheduling
 18400 NE 5TH AVE Room 330
 MIAMI, FL 33162 18560 NW 27th Avenue
 Miami, FL 33056

24

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:
 GOLDEN GLADES CENTRAL OFFICE (BHMA545500) BellSouth
 SUPERVISOR PPRM Group - South Florida
 18400 NE 5TH AVE Room 5DD1
 MIAMI, FL 33162 301 West Bay Street
 Jacksonville, FL 32202-4000

35
36

SEND COMPLETION NOTICE TO: CONTACTS:
 SWITCH CAPACITY MANAGEMENT Bell South Contact:
 ELIO SANCHEZ Fax:(305) 622-3292 Telephone: () -
 330 CSCM: Jerry . Rubin
 18560 NW 27th AVE Telephone: (305) 622-3211
 MIAMI, SF 33056 Prepared By:
 Telephone:

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D200 RCO: NS403400 AUTHORIZATION#: D1910
 ACCOUNTING CLASSIFICATION FRC: 377C Area:M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

50

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:44

ORDER NO.: BHMA512500 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

35
36
37
38
39
40
41
42
43
44

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME:	CLLI: NDADFLGGE65	EARTH QUAKE ZONE:
ADDR:	BASE#: T-6U39	EIU REQUIRED: Yes
	ADDRESS: 18400 NE 5TH AVE	
	CITY: NORTH DADE	
ATTN:	STATE: FL	ZIP: 33179
Tel#:	COUNTY: DADE	DIST.: NORTH DADE
FAX#:	Contact: DON STARKIE	
CONTRACT#: PR-6900-A	Contact Ph.: (305) 651-1296	

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 09/26/1997 SHIP: 01/03/1998
SPECIAL SHIP AUTH: No	ON JOB: 01/10/1998 ADV.COMP:
MARK PACKAGES: BHMA512500	COMPLETE: 03/15/1998 SERVICE: 03/15/1998
ASSOC. PROJECTS:	ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA512500) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth Telecommunications, Inc. Scheduling Room 330 18560 NW 27th Avenue Miami, FL 33056
--	---

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA512500) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO: CONTACTS:

SWITCH CAPACITY MANAGEMENT ELIO SANCHEZ Fax: (305) 622-3292 330 18560 NW 27th AVE MIAMI, SF 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D200 RCO: NS403400 AUTHORIZATION#: _____
ACCOUNTING CLASSIFICATION FRC: 377C Area: M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

51

```

** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** **
** ** ** ** ** **

```

```

***** ** ** ** ** ** ** ** ** ** ** **
***** ** ** ** ** ** ** ** **
** ** ** ** ** ** ** ** ** **
** ** ** ** ** ** **
***** ** ** **
***** ** **
** ** **
** ** **
***** ** **
***** **
***** **

```

```

***** ** ** **
***** ** **
** ** **
** ** **
***** **
** **
** **
***** **
***** **

```

52

```

***** *****
*****
** ** **
** ** **
** ** **
** ** **
** ** **
*****
*****

```

```

***** *****
*****
** ** **
** ** **
** ** **
** ** **
** ** **
*****
*****

```

```

** ***** *****
** *****
** ** **
** ** **
** *****
** *****
** *****
** *****
** *****

```

SUBMITTED BY: ELIO SANCHEZ
VM UserID: NORDXM01 AT NTIVMF
JOB TYPE: HOST
INI OR EXT: EXT
ISSUE: 405
CLLI: NDADFLGG01T

Provisioning And Quotation System for DMS-100 family
Equipment Summary (MESUM)

Option: 0 Base: 0 HARDWARE- PACKFILLED

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
-----------------------	--------------	----	-------------	-----	------	--------

Supernode

CCG0					CON	ST
CCG0						ST
CCG0					CON	ST
CCG0					CON	MD
CCG0					CON	ST
CCG0					CON	ST
CCG0					CON	ST
CCG0						ST
CCG0						ST

Dig Net Inter

DNA0					CON	ST
DNA0					CON	ST
DNA0					CON	ST
DNA0					CON	ST
DNA0					CON	ST
DNA0					CON	ST

Dig Net Inter

DNB0					CON	MD
DNB0					CON	ST
DNB0					CON	ST
DNB0					CON	ST

Dig Trk Equip

DTA0					CON	ST
DTA0					CON	ST
DTA0						ST
DTA0					CON	ST
DTA0					CON	ST
DTA0					CON	ST
DTA0					CON	ST
DTA0					CON	ST
DTA0					CON	ST

TEO #: BHMA512500
 CLLI : 1 TELCO AUTH #: EST #
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5125
 ISSUE: 405 LAST PROV: OCT 22,1997 : 405.5 PCL: LEC00007 DDATE: 980105
 RPT DTE: OCT 23,1997 TIME: 06:09:44 ARKIVE: N/A SHEET 1

Note: This information is property of and does not
constitute a commitment for the supply of equipment.

CCG0

DNA0

DNB0

DTA0

53

Option: 0 Base: 0 HARDWIRE PACKFILLED
 Status Definitions:
 MD - Manufacture Discontinued AM - Additions & Maintenance
 CN - Canceled ST - Standard

5.

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS

		DTAO				ST
		DTAO			CON	MD
		DTAO			CON	ST
		DTAO			CON	ST
		DTAO			CON	ST
ENET						

		ENAO				ST
		ENAO				ST
		ENAO				ST
		ENAO				ST
		ENAO				ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST
		ENAO				ST
		ENAO		CON		ST
		ENAO				ST

1-11-97

Option: 0 Base: 0

HARDWIRE PACKFILLED

Status Definitions:

MD = Manufacture Discontinued AM = Additions & Maintenance
CN = Canceled ST = Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
		SLA0			CON	MD
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST
		SLA0			CON	ST

Mtce Tools

		TLA0				ST
		TLA0				ST

Trk Mod Equip

		TMBO			CON	MD
		TMBO			CON	MD
		TMBO			CON	MD

SS

25

30

TEO #: BHMA512500
 CLLI : TELCO AUTH #: EST #
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5125
 ISSUE: 405 LAST PROV: OCT 22,1997 : 405.5 PCL: LEC00007 DDATE: 980105
 RPT DTE: OCT 23,1997 TIME: 06:09:44 ARKIVE: N/A SHEET 3
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

Software

Option: 0 Base: 0

DTE HARDWARE

PACKFILLED

CUST

EQUIPMENT DESCRIPTION

PRODUCT CODE

PQ

ADD

ADD

FLAG

SW Feature Pkgs

SWA0
SWA0
SNA0
SWA0
SWA0
SWA0
SWA0
SWA0
SWA0
SWA0

5-7

TEO #: BHMA512500

CLLI : TELCO AUTH #: EST #

JOBTYPE : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5125

ISSUE: 405 LAST PROV: OCT 22,1997 : 405.5 PCL: LEC00007 DDATE: 980105

RPT DTE: OCT 23,1997 TIME: 06:09:44 ARKIVE: N/A SHEET 5

Note: This information is property of m and does not constitute a commitment for the supply of equipment.

***** END OF REPORT *****

55
9

..
..
..
..
..
..
..
..
..
..

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

85

..
..
..
..
..
..
..
..
..
..

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

SUBMITTED BY: ELIO SANCHEZ
VM UserID: NORDXM01 AT NTIVMF
JOB TYPE: HOST
INI OR EXT: EXT
ISSUE: 406
CLLI: NDADFLGG01T

WN

Provisioning And Quotation System for DMS-100 family
Equipment Summary (MESUM)

Option: 0 Base: 0 QUICK RESPONSE ONLY

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
-----------------------	--------------	----	-------------	-----	------	--------

Dig Trk Equip

						ST
						ST
					CON	ST
					CON	ST
					CON	ST

ENET

						ST
						ST
						ST
					CON	ST
					CON	ST

Per Dist Cont

						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST
						CON	ST

Mtce Tools

			TLA0				ST
			TLA0			CON	ST

59

TEO #: BHMA575400
 CLLI : TELCO AUTH #: D2002
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5754
 ISSUE: 406 LAST PROV: MAY 01,1998 REL: 406.9 PCL: LEC00007 DDATE: 19980706
 RPT DTE: MAY 01,1998 TIME: 08:37:31 ARKIVE: N/A SHEET 1
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

***** END OF REPORT *****

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:45

ORDER NO.: BHMA575400 Appx: 0

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: PR-6900-A	CLLI: NDADFLGG01T EARTH QUAKE ZONE: BASE#: 6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: NORTH DADE Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
---	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: As Available SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA575400 ASSOC. PROJECTS:	BLDG RDY: Now ORDER DUE: 05/01/1998 SHIP: 07/06/1998 ON JOB: 07/13/1998 ADV.COMP: COMPLETE: 09/18/1998 SERVICE: 09/18/1998 ADV. COMP. DET:
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA575400) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth Telecommunications, Inc. Scheduling Room 330 18560 NW 27th Avenue Miami, FL 33056
--	---

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA575400) SUPERVISOR 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
--	--

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Elio A. Sanchez Telephone: (305) 622-3217 CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	--

PROJECT BHMA575400

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D200 RCO: NS403400 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: 377C Area: M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

60

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

PAGE: 1

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:46

ORDER NO.: BHMA599900 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

1
2
3
4
5
6
7
8

ORDER PLACED ON COMPANY: JOB LOCATION:

NAME: NORTEL	CLLI: NDADFLGG01T EARTH QUAKE ZONE:
ADDR: BUILDING B, DEPARTMENT 7912	BASE#: 6U39 EIU REQUIRED: No
5405 WINDWARD PARKWAY	ADDRESS: 18400 NE 5TH AVE
ALPHARETTA, GA 30004-3895	CITY: NORTH DADE
ATTN: EVELYN BOYD	STATE: FL ZIP: 33179
Tel#: (770) 708-4415	COUNTY: DADE DIST.: NORTH DADE
FAK#: (770) 708-4344	Contact: ERIC JOHNSON
CONTRACT#: PR-6900-A	Contact Ph.: (305) 651-9917

SHIPPING INFORMATION: SCHEDULE INFORMATION:

SHIP: Consolidated	BLDG RDY: Now
SHIP VIA: Best Way	ORDER DUE: 07/15/1998 SHIP: 08/15/1998
SPECIAL SHIP AUTH: No	ON JOB: 08/20/1998 ADV.COMP:
MARK PACKAGES: BHMA599900	COMPLETE: 10/02/1998 SERVICE: 10/02/1998
ASSOC. PROJECTS: NONE	ADV. COMP. DET:

SEND SHIPMENTS TO: SEND SCHEDULE INFORMATION TO:

18

GOLDEN GLADES CENTRAL OFFICE (BHMA599900)	BellSouth Telecommunications, Inc.
SUPERVISOR	Scheduling
18400 NE 5TH AVE	Room 330
MIAMI, FL 33162	18560 NW 27th Avenue
	Miami, FL 33056

MAIL INSTALLER'S PAPERS TO: MAIL BILLING INFORMATION TO:

24

GOLDEN GLADES CENTRAL OFFICE (BHMA599900)	BellSouth
SUPERVISOR	PPRM Group - South Florida
18400 NE 5TH AVE	Room 5DD1
MIAMI, FL 33162	301 West Bay Street
	Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO: CONTACTS:

BellSouth Telecommunications	Bell South Contact: Elio A. Sanchez
Debbie Llano Fax:(305) 622-3292	Telephone: (305) 622-3217
Room 330	CSCM: Jerry . Rubin
18560 NW 27th Avenue	Telephone: (305) 622-3211
Miami, FL 33056	Prepared By:
	Telephone:

35

NDADFLGG01T -- BHMA599500

36
37
38
39
40

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D200 RCO: NS403400 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: 377C Area:M6506 DATE: _____
 TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

61

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: _____ DATE RECEIVED: _____ DATE: Oct 5, 1998 at 17:46

ORDER NO.: BHMA524600 Appx: 0

TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY: _____

JOB LOCATION: _____

NAME: ADDR: ATTN: Tel#: FAX#: CONTRACT#: PR-6900-A	CLLI: NDAEFLGG EARTH QUAKE ZONE: BASE#: T-6U39 EIU REQUIRED: Yes ADDRESS: 18400 NE 5TH AVE CITY: NORTH DADE STATE: FL ZIP: 33179 COUNTY: DADE DIST.: Contact: ERIC JOHNSON Contact Ph.: (305) 651-9917
---	---

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated SHIP VIA: Best Way SPECIAL SHIP AUTH: No MARK PACKAGES: BHMA524600 ASSOC. PROJECTS: _____	BLDG RDY: Now ORDER DUE: 04/13/1998 SHIP: 05/28/1998 ON JOB: 06/14/1998 ADV.COMP: COMPLETE: 08/07/1998 SERVICE: 08/07/1998 ADV. COMP. DET: _____
--	--

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES TOPS REMOTE (BHMA524600) ERIC JOHNSON 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth Telecommunications, Inc. Scheduling Room 330 18560 N.W. 27th Avenue Miami, FL 33056
---	---

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

GOLDEN GLADES TOPS REMOTE (BHMA524600) ERIC JOHNSON 18400 NE 5TH AVE MIAMI, FL 33162	BellSouth PPRM Group - South Florida Room 5DD1 301 West Bay Street Jacksonville, FL 32202-4000
---	--

SEND COMPLETION NOTICE TO:

CONTACTS:

BellSouth Telecommunications Debbie Llano Fax: (305) 622-3292 Room 330 18560 NW 27th Avenue Miami, FL 33056	Bell South Contact: Telephone: () - CSCM: Jerry . Rubin Telephone: (305) 622-3211 Prepared By: Telephone:
---	---

GG03T: OPERATOR SERVICE GROWTH (OC-ETMS/DCM REPL)

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: TOPS RCO: NS403400 AUTHORIZATION#: D1984
 ACCOUNTING CLASSIFICATION FRC: 117C Area: M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

02

9 26 21 11 11

15

33
36

35
36
37
38
39
40

BELLSOUTH TELECOMMUNICATIONS, INC. - TELECOMMUNICATIONS EQUIPMENT ORDER

VENDOR'S ORDER#: DATE RECEIVED: DATE: Oct 5, 1998 at 17:48

ORDER NO.: BHMA575300 Appx: 0 TYPE ORDER: (E)ngineer (F)urnish (I)nstall

ORDER PLACED ON COMPANY:

JOB LOCATION:

NAME: CLLI: NDADFLGG04T EARTH QUAKE ZONE:
 ADDR: BASE#: T-6U39 EIU REQUIRED: Yes
 ADDRESS: 18400 NE 5TH AVE
 CITY: NORTH DADE
 STATE: FL ZIP: 33179
 COUNTY: DADE DIST.: NORTH DADE
 Contact: DON STARKIE
 Contact Ph.: (305) 651-1296

SHIPPING INFORMATION:

SCHEDULE INFORMATION:

SHIP: Consolidated BLDG RDY: Now
 SHIP VIA: Best Way ORDER DUE: 04/24/1998 SHIP: 06/29/1998
 SPECIAL SHIP AUTH: No ON JOB: 07/06/1998 ADV.COMP:
 MARK PACKAGES: BHMA575300 COMPLETE: 09/11/1998 SERVICE: 09/11/1998
 ASSOC. PROJECTS: ADV. COMP. DET:

SEND SHIPMENTS TO:

SEND SCHEDULE INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA575300)
 SUPERVISOR
 18400 NE 5TH AVE
 MIAMI, FL 33162

BellSouth Telecommunications, Inc.
 Scheduling
 Room 330
 18560 NW 27th Avenue
 Miami, FL 33056

MAIL INSTALLER'S PAPERS TO:

MAIL BILLING INFORMATION TO:

GOLDEN GLADES CENTRAL OFFICE (BHMA575300)
 SUPERVISOR
 18400 NE 5TH AVE
 MIAMI, FL 33162

BellSouth
 PPRM Group - South Florida
 Room 5DD1
 301 West Bay Street
 Jacksonville, FL 32202-4000

SEND COMPLETION NOTICE TO:

CONTACTS:

SWITCH CAPACITY MANAGEMENT
 ELIO SANCHEZ Fax:(305) 622-3292
 330
 18560 NW 27th AVE
 MIAMI, SF 33056

Bell South Contact: Elio A. Sanchez
 Telephone: (305) 622-3217
 CSCM: Jerry . Rubin
 Telephone: (305) 622-3211
 Prepared By:
 Telephone:

GOLDEN GLADES -- NDADFLGG04T

***** FOR TELCO USE ONLY *****

EQUIPMENT TYPE: D200 RCO: NS403400 AUTHORIZATION#: _____
 ACCOUNTING CLASSIFICATION FRC: 377C Area:M6506 DATE: _____

TELCO ORDER APPROVAL

NOTICE: NOT FOR USE/DISCLOSURE OUTSIDE BELLSOUTH EXCEPT UNDER WRITTEN AGREEMENT

63

00 00 00000 00000 0000 00000 000000
00 00 000000 000000 000000 000000 000000
00 00 00 00 00 00 00 00 00 00 00
00000000 00 000000 000000 00 00
00 00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 00 00 00 00
00 00 000000 000000 000000 000000 00
00 00 000000 000000 00000 000000 00

000000 00000 00 00 0000 000000 00 00 000000 00 00 000000
00000000 000000 00 00 0000 000000 00 00 000000 00 00 000000
00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000 00 00 00 00 00 00 00 000000 00 000000 000000 00
00000 00 00 00 00 00 00 00 000000 00 00 000000 00 000000
00 00 00 00 00 00 00 00 00 00 00 00 00 00
00000000 000000 000000 000000 00000 00 00 00 000000 00 00
00000000 00000 00000 00000 00 00 00 00 000000 00 00

00000 00 00 0 0 0 0 000 000000 00 00
000000 00 00 00 00 00 00 0000 000000 00 00
00 00 00 00 000000 000000 00 00 00 00 00
0000 00 00 000000 000000 000000 00 0000
000 00 00 00 00 00 00 00 00 000000 000000
00 00 00 00 00 00 00 00 00 000000 00
00 00 00 00 00 00 00 00 00 00 00 00
000000 000000 00 00 00 00 00 00 00 00
00000 00000 00 00 00 00 00 00 00 00

P.MA5246

104

000 000000 000000
00000 0000000 0000000
00 00 00 00 00 00
00 00 00 00 00 00
000000 000000 00 00
0000000 0000000
00 00 00 000000
00 00 00 00 00
00 00 00 00 00
00 00 00 00 00

00 000000
000 000000
00 00 00
00 00
00 00
00 00
0000 00
0000 00

00 00000 00000 00000
000 0000000 0000000 0000000
00 00 00 00 00 00
00 00 00 00 00 00
00 000000 000000 000000
00 000000 000000 000000
00 00 00 00 00 00
00 00 00 00 00 00
0000 000000 000000 000000
0000 00000 00000 00000

SUBMITTED BY: RICHARD GORE
VM UserID: NORDXM01 AT NTIVMF
JOB TYPE: HOST
INI OR EXT: EXT
ISSUE: 406
CALL: NDADELGG03T

Provisioning And Quotation System for DMS-100 family
Equipment Summary (MESUM)

Option: 0 Base: 0 GOLDEN GLADES

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
ISDN LTE		DNB0				ST
		LTD0			CON	ST
		LTD0			CON	ST
		LTD0			CON	ST
		LTD0			CON	ST
		LTD0			CON	ST
		LTD0			CON	ST
Net Dbl Shelf		NEGO				ST
		NEGO				ST
		NEGO				ST
		NEGO				ST
Pwr Dist Cont		PDA0			CON	ST
		PDA0				ST
		PDA0				ST
Speech Link Con		SLA0				ST
		SLA0				ST
Mtce Tools		TLA0			CON	ST

65

TEO #: BHMA524600

CLLI : TELCO AUTH #: D1984

JOBTYPE : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5246

ISSUE: 406 LAST PROV: APR 17,1998 : 406.9 PCL: LET00009 DDATE: 980615

RPT DTE: APR 17,1998 TIME: 11:47:23 ARKIVE: N/A SHEET 1

Note: This information is property of and does not
constitute a commitment for the supply of equipment.

Spares

Option: 0 Base: 0 GOLDEN GLADES

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
 CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST		FLAG	STATUS
			ADD	ADD		

Spares

			SPA0			ST
			SPA0			ST
			SPA0			ST
			SPA0			ST

TEO #: BHMA524600
 CLLI : TELCO AUTH #: D1984
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5246
 ISSUE: 406 LAST PROV: APR 17,1998 : 406.9 PCL: LET00009 DDATE: 980615
 RPT DTE: APR 17,1998 TIME: 11:47:23 ARKIVE: N/A SHEET 2
 Note: This information is property of and does not constitute a commitment for the supply of equipment.

100

70

00 00 0000 000000 0000 000000 000000
00 00 000000 000000 000000 000000 00
00 00 00 00 00 00 00 00 00 00
000000 00 0000 00 00 00 00 00
00 00 00 00 00 00 00 00 00
00 00 00 00 00 00 00 00 00
00 000000 000000 000000 000000 00
00 000000 000000 000000 000000 00

000000 0000 00 00 0000 000000 00 00 000000 00 00 000000
000000 00 00 00 00 00 00 00 000000 00 00 000000 00
00 00 00 00 00 00 00 00 000000 00 0000 00 00
000000 00 00 00 00 00 00 000000 000000 000000 00
00 00 00 00 00 00 00 00 00 00 00 00 00
000000 000000 000000 0000 00 00 00 000000 00 00
000000 0000 00 0000 0000 00 00 00 000000 00 00

00000 00 00 00 00 00 00 00000 00 00
000000 00 00 00 00 00 00 000000 00 00
00 00 00 00 000000 000000 00 00 00 00
0000 00 00 000000 000000 000000 00 0000
0000 00 00 00 00 00 00 000000 000000
00 00 00 00 00 00 00 00 000000 00
000000 000000 00 00 00 00 00 00 00 00
00000 00000 00 00 00 00 00 00 00 00

P.MA 5239

00 00 000 00 00
00 00 0000 00 00
000000 00 00 00
000000 000000 0000
00 00 000000 00
00 00 00 00 00
00 00 00 00 00
00 00 00 00 00
00 00 00 00 00

00000 000000
000000 000000
00 00 00 00
00 00 00 00
00 00 00 00
00 00 00 00
00 00 00 00
000000 00 00
00000 00 00

00 00000 0000 00000
00 000000 000000 000000
00 00 00 00 00 00 00
00 00 00 00 00 00
00 000000 000000 00000
00 000000 000000 00000
00 00 00 00 00 00
00 00 00 00 00 00
00 00 00 00 00 00
0000 000000 000000 000000
0000 00000 00000 00000

SUBMITTED BY: RICHARD GORE
VM UserID: NORDXM01 AT NTIVMF
JOB TYPE: HOST
INI OR EXT: EXT
ISSUE: 406
CLT: NDADELCDSO

Provisioning And Quotation System for family
Equipment Summary (MESUM)

Option: 0 Base: 0 NDADFLGGDS0 E-21, 6 LM/LCM, 2 DTC, 2 SMS, LCME

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

900

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STAT"
Supernode		BDA0			CON	ST
		CCG0				ST
		CCG0			CON	ST
		CCG0			CON	ST
Dig Net Inter						
		DNB0				ST
Dig Trk Equip						
		DTA0			CON	ST
		DTA0				ST
		DTA0			CON	ST
		DTA0			CON	ST
		DTA0				ST
		DTA0			CON	ST
		DTA0			CON	ST
		DTA0			CON	ST
		DTA0			CON	ST
Line Conc Equip						
		LCA0				ST
		LCA0				ST
		LCA0				ST
		LCA0			CON	ST
		LCA0			CON	ST
ISDN LCE						
		LCG0				ST
		LCG0			CON	ST
		LCG0			CON	ST

11

39

43

NTI COEO: H2E077 TEO #: BHMA523900
 JOBNAME : H2E077 CLLI : NDADFLGGDS0 TELCO AUTH #: D1234
 JOBTYPK : HONT OPTION:0 BANK:0 TRAFF ORDER #: PMA0219
 ISSUE: 406 LAST PROV: MAY 07,1998 REL: 406.9 PCL: LEC00007 DDATE: 19980720
 RPT DTE: MAY 07,1998 TIME: 14:37:25 ARKIVE: N/A SHEET 1
 Note: This information is property of Northern Telecom and does not
 constitute a commitment for the supply of equipment.

Option: 0 Base: 0 E-21, 6 LM/LCM, 2 DTC, 2 SMS, LCME
 Status Definitions:
 MD - Manufacture Discontinued AM - Additions & Maintenance
 CN - Canceled ST - Standard

5-20-98

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
Line Grp Equip						
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
		LGA0			CON	ST
ISDN LGE						
		LGDO				ST
		LGDO				ST
		LGDO				ST
		LGDO				ST
		LGDO		CON		ST
		LGDO		CON		ST
STP Link Intf						
		LICO			CON	MD
		LICO			CON	ST
LME4-Port						
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	MD
		LMM0			CON	ST
Net Dbl Shelf						
		NEGO			CON	ST
		NEGO				ST
		NEGO				ST
		NEGO			CON	ST

72

40
41
45

TEO #: BHMA523900
 CLLI : TELCO AUTH #: D1234
 JOBTYP : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5239
 ISSUE: 406 LAST PROV: MAY 07, 1998 REL: 406.9 PCL: LEC00007 DDATE: 19980720
 RPT DTE: MAY 07, 1998 TIME: 14:37:25 ARKIVE: N/A SHEET 2
 Note: This information is property of _____ does not
 constitute a commitment for the supply of equipment.

Option: 0 Base: 0 E-21, 6 LM/LCM, 2 DTC, 2 SMS, LCME
 Status Definitions:
 MD - Manufacture Discontinued AM - Additions & Maintenance
 CN - Canceled ST - Standard

5

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS

Pwr Dist Cont						
		PDA0			CON	ST
		PDA0				ST
		PDA0				ST
		PDA0				ST

Subs Carr Mod						
		SCA0			CON	ST
		SCA0			CON	ST
		SCA0			CON	ST
		SCA0			CON	ST
		SCA0			CON	ST

Speech Link Con						
		SLA0				ST
		SLA0			CON	ST

Mtce Tools						
		TLA0				ST
		TLA0				ST

73

24
25

29

 TEO #: BHMA523900
 CLLI : TELCO AUTH #: D1234
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5239
 ISSUE: 406 LAST PROV: MAY 07,1998 REL: 406.9 PCL: LEC00007 DDATE: 19980720
 RPT DTE: MAY 07,1998 TIME: 14:37:25 ARKIVE: N/A SHEET 3
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

Spares

Option: 0 Base: 0 E-21, 6 LM/LCM, 2 DTC, 2 SMS, LCME
 Status Definitions:
 MD - Manufacture Discontinued AM - Additions & Maintenance
 CN - Canceled ST - Standard

W-21

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
-----------------------	--------------	----	-------------	-----	------	--------

Spares

SPA0

ST

74

CP
L

TEO #: BHMA523900
 CLLI : TELCO AUTH #: D1234
 JOBTYP E : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5239
 ISSUE: 406 LAST PROV: MAY 07,1998 REL: 406.9 PCL: LEC00007 DDATE: 19980720
 RPT DTE: MAY 07,1998 TIME: 14:37:25 ARKIVE: N/A SHEET 4
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

***** END OF REPORT *****

```

      00 00 00 000000 000000 000000 00000000
      00 00 000 0000000 0000000 0000000 0000000
      00 00 00 00 00 00 00 00 00 00 00 00
      00 00 00 00 00 00 00 00 00 00 00 00
      00000000 00 00 00 00 0000000 0000000
      00000000 00 00 00 00 00 000000 000 00
      00 00 00 00 00 00 00 00 00 00 00 00
      00 00 00 00 00 0000 00 0000 00 00 00 00
      00 00 0000 0000000 0000000 0000000 0000000
      00 00 00000 00000 0000000 000000 000000
      0000000 000000 00 00 00000 0000000 0 0 00000000 00 00 000000
      00000000 00000000 00 00 0000 00000000 00 00 00000000 00 00 000000
      00 00 00 00 00 00 00 00 00 00 00000000 00 0000 00 00
      00 00 00 00 00 00 00 00 00 00 00000000 00 000000 00
      000000 00 00 00 00 00 00 00000000 00000000 000000 00000000 00
      000000 00 00 00 00 00 00 00000000 00 0 00 000000 00 00000 00
      00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
      00 00 0000 00 00 00 00 00 00 00 00 00 00 00 00
      00000000 0000000 00000000 00000 00 00 00 00000000 00 00 00
      00000000 00000 0 000000 00000 00 00 00 00 00000000 00 00 00
    
```

```

      000000 00 00 0 0 0 0 0000 000000 00 00 000000
      00000000 00 00 00 00 00 00 000000 00000000 00 00 000000
      00 00 00 00 00 00 00 00 00 000 000 00 000 00 00
      00 00 00 00 00 00 00 00 00 00000000 00 000000 00
      000000 00 00 00 00 00 00 00000000 00000000 000000 00000000 00
      000000 00 00 00 00 00 00 00000000 00 0 00 000000 00 00000 00
      00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
      00 00 0000 00 00 00 00 00 00 00 00 00 00 00 00
      00000000 0000000 00000000 00000 00 00 00 00000000 00 00 00
      00000000 00000 0 000000 00000 00 00 00 00 00000000 00 00 00
    
```

```

      000000 00 00 0 0 0 0 0000 000000 00 00 000000
      00000000 00 00 00 00 00 00 000000 00000000 00 00 000000
      00 00 00 00 00 00 00 00 00 000 000 00 000 00 00
      00 00 00 00 00 00 00 00 00 00000000 00 000000 00
      000000 00 00 00 00 00 00 00000000 00000000 000000 00000000 00
      000000 00 00 00 00 00 00 00000000 00 0 00 000000 00 00000 00
      00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00
      00 00 0000 00 00 00 00 00 00 00 00 00 00 00 00
      00000000 0000000 00000000 00000 00 00 00 00000000 00 00 00
      00000000 00000 0 000000 00000 00 00 00 00 00000000 00 00 00
    
```

57

P. MA3804

```

      000 000000 000000
      00000 0000000 0000000
      00 00 00 00 00 00
      00 00 00 00 00 00
      0000000 0000000 00 00
      00000000 0000000
      00 00 00 000000
      00 00 00 00 00
      00 00 00 00 00
      00 00 00 00 00
    
```

```

      00 00
      000 000
      00 00
      00 00
      00 00
      00 00
      00 00 00
      000 0000 0
      0000 0000 0
    
```

```

      00 00000 00000 0000000
      000 0000000 0000000 0000000
      00 00 00 00 00 00 00
      00 00 00 00 00 00
      00 000000 000000 00
      00 00 00 00 00
      00 00 00 00 00
      00 00 00 00 00
      0000 0000000 00000000 00
      0000 00000 00000 00
    
```

SUBMITTED BY: RICHARD GORE
 VM UserID: ATMXC03 AT NTIVMF
 JOB TYPE: HOST
 INI OR EXT: EXT
 ISSUE: 404
 CLLI: NDADFLGDS0

Provisioning And Quotation System for family
Equipment Summary (NESUM)

Option: 0 Base: 0 MDADFLGGDS0 E-19, ADD 4-lcm, 1-dtc, 2-sms, 1-esma2, 1nm

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	ADD	FLAG
Supernode		CCGO		
		CCGO		CON
		CCGO		
		CCGO		
Dig Net Inter		DN80		
Dig Trk Equip		DTAO		CON
		DTAO		
Input/Output Eq		IOD0		
Line Conc Equip		LCAO		
		LCAO		
		LCAO		
		LCAO		
		LCAO		
Line Grp Equip		LGAO		
		LGAO		
		LGAO		
		LGAO		
		LGAO		
		LGAO		
		LGAO		CON

MVME Frame

TEO #: BHMA380400
 CLLI : TELCO AUTH #: P3804
 JOBTYP: HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA3804
 ISSUE: 404 LAST PROV: APR 11, 1997 : 404.2 PCL: LECOB007 DDATE: 970602
 RPT DTE: APR 11, 1997 TIME: 17:14:28 ARKIVE: N/A SHEET 1
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

70

Option: 0 base: 0

19, ADD 4-lcm, 1-dtc,2-sms,1-esma2,1nm

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	ADD	FLAG
		MVKO		
		MVKO		
		MVKO		
		MVKO		
		MVKO		
		MVKO		
		MVKO		CON
		MVKO		CON
		MVKO		
		MVKO		
		MVKO		
		MVKO		
		MVKO		

Net Dbl Shelf

NEGO
NEGO
NEGO

Pwr Dist Cont

PDAO
PDAO
PDAO

Subs Carr Mod

SCAO
SCAO
SCAO
SCAO
SCAO
SCAO
SCAO
SCAO
CON
CON
CON
CON
CON

Speech Link Con

SLAO
SLAO
CON

Mtce Tools

TLAO

UL

2
0

TEO #: BHMA380400
 CLLI : TELCO AUTH #: P3804
 JOBTYPE : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA3804
 ISSUE: 404 LAST PROV: APR 11,1997 : 404.2 PCL: LECOB007 DDATE: 970602
 RPT DTE: APR 11,1997 TIME: 17:14:28 ARKIVE: N/A SHEET 2
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

Spares

Option: 0 Base: 0 19, ADD 4-lcm, 1-dtc, 2-smc, 1-esma2, 1nm

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	ADV	FLAG
-----------------------	--------------	----	-----	------

Spares

SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0
SPA0

67

21
22

JOBTYPE : HOST	CLLI :	OPTION:0	BASE:0	TRAFF ORDER #:	PMA3804	TEO #:	BHMA380400
ISSUE: 404	LAST PROV: APR 11, 1997	:	404.2	PCL: LEC0B007	DDATE: 970602	TELCO AUTH #:	P3804
RPT DTE: APR 11, 1997	TIME: 17:14:28	ARKIVE: N/A	SHEET	4			

24 Note: This information is property of and does not constitute a commitment for the supply of equipment.

Software

Option: 0 Base: 0 19, ADD 4-lcm, 1-dtc, 2-sms, 1-esma2, 1nm

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	ADD	FLAG
-----------------------	--------------	----	-----	------

SW Feature Pkgs

SWAO
SWAO
SWAO
SWAO
SWAO
SWAO

SW Master Pkgs

SWBO
SWBO

Non-CM NCL

SWDO CON

28

55

21

TEO #: BHMA380400
 CLLI : TELCO AUTH #: P3804
 JUBITPE : HOST OPTION:u BASE:0 TRAFF ORDER #: PMA3804
 ISSUE: 404 LAST PROV: APR 11, 1997 : 404.2 PCL: LEC08007 DDATE: 970602
 RPT DTE: APR 11, 1997 TIME: 17:14:28 ARKIVE: N/A SHEET 5
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

***** END OF REPORT *****

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

SUBMITTED BY: ELIO SANCHEZ
VM UserID: NORDXM01 AT NTIVMF
JOB TYPE: HOST
INI OR EXT: EXT
ISSUE: 406
.....

18

Provisioning And Quotation System for family
Equipment Summary (MESUM)

Option: 0 Base: 0 10 DTE E/W 20 DTC's "QUICK RESPONSE"

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
Dig Trk Equip						
		DTA0				ST
		DTA0		CON		ST
		DTA0				ST
		DTA0				ST
		DTA0		CON		ST
		DTA0		CON		ST
		DTA0		CON		ST
		DTA0				ST
		DTA0		CON		ST
ENET						
QUAD DS-512 FIBER I/F PB		ENA0				ST
FILLER PADDLEBOARD CP		ENA0		CON		ST
STP Link Interf						
		LIA0		CON		ST
		LIA0		CON		ST
		LIA0		CON		ST
Pwr Dist Cont						
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST
		PDA0		CON		ST

TEO #: BHMA575300

CLLI : TELCO AUTH #: EST #XXXX

JOBTYPE : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5753

ISSUE: 406 LAST PROV: APR 22,1998 : 406.9 PCL: LEC00007 DDATE: 980629

RPT DTE: APR 22,1998 TIME: 14:17:27 ARKIVE: N/A SHEET 1

Note: This information is property of and does not constitute a commitment for the supply of equipment.

82

5-22-98

Option: 0 Base: 0 10 DTE E/W 20 DTC's "QUICK RESPONSE"

Status Definitions:

MD - Manufacture Discontinued AM - Additions & Maintenance
CN - Canceled ST - Standard

EQUIPMENT DESCRIPTION	PRODUCT CODE	PQ	CUST ADD	ADD	FLAG	STATUS
Mtce Tools						
		TLAO				ST
		TLAO			CON	ST

83

10
11

15

TEO #: BHMA575300
 CLLI : TELCO AUTH #: EST #XXXX
 JOBTYP : HOST OPTION:0 BASE:0 TRAFF ORDER #: PMA5753
 ISSUE: 406 LAST PROV: APR 22,1998 : 406.9 PCL: LEC00007 DDATE: 980629
 RPT DTE: APR 22,1998 TIME: 14:17:27 ARKIVE: N/A SHEET 2
 Note: This information is property of and does not
 constitute a commitment for the supply of equipment.

***** END OF REPORT *****

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DOCKET 980800-TP

SUPRA'S SECOND REQUEST FOR PRODUCTION OF
DOCUMENTS

P.O.D. NO. 33

PROPRIETARY

Work Request 980316271873

Phase - 001

Work Request	980316271873	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ	18400 NE 5 AVENUE	
POC	ELECTRONIC TECH	Phone	3056511296
Category	MTCE	MIAMI	FL 33162
Status	01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	03/16/1998		13320 SW 36TH ST
Due Date	03/16/1998		MIAMI
Authorizer	[REDACTED]		FL 33175
Project		Work Code	020002
Priority	1	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description REPAIR ENTRANCE GATE TO PARKING LOT

Services Title	\$ Actual	\$ Estimate	Percent
REPAIR ENTRANCE GATE TO PARKING LOT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/16/1998	11:35:09	04 VEN RSP
[REDACTED]	03/17/1998	09:47:32	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

tenant said that the bearings "busted"

no tenant call back needed

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980316271902	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3053613975	Property	M6506
OC	VHC		GOLDEN GLADES ESS
POC	ELECTRONIC TECH	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3057368654		
	Status 01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	03/16/1998		2191 SW 115 TER
Due Date	03/17/1998		DAVIE
Authorizer	[REDACTED]		FL 33325
Project		Work Code	600006
Priority	1	Problem Code	54
Part		Serial No	
			HAZMAT HANDLING & STORAGE

Phase Description NEED TO PICK UP 250 GALLONS OF USED ENGINE ANTI-FREEZE

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO PICK UP 250 GALLONS OF USED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/16/1998	12:05:35	02-DISPTCH
[REDACTED]	04/21/1998	12:29:45	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO PICK UP 250 GALLONS OF USED ENGINE ANTI-FREEZE AT HAZ. MAT. AREA

 NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980319273753	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	03/19/1998		277 E OAKLAND PARK BLVD.
Due Date	03/26/1998		FORT LAUDERDALE
Authorizer	[REDACTED]		FL 33334
Project		Work Code	150002
Priority	2	Problem Code	22 PLUMBING
Part		Serial No	

Phase Description NEED PLUMBER TO CHECK SUMP PUMP

Services Title	\$ Actual	\$ Estimate	Percent
HAVE A SUMP PUMP ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/25/1998	10:01:21	02-DISPTCH
[REDACTED]	03/30/1998	13:49:21	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 SHOW THAT THE SUMP PUMP IS RUNNING, BUT THE PUMP IS NOT RUNNING, NO CALL BACK...JWA 8:39 EST

SHOW THAT THE SUMP PUMP IS RUNNING, BUT THE PUMP IS NOT RUNNING, NO CALL BACK...JWA 8:39 EST

for details call stewart rogers of county wide elec at#3055560278

SHOW THAT THE SUMP PUMP IS RUNNING, BUT THE PUMP IS NOT RUNNING, NO CALL BACK...JWA 8:39 EST

SHOW THAT THE SUMP PUMP IS RUNNING, BUT THE PUMP IS NOT RUNNING, NO CALL BACK...JWA 8:39 EST

Phase - 001

Work Request	980319273753	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	MLQ		GOLDEN GLADES ESS
POC	ELECTRONIC TECH	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056519917		
	Status 01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	03/19/1998		8085 N W 98TH ST
Due Date	03/19/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	300004
Priority	1	Problem Code	38
Part		Serial No	
			SUMP PUMP ALARM

Phase Description HAVE A SUMP PUMP ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	HAVE A SUMP PUMP ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/19/1998	08:00:15	02-DISPTCH
[REDACTED]	04/02/1998	12:56:48	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 SHOW THAT THE SUMP PUMP IS RUNNING, BUT THE PUMP IS NOT RUNNING, NO CALL BACK...JWA 8:39 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980320274709	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3053613975	Property	M6506
OC	VHC		GOLDEN GLADES ESS
POC	ELECTRONIC TECH	18400 NE 5 AVENUE	
Category	HOUSE	MIAMI	FL 33162
	Phone 3053613975	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	03/20/1998			
Due Date	03/25/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200001	
Priority	3	Problem Code	40	JANITORIAL - HOUSE SERVICES
Part		Serial No		

Phase Description NEED TO MOP ENGINE ROOM FLOOR

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO MOP ENGINE ROOM FLOOR	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/20/1998	13:23:25	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 WITH DE-GREASER
 NO CLIENT CALLBACK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980325276649
 Customer [REDACTED] [REDACTED] Region FL
 Phone 3056234565 Facility MIAMI
 OC FR6 Property M6506 GOLDEN GLADES ESS
 POC MANAGER Phone 3056234565 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 03/25/1998
 Due Date 05/09/1998
 Authorizer [REDACTED] [REDACTED] BUFFALO GROVE
 Project Work Code 150010 IL 60089
 Priority 4 Problem Code
 Part Serial No

Phase Description UPGRADE FIRMWARE (INTERNAL SOFTWARE) IN ADDRESSABLE SYSTEM

Services	Title	\$ Actual	\$ Estimate	Percent
	UPGRADE FIRMWARE IN ADDRESSABLE SYSTEM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/25/1998	12:00:21	01-PENDING
[REDACTED]	03/26/1998	06:19:13	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	50.00	0.00
	[REDACTED]	M1	50.00	0.00

Extra Description
 THIS IS COVERED UNDER CONTRACT - NON-BILLABLE
 THIS WORK REQUEST COVERS 2 LOCATIONS:
 M6506 - GOLDEN GLADES
 M6563 - OJUS WAREHOUSE

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980325276985	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 497 SEMORAN BLVD, STE 123
Order Date	03/25/1998		
Due Date	03/25/1998		CASSELBERRY
Authorizer	[REDACTED]		FL 32707
Project		Work Code	080003
Priority	1	Problem Code	08 LOCKS/KEYS
Part		Serial No	

Phase Description NEED PADLOCK W/CORE FOR FUEL TANK

Services Title	\$ Actual	\$ Estimate	Percent
NEED PADLOCK W/CORE FOR FUEL TANK	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/25/1998	19:13:09	01-PENDING
[REDACTED]	03/26/1998	14:08:52	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 OVERNIGHT DELIVERY NEEDED
 NEED ONE REPLACEMENT 21B772 PADLOCK W/CORE #DX0606
 GLC - M6506 - GOLDEN GLADES C.O.
 18400 N.E. 5 AVE
 MIAMI, FL
 TO BE USED ON FUEL TANK

 SHIP TO FACILITY MANAGER
 [REDACTED]
 2ND FLR
 18560 NW 27 AVE
 OPA LOCKA, FL 33056

Phase - 001

Work Request	980327278172	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 STATE RD 41 - BOX 14
Order Date	03/27/1998		
Due Date	03/02/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	900002
Priority	3	Problem Code	
Part		Serial No	

Phase Description REPLACE LIGHT BULBS OVER TEN FEET HIGH

Services Title	\$ Actual	\$ Estimate	Percent
REPLACE LIGHT BULBS OVER TEN FEET HIGH	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/27/1998	14:28:07	04 VEN RSP
[REDACTED]	05/06/1998	09:07:58	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	C1	100.00	0.00

Extra Description
 REPLACE LIGHT BULBS OVER TEN FEET HIGH
 needed in the frame & switch area
 no tenant call back needed

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Work Request 980311269897

Phase - 001

Work Request	980311269897	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3052632632	Property	M6506
OC	RZL	GOLDEN GLADES ESS	
POC	MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3052632632	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005
Order Date	03/11/1998		10111 BUSINESS DR
Due Date	03/16/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	3	Problem Code	
Part		Serial No	

Phase Description HVAC-REWRITE CHILLER PLANT CODE/REWIRE VFD BYPASS

Services	Title	\$ Actual	\$ Estimate	Percent
	HVAC-REWRITE CHILLER PLANT CODE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/11/1998	20:17:46	01-PENDING
[REDACTED]	05/08/1998	16:29:25	09-A/P RDY
[REDACTED]	08/31/1998	09:10:52	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
PER MEETING AT [REDACTED]

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980311269774
 Customer [REDACTED] [REDACTED]
 Phone 3056519917
 OC 7K8
 POC NETWORK MANAGER Phone 3056519917
 Category MTCE Status 01-CREATED Location

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 03/11/1998
 Due Date 03/11/1998 HIALEAH GARDENS
 Authorizer [REDACTED] [REDACTED] FL 33016
 Project Work Code 160001
 Priority 1 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description POWER ROOM NEED TO RELOCATE LIGHT

Services Title	\$ Actual	\$ Estimate	Percent
POWER ROOM NEED TO RELOCATE LIGHT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/11/1998	14:22:06	02-DISPTCH
[REDACTED]	04/14/1998	13:37:41	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 POWER ROOM NEED TO RELOCATE LIGHT
 NEED TO MOVE CONDUIT
 CHANGE BALAST
 PLEASE CONTACT [REDACTED]
 [REDACTED] FOR MORE INFORMATION

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980305266262 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC 7K8 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 03/05/1998
 Due Date 03/06/1998 HIALEAH GARDENS
 Authorizer [REDACTED] FL 33016
 Project Work Code 900002
 Priority 2 Problem Code
 Part Serial No

Phase Description INSTALL DROP LIGHTING AT STP

Services Title	\$ Actual	\$ Estimate	Percent
INSTALL DROP LIGHTING AT STP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/05/1998	07:38:17	01-PENDING
[REDACTED]	03/05/1998	08:05:55	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 no tenant call back needed
 tenant said that county wide reps are
 currently at the bldg....

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980304266046 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC 7K8 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 277 E OAKLAND PARK BLVD.
 Order Date 03/04/1998
 Due Date 03/04/1998 FORT LAUDERDALE
 Authorizer [REDACTED] FL 33334
 Project Work Code 150002
 Priority 1 Problem Code 22 PLUMBING
 Part Serial No

Phase Description TOILET PROBLEM

Services	Title	\$ Actual	\$ Estimate	Percent
	TOILET PROBLEM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/04/1998	13:21:37	04 VEN RSP
[REDACTED]	03/06/1998	05:47:05	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
MEN'S ROOM TOILET RUNNING CONTINUOUSLY AT FULL FORCE. NO CALL-BACK.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

12.

Phase - 001

Work Request 980303264865
 Customer [REDACTED] [REDACTED]
 Phone 205 521 6539
 OC CM5
 POC [REDACTED]
 Category MTCE

Region FL
 Facility MIAMI
 Property M6506
 18400 NE 5 AVENUE
 MIAMI
 FL 33162

Status 03-CLOSED
 Location

GOLDEN GLADES ESS

Phase 001
 Contract REBR0290F
 Order Date 03/03/1998
 Due Date 03/03/1998
 Authorizer [REDACTED] [REDACTED] C
 Project [REDACTED]
 Priority 1
 Part

Contractor [REDACTED]
 Address Cd 005
 10111 BUSINESS DR
 MIRAMAR
 FL 33025

Work Code 150001
 Problem Code 21
 Serial No

HEATING/VENTILATING/AIR CONDITIONING

Phase Description BFMS FAN FAILURE..

Services Title	\$ Actual	\$ Estimate	Percent
BFMS FAN FAILURE..	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/03/1998	07:39:50	01-PENDING
[REDACTED]	03/16/1998	14:43:05	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 *BFMS RECEIVED A FAN FAILURE ALARM FOR AHU-2B..THE ALARM IS CYCLING IN
 *AND OUT..A TREND REPORT HAS BEEN SETUP FOR THE POINT..REFER FOR CHECK
 *OUT..
 *REFERRED TO BSC(WILLIE) AT 7:43CST
 NO LONGER ANY PROBLEMS WITH LOCATION; CLOSING

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980302264761	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	9047982838	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	03/02/1998		PO BOX 5013
Due Date	03/02/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	130010
Priority	1	Problem Code	17
Part			BFMS
		Serial No	

Phase Description BFMS ALARMS

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS ALARMS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/02/1998	19:26:34	01-PENDING
[REDACTED]	03/02/1998	19:28:28	04 VEN RSP
[REDACTED]	03/03/1998	13:06:44	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

*BFMS DETECTED SEVERAL ALARMS RANGING FROM FANS TO PUMP ALARMS.
 *PLEASE DISPATCH VENDOR PRI-1. THANKS, TOBEY/BFMS.

*19:25 CST GAVE TO TIM

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980302264699	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3053613975	Property	M6506 GOLDEN GLADES ESS
OC	VHC		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3053613975 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	
Contract		Address Cd	
Order Date	03/02/1998		
Due Date	03/07/1998		
Authorizer	[REDACTED]		
Project		Work Code	600007
Priority	3	Problem Code	55 HAZMAT TRANSPORT
Part		Serial No	

Phase Description HAZARDOUS MATERIAL PICK UP AS FOLLOWS:

Services	Title	\$ Actual	\$ Estimate	Percent
	HAZARDOUS MATERIAL PICK UP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/02/1998	14:51:35	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NO CALL BACK REQUIRED

HAZARDOUS MATERIAL PICK UP AS FOLLOWS:

20 NICKEL CADMIUM BATTERIES

1ST FL IN THE HAZADOUS MATERIAL WASTE SECTION.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980224261701	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	7K8		GOLDEN GLADES ESS
POC	NETWORK MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056519917		
	Status 01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	02/24/1998		STATE RD 41 - BOX 14
Due Date	02/25/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	10
Part		Serial No	HANDYMAN

Phase Description FRONT DOOR IS NOT CLOSING PROPERLY

Services	Title	\$ Actual	\$ Estimate	Percent
	FRONT DOOR IS NOT CLOSING PROPERLY	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/24/1998	15:48:35	02-DISPTCH
[REDACTED]	03/10/1998	12:29:00	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 FRONT DOOR IS NOT CLOSING PROPERLY
 NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980224261701	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	02/24/1998		
Due Date	02/25/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	080001
Priority	2	Problem Code	06 DOORS
Part		Serial No	

Phase Description 2ND FLR DOOR SENSOR IS BROKEN

Services Title	\$ Actual	\$ Estimate	Percent
FRONT DOOR IS NOT CLOSING PROPERLY	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/24/1998	15:48:35	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 FRONT DOOR IS NOT CLOSING PROPERLY

 NO CALL BACK REQUESTED KF...

2ND FLR DOOR SENSOR IS
 BROKEN PREVENTING THE DOOR TO CLOSE
 PROPERLY

 NO CALL BACK REQUESTED KF...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980216256999 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 3056511296 MIAMI FL 33162
 Category MTCE Status 03-CLOSED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 01Q 1701 6TH AVENUE NORTH
 Order Date 02/16/1998 BIRMINGHAM BFMS CENTER
 Due Date 02/17/1998 BIRMINGHAM
 Authorizer [REDACTED] AL 35203
 Project Work Code 130010
 Priority 2 Problem Code 17 BFMS
 Part Serial No

Phase Description TOO HOT, 2ND FLOOR

Services Title	\$ Actual	\$ Estimate	Percent
TOO HOT, 2ND FLOOR	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/16/1998	13:30:26	04 VEN RSP
[REDACTED]	02/16/1998	14:12:44	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL-BACK.
 *ahu 2b is on..supply air = 56 degrees.
 *space temp = 78 degrees. setpoint = 77 degrees.
 *ahu 2a is on..supply air = 59 degrees.
 *space temp = 78.1 degrees. setpoint = 77 degrees.
 *bfms notified the tenant of conditions.
 *bfms is now reading space temp of 76 degrees.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980209253386	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	<50K	Status	02-PDGFUND
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	02/09/1998		
Due Date	12/31/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160002
Priority	4	Problem Code	
Part		Serial No	

Phase Description ELECTRICAL-SURVEY & UPDATE PANEL SCHEDULES

Services	Title	\$ Actual	\$ Estimate	Percent
	ELECTRICAL-SURVEY & UPDATE PANEL SCHEDULES	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/09/1998	12:13:52	01-PENDING
[REDACTED]	07/26/1998	22:22:48	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 FOR MULTIPLE GLC'S SEMI-ANNUALLY. NEED A REPORT OF DATE DONE AND RECORD ANY FINDINGS PER GLC. CHECK SPARE FUSES. CHECK SINGLE LINE DRAWING-KILL SWITCH OPERATION-ELEC SYSTEM DRAWING HSP FOR THE FOLLOWING GLC'S IN ORDER AS SHOWN: (USE THIS WORK REQUEST FOR BILLING IN 1998)

1. M6506-GOLDEN GLADES
2. M6513-OLETA
3. E4101-HOLLYWOOD WEST
4. M6518-ARCHCREEK
5. M6517-BRENTWOOD
6. E4205-HLWD MAIN
7. E4109-PEMBROKE PINES
8. E4220-HALLANDALE

Job Started ___/___/___ Completed ___/___/___

Phase - 001

Work Request 980203250104
 Customer [REDACTED] [REDACTED] Region FL
 Phone 3059442827 Facility MIAMI
 OC KZT Property M6506 GOLDEN GLADES ESS
 POC NETWORK MANAGER Phone 3059442827 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 02/03/1998
 Due Date 02/03/1998 HIALEAH GARDENS
 Authorizer [REDACTED] [REDACTED] FL 33016
 Project Work Code 160001
 Priority 1 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description PARKING LOT GATE ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	PARKING LOT GATE ALARM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/03/1998	07:10:21	01-PENDING
[REDACTED]	02/03/1998	07:36:29	04 VEN RSP
[REDACTED]	02/17/1998	08:04:38	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 CANT SILENCE PRI 1.....NO CLIENT CALL BK
 GAVE TO MURRAY FENCE/MARIA....LINK 833AM EDT FAXED ALSO
 =====
 possible short in the door buzzer.....please see the tenant
 [REDACTED] for details.....

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request 980203250104
 Customer [REDACTED] [REDACTED] Region FL
 Phone 3059442827 Facility MIAMI
 OC KZT Property M6506 GOLDEN GLADES ESS
 POE NETWORK MANAGER Phone 3059442827 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 002 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 1776 NW 23RD TERRACE
 Order Date 02/25/1998
 Due Date 02/25/1998 MIAMI
 Authorizer [REDACTED] [REDACTED] FL 33142
 Project Work Code 020002
 Priority 1 Problem Code 01 FENCING AND GATES
 Part Serial No

Phase Description PRK LOT GATE ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	PARKING LOT GATE ALARM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/25/1998	16:05:03	09-A/P RDY
[REDACTED]	02/25/1998	16:39:08	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 CANT SILENCE PRI 1.....NO CLIENT CALL BK
 GAVE TO [REDACTED] 833AM EDT FAXED ALSO
 =====
 possible short in the door buzzer.....please see the tenant
 [REDACTED] (1296) for details.....

[REDACTED] investigated problem with gate alarm. Had to refer
 to electrician. Problem with intercom buzzer sticking.
 referred back to bsc to dispatch countywide elec

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____

21.

Phase - 001

Work Request	980203250091	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3059442827	Property	M6506 GOLDEN GLADES ESS
OC	KZT		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3059442827
			MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	02/03/1998			
Due Date	02/03/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200001	
Priority	1	Problem Code	40	JANITORIAL - HOUSE SERVICES
Part		Serial No		

Phase Description WATER CLEAN-UP

Services Title	\$ Actual	\$ Estimate	Percent
WATER CLEAN-UP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/03/1998	07:10:52	01-PENDING
[REDACTED]	02/03/1998	07:18:55	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 THERE IS WATER IN THE CABLE VAULT. THE SUMP PUMP REMOVED MOST OF IT, BUT THERE ARE STILL AREAS THAT NEED TO BE MOPPED.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980130249124	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract	BE1345	Address Cd	001
Order Date	01/30/1998		420 S DIXIE HWY STE 4D
Due Date	01/31/1998		CORAL GABLES
Authorizer	[REDACTED]		FL 33146
Project		Work Code	900002
Priority	2	Problem Code	
Part		Serial No	

Phase Description NEED BACKBOARD W/ ELEC FOR TELE EQPT

Services		\$ Actual	\$ Estimate	Percent
Title				
NEED BACKBOARD W/ ELEC FOR TELE EQPT		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/30/1998	17:15:05	01-PENDING
[REDACTED]	04/24/1998	09:46:12	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution		Sub Code	Percent	Amount
Account(s)				
[REDACTED]		M1	100.00	0.00

Job Started ___/___/___

Person Assigned _____

Signature _____

Completed ___/___/___

Actual Hours _____

Phase - 001

Work Request	980126246148	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506
OC	FR6		GOLDEN GLADES ESS
POC	MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056234565	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	01/26/1998		277 E OAKLAND PARK BLVD.
Due Date	01/26/1998		FORT LAUDERDALE
Authorizer	[REDACTED]		FL 33334
Project		Work Code	150002
Priority	1	Problem Code	22
Part		Serial No	
			PLUMBING

Phase Description INSTALL FILTER

Services	Title	\$ Actual	\$ Estimate	Percent
	INSTALL FILTER	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/26/1998	11:26:51	04 VEN RSP
[REDACTED]	01/27/1998	08:20:36	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO INSTALL A FILTER ON THE SINK IN THE 1ST FLOOR LOUNGE. THE FAUCET IS PUTTING OUT BROWN WATER.

Job Started ___/___/___

Person Assigned _____

Signature _____

Completed ___/___/___

Actual Hours _____

Phase - 001

Work Request 980123245168
 Customer [REDACTED] [REDACTED] Region FL
 Phone 3053613975 Facility MIAMI
 OC VHC Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 3053613975 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 420 S DIXIE HWY STE 4D
 Order Date 01/23/1998
 Due Date 01/28/1998 CORAL GABLES
 Authorizer [REDACTED] [REDACTED] C FL 33146
 Project Work Code 090004
 Priority 3 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description NEEDS A 10 INCH HOLE

Services	Title	\$ Actual	\$ Estimate	Percent
	NEEDS A 10 INCH HOLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/23/1998	09:32:26	01-PENDING
[REDACTED]	01/23/1998	15:02:21	02-DISPTCH
[REDACTED]	04/24/1998	09:46:12	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 drilled in exterior wall of engine room.
 needs pvc sleeve placed inside the hole and galvanized metal caps
 to close hole when not in use.
 wants hole located between batteries and column.
 wherever convenient about 2 blocks up.
 not an emergency, anytime next week or week after.
 305-736-8654 is his pager number
 [REDACTED] give to network construction

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980112238631	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506
OC	FR6		GOLDEN GLADES ESS
POC	MANAGER	Phone	3056234565
Category	MTCE	Status	01-CREATED
		Location	18400 NE 5 AVENUE MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract	BE1354	Address Cd	001
Order Date	01/12/1998		STATE RD 41 - BOX 14
Due Date	01/13/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	
Part		Serial No	

Phase Description RE-CEMENT PEDESTAL

Services	Title	\$ Actual	\$ Estimate	Percent
	RE-CEMENT PEDESTAL	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/12/1998	12:05:30	01-PENDING
[REDACTED]	01/30/1998	13:47:53	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

[REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

PEDESTAL ON THE OUTSIDE OF EXIT GATE WAS HIT BY CONTRACTOR'S TRUCK.
NEEDS TO BE RE-CEMENTED IN GROUND.

Job Started ___/___/___

Person Assigned _____

Signature _____

Completed ___/___/___

Actual Hours _____

Phase - 001

Work Request	980106235576	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	BR0231	Address Cd	001 13831 SW 59TH ST #200
Order Date	01/06/1998		
Due Date	01/11/1998		MIAMI
Authorizer	[REDACTED]		FL 33183
Project		Work Code	500001
Priority	3	Problem Code	
Part		Serial No	

Phase Description UPDATE FLOOR PLAN DRAWING & FIRE EVAC DWG

Services	Title	\$ Actual	\$ Estimate	Percent
	UPDATE FLR PLAN AND FIRE EVAC DWG	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/06/1998	18:12:01	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M6	50.00	0.00
	[REDACTED]	M6	50.00	0.00

Extra Description
 UPDATE FLOOR PLAN AND FIRE EVAC DWGS AS FOLLOWS FOR 2 OFFICES
 (M6506-GOLDEN GLADES/M6517-BRENTWOOD)

NEED TO UPDATE 1ST FLR CHANGES (NEW FRAME EQPT ADDED/RELOCATED
 EMPLOYEES OFC SPACE INTO STORAGE AREA/CHANGING AIR HANDLER
 ROOM TO MAINTENANCE CTR). NEED TO PROVIDE CENTRAL OFFICE FOREMAN
 (JIM COLLINS) COPY OF DISK WITH CHANGES. NEED TO INCLUDE 2ND
 FLOOR ON DISK.

ALSO, NEED TO UPDATE 2ND FLR CHANGES AT BRENTWOOD (M6517).
 NEW SWITCH BEING INSTALLED/ADDED NEW AIRHANDLER ROOM/CHANGES
 IN OFFICE SPACE.

Phase - 001

Work Request 980106235403
 Customer [REDACTED] [REDACTED]
 Phone 3056234565
 OC FR6
 POC MANAGER
 Category <50K

Region FL
 Facility MIAMI
 Property M6506
 18400 NE 5 AVENUE
 MIAMI
 Location FL 33162

GOLDEN GLADES ESS

Phone 3056234565
 Status 06-AUTHAPP

Phase 001
 Contract BE1345
 Order Date 02/09/1998
 Due Date 02/20/1998
 Authorizer [REDACTED]
 Project [REDACTED]
 Priority 4
 Part [REDACTED]

Contractor [REDACTED]
 Address Cd 001
 Work Code 900002
 Problem Code
 Serial No

420 S DIXIE HWY STE 4D
 CORAL GABLES
 FL 33146

Phase Description NEW MAINTENANCE ROOM FOR NEW STP SWITCH

Services		\$ Actual	\$ Estimate	Percent
Title				
REARR FOR STP SWITCH		[REDACTED]	[REDACTED]	0.00

User	Date	Time	Status
[REDACTED]	01/06/1998	14:58:08	01-PENDING
[REDACTED]	04/01/1998	13:36:11	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	X1	11.00	0.00
	[REDACTED]	M1	13.00	0.00
	[REDACTED]	C1	76.00	0.00

Extra Description
 CONVERT OLD AIRHANDLER ROOM INTO AN OFFICE AND SUPPLY CONDITIONED AIR TO NEW TELEPHONE EQPT SWITCH

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request 980106235403
 Customer [REDACTED] [REDACTED] Region FL
 Phone 3056234565 Facility MIAMI
 OC FR6 Property M6506 GOLDEN GLADES ESS
 POC MANAGER Phone 3056234565 18400 NE 5 AVENUE
 Category <50K Status 06-AUTHAPP Location MIAMI FL 33162

Phase 002 Contractor [REDACTED]
 Contract Address Cd 001 [REDACTED]
 Order Date 01/30/1998 PO BOX 102051
 Due Date 05/16/1998 ATLANTA
 Authorizer [REDACTED] [REDACTED] GA 303680051
 Project Work Code 900002
 Priority 4 Problem Code
 Part Serial No

Phase Description ABATEMENT FOR NEW STP SWITCH MAINT RM

Services	Title	\$ Actual	\$ Estimate	Percent
	REARR FOR STP SWITCH	[REDACTED]	[REDACTED]	0.00

User	Date	Time	Status
[REDACTED]	01/30/1998	17:20:58	01-PENDING
[REDACTED]	03/18/1998	07:59:38	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	X1	100.00	0.00

Extra Description
 CONVERT OLD AIRHANDLER ROOM INTO AN OFFICE AND SUPPLY CONDITIONED AIR
 TO NEW TELEPHONE EQPT SWITCH

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	971218229623	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056223270	Property	M6506 GOLDEN GLADES ESS
OC	MMJ		18400 NE 5 AVENUE
POC	SPECIALIST	Phone	3056223270 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contract	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	12/18/1997		
Due Date	12/19/1997		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description NEED 4 INCH METALIC CONDUIT

Services Title	\$ Actual	\$ Estimate	Percent
NEED 4 INCH METALIC CONDUIT	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	12/18/1997	13:42:14	02-DISPTCH
[REDACTED]	01/22/1998	12:45:50	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 FROM THE LGX TO OCEF.....CONTACT TOM PRESONELL 305-655-1603
 OCC...NS403200.....NEEDS TO BE COPLETED TOMMOROW

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971216228521	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506
OC	FR6		GOLDEN GLADES ESS
POC	MANAGER	18400 NE 5 AVENUE	
Category	<50K	MIAMI	FL 33162
	Phone 3056234565	Status	06-AUTHAPP
		Location	

Phase	001	Contractor	[REDACTED]
Contract	BE1345	Address Cd	001
Order Date	12/16/1997		420 S DIXIE HWY STE 4D
Due Date	02/24/1998		CORAL GABLES
Authorizer	[REDACTED]		FL 33146
Project		Work Code	020001
Priority	3	Problem Code	.
Part		Serial No	

Phase Description SAFETY-NEED WOOD BARRIER OUTSIDE FENCE AREA

Services	Title	\$ Actual	\$ Estimate	Percent
	SAFETY-NEED BARRIER/SIGN OUTSIDE FEN	[REDACTED]	[REDACTED]	[REDACTED]

User	Date	Time	Status
[REDACTED]	12/16/1997	16:19:52	01-PENDING
[REDACTED]	02/19/1998	18:24:00	01-PENDING
[REDACTED]	03/10/1998	11:16:36	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	C1	100.00	0.00

Extra Description
 PROBLEM WITH SEMI TRUCKS PARKING ON GRASS. IN ADDITION,
 SAND FROM TRUCK TIRES BLOW INTO PARKING LOT AND IS
 BEING TRACKED INTO BUILDING.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	971216228521	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506
OC	FR6		GOLDEN GLADES ESS
POC	MANAGER	18400 NE 5 AVENUE	
Category	<50K	MIAMI	FL 33162
	Phone 3056234565	Status	06-AUTHAPP
		Location	

Phase	002	Contractor	[REDACTED]
Contract	BE1354	Address Cd	001
Order Date	02/19/1998		STATE RD 41 - BOX 14
Due Date	02/20/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	020001
Priority	2	Problem Code	
Part		Serial No	

Phase Description SAFETY-NEED NO PARKING SIGNS OUTSIDE FENCE AREA

Services	Title	\$ Actual	\$ Estimate	Percent
	SAFETY-NEED BARRIER/SIGN OUTSIDE FEN	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/19/1998	18:24:00	01-PENDING
[REDACTED]	03/10/1998	12:42:02	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	C1	100.00	0.00

Extra Description
 PROBLEM WITH SEMI TRUCKS PARKING ON GRASS. IN ADDITION,
 SAND FROM TRUCK TIRES BLOW INTO PARKING LOT AND IS
 BEING TRACKED INTO BUILDING.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971211226020	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	7K8		GOLDEN GLADES ESS
POC	NETWORK MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056519917		
	Status 01-CREATED	Location	

Phase	001	Contractor	003045026F	MURRAY FENCE COMPANY
Contract		Address Cd	001	1776 NW 23RD TERRACE
Order Date	12/11/1997			
Due Date	12/11/1997			MIAMI
Authorizer	[REDACTED]	THOMPSON, CLARA C		FL 33142
Project		Work Code	020002	
Priority	1	Problem Code		
Part		Serial No		

Phase Description GATE POST HIT BY VNDR-NEEDS REPAIR ASAP

Services	Title	\$ Actual	\$ Estimate	Percent
	GATE POST HIT BY VNDR-NEEDS REPAIR ASAP	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	12/11/1997	11:02:58	01-PENDING
[REDACTED]	12/20/1997	17:12:32	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]
 [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 VENDOR THAT HIT FENCE POST WILL BE RESPONSIBLE FOR
 PAYMENT OF BILL.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971207223291	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	12/07/1997		
Due Date	12/07/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description AIR HANDLER UNITS ARE COMPLETELY SHUT DOWN

Services	Title	\$ Actual	\$ Estimate	Percent
	AIR HANDLER UNITS ARE COMPLETELY SHUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	12/07/1997	08:14:21	02-DISPTCH
[REDACTED]	12/08/1997	15:25:07	11-CANCEL

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 AIR HANDLER UNITS ARE COMPLETELY SHUT DOWN
 *THIS WORK ORDER INITIALLY PROMPTED M6605 WHICH BFMS DOES NOT CONTROL.
 *AFTER FURTHER DISCUSSION WITH THE BSC. THE GLC IS M6506
 *BFMS IS SHOWING MULTIPLE ALARMS FROM THIS LOCATION
 *REFER TO [REDACTED] FOR INVESTIGATION. PRI 1.
 *NOTIFIED THE BSC [REDACTED]

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	971207223291	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	01Q 1701 6TH AVENUE NORTH
Order Date	12/07/1997		BIRMINGHAM BFMS CENTER
Due Date	12/07/1997		BIRMINGHAM
Authorizer	[REDACTED]		AL 35203
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description AIR HANDLER UNITS ARE COMPLETELY SHUT DOWN

Services	Title	\$ Actual	\$ Estimate	Percent
	AIR HANDLER UNITS ARE COMPLETELY SHUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	12/07/1997	08:38:32	02-DISPTCH
[REDACTED]	12/08/1997	15:25:07	11-CANCEL

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 AIR HANDLER UNITS ARE COMPLETELY SHUT DOWN
 *THIS WORK ORDER INITIALLY PROMPTED M6605 WHICH BFMS DOES NOT CONTROL.
 *AFTER FURTHER DISCUSSION WITH THE BSC. THE GLC IS M6506
 *BFMS IS SHOWING MULTIPLE ALARMS FROM THIS LOCATION
 *REFER TO [REDACTED] FOR INVESTIGATION. PRI 1.
 *NOTIFIED THE BSC [REDACTED]

AIR HANDLER UNITS ARE COMPLETELY SHUT DOWN

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 970701135267
 Customer [REDACTED] [REDACTED] Region FL
 Phone 7045107034 [REDACTED] Facility MIAMI
 OC WDL Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7045107033 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 07/01/1997
 Due Date 07/02/1997 BUFFALO GROVE
 Authorizer [REDACTED] [REDACTED] IL 60089
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description THEY ARE HAVING FIRE ALARM TROUBLE

Services	Title	\$ Actual	\$ Estimate	Percent
	THEY ARE HAVING FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/01/1997	09:45:58	01-PENDING
[REDACTED]	07/01/1997	09:46:14	02-DISPTCH
[REDACTED]	11/18/1997	09:58:02	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]
 [REDACTED] [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 THEY ARE HAVING FIRE ALARM TROUBLE,
 THE BLDG IS MORE THAN 10,000 SQ FT
 THIS WILL BE A PRI 2 WORK ORDER.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980505296917	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	Status	03-CLOSED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	05/05/1998		
Due Date	05/05/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description CHILLER IS DRIPPING WATER

Services Title	\$ Actual	\$ Estimate	Percent
CHILLER IS DRIPPING WATER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/05/1998	12:24:14	02-DISPTCH
[REDACTED]	05/23/1998	18:57:50	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,691.09

Extra Description
 NO CALL BACK REQUESTED KF...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980505296764	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	003045026F MURRAY FENCE COMPANY
Contract		Address Cd	001 1776 NW 23RD TERRACE
Order Date	05/05/1998		
Due Date	05/05/1998		MIAMI
Authorizer	[REDACTED]		FL 33142
Project		Work Code	020002
Priority	1	Problem Code	
Part		Serial No	

Phase Description ENTRANCE GATE NOT CLOSING COMPLETELY

Services	Title	\$ Actual	\$ Estimate	Percent
	ENTRANCE GATE NOT CLOSING COMPLETELY	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/05/1998	11:25:49	01-PENDING
[REDACTED]	06/25/1998	06:44:14	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

PROBLEM WITH AUTOMATIC ENTRANCE GATE WHEN IT CLOSES IT HITS THE EDGE OF THE CLOSURE LOOP. IF C.O. FOREMAN [REDACTED] NOT IN OFFICE, CONTACT FACILITY MANAGER - [REDACTED] - PGR # 862-6412 REGARDING PROBLEM.

.....

5-6-98 ADDITIONAL WORK NEEDED ON THIS REQUEST

THE EXIT GATE ALSO HAS THE SAME PROBLEM AS THE AUTOMATIC ENTRANCE GATE. WHEN IT CLOSES, IT HITS THE EDGE OF THE CLOSURE LOOP. THIS NEEDS TO BE REPAIRED. ALSO, NEED TO PUT EXTRA FENCING AT BOTH GATE CLOSURES TO PREVENT SOMEONE FROM SQUEEZING THRU OPENING - SECURITY ISSUE. SEE [REDACTED] - CENTRAL OFFICE FOREMAN.

Job Started ___/___/___

Person Assigned _____

Completed ___/___/___

Actual Hours _____

Phase - 001

Work Request 980505296604
 Customer [REDACTED] [REDACTED]
 Phone 2055216551
 OC B04
 POC [REDACTED] Phone [REDACTED]
 Category MTCE Status 01-CREATED Location [REDACTED]

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 05/05/1998
 Due Date 05/06/1998 BUFFALO GROVE
 Authorizer [REDACTED] [REDACTED] IL 60089
 Project Work Code 130011
 Priority 2 Problem Code 18 CARD ACCESS
 Part Serial No

Phase Description CARD ACCESS

Services	Title	\$ Actual	\$ Estimate	Percent
	CARD ACCESS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/05/1998	07:43:51	01-PENDING
[REDACTED]	05/05/1998	08:02:05	02-DISPTCH
[REDACTED]	06/08/1998	13:19:01	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 *need to check communication referred to bsc willy 7:55 cst
 no client callback

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980504296486	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107033	Property	M6506 GOLDEN GLADES ESS
OC	WDL		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107033 MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	05/04/1998		
Due Date	05/04/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	300002
Priority	1	Problem Code	36 FIRE ALARM
Part		Serial No	

Phase Description VESDA ALARM. WANT RESET. NO CALLBACK.

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM WILL NOT RESET	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/04/1998	19:01:51	04 VEN RSP
[REDACTED]	05/07/1998	12:17:06	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

40.

Phase - 002

Work Request	980504296486	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107033	Property	M6506 GOLDEN GLADES ESS
OC	WDL		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107033 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	01A 819 PICKENS INDUSTRIAL DR
Order Date	05/05/1998		
Due Date	05/06/1998		MARIETTA
Authorizer	[REDACTED]		GA 30060
Project		Work Code	150010
Priority	2	Problem Code	
Part		Serial No	

Phase Description PROBLEM WVESDA DETECTOR IN CABLE VAULT

Services Title	\$ Actual	\$ Estimate	Percent
VESDA ALARM WILL NOT RESET	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/05/1998	12:02:20	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 . NEED TO REPL DETECTOR AND CLEAN ASSOCIATED PIPING. DUST/DEBRIS FROM CONSTRUCTION WORK BEING DONE IN CABLE VAULT HAS ACCUMULATED AND DETECTOR HAS BEEN GOING INTO ALARM. [REDACTED] WAS DISPATCHED ON THE ALARM TROUBLE AND MADE ATTEMPTS TO CLEAN DETECTOR, BUT ADVISES IT NEEDS REPLACING. TOO MUCH DIRT. ALARM IS CURRENTLY IN ISOLATED MODE. NEED TO ADVISE FACILITY MANAGER [REDACTED] WHEN ORR TECHNICIAN WILL BE ON SITE TO REPL/AND CLEAN PIPING (305/623-4565)

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980504296314
 Customer [REDACTED] [REDACTED] Region FL
 Phone 7045107034 Facility MIAMI
 OC X7S Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7045107034 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 05/04/1998
 Due Date 05/04/1998 BUFFALO GROVE
 Authorizer [REDACTED] [REDACTED] IL 60089
 Project Work Code 300005
 Priority 1 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description VESDA ALARM WONT CLEAR

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM WONT CLEAR	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/04/1998	14:21:04	02-DISPTCH
[REDACTED]	05/20/1998	07:25:21	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
THIS IS A SWITCH TICKET CALL THE NRC UPON COMPLETION

May 4, 1998 4:56
 [REDACTED] 7 is at site...still no response
 per BST 4:54 PM

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980504296106	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	9547420069	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC	HARDWORKERS	Phone	9547420069 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	
Contract		Address Cd	
Order Date	05/04/1998		
Due Date	05/05/1998		
Authorizer	[REDACTED]		
Project		Work Code	600006
Priority	2	Problem Code	54 HAZMAT HANDLING & STORAGE
Part		Serial No	

Phase Description NEED TO PICK UP 36 4FT FLO. TUBES IN HAZ MAT AREA

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO PICK UP 36 4FT FLO. TUBES IN	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/04/1998	11:15:47	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO PICK UP 36 4FT FLO. TUBES
 IN HAZ MAT AREA

 NO CALL BACK REQUESTED KF...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980504295873	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3052608398	Property	M6506 GOLDEN GLADES ESS
OC	RZL		18400 NE 5 AVENUE
POC	MANAGER	Phone	3052608396
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	05/04/1998		8085 N W 98TH ST
Due Date	05/05/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description MEASURE FPL POWER QUALITY

Services Title	\$ Actual	\$ Estimate	Percent
MEASURE FPL POWER QUALITY	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/04/1998	09:09:50	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description client requests callback

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

44.

Phase - 001

Work Request	980501295058	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	05/01/1998			
Due Date	05/04/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200006	
Priority	2	Problem Code	45	PEST CONTROL
Part		Serial No		

Phase Description PEST CONTROL INSIDE BLDG IN.ANTS

Services Title	\$ Actual	\$ Estimate	Percent
PEST CONTROL INSIDE BLDG IN.ANTS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/01/1998	09:17:04	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 no call back needed

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980501294906	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	INCI	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	05/01/1998		MANAGEMENT COALITION
Due Date	05/06/1998		PO BOX 99315
Authorizer	[REDACTED]		CHICAGO
Project		Work Code	120000
Priority	3	Problem Code	16 FURNITURE
Part		Serial No	

Phase Description FMC=BT049819733

Services	Title	\$ Actual	\$ Estimate	Percent
	FMC=BT049819733	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/01/1998	06:49:31	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
FMC=BT049819733

oc hxc
cont 305 651 9917

ws-1 surplus
thos ruff miami
miramar,fl

ws-2 m6506
18400 ne 5 th ave 1 fl
miami,fl

.....
 obtain 1 tub file about 5 ft to 6ft long that holds trays from surplus
 & deliver to ws 2.

Phase - 001

Work Request 980430294879 Region FL
 Customer [REDACTED] S Facility MIAMI
 Phone 7043478551 Property M6506 GOLDEN GLADES ESS
 OC NT7 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 7043478551 MIAMI FL 33162
 Category MTCE Status 03-CLOSED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 01Q 1701 6TH AVENUE NORTH
 Order Date 04/30/1998 BIRMINGHAM BFMS CENTER
 Due Date 04/30/1998 BIRMINGHAM
 Authorizer [REDACTED] [REDACTED] AL 35203
 Project Work Code 150005
 Priority 1 Problem Code 25 TEMPERATURE ALARM
 Part Serial No

Phase Description THE NRC REPORTS A MAJOR HI TEMP

Services Title	\$ Actual	\$ Estimate	Percent
THE NRC REPORTS A MAJOR HI TEMP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/30/1998	22:14:37	01-PENDING
[REDACTED]	04/30/1998	23:21:12	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK REQUIRED!
 THE NRC REPORTS A MAJOR HI TEMP

*BFMS DISPATCHED ON THIS EARLIER. REFER TO REQ #980430294869.
 *BFMS WILL CLOSE THIS REQUEST. THANKS [REDACTED]

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980430294870	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519917
Category	MTCE	Status	03-CLOSED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	01Q
Order Date	04/30/1998		1701 6TH AVENUE NORTH
Due Date	04/30/1998		BIRMINGHAM BFMS CENTER
Authorizer	[REDACTED]		BIRMINGHAM
Project		Work Code	130010
Priority	1	Problem Code	17 BFMS
Part		Serial No	

Phase Description TEMP COMPLAINT

Services	Title	\$ Actual	\$ Estimate	Percent
	TEMP COMPLAINT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/30/1998	21:13:00	04 VEN RSP
[REDACTED]	04/30/1998	22:19:10	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 83 DEGREES THROUGHOUT THE BUILDING. NO CALL-BACK NEEDED.

*bfms has dispatched on this problem..mechanics are on the site
 *please refer to ticket#980430294869..please close this ticket

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		
_____	_____		
_____	_____		

Phase - 001

Work Request	980430294869	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	9047982838	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	04/30/1998		
Due Date	04/30/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	130010
Priority	1	Problem Code	17 BFMS
Part		Serial No	

Phase Description BFMS CHL ALM

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS CHL ALM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/30/1998	21:47:34	01-PENDING
[REDACTED]	04/30/1998	21:54:31	04 VEN RSP
[REDACTED]	05/07/1998	12:15:35	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	308.42

Extra Description

*BFMS DETECTED A CHILLER-1A FAIL ALARM. CHILLER-1B
 *IS COMMANDED ON BUT THE SUPPLY WATER TEMP IS 75 DEG.
 *PLEASE DISPATCH VENDOR PRI-1. THANKS, TOBEY/BFMS.

*21:45 CST GAVE TO TIM

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980430294689	Region	FL	
Customer	[REDACTED]	RUBIN, JEROME	Facility	MIAMI
Phone	3056223211		Property	M6506 GOLDEN GLADES ESS
OC	Q6X			18400 NE 5 AVENUE
POC	PGR3057387662	Phone	3056223211	MIAMI FL 33162
Category	MTCE	Status	01-CREATED	Location

Phase	001	Contractor	000052878F	LANDIS & STAEFA INC
Contract		Address Cd	001	PO BOX 5013
Order Date	04/30/1998			
Due Date	05/05/1998			BUFFALO GROVE
Authorizer	[REDACTED]	THOMPSON, CLARA C		IL 60089
Project		Work Code	900002	
Priority	3	Problem Code		
Part		Serial No		

Phase Description NARROWER DUCT WORK NEEDED

Services Title	\$ Actual	\$ Estimate	Percent
NARROWER DUCT WORK NEEDED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/30/1998	13:29:32	01-PENDING
[REDACTED]	04/30/1998	13:38:10	02-DISPTCH
[REDACTED]	07/13/1998	10:22:58	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED] THOMPSON, CLARA C

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,691.09

Extra Description
 RESTRICTING CABLE RACKING THAT THEY ARE PUTTING UNDER IT.....

PAGED [REDACTED] 2:33PM EDT LINK

PER [REDACTED] SEND TO L&S BILL BACK TO TENANT
 LINK 2:41PM EDT

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980429293682	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 STATE RD 41 - BOX 14
Order Date	04/29/1998		
Due Date	04/30/1998		OCHOPEE FL 34141
Authorizer	[REDACTED]		
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description REPAIR CARD READER DAMAGED BY VEHICLE

Services	Title	\$ Actual	\$ Estimate	Percent
	REPAIR CARD READER DAMAGED BY VEHICLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/29/1998	06:51:29	04 VEN RSP
[REDACTED]	05/22/1998	15:00:31	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

REPAIR CARD READER DAMAGED BY VEHICLE
 no call back needed

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request 980428293261
 Customer [REDACTED] Region FL
 Phone 3056519917 Facility MIAMI
 OC MLQ Property M6506 GOLDEN GLADES ESS
 POC NETWORK MANAGER Phone 3056519917 18400 NE 5 AVENUE
 Category HOUSE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] EDI
 Contract Address Cd 001 PO BOX 2715
 Order Date 04/28/1998
 Due Date 04/29/1998 OMAHA
 Authorizer [REDACTED] NE 681032715
 Project Work Code 200002
 Priority 2 Problem Code 41 TRASH REMOVAL
 Part Serial No

Phase Description EMPTY & RETURN DUMPSTER

Services Title	\$ Actual	\$ Estimate	Percent
EMPTY & RETURN DUMPSTER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/28/1998	09:44:21	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
no call back needed

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980422290751
 Customer [REDACTED] [REDACTED]
 Phone 3058266010
 OC MLQ
 POC NETWORK MANAGER Phone 305-651-9917
 Category MTCE Status 01-CREATED

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162
 Location

Phase 001
 Contract [REDACTED]
 Order Date 04/22/1998
 Due Date 04/23/1998
 Authorizer [REDACTED] [REDACTED]
 Project [REDACTED]
 Priority 2
 Part

Contractor [REDACTED]
 Address Cd 001 13320 SW 36TH ST
 MIAMI FL 33175
 Work Code 020002
 Problem Code 01 FENCING AND GATES
 Serial No

Phase Description GATE NOT CLOSING PROPERLY

Services Title	\$ Actual	\$ Estimate	Percent
GATE NOT CLOSING PROPERLY	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/22/1998	13:14:39	02-DISPTCH
[REDACTED]	04/23/1998	09:14:01	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 see the tenant for details
 no call back needed

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980421289770 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 2055216551 Property M6506 GOLDEN GLADES ESS
 OC B04 18400 NE 5 AVENUE
 POC Phone MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/21/1998
 Due Date 04/21/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 130011
 Priority 1 Problem Code 18 CARD ACCESS
 Part Serial No

Phase Description CARD ACCESS

Services Title	\$ Actual	\$ Estimate	Percent
CARD ACCESS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/21/1998	07:08:56	01-PENDING
[REDACTED]	04/21/1998	07:22:18	04 VEN RSP
[REDACTED]	06/08/1998	13:23:54	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 *bfms card access can not communicate with panels need to dispatch to
 *correct problem referred to bsc willie 7:15 cst
 no client callback

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980417288786
 Customer [REDACTED] Region FL
 Phone 7043478551 Facility MIAMI
 OC DXN Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7043478551 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/17/1998
 Due Date 04/18/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description FIRE ALARM TROUBLE

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/17/1998	20:34:38	04 VEN RSP
[REDACTED]	04/22/1998	06:52:14	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980416287832
 Customer [REDACTED] [REDACTED]
 Phone 3053613975
 OC VHC
 POC ELECTRONIC TECH Phone 3053613975
 Category MTCE Status 01-CREATED Location

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 04/16/1998
 Due Date 04/17/1998 HIALEAH GARDENS
 Authorizer [REDACTED] [REDACTED] FL 33016
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description EMERGENCY LIGHTING NOT WORKING

Services Title	\$ Actual	\$ Estimate	Percent
EMERGENCY LIGHTING NOT WORKING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/16/1998	10:36:49	02-DISPTCH
[REDACTED]	05/05/1998	09:23:56	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 in engine room, house service panel, battery room, 1st fl south wall,
 and switch room..
 2nd fl south wall and east wall
 client requests callback

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980415286995	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056511296
Category	MTCE	Status	03-CLOSED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005
Order Date	04/15/1998		10111 BUSINESS DR
Due Date	04/17/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description NEED TO CALIBRATE THE ENVIRO RECORDERS

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO CALIBRATE THE ENVIRO RECORDERS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/15/1998	08:36:18	02-DISPTCH
[REDACTED]	05/21/1998	10:21:33	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NEED TO CALIBRATE THE ENVIRONMENTAL RECORDERS

tenant said that there are five (5) of them

tenant also said that the pens are not making proper contact and that they need to be replaced

tenant requests a call back by the vendor

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980415286879	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	704-510-7034	Property	M6506 GOLDEN GLADES ESS
OC	NT7		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7043478551 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	04/15/1998		
Due Date	04/16/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	300005
Priority	2	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description FIRE ALARM TROUBLE/NRC/SHANE

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM TROUBLE/NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/15/1998	07:01:10	02-DISPTCH
[REDACTED]	04/17/1998	11:43:42	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

NO CALL BACK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980414286215	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	<50K	Status	06-AUTHAPP Location

Phase	001	Contractor	[REDACTED]
Contract	BE1345	Address Cd	001 420 S DIXIE HWY STE 4D
Order Date	04/14/1998		
Due Date	05/29/1998		CORAL GABLES
Authorizer	[REDACTED]		FL 33146
Project		Work Code	020001
Priority	4	Problem Code	
Part		Serial No	

Phase Description NEW PIPING FOR SPRINKLER SYSTEM

Services Title	\$ Actual	\$ Estimate	Percent
NEW PIPING FOR SPRINKLER SYSTEM	0.00	3,200.00	0.00

User	Date	Time	Status
[REDACTED]	04/14/1998	01:19:43	01-PENDING
[REDACTED]	04/14/1998	13:57:06	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	C1	100.00	0.00

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request 980411285507
 Customer [REDACTED] [REDACTED]
 Phone 7043478551
 OC WDL
 POC ELECTRONIC TECH Phone 7045107034
 Category MTCE Status 01-CREATED Location

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 005 10111 BUSINESS DR
 Order Date 04/11/1998
 Due Date 04/13/1998 MIRAMAR
 Authorizer [REDACTED] [REDACTED] FL 33025
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description MAJOR FIRE ALARM TROUBLE

Services	Title	\$ Actual	\$ Estimate	Percent
	MAJOR FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/11/1998	08:09:12	02-DISPTCH
[REDACTED]	04/13/1998	16:22:57	11-CANCEL

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NRC requests a call back by the vendor

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

60.

Phase - 001

Work Request 980409285046
 Customer [REDACTED] Region FL
 Phone 3056234565 Facility MIAMI
 OC FR6 Property M6506 GOLDEN GLADES ESS
 POC MANAGER Phone 3056234565 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 6000 SW 87TH AVENUE
 Order Date 04/09/1998
 Due Date 04/10/1998 MIAMI
 Authorizer [REDACTED] FL 33173
 Project Work Code 150007
 Priority 2 Problem Code
 Part Serial No

Phase Description 1998-FIRE SAFETY PERMIT FEE

Services	Title	\$ Actual	\$ Estimate	Percent
	1998-FIRE SAFETY PERMIT FEE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/09/1998	20:01:27	01-PENDING
[REDACTED]	04/15/1998	10:54:02	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

61.

Phase - 001

Work Request	980408284454	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract	BE1354	Address Cd	001 STATE RD 41 - BOX 14
Order Date	04/08/1998		
Due Date	04/09/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	
Part		Serial No	

Phase Description SECURITY ISSUE-INSTALL CONSTANTINE WIRE-ENTIRE FENCE

Services Title	\$ Actual	\$ Estimate	Percent
SECURITY ISSUE-INSTALL CONSTANTINE WIRE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/08/1998	19:52:27	01-PENDING
[REDACTED]	04/29/1998	23:21:49	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

62.

Phase - 001

Work Request 980408283849 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 3056511296 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/08/1998
 Due Date 04/09/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300001
 Priority 2 Problem Code 35 DOOR ALARM
 Part Serial No

Phase Description FRONT DOOR ...DOOR ALARM IS NOT RINGING

Services Title	\$ Actual	\$ Estimate	Percent
FRONT DOOR ...DOOR ALARM IS NOT RINGING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/08/1998	09:13:49	02-DISPTCH
[REDACTED]	05/13/1998	07:05:07	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
when someone is at the door.....callback needed

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

63.

Phase - 001

Work Request	980407283687	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	402-346-2391	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC	F B G	Phone	402-346-2391 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	04/07/1998		
Due Date	04/08/1998		
Authorizer	[REDACTED]		HIALEAH GARDENS FL 33016
Project		Work Code	160002
Priority	2	Problem Code	31 ELECTRICAL DISTRIBUTION & PANELS
Part		Serial No	

Phase Description 6 SETS OF TAGGED LIGHTS 1ST FL

Services	Title	\$ Actual	\$ Estimate	Percent
	6 SETS OF TAGGED LIGHTS 1ST FL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/07/1998	16:19:41	04 VEN RSP
[REDACTED]	05/04/1998	16:14:40	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NO CALLBACK.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

64.

Phase - 001

Work Request 980406282399
 Customer [REDACTED] Region FL
 Phone 704-510-7034 Facility MIAMI
 OC DXN Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7045106509 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/06/1998
 Due Date 04/07/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description FIRE ALARM TROUBLE/NRC

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM TROUBLE/NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/06/1998	07:35:58	01-PENDING
[REDACTED]	04/07/1998	07:18:49	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK NEEDED

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

65.

Phase - 001

Work Request	980403282219	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7043478551	Property	M6506 GOLDEN GLADES ESS
OC	DXN		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7043478551
Category	MTCE	Status	03-CLOSED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	04/03/1998		
Due Date	04/04/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300002
Priority	2	Problem Code	36 FIRE ALARM
Part		Serial No	

Phase Description HAVE FIRE ALARM TROUBLE

Services	Title	\$ Actual	\$ Estimate	Percent
	HAVE FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/03/1998	19:33:01	04 VEN RSP
[REDACTED]	04/07/1998	07:19:08	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NRC NEEDS CALLBACK.

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

66.

Phase - 001

Work Request	980403282216	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	BE1352	Address Cd	001 5401 NW 102ND AVE #139
Order Date	04/03/1998		
Due Date	04/04/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	900002
Priority	2	Problem Code	
Part		Serial No	

Phase Description NEED TO MOVE ITEMS TO 8600 W OAK PK BLVD

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO MOVE ITEMS TO 8600 W OAK PK BLVD	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/03/1998	19:49:16	01-PENDING
[REDACTED]	05/06/1998	14:25:49	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 ON APRIL 8TH NEED TO BRING FROM GOLDEN GLADES AFTER 12 NOON LARGE FISH THAT IS MOUNTED ON WALL IN C.O. FOREMANS OFC AND BRING WALLPAPER THAT IS IN THE FIRE PUMP ROOM AND TAKE TO 8600 W OAK PK BLVD - TO DESK NEXT TO PATTY HAY. WILL NEED TO PUT WALL PAPER ON BACK WALL OF CUBICLE BEFORE MOUNTING FISH IN NEW OFFICE AT 8600. ALSO, NEED TO LEAVE AT GOLDEN GLADES 5 SMALL EMPTY BOXES (SIZE OF XEROX BOX) FOR [REDACTED] TO USE IN PACKING HIS FILES.

 C.O. FOREMAN - [REDACTED] WILL MEET WITH YOU IN HIS NEW OFFICE IN THE AFTERNOON AROUND 2PM AT 8600 W OAK PK

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980403281820 **Region** FL
Customer [REDACTED] **Facility** MIAMI
Phone 3056519917 **Property** M6506 GOLDEN GLADES ESS
OC MLQ 18400 NE 5 AVENUE
POC ELECTRONIC TECH **Phone** 3056519917 **MIAMI** FL 33162
Category MTCE **Status** 01-CREATED **Location**

Phase 001 **Contractor** [REDACTED]
Contract **Address Cd** 001 277 E OAKLAND PARK BLVD.
Order Date 04/03/1998 **Fort Lauderdale**
Due Date 04/04/1998 **FL** 33334
Authorizer [REDACTED]
Project **Work Code** 150002
Priority 2 **Problem Code** 22 PLUMBING
Part **Serial No**

Phase Description TOILET LEAK 1ST FLR LADIES RM

Services	Title	\$ Actual	\$ Estimate	Percent
	TOILET LEAK 1ST FLR LADIES RM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/03/1998	09:18:11	03-VEN NOT
[REDACTED]	04/07/1998	12:36:41	09-A/P RDY

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 TENANT SAYS TOILET LEAKS ONLY WHEN FLUSHING
 NO CALL BACK NEEDED

Job Started ___/___/___ **Completed** ___/___/___
Person Assigned _____ **Actual Hours** _____
Signature _____

Phase - 001

Work Request 980401280818
 Customer [REDACTED] Region FL
 Phone 7043478551 Facility MIAMI
 OC NT7 Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7043478551 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/01/1998
 Due Date 04/02/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description FIRE ALARM TROUBLE

Services Title	\$ Actual	\$ Estimate	Percent
FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/01/1998	23:31:19	02-DISPTCH
[REDACTED]	04/02/1998	15:46:17	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK....TS

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

69.

Phase - 001

Work Request	980401280458	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	7K8		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	INCI	MIAMI	FL 33162
Status	01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	04/01/1998		MANAGEMENT COALITION
Due Date	06/03/1998		PO BOX 99315
Authorizer	[REDACTED]		CHICAGO
Project		Work Code	120000
Priority	3	Problem Code	16 FURNITURE
Part		Serial No	

Phase Description NEED CHAIRS FROM SURPLUS FOR C.O.

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED CHAIRS FROM SURPLUS FOR C.O.	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/01/1998	11:30:41	01-PENDING
[REDACTED]	05/29/1998	13:46:35	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]
 [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 TO BE DELIVERED ON FRIDAY - APRIL 3RD.
 CHAIRS IN WAREHOUSE ARE BADLY STAINED AND WILL NEED TO BE
 CLEANED.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Work Request 980709333690 Region FL
Customer [REDACTED] Facility MIAMI
Phone 3056234565 Property M6506 GOLDEN GLADES ESS
OC FR6 18400 NE 5 AVENUE
POC MANAGER Phone 3056234565 MIAMI FL 33162
Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
Contract BE1354 Address Cd 001 STATE RD 41 - BOX 14
Order Date 07/09/1998
Due Date 07/10/1998 OCHOPEE
Authorizer [REDACTED] FL 34141
Project Work Code 090004
Priority 2 Problem Code 10 HANDYMAN
Part Serial No

Phase Description NEED TO BOLT CABINETS AND SHELVES

Services				
Title		\$ Actual	\$ Estimate	Percent
NEED TO BOLT CABINETS AND SHELVES		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/09/1998	07:38:04	02-DISPTCH
[REDACTED]	07/30/1998	21:41:57	09-A/P RDY

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution				
Account(s)	Sub Code	Percent	Amount	
[REDACTED]	M1	100.00	0.00	

Extra Description
SECURLY FOR SAFETY REASONS, NO CALL BACK....JWA 8:37 EST

Job Started ___/___/___ Completed ___/___/___
Person Assigned _____ Actual Hours _____
Signature _____

Phase - 002

Work Request	980709333690	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	07/09/1998		
Due Date	07/10/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description NEED TO BOLT CABINETS AND SHELVES

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO BOLT CABINETS AND SHELVES	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/24/1998	17:49:27	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 SECURLY FOR SAFETY REASONS, NO CALL BACK....JWA 8:37 EST

 SECURLY FOR SAFETY REASONS, NO CALL BACK....JWA 8:37 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980708333020	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	07/08/1998			
Due Date	07/09/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200002	
Priority	2	Problem Code	41	TRASH REMOVAL
Part		Serial No		

Phase Description NEED TO EMPTY LARGE DUMPSTER

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO EMPTY LARGE DUMPSTER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/08/1998	09:20:28	02-DISPTCH
[REDACTED]	07/20/1998	11:31:00	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO EMPTY LARGE DUMPSTER
 & ALSO NEED CARDBOARD RECYCLING BIN
 FOR WHOLE BUILDING
 NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980708333020	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER Phone 3056519917		MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	07/08/1998		
Due Date	07/09/1998		MIRAMAR
Authorize	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description DAMPERS ON AC HAS BROKEN LOOSE

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO EMPTY LARGE DUMPSTER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/08/1998	09:20:28	02-DISPTCH
[REDACTED]	07/08/1998	15:50:42	11-CANCEL
[REDACTED]	07/27/1998	12:57:13	10-CLOSED

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,364.85

Extra Description
 NEED TO EMPTY LARGE DUMPSTER
 & ALSO NEED CARDBOARD RECYCLING BIN
 FOR WHOLE BUILDING
 NO CALL BACK REQUESTED KF....
 NO CALL BACK REQUESTED KF....
 REQUEST HAS BEEN TAKEN CARE OF PER CLIENT.....WA

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request 980704331088	Region FL
Customer [REDACTED]	Facility MIAMI
Phone 7043478636	Property M6506 GOLDEN GLADES ESS
OC WDL	18400 NE 5 AVENUE
POC ELECTRONIC TECH Phone 7045107034	MIAMI FL 33162
Category MTCE	Status 01-CREATED Location

Phase 001	Contractor [REDACTED]
Contract	Address Cd 001 8085 N W 98TH ST
Order Date 07/04/1998	
Due Date 07/06/1998	HIALEAH GARDENS
Authorizer [REDACTED]	FL 33016
Project	Work Code 160001
Priority 2	Problem Code 30 ELECTRICAL SYSTEMS
Part	Serial No

Phase Description VESDA ALARM

Services			
Title	\$ Actual	\$ Estimate	Percent
VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/04/1998	12:33:27	03-VEN NOT
[REDACTED]	07/04/1998	14:24:27	04 VEN RSP

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution			
Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request 980704331088	Region FL
Customer [REDACTED]	Facility MIAMI
Phone 7043478636	Property M6506 GOLDEN GLADES ESS
OC WDL	18400 NE 5 AVENUE
POC ELECTRONIC TECH Phone 7045107034	MIAMI FL 33162
Category MTCE	Status 01-CREATED Location

Phase 001	Contractor [REDACTED]
Contract	Address Cd 001 8085 N W 98TH ST
Order Date 07/04/1998	
Due Date 07/06/1998	HIALEAH GARDENS
Authorizer [REDACTED]	FL 33016
Project	Work Code 160001
Priority 2	Problem Code 30 ELECTRICAL SYSTEMS
Part	Serial No

Phase Description VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/04/1998	12:33:27	03-VEN NOT
[REDACTED]	07/04/1998	14:24:27	04 VEN RSP

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980629328187	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	03-CLOSED Location

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001 PO BOX 2715	
Order Date	06/29/1998			
Due Date	06/30/1998		OMAHA	
Authorizer	[REDACTED]		NE 681032715	
Project		Work Code	200003	
Priority	2	Problem Code	42 PROPRIETARY BIN/BAG REMOVAL	
Part		Serial No		

Phase Description NEED CARDBOARD RECYCLE BINS

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED CARDBOARD RECYCLE BINS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/29/1998	10:17:23	02-DISPTCH
[REDACTED]	06/30/1998	09:05:10	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 CALL BACK IS REQUIRED
 305-651-9917 MIKE
 TENANT IS THERE 1PM-9PM

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980624325610	Region FL
Customer [REDACTED]	Facility MIAMI
Phone 3056519917	Property M6506 GOLDEN GLADES ESS
OC MLQ	18400 NE 5 AVENUE
POC NETWORK MANAGER Phone 3056519917	MIAMI FL 33162
Category MTCE	Status 03-CLOSED
	Location

Phase 001	Contractor [REDACTED]
Contract	Address Cd 01Q
Order Date 06/24/1998	1701 6TH AVENUE NORTH
Due Date 06/24/1998	BIRMINGHAM BFMS CENTER
Authorizer [REDACTED]	BIRMINGHAM
Project	AL 35203
	Work Code 130010
Priority 1	Problem Code 17 BFMS
Part	Serial No

Phase Description TOO HOT AC NOT WORKING

Services		\$ Actual	\$ Estimate	Percent
Title				
TOO HOT AC NOT WORKING		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/24/1998	10:05:05	01-PENDING
[REDACTED]	06/24/1998	10:38:04	10-CLOSED
[REDACTED]	06/24/1998	10:38:28	11-CANCEL

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution		Sub Code	Percent	Amount
Account(s)				
[REDACTED]		M1	100.00	0.00

Extra Description
 CHILLERS HAVE SHUT DOWN, TENANT WANTS TO BE CALLED.....JWA 11:10 EST

*THE CHILLER PLANT DID SHUT DOWN BUT IS BACK ONLINE NOW AND
 *THE SWT IS GOING BACK DOWN. BFMS SPOKE WITH TENNANT AND HE FEELS
 *BETTER NOW. BFMS WILL CLOSE THIS REQUEST. THANKS, [REDACTED]

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980622324316	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056223211	Property	M6506 GOLDEN GLADES ESS
OC	Q6X		18400 NE 5 AVENUE
POC	SPECIALIST	Phone	3056223211 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	06/22/1998		
Due Date	06/23/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	900002
Priority	2	Problem Code	
Part		Serial No	

Phase Description RELOC PANEL NEXT TO FILE CABINETS-B4 END OF WEEK

Services	Title	\$ Actual	\$ Estimate	Percent
	RELOC PANEL/FILE CABINETS FOR NEW SWITCH	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/22/1998	16:12:57	01-PENDING
[REDACTED]	07/23/1998	16:37:50	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

REMOUNT PANEL NEXT TO FILE CABINETS - WEST WALL NEAR COLUMN D6. PANEL SHOULD BE ELEVATED ABOVE CABINETS. NEED TO TAKE PIPE AND MAKE A 90 DEGREE BEND AND THEN MOUNT PANEL. CONTACT [REDACTED] IF ANY QUESTIONS. NEEDS TO BE DONE BEFORE END OF WEEK. NEW SWITCH LINE UP IS BEING INSTALLED. ADVISE FACILITY MGR WHEN COMPLETED SO FILE CABINETS CAN BE MOVED FURTHER DOWN ON THE WALL.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980622324316	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056223211	Property	M6506 GOLDEN GLADES ESS
OC	Q6X		18400 NE 5 AVENUE
POC	SPECIALIST	Phone	3056223211 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract	BE1354	Address Cd	001 STATE RD 41 - BOX 14
Order Date	06/22/1998		
Due Date	06/23/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	900002
Priority	2	Problem Code	.
Part		Serial No	

Phase Description RELOC FILE CABINETS ON WEST WALL NEAR COLUMN D6

Services	Title	\$ Actual	\$ Estimate	Percent
	RELOC PANEL/FILE CABINETS FOR NEW SWITCH	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/22/1998	17:01:43	01-PENDING
[REDACTED]	07/21/1998	05:53:07	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 REMOUNT PANEL NEXT TO FILE CABINETS - WEST WALL NEAR COLUMN D6. PANEL SHOULD BE ELEVATED ABOVE CABINETS. NEED TO TAKE PIPE AND MAKE A 90 DEGREE BEND AND THEN MOUNT PANEL. CONTACT [REDACTED] IF ANY QUESTIONS. NEEDS TO BE DONE BEFORE END OF WEEK. NEW SWITCH LINE UP IS BEING INSTALLED. ADVISE FACILITY MGR WHEN COMPLETED SO FILE CABINETS CAN BE MOVED FURTHER DOWN ON THE WALL.

NEED TO MOVE FILE CABINETS APPROX. 2 1/2 FEET ALONG WALL. COUNTYWIDE HAS TO REMOUNT PANEL BEFORE FILE CABINETS CAN BE MOVED ALONG WALL. CONTACT [REDACTED] AT COUNTYWIDE SO THEY CAN ADVISE YOU WHEN PANEL HAS BEEN REMOUNTED. FILE CABINETS NEED TO BE MOVED BEFORE END OF WEEK WHEN NEW EQUIPMENT WILL BE INSTALLED.

REMOUNT PANEL NEXT TO FILE CABINETS - WEST WALL NEAR

Phase - 001

Work Request 980620323364
 Customer [REDACTED]
 Phone 7045107033
 OC NT7
 POC ELECTRONIC TECH Phone 7045107033
 Category MTCE Status 01-CREATED

Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162
 Location

Phase 001
 Contract [REDACTED]
 Order Date 06/20/1998
 Due Date 06/20/1998
 Authorizer [REDACTED]
 Project [REDACTED]
 Priority 1
 Part

Contractor [REDACTED]
 Address Cd 001 8085 N W 98TH ST
 HIALEAH GARDENS
 FL 33016
 Work Code 300005
 Problem Code 39 FIRE ALARM TROUBLE
 Serial No

Phase Description VESDA ALARM / NRC

Services Title	\$ Actual	\$ Estimate	Percent
VESDA ALARM / NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/20/1998	06:24:27	01-PENDING
[REDACTED]	06/20/1998	07:25:04	02-DISPTCH
[REDACTED]	07/23/1998	15:53:37	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 THIS IS A SWITHC TICKET, PLEASE CALL THE
 NRC UPON COMPLETION....JWA 7:17 EST

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980618322485 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 7043478636 Property M6506 GOLDEN GLADES ESS
 OC DXN 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 7043478636 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 06/18/1998 HIALEAH GARDENS
 Due Date 06/18/1998 FL 33016
 Authorizer [REDACTED]
 Project Work Code 300005
 Priority 1 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description VESDA ALARM TROUBLE

Services Title	\$ Actual	\$ Estimate	Percent
VESDA ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/18/1998	14:58:06	01-PENDING
[REDACTED]	06/18/1998	15:04:53	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK IS REQUIRED
 VESDA ALARM TROUBLE PER THE NRC

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980618322335	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	9047982838	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	001 PO BOX 5013
Order Date	06/18/1998		
Due Date	06/19/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS TOWER LOW WATER LEVEL ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS TOWER LOW WATER LEVEL ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/18/1998	13:51:35	01-PENDING
[REDACTED]	06/19/1998	06:54:14	03-VEN NOT
[REDACTED]	06/27/1998	08:09:31	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	308.42

Extra Description
 *BFMS NEEDS SOMEONE TO INVESTIGATE. 13:50 CST GAVE TO WILL IE.
 no callback

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request	980616320970	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	06/16/1998		
Due Date	08/16/1998		
Authorizer	[REDACTED]		
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description PER THE FM NEED BFMS TO CHECK SPACE TEMP

Services Title	\$ Actual	\$ Estimate	Percent
PER THE FM NEED BFMS TO	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/16/1998	14:35:57	01-PENDING
[REDACTED]	06/16/1998	14:53:34	04 VEN RSP
[REDACTED]	06/27/1998	08:00:35	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK IS REQUIRED
 PER THE FM NEED BFMS TO CHECK SPACE TEMP
 FOR AHU #2 ALSO TEMP CHART READING 82 DEGREES.
 *AHU-2C SPACE TEMP=81 DEG AND THE SETPOINT=78 DEG.
 *ALSO TOWER-1RB FAN ISN'T PROOFING OFF AND CHLEXFALMSTS ALARM IS
 *ACTIVE. PLEASE DISPATCH VENDOR. THANKS. [REDACTED]
 *15:55 CST GAVE TO TERESA

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980604313810	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107034	Property	M6506
OC	WDL		GOLDEN GLADES ESS
POC	ELECTRONIC TECH	Phone	7045107034
			18400 NE 5 AVENUE
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	06/04/1998		PO BOX 5013
Due Date	06/04/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	300005
Priority	1	Problem Code	39
Part		Serial No	
			FIRE ALARM TROUBLE

Phase Description VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/04/1998	09:50:52	02-DISPTCH
[REDACTED]	06/10/1998	13:16:34	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980528309837	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107033	Property	M6506 GOLDEN GLADES ESS
OC	NT7		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107033 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	05/28/1998		
Due Date	05/29/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description HAVE VESDA ALARM

Services Title	\$ Actual	\$ Estimate	Percent
HAVE VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/28/1998	16:57:25	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980528309456	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	MLQ		GOLDEN GLADES ESS
POC	NETWORK MANAGER	Phone	3056519917
			18400 NE 5 AVENUE
Category	HOUSE	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	05/28/1998			
Due Date	05/29/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200002	
Priority	2	Problem Code	41	TRASH REMOVAL
Part		Serial No		

Phase Description NEED DUMPSTER P/U ASAP

Services Title	\$ Actual	\$ Estimate	Percent
NEED DUMPSTER P/U ASAP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/28/1998	10:28:42	02-DISPTCH
[REDACTED]	06/01/1998	08:59:08	09-A/P RDY

Managers

Shop [REDACTED]

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980515303225	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519914 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	05/15/1998		
Due Date	05/15/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	300002
Priority	1	Problem Code	36 FIRE ALARM
Part		Serial No	

Phase Description FIRE ALARM KEEPS GOING OFF

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM KEEPS GOING OFF	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/15/1998	17:14:01	04 VEN RSP
[REDACTED]	05/15/1998	21:22:07	09-A/P RDY

Managers

Shop SFL BRANCH
Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

no call back

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 002

Work Request	980515303225	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519914 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	06/08/1998		
Due Date	06/08/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150010
Priority	1	Problem Code	
Part		Serial No	

Phase Description FIRE ALARM KEEPS GOING OFF

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM KEEPS GOING OFF	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/08/1998	16:24:55	01-PENDING
[REDACTED]	06/08/1998	16:36:36	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 no call back

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

89.

Phase - 001

Work Request	980514302274	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107034	Property	M6506 GOLDEN GLADES ESS
OC	WDL		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107034 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 631702
Order Date	05/14/1998		
Due Date	05/14/1998		CINCINNATI
Authorizer	[REDACTED]		OH 452361702
Project		Work Code	300005
Priority	1	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description VESDA ALARM

Services Title	\$ Actual	\$ Estimate	Percent
VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/14/1998	12:28:34	02-DISPTCH
[REDACTED]	08/11/1998	06:08:45	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

90.

Phase - 001

Work Request 980512300325 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 05/12/1998
 Due Date 05/12/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 150001
 Priority 1 Problem Code 21 HEATING/VENTILATING/AIR CONDITIONING
 Part Serial No

Phase Description THE A/C ON THE 2ND FL IS NOT WORKING NEEDS TEMP ADJUSTED

Services Title	\$ Actual	\$ Estimate	Percent
THE A/C ON THE 2ND FL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/12/1998	06:48:36	01-PENDING
[REDACTED]	05/12/1998	08:23:55	04 VEN RSP
[REDACTED]	06/08/1998	13:16:36	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

A CALL BACK IS NOT REQUIRED
 THE A/C ON THE 2ND FL IS NOT WORKING NEEDS TEMP ADJUSTED
 EQUIP IS IN DANGER

*AHU-1A AND AHU-1B HAVE SPACE TEMP ALARMS ACTIVE AND
 *THE TEMPS ARE UP AND DOWN. PLEASE DISPATCH VENDOR
 *PRI-1. THANKS. [REDACTED]

*08:20 CST GAVE TO KIMBERLY

TICKET#107450
 FAXED AMD CALLED TO L&S/NINA
 L&S MAY BE ON SITE
 LINK 925AM EDT LINK

Phase - 001

Work Request	980508298963	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	205 521 6539	Property	M6506 GOLDEN GLADES ESS
OC	CM5		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	05/08/1998		
Due Date	05/08/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS COOLING TOWER LOW WATER LEVEL..

Services Title	\$ Actual	\$ Estimate	Percent
BFMS COOLING TOWER LOW WATER LEVEL..	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/08/1998	10:33:00	01-PENDING
[REDACTED]	05/08/1998	10:45:35	11-CANCEL

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,691.09

Extra Description
 *BFMS RECEIVED A LOW WATER LEVEL ALARM FOR TOWER-1..REFER FOR CHECK OUT..
 *REFERRED TO BSC(WILLIE) AT 10:35CST

Per nina with landis, techs at building, cancel tck/....wa

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980508298800 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 9047982838 Property M6506 GOLDEN GLADES ESS
 OC 804 18400 NE 5 AVENUE
 POC Phone MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 005 10111 BUSINESS DR
 Order Date 05/08/1998
 Due Date 05/08/1998 MIRAMAR
 Authorizer [REDACTED] FL 33025
 Project Work Code 130010
 Priority 1 Problem Code 17 BFMS
 Part Serial No

Phase Description BFMS POINTS IN ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS POINTS IN ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/08/1998	08:36:22	01-PENDING
[REDACTED]	05/08/1998	08:50:45	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	308.42

Extra Description
 *BFMS RECEIVED A TOWER LOW WATER LEVEL ALARM. CHILLER
 *PUMP-1A, CHP-1B, CONDENSOR PUMP-1C, CNP-1D, TOWER-1RA, 1RB,
 *AND 1A SPACE TEMP ALARMS. PLEASE DISPATCH VENDOR PRI-1.
 *THANKS. [REDACTED]
 *08:36 CST GAVE TO [REDACTED]

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980506297664	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 1776 NW 23RD TERRACE
Order Date	05/06/1998		
Due Date	05/06/1998		MIAMI
Authorizer	[REDACTED]		FL 33142
Project		Work Code	020002
Priority	1	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description THE FRONT GATE IS BROKEN THE WHEEL IS OFF

Services	Title	\$ Actual	\$ Estimate	Percent
	THE FRONT GATE IS BROKEN	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/06/1998	11:40:04	02-DISPTCH
[REDACTED]	05/06/1998	14:52:46	07-VEN CHG
[REDACTED]	05/24/1998	08:37:59	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

A CALL BACK IS NOT REQUIRED!
 THE FRONT GATE IS BROKEN THE WHEEL IS OFF
 NEEDS TO BE HANDLED IMMED.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980824358524	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	<50K	Status	02-PDGFUND Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	08/24/1998		
Due Date	08/29/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project	1152	Work Code	900002
Priority	3	Problem Code	
Part		Serial No	

Phase Description COLLOCATION-VIRTUAL FOR MGC-NEXTLINK COMMUNICATIONS

Services		\$ Actual	\$ Estimate	Percent
Title				
COLLOCATION-VIRTUAL FOR MGC-NEXTLINK		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/24/1998	18:31:01	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	C1	100.00	0.00

Extra Description
 NEED TO INSTALL LIGHTING AND CONDUIT
 FOR SWITCHING EQPT BEING INSTALLED FOR VIRTUAL
 COLLOCATION - MGC - NEXTLINK COMMUNICATIONS,
 INC.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980824358524	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	<50K	Status	02-PDGFUND
		Location	

Phase	002	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	08/25/1998		
Due Date	08/30/1998		MIRAMAR
Authorizer	[REDACTED]	THOMPSON, CLARA C	FL 33025
Project	1152	Work Code	900002
Priority	3	Problem Code	
Part		Serial No	

Phase Description [REDACTED]

Services		\$ Actual	\$ Estimate	Percent
Title	[REDACTED]	[REDACTED]	[REDACTED]	0.00

User	Date	Time	Status
[REDACTED]	08/25/1998	17:52:44	01-PENDING

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	C1	100.00	0.00

Extra Description

NEED TO INSTALL LIGHTING AND CONDUIT
 FOR SWITCHING EQPT BEING INSTALLED FOR VIRTUAL
 [REDACTED]
 INC.

NEED TO INSTALL BEFORE SEPT 15TH A/C DROPS
 OVER NEW SWITCHING EQPT BEING INSTALLED FOR
 [REDACTED]
 INC.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Work Request	980822357773	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7043478636	Property	M6506 GOLDEN GLADES ESS
OC	WDL		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7043478636 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	08/22/1998		
Due Date	08/23/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300005
Priority	2	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description FIRE ALARM TROUBLE PER NRC

Services	Title	\$ Actual	\$ Estimate	Percent
	FIRE ALARM TROUBLE PER NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/22/1998	21:25:55	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
No Callback is needed

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980820356541	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 10145 N W 27 AVENUE
Order Date	08/20/1998		
Due Date	08/21/1998		MIAMI
Authorizer	[REDACTED]		FL 33147
Project		Work Code	100003
Priority	2	Problem Code	13 FIRE EXTINGUISHERS
Part		Serial No	

Phase Description NEED FIRE EXTINGUISHERS SERVICED

Services Title	\$ Actual	\$ Estimate	Percent
NEED FIRE EXTINGUISHERS SERVICED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/20/1998	07:13:23	02-DISPTCH
[REDACTED]	09/03/1998	13:44:16	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK.....JWA 8:17 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980812352767	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045106509	Property	M6506 GOLDEN GLADES ESS
OC	Q3G		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107034
Category	MTCE	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	08/12/1998		
Due Date	08/12/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	1	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/12/1998	17:32:28	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALLBACK

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

99.

Phase - 001

Work Request	980803347453	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 1776 NW 23RD TERRACE
Order Date	08/03/1998		
Due Date	08/04/1998		MIAMI
Authorizer	[REDACTED]		FL 33142
Project		Work Code	020002
Priority	2	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description ENTRANCE GATE IS SQUEAKING

Services	Title	\$ Actual	\$ Estimate	Percent
	ENTRANCE GATE IS SQUEAKING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/03/1998	13:48:54	02-DISPTCH
[REDACTED]	09/15/1998	09:42:27	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
no callback

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

100.

Phase - 001

Work Request 980730345810 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 1776 NW 23RD TERRACE
 Order Date 07/30/1998
 Due Date 07/31/1998 MIAMI
 Authorizer [REDACTED] FL 33142
 Project Work Code 020002
 Priority 2 Problem Code 01 FENCING AND GATES
 Part Serial No

Phase Description NEED SOMEONE TO LOOK AT THE GATE

Services Title	\$ Actual	\$ Estimate	Percent
NEED SOMEONE TO LOOK AT THE GATE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/30/1998	12:56:42	01-PENDING
[REDACTED]	07/30/1998	16:16:38	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL NEEDED

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request	980730345810	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001 STATE RD 41 - BOX 14
Order Date	07/30/1998		
Due Date	07/31/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description SOME PARKING BLOCKS AREN'T NAILED DOWN AT ALL

Services Title	\$ Actual	\$ Estimate	Percent
NEED SOMEONE TO LOOK AT THE GATE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/30/1998	12:56:42	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL NEEDED

 NO CALL NEEDED

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980729345320	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 11321 W DISTRIBUTION AVE
Order Date	07/29/1998		
Due Date	07/30/1998		JACKSONVILLE
Authorizer	[REDACTED]		FL 32256
Project		Work Code	160004
Priority	2	Problem Code	
Part		Serial No	

Phase Description SWITCHGEAR INSPECTION-GLDN GLADES & OLETA

Services	Title	\$ Actual	\$ Estimate	Percent
	SWITCHGEAR INSPECTIO-GLDN GLADES & OLETA	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/29/1998	18:09:26	01-PENDING
[REDACTED]	09/11/1998	12:39:25	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	50.00	0.00
[REDACTED]	M1	50.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980728344314	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	[REDACTED]	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	07/28/1998		1776 NW 23RD TERRACE
Due Date	07/28/1998		MIAMI
Authorizer	[REDACTED]		FL 33142
Project		Work Code	020002
Priority	1	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description WHEEL IS COMING OFF OF GATE

Services	Title	\$ Actual	\$ Estimate	Percent
	WHEEL IS COMING OFF OF GATE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/28/1998	13:21:24	03-VEN NOT
[REDACTED]	09/15/1998	09:43:07	09-AP RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 THE FRONT MAIN GATE/ ELECTRONIC GATE OPENER
 CB NO SB NEEDS TO BE DONE BEFORE 5PM TODAY

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980725342914
 Customer [REDACTED] [REDACTED] Region FL
 Phone 7043478549 Facility MIAMI
 OC DXN Property M6506 GOLDEN GLADES ESS
 POC ELECTRONIC TECH Phone 7043478549 18400 NE 5 AVENUE
 Category MTCE Status 01-CREATED Location MIAMI FL 33162

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 01A 819 PICKENS INDUSTRIAL DR
 Order Date 07/25/1998
 Due Date 07/25/1998 MARIETTA
 Authorizer [REDACTED] [REDACTED] GA 30060
 Project Work Code 300002
 Priority 1 Problem Code 36 FIRE ALARM
 Part Serial No

Phase Description MAJOR VESDA ALARM

Services Title	\$ Actual	\$ Estimate	Percent
MAJOR VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/25/1998	18:51:16	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALLBACK

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

105.

Phase - 001

Work Request	980724342633	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	2055216539	Property	M6506
OC	B04		GOLDEN GLADES ESS
POC		18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
Status	01-CREATED	Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	07/24/1998		8085 N W 98TH ST
Due Date	07/25/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	130011
Priority	2	Problem Code	18
Part		Serial No	CARD ACCESS

Phase Description CARDEAC

Services	Title	\$ Actual	\$ Estimate	Percent
	CARDEAC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/24/1998	13:39:48	01-PENDING
[REDACTED]	07/24/1998	13:42:18	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 *CAREDAC UNBALE TO TALK TO CARD ACCESS PANELS,
 RECEIVING ERROR MESAGE "GATEWAY HASNT SENT PACKET 10".
 NEED SOMEONE TO INVESTIGATE PANEL COMMUNICATIONS..
 REFERED TO BSC @13:39 CST(JOHN)

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980723341482 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 13320 SW 36TH ST
 Order Date 07/23/1998
 Due Date 07/24/1998 MIAMI
 Authorizer [REDACTED] FL 33175
 Project Work Code 020002
 Priority 2 Problem Code 01 FENCING AND GATES
 Part Serial No

Phase Description NEED GATE OILED

Services Title	\$ Actual	\$ Estimate	Percent
NEED GATE OILED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/23/1998	07:49:00	02-DISPTCH
[REDACTED]	07/24/1998	09:33:52	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL NEEDED

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980720339816	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506
OC	FR6	18400 NE 5 AVENUE	
POC	MANAGER	MIAMI	FL 33162
Category	MTCE	Status	01-CREATED
		Location	GOLDEN GLADES ESS

Phase	001	Contractor	[REDACTED]
Contract	BE1354	Address Cd	001
Order Date	07/20/1998	STATE RD 41 - BOX 14	
Due Date	07/21/1998	OCHOPEE	
Authorizer	[REDACTED]	FL 34141	
Project	1152	Work Code	900002
Priority	2	Problem Code	
Part		Serial No	

Phase Description COLLOCATION-NEED APPROX 400FT CAUTION TAPE FOR PSC WALKTHRU

Services Title	\$ Actual	\$ Estimate	Percent
COLLOCATION-NEED CAUTION TAPE FOR PSC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/20/1998	17:20:43	01-PENDING
[REDACTED]	08/18/1998	08:17:38	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO BE DELIVERED NO LATER THAN WEDNESDAY MORNING (7-22). FOR PSC WALKTHRU

(SEE ATTACHED MEMO FROM JIM BLOOMER REGARDING TAPE) NEED 400 FEET MINIMUM (APPROX 4 ROLLS) CAUTION TAPE - YELLOW W/BLACK LETTERS TO BE DELIVERED TO CENTRAL OFFICE FOREMAN'S DESK AT GOLDEN GLADES IN A BAG LABELLED "PSC INSPECTION SUPPLIES"

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980719339099	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107033	Property	M6506 GOLDEN GLADES ESS
OC	NT7		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107033
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	07/19/1998		
Due Date	07/19/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300002
Priority	1	Problem Code	36 FIRE ALARM
Part		Serial No	

Phase Description HAVE A VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	HAVE A VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/19/1998	23:24:36	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980717338345	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162
			2ND FLR

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	07/17/1998		8085 N W 98TH ST
Due Date	07/18/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30
Part			ELECTRICAL SYSTEMS
		Serial No	

Phase Description NEED BULBS REPLACED IN EXIT SIGNS

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED BULBS REPLACED IN EXIT SIGNS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/17/1998	08:58:08	02-DISPTCH

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980715337358	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	MIAMI	FL 33162
Status	03-CLOSED	Location	

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	07/15/1998			
Due Date	07/20/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200002	
Priority	3	Problem Code	41	TRASH REMOVAL
Part		Serial No		

Phase Description NEED DUMPSTER EMPTIED

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED DUMPSTER EMPTIED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/15/1998	16:11:08	02-DISPTCH
[REDACTED]	07/21/1998	06:35:30	09-A/P RDY
[REDACTED]	07/21/1998	21:09:21	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
CB NO SB

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980715337153 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 07/15/1998
 Due Date 07/15/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300002
 Priority 1 Problem Code 36 FIRE ALARM
 Part Serial No

Phase Description FIRE ALARM IS GOING OFF

Services Title	\$ Actual	\$ Estimate	Percent
FIRE ALARM IS GOING OFF	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/15/1998	12:46:45	02-DISPTCH
[REDACTED]	07/16/1998	13:52:34	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK REQUESTED KF....

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980715337144	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	205-521-6539	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	07/15/1998		
Due Date	07/15/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description UNIT 2A AND 2B HAS FAILED

Services	Title	\$ Actual	\$ Estimate	Percent
	UNIT 2A AND 2B HAS FAILED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/15/1998	12:14:37	01-PENDING
[REDACTED]	07/15/1998	12:30:51	02-DISPTCH
[REDACTED]	07/15/1998	14:23:53	11-CANCEL

Managers

Shop SFL BRANCH
Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,364.85

Extra Description

*bfms are rec unit 2a and 2b has failed please look into this problem

*bfms dispatch to bsc as pr 1:kevin 12:27

*bfms are rec a chiller failure now.

please look into this right away

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		
_____	_____		
_____	_____		

Phase - 001

Work Request	980713335521	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI FL 33162
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	
Contract		Address Cd	
Order Date	07/13/1998		
Due Date	07/14/1998		
Authorizer	[REDACTED]		
Project		Work Code	200005
Priority	2	Problem Code	44 EXTERIOR GROUNDS
Part		Serial No	

Phase Description GRASS NEEDS TO BE CUT

Services Title	\$ Actual	\$ Estimate	Percent
GRASS NEEDS TO BE CUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/13/1998	09:08:43	02-DISPTCH
[REDACTED]	07/15/1998	19:20:27	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980713335521	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	MLQ		GOLDEN GLADES ESS
POC	NETWORK MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056519917		
	Status 03-CLOSED	Location	

Phase	002	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	07/13/1998			
Due Date	07/14/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200003	
Priority	2	Problem Code	42	PROPRIETARY BIN/BAG REMOVAL
Part		Serial No		

Phase Description NEED BIN FOR CARDBOARDF BOXES

Services	Title	\$ Actual	\$ Estimate	Percent
	GRASS NEEDS TO BE CUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/13/1998	09:08:43	02-DISPTCH
[REDACTED]	07/15/1998	19:20:27	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK

Work Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Work Request	980711335179	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	1-205-521-6539	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	006 N FLA
Order Date	07/11/1998		8940 WESTERN WAY
Due Date	07/11/1998		JACKSONVILLE
Authorizer	[REDACTED]		FL 32256
Project		Work Code	130011
Priority	1	Problem Code	18 CARD ACCESS
Part		Serial No	

Phase Description CARD ACCESS

Services	Title	\$ Actual	\$ Estimate	Percent
	CARD ACCESS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/11/1998	23:17:16	01-PENDING
[REDACTED]	07/11/1998	23:27:25	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 *BFMS NEED TO HAVE THE BUFFERING ON THE ACCESS DISABLED TO PREVENT THE
 *SYSTEM FROM LOCKING UP.....REFER TO THE APPROPRIATE VENDOR.
 *.....PRI 1.....REFERRED TO THE BSC.....TIM@23:15

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980710334931 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056511296 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC NETWORK MANAGER Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 07/10/1998
 Due Date 07/10/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 130011
 Priority 1 Problem Code 18 CARD ACCESS
 Part Serial No

Phase Description CARD ACCESS

Services			
Title	\$ Actual	\$ Estimate	Percent
CARD ACCESS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/10/1998	14:52:39	02-DISPTCH
[REDACTED]	07/11/1998	09:02:20	04 VEN RSP
[REDACTED]	08/14/1998	06:21:02	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution			
Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 PANELS NOT COMMUNICATING
 NO CLIENT CALL BACK

9:23pm Network manager called in and said that noone can access
 this building...needs to be repaired tonight
 His pager number is 800 690 7046

TENANT CALLED BACK, NEEDS SOMEONE TO CALL HIM AT HOME,
 954-961-3819....JWA 10:11 EST 7-11-98

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980710334856	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
Category	MTCE	MIAMI	FL 33162
	Status	01-CREATED	Location

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	07/10/1998			
Due Date	07/15/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200005	
Priority	3	Problem Code	44	EXTERIOR GROUNDS
Part		Serial No		

Phase Description /NEED GRASS CUT

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED GRASS CUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/10/1998	13:53:51	02-DISPTCH
[REDACTED]	07/14/1998	08:52:07	09-A/P RDY
[REDACTED]	07/23/1998	16:32:17	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request	980710334856	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	MLQ		GOLDEN GLADES ESS
POC	NETWORK MANAGER	18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056519917		
	Status 01-CREATED	Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	07/10/1998		STATE RD 41 - BOX 14
Due Date	07/15/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	3	Problem Code	10
Part		Serial No	HANDYMAN

Phase Description NEED WIRE BAGS PICKED UP AND CABLE REELS

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED GRASS CUT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/10/1998	13:53:51	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

TO RECYCLE CARDBOARD BOXES

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	981005379640	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3057160920	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	10/05/1998		
Due Date	10/06/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description 1ST FLR 7 SETS OF LIGHT WITH ELECTRICAL PROBLEMS

Services Title	\$ Actual	\$ Estimate	Percent
1ST FLR 7 SETS OF LIGHT WITH ELECTRICAL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/05/1998	08:52:30	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 1ST FLR 7 SETS OF LIGHT WITH ELECTRICAL PROBLEMS
 ALSO IN MENS RM LIGHT OUT DUE TO ELECTRICAL PROBLEMS
 NO CALL BACK REQUESTED KF...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	981002379111	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI
Category	INCI	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract	BT0255	Address Cd	001
Order Date	10/02/1998		MANAGEMENT COALITION
Due Date	10/03/1998		PO BOX 99315
Authorizer	[REDACTED]		CHICAGO
Project	[REDACTED]	Work Code	120000
Priority	2	Problem Code	
Part		Serial No	
			IL 60693

Phase Description NEED SURPLUS FURNITURE PICKED UP

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED SURPLUS FURNITURE PICKED UP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/02/1998	17:26:18	01-PENDING

Managers

Shop SFL BRANCH

Person [REDACTED]

[REDACTED]

[REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NEED TO HAVE THE FOLLOWING ITEMS
 SENT TO SURPLUS. NEED TO BE REMOVED
 ON 10-7-98. PLEASE SEE CENTRAL OFFICE
 FOREMAN [REDACTED] ON SITE. (OCC - MXS)

- 3 DESK
- 2 TABLES
- 1 BOOKCASE
- 2 CORKBOARDS
- 1 SMALL PRINTER STAND

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980929377197	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7043478549	Property	M6506 GOLDEN GLADES ESS
OC	DXN		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7043478549 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	09/29/1998		
Due Date	09/30/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160002
Priority	2	Problem Code	31 ELECTRICAL DISTRIBUTION & PANELS
Part		Serial No	

Phase Description HAVE MAJOR VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	HAVE MAJOR VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/29/1998	23:46:29	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980928376499 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056234565 Property M6506 GOLDEN GLADES ESS
 OC FR6 18400 NE 5 AVENUE
 POC MANAGER Phone 3056234565 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract REBR0290F Address Cd 001 PO BOX 5013
 Order Date 09/28/1998
 Due Date 09/29/1998 BUFFALO GROVE
 Authorizer [REDACTED] [REDACTED] IL 60089
 Project Work Code 150001
 Priority 2 Problem Code
 Part Serial No

Phase Description GEORGES-HURRICANE PREPARATION

Services Title	\$ Actual	\$ Estimate	Percent
GEORGES-HURRICANE PREPARATION	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/28/1998	20:54:43	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
STANDBY NEEDED ONSITE AT GOLDEN GLADES FOR GEORGES-HURRICANE PREPARATION.

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980925374832	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	1-205-521-6539	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/25/1998		
Due Date	09/25/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description AHU#1C HIGH TEMP ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	AHU#1C HIGH TEMP ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/25/1998	01:29:15	04 VEN RSP
[REDACTED]	09/25/1998	01:31:03	01-PENDING

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	2.364.85

Extra Description

*bfms has detected a high temp alarm from ahu#1c. bfms paged and informed

*mark bailey of landis and staefa who is currently stationed at the building

*due to the hurricane.....refer to the appropriate vendor.....pri 1

*.....referred to the bsc.....tony@1:30

*please just fax a copy of this ticket to the branch.....

no cb...ts

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980921372272 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056234565 Property M6506 GOLDEN GLADES ESS
 OC FR6 18400 NE 5 AVENUE
 POC MANAGER Phone 3056234565 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract BE1308 Address Cd 001 500 NE 25TH ST #1
 Order Date 09/21/1998
 Due Date 09/22/1998 POMPANO BEACH
 Authorizer [REDACTED] FL 33064
 Project Work Code 080001
 Priority 2 Problem Code
 Part Serial No

Phase Description PROBLEMS W/DOORS NOT LOCKING

Services Title	\$ Actual	\$ Estimate	Percent
PROBLEMS W/DOORS NOT LOCKING	0.00	0.00	0.00

User [REDACTED] Date 09/21/1998 Time 11:33:16 Status 01-PENDING

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

RECEIVING ROOM DOUBLE DOOR DOESNOT
 CLOSE. ALSO, MAIN ENTRANCE DOOR
 SHOWS THAT IT IS OPEN BUT THERE IS
 A BUTTON ON THE INSIDE OF DOOR THAT
 NEEDS ADJUSTING.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request	980921372272	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001 500 NE 25TH ST #1
Order Date	09/21/1998		
Due Date	09/22/1998		POMPANO BEACH
Authorizer	[REDACTED]		FL 33064
Project		Work Code	080001
Priority	2	Problem Code	
Part		Serial No	

Phase Description PROBLEM W/EXTERIOR DOORS/PWR RM & GARAGE-HLWD W.

Services	Title	\$ Actual	\$ Estimate	Percent
	PROBLEMS W/DOORS NOT LOCKING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/21/1998	11:33:16	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 RECEIVING ROOM DOUBLE DOOR DOESNOT CLOSE. ALSO, MAIN ENTRANCE DOOR SHOWS THAT IT IS OPEN BUT THERE IS A BUTTON ON THE INSIDE OF DOOR THAT NEEDS ADJUSTING.

 THE EXTERIOR PWR RM DOOR ENTRANCE EAST OF THE TOWER DOES NOT LOCK AUTOMATICALLY. ALSO, THE GARAGE FURTHEST NORTH SINGLE ENTRANCE DOOR DOESNOT LOCK.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980918371732	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107034	Property	M6506
OC	DXN	18400 NE 5 AVENUE	
POC	ELECTRONIC TECH	MIAMI	FL 33162
Category	MTCE	Status	01-CREATED
		Location	GOLDEN GLADES ESS

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	09/18/1998		8085 N W 98TH ST
Due Date	09/19/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	300002
Priority	2	Problem Code	36
Part		Serial No	
			FIRE ALARM

Phase Description VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
BYNDPOF	09/18/1998	19:31:46	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 CALL BACK REQUESTED...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980918371569	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 277 E OAKLAND PARK BLVD.
Order Date	09/18/1998		
Due Date	09/18/1998		FORT LAUDERDALE
Authorizer	[REDACTED]		FL 33334
Project		Work Code	150002
Priority	1	Problem Code	
Part		Serial No	

Phase Description WATER FLOWING BACK FROM PIPE INTO AIRHANDLER RM-1FLR

Services Title	\$ Actual	\$ Estimate	Percent
WATER FLOWING BACK FRM PIPE INTO	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/18/1998	14:55:39	01-PENDING
[REDACTED]	09/30/1998	13:08:57	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 WATER LEAK IN AIRHANDLER RM FROM PIPE.
 LANDIS ADVISES DUE TO HEAVY RAIN
 WATER IS BACKING INTO PIPE AND IS
 NOT FLOWING PROPERLY. MAY BE CLOGGED.
 SEE C.O. FOREMAN [REDACTED]

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980918371539	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056234565	Property	M6506 GOLDEN GLADES ESS
OC	FR6		18400 NE 5 AVENUE
POC	MANAGER	Phone	3056234565
			MIAMI
Category	MTCE	Status	03-CLOSED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract	BE1345	Address Cd	001
Order Date	09/18/1998		420 S DIXIE HWY STE 4D
Due Date	09/18/1998		CORAL GABLES
Authorizer	[REDACTED]		FL 33146
Project	[REDACTED]	Work Code	090004
Priority	1	Problem Code	
Part		Serial No	

Phase Description WATER IN CABLE VAULT

Services	Title	\$ Actual	\$ Estimate	Percent
	WATER IN CABLE VAULT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/18/1998	14:07:09	01-PENDING
[REDACTED]	09/21/1998	15:44:15	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO IDENTIFY PROBLEM FROM WATER
 COMING INTO CABLE VAULT FROM NORTH
 WALL (OPPOSITE END FROM SUMP PUMP)
 FAC MGR TO SEND REQUEST TO FBG TO
 MOP WATER UP.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request 980918371539	Region FL
Customer [REDACTED]	Facility MIAMI
Phone 3056234565	Property M6506 GOLDEN GLADES ESS
OC FR6	18400 NE 5 AVENUE
POC MANAGER	MIAMI FL 33162
Category MTCE	Status 03-CLOSED
	Location

Phase 002	Contractor [REDACTED]	EDI
Contract REBA418F1	Address Cd 001	PO BOX 2715
Order Date 09/18/1998		
Due Date 09/18/1998		OMAHA
Authorizer [REDACTED]		NE 681032715
Project	Work Code 200001	
Priority 1	Problem Code	
Part	Serial No	

Phase Description WATER IN CABLE VAULT - NEEDS TO BE MOPPED UP

Services	\$ Actual	\$ Estimate	Percent
Title WATER IN CABLE VAULT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/18/1998	14:11:56	01-PENDING
[REDACTED]	09/21/1998	15:44:15	10-CLOSED

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO IDENTIFY PROBLEM FROM WATER
 COMING INTO CABLE VAULT FROM NORTH
 WALL (OPPOSITE END FROM SUMP PUMP)

 FAC MGR TO SEND REQUEST TO FBG TO
 MOP WATER UP.

STANDING WATER IN CABLE VAULT NEEDS
 TO BE MOPPED UP.

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980916370102	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506
OC	MLQ	18400 NE 5 AVENUE	
POC	ELECTRONIC TECH	Phone	3056511296
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	09/16/1998		914 NW 19TH AVE
Due Date	09/17/1998		FT LAUDERDALE
Authorizer	[REDACTED]		FL 33311
Project		Work Code	150002
Priority	2	Problem Code	22
Part		Serial No	
			PLUMBING

Phase Description LEAK ON 2ND FL POWER RM SE CORNER

Services Title	\$ Actual	\$ Estimate	Percent
LEAK ON 2ND FL POWER RM SE CORNER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/16/1998	10:17:56	03-VEN NOT
[REDACTED]	09/16/1998	15:16:49	02-DISPTCH

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

DO NOT KNOW WHAT CAUSING LEAK

CONE COVERING AREA NOT LRG AMOUNT BUT
 NEED TO LOOK AT

CB YES SB

PLUMBER ADVISED THAT IT IS NOT A PLUMBING PROBLEM
 NEED A ROOFER , ASSIGN TO TRIPLE M ROOFING HANDLE TOMMORROW AM TO THE
 SITE PER FM

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980916369819	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	205-521-6539	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/16/1998		
Due Date	09/17/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS SHOWS A CONDENSOR-01B ALARM FLAG

Services	Title	\$ Actual	\$ Estimate	Percent
	PUMP ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/16/1998	04:42:04	01-PENDING
[REDACTED]	09/16/1998	05:37:19	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,364.85

Extra Description

*PUMP-01A IS AVAILABLE. REFER TO VENDOR PRIO-02. REFERED TO BSC / APRIL

*04:40.....

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980914368836	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 STATE RD 41 - BOX 14
Order Date	09/14/1998		
Due Date	09/15/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description NEED CABINETS MOVED AROUND IN THE

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED CABINETS MOVED AROUND IN THE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/14/1998	12:34:20	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 OFFC
 SEE TENANT FOR DETAILS
 CAL LBACK IS NEEDED

Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980914368705 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 09/14/1998
 Due Date 09/15/1998 HIALEAH GARDENS
 Authorizer [REDACTED] FL 33016
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description LIGHT OUT IN MEN'S ROOM

Services Title	\$ Actual	\$ Estimate	Percent
LIGHT OUT IN MEN'S ROOM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/14/1998	10:21:42	03-VEN NOT

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 BROKEN FIXTURE. NO CALL-BACK NEEDED.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980914368499	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	[REDACTED]	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/14/1998		
Due Date	09/14/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description AC NOT PUTTING OUT ENOUGH COLD AIR

Services	Title	\$ Actual	\$ Estimate	Percent
	AC NOT PUTTING OUT ENOUGH COLD AIR	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/14/1998	07:48:26	02-DISPTCH
[REDACTED]	09/14/1998	08:07:02	03-VEN NOT

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 1ST FL MAINTENANCE RM NO EQUIP IN DANGER
 NO CB SB
 *AHU1A=ON SUPPLY=56 DEGREES
 *ZN1=81 DEGRRES SPTZN6=83 DEGREES ZN8=89 DEGREES
 *NO ALARMS IN THE PANEL ... GAVE TO [REDACTED] @08:07CT.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980910367314	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER Phone 3056519917	MIAMI	FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/10/1998		
Due Date	09/11/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description CENTRAL OFFICE AC VENT IS LEAKING WATER CASUSING CIELING TO GET

Services Title	\$ Actual	\$ Estimate	Percent
CENTRAL OFFICE AC VENT IS LEAKING WATER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/10/1998	10:33:26	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

CENTRAL OFFICE AC VENT IS LEAKING WATER
 CASUSING CIELING TO GET WET
 NO CALL BACK REQUESTED KF...

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980905365329	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045106509	Property	M6506 GOLDEN GLADES ESS
OC	DXN		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107034
			MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005
Order Date	09/05/1998		10111 BUSINESS DR
Due Date	09/06/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300005
Priority	2	Problem Code	39
Part		Serial No	FIRE ALARM TROUBLE

Phase Description FALSE VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	FALSE VESDA ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/05/1998	15:36:13	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 not an emergency per nrc
 no callback

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request 980905365329 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 7045106509 Property M6506 GOLDEN GLADES ESS
 OC DXN 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 7045107034 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 002 Contractor [REDACTED]
 Contract Address Cd 01A 819 PICKENS INDUSTRIAL DR
 Order Date 09/08/1998
 Due Date 09/08/1998 MARIETTA
 Authorizer [REDACTED] GA 30060
 Project Work Code 300005
 Priority 1 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description THIS NEEDS TO GO TO ORR AS PRI 1

Services Title	\$ Actual	\$ Estimate	Percent
FALSE VESDA ALARM	0.00	0.00	0.00

User [REDACTED] Date 09/08/1998 Time 12:10:43 Status 02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 not an emergency per nrc
 no callback

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980905365325	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519940
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	09/05/1998		8085 N W 98TH ST
Due Date	09/06/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160002
Priority	2	Problem Code	31
Part		Serial No	
			ELECTRICAL DISTRIBUTION & PANELS

Phase Description VESDA ALARM KEEPS COMING IN

Services	Title	\$ Actual	\$ Estimate	Percent
	VESDA ALARM KEEPS COMING IN	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/05/1998	16:19:02	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980904365191	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056606879	Property	M6506
OC	B04		GOLDEN GLADES ESS
POC		18400 NE 5 AVENUE	
Category	MTCE	MIAMI	FL 33162
	Phone 3056606879	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	01Q
Order Date	09/04/1998		1701 6TH AVENUE NORTH
Due Date	09/04/1998		BIRMINGHAM BFMS CENTER
Authorizer	[REDACTED]		BIRMINGHAM
Project		Work Code	130010
Priority	1	Problem Code	17
Part		Serial No	
			BFMS
			AL 35203

Phase Description NEED TO UPLOAD CABINETS

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO UPLOAD CABINETS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/04/1998	16:00:01	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NUMBER 60.73. AND 74 PER CHRIS MALCOLM..

WHEN FINISH CALL [REDACTED] PGR AT

305-660-6879...AR

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980904365152 Region FL
 Customer [REDACTED] Facility MIAMI
 Phone 3056519917 Property M6506 GOLDEN GLADES ESS
 OC MLQ 18400 NE 5 AVENUE
 POC ELECTRONIC TECH Phone 3056519917 MIAMI FL 33162
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 09/04/1998
 Due Date 09/05/1998 HIALEAH GARDENS
 Authorizer [REDACTED] FL 33016
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description LIGHTS OUT 2ND FL AFTER 30 MIN IT TRIPS

Services Title	\$ Actual	\$ Estimate	Percent
LIGHTS OUT 2ND FL AFTER 30 MIN IT TRIPS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/04/1998	14:38:32	02-DISPTCH
[REDACTED]	09/23/1998	15:01:33	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 CIRCUIT
 NO CALL NEEDED

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980903364552	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	09/03/1998		500 NE 25TH ST #1
Due Date	09/04/1998		POMPANO BEACH
Authorizer	[REDACTED]		FL 33064
Project		Work Code	080001
Priority	2	Problem Code	06 DOORS
Part		Serial No	

Phase Description THE FRONT DOOR DOES NOT CLOSE PROPERLY

Services Title	\$ Actual	\$ Estimate	Percent
THE FRONT DOOR DOES NOT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/03/1998	15:57:17	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK IS REQUIRED
 THE FRONT DOOR DOES NOT CLOSE PROPERLY,
 THE TENANT SAYS THIS CAN BE HANDLED IN THE
 AM

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980903364066	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	954-581-4455	Property	M6506 GOLDEN GLADES ESS
OC	B04		18400 NE 5 AVENUE
POC	PETROLUEM MANAGEM	Phone	954-581-4455 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 2191 SW 115 TER
Order Date	09/03/1998		
Due Date	09/04/1998		DAVIE
Authorizer	[REDACTED]		FL 33325
Project		Work Code	130001
Priority	2	Problem Code	
Part		Serial No	

Phase Description NUMBER MONITOR WELLS

Services Title	\$ Actual	\$ Estimate	Percent
NUMBER MONITOR WELLS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/03/1998	08:43:42	02-DISPTCH
[REDACTED]	09/24/1998	07:26:10	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK.....JWA 9:47 EST

Job Started _____	Completed _____
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980902363504	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	NETWORK MANAGER	Phone	3056519917
			MIAMI
Category	MTCE	Status	01-CREATED
		Location	FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	09/02/1998		STATE RD 41 - BOX 14
Due Date	09/03/1998		OCHOPEE
Authorizer	[REDACTED]		FL 34141
Project		Work Code	090004
Priority	2	Problem Code	10
Part			HANDYMAN
		Serial No	

Phase Description REATTACH CABINET TO WALL AT ANOTHER

Services	Title	\$ Actual	\$ Estimate	Percent
	REATTACH CABINET TO WALL AT ANOTHER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/02/1998	09:55:46	02-DISPTCH
[REDACTED]	10/01/1998	15:28:08	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

LOCATION CB NO SB

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980829361527	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519940 MIAMI FL 33162
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	08/29/1998		
Due Date	08/29/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300005
Priority	1	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description FIRE ALARM TROUBLE, TOLL AREA

Services Title	\$ Actual	\$ Estimate	Percent
FIRE ALARM TROUBLE, TOLL AREA	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/29/1998	07:51:32	04 VEN RSP
[REDACTED]	08/29/1998	07:53:10	11-CANCEL

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL-BACK NEEDED.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

145.

Phase - 001

Work Request	980828361488	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	7045107034	Property	M6506 GOLDEN GLADES ESS
OC	NT7		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	7045107034
			MIAMI FL 33162
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	08/28/1998		
Due Date	08/29/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300005
Priority	2	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description VESDA ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	CANCEL ALREADY CLEARED 1151AM EDT LINK	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/28/1998	23:42:13	02-DISPTCH
[REDACTED]	08/31/1998	10:48:38	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started ____/____/____ Completed ____/____/____

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request	980828361348	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	205 521 6539	Property	M6506 GOLDEN GLADES ESS
OC	CM5		18400 NE 5 AVENUE
POC		Phone	MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	08/28/1998		
Due Date	08/28/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS CHILLER FAILURE ALARM..

Services Title	\$ Actual	\$ Estimate	Percent
BFMS CHILLER FAILURE ALARM..	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/28/1998	15:20:47	03-VEN NOT
[REDACTED]	08/28/1998	15:23:04	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,364.85

Extra Description
 *BFMS RECEIVED A CHILLER ALARM FOR CHILLER-1B..BFMS FOUND THE CHILLER IS
 *OFF ON A HARDWARE ALARM..CHILLER-1A IS RUNNING WITH A 45 DEG SUPPLY WATER
 *TEMP..REFER FOR CHECK OUT..
 *REFERRED TO BSC(MICHELLE) AT 15:23CST

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980828360941	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3053613975	Property	M6506
OC	VHC	18400 NE 5 AVENUE	
PQC	ELECTRONIC TECH	Phone	3053613975
Category	MTCE	MIAMI	FL 33162
Status	01-CREATED	GOLDEN GLADES ESS	
Location			

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	08/28/1998	2191 SW 115 TER	
Due Date	08/28/1998	DAVIE	
Authorizer	[REDACTED]	FL 33325	
Project		Work Code	130001
Priority	1	Problem Code	
Part		Serial No	

Phase Description VEEDER ROUTE READINGS ARE OFF

Services	Title	\$ Actual	\$ Estimate	Percent
	VEEDER ROUTE READINGS ARE OFF	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/28/1998	09:19:20	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 DIESEL FUEL TANK
 CALL IS NEEDED 305-737-3148

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980826359581	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3056519917	Property	M6506 GOLDEN GLADES ESS
OC	MLQ		18400 NE 5 AVENUE
POC	ELECTRONIC TECH	Phone	3056519917
Category	MTCE	Status	01-CREATED
		Location	MIAMI FL 33162

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 2715
Order Date	08/26/1998		
Due Date	08/27/1998		OMAHA
Authorizer	[REDACTED]		NE 681032715
Project		Work Code	200008
Priority	2	Problem Code	47 LIGHT BULB REPLACEMENT
Part		Serial No	

Phase Description LIGHT OUT 2ND FLR OVER TENANTS DESK

Services	Title	\$ Actual	\$ Estimate	Percent
	LIGHT OUT 2ND FLR OVER TENANTS DESK	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/26/1998	09:51:37	02-DISPTCH
[REDACTED]	09/10/1998	06:26:12	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK.....JWA 10:57 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Request 980826359581
 [Redacted] [Redacted]
 3056519917
 MLQ
 ELECTRONIC TECH Phone 3056519917
 MTCE Status 01-CREATED
 Region FL
 Facility MIAMI
 Property M6506 GOLDEN GLADES ESS
 18400 NE 5 AVENUE
 MIAMI FL 33162
 Location

002
 Contractor [Redacted]
 Address Cd 001 8085 N W 98TH ST
 Date 08/26/1998
 08/28/1998
 [Redacted] [Redacted]
 Work Code 160001
 2 Problem Code 30 ELECTRICAL SYSTEMS
 Serial No

Description LIGHT OUT 2ND FLR OVER TENANTS DESK

	\$ Actual	\$ Estimate	Percent
2ND FLR OVER TENANTS DESK	0.00	0.00	0.00

Date	Time	Status
[Redacted] 08/27/1998	09:25:22	02-DISPTCH
[Redacted] 09/23/1998	11:07:39	09-A/P RDY

S
 SFL BRANCH
 [Redacted] [Redacted]

Distribution	Sub Code	Percent	Amount
[Redacted]	M1	100.00	0.00

Description
 BACK...JWA 10:57 EST
 BACK...JWA 10:57 EST
 CALLED BACK. IS AN ELEC PROBLEM....JWA 10:30 EST 8-27-98

_____/_____/_____
 Completed ____/____/_____
 [Redacted] _____
 Actual Hours _____

Phase - 001

Work Request	980825359269	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3052608393	Property	M6506
OC	RZL		GOLDEN GLADES ESS
POC	MANAGER	18400 NE 5 AVENUE	
Category	<50K	MIAMI	FL 33162
	Phone 3052608393	Location	
	Status 06-AUTHAPP		

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005
Order Date	08/25/1998		10111 BUSINESS DR
Due Date	10/10/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project	[REDACTED]	Work Code	150000
Priority	4	Problem Code	
Part		Serial No	

Phase Description HVAC-ADD AC DROPS/REMOVE OLD CONTROLS

Services	Title	\$ Actual	\$ Estimate	Percent
	HVAC-ADD AC DROPS/REMOVE OLD CONTROLS	[REDACTED]	[REDACTED]	0.00

User	Date	Time	Status
[REDACTED]	08/25/1998	19:14:23	01-PENDING
[REDACTED]	08/26/1998	07:48:34	03-ACTIVE

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	X1	45.00	0.00
	[REDACTED]	C1	55.00	0.00

Extra Description
 ADD DROPS ON 1ST FLOOR AND REMOVE OLD EXISTING
 CONVENTIONAL CONTROLS

Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980122244413 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949921 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 5616949921 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 2900 NE 7TH AVE
 Order Date 01/22/1998
 Due Date 01/22/1998 POMPANO BEACH
 Authorizer [REDACTED] FL 33064
 Project Work Code 070002
 Priority 1 Problem Code 05 ROOF LEAKS
 Part Serial No

Phase Description ROOF LEAK

Services	Title	\$ Actual	\$ Estimate	Percent
	ROOF LEAK	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/22/1998	09:21:22	04 VEN RSP
[REDACTED]	03/02/1998	12:48:30	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 THERE IS A ROOF LEAK IN THE ENGINE ROOM. THIS IS A STEADY, DRIPPING LEAK BY ONE OF THE COLUMNS.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980108236744	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	2055216551	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	01/08/1998		
Due Date	01/09/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	130011
Priority	2	Problem Code	18 CARD ACCESS
Part		Serial No	

Phase Description CARD ACCESS

Services	Title	\$ Actual	\$ Estimate	Percent
	CARD ACCESS	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/08/1998	08:49:31	01-PENDING
[REDACTED]	01/08/1998	09:03:51	02-DISPTCH
[REDACTED]	01/09/1998	10:57:51	09-A.P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

*bfms found panels 3&4 offline need to dispatch to correct problem
 *referred to bsc kevin 8:55 cst
 010898 4:00PM-RON TONER CALLING WANTING TO KNOW WHEN SOMEONE IS GOING TO BE OUT THERE, THERE IS A NIGHT CREW COMING ON AT 4:30. CALLED [REDACTED] AND SPOKE TO NINA-HAS A TECH THAT LIVES OUT THAT WAY-SHE WILL HAVE HIM GO BY THERE ON HIS WAY HOME.
 WORK ORDER WAS GIVEN TO BSC AS PRI 2-APPARENTLY MR TONER WAS NEEDING THIS TO BE HANDLED AS A HIGHER PRIORITY.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980107235686	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 112 NE 3RD ST
Order Date	01/07/1998		
Due Date	01/08/1998		POMPANO BEACH
Authorizer	[REDACTED]		FL 33060
Project		Work Code	150002
Priority	2	Problem Code	22 PLUMBING
Part		Serial No	

Phase Description SEWER PUMP ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	SEWER PUMP ALARM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/07/1998	07:02:55	04 VEN RSP
[REDACTED]	02/10/1998	14:00:29	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 DAN BLOUNT PLUMBING SAID IT WILL BE TOMORROW BEFORE REPAIRED...PUMPED
 OUT IF ANY MORE ALARMS DONT PANIC...HOLD TIL 800AM ON 010898..
 SLOUNT PLUMBING WILL BE BACK ON SITE TO FINISH JOB THEN...LINK 209PM EDT
 010798

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980105233957	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949921	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949921 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 112 NE 3RD ST
Order Date	01/05/1998		
Due Date	01/05/1998		POMPANO BEACH
Authorizer	[REDACTED]		FL 33060
Project		Work Code	150009
Priority	1	Problem Code	29 SUMP PUMP SVS & RPR
Part		Serial No	

Phase Description SUMP PUMP ALARM

Services		\$ Actual	\$ Estimate	Percent
Title				
SUMP PUMP ALARM		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	01/05/1998	06:23:42	04 VEN RSP

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution		Sub Code	Percent	Amount
Account(s)				
[REDACTED]		M1	100.00	0.00

Extra Description
SUMP PUMP ALARM.

!!!!010798 210PM EDT LINK... [REDACTED] WILL FINISH ORDER
010698 AFTER 8AM DONT PANIC IF ALARM COMES BACK IN...NRC ADVISED

Job Started ____/____/____	Completed ____/____/____
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request 971205223164 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 10734 158TH ST NORTH
 Order Date 12/05/1997
 Due Date 12/06/1997 JUPITER
 Authorizer [REDACTED] FL 33478
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description LIGHT IS BURNED OUT BY FUEL TANK

Services	Title	\$ Actual	\$ Estimate	Percent
	LIGHT IS BURNED OUT BY FUEL TANK	0.00	0.00	0.00

User [REDACTED] Date 12/05/1997 Time 21:08:02 Status 02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	971202220588	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	4077990718	Property	E8519 GARDENS DMS 100.200
OC	LV7		3700 RCA BLVD
POC	MANAGER	Phone	4077990718 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	12/02/1997		
Due Date	12/07/1997		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	3	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description NO ELECTRICAL TO RDC-CALL RECEIVED FROM

Services	Title	\$ Actual	\$ Estimate	Percent
	NO ELECTRICAL TO RDC-CALL RECEIVED FROM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	12/02/1997	12:46:25	04 VEN RSP
[REDACTED]	12/13/1997	11:32:00	09-A.P RDY
[REDACTED]	12/16/1997	11:05:44	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971113212370	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 497 SEMORAN BLVD. STE 123
Order Date	11/13/1997		
Due Date	11/14/1997		CASSELBERRY
Authorizer	[REDACTED]		FL 32707
Project		Work Code	080003
Priority	2	Problem Code	8 8
Part		Serial No	

Phase Description NEED ONE (1) NEW CORE FOR SIDE GATE

Services		\$ Actual	\$ Estimate	Percent
Title				
NEED ONE (1) NEW CORE FOR SIDE GATE		[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	11/13/1997	11:04:54	01-PENDING
[REDACTED]	11/13/1997	12:44:49	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

ALREADY HAS PADLOCK.

ORDERED (1) CORE NUMBER P1907

TO BE INSTALLED AT:

E8519: 3700 RCA BOULEVARD, PALM BEACH GARDENS, FL
 RCC: NS302F20; OCC: FDV

SHIP TO:

[REDACTED]
 5140 CONGRESS AVENUE
 2ND FLR
 BOCA RATON, FL 33487
 PHONE: 561.998-1701; BPR: 561/936-1857

.....
 11/28/97-BARBARA, I ORDERED THE WRONG CORE #. PLZ REORDER AS CORE #
 P1904 IF YOU HAVE ANY QUESTIONS, PLZ CALL ME. [REDACTED]

Phase - 001

Work Request	971028203632	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 497 SEMORAN BLVD. STE 123
Order Date	10/28/1997		
Due Date	10/29/1997		CASSELBERRY
Authorizer	[REDACTED]		FL 32707
Project		Work Code	080003
Priority	2	Problem Code	8 8
Part		Serial No	

Phase Description NEED ONE (1) NEW CORE FOR WALK-THRU GATE

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED ONE (1) NEW CORE FOR WALK-THRU GATE	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/29/1997	11:06:36	01-PENDING
[REDACTED]	10/28/1997	12:42:12	09-A/P RDY
[REDACTED]	11/19/1997	16:31:58	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 AT GARDENS CO
 CORE. #P1904
 GLC: E8519. 3700 RCA BOULEVARD, PALM BEACH GARDENS, FL
 RCC: NS302F20; OC: FDV

SHIP TO: [REDACTED]
 5140 CONGRESS AVENUE, 2ND FLOOR
 BOCA RATON, FL 33487
 PHONE: 561-998-1701
 BEEPER: 561-936-1857

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971027202461	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	10/27/1997		
Due Date	10/27/1997		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	1	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description NEEDS WIRES TAGGED....

Services	Title	\$ Actual	\$ Estimate	Percent
	NEEDS WIRES TAGGED....	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/27/1997	07:44:42	01-PENDING
[REDACTED]	10/27/1997	07:53:44	04 VEN RSP
[REDACTED]	12/14/1997	18:17:49	09-A/P RDY
[REDACTED]	12/16/1997	11:05:47	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 [REDACTED] ENDOR ON SITE TODAY...NEEDS HANDLED ASAP
 CEILING IN TANDEM ROOM PRI 1 TENANT NEEDS CALL FROM COUNTYWIDE
 AS TO WHEN THEY WILL BE THERE
 FAXED AND CALLED TO COUNTYWIDE/SANDRA 759AM EDT LINK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971023201052	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9047982840	Property	E8519 GARDENS DMS 100/200
OC	YXW		3700 RCA BLVD
POC	ADMINISTRATOR	Phone	9047982840 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 SUITE F-4
Order Date	10/23/1997		141 NW 20TH ST
Due Date	10/28/1997		BOCA RATON
Authorizer	[REDACTED]		FL 33431
Project		Work Code	080003
Priority	3	Problem Code	8 8
Part		Serial No	

Phase Description REKEY DOOR DUE TO CARD PURGE

Services	Title	\$ Actual	\$ Estimate	Percent
	REKEY DOOR DUE TO CARD PURGE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/23/1997	12:17:21	09-A.P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971023200583	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9547421113	Property	E8519 GARDENS DMS 100/200
OC	TQZ		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5618336070 WEST PALM BCH
Category	MTCE	Status	01-CREATED
		Location	FL 33401

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	10/23/1997		
Due Date	10/23/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	130010
Priority	1	Problem Code	17 BFMS
Part		Serial No	

Phase Description A/C PROBLEM

Services		\$ Actual	\$ Estimate	Percent
Title				
A/C PROBLEM		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/23/1997	06:53:21	02-DISPTCH
[REDACTED]	10/23/1997	06:56:37	03-VEN NOT
[REDACTED]	10/23/1997	07:20:35	04-VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
Account(s)			
[REDACTED]	M1	100.00	0.00

Extra Description
 CHILLER IS NOT WORKING FOR THIS BUILDING..
 EQUIPMENT IS IN DANGER..
 CURRENT TEMP. IS 87 DEGREES..
 TENANT DID NOT KNOW AIR HANDLER & ZONE NUMBERS..

*BFMS FOUND CHILLER-1B IS IN THE LEAD BY OPERATOR PRIORITY..THE CHILLER
 *HAS FAILED..SPACE TEMPS ARE IN THE 90'S..REFER AND CLOSE BFMS TICKET..
 *REFERRED TO BSC(KIMBERLY)AT 7:19CST

Job Started _____	Completed _____
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	971016197427	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7045107034	Property	E8519 GARDENS DMS 100/200
OC	KZQ		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107034 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	10/16/1997		
Due Date	10/16/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description HIGH HUMIDITY ALARM / NRC

Services	\$ Actual	\$ Estimate	Percent
Title HIGH HUMIDITY ALARM / NRC	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/16/1997	14:42:40	01-PENDING
[REDACTED]	10/16/1997	17:26:12	02-DISPTCH
[REDACTED]	12/08/1997	17:10:29	09-A/P RDY
[REDACTED]	12/16/1997	15:08:16	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
Account(s) [REDACTED]	M1	100.00	0.00

Extra Description
 THIS IS A SWITCH TICKET....JWA 3:42 EST
 *BFMS UNABLE TO COMMUNICATE WITH L&S S600 AUTOMATION PANEL AT
 *BUIILDING.MODEM HAS BEEN BUSY FOR PAST 30 MINUTES.PLEASE REFER
 *FOR CHECKOUT.

Job Started ____/____/____	Completed ____/____/____
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	971015196155	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER Phone 5616949920		WEST PALM BCH FL 33401
Category	INCI	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 MANAGEMENT COALITION
Order Date	10/15/1997		PO BOX 99315
Due Date	10/20/1997		CHICAGO
Authorizer	[REDACTED]		IL 60693
Project		Work Code	120000
Priority	3	Problem Code	16 FURNITURE
Part		Serial No	

Phase Description FMC=BT109712654

Services Title	\$ Actual	\$ Estimate	Percent
FMC=BT109712654	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/15/1997	06:37:10	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 FMC=BT109712654

OC=FDV
 OF=NS3
 CONT:561-694-9920

WS-1-E8519
 3700 RCA BLVD
 PALM BEACH GARDENS FL

=====

REPAIR LOCK ON DEBBIE CORTES DESK
 SOME ONE HAS BROKEN INTO HER DESK THE DESK WILL NO LONGER LOCK....

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	971007192203	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	10/07/1997		
Due Date	10/08/1997		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description ELECTRICIAN-INSTALL DOUBLE RECEPTICLE

Services	Title	\$ Actual	\$ Estimate	Percent
	ELECTRICIAN-INSTALL DOUBLE RECEPTICLE	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/07/1997	12:31:06	02-DISPTCH
[REDACTED]	11/05/1997	17:34:14	09-A/P RDY
[REDACTED]	11/10/1997	13:22:22	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 tenant needs the outlet installed at the northend of the bldg near the newly installed computer.....
 he needs it hooked into the UPF supply.....
 =====
 tenant said that he needs two 20 amp circuits installed for the new UPS power units.....3:05pm/est 10-20-97

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970926186229	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/26/1997		
Due Date	09/27/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300002
Priority	2	Problem Code	36 FIRE ALARM
Part		Serial No	

Phase Description IN NEW EQUIPMENT ROOM NEED HORNS

Services	Title	\$ Actual	\$ Estimate	Percent
	IN NEW EQUIPMENT ROOM NEED HORNS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/26/1997	07:50:37	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description ONLY NO STROBES. THEY EFFECT THE EQUIPMENT....JWA 8:50 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970923184382	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9547423547	Property	E8519 GARDENS DMS 100/200
OC	804		3700 RCA BLVD
POC	HARDWORKERS	Phone	9547423547 WEST PALM BCH FL 33401
Category	ENV	Status	01-CREATED
		Location	

Phase	001	Contractor	
Contract		Address Cd	
Order Date	09/23/1997		
Due Date	11/07/1997		
Authorizer	[REDACTED]		
Project		Work Code	600006
Priority	4	Problem Code	54 HAZMAT HANDLING & STORAGE
Part		Serial No	

Phase Description HAZARDOUS WASTE PICK UP

Services	Title	\$ Actual	\$ Estimate	Percent
	HAZARDOUS WASTE PICK UP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/23/1997	09:31:54	01-PENDING
[REDACTED]	09/23/1997	15:33:35	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 tenant has sixty-five (65) four foot bulbs, nineteen (19) two foot bulbs and eight (8) "U"-shaped bulbs that need to be picked up....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970916180619	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5619981701	Property	E8519 GARDENS DMS 100/200
OC	LV7		3700 RCA BLVD
POC	MANAGER	Phone	5619981701 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 11321 W DISTRIBUTION AVE
Order Date	09/16/1997		
Due Date	09/21/1997		JACKSONVILLE
Authorizer	[REDACTED]		FL 32256
Project		Work Code	160004
Priority	3	Problem Code	33 ELECTRICAL SWITCHGEAR
Part		Serial No	

Phase Description SWITCHGEAR INSPECTION - SCHEDULED FOR

Services		\$ Actual	\$ Estimate	Percent
Title				
SWITCHGEAR INSPECTION - SCHEDULED FOR		[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/16/1997	09:06:42	03-VEN NOT
[REDACTED]	01/07/1998	15:21:54	09-A.P RDY
[REDACTED]	01/09/1998	08:31:25	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 10-29-10/30-97

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 970916180610 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100.200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 03-CLOSED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 P. O. BOX 149
 Order Date 09/16/1997
 Due Date 09/17/1997 WEST PALM BEACH
 Authorizer [REDACTED] FL 33402
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description NEED TO REPAIR ALL EXIT LIGHTS & EMERGENCY LIGHTS

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO REPAIR ALL EXIT LIGHTS & EMERGEN	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/16/1997	10:42:52	02-DISPTCH
[REDACTED]	10/08/1997	17:24:05	09-A/P RDY
[REDACTED]	10/09/1997	08:05:33	10-CLOSED

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

NEED TO REPAIR ALL EXIT LIGHTS & EMERGENCY LIGHTS
 THAT ARE NOT WORKING THROUGHOUT THE BUILDING

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	970911178527	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	02-PDGUFND
		Location	

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001 PO BOX 2715	
Order Date	09/11/1997			
Due Date	09/16/1997		OMAHA	
Authorizer	[REDACTED]		NE 681032715	
Project		Work Code	200001	
Priority	3	Problem Code	40 JANITORIAL - HOUSE SERVICES	
Part		Serial No		

Phase Description STRIP & WAX NEW EQPT AREA, AND SCRUB AND

Services	Title	\$ Actual	\$ Estimate	Percent
	STRIP & WAX NEW EQPT AREA, AND SCRUB AND	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/11/1997	12:46:45	03-VEN NOT
[REDACTED]	10/29/1997	12:02:45	09-A.P RDY
[REDACTED]	11/20/1997	11:34:50	10-CLOSED
[REDACTED]	12/12/1997	14:33:40	09-A.P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 WAX OTHER DESIGNATED AREAS, PER INSTRUCTIONS RECEIVED FROM RON TONER.

Job Started	___/___/___	Completed	___/___/___	
Person Assigned	_____		Actual Hours	_____
Signature	_____			

Phase - 001

Work Request	970909177130	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100 200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 P. O. BOX 149
Order Date	09/09/1997		
Due Date	09/10/1997		WEST PALM BEACH
Authorizer	[REDACTED]		FL 33402
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description OUTSIDE A/C ELECTRICAL OUTLET IT IS DEFECTIVE

Services	Title	\$ Actual	\$ Estimate	Percent
	OUTSIDE A/C ELECTRICAL OUTLET	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/09/1997	14:14:33	02-DISPTCH
[REDACTED]	11:05/1997	17:11:28	09-A.P RDY
[REDACTED]	11/10/1997	14:31:35	10-CLOSED

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

OUTSIDE A/C ELECTRICAL OUTLET IT IS DEFECTIVE

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970904174004	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949921	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949921 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/04/1997		
Due Date	09/05/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description SMOKE DETECTOR #0114

Services	Title	\$ Actual	\$ Estimate	Percent
	SMOKE DETECTOR #0114	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	09 04 1997	08:35:06	02-DISPTCH
[REDACTED]	09 12 1997	12:47:18	09-A.P.RDY
[REDACTED]	09 30 1997	07:26:49	10-CLOSED

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

SMOKE DETECTOR WILL NOT RESTORE...KNOW FIRE...

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 970903173315 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 7045107034 Property E8519 GARDENS DMS 100/200
 OC DXN 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 7045107034 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 09/03/1997
 Due Date 09/04/1997 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 300005
 Priority 2 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description FIRE ALARM TROUBLE / NRC

Services Title	\$ Actual	\$ Estimate	Percent
FIRE ALARM TROUBLE / NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/03/1997	08:01:13	02-DISPTCH
[REDACTED]	09/03/1997	08:29:39	01-PENDING
[REDACTED]	10/08/1997	07:15:13	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 THIS IS A SWITCH TICKET...JWA 9:26 EST

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	970814162876	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5619981701	Property	E8519 GARDENS DMS 100/200
OC	LV7		3700 RCA BLVD
POC	MANAGER	Phone	5619981701 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 631702
Order Date	08/14/1997		
Due Date	08/19/1997		CINCINNATI
Authorizer	[REDACTED]		OH 452361702
Project		Work Code	150007
Priority	3	Problem Code	27 FIRE PUMP OR FIRE SUPPRESSION SYSTEM
Part		Serial No	

Phase Description INSTALL VESDA INTERFACE PANEL

Services		\$ Actual	\$ Estimate	Percent
Title				
INSTALL VESDA INTERFACE PANEL		[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/14/1997	08:55:02	04 VEN RSP
[REDACTED]	08/18/1997	15:24:57	09-A/P RDY
[REDACTED]	08/25/1997	12:39:52	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Sub Code	Percent	Amount
Account(s)			
[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970827170335	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5619981701	Property	E8519 GARDENS DMS 100/200
OC	LV7		3700 RCA BLVD
POC	MANAGER	Phone	5619981701
Category	MTCE	Status	03-CLOSED
		Location	WEST PALM BCH FL 33401

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	08/27/1997		497 SEMORAN BLVD. STE 123
Due Date	08/28/1997		CASSELBERRY
Authorizer	[REDACTED]		FL 32707
Project		Work Code	080003
Priority	2	Problem Code	8 8
Part		Serial No	

Phase Description NEED NEW CORE FOR ELECTRONIC GATE

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED NEW CORE FOR ELECTRONIC GATE	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/27/1997	11:53:07	01-PENDING
[REDACTED]	08/27/1997	15:40:43	09-A.P RDY
[REDACTED]	09/29/1997	14:14:39	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NEED ONE (1) NEW CORE FOR ELECTRONIC GATE AT GARDENS CO
 CORE #: P1904
 GLC: E8519, 3700 RCA BOULEVARD, PALM BEACH GARDENS, FL
 RCC: NS302F20; OC: FDV
 SHIP TO: [REDACTED] 5140 CONGRESS AVENUE, 2ND FLOOR,
 BOCA RATON, FL 33487
 PHONE: 561/998-1701; BEEPER: 561/936-1857

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970807159071	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	3052633896	Property	E8519 GARDENS DMS 100:200
OC	RZL		3700 RCA BLVD
POC	MANAGER	Phone	3052633896 WEST PALM BCH FL 33401
Category	<50K	Status	08-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	08/07/1997		
Due Date	09/21/1997		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160000
Priority	4	Problem Code	
Part		Serial No	

Phase Description PALM BEACH GARDENS - INSTALL VOLTAGE SYS

Services	Title	\$ Actual	\$ Estimate	Percent
	PALM BEACH GARDENS - INSTALL VOLTAGE SYS	[REDACTED]	5,000.00	70.53

User	Date	Time	Status
[REDACTED]	08/07/1997	13:57:43	03-ACTIVE
[REDACTED]	08/06/1998	13:49:48	04-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	C1	100.00	5,000

Extra Description
 AND POWER ALARMS.

ALL WORK SHOULD GO TO OUR DESIGNATED ELECTRICAL CONTRACTOR. COUNTY WIDE ELECTRIC, WHO HAS RESEARCHED THE SITES AND KNOWS WHAT TO DO.

THE WORK HAS TO BE DONE TO COMPLY WITH NETWORK STANDARDS. SO WE'LL DO AS MANY AS WE CAN THIS YEAR AND THE REST IN 1998.

10C = 5K

C1 = 5K @ 100%

EMAILED [REDACTED]
 08/07/97 PAS.....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____

Phase - 001

Work Request	970805157274	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949921	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949921
			WEST PALM BCH
Category	MTCE	Status	03-CLOSED
		Location	FL 33401

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	011
Order Date	08/05/1997		19501 NE 10TH AVE
Due Date	08/05/1997		MIAMI
Authorizer	[REDACTED]		FL 33179
Project		Work Code	300005
Priority	1	Problem Code	39
Part		Serial No	FIRE ALARM TROUBLE

Phase Description SMOKE DETECTOR IN ENGINE ROOM

Services	Title	\$ Actual	\$ Estimate	Percent
	SMOKE DETECTOR IN ENGINE ROOM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/05/1997	12:05:41	04 VEN RSP
[REDACTED]	08/29/1997	13:03:36	09-A/P RDY
[REDACTED]	09/11/1997	09:07:28	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 tenant said that the smoke detector is in alarm in the engine room

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Work Request 970804156784 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 7045107034 Property E8519 GARDENS DMS 100/200
 OC WDL 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 7045107034 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 08/04/1997
 Due Date 08/04/1997 BUFFALO GROVE
 Authorizer [REDACTED] [REDACTED] IL 60089
 Project Work Code 300005
 Priority 1 Problem Code 39 FIRE ALARM TROUBLE
 Part Serial No

Phase Description TOOK A PWR HIT.FIREALARM TROUBLE.FIREALM

Services	Title	\$ Actual	\$ Estimate	Percent
	TOOK A PWR HIT.FIREALARM TROUBLE.FIREALM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/04/1997	18:12:48	04 VEN RSP
[REDACTED]	08/19/1997	09:11:56	09-A.P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 SENSOR 0108 CRITICAL FIRE ALARM AND MAJOR FIRE...NO REAL FIRE...19:01EDT...PKC
 *bfms shows fire alarm & fire alarm trouble clear at 20:40ct.
 *however space temp extremely high.ahu1a=92-94 ahu1c-94
 *ahu's show to be on but chiller 1b off on safety alarm.supply
 *water temps in the 90's.chillers 1c & ga not being called to
 *run by program.please refer for checkout as bfms unable to
 *correct.bfms referred to bsc(karen)at 20:45 ct.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request	970804156784	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7045107034	Property	E8519 GARDENS DMS 100/200
OC	WDL		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107034 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	011 19501 NE 10TH AVE
Order Date	08/04/1997		
Due Date	08/04/1997		MIAMI
Authorizer	[REDACTED]		FL 33179
Project	[REDACTED]	Work Code	150005
Priority	1	Problem Code	25 TEMPERATURE ALARM
Part		Serial No	

Phase Description AC NEVER CAME BACK ON AFTER FIRE ALARM WAS CLEARED...

Services	Title	\$ Actual	\$ Estimate	Percent
	TOOK A PWR HIT, FIREALARM TROUBLE/FIREALM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/04/1997	20:32:40	02-DISPTCH
[REDACTED]	08/19/1997	09:11:56	09-A/P RDY
[REDACTED]	09/11/1997	09:07:26	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 SENSOR 0108...CRITICAL FIRE ALRM AND MAJOR FIRE...NO REAL FIRE...19:01EDT...PKC
 *bfms shows fire alarm & fire alarm trouble clear at 20:40ct.
 *however space temp extremely high,ahu1a=92-94 ahu1c-94
 *ahu's show to be on but chiller 1b off on safety alarm,supply
 *water temps in the 90's.chillers 1c & ga not being called to
 *run by program.please refer for checkout as bfms unable to
 *correct.bfms referred to bsc(karen)at 20:45 ct.

NOW HAVE A HIGH TEMP ALARM...
 GAVE TO LONNIE AT BFMS AT 21:30EDT...PKC
 *bfms shows fire alarm & fire alarm trouble clear at 20:40 ct.
 *however space temps extremely high,ahu1a=92-94 ahu1c=94
 *ahu's show to be on but chiller 1b off on safety alarm,supply
 *water temps in the 90's.chillers 1c & ga not being called to run
 *by program.please refer for checkout as bfms unable to correct.
 *bfms referred to bsc(karen)at 20:45 ct.

Phase - 001

Work Request	970731154326	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7045107034	Property	E8519 GARDENS DMS 100/200
OC	NT7		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107034 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 P. O. BOX 149
Order Date	07/31/1997		
Due Date	07/31/1997		WEST PALM BEACH
Authorizer	[REDACTED]		FL 33402
Project		Work Code	160001
Priority	1	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description SMOKE DETECTOR ALARM / NRC

Services	Title	\$ Actual	\$ Estimate	Percent
	SMOKE DETECTOR ALARM / NRC	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/31/1997	06:33:28	02-DISPTCH
[REDACTED]	10/13/1997	14:51:02	09-A/P RDY
[REDACTED]	10/14/1997	09:45:02	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
THIS IS A SWITCH TICKET...JWA 7.26 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 970730154160 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100 200
 OC FDV 3700 RCA BLVD
 POC SUPERVISOR Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 03-CLOSED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 10734 158TH ST NORTH
 Order Date 07/30/1997
 Due Date 07/31/1997 JUPITER
 Authorizer [REDACTED] FL 33478
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description NEED NEW GATE LOCK(PADLOCK WITH KEY ACES)

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED NEW GATE LOCK(PADLOCK WITH KEY ACES)	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/30/1997	14:40:44	02-DISPTCH
[REDACTED]	08/19/1997	11:42:04	09-A.P RDY
[REDACTED]	08/21/1997	14:13:15	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 S). LOCK IS ON TENANT'S DESK.. IT FELL APART AFTER SPRAYING..
 PR2. JULIE* 7.30.97

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	970730154160	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	SUPERVISOR	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 10734 158TH ST NORTH
Order Date	07/30/1997		
Due Date	07/31/1997		JUPITER
Authorizer	[REDACTED]		FL 33478
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description NEED NEW GATE LOCK(PADLOCK WITH KEY ACES)

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED NEW GATE LOCK(PADLOCK WITH KEY ACES)	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/30/1997	14:40:44	02-DISPTCH
[REDACTED]	08/19/1997	11:42:04	09-A.P RDY
[REDACTED]	08/21/1997	14:13:15	10-CLOSED

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

S)... LOCK IS ON TENANT'S DESK.. IT FELL APART AFTER SPRAYING..
 PR2. JULIE* 7.30 97

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970730153705	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949921	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949921 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	07/30/1997		
Due Date	07/30/1997		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	130010
Priority	1	Problem Code	17 BFMS
Part		Serial No	

Phase Description HVAC NOT WORKING

Services	Title	\$ Actual	\$ Estimate	Percent
	HVAC NOT WORKING	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/30/1997	09:14:04	01-PENDING
[REDACTED]	07/30/1997	09:34:47	02-DISPTCH
[REDACTED]	10.08/1997	11:10:12	09-A/P RDY
[REDACTED]	10.08/1997	14:13.04	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 temperature unknown ahu unknown zone unknown
 tenant said ac in back not running....equip in danger
 this bldg heats up fast per tenant faxed and called bfms/
 darrell 1014am edt

* BFMS CONFIRMS THE CHILLERS HAVE APPARENTLY GONE DOWN..PLS SEND L&S
 * PRI-1...DD01 *
 * GV TO BSC..(KEVIN-F)..DD01 *

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 970729153068 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100:200
 OC FDV 3700 RCA BLVD
 POC SUPERVISOR Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 03-CLOSED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 011 19501 NE 10TH AVE
 Order Date 07/29/1997
 Due Date 07/30/1997 MIAMI
 Authorizer [REDACTED] FL 33179
 Project Work Code 130011
 Priority 2 Problem Code 18 CARD ACCESS
 Part Serial No

Phase Description CARD ACCESS GATE ACTIVATED..

Services	Title	\$ Actual	\$ Estimate	Percent
	CARD ACCESS GATE ACTIVATED..	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/29/1997	12:25:11	02-DISPTCH
[REDACTED]	07/29/1997	12:30:57	03-VEN NOT
[REDACTED]	07/29/1997	14:03:36	02-DISPTCH
[REDACTED]	07/29/1997	14:57:27	03-VEN NOT
[REDACTED]	09/08/1997	09:07:37	09-A/P RDY
[REDACTED]	09/11/1997	09:07:19	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 MAIN POWER GATE NEEDS TO BE ACTIVATED GIVE TO [REDACTED]
 THIS IS A CARD ACCESS GATE. **GATE HAS BEEN WIDE OPEN FOR 3 MONTHS..
 CLIENT CALL BACK IS NEEDED BACK FROM LAMAR AT CARD ACCESS DEPT./BIRM.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 970723149406 Region FL
 Customer ██████████ ██████████ Facility WEST PALM BCH
 Phone 5619981701 Property E8519 GARDENS DMS 100/200
 OC LV7 3700 RCA BLVD
 POC MANAGER Phone 5619981701 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor ██████████ ██████████ EDI
 Contract Address Cd 001 PO BOX 2715
 Order Date 07/23/1997
 Due Date 07/28/1997 OMAHA
 Authorizer ██████████ ██████████ NE 681032715
 Project Work Code 020003
 Priority 3 Problem Code 2 2
 Part Serial No

Phase Description INVESTIGATE/REPAIR SPRINKLER PROBLEM

Services	Title	\$ Actual	\$ Estimate	Percent
	INVESTIGATE/REPAIR SPRINKLER PROBLEM	0.00	0.00	0.00

User	Date	Time	Status
██████████	07/23/1997	13:11:17	03-VEN NOT

Managers
 Shop SFL BRANCH
 Person ██████████ ██████████

Account Distribution	Account(s)	Sub Code	Percent	Amount
	██████████	M1	100.00	0.00

Extra Description
 SPRINKLERS HAVE BEEN MALFUNCTIONING FOR QUITE SOME TIME. NEED
 SPRINKLERS REPAIRED. SPOKE TO ██████████ ON THIS REQUEST
 AS HE WAS AT SITE. SINCE I WILL BE ON VACATION UNTIL 8/11,
 PLZ CONSIDER THIS W.O. AS AUTHORIZATION TO PROCEED WITH
 REPAIRS AS IDENTIFIED BY ██████████

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	970723149363	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	SUPERVISOR	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	011 19501 NE 10TH AVE
Order Date	07/23/1997		
Due Date	07/28/1997		MIAMI
Authorizer	[REDACTED]		FL 33179
Project		Work Code	130002
Priority	3	Problem Code	
Part		Serial No	

Phase Description NEED TO ADD DIFFUSERS TO EXISTING DUCTWORK

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO ADD DIFFUSER TO DUCT WORK	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/23/1997	12:51:13	02-DISPTCH
[REDACTED]	09/08/1997	09:14:11	09-A/P RDY
[REDACTED]	09/11/1997	09:07:45	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 CONTACT [REDACTED] 561 694-9920. BPR 561-837-1958 FOR ADDITIONAL INFORMATION.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970707138309	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	P87		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	07/07/1997		
Due Date	07/07/1997		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150004
Priority	1	Problem Code	24 TEMPERATURE INVESTIGATION
Part		Serial No	

Phase Description THE A/C IS NOT BLOWING COLD AIR TOO HOT EQUIP NOT IN DANGER

Services	Title	\$ Actual	\$ Estimate	Percent
	THE A/C IS NOT BLOWING COLD AIR	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/07/1997	11:28:39	01-PENDING
[REDACTED]	07/07/1997	12:21:21	02-DISPTCH
[REDACTED]	10/06/1997	08:08:48	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 THE A/C IS NOT BLOWING COLD AIR. EQUIP IS NOT IN DANGER
 ON THE 1ST FL

*AHU-1 ZONE-2 TEMP IS 89 DEG. THE DAMPER IS COMMANDED OPEN AND THE UNIT
 *HAS A GOOD SUPPLY AIR TEMP. PLEASE DISPATCH [REDACTED] PRI-1. THANKS.
 [REDACTED]

*GAVE TO SALLY

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	970703137243	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	SUPERVISOR	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 112 NE 3RD ST [REDACTED]
Order Date	07/03/1997		
Due Date	07/03/1997		POMPANO BEACH
Authorizer	[REDACTED]		FL 33060
Project		Work Code	150002
Priority	1	Problem Code	22 PLUMBING
Part		Serial No	

Phase Description 1ST FLR LADIES RM TOILET FLUSHING

Services	Title	\$ Actual	\$ Estimate	Percent
	1ST FLR LADIES RM TOILET FLUSHING	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/03/1997	11:47:56	04 VEN RSP
[REDACTED]	07/09/1997	15:25:49	09-A.P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 2ND STALL KEEPS FLUSHING(BY THE WALL)
 PRI 1 1150AM LINK CALLED IN BY [REDACTED]

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980623325132 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 06/23/1998
 Due Date 06/23/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 150001
 Priority 1 Problem Code 21 HEATING/VENTILATING/AIR CONDITIONING
 Part Serial No

Phase Description A/C NOT RUNNING THROUGHOUT BLD

Services	Title	\$ Actual	\$ Estimate	Percent
	A/C NOT RUNNING THROUGHOUT BLD	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/23/1998	14:45:57	04 VEN RSP
[REDACTED]	06/23/1998	15:15:52	03-VEN NOT
[REDACTED]	08/14/1998	14:02:04	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	BPPROP	M1	100.00	0.00

Extra Description
equipment in danger
no callback

*THERE ARE SEVERAL CHILLER, FAN AND SPACE TEMP ALARMS. PLEASE
 *DISPATCH VENDOR PRI-1. THANKS [REDACTED]
 *15:20 CST GAVE TO TERESA

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980619322624	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER Phone 5616949920		WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 767
Order Date	06/19/1998		
Due Date	06/20/1998		W PALM BCH
Authorizer	[REDACTED]		FL 33402
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description CONCRETE FENCE HAS HAD SECTIONS KNOCKED

Services	Title	\$ Actual	\$ Estimate	Percent
	CONCRETE FENCE HAS HAD SECTIONS KNOCKED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/19/1998	06:58:20	01-PENDING
[REDACTED]	06/19/1998	07:04:04	02-DISPTCH
[REDACTED]	09/23/1998	13:27:22	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 OUT, APPEARS TO HAVE BEEN VANDALIZED, NO CALL BACK...JWA 8:00 EST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980615319595	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	000052878F LANDIS & STAEFA INC
Contract		Address Cd	001 PO BOX 5013
Order Date	06/15/1998		
Due Date	06/15/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description TOO HOT APPROX 80DEGREES

Services	Title	\$ Actual	\$ Estimate	Percent
	TOO HOT APPROX 80DEGREES	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/15/1998	10:15:28	04 VEN RSP
[REDACTED]	06/27/1998	08:06:03	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 call back please

- *BFMS FOUND THE SPACE TEMPS AT 77-83 DEG..THE AHU'S ARE RUNNING WITH
- *SUPPLY AIR TEMPS OF 57-67 DEG..BFMS CONTACTED THE TENANT HE STATED THAT
- *SINCE L&S AND [REDACTED] HAS WORK ON THE PROGRAM THE A/C HAS NOT
- *COOLED PROPERLY..REFER FOR CHECK OUT..
- *REFERRED TO BSC(WILLIE) AT 9:57CST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980615319443	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9547318020	Property	E8519 GARDENS DMS 100/200
OC	TQZ		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	9547318020 WEST PALM BCH
Category	MTCE	Status	01-CREATED
		Location	FL 33401

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	06/15/1998		
Due Date	06/16/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	080003
Priority	2	Problem Code	08 LOCKS/KEYS
Part		Serial No	

Phase Description NEED TWO BEST LOCKS KEYED TO THE FRONT

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TWO BEST LOCKS KEYED TO THE FRONT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/15/1998	07:52:06	01-PENDING
[REDACTED]	06/15/1998	08:40:45	11-CANCEL

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

DOOR INSTALLED ON THE ABOVE GROUND FUEL STORAGE TANKS,
 RON TONER NEEDS TO BE CALLED 561-694-9920.....JWA 8:58 EST

Job Started ___/___/___

Person Assigned _____

Signature _____

Completed ___/___/___

Actual Hours _____

Phase - 001

Work Request	980603313392	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	06/03/1998		
Due Date	06/03/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description 1ST FL THE NORTH AHU IS OFF LINE IT IS TOO HOT

Services	Title	\$ Actual	\$ Estimate	Percent
	1ST FL THE NORTH AHU IS OFF LINE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/03/1998	13:23:40	01-PENDING
[REDACTED]	06/03/1998	15:03:25	02-DISPTCH
[REDACTED]	06/27/1998	08:09:31	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 A CALL BACK IS REQUIRED
 1ST FL THE NORTH AHU IS OFF LINE IT IS TOO HOT
 *BFMS FOUND TWO ALARMS...AHU-01A MIXED AIR TEMP=87 DEG ALARM..
 *AND CHILLER-0G ARET=57 DEG. ALARM IS DISABLED..
 *OCCUPIED=ON...AHU-01A SPACE TEMP=80 DEG..
 *OTHER SPACE TEMPS IN BUILDING=78-83 DEG.
 *NOTED THAT (ROWE FROM [REDACTED] HAD BEEN AT THE BUILDING
 *EARLIER TODAY WORKING..HE WAS LOGGED IN TO MECHANICS LOG SHEET..
 *BFMS CALLED TENANT AND LEFT VOICE MAIL THAT BFMS IS REFERRING TO..
 *THE BSC.....PLEASE REFER FOR CHECK OUT....
 *REFERRED TO THE BSC/KEVIN F. / @ 14:56 CST.

Job Started ___/___/___

Completed ___/___/___

Phase - 001

Work Request	980601311193	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9047982838	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	06/01/1998		
Due Date	06/01/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	130010
Priority	1	Problem Code	17 BFMS
Part		Serial No	

Phase Description BFMS FAN FAIL

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS FAN FAIL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/01/1998	09:40:38	01-PENDING
[REDACTED]	06/01/1998	09:51:41	02-DISPTCH
[REDACTED]	07/13/1998	13:09:04	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	265.33

Extra Description

*AHU-1C FAN IS OFF IN ALARM AND WILL NOT RESET. PLEASE
 *DISPATCH VENDOR PRI-1. THANKS [REDACTED]
 *09:40 CST GAVE TO KEVIN

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980523307308	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	402-346-2391	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC	F B G	Phone	402-346-2391 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 10734 158TH ST NORTH
Order Date	05/23/1998		
Due Date	05/26/1998		JUPITER
Authorizer	[REDACTED]		FL 33478
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description 6 LIGHT REPLACEMENTS OVER 10 FEET TALL

Services	Title	\$ Actual	\$ Estimate	Percent
	6 LIGHT REPLACEMENTS OVER 10 FEET TALL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/23/1998	18:44:34	02-DISPTCH

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started ___/___/___ Completed ___/___/___

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request	980521306277	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5614956960	Property	E8519 GARDENS DMS 100/200
OC	FR6		3700 RCA BLVD
POC	MANAGER	Phone	5614956960 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	05/21/1998		
Due Date	05/22/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description NEEDS ELEC TO REPLACE & REPAIR ON ALL LIGHT FIXTURES

Services	Title	\$ Actual	\$ Estimate	Percent
	NEEDS ELEC TO REPLACE & REPAIR	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/21/1998	11:00:15	02-DISPTCH
[REDACTED]	07/23/1998	15:05:04	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NO CALL BACK IS REQUIRED

NEEDS ELEC TO REPLACE & REPAIR ON ALL LIGHT FIXTURES

Job Started ____/____/____

Person Assigned _____

Signature _____

Completed ____/____/____

Actual Hours _____

Phase - 001

Work Request	980518303758	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	5616949920 WEST PALM BCH FL 33401
Category	HOUSE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001 PO BOX 2715	
Order Date	05/18/1998			
Due Date	10/15/1998		OMAHA	
Authorizer	[REDACTED]		NE 681032715	
Project		Work Code	200001	
Priority	2	Problem Code	40 JANITORIAL - HOUSE SERVICES	
Part		Serial No		

Phase Description FRAME AND TOLL ADMIN AREAS NEED

Services	Title	\$ Actual	\$ Estimate	Percent
	FRAME AND TOLL ADMIN AREAS NEED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/18/1998	10:07:01	01-PENDING
[REDACTED]	09/02/1998	06:13:33	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 floors cleaned; stripped and cleaned; tenant advised that this has not been done in over 2 years
 client requests callback

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980517309966 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5614956960 Property E8519 GARDENS DMS 100/200
 OC FR6 3700 RCA BLVD
 POC MANAGER Phone 5614956960 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 5401 NW 102ND AVE #139
 Order Date 05/17/1998
 Due Date 05/18/1998 SUNRISE
 Authorizer [REDACTED] FL 33351
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description NEED TO CHECK OUT WATER FOUNTAIN

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED TO CHECK OUT WATER FOUNTAIN	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/17/1998	08:48:46	01-PENDING
[REDACTED]	06/22/1998	12:16:42	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

PER REQUEST FROM [REDACTED] MGR NEED TO CHECK OUT THE WATER FOUNTAIN TO SEE WHAT IS NEEDED TO GET WORKING .IF WORKING OKAY NEED TO ROUTINE SINCE NOT USED FOR SOMETIME AND ADD A FILTER ON IT.

PLEASE CALL NOVA TO SEE IF AVAILABLE TODAY ! IF NOT FIRST THING MONDAY MORNING ! NEED TO SEE RON UPON ARRIVAL FOR LOCATION OF FOUNTAIN [REDACTED]

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980514302196	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	3056606879	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	3056606879 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	05/14/1998		
Due Date	05/15/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description NEED TO REPLACE PROOFA FOR AHU AND PUMP

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO REPLACE PROOFA FOR AHU AND PUMP	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/14/1998	11:59:31	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	3.165.01

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980514302173	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	3056606879	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	3056606879 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	05/14/1998		
Due Date	05/15/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description NEED PROOFS REPLACED FOR PUMPS & AHU

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED PROOFS REPLACED FOR PUMPS & AHU	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/14/1998	11:40:50	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	3.165.01

Job Started ____/____/____ Completed ____/____/____

Person Assigned _____ Actual Hours _____

Signature _____

Phase - 001

Work Request	980513301168	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5614956960	Property	E8519 GARDENS DMS 100/200
OC	FR6		3700 RCA BLVD
POC	MANAGER	Phone	5614956960 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	05/13/1998		
Due Date	05/18/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	080003
Priority	3	Problem Code	08 LOCKS/KEYS
Part		Serial No	

Phase Description OUTSIDE TELEPHN RM NEEDS LOCKSET

Services Title	\$ Actual	\$ Estimate	Percent
OUTSIDE TELEPHN RM NEEDS LOCKSET	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/13/1998	08:06:25	04 VEN RSP
[REDACTED]	07/18/1998	09:17:07	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 ACTUAL ADDRESS OF SITE IS:
 3600 HIATT DRIVE
 [REDACTED]
 NEEDS LOCKSET WI CORE
 ON CUSTOMER PREMIS...
 CLIENT CALLBK REQUESTED
 FAXED TO [REDACTED] 09AM EDT LINK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980508305060	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5614956960	Property	E8519 GARDENS DMS 100/200
OC	FR6		3700 RCA BLVD
POC	MANAGER	Phone	5614956960 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	05/08/1998		
Due Date	05/13/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	150002
Priority	3	Problem Code	22 PLUMBING
Part		Serial No	

Phase Description CHECK INTO SEWER HOOKUPS

Services	Title	\$ Actual	\$ Estimate	Percent
	CHECK INTO SEWER HOOKUPS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	05/08/1998	04:04:55	01-PENDING
[REDACTED]	06/22/1998	11:24:57	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 PER ATTACHED COPY OF THE NOTES FROM MEETING NEED TO GET NOVA PLUMBING
 OUT TO RESERACH OUT IF THIS LOCATION IS ON SEPTIC TANK OR CITY SEWER SYSTEMS.
 ALSO,FIND OUT IF SPRINKLER SYSTEMS CITY OF WELL.

"PLEASE NOTE ,THAT WE HAVE TO RESPOND BY JUNE 2ND ,1998" !

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980424291864	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 10734 158TH ST NORTH
Order Date	04/24/1998		
Due Date	04/24/1998		JUPITER
Authorizer	[REDACTED]		FL 33478
Project		Work Code	020002
Priority	1	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description SECURITY GATE IS BROKE

Services Title	\$ Actual	\$ Estimate	Percent
SECURITY GATE IS BROKE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/24/1998	10:49:49	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 WILL NOT CLOSE.

 NO CALL BACK NEEDED

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980415287401	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9544923765	Property	E8519 GARDENS DMS 100/200
OC	3LT		3700 RCA BLVD
POC	MANAGER	Phone	9544923765 WEST PALM BCH FL 33401
Category	>50K	Status	01-PDGUFND Location 1685

Phase	001	Contractor	[REDACTED]
Contract	BG0420	Address Cd	001
Order Date	04/15/1998		9906 GULF FREEWAY
Due Date	05/30/1998		HOUSTON
Authorizer	[REDACTED]		TX 77034
Project		Work Code	010000
Priority	4	Problem Code	
Part		Serial No	

Phase Description	PARSONS-CONSULTANT
-------------------	--------------------

Services	Title	\$ Actual	\$ Estimate	Percent
	WPB GARDENS CO-2ND FLR BUILDING ADDITION	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/15/1998	15:22:54	03-ACTIVE

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	P1	100.00	0.00

Extra Description

SPREADSHEET INFOR: PHASE 01

CLIENT ID: NS3

OCC: NS3

900002 - C2 - 89% - 1500K

- M2 - 5% - 85K

130004 - C2 - 6% - 100K TOTAL 1685K

Nature and Necessity

Work Request #: 980415287401 Project# PEL0566 Estimate#

Location Name: WPB GARDENS CO

Location City and State: PALM BEACH GARDENS, FL

Location GLC: E8519

Primary Shop Person (Name): [REDACTED]

Project Scope: Second Floor Addition for New Switch.

204.

Phase - 002

Work Request	980415287401	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9544923765	Property	E8519 GARDENS DMS 100/200
OC	3LT		3700 RCA BLVD
POC	MANAGER	Phone	9544923765 WEST PALM BCH FL 33401
Category	>50K	Status	01-PDGUFND
		Location	1685

Phase	002	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	04/15/1998		PO BOX 102051
Due Date	05/30/1998		ATLANTA
Authorizer	[REDACTED]		GA 303680051
Project	[REDACTED]	Work Code	010000
Priority	4	Problem Code	
Part		Serial No	

Phase Description WPB GARDENS CO-2ND FLR BUILDING ADDITION

Services		\$ Actual	\$ Estimate	Percent
Title				
WPB GARDENS CO-2ND FLR BUILDING ADDITION		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/15/1998	15:22:54	03-ACTIVE

Managers
Shop SFL BRANCH
Person [REDACTED]

Account Distribution		Sub Code	Percent	Amount
Account(s)		P1	100.00	0.00

Extra Description
 SPREADSHEET INFOR: PHASE 01
 CLIENT ID: NS3
 OCC: NS3
 900002 - C2 - 89% - 1500K
 - M2 - 5% - 85K
 130004 - C2 - 6% - 100K TOTAL 1685K

Nature and Necessity

Work Request #: 980415287401 Project# PEL0566 Estimate#
 Location Name: WPB GARDENS CO
 Location City and State: PALM BEACH GARDENS, FL
 Location GLC: E8519
 Primary Shop Person (Name) [REDACTED]
 Project Scope: Second Floor Addition for New Switch.

Phase - 001

Work Request	980410285299	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7045107033	Property	E8519 GARDENS DMS 100/200
OC	PHX		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107033
Category	MTCE	Status	01-CREATED
		Location	WEST PALM BCH FL 33401

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001
Order Date	04/10/1998		PO BOX 5013
Due Date	04/10/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150001
Priority	1	Problem Code	21
Part		Serial No	
			HEATING/VENTILATING/AIR CONDITIONING

Phase Description A/C HAS FAILED

Services	Title	\$ Actual	\$ Estimate	Percent
	A/C HAS FAILED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/10/1998	11:49:35	02-DISPTCH
[REDACTED]	04/29/1998	06:28:08	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
no client callback

*BFMS FOUND THE CHILLER IS TRIPPED ON A HARDWARE ALARM..SPACE TEMPS ARE
 *83-84 DEG..WATER TEMPS ARE 65 DEG..REFER FOR CHECK OUT..
 *REFERRED TO BSC(KEVIN F) AT 11:52CST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980408284302 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949921 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 5616949921 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 04/08/1998
 Due Date 04/08/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 150001
 Priority 1 Problem Code 21 HEATING/VENTILATING/AIR CONDITIONING
 Part Serial No

Phase Description WHOLE BUILDING TOO HOT

Services	Title	\$ Actual	\$ Estimate	Percent
	WHOLE BUILDING TOO HOT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	04/08/1998	14:20:58	02-DISPTCH
[REDACTED]	04/13/1998	11:37:15	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0 00

Extra Description
 NO CALL BACK REQUESTED KF....

*THE ENTIRE CHILLER PLANT IS DOWN WITH 80 DEG SUPPLY WATER TEMP.
 *THERE ARE ALSO SPACE TEMP ALARMS. PLEASE DISPATCH VENDOR PRI-1
 *ALERT. THANKS [REDACTED]
 *14:55 CST GAVE TO WALLY

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Work Request 980325276898 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contracto [REDACTED]
 Contract Address Cd 001 P. O. BOX 149
 Order Date 03/25/1998
 Due Date 03/26/1998 WEST PALM BEACH
 Authorizer [REDACTED] FL 33402
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description FOYER NEED TO REPAIR EMERGENCY LIGHTING

Services Title	\$ Actual	\$ Estimate	Percent
FOYER NEED TO REPAIR EMERGENCY LIGHTING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/25/1998	14:54:42	02-DISPTCH
[REDACTED]	03/30/1998	14:51:07	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 FOYER NEED TO REPAIR EMERGENCY LIGHTING
 NO CALL BACK REQUESTED KF....

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 002

Work Request	980325276898	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	002	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	03/25/1998			
Due Date	03/26/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200008	
Priority	2	Problem Code	47	LIGHT BULB REPLACEMENT
Part		Serial No		

Phase Description NEED TO REPLACE 20 LIGHT BULBS THROUGHOUT BUILDING

Services Title	\$ Actual	\$ Estimate	Percent
FOYER NEED TO REPAIR EMERGENCY LIGHTING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/25/1998	14:54:42	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 FOYER NEED TO REPAIR EMERGENCY LIGHTING
 NO CALL BACK REQUESTED KF....
 NEED TO REPLACE 20 LIGHT BULBS
 THROUGHOUT BUILDING
 NO CALL BACK REQUESTED KF....

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

209.

Phase - 001

Work Request	980318273133	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7045107034	Property	E8519 GARDENS DMS 100/200
OC	X7S		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107034 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	03/18/1998		
Due Date	03/18/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	300005
Priority	1	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description THE NRC REPORTS A FIRE ALARM TROUBLE

Services	Title	\$ Actual	\$ Estimate	Percent
	THE NRC REPORTS A FIRE ALARM TROUBLE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/18/1998	08:19:24	04 VEN RSP
[REDACTED]	03/18/1998	15:19:02	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description

NO CALL BACK REQUIRED!

THE NRC REPORTS A FIRE ALARM TROUBLE

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980312270469	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	03/12/1998		
Due Date	03/12/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	300005
Priority	1	Problem Code	39 FIRE ALARM TROUBLE
Part		Serial No	

Phase Description SMOKE DETECTOR IN THE ENGINE RM WILL NOT RESET

Services	Title	\$ Actual	\$ Estimate	Percent
	SMOKE DETECTOR IN THE ENGINE RM WILL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/12/1998	11:45:19	04 VEN RSP

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 NO CALL BACK REQUIRED!
 SMOKE DETECTOR IN THE ENGINE RM WILL NOT RESET.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980312270149	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 P. O. BOX 149
Order Date	03/12/1998		
Due Date	03/27/1998		WEST PALM BEACH
Authorizer	[REDACTED]		FL 33402
Project		Work Code	160001
Priority	1	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description NEED ELECTRIC LIGHTS MOVED DUE TO

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED ELECTRIC LIGHTS MOVED DUE TO	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/12/1998	10:04:13	02-DISPTCH
[REDACTED]	05/19/1998	07:38:04	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
INSTALLATION OF NEW EQUIPMENT ...NO CALLBACK NEEDED

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980305266605	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9547423547	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC	HARDWORKERS	Phone	9547423547 WEST PALM BCH FL 33401
Category	ENV	Status	01-CREATED
		Location	

Phase	001	Contractor	
Contract		Address Cd	
Order Date	03/05/1998		
Due Date	04/19/1998		
Authorizer	[REDACTED]		
Project		Work Code	600007
Priority	4	Problem Code	55 HAZMAT TRANSPORT
Part		Serial No	

Phase Description 22 4FT FLO TUBES AND 1 2FT TUBE

Services	Title	\$ Actual	\$ Estimate	Percent
	22 4FT FLO TUBES AND 1 2FT TUBE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	03/05/1998	12:40:50	02-DISPTCH

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
NO CLIENT CALLBACK

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

213,

Phase - 001

Work Request	980226263089	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7043478639	Property	E8519 GARDENS DMS 100/200
OC	SYZ		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045106556 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	02/26/1998		
Due Date	02/27/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project	[REDACTED]	Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description DEFECTIVE FAN

Services	Title	\$ Actual	\$ Estimate	Percent
	DEFECTIVE FAN	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/26/1998	14:58:35	02-DISPTCH
[REDACTED]	04/24/1998	11:06:44	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 RT SITE 8735 N MILITARY TRAIL (AT&T)
 PALM BEACH
 =====
 3/26 no work has been completed, call client upon reception of
 refax.....

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980219258902	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9544923305	Property	E8519 GARDENS DMS 100/200
OC	WMM		3700 RCA BLVD
POC	SPECIALIST	Phone	9544923305 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	02/19/1998		
Due Date	02/20/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description RUN CONDUIT

Services		\$ Actual	\$ Estimate	Percent
Title				
RUN CONDUIT		0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/19/1998	07:42:38	03-VEN NOT
[REDACTED]	07/14/1998	13:27:23	09-A/P RDY

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution		Sub Code	Percent	Amount
Account(s)		M1	100.00	0.00

Extra Description

RUN CONDUIT FROM THE LOCAL SWITCH TO THE MAIN FRAME. PLEASE CONTACT THE TENANT FOR DETAILS.

PER [REDACTED] MOP WILL BE NEEDED

=====

pe [REDACTED] referred to [REDACTED] instead of [REDACTED]

[REDACTED] ...7:13am/est 2-19-98

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980212255279 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 10734 158TH ST NORTH
 Order Date 02/12/1998
 Due Date 02/13/1998 JUPITER
 Authorizer [REDACTED] FL 33478
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description HAVE 3 FLOOR TILES THAT HAVE COME LOOSE

Services Title	\$ Actual	\$ Estimate	Percent
HAVE 3 FLOOR TILES THAT HAVE COME LOOSE	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/12/1998	07:38:08	02-DISPTCH
[REDACTED]	07/18/1998	05:40:26	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 IN FRONT OF 12641 BAY....JWA 8:41 EST

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980206252738	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER Phone 5616949920		WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 PO BOX 5013
Order Date	02/06/1998		
Due Date	02/07/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	020002
Priority	2	Problem Code	01 FENCING AND GATES
Part		Serial No	

Phase Description GATE INTERCOM

Services	Title	\$ Actual	\$ Estimate	Percent
	GATE INTERCOM	[REDACTED]	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/06/1998	14:18:00	04 VEN RSP
[REDACTED]	02/09/1998	08:11:28	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 THE INTERCOM AT THE FRONT GATE ISN'T WORKING.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980204251347	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	9547421039	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC	DJ MERLINS/CONTRAC Phone 9547421039		WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 10734 158TH ST NORTH
Order Date	02/04/1998		
Due Date	02/09/1998		JUPITER
Authorizer	[REDACTED]		FL 33478
Project		Work Code	090004
Priority	3	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description THE ALUMINUM ROOF AT

Services Title	\$ Actual	\$ Estimate	Percent
THE ALUMINUM ROOF AT	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/04/1998	13:44:03	02-DISPTCH
[REDACTED]	07/17/1998	08:21:05	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 BOTH SOUTH DOORS. THERE ARE ABOUT 4 PIECES OF ALUMINUM THAT WERE BLOWN OFF AFTER THE STORM A COUPLE OF DAYS AGO. THEY ARE MISSING.
 HE HAS ALREADY SPOKEN TO J.J.ABOUT THIS-HE SAID TO GIVE TO [REDACTED] GOOD
 NO CUSTOMER CALLBACK REQUESTED

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980203250725 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 10734 158TH ST NORTH
 Order Date 02/03/1998
 Due Date 02/03/1998 JUPITER
 Authorizer [REDACTED] FL 33478
 Project Work Code 020002
 Priority 1 Problem Code 01 FENCING AND GATES
 Part Serial No

Phase Description POWER EXIT GATE IS NOT FUNCTIONING

Services Title	\$ Actual	\$ Estimate	Percent
POWER EXIT GATE IS NOT FUNCTIONING	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	02/03/1998	16:53:14	01-PENDING
[REDACTED]	02/03/1998	17:09:54	02-DISPTCH
[REDACTED]	07/17/1998	08:22:42	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 card reader gate

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

219.

Phase - 001

Work Request	980126246406	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 P. O. BOX 149
Order Date	01/26/1998		
Due Date	01/27/1998		WEST PALM BEACH
Authorizer	[REDACTED]		FL 33402
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description LIGHTS ARE OUT IN LOUNGE BAD BALLASTS

Services Title	\$ Actual	\$ Estimate	Percent
LIGHTS ARE OUT IN LOUNGE	0.00	0.00	0.00

User	Date	Time	Status
GHKTSXH	01/26/1998	16:33:55	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

220.

Phase - 001

Work Request	981002378926	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	10/02/1998		
Due Date	10/02/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	080003
Priority	1	Problem Code	08 LOCKS/KEYS
Part		Serial No	

Phase Description PLEASE REPAIR CYLINDER IN LOCK

Services	Title	\$ Actual	\$ Estimate	Percent
	PLEASE REPAIR CYLINDER IN LOCK	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/02/1998	11:48:45	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 this is the receiving rm door.
 please call the tenant for details before doing any work.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980928375895	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER Phone 5616949920		WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	09/28/1998		
Due Date	09/29/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description STENCIL CIRCUIT BREAKER BOX

Services Title	\$ Actual	\$ Estimate	Percent
STENCIL CIRCUIT BREAKER BOX	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/28/1998	08:27:05	03-VEN NOT

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

TENANT NEEDS TO WORK ON EQUIPMENT INSIDE, BUT THE BOXES DO NOT HAVE ANY IDENTIFYING MARKS. PLEASE HANDLE TODAY. PLEASE CONTACT TENANT.

Job Started ____/____/____	Completed ____/____/____
Person Assigned _____	Actual Hours _____
Signature _____	

222.

Phase - 001

Work Request	980924374184	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	09/24/1998			
Due Date	09/25/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200001	
Priority	2	Problem Code	40	JANITORIAL - HOUSE SERVICES
Part		Serial No		

Phase Description GARBAGE WAS LEFT INSIDE THE BLDG

Services Title	\$ Actual	\$ Estimate	Percent
GARBAGE WAS LEFT INSIDE THE BLDG	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/24/1998	06:42:36	02-DISPTCH
[REDACTED]	10/05/1998	09:50:45	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 TENANT WANTS TO SOMEONE TO COME BACK AND TAKE IT OUT.
 TENANT WANTS TO BE CALLED ASAP....JWA 7:48 EST

Job Started _____	Completed _____
Person Assigned _____	Actual Hours _____
Signature _____	

Phase - 001

Work Request	980921372378	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5618379501	Property	E8519 GARDENS DMS 100/200
OC	NRD		3700 RCA BLVD
POC	FRAME ATTD	Phone	5618379501 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 MANAGEMENT COALITION
Order Date	09/21/1998		PO BOX 99315
Due Date	09/26/1998		CHICAGO
Authorizer	[REDACTED]		IL 60693
Project		Work Code	120000
Priority	3	Problem Code	16 FURNITURE
Part		Serial No	

Phase Description OPEN FILE CABINET/UNREADABLE KEY#

Services	Title	\$ Actual	\$ Estimate	Percent
	OPEN FILE CABINET/UNREADABLE KEY#	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/21/1998	10:56:42	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 File cabinet is located on the 1st flr near frame area
 cont [REDACTED]
 oc-NRD
 thanx :)...Wally 1159am est ww

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980918371635
 Customer [REDACTED] [REDACTED] Region FL
 Phone 5616949920 Facility WEST PALM BCH
 OC FDV Property E8519 GARDENS DMS 100/200
 POC FRAME ATTDT Phone 5616949920 3700 RCA BLVD
 Category INCI Status 01-CREATED Location WEST PALM BCH FL 33401
 Location 1ST FL

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 [REDACTED]
 Order Date 09/18/1998 PO BOX 99315
 Due Date 09/23/1998 CHICAGO
 Authorizer [REDACTED] [REDACTED] IL 60693
 Project Work Code 120000
 Priority 3 Problem Code 16 FURNITURE
 Part Serial No

Phase Description NEED 3 KEYSFR 365

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED 3 KEYSFR 365	0.00	0.00	0.00

User Date Time Status
 BFHKYBG 09/18/1998 15:14:58 02-DISPTCH

Managers

Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

NEED 3 KEYSFR 365

CONTACT [REDACTED]

OC/FDV

MIL

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980914368830	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	3052608396	Property	E8519 GARDENS DMS 100/200
OC	RZL		3700 RCA BLVD
POC	MANAGER	Phone	3052608396 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 810 SW 14TH ST
Order Date	09/14/1998		
Due Date	09/15/1998		POMPANO BEACH
Authorizer	[REDACTED]		FL 33060
Project		Work Code	160001
Priority	2	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description CONNECT ENGINE ALARMS

Services	Title	\$ Actual	\$ Estimate	Percent
	CONNECT ENGINE ALARMS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/14/1998	12:49:14	03-VEN NOT
[REDACTED]	09/21/1998	13:54:25	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 PLEASE CONTACT CUSTOMER WITH ANY QUESTIONS.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980909366933	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	2055216539	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC	HUDSON LONNIE	Phone	2055216539 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/09/1998		
Due Date	09/09/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS RECEIVED CHILLER1C HARDWARE ALARM

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS RECEIVED CHILLER1C HARDWARE ALARM	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/09/1998	16:02:57	04 VEN RSP
[REDACTED]	09/09/1998	16:04:40	01-PENDING

Managers

Shop SFL BRANCH

Person [REDACTED]

[REDACTED]

[REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	2,781.31

Extra Description *BFMS UNABLE TO RESET.PLEASE REFER FOR CHECKOUT.

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

227.

- Phase - 001

Work Request	980908366330	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	2055216539	Property	E8519 GARDENS DMS 100/200
OC	B00		3700 RCA BLVD
POC		Phone	WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/08/1998		
Due Date	09/08/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS..MULTI CHILLER-ALMS

Services Title	\$ Actual	\$ Estimate	Percent
BFMS..MULTI CHILLER-ALMS	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/08/1998	23:11:51	02-DISPTCH
[REDACTED]	09/08/1998	23:13:24	01-PENDING
[REDACTED]	09/09/1998	10:45:37	10-CLOSED

Managers
 Shop SFL BRANCH
 Person [REDACTED]
 [REDACTED]
 [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2.781.31

Extra Description
 *bfms received multi chiller alarms..bfms is unable to connect
 *with building, modem constant busy..please refer pri-1..referred
 *to bsc/@23:10ct/april

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980905365298	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	205 521 6539	Property	E8519 GARDENS DMS 100/200
OC	CM5		3700 RCA BLVD
POC		Phone	WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	09/05/1998		
Due Date	09/06/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	2	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description BFMS CHILLER HARDWARE ALARM..

Services	Title	\$ Actual	\$ Estimate	Percent
	BFMS CHILLER HARDWARE ALARM..	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	09/05/1998	10:52:08	01-PENDING
[REDACTED]	09/05/1998	11:09:02	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	0.00	2,781.31

Extra Description
 *BFMS RECIEVED A CHILLER HARDWARE ALARM FOR CHILLER-1C..BFMS CANNOT RESET
 *THE ALARM..CHILLER-1B IS RUNNING AND MAINTAINING THE BUILDING WITH A
 *SUPPLY WATER TEMP OF 44 DEG..REFER PRI-2 FOR CHECK OUT..
 *REFERRED TO BSC(JOHN) AT 10:51CST

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980831362054	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	08/31/1998		
Due Date	09/01/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description REPAIR TILE FLR IN FRONT OF TENANTS DESK

Services Title	\$ Actual	\$ Estimate	Percent
REPAIR TILE FLR IN FRONT OF TENANTS DESK	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/31/1998	09:53:27	02-DISPTCH
[REDACTED]	09/17/1998	11:14:25	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

CLIENT CALLBACK YES...
 2 TILES ARE AFFECTED

END OF AISLE 120..NORTH END

SAFETY HAZARD..TENANT HAS CONE AROUND
 TILES...PRI 2 OKAY 1056AM EDT LINK FAXED
 TO HARDWORKERS

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980824358517
 Customer [REDACTED] [REDACTED] Region FL
 Phone 402-346-2391 Facility WEST PALM BCH
 OC B04 Property E8519 GARDENS DMS 100/200
 POC F B G Phone 402-346-2391 3700 RCA BLVD
 Category MTCE Status 01-CREATED Location WEST PALM BCH FL 33401

Phase 001 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 5401 NW 102ND AVE #139
 Order Date 08/24/1998
 Due Date 08/25/1998 SUNRISE
 Authorizer [REDACTED] [REDACTED] FL 33351
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description 10 LIGHTS ARE OUT OVER 10'

Services Title	\$ Actual	\$ Estimate	Percent
10 LIGHTS ARE OUT OVER 10'	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/24/1998	17:03:50	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980824357880
 Customer [REDACTED] [REDACTED]
 Phone 5616949920
 OC FDV
 POC NETWORK MANAGER Phone 5616949920
 Category MTCE Status 01-CREATED Location

Region FL
 Facility WEST PALM BCH
 Property E8519 GARDENS DMS 100/200
 3700 RCA BLVD
 WEST PALM BCH FL 33401

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 08/24/1998
 Due Date 08/25/1998 HIALEAH GARDENS
 Authorizer [REDACTED] [REDACTED] FL 33016
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description NEED 3 AISLES OF LIGHTS CREATED & 3 AISL

Services Title	\$ Actual	\$ Estimate	Percent
NEED 3 AISLES OF LIGHTS CREATED & 3 AISL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/24/1998	06:47:06	06-HELD
[REDACTED]	08/24/1998	13:57:24	03-VEN NOT
[REDACTED]	09/30/1998	13:15:50	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description OF LIGHTS REMOVED

CB YES SB

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980804347829	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	HOUSE	Status	01-CREATED
		Location	1ST FLR

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	08/04/1998			
Due Date	08/10/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200001	
Priority	2	Problem Code	40	JANITORIAL - HOUSE SERVICES
Part		Serial No		

Phase Description NEED FLR CLEANED UNDER THE FRAME

Services Title	\$ Actual	\$ Estimate	Percent
NEED FLR CLEANED UNDER THE FRAME	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/04/1998	08:34:27	02-DISPTCH
[REDACTED]	08/14/1998	14:18:33	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 AREA IN THE NW CORNER OF THE BLDG
 CALL BACK IS NEEDED

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request 980803347178
 Customer [REDACTED] [REDACTED] Region FL
 Phone 954-742-0069 Facility WEST PALM BCH
 OC B04 Property E8519 GARDENS DMS 100/200
 POC Phone 954-742-0069 3700 RCA BLVD
 Category ENV Status 01-CREATED Location WEST PALM BCH FL 33401

Phase 001 Contractor
 Contract Address Cd
 Order Date 08/03/1998
 Due Date 09/17/1998
 Authorizer [REDACTED] [REDACTED]
 Project Work Code 600006
 Priority 4 Problem Code 54 HAZMAT HANDLING & STORAGE
 Part Serial No

Phase Description 3LBS ALKALINE 1/2 OF NIKAD BATTERY PIC

Services Title	\$ Actual	\$ Estimate	Percent
3LBS ALKALINE 1/2 OF NIKAD BATTERY PIC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	08/03/1998	09:22:12	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
KU

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

234.

Phase - 001

Work Request	980727343276	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER Phone 5616949920		WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contract	[REDACTED]
Contract		Address Cd	001 8085 N W 98TH ST
Order Date	07/27/1998		
Due Date	08/01/1998		HIALEAH GARDENS
Authorizer	[REDACTED]		FL 33016
Project		Work Code	160001
Priority	3	Problem Code	30 ELECTRICAL SYSTEMS
Part		Serial No	

Phase Description EQUIPMENT CHG...2 OUTLETS NEEDED

Services Title	\$ Actual	\$ Estimate	Percent
EQUIPMENT CHG...2 OUTLETS NEEDED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/27/1998	09:31:38	02-DISPTCH
[REDACTED]	08/20/1998	14:29:34	09-A/P RDY

Managers

Shop SFL BRANCH
Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

2) DUPLEX OUTLETS NEED PLACED FOR SWITCH/EQUIPMENT GROWTH...
LOCATED AT END OF MDF FRAME..FLOOR WILL BE MARKED...

NEEDS HANDLED BY NEXT WEEK.
CLIENT CALLBACK YES
FAXED TO COUNTYWIDE 1035AM EDT LINK

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

235.

Phase - 001

Work Request	980722340771	Region	FL
Customer	[REDACTED]	TONER,R E	Facility WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	001 5401 NW 102ND AVE #139
Order Date	07/22/1998		
Due Date	07/23/1998		SUNRISE
Authorizer	[REDACTED]		FL 33351
Project		Work Code	090004
Priority	2	Problem Code	10 HANDYMAN
Part		Serial No	

Phase Description NEED PLYWOOD

Services Title	\$ Actual	\$ Estimate	Percent
NEED PLYWOOD & ELECTRICAL OUTLET	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/22/1998	08:13:55	01-PENDING
[REDACTED]	07/22/1998	10:40:35	03-VEN NOT
[REDACTED]	08/15/1998	08:49:10	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 PLEASE CONTACT THE TENANT.

Job Started ___/___/___	Completed ___/___/___
Person Assigned _____	Actual Hours _____
Signature _____	

236.

Phase - 002

Work Request 980722340771
 Customer [REDACTED] [REDACTED]
 Phone 5616949920
 OC FDV
 POC NETWORK MANAGER Phone 5616949920
 Category MTCE Status 01-CREATED Location

Region FL
 Facility WEST PALM BCH
 Property E8519 GARDENS DMS 100/200
 3700 RCA BLVD
 WEST PALM BCH FL 33401

Phase 002 Contractor [REDACTED] [REDACTED]
 Contract Address Cd 001 8085 N W 98TH ST
 Order Date 07/22/1998
 Due Date 07/23/1998 HIALEAH GARDENS
 Authorizer [REDACTED] [REDACTED] FL 33016
 Project Work Code 160001
 Priority 2 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description INSTALL ELECTRICAL OUTLET

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED PLYWOOD & ELECTRICAL OUTLET	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/22/1998	10:40:35	03-VEN NOT
[REDACTED]	08/20/1998	09:21:18	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED] [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 PLEASE CONTACT THE TENANT.

PLEASE CONTACT THE TENANT.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980714336505 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 3052608388 Property E8519 GARDENS DMS 100/200
 OC FR6 3700 RCA BLVD
 POC MANAGER Phone 3052608388 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 07/14/1998
 Due Date 07/19/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 160001
 Priority 3 Problem Code 30 ELECTRICAL SYSTEMS
 Part Serial No

Phase Description EVALUATE HOT SPOTS BY THE MAIN FRAME

Services Title	\$ Actual	\$ Estimate	Percent
EVALUATE HOT SPOTS BY THE MAIN FRAME	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/14/1998	12:52:17	03-VEN NOT
[REDACTED]	08/15/1998	06:14:20	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 EVALUATION SHOULD TAKE AWEEK
 PER FM IGLESIASS CB NO SB

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980709333769 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 5616949920 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 5401 NW 102ND AVE #139
 Order Date 07/09/1998
 Due Date 07/10/1998 SUNRISE
 Authorizer [REDACTED] FL 33351
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description NEED FLRS STRIPPED AND WAXED

Services	Title	\$ Actual	\$ Estimate	Percent
	NEED FLRS STRIPPED AND WAXED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/09/1998	08:33:24	01-PENDING

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 IN THE FRAME AND ADMIN AREAS
 CALL BACK IS NEEDED

Job Started ____/____/____ Completed ____/____/____
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request 980702330460 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949921 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC ELECTRONIC TECH Phone 5616949928 WEST PALM BCH FL 33401
 Category MTCE Status 01-CREATED Location

Phase 001 Contractor [REDACTED]
 Contract Address Cd 001 PO BOX 5013
 Order Date 07/02/1998
 Due Date 07/02/1998 BUFFALO GROVE
 Authorizer [REDACTED] IL 60089
 Project Work Code 150001
 Priority 1 Problem Code 21 HEATING/VENTILATING/AIR CONDITIONING
 Part Serial No

Phase Description CLASS A OFFC AC IS NOT ON

Services Title	\$ Actual	\$ Estimate	Percent
CLASS A OFFC AC IS NOT ON	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/02/1998	08:54:42	02-DISPTCH
[REDACTED]	07/02/1998	09:17:57	03-VEN NOT
[REDACTED]	07/17/1998	14:29:38	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
NO CALL BACK

*THE SITE APPEARS TO HAVE TAKEN A POWER HIT. CHILLER-1B IS
 *COMMANDED ON IN AUTO BUT THE CHL STS=OFF. THE PROGRAM ISN'T
 *CALLING FOR THE BACKUP CHILLER AND THE SUPPLY WATER TEMP=69 DEG.
 *PLEASE DISPATCH CONTROLS AND MECHANICAL PRI-1. THANKS.
 [REDACTED]
 *09:10 CST GAVE TO [REDACTED]

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980701330029	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	954-742-0069	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	954-742-0069 WEST PALM BCH
Category	MTCE	Status	01-CREATED
		Location	FL 33401

Phase	001	Contractor	
Contract		Address Cd	
Order Date	07/01/1998		
Due Date	08/15/1998		
Authorizer	[REDACTED]		
Project		Work Code	600006
Priority	4	Problem Code	54 HAZMAT HANDLING & STORAGE
Part		Serial No	

Phase Description NEED TO PICK 102 4FT FLO. BULBS & 150 2FT FLO. BULB & 1 BROKEN IN STIL

Services Title	\$ Actual	\$ Estimate	Percent
NEED TO PICK 102 4FT FLO. BULBS & 150	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/01/1998	12:48:53	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description
 NEED TO PICK 102 4FT FLO. BULBS & 150 2FT FLO. BULB & 1 BROKEN IN STILL KIT

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980701329661	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	5616949920	Property	E8519 GARDENS DMS 100/200
OC	FDV		3700 RCA BLVD
POC	NETWORK MANAGER	Phone	5616949920 WEST PALM BCH
Category	HOUSE	Status	01-CREATED
		Location	FL 33401

Phase	001	Contractor	[REDACTED]	EDI
Contract		Address Cd	001	PO BOX 2715
Order Date	07/01/1998			
Due Date	07/02/1998			OMAHA
Authorizer	[REDACTED]			NE 681032715
Project		Work Code	200001	
Priority	2	Problem Code	40	JANITORIAL - HOUSE SERVICES
Part		Serial No		

Phase Description NO TOILET PAPER, HAND TOWELS.

Services	Title	\$ Actual	\$ Estimate	Percent
	NO TOILET PAPER, HAND TOWELS.	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/01/1998	07:35:41	02-DISPTCH
[REDACTED]	07/09/1998	09:36:31	10-CLOSED
[REDACTED]	07/20/1998	16:30:01	09-A/P RDY

Managers

Shop SFL BRANCH
 Person [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description

AND SOAP IN R/ROOMS
 CALL BACK IS NEEDED

Job Started	____/____/____	Completed	____/____/____
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 002

Work Request 980701329661 Region FL
 Customer [REDACTED] Facility WEST PALM BCH
 Phone 5616949920 Property E8519 GARDENS DMS 100/200
 OC FDV 3700 RCA BLVD
 POC NETWORK MANAGER Phone 5616949920 WEST PALM BCH FL 33401
 Category HOUSE Status 01-CREATED Location

Phase 002 Contractor [REDACTED]
 Contract Address Cd 001 5401 NW 102ND AVE #139
 Order Date 07/01/1998
 Due Date 07/02/1998 SUNRISE
 Authorizer [REDACTED] FL 33351
 Project Work Code 090004
 Priority 2 Problem Code 10 HANDYMAN
 Part Serial No

Phase Description 12 LIGHT FIXTURES NEED CHANGING

Services	Title	\$ Actual	\$ Estimate	Percent
	NO TOILET PAPER, HAND TOWELS,	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	07/01/1998	07:35:41	02-DISPTCH
[REDACTED]	07/21/1998	09:52:36	09-A/P RDY

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 AND SOAP IN R/ROOMS
 CALL BACK IS NEEDED

CEILINGS ARE 10FT HIGH

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____

Phase - 001

Work Request	980624325665	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	205-521-6539	Property	E8519 GARDENS DMS 100/200
OC	B04		3700 RCA BLVD
POC		Phone	WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	005 10111 BUSINESS DR
Order Date	06/24/1998		
Due Date	06/24/1998		MIRAMAR
Authorizer	[REDACTED]		FL 33025
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description CHILLER 1 FAILED

Services Title	\$ Actual	\$ Estimate	Percent
CHILLER 1 FAILED	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/24/1998	10:41:56	01-PENDING
[REDACTED]	06/24/1998	12:30:24	11-CANCEL

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,781.31

Extra Description

*bfms are rec chiller 1 failed please look into this problem

*bfms dispatch to bsc as pr 1:reggie 10:54

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980623325226	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	7043478636	Property	E8519 GARDENS DMS 100/200
OC	WDL		3700 RCA BLVD
POC	ELECTRONIC TECH	Phone	7045107034 WEST PALM BCH FL 33401
Category	MTCE	Status	01-CREATED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	005 10111 BUSINESS DR
Order Date	06/23/1998		
Due Date	06/23/1998		MIRAMAR
Authorizer	[REDACTED]	THOMPSON, JOSEPH M.	FL 33025
Project		Work Code	150005
Priority	1	Problem Code	25 TEMPERATURE ALARM
Part		Serial No	

Phase Description HIGH TEMP ALARM NO NMA PER NRC

Services	Title	\$ Actual	\$ Estimate	Percent
	HIGH TEMP ALARM NO NMA PER NRC	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/23/1998	18:11:58	03-VEN NOT
[REDACTED]	06/23/1998	19:03:23	02-DISPTCH

Managers
 Shop SFL BRANCH
 Person [REDACTED]

Account Distribution	Account(s)	Sub Code	Percent	Amount
	[REDACTED]	M1	100.00	0.00

Extra Description
 callback yes sb

NRC CALLED BACK TO ADD HIGH TEMP IN TOPS ROOM
 7:25PM REDISPATCHED TO BFMS FOR INVESTIGATION.....WA

*bfms indicates the chill water pumps and ahu#1e are not online. bfms indicates
 *there was a power outage taking place in south florida. bfms indicates
 *the outage was suppose end at 1900 edt. bfms indicates the current
 *maximum space temp is 90 degrees from units 1a and 1e.....refer to the appropriate
 *vendor.....pri 1.....referred to the bsc.....willie@18:49

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	980623325147	Region	FL
Customer	[REDACTED]	Facility	WEST PALM BCH
Phone	3342939824	Property	E8519 GARDENS DMS 100/200
OC	YGW		3700 RCA BLVD
POC	TESTING TECH	Phone	9547318020 WEST PALM BCH FL 33401
Category	MTCE	Status	03-CLOSED
		Location	

Phase	001	Contractor	[REDACTED]
Contract		Address Cd	01Q 1701 6TH AVENUE NORTH
Order Date	06/23/1998		BIRMINGHAM BFMS CENTER
Due Date	06/23/1998		BIRMINGHAM
Authorizer	[REDACTED]		AL 35203
Project		Work Code	150001
Priority	1	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description CHILLER RM NO AC// EQUIP IN DANGER

Services Title	\$ Actual	\$ Estimate	Percent
CHILLER RM NO AC// EQUIP IN DANGER	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	06/23/1998	15:26:15	04 VEN RSP
[REDACTED]	06/23/1998	15:38:41	10-CLOSED

Managers

Shop SFL BRANCH

Person [REDACTED]

Account Distribution Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	100.00	0.00

Extra Description ABOUT 102 DEG CALLBACK NO SB

*BFMS HAS REFERRED THE PROBLEM..WR#980623325132

Job Started	___/___/___	Completed	___/___/___
Person Assigned	_____	Actual Hours	_____
Signature	_____		

Phase - 001

Work Request	981004379370	Region	FL
Customer	[REDACTED]	Facility	MIAMI
Phone	3052608382	Property	M6506 GOLDEN GLADES ESS
OC	GGJ		18400 NE 5 AVENUE
POC	MANAGER	Phone	3052608382 MIAMI FL 33162
Category	MTCE	Status	01-CREATED Location

Phase	001	Contractor	[REDACTED]
Contract	REBR0290F	Address Cd	001 PO BOX 5013
Order Date	10/04/1998		
Due Date	10/09/1998		BUFFALO GROVE
Authorizer	[REDACTED]		IL 60089
Project		Work Code	150001
Priority	3	Problem Code	21 HEATING/VENTILATING/AIR CONDITIONING
Part		Serial No	

Phase Description RE: BPGEORGES - NOTE TO BSC VOUCHERS PL

Services	Title	\$ Actual	\$ Estimate	Percent
	RE: BPGEORGES - NOTE TO BSC VOUCHERS PL	0.00	0.00	0.00

User	Date	Time	Status
[REDACTED]	10/04/1998	12:26:14	01-PENDING

Managers

Shop SFL BRANCH
 Person BWSKZQM [REDACTED]

Account Distribution

Account(s)	Sub Code	Percent	Amount
[REDACTED]	M1	0.00	2,364.85

Extra Description

ase when invoice/s are received charges as follows:

- GLC [REDACTED]
- M6506 Golden Glades [REDACTED]
- M6603 Airport [REDACTED]
- M2655 Key West [REDACTED]
- E8519 WPHGardens [REDACTED]

As a result of hurrican Georges [REDACTED] designated to be at the specified locations.

Job Started ___/___/___ Completed ___/___/___
 Person Assigned _____ Actual Hours _____
 Signature _____