




# STATE OF FLORIDA OFFICE OF THE PUBLIC COUNSEL

c/o The Florida Legislature 111 West Madison St. Room 812 Tallahassee, Florida 32399-1400 850-488-9330



November 16, 1998

Blanca S. Bayo, Director Division of Records and Reporting Florida Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850

Re: Docket No. 950387-SU

Dear Ms. Bayo:

Enclosed for filing in the above-referenced docket are the original and 15 copies of Citizens' Prehearing Statement. A diskette in WordPerfect 6.1 is also submitted.

Please indicate the time and date of receipt on the enclosed duplicate of this letter and return it to our office.

'ACK	
AFA 2	
APP	
CAF	
CMN	
CTR	
EAGHM:bsr	
LEG _	
LIN 3 Enclosures	
000	
RC =	
SEC	RECEIVED & FI

Harold McLean

Associate Public Counsel

Sincerely,

DOCUMENT NUMBER-DATE

12824 NOV 168

CPSC-RECORDS/REPORTING



### BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

increa Divisi Florid	Application for a rate se for North Ft. Myer on in Lee County by a Cities Water Compactounty Division	s ) )	DOCKET NO. 950387-SU  Filed: November 16, 1998
	C	ITIZENS' PR	EHEARING STATEMENT
	The Citizens of the S	State of Florida	a file their Prehearing Statement in the above-captioned
docke	et and say:		
1)	WITNESSES:		
	2		ukes has prefiled testimony in this docket consisting of and an appendix of qualifications consisting of seven
	Ted L. Biddy, PE. It pages of substantive	-	prefiled testimony in this docket consisting of eleven
2.	EXHIBITS:		
	The Citizens will sponsor two Exhibits:		
		(TLB-1)	FDEP Construction Permit DC36-237227 page 1 of 15
		(TLB-2)	Operation Permit Application Form, Pages 2A-3 and 2A-6

#### 3. BASIC POSITION:

The Citizens believe that the extent to which FCWC's wastewater treatment plant is used and useful should be determined by a comparison of load with capacity, where load and capacity are expressed in similar units. If a variant of peak capacity is to be utilized, then the same variant of peak load should be utilized; if a variant of average capacity is to be used than the same variant of average load should be utilized.

DOCUMENT NUMBER-DATE

#### 4. ISSUES OF FACT LAW AND POLICY

Where the DEP permits the wastewater treatment plant based on annual average daily flows, what flows should be used in the numerator of the used and useful equation to calculate used and useful plant?

#### **CITIZENS' POSITION:**

Because the permitted capacity issued for FCWC's wastewater treatment plant (WWTP) is expressed in terms of annual average daily flows, the load presented to the WWTP must also be expressed in terms of annual average daily flows.

**ISSUE 2:** What is the appropriate provision for rate case expense for reopening the record?

#### **CITIZENS' POSITION:**

No Position

**ISSUE 3**: What is the appropriate provision for appellate non-legal rate case expense?

#### **CITIZENS' POSITION**:

No position; however the Citizens believe that the Commission should include adequate provision in its order to ensure that should there be any award of attorney's fees by any appellate court, that FCWC does not recover rate case expense from the customers through rates for the same work done.

#### 5. PENDING MATTERS

The Citizens will tender an *ore temus* motion at the Pre-hearing Conference for the Commission to accept its November 16, 1998 Prehearing Statement out of time.

6. REQUIREMENTS WITH WHICH COMPLIANCE MAY NOT BE HAD:

The Citizens are aware of no such issues.

Respectfully Submitted,

JACK SHREVE, Public Counsel

Harold McLean, Associate Public Counsel

111 W. Madison St.

Room 814

Tallahassee, Florida 32399

Attorney for the Citizens of the State of Florida

## CERTIFICATE OF SERVICE DOCKET NO. 950387-SO

I HEREBY CERTIFY that a true and correct copy of the foregoing has been furnished by U.S. Mail or by \*Hand-delivery to the following party representatives on this <u>16th</u> day of November, 1998.

Kenneth Gatlin, Esquire Ruden, McClosky, Smith, et al. 215 S. Monroe St. Ste. 815 Tallahassee, FL 32301

Jerilyn Victor 1740 Dockway Dr. N.Fort Myers, FL 33903 Ralph R. Jaeger Division of Legal Services Fla. Public Service Commission 2540 Shumard Oak Blvd. Tallahassee, FL 32399-0850

Cheryl Walla 1750 Dockway Dr. N. Fort Myers, FL 33903

Harold McLean

Associate Public Counsel

950387.phs