

ORIGINAL

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

RECEIVED-PPSC

SEP 23 PM 3:23

RECEIVED
RECORDS AND
REPORTING

IN RE: Application for Transfer)
of Majority Organizational Control)
of J. Swiderski Utilities, Inc.,)
in Alachua County, Florida to)
AquaSource Utility, Inc.)

DOCKET NO. 981779

NOTICE OF FILING

Applicants hereby notice the filing of Case Filed Exhibit "G"
which is the Proof of Publication in the above-referenced docket.

Respectfully submitted on this
23rd day of September, 1999, by:

ROSE, SUNDSTROM & BENTLEY, LLP
2546 Blairestone Pines Drive
Tallahassee, Florida 32301
(850) 877-6555

By: 
MARTIN S. FRIEDMAN

AFA _____
APP _____
CAF _____ *msf@jswiderski.com*
CMU _____
CTR _____
EAG _____
LEG _____
MAS _____
OPC _____
PAI _____
SEC _____
M.S. Friedman
OTH _____

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE

11498 SEP 23 2000

FPSC-RECORDS/REPORTING

PROOF OF PUBLICATION

STAR-BANNER

Published—Daily

OCALA, MARION COUNTY, FLORIDA

STATE OF FLORIDA,
COUNTY OF MARION

Before the undersigned authority personally appeared Gloria Thomas, who on oath says that she is an authorized employee of the Star-Banner, a daily newspaper published at Ocala, In Marion County, Florida; that the attached copy of advertisement, being a notice in the matter of _____

#156587 - NOTICE OF APPLICATION

In the _____ Court,
was published in said newspaper in the issues of _____
December 7, 1998

Affiant further says that the said STAR-BANNER is a daily newspaper published at Ocala, in said Marion County, Florida, and that the said newspaper has heretofore been continuously published in said Marion County, Florida, daily, and has been entered as second class mail matter at the post office in Ocala, in said Marion County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.




Sworn to and subscribed before me this 22nd day

of September, A.D. 1998



MARY L. DUNHAM
Notary Public

(Seal)



(Print, Type or Stamp Name of Notary Public)

MARY L. DUNHAM

LEGALS

NOTICE OF APPLICATION FOR A
TRANSITION OR MAJOR-
TY-ORGANIZATIONAL CON-
TROLLED ORGANIZATION TO
be made prior to December 1,
1985, pursuant to Section 207.071,
Florida Statutes, or the application
for transfer of majority organiza-
tional control of a corporation
entities, Inc., to Aquasource
Utilities, Inc., providing water and
sewer utility service to the following
described territory in LEON COUNTY,
FLORIDA:WATER AND
WASTEWATER Domes. No. 14112
Township 19 South Range 06 East
Section 31 Commence at the
Northeast corner of the Northeast
part of the Southwest 1/4 of said
Section 31, thence South 00 deg
18'00" West, a distance of 000.00 feet
to the Police of Beginning,
thence following the same bearing
and distance a distance of 011.74 feet
to the South line of said Section 31;
thence along said South line 0120
East, a distance of 015.00 feet to a point
thence North 00deg44'00" East
for a distance of 216.46 feet; thence
South 110 deg 29'50" East for
a distance of 038.06 feet; thence
North 16 deg 39'42" East for a
distance of 016.00 feet to a point;
thence North 00 deg 20'50" West
for a distance of 1200.64 feet to a
point; thence South 00 deg 14'00" West
for a distance of 00.94 feet to a
point; thence North 28 deg 29'56" East
for a distance of 069.31 feet,
thence North to the West line of the
Southwest 1/4 of the Southwest 1/4
of said Section 31 and the Point of
Beginning, Township 19 South,
Range 06 East, Section 31, Longo
Cove Subdivision Community at
the Southeast corner of the
Southwest 1/4 of said Section 31,
thence South 00 deg 52'48" West,
along the South line of the said 1/4
of said Section 31 and the Point of
Beginning, thence South 00 deg
11'11"22 West to the POINT OF
BEGINNING; thence continue
South 00 deg 52'48" West, along
said South line 00 deg 37'14" West
thence North 00 deg 37'14" West 700.0
feet to the beginning of a curve
curve to the northwest and having a
radius of 25.00 feet; thence south-
westerly along said curve through a
central angle of 90 deg 02'00";
in a distance of 042.02 feet to the
end of said curve; thence South 00
deg 50' 44" West, 146.79 feet
thence North 00 deg 37'14" West
again; thence North 00 deg 02'46" West,
00 deg 37'14" West; thence
North 00 deg 57'47" East, 26.00
feet; thence North 00 deg 45' 00" West
50.00 feet to a point on the
northerly right-of-way at Twin
Pines Road, District Number 1-
131-5; thence South 00 deg 51'14" West
for a sale right-of-way 0.82
feet to the beginning of curve con-
cave to the northwest and having a
radius of 18.40 feet; thence along
the curve on right-of-way example of
00 deg 21'52" an arc distance of
007.67 feet to the end of said
curve; thence South 00 deg 10'00" West,
000.25 feet to the beginning
of a curve concave to the
southwest and having a radius of
18.00 feet; said point also being
on the northerly right-of-way
Sagewood 268 Avenue north
westerly along said right-of-way
line through a central angle of 6
deg 56'11" an arc distance of
000.00 feet.

West; thence North .07 deg 20'20" West, a distance of 243.40 feet, thence South .88 deg 36'40" West, a distance of 380.30 feet, thence North .98 deg 00'00" West, a distance of 1010.12 feet; thence North .67 deg 00'00" East, a distance of 71.00 feet; thence North .83 deg 00'00" West, a distance of 210.00 feet; thence North .80 deg 00'00" West; thence West .50 deg 00'00" West, thence North .75 deg 30'00" West, a distance of 118.37 feet, thence North .31 deg 33'40" West, 123.10 feet to the beginning of a curve connecting Southernly and having a radius of 481.86 feet; thence Westerly and Southwesterly along said curve through a central angle of 80 deg 38'31" a distance of 410.01 feet to the end of said curve; thence South .48 deg 10'40" West straight to the Northeastern right-of-way of Maple Leaf Drive 250.00 feet to the beginning of a curve connecting Southwesterly and having a radius of 145.96 feet; thence Southwesterly along said curve through a central angle of 13 deg 47'45", a distance of 161.20 feet; thence North .70 deg 00'00" East 686.48 feet; thence South .48 deg 20'03" East, -75.77 feet; thence North .34 deg 00'11" East, 182.17 feet; thence North .37 deg 51'00" East, 150.00 feet; thence North .51 deg 30'40" East, 105.28 feet to the .800 foot line of the Southwest 1/4 of the 100 North along said East line of the Southwest 1/4, from said point to the POINT OF BEGINNING of the King's Cove Subdivision; Addition from the Southeast corner of the Southwest 1/4 of said Section 1, run South .49 deg 52'48" West along the South line of said Southwest 1/4, 145.48 feet to the Southwest corner of Lm 1, Block #1, King's Cove Subdivision, according to the plat thereof as recorded in Plat Book 22, Pages 43 and 45 of the Public Records of Lake County, Florida, and the POINT OF BEGINNING of its continuation. From said POINT OF BEGINNING continue South .89 deg 52'48" West, 614.36 feet to a point on a curve connecting Westerly and having a radius of 210.00 feet, run Northeast, Northwesterly along said curve through a central angle of 9 deg 04'57", a distance of 312.94 feet to the Southern right-of-way of Telm Palms Road; run thence North .73 deg 0'0'0" East along the Southern right-of-way of Telm Palms Road .9838 feet to the beginning of a curve connecting Northwesterly and having a radius of 318.40 feet; run Northeast, Northwesterly along said curve through a central angle of 28 deg 17'37" a distance of 237.62 feet; thence North .40 deg 57'14" East, 9.25 feet; thence North .43 deg 37'45" East, 150.00 feet; thence South .40 deg 47'45" West, 25.00 feet; thence South .43 deg 30'48" East, 85.00 feet; thence South .40 deg 07'14" East, 85.47 feet; thence North .40 deg 30'48" East, 144.78 feet to the beginning of a curve Northwesterly and having a radius of 25.00 feet; run Northeast, Northwesterly along said curve through a central angle of 90 deg 00'00" a distance of 39.27 feet; thence South .40 deg 07'14" East, 75.20 feet; thence North .09 deg 58'40" East, 10.79 feet to a point in the North .09 deg 57'14" West on the POINT OF BEGINNING of the

THE N.W. 1/4 OF DEB 37 41 E., 120.00 FEET; THENCE N.W. 1/4 DEB 47-147 E. 30' W. PLT; THENCE N.W. 1/4 DEB 48-10 E., 24.00 FEET TO THE SOUTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE; THENCE S.E. 1/4 DEB 48-11 E. ALONG SAID SOUTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE 24.40 FEET TO THE BEGINNING OF A CURVE CONCAVE TO THE WESTERLY AND HAVING A RADIUS OF 26.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30 DEG 00' 00" AN ARC LENGTH OF 39.20 FEET TO THE END OF SAID CURVE AND THE NORTHWESTERLY RIGHT-OF-WAY OF TWIN PALMS ROAD; THENCE S.E. 1/4 DEB 11-43 W. ALONG SAID NORTHWESTERLY RIGHT-OF-WAY OF TWIN PALMS ROAD 39.11 FEET; THENCE CONTINUING ALONG SAID NORTHWESTERLY RIGHT-OF-WAY OF TWIN PALMS ROAD, RUN T-ENDS 5-47 064-39-32W, 383.15 FEET; THENCE S.E. 1/4 DEB 37-147 E. 27.23 FEET TO THE POINT OF BEGINNING OF THE ANTENNAEAD SECTION "B", KING'S COVE SUBDIVISION, FIFTH ADDITION, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 25, PAGE 68 SECTIONS 57, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUT-EAST CORNER OF E.W. 1/4 OF SECTION 1, TOWNSHIP 19 SOUTH, RANGE 24 EAST, LAKE COUNTY, FLORIDA; RUN THENCE NORTH ALONG THE EAST LINE OF SAID E.W. 1/4 A DISTANCE OF 1681.08 FEET TO A POINT ON THE NORTHERLY LINE OF LOT 20 KING'S COVE SUBDIVISION, FIRST ADDITION, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 24, PAGE 74, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, AND THE POINT OF BEGINNING OF SECTION "W"; FROM SAID POINT OF BEGINNING OF SECTION "W", RUN N.75 DEGREES 54' W. ALONG SAID NORTHERLY LINE OF LOT 20 AND THE MOST NORTHERLY LINE OF BACKING'S DOV SUBDIVISION, FIRST ADDITION, A DISTANCE OF 16.46 FEET TO THE MOST NORTHWESTERLY CORNER OF SAID LOT 20; THENCE CONTINUING ALONG SAID NORTHWESTERLY LINE OF KING'S COVE SUBDIVISION, FIRST ADDITION, RUN N.51 DEG 33-40W, 142.15 FEET TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHERLY AND HAVING A RADIUS OF 4.40 FEET; THENCE RUN WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30 DEG 00' 00" AN ARC LENGTH OF 64.00 FEET TO THE END OF SAID CURVE; THENCE S.W. 1/4 DEB 11-43 W. 383.58 FEET TO THE NORTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE AND A POINT HERETO DESIGNATED AS POINT "M"; THENCE N. 41 DEG 40' 11" W. ALONG SAID NORTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE 300.00 FEET; THENCE N. 41 DEG 40' 11" E., 10.50 FEET TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHERLY AND HAVING A RADIUS OF 11.18 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 41 DEG 48' 01" AN ARC LENGTH OF 502.83 FEET TO THE END OF SAID CURVE; THENCE EAST 208.10 FEET TO

IN PLAT BOOK 26, PAGE 87 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, THE SAME BEING A POINT ON THE NORTHEASTERLY RIGHT-OF-WAY OF COUNTY ROAD #1A-A, SAID POINT BEING ON A CURVE CONVEX SOUTHEASTERLY AND HAVING A RADIUS OF 130.08 FEET, SAID POINT BEING N. 39 DEG 41'21" FROM THE CENTER OF SAID C.R.W., THENCE NORTHEASTERLY ALONG SAID NORTHEASTERLY RIGHT-OF-WAY AND CURVE THROUGH A CENTRAL ANGLE OF 14 DEG 33'21" AN ARC LENGTH OF 55.41 FEET TO THE MOST WESTERLY CORNER OF TRACT A OF KING'S COVE SUBDIVISION, AS RECORDED IN PLAT BOOK 26, PAGES 44 AND 45 AND THE POINT OF BEGINNING; FROM SAID POINT OF BEGINNING CONTINUE NORTHEASTERLY ALONG AFORESAID RIGHT-OF-WAY C.R.W., SAID CURVE HAVING A RADIUS OF 180.00 FEET AND BEING CONVEX SOUTHWESTERLY THROUGH A CENTRAL ANGLE OF 8 DEG 49'5" AN ARC LENGTH OF 35.00 FEET TO THE END OF SAID CURVE; THEREIN CONTINUE ALONG AFORESAID RIGHT-OF-WAY 1.40 DEG. 07'54"76, 284.28 FEET; THENCE N.82 DEG 28' 30"E, 100.00 FEET; THENCE N.4 DEG 45'14"E, 74.28 FEET; THENCE N.17 DEG 47'5"E, 10,004 FEET; THENCE 9.88 DEG 16'54"7, 38.91 FFPP; THENCE N.83 DEG 08'48"E, 65.00 FEET; THENCE N.4 DEG 45'14"E, 74.28 FEET; THENCE 8.85 DEG 16'47"E, 04.17 FEET TO A POINT ON THE WESTERLY BOUNDARY OF TRACT D OF AFORESAID KING'S COVE SUBDIVISION AS RECORDED IN PLAT BOOK 26, PAGES 44 AND 45, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, THENCE ALONG THE BOUNDARY OF SAID TRACT D THE FOLLOWING TWO COURSES; N.71 DEG 38'26"E, 1,026 FT.; N.54 DEG 14'26"E, 518.77 FEET TO THE MOST SOUTHERLY CORNER OF SAID TRACT D AND A POINT ON THE SOUTHWESTERLY RIGHT-OF-WAY OF ROYAL CAR DRIVE IN KING'S COVE SUBDIVISION, FOURTH ADDITION, AS RECORDED IN PLAT BOOK 26, PAGES 58 AND 59, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE SAID C.R.W. 40'10" W, ALONG SAID NORTHEASTERLY RIGHT-OF-WAY 12,600 FEET TO THE BEGINNING OF A CURVE CONVEX NORTHEASTERLY AND HAVING A RADIUS OF 26.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 11 DEG 30'47" AN ARC LENGTH OF 8.00 FEET; THENCE SAID C.R.W. 40'10" E, ALONG THE SOUTHWESTERLY BOUNDARY OF AFORESAID KING'S COVE SUBDIVISION, FOURTH ADDITION, AS RECORDED IN PLAT BOOK 26, PAGE 87 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE SAID C.R.W. 40'10" W, ALONG THE NORTHEASTERLY BOUNDARY OF LOT 4 OF SAID THIRD ADDITION, 12,000 FEET TO THE MOST WESTERLY CORNER OF SAID C.R.W.; THENCE S.43 DEG 02'49" E, 50.00 FEET TO THE MOST SOUTHERLY COR-

SECTION 43 RECD
COURT 14 PAGE 1
IN RECOVERY OF
FLORIDA AND
COMMING IN PO
D. B. HADJI
RT OF SUDAN
MILITARY, FIRST
COLONIAL, FEI
SOUTH 60.00 FEI
LTD. NOV. 1974.
HAROLD E. 207
ONE PERCENT
DISCOUNT, 300.00
LTD. 200.00 JUNE
THENCE DEF
JOHNSTON, R
1974, NOV. 1974
AND ONE 10
CENTS PER MONTH
U. S. 10.00 FEE
LTD. 10.00 JUNE
THENCE NO. 228
ONE PERCENT
THEREAFTER
EVENLY CORNERED
THOUSAND
TUESDAYS
TUESDAYS
ONE THOUSAND
SECONDARY
SECTION 1
THE FOLLOWING
COURSES S. 4
134.04 FEET;
134.04 FEET;
134.04 FEET;
COMMING IN
SECTION 43
ONE PERCENT
DISCOUNT, 300.00
LTD. 200.00 JUNE
THENCE DEF
JOHNSTON, R
1974, NOV. 1974
AND ONE 10
CENTS PER MONTH
U. S. 10.00 FEE
LTD. 10.00 JUNE
THENCE NO. 228
ONE PERCENT
THEREAFTER
EVENLY CORNERED
THOUSAND
TUESDAYS
TUESDAYS
ONE THOUSAND
SECONDARY
SECTION 1
THE FOLLOWING
COURSES S. 4
134.04 FEET;
134.04 FEET;
134.04 FEET;
COMMING IN
SECTION 43
ONE THOUSAND
SECONDARY
SECTION 1
THE FOLLOWING
COURSES S. 4
134.04 FEET;
134.04 FEET;
134.04 FEET;
COMMING IN
SECTION 43
ONE THOUSAND
SECONDARY
SECTION 1
THE FOLLOWING
COURSES S. 4
134.04 FEET;
134.04 FEET;
134.04 FEET;

Page 1

State Point 408-Affiliate, with
continuity along said right-of-way
line through a curve angle of 6
deg 37' 41", an arc distance of
280.40 feet; thence North 38 deg
40' 57" East, a 50.00 feet to a
curve decrease to the southward
and having a radius of 9100.00
feet; thence northerly along said
curve through a curve angle of 15
deg 10' 48" to an arc distance of
100.00 feet to a point on the
northerly right-of-way line of Penn
Falls Road (Part 1-19-51) which
turns right at 100.00 feet; thence
said right-of-way 207.10 feet to a
point of a curve concave to the
northward and having a radius of
100.00 feet; thence along said
curve through a curve angle of 28
deg 20' 52" to an arc distance of
174.67 feet to the end of said
curve; thence North 45 deg 57' 22"
East, 285.00 feet; thence North 47
deg 34' 27" East, 383.10 feet;
thence North 48 deg 11' 48" East,
825.10 feet to the beginning of a
curve concave to the northward
and having a radius of 10.00 feet;
thence northerly along said curve
through a curve angle of 40 deg
30' 00", an arc distance of 201.97
feet to the end of said curve;
thence North 41 deg 48' 17" West,
1878.61 feet to the beginning of a
curve concave to the northward
and having a radius of 20.00 feet;
thence northerly along said curve
through a curve angle of 29 deg
34' 57" to an arc distance of 175
feet to the end of said curve;
thence South 47 deg 45' 10" West,
709.81 feet; thence North 48 deg
14' 30" West, 16.77 feet; thence
South 71 deg 33' 22" West, 13.82
feet; thence North 8 deg 21' 47"
West, 101.27 feet; thence North 71
deg 33' 22" West, 104.94 feet; thence
North 64 deg 1' 30" West, 126.40
feet; thence North 01 deg 04' 47"
West, 183.86 feet; thence North 68
deg 02' 51" East, 97.78 feet; thence
North 61 deg 39' 12" East, 111.79
feet; thence North 51 deg 50' 02"
East, 87.10 feet; thence North 10
deg 01' 31" East, 27.70 feet; thence
South 40 deg 53' 24" East, 100.70
feet; thence South 30 deg 10' 41"
West, 111.40 feet to a point on a
curve concave to the south and
having a radius of 30.00 feet;
thence northerly, eastward and
upward, along said curve
through a curve angle of 107 deg
30' 00" to an arc distance of 94.23
feet to the end of said curve;
thence South 44 deg 48' 11" East
744.32 feet to the beginning of a
curve concave to the southward
and having a radius of 140.20 feet;
thence northerly along said
curve through a curve angle of 18
deg 4' 47" to an arc distance of
35.00 feet; thence North 71 deg
47' 00" East, and 48.10 feet; thence
North 16 deg 20' 00" East, 78.77
feet; thence South 43 deg 47' 00"
East, 186.00 feet; thence South 6 deg
30' 00" West, 113.64 feet; thence
South 54 deg 10' 00" West, 320.00
feet; thence South 45 deg 10' 00" West,
200.00 feet; thence South 00 deg 14' 00"
East; thence South 98 deg 52' 48"
West, 50.00 feet; thence South 00 deg
52' 48" East, 116.00 feet to the
POINT OF BEGINNING of Long's
Cave-Schultheiss or Commerce at the
northeast corner of the Southeast
1/4 of John Butler's thence on
March along the East line of said
Northeast 1/4, a distance of
1481.74 feet to a point of begin-
ning; from said POINT OF BEGIN-
NING North 88 deg 06' 00" East,
a distance of 51.01 feet to the
beginning of a curve concave to
the northward and having a radius of
54.00 feet; thence North 88 deg
06' East, a distance of 180.21

THREE POINTS OF BEGINNING AS FOLLOWS:
10,000 FEET; THENCE NORTH 88 DEG
22' 45" EAST, 18.72 FEET TO A POINT
THAT IS THE POINT OF BEGINNING OF THE POINT OF BEGINNING; thence
SOUTH 41 DEG 07'14" EAST
150.00 FEET TO THE POINT OF
BEGINNING, ORDER NO. P-62-AR-
132-T-ENCL-WS, ALONG KING'S COVE
SUBDIVISION, KING'S COVE SUBDI-
VISON. THIRD ADDITION
ACCORDING TO THE PLAT
THEIR OF AS RECORDED IN PLAT
BOOK 25, PAGE 57, PUBLIC
RECORDS OF LAKE COUNTY,
FLORIDA, DESCRIBED AS FOL-
LOWS: COMMENCE AT THE
SOUTHEAST CORNER OF THE
SINK 14 CP SECTION 1, TOWNSHIP
19 SOUTH, RANGE 24 EAST, LAKE
COUNTY, FLORIDA; RUN
THENCE 3.84 FEET 52 DEG 49'W
ALONG THE SOUTH LINE OF
SAID SINK 14, AND 24 FEET TO
THE SOUTHWEST CORNER OF
LOT 2, KING'S COVE SUBDI-
VISON, SECOND ADDITION,
ACCORDING TO THE PLAT
THEIR OF AS RECORDED IN PLAT
BOOK 24, PAGE 31, OF THE PUBLIC
RECORDS OF LAKE COUNTY,
FLORIDA AND THE POINT OF
BEGINNING OF SECTION "A" FROM
THE SAID POINT OF BEGIN-
NING OF SECTION "A" CONTRIVE
3.89 DEG 52'47" W, 106.08 FEET
TO A POINT ON THE
NORTHEASTERLY RIGHT-OF-WAY
OF STATE ROAD NO. 105A, SAID
POINT BEING ON A CURVE CON-
CONE TO THE SOUTHWEST
AND HAVING A RADIUS OF
140.00 FEET; THENCE NORTH-
WESTERLY ALONG SAID ROAD
ALIERTY RIGHT-OF-WAY AND
CURVE THROUGH A CENT-
RAL ANGLE OF 07 DEG 37'40"
FOR A LENGTH OF 28.01 FEET
TO THE BEGINNING OF A CURVE
CONCONE TO THE SOUTHEAST
AND HAVING A RADIUS OF
5.00 FEET; THENCE
NORTHEASTERLY ALONG THE
PC OF SAID CURVE THROUGH
CENTRAL ANGLE OF 57 DEG
27'0" AN ARC DISTANCE OF
2.82 FEET TO THE END OF SAID
LAW; THENCE N. 78 DEG 19'08"E
ALONG THE SOUTHEASTERLY
RIGHT-OF-WAY OF TWIN PALMS
ROAD 122.74 FEET TO THE
SOUTHWEST CORNER OF LOT 1
OF THE AFORESAID KING'S COVE
SUBDIVISION, SECOND ADDI-
TION AND THE END OF SAID
LAW; THROUGH A CENTRAL
ANGLE OF 16 DEG 04'20" AN ARC
DISTANCE OF 302.30 FEET AND A
CHORD DISTANCE OF 302.24
FEET TO THE POINT OF BEGIN-
NING OF THE AFORESAID SUT-
TION "A"; RETURN TO THE
FOREMENTIONED POINT "A";
THENCE N. 78 DEG 19'08"E,
LONG 140.00 FEET NORTHEASTERLY
RIGHT-OF-WAY OF TWIN PALMS
ROAD 183.02 FEET TO THE
BEGINNING OF A CURVE CONCONE
TO THE NORTHWESTERLY AND
HAVING A RADIUS OF 615.49
FEET; THENCE NORTHSARTELY
ALONG THE ARC OF SAID CURVE
THROUGH A CENTRAL ANGLE
OF 50 DEG 21' 52" AN ARC
DISTANCE OF 354.50 FEET TO THE
END OF SAID CURVE; THENCE
45 DEG 04'48" W, 300.00 FEET
TO THE NORTHEASTERLY
RIGHT-OF-WAY OF SAID TWIN
PALMS ROAD; THENCE AND DEB
145 E. ALONG SAID NORTHESTERLY
RIGHT-OF-WAY OF
TWIN PALMS ROAD 14.25 FEET
TO THE POINT OF BEGINNING OF
SECTION "B" RUN THENCE N. 43
DEG 27'15" W, 100.00 FEET;

TRAIL ANGLE OF 41 DEG 28' 49" AND AN ARC LENGTH OF 628.33 FEET TO THE END OF SAID CURVE, THENCE EAST 34° 10' FEET TO THE AFOREMENTIONED EAST LINE OF S.W. 1/4, THENCE SOUTH ALONG 2ND EAST LINE OF S.W. 1/4 A DISTANCE OF 30.84 FEET-ENCL N. 99 DEG 24' 11" 10.200.00 FEET; THENCE 9 DEG 28' 35" RT E. 112.6 FEET; THENCE S. 84.0 DEG 43' 39" W. 31.28 FEET; T-ENDS SOUTH 30.41 FEET THENCE WEST 87.11 FEET THENCE N. 73 DEG 00' 54" W. 20.91 FEET TO THE POINT OF BEGINNING OF SECTION "A"; RETURN TO THE AFOREMENTIONED POINT "A" AND RUN S. 48 DEG 29' 47" W. 14.06 FEET TO THE SOUTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE AND THE POINT OF BEGINNING OF SECTION "B", SAD POINT OF BEGINNING OF SECTION "B" BEING THE MOST NORTHERLY CORNER OF LOT 1A, KING'S COVE SUBDIVISION, THIRD ADDITION, AS RECORDED IN PLAT BOOK 28, PAGE 37, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA. THENCE S. 47 DEG 15' 10" W. ALONG THE NORTHWESTERLY LINE OF SAD KING'S COVE SUBDIVISION, THIRD ADDITION, 10.028 FEET; THENCE N. 49 DEG 28' 48" W. 2.006 FEET TO THE BEGINNING OF A CURVE CONCave TO THE NORTHERLY AND HAVING A RADIUS OF 25.00 FEET AND A TANGENT BEARING OF S. 04° 12' 40" E.; THENCE EAST-ERLY ALONG THE AFC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 66 DEG 12' 34" AND AN ARC LENGTH OF 30.00 FEET TO THE END OF SAID CURVE; THENCE N. 7 DEG 41' 49" E. ALONG A SOUTHWESTERLY EXTENSION OF AND THE SOUTHEASTERLY LINE OF TRACT "D", KING'S COVE SUBDIVISION, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 22, PAGES 44 AND 46, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA. 7. 8. 2 FEET TO THE BEGINNING OF A CURVE CONCave TO THE WESTERLY AND HAVING A RADIUS OF 25.00 FEET THENCE NORTHERLY ALONG THE AFC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 28 DEG 39' 31", AN ARC LENGTH OF 29.09 FEET TO THE END OF SAID CURVE AND A POINT ON THE BOUTHWESTERLY RIGHT-OF-WAY OF MAPLE LEAF DRIVE; THENCE S. 41 DEG 48' 11" W. ALONG SAID SOUTHWESTERLY RIGHT-OF-WAY 20.251 FEET TO THE POINT OF BEGINNING OF SECTION "C", ALSO TRACT "E", KING'S COVE SUBDIVISION, FIRST ADDITION, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 24, PAGE 27 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA. KING'S COVE SUBDIVISION FIFTH ADDITION, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 27, PAGES 23 AND 24, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWING: A PART OF THE S.W. 1/4 OF SECTION 1, TOWNSHIP 14 SOUTH, RANGE 24 EAST, AND S.E. 1/4 OF SECTION 2, TOWNSHIP 10 SOUTH, RANGE 24 EAST, LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF THE S.W. 1/4 OF SECTION 1, TOWNSHIP 14 SOUTH, RANGE 24 EAST, LAKE COUNTY, FLORIDA, RUN S. 89 DEG 52' 46" W. ALONG THE SOUTHEAST LINE OF THE S.W. 1/4 20.16 FEET TO THE SOUTHWEST CORNER OF LOT 1, BLOCK 1, KING'S COVE SUBDIVISION, FIRST ADDITION, AS RECORDED

LI AND TRACT 4, COMM. 100 FEET TO THE MOST WESTERLY CORNER OF SAID LOT 4; THENCE S 82 DEG 30' W 10' E. 1,100 FEET TO THE MOST SOUtherly CORNER OF SAID LOT 4 AND POINT ON THE NORTHWESTERN RIGHT-OF-WAY OF TWIN PALMS ROAD AS RECORDED IN THE PLAT OF KING'S COVE SUBDIVISION IN PLAT BOOK 22, PAGE 44 AND AS THENCE S 84 DEG 07' W. ALONG SAID NORTHWESTERN RIGHT-OF-WAY 14.25 FEET TO THE BEGINNING OF A CURVE CONCAVE NORTHWEST- EASTERLY AND HAVING A RADIUS OF 185.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26 DEG 21' 32" AN ARC LENGTH OF 2,481 FEET TO THE END OF SAID CURVE; THENCE CONTINUING ALONG SAID RIGHT-OF-WAY S 71 DEG 18' 07" W. 207.11 FEET TO THE MOST EASTERLY CORNER OF TRACT A, KING'S COVE SUBDIVISION, AND CORNER BEING N 62 DEG 40' 11" E. FROM THE CENTER OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 210.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 8 DEG 19' 18" AN ARC LENGTH OF 185.05 FEET TO THE MOST NORTHERLY CORNER OF SAID TRACT A; THENCE S 84 DEG 07' W. 150.00 FEET TO THE POINT OF BEGINNING. ALSO BEGIN AT THE AFOREMENTIONED MOST EASTERLY CORNER OF TRACT A, KING'S COVE SUBDIVISION, AS RECORDED IN PLAT BOOK 22, PAGES 44 AND 45 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, AND POINT BEING ON THE NORTHEASTERLY RIGHT-OF-WAY OF TWIN PALMS ROAD, NO. 1-2415; RUN THENCE E 73 DEG 30' 08" W. ALONG SAID NORTHEASTERLY RIGHT-OF-WAY 20.00 FEET TO THE POINT OF JUNCTION OF A CURVE CONCAVE NORTHEAST- EASTERLY AND HAVING A RADIUS OF 185.00 FEET; SAID POINT OF JUNC- TURE BEING A 16 DEG 45' 06" E. FROM THE CENTER OF SAID CURVE; THENCE RUN NORTHEAST- EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 100 DEG 37' 41" AN ARC LENGTH 43.40 FEET TO THE END OF SAID CURVE AND A POINT ON A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 210.00 FEET, AND POINT BEING N 63 DEG 11' 28" E. FROM THE CENTER OF SAID CURVE; THENCE RUN SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 100 DEG 37' 41" AN ARC LENGTH 43.40 FEET TO THE POINT OF BEGINNING KING'S COVE SUBDIVISION. FIFTH ADDITION ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 21, PAGE 6, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF THE S.E. 1/4 OF SECTION 1, OWNED IN 1/4 SOUTH, RANGE 24 EAST, LAKE COUNTY, FLORIDA, RUN THENCE NORTH ALONG THE WEST LINE OF SAID S.E. 1/4 DISTANCE OF 1851.16 FEET TO A POINT ON THE SOUTHERLY LINE OF LOT 14 OF KING'S COVE SUBDIVISION, FIFTH ADDITION, AS RECORDED IN PLAT BOOK 26, PAGES 56 AND 57 IN THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE S 73 DEG 56' 04" E. ALONG SAID SOUTHERLY LINE 100.84 FEET, HENCE EAST 50.00 FEET TO THE MOST NORTHEASTERLY CORNER OF LOT 14 OF KING'S COVE SUBDIVISION, FIFTH AD-

• The Web By Phone



On Line: <http://www.theozone.com>

Page 3

SECTION, AS RECORDED IN PLAT BOOK 24, PAGE 27 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA AND THE POINT OF BEGINNING (P.O.B.); FROM SAID P.O.B. RUN ALONG THE BOUNDARY OF SAID KING'S COVE SUBDIVISION, FIRST ADDITION, THE FOLLOWING FIVE COURSES, SOUTH SIDE FEET; PAGE 28 OF
P.D. 80100, 210.00 FEET; THENCE S. 87° DEG. 04' 07", 210.00 FEET; T. PAGE 28.88 DEG. 00' 00", 38.00 FEET; THENCE N. 62° 15' 18" ECTS., 64.00 FEET; THENCE DEPARTING 240 BOUNDARY, TURNING NOT 288.00 FEET W., 40° 24 FEET; THENCE S. 4° DEC. 18' 47" W., 20.84 FEET; THENCE N. 80° 02' 07" E., 12.30 FEET; THENCE N. 04° DEC. 36' 50" W., 168.00 FEET; THENCE N. 26° 05' 25" W., 84.84 FEET TO THE MOST EASTERN CORNER OF LOT 17 OF THE AFORESAID KING'S COVE SUBDIVISION, FOURTH ADDITION, THENCE ALONG THE BOUNDARY OF SAID SUBDIVISION THE FOLLOWING THREE COURSES: S. 40° DEC. 48' 38" W., 131.08 FEET; THENCE SOUTH 94.41 FEET; THENCE WEST 11.11 FEET TO THE POINT OF BEGINNING ALSO TRACT "B" OF KING'S COVE SUBDIVISION, FIRST ADDITION, AS RECORDED IN PLAT BOOK 14, PAGE 27 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA DA 1000, T.D.
"B" A PROTRACTED TRACT; KING'S COVE SUBDIVISION, UNIT 7, AS EXHIBITED IN THE PLAT THEREOF AS RECORDED IN PLAT BOOK 14, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: COMMENCE AT THE SOUTHEAST CORNER OF THE S.W. 1/4 OF SECTION 1, TOWNSHIP 12 SOUTH, RANGE 24 EAST, LAKE COUNTY, FLORIDA; RUN THENCE NORTH ALONG THE EAST LINE OF SAID S.W. 1/4 A DISTANCE OF 210.00 FEET TO THE NORTHWEST CORNER OF LOT 18 OF KING'S COVE SUBDIVISION, FOURTH ADDITION, ACCORDING TO THE PLAT THEREOF AS ASSOCIATED IN PLAT BOOK 25, PAGES 26 AND 27 OF THE PUBLIC RECORDS OF LAKE COUNTY, FLORIDA; THENCE CONTINUE NORTH ALONG THE EAST LINE CH S.W. 1/4, 12.84 FEET TO THE POINT OF BEGINNING OF THIS DESCRIPTION FROM SAID POINT OF BEGINNING, RUN THENCE WEST ALONG THE NORTHERLY LINE OF KING'S COVE SUBDIVISION, FOURTH ADDITION, 246.10 FEET TO THE BEGINNING OF A CURVE SOUTHEASTERLY AND HAVING A RADIUS OF 1188 FEET, RUN THENCE WESTERLY AND SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF DEG. 48° 14' 16" ALONG SAID RADIUS 1188 FEET TO THE END OF SAID CURVE; THENCE S. 40° DEC. 11' 47" E., 285.39 FEET TO THE NORTHEASTERLY RIGHT-OF-WAY OF OLD HIGHWAY, AND THENON DEC. 48° 00' 00" E., ALONG SAID RIGHT-OF-WAY 134.33 FEET, IN

THE BEGINNING OF A CURVE
CONVEX NORTHEASTERLY AND
HAVING A RADIUS OF 35.0 FEET;
RUN THENCE SOUTHEASTERLY
ALONG THE ARC OF SAID CURVE
THROUGH A CENTRAL ANGLE
OF 81 DEGREES FOR A DISTANCE
OF 303.7 FEET TO A POINT ON
THE NORTHWESTERNLY RIGHT-
OF-WAY OF ROYAL OAK DRIVE,
THENCE S. 41 DEG. 11' 49" W.
ALONG SAID RIGHT-OF-WAY OF
ROYAL OAK DRIVE A DISTANCE
OF 130.0 FEET TO THE BEGIN-
NING OF A CURVE CONVEX
WESTERLY AND HAVING A
RADIUS OF 25.0 FEET; RUN
THENCE NORTHEASTERLY AND
NORTHERLY ALONG THE ARC OF
SAID CURVE THROUGH A CENTRAL
ANGLE OF 80 DEGREES 00' 00" A
DISTANCE OF 48.7 FEET TO THE
END OF SAID CURVE; THENCE
N. 41 DEG. 48' 11" W. ALONG THE
SOUTHWESTERLY RIGHT-OF-WAY
OF OLD HICKORY LANE A
DISTANCE OF 125.0 FEET;
THENCE LEAVING SAID RIGHT-
OF-WAY OF OLD HICKORY LANE
RUN S. 48 DEG. 11' 49" W., 255.0
FEET TO A POINT ON THE
NORTHEASTERLY RIGHT-OF-WAY
OF MAPLE LEAF DRIVE. SAID
POINT HEREBY DESIGNATED AS
POINT "A"; FROM SAID POINT
"A", RUN N.41 DEG. 48' 11" W.
ALONG SAID RIGHT-OF-WAY OF
MAPLE LEAF DRIVE 144.30 FEET
TO THE BEGINNING OF A CURVE
CONVEX SOUTHERLY AND
HAVING A RADIUS OF 35.0 FEET;
THENCE RUN NORTHEASTERLY
AND SOUTHWESTERLY ALONG
THE ARC OF SAID CURVE
THROUGH A CENTRAL ANGLE
OF 107.05 DEG. 59'47" A DISTANCE
OF 94.13 FEET; THENCE LEAVING
THE RIGHT-OF-WAY OF MAPLE
LEAF DRIVE RUN S. 39 DEG.
17' 10" E., 11.40 FEET; THENCE
N. 35 DEG. 38' 00" E., 80.70 FEET;
THENCE N. 35 DEG. 35' 07" E.,
81.22 FEET; THENCE N. 48 DEG.
04' 17" E., 99.82 FEET; THENCE
N. 42 DEG. 36' 21" E., 181.03 FEET;
THENCE N. 47 DEG. 16' 55" E.,
10.78 FEET; THENCE N. 32 DEG.
43' 14" E., 45.5 FEET; THENCE
N. 05 DEG. 10' 17" E., 92.30 FEET;
THENCE N. 32 DEG. 51' 17" E.,
84.94 FEET; THENCE N. 41 DEG.
50' 50" E., 120.28 FEET; THENCE
N. 46 DEG. 42' 31" E., 103.84 FEET;
THENCE N. 33 DEG. 17' 17" E.,
103.84 FEET; THENCE N. 01 DEG.
03' 14" E., 103.84 FEET; THENCE
N. 37 DEG. 58' 01" E., 72.11 FEET;
THENCE N. 46 DEG. 07' 46" E., 103.84
FEET; THENCE N. 25 DEG.
44' 07" E., 157.77 FEET; THENCE N.
04 DEG. 00' 47" E., 17.89 FEET;
THENCE N. 43 DEG. 00' 04" E.,
70.80 FEET; THENCE N. 32 DEG.
30' 07" E., 116.33 FEET; THENCE
EAST 100.00 FEET; THENCE S. 72.32
DEG. 00' 04" E., 28.00 FEET TIL A
POINT ON THE EAST LINE OF THE
APPROXIMATELY S. W. 1/4
SUBDIVISION IN SECTION 11.

104-11114000, Range 24
EAST, AND RECORDED IN PLAT
BOOK NO. 14-358-34 AND AS OF
THE PUBLIC RECORDS OF LAKE
COUNTY, FLORIDA, DEBATED
AB. FOLLOWS: FROM THE
40TH MILESTONE POINT 120',
RUN E. 48 DEG. 11'49" W. 200
FT.; THENCE TO A POINT ON THE
SOUTHWESTERLY RIGHT OF
WAY LINE OF MAPLE LEAF DRIVE
AND THE POINT OF BEGINNING
OF THIS DESCRIPTION; FROM
SAID POINT OF BEGINNING, RUN
S 34 DEG. 45 17'E. ALONG SAID
SOUTHWESTERLY RIGHT OF
WAY OF MAPLE LEAF DRIVE
185.83 FEET TO THE BEGINNING
OF A CURVE CONCAVE NORTH-
WESTERLY AND HAVING A
RADIUS OF 25.00 FEET, RUN
THENCE NORTHWESTERLY AND
SOUTHWESTERLY ALONG THE
ARC OF SAID CURVE 185.83 FEET
TO A CENTRAL ANGLE OF 69 DEG.
30'21". A DISTANCE OF 34.38
FEET TO A POINT ON POWDERK
DRIVE. THENCE S 84° 26' 45" W.
41'10" W. ALONG THE NORTH-
WESTERLY RIGHT OF WAY OF
ROYAL OAK DRIVE 182.19 FEET
THENCE LEAVING SAID RIGHT
OF WAY RUN N. 48 DEG. 10' 1" W.
185.00 FEET. THENCE S 11 DEG.
50'47" E. ALONG A RADIAL LINE
188.40 FEET TO A POINT ON A
LINE OF ROAD, SAID LINE BEING
HAVING A RADIUS OF 100 FEET
AND A RADIAL BEARING OF S 11
DEG. 48 54" E.; RUN THENCE
EASTERLY ALONG THE END OF
SAID LINE BEING THROUGH A
CENTRAL ANGLE OF 34 DEG.
08'30" A DISTANCE OF 25.71
FEET TO THE END OF SAID
CURVE AND THE BEGINNING OF
A CURVE CONCAVE SOUTH-EASTERLY
AND HAVING A RADIUS OF 25.00
FEET. RUN THENCE EASTERLY
AND SOUTHEASTERLY ALONG
THE ARC OF SAID CURVE
THROUGH A CENTRAL ANGLE
OF 70 DEG. 31 47" A DISTANCE OF
36.77 FEET TO THE END OF SAID
CURVE. THENCE S 21 DEG. 49'
11" E., 73.81 FEET TO THE POINT
OF PEGASUS INLAWATER, Q.D.
Cord. No 18839 simplified Section
2, Township 18 South, Range 24
East, Lake County, Florida
Beginning at the Southeast corner
of the Southwest 1/4 of Section 12,
Leavenworth 18S, Range 24E, Lake
County, run West 200 feet to the
East boundary of the Harry-John
Escrow; for a Point of Beginning.
From the Point of Beginning run
South into Section 14, Area 18S,
Range 24E, 100 feet North thereof
782 feet to the East boundary of
Pineapple Creek Road. Thence
southerly along Harry-John Escrow
300 feet, thence West 200 feet
(more or less) to the SW corner of
Lot 42, Block 3, -41-10-
Block 3, and thence North 180 feet,
thence East 75 feet, thence North
180 feet to the Southeast corner of
Lot 4-5 Block A, thence West 200
feet to the Southeast corner of Lot
4-5 Block A, thence North 180 feet
to the North boundary of Pineapple
Street. Thence in West 150 feet to
the Southeast corner of Lot 4-5
Block A, thence North 140 feet
thence East 150 feet, thence North
140 feet to the South boundary of
Lockwood Street. Thence in East

310 feet to the East boundary of Haines Creek Road, thence North along Haines Creek Road 100 feet, thence 1,900 feet, thence South 210 feet, thence West 320 feet, thence South 180 feet, thence West 183 feet, thence South 100 feet, thence East 100 feet, thence South 100 feet, thence West 100 feet, thence South 150 feet, thence West 100 feet to the East boundary of the Forty-Eight Estates, thence South along the East boundary of the Forty-Eight Estates 340 feet (more or less) to the Point of Beginning. Any objection to the said application must be made in writing and filed within thirty (30) days from the date on the Circular Division of Records and Reporting, Florida Public Service Commission, 2540 Shumard Woods Boulevard, Tallahassee, FL 32306-4200. A copy of such objection should be mailed to the attorney for the applicant who is Martin S. Freeman, Esquire, P.O. Box 1000, 101 University, Ft. Lauderdale, FL 33301. On 10/18/97 - Date of the R. 1898.

THE ST. JOHNS RIVER WATER MANAGEMENT DISTRICT Green Notes Intent to issue permit on December 2, 1998
Silver Springs Bottled Water Co.,
2445 Hwy 174 East, Ocala, FL
34474, Application #3089. The applicant proposed to withdraw 3,111 mgd of water for Commercial/Industrial Use and Flu Processing. The withdrawal would be by this proposed project will come at of Marion, State, Inc., the Holden Quarry a 200-acre wetland and proposed on Marion County located in Section 36, Township 2A, Range 21B known as Silver Springs Bottled Water Co. The Holdnay containing water of the latter application(s) is available for inspection Monday through Friday except for legal holidays, 8:00 a.m. to 5:00 p.m., at the St. Johns River Water Management District Headquarters or the appropriate Service Center. The District will take action on the permit application and issue a permit for normal administrative hearing if filed. Any person whose Substantiated Interests are or may be affected by any of the District's permitting decisions described above may petition for an administrative hearing in accordance with Section 100.04 and 100.07, F.S., or may choose to pursue mediation as an alternative remedy under Section 120.065 and 120.573, F.S., before the deadline for filing a written Challenging mediation will not adversely affect the right to hearing if mediation does not result in a settlement. The procedures for presenting mediation are set forth in Section 120.573, F.S., and Rule 28-106.11, and 28-109.401-414, F.A.C. Petition must comply with the requirements of Florida Administrative Code Chapter 120-106 and 120-107 (referred to as the District Code), located at St. Johns River Water Management District, 4049 Ridge St., P. O. Box 1498, Palatka, Florida, 32177.

428. Petitions for administrative hearing on the above application must be filed within twenty (20) days of publication of this notice. Failure to file a petition within the time frame shall constitute a waiver of any rights such party may have to request an administrative hearing under Sections 120-5(a) and 120-5(e), R.S., concerning the subject permit application. Factions which are involved in accordance with the above provisions are subject to administrative hearing.

John Miller
Data Manager and Supervisor
Division of Permit Services
P.O. 157382 • December 7, 1996

MOVE TO IMPROVE

*Get A Fresh
Start In The
New Home
Of Your Dreams.
Find It In
The Classifieds.*

**Classified
Advantage**

732-9565

**MOVE
TO
IMPROVE**

*Get A Fresh
Start In The
New Home
Of Your Dreams.
Find It In
The Classifieds.*

Classification Advantages

732-9565