FPSC-COMMISSION CLERK

| | | Ollowided Network El | ements Recurring Cost Summary |
|-------------|------------------|---|-------------------------------|
| ·V | | COMPA | · · |
| A.0 | UNBUNDLE | D LOCAL LOOP | ATLA. |
| A. 1 | 2-WIRE ANA | ALOG VOICE GRADE LOOP | |
| | A.1.1 | 2-Wire Analog Voice Grade Loop - Service Level 1 | X316/07 (entire Yocument) |
| | A.1.2 | 2-Wire Analog Voice Grade Loop - Service Level 2 | Jocupe !! |
| | A.1.8 | Engineering Information | |
| A.2 | SUB-LOOP | | • |
| | A.2.1 | Sub-Loop Feeder Per 2-Wire Analog Voice Grade Loop | |
| • • | A.2.2 | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop | |
| | A.2.11 | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | |
| | 4.0.40 | | · |
| | A.2.13 | Network Interface Device Cross Connect | |
| | A.2.14 A.2.15 | 2-Wire Intrabuilding Network Cable (INC) | |
| | A.2.15 A.2.17 | 4-Wire Intrabuilding Network Cable (INC) Sub-Loop - Per Cross Box Location - CLEC Feeder Facility | Cat Ita |
| | A.2.18 | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Se | • |
| | A.2.19 | Sub-Loop - Per Building Equipment Room - CLEC Feeder | • |
| | A.2.20 | Sub-Loop - Per Building Equipment Room - Per 25 Pair Pa | • |
| | A.2.21 | Sub-Loop - Per Cross Box Location - CLEC Distribution Fa | |
| | A.2.24 | Sub-Loop - Per 4-Wire Analog Voice Grade Loop / Feeder | • |
| | A.2.25 | Sub-Loop - Per 2-Wire ISDN Digital Grade Loop / Feeder C | Only |
| | A.2.29 | Sub-Loop - Per 4-Wire 56 or 64 Kbps Digital Grade Loop / | Feeder Only |
| | A.2.30 | Sub-Loop - Per 2-Wire Copper Loop / Feeder Only | 3 |
| | A.2.32 | Sub-Loop - Per 4-Wire Copper Loop / Feeder Only | DOCUMENT NUMBER-DATE |
| | | This claim of confidentiality was filed by or on behalf of a "telco" for Confidential DN DADA The document is in locked storage pending advice on handling. To access the material, | 00071 JAN-38 |
| | | your name must be on the CASR. If undocketed, your division director must obtain written EXD/Tech permission before you can | FPSC-COMMISSION CLERK |

access it.

990649 A-TP

FLORIDA DOCKFT 990649-TP BFP AT7 HMENT 10 age 1 of 24

| | Recurrir | ng Rates | Differe | nce |
|------|-----------|----------------|---------|------------------|
| 1 | | AT&T WCOM | | |
| Zone | BellSouth | Proposed | Dollar | Percent |
| | | | | |
| 1 | \$14.72 | \$6.41 | -8.31 | -56.45% |
| 2 | \$19.87 | \$9.78 | -10.09 | -50.78% |
| 3 | \$50.27 | \$20.51 | -29.76 | -59.20% |
| 1 | \$16.93 | \$7.74 | -9.19 | -54,28% |
| 2 | \$22.07 | \$11.12 | -10.95 | -49.61% |
| 3 | \$52.48 | \$21.85 | -30.63 | -58.37% |
| | | | | · |
| 1 | \$8.07 | \$4.88 | -3.19 | -39.53% |
| 2 | \$9.92 | \$6.49 | -3.43 | -34.58% |
| 3 | \$20.56 | \$11.60 | -8.96 | -43.58% |
| 1 | \$10.56 | \$3.63 | -6.93 | -65.63% |
| 2 | \$13.46 | \$5.40 | -8.06 | -59.88% |
| 3 | \$33.55 | \$11.10 | -22.45 | -66.92% |
| 1 | \$14.97 | \$5.16 | -9.81 | -65.53% |
| 2 | \$31.84 | \$11.38 | -20.46 | -64.26% |
| 3 | \$43.16 | \$14.85 | -28.31 | -65 <i>.</i> 59% |
| | \$3.96 | \$3.96 | 0 | 0.00% |
| | \$9.37 | \$9.37 | 0 | 0.00% |
| : | | 4 | | |
| 1 | \$17.97 | \$11.16 | -6.81 | -37.90% |
| 2 | \$29.42 | \$20.60 | -8.82 | -29.98% |
| 3 | \$55.72 | \$34.31 | -21.41 | -38.42% |
| 1 | \$18.92 | \$13.18 | -5.74 | -30.34% |
| 2 | \$24.13 | \$16.77 | -7.36 | -30.50% |
| 3 | \$47.43 | \$28.20 | -19.23 | -40.54% |
| 1 | \$18.96 | \$11.95 | -7.01 | -36.97% |
| 2 | \$27.12 | \$19.10 | -8.02 | -29.57% |
| 3 | \$29.76 | \$18.79 | -10.97 | -36.86% |
| 1 | \$6.64 | \$3.44 | -3.2 | -48.19% |
| 2 | \$5.82 | \$3.31 | -2.51 | -43.13% |
| 3 | \$4.41 | \$2.75 | -1.66 | -37.64% |
| 1 | \$12.85 | \$6.18 | -6.67 | -51.91% |
| 2 | \$10.29 | \$5.75 | -4.54 | -44.12% |
| 3 | \$9.44 | \$5.49 | -3.95 | -41.84% |
| | 4 | | | |

 ~ 1

| | | | | Recurring Rates | | Difference | |
|------------|---------------|--|--------|-----------------|----------------|------------|-----------|
| | | • | _ | - "- | AT&T WCOM | D-W | D44 |
| | | | Zone | BellSouth | Proposed | Dollar | Percent |
| | A.2.40 | Sub-Loop - Per 2-Wire Copper Loop / Distribution Only | 1 | \$9.17 | \$3.39 | -5.78 | -63.03% |
| | | | 2 | \$11.10 | \$4.85 | -6.25 | -56.31% |
| | | | 3 | \$ 16.35 | \$7.33 | -9.02 | -55.17% |
| | A.2.42 | Sub-Loop - Per 4-Wire Copper Loop / Distribution Only | 1 | \$12.44 | \$4.79 | -7.65 | -61.50% |
| | | • | 2 | \$17.59 | \$7.47 | -10.12 | -57.53% |
| | | | 3 | \$25.21 | \$11.74 | -13.47 | -53.43% |
| | A.2.44 | Network Interface Device (NID) - 2 line | | | | | |
| | A.2.45 | Network Interface Device (NID) - 6 line | | | | | |
| 4.4 | 4-WIRE ANAL | OG VOICE GRADE LOOP | | | | | |
| | A.4.1 | · · | . '1 | ድ ጋር ርር | ቀ ፈሮ ዕር | . 44.07 | 40.030/ |
| | A.4.1 | 4-Wire Analog Voice Grade Loop | | \$29.92 | \$15.25 | -14.67 | -49.03% |
| | | | 2 | \$58.93 | \$30.88 | -28.05 | -47.60% |
| , | | | 3 | \$97.33 | \$47.94 | -49.39 | -50.74% |
| ٨.5 | 2-WIRE ISDN I | DIGITAL GRADE LOOP | | | | | |
| | A.5.1 | 2-Wire ISDN Digital Grade Loop | 1 | \$25.17 | \$15.11 | -10.06 | -39.97% |
| | | | 2 | \$35.23 | \$20.65 | -14.58 | -41.39% |
| | | | 3 | \$67.25 | \$34.89 | -32.36 | -48.12% |
| | A.5.6 | Universal Digital Channel | • 1 | \$25.17 | \$15.11 | -10.06 | -39.97% |
| | | | 2 | \$35.23 | \$20.65 | -14.58 | -41.39% |
| | | 1 | 3 | \$67.25 | \$34.89 | -32.36 | -48.12% |
| \.6 | 2-WIRE ASYM | METRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | | | | |
| | A.6.1wLMU | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP (Nonrecurring w/ LMU) | | | | | |
| | | A.6.1 2-Wire Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop | 1 | \$14.88 | \$6.06 | -8.82 | -59.27% |
| | | | 2 | \$ 15.99 | \$7.38 | -8.61 | -53.85% |
| | | | 3 | \$19.82 | \$9.29 | -10.53 | -53.13% |
| | | A.6.5 2-Wire Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop (Nonrecurring w/LMU) | | \$10.02 | Ψ0.20 | 10.00 | 00.1070 |
| | | A.17.4 Unbundled Loop Modification - Additive | | | | | |
| | A.6.1woLMU | 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP (Nonrecurring w/o LMU | n | , | | , | |
| | , | A.6.1 2-Wire Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop | , 1 | \$14.88 | \$6.06 | -8.82 | -59.27% |
| | | A.C. 12-Wife Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop | 2 | \$15.99 | \$7.38 | -8.61 | -53.85% |
| | | | 3 | | \$9.29 | -10.53 | -53.13% |
| | | | . 3 | \$19.82 | | -10.55 | -55.1576 |
| | | A.6.6 2-Wire Asymmetrical Digital Subscriber Line (ADSL) Compatible Loop (Nonrecurring w/o LMU) A.17.4 Unbundled Loop Modification - Additive | | | 1 : | | |
| 1.7 | 2-WIRE HIGH | BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | • | | | | |
| | A.7.1wLMU | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP (Nonrecurring w/ LMU) | | | | | \. |
| | | A.7.1 2-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop | 1 | \$13.07 | \$5.40 | -7.67 | -58.68% |
| | | | 2 | \$13.80 | \$6.56 | -7.24 | -52.46% |
| | | | 3 | \$16.56 | \$8.20 | -8.36 | -50.48% |
| | | A 7.5.2 Wire Lligh Bit Date Digital Cubesides Line (UDCL) Competible Lean (Near | , | ψ10.50 | ψυ.Ζυ | -0.50 | 50.4070 |
| | | A.7.5 2-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop (Nonrecurring w/LMU) | | | | | |

2-WIRE COPPER LOOP

A.13

| | | , | | Recurring Rates | | Difference | |
|-------------|---------------|---|------|-----------------|-----------------|------------|---------|
| | | | | | AT&T WCOM | | |
| | | | Zone | BellSouth | Proposed | Dollar | Percent |
| | | A.17.4 Unbundled Loop Modification - Additive | | | | | |
| | A.7.1woLMU | 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP (Nonrecurring w/o LMU) | | | | | |
| | | A.7.1 2-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop | 1 | \$13.07 | \$5.40 | -7.67 | -58.68% |
| | | | 2 | \$13.80 | \$6.56 | -7.24 | -52.46% |
| | | | 3 | \$16.56 | \$8.20 | -8.36 | -50.48% |
| | | A.7.6 2-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop (Nonrecurring w/o LMU) A.17.4 Unbundled Loop Modification - Additive | | | ſ | | |
| 4. 8 | 4-WIRE HIGH | BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP | | | | | |
| | A.8.1wLMU | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP (Nonrecurring w/ LMU) | • | | | | |
| | | A.8.1 4-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop | 1 | \$21.66 | \$9.15 | -12.51 | -57.76% |
| | | | 2 | \$21.11 | \$9.96 | -11.15 | -52.82% |
| 1 | | | 3 | \$20.95 | \$ 11.29 | -9.66 | -46.11% |
| | | A.8.5 4-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop (Nonrecurring w/LMU) A.17.4 Unbundled Loop Modification - Additive | 1 | | | | |
| | A.8.1woLMU | 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP (Nonrecurring w/o LMU) | | | | | |
| | | A.8.1 4-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop | 1 | \$21.66 | \$9.15 | -12.51 | -57.76% |
| - 4 | | | 2 | \$21.11 | \$9.96 | -11.15 | -52.82% |
| | | · · | 3 | \$20.95 | \$11.29 | -9.66 | -46.11% |
| | | A.8.6 4-Wire High Bit Rate Digital Subscriber Line (HDSL) Compatible Loop (Nonrecurring w/o LMU) A.17.4 Unbundled Loop Modification - Additive | 1 | | | | |
| 4.9 | 4-WIRE DS1 D | IGITAL LOOP | | | | | |
| | A.9.1 | 4-Wire DS1 Digital Loop | 1 | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | | | · 2 | \$143.91 | \$80.56 | -63.35 | -44.02% |
| | | · · | 3 | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | A.9.2 | Sub-Loop Feeder Per 4-Wire DS1 Digital Loop | 1 | \$51.92 | \$32.41 | -19.51 | -37.58% |
| | | | 2 | \$89.14 | \$53.71 | -35.43 | -39.75% |
| | | | 3 | \$291.32 | \$163.67 | -127.65 | -43.82% |
| A.10 | 4-WIRE 19, 56 | OR 64 KBPS DIGITAL GRADE LOOP | | | | | |
| | A.10.1 | 4-Wire 19, 56 or 64 Kbps Digital Grade Loop | ′ 1 | \$31.79 | \$16.24 | -15.55 | -48.91% |
| | | | 2 | \$49.17 | \$26.68 | -22.49 | -45.74% |
| | | | 3 | \$61.71 | \$29.78 | -31.93 | -51.74% |
| A.12 | | TION PER SYSTEM PER FEATURE ACTIVATED (OUTSIDE CENTRAL OFFICE) | _ | * | # 44.07 | 00.57 | 40 ECW |
| | A.12.5 | Unbundled Sub-loop Concentration - USLC Feeder Interface | 1 | \$70.44 | \$41.87 | -28.57 | -40.56% |
| | | | 2 | \$82.63 | \$46.64 | -35.99 | -43.56% |
| | | | 3 | \$240.80 | \$106.16 | -134.64 | -55.91% |
| | | 4 | | | • | | |

| | A.13.1wLMU | 2-Wire Copper Loop - short (Nonrecurring w/ LMU) A.13.1 2-Wire Copper Loop - short |
|------|--------------|--|
| | | A.13.8 2-Wire Copper Loop - short (Nonrecurring w/LMU) A.17.4 Unbundled Loop Modification - Additive |
| | A.13.1woLMU | 2-Wire Copper Loop - short (Nonrecurring w/o LMU) A.13.1 2-Wire Copper Loop - short |
| 1 | . ' | A.13.9 2-Wire Copper Loop - short (Nonrecurring w/o LMU) A.17.4 Unbundled Loop Modification - Additive |
| | A.13.7wLMU | 2-Wire Copper Loop - long (Nonrecurring w/ LMU) A.13.7 2-Wire Copper Loop - long |
| | | A.13.10 2-Wire Copper Loop - long (Nonrecurring w/LMU) |
| | A.13.7woLMU | 2-Wire Copper Loop - long (Nonrecurring w/o LMU) A.13.7 2-Wire Copper Loop - long |
| | | A.13.11 2-Wire Copper Loop - long (Nonrecurring w/o LMU) |
| | A.13.12 * | 2-Wire Unbundled Copper Loop - Non Design |
| A.14 | 4-WIRE COPPE | |
| | A.14.1wLMU | 4-Wire Copper Loop - short (Nonrecurring w/ LMU) A.14.1 4-Wire Copper Loop - short |
| | | A.14.8 4-Wire Copper Loop - short (Nonrecurring w/LMU) A.17.4 Unbundled Loop Modification - Additive |
| | A.14.1woLMU | 4-Wire Copper Loop - short (Nonrecurring w/o LMU) A.14.1 4-Wire Copper Loop - short |
| | | A.14.9 4-Wire Copper Loop - short (Nonrecurring w/o LMU) A.17.4 Unbundled Loop Modification - Additive |

FLORIDA DOCKET 990649-TP BFP ATT7 'MENT 10 Je 4 of 24

| | Recurri | ng Rates | Difference | | | |
|------|--------------------|---------------|------------|---------|--|--|
| | | AT&T WCOM | | • | | |
| Zone | BellSouth | Proposed | Dollar | Percent | | |
| 1 | \$14.88 | \$6.06 | -8.82 | -59.27% | | |
| 2 | \$ 15.99 | \$7.38 | -8.61 | -53.85% | | |
| 3 | \$19.82 | \$9.29 | -10.53 | -53.13% | | |
| | | | | | | |
| | #44.00 | # 0.00 | 0.00 | E0.070/ | | |
| 1 | \$14.88 \$45.00 | \$6.06 | -8.82 | -59.27% | | |
| 2 | \$15.99 | \$7.38 | -8.61 | -53.85% | | |
| 3 | \$19.82 | \$9.29 | -10.53 | -53.13% | | |
| | | 1 : | | | | |
| 1 | \$25.86 | \$10.28 | -15.58 | -60.25% | | |
| 2 | \$31.88 | \$13.74 | -18.14 | -56.90% | | |
| 3 | \$73.13 | \$27.07 | -46.06 | -62.98% | | |
| | | | | | | |
| 1 | \$25.86 | \$10.28 | -15.58 | -60.25% | | |
| 2 | \$31.88 | \$13.74 | -18.14 | -56.90% | | |
| 3 | \$73.13 | \$27.07 | -46.06 | -62.98% | | |
| 1 | \$14.17 | \$.4572 | -13.7128 | -96.77% | | |
| 2 | \$15.59 | \$.4572 | -15.1328 | -97.07% | | |
| 3 | \$20.83 | \$.4572 | -20.3728 | -97.81% | | |
| | | | · | | | |
| 1 | \$23.96 | \$9.91 | -14.05 | -58.64% | | |
| 2 | \$ 26.48 | \$12.13 | -14.35 | -54.19% | | |
| 3 | \$33.27 | \$16.15 | -17.12 | -51.46% | | |
| | | | | | | |
| 1 | \$23.96 | \$9.91 | -14.05 | -58.64% | | |
| 2 | \$26.48 | \$12.13 | -14.35 | -54.19% | | |
| 3 | \$33.27 | \$16.15 | -17.12 | -51.46% | | |
| 2 | \$26.48 | \$12.13 | -14 | 1.35 | | |

1.20

HYBRID COPPER/FIBER xDSL - CAPABLE LOOP

| A 14.7 MUM | | | | | Recurri | ng Rates | Differe | nce |
|---|------|--------------|---|-------|-----------|----------|---------|---------|
| A 14.7xt MU | | | | | | | | |
| A 14.7 4 Wire Copper Loop - long | • | | | Zone | BellSouth | Proposed | Dollar | Percent |
| A 14.7 wol. Mil A-40 A-4 | | A.14.7wLMU | 4-Wire Copper Loop - long (Nonrecurring w/ LMU) | | | | | |
| A.14.10 + Wire Copper Loop - long (Norrecurring wic LMU) | | | A.14.7 4-Wire Copper Loop - long | 1 | \$48.63 | \$19.49 | -29.14 | -59.92% |
| A.14.7wcLMU | | | | 2 | \$81.94 | \$33.11 | -48.83 | -59.59% |
| A.14,7woLMU | | | | 3 | \$112.91 | \$43.10 | -69.81 | -61.83% |
| A.14.7 4-Wire Copper Loop - long | | | A.14.10 4-Wire Copper Loop - long (Nonrecurring w/LMU) | | • | | | |
| A.14.11 4-Wire Copper Loop - long (Nonrecurring wio LMU) \$43.10 \$43.10 \$43.10 \$69.81 \$61.83% | | A.14.7woLMU | 4-Wire Copper Loop - long (Nonrecurring w/o LMU) | | | | | |
| A 14.11 4-Wire Copper Loop - long (Nonrecurring wio LMU) | | | A.14.7 4-Wire Copper Loop - long | 1 | \$48.63 | \$19.49 | -29.14 | -59.92% |
| A 14.11 4-Wire Capper Loop - long (Nonrecurring w/o LMU) | | | | 2 | • | \$33.11 | | |
| NBUNDLED NETWORK TERMINATING WIRE (NTW) 15.1 Unbundled Network Terminating Wire (NTW) per Pair \$.45.72 \$.45.72 \$.0 0.00% | | | | , 3 | \$112.91 | \$43.10 | -69.81 | -61.83% |
| A 15.1 Unbundled Network Terminaling Wire (NTW) per Pair | | | A.14.11 4-Wire Copper Loop - long (Nonrecurring w/o LMU) | ; | | | | |
| High CAPACITY UNBUNDLED LOCAL LOOP | ١.15 | UNBUNDLED N | NETWORK TERMINATING WIRE (NTW) | | | | | |
| A.16.1 High Capacity Unbundled Local Loop - DS3 - Facility Termination \$386.88 \$308.53 -78.35 -20.25% A.16.2 High Capacity Unbundled Local Loop - DS3 - Per Mile \$10.92 \$10.92 0 0.00% A.16.15 High Capacity Unbundled Local Loop - STS-1 - Facility Termination \$426.60 \$347.67 -78.93 -18.50% A.16.16 High Capacity Unbundled Local Loop - STS-1 - Per Mile \$10.92 \$10.92 \$10.92 0 0.00% A.16.16 High Capacity Unbundled Local Loop - STS-1 - Per Mile \$10.90 \$10.92 \$10.92 0 0.00% A.17.10 Unbundled Loop Modification - Load Coil / Equipment Removal - short A.17.2 Unbundled Loop Modification - Load Coil / Equipment Removal - long A.17.3 Unbundled Loop Modification - Bridged Tap Removal A.17.6 Unbundled Sub-Loop Modification - 201/4W Copper Distribution Bridged Tap Removal First/Add* A.17.6 Unbundled Sub-Loop Modification - 201/4W Copper Distribution Bridged Tap Removal First/Add* A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$1.46.77 \$72.09 -74.68 -50.88% A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$2.10 \$1.37 -0.73 -34.76% A.18.4 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$1.38 \$7.634 -0.6166 44.68% A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card \$1.38 \$7.634 -0.6166 44.68% A.18.5 Channelization - Channel System DS3 to DS1 \$1.000 \$1.37 -2.29 -16.64% A.18.6 Interface Unit - Interface DS3 to DS1 A.19.1 Loop Testing - Overtime per 1/2 hour | | A.15.1 | Unbundled Network Terminating Wire (NTW) per Pair | | \$.4572 | \$.4572 | 0 | 0.00% |
| A.16.2 High Capacity Unbundled Local Loop - DS3 - Per Mile | ١.16 | HIGH CAPACIT | TY UNBUNDLED LOCAL LOOP | | | | | |
| A.16.15 High Capacity Unbundled Local Loop - STS-1 - Facility Termination \$426.60 \$347.67 -78.93 -18.50% A 16.16 High Capacity Unbundled Local Loop - STS-1 - Per Mile \$10.92 \$10.92 \$0 0.00% I.17 LOOP CONDITIONING A.17.1 Unbundled Loop Modification - Load Coil / Equipment Removal - short A.17.2 Unbundled Loop Modification - Bridged Tap Removal - long A.17.3 Unbundled Loop Modification - Bridged Tap Removal - long A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add¹1 A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add¹1 A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add¹1 A.18.1 Channelization¹- Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$2.10 \$1.37 -0.73 -34.76% A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card \$3.66 \$2.70 -0.96 -26.23% A.18.4 Interface Unit - Interface DS1 to DS0 - Woice Grade Card \$1.38 \$.7634 -0.6166 -44.68% A.18.5 Channelization - Channel System DS3 to DS1 \$1.36 \$11.376 \$11.47 -2.29 -16.64% I.19 LOOP TESTING A.19.1 Loop Tosting - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.16.1 | High Capacity Unbundled Local Loop - DS3 - Facility Termination | | • | | -78.35 | -20.25% |
| A.16.16 High Capacity Unbundled Loop Loop - STS-1 - Per Mile \$10.92 \$10.92 \$0 0.00% | | A.16.2 | High Capacity Unbundled Local Loop - DS3 - Per Mile | | | \$10.92 | | 0.00% |
| L17 LOOP CONDITIONING A.17.1 Unbundled Loop Modification - Load Coil / Equipment Removal - short A.17.2 Unbundled Loop Modification - Load Coil / Equipment Removal - long A.17.3 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add* A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add* A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add* A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 LOOP TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.16.15 | High Capacity Unbundled Local Loop - STS-1 - Facility Termination | | • | • | -78.93 | -18.50% |
| A.17.1 Unbundled Loop Modification - Load Coil / Equipment Removal - short A.17.2 Unbundled Loop Modification - Load Coil / Equipment Removal - long A.17.3 Unbundled Loop Modification - Bridged Tap Removal A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add* A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add* A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 A.18.6 Loop TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.16.16 | High Capacity Unbundled Local Loop - STS-1 - Per Mile | | \$10.92 | \$10.92 | 0 | 0.00% |
| A.17.2 Unbundled Loop Modification - Load Coil / Equipment Removal - long A.17.3 Unbundled Loop Modification - Bridged Tap Removal A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add*1 A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add*1 A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.3 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.4 Interface Unit - Interface DS1 to DS0 - SRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 A.18.7 Loop TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | 1.17 | LOOP CONDIT | IONING | | | | | |
| A.17.3 Unbundled Loop Modification - Bridged Tap Removal A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add'l A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add'l A.18.1 Channelization'- Channel System DS1 to DS0 A.18.1 Interface Unit - Interface DS1 to DS0 S146.77 \$72.09 -74.68 -50.88% A18.2 Interface Unit - Interface DS1 to DS0 S2.10 \$1.37 -0.73 -34.76% A18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card \$3.66 \$2.70 -0.96 -26.23% A18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card \$1.38 \$.7634 -0.6166 -44.68% A18.5 Channelization - Channel System DS3 to DS1 \$211.19 \$162.55 -48.64 -23.03% A18.6 Interface Unit - Interface DS3 to DS1 \$1.37 \$1.47 -2.29 -16.64% A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.17.1 | Unbundled Loop Modification - Load Coil / Equipment Removal - short | | | | | |
| A.17.5 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First/Add'l A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add'l A.18.1 Channelization - Channel System DS1 to DS0 \$146.77 \$72.09 -74.68 -50.88% A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$2.10 \$1.37 -0.73 -34.76% A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card \$3.66 \$2.70 -0.96 -26.23% A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card \$1.38 \$.7634 -0.6166 -44.68% A.18.5 Channelization - Channel System DS3 to DS1 \$211.19 \$162.55 -48.64 -23.03% A.18.6 Interface Unit - Interface DS3 to DS1 \$13.76 \$11.47 -2.29 -16.64% A.19.1 Loop TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.17.2 | Unbundled Loop Modification - Load Coil / Equipment Removal - long | | | | | |
| A.17.6 Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add*1 NULTIPLEXERS A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 Nonelization - Channel System DS3 to DS1 LOOP TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.17.3 | Unbundled Loop Modification - Bridged Tap Removal | | | | | |
| NULTIPLEXERS A.18.1 Channelization - Channel System DS1 to DS0 \$146.77 \$72.09 -74.68 -50.88% A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$2.10 \$1.37 -0.73 -34.76% A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card \$3.66 \$2.70 -0.96 -26.23% A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card \$1.38 \$.7634 -0.6166 -44.68% A.18.5 Channelization - Channel System DS3 to DS1 \$211.19 \$162.55 -48.64 -23.03% A.18.6 Interface Unit - Interface DS3 to DS1 \$13.76 \$11.47 -2.29 -16.64% \$1.30 | | A.17.5 | Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Load Coil/Equipment Removal First// | Add'I | | | | |
| A.18.1 Channelization - Channel System DS1 to DS0 \$146.77 \$72.09 -74.68 -50.88% A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card \$2.10 \$1.37 -0.73 -34.76% A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card \$3.66 \$2.70 -0.96 -26.23% A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card \$1.38 \$.7634 -0.6166 -44.68% A.18.5 Channelization - Channel System DS3 to DS1 \$121.19 \$162.55 -48.64 -23.03% A.18.6 Interface Unit - Interface DS3 to DS1 \$13.76 \$11.47 -2.29 -16.64% A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.17.6 | Unbundled Sub-Loop Modification - 2W/4W Copper Distribution Bridged Tap Removal First/Add'l | | | | | |
| A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | ١.18 | MULTIPLEXER | es . | | | | | |
| A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.1 | Channelizationi- Channel System DS1 to DS0 | | • | \$72.09 | | |
| A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 S13.76 S11.47 -2.29 -16.64% A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.2 | Interface Unit - Interface DS1 to DS0 - OCU-DP Card | | | • | | |
| A.18.5 Channelization - Channel System DS3 to DS1 \$211.19 \$162.55 -48.64 -23.03% A.18.6 Interface Unit - Interface DS3 to DS1 \$13.76 \$11.47 -2.29 -16.64% A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.3 | Interface Unit - Interface DS1 to DS0 - BRITE Card | . * | • | | | |
| A.18.6 Interface Unit - Interface DS3 to DS1 \$13.76 \$11.47 -2.29 -16.64% LOOP TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.4 | Interface Unit - Interface DS1 to DS0 - Voice Grade Card | | , | | | |
| LOOP TESTING A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.5 | Channelization - Channel System DS3 to DS1 | | | · | | |
| A.19.1 Loop Testing - Basic per 1/2 hour A.19.2 Loop Testing - Overtime per 1/2 hour | | A.18.6 | Interface Unit - Interface DS3 to DS1 | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| A.19.2 Loop Testing - Overtime per 1/2 hour | 1.19 | LOOP TESTING | G | i | | | | |
| | | A.19.1 | Loop Testing - Basic per 1/2 hour | | | | | |
| A.19.3 Loop Testing - Premium per 1/2 hour | | A.19.2 | Loop Testing - Overtime per 1/2 hour | | | | | , |
| | | A.19.3 | Loop Testing - Premium per 1/2 hour | | | | | |

Difference

Recurring Rates

| | | | | | Necuin | y ixates | Dillere | |
|-----|------------|--|---|------|----------------|-----------------|---------|----------|
| | | | | | | AT&T WCOM | | |
| | | | • | Zone | BellSouth | Proposed | Dollar | Percent |
| | A.20.1 | Hybrid Copper/Fiber xDSL - Capable Loop | | 1 | \$149.48 | | | |
| | 720.1 | Trysha copporation Abot. Capable coop | | 2 | \$173.40 | | | |
| | | | | 3 | \$419.71 | | | |
| | A.20.2 | Unhaid ConnectEites DC4 ness DC4 | | 3 | Ψ+15.71 | | | |
| | | Hybrid Copper/Fiber DS1, per DS1 | | | #074.00 | \$240.00 | 50.7 | 45.000/ |
| | A.20.3 | 16 - Port DSLAM, per DSLAM | | | \$374.90 | \$316.20 | -58.7 | -15.66% |
| | A.20.4 | End User Channels, per Channel Activated | | | | | | |
| B.0 | UNBUNDLE | ED LOCAL EXCHANGE PORTS AND FEATURES | | | | 1 | | |
| B.1 | EXCHANGE | E PORTS | • | | | | | |
| | B.1.1 | Exchange Ports - 2-Wire Analog Line Port (Res., Bus., Centrex, Coin) | | | \$1.40 | \$1.29 | -0.11 | -7.86% |
| | B.1.3 | Exchange Ports - 2-Wire DID Port | | | \$8.73 | \$4.75 | -3.98 | -45.59% |
| | B.1.4 | Exchange Ports - DDITS Port | | | \$54.95 | \$49.59 | -5.36 | -9.75% |
| | B.1.5 | Exchange Ports - 2-Wire ISDN Port | | | \$8.83 | \$8.09 | -0.74 | -8.38% |
| | | · · | | | · | | | |
| | B.1.6 | Exchange Ports - 4-Wire ISDN DS1 Port | | | \$82.74 | \$75.04 | -7.7 | -9.31% |
| 0.0 | UNBUNDLE | TRANSPORT AND LOCAL INTEROFFICE TRANSPORT | | | | | | |
| D.2 | INTEROFFIC | CE TRANSPORT - DEDICATED - VOICE GRADE | | | | | | |
| | D.2.1 | Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile | | | \$.0091 | \$.0091 | 0 | 0.00% |
| | D.2.2 | Interoffice Transport - Dedicated - 2- Wire Voice Grade - Facility Termination | | , | \$25.32 | \$15.33 | -9.99 | -39.45% |
| D.3 | INTEROFFIC | CE TRANSPORT - DEDICATED - DS0 - 56/64 KBPS | | | | | | |
| | D.3.1 | Interoffice Transport - Dedicated - DS0 - Per Mile | | | \$.0091 | \$.0091 | 0 | 0.00% |
| | D.3.2 | Interoffice Transport - Dedicated - DS0 - Facility Termination | | | \$18.44 | \$9.51 | -8.93 | -48.43% |
| D.4 | INTEROFFIC | CE TRANSPORT - DEDICATED - DS1 | | | | | | |
| | D.4.1 | Interoffice Transport - Dedicated - DS1 - Per Mile | | | \$.1856 | \$.1856 | 0 | 0.00% |
| | D.4.2 | Interoffice Transport - Dedicated - DS1 - Facility Termination | • | | \$88.44 | \$61.47 | -26.97 | -30.50% |
| 2.5 | LOCAL CHA | ANNEL - DEDICATED | | | | | | |
| | D.5.1 | Local Channel - Dedicated - 2-Wire Voice Grade | | .1 | \$48.73 | \$13.96 | -34.77 | -71.35% |
| | 0.0.1 | Local Chainter Boulouse E Trio Tolos Chas | | '2 | \$119.26 | \$19.94 | -99.32 | -83.28% |
| | | | | 3 | ψ110.20 | \$10.0 . | 00.0_ | |
| | 5.50 | Level Of the D. Berte L. A.W. W. C. Constr. | | 1 | \$49.84 | \$14.33 | -35.51 | -71.25% |
| | D.5.2 | Local Channel - Dedicated - 4-Wire Voice Grade | | • | \$120.37 | \$20.30 | -100.07 | -83.14% |
| | | | | 2 | φ120.31 | Ψ20.50 | -100.07 | -00.1470 |
| | | | | 3 | # 00 40 | 600 70 | 27 7E | -56.78% |
| | D.5.24 | Local Channel - Dedicated - DS1 | | 1 | \$66.48 | \$28.73 | -37.75 | |
| | | | • | 2 | \$85.03 | \$37.26 | -47.77 | -56.18% |
| | | | | 3 | \$318.60 | \$128.71 | -189.89 | -59.60% |
| 3.6 | MITERAFE | CE TRANSPORT, DEDICATED, DC2 | 1 | | | | | |
| 2.6 | | CE TRANSPORT - DEDICATED - DS3 | { | | \$3.87 | \$3.87 | 0 | 0.00% |
| | D.6.1 | Interoffice Transport - Dedicated - DS3 - Per Mile | | | ა ა.07 | φ3.01 | U | 0.0070 |

| | | • | | | Recurri | ng Rates | Differe | nce |
|----------|--------------|---|---|------|-------------------|------------------|---------------|-------------------|
| | | | | • | | AT&T WCOM | | |
| | | | j | Zone | BellSouth | Proposed | Dollar | Percent |
| ·A | D.6.2 | Interoffice Transport - Dedicated - DS3 - Facility Termination | ł | | \$1,071.31 | \$673.56 | -397.75 | -37.13% |
| D.10 | INTEROFFICE | TRANSPORT - DEDICATED - STS-1 | | , | | | | |
| | D.10.1 | Interoffice Transport - Dedicated - STS-1 - Per Mile | | | \$ 3.87 | \$3.87 | 0 | 0.00% |
| | D.10.2 | Interoffice Transport - Dedicated - STS-1 - Facility Termination | | | \$1,056.07 | \$645.04 | -411.03 | -38.92% |
| D.12 | INTEROFFICE | TRANSPORT - DEDICATED - 4-WIRE VOICE GRADE | | | | | | |
| | D.12.1 | Interoffice Transport - Dedicated - 4-Wire Voice Grade - Per Mile | | | \$.0091 | \$.0091 | 0 | 0.00% |
| | D.12.2 | Interoffice Transport - Dedicated - 4-Wire Voice Grade - Facility Termination | | | \$22.58 | \$13.01 | -9.57 | -42.38% |
| J.0 | OTHER | | • | • | | | | |
| J.3 | LOOP MAKE-U | JP | | | | | | |
| • | J.3.3 | Manual Loop Make-up w/o Facility Reservation Number | | | | | | |
| | J.3.4 | Manual Loop Make-up w/ Facility Reservation Number | | | | 1: | | |
| 0 | ACCESS DAIL | Y USAGE FILE (ADUF) | | • | | | | |
| 1 | ACCESS DAIL | Y USAGE FILE (ADUF) | | | | | | |
| | L.1.1 | ADUF, Message Processing, per message | | | \$.001858 | • | | |
| | L.1.3 | ADUF, Data Transmission (CONNECT:DIRECT), per message | | | \$.00012450 | | | |
| 0.IV | DAILY USAGE | FILES | * | | | | | |
| VI.1 | ENHANCED O | PTIONAL DAILY USAGE FILE | | | | | | • |
| | M.1.1 | Enhanced Optional Daily usage File: Message Processing, Per Message | | | \$.235115 | \$.235115 | 0 | 0.00% |
| M.2 | OPTIONAL DA | NILY USAGE FILE | | | | | | |
| | M.2.1 | Optional Daily Usage File: Recording, per Message | | | \$.0000071 | 1 | | |
| | M.2.2 | Optional Daily Usage File: Message Processing, Per Message | | | \$.002505 | | , | 0.000/ |
| | M.2.3 | Optional Daily Usage File: Message Processing, Per Magnetic Tape Provisioned | | | \$35.91 | \$35.91 | 0 | 0.00% |
| | M.2.4 | Optional Daily Usage File: Data Transmission (CONNECT:DIRECT), Per Message | | | \$.00010375 | | | |
| ٧.1 | SERVICE ORD | | | | | | | |
| | N.1.5 | Order Coordination | | | | | | |
| | N.1.6 | Order Coordination for Specified Conversion Time | | | | | | |
| ٥.٥ | UNBUNDLED | LOOP COMBINATIONS | | | | | | |
| 2.1 | 2-WIRE VOICE | GRADE LOOP WITH 2-WIRE LINE PORT (RES, BUS, COIN, CENTREX, PBX) | | | | | | |
| | P.1.RESBUS | 2-Wire VG Loop/Port Combo (Res, Bus, Coin) | | | # 40.00 | AC 70 | 0.47 | E0 000/ |
| | | P.1.1 2-Wire Voice Grade Loop | | • | \$13.89 \$1.17 | \$5.72 \$1.07 | -8.17 -0.1 | -58.82% -8.55% |
| | | P.1.2 Exchange Port - 2-Wire Line Port | | | \$1.17 | \$1.07 | -0.1 | -0.0076 |

| | | Recurring Rates | | Difference | | |
|---|------|-----------------|-----------|------------|---------|--|
| | | Flore | AT&T WCOM | | _ | |
| | Zone | BellSouth | Proposed | Dollar | Percent | |
| | 1 | \$15.06 | \$6.79 | -8.27 | -54.91% | |
| | | \$18.33 | \$8.54 | -9.79 | -53.41% | |
| | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 2 | \$19.50 | \$9.61 | -9.89 | -50.72% | |
| | | \$49.18 | \$19.58 | -29.6 | -60.19% | |
| | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 3 | \$50.35 | \$20.66 | -29.69 | -58.97% | |
| | | | | 0.45 | | |
| | | \$13.89 | \$5.72 | -8.17 | -58.82% | |
| | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 1 | \$15.06 | \$6.79 | -8.27 | -54.91% | |
| | | \$18.33 | \$8.54 | -9.79 | -53.41% | |
| | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 2 | \$19.50 | \$9.61 | -9.89 | -50.72% | |
| 4 | | \$49.18 | \$19.58 | -29.6 | -60.19% | |
| į | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| , | 3 | \$50.35 | \$20.66 | -29.69 | -58.97% | |
| | | | | | | |
| | | \$13.89 | \$5.72 | -8.17 | -58.82% | |
| | , | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 1 | \$15.06 | \$6.79 | -8.27 | -54.91% | |
| | | \$18.33 | \$8.54 | -9.79 | -53.41% | |
| | | \$1.17 | \$1.07 | · -0.1 | -8.55% | |
| | 2 | \$19.50 | \$9.61 | -9.89 | -50.72% | |
| | | \$49.18 | \$19.58 | -29.6 | -60.19% | |
| | | \$1.17 | \$1.07 | -0.1 | -8.55% | |
| | 3 | \$50.35 | \$20.66 | -29.69 | -58.97% | |
| | | | | | | |
| | | \$16.93 | \$7.74 | -9.19 | -54.28% | |
| | | \$8.71 | \$4.73 | -3.98 | -45.69% | |
| | 1 | \$25.64 | \$12.47 | -13.17 | -51.37% | |
| | | \$22.07 | \$11.12 | -10.95 | -49.61% | |
| | 1 | | | | | |

| P.1.PBX | 2-Wire VG Loop/Port Combo (PBX) P.1.1 2-Wire Voice Grade Loop P.1.2 Exchange Port - 2-Wire Line Port |
|-------------|--|
| | |
| P.1.CENTREX | P.1.1 2-Wire Voice Grade Loop P.1.2 Exchange Port - 2-Wire Line Port |
| | GRADE LOOP WITH 2-WIRE DID TRUNK PORT |
| P.3 | 2-Wire VG Loop/2-Wire DID Trunk Port |

A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 P.3.2 Exchange Ports - 2-Wire DID Port for Combinations

P.4 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port P.4.1 2-Wire ISDN Digital Grade Loop P.4.2 Exchange Port - 2-Wire ISDN Line Side Port 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT P.5 P.5 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port A.9.1 4-Wire DS1 Digital Loop B.1.6 Exchange Ports - 4-Wire ISDN DS1 Port EXTENDED 2-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT P.6 P.6-1 First 2W VG in DS1 A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.1 Channelization - Channel System DS1 to DS0 A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card

BFP ATTT MENT 10

| | Recurri | ng Rates | Difference | | |
|----------------|----------------|----------|------------|---------|--|
| | AT&T WCOM | | | | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| _ | \$8.71 | \$4.73 | -3.98 | -45.699 | |
| 2 | \$30.78 | \$15.85 | -14.93 | -48.519 | |
| | \$52.48 | \$21.85 | -30.63 | -58.379 | |
| | \$ 8.71 | \$4.73 | -3.98 | -45.69° | |
| 3 | \$61.19 | \$26.58 | -34.61 | -56.56 | |
| | \$19.91 | \$11.33 | -8.58 | -43.09° | |
| | \$7.38 | \$6.76 | -0.62 | -8.40 | |
| 1 | \$27.28 | \$18.08 | -9.2 | -33.72 | |
| | \$29.15 | \$16.21 | -12.94 | -44.39 | |
| _ | \$7.38 | \$6.76 | -0.62 | -8.40 | |
| 2 | \$36.52 | \$22.96 | -13.56 | -37.13 | |
| | \$62.25 | \$31.22 | -31.03 | -49.85 | |
| | \$7.38 | \$6.76 | -0.62 | -8.40 | |
| , 3 | \$69.63 | \$37.97 | -31.66 | -45.47 | |
| | \$102.30 | \$59.74 | -42.56 | -41.60 | |
| | \$82.74 | \$75.04 | -7.7 | -9.31 | |
| 1 | \$185.04 | \$134.78 | -50.26 | -27.16 | |
| | \$143.91 | \$80.56 | -63.35 | -44.02 | |
| | \$82.74 | \$75.04 | -7.7 | -9.31 | |
| 2 | \$226.65 | \$155.61 | -71.04 | -31.34 | |
| | \$332.43 | \$180.44 | -151.99 | -45.72 | |
| | \$82.74 | \$75.04 | -7.7 | -9.31 | |
| ['] 3 | \$415.17 | \$255.49 | -159.68 | -38.46 | |
| | | | | | |
| | \$16.93 | \$7.74 | -9.19 | -54.28 | |
| | \$88.44 | \$61.47 | -26.97 | -30.50 | |
| | \$146.77 | \$72.09 | -74.68 | -50.88 | |
| | \$1.38 | \$.7634 | -0.6166 | -44.68 | |
| 1 | \$253.52 | \$142.06 | -111.46 | -43.96 | |

Difference **Recurring Rates** AT&T WCOM BellSouth Proposed Dollar Percent Zone \$22.07 \$11.12 -10.95 -49.61% -30.50% \$88.44 \$61.47 -26.97\$146.77 \$72.09 -74.68 -50.88% \$1.38 \$.7634 -0.6166 -44.68% 2 \$258.66 \$145.44 -113.22 -43.77% \$52.48 -58.37% \$21.85 -30.63\$88.44 -30.50% \$61.47 -26.97 \$146.77 \$72.09 -74.68 -50.88% \$1.38 -44.68% \$.7634 -0.6166 \$289.07 -132.9 3 \$156.17 -45.98% 0 \$.1856 \$.1856 0.00% \$16.93 \$7.74 -9.19 -54.28% \$1.38 \$.7634 -0.6166 -44.68% 1 \$18.31 \$8.51 -9.8 -53.52% \$22.07 \$11.12 -10.95 -49.61% \$1.38 \$.7634 -44.68% -0.6166 2 \$23.45 \$11.88 -11.57 -49.34% \$52.48 \$21.85 -30.63 -58.37% \$1.38 \$.7634 -0.6166 -44.68% 3 \$53.86 \$22.61 -31.25 -58.02% \$29.92 \$15.25 -14.67 -49.03% \$88.44 \$61.47 -26.97 -30.50% \$146.77 \$72.09 -74.68 -50.88% -44.68% \$1.38 \$.7634 -0.6166 \$149.58 1 \$266.51 -116.93 -43.87% -47.60% -28.05 \$58.93 \$30.88 -30.50% \$88.44 \$61.47 -26.97 -74.68 -50.88% \$146.77 \$72.09 \$1.38 \$.7634 -0.6166 -44.68% -130.32 \$295.52 -44.10% 2 \$165.20 -50.74% -49.39 \$47.94 \$97.33

MENT 10

10 of 24

BFP ATT

| | : 1 |
|--------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| P.6-2 | Per Mile |
| | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile |
| | |
| P.6-3 | Additional 2W VG in same DS1 |
| | A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 |
| | A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card |
| | |
| | |
| | |
| | |
| | |
| | |
| | · ' |
| | |
| | |
| | |
| EXTENDED 4-W | IRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT |
| P.7-1 | First 4W VG in DS1 |
| | A.4.1 4-Wire Analog Voice Grade Loop |
| | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination |
| | A.18.1 Channelization - Channel System DS1 to DS0 |
| | A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card |
| | |
| | |
| | |
| | |
| | |

| | | Recurring Rates | | Difference | | |
|-----------|-------------|-----------------|-----------------|------------|-----------------|--|
| | • | - | AT&T WCOM | | | |
| | Zone | BellSouth | Proposed | Dollar | Percent | |
| | | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | _ | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| | 3 | \$333.92 | \$182.26 | -151.66 | -45.42% | |
| | ÷ | \$.1856 | \$.1856 | 0 | 0.00% | |
| | • | \$29.92 | \$ 15.25 | -14.67 | -49.03% | |
| • | • | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| | 1 | \$31.30 | \$16.02 | -15.28 | -48.82% | |
| | | \$58.93 | \$30.88 | -28.05 | -47.60% | |
| | • | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| • | 2 | \$60.31 | \$31.64 | -28.67 | -47.54% | |
| | | \$97.33 | \$47.94 | -49.39 | -50.74% | |
| | - | \$1.38 | \$.7634 | -0.6166 | -44 .68% | |
| | 3 | \$98.71 | \$48.70 | -50.01 | -50.66% | |
| TRANSPORT | | | | | | |
| į | | \$31.79 | \$16.24 | -15.55 | -48.91% | |
| | | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| | 1 | \$269.10 | \$151.17 | -117.93 | -43.82% | |
| | | \$49.17 | \$26.68 | -22.49 | -45.74% | |
| | | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| | 2 | \$286.48 | \$161.62 | -124.86 | -43.58% | |
| | · · · · · · | \$61.71 | \$29.78 | -31.93 | -51.74% | |
| | | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| | 3 | \$299.02 | \$164.71 | -134.31 | -44.92% | |
| | | | | | * : | |

| P.7-2 | Per Mile |
|-------|---|
| | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile |
| P.7-3 | Additional 4W VG in same DS1 |
| | A.4.1 4-Wire Analog Voice Grade Loop |
| • | A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | First 4W 56 / 64 in DS1 A.10.1 4-Wire 19, 56 or 64 Kbps Digital Grade Loop |
| | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card |

D.4,1/Interoffice Transport - Dedicated - DS1 - Per Mile

P.8-3 Additional 4W 56 / 64 in same DS1 A.10.1 4-Wire 19, 56 or 64 Kbps Digital Grade Loop A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card P.11 EXTENDED 4-WIRE DS1 DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT P.11-1 Fixed A.9.1 4-Wire DS1 Digital Loop D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination : 1 P.11-2 Per Mile D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile P.13 EXTENDED 4-WIRE DS1 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT P.13-1 First DS1 in DS3 A.9.1 4-Wire DS1 Digital Loop D.6.2 Interoffice Transport - Dedicated - DS3 - Facility Termination A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1

| | Recurring Rates Differe | | | nce | |
|------|-------------------------|---------------------|-------------------|------------------|--|
| - | | AT&T WCOM | | | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| | | | | | |
| | \$31.79 | \$16.24 | -15.55 | -48.919 | |
| | \$2.10 | \$1.37 | -0.73 | -34.769 | |
| 1 | \$33.89 | \$17.61 | -16.28 | -48.049 | |
| | \$49.17 | \$26.68 | -22.49 | -45.74 | |
| | \$2.10 | \$1.37 | -0.73 | -34.76 | |
| 2 | \$51.27 | \$28.06 | -23.21 | -45.279 | |
| | \$61.71 | + \$29.78 | -31.93 | -51.74 | |
| | \$2.10 | \$1.37 | -0.73 | -34.769 | |
| 3 | \$63.81 | \$31.15 | -32.66 | -51.189 | |
| | \$102.30 | \$59.74 | -42.56 | -41.60 | |
| | \$88.44 | \$61.47 | -26.97 | -30.50 | |
| ຸ 1 | \$190.74 | \$121.20 | -69.54 | -36.46 | |
| | \$143.91 | \$80.56 | -63.35 | -44.02 | |
| | \$88.44 | \$61.47 | -26.97 | -30.50 | |
| 2 | \$232.35 | \$142.03 | -90.32 | -38.87 | |
| | \$332.43 | \$180.44 | -151.99 | -45.72 | |
| | \$88.44 | \$61.47 | -26.97 | -30.50 | |
| 3 | \$420.87 | \$241.91 | -178.96 | -42.52 | |
| | \$.1856 | \$.1856 | . 0 | 0.00 | |
| | # 400.00 | #50.74 | 40.50 | 44.00 | |
| | \$102.30 \$1,071.31 | \$59.74 \$673.56 | -42.56 -397.75 | -41.60 -37.13 | |
| | \$1,071.31 \$211.19 | \$162.55 | -397.73 -48.64 | -23.03 | |
| , | \$13.76 | \$11.47 | -2.29 | -16.64 | |
| 1 | \$1,398.56 | \$907.32 | -491.24 | -35.12 | |
| | \$143.91 | \$80.56 | -63.35 | -44.02 | |
| | \$1,071.31 | \$673.56 | -397.75 | -37.13 | |
| | \$211.19 | \$162.55 | -48.64 | -23.03 | |
| | \$13.76 | \$11 <i>.</i> 47 | -2.29 | -16.64 | |

Difference

Recurring Rates

Unbundled Network Elements Recurring Cost Summary

P.15

| | | | | | AT&T WCOM | | |
|------------|--|----------|------|------------|------------|---------|---------|
| | 4. | | Zone | BellSouth | Proposed | Dollar | Percent |
| | | | · 2 | \$1,440.17 | \$928.14 | -512.03 | -35.55% |
| | . 1 | | | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | | , 1 | | \$1,071.31 | \$673.56 | -397.75 | -37.13% |
| | | 1 | | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | | | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | | 9 | 3 | \$1,628.69 | \$1,028.02 | -600.67 | -36.88% |
| P.13-2 | Per Mile | | | | | | |
| | D.6.1 Interoffice Transport - Dedicated - DS3 - Per Mile | | | \$3.87 | \$3.87 | 0 | 0.00% |
| P.13-3 | Additional DS1 in same DS3 | • | | • | | | |
| | A.9.1 4-Wire DS1 Digital Loop | | | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | A.18.6 Interface Unit - Interface DS3 to DS1 | | • | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | | | 1 | \$116.06 | \$71.21 | -44.85 | -38.64% |
| | } | | | \$143.91 | \$80.56 | -63.35 | -44.02% |
| | | | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | | | 2 | \$157.67 | \$92.03 | -65.64 | -41.63% |
| | Å | | | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | , e | | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | | | 3 | \$346.20 | \$191.92 | -154.28 | -44.56% |
| 4-WIRE DS1 | DIGITAL LOOP WITH DDITS PORT | | | | | | |
| P.15 | 4-Wire DS1 Digital Loop with DDITS Port | 、 | | | | | |
| | A.9.1 4-Wire DS1 Digital Loop | | | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | B.1.4 Exchange Ports - DDITS Port | | | \$54.95 | \$49.59 | -5.36 | -9.75% |
| | | | 1 | \$157.25 | \$109.33 | -47.92 | -30.47% |
| | | | | \$143.91 | \$80.56 | -63.35 | -44.02% |
| | | | | \$54.95 | \$49.59 | -5.36 | -9.75% |
| | | | 2 | \$198.86 | \$130.15 | -68.71 | -34.55% |
| | | | | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | | | | \$54.95 | \$49.59 | -5.36 | -9.75% |
| | | | 3 | \$387.38 | \$230.03 | -157.35 | -40.62% |
| 2-WIRE LOO | P/ 2 WIRE VOICE GRADE IO TRANSPORT/ 2 WIRE PORT | | | | | | |
| P.16-1 | Fixed | | | | | | |
| | A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 | | | \$16.93 | \$7.74 | -9.19 | -54.28% |
| | D.2.2 Interoffice Transport - Dedicated - 2- Wire Voice Grade - Facility Termination | | | \$25.32 | \$15.33 | -9.99 | -39.45% |
| | B.1.1 Exchange Ports - 2-Wire Analog Line Port (Res., Bus., Centrex, Coin) | | | \$1.40 | \$1.29 | -0.11 | -7.86% |

P.16-2 Per Mile D.2.1 Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile EXTENDED 2-WIRE VOICE GRADE LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT P.23-1 Fixed A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 D.2.2 Interoffice Transport - Dedicated - 2- Wire Voice Grade - Facility Termination P.23-2 Per Mile D.2.1 Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile EXTENDED 4-WIRE VOICE GRADE LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT P.24-1 Fixed A.4.1 4-Wire Analog Voice Grade Loop D.12.2 Interoffice Transport - Dedicated - 4-Wire Voice Grade - Facility Termination

P.23

P.24

BFP ATTT/ MENT 10 F 14 of 24

| | Recurri | ng Rates | nce | |
|------|-----------|-----------------|--------|---------|
| • | | AT&T WCOM | | |
| Zone | BellSouth | Proposed | Dollar | Percent |
| 1 | \$43.66 | \$24.36 | -19.3 | -44.21% |
| | \$22.07 | \$11.12 | -10.95 | -49.61% |
| | \$25.32 | \$15.33 | -9.99 | -39.45% |
| | \$1.40 | \$1.29 | -0.11 | -7.86% |
| 2 | \$48.80 | \$27.73 | -21.07 | -43.18% |
| | \$52.48 | \$21.85 | -30.63 | -58.37% |
| | \$25.32 | \$1 5.33 | -9.99 | -39.45% |
| | \$1.40 | \$1.29 | -0.11 | -7.86% |
| 3 | \$79.21 | \$38.46 | -40.75 | -51.45% |
| | \$.0091 | \$.0091 | 0 | 0.00% |
| | • | | | |
| r | \$16.93 | \$7.74 | -9.19 | -54.28% |
| | \$25.32 | \$15.33 | -9.99 | -39.45% |
| 1 | \$42.25 | \$23.08 | -19.17 | -45.37% |
| | \$22.07 | \$11.12 | -10.95 | -49.61% |
| _ | \$25.32 | \$15.33 | -9.99 | -39.45% |
| 2 | \$47.40 | \$26.45 | -20.95 | -44.20% |
| | \$52.48 | \$21.85 | -30.63 | -58.37% |
| | \$25.32 | \$15.33 | -9.99 | -39.45% |
| 3 | \$77.80 | \$37.18 | -40.62 | -52.21% |
| | | | | |
| | \$.0091 | \$.0091 | 0 | 0.00% |
| | | | | |
| 1 | \$29.92 | \$15.25 | -14.67 | -49.03% |
| | \$22.58 | \$13.01 | -9.57 | -42.38% |
| 1 | \$52.49 | \$28.26 | -24.23 | -46.16% |
| | \$58.93 | \$30.88 | -28.05 | -47.60% |
| | \$22.58 | \$13.01 | -9.57 | -42.38% |
| ' 2 | \$81.51 | \$43.89 | -37.62 | -46.15% |
| | \$97.33 | \$47.94 | -49.39 | -50.74% |

| | | i. |
|------|-------------|---|
| P. | .24-2 | Per Mile |
| | | D.12.1 Interoffice Transport - Dedicated - 4-Wire Voice Grade - Per Mile |
| E | XTENDED DS3 | DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT |
| P. | .25-1 | Fixed |
| | | A.16.1 High Capacity Unbundled Local Loop - DS3 - Facility Termination D.6.2 Interoffice Transport - Dedicated - DS3 - Facility Termination |
| . P. | 25-2 | Per Mile - Interoffice |
| | | D.6.1 Interoffice Transport - Dedicated - DS3 - Per Mile |
| Ρ. | 25-3 | Per Mile - DS3 Loop |
| | | A.16.2 High Capacity Unbundled Local Loop - DS3 - Per Mile |
| E | KTENDED STS | 1 DIGITAL LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT |
| P. | 26-1 | Fixed |
| | | A.16.15 High Capacity Unbundled Local Loop - STS-1 - Facility Termination D.10.2 Interoffice Transport - Dedicated - STS-1 - Facility Termination |
| P. | 26-2 | Per Mile - Interoffice |
| | | D.10.1 Interoffice Transport - Dedicated - STS-1 - Per Mile |
| P. | 26-3 | Per Mile - Loop |
| | | A.16.16 High Capacity Unbundled Local Loop - STS-1 - Per Mile |
| 4- | WIRE DS1 LO | OP WITH CHANNELIZATION WITH PORT |
| P. | 50.VG-1 | First Voice Grade in DS1 |
| | | A.9.1 4-Wire DS1 Digital Loop |
| | | B.1.1 Exchange Ports - 2-Wire Analog Line Port (Res., Bus., Centrex, Coin) |
| | | Q.1.1 D4 Channel Bank Inside CO - System |
| | | Q.1.4 Unbundled Loop Concentration - POTS Card |
| | | 1 |

FLORIDA DOCKET 990649-TP BFP ATTT // MENT 10 } ___ 15 of 24

| | Recurri | ng Rates | Differe | nce |
|------|---|---|-------------------------------------|---|
| | | AT&T WCOM | | |
| Zone | BellSouth | Proposed | Dollar | Percent |
| | \$22.58 | \$13.01 | -9.57 | -42.38% |
| 3 . | \$119.91 | \$60.94 | -58.97 | -49.18% |
| | \$.0091 | \$.0091 | 0 | 0.00% |
| | \$386.88 \$1,071.31 \$1,458.19 | \$308.53 \$673.56 \$982.08 | -78.35 -397.75 -476.11 | -20.25% -37.13% -32.65% |
| | \$3.87 | \$3.87 | -476.11 | 0.00% |
| | \$10.92 | \$10.92 | 0 | 0.00% |
| ! | \$426.60 \$1,056.07 \$1,482.67 | \$347.67 \$645.04 \$992.71 | -78.93 -411.03 -489.96 | -18.50% -38.92% -33.05% |
| | \$3.87 | \$3.87 | 0 | 0.00% |
| | \$10.92 | \$10.92 | . 0 | 0.00% |
| · | \$102.30 \$1.40 \$118.06 \$.6402 | \$59.74 \$1.29 \$43.38 \$.5422 | -42.56 -0.11 -74.68 -0.098 | -41.60% -7.86% -63.26% -15.31% |
| 1 | \$222.40 | \$104.94 | -117.46 | -52.81% |
| | \$143.91 \$1.40 \$118.06 \$.6402 | \$80.56 \$1.29 \$43.38 \$.5422 | -63.35 -0.11 -74.68 -0.098 | -44.02% -7.86% -63.26% -15.31% |
| 2 | \$264.01 | \$125.77 | -138.24 | -52.36% |

| | • | | | Recurring Rates | | Difference | |
|-------------|--|---|------|--------------------|----------------|------------|----------------------------|
| | | | | | AT&T WCOM | | |
| | ÷ 1 | | Zone | BellSouth | Proposed | Dollar | Percent |
| | | | | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | | | | \$1.40 | \$1.29 | -0.11 | -7.86% |
| | | | | \$1.40 \$118.06 | \$43.38 | -74.68 | -63.26% |
| | , | | r | \$.6402 | \$.5422 | -0.098 | -05.20% -15.31% |
| | • | | 3 | \$452.53 | \$225.65 | -226.88 | -13.31 <i>%</i> -50.14% |
| | | | | • | V | | |
| P.50.VG-2 | Additional Voice Grade in same DS1 | | | #4.40 | \$4.00 | 0.44 | 7.000/ |
| | B.1.1 Exchange Ports - 2-Wire Analog Line Port (Res., Bus., Centrex, Coin) | | | \$1.40 | \$1.29 | -0.11 | -7.86% |
| | Q.1.4 Unbundled Loop Concentration - POTS Card | | | \$.6402 | \$.5422 | -0.098 | -15.31% |
| | | | | \$2.04 | \$1.83 | -0.21 | -10.29% |
| P.50.DID-1 | First 2-Wire DID in DS1 | 1 | | | | | |
| | A.9.1 4-Wire DS1 Digital Loop | | | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | B.1.3 Exchange Ports - 2-Wire DID Port | | | \$8.73 | \$4.75 | -3.98 | -45.59% |
| | Q.1.1 D4 Channel Bank Inside CO - System | | | \$118.06 | \$43.38 | -74.68 | -63.26% |
| | Q.1.4 Unbundled Loop Concentration - POTS Card | | | \$.6402 | \$.5422 | -0.098 | -15.31% |
| | | | 1 | \$229.73 | \$108.41 | -121.32 | -52.81% |
| | | | | \$143.91 | \$80.56 | -63.35 | -44.02% |
| | | | | \$8.73 | \$4.75 | -3.98 | -45.59% |
| | | | | \$118.06 | \$43.38 | -74.68 | -63.26% |
| | | | | \$.6402 | \$.5422 | -0.098 | -15.31% |
| | 1 | | . 2 | \$271.34 | \$129.24 | -142.1 | -52.37% |
| | · | | 2 | Φ271.34 | \$129.24 | -142.1 | -32.31% |
| | | | • | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | | | | \$8.73 | \$4.75 | -3.98 | -45.59% |
| | | | | \$118.06 | \$43.38 | -74.68 | -63.26% |
| | , | | | \$.6402 | \$.5422 | -0.098 | -15.31% |
| | .' | | 3 | \$459.86 | \$229.12 | -230.74 | -50.18% |
| P.50.DID-2 | Additional 2-Wire DID in same DS1 | | | | | | |
| 1.00.010-2 | B.1.3 Exchange Ports - 2-Wire DID Port | | | \$8.73 | \$4.75 | -3.98 | -45.59% |
| | Q.1.4 Unbundled Loop Concentration - POTS Card | | | \$.6402 | \$.5422 | -0.098 | -15.31% |
| | Q. 1.4 Onbunuled Loop Concentiation -1 O13 Card | | • | \$9.37 | \$5.29 | -4.08 | -43.54% |
| | | • | | ψ5.57 | ψ5.25 | 4.00 | 10.0170 |
| P.50.ISDN-1 | First ISDN in DS1 | | | \$ 400.00 | 0 50 74 | 40.50 | 44.000/ |
| | A.9.1 4-Wire DS1 Digital Loop | | | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | B.1.5 Exchange Ports - 2-Wire ISDN Port | | | \$8.83 | \$8.09 | -0.74 | -8.38%` |
| | Q.1.1 D4 Channel Bank Inside CO - System | | | \$118.06 | \$43.38 | -74.68 | -63.26% |
| | Q.1.3 Unbundled Loop Concentration - ISDN (Brite Card) | | | \$2.92 | \$2.47 | -0.45 | -15.41% |
| | | | 1 | \$232.11 | \$113.68 | -118.43 | -51.02% |
| | | | | | ı | | |

FLORIDA DOCKE 1 990649-1P BFP ATTT MENT 10 1 = 17 of 24

| | Recurring Rates | | Difference | | |
|---------|-------------------|------------------|----------------|-------------------|--|
| | D - 110 41- | AT&T WCOM | Dallas | Danasas | |
| Zone · | BellSouth | Proposed | Dollar | Percent | |
| | \$143.91 | \$80.56 | -63.35 | -44.02% | |
| | \$8.83 | \$8.09 | -0.74 | -8.38% | |
| | \$118.06 | \$43.38 | -74.68 | -63.26% | |
| | \$2.92 | \$2.47 | -0.45 | -15.419 | |
| 2 | \$273.72 | \$134.50 | -139.22 | -50.86% | |
| | \$332.43 | \$180.44 | -151.99 | -45.72% | |
| | \$8.83 | \$8.09 | -0.74 | -8.38% | |
| | \$118.06 | \$43.38 | -74.68 | -63.26% | |
| | \$2.92 | \$2.47 | -0.45 | -15.419 | |
| 3 | \$462.24 | \$234.39 | -227.85 | -49.29% | |
| | . ¢ o oo | · | 0.74 | 0 200 | |
| | \$8.83 \$2.92 | \$8.09 \$2.47 | -0.74 -0.45 | -8.38% -15.41% | |
| | \$2.92 \$11.75 | \$10.56 | -1.19 | -10.139 | |
| | Ψ11.70 | Ψ10.00 | 1.10 | 10.107 | |
| | \$25.17 | \$15.11 | -10.06 | -39.97% | |
| | \$88.44 | \$61.47 | -26.97 | -30.509 | |
| | \$146.77 | \$72.09 | -74.68 | -50.889 | |
| | \$3.66 | \$2.70 | -0.96 | -26.23° | |
| 1 | \$264.05 | \$151.37 | -112.68 | -42.679 | |
| | \$35.23 | \$20.65 | -14.58 | -41.399 | |
| 1 | \$88.44 | \$61.47 | -26.97 | -30.509 | |
| 1 | \$146.77 | \$72.09 | -74.68 | -50.889 | |
| | \$3.66 | \$2.70 | -0.96 | -26.239 | |
| 2 | \$274.10 | \$156.90 | -117.2 | -42.76° | |
| | \$67.25 | \$34.89 | -32.36 | -48.129 | |
| | \$88.44 | \$61.47 | -26.97 | -30.509 | |
| | \$146.77 | \$72.09 | -74.68 | -50.889 | |
| | \$3.66 | \$2.70 | -0.96 | -26.239 | |
| 3 | \$306.12 | \$171.15 | -134.97 | -44.09° | |
| | \$.1856 | \$.1856 | 0 | 0.00 | |
| | \$25.17 | \$15.11 | -10.06 | -39.979 | |
| | | | | | |

| EXTENDED 2-W P.51-1 | IRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT First 2-Wire ISDN in DS1 A.5.1 2-Wire ISDN Digital Grade Loop |
|-------------------------------|---|
| P.51-1 | |
| | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination |
| | A.18.1 Channelization - Channel System DS1 to DS0 A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card |
| | |
| | • |
| | . 1 |
| | • |
| | |
| P.51-2 | Per Mile |
| | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile |
| P.51-3 | Additional 2-wire IDSN in same DS1 A.5.1 2-Wire ISDN Digital Grade Loop |
| | A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card |

| | Recurr | ing Rates | Differe | nce |
|------|------------|--------------------|--------------|---------|
| | | AT&T WCOM | | |
| Zone | BellSouth | Proposed | Dollar | Percent |
| 1 | \$28.84 | \$17.81 | -11.03 | -38.25% |
| | \$35.23 | \$20.65 | -14.58 | -41.39% |
| | \$3.66 | \$2.70 | -0.96 | -26.23% |
| 2 | \$38.89 | \$23.35 | -15.54 | -39.96% |
| | \$67.25 | \$34.89 | -32.36 | -48.12% |
| | \$3.66 | \$2.70 | -0.96 | -26.23% |
| 3 | \$70.91 | \$37.59 | -33.32 | -46.99% |
| | | • | • | |
| | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | \$1,056.07 | \$645.04 | -411.03 | -38.92% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| 1 | \$1,383.33 | \$878.80 | -504.53 | -36.47% |
| | \$143.91 | \$80.56 | -63.35 | -44.02% |
| • | \$1,056.07 | \$645.04 | -411.03 | -38.92% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| 2 | \$1,424.94 | \$899.62 | -525.32 | -36.87% |
| | \$332.43 | \$180.44 | -151.99 | -45.72% |
| | \$1,056.07 | \$645.04 | -411.03 | -38.92% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| , | \$1,613.46 | \$999.51 | -613.95 · | -38.05% |
| | \$3.87 | \$3.8 ⁷ | 0 | 0.00% |
| | \$102.30 | \$59.74 | -42.56 | -41.60% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| 1 | \$116.06 | \$71.21 | -44.85 | -38.64% |
| | \$143.91 | \$80.56 | -63.35 | -44.02% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| 2 | \$157.67 | \$92.03 | -65.64 | -41.63% |
| | | | | |

| XTENDED | 4-WIRE DS1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT | | | |
|---------|---|--|--|--|
| 2.52-1 | First in DS1 in STS1 | | | |
| | A.9.1 4-Wire DS1 Digital Loop | | | |
| | D.10.2 Interoffice Transport - Dedicated - STS-1 - Facility Termination A.18.5 Channelization - Channel System DS3 to DS1 | | | |
| | | | | |
| | A.18.6 Interface Unit - Interface DS3 to DS1 | | | |
| | | | | |
| | | | | |
| | , | | | |
| | • | | | |
| | × . | | | |
| | i e | | | |
| | | | | |
| | | | | |
| | Α, | | | |
| | | | | |
| | | | | |
| | | | | |
| | 5 | | | |
| 2.52-2 | Per Mile | | | |
| | D.10.1 Interoffice Transport - Dedicated - STS-1 - Per Mile | | | |
| 2.52-3 | Additional DS1 in same STS1 | | | |
| | A.9.1 4-Wire DS1 Digital Loop | | | |
| | A.18.6 Interface Unit - Interface DS3 to DS1 | | | |

| P.53 | EXTENDED 2 | -WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX | | | |
|------|------------|---|--|--|--|
| | P.53-1 | First 2-Wire VG in First DS1 in DS3 | | | |
| | | A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 | | | |
| | | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination | | | |
| | | A.18.5 Channelization - Channel System DS3 to DS1 | | | |
| | | A.18.6 Interface Unit - Interface DS3 to DS1 | | | |
| | | A.18.1 Channelization - Channel System DS1 to DS0 A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card | | | |
| | • | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | • | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ** | | | | | |
| | | • | | | |
| | | | | | |
| | | . 1 | | | |
| | | , | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | P.53-2 | Per Mile per DS1 | | | |
| | | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile | | | |
| | | | | | |
| | P.53-3 | Additional 2-Wire VG in same DS1 | | | |
| | | A.1.2 2-Wire Analog Voice Grade Loop - Service Level 2 | | | |
| | | A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | |
| | | | | | |

BFP ATTT MENT 10

| | Recurring | Rates | Difference | |
|------|-----------------|-----------|------------|---------|
| | | AT&T WCOM | | |
| Zone | BellSouth | Proposed | Dollar | Percent |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| 3 | \$346.20 | \$191.92 | -154.28 | -44.56% |
| | \$ 16.93 | \$7.74 | -9.19 | -54.28% |
| | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| 1 | \$478.48 | \$316.09 | -162.39 | -33.94% |
| | \$22.07 | \$11.12 | -10.95 | -49.61% |
| | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | \$146.77 | \$72.09 | -74.68 | -50.88% |
| _ | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| 2 | \$483.62 | \$319.46 | -164.16 | -33.94% |
| | \$52.48 | \$21.85 | -30.63 | -58.37% |
| | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| 3 | \$514.02 | \$330.19 | -183.83 | -35.76% |
| | \$.1856 | \$.1856 | 0 | 0.00% |
| | \$16.93 | \$7.74 | -9.19 | -54.28% |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| 1 | \$18.31 | \$8.51 | -9.8 | -53.52% |
| | \$22.07 | \$11.12 | -10.95 | -49.61% |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| .2 | \$23.45 | \$11.88 | -11.57 | -49.34% |
| | \$52.48 | \$21.85 | -30.63 | -58.37% |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% |

P.53-4 Additional DS1 in same DS3 D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.1 Channelization - Channel System DS1 to DS0 A.18.6 Interface Unit - Interface DS3 to DS1 2.54 EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX P.54-1 First 4-Wire VG in First DS1 in DS3 A.4.1 4-Wire Analog Voice Grade Loop D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 A.18.1 Channelization - Channel System DS1 to DS0 A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card P.54-2 Per Mile per DS1 D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile Additional 4-Wire VG in same DS1 P.54-3 A.4.1 4-Wire Analog Voice Grade Loop A.18.4 Interface Unit - Interface DS1 to DS0 - Voice Grade Card

'MENT 10 20 of 24

| | Recurring Rates | | Difference | | |
|--------|------------------|----------|------------|---------|--|
| | AT&T WCOM | | | | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| 3 | \$53.86 | \$22.61 | -31.25 | -58.02% | |
| | | | | | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| • | \$248.97 | \$145.03 | -103.94 | -41.75% | |
| | | | | | |
| r , | | | | | |
| | \$29.92 | \$15.25 | -14.67 | -49.03% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| _ | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| 1 | \$491.46 | \$323.60 | -167.86 | -34.16% | |
| | \$58.93 | \$30.88 | -28.05 | -47.60% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| • | \$ 211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| 2 | \$520.48 | \$339.22 | -181.26 | -34.83% | |
| | \$97.33 | \$47.94 | -49.39 | -50.74% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| 3 | \$558.88 | \$356.28 | -202.6 | -36.25% | |
| | | 1: | | | |
| • | \$.1856 | \$.1856 | 0 | 0.00% | |
| | | | | ٧. | |
| | \$29.92 | \$15.25 | -14.67 | -49.03% | |
| | \$1.38 | \$.7634 | -0.6166 | -44.68% | |
| 1 | \$31.30 | \$16.02 | -15.28 | -48.82% | |
| | \$58.93 | \$30.88 | -28.05 | -47.60% | |
| | | | | | |

P.55

Additional 4-Wire in same DS1

P.55-3

| | | , | Recurring Rates | | Difference | |
|-------------|--|------|---------------------|---------------------|--------------------------|----------------------------|
| | | | | AT&T WCOM | | |
| | | Zone | BellSouth | Proposed | Dollar | Percent |
| | | | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| | | 2 . | \$60.31 | \$31.64 | -28.67 | -47.54% |
| | | | | | | |
| | | | \$97.33 | \$47.94 | -49.39 | -50.74% |
| | 4 | | \$1.38 | \$.7634 | -0.6166 | -44.68% |
| | | 3 | \$98.71 | \$48.70 | -50.01 | -50.66% |
| | 1 | | | | | X+ |
| P.54-4 | Additional DS1 in same DS3 | | | | | |
| | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination | | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | A.18.1 Channelization - Channel System DS1 to DS0 | | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | A.18.6 Interface Unit - Interface DS3 to DS1 | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| • | | | \$248.97 | \$145.03 | -103.94 | -41.75% |
| EXTENDED 4- | -WIRE 56 OR 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX | | | | | |
| P.55-1 | First 4-Wire in First DS1 in DS3 | | | | | |
| | A.10.1 4-Wire 19, 56 or 64 Kbps Digital Grade Loop | | \$31.79 | \$16.24 | -15.55 | -48.91% |
| | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination | | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | A.18.5 Channelization - Channel System DS3 to DS1 | | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | A.18.6 Interface Unit - Interface DS3 to DS1 | , | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | A.18.1 Channelization - Channel System DS1 to DS0 | | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card | , | \$2.10 | \$1.37 | -0.73 | -34.76% |
| | . 1 | 1 | \$494.05 | \$325.19 | -168.86 | -34.18% |
| | • | | \$49.17 | \$26.68 | -22.49 | -45.74% |
| | | | \$88.44 | \$61.47 | -26.97 | -30.50% |
| | | | \$211.19 | \$162.55 | -48.64 | -23.03% |
| | | | \$13.76 | \$11.47 | -2.29 | -16.64% |
| | | | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | | | \$2.10 | \$1.37 | -0.73 | -34.76% |
| | | 2 | \$511.44 | \$335.64 | -175.8 | -34.37% |
| | | | C C4 74 | 6 20.70 | -31.93 | -51.74% |
| | | | \$61.71 \$88.44 | \$29.78 \$61.47 | -31.93 -26.97 | -31.74% -30.50% |
| | | | \$88.44 \$211.19 | \$162.55 | -20.9 <i>1</i> -48.64 | -30.30% |
| | | | \$211.19 \$13.76 | \$102.55 \$11.47 | -40.04 | -25.03 <i>%</i> -16.64% |
| | t . | | \$146.77 | \$72.09 | -74.68 | -50.88% |
| | | 4 | \$2.10 | \$1.37 | -0.73 | -34.76% |
| | · · · · · · · · · · · · · · · · · · · | 3 | \$523.98 | \$338.73 | -185.25 | -35.35% |
| | | - | , | | | |
| P.55-2 | Per Mile per DS1 | | \$.1856 | \$.1856 | 0 | 0.00% |
| | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile | | ψ.1050 | ψ. 1000 | Ü | 2,5270 |

A.10.1 4-Wire 19, 56 or 64 Kbps Digital Grade Loop
A.18.2 Interface Unit - Interface DS1 to DS0 - OCU-DP Card

P.55-4 Additional DS1 in same DS3
D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination
A.18.1 Channelization - Channel System DS1 to DS0
A.18.6 Interface Unit - Interface DS3 to DS1

2.56 EXTENDED LOOP 2-WIRE ISDN WITH DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX

P.56-1

First 2-Wire in First DS1 in DS3

A.5.1 2-Wire ISDN Digital Grade Loop

D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination

A.18.5 Channelization - Channel System DS3 to DS1

A.18.6 Interface Unit - Interface DS3 to DS1

A.18.1 Channelization - Channel System DS1 to DS0

A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card

BFP ATTT/ \ \ 1ENT 10 \ \ \ \ \ \ 22 of 24

| | Recurrir | ng Rates | Difference | | |
|------|-----------------|-----------|------------|---------|--|
| • | | AT&T WCOM | | | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| 110 | \$31.79 | \$16.24 | -15.55 | -48.91% | |
| | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| 1 | \$33.89 | \$17.61 | -16.28 | -48.04% | |
| | \$49.17 | \$26.68 | -22.49 | -45.74% | |
| | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| 2 | \$51.27 | \$28.06 | -23.21 | -45.27% | |
| | \$61.71 | \$29.78 | -31.93 | -51.74% | |
| | \$2.10 | \$1.37 | -0.73 | -34.76% | |
| 3 | \$63.81 | \$31.15 | -32.66 | -51.18% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$248.97 | \$145.03 | -103.94 | -41.75% | |
| | | | | | |
| | \$25.17 | \$15.11 | -10.06 | -39.97% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| • | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| 1 | \$489.00 | \$325.39 | -163.61 | -33.46% | |
| | \$35.23 | \$20.65 | -14.58 | -41.39% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| 2 | \$499.05 | \$330.93 | -168.12 | -33.69% | |
| | \$67.25 | \$34.89 | -32.36 | -48.12% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| . 3 | \$531.08 | \$345.17 | -185.91 | -35.01% | |

| Additional 2-Wire in same DS1 A.5.1 2-Wire ISDN Digital Grade Loop A.18.3 Interface Unit - Interface DS1 to DS0 - BRITE Card |
|---|
| |
| |
| |
| : I |
| Additional DS1 in same DS3 D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.1 Channelization - Channel System DS1 to DS0 A.18.6 Interface Unit - Interface DS3 to DS1 |
| IRE DS1 DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX |
| First 4-Wire DS1 in DS3 A.9.1 4-Wire DS1 Digital Loop D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination A.18.5 Channelization - Channel System DS3 to DS1 A.18.6 Interface Unit - Interface DS3 to DS1 |
| |

P.57

FLORIDA DOCKET 990649-TP BFP ATT' MENT 10 ± 23 of 24

| | Recurring Rates | | Difference | | |
|------|-----------------|-----------------------|------------|---------|--|
| • | | AT&T WCOM | | | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| | | | | | |
| • | \$.1856 | \$.1856 | 0 | 0.00% | |
| | \$25.17 | \$15.11 | -10.06 | -39.97% | |
| | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| . 1 | \$28.84 | \$17.81 | -11.03 | -38.25% | |
| , | \$35.23 | \$20.65 | -14.58 | -41.39% | |
| • | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| 2 | \$38.89 | \$23.35 | -15.54 | -39.96% | |
| • | \$67.25 | \$34.89 | -32.36 | -48.12% | |
| , | \$3.66 | \$2.70 | -0.96 | -26.23% | |
| 3 | \$70.91 | \$37.59 | -33.32 | -46.99% | |
| | | | | | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$146.77 | \$72.09 | -74.68 | -50.88% | |
| _ | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$248.97 | \$145.03 | -103.94 | -41.75% | |
| | | | | | |
| | \$102.30 | \$59.74 | -42.56 | -41.60% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| , | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| 1 | \$415.69 | \$295.22 | -120.47 | -28.98% | |
| | \$143.91 | \$80.56 | -63.35 | -44.02% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| _ | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| 2 | \$457.30 | \$316.05 | -141.25 | -30.89% | |
| | \$332.43 | \$180.44 | -151.99 | -45.72% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| | \$211.19 | \$162.55 | -48.64 | -23.03% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| 3 | \$645.83 | \$415.93 | -229.9 | -35.60% | |

| | P.57-2 | Per Mile per DS1 | | | | |
|------|---|--|--|--|--|--|
| | | D.4.1 Interoffice Transport - Dedicated - DS1 - Per Mile | | | | |
| | P.57-3 | Additional 4-Wire DS1 in same DS3 | | | | |
| | | A.9.1 4-Wire DS1 Digital Loop | | | | |
| | | A.18.6 Interface Unit - Interface DS3 to DS1 | | | | |
| | | D.4.2 Interoffice Transport - Dedicated - DS1 - Facility Termination | | | | |
| | | , | | | | |
| | | | | | | |
| | | | | | | |
| | , | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| P.58 | EXTENDED 4-WIRE 56 OR 64 KBPS DIGITAL LOOP WITH DS0 INTEROFFICE TRANSPORT | | | | | |
| | P.58-1 | Fixed | | | | |
| | | A.10.1 4-Wire 19, 56 or 64 Kbps Digital Grade Loop | | | | |
| | | D.3.2 Interoffice Transport - Dedicated - DS0 - Facility Termination | | | | |
| | | , | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | I | | | | |
| | | | | | | |
| | P.58-2 | Per Mile | | | | |
| | 1 .30-2 | D.3.1 Interoffice Transport - Dedicated - DS0 - Per Mile | | | | |
| | | D.S. I Intervince Transport - Dedicated - DOC - Let while | | | | |
| | | | | | | |

* The necessary RService Report was not provided for this element.

BFP ATT IMENT 10

ge 24 of 24

| | Recurring Rates | | Difference | | |
|------|-----------------|-------------------------|------------|---------|--|
| • | AT&T WC | | | - | |
| Zone | BellSouth | Proposed | Dollar | Percent | |
| | \$.1856 | \$.1856 | 0 | 0.00% | |
| | \$102.30 | \$59.74 | -42.56 | -41.60% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| 1 | \$204.50 | \$132.67 | -71.83 | -35.12% | |
| | \$143.91 | \$80.56 | -63.35 | -44.02% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| | \$88.44 | \$61.47 | -26.97 | -30.50% | |
| 2 | \$246.11 | \$153.50 | -92.61 | -37.63% | |
| | \$332.43 | \$180.44 | -151.99 | -45.72% | |
| | \$13.76 | \$11.47 | -2.29 | -16.64% | |
| _ | \$88.44 | \$ 61. 47 | -26.97 | -30.50% | |
| ₹3 | \$434.64 | \$253.38 | -181.26 | -41.70% | |
| | | | | | |
| | \$31.79 | \$16.24 | -15.55 | -48.91% | |
| | \$18.44 | \$ 9. 51 | -8.93 | -48.43% | |
| 1 | \$50.23 | \$25.75 | -24.48 | -48.74% | |
| | \$49.17 | \$26.68 | -22.49 | -45.74% | |
| | \$18.44 | \$9.51 | -8.93 | -48.43% | |
| 2 | \$67.61 | \$36.19 | -31.42 | -46.47% | |
| | \$61.71 | \$29.78 | -31.93 | -51.74% | |
| | \$18.44 | \$9.51 | -8.93 | -48.43% | |
| 3 | \$80.15 | \$39.28 | -40.87 | -50.99% | |
| | \$.0091 | \$.0091 | 0 | 0.00% | |

1: