

VOTE SHEET

MAY 21, 2002

RE: Docket No. 970409-SU - Initiation of limited proceeding to restructure wastewater rates for Florida Water Service Corporation's Tropical Isles service area in St. Lucie County.

Docket No. 011634-SU - Application by Florida Water Services Corporation for transfer of facilities and attendant assets of Tropical Isles Wastewater Plant to Tropical Isles Utilities Corporation, a Florida not-for-profit corporation, and for cancellation of Certificate No. 482-S in St. Lucie County.

ISSUE 1: Should the transfer of facilities and attendant assets of Florida Water Services Corporation's Tropical Isles Wastewater Plant to Tropical Isles Utilities Corporation be approved?

RECOMMENDATION: Yes. The transfer to Tropical Isles Utilities Corporation, an exempt entity pursuant to Section 367.022(7), Florida Statutes, should be approved and Certificate No. 482-S should be cancelled effective July 16, 2001. Tropical Isles Utilities Corporation, or any

COMMISSIONERS ASSIGNED: Full Commission

COMMISSIONERS' SIGNATURES

MAJORITY

DISSENTING

[Handwritten signatures of majority commissioners]

REMARKS/DISSENTING COMMENTS:

DOCUMENT NUMBER-DATE

05438 MAY 22 08

FPSC-COMMISSION CLERK

VOTE SHEET

MAY 21, 2002

Docket No. 970409-SU - Initiation of limited proceeding to restructure wastewater rates for Florida Water Service Corporation's Tropical Isles service area in St. Lucie County.

Docket No. 011634-SU - Application by Florida Water Services Corporation for transfer of facilities and attendant assets of Tropical Isles Wastewater Plant to Tropical Isles Utilities Corporation, a Florida not-for-profit corporation, and for cancellation of Certificate No. 482-S in St. Lucie County.

(Continued from previous page)

successors in interest, should be put on notice that if there is a change in circumstance or method of operation which causes it to no longer qualify for exemption pursuant to Section 367.022, Florida Statutes, it should inform the Commission.

APPROVED

ISSUE 2: Should Docket No. 970409-SU and Docket No. 011634-SU be closed?

RECOMMENDATION: Yes. No further action is required in Dockets Nos.

970409-SU and 011634-SU. Therefore, Dockets Nos. 970409-SU and 011634-SU should be closed.

APPROVED