ORIGINAL



BellSouth Telecommunications, Inc.

Suite 400

150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

030320 - TP

April 4, 2003

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, Unbundling, Resale, and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and AT&T Communications of The Southern States, LLC d/b/a AT&T

Dear Mrs. Bayo:

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale, and Collocation Agreement with AT&T Communications of The Southern States, LLC d/b/a AT&T.

If you have any questions, please do not hesitate to call Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

M. Cricer I

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER - CATE

03205 APR-48

FPSC-COMMISSION CLERK

FIFTH AMENDMENT TO THE

AGREEMENT BETWEEN

AT&T COMMUNICATIONS OF THE SOUTHERN STATES, LLC D/B/A AT&T AND

BELLSOUTH TELECOMMUNICATIONS, INC. FLORIDA DATED OCTOBER 26, 2001

Pursuant to this Amendment, (the "Amendment"), AT&T Communications of the Southern States, LLC d/b/a AT&T ("AT&T"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated October 26, 2001("Agreement").

WHEREAS, BellSouth and AT&T entered into the Agreement on October 26, 2001, and;

WHEREAS, BellSouth made available the Loop and Port Combination rates from the Statements of Generally Available Terms and Conditions dated September 11, 2002 for the state of Florida, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete the Loop and Port Combination cost based rates in their entirety and replace with the rates as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated October 26, 2001, shall remain in full force and effect.
- 3. This Amendment is made effective the date of the last signature of both Parties.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

TCG South Florida	BellSouth Telecommunications, Inc.
By: Gell C- Deacock	By:
Name: Bill C. Peacock	Name: Elizabeth R. A. Shiroishi
Director – Local Services & Title: Access Management	Title: <u>Director</u>
Date: 3/7/03	Date: 3/11/23

JNBUNDLED NETW	ORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	bit: B
- T			I		1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
		l	ŀ		1						Elec	Manually	Manual Svc			
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
TEGORT	RATE ELEMENTS	m	20110		0000	1		104120 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
					1	i					1		Electronic-	Electronic-	Electronic-	Electron
i											1		1st	Add'l	Disc 1st	Disc Ad
				<u> </u>	ļ							L		<u> </u>		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
		1	<u> </u>		1		First	Add'I	First	Add'l				SOMAN		SOMA
The "Zone" show	vn in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	eographically	/ Deaveraged U	NE Zones. To	view Geograpi	nically Deavers	ged UNE Zone	e Designatio	ns by Cent	ral Office, refe	er to Internet	Website:	
http://www.inten	connection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
ERATIONAL SUPPOR					1									Γ		г —
	onic Service Order: CLEC should contact its contract	ot naggi	istorii	it profess the state	enocific elec	tronic service o	rdering charge	e se ordered b	w the State Co	mmiccione T	ha alactma	C 605/100 0	Marina abara	o ourmontly or	naninad in th	<u> </u>
	IlSouth regional electronic service ordering charge.															15 rate
	lement that can be ordered electronically will be bill															
those elements t	hat cannot be ordered electronically at present per t	the BBR	l-LO, th	ne listed SOMEC rate	e in this cate	gory reflects th	e charge that v	vould be billed	to a CLEC on	ce electronic d	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the man
ordering charge.	SOMAN, will be applied to a CLECs bill when it sub	omits an	LSR	o BeilSouth.											•	
	ervice Order Charge, per LSR, Disconnect Only (FL)			T	SOMAN				1.83							1
	OSS Charge, per LSR, submitted via BSTs OSS	 			1	 					 			 		
		I	1	l	SOMEC		1.52				ł		l	1	1	}
	e interfaces (Regional)	 	-	.	SUMEU	+	1.52							 		<u> </u>
BUNDLED PORT/LOC	P COMBINATIONS - COST BASED RATES	L	ــــــــــــــــــــــــــــــــــــــ	L		1									L	
Cost Based Rate	s are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pri	ovide Unbun	died Local Swi	tching or Swite	ch Ports.			<u> </u>					
Features shall a	oply to the Unbundled Port/Loop Combination - Cos	t Based	Rate	section in the same	manner as th	ey are applied	to the Stand-A	lone Unbundle	d Port section	of this Rate E	xhibit.					1
	andem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
	ditional Port nonrecurring charges apply to Not Curr															1
	RADE LOOP WITH 2-WIRE LINE PORT (RES)				,			, J , 000 01101					Compilion St	1		
		├				1										ļ
	Combination Rates				<u> </u>											
2-Wire V0	G Loop/Port Combo - Zone 1		1		<u> </u>	12.18									I	1
2-Wire VO	Loop/Port Combo - Zone 2		2			16.29										
	G Loop/Port Combo - Zone 3		3			27.04										
UNE Loop Rates						1										
			1	UEPRX	UEPLX	9.77										
	nice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	13.88										<u> </u>
	rice Grade Loop (SL1) - Zone 2														ļ	
2-Wire Vo	pice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63									L	
2-Wire Voice Gra	ide Line Port Rates (Res)	i	l	l		l						L		1		
2-Wire vo	ice unbundled port - residence	1		UEPRX	UEPRL	2.41	53.31	26.46	27.50	8.37		11.90				
2-Wire vo	ice unbundled port with Caller ID - res			UEPRX	UEPRC	2.41	53.31	26.46	27.50	8.37		11.90				Î .
	ace unbundled port outgoing only - res			UEPRX	UEPRO	2.41	53.31	26.46	27.50	8.37		11.90				
Z-VVIIE VO	to unburialed port origoning only - 163			021101	1021110		00.01	20.10	21.00						-	
l l			Į.	UEPRX	UEPAF	2.41	53.31	26.46	27.50	8.37		11.90		§	l	1
	ice unbundled Florida Area Calling with Caller ID - res		L	UEPRA	UEPAF	2.41	53.31	26.46	27.50	8.37		11.90				
	ice unbundles res, low usage line port with Caller ID		Į	1		1								1	ļ	1
(LUM)			1	UEPRX	UEPAP	2 41	53.31	26 46	27.50	8.37		11 90		<u> </u>	1	<u> </u>
2-Wire vo	ice unbundled Flonda extended dialing port for use		i		1	1 1					l i			[
	X7 and Caller ID		ı	UEPRX	UEPA1	2,41	53.31	26.46	27.50	8.37		11.90		i		ŀ
	ice unbundled Flonda extended dialing port for use		1		·											
			1	UEPRX	UEPA8	2.41	53.31	26 46	27.50	8.37		11 90		1		ł
	X7, without Caller ID capability			UEFRA	UEFAO	2.41	30.31	2040	27.50	0.31		1190		1		
	ce unbundled Flonda Area Calling Port without Caller	ļ				1	#0 5 4							i		l
ID Capab		<u> </u>	<u> </u>	UEPRX	UEPA9	2.41	53.31	26 46	27.50	8.37		11.90			ļ	L
2-Wire vo	ice unbundled Low Usage Line Port without Caller ID			l .	1									1	1	1
Capabilit		I		UEPRX	UEPRT	2.41	53.31	26.46	27.50	8.37		11.90		1	l	l
FEATURES	<u> </u>				1									1	T	
	res Offered	t		UEPRX	UEPVF	0.00	0.00	0.00		•	i	11,90				
		 	t		1		5.50				1	. 1,00		1	1	
LOCAL NUMBER		 -	 	UEPRX	LNPCX	0.35					l .			 	 	!
	mber Portability (1 per port)	↓	₩-	UEPRA	LNPUX	0.35										<u> </u>
	CHARGES (NRCs) - CURRENTLY COMBINED	.				ļ					——	<u> </u>				<u> </u>
2-Wire Vo	oice Grade Loop / Line Port Combination - Conversion -	ŀ	1	I	1	1					1	i		ł	t	
Switch-as	6-IS	L_	L	UEPRX _	USAC2	<u> </u>	0.102	0.102				11.90		L	<u></u>	L
	oice Grade Loop / Line Port Combination - Conversion -		T											1		!
	th change	1	1	UEPRX	USACC	1	0.102	0 102				11.90		l	1	l
		 	 	 	1	1								 	 	
ADDITIONAL NR			 	-	 	-								 		 -
	pice Grade Loop/Line Port Combination - Subsequent	1	1	LIEDDY	LUCACO	0.50	0.00	200			1			1	1	ŀ
Activity		<u> </u>	<u> </u>	UEPRX	USAS2	0 00	0 00	0.00				11.90		<u></u>	<u> </u>	ļ
2-WIRE VOICE O	RADE LOOP WITH 2-WIRE LINE PORT (BUS)	L														
UNE Port/Loop	Combination Rates			1										L		
	G Loop/Port Combo - Zone 1	1	1	I	1	12.18								Γ		
		 	2	 	1	16.29										
	G Loop/Port Combo - Zone 2	+		 	+	27 04										$\vdash \vdash$
 1 12-Wire V 	3 Loop/Port Combo - Zone 3	1	3	ļ		21 04					ļ				ļ	├
UNE Loop Rates												,			t .	

UNBUNDLED NETWOR	V EFEMEN 19 - LIGHUS													ment; 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		-	Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge - Manual Sy Order vs.
						Rec	Nonrec First		Nonrecurring					Rates (\$)		
2-Wire Voice (Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77	rirst	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	13.88					 	-				
	Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	24.63					 		-	ļ		
2-Wire Voice Grade L	ine Port (Bus)						· · · · · · · · · · · · · · · · · · ·				· · · · -	-		 		
	inbundled port without Caller ID - bus			UEPBX	UEPBL	2.41	53.31	26.46	27.50	8.37		11.90				
	inbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.41	53.31	26 46	27.50	8.37		11.90				
	inbundled port outgoing only - bus		<u> </u>	UEPBX	UEPBO	2.41	53.31	26.46	27.50	8.37		11.90				
	inbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.41	53.31	26.46	27 50	8.37		11.90				
Capability	inbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	2.41	53.24	00.40	1		1	l				
LOCAL NUMBER PO	DTADN ITV		ļ	UEPBA	UEPBE	2.41	53 31	26.46	27.50	8 37	<u> </u>	11.90				ļ
	Portability (1 per port)		 	UEPBX	LNPCX	0.35					 				ļ	
FEATURES	o do my () por porty			<u> </u>	1	0.00	i				 	 				
All Features C	Offered			UEPBX	UEPVF	0.00	0.00	0.00				11.90				
	ARGES (NRCs) - CURRENTLY COMBINED											11111				
2-Wire Voice (Grade Loop / Line Port Combination - Conversion -															
Switch-as-is				UEPBX	USAC2		0.102	0.102				11.90			1	ł
	Grade Loop / Line Port Combination - Conversion -			l					į							
Switch with ch	nange			UEPBX	USACC		0.102	0.102				11.90				L
ADDITIONAL NRCs	0								l							
Activity	Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00			1					1
	DE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>		UEPBA	USASZ		0.00	0.00			 	11.90				
UNE Port/Loop Com			-		+ +						ļ					
	pp/Port Combo - Zone 1		1			12.18					 					
	pp/Port Combo - Zone 2		2			16.29					-					
	op/Port Combo - Zone 3		3	1		27 04										
UNE Loop Rates																
	Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	9.77										
	Grade Loop (SL 1) - Zone 2			ÚEPŘG	UEPLX	13.88										
	Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
	ine Port Rates (RES - PBX)		_	ļ	4											
	bundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRO	2.41	174,81	100.65	75.88	40.70		44.00				ı
Res LOCAL NUMBER PO	DT A DIL ITY			UEPRG	UEPRO	2.41	174,01	100.00	/5.88	12.73		11.90				
	Portability (1 per port)			UEPRG	LNPCP	3 15	0.00	0.00			├──	11.90				-
FEATURES	Fortability (1 per port)			OLI III	LI (1) OI	0.0	0.00	-, 0,00				11.90				
All Features C	Offered			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
	ARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice (Grade Loop/ Line Port Combination (PBX) -															
Conversion - S				UEPRG	USAC2		8.45	1.19			<u>L</u>	11.90				l .
	Grade Loop/ Line Port Combination (PBX) -			l	(I	-	1				ł					
	Switch with Change			UEPRG	USACC		8 45	1.19			<u> </u>	11.90				
ADDITIONAL NRCs	0.10			<u> </u>	+ +				<u> </u>							
	Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00				44.00				i
Subsequent A	ent Activity - Change/Rearrange Multiline Hunt		-	DEFRG	USASZ	0.00	0.00	0.00				11.90				
Group	cut Activity - Change hearinge mutuille nuit				1	t	7.86	7.86				11.90				1
	E LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<u> </u>		1 1	Ī			1			11.30	-			
UNE Port/Loop Com			T										-			ı
	op/Port Combo - Zone 1		1			12 18										
	op/Port Combo - Zone 2		2			16.29										
	op/Port Combo - Zone 3		3			27.04										
UNE Loop Rates																
	Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 77										
	Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
	Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEPPX	UEPLX	24.63			ļ		ļ					
2-Wire Voice Grade L	ine Port Rates (BUS - PBX)	لـــــــا		<u> </u>			i		<u>l</u>		L	L				

UNBUNDL	ED NETWORK ELEMENTS - Florida		_											ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								1		D '		L	14.			
			-			Rec		urring	Nonrecurring		COMEO	501.41		Rates (\$)		
			-				First	Add'l	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AND		1	UEPPX	UEPPC	2.41	174.81	100.65	75.00	40.70		44.00				1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		ļ—						75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Frunk Port - Bus		_	UEPPX	UEPPO	2.41	174.81	100.65	75.88	12.73	 	11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.41	174 81	100 65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports		↓	UEPPX	UEPLD	2.41	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.41	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.41	174.81	100.65	75.88	12.73		11.90		L		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.41	174.81	100.65	75.88	12.73		11.90	L			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.41	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		i	UEPPX	UEPXE	2.41	174.81	100.65	75.88	12.73		11.90	i		i	
 	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1		_						1				1	
1	Administrative Calling Port	l	i	UEPPX	UEPXL	2.41	174.81	100.65	75.88	12.73	1	11.90			1	l
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy											1			———	<u> </u>
	Room Calling Port		1	UEPPX	UEPXM	2.41	174.81	100.65	75.88	12.73	1	11.90	l			1
			-	OLITA	OLI AVI	2.71	174.01	100.05	73.00	12.75		11.50				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	ļ		LIEDOV	LIEDVO	244	174.81	100.65	75.00	40.70		44.00			1	
	Discount Room Calling Port		1	UEPPX	UEPXO	2.41			75.88	12.73		11.90				-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	2.41	174.81	100.65	75.88	12.73	ļ	11.90			<u> </u>	
LOCA	AL NUMBER PORTABILITY										<u> </u>				!	
	Local Number Portability (1 per port)		L	UEPPX	LNPCP	3.15	0.00	0.00				11.90			1	
FEA1	TURES														1	
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0 00				11.90			T	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED														1	
11010	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -										t		· · · · · · · · · · · · · · · · · · ·			!
	Conversion - Switch-As-Is	l	1	UEPPX	USAC2		8.45	1,19				11.90	l			1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		_	OLITA	100:102							1,1100				
	2-wire voice Grade Loop/ Life Port Combination (PBA)		1	UEPPX	USACC		8.45	1.19			1	11.90			1	1
	Conversion - Switch with Change		├	OCFFA	03200		0.45	1.19				11.50				
ADDI	ITIONAL NRCs		 	ļ							 					-
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i	1	i		0.00	0.00	0.00			1	44.00			1	1
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90			1	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l			1 1						I					1
	Group						7.86	7.86			L	11.90				1
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	RT	1								<u> </u>	1			1	
UNE	Port/Loop Combination Rates		-								l					
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			12.18										
 	2-Wire VG Corn Port/Loop Combo - Zone 2		2			16.29										
	2-Wire VG Coin Port/Loop Combo – Zone 3	_	3			27.04										
LIME	Loop Rates	1	1													
- UNE	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77										i
\vdash	2-Wire Voice Grade Loop (SL1) - Zone 2	_		UEPCO	UEPLX	13.88										
L				UEPCO	UEPLX	24 63										-
	2-Wire Voice Grade Loop (SL1) - Zone 3	-	+-	OLFCO	102, 20						 				 	
2-Wit	re Voice Grade Line Ports (COIN)			 												
1 1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	ĺ	ì		UEDOE	2.41	53.31	26.46	27.50	8 37		11.90				1
	900/976, 1+DDD (FL)		 	UEPCO	UEP2F	2.41	53.31	20.46	27.50	8 37	-	11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1		1						İ					1
1 1	(FL)			UEPCO	UEPFA	2.41	53.31	26.46	27.50	8 37		11.90				
	2-Wire Com 2-Way with Operator Screening and Blocking:		1						1		1	l			1	1
1 1	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	2.41	53.31	26.46	27.50	8.37	1	11.90			1	
	2-Wire Corn Outward with Operator Screening and 011 Blocking		1										I		1	T
1	(AL. FL)	1	1	UEPCO	UEPRK	2.41	53.31	26.46	27.50	8.37	l	11.90	1		1	}
	2-Wire Coin Outward with Operator Screening and Blocking		1	1	1						T	1				1
	900/976, 1+DDD, 011+ (FL)		i	UEPCO	UEPOF	2 41	53.31	26.46	27.50	8.37	1	11.90	1	•		1
	2-Wire Coin Outward with Operator Screening and Blocking.		1		1	* -1	55.51			5.57			-	<u> </u>	 	
1 1			1	UEPCO	UEPCQ	2 41	53 31	26.46	27.50	8.37		11,90	l	l	1	1
L	900/976, 1+DDD, 011+, and Local (FL, GA)	-	-									11.90	<u> </u>		 	
	2-Wire 2-Way Smartline with 900/976 (all states except LA)	<u> </u>	+	UEPCO	UEPCK	2 41	53 31	26.46	27.50	8.37		11.90	_		-	
	2-Wire Coin Outward Smartline with 900/976 (all states except	I	1	l							1		ļ	1		1
l i	LA)		L	UEPCO	UEPCR	2 41	53.31	26 46	27.50	8 37	ļ	11 90				
		1	1							1	1	1			1	
ADD	ITIONAL UNE COIN PORT/LOOP (RC)	1			URECU	1.86	0.00	0.00	0.00	0.00		11.90				

ONBONDED !	NETWORK ELEMENTS - Florida										T=	·		nent: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-	Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual S Order vs
			ļ			Rec	Nonrec			Disconnect				Rates (\$)		
		ļ			1 1		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UMBER PORTABILITY	Ь—		UEPCO	LNPCX	0.35					ļ	ļ				_
ILO	ocal Number Portability (1 per port)			UEPCU	LNPCX	0.35			1		1		ļ			
	URRING CHARGES - CURRENTLY COMBINED											ļ				
	Wire Voice Grade Loop / Line Port Combination - Conversion - witch-as-is		İ	UEPCO	USAC2		0.102	0.102	1			11 90				
	witch-as-is -Wire Voice Grade Loop / Line Port Combination - Conversion -		 	DEFCO	USACZ		0.102	0.102				11 90				
	witch with change	1	l	UEPCO	USACC		0.102	0 102	}			11.90				1
	With With Change		 -	OEF CO	DUANCE		0.102	0 102			+	11.50			-	
	-Wire Voice Grade Loop/Line Port Combination - Subsequent		 		+	-			1		1					+
	ctivity			UEPCO	USAS2		0.00	0.00	1		1	11.90				ļ
2-WIRE V	OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE	PORT (1	100			-	
	/Loop Combination Rates		1						†		·					
12-	Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			14.88					1					—
2-	-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.04					1					
	-Wire VG Loop/IQ Tranport/Port Combo - Zone 3		3			33.51					1					
UNE LOOK																
12-	-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87							i			
	pice Grade Line Port Rates (Res)		1									· · · · · · · · · · · · · · · · · · ·				
	Wire voice unbundled port - residence			UEPFR	UEPRL	2.64	174.81	100.65	75.88	12.73		11.90				
	-Wire voice unbundled port with Caller ID - res	i -	1	UEPFR	UEPRC	2 64	174.81	100.65	75.88	12.73		11.90				
	Wire voice unbundled port outgoing only - res	1	1	UEPFR	ÚEPRO	2.64	174.81	100.65	75.88	12.73		11.90				
- 		T	1													
2-	-Wire voice unbundled Florida Area Calling with Caller ID - res		1	UEPFR	UEPAF	2.64	174.81	100.65	75.88	12.73	1	11.90	ŀ		ļ	İ
	Wire voice unbundles res, low usage line port with Caller ID															
	LUM)	ļ		UEPFR	UEPAP	2.64	174.81	100.65	75.88	12.73		11.90				[
	FICE TRANSPORT															
	steroffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	U1TV2	25.32	47.35	31.78						,		
	iteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	r Fraction Mile	1	l .	UEPFR	1L5XX	0.0091										
FEATURE	S		1													
	I Features Offered		1	UEPFR	UEPVF	0.00	0.00	0.00			l	11 90	-			
	IUMBER PORTABILITY		I		1											
Lo	ocal Number Portability (1 per port)	l		UEPFR	LNPCX	0 35										
NONREC	URRING CHARGES (NRCs) - CURRENTLY COMBINED	I														
2-	-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		1								i			
l la	Combination - Conversion - Switch-as-is	1		UEPFR	USAC2		9.03	1.87	ļ <u> </u>		ļ	11.90			l	
2-	-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		1									l		1
c	ombination - Conversion - Switch-With-Change		1	UEPFR	USACC		9.03	1.87	ļ		1	11.90				<u> </u>
2-WIRE V	OICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE	PORT (BUS)												├
UNE Port	Loop Combination Rates		ļ													<u> </u>
	-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1		_	14.88						 				<u> </u>
2-	-Wire VG Loop/IO Tranport/Port Combo - Zone 2	↓	2	ļ		20,04							ļ	ļ. <u></u> .		₩
	-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			33.51					ļ		ļ			1
UNE Loo		 	 	-									—			
	-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFB	UECF2	12.24			 			 	<u> </u>	-	ļ	-
	-Wire Voice Grade Loop (SL2) - Zone 2	ļ	_	UEPFB	UECF2	17.40 30.87					 	ļ	 	 	ļ	+
	-Wire Voice Grade Loop (SL2) - Zone 3		3	ÜEPFB	UECF2	30.8/			-	-	-		<u> </u>	-	 	
	oice Grade Line Port (Bus)	_	₩		- luens:	2.21	471.61	100.05	75.00	40 ==	 	44.00			 	
2-	-Wire voice unbundled port without Caller ID - bus	₩		UEPFB	UEPBL	2.64	174 81	100.65		12.73		11 90		 	!	+
	-Wire voice unbundled port with Caller + E484 ID - bus	ļ	-	UEPFB	UEPBC	2.64	174.81	100.65		12.73		11.90	 	ļ		
2-	-Wire voice unbundled port outgoing only - bus	1		ÜEPFB	UEPBO	2.64	174.81	100.65		12.73		11.90				-
	-Wire voice unbundled incoming only port with Caller ID - Bus	1	-	UEPFB	UEPB1	2.64	174.81	100.65	75.88	12.73	-	11.90		ļ	ļ	
	IUMBER PORTABILITY		↓							ļ	ļ			ļ	<u> </u>	
Le	ocal Number Portability (1 per port)	L		UEPFB	LNPCX	0.35			-		<u> </u>			L	<u> </u>	
INTEROF	FICE TRANSPORT	1	1	1						ł .	<u> </u>	1	<u> </u>	l	1	

UNBUNDLE	ED NETWORK ELEMENTS - Florida										-,			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect			oss	Rates (\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25.32	47.35	31.78			1		Į.			1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091	41.00	01.70								
FEAT	URES				1125761	5,5551					 					
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1			1							. –			
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87			ļ	11 90				ļ
İ	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACC		9.03	1.87			İ	11.90				l
2 14/15	Combination - Conversion - Switch with change RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		9.03	1.87		ļ		11.90	-			
2-441	Port/Loop Combination Rates				+	 					 		 -			
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	14.88					+		 			i
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	20 04							 	· · · · · ·		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	33.51										
UNE I	Loop Rates		<u> </u>		1											
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24							1			
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										ſ
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Win	e Voice Grade Line Port Rates (BUS - PBX)															
					1											i
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.64	174 81	100 65	75.88	12.73		11.90				<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPO UEPP1	2.64 2.64	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73		11.90 11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPLD	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPFP	UEPXA	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.64	174 81	100.65	75.88	12.73		11.90		- :		
 -	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.64	174.81	100.65	75.88	12.73		11.90				$\overline{}$
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					1										
	Capable Port	l		UEPFP	UEPXE	2.64	174 81	100.65	75.88	12.73		11 90				L
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.64	174.81	100 65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1								1	ļ	1			i
	Discount Room Calling Port		<u> </u>	UEPFP	UEPXO	2 64	174 81	100 65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.64	174.81	100.65	75.88	12.73	 	11 90				
LOCA	AL NUMBER PORTABILITY		-	UEPFP	LNPCP	3.15	0.00	0.00			-	11 90				
	Local Number Portability (1 per port) ROFFICE TRANSPORT		_	OCF1 F		3:15		0.00			 	1130				
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		<u> </u>	UEPFP	U1TV2	25.32	47,35	31,78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0091										
FFAT	URES			 							T					
 	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				11 90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				11 90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		9 03	1 87				11 90				
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES					↓										
2-WiF	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	ļ			1				ļ						ļ
UNE	Port/Loop Combination Rates	L	<u> </u>			·					<u> </u>					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	<u> </u>	1			22.19 27.35				ļ	 		1			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<u> </u>	2		+	27 35 40.82				<u> </u>	 		_			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			40.82				l	1	l	<u> </u>	L	L	L

NBUNDLED	NETWORK ELEMENTS - Florida														nent: 2		oit: B
1100110110			1			1						Svc Order			Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l			i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
	0.455 EL FAFAITO	interi	Zone		cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ATEGORY	RATE ELEMENTS	m	2011		03	0000						per Lan	per Lon				
		1	ł			1	ĺ						ł	Electronic-	Electronic-	Electronic-	Electronic
- 1		1	1			i	ĺ					l	l	1st	Add1	Disc 1st	Disc Add
1		L	1			<u> </u>					5 1	ļ	<u> </u>		D-4 (2)	L	L
			1			l	Rec	Nonrec		Nonrecurring					Rates (\$)		
$\dashv \dashv \dashv$	· · · · · · · · · · · · · · · · · · ·		T			<u> </u>	,	First	Add*I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE LOO	in Pales	$\overline{}$		1				1				1	1				
	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12.24						11.90	<u> </u>	l	1.83	
	-Villa Analog Voice Grade Loop - (SL2) - UNE Zono 1	-	2	ÜEPPX		UECD1	17.40						11.90	1		1.83	
<u> </u>	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	30.87						11.90			1.83	1
	-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	 -		UEFFA		OLOD!	, , , , , , , , , , , , , , , , , , , 					1	1	 	····		
UNE Port				LICODY		UEPD1	9.95	214.16	98.29			f	11.90	 		1.83	
	exchange Ports - 2-Wire DID Port		ـــــ	UEPPX		UEPUI	8.80	214.10	50.23				11.50	 		1.00	-
NONREC	URRING CHARGES - CURRENTLY COMBINED	l .										ļ	1			ļ	
12	-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1	1		1		4		1		1	l		i i	l	
	Switch-as-is			UEPPX		USAC1		7.85	1.87			L	11.90	<u> </u>			
- 	-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		T	1		1*	-						1			l	
	-type your Glade Loop / g-tree Did Trank Fort Confederal			LIEPPX		USA1C	1	7.85	1.87				11.90			İ	i
	with BellSouth Allowable Changes		 	1		† 						T		T		·	
	NAL NRCs		-	UEPPX		USAS1	 	32.26	32.26				11.90	 	1	 	
	-Wire DID Subsequent Activity - Add Trunks, Per Trunk		 	UEPPA		UOMO!	 	32.20	32.20			 	11.30	 	 	 	
Telephor	ne Number/Trunk Group Establisment Charges		L	ļ		 	<u> </u>					-	44.55			 	<u> </u>
TD.	DID Trunk Termination (One Per Port)		1	UEPPX		NDT	0.00	0.00	0.00			ļ	11.90	 	ļ	1.83	ļ
- - 	DID Numbers, Establish Trunk Group and Provide First Group	I		I		1			i i			1	l	1	1	1	
	f 20 DID Numbers		ł	UEPPX		NDZ	0.00	0.00	0.00				11.90	i		1.83	ŀ
	Additional DID Numbers for each Group of 20 DID Numbers	-	1	UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
			-	UEPPX		ND5	0.00	0.00	0.00			 	11.90		1	1.83	
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX		ND6	0.00	0.00	0.00			 	11.90			1.83	
I R	Reserve Non-Consecutive DID numbers											ļ					
R	Reserve DID Numbers		<u> </u>	UEPPX		NDV	0.00	0.00	0.00			ļ	11.90	<u> </u>		1.83	ļ
LOCAL N	NUMBER PORTABILITY	l'	<u> </u>				<u> </u>										
	ocal Number Portability (1 per port)			UEPPX	•	LNPCP	3.15	0.00	0.00								
2-WIDE I	SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E POR														
LINE Des	Mana Combination Pales	1	1	1													
UNE POR	t/Loop Combination Rates	 		 		 	 						<u> </u>	i	 		1
	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l	١.		UEPPR	.1	23.87	į		i			1	1	1	1	1
	JNE Zone 1	<u> </u>	1	UEPPB	UEPPR	<u> </u>	20.01										
2	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	ŀ			1		1					ļ	1	İ		1
	JNE Zone 2		2	UEPPB	UEPPR	<u> </u>	30.29					1	<u> </u>	1	1 .		1
1 2	W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	Γ					,			1	i		1	ŀ	1
	INE Zone 3	ŀ	1 3	UEPPB	UEPPR	l	47.08					Į.		1	1	i	1
			1	1		·							1		1		
UNE Loc			1	UEPPB	UEPPR	LIST 2V	15.25					 	11.90	 	 	1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		+	UEFFB	UEFFR	USCEA.	10.20					 . 	11.00		 	1.03	
	•	l	Ι.	l		1					Į.				1		
2	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<u> </u>	2	UEPPB		USL2X	21.67					<u> </u>	11.90	 	<u> </u>	1.83	
12	-Wire ISDN Digital Grade Loop - UNE Zone 3	T	3	UEPPB	UEPPR	USL2X	38.46						11.90		<u> </u>	1.83	1
UNE Por				1		T .				i	<u> </u>	1		ļ			
	schange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.62	194.52	145.09			1	11.09	1	1	1.83	
NONETO	CURRING CHARGES - CURRENTLY COMBINED	 	†	† 		T	· · · · · · · · · · · · · · · · · · ·						1	T			
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	t -	1	 		1	1				i	1	1	1	1	1	
		Į	Į.	UEPPB	UEPPR	USACB	0.00	25.22	17.00		Ì	į	11.90	1	1	1.83	l.
	Combination - Conversion	ļ		UEPPB	UEPPR	USAUB	0.00	20.22	17.00			 	11.50	 	 	1.00	<u> </u>
ADDITIO	WAL NRCs		ļ				ļ					ļ	 	<u> </u>	<u> </u>	 	
LOCAL I	NUMBER PORTABILITY	i	.1									1	<u> </u>		<u> </u>	i	1
	ocal Number Portability (1 per port)		T	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		.	1	i		1		1
D.CUAN	NEL USER PROFILE ACCESS:		1			1							T	T			
	CVS/CSD (DMS/5ESS)	1		UEPPB	LIEPPR	U1UCA	0.00	0.00	0.00				1	1		1	
			+	UEPPB	UEPPR		0.00	0.00	0.00				1	<u> </u>	-	 	
	CVS (EWSD)	—	↓ -									+		+		 	
	CSD	<u> </u>		UEPP8	UEPPR	TOTOCC .	0.00	0.00	0.00	ļ		+		 	 	-	-
	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	L TN)						·			 	 	 	<u> </u>	L	ļ
USER TE	ERMINAL PROFILE	\Box	⊥				L			L	<u> </u>				1		
	User Terminal Profile (EWSD only)	T	$\overline{}$	ÜEPPB	UEPPR	U1UMA	0.00	0.00	0.00							i	I
	AL FEATURES	 	1	T								1		1		 	1
		+	+	UEPPB	LIEDDA	UEPVF	0.00	0.00	0.00	 	1	1	11.90	ı t	 	1	1
	All Vertical Features - One per Channel B User Profile	+	+	JEFFB	OLFPR	OLF VI	0.00		7.00		 	+	11.50	' 	+	 	+
	FFICE CHANNEL MILEAGE	1	+-	 		+	 				1	1	1	 	 	 	├ ─
1:	Interoffice Channel mileage each, including first mile and	1	1	1		1	l				1	. [I	. [I .	1
	facilities termination	1 .	.1		UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03	1	11.90		<u> </u>	1.83	
	interoffice Channel mileage each, additional mile	T		UEPPB	UEPPR	MIGNM	0.0091	0.00	0.00				11.90			1.83	
4.347225	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	-1			1								1	1	1	1
	rt/Loop Combination Rates	···		+		 	1			i	i			1	1	1	

JNBUNDLE	D NETWORK ELEMENTS - Florida													nent: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-		Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring			·	oss	Rates (\$)	L	
						Nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
!	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	!	l		1	i]						-
	Zone 1	<u> </u>	1	UEPPP		154.72				L					L_	
- 1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	į	1 _			404.50				į		ŀ				
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP		184.52					ļ				ļ	
	Zone 3	1	3	UEPPP	1	262.37				Į						
TIME L	pop Rates	 	 	OLFFF	 	202.57					ļ			<u> </u>		
- ONE E	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70.74					 	11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>		UEPPP	USL4P	100.54					 	11.90			1.83	
<u> </u>	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	178.38						11.90			1 83	
UNE P	ort Rate										†					
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	83.98	488.36	276.65				11 90			1.83	
NONRE	CURRING CHARGES - CURRENTLY COMBINED		oxdot													
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1]					
	Combination - Conversion -Switch-as-is	L		UEPPP	USACP	0.00	84.17	61.38				11.90			1.83	
ADDITI	ONAL NRCs	 	<u> </u>													
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1]	UEPPP	PR7TF		0.5440									
	Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		_	UEPPP	PR/IF		0.5412					11.90			1,83	
	Outward Tel Numbers (All States except NC)	1	ļ	UEPPP	PR7TO		12.71	12.71			ļ	44.00			!	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-	 	UCFFF	FRIIO		12.71	12.71			-	11.90			1.83	
i	Subsequent Inward Tel Numbers	l		UEPPP	PR7ZT		25.42	25.42			ļ	11.90			1.83	
LOCAL	NUMBER PORTABILITY	 	1	OCT 11	INIZI		20.42	20.42			 	11.90			1.63	
JEGGAL	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										-
INTER	FACE (Provsioning Only)									-						
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00				-				
	Digital Data			UEPPP	PR71D	0.00	0 00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel				İ									· · ·		
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					11.90			1.83	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15 48					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					11.90			1.83	
CALL 1				UEPPP	PR7C1	0.00	0.00	0.00								
	Inward			UEPPP	PR7C0	0.00	0.00	0.00								
-+-	Outward Two-way			UEPPP	PR7CC	0.00	0.00	0.00					 			
Interna	rice Channel Mileage			V 1 1	[0.00	3.55	0.00								
- Interon	Fixed Each Including First Mile			UEPPP	1LN1A	88 6256	105.54	98.47	21 47	19.05		11,90			1.93	
	Each Arline-Fractional Additional Mile			UEPPP	1LN1B	0.1856			-: -:				İ		,,,,,	-
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT						i								-	
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		126.93						11.90			1 83	
1	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		156.73						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		234.58						11.90			1.83	
	pop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	70 74						11.90			1 83	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	100.54						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.39						11.90			1.83	
	ort Rate	<u> </u>	 -	UÉPDC	UDD1T	56.19	464.86	259 23				11.90			4.50	
	4-Wire DDITS Digital Trunk Port	<u> </u>	\vdash	UCPUU	ווטטטון	50.19	404.86	259 23				11.90			1.83	
	CURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				 	-					ļ					
	- Switch-as-is			UEPDC	USAC4		95 31	46.71				11.90			1,83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 -		<u> </u>	337107		- 30 31	70.71	-		 	11.30			1,03	
	- Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71	l			11 90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	 			- -			10.71							1.00	
- [- Conversion with Change - Trunk	1		UEPDC	USAWB		95 31	46.71				11.90			1.83	
	ONAL NRCs															

OUBOUDTED VE	TWORK ELEMENTS - Florida			T										ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonre		Nonrecurring					Rates (\$)		
	DOLL CAN DETECT - LE-4 NEO		├ ──		-		First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	re DS1 Loop / 4-Wire DDITS Trunk Port - NRC - sequent Channel Activation/Chan - 2-Way Trunk	ľ	1	UEPDC	UDTTA		15 69	15.69			ł	44.00		1		ł
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-	DEPDC	UUTTA		12.68	15.69			1	11.90			1.83	
	nnel Activation/Chan - 1-Way Outward Trunk	ļ		UEPDC	UDTTB		15.69	15.69			1	11.90			4.00	İ
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			00.00	UDITE	-	15.05	10.09		-		11.90			1 83	
	ation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69	l i			11.90			1 83	1
	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		 		00.110			10,00			_	11.50			- 100	
	ation Per Chan - Inward Trunk with DID			UEPDC	UDTTO		15 69	15.69			i	11.90			1.83	ł
4-Wir	re DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	ation / Chan - 2-Way DID w User Trans		l	UEPDC	UDTTE		15.69	15.69				11.90		1	1.83	ĺ
	ZERO SUBSTITUTION															
	S -Superframe Format		ļ	UEPDC	CCOSF		0.00	655.00				11.90		l .	1.83	
	S - Extended Superframe Format	<u> </u>		UEPDC	CCOEF		0.00	655.00				11.90		ļ	1.83	
Alternate Ma			 	LICEDOC	NCOCE -		0.50	0.00								
	Superframe Format	-	-	UEPDC UEPDC	MCOSF MCOPO		0.00	0.00			ļ					
AMI -	- Extended SuperFrame Format tumber/Trunk Group Establisment Charges			UEPDC	MCOPO	-	0.00	0.00								
	phone Number for 2-Way Trunk Group	ļ		UEPDC	UDTGX	0.00						11.90			100	
	phone Number for 1-Way Outward Trunk Group		-	UEPDC	UDTGY	0.00						11.90			1 83	
Tolon	phone Number for 1-Way Inward Trunk Group Without DID		 	UEPDC	UDTGZ	0.00					-	11,90			1.83	
	Numbers, Establish Trunk Group and Provide First Group		 	OLI DO	05102	0.00						11,50			1.83	
	DID Numbers	ľ		UEPDC	NDZ	0.00	0 00	0.00				11.90			1.83	
	Numbers for each Group of 20 DID Numbers		 	UEPDC	ND4	0 00		0.00				11.90			1.83	
	Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0 00						11.90			1.83	
	erve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	erve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	S1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	l Digital	Loop	with 4-Wire DDITS	Trunk Port											
	office Channel Mileage - Fixed rate 0-8 miles (Facilities nation)			UEPDÇ	1LNO1	88.44	105.54	98.47	21.47	19 05		11.90			1.83	
Interc	office Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	office Channel Mileage - Fixed rate 9-25 miles (Facilities									-						
	nnation)		1	UEPDC	1LNO2	0.00	0.00	0.00			1					
Interc	office Channel Mileage - Additional rate per mile - 9-25			UEDDA.	44,4100	0.4050	0.00									
miles	S C C C C C C C C C C C C C C C C C C C		├	UEPDC	1LNOB	0.1856	0 00	0.00								
	office Channel Mileage - Fixed rate 25+ miles (Facilities		1	UEPDC	1LNO3	0.00	0.00	0.00	0 00		ł					
Term	nation)		 	OEF DC	151403	0.00	0.00	0.00	. 000		<u> </u>					
Intere	office Channel Mileage - Additional rate per mile - 25+ miles	l	1	UEPDC	1LNOC	0.1856	0.00	0.00			1			I		
	Number Portability, per DS0 Activated	t		UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	ral Office Termininating Point		1	UEPDC	CTG	0.00										
	LOOP WITH CHANNELIZATION WITH PORT															
System is 1 l	DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations	4		1			-								
Each System	n can have up to 24 combinations of rates depending on	type ar	nd nun	ber of ports used												
UNE DS1 Lo			1		1											
	re DS1 Loop - UNE Zone 1	ļ	1	UEPMG	USLDC	70.74	0.00	0.00								
	re DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
4-Wir	re DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	178.39	0.00	0.00						_		
	hannelization Capacities (D4 Channel Bank Configuration	116)	1	UEPMG	VUM24	118 06	0.00	0.00			ļ	11,90			1.83	
	SO Channel Capacity - 1 per DS1 SO Channel Capacity - 1 per 2 DS1s	-	-	UEPMG	VUM24 VUM48	236.12	0.00	0.00			<u> </u>	11.90		 	1.83	
	SO Channel Capacity - 1 per 2 DS1s SO Channel Capacity -1per 4 DS1s		+	UEPMG	VUM96	472.24	0.00	0.00				11.90		 	1 83	
	DS0 Channel Capacity - 1 per 6 DS1s	├─	\vdash	UEPMG	VUM14	708 36	0.00	0.00				11.90		 -	1 83	
	DS0 Channel Capacity - 1 per 8 DS1s	 	+	UEPMG	VUM19	944 48	0.00	0.00			· · · · · · · ·	11 90			1 83	
	DS0 Channel Capacity - 1 per 10 DS1s	<u> </u>	 	UEPMG	VUM20	1,180.60	0 00	0.00				11 90		·	1.83	
	DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,416 72	0.00	0.00				11 90			1 83	
	DS0 Channel Capacity - 1 per 16 DS1s		T	UEPMG	VUM38	1,888 96	0.00	0.00				11.90			1 83	
	DS0 Channel Capacity - 1 per 20 DS1s	T		UEPMG	VUM40	2,361.20	0 00	0.00				11.90			1 83	
	DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2.833 44	0 00	0.00				11 90			1 83	

NEUNDI ED NETWO	RK ELEMENTS - Florida													nent: 2	Exhit	
TEGORY	RATE ELEMENTS	inten m	Zone	BCS	USOC			RATES (\$)		-		Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		├	!		 	 	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
		 	 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
C70 DC0 C	hannel Capacity - 1 per 28 DS1s		i	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
N. B. C.	seems (NIDC) Associated with 4 Miss DS1 Loop wit	h Chan	reliztio	n with Port - Conve	rsion Charge	Based on a Sys	tem									
A Address and Decades	E	N Rank	ลกส เห	n 10 24 DSU PORS V	vitti reature /	ACTIVATIONS. 1										
A Minimum System	onfiguration functioning as one are considered A	dd'l afte	r the n	ninimum system cor	figuration is	counted.					<u> </u>					
Multiples of tills C	version (Currently Combined) with or without	T	Т			1					1		1	1]	1
D-IICaush A	Maural Changes		1	UEPMG	USAC4	0.00	96.77	4,24			1	11 90	ļ		<u> </u>	
System Additions	at End User Locations Where 4-Wire DS1 Loop wi	th Char	neliza	tion with Port Comb	ination Cum	ently Exists and										
New (Not Currently	y Combined) in all states, except in Density Zone	1 of Top	8 MS/	A's	T						<u> </u>	<u> </u>		ļ	 _	
11 DS1/D4 C	Channel Bank - Additionally Add NRC for each Port	Τ		[ì				l	1	1			
	Fea Activation	ı		UEPMG	VUMD4	0.00	726.11	468.21	145.32	17,24	<u> </u>	11 90	ļ			
Bipolar 8 Zero Sut												 			 	
Clear Chan	nel Capability Format, superframe - Subsequent		T			l i					l.	11.90			1	1
Activity Onl	ly	<u> </u>	<u></u>	UEPMG	CCOSF	0.00	0.00	655.00				11.90	ļ		 	
Clear Chan	nnel Capability Format - Extended Superframe -		Τ									11.90	ļ	l	ļ	
	nt Activity Only	1		UEPMG	CCOEF	0.00	0.00	655.00				11.90		 		-
Alternate Mark Inv	version (AMI)		<u> </u>		<u> </u>		2.00	0.00				-	<u> </u>		 	
Superframe	e Format*	l		UEPMG	MCOSF	0.00	0.00	0.00			-				 	
Extended S	Superframe Format		<u></u>	UEPMG	MCOPO	0.00	0.00	0.00			 	 		 		
Exchange Ports A	ssociated with 4-Wire DS1 Loop with Channelizat	ion with	Port			1					 	 ~		1		
Exchange Ports			ļ			 						 		 	1	
		1	1	UEPPX	UEPCX	2.64	0 00	0.00	0.00	0.00		11 90	ļ		1 83	1
Line Side C	Combination Channelized PBX Trunk Port - Business			UEPPX	UEPOX	2.64	0.00	0.00		0.00	1	11.90			1.83	
Line Side (Outward Channelized PBX Trunk Port - Business	 		UEPPA	OEF OX	2.04					1	1			i	
		.1		UEPPX	UEP1X	2.64	0.00	0.00	0.00	0 00		11.90			1.83	L
Line Side li	nward Only Channelized PBX Trunk Port without DID	<u>'</u>	+	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
2-Wire Tru	nk Side Unbundled Channelized DID Trunk Port	+	+	JOEFF A	102, 0,,,,									·		<u> </u>
Feature Activation	ns - Unbundled Loop Concentration	-	+			-					1	I	1			1
	ervice) Activation for each Line Port Terminated in D4	' 	1	UEPPX	1PQWM	0 64	25 40	13.41	3.96	3 93	l	11.90		1	1.83	<u> </u>
Bank	ervice) Activation for each Trunk Port Terminated in	+	+	1							ł					1
D4 Bank	ervice) Activation for each fruitk for reminered in		Į.	UEPPX	1PQWU	0.64	78 16	18 42	56.03	10.95		11.90		 	1.83	
T-look and Mumb	er/ Group Establishment Charges for DID Service	-			1						.		ļ	ļ	ļ	
DID Torok	Termination (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00			<u> </u>	11,90		 		-
Estab Trk	Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00			— —	11.90			<u> </u>	┼─~
DIO Numb	ers - groups of 20 - Valid all States	T	1	UEPPX	ND4	0.00	0.00	0.00				11.90				
Non-Cons	ecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00		<u> </u>	 	11.90 11.90		 	+	+
Reserve N	on-Consecutive DID Numbers			UEPPX	ND6	0 00	0.00	0.00			+	11.90		+	+	
	ID Numbers			UEPPX	NDV	0.00	0.00	0.00	 		 	11.90	+	+	+	
Local Number Po					1		0.00	0.00	 	 	 	+	+	+	 	
	ber Portability - 1 per port			VEPPX	LNPCP	3.15	0.00	0.00	+	 	+	+	+	1	+	
FEATURES - Vert	ical and Optional					+		-	+	 	+	+	+	 	 	-
Local Switching	Features Offered with Line Side Ports Only	\bot	Д—	ļ	UEPVF	0.00	0.00	0.00	1		+	11.90		 	1 83	!
	es Available			UEPPX	INFLAL	1 000	0.00	0.00			<u> </u>	1				