## RIGINAL



BellSouth Telecommunications, Inc.

Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798

Fax 850 224 5073

036376-1

April 22, 2003

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Notice of the Adoption of Interconnection, Unbundling, Resale, and Collocation agreement with modifications, and Three Amendments between BellSouth Telecommunications, Inc. ("BellSouth") and MCI WorldCom Communications, Inc. by FPL FiberNet, LLC.

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by FPL FiberNet, LLC of the Interconnection. Unbundling, Resale, and Collocation Agreement with modifications, and Three Amendments for the State of Florida entered into between BellSouth Telecommunications Inc. and MCI WorldCom Communications, Inc., which was filed with this Commission on September 19, 2001 in Docket No. 000649-TP.

FPL FiberNet, LLC is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed is the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and FPL FiberNet, LLC, for your records.

If you have any questions please do not hesitate to contact Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NIMBER-DATE

FPSC-COMMISSION CLERK

# **BELLSOUTH**® / CLEC Agreement

### Customer Name: FPL FiberNet, LLC

FPL FiberNet Adoption of MCI with changes	2
Adoption Paper	3
Exhibit 1 Title Page	6
Exhibit 2 Title Page	7
Exh 2 - UNE Rates	8
Exh 2 - Local Interconnection Rates	47
Exh 2 - Collo Rates	48
Exh 2 - Number Port Rates	50
Exh 2 - DUF Rates	51
Exhibit 3 Title Page	52
Exh 3 - Local Interconnection	53
Exhibit 4 - Title Page	81
Exh 4 - Deposit Language	82
FPL FiberNet, LLC Amdmt to Update Notices Section	83
FPL FiberNet, LLC Amndmt for CCXC	85
FPL FiberNet, LLC Expedite Amdmt	88

# By and Between

BellSouth Telecommunications, Inc.

And

FPL FiberNet, LLC

#### **AGREEMENT**

This Agreement, which shall become effective thirty (30) calendar days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between FPL FiberNet, LLC ("FPL") on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, FPL has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and MCI WorldCom Communications, Inc. dated September 12, 2001 for the state of Florida.

**NOW, THEREFORE,** in consideration of the promises and mutual covenants of this Agreement, FPL and BellSouth hereby agree as follows:

1. FPL and BellSouth, with exceptions noted in Item 2, shall adopt the MCI WorldCom Communications, Inc. Interconnection Agreement dated September 12, 2001and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The MCI WorldCom Communications, Inc. Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with exhibits listed in Item 2 consists of the following:

ITEM	NO.
	PAGES
Adoption Papers	3
Exhibit 1 Title Page	1
MCI - Table of Contents	1
MCI – Title Page	1
MCI - General Terms – Part A	32
MCI - General Terms - Part B	18
MCI – Attachment 1 - Pricing	5
MCI – Attachment 2 - Resale	10
MCI – Attachment 3 – Network Elements	78

01/17/02

MCI – Attachment 5 - Collocation	179
MCI – Attachment 6 – ROW, Conduit, Poles	34
MCI – Attachment 7 – Number Portability	10
MCI – Attachment 8 – Business Processes	63
MCI – Attachment 9 – Ancilliary Services	26
MCI – Attachment 10 – Performance Measures	2
MCI – Attachment 11 – SQMs	186
Exhibit 2	45
Exhibit 3	30
Exhibit 4	2
TOTAL	726

- 2. FPL and BellSouth agree to modifications to the MCI WorldCom Communications, Inc. Interconnection Agreement as outlined below:
  - Attachment 1 Table 1 Pricing is incorporated as shown in Exhibit 2 attached hereto and by reference made a part of this Agreement.
  - Attachment 4 Interconnection is incorporated as shown in Exhibit 3 attached hereto and by reference made a part of this Agreement.
  - c. Attachment 8, Section 1.7.4, pertaining to deposits is deleted and replaced with language shown in Exhibit 4 attached hereto and by reference made a part of this Agreement.
- 3. In the event that FPL consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of FPL under this Agreement.
- 4. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in section 3.1 of the MCI WorldCom Communications, Inc. Interconnection Agreement. For purposes of determining the expiration date of this Agreement pursuant to section 3.1 of the MCI WorldCom Communications, Inc. Interconnection Agreement, the effective date shall be September 12, 2001.
- 5. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 9th Floor 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

**FPL FiberNet, LLC** 

Mr. Brett H. Bayag 9250 West Flagler Street P. O. Box 025566 Miami, FL 33102-025566 Tel. 305-552-4763

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.  Signature  Signature	FPL FiberNet, LLC
	Signature
Printed Name	NEIL FLYNN
Printed Name	Printed Name
Senior Director	PRESIDENT
Title	Title
7-24-02	7/12/02
Date	Date

### **EXHIBIT 1**

### **EXHIBIT 2**

UNBL	JNDLEI	NETWORK ELEMENTS - Florida												Attachment:	,	Fullible D	
		T TOTAL		1	l	1	ı					Cup C-d-				Exhibit: B	ļ. ——
						i							Svc Order	incremental	Incremental	incremental	Incrementa
					ļ.					1					Charge -	Charge -	Charge -
	0001			l _								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)	į		perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				1		1	i			1	ĺ	-	1	Electronic-	Electronic-	Electronic-	Electronic-
						i						1		1st			
					j							1		150	Addʻl	Disc 1st	Disc Add'l
					<del></del>	<b> </b>		Nonrec	urrina	Nonrecurring	Disconnect	-	L	000	L		Ь
				<del></del>		+	Rec	First	Addʻl	First	Add'l	001150		055	Rates(\$)		
	+		-			<del></del>		FIFEL	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODEO	ATIONAL	SUPPORT SYSTEMS	-							<u> </u>							
OFLIN	TIONAL	- SUFFORT STSTEMS			L	L				<u></u>							
	L.OTE																
	NOTE:	(1) Electronic Service Order: CLEC should contact its contract	negotiato	r if it pr	efers the state speci	fic electronic	service orderin	g charges as o	rdered by the S	State Commissio	ons. The electr	onic service	ordering c	harge current	ly contained ir	ı this	
												_			_		
	NOTE:	(2) Any element that can be ordered electronically will be billed	accordin	n to the	SOMEC rate listed I	n this catego	ov Plassa refer	to BallSouth's	Queinace Pula	e for Local Ord	orina (DDD I A		:6				
	T	Manual Service Order Charge, per LSR, Disconnect Only (FL)		1	T INCO FACO HOLOGY	SOMAN	1. 1 10030 10101	to Dellocatil 3	Duameaa Nuie	1.83	ening (DDK-LO	to neterunt	ie ii a produ	ct can be ord	ered electronic	cally.	
•	_	Electronic OSS Charge, per LSR, submitted via BST's OSS		1		COMPAN				1.83			<b>.</b>				
		interactive interfaces (Regional)		i	1						1		ţ				
	NOLES .	Interactive interraces (Regional)		<b></b>	ļ	SOMEC		3.50									
UNBU	MULEU I	EXCHANGE ACCESS LOOP			<u> </u>	ļ							L				
	2-WIRE	ANALOG VOICE GRADE LOOP			<u> </u>	<u> </u>								1		T	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90	· ·		-	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57		11.90		<u> </u>		t
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	33.36	49.57	22.83	25.62	6.57	-	11.90		<b></b>		
	1	Loop Testing - Basic 1st Half Hour			UEANL	URET1	55.56	77.09		20.02	0.37			<del></del>	<b></b>		⊢—
	+	Loop Testing - Basic 1st Half Hour		l .	UEANL	URETA	<del> </del>	33.12		<del></del>		ļ	11.90	<del></del>	<b> </b>		<del> </del>
	+				OLANE	DILLIA	ļ —	33.12		<b></b>		L	11.90	ļ	L		1
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-		1	l		<u> </u>						l	ĺ			1
		SL1)			UEANL	UREWO		15.78	8.94				11.90				i
		Engineering Information Document (EI)		<u> </u>	UEANL			12.28	12.28				1				
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	1	9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per		1													
	1	LSR)		ł	UEANL	OCOSL		23.02	23.02		ł	j	ŀ				
	2 14/100	Unbundled COPPER LOOP	<u> </u>	<del> </del>	CONTE	COOCE	<del> </del>	20.02	20.02		_		ļ				<del> </del>
	T-AAIL/C		1	1	UEQ	UEQ2X	13.83	41.64	40.00	40.05		ļ					<u> </u>
	+	2-Wire Unbundled Copper Loop - Non-Designed Zone 1							19.02	19.65	5.09		11.90				<b>└</b>
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	15.29	41.64	19.02	19.65	5.09		11.90				L
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	20.29	41.64	19.02	19.65	5.09		11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed		1													
		(per loop)		1	UEQ	USBMC		9.00	9.00				1				l
	_	Engineering Information Document			UEQ			12.28	12.28		-		11.90		<u> </u>		
	+	Loop Testing - Basic 1st Half Hour		<b>†</b>	UEQ	URET1		77.09				-	11.90				$\vdash$
	+			<del> </del>	UEQ	URETA		33.12			<del> </del>			<b></b>			
		Loop Testing - Basic Additional Half Hour			UEU	UKEIA		33.12					11.90				<b>—</b> ——
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	{	į .								ì					l
	_l	ND)		<u> </u>	UEQ	UREWO		14.27	7.43				11.90				L
UNBU		EXCHANGE ACCESS LOOP		1											L i		1
	2-WIRE	ANALOG VOICE GRADE LOOP															
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	1	Zone 1	l	1 1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		11.90	l			1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1	l	1 1	UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57	l	11.90	1			1
				<del>- '</del> -	OW OLFOD	150	12.79	40.01	22.03	20.02	0.37	<del>-</del> -	11.50	<del>                                     </del>	<u> </u>		<del></del>
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	١ ۾	TIEDED TEEDED	LIENIC	47.07	40.5~	00.00	25.00		1	44.00	1			1
		Zone 2		2	UEPSR UEPSB	UEALS	17.27	49.57	22.83	25.62	6.57	<b></b>	11.90	<b> </b>	<b> </b>	ļ	<del></del>
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				l							1				1
	<u> </u>	Zone 2		2	UEPSR UEPSB	UEABS	17.27	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Į.	ļ.	1	ļ							1			l	i
		Zone 3	i	3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		11.90				<b>!</b>
_	<del> </del>	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1	1				T							
		Zone 3	1	3	UEPSR UEPSB	UEABS	33.36	49.57	22.83	25.62	6.57	l	11.90	ļ			1
i inimi	AIDLES:		<del></del>	t-Ŭ	OCT OIL OFT OR	1	55.50	40.07	22.03	20.02	0.07	<b></b>	11.50	<del></del>	-		· · · · · · · · · · · · · · · · · · ·
ONRO		EXCHANGE ACCESS LOOP		<del> </del>	<del> </del>	1	-				<b></b>		<b>-</b>	· · · · · · -	<b></b>		<del></del>
	2-WIRE	ANALOG VOICE GRADE LOOP	├	<del> </del>		+					-	_			<b>-</b>		<del></del>
	i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1	l	l						1	Į.	1			1
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01	l	11.90				<del></del>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	I	1					1	l	"		1			1
	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90				1
	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T	†					1				1			
	1	Ground Start Signaling - Zone 3	I	3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01	l	11.90	1		1	1
		Order Coordination for Specified Conversion Time (per LSR)		<del>                                     </del>	UEA	OCOSL	37.02	23.02	02.41	00.33	12.01	<del> </del>	11.50	<del> </del>			<del></del>
				₩-	UCA	OCOSE	-	23.02	<del>-</del>	<del> </del>	ļ	<del> </del> -	<b> </b>	<b></b>			<del> </del>
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	Ι.	l	1								l			l
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01	<b>!</b>	11.90				
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l	1	1	1	1			1	l	1	1	Ì			1
				2	UEA	UEAR2	19.57	135.75	82.47	63,53	12.01		11.90				

NBUNDLED NETWORK ELEMENTS - Florida													Attachment:	2	C.LILIS -	
TEGORY RATE ELEMENTS	Inte	erim Zo	one	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR	Svc Order	Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st		Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
			$\dashv$			Rec	Nonrec First	urring Add'l	Nonrecurring First		00000			Rates(\$)		·
2-Wire Analog Voice Grade Loop - Service Le	vel 2 w/Reverse		$\neg$				- FIFSL	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Battery Signaling - Zone 3				UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90		ŀ		
Order Coordination for Specified Conversion Ti	ime (per LSR)			UEA	OCOSL		23.02					11.00				
CLEC to CLEC Conversion Charge without out:  4-WIRE ANALOG VOICE GRADE LOOP	side dispatch			UEA	UREWO		87.71	36.35				11.90				-
4-Wire Analog Voice Grade Loop - Zone 1			1	UEA	UEAL4	23.02	167,86	445.45								T
4-Wire Analog Voice Grade Loop - Zone 2				UEA	UEAL4	31.07	167.86	115.15 115.15	67.08 67.08	15.56		11.90				
4-Wire Analog Voice Grade Loop - Zone 3				UEA	UEAL4	60.02	167.86	115.15	67.08	15.56 15.56		11.90 11.90				
Order Coordination for Specified Conversion T				UEA	OCOSL		23.02	710.13	07.00	13.36		11.90			<u> </u>	ļ
CLEC to CLEC Conversion Charge without out:	side dispatch			UEA	UREWO		87.71	36.35				11.90	·			<del></del>
2-WIRE ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1			- 1							-		1,1,1	<del></del> -			
2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	<del></del>			UDN UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90		L		
2-Wire ISBN Digital Grade Loop - Zone 3				UDN	U1L2X U1L2X	29.38 56.76	147.69 147.69	94.41 94.41	62.23	10.71		11.90		_		
Order Coordination For Specified Conversion T	ime (per LSR)			UDN	OCOSL	36.76	23.02	94.41	62.23	10.71		11.90				
CLEC to CLEC Conversion Charge without out:	side dispatch			UDN	UREWO		91.61	44.15				11.90				<u> </u>
2-WIRE Universal Digital Channel (UDC) COMPATI	BLE LOOP											11.90		-		<b></b>
		T														<del></del>
2-Wire Universal Digital Channel (UDC) Compa	atible Loop - Zone 1		1 1	JDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				
2-Wire Universal Digital Channel (UDC) Compa	rible Leas Zone 2		2 1	upo.	UDOOV	00.00										
2-vviie Otiversai Digital Chariner (ODC) Compa	Blible Loop - Zone Z		<del>-</del>	nide	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				i
2-Wire Universal Digital Channel (UDC) Compa	stible Loon - Zone 3	- 1 -	3 1	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		44.50				i
CLEC to CLEC Conversion Charge without outs				UDC	UREWO	30.76	91.61	44.15	62.23	10.71		11.90 11.90				
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LIN	E (ADSL) COMPATIBLE	LOOP					91.51	77.10	i			11.90				<del></del>
2 Wire Unbundled ADSL Loop including manual	service inquiry &															<b></b>
facility reservation - Zone 1			1 1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				1
2 Wire Unbundled ADSL Loop including manual facility reservation - Zone 2	service inquiry &		, I.	UAL												
2 Wire Unbundled ADSL Loop including manual	sonice inminus		2 1	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90				L
facility reservation - Zone 3	Solvico inquiry a		3 1	JAI	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				ĺ
Order Coordination for Specified Conversion Ti	ime (per LSR)			UAL	OCOSL	00.00	23.02	100.00	75.05	13.03		11.90				<del></del>
2 Wire Unbundled ADSL Loop without manual s			$\neg$													
facility reservation - Zone 1			1 1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				l
2 Wire Unbundled ADSL Loop without manual s	ervice inquiry &				1 1											
facility reservaton - Zone 2  2 Wire Unbundled ADSL Loop without manual s	nadaa laadaa 9		2 1	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90				<u> </u>
facility reservation - Zone 3	ervice inquiry &		3 1	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		44.00				1
Order Coordination for Specified Conversion Ti	ime (per LSR)			JAL	OCOSL	33.00	23.02	71.12	60.64	9.12		11.90				<del></del>
CLEC to CLEC Conversion Charge without outs				JAL	UREWO		86.19	40.39				11.90				<del></del>
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE	(HDSL) COMPATIBLE L	OOP										77.50				$\overline{}$
2 Wire Unbundled HDSL Loop including manual	service inquiry &	- 1														
facility reservation - Zone 1			1 (	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				
2 Wire Unbundled HDSL Loop including manual facility reservation - Zone 2	service inquiry &		2 1	JHL	UHL2X	13.46	159.09	113.41	75.05	45.00						1
2 Wire Unbundled HDSL Loop including manual	Learning inquiry &	-+	- 1	JIL	Unizz	13.40	109,09	113.41	75.05	15.63		11.90				<del></del>
facility reservation - Zone 3	i service inquiry a		3 4	JHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90				l
Order Coordination for Specified Conversion Ti	ime (per LSR)			JHL	OCOSL	20,00	23.02	110.11	70.00	10.05		11.30				
2 Wire Unbundled HDSL Loop without manual s																
facility reservation - Zone 1			1 (	JHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90			i	i
2 Wire Unbundled HDSL Loop without manual s	ervice inquiry and		_		I I											
facility reservation - Zone 2		:	2	JHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90				
2 Wire Unbundled HDSL Loop without manual s facility reservation - Zone 3	ervice inquiry and		3 1	JHL	UHL2W	26.00	134,40	00.00	20.04			44.00				i
Order Coordination for Specified Conversion Ti	ime (per LSR)			JHL JHL	OCOSL	26.00	23.02	80.69	60.64	9.12		11.90				
CLEC to CLEC Conversion Charge without outs				JHL	UREWO		86.12	40.39			-	11.90				
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE	(HDSL) COMPATIBLE L	ООР														· · · · · ·
4 Wire Unbundled HDSL Loop including manual																i
facility reservation - Zone 1			1 1	JHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				<u> </u>
4-Wire Unbundled HDSL Loop including manual	I service inquiry and	1	<u>,</u> [.				, <u></u>				- 7	T				
facility reservation - Zone 2		1_2	2 ا	JHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				i

UNBL	INDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
				Γ								Svc Order	Svc Order	Incremental		Incremental	Incremental
							ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1				}					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES	i(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			ţ	ļ		<b>\</b>	<b>\</b>			1	}	por zort	por 2011	Electronic-	Electronic-	Electronic-	Electronic-
					i									1st	Add'i	Disc 1st	Disc Add'l
				L										'**	Aug.	Diac 1st	Disc Add i
	<del> </del>						Rec	Nonre		Nonrecurring	Disconnect			oss	Rates(\$)		
	<u> </u>							First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Unbundled HDSL Loop including manual service inquiry and	1	1	l		40.00						ŀ	1			
	+	facility reservation - Zone 3	ļ	3	UHL	UHL4X OCOSL	40.90	193.31	138.98	77.15	12.61	<del> </del>	11.90		<u> </u>		<u> </u>
	+	Order Coordination for Specified Conversion Time (per LSR)  4-Wire Unbundled HDSL Loop without manual service inquiry and			UHL	UCUSL		23.02							<b></b>		
		facility reservation - Zone 1	1	1	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22	1	14.00	İ			
	-	4-Wire Unbundled HDSL Loop without manual service inquiry and	-	<del>  '</del>	0112	OTILATI	13.03	100.02	113.47	02.74	11.22		11.90		-		<del> </del>
		facility reservation - Zone 2		2	UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90	ļ		ŀ	
	1	4-Wire Unbundled HDSL Loop without manual service inquiry and	-		O. I.C.			100.02	113.47	02.14	11.22	<del></del>	11.90			·	<del></del>
	1	facility reservation - Zone 3	1	3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22	1	11.90	ì	)		]
	<b>—</b>	Order Coordination for Specified Conversion Time (per LSR)		<del> </del>	UHL	OCOSL	10.00	23.02	110.41	02.17	11.22		11.90	<del> </del>		<del> </del>	<del> </del>
	1	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39	<del> </del>			11.90			ļ	<del></del>
	4-WIRE	DS1 DIGITAL LOOP		l			<del> </del>	T					1	<b></b>	<del> </del>		<del></del>
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90			1	
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	99.13	313.75	181.48	61.22	13.53	Ţ	11.90		T	t	
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90	l		<del> </del>	
	oxdot	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02								1	
	4	CLEC to CLEC Conversion Charge without outside dispatch		1	USL	UREWO		101.07	43.04				11.90				
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<b> </b>														
	1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				
	1	4 Wire Unbundled Digital 19.2 Kbps	<b>⊥</b>	3	UDL	UDL19	68.82	161.56	108.85	67.08	15.56		11.90	L			
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	1	UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90			<b> </b>	ļ
	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<del> </del>	2	UDL	UDL56	35.62 68.82	161.56 161.56	108.85 108.85	67.08	15.56		11.90		<b></b>		ļ
	+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	00.02	23.02	108.85	67.08	15.56	<u> </u>	11.90				
	<b></b>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11.90				
	+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del> </del>	2	UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				-
	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<del> </del>	3	UDL	UDL64	68.82	161.56	108.85	67.08	15.56	<del> </del>	11.90				
	+-	Order Coordination for Specified Conversion Time (per LSR)	+	<u> </u>	UDL	OCOSL		23.02	100.00	07.00	13.00	1	- 11.50	<del></del>		<del></del>	
	1	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74				11.90				
	2-WIRE	Unbundled COPPER LOOP	1	1								ļ — —				1	
		2-Wire Unbundled Copper Loop/Short including manual service															
	1	inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63	1	11.90	ł	ļ	1	1
		2-Wire Unbundled Copper Loop/Short including manual service											Ĩ				
		inquiry & facility reservation - Zone 2	L	2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90		L		
	1	2 Wire Unbundled Copper Loop/Short including manual service	i .					•	į.	i		1					1
		inquiry & facility reservation - Zone 3	L	3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90				
_	1	Order Coordination for Unbundled Copper Loops (per loop)	<b>↓</b>		UCL	UCLMC	<b>-</b>	9.00	9.00	<del> </del>		<del></del>					<del></del>
	1	2-Wire Unbundled Copper Loop/Short without manual service inquiry	1	<b>\</b> .			10.5=					}		<b>\</b>	1	1	1
	1	and facility reservation - Zone 1	<del> </del>	+ 1	UCL	UÇLPW	12.65	123.81	70.09	60.64	9.12	<del> </del>	11.90	ļ		<del> </del>	
	1	2-Wire Unbundled Copper Loop/Short without manual service inquiry	1	2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90	1			1
	+	and facility reservation - Zone 2	+	+-	UCL	UCLPVV	17.08	123.61	70.09	00.04	9.12		11.90				<del></del>
	1	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90		1	İ	1
	+	Order Coordination for Unbundled Copper Loops (per loop)	+	+ -	UCL	UCLMC	33.00	9.00	9.00		5,12	<del> </del>	11.50		<del> </del>	<del></del>	
		2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry	<b></b>	<del> </del>	1001	OCENIC	+	3.00	3.00	<del> </del>	<b></b>	<del></del>	<del> </del>	<del></del>	<del> </del>	<del> </del>	<del> </del>
		and facility reservation - Zone 1	1	1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90	l			1
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry		1	1		1 - 51.57	1.0.50	1	1	1 .0.50	<u> </u>	1			1	
	1	and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90	1			İ
	1	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry	1		T		1		1	T			1			T	
	1	and facility reservation - Zone 3	1	3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63		11.90	l	i	l	1
	1.	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	T	2-Wire Unbundled Copper Loop/Long - without manual service	1				1										
		inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37.07	123.81	70.09	60.64	9.12	<u> </u>	11.90		ļ. <u></u>	L	L
		2-Wire Unbundled Copper Loop/Long - without manual service		1	1		1	1	1			1					1
		inquiry and facility reservation - Zone 2	<b></b>	2	UCL	UCL2W	50.04	123.81	70.09	60.64	9,12	L	11.90		L	L	L
	1	2-Wire Unbundled Copper Loop/Long - without manual service		1 _	l		1				<u> </u>				ļ	1	1
	1	inquiry and facility reservation - Zone 3	<b>├</b>	3	ncr	UCL2W	96.67	123.81	70.09	60.64	9,12	ļ	11.90	<del> </del>	<b>_</b>	<b>_</b>	<del></del>
		Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>		UCL	UCLMC		9.00	9.00			<b></b>		<b>_</b>	<b> </b>	<b>_</b>	<b></b>
	1	CLEC to CLEC Conversion Charge without outside dispatch (UCL -	1	1	UCL	UREWO		97.21	1 42.42	1		1		l			1
	4 14/15-	Des)	<del> </del>	+	UCL	UKEWU	<del> </del>	97,21	42.47	<del> </del>		<del> </del>	11.90			<del></del>	<del> </del>
	4-WIKE	COPPER LOOP	I	1	L			L	L	l	L	<del></del>	L	L			1

UNBUNDLE	NETWORK ELEMENTS - Florida	_	г -										Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES(			-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - including manual service inquiry and			-						Auu	COME	JOHIAIN	JOMAN	SUMAN	SUMAN	SUMAN
	facility reservation - Zone 1  4-Wire Copper Loop/Short - including manual service inquiry and		1_1_	UCL	UCL4S	18.03	177.87	132,76	77.15	17.73		11.90				i
	facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90	1			
	4-Wire Copper Loop/Short - including manual service inquiry and															
	facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4S UCLMC	47.02	177.87 9.00	132.76 9.00	77.15	17.73		11.90				<u> </u>
	4-Wire Copper Loop/Short - without manual service inquiry and														<del>                                     </del>	
	facility reservation - Zone 1  4-Wire Copper Loop/Short - without manual service inquiry and		1_	ncr	UCL4W	18.03	153,18	100.03	62.74	11.22		11.90				
	facility reservation - Zone 2		2_	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	47.02										<del></del>
<del> </del>	Order Coordination for Unbundled Copper Loops (per loop)	-	3	IUCL IUCL	UCL4W UCLMC	47.02	153.18 9.00	9.00	62.74	11.22		11.90				<del></del>
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry															
$\vdash$	and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry	<u> </u>	<del>  1</del> -	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90	ļ		ļ	
	and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				ĺ
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		_	UCL	UCL4L	168.25	477.07	400 70								
<del> </del>	Order Coordination for Unbundled Copper Loops (per loop)		3_	UCL	UCLMC	168.25	177.87 9.00	132.76 9.00	77.15	17.73		11.90				<del></del>
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry															
<del></del>	and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry	-	1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		_11.90			<u> </u>	<del></del>
	and facility reservation - Zone 2		2	UCL	UCL40	87.09	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL40	168.25	153.18	100.03	62.74	11.22		11.90				
<b> </b>	Order Coordination for Unbundled Copper Loops (per loop)		1 3	UCL	UCLMC_	108.23	9.00	9.00	62.74	11.22	-	11.90				
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MODIFK	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC,		-								-		
	less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire greater		+	UDN, UDL, USL	ULM2L		0.00	0.00								
	than 18k ft			UCL, ULS	ULM2G		343.12	343.12				11.90	L			L
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	İ		UHL, UCL	ULM4L		0.00	0.00	!							1
	than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire pair	<del> </del>	_	UNL, UCL	ULWI4L	<del></del>	0.00	0.00			<del> </del>					-
	greater than 18k ft		—	UCL	ULM4G	ļ	343.12	343,12			ļ	11.90	<u> </u>			
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.52	10.52				11.90				
SUB-LOOPS	District Air		<b>_</b>	ļ		<del>                                     </del>						ļ			ļ	
Sub-L	pop Distribution	<b></b>	1-	1							-	<b></b>				
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	<u> </u>	UEANL	USBSA		487.23	487.23	ļ		ļ <u>.</u>	11.90				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		6.25	6.25				11.90	<u> </u>			
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	١,		UEANL	USBSC		169.25	169.25				11.90				
-	Set-Up	'-	+	GEAINL	Jobac		109.20	109.25			1		<del> </del> -	.,		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	L.	<u> </u>	UEANL	USBSD		38.65	38.65			ļ	11.90				<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1												]	
	2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	10.27	60,19	21.78	47.50	5.26		11.90				
	3	l	3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26	L	11.90	L	L	l	<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida														I=	
ONDONDEL	NETWORK ELEMENTS - Florida		г	I	Γ				г		<del>                                    </del>		Attachment:	T	Exhibit: B	
													Incremental		Incremental	Incrementa
			ļ						i	1	Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	Zono	BCS	usoc	<b>\</b>	RATES	( <b>*</b> )	1	İ	Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORI	RATE ELEMENTS	niterim	Zone	BUS	USUC		RAIES	(2)	1	1	per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l		ł					ì			Electronic-	Electronic-	Electronic-	Electronic-
			l			1				!	l		1st	Add'l	Disc 1st	Disc Add'l
	<u> </u>		L			ļ			L			1				
	<del></del>		├			Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)		
						1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			l		ļ											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		9.00	9.00			1			ł		
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1							1						<del></del>	
	1		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60	l	11.90	İ	1		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone													<del> </del>	<b></b>	
	2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90			f	ĺ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone								10.2.	0.00	·	11.50	<del></del>			
	3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90		j		
					-	21110	00.00	50.42	45.71	0.00		11.90	<del></del>	<del> </del>		ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00					1	i		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<del></del>	<del> </del>	UEANL	USBR2	3.50	51.84	13.44	47,50	F 00		44.00		ļ		
	200 E 200 E 1110 AUGUSTION OF THE PARTY OF T	- '-	<del>  -</del>	OLI WIL	CODICE	3.50	31.84	13.44	41,50	5.26	·	11.90		<del> </del>		
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	9.00	0.00	1			ľ	1		l	l
		1	<b>——</b>					9.00			<b></b>			ļ		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		<del> </del>	UEANL	USBR4	6.68	55.91	17.51	49.71	6.60		11.90				
	Outer Constitution for the bound of the constitution of the consti	1	1	l.,,		, 1			1	}	1		· -	1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<b>-</b>	UEANL	USBMC	L	9.00	9.00	L	L	L	L	l	L	L	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.25	60.19	21.78	47.50	5.26		11.90		L		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS2X	8.44	60.19	21.78	47.50	5.26		11.90		<del></del>		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	. 1	3	UEF	UCS2X	16.30	60.19	21.78	47.50	5.26		11.90		T		
1														<del>                                     </del>		<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00	i				ļ	ł		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	i 1	1	UEF	UCS4X	5.20	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	7.02	68.83	30.42	49.71	6.60		11.90	<del> </del>			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i i		UEF	UCS4X	13.55	68.83	30.42	49.71	6.60	<del> </del>	11.90		<del> </del>		
	The copper distributed and Ecop Distribution Econo	· ·			-	.0.00	00.00	00. 1 <u>2</u>	73.71	0.00	l	11.50		<del> </del>		
	Order Coordination for Unbundled Sub-Loops, per sub-toop pair			UEF	USBMC		9.00	9.00		1	l i					
Unbur	ndled Sub-Loop Modification			OLI	USBNIC		9.00	9,00	<del></del>	<del></del>			-	<b>_</b>		
Olibui			<del></del>		ļ								ļ	<del></del>		
1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	ì	1			ììì		40.44	ì	1	]	·	]	1	i	
	Coil/Equip Removal per 2-W PR		<b>!</b>	UEF	ULM2X		10.11	10.11	<u> </u>			11.90		ļ		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip	1	l	İ	1											
	Removal per 4-W PR		L	UEF	ULM4X		10.11	10.11				11.90				
1	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap		Ì		i	1					l .		1			
	Removal, per PR unloaded		L	UEF	ULM4T		15.58	15.58			1	11.90				
Unbur	rdied Network Terminating Wire (UNTW)		I													
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
Netwo	rk Interface Device (NID)														,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Network Interface Device (NID) - 1-2 lines	L"		UENTW	UND12		68.08	42.80				11.90		Ι .		
	Network Interface Device (NID) - 1-6 lines		T	UENTW	UND16		110.48	85.20				11.90				
	Network Interface Device Cross Connect - 2 W	· · · · · · · · · · · · · · · · · · ·	Ι	UENTW	UNDC2		7.63	7.63				11.90		1		
<del></del>	Network Interface Device Cross Connect - 4W		Ι	UENTW	UNDC4		7.63	7.63				11.90		T		
SUB-LOOPS	Treation and Device order comment				T	† · · · · · · · · · · · · · · · · · · ·				<u> </u>	1			1		
	oop Feeder			l	<b>-</b>					1				l		
300-1	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		$\vdash$	UEA.						T		r		1		
		l	l	UDN.UCL.UDL.UDC	USREW	i l	487.23		1	I	(	11.90	1	1		
<b></b>	Distribution Facility set-up	<del></del>	<del> </del>	UEA,	1000. **	<del>  </del>	407.23		<del></del>	<del></del>	t	11.50	<del> </del>	<del>-</del>		
1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-	1	1		LICDEY	]	6.25	6.25		1	l	11.90	I	}	l	
	lup	ļ		UDN,UCL,UDL,UDC					<del> </del>		<del> </del>		<b></b>			
	USL Feeder DS1 Set-up at DSX location, per DS1 termination	<u> </u>	<b></b>	USL	USBFZ	<del></del>	522.41	11.32		-	<del> </del>	11.90	<b></b>	<u> </u>		
[	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	l	l .	l							Î		i	I		
	Grade - Zone 1	L	1	ŲEA	USBFA	8.05	92.75	51.24	58.45	13.07	<del></del>	11.90	ļ. <u></u>	ļ		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	1	1								] :	1	l	I		
	Grade - Zone 2	L	2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90	L			
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice								1		1	1				
	Grade - Zone 3	L	3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07	1	11.90	l		L	
1	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02					I	1	1		
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade -	i	I		1						1		1	!		
	Zone 1	l	1 1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07	1	11.90	1	i	ľ	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade -		<del>                                     </del>	<del> </del>	† <b>-</b>				35.10	15.57	1	1	<del></del>	<b> </b>		
		1	2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07	I	11.90	!	i		
	Zone 2	-	-	UCA	USBFB	10.07	92.73	31.24	36.43	13.07		11.90	<del></del>	-		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade -	1	1	l.,_,	LICOED	,,,,,	02.75	E4.04	50.45	12.07	l	14.00	1	I		
	Zone 3	ļ	3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07	<del> </del>	11.90		<b>!</b>		· · · · · · · · · · · · · · · · · · ·
- 1	Order Coordination for Specified Time Conversion, per LSR	L		UEA	OCOSL		23.02	l		L	<u> </u>	L	L	L	L	

IMPLIND: F	D NETWORK ELEMENTS - Florida				•		*						Attachment:	2	Exhibit: B	
NBUNDLE	D NETWORK ELEMENTS - FIORIDA					r					T T					<u> </u>
					1							Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
										-	Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ALEGURT	RATE ELEMENTS	BILLEVINE	20116	DC3	5500		MATEO	(4)			per Lar	perLSK			1	
			l										Electronic-	Electronic-	Electronic-	Electronic-
			l		ì						!		1st	Add'I	Disc 1st	Disc Add'l
											il					
- 1							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
_	- · · · · · · · · · · · · · · · · · · ·	-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	11.4 # 10.1.1 F 1.1.1 - 0.10 - D D - H 1/-1	<del>                                     </del>	├		<del></del>	<del>   </del>	1.1131	Augi	11131	Augi	SOME	SOMAN	JUMAN	SUMAIN	SUMAN	SUMAN
l.	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice	l.	1	i.							i !		i		1	
!	Grade - Zone 1	i	1	UEA	USBFC	8.05	92.75	51.24	58.45	13.07	]	11.90				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice															
	Grade - Zone 2	l	2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90				1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery,		<del>                                     </del>												<del> </del>	<del> </del>
1		l	-	lue.	HEDEC	21.00	02.75	E4 24	E0.4E	42.07		11.00				1
	Voice Grade - Zone 3	ļ	3	UEA	USBFC	21,00	92.75	51.24	58.45	13.07		11.90			ļ	
	Order Coordination For Specified Conversion Time, per LSR	l		UEA	OCOSL		23.02								l	1
1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			T												
	Grade - Zone 1	l	1 1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83	1	11.90				1
			<del>  '</del>	027	000.0	17.20	100.02	01.10	30.07	17.00	<del> </del>	17.50			-	+
ł	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l .	Ι.	l							1		1		1	
	Grade - Zone 2	1	2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				J
l l	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	1	1								1					
1	Grade - Zone 3	1	3	UEA	USBFD	45.00	106.92	64.46	63.54	14.83	1	11.90	l		1	1
	Order Coordination For Specified Conversion Time, Per LSR	1	<del> </del>	UEA	OCOSL		23.02	2					<del> </del>	-		<b>—</b>
		<del> </del>	+	OLA	00000		20.02				-			·	1	+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade -	1	Ι.								1		l		1	
	Zone 1	<u> </u>	1 1	UEA	USBFE	17.26	106.92	64,46	63.54	14.83		11.90			<b>.</b>	<b></b>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade -	-			i	1				ļ					1	
	Zone 2		1 2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83	1	11.90		1		
		<b>†</b>	<del>  </del>	-	1000.0									1		+
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade -	1	١.			45.00	400.00	04.40	00.54	4400		4400				
	Zone 3		3	UEA	USBFE	45.00	106.92	64.46	63.54	14.83		11.90		ļ		· · · · · · · · · · · · · · · · · · ·
	Order Coordination For Specified Conversion Time, Per LSR	İ	1	UEA	OCOSL		23.02						L			<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	1 1	UDN	USBFF	17.04	109.71	66.68	60.21	12.49		11.90			i .	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	1	2	UDN	USBFF	23.00	109.71	66.68	60.21	12.49		11.90				T
	Official deal-Loop reeder Loop, 2-Ville ISDN BRI - Zone 2		3	UDN	USBFF	44.43	109.71	66.68	60.21	12.49	f	11.90	<del></del>	<del></del>	<del></del>	+
1	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	1	3_			44.43		00.00	00.21	12.45	ļ .	11.50		<u> </u>	ļ	+
	Order Coordination For Specified Conversion Time, Per LSR		<b>↓</b>	UDN	OCOSL		23.02								1	1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49	1	11.90			<u> </u>	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	2	UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				
	Unbuilded data-coop redder, 2 Wile ODO (IDC), persontible)	<del> </del>	3	UDC	USBFS	44.43	109.71	66.68	60.21	12.49		11.90		1		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<del> </del>				46.27	133.77	78.02	85.16	21.21		11.90		·		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<u> </u>	1_1_	USL	USBFG						-			<del>                                     </del>		+
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	1 .	2	USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21	l	11.90				l
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02				1					
		<del> </del>	1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82	· · · · · · · · · · · · · · · · · · ·	11.90				
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		<del>                                     </del>	UCL	USOFFI	1.23	03.27	42,24	30.54	10.02	<u> </u>	11.50		<del> </del>	<del> </del>	+
		į.	1		1						i		1		l .	i
1	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	JUCL	USBFH	9.79	85.27	42.24	58.54	10.82		11.90				
	Cribanasa dae acep i visas as a financia a f		1								1	1	ľ	ŀ	ì	1
			3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90	ŀ	i	1	1
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		+ 3			10.52		72.24	30.07	10.02	<del>                                     </del>	11,50	<del></del> -	·		<del></del>
	Order Coordination For Specified Conversion Time, per LSR	<u> </u>		UCL	OCOSL		23.02					44.00	<del> </del>	<del></del>	<del></del>	+
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	1	2	UCL	USBFJ	19.20	99.66	57.20	60.98	12.28	l	11.90				
<del></del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	37.09	99.66	57.20	60.98	12.28	1	11.90		1		
		<del> </del>	+ -	UCL	OCOSL		23.02	2		1	1	I			1	T
	Order Coordination For Specified Conversion Time, per LSR	+	+			10.00		58.16	63.54	14.83	t	11.90	1	t	1	+
1 -	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	<b></b>	1_	UDL	USBFN	18.68	100.62				1		<del> </del>	<del> </del>	<del></del>	+
1 -	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2_	UDL	USBFN	25.21	100.62	58.16	63.54	14.83	<b></b>	11.90		<del>                                     </del>	<b></b>	+
<del></del>	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	T	3	UDL	USBFN	48.71	100.62	58.16	63.54	14.83	<u> </u>	11.90				
	Gub-Loop Feder - Fer 4-1918 Ta.2 Nops Digital Grade Coop	<del> </del>	† <u> </u>	1	<del></del>	1		_						1		
1		1	1 .	LIDI	USBFO	18.68	100.62	58.16	63.54	14.83	Ĭ.	11.90	1	1	1	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	<b> </b>	11	UDL	USBEU	10.00	100.02	30.10	03.34	14.03	<del> </del>	11.50	<del> </del>	<del>                                     </del>	+	+
		1	1	1	1	1	l		1		1		i	1	1	1
1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	1	2	UDL	USBFO	25.21	100.62	58,16	63.54	14.83	1	11.90			L	
		T	T				l		1		1	1	1	1	1	1
1	Out I am Forder Day & William EQ Many District Conductions - Town 9		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83	1	11.90	ł		1	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	-	+			10.71	23.02		1 23.01	1		1	Ì	1	1	T
i	Order Coordination For Specified Time Conversion, per LSR	1	+	UDL	OCOSL	-	23.02		<del>                                     </del>	<del> </del>	<del></del>	<del> </del>	<del> </del>	+	1	+
		1	1	1	1	1	1	1	1	1	Ι.	1	1	1	j	1
- 1	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1 1	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90	ļ. <u>.</u>			1
	CODE COOP : COOC - 1 CT + 1110 OF HOPE DIGITAL CLASS COOP ECTO 1		<b>T</b>	<u> </u>	1					1	1					1
- 1		.1	1 2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83	1	11.90	1			1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		1 4	UDL	USBFF	23.21	100.02	30.10	00.04	14.00	+	1	<del> </del>	<del> </del>	<del>                                     </del>	1
		1	1		1	1	ĺ			l	1		•			
ļ	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	1	3	UDL	USBFP	48.71	100.62	58.16	63.54	14.83	1	11.90	L	L		
<del></del>	Order Coordination For Specified Conversion Time, per LSR	1 -	T	UDL	OCOSL		23.02	I	1	1	1	1		1		1
	Order Coordination For Specified Conversion Time, per ESK	+	+		1	<del>                                     </del>	1			1		1			I	1
JB-LOOPS	<u></u>	<del> </del>	1		+	1	<del> </del>	<del>                                     </del>	+		+	<del> </del>	<del> </del>	<del>                                     </del>	+	1
Sub-	Loop Feeder	L	1	L	_1	l		L	1	<b></b>	<del> </del>	<del> </del>	ļ	<del> </del>	+	+
	Sub Loop Feeder - DS3 - Per Mile Per Month	1	1	UE3	1L5SL	15.69	1	I	1			L		L		ــــــــــــــــــــــــــــــــــــــ

ONDONDEL	D NETWORK ELEMENTS - Florida												Attachment:	2	F. bible D	т
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	S(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
			L										1st	Add'l	Disc 1st	Disc Add'l
			<b> </b>	, <u> </u>		Rec		curring		Disconnect			oss	Rates(\$)		L
	Sub Loop Feeder - DS3 - Facility Termination Per Month		<del> </del>	UE3	USBF1	1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder - STS-1 - Per Mile Per Month	<del>-</del>	<b></b>	UDLSX	1L5SL	347.59 15.69	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	H		UDLSX	USBF7	402.09	3,386.00	407.15	166.83							
	Sub Loop Feeder – OC-3 – Per Mile Per Month	I		UDLO3	1L5SL	11.90	5,500.00	407.13	100.83	94.58		11.90				
	S.1. 5 1 000 5 m 5 1 1 1															
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month	<u> </u>	<u> </u>	UDLO3	USBF5	62.98			1				ļ			
	Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month		<del>  -</del>	UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90		-		
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per		-	UDL12	1L5SL	14.65										
	Month	l 1		UDL12	USBF6	502.47										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	ı		UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		44.00				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	48.06	0,000.00	407.13	100.03	94.58		11.90				
ı	Sub Loop Feeder - OC-48 - Facility Termination Protection Per							T				<del></del>				L
	Month		1	UDL48	USBF9	251.80			L		[		l i	ĺ		
<del></del>	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		11.90				
UNBUNDLED	LOOP CONCENTRATION		├	UDL48	USBF8	331.15	788.39	407.15	168.35	95.43		11.90				
T	Unbundled Loop Concentration - System A (TR008)		<b>—</b>	ULC	UCT8A	449.49	359.42	359.42	<del> </del>							
	Unbundled Loop Concentration - System B (TR008)	-		ULC	UCT8B	53.44	149.76	149.76	<del></del>			11.90				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42	<del> </del>	<del></del>		11.90				
	Unbundled Loop Concentration - System B (TR303)			ULC	<b>UCT3B</b>	90.05	149.76	149.76	<u> </u>			11.90				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Habitan Constitution NDC 1 1 1 1 10 10 10 10			l								17.50				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or		<u> </u>	UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2		10.50								-	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCCZ	2.00	16.59	16.50	6.77	6.73		11.90				
ļ	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6,77	6.73		11.90	İ			
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface					71.00	10.00	10.50	0.77	0.73		11.90				
	(Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90			Ì	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface				l											
-	interrace			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OTHER, F	PROVISIONING ONLY - NO RATE					,5.51	10.33	10.30	0.77	0.73		11.90				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE									1		
1	Hobundhad Contract Name Provincening Only, No Patr			UEANL,UEF,UEQ,UE	LINEON											
UNE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE			NTW	UNECN	<del> </del>										
1	THE PROPERTY OF THE PARTY.				<u> </u>	<del>                                     </del>										
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00								1	
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC		0.00	0.00									
1						-,20	2.00							<del></del>		
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00						l	I	I	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL.	CCOSF	0.00	0.00					†				
1	Unbundled DS1 Loop - Expanded Superframe Format option - no															
HIGH CARACE	rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00		<u> </u>							
INSH CAPACII	T ONDONOLED LOCAL LOOP		<b></b>			<del></del>										
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3_	1L5ND	10.92							Ì	1	_ [	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				

ONBONDLED	NETWORK ELEMENTS - Florida		<b>,</b>										Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	<b>(\$)</b>		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			<u> </u>			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination	Ì	ì	}	]	]										
I	per month		ļ	UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	Í
	High Capacity Unbundled Local Loop - OC3 - Per Mile per mo			UDLO3	1L5ND	\$8.29		l								
	Fligh Capacity Unbundled Local Loop - OC3 - 4-fiber Facility Termination					1 1							<u> </u>			
	High Capacity Unbundled Local Loop - OCt2 - Per Mile per mo		<b>├</b> ──	UDLO3 UDL12	UDL34 IL5ND	\$618.65 \$10.20	\$561.12	\$265.23	\$72.03	\$70.56		\$11.90		L	\$183	l
	The second secon		<del>                                     </del>	ODETE	TL3ND	310.20						<b></b>				
	High Capacity Unbundled Local Loop - OC12 - 4-fiber Facility Fermination per mo		ŀ	UDL12	UDL24	\$1,965.00	******	****			j		1			İ
	High Capacity Unbundled Local Loop - OC48 - per mile per mo			UDL48	IL5ND	\$33,45	\$680.93	\$265.23	\$72.03	\$70.56	<b></b>	\$11.90			\$1.83	L
	High Capacity Unbundled Local Loop - OC48 - 4-fiber Facility		┼	ODE40	TESTAD	333,43					ł	l	l	_ · ·		ļ
	Termination per mo	ļ	1	UDL48	UDL44	\$1,610.00	\$680.93	\$265.23	\$72.03	\$70.56	.1		i		İ	1
	Total per and		<del> </del> -	ODDIO	ODLAT	31,010.00	\$000.33	3203.23	\$12.03	370.56	' <del> </del>	\$11.90		ļ	\$1 83	L
<del>+</del>		<del>}</del>	1	<del> </del>	1	<del>  </del>		<del>-</del>	<del></del>		<del> </del>		<del> </del>		-	<del> </del>
			t -	<del> </del>	1	<del> </del>			<b></b>	<del> </del>	<del> </del>	<del> </del>	<del></del>			<del></del>
			<del>                                     </del>	<del>                                     </del>	+	<b>!</b>			-	<del></del>	<del> </del>	<b></b>	<del> </del>		<del>                                     </del>	<del></del>
			<b></b>	<u> </u>	1				<del> </del>	<del></del>	<b></b> -	<del></del>		<del> </del>	<del> </del>	<b></b>
			<del>                                     </del>	l	1				<del> </del>	<del> </del>	<del>                                     </del>	ļ	<del></del>	-	<del></del>	<del></del>
			1		1										<del> -</del>	<del></del>
			<b>!</b>													
																<b>-</b>
				T											<del></del>	
			L								1.					
					<u> </u>											
			<u> </u>								L	İ				
			L		<b></b>											
			↓								<u> </u>					<b> </b>
			<b>├</b> ──	<u> </u>	<del>                                     </del>				ļ —	<u> </u>						
OOP MAKE-UP			├	<del> </del>							<del>[</del>					<b></b>
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		1	UMK	UMKLW	ŀ	52.17	52.17								1
	Loop Makeup - Preordering With Reservation, per spare facility		-	OWIN	CIVILLY	t t	JZ. 17	32.17	<u> </u>							<b></b>
	queried (Manual).		1	UMK	UMKLP		55.07	55.07								1
	Loop MakeupWith or Without Reservation, per working or spare		<del>                                     </del>	Unit	- Commen		00.01	00.07			<del> </del>					
	facility queried (Mechanized)	ì	1	UMK	PSUMK	} }	0.6784	0.6784	ì	ì	ì	1	1	ì	Ì	1
HIGH FREQUENC			i -													
	RS-CENTRAL OFFICE BASED		<b>!</b>		<del> </del>						†·					· · · · · · · · · · · · · · · · · · ·
	Line Sharing Splitter, per System 96 Line Capacity - True up pending		<u> </u>		<del> </del>						1			_		
	approval by PSC	R	l .	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				1
	Line Sharing Splitter, per System 24 Line Capacity - True up pending		ļ		1						T					
	approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00	l .	11.90				1
	Line Sharing Splitter, Per System, 8 Line Capacity	i i		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation		i i													
	(per LSOD) - True up pending approval by PSC			ULS	ULSDG _		173.66		97.42		i	11.90				l
END USE	ER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY S	PECTRU	MAKA	LINE SHARING												
1	Line Sharing - per Line Activation - True up pending approval by				1							i		]	1	
į įr	PSC(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				<u> </u>
		1									İ		ĺ			ĺ
	Line Sharing - per Subsequent Activity per Line Rearrangement -	Ì	ŀ	1		l i			1				i	l		i .
	True up pending approval by PSC(BST Owned Splitter)	R	<u> </u>	ULS	ULSDS		21.68	16.44			ļ	11.90				
		ŀ	1	1	1	j l	i			I	1	l	İ	Ì	l	1
1	Line Sharing - per Subsequent Activity per Line Rearrangement -	l _				j		40	[		1			ļ		1
	True up pending approval by PSC(DLEC Owned Splitter)	R	1	ULS	ULSCS		21.68	16.44		10=:	<del> </del>	11.90		ļ.		
	Line Sharing - per Line Activation (DLEC owned Splitter)	<u> </u>	<del></del>	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				⊢
	Line Splitting - per line activation DLEC owned splitter	<u> </u>	+	UEPSR UEPSB	UREOS	0.61 0.638	29.68	21.28	19.57	9.61	+	11.90		_		<b></b>
!!	Line Splitting - per line activation BST owned - physical		<del> </del>	UEPSR UEPSB	UREBY	1,134	29.68	21.28	19.57	9.61	<del></del>	11.90		_		<del></del>
iniginia re se	Line Splitting - per line activation BST owned - virtual	<b>├</b>	1	UCHOK UEPSB	OKEBA	1.134	29.08	∠1.28	19.57	9.61	<del> </del>	11.90	<del>                                     </del>		<b>-</b>	<del></del>
MRONDLED DE	EDICATED TRANSPORT INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum	hillinger	ried to	Now DS3=one ment	DS3/STS 4-	four months			<del>                                     </del>	<del> </del>	<del>                                     </del>	<b></b>		<del> </del>	<del>                                     </del>	<del> </del>
NOTE: I	NTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum   FFICE CHANNEL - DEDICATED TRANSPORT	oniing pe	1 10a - Di	NOUT DOS-ONE MONU	1, 533313-12	ious montris					1	<del> </del>		<del> </del>	<del> </del>	<del> </del>
INTERU	FFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	i .					L	L	1	1	<u> </u>	<b>L</b>		1	

NOUNDLL	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	hicrement Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		'
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	ļ	↓				First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Mile per month	1		U1TVX	1L5XX	0.0091					1					Ī
_	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	<del> </del>	<del> </del>	OTIVA	ILSAA	0.0091								L		
	Facility Termination per month	İ		U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90			1	
i	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade		1					- /								<del>                                      </del>
	Rev Bat, - Per Mile per month	ļ	<b>├</b> ─-	U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		1	011177	OTTIVE	20,02	47.33	31.16	10.31	7.03		11.90				<del> </del>
	Per Mile per month			U1TVX	1L5XX	0.0091					i				J	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			-												
	Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	<b> </b>	<b></b> -	U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
1	month			U1TDX	1L5XX	0.0091		j	j							
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	7,20,00	0.0051										
	Termination per month			U1TDX	U1TD5	18,44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per		1													
<del></del>	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		├	U1TDX	1L5XX	0.0091									ļ	
	Termination per month			U1TDX	U1TD6	18,44	47.35	31.78	18.31	7.03		11.90				1
	- Annual Politic	<b></b>		OTION .	- 0.1.50	10,44	47.55	31.10	10.51	7.03	-	11.90				<del> </del>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination															
	per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<b>├</b> ──	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	month		1	U1TD3	1L5XX	3.87									1	
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		ļ	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
- 1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	i	ì		41.500		Ì				)					
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		<b>├</b>	U1TS1	IL5XX	3.87										
-	Termination per month			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90			i	
		Ì														
	Interoffice Channel - Dedicated Transport - OC3 - Per Mile per mo		l	U1TO3	1L5XX	\$7.65									l	ļ <u>.</u>
	Interoffice Channel - Dedicated Transport - OC3 - 4-fiber Facility			U1TO3	U1T3F	\$2,884.00	\$507.67	\$211.79	\$72.03	\$70.56		\$0.00			\$1.83	
	Termination per mo		-	01103	UIISE	\$2,004.00	\$307.67	\$211.79	\$12.03	\$70.30		30.00			\$1,83	<u> </u>
	Interoffice Channel - Dedicated Transport - OC12 - Per Mile per mo			บ1T12	1L5XX	\$24.55									!	
	Interoffice Channel - Dedicated Transport - OC12 - 4-fiber Facility		1												l	
	Termination per mo		.]	U1T12	U1T2F	\$11,076.00	\$627.49	\$211.79	\$72.03	\$70.56		\$0.00			\$1.83	
	Literation Observed Definited Transport COAD Day Mile and ma			U1T48	1L5XX	\$31.62										
	Interoffice Channel - Dedicated Transport- OC48 - Per Mile per mo Interoffice Channel - Dedicated Transport - OC48 - 4-fiber Facility	<u> </u>		01140	11200	\$31.02		-								
	Termination per mo			U1T48	U1T4F	\$11,898.00	\$627.49	\$211.79	\$72.03	\$70.56		\$0.00		L	\$1.83	
			<b> </b>	ļ											<u> </u>	
		ļ.——	├													
	<del></del>	1	1												<del> </del>	
													_			
		1	L													
-		ļ	<b>ļ</b>													
LOCA	L CHANNEL - DEDICATED TRANSPORT	1	$\vdash$		-	<del> </del>					<del> </del>	<u> </u>			<del>                                     </del>	<del>                                     </del>
	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	period - b	elow DS	3=one month, DS3	STS-1=four me	onths					<b></b>					<b> </b>
- 1::-			1													
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1		1	ULDVX	ULDV2	21,94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2		2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				
$-\!$	Locar Charmer - Dedicated - 2-write Voice Grade per month - Zone 2	<del> </del>	+-	OLDVA	- 0.072	29.02	203.04	40.37	31.03	4.00	<b></b>	11.30			<b> </b>	
1																

	D NETWORK ELEMENTS - Florida		T		1				1		Svc Order	Svc Order	Attachment: Incremental	2 Incremental	Exhibit: B	ļ
CATEGORY	RATÉ ELEMENTS	Interim	Zone	BCS	usoc		RATES			_	Submitted Elec per LSR	Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	month - Zone 1		١.	ULDVX	ULDR2				j							
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		+	OLDVA	ULDRZ	21.94	265.84	46.97	37.63	4.00		11.90				
	Month - Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00	ļ.	44.00				
ł	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per	_					200.07	40.37	37.03	4.00	<b>-</b>	11.90				
	Month - Zone 3		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00	1	11.90				
1	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		١.		1									_		ļ
	Local Charmes - Dedicated - 4-4Vite Voice Grade per month - Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
1	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		,	UNDVX	ULDV4	30.79	266.54	47.67	44.00							
			<u> </u>		. 000	30.79	200.34	47.07	44.22	5.33	<del></del>	11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95		11.90				
$\longrightarrow$	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47.63	216.65	183.54	24.30	16.95		11.90				
— <del></del>	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95		11.90				
<del></del>	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50										
-	Local Channel - Dedicated - DS3 - Facility Termination per month		1	ULDD3	ULDF3	531.91	Pre 07	040								
	Local Channel - Dedicated - STS-1- Per Mile per month		<del> </del>	ULDS1	1L5NC	8,50	556.37	343.01	139.13	96.84		11.90				
			<u> </u>	OLDO!	ILUNO	0.50			<b>-</b>							
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - OC3 - Per Mile per mo			ULDO3	1L5NC	\$7.14			100.10	50.04		11.50		_		
	Local Channel - Dedicated - OC3 - 4-fiber Facility Termination per									-		i			* *	
	mo			ULDO3	ULD34	\$892.72	\$561.12	\$265.23	\$72.03	\$70.56		\$11.90			\$1.83	
	Local Channel - Dedicated - OC12 - Per Mile per mo		<b>├</b>	ULD12	1L5NC	\$10.20										
	Local Channel - Dedicated - OC12 - 4-fiber Facility Termination per		ŀ	ULD12	ULD24	\$2,614.00	\$680.93	foot on	#70.00	<b>*</b> 70.50						
	Local Channel - Dedicated - OC48 - Per Mile per mo		l	ULD48	1L5NC	\$2,614.00	\$680.93	\$265,23	\$72.03	\$70.56		\$11.90			\$1.83	
	Local Channel - Dedicated - OC48 - 4-fiber Facility Termination per		1	00040	TESINO	933,43			l							
	mo		į	ULD48	ULD44	\$1,842.00	\$680.93	\$265.23	\$72.03	\$70.56		\$11.90			\$1.83	
												• • • • • • • • • • • • • • • • • • • •			41.03	
			<u> </u>	_		L										
MULTIPLEXERS						<b>├</b> -										
JULTIPLEXERS	Channelization - DS1 to DS0 Channel System		1	UXTD1	MQ1	146,77	101.42	71.62	11.09	10,49		44.00				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month		<del> </del>	DAIDI	WIGI	140,77	101.42	/ 1.02	11.09	10.49		11.90				
i	(2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1			1 1						50				
i	month		<u> </u>	UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month		L	UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per month		<u> </u>	UXTD3	MQ3	211,19	199.28	118.64	40.34	39.07		11.90				
	STS1 to DS1 Channel System per month		<del> </del>	UXTS1	MQ3 UC1D1	211.19	199.28	118.64	40.34	39.07		11.90				
	DS3 Interface Unit (DS1 COCI) used with Loop per month		<del> </del>	USL	UCIDI	13.76	10.07	7.08				11.90				
1	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13,76	10.07	7.08	Į.			11.90				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per		<b>—</b>	52501	30101	19.70	. 10.07	7.00				11.90				
- 1	month		l	U1TD1	UC1D1	13.76	10.07	7.08	į			11.90				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof															
	per month - Local Channel	ļ	<del> </del>	UDF	1L5DC	55,04		400.0-								
	NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof	ļ	<del> </del>	UDF	UDFC4	<del>  </del>	751.34	193.88	356.21	230.11		11.90				
	per month - Interoffice Channel			UDF	1L5DF	26.85							. 1			
	NRC Dark Fiber - Interoffice Channel		1	UDF	UDF14	20.83	751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof				-				555,241	2.00.11		50				
l	per month - Local Loop	L	L_	UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		751.34	193.88	356.21	230.11		11.90				
	THED															
TRANSPORT C			1													
Option	al Features & Functions: EN DIGIT SCREENING										-					

UNBUNDL F	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	Τ
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES(				Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		<b></b>			l I	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Number Reserved			ано	NBR1X	i l	4,15	0.70	ļ						i	ļ
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OINE	Nokix		4,15	0.70				11.90				
1	POTS Translations			ОНО	i		8.78	1.18	5.77	0.70	ĺ	11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With								5.17	0.70		11.50				<del> </del>
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				!
1	8XX Access Ten Digit Screening, Customized Area of Service Per								1							
	8XX Number			OHD	N8FCX		4.15	2.07				11.90				
1	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78			ŀ	11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request		<del>                                     </del>	OHD	N8FAX	<b>-</b>	4.85	0.70			-	11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination			-	- 1101701		7,00	0.10				11.50		-	-	<del> </del>
	Features			OHD	N8FDX		4.15	4.15	1		İ	11.90				l
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query		ļ	OHD		0.0006252								<u> </u>		
				0.1.0			l									
INE INCORR	BXX Access Ten Digit Screening, w/ POTS No. Delivery, per query ATION DATA BASE ACCESS (LIDB)		├	OHD	·	0.0006252					ļ			ļ		ļ
INE INFORM	LIDB Common Transport Per Query	<del></del>	<del> </del>	OQT		0.0000203					<u> </u>					
	LIDB Validation Per Query	<del></del>	┼─	oqu		0.0136959	<del></del>				ļ					
	LIDB Originating Point Code Establishment or Change		<u> </u>	OQT, OQU	NRPBX	5.0.00000	55.13	55.13	55,13	55.13		11.90			<del> </del>	
SIGNALING (C	CS7)		İ													
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05									T	
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
	CCS7 Signaling Connection, Per link (A link)		<u> </u>	UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
- 1		İ	l			1700	40.53	10.57								
	CCS7 Signaling Connection, Per fink (B link) (also known as D link)		<u> </u>	UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90			ļ	
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA	<del>  -</del>		UDB	STU56	0.0000152 694.32			l -			1	<del></del>	ļ		<del>                                     </del>
	CCS7 Signaling Osage Surrogate, per link per LATA  CCS7 Signaling Point Code, per Originating Point Code		<del></del>	000	31030	094.32									<del> </del>	<del> </del>
1	Establishment or Change, per STP affected	ŀ		UDB	CCAPO		46.03	46.03	46.03	46.03	ŀ	11.90		İ	l	
911 SERVICE			1													
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		ļ			29.62	265.84	46.97	37.63	4.00		11.90			<b></b>	<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		ļ	ļ	-	57.22 0.0091	265.84	46.97	37.63	4.00		11.90				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1	<del></del>		0.0091			<del>                                     </del>			<del> </del>			<del> </del> -	
ı	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					25.32	47.35	31.78	18.31	7.03	1	11.90				
	Termination  Local Channel - Dedicated - DS1 - Zone 1		t -			35.28	216.65	183.54	21.47	19.05		11.90		1		T
	Local Channel - Dedicated - DS1 - Zone 1		1			47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		I			92.01	216.65	183.54	21.47	19.05		11.90				
	Interoffice Transport - Dedicated - DS1 Per Mile			ļ		0.1856									<del></del>	
			1			0044	100.01	00.47	] 34.47	19.05		11.90				
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1		-+	88.44	105.54	98.47	21.47	19.05	<del> </del>	11.90	<del></del>	<u> </u>	<del> </del>	
CALLING NAI	ME (CNAM) SERVICE		<del> </del>	ogv		0.001024			<del> </del>		ł			<del> </del>	<del> </del>	<del>                                     </del>
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		<del> </del>	OQV	<del>-   ·</del>	0.001024			<del>                                     </del>		<del></del>	<del>                                     </del>	<del></del>	<del>                                     </del>	<del> </del>	<del> </del>
	CNAM for Non DB Owners, Per Query  CNAM For DB Owners - Service Establishment	·	1	ogv	<del> </del>	0,001024	25.35	25.35	19.01	19.01	<u> </u>	11.90		·	<b>!</b>	<b>!</b>
	CNAM For Non DB Owners - Service Establishment	<del>                                     </del>	<b>†</b>	ogv		1	25.35	25.35	19.01	19.01	<b>†</b>	11.90		1	1	
	CNAM For DB Owners - Service Provisioning With Point Code					1 - 1					I	T		<del>-</del>		1
	Establishment		L	OQV		<u> </u>	1,592.00	1,177.00	352.36	259.09		11.90		L		
1	CNAM For Non DB Owners - Service Provisioning With Point Code		I.													
1	Establishment	<u>.</u>	<b></b>	oqv		<b> </b>	546.51	393.82	358.06	259.09		11.90	-			-
LNP Query Se			1	loov.	<del></del>	0.000852			<b></b>			<del> </del>	ļ	<del> </del>	<del> </del>	
	LNP Charge Per query	├	1	logv		0.000852	13.83	13.83	12.71	12.71		11.90		1		<del> </del>
	LNP Service Establishment Manual  LNP Service Provisioning with Point Code Establishment	<del> </del>	+	<del> </del>		<u> </u>	655.50	334.88		218.40	<del>                                     </del>	11.90	<b></b>	<b> </b>		<del> </del>
ODEDATOR	CALL PROCESSING	<del>                                     </del>	+	<del> </del>	<del> </del>	1	- 555.50	55-7.00	251.05	2.0.40	<u> </u>	1		1	1	T
OPERATOR C	ALL I NOCESSING		$t^-$	<u> </u>					1							
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB		1			1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign		T	1									1		1	i
1	LIDB	1	1	1	1	1.24			1		1	l	1	I	1 .	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
		<del></del>	ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
		<del> </del>	1			ļ	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20			ł			ł				
	Oper. Call Processing - Fully Automated, per Call - Using Foreign	<del> </del>	1			0.20										<del> </del>
	LIDB	L	1_			0.20						1				
NWARD OPER	RATOR SERVICES		L								1					
	Inward Operator Services - Verification, Per Call		_			1.00										
- 1	Inward Operator Services - Verification and Emergency Interrupt - Per Call			1		105						1				
BRANDING C	PERATOR CALL PROCESSING	<b></b>	<del> </del>			1.95					<b></b>	ļ			ļ	
BRANDING - C	Recording of Custom Branded OA Announcement	<b></b>	<del> </del>		CBAOS	<del> </del> -	7,000.00	7.000.00			<del> </del>	11.90			ļ	<b></b>
	Loading of Custom Branded OA Announcement per shelf/NAV	<b>-</b>	+		CBAOL	<b></b>	500.00	500.00			<del> </del>	11.90	<del> </del>		<del> </del>	<b></b>
Unbra	nding via OLNS for UNEP CLEC							000.00			<del>                                     </del>	11.90		<del> </del>	<del>                                     </del>	<del> </del>
	Loading of OA per OCN (Regional)						1,200.00	1,200.00	L		T	11.90		<del> </del>	†	<b>———</b>
	SSISTANCE SERVICES	L	$\perp$												1	T
DIREC	TORY ASSISTANCE ACCESS SERVICE	L	<del> </del>													
DIDEC	Directory Assistance Access Service Calls, Charge Per Call		-			0.275					ļ					
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DA Directory Assistance Call Completion Access Service (DACC), Per	<u> </u>	<del> </del>								<del> </del>			ļ		
1	Call Attempt	İ	1			0.10			f		l	İ			ł	1
DIREC	TORY TRANSPORT	·	+	<del></del>		0.10			·						<del> </del>	<del> </del>
	SSISTANCE SERVICES		†							ļ ———		<u> </u>				<del> </del>
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	T	†													
	Directory Assistance Data Base Service Charge Per Listing					0.04									1	t
	Directory Assistance Data Base Service, per month				DBSOF	150,00										
	DIRECTORY ASSISTANCE		↓								i					
Facilit	y Based CLEC	<b>├</b> ─	+	<u> </u>											ļ	
	Recording and Provisioning of DA Custom Branded Announcement	Į.	1	AMT	CBADA		6,000.00	6,000.00			Į				1	1
	Recording and Provisioning of BA Custom Branded Announcement	<del> </del>	<del>                                     </del>	Awi	CDAOA	<del>                                     </del>	0,000.00	0,000.00			+	<del> </del>			<del> </del>	<del>                                     </del>
Į.	Loading of Custom Branded Announcement per DRAM Card/Switch		1	AMT	CBADC	i	1,170.00	1,170.00	ļ		ŀ				İ	}
UNEP		<b>†</b>	1													t
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								l ===
	Loading of DA Custom Branded Announcement per DRAM	1			ł				1		1		1		1	1
	Card/Switch per OCN	<u> </u>					1,170.00	1,170.00			<b> </b>				<u> </u>	
Unbra	inding via OLNS for UNEP CLEC		1				420.00	420.00			<del> </del>				<del> </del>	-
	Loading of DA per OCN (1 OCN per Order)		<del> </del>	<del> </del>		<del> </del>	16.00	16.00			<del> </del>		<del></del>		<del>                                     </del>	
SELECTIVE RO	Loading of DA per Switch per OCN	<del> </del>				<del> </del>	10.00	10.00			<del>                                     </del>		<b></b>		<del>                                     </del>	
SELECTIVE K	Selective Routing Per Unique Line Class Code Per Request Per	<del> </del>	1						<b>-</b>		1				<b>†</b>	
l	Switch		1		USRCR	i	93.55	93.55	12.71	12.71		11.90				
VIRTUAL COL				T												
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	JEROZ	0.0302	1131	11.07				11.50				
1	Virtual Collocation - 4-wire Cross Connects (loop)		1	UNCVX, UNCDX	UEAC4	0.0502	11.57	11.57		L		11.90		1	<u> </u>	
	The state of the s			USL,ULC,AMTFS,		"			l		[		l		1	
				ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,								:				
	Virtual collocation - DS1 Cross Connects	1	1	UNLD1	CNC1X	7.50	155.00	14.00	L		L	11.90		l	<u> </u>	
VIRTUAL COL			T													ļ
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire	T				1				1					1	1
	Analog - Res	1	1	UEPSR	VE1R2	0.524	11.57	11,57	<b>_</b>	1	<b>_</b>	11.90	ļ	<del> </del>		<b></b>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	l		0.551	44.57	11.57	1	1	l -	11.90	1		1	
	Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	<del> </del>	+	UEPSP	VE1R2	0.524	11.57	11.57		<del>                                     </del>		11.90	<del>                                     </del>	<del> </del>	1	<del></del>
				1	1			i	1	1	1	11.90	1	1	1	1

JNBUNDLEI	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		<del> </del>	-			Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ţ	Analog Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90	ļ	ļ		İ
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	†		OE: OB	VEINE	0,024	11.57	11.57				11.90				
	ISDN		l	UEPSX	VE1R2	0.524	11.57	11.57				11.90				İ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire										<del></del>	11.50				
	ISDN			UEPTX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	1														
IN SELECTIV	ISDN DS1	<u> </u>		UEPEX	VE1R4	0.524	11.57	11.57			L	11.90				
IN SELECTIVE	E CARRIER ROUTING Regional Service Establishment		<b>—</b>	SRC	CDCEC		193,444.00									
	End Office Establishment	<del> </del>		SRC	SRCEO		193,444.00	187.36	7,737.00 0.69	0.69		11.90				ļ
	Query NRC, per query	<del> </del>		SRC	SKCEO	0.0031868	107.30	107.30	0.69	0.09	<del></del>	11.90				
IN - BELLSOL	JTH AIN SMS ACCESS SERVICE	1		J		0.0001000									ļ	<del>-</del>
	AIN SMS Access Service - Service Establishment, Per State, Initial										<del>                                     </del>	t				
	Setup			A1N	CAMSE		43.56	43.56	44.93	44.93	1	11.90	1	1	1	l
						· · · · · ·										
	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u> </u>		A1N	CAMDP		8.64	8.64	10.03	10.03		11.90		i		l
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
1	AIN SMS Access Service - User Identification Codes - Per User ID		1													
	Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
-	AIN SMS Access Service - Security Card, Per User ID Code, Initial					1	75.40	75.40	40.00		1	l			i	
	or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		-	A1N	CAMRC	0.0028	75.10	75.10	12.93	12.93		11.90				
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute					0.0028					<del> </del>				<del> </del>	
-	AIN SMS Access Service - Session, Per Millione AIN SMS Access Service - Company Performed Session, Per				<del></del>	0.7009			-		-	<del> </del>		-		-
- 1	Minute	1	l			0.4609					1					1
IN - BELLSOL	JTH AIN TOOLKIT SERVICE				<del>                                     </del>	0.1000					1					<del></del>
T	AIN Toolkit Service - Service Establishment Charge, Per State, Initial		<u> </u>													
	Setup			CAM	BAPSC		43.56	43.56	44.93	44.93	L	11.90				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90		-		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,										1					
	Term. Attempt	ļ			BAPTT		8.64	8.64	10.03	10.03	ļ	11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,	ł			BAPTD		8.64	8.64	10.03	10.03		11.90				
	Off-Hook Delay	-	-		BAPID		8.04	0.04	10.03	10.03		11.90				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate	1			ВАРТМ		8.64	8.64	10.03	10.03		11.90			!	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,	<del> </del>			DAT THE		0.04	0.04	10.03	10.00	<del>                                     </del>	11.50				<del></del>
	10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86		11.90			ŀ	1
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,	<b>†</b>	1			·			1			1			1	T
	CDP	I	1		BAPTC		38.06	38.06	15.86	15.86	L	11.90		L	L	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,	T	1													
	Feature Code		<u> </u>		BAPTF		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Query Charge, Per Query					0.0535927					<b> </b>					
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	1							l		1					
	Subscription, Per Node, Per Query		<b></b>		ļ	0.0063698			ļ		<del> </del>	<del> </del>	<del> </del>			
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	1	1			0.06			ĺ		1			l	l	1
	Account, Per 100 Kilobytes	<del> </del>	<b></b>		<del> </del>	0.06						<b></b>		t	<b>-</b>	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	1	1	CAM	BAPMS	8.34	8.64	8.64	6.08	6.08	1	11.90		l	l	l
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	$\vdash$	OZAVI	DAL MO	0.04	0.04	0.04	0.00	0.56		11.50	† <del></del>	<b>—</b>	<del>                                     </del>	
i	Subscription	1	1	CAM	BAPLS	3.73	9.56	9.56				11.90		1		l
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	<b>†</b>			1											
	Subscription	1		CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90			l	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1														
	Service Subscription		<u></u>	CAM	BAPES	0.12	9.56	9.56			L	11.90				
HANCED E	XTENDED LINK (EELs)		L	l			l								ļ	
NOTE:	New EELs available in GA, TN, KY, LA, MS, & SC and density zo	one 1 of fo	llowing	MSAs: Orlando, FL;	Miami, FL; Ft	Lauderdale, FL	<del>;</del>				ļ	ļ	ļ	1	<u> </u>	
NOTE	Charletta Castania Danthill NC: Casanahara Mineton Salam L	Jich Point	NC IIe	a all rates below eve	ant Switch A	e le Charne	1		L			- MIE- (57-	L	1	L	
NOTE:	in all states, EEL network elements shown below also apply to	currently	combine	ed facilities which are	e converted t	o UNE rates. A	Switch As is Ch	arge applies to	currently com	Dined facilities	converted 1	O UNES.(NO	n-recurring ra	tes do not ap	ы <b>у.</b> ј	-
NOTE:	in GA, TN, KY, LA, MS & SC the EEL network elements apply to	ordinarily	combin	ed network elements	No Switch	As is Charge.)					-			<b></b>		$\vdash$
2 MAIIDE	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTER	ROFFICE T	RANSP	ORT (EEL)	L	L .	l		l				1	L	l	

UNBUNDLE	D NETWORK ELEMENTS - Florida											Į.	Attachment:	2	Exhibit: B	(
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
-+	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	<del> </del>			+	1	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 1	ļ	1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90			İ	
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport											- 11.00				<b></b>
	Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
[	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	l	1	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31	1	11.90				Ì
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per	<b>1</b>	T -	DNOVA	OLALE	07.02	127.00	00.54		0.31	<del> </del>	11.90				<del>                                     </del>
	month			UNC1X	1L5XX	0.1856										
ļ	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	l	ļ	UNC1X	UITFI	88.44	174.46	122.46	45.61	17.05		11.90				
	DS1 Channelization System Per Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	17.95 1.34		11.90				<del>                                     </del>
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		1	UNCVX	1D1VG	1.38	6.71	4 84				11.90				<u> </u>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice	1					107.50									
	Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice	<del> </del>	1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				<del>                                     </del>
1	Transport Combination - Zone 2	1	2	UNCVX	UEAL2	19.57	127,59	60.54	48.00	6.31		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice	1			i											
	Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				ļ
	Voice Grade COCI - DS1 to DS0 Channel System combination - per	1	1	UNCVX	1D1VG	1.38	6.71	4.84			Ì	11.90			j	1
	Nonrecurring Currently Combined Network Elements Switch -As-Is	<del>                                     </del>	1	DIVOVA	IBIVO	1.50	0.71	4,04			<del>                                     </del>	11.30			l	<del>                                     </del>
	Charge	1	]	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTER	OFFICET	RANSP	ORT (EEL)												ļ
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	23.02	127,59	60.54	48.00	6.31		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>						,,,,==	5.5.		71.00				
	Transport Combination - Zone 2	ļ	2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				<u> </u>
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		3	UNCVX	UEAL4	60,02	127.59	60.54	48.00	6.31		11.90				1
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per		۲,	UNCVX	ULAL4	00,02	121.55	00.34	40.00	0.51		11.50				<del>                                     </del>
	Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per	İ	1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Month  Channelization - Channel System DS1 to DS0 combination Per		<del> </del>	UNCIX	Ulifi	00.44	174.40	122.40	45.01	17.95		11.90				<del> </del>
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per														1	
	month PO41-t	1		UNCVX	1D1VG	1.38	6.71	4.84				11.90			<b></b>	<del> </del>
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90			1	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice	<b>†</b>		9.1.0												
	Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31	ļ	11.90				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice	1	3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31	i	11.90				
	Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per		3-	DINCVA	OEAL4	00.02	123.33	00.34	40.00	0.51	<del> </del>	11.00				
	month			UNCVX	1D1VG	1.38	6.71	4.84	<u> </u>			11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-Is					ļ	0.00	0.00	8.98	8.98		11.90				]
4 1405	Charge RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 IN	TEDUEEK	FTRAN	UNC1X	UNCCC	<del> </del>	8.98	8.98	0.90	0.90	<b> </b>	11.90				1
4-VVIF	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	I	LIKAN	ISPORT (ELL)					·		<b></b>			· ·	l	<del>                                     </del>
	Transport Combination - Zone 1	1	1.	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31	<u> </u>	11.90			1	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	١ ,	LINGDY	UDL56	35.62	127.59	60.54	48.00	6.31	1	11.90		}	1	1
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	<del>  -</del>	2	UNCDX	UDLOB	35.62	121.59	00.54	46.00	0.31	<del> </del>	11.50				<del>  -</del>
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31	<u> </u>	11.90				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per															
	Month	<u> </u>		UNC1X	1L5XX	0.1856	ļ	<u> </u>	<del>                                     </del>		<del>                                     </del>	<del> </del>	ļ	<del> </del>	<del> </del>	+
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		1	UNC1X	U1TF1	88.44	174.46	122,46	45.61	17.95	1	11.90				
	Channelization - Channel System DS1 to DS0 combination Per	1	<b>†</b>													
	Month	1	L	UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34	ļ -	11.90				<del> </del>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month															

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	T
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)				Svc Order Submitted Manually per LSR	incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)	1	<u> </u>
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00							1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice			UNCDA	IODE30	20.35	127.39	60.54	48.00	6.31		11.90				ļ
	Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice			T										-		
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.04				44.00				1
<del> </del>	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	טטוטו	2.10	0./1	4.84				11.90				
	Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INT	EROFFICI	TRAN	SPORT (EEL)												
l	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		١.	Luca												
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	<b>-</b>	1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
ı	Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<del>-</del>				12.1.55		10.00							<del> </del>
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90			]	
ı	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per		1		4. 5.0.											
	Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1856		<del></del>					L— -		ļ	
ì	Termination Per Month	İ		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90			l	
	Channelization - Channel System DS1 to DS0 combination Per					221.11			10.01			11.50				
	Month	<u> </u>		UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90			<u> </u>	
1	OCU-DP COCI (data) - DS1 to DS0 Channel System combination -			LILLORY.	40400										}	_
	per month (2.4-64kbs)  Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice	<del> </del>		UNCDX	1D1DD	2.10	6.71	4.84				11.90				. <del></del>
1	Transport Combination - Zone 1	ļ	1	UNCDX	UDL64	26,39	127.59	60.54	48.00	6.31		11.90			Ì	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice											71.00			<u> </u>	
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice	1				20.00	407.50		40.00							
	Transport Combination - Zone 3	ļ	3_	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90			ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-Is	<u> </u>	<del></del>	ONODA	1.5 (55	2.10	<del> </del>	4.04				11.55				
ļ	Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTERC	OFFICE TR	ANSPO	RT (EEL)												
ļ	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	į		UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90			l	
-	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			UNCIX	USLAA	73.44	217.73	121.62	51.44	14.45		11.90				
	Transport - Zone 2	1	2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90			[	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice														1	
	Transport - Zone 3	<del>                                     </del>	3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
i	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856									]	
	Interoffice Transport - Dedicated - DS1 combination - Facility	<del> </del>		DINCIA	ILSAA	0.1050				<del> </del>						<del>                                     </del>
- 1	Termination Per Month	Ì	l	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90			1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is														,	
	Charge			UNC1X	UNCCC	-	8.98	8.98	8.98	8.98	<u> </u>	11.90				ļ
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTERC	JEFICE IN	ANSPU	RI (EEL)												<del> </del>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90			1	
	THOU DO I LOOP IN O SO INICIONIDO TI UNIDANT. COMMINANTE L	<b> </b>														1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	L	2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				<u> </u>
		1	1	LINGAY	HELVY	404 54	047.75	404.60			1	44.00				
- 1	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per	<del> </del>	3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45	-	11.90			<del> </del>	<del>                                     </del>
			1	UNC3X	1L5XX	3.87				-	1	1			-	
	IMonth										<del></del>					1
	Month Interoffice Transport - Dedicated - DS3 - Facility Termination per	-									1		ļ			1
	Month Interoffice Transport - Dedicated - DS3 - Facility Termination per month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	1,071.00 211.19	320.00 115.50	138.20 56.54	38.60 12.16	18.81 4.26		11.90 11.90				1

NBUNDLE	D NETWORK ELEMENTS - Florida										_		Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
		<del> </del>	<del> </del>	ļ		Rec	Nonrec		Nonrecurring					Rates(\$)		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone	<del> </del>	-	<del> </del>			First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	1		1 1	UNC1X	USLXX	73,44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone							127.02		14.45	-	11.30				<del> </del>
	2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90		i	1	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone	'l	3	UNC1X	USLXX	191.51	217.75	404.00								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	121.62 4.84	51.44	14.45		11.90 11.90			<del></del>	
	Nonrecurring Currently Combined Network Elements Switch -As-Is		† <del></del>				9				<del> </del>	11.50			<del>  -</del>	<del> </del>
	Charge	l	L	UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90			1	
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTER	OFFICE T	RANSP	ORT (EEL)				•								
1	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	l	١,	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	<del></del>	0.1017	02.22	17.55	127.00	00.54	40.00	0.31		11.50			<del> </del>	<del>                                     </del>
	Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
+-	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile	1	3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Per Month		l	UNCVX	1L5XX	0.0091			<b>!</b>					ŧ		
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination			T					1		<b></b>				<u> </u>	<del>                                     </del>
	- Facility Termination per month		L	UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03		11.90				
1	Nonrecurring Currently Combined Network Elements Switch -As-Is			LATOLOV		1					1					
4-10/82	Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTER	OFFICE T	DANÉD	UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
14.000	4-WireVG Loop used with 4-wire VG Interoffice Transport	T		T								_				
	Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31	_	11.90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		_													
	Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				L
1	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile	1	1	0.1101.11			121.52	55.57	10.00			11.00	-			<del> </del>
	Per Month		L	UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination					20.50		50.50	45.00							
	- Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is		ļ	UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90			<del></del>	<u> </u>
-	Charge Charge Continued Network Elements Switch -As-is			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 E	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE	TRANSPO	RT (EE											Ī		
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile															
	per month	ļ		UNC3X	1L5ND _	10.92								ļ		<b>↓</b>
- 1	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month	İ	1	UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27	1	11.90				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<del> </del>	<del> </del>	UNC3X	1L5XX	3.87		1010	3,	20.27		11.50				<del>                                     </del>
	Interoffice Transport - Dedicated - DS3 combination - Facility	1	1													
	Termination per per month	1	<u> </u>	UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90			ļ	ļ
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1		UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1	Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFIC	ETRANS	PORT (				0,50	0.00		0.00	<b></b>	77.55				<del>                                     </del>
0.0.	High Capacity Unbundled Local Loop - STS1 combination - Per Mile	T	1													
l	per month	1	<u> </u>	UNCSX	1L5ND	10.92									<b> </b>	<u> </u>
	High Capacity Unbundled Local Loop - STS1 combination - Facility	1		. MICON	LIDI O4	420.00	220.42	154 72	67.10	20.27	l	11.90				1
	Termination per month	1	_	UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27	<del> </del>	11.90				<del> </del>
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month	1		UNCSX	1L5XX	3.87			1							1_
	Interoffice Transport - Dedicated - STS1 combination - Facility		†													
	Termination per month	1		UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81	<del> </del>	11.90		L		
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINCOV	LINGSS		8.98	8.98	8.98	8.98		11.90				
2 Lame	Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	(FFL)		UNCSX	UNCCC	<del></del>	6.96	0.98	0.90	9.90	<del> </del>	11.80			<del>                                     </del>	<del> </del>
Z-44IH	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport			<del> </del>												
1	I am a service of the		1 .	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31	1	11.90	}	<b>\$</b>	1	1
_1	Zone 1		1 1	DINCINA	UILZA	21.70	127.00	55.5.	10.11	0.01	<del></del>	†	<del> </del>			T

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
		1	<del> </del>			Rec	Nonrec First		Nonrecurring				OSS	Rates(\$)		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport -	<del>                                     </del>	1	<del></del>		<del> </del>	rirst	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31	ļ	11.90	1	Į	ļ	t
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856			10.00	0.51		11.50	<del></del>		<del> </del>	
ļ	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month	l		1											ł	<b></b>
	Channelization - Channel System DS1 to DS0 combination - per	ļ	_	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	<u> </u>	11.90				<del></del>
	month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		ļ	UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90	İ		L	
	combination - per month			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	ł								-						
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del> </del>	_1_	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90		ļ		
	Combination - Zone 2	l	2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				l
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System								70.00	0.31						
	combintation- per month  Nonrecurring Currently Combined Network Elements Switch -As-Is		<del>                                     </del>	UNCNX	UC1CA	3.66	6.71	4.84				11.90				<b></b>
	Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98	1	11.90				1
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTER	ROFFICE	RANSE	PORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				<u> </u>
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217,75	121.62	51.44	14.45		11.90				-
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
_	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	99,13	217.75	121.62	51.44	14.45		11.90				
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -	1	-	UNCIX					31.44			17.90		<b></b>		
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90		<u></u>		
	DS3 Interface Unit (DS1 COCI) combination per month	<u> </u>	ļ	UNC1X	UC1D1	13.76	6.71	4.84	_			11.90	<del> </del>	ļ	ļ	ļ
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC	1	8.98	8.98	8.98	8.98	1	11.90				ł
4-WIRI	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFI	CE TRANS	SPORT :													
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport								40.00					-		
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per	-	3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31	<u> </u>	11.90				
	Mile	<u> </u>		UNCDX	1L5XX	0.0091									ļ <u> </u>	<b></b>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	<u></u>	<u></u>	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRI	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFF	CE TRAN	SPORT	(EEL)		ļ								ļ		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		٦. ا	LINCDY	UDLC4	20.00	407.50	60.51	40.00		i	44.00				1
-	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	<u> </u>	1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	<del> </del>	2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				<del> </del>
i	Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90	L		<u> </u>	

JNBUNDLE	NETWORK ELEMENTS - Florida		,										Attachment:	2	Exhibit: B	l
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	( <b>\$</b> )		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per					1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
[	Mile			UNCDX	1L5XX	0.0091									1	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		†	OI405X	ILS/CC	0.0031					-					
	Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90				
1	Nonrecurring Currently Combined Network Elements Switch -As-Is			l												
DDITIONAL N	Charge IETWORK ELEMENTS	ļ		UNCDX	UNCCC	<del> </del>	8.98	8.98	8.98	8.98		11.90				
	used as a part of a currently combined facility, the non-recurring	charges	do not a	apply, but a Switch A	s is charge o	ines appiv										ļ
Node (	SynchroNet)					SS app.y.										
Nonrec	curring Currently Combined Network Elements "Switch As Is" Cl	narge (On	e applie	s to each combination	on)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is			L IN COLON											2	
	Charge - 2 wire/4-Wire VG  Nonrecurring Currently Combined Network Elements Switch -As-Is		<del> </del>	UNCAX	UNCCC	1	8.98	8.98	8.98	8.98		11.90			<del>                                     </del>	L
	Charge - 56/64 kbps		1	UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-Is					1	0.55	0.50	0.50	0.30		11.50				
	Charge - DS1		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3	1		UNC3X	UNCCC		8.98	0.00								
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1	<del> </del>	UNGSX	UNCCC		8.98	8.98	8.98	8.98		11.90				L
1	Charge - STS1		1	UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				Ì
NOTE:	Local Channel - Dedicated Transport - minimum billing period -	Below DS	S3=one	month, DS3 and abov		hs	-,-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5.00						
	OCAL EXCHANGE SWITCHING(PORTS)															
Exchar	nge Ports Although the Port Rate includes all available features in GA, K\	( ) A B Th		1-46			111000							ļ		
NUTE:	EVOICE GRADE LINE PORT RATES (RES)	LA & IN	v, tne ae	sired teatures will n	eed to be ord	ered using retai	I USUCS				<b></b> -			ļ <del></del>		<u> </u>
Z-VIIIL	Exchange Ports - 2-Wire Analog Line Port- Res.		<b>—</b>	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80	_	11.90				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		ļ	UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		i	UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90			l	
-+-	Exchange Ports - 2-Wire Arrang Line Port outgoing only - Res.		<del>                                     </del>	DEFOR	UEFRU	3.40	3.14	3.03	1.00	1.00		11.90			f	
- 1	Caller ID - Res.		i	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with			<u> </u>												
	Cafler ID (LUM)		ļ	UEPSR	UEPAP	0.00	3.74	3.63	1.88	1.80		11.90				
FEATU	Subsequent Activity		<del>├</del>	UEPSR	USASC	0.00	0.00	0.00			_	11.90		-	<del></del>	<u> </u>
FEATO	All Available Vertical Features	<del>                                     </del>		UEPSR	UEPVF	2.26	0.00	0.00				11.90				
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
									1							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		<b>!</b>	UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90			ļ	<u> </u>
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.	l	1	UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90			1	1
	Will Calici 1L404 ID 1 DUS.		t	52.02	1	1	5.17.	5.00	,,,,,,	1.00		50				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		<u> </u>	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller			LICEDOD	LUEDE:	1										
	ID - Bus	<del> </del>	<b>├</b>	UEPSB UEPSB	UEPB1 USASC	0.00	3.74 0.00	3.63 0.00	1.88	1.80	<del></del>	11.90 11.90		ļ		
FEATU	Subsequent Activity		1	DL-9B	USASU	0.00	0.00	0.00	l			11.30		<del> </del>		
CEATO	All Available Vertical Features	<b>1</b>		UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCHA	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		ļ	UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90			<u> </u>	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	<u> </u>	<del>                                     </del>	UEPSP UEPSP	UEPPC UEPPO	1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187	-	11.90 11.90		ļ	<del> </del>	<b> </b>
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus  2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<del> </del>	<del> </del>	UEPSP	UEPP0	1.40	39.06	18.18	12.35	0.7187	<del> </del>	11.90				<del> </del>
	2-Wire VG Line Side Oribunded W.Corling PBX Trunk - Bus  2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		$\perp$	UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90		ļ	<b></b>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ	<del>   </del>	UEPSP	UEPXB	1.40	39.06	18.18	12.35 12.35	0.7187	-	11.90 11.90		ļ	1	<u> </u>
-	Wire Voice Unbundled PBX LD DDD Terminals Port     Service Unbundled PBX LD Terminal Switchboard Port	<b>-</b>	1	UEPSP UEPSP	UEPXD	1.40	39.06 39.06	18.18 18.18	12.35	0.7187 0.7187		11.90		ļ	<del> </del>	<del> </del>
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard PDI Capable		†	Open Or	JE: NO	1.40	55.00	10.10	1	0,1101		, , , , , ,	<u> </u>		1	l
í	Port	ł	1	UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187	1	11.90	ŀ	l	1	}

NABONDED NE	TWORK ELEMENTS - Florida					1							Attachment:		Exhibit; B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
r +						<del>                                     </del>	- N					L				L
<del></del>					<u> </u>	Rec	Nonrec		Nonrecurring			r		Rates(\$)	,	
2-Win	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del> </del>		<u> </u>	<del>                                     </del>	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inistrative Calling Port		1	UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187	i	44.00				1
	ire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room			OLI GI	OLI AL	1.40	39.00	10.10	12.33	0.7167		11.90				
	ng Port		1	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90			l	
	ire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					1.19	55.55	10.10	12.00	0.7107		11.50			<del> </del>	
Disco	ount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90			1	
2-Wit	ire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				
	sequent Activity			UEPSP	USASC	0.00	0.00	0.00				11.90				1
FEATURES																
	vailable Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
	PORT RATES (COIN)															
Exch	nange Ports - Coin Port	L	L	L		1.40	3.74	3.63	1.88	1.80	l	11.90				
NOTE: Trans	smission/usage charges associated with POTS circuit swi	tched usa	age will	also apply to circuit	switched voi	ce and/or circul	t switched data	transmission	by B-Channels	associated wil	h 2-wire ISD	N ports.				
NOTE: Acce	ess to B Channel or D Channel Packet capabilities will be a	vailable (	only thro	ough BFR/New Busi	ness Reques	t Process. Rates	s for the packe	capabilities w	ill be determine	d via the Bona	Fide Reque	st/New Bus	iness Reques	t Process.		
	L EXCHANGE SWITCHING(PORTS)		_								<b>!</b>					
	PORT RATES (DID & PBX) nange Ports - 2-Wire DID Port	ļ	├	UEPEX	UEPP2	8.73	78.41	15.82	41,94	4.26	<b> </b>	11.90			····	
Excit	lange Ports - 2-wire DID Port	ļ	-	UEPEX	UEPPZ	6.73	78.41	15.82	41.94	4.26		11.90		_	1.83	
Evol	nange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		1	VEPDD	UEPDD	54.95	151,11	77.75	48.81	3.10	1	11.90			1 100	
	nange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	UIPMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	<del> </del>
	eatures Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00	21.04	11.93	<del> </del>	11.90			1.83	
	eatures Oriered Ismission/usage charges associated with POTS circuit swi	tched us:	illw one						hy B-Channels	associated wil	h 2-wire ISC	M norte			1.03	<del> </del>
NOTE: Acce	ess to B Channel or D Channel Packet capabilities will be a	vailable	only thre	ugh RFR/New Busi	iness Reques	t Process Rate	s for the nacket	canabilities w	ill be determine	nd vis the Rons	Fide Reque	et/New Bus	iness Regues	t Process	-	
	nange Ports - 2-Wire ISDN Port Channel Profiles		T	UEPTX UEPSX	TU1UMA	0.00	0.00	0.00	in be determant	The the Bone	l loo kuquk		moss reques	11100033.	<del> </del>	<del>                                     </del>
	nange Ports - 4-Wire ISDN DS1 Port		1	UEPĖX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	<del> </del>
	L SWITCHING, PORT USAGE		†												1	
	Switching (Port Usage)		<u> </u>		1											
	Office Switching Function, Per MOU					0.0007662										
	Office Trunk Port - Shared, Per MOU		T	Ĭ .		0.000164										
	itching (Port Usage) (Local or Access Tandem)															
	dem Switching Function Per MOU		L			0.0001319										
Tand	dem Trunk Port - Shared, Per MOU		<u> </u>			0.000235										
Common Tra			ļ													
	nmon Transport - Per Mile, Per MOU					0.0000035					ļ	<u> </u>				
	nmon Transport - Facilities Termination Per MOU		<u> </u>			0.0004372					ļ	<b>.</b>				ļ
NBUNDLED PORT/	/LOOP COMBINATIONS - COST BASED RATES		<u></u>	<u> </u>	<u>.l</u>	L	0 4 1 0 4				ļ	<b></b>				ļ
Cost Based	Rates are applied where BellSouth is required by FCC and	or State	Commis	sion rule to provide	Unbundled L	ocal Switching	or Switch Ports		 4!64 <b>!</b> :- D	 	<b>-</b>	<b>-</b>			-	
Features sha	all apply to the Unbundled Port/Loop Combination - Cost B and Tandem Switching Usage and Common Transport Usag	ased Kat	e sectio	n in the same mann	er as they are	applied to the S	tano-Alone Un	bundled Port S	ecuon oi inis N	ate Exilion.	ala Dariff as	n Cambinat	lana			
For Georgia,	, Kentucky, Louisiana, Mississippi, South Carolina and Ter CE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													rring charges	apply to Not C	Cur
	pop Combination Rates		T													
	ire VG Loop/Port Combo - Zone 1	<u> </u>	1			14.11										L
2-Wi	ire VG Loop/Port Combo - Zone 2		2			18.23						l				
2-Wi	ire VG Loop/Port Combo - Zone 3		3			33.04								,		
UNE Loop R												<u> </u>				
2-Wi	ire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94				ļ			ļ		ļ	<u> </u>
	ire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPRX	UEPLX	17.06							ļ		<b></b>	<b> </b>
2-Wi	ire Voice Grade Loop (SL1) - Zone 3	ļ	3	UEPRX	UEPLX	31.87	<u> </u>		<b></b>	ļ		ļ	<b> </b>		<del> </del>	<b> </b>
	e Grade Line Port Rates (Res)		<b> </b>	Lucany	· irror	1	20.55	20.55		<b> </b>	<b></b>	44.00	<del> </del>			<del> </del>
	ire voice unbundled port - residence	<del>                                     </del>	<del> </del>	UEPRX	UEPRL	1.17	90.00	90.00		<b> </b>	<b> </b>	11.90 11.90	<del>                                     </del>		<del> </del>	
	ire voice unbundled port with Caller ID - res	<del>-</del>	<del> </del>	UEPRX	UEPRC	1.17	90.00			<u> </u>	<b></b>	11.90			<del> </del>	<del> </del>
	ire voice unbundled port outgoing only - res	1 —	1	UEPRX	UEPRO	1.17	90.00	90.00	<del></del>	<del> </del>	<del> </del>	11.90	l			1
2-Wi	ire voice unbundled Florida Area Calling with Caller ID - res		<u> </u>	UEPRX	UEPAF	1.17	90.00	90.00				11.90			<u> </u>	
	ire voice unbundles res, low usage line port with Caller ID (LUM)		<u> </u>	UEPRX	UEPAP	1.17	90.00	90.00			ļ	11.90				ļ <u> </u>
2-Wi				l									<del></del>			T
FEATURES				UEPRX	UEPVF	2.26	0.00	0.00				11.90				Ī

<b>NRONDLED</b>	NETWORK ELEMENTS - Florida									_			Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual So Order vs Electronic Disc Add
		<u> </u>	<u> </u>			Rec	Nonrec		Nonrecurring					Rates(\$)		
	Land Number Destablish (days and					l	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del></del>	<del> </del>	UEPRX	LNPCX	0.35										
		<del> </del>	<b>—</b>													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1	HEDOV												
		<del> </del>		UEPRX	USAC2		0.102	0.102	L			11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	l		1			ŀ		1 1					
	Switch with change	ļ	<del> </del>	UEPRX	USACC		0.102	0.102				11.90				
	NAL NRCs	ļ														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	Į.	Į.			[ [			ļ	ļ	!!!					1
	Activity		ļ	UEPRX	USAS2	0.00	0.00	0.00			i	11.90				ļ
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	L	1													
	t/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1	<u> </u>		14.11			L						I	
	2-Wire VG Loop/Port Combo - Zone 2	<b>_</b>	2			18.23										
	2-Wire VG Loop/Port Combo - Zone 3		3	ļ		33.04										
	pp Rates	L														_
	2-Wire Voice Grade Loop (SL1) - Zone 1	L	1	UEPBX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17.06										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87										
	oice Grade Line Port (Bus)		1.													
[ ]	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11.90				
1	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	90.00	90.00				11.90				
1 1	2-Wire voice unbundled port outgoing only - bus		T	UEPBX	UEPBO	1.17	90.00	90.00				11.90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	T		UEPBX	UPEB1	1,17	90.00	90.00				11.90				
LOCAL	NUMBER PORTABILITY	T	1													
	Local Number Portability (1 per port)	1	1	UEPBX	LNPCX	0.35					1					
FEATUR			1													
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00	<del></del>		1	11.90				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		1							1 "					-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	$\vdash$	<b></b>								<b></b>					
	Switch-as-is	1	i	UEPBX	USAC2		0.102	0.102	ľ			11.90			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<del>                                     </del>	<del>                                     </del>			~~~					-					
	Switch with change	1	1	UEPBX	USACC		0.102	0.102	\	,	\	11.90			1	i
	DNAL NRCs	+	1	OCI DA	100,100		5.102		l			11.50				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<del> </del>										······································	<del></del>	<del></del>	
	2-Wire Voice Grade Loop/Eine For Combination - Subsequent Activity	1	1	UEPBX	USAS2		0.00	0.00				11.90				ŀ
10 HARDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<del> </del>	<del> </del>	OCI DA	UUTIOE		0.00	0.00				11.50			<del> </del>	<del>                                     </del>
		<del></del>	┼													<del></del>
	rt/Loop Combination Rates	+	1 1	<del> </del>		14,11					· · · · · · · · · · · · · · · · · · ·				<del> </del>	<b></b>
	2-Wire VG Loop/Port Combo - Zone 1	<del> </del>	2	<del> </del>		18.23					<del></del>				<del></del>	
	2-Wire VG Loop/Port Combo - Zone 2	<del> </del>	3	ļ		33.04				<del></del>	<del> </del>					
	2-Wire VG Loop/Port Combo - Zone 3	+	1 3	<del></del>		33,04			<del></del>	<del></del>	<del>   </del>		<u> </u>		<del>                                     </del>	-
	op Rates	+	<del> </del>	UEPRG	UEPLX	12.94							<u> </u>		<del></del> -	<b>-</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	+			UEPLX	17.06									<del></del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<del> </del>		UEPRG		17.06 31.87			ļ <u></u>		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	<del> </del>	3	UEPRG	UEPLX	31.87		_		<b></b>					ļ <u>-</u>	<del> </del>
2-Wire V	oice Grade Line Port Rates (RES - PBX)	<b>├</b>	<b> </b>	<del></del>					ļ	ļ	<b> </b>					<u> </u>
		1	1	l	İ	1				1	] ,	ابديرا	l i		1	l
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		1	UEPRG	UEPRD	1.17	90.00	90.00			ļ	11.90			<b> </b>	L
	NUMBER PORTABILITY	.1	<u> </u>													
	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00	ļ		1	11.90				
FEATUR		<u> </u>	L	<u> </u>		L				<b> </b> -	ļ					
	All Features Offered		<b></b>	UEPRG	UEPVF	2.26	0.00	0.00	L		L	11.90			<b>i</b>	
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del></del>	1						<b>-</b>	<b></b>					L	<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1					4.00				44.00				
	Conversion - Switch-As-Is		<del></del>	UEPRG	USAC2	ļ	8.45	1.91	<u> </u>	ļ	L	11.90			<u> </u>	
1 1	2-Wire Voice Grade Loop! Line Port Combination (PBX) -	1	}	l	1	1			1	I					I	
	Conversion - Switch with Change	J	1	UEPRG	USACC		8.45	1.91	L		<b>_</b>	11.90				
	ONAL NRCs		1			L	l		<b>_</b>	ļ					ļ	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1			[			1	1	1				!	
1	Subsequent Activity		L	UEPRG	USAS2	0.00	0.00	0.00	ļ			11.90			L	
		-	1						1		1 -				i	
[	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	1	1	1			7.09	7.09		L	L	11.90			l	
- In sent	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1						I							1

-DOINDELL	NETWORK ELEMENTS - Florida							_					Attachment:	2	Exhibit: B	1
FEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			<b></b>			Rec	Nonrec		Nonrecurring			,		Rates(\$)		
LINED	ort/Loop Combination Rates				<del></del>		First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNLF	2-Wire VG Loop/Port Combo - Zone 1	-	<b>⊢</b> _	<del></del>												
		<del> </del> ——	1			14.11									<u></u>	
	2-Wire VG Loop/Port Combo - Zone 2		2_			18.23										
1	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3	<del></del>		33.04										
UNELO	pop Rates	<u> </u>	+													L
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPPX	UEPLX	31.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	<u> </u>													
		1	i				·									
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	L	₩-	UEPPX	UEPPC	1.17	90.00	90.00				11.90			L	Ш.
	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPPO	1.17	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	l	<b>-</b>	UEPPX	UEPP1	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00				11.90			i	Γ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPPX	UEPXA	1,17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00				11.90				i
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00				11.90				
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable															<del></del>
	Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ļ	UEPPX	UEPXE	1.17	90.00	90.00				11.90				L
	Administrative Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXL	1.17	90.00	90.00			<u> </u>	11.90				
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<del> </del>	<del>                                     </del>	UEPPX	UEPXS	1.17	90.00	90.00				11.90				├─-
LOCAL	NUMBER PORTABILITY	-	<del> </del>	OL. I	-							- 11.50				
LOOM	Local Number Portability (1 per port)	-	<del> </del>	UEPPX	LNPCP	3.15	0.00	0.00				11.90	<del> </del>			<del> </del>
FEATU		$\vdash$	<del> </del>	OD 1 A	- Livi Gi	- 9:10	0.00	0.00	<del> </del>			11.50	<u> </u>			<del> </del>
TEATO	All Features Offered	$\vdash$		UEPPX	UEPVF	2.26	0,00	0.00	~		<del> </del>	11.90				
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLI I A	OLI VI		0,00	0.00			<u> </u>	11.50				<del></del>
NONKI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1-	<del> </del>	-							<del> </del>				<del> </del>
	Conversion - Switch-As-Is		<b>1</b>	UEPPX	USAC2		8.45	1.91				11.90			<u> </u>	ļ <u></u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		1	UEPPX	USACC		8.45	1.91				11.90				
ADDIT	ONAL NRCs	<del> </del>	+	DET I	00/100		0.70	1.0.1				11.00				$\vdash$
ADDII		<del> </del>	+	<b>-</b>							<del>                                     </del>					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity	<u> </u>		UEPPX	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86			Į	11.90			1	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														L	$\perp$
UNE P	ort/Loop Combination Rates														1	L
1	2-Wire VG Coin Port/Loop Combo Zone 1		1			14.11						L				
$\neg$	2-Wire VG Coin Port/Loop Combo - Zone 2		2			18.23										L
<del></del>	2-Wire VG Coin Port/Loop Combo - Zone 3	T	3			33.04							1			L
UNE	pop Rates			1											1	
10	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	12.94					T					
$\rightarrow$	2-Wire Voice Grade Loop (SL1) - Zone 2	T	2	UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3	T = T	3	UEPCO	UEPLX	31,87										
2-Wire	Voice Grade Line Ports (COIN)	1	1	T	1				T					Γ''	T	T
4-11110	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1 —	<b>†</b>	ţ	1						1				·	1
	900/976, 1+DDD (FL)	<u> </u>	<b> </b>	UEPCO	UEP2F	1.17	90.00	90.00			ļ	11.90				↓
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)	<u> </u>		UEPCO	UEPFA	1.17	90.00	90.00				11.90				<u> </u>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976,													l		1
	1+DDD, 011+, and Local (FL)	1	1	UEPCO	UEPCG	1.17	90.00	90.00			L	11.90				<u></u>
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		1	UEPCO	UEPRK	1.17	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:	+	1-	ULT GO	- SELIKK	1:17	50.00	90.00				11.90				

INBU	NDLED	NETWORK ELEMENTS - Florida													Attachment:	2	Exhibit: B	
ATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	υ	soc		RATES(			_	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
								Rec	Nonrec First	urring Add'l		Disconnect	DOMES		oss	Rates(\$)	T	
	1 1	2-Wire Coin Outward with Operator Screening and Blocking:							FIISL	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	900/976, 1+DDD, 011+, and Local (FL, GA)	i	1	UEPCO	UEP	ca	1.17	90.00	90.00	ļ	[	i	11.90		1	1	
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEP		1.17	90.00	90.00	<del> </del>	<del> </del>	<del> </del> -	11.90		ļ ——		
				1								<u> </u>		11.30				1
		2-Wire Coin Outward Smartline with 900/976 (all states except LA)		L	UEPCO	UEP	PCR	1.17	90.00	90.00		1		11.90				
		ONAL UNE COIN PORT/LOOP (RC)		ļ										Ĺ				
		UNE Coin Port/Loop Combo Usage (Flat Rate) NUMBER PORTABILITY			UEPCO	URE	CU	1.86	90.00	90.00				11.90				
		Local Number Portability (1 per port)		├	UEPCO	LNP	icv	0.35			<b>-</b>							
		CURRING CHARGES - CURRENTLY COMBINED	·	1	OLF CO	LIVE	<u> </u>	0.33	-				<del> </del>		<u> </u>		<del> </del>	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<b></b>			* +				<del>                                     </del>		<del> </del>			<del> </del>	<del> </del>	
		Switch-as-is		<u> </u>	UEPCO	USA	C2		0.102	0.102	L.			11.90		1	1	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -												1		1		· · · · · · · · · · · · · · · · · · ·
		Switch with change			UEPCO	USA	vcc		0.102	0.102			1	11.90				
		ONAL NRCs		<u> </u>	ļ						ļ		<b></b>					
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity	l	1	UEPCO	USA	182	1	0.00	0.00	1	1	1					
		IDLED REMOTE CALL FORWARDING - RES	<del>                                     </del>	1	UEFUU	USA	104		0.00	0,00	<del> </del>	+	<del> </del>	11.90	-	<del> </del>	-	
	Non-Re		-	1	<del></del>							+	<del> </del>	-			<del>                                     </del>	
		IDLED REMOTE CALL FORWARDING - Bus		<b></b>					-		1		<b> </b>	-		<del>                                     </del>	<del> </del>	
		Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus	İ		UEPVB	UEF	PVJ	1.40	3.74	3.63	1.88	1.80		11.90			t	
	Non-Re												İ		· · · · ·	1		
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LI	NE PORT	(RES)														L
				1	1	İ	1				l .	1	į.					
	0.1455	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	L	1	UEPFR	UEF	PAP	1.62	250.00	250.00	ļ			11.90		ļ <u></u>		ļ
IMOLIN		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LIE ORT/LOOP COMBINATIONS - COST BASED RATES	I PORT	(BUS)			<del></del>				-			<del></del>		<del> </del>	<del> </del>	ļ
JNOU		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	ORT	<del>                                     </del>							<u> </u>	1	i e	-		1	<del> </del>	<del> </del>
		ort/Loop Combination Rates	<u> </u>	<del>                                     </del>								· · · · · · · · · · · · · · · · · · ·	î .			!		
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.21										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				28.28										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				46.53										
	UNE Lo	op Rates	<del> </del>	<del> </del>	UEPPX	LIEC	CD1	14.50			<b></b>	+	ļ	11.90	<b></b>	<del> </del>	1.83	
	-	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1 2	UEPPX	UEC		19.57			<del> </del>		<del></del>	11.90	1		1.83	-
	<del>                                     </del>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UEC		37.82				-		11.90	1		1.83	
	UNE Po			<del> </del>	1						1	1	İ			1		<b>†</b>
		Exchange Ports - 2-Wire DID Port	1	1	UEPPX	UEF	PD1	8.71	850.00	75.00	L		<u> </u>	11.90			1.83	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					_				1		1				1	1
	<u> </u>	Switch-as-is	ļ	ऻ—	UEPPX	USA	AC1		7.85	1.87	ļ	<del> </del>	<b> </b>	11.90	1	-	<del>                                     </del>	<del> </del>
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with	1	1	UEPPX	lie/	A1C		7.85	1.87	1		]	11,90	1		1	
	10000	BellSouth Allowable Changes	<b></b>	<del> </del> -	UEPPX	- OSF	110		7.03	1.07	<del> </del>		1	11.50			t	<del>                                     </del>
		ONAL NRCs  2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	<del> </del>	$\vdash$	UEPPX	lus#	AS1		32.26	32.26	<del> </del>	1	1	11.90				
	Talenh	one Number/Trunk Group Establisment Charges	<b>†</b>	<del>                                     </del>		133.	1						1	T		i		T
		DID Trunk Termination (One Per Port)	t	†	UEPPX	ND1	T	0.00	0.00	0.00				11.90			1.83	l
	+	DID Numbers, Establish Trunk Group and Provide First Group of 20									1							1
		DID Numbers	L		UEPPX	ND		0.00	0.00	0.00				11.90		L	1.83	ļ
		Additional DID Numbers for each Group of 20 DID Numbers	L	1	UEPPX	ND4		0.00	0.00	0.00		1	+	11.90	<b>-</b>	ļ	1.83	-
	<u> </u>	DID Numbers, Non- consecutive DID Numbers , Per Number	<b></b>	<b>↓</b>	UEPPX	ND:		0.00	0.00	0.00		+	<del>                                     </del>	11.90 11.90	<b></b>	<del> </del>	1.83	-
	ļ	Reserve Non-Consecutive DID numbers	<del>                                     </del>	+	UEPPX	ND		0.00	0.00	0.00		<del>                                     </del>	+	11.90	<b></b>	<b>.</b>	1.83	<del> </del>
		Reserve DID Numbers NUMBER PORTABILITY	<del> </del>	+	DEFFE	IND	·	0.00	0.00	0.00	1	<del> </del>	1	11.50	<b></b>	<del>                                     </del>	1.55	<b>†</b>
		Local Number Portability (1 per port)	<del> </del>	+	UEPPX	LNF	PCP	3.15	0.00	0.00	1		T					
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE	DE POR	<del>,</del>	1													
		ort/Loop Combination Rates	L		T						I							ļ
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEF	PPR		32.09										
	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEP	OPR		38,15					-					

JNBUNDLED NETWORK ELEMEN	ITS - Florida													Attachment:		Exhibit: B	L
NTEGORY RA	ATE ELEMENTS	Interim	Zone		3CS	USOC		RATES				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremen Charge Manual S Order v Electron Disc Ad
<del></del>		ļ				<del> </del>	Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	COMAN	COMAN
2W ISDN Digital Grade Lo	pp/2W ISDN Digital Line Side Port - UNE			1				First	Audi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
Zone 3	Special End State Control		. 3	UEPPB	UEPPR		59.94	:			ļ	1					1
UNE Loop Rates			1									T				<del></del>	<del></del>
2-Wire ISDN Digital Grade	Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
1						ŀ											
2-Wire ISDN Digital Grade		<u> </u>	2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	L
2-Wire ISDN Digital Grade	Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52.56			ļ			11.90			1.83	
UNE Port Rate Exchange Port - 2-Wire ISI	ON Line Pide Ded	ļ	-	LICHDR	UEPPR	UEPPB	7.38	525.00	400.00				44.00				
NONRECURRING CHARGES - CI	IN THE 200 LOUR		├──	UEPPB	UEPPR	DEPPB	7.38	525.00	400.00	<del></del> -		<del> </del>	11.09			1.83	
	Loop / 2-Wire ISDN Line Side Port	<del>                                     </del>	-	<del>                                     </del>		<del>                                     </del>	<del> </del>					<del> </del> -					
Combination - Conversion	200p. 2 The loss time one total	1	1	UEPPB	UEPPR	USACB	0.00	25.22	17.00	1	ì	1	11.90			1.83	]
ADDITIONAL NRCs		t —			J=, / II		5.50		17.50	i	<u> </u>	<b>—</b>	11.50			1.03	<del> </del>
LOCAL NUMBER PORTABILITY	.,,		]				Γ. –			1							<b></b>
Local Number Portability (1				UEPPB	UEPPR	LNPCX	0.35	0.00	0.00					-			
B-CHANNEL USER PROFILE AC	CESS:																
CVS/CSD (DMS/5ESS)			ļ	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
CVS (EWSD)		ļ			UEPPR	U1UCB	0.00	0.00	0.00								
CSD		L		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	PROFILE ACCESS: (AL,KY,LA,MS SC,M	IS, & TN)	<b>)</b>	<b> </b>			<del>  </del>										
USER TERMINAL PROFILE User Terminal Profile (EWS	2D auto		<del> </del>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES	en ouik)	<u> </u>	<del> </del>	UEPPB	UEPPR	UTUNA	0.00	0.00	0.00								ļ
All Vertical Features - One	nor Channel B Hear Profile	<u> </u>	<del></del>	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTEROFFICE CHANNEL MILEAG			-	OCT 15	OLITIC	OL, VI	2.20	0.00	0.00				11.50				
	each, including first mile and facilities	$\vdash$	<b></b>														
termination	9.00.0		ĺ	UEPP8	UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90		i	1.83	
Interoffice Channel mileage	each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	4-WIRE ISDN DS1 DIGITAL TRUNK PO	RT															
UNE Port/Loop Combination Rat				<u> </u>													
4W DS1 Digital Loop/4W IS	SDN DS1 Digital Trunk Port - UNE Zone	}	١.	l													
1 1	THE TAXABLE PARTY OF THE TAXABLE PARTY OF TH		1	UEPPP			156.18										
4W DS1 Digital Loop/4W IS	SDN DS1 Digital Trunk Port - UNE Zone		2	UEPPP			181.87								ļ		
ANA DCA Digital Lagrana 16	SDN DS1 Digital Trunk Port - UNE Zone		-	UEPPP		ļ	101.07			ļ							
	SDN D31 Digital Trunk POR - GIVE Zone	i	3	UEPPP			274.25		:			1		İ			
UNE Loop Rates		-	<del></del>	OLITI		·	27.7.20										-
4-Wire DS1 Digital Loop - t	JNF Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	
4-Wire DS1 Digital Loop - U		<u> </u>	2	UEPPP		USL4P	99.13						11.90			1.83	
4-Wire DS1 Digital Loop - U			3	UEPPP		USL4P	191.51						11.90			1.83	
UNE Port Rate																	
Exchange Ports - 4-Wire IS				UEPPP		UEPPP	82.74	1,150.00	1,150.00				11.90			1.83	
NONRECURRING CHARGES - CL			ļ														
	-Wire ISDN DS1 Digital Trunk Port					1	!										
Combination - Conversion -	Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	L
ADDITIONAL NRCs														i			
4-Wire DS1 Loop/4-W ISD	N Digtl Trk Port - Subsqt Actvy-		1														
	n Std Allowance (except NC)			UEPPP		PR7TF	L	0.5412					11.90			1.83	
	ISDN DS1 Digital Trunk Port - Outward		l					1									
Tel Numbers (All States exc			Li	UEPPP		PR7TO	ļ.—. ļ	12,71	12.71	I			11.90			1.83	
	SDN DS1 Digital Trk Port - Subsequent					00777		<u>  </u>	0= 1=				4	l	1		
Inward Tel Nos Above Std A	Allowance			UEPPP		PR7ZT	<del> </del>	25.42	25.42				11.90			1.83	
LOCAL NUMBER PORTABILITY		-	<b></b> -	LIEBBB		LNPCN	1.75				-						
Local Number Portability (1	per port)		<del> </del>	UEPPP		LNPUN	1./5										
INTERFACE (Provisioning Only)	<del></del>	<b></b>	<del> </del>	UEPPP		PR71V	0.00	0.00	0.00								
Voice/Data Digital Data			-	UEPPP		PR71D	0.00	0.00	0.00							<del></del> 1	
Inward Data			<del> </del>	UEPPP		PR71E	0.00	0.00	0.00							—— <del>-</del>	
New or Additional "B" Channel	<del></del>		<b>—</b>	J			J	Ų.UU	0.00	·						<del></del>	
New or Additional - Voice/D	ata B Channel		<b>—</b>	UEPPP	_	PR7BV	0.00	15.48					11.90			1.83	
New or Additional - Digital D				UEPPP		PR7BF	0.00	15.48					11.90		- 1	1.83	
	ata B Channel	ļ		UEPPP		PR7BD	0.00	15.48		·			11.90			1.83	

SUNULED	NETWORK ELEMENTS - Florida		т.										Attachment:	2	Exhibit: B	1
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge Manual Order v Electron Disc Ad
		ļ	ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
0411.7	Voro	ļ			<del> </del>		First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CALLT			<b>├</b> ──													
_	Inward		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00			L					
	Outward		<b>!</b>	UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	ice Channel Mileage		L													
	Fixed Each Including First Mile	ļ	<b></b>	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile		<u> </u>	UEPPP	1LN1B	0.1856										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		L		1											
	rt/Loop Combination Rates				1			-								
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11.90			1.83	i
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90	-		1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46						11.90			1.83	
	op Rates		ļ	]												I
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44						11.90			1.83	1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	191.51						11.90			1.83	
UNE Po																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95					1	11.90			1.83	l
NONRE	CURRING CHARGES - CURRENTLY COMBINED				T					_				·		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination -															
	Switch-as-is		l	UEPDC	USAC4		95.31	46.71			]	11.90			1.83	ł
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination -			İ											1.00	<b>-</b>
	Conversion with DS1 Changes	1	1	UEPDC	USAWA	ļ	95.31	46.71			}	11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination -	<del> </del>	<del> </del> -					10.71				11.50			1.03	
	Conversion with Change - Trunk	1	ì	UEPDC	USAWB		95.31	46.71				11.90			1.83	
	DNAL NRCs	<u> </u>	<del> </del>		100,			10.71				11.50			1.03	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent	<del> </del>	-		1											-
	Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	ł
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel			02.00	1001111		.0.00	10.00		-		11.30			1.00	
	Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OCI DO	OBTID		15.05	13.03			-	11.50			1.03	
	Activation/Chan Inward Trunk wout DID			UEPDC	UDTTC		15.69	15.69				11.90			400	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			ULFUC	UDITO		13.09	13.09				11.90			1.83	
				UEPDC	UDTTD		15,69	15.69				44.00				
	Activation Per Chan - Inward Trunk with DID	<del> </del>		UEPUC	שווטט		15,09	15.69			-	11.90			1.83	ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTE		15.69	45.00				44.00	i			
	Activation / Chan - 2-Way DID w User Trans			UEPUC	ODITE		13.09	15.69			<del></del>	11.90			1.83	
	R 8 ZERO SUBSTITUTION	ļ		LIEBBO	00005	<del></del>	0.00	055.00								
	B8ZS - Superframe Format	ļ	_	UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format	<b></b>		UEPDC	CCOEF		0.00	655.00				11.90			1.83	
	te Mark Inversion	-	<b>—</b>	HEBBC	MCOCE											
	AMI -Superframe Format	<u> </u>	<b></b>	UEPDC	MCOSF	-	0.00	0.00								
	AMI - Extended SuperFrame Format	ļ	-	UEPDC	МСОРО	<u> </u>	0.00	0.00								
	one Number/Trunk Group Establisment Charges	<b></b>	<b>-</b>			L										
	Telephone Number for 2-Way Trunk Group	Ļ		UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group	ļ. —		UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID	<u> </u>		UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group of 20	1	1	1												
	DID Numbers	<u> </u>		UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number	L		UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			L	11.90			1.83	
	Reserve DID Numbers	L		UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	igital Loo	p with 4	-Wire DDITS Trunk	Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1														
	Termination)		1	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90		l	1.83	
		1														
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l	1	UEPDC	1LNOA	0.1856	0.00	0.00							<b> </b>	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1	1													
	Termination)	l		UEPDC	1LNO2	0.00	0.00	0.00								
		<del>                                     </del>			1											
			1												· •	

NBUNDLED NE	TWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
regory	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual : Order v Electron Disc Ad
		}		<u> </u>	<del>}</del>	<del> </del>	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		L
			1		<del>                                     </del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	roffice Channel Mileage - Fixed rate 25+ miles (Facilities									<u>, , , , , , , , , , , , , , , , , , , </u>			Compare	30,47,14	JOHIAN	JOHA
Tern	mination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00					ļ		ļ
			Ī		_	T										<del>                                     </del>
	roffice Channet Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC	0.1856	0.00	0.00						ŀ		l
	al Number Portability, per DS0 Activated	ļ	Ļ	UEPDC	LNPCP	3,15	0.00	0.00	0.00							
	ntral Office Termininating Point		ļ	UEPDC	CTG	0,00										
	LOOP WITH CHANNELIZATION WITH PORT DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa	410-00	-													
	m can have up to 24 combinations of rates depending on ty		L	Coords are and	<del> </del>	<b> </b>			·				<b>-</b>			<u> </u>
UNE DS1 Lo	oon	ре ала по	Timer o	ports used	<del> </del>	<del> </del>								ļ		<u> </u>
	/ire DS1 Loop - UNE Zone 1	-	1	UEPMG	USLDC	73,44	0.00	0.00					ļ		ļ	<b>!</b>
	/ire DS1 Loop - UNE Zone 2	1	2	UEPMG	USLDC	99,13	0.00	0.00			-		<del> </del>			├
	/ire DS1 Loop - UNE Zone 3	<del> </del>	3	UEPMG	USLDC	191.51	0.00	0.00			<del> </del>		<del> </del>		<del> </del>	<del>-</del>
	hannelization Capacities (D4 Channel Bank Configuration	s)	T		1	1		5.50	1						<del>                                     </del>	<del></del>
24 D	DSO Channel Capacity - 1 per DS1	T	Ī. —	UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	<b></b>
48 D	OSO Channel Capacity - 1 per 2 DS1s	L		UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	<b></b>
96 D	DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90		l	1.83	1
	DS0 Channel Capacity - 1 per 6 DS1s	L		UEPMG	VUM14	708.36	0.00	0.00				11.90	I		1.83	1
	DS0 Channel Capacity -1 per 8 DS1s	1	<u> </u>	UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>	UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	DS0 Channel Capacity - 1 per 12 DS1s		ļ	UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	DS0 Channel Capacity - 1 per 16 DS1s		<b>_</b>	UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	DS0 Channel Capacity - 1 per 20 DS1s		├──	UEPMG	VUM40	2,361.20	0.00	0.00			<b>_</b>	11.90			1.83	
	DS0 Channel Capacity -1 per 24 DS1s	<del> </del>	├—	UEPMG UEPMG	VUM57 VUM67	2,833.44 3,305.68	0.00	0.00				11.90			1.83	<b></b>
	DS0 Channel Capacity - 1 per 28 DS1s ring Charges (NRC) Associated with 4-Wire DS1 Loop with	Channelli	tion wi				0.00	0.00	·			11.90			1.83	<b>├</b>
	System configuration is One (1) DS1, One (1) D4 Channel E										<del> </del>				<b></b>	<del> </del>
	f this configuration functioning as one are considered Add												<del></del>		<del></del>	
	C - Conversion (Currently Combined) with or without BellSouth	1	T		1											
	wed Changes		l	UEPMG	USAC4	0.00	96.77	4.24	!			11.90		!		1
System Add	litions at End User Locations Where 4-Wire DS1 Loop with	Channelia	ation w	ith Port Combination	Currently E	xists and					1					
	urrently Combined) In GA, KY, LA, MS & TN Only	I	I													
	S1/D4 Channel Bank - Add NRC for each Port and Assoc Fea									-				1		
	vation - New GA, LA, KY, MS, &TN Only	1	<b>.</b>	UEPMG	VUMD4	0.00	726,11	468.21	145.32	17.24		11.90				<u> </u>
Bipolar 8 Ze	ero Substitution	ļ	<b>├</b> ──		1											ļ
	ar Channel Capability Format, superframe - Subsequent Activity	1	1	UEPMG	CCOSF	0.00	0.00	655.00				11.90				1
Only		<del> </del>	<del> </del>	UEPMG	CCOSF	0.00	0.00	655.00				11.90				<del> </del>
	ar Channel Capability Format - Extended Superframe - sequent Activity Only	]	l	UEPMG	CCOEF	0.00	0.00	655.00				11.90			İ	į
	sequent Activity Only lark Inversion (AMI)	1	<del>}</del>	OEFING	CCOLI	0.00	0.00	0,3.00		<del></del>	1	11.50			-	<del> </del>
	perframe Format		<del>                                     </del>	UEPMG	MCOSF	0.00	0,00	0.00					-		<u> </u>	<b></b> -
	ended Superframe Format	<b></b>		UEPMG	MCOPO	0.00	0.00	0.00								
Exchange P	Ports Associated with 4-Wire DS1 Loop with Channelization	n with Por	t													
Exchange P		1	I													Ι
														1		
	Side Combination Channelized PBX Trunk Port - Business		L	UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00	<u> </u>	11.90		İ	1.83	l
	e Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00	ļ	11.90	l		1.83	
			1		J	i			] i							
Line	Side Inward Only Channelized PBX Trunk Port without DID	ļ	<b>↓</b>	UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90	ļ	<b></b>	1.83	
2-W	Vire Trunk Side Unbundled Channelized DID Trunk Port	<b> </b>	ļ	UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00	<del>                                     </del>	11.90	<del> </del>	<del> </del>	1.83	<del></del>
Feature Act	tivations - Unbundled Loop Concentration	+	<b>├</b> ──		· <del> </del>	<del> </del>				<del> </del>						-
	ature (Service) Activation for each Line Side Port Terminated in	1		UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90		1	1.83	1
	Bank ature (Service) Activation for each Trunk Side Port Terminated in	1	+	UEPPA	IL CLAAIN	0.00	20,40	13.41	3.90	3.93	<b>—</b>	11.50	<del> </del>	<b> </b>	1.03	<del> </del>
		1		UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90		1	1.83	1
	Bank Number/ Group Establishment Charges for DID Service	+	+	OLI FA	1	9,00	, 5.10	10.42	00.00		<del>                                     </del>			1	1	<b> </b>
	Trunk Termination (1 per Port)	<del>                                     </del>	+	UEPPX	NDT	0.00	0.00	0.00	T			11.90		1		
	ab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<del>                                     </del>	†	UEPPX	NDZ	0.00	0.00	0.00				11.90			1	L
	Numbers - groups of 20 - Valid all States	t	<del>                                     </del>	UEPPX	ND4	0.00	0.00	0.00	1			11.90				
	n-Consecutive DID Numbers - per number		t	UEPPX	ND5	0.00	0.00	0.00				11.90				
		<del></del>	t —	UEPPX	ND6	0.00	0.00	0.00				11.90		1	1	1
	serve Non-Consecutive DID Numbers		1	JUEPPA	HALLO	0.00	0,00	0.00	<u> </u>			11.90			<del></del>	

NBUNDLED !	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES					Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremen Charge Manual S Order v Electron Disc Ad
						Rec	Nonre		Nonrecurring				OSS	Rates(\$)		
			_			19.5.	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	mber Portability		_		LNPCP	0.10										
	ocal Number Portability - 1 per port	_	_	UEPPX	LNPCP	3 15	0.00	0.00								
	ES - Vertical and Optional	_	-					-								-
	itching Features Offered with Line Side Ports Only  Il Features Available	-	_	UEPPX	UEPVF	2.26	0 00	0.00				11.90			1.83	-
	RT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	2.20	000	0.00				11.50			1.03	-
Market R	ates shall apply where BellSouth is not required to provide un	belbood	local sy	itching or switch p	orts per FCC	and/or State Cor	mmission rules						_			-
	enarios include:												- Page 1			
1. Unbur	idled port/loop combinations that are Not Currently Combined	in Alaba	ma, Flor	ida and North Carol	ina.											
2. Unbur	ndled port/loop combinations that are Currently Combined or	Not Curre	ntly Cor	nbined in Zone 1 of t	the Top 8 MS/	S in BellSouth	's region for en	d users with 4	or more DS0 eq	uivalent lines.						
The Top	8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale	, Miami);	GA (Atla	nta); LA (New Orlea	ns); NC (Gree	nsboro-Winston	n Salem-Highpo	oint/Charlotte-0	Sastonia-Rock	Hill); TN (Nash	ville).					
	et Rate for unbundled ports includes all available features in e and Tandem Switching Usage and Common Transport Usa			rt section of this rate	e exhibit shal	I apply to all cor	mbinations of l	oop/port netwo	rk elements exc	cept for UNE C	oin Port/Loo	p Combinat	ions which ha	ive a flat rate	usage charge	
For Not C	Currently Combined scenarios where Market Rates apply, the I	Nonrecur	ing cha	rges are listed in the	e First and Ad	Iditional NRC co	olumns for each	Port USOC. F	or Currently Co	mbined scena	rios, the Nor	recurring c	harges are lis	ted in the NR	C - Currently C	Co
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				T						1	g	manged and mo	Toda in the rine		Ť
UNE Port	/Loop Combination Rates													A		
	-Wire VG Loop/Port Combo - Zone 1		1			26.94										- 15
	-Wire VG Loop/Port Combo - Zone 2		2			31.06										1 15
	-Wire VG Loop/Port Combo - Zone 3		_3			45.87										
UNE Loo					UEPLX											
	-Wire Voice Grade Loop (SL1) - Zone 1		1 2	UEPRX UEPRX	UEPLX	12 94 17.06	<u> </u>			-	_					-
	-Wire Voice Grade Loop (SL1) - Zone 2 -Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	31.87			_		-			_		+
	pice Grade Line Port (Res)	<u> </u>	1	OLI TOX	OLI CX	51.07										<del>                                     </del>
	-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				11 90				
2	-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14 00	90.00	90.00				11.90				
2	-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90 00				11.90				
				EDEV								200.000				1
2	-Wire voice unbundled Florida Area Calling with Caller ID - res	-		UEPRX	UEPAF	14.00	90.00	90.00		1,2	-	11 90				-
2	-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00				11.90				
	IUMBER PORTABILITY		-	OLI TOX	TOLI AI	14.00	30.00	30.00				11.30				_
	ocal Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATURE																
A	Il Features Offered			UEPRX	UEPVF	0 00	0.00	0.00				11.90				
							5998. 1999					200 March				
	-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				_11.90		_		-
	-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX	USACC		41.50	41.50				11.00				1
	hangeNAL NRCs		_	UEFRA	USACC		41.50	41.50			_	11.90		-		-
	IRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00				11.90				
2-WIRE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	W. T.														
	/Loop Combination Rates															
	-Wire VG Loop/Port Combo - Zone 1	-	1			26.94										
	-Wire VG Loop/Port Combo - Zone 2		2			31.06										
	-Wire VG Loop/Port Combo - Zone 3	-	3		+	45.87					-					-
UNE Loo	-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPBX	UEPLX	12 94					-					<del></del>
	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17.06										_
	-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87										-
2	pice Grade Line Port (Bus)					2,.01										
2			-	UEPBX	UEPBL	14.00	90.00	90.00				11.90				
2-Wire Vo	-Wire voice unbundled port without Caller ID - bus							00.00				11.90				
2-Wire Vo	-Wire voice unbundled port without Caller ID - bus -Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00								
2-Wire Vo	-Wire voice unbundled port with Caller + E484 ID - bus -Wire voice unbundled port outgoing only - bus			UEPBX	UEPBC UEPBO	14.00	90.00	90.00				11.90				
2 2 2 2 2 2 2 2 LOCAL N	-Wire voice unbundled port with Caller + E484 ID - bus															

TEGORY	RATE ELEMENTS	Interim	Zone	<b>G</b> CS	USOC	Rec	RATE	S(\$)	Nonrecurring	Discount	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Char
		-				Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	oss	Rates(\$)		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	1	1	UEPBX	USAC2	1				Augui	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOM
} }	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLFBA	USACZ		41.50	41.50				11.90				i
	change		l	UEPBX	USACC	1						11.30		<del></del>		—
ADDITIO	DNAL NRCs				OUNCC		41.50	41.50				11.90				
;	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent														-	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00		1						<del></del>
UNE Por	rt/Loop Combination Rates						0.00	0.00			ļ	11.90				1
12	2-Wire VG Loop/Port Combo - Zone 1															
	2-Wire VG Loop/Port Combo - Zone 2		1	W=		26.94										
2	2-Wire VG Loop/Port Combo - Zone 3		3			31.06										
UNE Loo	op Rates		3			45.87					<del>                                     </del>					
_   2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	40.5					<del>                                     </del>					-
2	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	12.94 17.06										-
12	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	31.87								-		-
2-Wire Vo	oice Grade Line Port Rates (RES - PBX)		-		OCI EX	31.67										
1 1	2 MG 1/2 M - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2															
I OCAL A	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00								
LOCAL	NUMBER PORTABLITY					14.00	50.00	90.00				11.90		1	- 1	
FEATUR	ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	All Features Offered						0.00	0.00								
NONREC	CURRING CHARGES - CURRENTLY COMBINED			UEPRG	UEPVF	0.00	0.00	0.00								
THE STATE OF	CHARGES - CORRENTLY COMBINED											11.90				
2	P-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	- 1	- [													
2	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPRG	USAC2		41.50	41.50		- 1	1	11.90	1			
l lo	Change	- 1	- 1	IEDD 0	1							11.90				
ADDITION	NAL NRCs			UEPRG	USACC		41.50	41.50		1		11.90	1	- 1	1	
2	Wire Loop/Line Side Port Combination - Non feature - Subsequent	$\rightarrow$		····								17.00				
ΑΑ	Activity- Nonrecurring	1			1 1	i										
1 1					<del>                                     </del>	<del></del> i	0.00	0.00				11.90	- 1	- 1	- 1	
P	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group	ł			1 1		7.09	7.09	ł							
2-WIKE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PRX)						7.09	7.09				11.90				
	/Loop Combination Rates															
	-Wire VG Loop/Port Combo - Zone 1		_1_			26.94										
2	-Wire VG Loop/Port Combo - Zone 2		2			31.06					+					
UNE Loop	-Wire VG Loop/Port Combo - Zone 3		3			45.87				<del>-</del> +						
	-Wire Voice Grade Loop (SL1) - Zone 1		<del>-,- </del> ,	IFFDDV												
2-	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2			JEPPX	UEPLX	12.94						_				
2-	-Wire Voice Grade Loop (SL1) - Zone 3			JEPPX JEPPX	UEPLX	17.06							-			
2-Wire Vo	pice Grade Line Port Rates (BUS - PBX)	-		JEI TA	UEPLX	31.87									+	
1 1			-+		1											
Li.	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus		lι	JEPPX	UEPPC	14.00	90.00	90.00	- 1	i						
Lii	ine Side Unbundled Outward PBX Trunk Port - Bus			JEPPX	UEPPO	14.00	90.00	90.00				11.90				
Lin	ine Side Unbundled Incoming PBX Trunk Port - Bus			JEPPX	UEPP1	14.00	90.00	90.00	-			11.90				
2-	-Wire Voice Unbundled PBX LD Terminal Ports			JEPPX	UEPLD	14.00	90.00	90.00				11.90				
2-	Wire Voice Unbundled 2-Way Combination PBX Usage Port		ī	JEPPX	UEPXA	14.00	90.00	90.00	-			11.90				
2-	Wire Voice Unbundled PBX Toll Terminal Hotel Ports			JEPPX	UEPXB	14.00	90.00	90.00	<del></del>			11.90				
2-	Wire Voice Unbundled PBX LD DDD Terminals Port			JEPPX	UEPXC	14.00	90.00	90.00	+		-+	11.90	<del></del>			
2-	Wire Voice Unbundled PBX LD Terminal Switchboard Port			IEPPX	UEPXD	14.00	90.00	90.00	-			11.90				
2-1	Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable ort	- 1			1							11.90				
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ļ.	IEPPX	UEPXE	14.00	90.00	90.00			- 1	11.90	- 1	- 1	ì	
	dministrative Calling Port	1	I.	EDDV	l											
2-1	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room		— l	EPPX	UEPXL	14.00	90.00	90.00			- 1	11.90	1	1	i	
Ca	alling Port	- 1	l.	EPPX	Lucana								-			
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			CPPX	UEPXM	14.00	90.00	90.00				11.90	i			
	scount Room Calling Port	l	l.,	EPPX	UEPXO	44.05										
2-1	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			EPPX	UEPXS	14.00	90.00	90.00				11.90				
T	JMBER PORTABILITY			LFFA	DEPAS	14.00	90.00	90.00				11.90				

INBUNDLED NE	TWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES		-		Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic
			<b>!</b>			Rec	Nonrec		Nonrecurring Di				oss	Rates(\$)		
Loca	al Number Portability (1 per port)		-	UEPPX	LUCOS	L 1	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATURES		<del>                                      </del>	1	UEPPX	LNPCP	3.15	0.00	0.00								
	eatures Offered	<del> </del>		UEPPX	UEPVF	0.00	0.00	0.00								
	RRING CHARGES - CURRENTLY COMBINED		<del> </del>	OLY I X	IOLF VI	0.00	0.00	0.00	<del>  </del>			11.90				
		†			1											<del></del>
	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is	ļ		UEPPX	USAC2		41.50	41.50				11.90				ĺ
	ire Voice Grade Loop/ Line Port Combination - Switch with		T									11.30				<del></del>
Char			L	UEPPX	USACC		41.50	41.50	l i			11.90				ĺ
ADDITIONAL	L NRCs	ļ	<u> </u>													
		ł	l													
	ire Voice Grade Loop/ Line Port Combination - Subsequent	ļ	ļ	UEPPX	USAS2	0.00	0.00	0.00				11.90				ł
	ire Loop/Line Side Port Combination - Non feature - Subsequent	!	1	1												
ACTIV	vity- Nonrecurring	-	ļ				0.00	0.00				11.90				1
DRY	Subsequent Activity - Change/Rearrange Multiline Hunt Group	1	1	ł												
	CE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT	<del> </del>	<del> </del>		ļ		7.09	7.09				11.90				
	pop Combination Rates	<del> </del>	1		1											
	ire VG Coin Port/Loop Combo Zone 1	<del> </del> -	1		<del> </del>	26.94										
	ire VG Coin Port/Loop Combo – Zone 2	┼──	2			31.06										<u> </u>
	ire VG Coin Port/Loop Combo - Zone 3	<del>                                     </del>	3		+	45.87			<del></del>							
UNE Loop R		<b></b>	ľ		· · · · · · · · · · · · · · · · · · ·	43.07							·			<del></del>
	ire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPCO	UEPLX	12.94			<del></del>			-				<del></del>
2-Wi	ire Voice Grade Loop (SL1) - Zone 2	i e		UEPCO	UEPLX	17.06										<del></del>
2-Wi	ire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	31.87	WIII									
	Grade Line Port Rates (Coin)															
2-Wi	ire Coin 2-Way with Operator Screening and Blocking: 011,															
900/	976, 1+DDD (FL)		l	UEPCO	UEP2F	14.00	90.00	90.00				11.90				1
2-Wi	ire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
2-Wi	ire Coin 2-Way with Operator Screening and Blocking: 900/976,		1								-	11.50				
1+DI	DD, 011+, and Local (FL)	1		UEPCO	UEPCG	14.00	90.00	90.00			1	11.90	I			i
	ire Coin Outward with Operator Screening and 011 Blocking	T				· ·				-						
(AL,		1		UEPCO	UEPRK	14.00	90.00	90.00				11.90				i .
	ire Coin Outward with Operator Screening and Blocking:	1			1	· •	1									
	976, 1+DDD, 011+ (FL)	ļ		UEPCO	UEPOF	14.00	90.00	90.00				11.90				L
	ire Coin Outward with Operator Screening and Blocking:															i
1900/	976, 1+DDD, 011+, and Local (FL, GA)  IBER PORTABILITY			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
	al Number Portability (1 per port)		-	UEPCO	LNPCX	0.35										
NONDECTION	RING CHARGES - CURRENTLY COMBINED	<del> </del>	<del> </del>	DEFCO	LINFOX	0.35										
HOMELOOK	INTERNAL STATES CONTRACTOR COMBINED		<del></del>		1				-							
2-Wi	ire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50			1	11.90	1			ı
	ire Voice Grade Loop/ Line Port Combination - Switch with			<u> </u>	100,102			41.00	-			11.50				
Char				UEPCO	USACC		41.50	41.50					- 1		i	ı
ADDITIONAL									T- 1							
																·
2-Wi	ire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00			· 1	11.90	- 1			ı
	/LOOP COMBINATIONS - MARKET BASED RATES															
	CE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PO	ORT														
	op Combination Rates							#								
	ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			69.50										
	ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	<u> </u>	2		İ	74.57										
	ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	ļ	3		1-	92.82			<b></b>							
UNE Loop R		<del> </del>		UEPPX	LIECDA	14.50			ļ <b>-</b>			44.00				
	ire Analog Voice Grade Loop - (SL2) - UNE Zone 1	<del> </del> -	1 2	UEPPX	UECD1 UECD1	14.50						11.90			1.83	
2-WI	ire Analog Voice Grade Loop - (SL2) - UNE Zone 2 ire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	19.57 37.82			<del> </del>			11.90 11.90			1.83	
UNE Port Ra		<del>                                     </del>	-	VEFFA	JEOD I	31.02						11.90			1.83	
	nange Ports - 2-Wire DID Port	1	<b></b>	UEPPX	UEPD1	55.00	850.00	75.00	<del></del>			11.90			1.83	
	RING CHARGES - CURRENTLY COMBINED	1	1		1	55.50	555.00	7 3.00	<del></del>		-	,,,50			1.03	
	ire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	<b></b>	<del>                                     </del>		1					-			- +			
1 1	ch-As-Is Top 8 MSAs only	1	1	UEPPX	USAC1	I	850.00	75.00		1	ĺ	11.90		l	ļ	

JNBUNDLE	D NETWORK ELEMENTS - Florida													Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	E	scs	usoc		RATES	(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		L
	2147 14 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>				7,00	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only		l	LIEDOV						l i							
ADDI	ONAL NRCs	-		UEPPX		USA1C		850.00	75.00				11.90				
7001	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	<del> </del>	-	UEPPX		USAS1		32.26	20.00			<u> </u>	L				
Telep	hone Number/Trunk Group Establisment Charges		<del>-</del>	ULFFX		USASI		32.20	32.26	·		<u> </u>	11.90				
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	<b>├</b> ──
	DID Numbers, Establish Trunk Group and Provide First Group of 20		T						0,00			<del></del>	11.30	-		1.63	<del></del>
_	DID Numbers			UEPPX		NDZ	00.0	0.00	0.00			\	11.90			1.83	1
— <u> </u> —	Additional DID Numbers for each Group of 20 DID Numbers	<b>!</b>	ļ	UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number	<b>!</b> ——	<b>.</b>	UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX		ND6 NDV	0.00	0.00	0.00			<b>!</b>	11.90	ļ		1.83	
LOCA	L NUMBER PORTABILITY	<del> </del>	<del> </del>	JEPPA		HUV	0.00	0.00	0.00			<b> </b>	11.90	<del> </del> -	<u> </u>	1.83	—
	Local Number Portability (1 per port)	1	t	UEPPX		LNPCP	3,15	0.00	0.00			<del> </del>		l		<b>_</b>	<b>-</b>
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE S	IDE POR	r	1		T	<u> </u>	5.00	0.00			<del>                                     </del>	<del>                                     </del>	<u> </u>	<del> </del>	<del>                                     </del>	<del></del>
	ort/Loop Combination Rates	T														t	1
T	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE																
	Zone 1		1_1_	UEPPB	UEPPR	<b>!</b>	94.71					.l					
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE	1	١.			1											
	Zone 2  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE		2	UEPPB	UEPPR		100.77										<u> </u>
- 1	Zone 3	ŀ	3	UEPPB	UEPPR		122.56			·		]		1		1	
UNE	oop Rates	<del> </del>		UCFFB.	UEFFR	<del> </del>	122,50					<del> </del>		<del></del> -		<del> </del>	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	· · · · ·	1 1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	<del> </del>
	The top to begin a constant	<b></b>		-									11.50		-	1.05	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	. 2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52.56						11.90			1.83	
UNE	ort Rate			L													
	Exchange Port - 2-Wire ISDN Line Side Port	<b>└</b>	<b>!</b>	UEPPB	UEPPR	UEPPB	70.00	525.00	400.00			<b>]</b>	11.09		<u> </u>	1.83	<del></del>
NONE	ECURRING CHARGES - CURRENTLY COMBINED	├	<del> </del>	ļ		<del> </del> -						1					
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	LICODO	UEPPR	USACB	0.00	215.00	215.00	;			11.90			1.83	İ
ADDE	Combination - Conversion - Top 8 MSAs only  TONAL NRCs	ļ	+	OLFFB	ULFFR	USACE	0.00	213.00	213.00		_		11,50		<del> </del>	1.03	<del> </del>
	L NUMBER PORTABILITY	<del></del>	<del> </del>			1						1					<del> </del>
1007	Local Number Portability (1 per port)	<b>†</b>	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			•					
в-сн	ANNEL USER PROFILE ACCESS:		1	ļ													
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)		<u> </u>		UEPPR	U1UCB	0.00	0.00	0.00				<u></u>			<b></b>	
	CSD	<u> </u>	<b>↓</b>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			<b>-</b>				L	<del></del>
в-сн.	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,N	(15, & TN)	<del> </del>	ļ		<del> </del>	ļ					<del> </del>				<del></del>	
USER	TERMINAL PROFILE	ļ. —	<del> </del>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			+	<u> </u>				<del></del>
- LUEDT	User Terminal Profile (EWSD only)  ICAL FEATURES		<del> </del>	UEFFB	UEFFR	OTOMA	0.00	0.00	0.00								<del></del>
VERI	All Vertical Features - One per Channel B User Profile	<del> </del>	$\vdash$	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTER	ROFFICE CHANNEL MILEAGE	<u> </u>	†	ULL, U		<del> </del>						1					
1111 63	Interoffice Channel mileage each, including first mile and facilities	1	T			1			·							1	
1	termination		1	UEPPB	UEPPR _	M1GNC	18.4491	47.35	31.78	18.31	7.03	1.	11.90	l		1.83	L
	Interoffice Channel mileage each, additional mile		<u> </u>	UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PC	ORT	↓									ļ	l			ļ	<b>↓</b>
UNE	Port/Loop Combination Rates		<b>├</b>	-								<b>.</b>				-	<del> </del>
ļ	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone		1 .	UEPPP			973.44	•		i		1				1	1
	AW DC4 Digital Lagra (AW ICDM DC4 Digital Trust Port LINE Zone	-	+ '	UEPPP		1	973.44					<del> </del>					<del>                                     </del>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone		1 2	UEPPP		1	999,13	]		j		I		l		1	1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone	1	† <u>*</u>	T			1	<u> </u>		T		1				1	1
j	3	1	3	UEPPP			1,091.51									<u> </u>	<u> </u>
UNE	oop Rates			L													
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	ļ
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13	L		$\sqsubseteq$		<del> </del>	11.90			1.83	<b></b>
	4-Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPPP		USL4P	191.51	<b></b>				<b>_</b>	11.90		<del> </del>	1.83	<del></del>
UNE	Port Rate	ļ	ļ			LICOCT		4.50.55	1.150.00			-	11.90	<del> </del>	ļ	1.83	
1	Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>		UEPPP		UEPPP	900.00	1,150.00	1,150.00	L .	L	1	11.90	I		1.03	ـــــ

NBUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	1
TEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-		Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'i		Increment Charge Manual S Order vs Electroni Disc Add
<del></del>					Rec	Nonre		Nonrecurring					Rates(\$)		
NONRECURRING CHARGES - CURRENTLY COMB	NED					First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 D			<del></del>							ļ <u>.</u>					, "
Combination - Conversion - Switch-As-Is Top 8	GRAI FRIRIK POR		LIEDOR					i .			l i				
ADDITIONAL NRCs	MSAS ONY		UEPPP	USACP	0.00	925.00	925.00			<u> </u>	11.90			1.83	
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Su										L					I
Inward/two way tel nos within Std Allowance (ex	osqt Actvy-	Į.	UEPPP	PR7TF						1	<b>\</b>	1		"	1
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Tr	septino)	-	UEPPP	PR/IF		0.5412					11.90			1.83	
Tel Numbers (Ali States except NC)	unk Port - Outward		UEPPP	PR7TO				1		1	]				
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Tr	t Dort Cultura and		UEPPP	PR/10		12.71	12.71			ļ	11.90			1.83	
Inward Tel Nos Above Std Allowance	K Port - Subsequent	1	LIEDDO	00777							l				
LOCAL NUMBER PORTABILITY		╁	UEPPP	PR7ZT		25.42	25.42			i	11.90			1.83	<u> </u>
Local Number Portability (1 per port)		<del> </del>	UEPPP	LNPCN											
INTERFACE (Provisioning Only)		+	UEPPP	LNPCN	1.75					L					
Voice/Data	<del></del>		UEPPP	PR71V	0.00	0.00			·	<b></b>				ļ	
Digital Data		<b></b> -	UEPPP	PR71D	0.00	0.00	0.00								
Inward Data			UEPPP	PR71E		0.00	0.00			ļ	ļ				
New or Additional "B" Channel		+	UEPPP	PR/IE	0.00	0.00	0.00			L					
New or Additional - Voice/Data B Channel		+	UEPPP	PR7BV		20.00				L	L				
		<del> </del>	UEPPP		0.00	20.00					11.90			1.83	
New or Additional - Digital Data B Channel			UEPPP	PR7BF PR7BD	0.00	20.00				<u> </u>	11.90			1.83	
New or Additional Inward Data B Channel CALL TYPES		₩-	DEPPP	PR/BD	0.00	20.00				L	11.90			1.83	
			LIEDDD	00704							<u> </u>				
Inward			UEPPP	PR7C1	0.00	0.00	0.00	ļ							l
Outward			UEPPP	PR7C0	0.00	0.00	0.00								
Two-way		ļ	UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage				<del>   </del>											
Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11,90			1.93	
Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856			<b></b> _		<u> </u>	<b>.</b>			<u> </u>	1
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TR	UNK PORT	<b>-</b>	<del> </del> _												
UNE Port/Loop Combination Rates		4								L					<u> </u>
4W DS1 Digital Loop/4W DDITS Trunk Port - 5			UEPDC												
4W DS1 Digital Loop/4W DDITS Trunk Port - I			UEPDC		128.39						11.90			1.83	
4W DS1 Digital Loop/4W DDfTS Trunk Port - I			UEPDC		154.08						11.90			1.83	
4W DS1 Digital Loop/4W DDITS Trunk Port - I			UEPDC		246.46					<u> </u>	11.90			1.83	
4W DS1 Digital Loop/4W DDITS Trunk Port - I	JNE Zone 4	4	UEPDC											<u> </u>	
UNE Loop Rates			L							<u> </u>					
4-Wire DS1 Digital Loop - Statewide			UEPDC	USLDC						-				ļ	
4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	73.44						11.90			1.83	
4-Wire DS1 Digital Loop - UNE Zone 2	<del></del>		UEPDC	USLDC	99.13				<u> </u>	ļ	11.90			1.83	
4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	191.51		L			L	11.90			1.83	
4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC				ļ		<b>_</b>	ļ			ļ	
UNE Port Rate		-	UEDDO.	Une :=	750.00	4.010.55				<b> </b>	/				<b>)</b>
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10	ļ	11.90	<b> </b>		1.83	<b>!</b>
NONRECURRING CHARGES - CURRENTLY COMB	NED	∔	ļ		L						-			<b></b>	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk	Port Combination -	1	l		i										
Switch-As-Is Top 8 MSAs only		—	UEPDC	USAC4		95.31	46.71			ļ	11.90			1.83	
			ł			i				1	!			1	1
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk			į											1	1
Conversion with DS1 Changes Top 8 MSAs on	y		UEPDC	USAWA		95.31	46.71	<b></b>		L	11.90			1.83	<u> </u>
			l .					l i		ł					
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk	Port Combination -		1		1										
Conversion with Change - Trunk Top 8 MSAs of	nly	1	UEPDC	USAWB		95.31	46.71	ļ		<u> </u>	11.90			1.83	
ADDITIONAL NRCs		4		<del></del>	<b></b>		<b></b> _			ļ					ļ. —
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port -	Subsequent Service	1		- I						1	1			1	l
Activity Per Service Order			UEPDC	USAS4	L					ļ				ļ	ļ
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port -	NRC - Subsequent	1		1	1			Į I				l	ļ		1
Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69	ļ		<b></b>	11.90			1.83	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port -	Subsequent Channel									1	ł	l			
Activation/Chan - 1-Way Outward Trunk		.1	UEPDC	UDTTB	L	15.69	15.69	L		<b>↓</b>	11.90		ļ	1.83	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port -	Subsont Channel						l			1		l		1	l
Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	1	15.69	15.69	<u> </u>		L	11.90			1.83	<u> </u>
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port -	Subsont Chan	T									I		ŀ	1 .	ł
Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD	1	15.69	15.69	L		L	11.90	L	L	1.83	L

RONDLED	NETWORK ELEMENTS - Florida								,				Attachment:	2	Exhibit: B	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc Ad
			<u> </u>			Rec	Nonrec		Nonrecurring					Rates(\$)		
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	<del> </del>	-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	Activation / Chan - 2-Way DID w User Trans	1		UEPDC	UDTTE		15.69	15.69	1 {		1	11.90		1	1.83	
BIPOLA	AR 8 ZERO SUBSTITUTION			02.20				10.00			<del> </del>	11.30			1.03	<del> </del>
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00			ļ	11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
	te Mark Inversion	ļ														
	AMI -Superframe Format	<b></b>		UEPDC	MCOSF	ļ	0.00	0.00								
	AMI - Extended SuperFrame Format one Number/Trunk Group Establisment Charges	<u> </u>		UEPDC	мсоро	1	0.00	0.00			ļ					
	Telephone Number for 2-Way Trunk Group	<del>                                     </del>		UEPDC	UDTGX	0.00	<del> </del>				ļ	11.90			4.00	
	Telephone Number for 1-Way Outward Trunk Group	<del>                                     </del>		UEPDC	UDTGY	0.00		-			<del> </del>	11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID	<del>                                     </del>	<b>!</b>	UEPDC	UDTGZ	0.00			<del></del>		<del>                                     </del>	11.90		<del></del>	1.83	
	DID Numbers, Establish Trunk Group and Provide First Group of 20											11.00			1.00	
	DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00			1	11.90		L	1.83	l
ļ	DID Numbers for each Group of 20 DID Numbers	ļ	ļ	UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00			L			11.90			1.83	
	Reserve Non-Consecutive DID Nos.	<b></b>		UEPDC	ND6 NDV	0.00	0.00	0.00			ļ	11.90			1.83	
	Reserve DID Numbers	ļ	<del> </del>	UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	ted DS1 (Interoffice Channel Mileage) - ) for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	<del> </del>	ļ			1	<del>   </del>				<b>.</b>					
FAFCU	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	╁──	1			<del> </del>	<del> </del>					<del> </del>			ļ	
	Termination)	1	1	UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	, , , , , , , , , , , , , , , , , , , ,	1														
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	ļ	1	UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities								i							
	Termination)	<b>↓</b>	Ļ	UEPDC	1LNO3	0.00	0.00	0.00	0.00			ļ				
		i .			41 1100	0.1856	0.00	0.00				l		1		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles  Local Number Portability, per DS0 Activated	<del> </del>	1	UEPDC	1LNOC LNPCP	3.15	0.00	0.00	0.00					l		
-	Central Office Termininating Point	<del> </del>		UEPDC	CTG	0.00	0.00	0.00	0.00		<del>[</del>					
4-WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT	<del> </del>	<u> </u>	DEI DO	-0.0	1	1 1					i e				
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa	tions	1													
	m can have various rate combinations based on type and numb		s used													
UNE D	S1 Loop															
Τ	4-Wire DS1 Loop - UNE Zone 1	<u> </u>	1	UEPMG	USLDC	73.44	0.00	0.00							<u> </u>	
	4-Wire DS1 Loop - UNE Zone 2	<b></b>	2	UEPMG	USLDC	99.13	0.00	0.00			-	<u> </u>			<del> </del>	<u> </u>
- L	4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	191,51	0.00	0.00	<del>                                     </del>		<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del> -
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	3J	<del> </del>	UEPMG	VUM24	118.06	0.00	0.00	<del> </del>		<del>                                     </del>	11.90		<b>-</b>	1.83	
	24 DSO Channel Capacity - 1 per DS1  48 DSO Channel Capacity - 1 per 2 DS1s	<del> </del>	t	UEPMG	VUM48	236,12	0.00	0.00			<del>                                     </del>	11.90		· ·	1.83	
	96 DSO Channel Capacity - 1 per 4 DS1s	<b>†</b>	<b>†</b>	UEPMG	VUM96	472.24	0.00	0.00			I	11.90	· .	I	1.83	
<del> </del>	144 DS0 Channel Capacity - 1 per 6 DS1s	†	<del>                                     </del>	UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity - 1 per 8 DS1s	1	1	UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
-	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00			ļ	11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00	1			11.90			1.83	<u> </u>
	384 DS0 Channel Capacity - 1 per 16 DS1s	ļ	<b></b>	UEPMG	VUM38	1,888.96	0.00	0.00			<b>├</b>	11.90		<del> </del>	1.83	<del></del>
	480 DS0 Channel Capacity - 1 per 20 DS1s	ļ		UEPMG	VUM40	2,361.20	0.00	0.00			<del> </del>	11.90 11.90		<del> </del>	1.83	-
	576 DS0 Channel Capacity -1 per 24 DS1s		┼	UEPMG	VUM57	2,833.44 3,305.68	0.00	0.00			<del> </del>	11.90		<del>                                     </del>	1.83	<del>                                     </del>
<del></del>	672 DS0 Channel Capacity - 1 per 28 DS1s	Changell	tion :::	UEPMG	VUM67	ad on a Swetern	0.00	0.00	<del>                                     </del>		<del>                                     </del>	11.50		<del> </del>	1.03	
Non-Re	scurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channel E	Cook and	Lin To	A DSO Porte with I	Feature Active	tions.	-				<del>                                     </del>					T
A Minii	mum System configuration is One (1) DS1, One (1) D4 Channel E es of this configuration functioning as one are considered Add	l'I after the	e minim	um system configu	ration is coun	ted.					1				1	
muitipi	NRC - Conversion (Currently Combined) with or without BellSouth		<u></u>	,		1					T					
ŀ	Allowed Changes - Top 8 MSAs Only		1	UEPMG	USAC4	0.00	450.00	50.00			<u> </u>	11.90		L	<u> </u>	
System	Additions Where Currently Combined and New (Not Currently	Combined	1)								<u> </u>					<u> </u>
	8 MSAs and AL, FL, and NC Only					l					₩	<u> </u>	ļ		<del> </del>	
III TOP	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea															

	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES	i(\$)		-	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic
									}				1st	Addi	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurring	Disconnect				Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Bipola	ar 8 Zero Substitution	<b></b>	ļ									11.90			ļ	
	Clear Channel Capability Format, superframe - Subsequent Activity	1		UEPMG	CCOSF	0.00	0.00	655.00				44.00	•			
-	Only Clear Channel Capability Format - Extended Superframe -	-		DEPMG	CCOSF	0.00	0.00	655.00	+			11.90				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00	1			11.90			1	
Altern	rate Mark Inversion (AMI)											11.50				
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	1							
	Extended Superframe Format	L	L	UEPMG	мсоро	0.00	0.00	0.00								
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	with Po	<u>t</u>						<b> </b>							
Exchar	inge Ports	+							-					<b> </b>		ļ
	Line Side Combination Channelized PBX Trunk Port - Business		1	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
-+-	Line Side Combination Channelized PBX Trunk Port - Business	<del>                                     </del>	<del>                                     </del>	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90		<del> </del>	1.83	<del> </del>
-+	Line Cody Committee Off Dr. Haint Jos. Dasiness	t	<b>†</b>		12.00	1	2.00	3.00	5.00	5.00		11.50		<u> </u>	1.05	· · · · · · · · · · · · · · · · · · ·
1	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00	L	11.90		<u> </u>	1.83	<u></u>
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Featur	re Activations - Unbundled Loop Concentration	1			_				<b>.</b>							
. 1	Feature (Service) Activation for each Line Side Port Terminated in		1	Lucasy	4001444		40.00	20.00			ŀ	44.00			1	1
	D4 Bank		<b>├</b>	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00	<del> </del>	11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated in		1	UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90		[	1.83	
Toloni	D4 Bank hone Number/ Group Establishment Charges for DID Service	+	<del> </del>	UEFFA	IFQWO	0.00	110.00	30.00	05.00	20.00	<del> </del>	11.30			1.03	<u> </u>
- I elebii	DID Trunk Termination (1 per Port)	<del> </del>	<del> </del>	UEPPX	NDT	0.00	0.00	0.00	1			11.90				
<del>-  </del>	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<del>                                     </del>	1	UEPPX	NDZ	0.00	0.00	0.00				11.90				
-	DID Numbers - groups of 20 - Valid all States	1	$\Box$	UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0,00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Numbers	ļ	<u> </u>	UEPPX	ND6	0.00	0.00	0.00			<b></b>	11.90			L	
	Reserve DID Numbers	<b>├</b>	<b>.</b>	UEPPX	NDV	0.00	0.00	0.00	<del> </del>		<del> </del>	11.90			<del> </del>	
Local !	Number Portability	-		UEPPX	LNPCP	3.15	0.00	0.00	<del>                                     </del>	1					<del></del>	
<del></del>	Local Number Portability - 1 per port	+		UEFFA	LIVI CI	3.13	0.00	0.00	<del>                                     </del>							
FEATU	URES - Vertical and Optional Switching Features Offered with Line Side Ports Only	<del> </del> -	1						·		<b>!</b>				1	
Local	All Features Available	·	1	UEPPX	UEPVF	2.26	0.00	0.00			I	11.90			1.83	
	7 art catalog / training										1					
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	I			_	<u> </u>	<u> L</u>		· · · · · · · · · · · · · · · · · · ·							
14.0	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES at Based Rates are applied where BellSouth is required by FCC a	at 2 rollon	te Comn	nission rule to prov	ide Unbundled	i Local Switchin	g or Switch Po	rts.								
1. Cos	st Based Rates are applied where BellSouth is required by FCC a	nd/or Sta		tion in the come mo	mnor ac thou a	re annlied to the	o Stand-Alone	Unbundlad Poi	rt section of this	Rate Exhibit.	Cala Dodi	aan Cambin	ntions			
1. Cos	A Donat Data and an Had wheen Bell South is cognized by ECC a	nd/or Sta		tion in the come mo	mnor ac thou a	re annlied to the	o Stand-Alone	Unbundlad Poi	rt section of this work elements	s Rate Exhibit. except for UNI	Coin Port/L	oop Combin	ations.			
1. Cos 2. Feat 3. End	st Based Rates are applied where BeltSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport U	ind/or Sta st Based F sage rate	tate sec s in the	tion in the same ma Port section of this	nner as they a rate exhibit st	re applied to the	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L					
1. Cos 2. Feat 3. End	st Based Rates are applied where BeltSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport U	ind/or Sta st Based F sage rate	tate sec s in the	tion in the same ma Port section of this	nner as they a rate exhibit st	re applied to the	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cord d Office and Tandem Switching Usage and Common Transport U	and/or Sta st Based F sage rate	Rate sec s in the	tion in the same ma Port section of this and Loop charges li	nner as they a rate exhibit sh sted apply to 0	re applied to the nall apply to all o Currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cord Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rec trket Rates for Unbundled Centrex Port/Loop Combination will be	and/or Sta st Based F sage rate	Rate sec s in the	tion in the same ma Port section of this and Loop charges li	nner as they a rate exhibit sh sted apply to 0	re applied to the nall apply to all o Currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- triket Rates for Unbundled Centrex Port/Loop Combination will b P CENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS,&TN only)	and/or Sta st Based F sage rate	Rate sec s in the	tion in the same ma Port section of this and Loop charges li	nner as they a rate exhibit sh sted apply to 0	re applied to the nall apply to all o Currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cord d Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rec irket Rates for Unbundled Centrex Port/Loop Combination will be P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VCL Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	and/or Sta st Based F sage rate	Rate sec s in the	tion in the same ma Port section of this and Loop charges li	nner as they a rate exhibit sh sted apply to 0	re applied to the nall apply to all o Currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cord d Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rec irket Rates for Unbundled Centrex Port/Loop Combination will be P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Sta st Based F sage rate	E Port	ilon in the same ma Port section of this and Loop charges li Individual Case B	nner as they a rate exhibit sh sted apply to 0	currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC a tures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the red riket Rates for Unbundled Centrex Port/Loop Combination will be P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Sta st Based F sage rate	Rate sec s in the	tion in the same ma Port section of this and Loop charges li	nner as they a rate exhibit sh sted apply to 0	re applied to the nall apply to all o Currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC a trures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport U eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- tricket Rates for Unbundled Centrex Port/Loop Combination will be P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo 	and/or Sta st Based F sage rate	Rate sec s in the dE Port a ed on a	Idon in the same ma Port section of this and Loop charges li n individual Case B	nner as they a rate exhibit sh sted apply to 0	Currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recrirket Rates for Unbundled Centrex Port/Loop Combination will by PCENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS, &TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	and/or Sta st Based F sage rate	E Port	ilon in the same ma Port section of this and Loop charges li Individual Case B	nner as they a rate exhibit sh sted apply to 0	currently Combi	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Co.	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	and/or Sta st Based F sage rate	Rate sec s in the dE Port a ed on a	Idon in the same ma Port section of this and Loop charges li n individual Case B	nner as they a rate exhibit sh sted apply to 0	Currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	st Based Rates are applied where BellSouth is required by FCC a trures shall apply to the Unbundled Port/Loop Combination - Cor d Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recricket Rates for Unbundled Centrex Port/Loop Combination will by PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	and/or Sta st Based F sage rate	Rate sec s in the SE Port i ed on a	ulon in the same ma Port section of this and Loop charges li n Individual Case B UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will by PCENTREX - 1AESS - (Valid in ALF, LGA, KY, LA, MS, &TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	and/or Sta st Based F sage rate	Rate sec s in the SE Port i ed on a	ulon in the same ma Port section of this and Loop charges li in Individual Case B UEP91 UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recritect Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	and/or Sta st Based F sage rate	Rate sec s in the SE Port i ed on a	ulon in the same ma Port section of this and Loop charges li n Individual Case B UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	nbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	and/or Sta st Based F sage rate	Rate sec s in the dE Port and on an an an an an an an an an an an an an	uch In the same ma Port section of this and Loop charges li In Individual Case B UEP91 UEP91 UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	and/or Sta st Based F sage rate	Atte sec s in the Attended on an Attended on Attended	ulon in the same ma Port section of this and Loop charges li in Individual Case B UEP91 UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2-Wire UNE P	et Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recreted Rates for Unbundled Centrex Port/Loop Combination will by PCENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	and/or Sta st Based F sage rate	Rate sec 5 in the ME Port and an an an an an an an an an an an an an	UCP91 UEP91 UEP91 UEP91 UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.  14.11 18.23 33.04 16.53	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Co.	nibi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Unergia, Kentucky, Louisiana, Mississippi and Tennessee, the recrired Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Vaild in ALF, LGA, KYLA, MS, &TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	and/or Sta st Based F sage rate	Rate sec s in the dE Port and on an an an an an an an an an an an an an	uch In the same ma Port section of this and Loop charges li In Individual Case B UEP91 UEP91 UEP91	nner as they a rate exhibit sh sted apply to 0	currently Combiner notice.	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	and/or Sta st Based F sage rate	ate secs in the sec on an an an an an an an an an an an an an	UEP91 UEP91 UEP91 UEP91 UEP91	nner as they a rate exhibit sh isted apply to 0 asis, until furt	14.11 18.23 33.04 16.53 21.60	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Cor	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriter Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in ALF, LGA, KY,LAMS, &TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	and/or Sta st Based F sage rate	Rate secs in the ME Port a section and a sec	uon in the same ma Port section of this and Loop charges in individual Case B UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	uner as they a rate exhibit she as they a rate exhibit she as is, until furtion of the she as a she as	14.11 18.23 33.04 16.53 21.60 37.85	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	mbi
1. Cos 2. Feat 3. End For Ge 5. Mar UNE-P 2Wire UNE P	st Based Rates are applied where BellSouth is required by FCC attures shall apply to the Unbundled Port/Loop Combination - Cord of Office and Tandem Switching Usage and Common Transport Usergia, Kentucky, Louisiana, Mississippi and Tennessee, the recriket Rates for Unbundled Centrex Port/Loop Combination will be PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo-Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	and/or Sta st Based F sage rate	ate secs in the sec on an an an an an an an an an an an an an	UEP91 UEP91 UEP91 UEP91 UEP91	nner as they a rate exhibit sh isted apply to 0 asis, until furt	14.11 18.23 33.04 16.53 21.60	e Stand-Alone combinations o	of loop/port net	WORK elements	except for UNI	: Com Port/L			s apply to Not	Currently Con	nbi

UNBU	NOLED	NETWORK ELEMENTS - Florida															r
		THE TWO THE ELEMENTO - FIORING	Γ	1	T	T	r			τ		r=		Attachment:		Exhibit: B	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc		RATES	5(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic
			ļ	<u> </u>										1st	Add'l	Disc 1st	Disc Add'i
			1	<del> </del>			Rec	Nonre	curring	Nonrecurring					Rates(\$)		
		2-Wire Voice Grade Loop (St. 2) - Zone 2		1 2	UEP91	UECS2	20.43	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL 2) - Zone 3	t		UEP91	UECS2	36.68			-	-	-	-				
	UNE Po		1	<del></del>	52.0.	02002	30.00			<del> </del>	-		<b>-</b>				
	All Stat	es (Except North Carolina and Sout Carolina)		1						<del> </del>		<del> </del>	<del> </del>				
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		L	UEP91	UEPYA	1.17			<del> </del>		<b> </b>	11.90				ļ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		<u> </u>	UEP91	UEPYB	1.17						11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.17				1		11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2		1 -	02.07	1021 111	1.17			<del></del>	<del> </del>	<del> </del>	11.90				ļ
		Basic Local Area		1	UEP91	UEPYM	1.17		l				11.90				
J		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1					· · · · · ·	† · · · · <del>-</del> ·	<del> </del>	1	,,,,,				<del></del>
		Term - Basic Local Area	L		UEP91	UEPYZ	1.17			1	L		11.90				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent -	1							1							
		Basic Local Area	<del> </del>	1	UEP91	UEPY9	1,17			<u> </u>	ļ		11.90				
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area	1		UEP91	UEPY2	1.17				I		17				
	Georgia	a and Florida Only	ļ	<del> </del>	DEPSI	UEPYZ	1.17			<u></u>			11.90				
	Georgie	2-Wire Voice Grade Port (Centrex )	<del>                                     </del>	<del> </del>	UEP91	UEPHA	1.17		ļ				11.90				
1		2-Wire Voice Grade Port (Centrex 800 termination)	<b>†</b>	1	UEP91	UEPHB	1.17										
		2-Wire Voice Grade Port (Centrex with Caller ID)1	·	1	UEP91	UEPHH	1.17			<del> </del>			11.90 11.90				
			1				1			<del> </del> -			11.50				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	<u> </u>	1	UEP91	UEPHM	1.17				L		11.90				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	ŀ		]										
		Term		<b> </b>	UEP91	UEPHZ	1.17						11.90				
		2 Miles Veiles Conde De discovindadio e Managed an ambalant		1	UEP91	UEPH9	1.17			}							
	<u> </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	<del> </del>	<del> </del>	UEP91	UEPH9	1.17			<del> </del>	-	<b>_</b>	11.90 11.90				
	Local S	witching	<del> </del>	<del> </del>	OCF 31	OLFTIZ	1,17			+			11.90				
	2001.0	Centrex Intercom Funtionality, per port	· · · · ·	<u> </u>	UEP91	URECS	0,7384			<b>†</b>	<del></del>						
	Local N	lumber Portability									~ -						
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature		<u> </u>	<u> </u>													
	ļ <u>.</u>	All Standard Features Offered, per port	<u> </u>	<del> </del>	UEP91	UEPVF	2.26						11.90				
		All Select Features Offered, per port	<del> </del>	<del> </del>	UEP91 UEP91	UEPVS	0.00 2.26	370.70		<b></b>			11.90				
	NARS	All Centrex Control Features Offered, per port		+	DEPSI	DEPVC	2.20			· · · · · ·	<del> </del>	<u> </u>	11.90				
	-taro	Unbundled Network Access Register - Combination	1	+	UEP91	UARCX	0.00	0.00	0.00	<del> </del>	<del> </del>	$\vdash$	11.90				
		Unbundled Network Access Register - Indial	<b></b>	<b>—</b>	UEP91	UAR1X	0.00	0.00	0.00	† · · · · · · ·	<b></b>		11.90				
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				L
	Miscell	aneous Terminations		L													
		Trunk Side		1													
		Trunk Side Terminations, each		1	UEP91	CENA6	8.81			ļ	<b></b>						
	Interoff	ice Channel Mileage - 2-Wire	<b>├</b> ─	<b> </b>	UEDO4	More	25.00		ļ	-	ļ						
	<b> </b>	Interoffice Channel Facilities Termination - Voice Grade	<del>                                     </del>	<del> </del>	UEP91 UEP91	MIGBC	25.32 0.0091		<del> </del>	<del> </del>	<del></del>	<b></b>					
	F	Interoffice Channel mileage, per mile or fraction of mile		<del> </del>	UEP91	MIGBIN	0.0091			<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>				
		e Activations (DS0) Centrex Loops on Channelized DS1 Service innel Bank Feature Activations	1	1		-	<del>                                     </del>		-	1	<del>                                     </del>					-	
	D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	+	UEP91	1PQWS	0.66			<del>                                     </del>					-		
	l	- Salara Contraction of B 4 Sharmor bank Outlines Loop out	1	<del>                                     </del>	1		"""				ļ			-			
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ <u>-</u>	-	UEP91	1PQW6	0.66										
	<u> </u>	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	L		UEP91	1PQW7	0.66			l			Ll				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
	1										1						
	<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ	+	UEP91	1PQWV	0.66		<b> </b>	<b>-</b>	ļ		<b> </b>			*	
	1	Santan Astronomo D. A. Charant Bank Tila Lina (Taraki and City	1		UEP91	1PQWQ	0.66										
	<del></del>	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	+	UEP91	1PQWQ	0.66				<del> </del>	<del>                                     </del>					
	ļ	acurring Charges (NRC) Associated with UNE-P Centrex	t	t -	×:		0.50			<del> </del>	<b>†</b>	1 1					

DARONDLED NET MC	ORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES			_	Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			Disconnect			OSS	Rates(\$)		
Canada	- 0		<b>├</b>				First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	n - Currently Combined Switch-As-Is with allowed changes,	ŀ		l		j.			1	1					1	
per port		<b></b>	+	UEP91	USAC2	ļ	21.50	8.42		<u> </u>	<u> </u>	<u>11.9</u> 0				Ì
	n of Existing Centrex Common Block	L	ļ	UEP91	USACN		5.17	8.32				11.90				
	ex Standard Common Block			UEP91	M1ACS	0.00	618.82					11.90				
	ex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
	/ Block, per Block		L	UEP91	M2CC1	0.00	71.31					11.90				
NAR Esta	blishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
UNE-P CENTREX	- 5ESS (Valid in All States)				""						T					-
2-Wire VG Loop/2	-Wire Voice Grade Port (Centrex) Combo															<del></del>
UNE Port/Loop C	ombination Rates (Non-Design)								<u> </u>		1					-
2-Wire VC	Loop/2-Wire Voice Grade Port (Centrex) Port Combo -									†·	1					
Non-Design		1	1 1	UEP95		14.11				i	1			ł		
2-Wire VC	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							··-		<del> </del>						
Non-Design			1 2	UEP95		18.23			1	1				ł		
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		t -			10.22					+				<del></del>	-
Non-Desi		Į	3	UEP95	Į.	33.04	1		Į.	1	l .		<b> </b>	1	4	<b>S</b>
	ombination Rates (Design)		<del> </del>	OLI SO		00.01	<del> </del>		<del> </del>		<del> </del> -					
	Coop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	<del> </del>	<del>                                     </del>		<del> </del>			<del> </del>	<del> </del>	<del> </del>					
Design	Coope Title Voice Grade   Off (Centrex)   Off Control		۱.	UEP95	- 1	16.53					]		r		ŀ	
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+-'-	UEP93		10.33	<del> </del>			ļ. — . — . — . — . — . — . — . — . — . —	<del> </del>					
	s coopyz-vviile voice Grade For (Centrex)For Combo -	]	2	UEP95		24.00					1	1				
Design	Classic Miles Voles Conde Bod (Control Ded Combe		-	UEP95	<del></del>	21.60				ļ	<b>-</b>					
	Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.		i i						1		ł	1		
Design			3	UEP95		37.85			ļ	<del></del>	<del></del>					
UNE Loop Rate		<b>└</b>	1	<u> </u>		L	ļ		<u></u>		<del>-</del>					
	ice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.94					1	L				
	ice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	17.06					<u> </u>			<u> </u>		
	ice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.87			ļ	<del> </del>						
	ice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36			<b>.</b>	<u> </u>	┷	L				Ì
	ice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP95	UECS2	20.43				ļ			ļ			
2-Wire Vo	ice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68										
UNE Port Rate			1							<u> </u>	l	L				
All States			1	i	l	1				1		<u> </u>				
2-Wire Vo	rice Grade Port (Centrex ) Basic Local Area	Γ	i	UEP95	UEPYA	1.17						11.90				
2-Wire Vo	ice Grade Port (Centrex 800 termination)		l .	UEP95	UEPYB	1.17						11.90				
										1						
2-Wire Vr	ice Grade Port (Centrex with Caller ID)1Basic Local Area		Ì	UEP95	UEPYH	1.17					1	11.90	1	1	1	
2.Wire Vo	ice Grade Port (Centrex from diff Serving Wire Center)2			<del> </del>		T									<del></del>	
Basic Loc				UEP95	UEPYM	1.17	1			1	1	11.90		i	i	
	ice Grade Port, Diff Serving Wire Center - 800 Service		+	102.00	<del> </del>	<del> </del>				1	t	t				t
		ì	1	UEP95	UEPYZ	1.17	1		1	Į.	1	11.90	!		1	1
	sic Local Area	-	+	OELBO	JOEF 12	1.17	<del> </del>		+	<del>  -</del>	<del> </del>	11.50		<del> </del>	<del> </del>	<del>                                     </del>
	sice Grade Port terminated in on Megalink or equivalent -	l	1	LICROS	UEPY9	1.17	l		1		1	11.90	1		1	1
Basic Loc			-	UEP95	UEPTS	1.17	<del> </del>		<b>+</b>	<del> </del>	<del> </del>	11.90	· · · · · · · · · · · · · · · · · · ·	+		<del> </del>
	ice Grade Port Terminated on 800 Service Term - Basic		1	l		1	]		1	1		44.00	l	1		l
Local Are		L	ļ	UEP95	UEPY2	1.17	ļ		<b>-</b>	<del>                                     </del>	<del> </del>	11.90				<u> </u>
AL, KY, LA, MS, S	SC, & TN Only	<u></u>					<u> </u>			·	<b>4</b>	<b> </b>		ļ		
FL & GA Only			1	l					<u> </u>		1.	L	<u> </u>	l		
	ice Grade Port (Centrex )		1	UEP95	UEPHA	1.17	i		ì	1	<u>i                                      </u>	11.90		ì	1	<u> </u>
	ice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17			L	<u> </u>	1	11.90		L		
2-Wire Vo	ice Grade Port (Centrex with Caller ID)1	T		UEP95	UEPHH	1.17						11.90				
1 1			T	T												
2-Wire Vr	sice Grade Port (Centrex from diff Serving Wire Center)2	l	1	UEP95	UEPHM	1.17	1.		1	1		11.90	L	L	1 .	
2-Wire V	pice Grade Port, Diff Serving Wire Center - 800 Service	$\vdash$	1	1		1	1							1		
Term	S. C. C. C. C. C. C. C. C. C. C. C. C. C.	l	1	UEP95	UEPHZ	1.17	1		1	1		11.90	1	1	l	
- Itelmi		-	1	100,00	Jun. 1 No.	1	t			1	1				1	
1 10 100 10	ine Conde Dest terminated in an Magaliak or agriculant	1	1	UEP95	UEPH9	1.17	1	ŀ	ì	1	1	11.90	1	1	}	ì
	pice Grade Port terminated in on Megalink or equivalent	-	+	UEP95	UEPH2	1,17	<del> </del>		<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	11.90	<del> </del>	t	<del> </del>	<del> </del>
	pice Grade Port Terminated on 800 Service Term		+	OLP90	UEFIIZ	1.17	<del> </del>		<del> </del>	+	1	11.50	<del> </del>	<del>                                     </del>	<del> </del>	<b> </b>
Local Switching		<del> </del>	+	UEP95	URECS	0.7384	<del> </del>		<del>                                       </del>	<del> </del>	1	<del> </del>		<del> </del>	<del>                                     </del>	<del> </del>
	ntercom Funtionality, per port		$\vdash$	INF PAP	UKECS	0.7384		ļ	+	<del> </del>	+			<del> </del>		<del> </del>
Local Number Po		<u> </u>		Lucios		1	<del>                                     </del>		<b>+</b>	+	<del> </del>	<del></del>	<del></del>	<del> </del>		$\vdash$
	nber Portability (1 per port)		<b>_</b>	UEP95	LNPCC	0.35	<del> </del>		ļ	· <del> </del>	+		-	ļ	<del> </del>	-
Features			<u> </u>		$\bot$	<del> </del>	ļ		<b>1</b>	<del></del>	-	-		<del>                                     </del>		<del></del>
All Chande	rd Features Offered, per port	l	L	UEP95	UEPVF	2.26	L		1		1	L	L		L	

UNBUNDLED	NETWORK ELEMENTS - Florida				_								Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES	(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic
						Rec	Nonrec	urring	Nonrecurring	Disconnect	-		OSS	Rates(\$)	l	<u> </u>
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port All Centrex Control Features Offered, per port	<b></b>		UEP95	UEPVS	0.00	370.70	-				11.90				
NARS	All Centrex Control Features Offered, per port	<del> </del>	-	UEP95	UEPVC	2.26				****						
1,0,000	Unbundled Network Access Register - Combination	<del> </del>	<del></del>	UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial	<del> </del>	<del>                                     </del>	UEP95	UAR1X	0.00	0.00	0.00			<del> </del>	11.90 11.90				<u> </u>
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	<del> </del>		<del> </del>	11.90			<del> </del>	ļ
Miscell	aneous Terminations											11.50			<del> </del>	<del>}</del>
	Trunk Side									-	<b></b>					<del></del>
	Trunk Side Terminations, each			UEP95	CEND6	8.81										
	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP95	M1HD1	54.95			ļ							
	DS0 Channels Activated, each		<del>                                     </del>	UEP95	M1HDO	0.00	15.69				<del> </del>	44.00				
	ice Channel Mileage - 2-Wire	1	<del> </del>	02.00	Tarribo.	3.00	13.09		-		<del> </del>	11.90		<del> </del>	<del></del>	<del> </del>
	Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32					<del> </del>			1	-	<del></del>
	Interoffice Channel mileage, per mile or fraction of mile	Ι		UEP95	MIGBM	0.0091									_	
	Activations (DS0) Centrex Loops on Channelized DS1 Service	ļ	1													
	nnel Bank Feature Activations	<del> </del>			1											
-+	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del> </del>	<del> </del>	UEP95	1PQWS	0.66					ļ					
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
į	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	l		UEP95	1PQWP	0.66					!					
			<b></b>	UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-					<del>_</del>					<del></del> -			
_ + -	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<del> </del>	<del> </del>	UEP95 UEP95	1PQWQ 1PQWA	0.66			<del> </del>		<del> </del> -					<del> </del>
	curring Charges (NRC) Associated with UNE-P Centrex	<del> </del>	<del> </del>	ULF 90	III GWA	0.00			<del> </del>		<del> </del>	-		-	<del></del>	
	NRC Conversion Currently Combined Switch-As-Is with allowed				1						· · · · · · · · · · · · · · · · · · ·			1	<b>-</b>	
	changes, per port		l	UEP95	USAC2	0.00	21.50	8.42			L	11.90			l	
	Conversion of Existing Centrex Common Block, each		L	UEP95	USACN		5.17	8.32	L			11.90				
	New Centrex Standard Common Block		<b></b>	UEP95	M1ACS	0.00	618.82				<b></b>	11.90				
	New Centrex Customized Common Block  NAR Establishment Charge, Per Occasion		<del> </del>	UEP95 UEP95	M1ACC URECA	0.00	618.82 66.48				1	11.90 11.90		<del> </del>		ļ
	CENTREX - DMS100 (Valid in All States)	1	╁	OEF-90	UNECA	0.00	00.46				<del> </del>	11.90			<del> </del>	
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	<del>                                     </del>		1 -						<del>                                     </del>					
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		14.11										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		33.04										
UNE Po	ort/Loop Combination Rates (Design)					1										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		16.53					I					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		37.85										
UNFLO	oop Rate		<u> </u>		<del> </del>											
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1 .		UEP9D	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.87										<b>—</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	1_1_	UEP9D	UECS2	15.36			-		1	<u> </u>		<del></del>		
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	20.43 36.68		-			<b> </b>	<b></b>				<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	36.68	<b> </b>				<b> </b>	<b></b>			<del> </del>	<b></b>
UNE PO	ort Rate	<del> </del>	<del> </del>	<del> </del>	+	+			<del> </del>	<del></del>	-		<del></del>	<del>                                     </del>	<del>                                     </del>	$\vdash$
ALLSI	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del> </del>	<del>                                     </del>	UEP9D	UEPYA	1.17			<u> </u>	_	t	11.90		-	<b></b>	

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment;	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			_	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
					<del></del>	Rec		urring	Nonrecurring		ļ <u></u>	·	OSS	Rates(\$)		
			<b>-</b>				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17						11,90		,,,,,,		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1,17										
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D			<u> </u>					11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				UEPYG	1.17			<del> </del>			11.90				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		ļ	UEP9D	UEPYT	1.17			-			11.90				
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.17						11.90				
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.17						11.90				
	Area			UEP9D	UEPY3	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1,17						11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1,17			1							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2								†			11.90	<del>,</del>			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.17	· -					11.90				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		-	UEP9D	UEPYO	1,17			-		ļ	11.90				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	1.17						11.90				
	Basic Local Area			UEP9D	UEPYQ	1.17		-				11.90				<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1,17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3														-	
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.17						11.90				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.17						11.90				
	Pasic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.17			ļ		ļi	11.90				
	Term		ļ	UEP9D	UEPYZ	1.17			ļ			11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17			ļ			11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17						11.90				
FL & G	A Only		l		1				1	1						
1	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1,17						11.90				
1	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17		_				11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	1			1		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3		†	UEP9D	UEPHE	1.17	1		1	1		11.90		·		
	2-Wire Voice Grade Port (Centrex / EBS-M3209)3	<b> </b>		UEP9D	UEPHF	1.17	·		<b>T</b>	l		11,90				
			<del> </del>	UEP9D	UEPHG	1.17	<b>-</b>				<del> </del>	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		<del> </del>		UEPHT	1.17	<b></b>		<del> </del>	<del> </del>	<del>                                     </del>	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		ļ	UEP9D			<b>!</b>		-	<del></del>	<del> </del>	11.90				-
1	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		L	UEP9D	UEPHU	1.17	L	L		l	i	11.90			l	Щ.

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		<u> </u>	<b>├</b>			Rec	Nonrec			g Disconnect				Rates(\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3	<del> </del>		UEP9D	UEPHV	1,17	First	Add'l	First	Add'l	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	<b></b>		UEP9D	UEPH3	1.17			<del> </del>	<del> </del>	1	11.90			<del> </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17			1	<del> </del>		11.90				<del> </del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		i i								1	11.00				<del></del>
	Indication)3	<u> </u>	<u>.                                    </u>	UEP9D	UEPHW	1.17			I.	]	1	11.90			}	1
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17			1			11.90				
										1						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2	-	-	UEP9D UEP9D	UEPHM	1.17				ļ		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		<del> </del>	UEP9D	DEPHO	1.17			<del> </del>			11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17						11.90	1			
_	2-Wire Voice Grade Port (Centrewdiffer SWC /EBS-5209)2, 3	<del> </del>	<del> </del>	UEP9D	UEPHQ	1.17			<del>                                     </del>			11.90				
	2 THE TOISE CHARLET ON CONTROLLED SESSIE,	<del>                                     </del>							·	·	<b>†</b>					
ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPHR	1.17				1		11.90				
									1	7						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3	1		UEP9D	UEPHS	1.17				<u> </u>		11.90				
-		1	1		İ	1			l .	1	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	<b>-</b>		UEP9D	UEPH4	1.17			ļ	<del> </del>	<del> </del>	11.90	ļ			
		1		LIEDOD	LIEBLIC	4.47					1	44.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	-		UEP9D	UEPH5	1.17				+	1	11.90			ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17					1	11.90			i	
	2-Wire Voice Grade Port (Centreworther SWC /EBS-W52 (0)2, 3	<del>                                     </del>	<del> </del>	OCF 3D	02/1/0	1.17			-	<del>                                     </del>	+	11.50		<del> </del>		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17						11.90		1	l	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<u> </u>	<b>†</b>						·	1	T					
1	Term			UEP9D	UEPHZ	1.17						11.90				
											T	1				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	1	UEP9D	UEPH9	1.17						11.90	<u> </u>			
	2-Wire Voice Grade Port Terminated on 800 Service Term	ļ	<b></b>	UEP9D	UEPH2	1.17			ļ		<b>_</b>	11.90				
Local	Switching	<del> </del>	ļ.——	LIEBOD	URECS	0.7384			<del> </del>	}	<del> </del>	<del> </del>	<del></del>			
	Centrex Intercom Funtionality, per port	<del> </del>	<u> </u>	UEP9D	URECS	0.7384			<del> </del>	+	<del>                                     </del>	<del> </del>		-		
Local	Number Portability  Local Number Portability (1 per port)	+-	<del> </del>	UEP9D	LNPCC	0.35			1		1	·				
Featu		<del></del>	<del>                                     </del>	OLI OD					<u> </u>	<del> </del>	1	1				
reatu	All Standard Features Offered, per port	<del> </del>	1	UEP9D	UEPVF	2.26				1		i				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port		İ	UEP9D	UEPVC	2.26				1		<u> </u>		L		
NARS			L								<b>.</b>	<del> </del>				
	Unbundled Network Access Register - Combination		1	UEP9D	UARCX	0.00	0.00	0.00		ļ	ļ	11.90			ļ	
	Unbundled Network Access Register - Inward	1	1	UEP9D	UAR1X UAROX	0.00	0.00	0.00				11.90 11.90				<del></del>
	Unbundled Network Access Register - Outdial		+	UEP9D	UAROX	0.00	0.00	0.00				11.50		<del>                                     </del>	<del></del>	<del> </del>
	Illaneous Terminations	+	+		<del></del>	<del>                                     </del>		l	T		1	<del>                                     </del>	1			t
2-Wire	e Trunk Side Trunk Side Terminations, each	+	+	UEP9D	CEND6	8.81				1	1 -	1		1	1	
A 1A/1	e Digital (1.544 Megabits)	+-	<b>†</b>	1	1											
4-WIF	DS1 Circuit Terminations, each	<b>†</b>	†··	UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel	T	1	UEP9D	M1HDO	0.00	15.69					11.90				
Intero	office Channel Mileage - 2-Wire	1									ļ	ļ				ļ
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	25.32		L			<b>↓</b>	<u> </u>	ļ	<del></del>		
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	4	UEP9D	MIGBM	0.0091			ļ	1		<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	•	+	<b> </b>			<u> </u>	<del> </del>	<del> </del>	<del> </del>	+	<del> </del>	<del>                                     </del>	<del> </del>	l	<del></del>
D4 CI	nannel Bank Feature Activations	+	+	UEDOD	1PQWS	0.66	-	<del> </del>		+	<del> </del>	<del>†                                     </del>	<del> </del>	<del> </del>	_	<del> </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	+	<del> </del>	UEP9D	IPQWS	0.00	<del> </del>	<del> </del>	+	<del> </del>	+	<del>                                     </del>	<b>†</b>	<u> </u>		
1			1	UEP9D	1PQW6	0.66	1	l	ŀ		1			1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	+	1	UCFBU	IF COVE	0.00		<b>—</b> ——	<b>—</b>		†	<b> </b>	1	i	1-	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	1	UEP9D	1PQW7	0.66	1	I		]	<u> </u>	<u>L</u>		L	-	L
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<del> </del>	1	1	1	1	T									1
	Different Wire Center	1	1	UEP9D	1PQWP	0.66	L	L	l	<u> </u>	L					
-+-	Silving 4110 Oction	1	1	1			l .	"			1	1			1	1
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0.66	1	L				<u> </u>	<u> </u>	<u> </u>	L	L

ONBONDEED	NETWORK ELEMENTS - Florida										Svc Order Submitted	Svc Order Submitted	Attachment: Incremental Charge -		Exhibit: B Incremental Charge -	Increment Charge -
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES			-	Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l		
-	The state of the s		_		-	Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	·	1
								Auu	11181	Auu	SOMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot	<u> </u>		UEP9D	1PQWQ	0.66								ŀ		1
	Feature Activation on D-4 Channel Bank WATS Loop Slot		L	UEP9D	1PQWA	0.66										
	curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-is with allowed	ļ														
	changes, per port	1	İ	UEP9D	USAC2		21.50									
	Conversion of existing Centrex Common Block, each	1		UEP9D	USACN		5.17	8.42 8.32				11.90				<u> </u>
	New Centrex Standard Common Block	<del>                                     </del>	_	UEP9D	M1ACS	0.00	618.82	8.32		· <del> </del>	<del> </del>	11.90				
	New Centrex Customized Common Block	<del>                                     </del>		UEP9D	M1ACC	0.00	618.82		<del></del>			11.90 11.90			<del>                                     </del>	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48			<del> </del>	-	11.90			<del> </del>	
UNE-P C	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)											11.00				
2-Wire V	/G Loop/2-Wire Voice Grade Port (Centrex) Combo														t —	<del>                                     </del>
UNE Por	rt/Loop Combination Rates (Non-Design)	4														<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Non-Design	1	1	UEP9E		14.11									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l												
	Non-Design (7)	ļ	3	UEP9E		33.04			ļ	<u> </u>						
	rt/Loop Combination Rates (Design)	1				ļļ										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	ļ	. 1	UEP9E		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	Lucron	}				i							1
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>		UEP9E	<del></del>	21.60										
	Design	<del> </del>	3	UEP9E		37.85				ļ						
UNE Loc		1	-	HEDOE	LIEGG4	40.04				ļ						
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ		UEP9E UEP9E	UECS1	12.94 17.06			<b></b>							
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEP9E	UECS1	31.87			<del> </del>			-				
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	+	1	UEP9E	UECS2	15.36			<del> </del>	<del> </del>					-	
- +	2-Wire Voice Grade Loop (SL 2) - Zone 2	<del>                                     </del>	2	UEP9E	UECS2	20.43			· · · · · · -	<del> </del>						
	2-Wire Voice Grade Loop (SL 2) - Zone 3	†		UEP9E	UECS2	36.68										
UNE Por				1					<u> </u>		1		-			-
AL, FL, I	KY, LA, MS, & TN only														i	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17				1		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17						11.90		_	]	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	1									1	11.00				<del> </del>
	Basic Local Area	ļ		UEP9E	UEPYM	1.17						11.90				
ll	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.17						11.90				
Florida								•	1					•	· · · · · · · · · · · · · · · · · · ·	l
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)	L		UEP9E	UEPHB	1.17				L		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPHM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17						11.90				
1	2-Wire Voice Grade Port Terminated in 60 Minigalinit of Squares			UEP9E	UEPH2	1.17		•	<u> </u>	Ī		11.90				
	witching	T	l						<u> </u>							
1	Centrex Intercom Funtionality, per port	T		UEP9E	URECS	0.7384										
Local N	umber Portability	T	l													

BUNDLE	D NETWORK ELEMENTS - Florida	Ţ	Ι	·					Τ		Sua Ordar	Svc Order	Attachment:	2 Incremental	Exhibit: B	1
ÉGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES(	(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg
		<del> </del>	├				Nonrec	urring	Nonrecurring	g Disconnect	ļ		oss	Rates(\$)	1	1
	· · · · · · · · · · · · · · · · · · ·	-	1	<del></del>	-	Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local Number Portability (1 per port)	1		UEP9E	LNPCC	0.35								- COMMUNITOR	- COMPANY	1 001117
Featur		<b>—</b>	1	1						<u> </u>	<del>                                     </del>					<del>+</del>
	All Standard Features Offered, per port	1		UEP9E	UEPVF	2.26					<del>†                                      </del>					<del></del>
	All Select Features Offered, per port	<b>†</b>	<b>†</b>	UEP9E	UEPVS	0.00	370.70			<del></del>		11.90				
1	All Centrex Control Features Offered, per port	<b>†</b>		UEP9E	UEPVC	2.26				<del> </del>		11.50			<del> </del>	<del> </del>
NARS		<b>——</b>							·	<del> </del>	<del>                                     </del>					<del> </del>
1	Unbundled Network Access Register - Combination	T		UEP9E	UARCX	0.00	0.00	0.00		<del> </del>	<del></del>	11.90				<del> </del>
<del> </del>	Unbundled Network Access Register - Indial	<del> </del>		UEP9E	UAR1X	0.00	0.00	0.00	<del> </del>	<del></del>		11.90				+
<del></del>	Unbundled Network Access Register - Outdial	<del> </del>	1	UEP9E	UAROX	0.00	0.00	0.00			<del></del>	11.90			<del>                                     </del>	+
Missol	laneous Terminations		<del>                                     </del>	OLI JL	OAROX	0.00	0.00	0.00	<del></del>	<del> </del>	<del> </del>	11.90				
	Trunk Side	+		·					<del></del> -		<b></b>				<del> </del>	<del>}</del>
2-14110	Trunk Side Terminations, each	<del> </del>	$\leftarrow$	UEP9E	CEND6	8.81	+		<del> </del>	<del></del>	<del></del>	<u> </u>				<del> </del>
4 186 00	Digital (1.544 Megabits)	<del> </del>	-	OCI 3L	CLINDO	0.01			<del> </del>	<del> </del>	<del> </del>				<del> </del>	<del></del>
4-44116	DS1 Circuit Terminations, each		<del>                                     </del>	UEP9E	M1HD1	54.95			<del> </del>		<del> </del>					+
	DS0 Channel Activated Per Channel		<del></del>	UEP9E	M1HDO	0.00	15.69			<del></del>	<b> </b>	44.00				<del> </del>
	fice Channel Mileage - 2-Wire		<del> </del>	DEFSE	INTINDO	0.00	13.09					11.90				—
interor	Interoffice Channel Facilities Termination		<del> </del>	UEP9E	MIGBC	25.32			<u> </u>		<del></del>	<b>-</b>			ļ	<del> </del>
		<del> </del>	<del> </del>	UEP9E	MIGBM	0.0091			l	<del> </del>	<del> </del>				<del>                                      </del>	<del></del>
<del></del>	Interoffice Channel mileage, per mile or fraction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service		<del> </del>	DEPSE	MIGBIN	0.0091	· · · ·		<del></del>		<del></del>					<del></del>
		<b>'</b>	├	ļ <u>.</u>	<del>   </del>											<del></del>
D4 Cha	annel Bank Feature Activations		$\vdash$	UEP9E	1PQWS	0.66			L							-
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del> </del>	<b>├</b>	UEP9E	IPQWS	0.00				<del> </del>	<b></b> _					ļ
	Feature Activation on D-4 Channel Bank FX fine Side Loop Slot	ļ		UEP9E	1PQW6	0.66										ļ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66				ļ				<u></u>		<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		ļ	UEP9E	1PQWP	0.66										ļ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP9E	1PQWV	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	ļ	1	UEP9E	1PQWQ	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del> </del>	—	UEP9E	1PQWA	0,66			<b> </b>		I					ļ
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	<del> </del>	<del> </del>	<del></del>		<del></del>				<del> </del>					ł	<del></del>
	NRC Conversion Currently Combined Switch-As-Is with allowed		1	LUTTOOT	USAC2	ŀ	24.50	0.40				44.5-			f	
	changes, per port	+	-	UEP9E	USACZ		21.50	8.42		<del>                                      </del>	<del> </del>	11.90			<b> </b>	<del></del>
<del> </del>	Conversion of Existing Centrex Common Block, each	+		UEP9E		0.00	5.17	8.32		<del> </del>	<del> </del> -i	11.90			ļ	<del> </del>
$\perp$	New Centrex Standard Common Block	<del> </del>	₩	UEP9E	MIACS		618.82		<u> </u>	1		11.90			L	
	New Centrex Customized Common Block	1	<del> </del>	UEP9E	M1ACC	0.00	618.82		ļ	<del> </del>	<del> </del>	11.90				<u> </u>
<b>_</b>	NAR Establishment Charge, Per Occasion	1	<del> </del>	UEP9E	URECA	0.00	66.48			<del> </del>	ļ	11.90				<b>L</b>
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD	ļ	ļ								<b> -</b>	L				<u> </u>
	2 - Requres Interoffice Channel Mileage	1	⊢—	ļ						<del> </del>					l	
Note 3	- Requires Specific Customer Premises Equipment	1	1	I	1		Į.		l	ł	ī				1	1

	ERCONNECTION - Florida												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES			-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
						Rec		urring	Nonrecurring					Rates(\$)		
					1		First	Addl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)		<del> </del>		<del> </del>						<b>1</b>					
	"bk" beside a rate indicates that the Parties have agreed to bill	l.	for that	1	<u> </u>	1.			<del></del>							
TAND	EM SWITCHING	l Keep	TOT THAT Y	de l'entre de la companie de la comp	ine terms and	T CONTRICTORS IN 7	Attachment 3.					<del> </del>		<u> </u>	<del> </del>	<u> </u>
	Tandem Switching Function Per MOU			OHD	<del> </del>	0.0006019bk					<del> </del>				<del> </del>	
1				1		0.0000010DR						-		<del> </del>	<del> </del>	
	Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0006019							i		1	
	Tandem Intermediary Charge, per MOU*			OHD	1	0.0015						T		<del> </del>	<del> </del> -	
* This	charge is applicable only to transit traffic and is applied in addit	ion to ap	plicable s	switching and/or inte	rconnection	charges.									<del></del>	
TRUN	K CHARGE				Ĺ							Î				· · · · ·
	Installation Trunk Side Service - per DS0	L	ļ	OHD	TPP++		336.43	57.38								
	Dedicated End Office Trunk Port Service-per DS0**	ļ	<del> </del>	OHD	TDE0P	0.00						ļ				
	Dedicated End Office Trunk Port Service-per DS1**		<u> </u>	0H1 OH1MS	TDE1P	0.00						ļ			ļ	
	Dedicated Tandem Trunk Port Service-per DS0**  Dedicated Tandem Trunk Port Service-per DS1**		<del> </del>	OHD OH1 OH1MS	TDW0P TDW1P	0.00			ļ		<del> </del>			<b>!</b>		
** This	s rate element is recovered on a per MOU basis and is included in	the End	Office S				ements		1		<del> </del>	<del> </del>	<del> </del>	<del> </del>	+	ļ
	ION TRANSPORT (Shared)	I	I	Transpand rander	l Gwitching,	per moo rate en	circiits					<del>                                     </del>			+	<del> </del>
	Common Transport - Per Mile, Per MOU		t -	ОНД	<u> </u>	0.0000035bk					1	<del> </del>			<del></del>	+
i i	Common Transport - Facilities Termination Per MOU	T	<b>†</b>	OHD	1	0.0004372bk		-				<u> </u>	<del></del>	<del> </del>	+	
LOCAL INTER	CONNECTION (DEDICATED TRANSPORT)												-	<u> </u>	-	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT										I				1	
1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1									1			1
	Per Mile per month		<u> </u>	OHL, OHM	1L5NF	0.0091						L				L
{	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	l	l	1					i		1				
	Facility Termination per month		-	OHL, OHM	1L5NF	25.32	31.78		7.03			ļ			ļ	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			018 0184	41.5802	0.0091						i		i	i	
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<del> </del>	OHL, OHM	1L5NK	0.0091						<b>!</b>		<u> </u>		
	Termination per month			OHL, OHM	1L5NK	18,44	31.78		7.03		i	ļ		ļ	1	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	<del> </del>	<del> </del>	Oric, Oriw	TESINE	10.44	31.70		7.03			<del> </del>		<del> </del>	<del> </del>	<del>                                     </del>
	month	1		OHL, OHM	1L5NK	0.0091					i			1	i	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	· · · ·			TELEVILLE .	0.0001			1			1		<del> </del>	<del>                                     </del>	
ļ	Termination per month	i		OHL, OHM	1L5NK	18.44	31.78		7.03		į.			1		
					<u> </u>				1			· · · · · · · · · · · · · · · · · · ·		1	<del></del>	
1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.1856									1	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination											1			1	
	per month			OH1, OH1MS	1L5NL	88.44	98.47		19.05		<u> </u>		İ		<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			i	ŀ			ŀ								
	month	L	1	OH3, OH3MS	1L5NM	3.87					<b>1</b>	ļ. <u>-</u>				
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1					040.00		70.50				1	,	1	
	Termination per month		<del> </del>	OH3, OH3MS	1L5NM	1,071.00	219.28		70.56			+		1	<del> </del>	
LOCA	L CHANNEL - DEDICATED TRANSPORT		<del> </del>	OHL, OHM	TEFV2	21.94	265.84	46.97	37.63	4.00	<del>                                     </del>	<del> </del>	<b></b>	<del> </del>	<del> </del>	+
	Local Channel - Dedicated - 2-Wire Voice Grade per month  Local Channel - Dedicated - 4-Wire Voice Grade per month	<del> </del>	<del>                                     </del>	OHL, OHM	TEFV4	22.81	266.54	47.67	44.22	5.33	<del>                                     </del>	-	i e		<del> </del>	
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<del> </del>	t	OH1	TEFHG	35.28	216,65	183.54	24.30	16.95		1		†	<del> </del>	<del>                                     </del>
	Local Characer - Dedicated - Do Fpar Holidi	<del> </del>	<del>                                     </del>	J.,,	1.2,1,0	55.20	2.0.03	100.04	2-1.50	10,55		† ·	· · · · · · · · · · · · · · · · · · ·	1	1	<del> </del>
1	Local Channel - Dedicated - DS3 Facility Termination per month	ł	1	ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84	1		1		1	l
LOCA	L INTERCONNECTION MID-SPAN MEET	<del> </del>		1	†										1	<b>———</b>
	: If Access service ride Mid-Span Meet, one-half the tariffed servi	ce Local	Channel	rate is applicable.		1					T	1			1	1
1	Local Channel - Dedicated - DS1 per month		L	OH1MS	TEFHG	0.00	0.00					I				
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
1000 11 7	IPLEXERS		I			<u> </u>				L						
MULI	Observation DO4 to DO0 Channel Contam		1	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49			1	•		1
MOLI	Channelization - DS1 to DS0 Channel System	<b></b>									<del> </del>	<del></del>			+	4
MOLI	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month	<u> </u>		OH3, OH3MS OH1, OH1MS	SATO	211.19	199.28 10.07	118.64 7.08	40.34	39.07						

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	usoc	RATES	[		I		OSS RATE	e				
							<u></u>	<u> </u>		t		JJJ RAIE	<u> </u>	<del> </del>		Incremental	1
						-						Svc Order Submitted Elec	Svc Order Submitted Manually per	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-Disc	Incremental Charge - Manu Svc Order vs Electronic-Dis
								Nonrecurring		Nonrecurring		perLSR	LSR	Electronic-1st	Electronic-Add'i	1et	Addi
						l	۱			Disconnect		ļ				<u></u>	
	-			1		<del> </del>	Rec	First	Add'I	First	Add*I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATE			1			ì	1				1	ļ		1		
		Physical Colocation - Application Fee - Initial  Physical Colocation - Application Fee - Subsequent	!	1	CLO	PE1BA		\$3,248.00	\$3,248.00				1				
		Physical Colocation - Application - Fee - Subsequent  Physical Colocation - Space Preparation - Firm Order Processing	-	1	CLO	PE1CA PE1SJ		\$3,134.32	\$3,134.32	1							
		Physical Collocation - Space Preparation - C.O. Modification per square ft	i		CLO	PE1SK	\$2.56	\$1;201:84	\$1,201:84						į .		
		Physical Collocation - Space Preparation - Common Systems Modification per square ft Caceless				1	1, 4,	1		ľ					l		
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	i		CLO	PE1SL PE1SM	\$2.85 \$96.92							1			
		Physical Collocation - Cable Installation	i	1	CLO	PE18D	400.02	\$1,056.00	\$1,056.00						ŀ		
		Physical Collocation - Floor Space per Sq. Ft	1	1	CLO	PE1PJ	\$4.25			1				i	<u>l</u>		
		Physical Collocation - Cable Support Structure Physical Collocation - Power per Fused Amp	- !	1	CLO	PE1PM	\$19.86							i	İ		
		Physical Collocation - 120V, Single Phase Standby Power Rate	- 1	1	CLO	PE1PL PE1FB	\$6.95 * <b>\$5.5</b> 6	1					1	l			
		Physical Collocation - 240V, Single Phase Standby Power Rate	i	1	CLO	PE1FD	\$11.14	1					i	ļ		1	
		Physical Collocation - 120V, Three Phase Standby Power Rate	1	1	CLO	PE1FE	\$18.70	1		1		1	İ		1		
		Physical Collocation - 277V, Three Phase Standby Power Rate	1	1	UEANL	PE1FG	\$38.57					1					
				1	UEA UD		1			1		1			1	Ì	
				1	N,UDC,							1					
				1	UAL,UH					1		1			1		
				1	L,UCL,U		1			1					l		
		Physical Collocation - 2-Wire Cross-Connects	!	1	EQ	PE1P2	\$0.052	\$11.57	\$11.57	i					ì		
		Physical Collocation - 4-Wire Cross-Connects Physical Collocation - DS1 Cross-Connects		i	CLO	PE1P4 PE1P1	\$0.052 \$0.41	\$11.57 \$69.64	\$11.57 \$69.64	Į.		İ			l		
		Physical Collocation - DS3 Cross-Connects	i	1	CLO	PE1P3	\$10.06	\$528.00	\$528.00								
		Physical Collocation - 2-Fiber Cross-Connect	i		CLO	PE1F2	\$6.46	\$2,431.00	\$2,431.00	i							
		Physical Collocation - 4-Fiber Cross-Connect	- 1	1	CLO	PE1F4	\$6.46	\$2,431.00	\$2,431.00				1	1			
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft Physical Collocation - Welded Wire Cage - Addl 50 Sq. Ft		1	CLO	PE1BW PE1CW	\$41.99 \$4.14			Į.				l			
		Physical Colocation - Weided Wire Cage - Add 50 Sq. Ft.  Physical Colocation - Security System Per Central Office Per Assignable Sq. Ft.		1	CLO	PETAX	\$0.0113			1			]				
		Physical Collocation - Security Access System - New Access Card Activation, per Card	1	1	CLO	PE1A1	\$0.06	\$65.69	\$55.59	l							
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per		1	1	l	,	1. 18 July 18 18 18 18 18 18 18 18 18 18 18 18 18		I							
		Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	- !	1	CLO	PE1AA PE1AR	ł	\$15.59 \$45.58	\$15.59	j					ļ		
		Physical Collocation - Security Access System - Replace Cost of Stotem Card, per Card  Physical Collocation - Security Access - Initial Key, per Key	i	1	CLO	PE1AK	l	\$26.20	\$45.58 \$26.20	1							
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	i	1	CLO	PE1AL		\$26.20	\$26.20	]			1				
		Physical Collocation - Space Availability Report per premises	1	1	CLO	PE1SR		\$2,151.00	\$2,151.09	l							
		Collocation Cable Records - per request *	- !	1	CLO	PE1CR PR1CD	l	\$1,519.11 \$654.05	\$976.57 \$654.05					1			
		Collocation Cable Records - VG/DS0 Cable, per cable record * Collocation Cable Records - VG/DS0 Cable, per each 100 perr *	i	1	CLO	PE1CO		\$9.62	\$9.62								
		Collocation Cable Records - DS1, per T1TIE *	i	1	CLO	PE1C1	1	\$4.50	\$4.50			Į		1			
		Collocation Cable Records - DS3, per T3TIE *	- 1	1	CLO	PE1C3		\$15.76	\$15.78					1			
		Collocation Cable Records - Fiber Cable, per cable record *	!		CLO	PE1CB PE18Q		\$169.04 \$10.89	\$169.04	1		İ					
		Physical Collocation - Security Escort - Basic, Per Quarter Hour Physical Collocation - Security Escort - Overtime, Per Quarter Hour	- 1		CLO	PE100		\$10.89		1		[			į.		
		Physical Collocation - Security Escort - Overline; Per Quarter Hour	i	ı	CLO	PE1PQ		\$16.40		i		1		1			
		,		Į	1	1	l	l .		1						ĺ	
.n	<b>~</b>	704		1		i	l			1						1	
ADJACENT C	ULLOCAT	RON Adjacent Collocation - Space Charge per Sq. Ft.		1	CLO	PE1JA	80 /84			1			-	1			
		Adjacent Colocation - Space Charge per Sq. Ft.  Adjacent Colocation - Electrical Facility Charge per Linear Ft	i	1	CLO	PE1JC	\$5,96	1		i			1				
		Adjacent Collocation - 2-Wire Cross-Connects	- 1	1	CLO	PE1P2	\$0.025	\$24.60	\$23.60					1			
				Ì	UEA,UH		Charles -	F755442	1986 (1986)				]				
					L,UDL,U	PE1P4	\$0.050	\$24.79	\$23.74					l			
		Adjacent Collocation - 4-Wire Cross-Connects		1	USL.CL	FEIPA	30,000	944:1A	323/4	1			1		1	1	
		Adjacent Collocation - DS1 Cross-Connects	- 1	1	0	PE1P1	\$1.28	\$44.07	\$31.86	l			1	1		i	
		Adjacent Collocation - DS3 Cross-Connects	1	1	CLO	PE1P3	\$17.35	\$41.79	\$30.40					1			
		Adjacent Collocation - 2-Fiber Cross-Connect	!	1	CLO	PE1F2	\$2.94	\$41.79	\$30.40				İ	l			
		Adjacent Collocation - 4-Fiber Cross-Connect	l l	[	CLO	PE1F4 PE1JB	\$5.62	\$61.11 \$2,677.00	\$39.73	l			1	1		1	
		Adjacent Colocation - Application Fee Adjacent Colocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	i	1	CLO	PE1FB	\$5.68	96,011,00				1	1	t	1		
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp  Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	i	1	CLO	PE1FD	\$11.14	1				1	Į	l	1	1	
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	1	1	CLO	PE1FE	\$16.70							į.			
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	F	1	CLO	PE1FG	\$38.57			1			1	1	1		
BLD/Dro	w	ION IN THE REMOTE CITE		1	1	1	1					1		1	1	l	
PHYSICAL C	ALOCATI	ON IN THE REMOTE SITE  Physical Collocation in the Remote Site - Application Fee *	1	1	CLO	PE1RA	1	\$815.61	\$327.59	1			1				
		Cabinet Space In the Remote Site per Bay/ Rack *	i	1	CLO	PE1RB	\$232.50		•				1	ı			
		Physical Collocation in the Remote Site - Security Access - Key *	1	1	CLO	PE1RD	l '	\$26,20	\$28.20	1			1	1	1	1	
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	1	1	CLO	PE1SR	I	\$231.45	\$231.45	1		1	J	Į	I	1	

CATEGORY	NOTE	TE UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	usoc	RATES			OSS RATES	<b>.</b>				
								Nonrecurring	Nonrecurring	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							l _		Disconnect			1			Ī
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code				-	Rec	First Add'l	First Add's	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Requested *	ı		CLO	PE1RE		\$75.13 \$75.13							
N N	OTE: I	The pricing in all enaded cells is interin pricing, subject to retroactive trise- if Security Escort and/or Add' Engineering Fees become necessary for remote all	bp. e collocati	on, the	Parlies w	ili negotial	e appropr	ale, rates							

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - Flo	rida									,		Attachment:		Exhibit: A	
											1	1	Incremental Charge - Charge - Manual Svc Order vs. Electronic-1st OSS Rates(\$)  SOMAN SOMAN SOMAN SOMAI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Incremental	
									ĺ		1					Charge -
1		Interi	1 l			i	D4TF0(6)		ļ		Elec	-	1	1		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	RATES(\$)			j		per LSR	per LSR				Order vs.
		"							ļ				Electronic-	Electronic-	Electronic-	Electronic-
		1	<b>!</b> !		1	{		ł			ŀ	ļ	1st	Add'l	Disc 1st	Disc Add'l
<b>├</b> ──Т			1		<del></del>	1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	•	
$\vdash$		-				Recurring	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				•											<u></u>	
INTERIM SERV	/ICE PROVIDER NUMBER PORTABILITY - RCF															
T	RCF, per number ported (Business Line)				TNPBL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90			1.83	
	RCF, per number ported (Residence Line)				TNPRL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11,90			1.83	
	RCF, Per Additional Path					0.7179								<u> </u>		<u> </u>
INTERIM SER	/ICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.6923	0.6923	0.6923	0.6923	3.50				1.83	
	DID per number ported (Business)				TNPDB		0.6923	0.6923	0.6923	0.6923		11.90			1.83	
	DID, per trunk termination, Initial				TNPT2	54.95	161.29	80.58	32.73	32.73	3.50	11.90	L		1.83	
SERVICE PRO	VIDER NUMBER PORTABILITY (RIPH)			·									<u> </u>			
	RIPH, Functionality, Per Rearrangement						20.08	20.08			3.50	11.90			1.83	
	RIPH, Per Number Ported					1.83	0.2165	0.2165	0.0216	0.0216					1.83	
	RIPH, Functionality, Per Central Ofc						90.47	90.47	2.54	2.54	3.50	11,90			1.83	<u> </u>
	Any element that can be ordered electronically will be bit t can be ordered electronically. For those elements th	illed accordi	ng to th	e SOMEC rate list	ed. Please re	fer to BellSouth'	s Business Ru	les for Local (	Ordering (BBR-	LO) to determ	ine if a					

DUF/ADUI	F/CMDS - Florida	000											Attachment:	7	Exhibit: A	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
			1			1200	Nonrecurring		Nonrecurrin	g Disconnect			OSS Rates(\$)			
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCE	SS DAILY USAGE FILE (ADUF)							US-83 -								_
	ADUF: Message Processing, per message				N/A	0.014391			2							
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

# **EXHIBIT 3**

# ATTACHMENT 4 INTERCONNECTION

# TABLE OF CONTENTS

1.	GENERAL	
	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
	NETWORK INTERCONNECTION	
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	ON13
6.	LOCAL DIALING PARITY	15
7.	INTERCONNECTION COMPENSATION	16
8.	FRAME RELAY SERVICE INTERCONNECTION	21
9.	ORDERING CHARGES	24
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Γw	o Way Architecture	Exhibit D
Sur	pergroup Architecture	Exhibit E

# **NETWORK INTERCONNECTION**

1.	GENERAL
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
2.1	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1.1	Call Termination has the meaning set forth for "termination" in 47CFR § 51.701(d).
2.1.2	Call Transport has the meaning set forth for "transport" in 47 CFR § 51.701(c).
2.1.3	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.1.4	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
2.1.5	<b>Dedicated Interoffice Facility</b> is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
2.1.6	<b>End Office Switching</b> is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
2.1.7	<b>Fiber Meet</b> is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
2.1.8	Interconnection Point ("IP") is the physical telecommunications equipment interface that interconnects the networks of BellSouth and FPL.

2.1.9

**ISP-bound Traffic** is as defined in Section 7 of this Attachment.

- 2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.14 **Transit Traffic** is traffic originating on FPL's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to FPL's network.

# 3. NETWORK INTERCONNECTION

- This Attachment pertains only to the provision of network interconnection where FPL owns and provides its switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic and ISP-bound Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic and ISP-bound Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic and ISP-bound Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- Dedicated Interoffice Facilities. As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

## 3.4 Fiber Meet

3.4.1 If FPL elects to interconnect with BellSouth pursuant to a Fiber Meet, FPL and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission

system. However, FPL's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the FPL Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by FPL, BellSouth shall allow FPL access to the fusion splice point for the Fiber Meet point for maintenance purposes on FPL's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. FPL shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by FPL. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

## 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and FPL shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 FPL shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of FPL's originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent FPL desires to deliver Local Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which FPL has established interconnection trunk groups, FPL shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, FPL shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where FPL has homed (i.e. assigned) its NPA/NXXs. FPL shall home its NPA/NXXs on the

BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. FPL shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on FPL's NXX access tandem homing arrangement as specified by FPL in the LERG.
- Any FPL interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to FPL from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require FPL to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and FPL are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities. FPL shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where FPL is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and FPL's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

# 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic. FPL shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

# 4.10.1 BellSouth Access Tandem Interconnection

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

# 4.10.1.1 Basic Architecture

In the basic architecture, FPL's originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between FPL and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between FPL and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which FPL desires to exchange traffic. This trunk group also carries FPL originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to FPL. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

# 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for FPL-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for FPL end-users. A two-way trunk group provides Intratandem Access for FPL's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between FPL

and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which FPL desires to exchange traffic. This trunk group also carries FPL originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to FPL. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

# 4.10.1.3 Two-Way Trunk Group Architecture

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between FPL and BellSouth. In addition, a separate two-way transit trunk group must be established for FPL's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between FPL and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which FPL desires to exchange traffic. This trunk group also carries FPL originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to FPL. However, where FPL is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

# 4.10.1.4 Supergroup Architecture

In the supergroup architecture, the Parties' Local Traffic and FPL's Transit Traffic are exchanged on a single two-way trunk group between FPL and BellSouth to provide Intratandem Access to FPL. This trunk group carries Transit Traffic between FPL and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which FPL desires to exchange traffic. This trunk group also carries FPL originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to FPL. However, where FPL is responsive in a

timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

- 4.10.1.5 Multiple Tandem Access Interconnection
- 4.10.1.5.1 Where FPL does not choose access tandem interconnection at every BellSouth access tandem within a LATA, FPL may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA FPL must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route FPL's originated Local Traffic for LATA wide transport and termination. FPL must also establish an interconnection trunk group(s) at all BellSouth access tandems where FPL NXXs are homed as described in Section 4.2.1 above. If FPL does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, FPL can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate FPL's Local Traffic to end-users served through those BellSouth access tandems where FPL does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 FPL may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to FPL will be delivered to and from IXCs based on FPL's NXX access tandem homing arrangement as specified by FPL in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent FPL does not purchase MTA in a LATA served by multiple access tandems, FPL must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent FPL routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, FPL shall pay BellSouth the associated MTA charges.
- 4.10.2 Local Tandem Interconnection

- 4.10.2.1 Local Tandem Interconnection arrangement allows FPL to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of FPL-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, FPL must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, FPL may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. FPL may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where FPL does not choose to establish an interconnection trunk group(s). It is FPL's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to FPL's codes. Likewise, FPL shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, FPL must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which FPL has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that FPL has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

## 4.10.3 Direct End Office-to-End Office Interconnection

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic and ISP-bound Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:

- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between FPL and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between FPL's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

# 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by FPL to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

## 4.10.4.1 Toll Free Traffic

- 4.10.4.1.1 If FPL chooses BellSouth to perform the Service Switching Point ("SSP")
  Function (i.e., handle Toll Free database queries) from BellSouth's switches, all
  FPL originating Toll Free traffic will be routed over the Transit Traffic Trunk
  Group and shall be delivered using GR-394 format. Carrier Code "0110" and
  Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 FPL may choose to perform its own Toll Free database queries from its switch. In such cases, FPL will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, FPL will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, FPL will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and FPL shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, FPL will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2)

over the Transit Traffic Trunk Group to carriers that are not directly connected to FPL's network but that are connected to BellSouth's access tandem.

4.10.5 All post-query Toll Free calls for which FPL performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

## 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where FPL chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the FPL switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will

exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 <u>Signaling Call Information</u>. BellSouth and FPL will send and receive 10 digits for Local Traffic. Additionally, BellSouth and FPL will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

# 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, FPL shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of FPL's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, FPL-to-BellSouth one-way trunks ("FPL Trunks"), BellSouth-to-FPL one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for FPL location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, FPL shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. FPL shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

# 5.8 Trunk Utilization

- BellSouth and FPL shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.
- BellSouth's Local Interconnection Switching Center (LISC) will notify FPL of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated FPL interface. FPL will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which FPL expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with FPL to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to FPL. The due date of these orders will be four weeks after FPL was first notified in writing of the underutilization of the trunk groups.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

# 6. LOCAL DIALING PARITY

6.1 BellSouth and FPL shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be

provided for all originating telecommunications services that require dialing to route a call.

# 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic
- 7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction..
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and FPL agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or FPL that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and FPL further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or FPL that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.

- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 If FPL assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to FPL end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a FPL customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, FPL agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to FPL at BellSouth's switched access tariff rates.
- 7.2 If FPL does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole FPL NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if FPL can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

# 7.3 **Jurisdictional Reporting**

- Percent Local Use. Each Party shall report to the other a Percent Local Usage 7.3.1 ("PLU") factor. The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and

reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- 7.3.3 Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to FPL. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and FPL shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

Version 1Q02: 02/20/02

# 7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. FPL will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to FPL requires interconnection from FPL to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. FPL shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that FPL desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

# 7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth end user chooses FPL as their presubscribed interexchange carrier, or if the BellSouth end user uses FPL as an interexchange carrier on a 101XXXX basis, BellSouth will charge FPL the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating,

switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.

- 7.5.4 When FPL's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by FPL as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When FPL's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to FPL, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.5.9 FPL agrees not to deliver switched access traffic to BellSouth for termination except over FPL ordered switched access trunks and facilities.

#### 7.6 Transit Traffic

- 7.6.1 BellSouth shall provide tandem switching and transport services for FPL's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between FPL and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between FPL and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that FPL is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to FPL. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, FPL shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and FPL's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which FPL is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between FPL and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of

BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

- Upon the request of either Party, such interconnection will be established where BellSouth and FPL have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, FPL may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies FPL that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and FPL will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. FPL will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of FPL's PLCU.

- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and FPL will pay, the total non-recurring and recurring charges for the NNI port. FPL will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by FPL's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the FPL and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If FPL orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the FPL Frame Relay switch, BellSouth will invoice, and FPL will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and FPL Frame Relay switches. If the VC is a Local VC, FPL will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to FPL for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a FPL subscriber's PVC segment and a PVC segment from the FPL Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and FPL will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and FPL Frame Relay switches. If the VC is a Local VC, FPL will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to FPL for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If FPL requests a change, BellSouth will invoice and FPL will pay a Feature Change charge for each affected PVC segment.


- 8.9.4.1 If BellSouth requests a change to a Local VC, FPL will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- FPL will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

#### 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


## **Basic Architecture**

Exhibit B




## **One-Way Architecture**

Exhibit C




## **Two-Way Architecture**

**Exhibit D** 



## **Supergroup Architecture**

Exhibit E



### **EXHIBIT 4**

#### Attachment 8, Section 1.7.4

1.7.4 FPL shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. The fact that a security deposit has been made in no way relieves FPL from complying with BellSouth's regulations as to advance payments. Any such security deposit shall in no way release FPL from its obligation to make complete and timely payments of its bill. FPL shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing.

When BellSouth requests a deposit, BellSouth is willing to provide FPL a written explanation as to why a deposit has been requested. BellSouth shall apply all credit standards to FPL on a non-discriminatory basis. If the Parties are unable to agree, either Party may petition the Commission for resolution of the dispute. Florida is the state where the complaint will be heard. In the event the dispute is not resolved within sixty days, and FPL fails to remit to BellSouth any deposit requested pursuant to this Section, service to FPL may be terminated, and any security deposits will be applied to FPL's account(s). In the event FPL defaults on its account, service to FPL will be terminated, and any security deposits will be applied to its

## AMENDMENT TO THE AGREEMENT BETWEEN FPL FIBERNET, LLC AND

## BELLSOUTH TELECOMMUNICATIONS, INC. EFFECTIVE AUGUST 23, 2002

Pursuant to this Amendment, (the "Amendment") FPL FiberNet, LLC ("FPL") and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties effective August 23, 2002 ("Agreement").

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, FPL and BellSouth hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Local Resale, Section 1.4, in its entirety in the interconnection agreement effective August 23, 2002 and replace it with the following:
  - "Notwithstanding the foregoing, BellSouth may provide FPL notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and polices, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs."
- 2. All other provisions of the Interconnection Agreement, effective August 23, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the appropriate state Commissions for approval subject to section 252(e) of the Federal Telecommunications Act of 1996.

4. IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

# AMENDMENT TO THE AGREEMENT BETWEEN FPL FIBERNET, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED AUGUST 23, 2002

Pursuant to this Agreement, (the "Amendment"), FPL FiberNet, LLC, ("FPL"), a Florida corporation on behalf of itself, and BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself, hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 23, 2002 ("Agreement").

WHEREAS, BellSouth and FPL entered into the Agreement on August 23, 2002, and;

WHEREAS, the Parties desire to amend the Agreement to include Co-Carrier Cross Connect language, and to add Co-Carrier Cross Connect Physical and Virtual Rates for the state of Florida.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree that the Agreement between FPL and BellSouth is hereby amended to replace the language in Section 7.2 of Attachment 5-Collocation with the following:
  - 7.2 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit FPL to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same central office. A CCXC may not be installed until the collocated telecommunications carrier with whom FPL seeks to interconnect has an agreement with BellSouth containing CCXC language. FPL's use of the collocation space for interconnection with BellSouth or accessing BellSouth's Unbundled Network Elements and using Co-carrier Cross Connects shall be in accordance with the FCC's Fourth Report and Order and Fifth Report and Order in Docket No. 98-147.
  - 7.2.1 FPL must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by FPL. Such connections to other carriers may be made using either optical or electrical facilities. In cases where FPL's equipment and the equipment of the other interconnector are located in contiguous caged Collocation Spaces, FPL will have the option of using FPL's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. FPL shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. FPL shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). FPL is responsible for ensuring the integrity of the signal.

- 7.2.2 FPL shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. FPL provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, FPL will have the option of using FPL's own technicians to construct its own dedicated support structure.
- 7.2.3 To order CCXCs FPL must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Co-Carrier Cross Connects Application Fee, as defined in Exhibit 1, in the place of the Subsequent Application Fee will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- The Parties agree that the Agreement between FPL and BellSouth is hereby amended to add to Attachment 1 Table 1-Rates those rates reflected in Exhibit 1 attached hereto for the state of Florida.
- 3. All of the other provisions of the Agreement, dated August 23, 2002, shall remain in full force and effect.
- 4. This Amendment is made effective thirty (30) calendar days following the last signature of all Parties.
- Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth	1	'elecommuı	ications.	Inc.
-----------	---	------------	-----------	------

By: lea heroschi

Name: Elizaboth P. A. Shiroishi

Title: Polysofo Assistant Director

Date: 10/29/02

FPL FiberNet,

Name: Alex Flinn

Title: 1/2ESTDENT

Date: 00 TOBER 24 2002

#### Amendment Exhibit 1

Attachment 1 Table 1

COLLOCATIO	N Elorido																
COLLOCATIO	N - FIOTIGA		г—т		- <del>1</del>	г							Attachment:		Exhibit: D	<b>_</b>	
		ľ	1 1		1	]									Incremental		
	)		1 1		i	l.						Submitted		Charge -	Charge -	Charge -	
L			I_ i								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc	
ELEMENT#	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
					1	i						ļ	Electronic-	Electronic-	Electronic-	Electronic-	
					Ì							}	1st	Add'l	Disc 1st	Disc Add'l	
					T				1				1	L	·		
ļ					<u> </u>	Rec	Nonrec		Nonrecurring								
<del></del>	<del></del>	ļ	┼	<del></del> _		1	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
<del></del>			├─		<del> </del>	<b>├</b>					<b></b>	<b>!</b>			ļ <u>.</u>		
PHYSICAL COLI	OCATION		<del> </del>		<del></del>	<del> </del>				<u> </u>	ļ	<del> </del>					
1	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	<del> </del>	<del> </del>			<del> </del>			<del> </del>		+			<del> </del>		ļ	
	Support Structure, per cable, per linear ft.	l ı	1	CLO.UDF	PE1ES	0.001	į		1	ļ	1	Į.	ļ	1	1	ļ ·	
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax	<u> </u>	+-	920,00	1.2.20	- 0.001			<del> </del>		<del> </del>	<del></del>	<del> </del>	<del> </del>	<del></del>	<del></del>	
1	Cable Support Structure, per cable, per lin, ft.	1 1		CLO, UE3, USL	PE1DS	0.0014			1				1	l		Į.	
	Physical Collocation - Co-Carrier Cross Connects - Application Fee,		1 —									<del>                                     </del>	<del> </del>	<del> </del>	<del></del>	<del> </del>	
	per application	1	l	CLO	PE1DT	li	584.11						į	ì	i	ľ	
												T		<del> </del>		<del></del>	
VIRTUAL COLL		ļ	<u> </u>											<del> </del>			
	Virtual Collocation - Application Cost		<u> </u>	AMTFS	EAF	ا ا	4,122.00		L			11.90		1			
	Virtual Colloation - Application Fee/Planning Fee Additional Cable													T			
<u> </u>	Request		<b></b>	AMTES			1,249.00					L			L		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	1			1	1 1	į							1			
<del></del>	Support Structure, per finear foot		<b> </b>	AMTFS,CLO	VE1CB	0.0028			ļ		ļ						
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	Į	1		1,5105				1	I	1						
<b></b>	Cable Support Structure, per linear ft	<del>                                     </del>	-	AMTFS	VE1CD	0.0041			<del> </del>	<b></b>	<b>↓</b>		L	ļ		<u> </u>	
1 1	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	1	1	AMTES	VE1CC	\$ \	505.54		1	l .	1		1	1	Ì	1	
<del>   </del>	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<del> </del>	+	MINITS	IVEICC	<del> </del>	535.54		<del> </del>		ļ	11.90	<del> </del>	<b></b>		<b></b>	
	Cable Support Structure, per cable	1	1	AMTES	VE1CE		535.54		i		1	44.00	1			1	
	Leane authori atructure, per capie	L		MIVITO	IACIOE	<u></u>	⊃ <i>ა</i> ⊃.54		. I	L	1	11.90	į.	1		1	

1F4X1305 485 6648

#### **AMENDMENT** TO THE AGREEMENT BETWEEN FPL FIBERNET, LLC BELLSOUTH TELECOMMUNICATIONS, INC. DATED August 23, 2002

Pursuant to this Amendment, (the "Amendment"), FPL FiberNet, LLC (FPL). and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 23, 2002 (Agreement) and shaft be deemed effective upon final signature of this document.

WHEREAS, BellSouth and FPL entered into the Agreement on August 23, 2002, and:

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to amend the Interconnection Agreement by adding to Attachment 1, Table 1 the UNE Service Advancement Date (Expedite) Charge attached hereto as Exhibit 1 and incorporated herein by this reference;
- All of the other provisions of the Agreement, dated August 23, 2002, shall 2. remain in full force and effect.
- Either or both of the Parties is authorized to submit this Amendment to the Florida Public Service Commission for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

FPL FiberNet, LLC	BellSouth Telecommunications, Inc
By: NelFf	By: f Pat Chank
Name: NEIL FLYNN	Name: Elizabeth R. A. Shiroishi
Title: Prenting	Title: <u>Director</u>
Date: 3 /#   83	Date: 3/12/03

													Table: 1				
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES(\$)					Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -	
							Recurring Nonrecurring NRC Disconnect						OSS Rates(\$)				·
								First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with BellSouth's	FCC N	o.1 Tari	ff, Section 5 as applic	able.											
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			ALL UNE EXCEPT UNE-P	SDASP		200.00									
	1		1	1	i	1			l	i i	İ	1	1	1	1	1	1