

UNDOCKETED

REDACTED

Exhibit B

Revised 9/3/03

AUS
 CAF
 CMP
 COM
 CTR
 ECR
 GCL
 OPC
 MMS
 SEC
 OTH

FLORIDA PUBLIC SERVICE COMMISSION

2003 ILEC Data Request

(Data as of June 30, 2003)

Company Name:

Northeast Florida Telephone Company, Inc.

LEC Table-2C: RETAIL ACCESS LINE COUNTS (not VGEs)

Exchange	Wire Center	Zone	Retail Access Lines						
			Analog	DS0	DS1	DS3	OC1	OC3	Other (Specify Type)
259	Macclenny								
275	Sanderson								
653	Macclenny								
Total:									

NOTES/INSTRUCTIONS FOR COMPLETING TABLE-2C:

1. An access line connects the end-user's customer premises equipment (CPE) to the serving switch (in this case, the ILEC's switch) and allows the end-user to originate and/or terminate local telephone calls on the public switched telephone network (PSTN). The access line counts in Table-2C above must be based on all of your different types of access lines such as copper, fiber, hybrid fiber/copper, coaxial cable, hybrid fiber/coaxial cable, fixed-wireless (free-space optics, microwave or satellite, etc.)
2. Data must be actual line counts, NOT VGEs.
EXAMPLE: Enter "1" for 1DS0, "2" for 2 DS1s, "3" for 3 DS3s, etc.
3. "Exchange" names should be listed in alphabetical order.
4. "Zone" must be identified as Zone 1, 2, 3, or 4, as used for UNE rates.
5. Enter column totals without duplication.
6. Each field must be populated.

DOCUMENT NUMBER-DATE

08328 SEP-5 03

FPSC-COMMISSION CLERK