

ORIGINAL

030958-WU

**NOTICE OF APPLICATION FOR AN
EXTENSION OF WATER SERVICE AREA**

RECEIVED FPSC

03 OCT - 9 AM 10:40

Notice is hereby given on October 7, 2003, pursuant to Section 367.045, Florida Statutes, of the Application of Utilities, Inc. of Florida ("UIF") of its intent to apply to the Florida Public Service Commission to extend its service area to provide water service to the property described below in Seminole County, Florida. THE PURPOSE OF THIS APPLICATION IS TO AMEND THE LEGAL DESCRIPTION IN UIF'S WATER CERTIFICATE ON FILE WITH THE FLORIDA PUBLIC SERVICE COMMISSION TO REFLECT THE ACTUAL AREA CURRENTLY BEING SERVED BY UIF. THE APPLICATION WILL NOT CHANGE EXISTING WATER SERVICE PROVIDERS.

Bear Lake Manor Water System

PARCEL "A"

Commence at the Southeast corner of Section 18, Township 21 South, Range 29 East, Seminole County, Florida and run North, a distance of 866 feet to the **POINT OF BEGINNING**; thence West, a distance of 67 feet; thence South 43° West, a distance of 99 feet; thence North 48° West, a distance of 547 feet; thence North 74° West, a distance of 274 feet; thence South 41° West, a distance of 157 feet; thence North 57° West, a distance of 237 feet; thence South 35° West, a distance of 271 feet; thence North 74° West, a distance of 102 feet; thence North 54° West, a distance of 166 feet; thence North 79° West, a distance of 148 feet; thence North, a distance of 584 feet; thence South 63° East, a distance of 364 feet; thence South, a distance of 277 feet; thence East, a distance of 1,312 feet; thence South, a distance of 453 feet to the **POINT OF BEGINNING**.

And

PARCEL "B"

Commence at the Southwest corner of Section 17, Township 21 South, Range 29 East, Seminole County, Florida and run North, a distance of 1,954 feet to the **POINT OF BEGINNING**; thence continue North, a distance of 358 feet; thence East, a distance of 635 feet; thence South, a distance of 358 feet; thence West, a distance of 635 feet to the **POINT OF BEGINNING**.

And

PARCEL "C"

Commence at the Southwest corner of Section 17, Township 21 South, Range 29 East, Seminole County, Florida and run North, a distance of 2,645 feet to the **POINT OF BEGINNING**; thence West, a distance of 620 feet; thence North, a distance of 155 feet; thence East, a distance of 491 feet; thence South, a distance of 48 feet; thence East, a distance of 155 feet; thence North, a distance of 39 feet; thence East, a distance of 1,039 feet; thence North, a distance of 299 feet; thence East, a distance of 217 feet; thence South, a distance of 446 feet; thence West, a distance of 1,283 feet to the **POINT OF BEGINNING**.

- AUS _____
- CAF _____
- CMP _____
- COM _____
- CTR _____
- ECR _____
- GCL _____
- GPC _____
- IMS _____
- SEC _____
- OTH _____

Crystal Lake Water System

PARCEL "A"

Commence at the Northwest corner of Section 3, Township 20 South, Range 29 East, Seminole County, Florida and run East, a distance of 637 feet to the **POINT OF BEGINNING**; thence continue East, a distance of 211 feet; thence South, a distance of 318 feet; thence East, a distance of 228 feet; thence South, a distance of 46 feet; thence West, a distance of 439 feet; thence North, a distance of 364 feet to the **POINT OF BEGINNING**.

DOCUMENT NUMBER-DAT1

09856 OCT-9 80

And

PARCEL "B"

Commence at the Northwest corner of Section 3, Township 20 South, Range 29 East, Seminole County, Florida and run East, a distance of 1,396 feet; thence South, a distance of 390 feet to the **POINT OF BEGINNING**; thence South 83° East, a distance of 197 feet; thence South 77° East, a distance of 196 feet; thence South 68° East, a distance of 143 feet; thence South 30° West, a distance of 703 feet; thence North 39° West, a distance of 281 feet; thence South 59° West, a distance of 66 feet; thence North 46° West, a distance of 192 feet; thence South 43° West, a distance of 354 feet; thence South 20° West, a distance of 154 feet; thence South 42° West, a distance of 121 feet; thence South 63° West, a distance of 107 feet; thence South 26° East, a distance of 170 feet; thence South 36° West, a distance of 116 feet; thence South 64° West, a distance of 72 feet; thence North 12° West, a distance of 237 feet; thence North 16° West, a distance of 84 feet; thence North 68° East, a distance of 92 feet; thence North 23° West, a distance of 167 feet; thence East, a distance of 105 feet; thence North, a distance of 255 feet; thence East, a distance of 26 feet; thence North, a distance of 154 feet; thence East, a distance of 366 feet; thence North 47° East, a distance of 388 feet; thence North, a distance of 57 feet to the **POINT OF BEGINNING**.

And

PARCEL "C"

Commence at the Northwest corner of Section 3, Township 20 South, Range 29 East, Seminole County, Florida and run South, a distance of 1,582 feet to the **POINT OF BEGINNING**; thence North 76° East, a distance of 95 feet; thence North 73° East, a distance of 392 feet; thence South 15° East, a distance of 215 feet; thence South 54° West, a distance of 218 feet; thence South 35° West, a distance of 199 feet; thence South 71° West, a distance of 83 feet; thence North 86° West, a distance of 83 feet; thence South, a distance of 84 feet; thence West, a distance of 101 feet; thence North 71° West, a distance of 322 feet; thence North 52° West, a distance of 298 feet; thence North, a distance of 293 feet; thence South 64° East, a distance of 210 feet; thence South 79° East, a distance of 162 feet; thence South 89° East, a distance of 159 feet; thence North 81° East, a distance of 68 feet to the **POINT OF BEGINNING**.

And

PARCEL "D"

Commence at the Northwest corner of Section 3, Township 20 South, Range 29 East, Seminole County, Florida; thence run West, a distance of 556 feet; thence South, a distance of 704 feet to the **POINT OF BEGINNING**; thence continue South, a distance of 238 feet; thence West, a distance of 534 feet; thence North, a distance of 637 feet; thence East, a distance of 116 feet; thence South, a distance of 399 feet; thence East, a distance of 418 feet to the **POINT OF BEGINNING**.

Any objections to the Application must be made in writing and filed with the Florida Public Service Commission, Director, Division of Commission Clerk and Administrative Services, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, with a copy to Martin S. Friedman, Esquire, Rose, Sundstrom & Bentley, LLP, 600 South North Lake Boulevard, Suite 160, Altamonte Springs, Florida 32701, within thirty (30) days from the date of this notice. The objection must state the grounds for the objection with particularity.

UTILITIES, INC. OF FLORIDA