

**REDACTED**

**ATTACHMENT B**

**BellSouth Telecommunications, Inc.  
Dkt. No. 030945-TP  
Covad's 1<sup>st</sup> Interrogatories  
Request for Confidential Classification  
Page 1 of 1  
11/17/03**

**REQUEST FOR CONFIDENTIAL CLASSIFICATION OF BELLSOUTH'S  
RESPONSES TO COVAD'S 1<sup>ST</sup> INTERROGATORIES, ITEM NOS. 8, 12, 15, 27 AND  
28; AND RESPONSES TO COVAD'S 1<sup>ST</sup> REQUESTS FOR  
PRODUCTION ITEM NOS. 2 AND 4  
FILED OCTOBER 27, 2003**

**INTERROGATORY ITEM NO. 27 ATTACHMENT AND  
REQUEST FOR PRODUCTION ITEM NOS. 2 AND 4  
DOCUMENTS REDACTED IN ENTIRETY**

DOCUMENT NUMBER-DATE

11548 NOV 17 03

FPSC-COMMISSION CLERK

**ATTACHMENT B**

**BellSouth Telecommunications, Inc.  
Dkt No. 0130945-TP  
Covad's 1<sup>st</sup> Interrogatories  
Request for Confidential Classification  
Item No. 8, 12, 15, 28  
11/17/03**

**PUBLIC DISCLOSURE DOCUMENTS**

BellSouth Telecommunications, Inc.  
Florida Public Service Commission  
FL Dkt.030945-TP  
Covad's 1st Set of Interrogatories  
September 26, 2003  
Item No. 8  
Page 1 of 1

REQUEST: Of the number of customers identified in Interrogatory No. 7 above, how many of those customers are served with BellSouth's FastAccess product?

RESPONSE: As of October 27, 2003, there were \*\*\*\*\* of the customers identified in Interrogatory No. 7 (that are impacted by the pending road moves in FL) who are currently provisioned with Fast Access DSL Internet Service.

RESPONSE BY: Eric Fogle

REQUEST: Of the number of customers identified in Interrogatory No. 11 above, how many of those customers are served with BellSouth's Fast Access product?

RESPONSE: As of October 27, 2003, there are \*\*\*\*\* FastAccess customers served out of DSLAMs located in the central offices identified in Interrogatory No. 11.

RESPONSE BY: Eric Fogle

REQUEST: What is the cost to BellSouth for purchase of the DSLAM referenced in Interrogatory No. 2 above?

RESPONSE: ND 20030112 and ND 20030134 - \$\*\*\*\*\*  
ND 20030136 - \$\*\*\*\*\*  
ND 20030155 - \$\*\*\*\*\*  
SN 91083513 - The DSLAM at 4300 Green Pine Blvd. - \$\*\*\*\*\*  
The DSLAMs at 4000 Village Blvd. - \$\*\*\*\*\*

RESPONSE BY: Eric Fogle

REQUEST: Please identify the cost for BellSouth to install new copper facilities to the \_\_\_\_\_ customers affected by the facilities change at issue in this docket if ordered by the Commission to do so.

RESPONSE: BellSouth is providing the following costs as estimated costs that do not allow for any problems encountered during installation. Additionally, the estimated cost would not provide outgoing support or maintenance at this site.

ND 20030112 - \$\*\*\*\*\*  
ND 20030134 - \$\*\*\*\*\*  
ND 20030136 - \$\*\*\*\*\*  
ND 20030155 - \$\*\*\*\*\*  
SN 91083513 - \$\*\*\*\*\*

This information is proprietary and is being provided subject to the terms of the non-disclosure agreement executed in this docket.

RESPONSE BY: Eric Fogle