

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Investigation into the establishment of operations support systems permanent performance measures for incumbent local exchange telecommunications companies.
(SPRINT-FLORIDA TRACK)

DOCKET NO. 000121B-TP
ORDER NO. PSC-03-1438-PAA-TP
ISSUED: December 22, 2003

The following Commissioners participated in the disposition of this matter:

LILA A. JABER, Chairman
J. TERRY DEASON
BRAULIO L. BAEZ
RUDOLPH "RUDY" BRADLEY
CHARLES M. DAVIDSON

NOTICE OF PROPOSED AGENCY ACTION ORDER APPROVING REVISIONS
TO SPRINT'S PERFORMANCE MEASUREMENT PLAN

BY THE COMMISSION:

NOTICE is hereby given by the Florida Public Service Commission that the action discussed herein is preliminary in nature and will become final unless a person whose interests are substantially affected files a petition for a formal proceeding, pursuant to Rule 25-22.029, Florida Administrative Code.

We opened Docket No. 000121-TP to develop permanent performance metrics for the ongoing evaluation of operations support systems (OSS) provided for competitive local exchange carriers' (CLECs) use by incumbent local exchange carriers (ILECs). Associated with the performance metrics is a monitoring and enforcement program that is to ensure that CLECs receive nondiscriminatory access to the ILEC's OSS. Performance monitoring is necessary to ensure that ILECs are meeting their obligation to provide unbundled access, interconnection and resale to CLECs in a nondiscriminatory manner. Additionally, it establishes a standard

DOCUMENT NUMBER-DATE

13268 DEC 22 8

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 2

against which we and CLECs can measure performance over time to detect and correct any degradation of service provided to CLECs.

Docket No. 000121-TP consists of three phases. Phase I began with workshops conducted by our staff with members of the CLEC and ILEC communities. These workshops were held on March 30, 2000, August 8, 2000, and December 13, 2000. The purpose of Phase I was to determine and resolve any policy and legal issues in this matter. Phase II involved establishing permanent metrics for BellSouth Telecommunications, Inc. (BellSouth), including a specific monitoring and enforcement program. By Order No. PSC-01-1819-FOF-TP (Final Order), issued September 10, 2001, the Commission established permanent performance measures and benchmarks as well as a voluntary self-executing enforcement mechanism (Performance Assessment Plan) for BellSouth. By Order No. PSC-02-0187-FOF-TP, issued February 12, 2002, as amended by Order No. PSC-01-0187A-FOF-TP, issued March 13, 2002, BellSouth's Performance Assessment Plan was approved.

Phase II of this docket entailed the establishment of performance metrics and a performance monitoring and evaluation program for the other Florida ILECs. By Order No. PSC-02-0503-PCO-TP, issued April 11, 2002, Docket No. 000121-TP was divided into three subdockets: (1) 000121A-TP, in which filings directed toward the BellSouth track would be placed; (2) 000121B-TP, in which filings directed toward the Sprint track would be placed; and (3) 000121C-TP, in which filings directed toward the Verizon track would be placed.

By Order No. PSC-03-0067-PAA-TP, issued January 9, 2003, we adopted permanent performance measures for the Sprint Track, Docket Number 000121B-TP. Sprint's Florida Performance Measurement Plan includes the adoption of the August 2002 Sprint Nevada Performance Measurement Plan ("Cookbook") as well as administrative provisions and an associated compliance methodology. The Nevada Performance Measurement Plan has previously been approved by both the North Carolina and Indiana Utilities Commissions as Sprint's Performance Measurement Plan within those states.

This Order addresses proposed changes to Sprint's Florida Performance Measurement Plan per the Commission's six-month review process. The six-month review process, as outlined in Order No. PSC-03-0067-PAA-TP, consists of a collaborative review of Sprint's performance measures to determine if the current structure is effective. The collaborative work group consists of Sprint, interested CLECs, and Commission staff.

We are vested with jurisdiction over this matter pursuant to Sections 364.01(3) and (4)(g), Florida Statutes. Pursuant to Section 364.01 (3), Florida Statutes, the Florida legislature has found that regulatory oversight is necessary for the development of fair and effective competition in the telecommunications industry. To that end, Section 364.01 (4) (g), Florida Statutes, provides, in part, that we shall exercise its exclusive jurisdiction in order to ensure that all providers of telecommunications service are treated fairly by preventing anticompetitive behavior. Furthermore, it is noted that the FCC has encouraged the states to implement performance metrics and oversight for purposes of evaluating the status of competition under the Telecommunications Act of 1996.

By Order No. PSC-03-0067-PAA-TP, issued January 9, 2003, we adopted permanent performance measures for Sprint Florida. Sprint complied with the Order and implemented the Performance Measurement Plan on February 1, 2003. The Plan includes:

- Service Quality Measures
- Business Rules
- Reporting Requirements
- Auditing
- Statistical Methodology

The performance measures reported by Sprint-Florida are the same as those provided in Sprint's August 2002 Performance Measurement Plan for the Nevada Public Utilities Commission. Sprint advocated a single, universally implemented plan at the national level rather than state-specific performance measurement plans. Sprint believes this accomplishes the dual goal of maximizing the value to CLECs and us, while minimizing administrative costs to all parties. It should be noted that portions of Sprint's Florida

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 4

Collocation performance measures were modified to reflect Florida standards of compliance in the provision of collocation services as specified in Order No. PSC-00-0941-FOF-TP.

On September 19, 2003, as part of the six-month review process outlined in Order No. PSC-03-0067-PAA-TP, Sprint filed a request for revisions to the Sprint Florida Performance Measurement Plan with us. Sprint's requested revisions coincide with recent revisions to the Sprint Nevada Performance Measurement Plan. The Nevada Public Utilities Commission ordered the revisions to the performance measures on July 9, 2003.

In compliance with the six-month review process, Sprint allowed our staff and CLECs an opportunity to review such changes brought before us for adoption. On October 2, 2003, staff solicited comments from the CLECs for the six-month review of Sprint's Florida Performance Measurement Plan. In response to our staff's request for comments, on October 31, 2003, the CLEC Coalition expressed some general concern regarding Sprint's Performance Measurement Plan, but requested that we allow Sprint to implement the proposed revisions. The CLEC Coalition commented that an extensive review of Sprint's performance measures is not in their best interest at this time due to a current heavy workload of regulatory issues.

The CLEC Coalition's endorsement of Sprint's Performance Measurement Plan is predicated on the expectation of recurring six-month reviews. The next six-month review should allow the CLECs an additional opportunity to make necessary plan improvements and ensure that CLECs are correctly interpreting the plan.

The parties in Nevada agreed upon the revisions set forth in Sprint's Nevada Performance Measurement Plan. The stipulation was entered into on June 25, 2003. Sprint will revise its Nevada Performance Measurement Plan beginning with January 2004 data, which will be reported on February 20, 2004. It is Sprint's intention to ensure that approval from us would be received in the same time frame to enable simultaneous implementation of the changes.

We are amenable to both Sprint's and the CLEC Coalition's request. We find that the changes approved in Nevada shall be adopted in Florida. Attachment 1 is Sprint's proposed revisions to its Florida Performance Measurement Plan. The attachment incorporates all of the changes that were stipulated to in Nevada. The changes are primarily administrative in nature. For example, all references to "ALEC" are changed to "CLEC" and changes are made to the report layout and appearance. In addition, business rules have been clarified and standards have been added where there previously was none. At this time, we find that these changes provide an acceptable level of performance reporting for Sprint in Florida. We note that ongoing six-month reviews are warranted and we anticipate greater participation on behalf of the CLECs at a future date.

We approve the revisions to the Performance Measurement Plan for Sprint Florida as presented in Attachment 1. We find that the implementation of the revisions to Sprint's Florida Performance Measurement Plan shall become effective beginning with January 2004 data.

If no person whose substantial interests are affected files a protest within 21 days of the issuance date of the Order, this Order will become final upon the issuance of a Consummating Order. Any protest of our decision in this matter shall identify with specificity the item or measure being protested, and any such protest shall not prevent the remainder of the Order from becoming final and effective. Thereafter, this docket shall remain open for the Commission to conduct periodic six-month reviews of Sprint's Performance Measurement Plan and to complete the initial third-party audit outlined in Order No. PSC-03-0067-PAA-TP.

Based on the foregoing, it is

ORDERED by the Florida Public Service Commission that revisions to Sprint-Florida, Incorporated's Performance Measurement Plan for as set forth in Attachment 1 are hereby approved and incorporated into this Order. It is further

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 7

NOTICE OF FURTHER PROCEEDINGS OR JUDICIAL REVIEW

The Florida Public Service Commission is required by Section 120.569(1), Florida Statutes, to notify parties of any administrative hearing or judicial review of Commission orders that is available under Sections 120.57 or 120.68, Florida Statutes, as well as the procedures and time limits that apply. This notice should not be construed to mean all requests for an administrative hearing or judicial review will be granted or result in the relief sought.

As identified in the body of this order, our action _____ is preliminary in nature. Any person whose substantial interests are affected by the action proposed by this order may file a petition for a formal proceeding, in the form provided by Rule 28-106.201, Florida Administrative Code. This petition must be received by the Director, Division of the Commission Clerk and Administrative Services, at 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, by the close of business on January 12, 2004. If such a petition is filed, mediation may be available on a case-by-case basis. If mediation is conducted, it does not affect a substantially interested person's right to a hearing. In the absence of such a petition, this order shall become effective and final upon the issuance of a Consummating Order.

Any objection or protest filed in this docket before the issuance date of this order is considered abandoned unless it satisfies the foregoing conditions and is renewed within the specified protest period.

Any party adversely affected by the Commission's final action in this matter may request: (1) reconsideration of the decision by filing a motion for reconsideration with the Director, Division of the Commission Clerk and Administrative Services within fifteen (15) days of the issuance of this order in the form prescribed by Rule 25-22.060, Florida Administrative Code; or (2) judicial review by the Florida Supreme Court in the case of an electric, gas or telephone utility or the First District Court of Appeal in the case of a water or wastewater utility by filing a notice of appeal with the Director, Division of the Commission Clerk and Administrative Services and filing a copy of the notice of appeal and the filing fee with the appropriate court. This filing must be completed within thirty (30) days after the issuance of this order, pursuant

ORDER NO. PSC-03-1438-PAA-TP

DOCKET NO. 000121B-TP

PAGE 8

to Rule 9.110, Florida Rules of Appellate Procedure. The notice of appeal must be in the form specified in Rule 9.900(a), Florida Rules of Appellate Procedure.

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 6

ORDERED that the provisions of this Order, issued as proposed agency action, shall become final and effective upon the issuance of a Consummating Order unless an appropriate petition, in the form provided by Rule 28-106.201, Florida Administrative Code, is received by the Director, Division of the Commission Clerk and Administrative Services, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, by the close of business on the date set forth in the "Notice of Further Proceedings" attached hereto. It is further

ORDERED that any protest of our decision in this matter shall identify with specificity the item or measure being protested, and any such protest shall not prevent the remainder of this Order from becoming final and effective. It is further

ORDERED that in the event this Order becomes final, this docket shall remain open for the Commission to conduct periodic six-month reviews of Sprint Florida Inc.'s Performance Measurement Plan and to complete the initial third-party audit outlined in Order No. PSC-03-0067-PAA-TP.

By ORDER of the Florida Public Service Commission this 22nd Day of December, 2003.

BLANCA S. BAYÓ, Director
Division of the Commission Clerk
and Administrative Services

By: Kay Flynn
Kay Flynn, Chief
Bureau of Records and Hearing
Services

(S E A L)

FRB

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 9

ATTACHMENT A

Sprint Performance Measurement Plan

**Sprint Performance Measurement Plan
("Cookbook")
Florida Public Service Commission**

January 1, 2004

Sprint Performance Measurement Plan

TABLE OF CONTENTS

- I. INTRODUCTION
- II. PERFORMANCE MEASURES
 - a. List of Performance Measurements
 - b. Performance Measurements Report Requirements
 - c. Reporting Process
- III. SERVICE GROUP TYPES/SERVICE ORDER TYPES
- IV. AUDITING
- V. REVIEW PROCEDURES
- VI. DEFINITIONS OF TERMS/ACRONYMS
- VII. ATTACHMENTS
 - a. Jeopardy Codes
 - b. Missed Appointment Reason Codes
 - c. Disposition Codes
- VIII. COMPLIANCE METHODOLOGY

Sprint Performance Measurement Plan

I. INTRODUCTION

Background

The Telecommunications Act of 1996 and the FCC's implementing rules require ILECs to provide CLECs with nondiscriminatory access to OSS. In the August 1996 Local Competition First Report and Order, the FCC commented, generally, that ILECs must provide CLECs with access to the pre-ordering, ordering, provisioning, billing, repair, and maintenance OSS sub-functions pursuant to the Act, such that CLECs are able to perform such OSS sub-functions in "substantially the same time and manner" as the ILECs can for themselves.¹ In August of 1997, the FCC's *Ameritech Opinion* analyzed the nondiscriminatory access requirements of §251(c) to a Bell Operating Company's (BOC's) §271 application, and clarified that for those OSS subfunctions with retail analogs, a BOC "must provide access to competing carriers that is equal to the level of access that the BOC provides to itself, its customers or its affiliates, in terms of quality, accuracy and timeliness."² The FCC further clarified in the *Ameritech Opinion* that for those OSS functions with no retail analog, a BOC must offer access sufficient to allow an efficient competitor "a meaningful opportunity to compete."³

In 2000 the Florida Public Service Commission opened Docket No. 000121-TP to develop permanent performance metrics for the ongoing evaluation of operations support systems (OSS) provided for alternative local exchange carriers' (CLECs) use by incumbent local exchange carriers (ILECs). Docket No. 000121-TP consisted of three phases. Phase I began with workshops conducted by Commission Staff with members of the CLEC and ILEC communities. The purpose of Phase I was to determine and resolve any policy and legal issues in this matter. Phase II involved establishing permanent metrics for BellSouth Telecommunications, Inc. (BellSouth), including a specific monitoring and enforcement program. In 2002 the Florida Public Service Commission began Phase III and opened Docket No. 000121B-TP (Sprint Track) and Docket No. 000121C-TP (Verizon Track) to establish performance metrics and a performance monitoring and evaluation program for the other Florida ILECs.

¹ See, *Implementation of the Local Competition Provisions in the Telecommunications Act of 1996*, CC Docket No. 96-98, First Report and Order, 11 FCC Rcd 15499, 15763-64 [¶518] (1996) ("Local Competition First Report and Order"), *aff'd in part and vacated in part sub nom. Competitive Telecommunications Ass'n v. FCC*, 117 F.3d 1068 (8th Cir. 1997) and *Iowa Utilities Bd. v. FCC*, 120 F.3d 753 (8th Cir. 1997), modified on reh'g, No. 96-3321 (Oct. 14, 1997) (Rehearing Order), petition for cert. granted, 118 S. Ct. 879 (1998).

² See, *In the Matter of Application of Ameritech Michigan Pursuant to Section 271 of the Communications Act of 1934, as amended, To Provide In-Region, InterLATA Services In Michigan*, Memorandum Opinion and Order, 12 FCC Rcd 20543, 20618-19 [¶139] (1997) (*Ameritech Michigan Order*), writ of mandamus issued sub nom. *Iowa Utils. Bd. v. FCC*, No. 96-3321 (8th Cir. Jan. 22, 1998). ("Ameritech Opinion"); see also, *In the Matter of Application of BellSouth Corporation, et al., for Provision of In-Region, InterLATA services in Louisiana* ("BellSouth (Louisiana II) Opinion") CC Docket No. 98-121, FCC 98-271 (10-13-98), paragraph 87 (citing, *Ameritech Opinion* at 12 FCC Rcd 20618-19). See also, *Ameritech Opinion* at ¶131, wherein the FCC makes the following statement regarding application of the §251(c) requirements to a BOC's §271 application:

"Because the duty to provide access to network elements under section 251(c)(3) and the duty to provide resale services under section 251(c)(4) include the duty to provide nondiscriminatory access to OSS functions, an examination of a BOC's OSS performance is necessary to evaluate compliance with section 271(c)(2)(B)(ii) and (xiv)."³ See, *Ameritech Opinion* at 12 FCC Rcd at 20619 [¶141]; See also, *BellSouth (Louisiana II) Opinion* at ¶87 (citing *Ameritech Opinion* at 12 FCC Rcd at 20619).

Sprint Performance Measurement Plan

On May 2, 2002, Sprint filed its initial response to Commission Staff's data request for proposed permanent performance measures in Florida in Docket No. 000121B-TP (Sprint Track). On June 30, 2002, initial comments on Sprint's proposal were filed by interested parties. Taking into consideration the information provided by Sprint and the comments provided by interested parties, Commission Staff developed an independent proposal for Sprint OSS permanent performance measurements and submitted it for comment on November 1, 2002. Comments on Commission Staff's proposal were filed November 15, 2002, and supplemental comments were filed with the Commission on November 25, 2002.

On January 9, 2003, the Florida Public Service Commission issued Order No. PSC-03-0067-PAA-TP. Order No. PSC-03-0067-PAA-TP addressed the proposed establishment and implementation of operations support systems permanent performance measures for the Sprint Track, Docket Number 000121B-TP.

Sprint complied with Order No. PSC-03-0067-PAA-TP and implemented this Performance Measurement Plan (PMP) on February 1, 2003. This Performance Measurement Plan includes:

- service quality measures
- business rules
- reporting requirements
- auditing
- statistical methodology

This Performance Measurement Plan includes performance measurements from the Sprint Nevada Plan, *August 2002 Cookbook*, and statistical methodology contained in the *Sprint Performance Measurement Plan Compliance Methodology* adopted, with modifications, by the FPSC to measure Sprint's performance in Florida.

Notes:

These performance measures are not intended to create, modify, or otherwise affect parties' rights and obligations. The existence of any particular performance measure, or the language describing that measure, is not evidence that the CLECs are entitled to any particular manner of access, that these measures relate solely to access to OSS, nor is it evidence that the ILEC's obligations to such access are defined elsewhere, including the relevant laws, FCC, and state decisions/regulations, tariffs, and interconnection agreements.

Sprint Performance Measurement Plan

Major Categories

Measurements developed to help assess the provision of non-discriminatory access to OSS and other services, elements or functions were combined into the following broad categories:

- **Pre-Ordering**

Pre-ordering activities relate to the exchange of information between the ILEC and the CLEC regarding current or proposed customer products and services, or any other information required to initiate ordering of service. Pre-ordering encompasses the critical information needed to submit a provisioning order from the CLEC to the ILEC. The pre-order measurement reports the timeliness with which pre-order inquiries are returned to CLECs by the ILEC. Pre-ordering query types include:

- Address Verification/Dispatch Required
- Request for Telephone Number
- Request for Customer Service Record
- Service Appointment Scheduling (due date)
- Rejected/Failed Queries
- Facility Availability
- Loop Pre-Qualification

- **Ordering**

Ordering activities include the exchange of information between the ILEC and the CLEC regarding requests for service. Ordering includes: (1) the submittal of the service request from the CLEC, (2) rejection of any service request with errors and (3) confirmation that a valid service request has been received and a due date for the request assigned. Ordering performance measurements report on the timeliness with which these various activities are completed by the ILEC. Also captured within this category is reporting on the number of CLEC service requests that automatically generate a service order in the ILECs' service order creation system.

- **Provisioning**

Provisioning is the set of activities required to install, change or disconnect a customer's service. It includes the functions to establish or condition physical facilities as well as the completion of any required software translations to define the feature functionality of the service. Provisioning also involves communication between the CLEC and the ILEC on the status of a service order, including any delay in meeting the commitment date and the time at which actual completion of service installation has occurred. Measurements in this category evaluate the quality of service installations; the efficiency of the installation process and the timeliness of notifications to the CLEC that installation is completed or has been delayed.

- **Maintenance**

Sprint Performance Measurement Plan

Maintenance involves the repair and restoral of customer service. Maintenance functions include the exchange of information between the ILEC and CLEC related to service repair requests, the processing of trouble ticket requests by the ILEC, actual service restoral and tracking of maintenance history. Maintenance measures track the timeliness with which trouble requests are handled by the ILEC and the effectiveness and quality of the service restoral process.

- **Network Performance**

Network performance involves the level at which the ILEC provides services and facilitates call processing within its network. The ILEC also has the responsibility to complete network upgrades efficiently. Network performance is evaluated on the quality of interconnection and the timeliness of network upgrades (code openings) the ILEC completes on behalf of the CLEC.

- **Billing**

Billing involves the exchange of information necessary for CLECs to bill their customers, to process the end user's claims and adjustments, to verify the ILEC's bill for services provided to the CLEC and to allow CLECs to bill for access. Billing measures have been designed to gauge the quality, timeliness and overall effectiveness of the ILEC billing processes associated with CLEC customers.

- **Database Updates**

Database updates for directory assistance/listings and E911 include the processes by which these systems are updated with customer information that has changed due to the service provisioning activity. Measurements in this category are designed to evaluate the timeliness and accuracy with which changes to customer information, as submitted to these databases, are completed by the ILEC.

- **Collocation**

ILECs are required to provide to CLECs available space as required by law to allow the installation of CLEC equipment. Performance measures in this category assess the timeliness with which the ILEC handles the CLEC's request for collocation as well as how timely the collocation arrangement is provided.

- **Interfaces**

ILECs provide the CLECs with choices for access to OSS pre-ordering, ordering, maintenance and repair systems. Availability of the interfaces is fundamental to the CLEC being able to effectively do business with the ILEC. Additionally, in many instances, CLEC personnel must work with the service personnel of the ILEC. Measurements in this category assess the availability to the CLECs of systems and personnel at the ILEC work centers.

Sprint Performance Measurement Plan

Auditing and Review Procedures

The parties have agreed to most procedures for auditing and review. Descriptions of these procedures can be found in Sections IV and V.

Reservation of Rights

These reservations of rights do not negate the parties' agreement regarding performance measures and standards as reflected in the Florida Plan.

Incorporating the performance measures into the interconnection agreements raises several complex issues that require further consideration by the parties. This remains an open issue.

Sprint

By implementing these performance measurements, Sprint:

- does not make any admission regarding the propriety or reasonableness of establishing performance penalties;
- does not admit that an apparent less-than-parity condition reflects discriminatory treatment without further factual analysis.

CLECs

- By implementing these performance measurements, CLECs do not agree with, endorse, or otherwise concur in the terms of Sprint's reservation of rights.
 - CLECs reserve the right to contend that Sprint's compliance with the performance measures and standards in the Florida Plan does not conclusively demonstrate Sprint compliance with the Telecommunications Act of 1996.
 - CLECs reserve the right to contend that Sprint's compliance with the performance measures and standards does not conclusively demonstrate the existence of an open competitive local market.
-

Sprint Performance Measurement Plan

II. Performance Measurements

Measurement #	Measurement Title
Pre-Ordering	
01	Average Response Time to Pre Order Queries
Ordering	
02	Average FOC Notice Interval
03	Average Reject Notice Interval
04	Percent of Flow-Through Orders
Provisioning	
05	Percentage of Orders Jeopardized
06	Average Jeopardy Notice Interval
07	Average Completed Interval
08	Percent Completed Within Standard Interval
09	Coordinated Customer Conversion as a Percentage On-Time
11	Percent of Due Dates Missed
12	Percent Due Dates Missed Due to Lack of Facilities
13	Delay Order Interval to Completion Date (For Lack of Facilities)
14	Held Order Interval
15	Provisioning Trouble Reports Prior to Service Order Completion
17A	Percentage Troubles in 5 Days for New Orders
18	Average Completion Notice Interval
Maintenance	
19	Customer Trouble Report Rate
20	Percentage of Customer Trouble Not Resolved Within Estimated Time
21	Average Time to Restore
22	POTS Out of Service Less Than 24 Hours
23	Frequency of Repeat Troubles in 30-Day Period
Network Performance	
24	Percent Blocking on Common Trunks
25	Percent Blocking on Interconnection Trunks
26	NXX Loaded by LERG Effective Date
Billing	
28	Usage Timeliness
30	Wholesale Bill Timeliness
31	Usage Completeness
32	Recurring Charge Completeness
33	Non-Recurring Charge Completeness
34	Bill Accuracy
Database Updates	
37	Database Update Timeliness

Sprint Performance Measurement Plan

38	Percent Database Accuracy
39	E911MS Database Update Interval
Collocation	
40	Time to Respond to a Collocation Request
41	Time to Provide a Collocation Arrangement
Interface	
42	Percentage of Time Interface is Available
44	Center Responsiveness

Sprint Performance Measurement Plan

Pre-Ordering

Measure 1

Title: Average Response Time to Pre-Order Queries

Area	Requirement Description																																								
Description	<p>The response interval for each pre-ordering query is determined by computing the elapsed time from the ILEC receipt of the query from the CLEC, whether or not syntactically correct, to the time the ILEC returns the requested data to the CLEC.</p> <ul style="list-style-type: none"> • Address Verification/Dispatch Required • Request for Telephone Number (TN) • Request for Customer Service Record <ul style="list-style-type: none"> - Simple - Complex • Service Appointment Scheduling (due date) • Rejected/Failed Queries • Facility Availability • Loop Pre-qualification 																																								
Method of Calculation	<p>All Electronic: $\text{Sum} ((\text{Query Response Date and Time}) - (\text{Query Submission Date and Time})) / (\text{Number of Queries Submitted in Reporting Period})$</p> <p>All Manual: Loop Pre-qualification and Facility Availability $\text{Sum} [((\text{Fax Date and Time Returned}) - (\text{Business Date and Time of receipt of valid fax service request})) / (\text{Number of Faxes Submitted in Reporting Period})] \times 100$</p>																																								
Report Period	Monthly																																								
Report Structure	Individual CLECs, CLECs in the aggregate, and ILEC affiliate.																																								
Reported By	By query type and by interface type, including fax																																								
Geographic Level	Statewide																																								
Measurable Standards	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <td colspan="2">All Electronic:</td> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>Address Verification/Dispatch Required</td> <td>Request for Address Verification</td> <td></td> <td>6seconds</td> </tr> <tr> <td>Request for Telephone Number</td> <td>Request for Telephone Number</td> <td></td> <td>3 seconds</td> </tr> <tr> <td>Request for Customer Service Record - Simple</td> <td>Request for Simple CSR</td> <td></td> <td>10 seconds</td> </tr> <tr> <td>Request for Customer Service Record - Complex</td> <td>Request for Complex CSR</td> <td></td> <td>15 seconds</td> </tr> <tr> <td>Service Appointment Scheduling</td> <td>Request for Due Date</td> <td></td> <td>TBD</td> </tr> <tr> <td>Rejected / Failed Queries</td> <td>Rejected/Failed Queries</td> <td></td> <td>Diagnostic Only</td> </tr> <tr> <td colspan="2">All Manual:</td> <td></td> <td></td> </tr> <tr> <td>Facility Availability</td> <td>Request for Facility Availability</td> <td></td> <td>95% within 3 business days --</td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard		All Electronic:		Parity	Benchmark	Address Verification/Dispatch Required	Request for Address Verification		6seconds	Request for Telephone Number	Request for Telephone Number		3 seconds	Request for Customer Service Record - Simple	Request for Simple CSR		10 seconds	Request for Customer Service Record - Complex	Request for Complex CSR		15 seconds	Service Appointment Scheduling	Request for Due Date		TBD	Rejected / Failed Queries	Rejected/Failed Queries		Diagnostic Only	All Manual:				Facility Availability	Request for Facility Availability		95% within 3 business days --
Disaggregation Level	CLEC	Comparison Standard																																							
All Electronic:		Parity	Benchmark																																						
Address Verification/Dispatch Required	Request for Address Verification		6seconds																																						
Request for Telephone Number	Request for Telephone Number		3 seconds																																						
Request for Customer Service Record - Simple	Request for Simple CSR		10 seconds																																						
Request for Customer Service Record - Complex	Request for Complex CSR		15 seconds																																						
Service Appointment Scheduling	Request for Due Date		TBD																																						
Rejected / Failed Queries	Rejected/Failed Queries		Diagnostic Only																																						
All Manual:																																									
Facility Availability	Request for Facility Availability		95% within 3 business days --																																						

Sprint Performance Measurement Plan

	Loop Pre-Qualification	Request for Loop Pre-Qualification	Diagnostic Only 95% within 3 business days
<i>Business Rules</i>	<ul style="list-style-type: none"> • Elapsed time is measured in seconds for electronic pre-order requests. • Results for CLECs with 5 or fewer transactions will be compared with a benchmark of twice the applicable electronic submeasure to determine compliance. • Elapsed time for fully electronic submeasures will be tracked during scheduled interface availability hours. • Exclude transactions that occur during OSS outages. 		
<i>Notes</i>	<ul style="list-style-type: none"> • Sprint defines Simple CSR queries as a query on an account that has 4 or fewer lines. • Implementation of systems to comply with Federal National Portability requirements will prevent the capability to query by NPA/NNX in 2002 to obtain Service Availability information as an independent query. Service Availability information is available in Address Verification/Dispatch Required and Customer Service Record queries. • Submeasure Facility Availability provides switch verification information and Loop Pre-Qualification provides outside plant loop facility information. • The benchmark for Service Appointment Scheduling is To Be Determined (TBD) because Sprint implemented a new process for this disaggregation in 2002. After 12 consecutive months of historical data is collected, Sprint will re-evaluate the benchmark. • There is insufficient historical data to develop a valid benchmark for To Be Determined (TBD) disaggregation levels. 		

Sprint Performance Measurement Plan

Ordering

Measure 2

Title: Average FOC Notice Interval

Area	Requirement Description		
Description	Measures the average time from receipt of a valid service request to returning a Firm Order Confirmation (FOC).		
Method of Calculation	All Electronic: Sum ((Date and Time of FOC) - (Business Date and Time of Receipt of Valid Service Request)) / (Number of FOCs Sent in Reporting Period) Electronic/Manual Mix: Sum ((FOC Date and Time) - (Receipt Date and Time of receipt of error free order)) / (Number of FOCs sent.)		
Report Period	Monthly		
Report Structure	Individual CLECs, CLECs in the aggregate, by ILEC (if analog applies) and ILEC affiliates.		
Reported By	<ul style="list-style-type: none"> • Electronically received/electronically handled • Electronically received and manually handled • By Service Group Type 		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level RESALE	CLEC	Comparison Standard
			Parity Benchmark
	Blind FOC		
	Res POTS All Electronic Electronic/Manual Mix	Res POTS	15 mins 4 hrs
	Bus POTS All Electronic Electronic/Manual Mix	Bus POTS	15 mins 6 hrs
	ISDN BRI All Electronic Electronic/Manual Mix	ISDN BRI	15 mins Diagnostic Only 6 hrs
	CENTREX All Electronic Electronic/Manual Mix	CENTREX	15 mins Diagnostic Only 13 hrs.
	PBX All Electronic Electronic/Manual Mix	PBX	15 mins Diagnostic Only 13 hrs.
	Intelligent FOC		
	DDS All Electronic Electronic/Manual Mix	DDS	TBD 36 business hrs
	DS1/ISDN PRI All Electronic Electronic/Manual Mix	DS1/ISDN PRI	TBD 36 business hrs
	DS3 All Electronic Electronic/Manual Mix	DS3	TBD 36 business hrs
	VGPL/DS0 All Electronic Electronic/Manual Mix	VGPL/DS0	TBD 36 business hrs
	UNBUNDLED NETWORK		

Sprint Performance Measurement Plan

ELEMENTS			
Blind FOC			
UNE Loops Non-Designed All Electronic Electronic/Manual Mix	UNE Loops Non-Designed		15 mins 6 hrs
UNE Loops xDSL Provisioned All Electronic Electronic/Manual Mix	UNE Loops xDSL Provisioned		15 mins 6 hrs
UNE Subloops - Voice Grade All Electronic Electronic/Manual Mix	UNE Subloops - Voice Grade		15 mins Diagnostic Only 6 hrs
UNE Subloops - Data All Electronic Electronic/Manual Mix	UNE Subloops - Data		15 mins Diagnostic Only 13 hrs
UNE Ports Non - Designed All Electronic Electronic/Manual Mix	UNE Ports Non- Designed		15 mins Diagnostic Only 6 hrs
UNE Platform All Electronic Electronic/Manual Mix	UNE Platform		15 mins 6 hrs
Line Sharing All Electronic Electronic/Manual Mix	Line Sharing		15 mins Diagnostic Only 6 hrs
LNP All Electronic Electronic/Manual Mix	LNP		15 mins 6 hrs
Intelligent FOC			
UNE Loops Designed All Electronic Electronic/Manual Mix	UNE Loops Designed		TBD 36 business hrs
UNE Ports Designed All Electronic Electronic/Manual Mix	UNE Ports Designed		TBD 36 business hrs
Dark Fiber All Electronic Electronic/Manual Mix	Dark Fiber		TBD 36 business hrs
EELS All Electronic Electronic/Manual Mix	EELS		TBD 36 business hrs
UNE Dedicated Transport			
UNE DS1/ISDN PRI All Electronic Electronic/Manual Mix	UNE DS1/ISDN PRI		TBD 36 business hrs
UNE DS3 All Electronic Electronic/Manual Mix	UNE DS3		TBD 36 business hrs
Interconnection Trunks All Electronic Electronic/Manual Mix	Interconnection Trunks		TBD 7 business days
PROJECTS:			
Projects All Electronic Electronic/Manual Mix	Projects		TBD Diagnostic Only
Business Rules	<ul style="list-style-type: none"> • Elapsed time calculated in business hours and excludes non-business days and ILEC published holidays. • The start time of requests received after the end of the business day 		

Sprint Performance Measurement Plan

	<p>will be the beginning of the next business day. Business day is defined as published hours of operation for the ILEC ordering center.</p> <ul style="list-style-type: none"> • Excludes Loop Pre-Qualification queries that are processed as LSRs. • Manually received and handled FOCs not included. • Denominator includes all FOCs sent regardless of receipt and response time. • CLEC to CLEC conversions are not included in the elapsed time of FOC response for LNP Service Group Type.
<i>Notes</i>	<ul style="list-style-type: none"> • Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type. • IFOC disaggregation levels are To Be Determined (TBD) because "All Electronic" processing is not available.

Sprint Performance Measurement Plan

Ordering

Measure 3

Title: Average Reject Notice Interval

Area	Requirement Description																
Description	Reject interval is the elapsed time between the ILEC receipt of an order from the CLEC to the ILEC return of a notice of a rejection to the CLEC.																
Method of Calculation	<p>All Electronic ((Business Date and Time of ILEC Transmission of Order Rejection) - (Business Date and Time of Order Receipt)) / (# of Mechanized Orders Rejected)</p> <p>Electronic/Manual Mix ((Business Date and Time of ILEC transmission of Order Rejection) - (Business Date and Time of Order Receipt)) / (# of Electronic/Manual Orders Rejected).</p>																
Report Period	Monthly																
Report Structure	Individual CLEC, CLECs in the aggregate, and ILEC Affiliates																
Reported By	<ul style="list-style-type: none"> • Electronically received, electronically handled <ul style="list-style-type: none"> • All interfaces • Syntax (edit engine) and content errors (other edits) • Resale orders and Facility based UNE orders • Electronically received, manually handled <ul style="list-style-type: none"> • All interfaces • Syntax (edit engine) and content errors (other edits) • Resale orders and Facility based UNE orders 																
Geographic Level	Statewide																
Measurable Standards	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <td></td> <td></td> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>All Electronic</td> <td>Reject Notice</td> <td></td> <td>TBD</td> </tr> <tr> <td>Electronic/Manual Mix</td> <td>Reject Notice</td> <td></td> <td>6 hrs</td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard				Parity	Benchmark	All Electronic	Reject Notice		TBD	Electronic/Manual Mix	Reject Notice		6 hrs
Disaggregation Level	CLEC	Comparison Standard															
		Parity	Benchmark														
All Electronic	Reject Notice		TBD														
Electronic/Manual Mix	Reject Notice		6 hrs														
Business Rules	<ul style="list-style-type: none"> • Elapsed time calculated in business hours. Excludes non-business days and ILEC published holidays. • Calculation of requests received after the end of the business day starts at the beginning of the next business day. Business day is defined as published hours of operation for the ILEC ordering center • Exclude rejects when the PON is received after business hours and processed prior to the beginning of the next business day. • Exclude Loop Pre-Qualification queries created as service orders. 																
Notes	<ul style="list-style-type: none"> • None at this time. 																

Sprint Performance Measurement Plan

Ordering

Measure 4

Title: Percent of Flow-Through Orders

Area	Requirement Description			
Description	Measures the percentage of mechanized service orders processed on a flow through basis. The definition of Flow-through for the intent of this measure is to reflect those orders that are able to get to the Firm Order Confirmation status without manual intervention.			
Method of Calculation	[(Number of valid electronically received orders that flow-through without manual intervention) / (Total valid electronically received service orders)] x 100			
Report Period	Monthly			
Report Structure	Individual CLECs, CLECs in the aggregate, and ILEC Affiliates			
Reported By	<ul style="list-style-type: none"> • Orders that flow through as a percentage of <ol style="list-style-type: none"> 1) All electronically received orders programmed to flow-through 2) All electronically received orders • By Service Group Types 			
Geographic Level	Statewide			
Measurable Standards	The process to evaluate performance on this measure is under development. Issues, if any, are not yet finally defined. Final resolution depends on completed development of an agreed to Flow-Through Plan.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS		Diagnostic Only
	Bus POTS	Bus POTS		Diagnostic Only
	ISDN BRI	ISDN BRI		Diagnostic Only
	CENTREX	CENTREX		Diagnostic Only
	PBX	PBX		Diagnostic Only
	DDS	DDS		Diagnostic Only
	DS1/ISDN PRI	DS1/ISDN PRI		Diagnostic Only
	DS3	DS3		Diagnostic Only
	VGPL/DS0	VGPL/DS0		Diagnostic Only
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops - Non-Designed		Diagnostic Only
	UNE Loops Designed	UNE Loops Designed		Diagnostic Only
	UNE Loops xDSL Provisioned	UNE Loops xDSL Provisioned		Diagnostic Only
	Line Sharing	Line Sharing		Diagnostic Only
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade		Diagnostic Only
	UNE Subloops - Data	UNE Subloops - Data		Diagnostic Only
	Dark Fiber	Dark Fiber		Diagnostic Only
	UNE Ports	UNE Ports		Diagnostic Only
	EELS	EELS		Diagnostic Only
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI		Diagnostic Only
	UNE DS3	UNE DS3		Diagnostic Only
	UNE Platform	UNE Platform		Diagnostic Only
	LNP	LNP		Diagnostic Only

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 5

Title: Percentage of Orders Jeopardized

Area	Requirement Description			
Description	Percentage of total orders processed for which the ILEC notifies the CLEC that the work will not be completed by the due date committed on the FOC.			
Method of Calculation	$(\text{Number of Orders Jeopardized}) / (\text{Number of Orders Completed}) \times 100$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC and ILEC Affiliates			
Reported By	By service group type			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS	
	Bus POTS	Bus POTS	Bus POTS	
	ISDN BRI	ISDN BRI	ISDN BRI	
	CENTREX	CENTREX	CENTREX	
	PBX	PBX	PBX	
	DDS	DDS	DDS	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
	DS3	DS3	DS3	
	VGPL/DS0	VGPL/DS0	VGPL/DS0	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL	
	Line Sharing	Line Sharing	Retail xDSL	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
	Dark Fiber	Dark Fiber	DS3	
	UNE Port	UNE Port	DS1/ISDN PRI	
	EELS	EELS	DS3, DS1/ISDN PRI, VGPL/ DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX	
Business Rules	<ul style="list-style-type: none"> • Excludes delays for customer reasons. • Excludes Loop Pre-Qualification queries. 			

Sprint Performance Measurement Plan

Notes

- None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 6

Title: Average Jeopardy Notice Interval

Area	Requirement Description		
Description	Measures the remaining time between the pre-existing committed order completion date and time (communicated via the FOC) and the date and time the ILEC issues a notice to the CLEC indicating an order is in jeopardy of missing the due date (or the due date/time has been missed).		
Method of Calculation	<p>Assignment: Jeopardies identified during assignment ((Date and Time of Committed Due Date for the Order) - (Date and Time of Jeopardy Notice) / (Number of Order Jeopardized))</p> <p>Installation: Jeopardies identified during installation prior to due time ((Date & Time of Committed Due Date for the Order) - (Date & Time of Jeopardy Notice) / (Number of Installation Jeopardy Notices)</p> <p>Notification of Missed Commitments: (Due Date and Time of Missed CommitNotice - Due Date and Time of Order) / (Number of Missed Commit Notices)</p>		
Report Period	Monthly		
Report Structure	Individual CLECs, CLECs in the aggregate, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • By jeopardy type 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
Disaggregation Level	CLEC		
Resale	Comparison Standard		
Parity	Benchmark		
Res POTS	Res POTS	Res POTS	
Bus POTS	Bus POTS	Bus POTS	
ISDN BRI	ISDN BRI	ISDN BRI	
CENTREX	CENTREX	CENTREX	
PBX	PBX	PBX	
DDS	DDS	DDS	
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
DS3	DS3	DS3	
VGPL/DS0	VGPL/DS0	VGPL/DS0	
UNBUNDLED NETWORK ELEMENTS			
UNE Loops			
UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0	
UNE Loops - xDSL	UNE Loops - xDSL	Retail xDSL	
Line Sharing	Line Sharing	Retail xDSL	
UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
Dark Fiber	Dark Fiber	D3	

Sprint Performance Measurement Plan

	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX	
Business Rules	<ul style="list-style-type: none"> • Excludes delays for customer reasons. • Excludes Loop Pre-Qualification queries. 			
Notes	<ul style="list-style-type: none"> • If the ILEC policy changes regarding jeopardy notices to their Retail customers, this measure should be evaluated for analog. • Interval is reported in business days. 			

Sprint Performance Measurement Plan

Provisioning

Measure 7

Title: Average Completed Interval

Area	Requirement Description		
Description	Average business days from receipt of valid, error-free service request to completion date in service order system for new, move, and change orders.		
Method of Calculation	(Total business days from receipt of valid, error-free service request to completion date in service order system for new, move and change orders) / (Total new, move and change orders)		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates		
Reported By	By service group type and field work/no field work where applicable.		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	Projects	Projects Diagnostic Only	Projects Diagnostic Only

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• Excludes customer requested due dates beyond interval offered, and orders delayed for customer reasons.• For UNE Loop services, feature only orders are excluded from the retail analog.• Excludes Loop Pre-Qualification queries• The start time of requests received after the end of the business day will be the beginning of the next business day.• Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type.
<i>Notes</i>	<ul style="list-style-type: none">• None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 8

Title: Percent Completed Within Standard Interval

Area	Requirement Description			
Description	Measures orders completed within the standard interval of receipt of valid, error-free service request.			
Method of Calculation	$\left[\frac{\text{Total New, Move and Change Orders Completed Within the Standard interval of Receipt of Valid, Error-free Service Request}}{\text{Total New, Move and Change Orders}} \right] \times 100$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates			
Reported By	By service group type excluding services with flexible due dates.			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS Diagnostic Only	
	Bus POTS	Bus POTS	Bus POTS Diagnostic Only	
	ISDN BRI	ISDN BRI	ISDN BRI Diagnostic Only	
	CENTREX	CENTREX	CENTREX Diagnostic Only	
	PBX	PBX	PBX Diagnostic Only	
	DDS	DDS	DDS Diagnostic Only	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI Diagnostic Only	
	DS3	DS3	DS3 Diagnostic Only	
	VGPL/DS0	VGPL/DS0	VGPL/DS0 Diagnostic Only	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched Diagnostic Only	
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0 Diagnostic Only	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL Diagnostic Only	
	Line Sharing	Line Sharing	Retail xDSL Diagnostic Only	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched Diagnostic Only	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL Diagnostic Only	
	Dark Fiber	Dark Fiber	DS3 Diagnostic Only	
	UNE Ports	UNE Ports	DS1/ISDN PRI	

Sprint Performance Measurement Plan

	EELS	EELS	Diagnostic Only DS1/ISDN PRI, DS3, VGPL/DS0 Diagnostic Only
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI Diagnostic Only
	UNE DS3	UNE DS3	DS3 Diagnostic Only
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX Diagnostic Only
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks Diagnostic Only
	Projects	Projects Diagnostic Only	Projects Diagnostic Only
Business Rules	<ul style="list-style-type: none"> • Excludes customer requested due dates greater than the standard interval, and orders delayed for customer reasons. • Excludes services with flexible due dates. • For UNE Loop services, feature only orders are excluded from the retail analog. • Excludes Loop Pre-Qualification queries. • Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Provisioning

Measure 9

Title: Coordinated Customer Conversion as a Percentage On-Time

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of coordinated cut overs CHC started on time where CLEC has requested timed coordination. * Note: "On time" means appointment arrival time plus or minus 1 hour. Orders started before appointment arrival time are considered on time if early arrival includes coordination and sign off with the CLEC.		
Method of Calculation	[(Number of coordinated cut overs started on time) / (Count of timed coordinated cut overs completed in reporting period)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, and ILEC Affiliates		
Reported By	Residence, Business, and LNP conversions		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	95% within 1 hour of planned time on due date
	Bus POTS	Bus POTS	95% within 1 hour of planned time on due date
	LNP	LNP	95% within 1 hour of planned time on due date
Business Rules			
Notes			

Sprint Performance Measurement Plan

Provisioning

Measure 11

Title: Percent of Due Dates Missed

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the percent of new, move and change orders where installation was not completed by the due date.			
Method of Calculation	$\left[\frac{\text{Total Number of Missed Due Dates Due to ILEC Reasons for New, Move and Change Orders}}{\text{Total Number of New, Move and Change Orders}} \right] \times 100$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates			
Reported By	By service group type and Field Work/No Field Work as appropriate			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS	
	Bus POTS	Bus POTS	Bus POTS	
	ISDN BRI	ISDN BRI	ISDN BRI	
	CENTREX	CENTREX	CENTREX	
	PBX	PBX	PBX	
	DDS	DDS	DDS	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
	DS3	DS3	DS3	
	VGPL/DS0	VGPL/DS0	VGPL/DS0	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL	
	Line Sharing	Line Sharing	Retail xDSL	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
	Dark Fiber	Dark Fiber	DS3	
	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX	
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks	
Business Rules	<ul style="list-style-type: none"> Excludes customer requested due dates beyond interval offered, and orders delayed for customer reasons. 			

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• All available due dates are reported, except those missed due to customer reasons.• For UNE Loop services, feature only orders are excluded from the retail analog.• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Missed Appointment Reason codes as diagnostic data upon raw data request.

Sprint Performance Measurement Plan

Provisioning

Measure 12

Title: Percent of Due Dates Missed Due to Lack of Facilities

Area	Requirement Description		
Description	Measures the percent of new, move and change orders missed due to lack of facilities.		
Method of Calculation	Note: Results also included in Measure "Percent Missed Due Dates" $\left[\frac{\text{((Total New, Move and Change Orders Missed Due Dates Due to Lack of Facilities))}}{\text{(Total Number of New, Move and Change Orders)}} \right] \times 100$		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates		
Reported By	By service group type		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Data	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• All available due dates are reported, except those missed due to customer reasons.• Excludes customer requested due dates beyond the interval offered, and orders delayed for customer reasons.• For UNE Loop services, feature only orders are excluded from the retail analog.• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 13

Title: Delay Order Interval to Completion Date (For Lack of Facilities)

Area	Requirement Description		
Description	Measures the average calendar days from due date to completion date on company missed orders due to lack of ILEC facilities.		
Method of Calculation	Sum ((Completion Date for orders missed due to lack of ILEC facilities) - (Committed Order Due Date for orders missed due to lack of ILEC facilities)) / (Number of Orders Missed due to lack of ILEC Facilities in the Reporting Period)		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • Disaggregated by 1-30 calendar days, 31-90 calendar days and >90 calendar days 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level Resale	CLEC	Comparison Standard
			Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops - Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	Subloops - Data	Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex,

Sprint Performance Measurement Plan

	Interconnection Trunks	Interconnection Trunks	PBX ILEC Dedicated Trunks	
<i>Business Rules</i>	• Excludes Loop Pre-Qualification queries.			
<i>Notes</i>	• None at this time.			

Sprint Performance Measurement Plan

Provisioning

Measure 14

Title: Held Order Interval

Area	Requirement Description			
Description	Measures the time period that service orders are not completed by the original due dates for all ILEC reasons (including lack of facilities).			
Method of Calculation	$\frac{((\text{Reporting Period Close Date}) - (\text{Committed Order Due Date}))}{(\text{Number of Orders Pending and Past the Committed Due Date})}$ <p>Note: For all orders pending and past the committed due date.</p>			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates			
Reported By	By service group type			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS	
	Bus POTS	Bus POTS	Bus POTS	
	ISDN BRI	ISDN BRI	ISDN BRI	
	CENTREX	CENTREX	CENTREX	
	PBX	PBX	PBX	
	DDS	DDS	DDS	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
	DS3	DS3	DS3	
	VGPL/DS0	VGPL/DS0	VGPL/DS0	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL	
	Line Sharing	Line Sharing	Retail xDSL	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
	Dark Fiber	Dark Fiber	DS3	
	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Bus. POTS Dispatched	
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks	
Business Rules	<ul style="list-style-type: none"> • Excludes customer caused misses. • Excludes Loop Pre-Qualification queries. 			

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• Interval is measured in business days.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Missed Appointment Reason codes as diagnostic data upon raw data request.• For UNE Loop services, feature only orders are excluded from the retail analog.

Sprint Performance Measurement Plan

Provisioning

Measure 15

Title: Provisioning Trouble Reports Prior to Service Order Completion

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the percent of troubles that are reported (via customer or indirectly by CLEC) that occur during the provisioning process.			
Method of Calculation	$\left[\frac{\text{Total number of trouble reports that occur from the time of service order creation, up to and including the date of service order completion}}{\text{Total Number of service orders completed in reporting period}} \right] \times 100.$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates			
Reported By	<ul style="list-style-type: none"> • By Resale, UNE Loop Non-Designed, UNE Subloops – Voice Grade, and LNP • By Affecting Service and Out of Service 			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	ResPOTS, Bus POTS	Res POTS, Bus POTS	Res POTS, Bus POTS	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	B1 Dispatch Non-Designed	
	UNE Subloops – Voice Grade	UNE Subloops – Voice Grade	B1 Dispatch Non-Designed	
LNP	LNP	LNP		
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles • Excludes Subsequent reports. • Excludes Message Reports (circuit reports for which ILEC has no records). • Excludes ILEC employee generated reports. 			
Notes	<ul style="list-style-type: none"> • None at this time. 			

Sprint Performance Measurement Plan

Provisioning

Measure 17a

Title: Percentage Troubles in 5 Days for New Orders

Area	Requirement Description			
Description	Measures the percent of network customer trouble reports received within 5 calendar days of service order completion.			
Method of Calculation	[(Total Number of Customer Trouble reports received within 5 calendar days of service order completion) / (Total Number of new, move and change completed orders)] x 100			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates			
Reported By	By service group type			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS	
	Bus POTS	Bus POTS	Bus POTS	
	ISDN BRI	ISDN BRI	ISDN BRI	
	CENTREX	CENTREX	CENTREX	
	PBX	PBX	PBX	
	DDS	DDS	DDS	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
	DS3	DS3	DS3	
	VGPL/DS0	VGPL/DS0	VGPL/DS0	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL	
	Line Sharing	Line Sharing	Retail xDSL	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
	Dark Fiber	Dark Fiber	DS3	
	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX	
LNP	LNP	LNP		
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles. • Excludes troubles associated with inside wire. • Excludes Trouble Reports Received on the Due Date (which instead 			

Sprint Performance Measurement Plan

	<p>are reported in Measurement 15).</p> <ul style="list-style-type: none">• Excludes Subsequent reports.• Excludes Message Reports (circuit reports for which ILEC has no records).• Excludes ILEC employee generated reports.• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Provisioning

Measure 18

Title: Average Completion Notice Interval

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the average time per order to issue notification to CLEC of a completed order.			
Method of Calculation	<p>All Electronic: ((Date and Time of Electronic Completion Notification to CLEC) - (Date and Time of Work Completion)) / (Number of Orders Completed Electronically)</p> <p>Electronic/Manual Mix: [((Date and Time of Electronic Completion Notification to CLEC) - (Date and Time of Work Completion)) / (Number of Orders Completed That Required Manual Intervention)] x 100</p>			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, and by ILEC Affiliates			
Reported By	Electronic and Electronic/Manual Mix Interface			
Geographic Level	Statewide			
Measurable Standards	Disaggregation Level		CLEC	Comparison Standard
			Parity	Benchmark
	All Electronic		Completion Notice	20 minutes
	Electronic/Manual Mix		Completion Notice	95% within 24 hrs
Business Rules	<ul style="list-style-type: none"> • 24-hour clock is used to measure interval for electronic/manual process. • For fully electronic completions that occur after 11pm (Eastern), the interval will start at 8am (Eastern) the next business day. • Excludes weekends and ILEC published holidays • Excludes Loop Pre-Qualification queries 			
Notes	<ul style="list-style-type: none"> • Sprint will track fall out rate. 			

Sprint Performance Measurement Plan

Maintenance

Measure 19

Title: Customer Trouble Report Rate

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the total number of network customer trouble reports received within a calendar month per 100 circuits/UNEs.		
Method of Calculation	[(Total Number of Customer initial and repeat network trouble reports) / (Number of access lines/circuits/UNEs in service at the end of the reporting period)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	By service group type		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks	
LNP	LNP	LNP	

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• Excludes CPE and IEC/IXC/CLEC caused troubles• Excludes Subsequent reports.• Excludes Message Reports (circuit reports for which ILEC has no records).• Excludes ILEC employee generated reports.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Maintenance

Measure 20

Title: Percentage of Customer Trouble Not Resolved Within Estimated Time

Area	Requirement Description		
Description	Measures the percent of trouble reports not cleared by the commitment time.		
Method of Calculation	[(Total network trouble reports not cleared by the commitment time for ILEC reasons) / (Total network trouble reports completed)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • By dispatch and no dispatch 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	LNP	LNP	LNP
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles. 		

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• Excludes Subsequent reports.• Excludes Message Reports (circuit reports which ILEC has no records on).• Excludes ILEC employee generated reports.• Excludes customer caused misses.• Includes LNP NXX Code Opening Troubles.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Maintenance

Measure 21

Title: Average Time to Restore

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the average duration of customer trouble reports from the receipt of the customer trouble report to the time the trouble is cleared.		
Method of Calculation	(Total duration of customer network trouble reports) / (Total customer network trouble reports)		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • By dispatch and no dispatch 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/ DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	LNP	LNP	LNP

Sprint Performance Measurement Plan

	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX	
Business Rules	<ul style="list-style-type: none"> • Excludes delays for customer reasons. • Excludes Loop Pre-Qualification queries. 			
Notes	<ul style="list-style-type: none"> • If the ILEC policy changes regarding jeopardy notices to their Retail customers, this measure should be evaluated for analog. • Interval is reported in business days. 			

Sprint Performance Measurement Plan

Provisioning

Measure 7

Title: Average Completed Interval

Area	Requirement Description																																																																																																																
Description	Average business days from receipt of valid, error-free service request to completion date in service order system for new, move, and change orders.																																																																																																																
Method of Calculation	(Total business days from receipt of valid, error-free service request to completion date in service order system for new, move and change orders) / (Total new, move and change orders)																																																																																																																
Report Period	Monthly																																																																																																																
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates																																																																																																																
Reported By	By service group type and field work/no field work where applicable.																																																																																																																
Geographic Level	Statewide																																																																																																																
Measurable Standards	Sprint is required to provide a retail analog for this measurement.																																																																																																																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <th style="text-align: left;">Resale</th> <th></th> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>Res POTS</td> <td>Res POTS</td> <td>Res POTS</td> <td></td> </tr> <tr> <td>Bus POTS</td> <td>Bus POTS</td> <td>Bus POTS</td> <td></td> </tr> <tr> <td>ISDN BRI</td> <td>ISDN BRI</td> <td>ISDN BRI</td> <td></td> </tr> <tr> <td>CENTREX</td> <td>CENTREX</td> <td>CENTREX</td> <td></td> </tr> <tr> <td>PBX</td> <td>PBX</td> <td>PBX</td> <td></td> </tr> <tr> <td>DDS</td> <td>DDS</td> <td>DDS</td> <td></td> </tr> <tr> <td>DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>DS3</td> <td>DS3</td> <td>DS3</td> <td></td> </tr> <tr> <td>VGPL/DS0</td> <td>VGPL/DS0</td> <td>VGPL/DS0</td> <td></td> </tr> <tr> <td colspan="4">UNBUNDLED NETWORK ELEMENTS</td> </tr> <tr> <td colspan="4">UNE Loops</td> </tr> <tr> <td>UNE Loops Non-Designed</td> <td>UNE Loops Non-Designed</td> <td>Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td>UNE Loops Designed</td> <td>UNE Loops Designed</td> <td>DDS, VGPL/DS0</td> <td></td> </tr> <tr> <td>UNE Loops - xDSL Provisioned</td> <td>UNE Loops - xDSL Provisioned</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>Line Sharing</td> <td>Line Sharing</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>UNE Subloops - Voice Grade</td> <td>UNE Subloops - Voice Grade</td> <td>Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td>UNE Subloops - Data</td> <td>UNE Subloops - Data</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>Dark Fiber</td> <td>Dark Fiber</td> <td>DS3</td> <td></td> </tr> <tr> <td>UNE Ports</td> <td>UNE Ports</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>EELS</td> <td>EELS</td> <td>DS1/ISDN PRI, DS3, VGPL/DS0</td> <td></td> </tr> <tr> <td colspan="4">UNE Dedicated Transport</td> </tr> <tr> <td>UNE DS1/ISDN PRI</td> <td>UNE DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>UNE DS3</td> <td>UNE DS3</td> <td>DS3</td> <td></td> </tr> <tr> <td>UNE Platform</td> <td>UNE Platform</td> <td>Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX</td> <td></td> </tr> <tr> <td>Interconnection Trunks</td> <td>Interconnection Trunks</td> <td>ILEC Dedicated Trunks</td> <td></td> </tr> <tr> <td>Projects</td> <td>Projects Diagnostic Only</td> <td>Projects Diagnostic Only</td> <td></td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard		Resale		Parity	Benchmark	Res POTS	Res POTS	Res POTS		Bus POTS	Bus POTS	Bus POTS		ISDN BRI	ISDN BRI	ISDN BRI		CENTREX	CENTREX	CENTREX		PBX	PBX	PBX		DDS	DDS	DDS		DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI		DS3	DS3	DS3		VGPL/DS0	VGPL/DS0	VGPL/DS0		UNBUNDLED NETWORK ELEMENTS				UNE Loops				UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched		UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0		UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL		Line Sharing	Line Sharing	Retail xDSL		UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched		UNE Subloops - Data	UNE Subloops - Data	Retail xDSL		Dark Fiber	Dark Fiber	DS3		UNE Ports	UNE Ports	DS1/ISDN PRI		EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0		UNE Dedicated Transport				UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI		UNE DS3	UNE DS3	DS3		UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX		Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks		Projects	Projects Diagnostic Only	Projects Diagnostic Only	
Disaggregation Level	CLEC	Comparison Standard																																																																																																															
Resale		Parity	Benchmark																																																																																																														
Res POTS	Res POTS	Res POTS																																																																																																															
Bus POTS	Bus POTS	Bus POTS																																																																																																															
ISDN BRI	ISDN BRI	ISDN BRI																																																																																																															
CENTREX	CENTREX	CENTREX																																																																																																															
PBX	PBX	PBX																																																																																																															
DDS	DDS	DDS																																																																																																															
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI																																																																																																															
DS3	DS3	DS3																																																																																																															
VGPL/DS0	VGPL/DS0	VGPL/DS0																																																																																																															
UNBUNDLED NETWORK ELEMENTS																																																																																																																	
UNE Loops																																																																																																																	
UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched																																																																																																															
UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0																																																																																																															
UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL																																																																																																															
Line Sharing	Line Sharing	Retail xDSL																																																																																																															
UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched																																																																																																															
UNE Subloops - Data	UNE Subloops - Data	Retail xDSL																																																																																																															
Dark Fiber	Dark Fiber	DS3																																																																																																															
UNE Ports	UNE Ports	DS1/ISDN PRI																																																																																																															
EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0																																																																																																															
UNE Dedicated Transport																																																																																																																	
UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI																																																																																																															
UNE DS3	UNE DS3	DS3																																																																																																															
UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX																																																																																																															
Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks																																																																																																															
Projects	Projects Diagnostic Only	Projects Diagnostic Only																																																																																																															

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none"> • Excludes customer requested due dates beyond interval offered, and orders delayed for customer reasons. • For UNE Loop services, feature only orders are excluded from the retail analog. • Excludes Loop Pre-Qualification queries • The start time of requests received after the end of the business day will be the beginning of the next business day. • Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type.
<i>Notes</i>	<ul style="list-style-type: none"> • None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 8

Title: Percent Completed Within Standard Interval

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures orders completed within the standard interval of receipt of valid, error-free service request.		
Method of Calculation	[(Total New, Move and Change Orders Completed Within the Standard interval of Receipt of Valid, Error-free Service Request) / (Total New, Move and Change Orders)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates		
Reported By	By service group type excluding services with flexible due dates.		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS Diagnostic Only
	Bus POTS	Bus POTS	Bus POTS Diagnostic Only
	ISDN BRI	ISDN BRI	ISDN BRI Diagnostic Only
	CENTREX	CENTREX	CENTREX Diagnostic Only
	PBX	PBX	PBX Diagnostic Only
	DDS	DDS	DDS Diagnostic Only
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI Diagnostic Only
	DS3	DS3	DS3 Diagnostic Only
	VGPL/DS0	VGPL/DS0	VGPL/DS0 Diagnostic Only
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched Diagnostic Only
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0 Diagnostic Only
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL Diagnostic Only
	Line Sharing	Line Sharing	Retail xDSL Diagnostic Only
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched Diagnostic Only
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL Diagnostic Only
	Dark Fiber	Dark Fiber	DS3 Diagnostic Only
	UNE Ports	UNE Ports	DS1/ISDN PRI

Sprint Performance Measurement Plan

		Diagnostic Only	
BELS	BELS	DS1/ISDN PRI, DS3, VGPL/DS0 Diagnostic Only	
UNE Dedicated Transport			
UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI Diagnostic Only	
UNE DS3	UNE DS3	DS3 Diagnostic Only	
UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX Diagnostic Only	
Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks Diagnostic Only	
Projects	Projects Diagnostic Only	Projects Diagnostic Only	
Business Rules	<ul style="list-style-type: none"> • Excludes customer requested due dates greater than the standard interval, and orders delayed for customer reasons. • Excludes services with flexible due dates. • For UNE Loop services, feature only orders are excluded from the retail analog. • Excludes Loop Pre-Qualification queries. • Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Provisioning

Measure 9

Title: Coordinated Customer Conversion as a Percentage On-Time

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the percentage of coordinated cut overs CHC started on time where CLEC has requested timed coordination. * Note: "On time" means appointment arrival time plus or minus 1 hour. Orders started before appointment arrival time are considered on time if early arrival includes coordination and sign off with the CLEC.			
Method of Calculation	$\left[\frac{\text{Number of coordinated cut overs started on time}}{\text{Count of timed coordinated cut overs completed in reporting period}} \right] \times 100$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, and ILEC Affiliates			
Reported By	Residence, Business, and LNP conversions			
Geographic Level	Statewide			
Measurable Standards				
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS		95% within 1 hour of planned time on due date
	Bus POTS	Bus POTS		95% within 1 hour of planned time on due date
	LNP	LNP		95% within 1 hour of planned time on due date
Business Rules	<ul style="list-style-type: none"> • Excludes CLEC caused misses. • Excludes Loop Pre-Qualification queries. • Applies to CLEC requested coordinated cut overs only. 			
Notes	<ul style="list-style-type: none"> • None at this time. 			

Sprint Performance Measurement Plan

Provisioning

Measure 11

Title: Percent of Due Dates Missed

<i>Area</i>	<i>Requirement Description</i>																																																																																																												
Description	Measures the percent of new, move and change orders where installation was not completed by the due date.																																																																																																												
Method of Calculation	$[(\text{Total Number of Missed Due Dates Due to ILEC Reasons for New, Move and Change Orders}) / (\text{Total Number of New, Move and Change Orders})] \times 100$																																																																																																												
Report Period	Monthly																																																																																																												
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates																																																																																																												
Reported By	By service group type and Field Work/No Field Work as appropriate																																																																																																												
Geographic Level	Statewide																																																																																																												
Measurable Standards	<p>Sprint is required to provide a retail analog for this measurement.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <th style="text-align: left;">Resale</th> <th></th> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr><td>Res POTS</td><td>Res POTS</td><td>Res POTS</td><td></td></tr> <tr><td>Bus POTS</td><td>Bus POTS</td><td>Bus POTS</td><td></td></tr> <tr><td>ISDN BRI</td><td>ISDN BRI</td><td>ISDN BRI</td><td></td></tr> <tr><td>CENTREX</td><td>CENTREX</td><td>CENTREX</td><td></td></tr> <tr><td>PBX</td><td>PBX</td><td>PBX</td><td></td></tr> <tr><td>DDS</td><td>DDS</td><td>DDS</td><td></td></tr> <tr><td>DS1/ISDN PRI</td><td>DS1/ISDN PRI</td><td>DS1/ISDN PRI</td><td></td></tr> <tr><td>DS3</td><td>DS3</td><td>DS3</td><td></td></tr> <tr><td>VGPL/DS0</td><td>VGPL/DS0</td><td>VGPL/DS0</td><td></td></tr> <tr><td colspan="4">UNBUNDLED NETWORK ELEMENTS</td></tr> <tr><td colspan="4">UNE Loops</td></tr> <tr><td>UNE Loops Non-Designed</td><td>UNE Loops Non-Designed</td><td>Bus. POTS Dispatched</td><td></td></tr> <tr><td>UNE Loops Designed</td><td>UNE Loops Designed</td><td>DDS and VGPL/DS0</td><td></td></tr> <tr><td>UNE Loops - xDSL Provisioned</td><td>UNE Loops - xDSL Provisioned</td><td>Retail xDSL</td><td></td></tr> <tr><td>Line Sharing</td><td>Line Sharing</td><td>Retail xDSL</td><td></td></tr> <tr><td>UNE Subloops - Voice Grade</td><td>UNE Subloops - Voice Grade</td><td>Bus. POTS Dispatched</td><td></td></tr> <tr><td>UNE Subloops - Data</td><td>UNE Subloops - Data</td><td>Retail xDSL</td><td></td></tr> <tr><td>Dark Fiber</td><td>Dark Fiber</td><td>DS3</td><td></td></tr> <tr><td>UNE Ports</td><td>UNE Ports</td><td>DS1/ISDN PRI</td><td></td></tr> <tr><td>EELS</td><td>EELS</td><td>DS1/ISDN PRI, DS3, VGPL/DS0</td><td></td></tr> <tr><td colspan="4">UNE Dedicated Transport</td></tr> <tr><td>UNE DS1/ISDN PRI</td><td>UNE DS1/ISDN PRI</td><td>DS1/ISDN PRI</td><td></td></tr> <tr><td>UNE DS3</td><td>UNE DS3</td><td>DS3</td><td></td></tr> <tr><td>UNE Platform</td><td>UNE Platform</td><td>Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX</td><td></td></tr> <tr><td>Interconnection Trunks</td><td>Interconnection Trunks</td><td>ILEC Dedicated Trunks</td><td></td></tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard		Resale		Parity	Benchmark	Res POTS	Res POTS	Res POTS		Bus POTS	Bus POTS	Bus POTS		ISDN BRI	ISDN BRI	ISDN BRI		CENTREX	CENTREX	CENTREX		PBX	PBX	PBX		DDS	DDS	DDS		DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI		DS3	DS3	DS3		VGPL/DS0	VGPL/DS0	VGPL/DS0		UNBUNDLED NETWORK ELEMENTS				UNE Loops				UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched		UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0		UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL		Line Sharing	Line Sharing	Retail xDSL		UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched		UNE Subloops - Data	UNE Subloops - Data	Retail xDSL		Dark Fiber	Dark Fiber	DS3		UNE Ports	UNE Ports	DS1/ISDN PRI		EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0		UNE Dedicated Transport				UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI		UNE DS3	UNE DS3	DS3		UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX		Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks	
Disaggregation Level	CLEC	Comparison Standard																																																																																																											
Resale		Parity	Benchmark																																																																																																										
Res POTS	Res POTS	Res POTS																																																																																																											
Bus POTS	Bus POTS	Bus POTS																																																																																																											
ISDN BRI	ISDN BRI	ISDN BRI																																																																																																											
CENTREX	CENTREX	CENTREX																																																																																																											
PBX	PBX	PBX																																																																																																											
DDS	DDS	DDS																																																																																																											
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI																																																																																																											
DS3	DS3	DS3																																																																																																											
VGPL/DS0	VGPL/DS0	VGPL/DS0																																																																																																											
UNBUNDLED NETWORK ELEMENTS																																																																																																													
UNE Loops																																																																																																													
UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched																																																																																																											
UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0																																																																																																											
UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL																																																																																																											
Line Sharing	Line Sharing	Retail xDSL																																																																																																											
UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched																																																																																																											
UNE Subloops - Data	UNE Subloops - Data	Retail xDSL																																																																																																											
Dark Fiber	Dark Fiber	DS3																																																																																																											
UNE Ports	UNE Ports	DS1/ISDN PRI																																																																																																											
EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0																																																																																																											
UNE Dedicated Transport																																																																																																													
UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI																																																																																																											
UNE DS3	UNE DS3	DS3																																																																																																											
UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX																																																																																																											
Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks																																																																																																											
Business Rules	<ul style="list-style-type: none"> Excludes customer requested due dates beyond interval offered, and orders delayed for customer reasons. 																																																																																																												

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• All available due dates are reported, except those missed due to customer reasons.• For UNE Loop services, feature only orders are excluded from the retail analog.• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Missed Appointment Reason codes as diagnostic data upon raw data request.

Sprint Performance Measurement Plan

Provisioning

Measure 12

Title: Percent of Due Dates Missed Due to Lack of Facilities

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percent of new, move and change orders missed due to lack of facilities. Note: Results also included in Measure "Percent Missed Due Dates"		
Method of Calculation	[[(Total New, Move and Change Orders Missed Due Dates Due to Lack of Facilities) / (Total Number of New, Move and Change Orders)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates		
Reported By	By service group type		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS, VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Data	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks

Sprint Performance Measurement Plan

Business Rules	<ul style="list-style-type: none">• All available due dates are reported, except those missed due to customer reasons.• Excludes customer requested due dates beyond the interval offered, and orders delayed for customer reasons.• For UNE Loop services, feature only orders are excluded from the retail analog.• Excludes Loop Pre-Qualification queries.
Notes	<ul style="list-style-type: none">• None at this time.

Sprint Performance Measurement Plan

Provisioning

Measure 13

Title: Delay Order Interval to Completion Date (For Lack of Facilities)

Area	Requirement Description																																																																																																								
Description	Measures the average calendar days from due date to completion date on company missed orders due to lack of ILEC facilities.																																																																																																								
Method of Calculation	Sum ((Completion Date for orders missed due to lack of ILEC facilities) – (Committed Order Due Date for orders missed due to lack of ILEC facilities)) / (Number of Orders Missed due to lack of ILEC Facilities in the Reporting Period)																																																																																																								
Report Period	Monthly																																																																																																								
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates																																																																																																								
Reported By	<ul style="list-style-type: none"> • By service group type • Disaggregated by 1-30 calendar days, 31-90 calendar days and >90 calendar days 																																																																																																								
Geographic Level	Statewide																																																																																																								
Measurable Standards	Sprint is required to provide a retail analog for this measurement.																																																																																																								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Disaggregation Level Resale</th> <th style="text-align: center;">CLEC</th> <th style="text-align: center;">Comparison Standard</th> <th style="text-align: center;">Benchmark</th> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">Parity</td> <td></td> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Res POTS</td> <td style="text-align: center;">Res POTS</td> <td style="text-align: center;">Res POTS</td> <td></td> </tr> <tr> <td style="text-align: center;">Bus POTS</td> <td style="text-align: center;">Bus POTS</td> <td style="text-align: center;">Bus POTS</td> <td></td> </tr> <tr> <td style="text-align: center;">ISDN BRI</td> <td style="text-align: center;">ISDN BRI</td> <td style="text-align: center;">ISDN BRI</td> <td></td> </tr> <tr> <td style="text-align: center;">CENTREX</td> <td style="text-align: center;">CENTREX</td> <td style="text-align: center;">CENTREX</td> <td></td> </tr> <tr> <td style="text-align: center;">PBX</td> <td style="text-align: center;">PBX</td> <td style="text-align: center;">PBX</td> <td></td> </tr> <tr> <td style="text-align: center;">DDS</td> <td style="text-align: center;">DDS</td> <td style="text-align: center;">DDS</td> <td></td> </tr> <tr> <td style="text-align: center;">DS1/ISDN PRI</td> <td style="text-align: center;">DS1/ISDN PRI</td> <td style="text-align: center;">DS1/ISDN PRI</td> <td></td> </tr> <tr> <td style="text-align: center;">DS3</td> <td style="text-align: center;">DS3</td> <td style="text-align: center;">DS3</td> <td></td> </tr> <tr> <td style="text-align: center;">VGPL/DS0</td> <td style="text-align: center;">VGPL/DS0</td> <td style="text-align: center;">VGPL/DS0</td> <td></td> </tr> <tr> <td colspan="4">UNBUNDLED NETWORK ELEMENTS</td> </tr> <tr> <td colspan="4">UNE Loops</td> </tr> <tr> <td style="text-align: center;">UNE Loops Non-Designed</td> <td style="text-align: center;">UNE Loops - Non-Designed</td> <td style="text-align: center;">Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE Loops Designed</td> <td style="text-align: center;">UNE Loops Designed</td> <td style="text-align: center;">DDS and VGPL/DS0</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE Loops - xDSL Provisioned</td> <td style="text-align: center;">UNE Loops - xDSL Provisioned</td> <td style="text-align: center;">Retail xDSL</td> <td></td> </tr> <tr> <td style="text-align: center;">Line Sharing</td> <td style="text-align: center;">Line Sharing</td> <td style="text-align: center;">Retail xDSL</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE Subloops – Voice Grade</td> <td style="text-align: center;">UNE Subloops – Voice Grade</td> <td style="text-align: center;">Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td style="text-align: center;">Subloops – Data</td> <td style="text-align: center;">Subloops – Data</td> <td style="text-align: center;">Retail xDSL</td> <td></td> </tr> <tr> <td style="text-align: center;">Dark Fiber</td> <td style="text-align: center;">Dark Fiber</td> <td style="text-align: center;">DS3</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE Ports</td> <td style="text-align: center;">UNE Ports</td> <td style="text-align: center;">DS1/ISDN PRI</td> <td></td> </tr> <tr> <td style="text-align: center;">EELS</td> <td style="text-align: center;">EELS</td> <td style="text-align: center;">DS1/ISDN PRI, DS3, VGPL/DS0</td> <td></td> </tr> <tr> <td colspan="4">UNE Dedicated Transport</td> </tr> <tr> <td style="text-align: center;">UNE DS1/ISDN PRI</td> <td style="text-align: center;">UNE DS1/ISDN PRI</td> <td style="text-align: center;">DS1/ISDN PRI</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE DS3</td> <td style="text-align: center;">UNE DS3</td> <td style="text-align: center;">DS3</td> <td></td> </tr> <tr> <td style="text-align: center;">UNE Platform</td> <td style="text-align: center;">UNE Platform</td> <td style="text-align: center;">Res. POTS, Bus. POTS, ISDN BRI, Centrex,</td> <td></td> </tr> </tbody> </table>	Disaggregation Level Resale	CLEC	Comparison Standard	Benchmark			Parity		Res POTS	Res POTS	Res POTS		Bus POTS	Bus POTS	Bus POTS		ISDN BRI	ISDN BRI	ISDN BRI		CENTREX	CENTREX	CENTREX		PBX	PBX	PBX		DDS	DDS	DDS		DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI		DS3	DS3	DS3		VGPL/DS0	VGPL/DS0	VGPL/DS0		UNBUNDLED NETWORK ELEMENTS				UNE Loops				UNE Loops Non-Designed	UNE Loops - Non-Designed	Bus. POTS Dispatched		UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0		UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL		Line Sharing	Line Sharing	Retail xDSL		UNE Subloops – Voice Grade	UNE Subloops – Voice Grade	Bus. POTS Dispatched		Subloops – Data	Subloops – Data	Retail xDSL		Dark Fiber	Dark Fiber	DS3		UNE Ports	UNE Ports	DS1/ISDN PRI		EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0		UNE Dedicated Transport				UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI		UNE DS3	UNE DS3	DS3		UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex,	
Disaggregation Level Resale	CLEC	Comparison Standard	Benchmark																																																																																																						
		Parity																																																																																																							
Res POTS	Res POTS	Res POTS																																																																																																							
Bus POTS	Bus POTS	Bus POTS																																																																																																							
ISDN BRI	ISDN BRI	ISDN BRI																																																																																																							
CENTREX	CENTREX	CENTREX																																																																																																							
PBX	PBX	PBX																																																																																																							
DDS	DDS	DDS																																																																																																							
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI																																																																																																							
DS3	DS3	DS3																																																																																																							
VGPL/DS0	VGPL/DS0	VGPL/DS0																																																																																																							
UNBUNDLED NETWORK ELEMENTS																																																																																																									
UNE Loops																																																																																																									
UNE Loops Non-Designed	UNE Loops - Non-Designed	Bus. POTS Dispatched																																																																																																							
UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0																																																																																																							
UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL																																																																																																							
Line Sharing	Line Sharing	Retail xDSL																																																																																																							
UNE Subloops – Voice Grade	UNE Subloops – Voice Grade	Bus. POTS Dispatched																																																																																																							
Subloops – Data	Subloops – Data	Retail xDSL																																																																																																							
Dark Fiber	Dark Fiber	DS3																																																																																																							
UNE Ports	UNE Ports	DS1/ISDN PRI																																																																																																							
EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0																																																																																																							
UNE Dedicated Transport																																																																																																									
UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI																																																																																																							
UNE DS3	UNE DS3	DS3																																																																																																							
UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex,																																																																																																							

Sprint Performance Measurement Plan

	Interconnection Trunks	Interconnection Trunks	PBX ILEC Dedicated Trunks
Business Rules	<ul style="list-style-type: none"> • Excludes Loop Pre-Qualification queries. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Provisioning

Measure 14

Title: Held Order Interval

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the time period that service orders are not completed by the original due dates for all ILEC reasons (including lack of facilities).			
Method of Calculation	$\frac{((\text{Reporting Period Close Date}) - (\text{Committed Order Due Date}))}{(\text{Number of Orders Pending and Past the Committed Due Date})}$ <p>Note: For all orders pending and past the committed due date.</p>			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC, and ILEC Affiliates			
Reported By	By service group type			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	Res POTS	Res POTS	Res POTS	
	Bus POTS	Bus POTS	Bus POTS	
	ISDN BRI	ISDN BRI	ISDN BRI	
	CENTREX	CENTREX	CENTREX	
	PBX	PBX	PBX	
	DDS	DDS	DDS	
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI	
	DS3	DS3	DS3	
	VGPL/DS0	VGPL/DS0	VGPL/DS0	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0	
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL	
	Line Sharing	Line Sharing	Retail xDSL	
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL	
	Dark Fiber	Dark Fiber	DS3	
	UNE Ports	UNE Ports	DS1/ISDN PRI	
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0	
	UNE Dedicated Transport			
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI	
	UNE DS3	UNE DS3	DS3	
	UNE Platform	UNE Platform	Bus. POTS Dispatched	
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks	
Business Rules	<ul style="list-style-type: none"> Excludes customer caused misses. Excludes Loop Pre-Qualification queries. 			

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• Interval is measured in business days.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Missed Appointment Reason codes as diagnostic data upon raw data request.• For UNE Loop services, feature only orders are excluded from the retail analog.

Sprint Performance Measurement Plan

Provisioning

Measure 15

Title: Provisioning Trouble Reports Prior to Service Order Completion

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the percent of troubles that are reported (via customer or indirectly by CLEC) that occur during the provisioning process.			
Method of Calculation	[(Total number of trouble reports that occur from the time of service order creation, up to and including the date of service order completion) / (Total Number of service orders completed in reporting period)] x 100.			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates			
Reported By	<ul style="list-style-type: none"> By Resale, UNE Loop Non-Designed, UNE Subloops – Voice Grade, and LNP By Affecting Service and Out of Service 			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	Resale		Parity	Benchmark
	ResPOTS, Bus POTS	Res POTS, Bus POTS	Res POTS, Bus POTS	
	UNBUNDLED NETWORK ELEMENTS			
	UNE Loops			
	UNE Loops Non-Designed	UNE Loops Non-Designed	B1 Dispatch Non-Designed	
UNE Subloops – Voice Grade	UNE Subloops – Voice Grade	B1 Dispatch Non-Designed		
LNP	LNP	LNP		
Business Rules	<ul style="list-style-type: none"> Excludes CPE and IEC/IXC/CLEC caused troubles Excludes Subsequent reports. Excludes Message Reports (circuit reports for which ILEC has no records). Excludes ILEC employee generated reports. 			
Notes	<ul style="list-style-type: none"> None at this time. 			

Sprint Performance Measurement Plan

Provisioning

Measure 17a

Title: Percentage Troubles in 5 Days for New Orders

Area	Requirement Description		
Description	Measures the percent of network customer trouble reports received within 5 calendar days of service order completion.		
Method of Calculation	[(Total Number of Customer Trouble reports received within 5 calendar days of service order completion) / (Total Number of new, move and change completed orders)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	By service group type		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	LNP	LNP	LNP
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles. • Excludes troubles associated with inside wire. • Excludes Trouble Reports Received on the Due Date (which instead 		

Sprint Performance Measurement Plan

	<p>are reported in Measurement 15).</p> <ul style="list-style-type: none">• Excludes Subsequent reports.• Excludes Message Reports (circuit reports for which ILEC has no records).• Excludes ILEC employee generated reports.• Excludes Loop Pre-Qualification queries.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Provisioning

Measure 18

Title: Average Completion Notice Interval

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the average time per order to issue notification to CLEC of a completed order.		
Method of Calculation	<p>All Electronic: ((Date and Time of Electronic Completion Notification to CLEC) - (Date and Time of Work Completion)) / (Number of Orders Completed Electronically)</p> <p>Electronic/Manual Mix: [((Date and Time of Electronic Completion Notification to CLEC) - (Date and Time of Work Completion)) / (Number of Orders Completed That Required Manual Intervention)] x 100</p>		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, and by ILEC Affiliates		
Reported By	Electronic and Electronic/Manual Mix Interface		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	All Electronic	Completion Notice	20 minutes
	Electronic/Manual Mix	Completion Notice	95% within 24 hrs
Business Rules	<ul style="list-style-type: none"> ● 24-hour clock is used to measure interval for electronic/manual process. ● For fully electronic completions that occur after 11 pm (Eastern), the interval will start at 8am (Eastern) the next business day. ● Excludes weekends and ILEC published holidays ● Excludes Loop Pre-Qualification queries 		
Notes	<ul style="list-style-type: none"> ● Sprint will track fall out rate. 		

Sprint Performance Measurement Plan

Maintenance

Measure 19

Title: Customer Trouble Report Rate

Area	Requirement Description																																																																																																																
Description	Measures the total number of network customer trouble reports received within a calendar month per 100 circuits/UNEs.																																																																																																																
Method of Calculation	$\frac{[(\text{Total Number of Customer initial and repeat network trouble reports}) / (\text{Number of access lines/circuits/UNEs in service at the end of the reporting period})] \times 100}{}$																																																																																																																
Report Period	Monthly																																																																																																																
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates																																																																																																																
Reported By	By service group type																																																																																																																
Geographic Level	Statewide																																																																																																																
Measurable Standards	Sprint is required to provide a retail analog for this measurement.																																																																																																																
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th style="text-align: left;">Comparison Standard</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>Resale</td> <td></td> <td>Parity</td> <td></td> </tr> <tr> <td>Res POTS</td> <td>Res POTS</td> <td>Res POTS</td> <td></td> </tr> <tr> <td>Bus POTS</td> <td>Bus POTS</td> <td>Bus POTS</td> <td></td> </tr> <tr> <td>ISDN BRI</td> <td>ISDN BRI</td> <td>ISDN BRI</td> <td></td> </tr> <tr> <td>CENTREX</td> <td>CENTREX</td> <td>CENTREX</td> <td></td> </tr> <tr> <td>PBX</td> <td>PBX</td> <td>PBX</td> <td></td> </tr> <tr> <td>DDS</td> <td>DDS</td> <td>DDS</td> <td></td> </tr> <tr> <td>DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>DS3</td> <td>DS3</td> <td>DS3</td> <td></td> </tr> <tr> <td>VGPL/DS0</td> <td>VGPL/DS0</td> <td>VGPL/DS0</td> <td></td> </tr> <tr> <td>UNBUNDLED NETWORK ELEMENTS</td> <td></td> <td></td> <td></td> </tr> <tr> <td>UNE Loops</td> <td></td> <td></td> <td></td> </tr> <tr> <td>UNE Loops Non-Designed</td> <td>UNE Loops Non-Designed</td> <td>Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td>UNE Loops Designed</td> <td>UNE Loops Designed</td> <td>DDS and VGPL/DS0</td> <td></td> </tr> <tr> <td>UNE Loops - xDSL Provisioned</td> <td>UNE Loops - xDSL Provisioned</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>Line Sharing</td> <td>Line Sharing</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>UNE Subloops - Voice Grade</td> <td>UNE Subloops - Voice Grade</td> <td>Bus. POTS Dispatched</td> <td></td> </tr> <tr> <td>UNE Subloops - Data</td> <td>UNE Subloops - Data</td> <td>Retail xDSL</td> <td></td> </tr> <tr> <td>Dark Fiber</td> <td>Dark Fiber</td> <td>DS3</td> <td></td> </tr> <tr> <td>UNE Ports</td> <td>UNE Ports</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>EELS</td> <td>EELS</td> <td>DS1/ISDN PRI, DS3, VGPL/DS0</td> <td></td> </tr> <tr> <td>UNE Dedicated Transport</td> <td></td> <td></td> <td></td> </tr> <tr> <td>UNE DS1/ISDN PRI</td> <td>UNE DS1/ISDN PRI</td> <td>DS1/ISDN PRI</td> <td></td> </tr> <tr> <td>UNE DS3</td> <td>UNE DS3</td> <td>DS3</td> <td></td> </tr> <tr> <td>UNE Platform</td> <td>UNE Platform</td> <td>Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX</td> <td></td> </tr> <tr> <td>Interconnection Trunks</td> <td>Interconnection Trunks</td> <td>ILEC Dedicated Trunks</td> <td></td> </tr> <tr> <td>LNP</td> <td>LNP</td> <td>LNP</td> <td></td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard	Benchmark	Resale		Parity		Res POTS	Res POTS	Res POTS		Bus POTS	Bus POTS	Bus POTS		ISDN BRI	ISDN BRI	ISDN BRI		CENTREX	CENTREX	CENTREX		PBX	PBX	PBX		DDS	DDS	DDS		DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI		DS3	DS3	DS3		VGPL/DS0	VGPL/DS0	VGPL/DS0		UNBUNDLED NETWORK ELEMENTS				UNE Loops				UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched		UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0		UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL		Line Sharing	Line Sharing	Retail xDSL		UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched		UNE Subloops - Data	UNE Subloops - Data	Retail xDSL		Dark Fiber	Dark Fiber	DS3		UNE Ports	UNE Ports	DS1/ISDN PRI		EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0		UNE Dedicated Transport				UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI		UNE DS3	UNE DS3	DS3		UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX		Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks		LNP	LNP	LNP	
Disaggregation Level	CLEC	Comparison Standard	Benchmark																																																																																																														
Resale		Parity																																																																																																															
Res POTS	Res POTS	Res POTS																																																																																																															
Bus POTS	Bus POTS	Bus POTS																																																																																																															
ISDN BRI	ISDN BRI	ISDN BRI																																																																																																															
CENTREX	CENTREX	CENTREX																																																																																																															
PBX	PBX	PBX																																																																																																															
DDS	DDS	DDS																																																																																																															
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI																																																																																																															
DS3	DS3	DS3																																																																																																															
VGPL/DS0	VGPL/DS0	VGPL/DS0																																																																																																															
UNBUNDLED NETWORK ELEMENTS																																																																																																																	
UNE Loops																																																																																																																	
UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched																																																																																																															
UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0																																																																																																															
UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL																																																																																																															
Line Sharing	Line Sharing	Retail xDSL																																																																																																															
UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched																																																																																																															
UNE Subloops - Data	UNE Subloops - Data	Retail xDSL																																																																																																															
Dark Fiber	Dark Fiber	DS3																																																																																																															
UNE Ports	UNE Ports	DS1/ISDN PRI																																																																																																															
EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0																																																																																																															
UNE Dedicated Transport																																																																																																																	
UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI																																																																																																															
UNE DS3	UNE DS3	DS3																																																																																																															
UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX																																																																																																															
Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks																																																																																																															
LNP	LNP	LNP																																																																																																															

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• Excludes CPE and IEC/IXC/CLEC caused troubles• Excludes Subsequent reports.• Excludes Message Reports (circuit reports for which ILEC has no records).• Excludes ILEC employee generated reports.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Maintenance

Measure 20

Title: Percentage of Customer Trouble Not Resolved Within Estimated Time

Area	Requirement Description		
Description	Measures the percent of trouble reports not cleared by the commitment time.		
Method of Calculation	[(Total network trouble reports not cleared by the commitment time for ILEC reasons) / (Total network trouble reports completed)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • By dispatch and no dispatch 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	LNP	LNP	LNP
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles. 		

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• Excludes Subsequent reports.• Excludes Message Reports (circuit reports which ILEC has no records on).• Excludes ILEC employee generated reports.• Excludes customer caused misses.• Includes LNP NXX Code Opening Troubles.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Maintenance

Measure 21

Title: Average Time to Restore

Area	Requirement Description		
Description	Measures the average duration of customer trouble reports from the receipt of the customer trouble report to the time the trouble is cleared.		
Method of Calculation	(Total duration of customer network trouble reports) / (Total customer network trouble reports)		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • By service group type • By dispatch and no dispatch 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - XDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/ DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Res. POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	LNP	LNP	LNP

Sprint Performance Measurement Plan

<i>Business Rules</i>	<ul style="list-style-type: none">• Excludes CPE and IEC/IXC/CLEC caused troubles.• Excludes Subsequent reports.• Excludes Message Reports (circuit reports which ILEC has no records on).• Excludes ILEC employee generated reports.• Includes LNP NXX Code Opening troubles.• Elapsed time is measured on a 24-hour-a-day, seven-days-a-week basis.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Maintenance

Measure 22

Title: POTS Out of Service Less Than 24 Hours

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percent of POTS out-of-service trouble reports cleared in less than 24 hours.		
Method of Calculation	$\left[\frac{\text{Total number of out of service network troubles cleared in less than 24 hours}}{\text{Total number of out of service network troubles reported}} \right] \times 100$ <p>Note: For non-designed services only</p>		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	By POTS Residence and Business (Resale), UNE Loops -Non-Designed, and UNE Subloops - Voice Grade		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res. POTS, Bus POTS	Res POTS, Bus POTS	Res POTS, Bus POTS
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched	
UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched	
Business Rules	<ul style="list-style-type: none"> • Residential and Business POTS only. • Excludes no access. • Interval for tickets received Saturday, Sunday or ILEC published holiday begins no later than Monday morning. • Excludes CPE and IEC/IXC/CLEC caused troubles • Excludes Subsequent reports. • Excludes Message Reports (circuit reports for which ILEC has no records). • Excludes ILEC employee generated reports. • Excludes out of service tickets when the customer requests a commitment more than 24 hours from the time the trouble is reported. 		
Notes	<ul style="list-style-type: none"> • Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data. 		

Maintenance

Measure 23

Title: Frequency of Repeat Troubles in 30 Day Period

Sprint Performance Measurement Plan

Area	Requirement Description		
Description	Measures the percent of customer network trouble reports received within 30 calendar days of a previous report.		
Method of Calculation	[(Total customer network trouble reports received within 30 calendar days of a previous customer report) / (Total customer network trouble reports)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, ILEC, and ILEC Affiliates		
Reported By	By service group type		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Res POTS	Res POTS	Res POTS
	Bus POTS	Bus POTS	Bus POTS
	ISDN BRI	ISDN BRI	ISDN BRI
	CENTREX	CENTREX	CENTREX
	PBX	PBX	PBX
	DDS	DDS	DDS
	DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
	DS3	DS3	DS3
	VGPL/DS0	VGPL/DS0	VGPL/DS0
	UNBUNDLED NETWORK ELEMENTS		
	UNE Loops		
	UNE Loops Non-Designed	UNE Loops Non-Designed	Bus. POTS Dispatched
	UNE Loops Designed	UNE Loops Designed	DDS and VGPL/DS0
	UNE Loops - xDSL Provisioned	UNE Loops - xDSL Provisioned	Retail xDSL
	Line Sharing	Line Sharing	Retail xDSL
	UNE Subloops - Voice Grade	UNE Subloops - Voice Grade	Bus. POTS Dispatched
	UNE Subloops - Data	UNE Subloops - Data	Retail xDSL
	Dark Fiber	Dark Fiber	DS3
	UNE Ports	UNE Ports	DS1/ISDN PRI
	EELS	EELS	DS1/ISDN PRI, DS3, VGPL/DS0
	UNE Dedicated Transport		
	UNE DS1/ISDN PRI	UNE DS1/ISDN PRI	DS1/ISDN PRI
	UNE DS3	UNE DS3	DS3
	UNE Platform	UNE Platform	Resl POTS, Bus. POTS, ISDN BRI, Centrex, PBX
	Interconnection Trunks	Interconnection Trunks	ILEC Dedicated Trunks
	LNP	LNP	LNP
Business Rules	<ul style="list-style-type: none"> • Excludes CPE and IEC/IXC/CLEC caused troubles. • Excludes troubles associated with inside wiring. • Excludes Subsequent reports. • Excludes Message Reports. • Excludes ILEC employee generated reports. 		

Sprint Performance Measurement Plan

	<ul style="list-style-type: none">• Includes LNP NXX Code Opening troubles.
<i>Notes</i>	<ul style="list-style-type: none">• Sprint will provide disaggregation by Maintenance Disposition codes as diagnostic data upon a request for raw data.

Sprint Performance Measurement Plan

Network Performance

Measure 24

Title: Percent Blocking on Common Trunks

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the total percentage of blockage across all common and shared transport trunk groups exceeding 1% blockage. Note: Includes list of trunks exceeding 1% benchmark		
Method of Calculation	$\left[\frac{\text{Total blocked calls across all common and shared transport trunk groups}}{\text{Total call attempts count across all common and shared transport trunk groups}} \right] \times 100$		
Report Period	Monthly		
Report Structure	Reported by common/shared transport trunk group		
Reported By	State		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard Parity Benchmark
	State	Common Trunk Group	No more than 1%
Business Rules	<ul style="list-style-type: none"> • Exclude 911 trunks except where ILEC has augmentation control. • Excludes the maintenance window (12am local time to 6am local time. • Internal traffic data collection procedures exclude force majeure (Acts of God, Natural Disasters, etc.) • Measured by: <ul style="list-style-type: none"> - Total trunk groups - Percent Blocking 		
Notes	<ul style="list-style-type: none"> • Common trunk groups provide service to all customers, therefore, there is one result for both CLEC and ILEC. 		

Sprint Performance Measurement Plan

Network Performance

Measure 25

Title: Percent Blocking on Interconnection Trunks

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the total percent of blockage on final dedicated interconnection trunk groups exceeding 1% blockage.		
Method of Calculation	[(Total blocked calls across all final dedicated interconnection trunk groups per CLEC)/(Total call attempts count across all final dedicated interconnection trunk groups per CLEC)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, and ILEC Affiliates		
Reported By	State		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	State	Interconnection Trunks	No more than 1% blockage
Business Rules	<ul style="list-style-type: none"> • Only measured on trunks where ILEC has outgoing traffic to CLECs and where ILEC controls trunk capacity. • Threshold exception trunk detail. • Internal traffic data collection procedures exclude force majeure (Acts of God, Natural Disasters, etc.). • Excludes the maintenance window (12am local time to 6am local time). • Applies to those trunks where the ILEC has augmentation control • Does not apply when trunks are provisioned as two-way trunks. 		
Notes	<ul style="list-style-type: none"> • Measured by: <ul style="list-style-type: none"> - Total trunk groups - Threshold exceptions - ILEC end office to CLEC end office - ILEC tandem to CLEC end office 		

Sprint Performance Measurement Plan

Network Performance

Measure 26

Title: NXX Loaded by LERG Effective Date

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the number of NXXs loaded and tested by the LERG effective date.			
Method of Calculation	$\left[\frac{\text{(Number of NXXs loaded and tested by LERG effective date)}}{\text{(Number of NXXs scheduled to be loaded and tested by LERG effective date)}} \right] \times 100$			
Report Period	Monthly			
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates			
Reported By	Reported for all NXX codes scheduled to be loaded in reporting period			
Geographic Level	Statewide			
Measurable Standards	Sprint is required to provide a retail analog for this measurement.			
	Disaggregation Level	CLEC	Comparison Standard	
	CLLI	CLEC NXXs loaded	Parity ILEC NXXs loaded	Benchmark
Business Rules	<ul style="list-style-type: none"> • Excludes any NXX codes with requested loading interval of less than the industry standard (currently 45 calendar days). • Excludes any NXX code facilities that cannot be completely tested because the CLEC has not provided an accurate test number or because CLEC facilities have not been installed. 			
Notes	<ul style="list-style-type: none"> • NXX loading procedures include central office/tandem translations, verification of translations, call through testing, and AMA testing. 			

Sprint Performance Measurement Plan

Billing

Measure 28

Title: Usage Timeliness

<i>Area</i>	<i>Requirement Description</i>																				
Description	This measure captures the elapsed time between the recording of usage data generated either by CLEC retail customers or access usage associated with CLEC customers and the time when the data set, in a compliant format, is available for transmission to the CLEC.																				
Method of Calculation	$[(\text{Count of all messages available within 5 days}) / (\text{Count of all messages available for transmission in reporting period})] \times 100$																				
Report Period	Monthly																				
Report Structure	Individual CLECs, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates																				
Reported By	<ul style="list-style-type: none"> • Resale • UNE • Jointly provided switched access (associated with meet point billing) 																				
Geographic Level	Statewide																				
Measurable Standards	<p>Sprint is required to provide a retail analog for certain levels of disaggregation for this measurement.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <td></td> <td></td> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>Resale</td> <td>CLEC End user messages</td> <td>Sprint End user messages</td> <td></td> </tr> <tr> <td>UNE – Unbundled Network Element</td> <td>CLEC billing messages</td> <td>Sprint End user messages</td> <td></td> </tr> <tr> <td>Access (Associated with Meet Point Billing Only)</td> <td>CLEC access billing messages</td> <td></td> <td>95% within 5 days</td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard				Parity	Benchmark	Resale	CLEC End user messages	Sprint End user messages		UNE – Unbundled Network Element	CLEC billing messages	Sprint End user messages		Access (Associated with Meet Point Billing Only)	CLEC access billing messages		95% within 5 days
Disaggregation Level	CLEC	Comparison Standard																			
		Parity	Benchmark																		
Resale	CLEC End user messages	Sprint End user messages																			
UNE – Unbundled Network Element	CLEC billing messages	Sprint End user messages																			
Access (Associated with Meet Point Billing Only)	CLEC access billing messages		95% within 5 days																		
Business Rules	<ul style="list-style-type: none"> • The reporting period used will be calendar month (based upon the message process date). • Only Automated Message Accuracy (AMA) messages recorded by Sprint LTD are included. Alternate Billed Message and Connecting Company messages recorded by other companies are excluded. • Long duration calls are excluded because the message date does not accurately reflect the date on which the message was recorded. Long duration calls are defined as calls that remain connected through two successive midnights. 																				
Notes	<ul style="list-style-type: none"> • This measurement assumes a daily transmission of usage to the CLECs. If the CLECs do not request daily transmissions, the measurement still applies based upon transmission availability date, however the actual timeliness of the usage received by the CLEC will vary depending upon their requirements for frequency of transmissions (e.g. weekly). This measure only applies for CLECs who receive copies of their messages. 																				

Sprint Performance Measurement Plan

Billing

Measure 30

Title: Wholesale Bill Timeliness

<i>Area</i>	<i>Requirement Description</i>		
Description	This measure captures the elapsed number of calendar days between the scheduled close of a Bill Cycle and the ILEC's transmission availability of the associated invoice to the CLEC.		
Method of Calculation	[(Count of Invoices where difference between distribution date and bill date is less than or equal to 10) / (Count of Total Invoices Distributed within the Reporting Period)] x100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • Resale • UNE • Facilities/Interconnection 		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Resale	CLEC Invoices	99% within 10 calendar days
	UNE	CLEC Invoices	99% within 10 calendar days
	Facilities/Interconnection	CLEC Invoices	99% within 10 calendar days
Business Rules	<ul style="list-style-type: none"> • Includes only mechanized bills. • Excludes paper bill, magnetic bill, CD ROM bill or Custom Bill diskette bill. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Billing

Measure 31

Title: Usage Completeness

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of usage charges appearing on the correct bill. *Correct bill = next available bill		
Method of Calculation	[(Count of usage charges on the bill that were recorded within last 30 billing days) / (Total count of usage charges on the bill)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • Resale • UNE • Facilities/Interconnection 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for certain levels of disaggregation for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Resale	IntraLATA toll messages sent-paid	Sprint IntraLATA toll messages sent-paid
UNE	Minutes of use		95% complete
Facilities/Interconnection	Minutes of use		95% complete
Business Rules	<ul style="list-style-type: none"> • Excludes summarized charges. • Billing dataset will be defined as charges occurring in past monthly period and processed within 3 calendar days of the end of the billing month. • Resale long duration calls are excluded because the message date does not accurately reflect the date on which the message was recorded. Long duration calls are defined as calls that remain connected through two successive midnights. • Excludes usage recorded by other (non-Sprint affiliate) companies and sent to Sprint. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Billing

Measure 32

Title: Recurring Charge Completeness

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of fractional recurring charges appearing on the correct bill. * Correct bill = next available bill		
Method of Calculation	$\left[\frac{\text{Count of fractional recurring charges that are on the correct bill}^*}{\text{Total count of fractional recurring charges that are on the bill}} \right] \times 100$		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • Resale • UNE • Facilities/Interconnection 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for certain levels of disaggregation for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Resale	Number of fractional OCCs	Number of fractional OCCs
UNE	% charges on correct bill		90% Complete
Facilities/Interconnection	% charges on correct bill		90% Complete
Business Rules	<ul style="list-style-type: none"> • Billing dataset will be defined as charges occurring in past monthly period and processed within 3 calendar days of the end of the billing month. • Excludes late charges resulting from mandated billing changes if Sprint makes its changes on time. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Billing

Measure 33

Title: Non-Recurring Charge Completeness

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of non-recurring charges appearing on the correct bill. * Correct bill = next available bill		
Method of Calculation	[(Count of non-recurring charges that are on the correct bill) / (Total count of non-recurring charges that are on the bill)] x 100		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • Resale • UNE • Facilities/Interconnection 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for certain levels of disaggregation for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
	Resale	Total number of non-recurring OCCs	Parity Total number of non-recurring OCCs
	UNE	% of charges on correct bill	Benchmark 90% complete
	Facilities/Interconnection	% of charges on correct bill	90% complete
Business Rules	<ul style="list-style-type: none"> • Billing dataset will be defined as charges occurring in past monthly period and processed within 3 calendar days of the end of the billing month. • Excludes late charges resulting from mandated billing changes if Sprint makes its changes on time. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

Billing

Measure 34

Title: Bill Accuracy

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of the total bill amount that is not adjusted by correcting service orders or adjustments on a rolling six month average.		
Method of Calculation	$(\text{Total monies billed without corrections on a rolling six month average}) / (\text{Total monies billed on a rolling six month average}) \times 100$		
Report Period	Monthly		
Report Structure	Individual CLEC, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • Resale <ul style="list-style-type: none"> - Usage - Recurring Charges - Non-Recurring Charges • UNE <ul style="list-style-type: none"> - Usage - Recurring Charges - Non-Recurring Charges • Facilities/Interconnection <ul style="list-style-type: none"> - Usage - Recurring Charges - Non-Recurring Charges 		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for certain levels of		
	Disaggregation Level	CLEC	Comparison Standard
	Resale		Parity Benchmark
	Usage	Total Dollars billed and adjustments for usage	Total Dollars billed and adjustments for usage – Diagnostic Only
	Recurring Charge	Total Dollars billed and adjustments for recurring charges	Total Dollars billed and adjustments for recurring charges – Diagnostic Only
	Non-recurring Charges	Total Dollars billed and adjustments for non-recurring charges	Total Dollars billed and adjustments for non-recurring charges – Diagnostic Only
	UNE		
	Usage	Total Dollars billed and adjustments for usage	TBD Diagnostic Only
	Recurring Charge	Total Dollars billed and adjustments for recurring	92% Diagnostic Only

Sprint Performance Measurement Plan

	Non-recurring Charges	Total Dollars billed and adjustments for nonrecurring	95% Diagnostic Only
	Facilities/Interconnection		
	Usage	Total Dollars billed and adjustments for usage	92% Diagnostic Only
	Recurring Charges	Total Dollars billed and adjustments for recurring	TBD Diagnostic Only
	Non-recurring Charges	Total Dollars billed and adjustments for nonrecurring	TBD Diagnostic Only
Business Rules	<ul style="list-style-type: none"> Excludes Uncollectable status accounts, restoration charges, non-recurring charges billed in installments, non-regulated charges, refunds of deposits, transfer of payments or balances, returned check charges, taxes, and surcharges. Excludes adjustments issued for reasons not related to bill accuracy. 		
Notes	<ul style="list-style-type: none"> None at this time. 		

Sprint Performance Measurement Plan

Database Updates

Measure 37

Title: Database Update Timeliness

<i>Area</i>	<i>Requirement Description</i>			
Description	Measures the percentage of Directory Assistance and Directory Listings updates to databases within 24 hours.			
Method of Calculation	$(\text{Count of updates completed within 24 hours in reporting period}) / (\text{Count of updates completed in reporting period}) \times 100$			
Report Period	Monthly			
Report Structure	Individual CLECs, CLECs in the aggregate, ILEC and ILEC Affiliates			
Reported By	Service Order generated updates			
Geographic Level	Statewide			
Measurable Standards	Sprint: Service Order Updates – Parity			
	Disaggregation Level	CLEC	Comparison Standard	
			Parity	Benchmark
	Service Orders	DA/DL Updates	DA/DL Updates	
Business Rules	<ul style="list-style-type: none"> • The start time of requests received after the end of the business day will be the beginning of the next business day. • Business day is defined as published hours of operation for the ILEC ordering center. 			
Notes	<ul style="list-style-type: none"> • CLECs reserve the right to request additional databases be included in this measure. 			

Sprint Performance Measurement Plan

Database Updates

Measure 38

Title: Percent Database Accuracy

<i>Area</i>	<i>Requirement Description</i>																												
Description	<p>The percentage of E911 and DA records that were updated by Sprint in error. The data required to calculate this measurement will be provided by the CLEC. The CLEC will provide the number of records transmitted and the errors found. Sprint will verify the records determined to be in error to validate that the records were input by Sprint incorrectly. An update is completed without error if the database completely and accurately reflects the activity specified on the order submitted by the CLEC.</p> <ul style="list-style-type: none"> • E911 Databases • Directory Assistance/Listings Database 																												
Method of Calculation	$[(\text{Count of Updates Completed without error}) / (\text{Count of Updates Completed})] \times 100$																												
Report Period	Monthly																												
Report Structure	Individual CLECs, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates																												
Reported By	<p>For E911 Database:</p> <ul style="list-style-type: none"> • Service Order generated updates • Direct gateway input <p>For DA/Listings:</p> <ul style="list-style-type: none"> • Service Order generated updates 																												
Geographic Level	Statewide																												
Measurable Standards	<p>Sprint is required to provide a retail analog for this measurement.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Disaggregation Level</th> <th style="text-align: left;">CLEC</th> <th colspan="2" style="text-align: left;">Comparison Standard</th> </tr> <tr> <td></td> <td></td> <th style="text-align: left;">Parity</th> <th style="text-align: left;">Benchmark</th> </tr> </thead> <tbody> <tr> <td>E911</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Service Order</td> <td>Number Updates</td> <td>Number Updates</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Direct Gateway</td> <td></td> <td></td> <td>TBD</td> </tr> <tr> <td>Directory Assistance / Directory Listing</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="padding-left: 20px;">Service Order</td> <td>Number Updates</td> <td>Number Updates</td> <td></td> </tr> </tbody> </table>	Disaggregation Level	CLEC	Comparison Standard				Parity	Benchmark	E911				Service Order	Number Updates	Number Updates		Direct Gateway			TBD	Directory Assistance / Directory Listing				Service Order	Number Updates	Number Updates	
Disaggregation Level	CLEC	Comparison Standard																											
		Parity	Benchmark																										
E911																													
Service Order	Number Updates	Number Updates																											
Direct Gateway			TBD																										
Directory Assistance / Directory Listing																													
Service Order	Number Updates	Number Updates																											
Business Rules	<ul style="list-style-type: none"> • Excludes CLEC caused errors 																												
Notes	<ul style="list-style-type: none"> • CLECs reserve the right to request additional databases be included in this measure. • There is insufficient historical data to develop a valid benchmark for To Be Determined (TBD) disaggregation levels. 																												

Sprint Performance Measurement Plan

Database Updates

Measure 39

Title: E911 MS Database Update

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of E911 database updates completed within 48 hours.		
Method of Calculation	$(\text{Number of records updated within 48 hours}) / (\text{Total number of records updated}) \times 100$		
Report Period	Monthly		
Report Structure	Individual CLECs, CLECs in the aggregate, by ILEC (if analog applies) and by ILEC Affiliates		
Reported By	Update types		
Geographic Level	Statewide		
Measurable Standards	Sprint is required to provide a retail analog for certain levels of disaggregation for this measurement.		
	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Service Order Update	911 Updates	911 Updates
Direct Gateway Update	% Updates within 48 hours	99% in 48 hours	
Business Rules	<ul style="list-style-type: none"> • Excludes scheduled system outages. • Excludes Carrier caused delays due to requests to put file on hold or delays in processing records due to invalid data or invalid file formats (i.e. CLEC caused errors). • Interval is measured in clock hours. 		
Notes	<ul style="list-style-type: none"> • For this measurement, Sprint will provide a retail analog for retail to resale customers and a benchmark for those facility based CLEC carriers who use Sprint to load their ALI records to the PSAPs via file transfer methods. 		

Sprint Performance Measurement Plan

Collocation

Measure 40

Title: Time to Respond to a Collocation Request

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of time the ILEC responds to a CLEC complete collocation request, within the allotted time.		
Method of Calculation	<p>Space Availability: [(Count of Complete Requests due and returned within 15 calendar days) / (Count of requests returned for Space Availability)] x 100</p> <p>Price and Schedule Quote: [(Count of Complete Requests due and returned within 15 calendar days) / (Count of requests returned for Price and Schedule Quote)] x 100</p> <p>Right Of Way Required: [(Count of complete Space Availability requests requiring ROW permits returned within 15 calendar days)/(Count of Space Availability requests returned that required ROW permits)] x 100</p> <p>ICB (Individual Case Basis) Quote: [(Count of complete ICB Price and Schedule Quote requests due and returned within 15 calendar days)/(Count of ICB Price and Schedule Quote requests due)] x 100</p>		
Report Period	Monthly		
Report Structure	Individual CLECs, CLECs in the aggregate and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • All Collocation Types: Caged, Cageless, Virtual, and Other • Space Availability • Price and Schedule Quote • Space Availability Requests Requiring ROW Permits • Price and Schedule Quotes for non-Commission Approved Price List requests with Individual Case Basis (ICB) requirements 		
Geographic Level	Statewide		
Measurable Standards	Benchmark		
	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Space Availability:		
	Physical Caged	Space Availability Requests	100% in 15 Calendar days
	Physical Cageless	Space Availability Requests	100% in 15 Calendar days
	Virtual	Space Availability Requests	100 % in 15 Calendar days
	Other	Space Availability Requests	100% in 15 Calendar days
	ROW	Space Availability Requests	100% in 15 Calendar days

Sprint Performance Measurement Plan

	Price and Schedule Quote		
	Physical Caged	Price and Schedule Quotes	100% in 15 Calendar days
	Physical Cageless	Price and Schedule Quotes	100% in 15 Calendar days
	Virtual	Price and Schedule Quotes	100% in 15 Calendar days
	Other	Price and Schedule Quotes	100% in 15 Calendar days
	ICB Requests	ICB Price and Schedule Quotes	100% within 15 Calendar days
Business Rules	<ul style="list-style-type: none"> • Excludes orders canceled by CLEC. • Excludes requests/applications that are incomplete and must be returned to CLEC for completion. The new completed version counts as a new request. • If an CLEC submits ten or more applications within ten calendar days the initial 15 day response period will increase by 10 days for every additional 10 applications. • Sprint will provide a tracking log for ROW requests that provide the following component: Name of agency contacted, date ROW request submitted to the agency, and date ROW received from agency. 		
Notes	<ul style="list-style-type: none"> • A collocation application is complete when both the application and applicable application fee are received by Sprint. 		

Sprint Performance Measurement Plan

Collocation

Measure 41

Title: Time to Provide a Collocation Arrangement

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the percentage of time the ILEC responds to the CLEC approved* collocation request, within the allotted time. *Approved means ILEC approves the application and has received, from CLEC, financial payment or bond.		
Method of Calculation	New Arrangement (Physical Caged, Physical Cageless, Other): [(Count of Collocation Arrangements due and completed within 90 calendar days) / (Count of Collocation Arrangements Due)] x 100 New Arrangement (Virtual): [(Count of Collocation Arrangements due and completed within 60 calendar days) / (Count of Collocation Arrangements Due)] x 100 Augment Arrangement: [(Count of Collocation Arrangements due and completed within 45 calendar days) / (Count of Collocation Arrangements Due)] x 100		
Report Period	Monthly		
Report Structure	Individual CLECs, CLECs in the aggregate and by ILEC Affiliates		
Reported By	<ul style="list-style-type: none"> • All Collocation Types: Caged, Cageless, Virtual, and Other • New • Augment 		
Geographic Level	Statewide		
Measurable Standard	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	New Arrangement		
	Physical Caged	Collocation Arrangements	100% within 90 days
	Physical Cageless	Collocation Arrangements	100% within 90 days
	Virtual	Collocation Arrangements	100% within 60 days
	Other	Collocation Arrangements	100% within 90 days
	Augment Arrangement		
	Physical Caged	Collocation Arrangements	100% within 45 days
	Physical Cageless	Collocation Arrangements	100% within 45 days
	Virtual	Collocation Arrangements	100% within 45 days
Other	Collocation Arrangements	100% within 45 days	
Business Rules	<ul style="list-style-type: none"> • Excludes orders canceled by CLEC. • Excludes requests/applications that are incomplete and must be returned to CLEC for completion. 		

Sprint Performance Measurement Plan

Notes

- None at this time.

Sprint Performance Measurement Plan

Interfaces

Measure 42

Title: Percentage of Time Interface is Available

<i>Area</i>	<i>Requirement Description</i>					
Description	Measures percent of time OSS interface is available compared to scheduled availability.					
Method of Calculation	$\frac{[(\text{Number of Scheduled Interface Available Hours}) - (\text{Number of Unscheduled Interface Unavailable Hours})]}{(\text{Scheduled Interface Available Hours})} \times 100$					
Report Period	Monthly					
Report Structure	CLECs in the aggregate					
Reported By	By interface type accessed by CLECs					
Geographic Level	Statewide					
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard			
	Ordering	IRIS Availability	<table border="1"> <thead> <tr> <th>Parity</th> <th>Benchmark</th> </tr> </thead> <tbody> <tr> <td></td> <td>98.5% of scheduled hours</td> </tr> </tbody> </table>	Parity	Benchmark	
Parity	Benchmark					
	98.5% of scheduled hours					
Business Rules	<ul style="list-style-type: none"> Outage hours are obtained from outage reports. <p style="text-align: center;">published availability schedule.</p>					
Notes	<ul style="list-style-type: none"> Sprint has one interface for pre-ordering and ordering; therefore, both of these functions are reported under ordering. Any outage in a source system that inhibits the system from performing pre-ordering or ordering functions is considered an outage. 					

Sprint Performance Measurement Plan

Interfaces

Measure 44

Title: Center Responsiveness

<i>Area</i>	<i>Requirement Description</i>		
Description	Measures the average time it takes the ILEC's work center to answer a call.		
Method of Calculation	(Date and Time of Call answer -- (Date and Time of Call Receipt)/ (Total calls answered by center))		
Report Period	Monthly		
Report Structure	CLECs in the aggregate, and by ILEC (if analog applies)		
Reported By	<ul style="list-style-type: none"> • ILEC Ordering Center • ILEC Repair Center 		
Geographic Level	Statewide		
Measurable Standards	Disaggregation Level	CLEC	Comparison Standard
			Parity Benchmark
	Ordering Center	ACD Inc Calls	20 Sec
	Repair Center (Designed)	ACD Inc Calls	Parity by design
	Repair Center (Non-Designed)	ACD Inc Calls	20 Sec
Business Rules	<ul style="list-style-type: none"> • Does not include abandoned calls. • Measured by individual queue, if applicable, in each ILEC center. 		
Notes	<ul style="list-style-type: none"> • None at this time. 		

Sprint Performance Measurement Plan

REPORTING PROCESS

Performance reports will be provided by the twentieth calendar day of the month succeeding the reporting period, unless otherwise approved by the Commission. The reporting period is the calendar month, unless otherwise noted. Positive reporting will be done for all measures, even those reported on an exception only basis.

Sprint will publish results for all CLECs who have ordered one or more CLEC products and have one or more CLEC access lines (e.g., Measure 19 denominator is 1 or more). If the CLEC announces they will discontinue service to all of their end users, performance reporting for the CLEC will cease on the last day of the month of the discontinuation month.

When reporting begins on a new measure or for a new CLEC, Sprint is only required to report results after a full calendar month of data is available. CLEC failure to provide an Operating Company Number (OCN) on orders will result in those orders being excluded from the CLEC Service Performance Measurements. Exclusions based on application of business rules apply to both the numerator and denominator of the Method of Calculation with the exception of Measure 2.

For those measures where results appear to be statistically less than parity or not meeting the benchmark level, Sprint will perform analysis of the data upon CLEC request. This analysis will detail the underlying causes contributing to the reported performance results. Within 90 days of the web-site publication of monthly results, a report recipient may request an analysis of a measurement that is less than parity or not meeting the benchmark. Sprint will provide the analysis within 45 days of the request.

Authorized users will have access to monthly reports through an interactive website. Each CLEC will have access to its own data, aggregate CLEC data, and Sprint Retail data. The Public Service Commission will have access to reports for all entities, including Sprint Affiliate data. Sprint Affiliate data will not be included in CLEC aggregate data.

In addition to the performance measure results themselves, upon request Sprint will provide data which comprise the results and which are readily available from the systems that provides the reportable data. Raw data will be archived for a period of 24 months to provide an adequate audit trail and will be retained with sufficient detail so that CLECs can reasonably reconcile the data captured by Sprint (for the CLEC) with its own internal data. Furthermore, data that relates to Sprint's own performance will be retained, at a consistent level of disaggregation comparable to that reported for the CLECs.

If revisions to the reports are required after the reporting due date, Sprint will repost results (if accurate data can be reconstructed) and publish a notification of the repost, along with the reason for reposting on the web site. Sprint will archive the repost notifications and make them available on the reporting web site for 12 calendar months and in archive an additional 12 months.

Sprint Performance Measurement Plan

If there is noncompliance at the aggregate level in three consecutive months for a given level of disaggregation, Sprint shall provide to the Commission a report of root cause analysis on a monthly basis. Sprint's root-cause analysis shall include a plan for corrective action with key activities and critical completion dates for implementation.

Sprint will report affiliate results to the Commission, Bureau of Consumer Protection and CLECs under proprietary information provisions.

General Exclusions

Published results will not include the following:

- Queries, orders, or maintenance tickets initiated by Sprint for administrative purposes.
- Data impacted by customer-caused reasons.
- Data impacted by Sprint dependence on a third party (not including Sprint affiliates or agents within Sprint's control).

Sprint dependence on a third party

If Sprint dependence on a third party is not specifically noted in this document, Sprint will contact parties of record from Docket No. 000121B-TP (SPRINT-FLORIDA TRACK) to discuss implementation of the data exclusion. Sprint will request a meeting within 30 days and propose 5 potential meeting times to occur during business hours. If any party does not respond within 10 days, the meetings will be scheduled without their input.

Sprint will propose two meeting dates/times based on maximum availability of parties and request attendance at both. Any party who cannot make one or both meetings and wishes to request an alternate date/time must contact Sprint within 5 days. Contingent upon the willingness of parties to schedule meetings in a timely manner, Sprint will make every attempt to schedule meeting dates/times that are amenable to all parties.

At least 10 days prior to the first scheduled meeting, Sprint will distribute relevant documentation/information to parties.

During the first meeting, Sprint will describe the situation and answer questions from parties. If parties agree this constitutes a valid case of dependence on a third party, Sprint will implement this exclusion in the reporting system and communicate the intended implementation date.

If parties are not in agreement at the end of the first meeting, the second meeting will be utilized to resolve open issues. Additional meetings may be scheduled if parties are willing.

If parties cannot reach agreement, and Sprint wishes to pursue the exclusion, Sprint will initiate an expedited hearing process in accordance with the Commission's rules.

At least 30 days prior to implementation of a new exclusion, Sprint will publish a notification on the reporting website.

ORDER NO. PSC-03-1438-PAA-TP
DOCKET NO. 000121B-TP
PAGE 100

Sprint Performance Measurement Plan

For this purpose, Sprint will provide the excluded data within 15 days upon request by any affected party and Commission Staff, for the first three reporting dates following implementation of a new exclusion.

Sprint Performance Measurement Plan

III. SERVICE GROUP TYPES

Service Group Type	Sprint	CLEC
RESALE		
Residential POTS	Residential POTS	Residential POTS
Business POTS	Business POTS	Business POTS
ISDN BRI	ISDN BRI	ISDN BRI
Centrex	Centrex	Centrex
PBX	PBX	PBX
DDS	DDS	DDS
DS1/ISDN PRI	DS1/ISDN PRI	DS1/ISDN PRI
DS3	DS3	DS3
VGPL/DS0	VGPL/DS0	VGPL/DS0
UNBUNDLED NETWORK ELEMENTS		
UNE Loops Designed 5.5 dB 2 or 4 wire analog assured 2 wire Digital ISDN Capable	DDS, VGPL/DS0	UNE Loops Designed
UNE Loops xDSL Provisioned	Retail xDSL	UNE Loops xDSL Provisioned
UNE Loops Non-Designed 8dB weighted 2/4 wire analog basic/Coin	Bus. POTS Dispatched	UNE Loops Non-Designed
UNE Ports	DS1/ISDN PRI	UNE Ports
UNE Platform (i.e., loop + port + transport)	Res POTS, Bus POTS, ISDN BRI, Centrex, PBX	UNE Platform
UNE Sub Loops – Voice Grade	Bus. POTS Dispatched	UNE Sub Loops – Voice
UNE Sub Loops – Data	Retail xDSL	UNE Sub Loops – Data
UNE Dedicated Transport		
UNE DS1/ISDN PRI	DS1/ISDN PRI	UNE DS1/ISDN PRI
UNE DS3	DS3	UNE DS3
Line Sharing	Retail xDSL	Line Sharing
Dark Fiber	DS3	Dark Fiber
EELS	DS1/ISDN PRI, DS3, VGPL/DS0	EELS
Interconnection Trunks	ILEC Dedicated Trunks	Interconnection Trunks
LNP	LNP	LNP
Projects	Projects as defined below.	Projects as defined below.

INTERCONNECTION TRUNKS will be included in measures: 2, 7, 8, 11, 12, 13, 14, 19, 20, 21, 23, 25, 30, 31, 32, 33, 34.

LNP is considered a facilities based service group type. LNP will be a level of disaggregation for the following measures: 2, 4, 9, 15, 17a, 19, 20, 21, and 23. Service orders with multiple service group types will be categorized according to the service group type of the first access line entered on the order.

PROJECTS are defined as follows:

Sprint Performance Measurement Plan

"Project is a planned event where terms and conditions in which work is performed is agreed to by both the CLEC, Sprint and any other party engaged in the provisioning process. To allow for successful turn-up of facilities or conversion of facilities, each party must negotiate, in good faith, the timelines that allow required activities to be met, equipment ordered, placed and tested to meet the overall objectives of the project. The timeline must meet the rule of reasonable and prudent business practices. If the activity is not agreed to be a project, the transaction will be reported in the appropriate service group type."

SERVICE ORDER TYPES

- **New Service Installations**
- **Service Migrations without Changes**
- **Service Migrations with Changes**
- **Move and Change activities**
- **Feature Changes**
- **Service Disconnects**

Sprint Performance Measurement Plan

IV. AUDITING

The Florida Public Service Commission (FPSC) ordered at least one annual independent third-party comprehensive audit. Based on the results of the initial independent comprehensive audit and any future reviews outlined in the Review Procedures, FPSC staff shall determine whether the interval for additional comprehensive third-party audits should be modified during the first five years after initial implementation.

The cost for a comprehensive annual audit shall be borne by Sprint within the first five years after implementation of the Florida Plan. During this time period, Sprint reserves the right to seek a waiver if it deems a comprehensive annual audit unnecessary.

Independent third-party auditors and audit scope shall be jointly selected by Sprint and the CLECs prior to initiating any third-party audit. If the parties cannot agree on the independent auditor, FPSC staff shall have final approval.

In addition to an audit, Sprint and the CLECs agree that the CLECs would have the right to mini-audits of individual performance measures during the year. When a CLEC has reason to believe the data collected for a measure is flawed or the reporting criteria for the measure is not being adhered to, it has the right to have a mini-audit performed on the specific measure upon written request (including e-mail), which will include the designation of a CLEC representative to engage in discussions with Sprint about the requested mini-audit. If, 45 days after the CLEC's written request, the CLEC believes that the issue has not been resolved to its satisfaction, the CLEC will commence the mini-audit upon providing Sprint with 5 business days advance written notice. Each CLEC would be limited to auditing five single measures during the year. The CLEC would pay for the mini-audit, including Sprint's reasonable associated costs and expenses, unless Sprint is found to be misreporting or misrepresenting data or to have non-compliant procedures, in which case, Sprint would pay for the mini-audit, including the CLECs' reasonable associated costs and expenses. If, during a mini-audit of individual measures, more than 50% of the measures in a major service category are found to have flawed data or reporting problems, the entire service category will be re-audited at the expense of Sprint. The major service categories for this purpose are:

- Pre-Ordering
- Ordering
- Provisioning
- Maintenance
- Network Performance
- Billing
- Database Updates
- Collocation
- Interfaces

Each mini-audit shall be submitted to the Commission as a proprietary document.

Sprint Performance Measurement Plan

V. REVIEW PROCEDURES

For the first two years after this Florida Plan is implemented, collaborative reviews between Sprint and the CLECs are scheduled to be conducted every six months by FPSC staff. Based on input from the participants at each review and the need determined therein, FPSC staff will determine whether the interval for the next review should be adjusted.

Sprint Performance Measurement Plan

VI. DEFINITION OF TERMS

TERM	DEFINITION
Automatic Location Identifier (ALI)	The feature of E911 that displays at the Public Safety Answering Point (PSAP) the street address of the calling telephone number. This feature requires a data storage and retrieval system for translating telephone numbers to the associated address. ALI may include Emergency Service Number (ESN), street address, room or floor, and names of the enforcement, fire and medical agencies with jurisdictional responsibility for the address. The Management System (E911) database is used to update the Automatic E911 Location Identifier databases.
Affiliate	An entity that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with another entity. The Telecommunications Act defines "Own" as owning an equity interest (or equivalent thereof) of more than 10 percent, or as defined by state commissions."
Benchmark Measurable Standards	Benchmark measures have an agreed upon standard to determine compliance due the lack of a meaningful retail analog comparison.
Call Blocking	A condition on a telecommunications network where, due to a maintenance problem or an over capacity situation in a part of the network, some or all originating or terminating calls cannot reach their final destinations. Depending on the condition and the part of the network affected, the network may make subsequent attempts to complete the call or the call may be completely blocked. If the call is completely blocked, the calling party will have to re-initiate the call attempt.
Centralized Data Collection	Centralized Data Collection system collects hourly operational measurement data from switches/trunks groups for the LTD, and provides a direct feed to CIRAS. The information is used for traffic forecasting by trunk capacity planners.
Code Opening	Process by which new NPA/NXXs (area code/prefix) are defined, through software translations to network databases and switches, in telephone networks. Code openings allow for new groups of telephone numbers (usually in blocks of 10,000 or less with number pooling) to be made available for assignment to an ILEC's or CLEC's customers, and for calls to those numbers to be passed between carriers.
Common Channel Signaling System 7 (CCSS7)	A network architecture used to for the exchange of signaling information between telecommunications nodes and networks on an out-of-band basis. Information exchanged provides for call set-up and supports services and features such as CLASS and database query and response.
Common Transport	Trunk groups between tandem and end office switches that are shared by more than one carrier, often including the traffic of both the ILEC and several CLECs.
Completion	The time in the order process when the service has been provisioned and service has been deployed.
Completion Notice	A notice the ILEC provides to the CLEC to inform the CLEC that the requested service order activity is complete.
Coordinated Hot Cut	Coordinated Customer Conversion of Orders that have a due date negotiated between the ILEC, the CLEC, and the customer so that work activities can be performed on a coordinated basis under the direction of the receiving carrier.
Customer Requested Due Date	A specific due date requested by the customer which is either shorter or longer than the standard interval or the interval offered by the ILEC.
Customer Trouble Reports	A report that the carrier providing the underlying service opens when notified that a customer has a problem with their service. Once resolved, the status of the trouble is changed to closed.
Dedicated Transport	A network facility reserved to the exclusive use of a single customer, carrier or pair of carriers used to exchange switched or special, local exchange, or exchange access traffic.

Sprint Performance Measurement Plan

TERM	DEFINITION
Delayed Order	An order which has been completed after the scheduled due date and/or time
Diagnostic Measurable Standards	This indicates that the results per the measurement will be reported for analysis purposes only and are not subject to determination of compliance or non-compliance.
Directory Assistance Database	A database that contains subscriber records used to provide live or automated operator-assisted directory assistance. Including 411, 555-1212, NPA-555-1212.
Directory Listings	Subscriber information used for DA and/or telephone directory publishing, including name and telephone number, and optionally, the customer's address.
DS-0	Digital Service Level 0. Service provided at a digital signal speed commonly at 64 kbps, but occasionally at 56 kbps.
DS-1	Digital Service Level 1. Service provided at a digital signal speed of 1.544 Mbps.
DS-3	Digital Service Level 3. Service provided at a digital signal speed of 44.736 Mbps.
Due Date	The date provided on the FOC the ILEC sends the CLEC identifying the planned completion date for the order.
End Office Switch	A switch from which an end users' exchange services are directly connected and offered.
Firm Order Confirmation (FOC)	Notice the ILEC sends to the CLEC to notify the CLEC that it has received the CLECs service order, created a service request, and assigned it a due date.
Flow-Through	The term used to describe whether a LSR electronically is passed from the OSS interface system to the ILEC legacy system to automatically create a service order. LSRs that do not flow through require manual intervention for the service order to be created in the ILEC legacy system.
Held Order	An order for which the ILEC has issued a FOC, but whose due date has passed without it being completed.
Installation	The installation activity required to activate a service request.
Installation Troubles	A trouble, which is identified after service order activity and installation have been completed, on a customer's line. It is likely attributable to the service activity (within a defined time period).
Inside Wiring	The telecommunications wiring located at a customer's premises that extends beyond the demarcation point.
Interconnection Trunks	A network facility that is used to interconnect two switches generally of different local exchange carriers
Interface Outage	A planned or unplanned failure resulting in the unavailability or access degradation of a system.
Jeopardy	A failure in the service provisioning process which results potentially in the inability of a carrier to meet the committed due date on a service order
Jeopardy Notice	The actual notice that the ILEC sends to the CLEC when a jeopardy condition has been identified.
Lack of Facilities	A shortage of cable facilities identified after a due date has been committed to a customer, including the CLEC. The facilities shortage may be identified during the inventory assignment process, or during the service installation process. If no facilities are available, the ILEC will issue a jeopardy.

Sprint Performance Measurement Plan

TERM	DEFINITION
Line Sharing	Unbundling of the local loop to make the high-frequency portion of the local loop available to CLECs, while the physical line and low-frequency voice path continues to be provided by the ILEC. Line Sharing allows customers to receive both services (voice and data) on the same line, eliminating the need for consumers to procure a second line.
Local Exchange Routing Guide (LERG)	A Telcordia master file that is used by the telecom industry to identify NPA-NXX routing and homing information, as well as network element and equipment designations. The file also includes scheduled network changes associated with activity within the North American Numbering Plan (NANP).
Local Exchange Traffic	Traffic originated on the network of a LEC in a local calling area that terminates to another LEC in a local calling area.
Local Number Portability	A network technology that allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting".
Local Service Confirmation	OBF term for a FOC
Mechanized Bill	A bill that is delivered via electronic transmission.
Meet Point Billing	A billing arrangement used when two or more LECs jointly provide access to and from an interexchange carrier (IXC) for inter LATA traffic. This arrangement can be Single Bill, where one LEC bills the IXC on behalf of both LECs and remits payment to the other LEC or Multiple Bill, where each LEC bills their portion directly to the IXC.
Missed Commitment Notification	A notice from ILEC to inform CLEC that the committed due date on an order has been missed.
Non-Recurring Charge	A rate charged for a product or a service that is assessed on a one-time basis.
NXX, NXX Code or Central Office Code	The three digit switch entity indicator that is defined by the "D", "E", and "F" digits of a 10-digit telephone number within the NANP. Each NXX Code contains 10,000 station numbers.
Ordering and Billing Forum (OBF)	Industry forum that works to develop national ordering and billing standards.
Other Charges and Credits	Partial month recurring and non-recurring charges, installation, and other charges other than basic monthly charges appearing on a bill.
Parity Measurable Standards	Indicates a retail analog process or system exists and can report the ILEC and ILEC Affiliate results to be compared to the CLEC results.
Parity by Design	Parity by Design occurs where the same process or system is used for both CLEC and ILEC and does not allow the opportunity to discriminate or to recognize differences between CLEC activity and ILEC activity. As such, the results calculated will apply for all CLECs and ILEC measurable standards.
Permanent Number Portability (also known as Local or Long Term Number Portability)	A network technology that allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting".

Sprint Performance Measurement Plan

TERM	DEFINITION
Physical Collocation	Shall have the meaning set forth in 47 C.F.R. Section 51.5.
Plain Old Telephone Service (POTS)	Refers to basic 2 wire analog residential and business services. Can include feature capabilities (e.g., CLASS features).
Projects	Service requests that exceed the line size and/or level of complexity that would allow for the use of standard ordering and provisioning processes. Generally, due dates for projects are negotiated, coordination of service installations/changes is required and automated provisioning may not be practical.
Provisioning Troubles	A trouble report that is opened for a customer's existing or new service for a trouble identified between the time of the service order creation to the time of order completion. Provisioning troubles that are associated with a CLECs customers include troubles that occur and are reported during the conversion of an ILEC customer to a CLEC.
Query Types	Pre-ordering information that is available to a CLEC that is categorized according to standards issued by OBF, the FCC and/or the Florida PSC.
Recurring Charge	A rate charged for a product or service that is assessed each successive billing period.
Reject	A status that can occur to a CLEC submitted local service request (LSR) when it does not meet certain criteria. There are two types of rejects: syntax, which occurs if required fields are not included in the LSR and content, which occur if invalid data is provided in a field. A rejected service request must be corrected and re-submitted before provisioning can begin.
Repeat Report	Any trouble report that is a second (or greater) report on the same telephone number/circuit ID and at the same premise address within 30 days. The original report can be any category, including excluded reports, and can carry any disposition code.
Service Group Type	The designation used to identify a category of similar services, .e.g., UNE loops
Service Order	The work order created and distributed in ILECs systems and to ILEC work groups in response to a complete, valid service request.
Service Order Type	The designation used to identify the major types of provisioning activities associated with a service request
Service Request	The transaction sent from the CLEC to the ILEC to order services or to request a change(s) be made to existing services.
Standard Interval	The interval that the ILEC quotes to its customers with respect to how long it will take to provision a service request. These intervals are standardized by specific service type and type of service modification requested ILECs publish these standard intervals in documents used by their own service representatives as well as ordering instructions provided to CLECs. POTS services do not have standard intervals; their installation intervals are based on force available and workload. They may change as frequently as twice a day.
Subsequent Reports	A trouble report that is taken on a previously reported trouble prior to the date and time the initial report has a status of "cleared".
Summarized Charges	Billing charges that are aggregated on the bill, rather than individually itemized, e.g., local usage minutes on resale or retail calls, which are listed on the bill as "xx" minutes with no call detail.

Sprint Performance Measurement Plan

TERM	DEFINITION
Tandem Switch	Switch used to connect and switch trunk circuits between and among Central Office switches.
Time to Restore	The time interval from the receipt, by the ILEC, of a trouble report on a customer's service to the time service is fully restored to the customer.
Transport	A carrier facility medium in which transmission takes place. Transport carries voice and data from point A to point B, usually between two offices. Transport medium includes copper wire, fiber optics, microwave and satellite.
Trouble Cause Code	A code identifying the known or suspected cause of a trouble condition.
Trouble Disposition	A code identifying the end result of diagnostic and/or repair activities on a customer trouble report.
Usage Data	Data generated in network nodes to identify switched call data on a detailed or summarized basis. Usage data is used to create customer invoices for the calls.
Usage Records	The individual call records created in a switch to report the date, time, duration, calling and called numbers associated with a given call
Virtual Collocation	Shall have the meaning set forth in 47 C.F.R. Section 51.5.

Sprint Performance Measurement Plan

VI. GLOSSARY OF ACRONYMS

ACRONYM	DESCRIPTION
ALEC	Alternative Local Exchange Carrier (term equivalent to CLEC)
ALI	Automatic Location Identifier (for E911 systems)
AS	Affecting Service (type of trouble condition)
BDT	Billing Data Tape
BRJ	Basic Rate Interface (type of ISDN service)
CHC	Coordinated "Hot" Cut
CKT	Circuit
CLEC	Competitive Local Exchange Carrier (term equivalent to ALEC)
CO	Central Office
CPE	Customer Premises Equipment
CSR	Customer Service Record
DA	Directory Assistance
dB	Decibel
DDS	Digital Data Service
DID	Direct Inward Dialing
DS0	Digital Service 0
DS1	Digital Service 1
DS3	Digital Service 3
E911 MS	E911 Management System
EAS	Equal Access Service
EDI	Electronic Data Interchange
FOC	Firm Order Confirmation
GUI	Graphical User Interface
HDSL	High-bit-rate Digital Subscriber Line
HICAP	High Capacity Digital Service
IEC/IXC	Inter-exchange Carrier
ILEC	Incumbent Local Exchange Carrier
IRES	Integrated Request Entry System
N, T, C	Service Order Types - N(new), T(to or transfer), and C(change)
ISDN	Integrated Services Digital Network
IW	Inside Wire
LATA	Local Access Transport Area
LERG	Local Exchange Routing Guide
LNP	Local (or Long Term) Number Portability

Sprint Performance Measurement Plan

ACRONYM	DESCRIPTION
LSMS	Local Service Management System
LSR	Local Service Request
MRC	Missed Appointment Reason Code
NANP	North American Numbering Plan
NDM	Network Data Mover
NPAC	Number Portability Administration Center
NXX	Telephone number prefix
OBF	Ordering and Billing Forum
OOS	Out of service (type of trouble condition)
OSS	Operations Support System
PBX	Private Branch Exchange
PON	Purchase Order Number
POTS	Plain Old Telephone Service
PRI	Primary Rate Interface (type of ISDN service)
PSC	Public Service Commission (term equivalent to PUC)
PUC	Public Utilities Commission (term equivalent to PSC)
SCP	Service Control Point
SGT	Service Group Type
SOT	Service Order Type
SS7	Signaling System 7
STP	Signaling Transfer Point
TN	Telephone Number
UNE	Unbundled Network Element
VGPL	Voice Grade Private Line
xDSL	(x) Digital Subscriber Line

Sprint Performance Measurement Plan

VII. Performance Measurement Plan
Attachments

Sprint Performance Measurement Plan

A. JEOPARDY CODES
Sprint Due Date - Specials

Jeopardy Code	Description
1	Incorrect or Incomplete Order
2	Related Order Not Issued
3	Related Order Not Completed
4	Pending Cancellation
5	Pending Due Date Change
6	Local Facilities Not Available or Late
7	Local Facilities Incorrectly Assigned
8	Local Facility Records Incorrect
9	Late Local Loop Makeup
10	Defective Local Facility
11	Access Customer Facilities Not Available
12	Connecting Company Facilities Not Available
13	CIRAS Records Incomplete or Inaccurate
14	Intracompany Facilities Not Available
15	Incorrect or Late Engineering
16	Late/Incorrect Info from Connecting Company
17	Translation Late or Unavailable
18	Unable to Meet Design Requirements
19	Central Office Equipment Not Installed
20	Circuit Order Equipment Late or Not Available
21	Defective Equipment
22	Customer Not Ready to Test or Accept Service
23	Customer Reason/Other than Code #22
24	Change of Due Date/Customer Reason
25	Access Denied by End User Customer
26	System Not Available
27	System Edit/Error
28	Lack of Manpower
29	Weather Conditions
30	Work Completed on Time-Reported Late
31	Not Installed as Engineered
32	Connecting Company Not Ready
33	Original Date Met, Field RID Required Changes
34	Natural Disaster
35	Union Issues

Sprint Performance Measurement Plan

36	Overtime/budget Restriction
37	Order/tech not dispatched
38	Dark Fiber LAM interval
39	Maintenance resource priority
40	Date not signed off by owner
41	No Response to Escalation
42	Worked on Time Admin Change
43	Late Engineering Order Confirmation (EOC)/Estimated Completion Date (ECD)
50	Manpower
51	Workload
52	Due Date priority
53	Delay in table updates
54	EOC info received late from CIRAS
55	Systems outage
56	Entered late by representative
57	Late issuance of connecting company order

Note: Bolded codes are exclusion reasons outside of Sprint's control, including customer-caused reasons.

Sprint Performance Measurement Plan

**B. MISSED APPOINTMENT REASON CODES
 Sprint - Retail**

Code	Customer Reasons - Description
AB	This code will indicate working service was found at the time of installation and delayed the original due date installation.
CL	The due date was not met due to inaccurate or incomplete information received from the customer to work the service order.
RD	The customer called and requested a different date prior to the appointed due date.
SA	Plant employee attempted to complete order on appointed date but could not gain access to the customer's premise.
SO	The installation was delayed because customer requested an instrument that is not normally offered and it had to be special ordered.
SR	The customer indicated he was not ready for completion of the request on the original due date or provided incomplete or incorrect information which prohibited completion of the request on the original due date (trip was made).

**MISSED APPOINTMENT REASON CODES
 Sprint - Retail**

Code	Company Reasons - Description
PL	Unanticipated plant workload precluded the completion of the order on the original due date.
SE	Request was delayed because there was a temporary lack of standard station equipment.
PF	Lack of plant facilities delayed the completion of the order.
PB	Bad cable pair or cable plant exists.
IW	Inclement weather delayed installation.
CE	Commercial provided incomplete or inaccurate information.
ME	Marketing provided incomplete or inaccurate information.
CO	Any other Company Reason.

Sprint Performance Measurement Plan

C. DISPOSITION CODES
Sprint

Code	Description
CAN	Cancellation of ticket at customer request
CC	Came Clear
CO	Central Office – The trouble was found in central office equipment. This includes concentrators, remotes, OPMs.
CPE	Customer Provided Equipment – Trouble found in the end user's equipment or wiring. This also includes extended demarc. If the problem was customer action, XCC is used.
FAC	Facility – Anything from the local distribution frame protector to the protector on the end user site.
INF	Ticket created for informational purposes only
HSD	High Speed Data
OTH	Other – Sprint LTD Network
ND	Natural Disaster – Hurricane, Earthquake, Tornado, Volcano, Typhoon
STN	Station – Network Interface Devices (NIDs), loopback devices, jacks, up to the demarc
TOK	Test Okay/No Trouble Found – Could not identify the problem the customer reported either through remote or field testing.
TRN	Transport – Troubles isolated to an outage caused by a transport issue in the Sprint network. These outages are generally isolated to DS3 or higher service types.
XCC	IXC/CLEC/CLEC
CCO	Connecting Company – The problem was identified in connecting company network or equipment, referrals to connecting company.
TT	Translations Trouble
UNK	Unknown
PRV	Provisioning Trouble

Note: Bolded codes are exclusion reasons outside of Sprint's control, including customer-caused reasons.

Sprint Performance Measurement Plan

VIII. Performance Measurement Plan
Compliance Methodology

Sprint Performance Measurement Plan

Overview

The Telecommunications Act of 1996 ("the Act"), and the FCC's associated rules, require incumbent local exchange carriers ("ILECs") to provide competitive local exchange carriers ("CLECs") with nondiscriminatory access to operations support systems ("OSS"). In the August 1996 Local Competition First Report and Order, the FCC commented generally that ILECs must provide CLECs with access to the pre-ordering, ordering, provisioning, billing, repair, and maintenance OSS sub-functions pursuant to the Act, such that CLECs are able to perform such OSS sub-functions in "substantially the same time and manner" as the ILECs can for themselves. In August of 1997, the FCC's *Ameritech Opinion* analyzed the nondiscriminatory access requirements of §251(c) to a Regional Bell Operating Company's ("RBOC's") §271 application, and clarified that for those OSS sub-functions with retail analogs, a RBOC "must provide access to competing carriers that is equal to the level of access that the RBOC provides to itself, its customers or its affiliates, in terms of quality, accuracy and timeliness." The FCC further clarified in the *Ameritech Opinion* that for those OSS functions with no retail analog, a BOC must offer access sufficient to allow an efficient competitor "a meaningful opportunity to compete."

This document describes the method used to determine parity and benchmark compliance for measures in the Sprint Performance Measurement Plan (PMP). Also described are the associated provisions that are necessary counterparts to the parity methodology (e.g., forgiveness and materiality) and benchmark methodology (e.g., small sample adjustments), and provisions that are associated with determination of compliance. This methodology is appropriate for Sprint and yields actionable compliance information regarding Sprint's service to CLEC customers.

Sprint Performance Measurement Plan

1. General Principles

- 1.1 The Compliance Methodology described herein is to be associated with the Commission approved Sprint Performance Measurement Plan (the "PMP").
- 1.2 The Compliance Methodology describes the method for determining compliance for parity measures (those measurements where the level of service that Sprint provides to CLECs can be compared to the level of service Sprint provides to its retail customers), and for benchmark measures (those measurements for which there is no comparable level of service between the service Sprint provides to CLECs and the service Sprint provides to its retail customers).
- 1.3 Sprint will calculate compliance on a submeasure basis under the provisions of this methodology. A submeasure is the individual, disaggregated reported result for each measurement defined in Sprint's PMP.
- 1.4 For parity measurements, Sprint will use statistical testing to determine whether any submeasure differences between Sprint's retail results and Sprint's results for the individual CLEC, are statistically significant. Various statistical testing methodologies will be used for measures reported as means (averages), proportions (percentages) and rates.
 - 1.4.1 For parity measurements, where a submeasurement difference between Sprint's retail results and the results for the individual CLEC is found to be statistically significant, a measure of severity (see Attachment B) will be calculated.
- 1.5 For benchmark measurements, Sprint's performance results for each CLEC will be compared to the benchmark defined in the PMP, without the use of statistical testing for significance. If Sprint's performance results for the CLEC are observed to be at a level of service that does not meet the benchmark, the result will be considered noncompliant.
 - 1.5.1 For benchmark measurements, if the result is found to be noncompliant, a measure of severity (see Attachment B) will be calculated.
- 1.6 The determination of compliance is further subject to certain Compliance Accuracy Provisions as described in this document.
- 1.7 Compliance will not be calculated for specific (sub)measurements per the PMP:
 - 1.7.1 For any measurement or submeasurement classified in the PMP as "Diagnostic Only", "Parity by Design" or with benchmark level "TBD".
 - 1.7.2 For any result that contains 4 or fewer Sprint or CLEC transactions. These results will be reported but no compliance will be assessed.

Sprint Performance Measurement Plan

2. Compliance Methodology for Benchmark Measurements

2.1 Sprint service performance levels that do not achieve the benchmarks will be considered noncompliant. No statistical evaluation is performed for benchmark submeasures to determine compliance.

2.2 A measure of severity, D_B (called "D sub B", see Attachment B), will be calculated for each noncompliant benchmark submeasure, based upon the difference between the service performance levels Sprint provides to each individual CLEC, and the benchmark standard.

2.2.1 The following table sets forth the severity level for benchmark *proportion* measures, per affected CLEC per submeasure, when service does not meet the benchmark:

BENCHMARK PROPORTION MEASURES	
Performance Level	Severity Level
$0 < D_B < 5$	Minor
$5 \leq D_B < 15$	Moderate
$D_B \geq 15$	Severe

2.2.2 A different performance level is appropriate for benchmark *mean* measures. The following table sets forth the severity level for benchmark *mean* measures, per affected CLEC per submeasure, when service does not meet the benchmark:

BENCHMARK MEAN MEASURES	
Performance Level	Severity Level
$0 < D_B < 25$	Minor
$25 \leq D_B < 50$	Moderate
$D_B \geq 50$	Severe

3. Statistical Testing Methodology for Parity Measurements

3.1 Statistical testing will be conducted when the CLEC result is "worse" than the Sprint result and there are at least 5 transactions each for Sprint retail and individual CLEC. Results for 4 or fewer transactions will be reported for diagnostic purposes.

3.2 The general statistical testing methodology is to conduct a hypothesis test with
 H_0 : CLEC performance is "better than or equal to" Sprint performance.
 H_1 : CLEC performance is "worse than" Sprint performance.

3.2.1 Calculations are made under the assumption that larger performance measurement values indicate worse service. For measures where this assumption does not hold

Sprint Performance Measurement Plan

true (i.e. larger values indicate better service), the calculation of a test statistic will be reversed. In other words, a difference between Sprint and CLEC service will always be shown as a numerically negative difference when CLEC service is worse.

- 3.3 Any statistical test yielding a p-value will be converted to a z-score for purposes of reporting consistency, and to enable calculation of the severity value.
- 3.4 A significance level, or Type I error rate, of 10% will be used for testing purposes.
- 3.4.1 This results in a critical value of -1.2817 for z-scores. Any z-score less than or equal to -1.2817 will result in a rejection of H_0 .
- 3.4.2 Modifications are made to the traditional t-statistic typically used for testing the difference between two means (due to sensitivity to testing assumptions). The "adjusted, asymmetric two-sample t-test" is designed to test the difference between means, without sensitivity to a larger CLEC variance, while adjusting for bias caused by population skewness. Instead of pooling the variances from both Sprint retail and CLEC observations, only using Sprint variance increases the ability of the test statistic to identify a difference in means should the CLEC have a greater variation. A modified z-score is calculated at the cell level by converting the adjusted, asymmetric t-test statistic via the respective probability density function.
- 3.5 All statistical tests will be performed at the submeasure level, per CLEC.
- 3.5.1 Statistical comparisons made at the cell-level, when applicable, will be aggregated into a single test statistic at the submeasure level.
- 3.5.2 Attachment A outlines all statistical techniques utilized for any cell-level comparisons, as well as all test statistics.
- 3.6 When approved by the Commission on a measurement/submeasurement basis, Sprint's retail data and CLEC data will be compared at levels that provide the most accurate parity comparisons (i.e., wire center, etc...).
- 3.6.1 For statistical validity, the parity comparison between CLEC and Sprint retail data will be made with data generated from similar processes and conditions. Since the performance data are collected from daily operations, they are "observed" results. These observed results, or observational data, may not be produced under similar procedures and conditions.
- 3.6.1.1 This level of comparison is to ensure a "like-to-like" comparison, and is referred to as the "cell level". The like-to-like comparison is a necessary condition for achieving correct statistical testing results for both Sprint retail and CLEC data.

Sprint Performance Measurement Plan

- 3.6.1.1.1 For example, suppose a new CLEC starts operations around a single wire center. For some period of time, a large percentage of the CLEC's service orders are 'N' (New) orders. When compared to Sprint's retail service orders that included 'N', 'C' and 'T' (New, Change, and Transfer) orders, Sprint may be called out of parity erroneously because 'N' orders typically take longer than 'C' or 'T' orders. By comparing only the Sprint 'N' orders to CLEC 'N' orders, a true result can be obtained.
- 3.6.1.1.2 Cell-level comparisons are for statistical accuracy, and do not necessitate additional detail in the reported submeasure level as defined in the PMP.
- 3.6.2 Cell level comparisons will be proposed by Sprint and submitted for approval by the Commission on a per-submeasure or per-measure basis.
 - 3.6.2.1 Measurement/submeasurements with Commission-approved cell-level comparisons are listed in Attachment C.
 - 3.6.2.2 When like-to-like comparisons are approved for a specific measure or submeasure, results will be calculated using various statistical techniques appropriate for cell level comparisons (see Attachment A for detailed methodology).
 - 3.6.2.3 When there is more than one cell for a submeasure, the z-scores at the cell level will be aggregated into one overall test statistic, called the "truncated z-score" (see Attachment A), which is used to determine whether a statistically significant difference exists at the submeasure level. A submeasure with a single cell will not be aggregated into the truncated z-score, but will simply use the z-score as calculated for the cell.
 - 3.6.2.4 If entries in comparison cells are exactly proportional over a covariate, the aggregated index should be very nearly the same as if comparisons on the covariate had not been done. In other words, if relative performance between Sprint retail and CLEC service at the cell level is equivalent (for all cells) to relative performance at the reporting level, then the aggregated z-score should be roughly the same as a modified z-score applied at the reporting level.
 - 3.6.2.5 The contribution of each comparison cell should depend on the number of observations in the cell.
 - 3.6.2.6 Cancellation between comparison cells will be limited. In other words, positive outcomes should not be allowed to cancel negative ones.

Sprint Performance Measurement Plan

3.7 A measure of severity, D_p (called "D sub P", see Attachment B) will be associated with a difference between the service performance levels Sprint provides to each individual CLEC and the service performance levels Sprint provides to its retail customers when service is determined to be out of parity.

3.7.1 The following table sets forth the parity severity levels, per affected CLEC per submeasure, when the result is found to be noncompliant:

PARITY MEASUREMENTS	
Measure of severity	Severity Level
$0 < D_p < .5$	Minor
$.5 \leq D_p < 2$	Moderate
$ D_p \geq 2$	Severe

4. Compliance Accuracy Provisions

4.1 The use of statistical testing for parity measures helps to mitigate the risk of noncompliance due simply to random variation in processes. However, due to the nature of the statistical tests, the expectation is that noncompliance will periodically be assessed even when a state of consistent parity exists (called a Type I error). To compensate for the impact of Type I errors, Sprint will utilize the following forgiveness plan to improve the accuracy of compliance assessment. This forgiveness plan is applied separately for each submeasure and each CLEC as follows:

4.2 Sprint's noncompliance will be forgiven on a submeasure basis only when certain criteria are met. These criteria are:

- 4.2.1 For every submeasure, per CLEC, the first accrued forgiveness will occur upon the first month of activity, and again every six (6) months of activity thereafter.
- 4.2.2 Each forgiveness must be used within six (6) months upon accrual. In other words, an accrued forgiveness is lost if not used within six (6) months.
- 4.2.3 If there is no activity for a particular submeasure, per CLEC, for twenty-four (24) consecutive months, the process of accruing forgivenesses will begin again upon the next month of activity. In other words, Sprint will not track inactivity beyond twenty-four (24) months for the purpose of accruing forgivenesses.
- 4.2.4 A forgiveness can only be used to offset noncompliance for the same submeasure, and CLEC, for which the forgiveness was originally accrued.
- 4.2.5 If a forgiveness is available to be used, it must be used at the first opportunity, with the following exception:

Sprint Performance Measurement Plan

4.2.6 A forgiveness may never be used, for a particular submeasure and CLEC, in consecutive months.

4.2.7 Available forgivenesses may not offset a severe non-compliance.

4.3 Sprint will implement materiality thresholds:

4.3.1 Materiality thresholds mitigate situations where benchmark results or parity comparisons misidentify differences as significant. This is due to the fact that small-sample benchmark results, or parity statistical significance, is not necessarily synonymous with business significance. Situations that produce misidentification of differences as significant include but are not limited to the following:

4.3.1.1 Small samples for parity measures. For measures typically associated with small samples, the measure itself can be highly sensitive to small differences in service. Similar to the small sample adjustment used for benchmark proportion measures, small samples for parity measures (especially proportion and rate measures) can result in the need for perfect or near-perfect service in order to be deemed compliant. For example, the measure *Trouble Report Rate* is defined as the number of trouble tickets per month divided by the number of access lines the customer has. Due to small CLEC transaction sizes, a single trouble report for a CLEC with few access lines can produce non-compliance. Since one trouble report for a month does not have a significant impact on the CLEC's ability to compete, this is a statistically significant difference that is not synonymous with business significance.

Measurement 19

The following adjustment table applies to all submeasures in Measurement 19, and will be applied when a statistically significant difference is identified:

Number of CLEC Access Lines (CLEC Denominator)	Permitted Troubles
1 to 4	n/a (no compliance assessment)
5 to 24	1
25 to 74	2
75 or more	3

For example: For a CLEC with 100 access lines and 1 trouble, accompanied by a statistically significant difference, this table indicates that more than 3 troubles would be required before a significant business impact would occur. As a note for how *not* to use this table, consider a CLEC with 4 troubles and better than parity service (i.e. the CLEC is receiving better service than the retail results). This table does not indicate that no more than 3 troubles are ever allowable. It is used only when there is a statistically significant difference identified.

Sprint Performance Measurement Plan

4.3.1.2 Large samples for parity measures. Submeasures with a high volume of CLEC transactions produce statistical comparisons that are overly sensitive to small differences between Sprint and CLEC results. This can produce non-compliance when the actual difference in Sprint and CLEC results is very small. For example, if a CLEC has thousands of submeasure transactions in a month, there may be a statistically significant difference, but only a slight difference in results (i.e., a difference of 0.4% on *Usage Completeness*). Since this type of difference does not significantly impact the CLEC's ability to compete, this is a statistically significant difference that is not synonymous with business significance.

4.4 For benchmark proportion measures, small samples can result in the need for service beyond the benchmark in order to achieve compliance. For instance, the only way to achieve a 95% benchmark with 19 orders would be to fail on none. One failure would result in performance of 94.7%. The small sample adjustments to benchmark proportion measures would, for example, allow for 1 failure in the 19 orders to achieve compliant performance.

4.4.1 Sprint will implement the following table for Small Sample Adjustments to all Benchmark Proportion Measures:

Small Sample Adjustments to Benchmark Proportion Measures							
90% Benchmark		95% Benchmark		98% Benchmark		99% Benchmark	
Sample Size (CLEC Denominator)	Maximum Permitted Misses	Sample Size (CLEC Denominator)	Maximum Permitted Misses	Sample Size (CLEC Denominator)	Maximum Permitted Misses	Sample Size (CLEC Denominator)	Maximum Permitted Misses
1 to 4	n/a	1 to 4	n/a	1 to 4	n/a	1 to 4	n/a
5 to 9	1	5 to 19	1	5 to 49	1	5 to 97	1
10 to 20	2	20 to 40	2	50 to 99	2	98 to 202	2
21 to 31	3	41 to 63	3	100 to 149	3	203 to 319	3
32 to 44	4	64 to 88	4	150 to 199	4	320 to 445	4
45 to 50	5	89 to 100	5	200 to 250	5	446 to 500	5

4.5 Sprint may perform a limited root-cause analysis process within 45 days of the issuance of the monthly performance reports to provide a reasonable opportunity to explain exceptional conditions. When a root-cause analysis is invoked, Sprint will have the burden of proving that but for the occurrence of an "exceptional condition" Sprint would have succeeded on the submeasure.

4.5.1 Examples of these exceptional conditions include, but are not limited to the following:

4.5.1.1 Significant activity by a third party external to and not controlled by Sprint (e.g., damaged facilities, third party systems, bomb threats)

4.5.1.2 Failure of a CLEC process or system (e.g., CLEC switch failure, CLEC backlog of orders)

Sprint Performance Measurement Plan

- 4.5.1.3 Environmental events not considered force majeure (e.g., fire or other hazardous condition)
- 4.5.1.4 Force majeure events
- 4.5.2 Sprint will not be required to utilize a forgiveness if it is determined that noncompliance is not warranted due to an exceptional condition under this section.
- 4.5.3 If Sprint finds that an exceptional condition had a significant impact on Sprint's ability to provide compliant service, Sprint will exclude the affected data from results and publish a notification and full justification on the reporting website.
 - 4.5.3.1 If the exceptional condition was identified after the affected results were reported, Sprint will exclude the affected data from results, publish a notification and full justification on the reporting website, and repost the results in accordance with the Reporting Obligations section of this Methodology.
- 4.5.4 Commission Staff or a CLEC may initiate a request for a review of differences associated with the assessment of exceptional conditions. If modification of reports is found to be appropriate, Sprint will repost the results in accordance with the Reporting Obligations section of this Methodology.
 - 4.5.4.1 If the review process does not yield a mutually acceptable outcome, Commission Staff or a CLEC may initiate a request for an expedited hearing process in accordance with the Commission's rules to resolve differences. If modification of reports is requested by the Commission, Sprint will repost the recommended results in accordance with the Reporting Obligations section of this Methodology.

5. Reporting Obligations

- 5.1 The due date for reporting performance measurements will be no later than the 20th calendar day of the month, unless otherwise approved by the Commission.
- 5.2 Sprint must publish results for all "reportable" CLECs. Reportable CLECs meet one or more of the following criteria:
 - 5.2.1 The CLEC must have placed one (1) or more CLEC product orders in the reporting month.
 - 5.2.2 The CLEC must have one (1) or more CLEC access lines.

Sprint Performance Measurement Plan

- 5.2.3 The CLEC must utilize an electronic ordering interface (i.e., IRES, FTP) to submit orders.
- 5.3 If stated in the Performance Measurement Plan, additional reporting obligations will apply.

6. Uniform Business Rules

- 6.1 To ensure a unified plan across Sprint LTD states, Sprint will propose to the Florida Commission changes to measurement business rules ordered in other Sprint LTD states if applicable to the Florida PMP.
- 6.1.1 When other Sprint LTD states issue an order approving changes to the Sprint PMP measurement business rules, and those changes are applicable to the Florida PMP, Sprint will notify the Commission of performance measurement changes by other states, and file such changes in the appropriate docket. Such changes will be filed within 15 days of the order being issued in other states. Interested CLECs and Commission Staff shall be allowed an opportunity to review such changes before a recommendation is brought before the FPSC.

Sprint Performance Measurement Plan

Attachment A

Statistical Calculations for Parity Submeasurements

Statistical methods:

<i>SAMPLE SIZE</i>	<i>TYPE OF MEASURE</i>	<i>STATISTICAL METHOD (WITHOUT CELL LEVEL COMPARISONS)</i>	<i>STATISTICAL METHOD (WITH CELL LEVEL COMPARISONS)</i>
"small"	mean	Permutation Testing	Permutation Testing (p-value converted to a z-score)
	proportion	Fisher's Exact Test (i.e. Hypergeometric)	Standard Z, with finite population correction
	rate	Binomial Test	Standard Z, with finite population correction
"large"	mean	Modified Z, with skewness correction (Sprint variance used, rather than pooled variance)	Modified Z, with skewness correction (Sprint variance used, rather than pooled variance)
	proportion	Standard Z, with finite population correction	Standard Z, with finite population correction
	rate	Standard Z, with finite population correction	Standard Z, with finite population correction

Statistical functions definitions:

$\Phi^{-1}(x)$ Inverse cumulative standard normal distribution function.
 $pt(t, df)$ Cumulative distribution function of a t-statistic with df degrees of freedom.

$BN(x, n, p)$ Binomial distribution density function. The probability of observing x of n successes with a probability p of success.

$CBN(x, n, p)$ Cumulative binomial distribution function.

$$CBN(x, n, p) = P(B \leq x) = \begin{cases} 0 & (x < 0) \\ \sum_{k=0}^x BN(k) & (0 \leq x \leq n) \\ 1 & (x > n) \end{cases}$$

$HG(q, m, n, k)$ Hypergeometric distribution density function where q represents the number of red balls out of a sample of size k drawn from an urn containing m red balls and n black ones.

Sprint Performance Measurement Plan

<i>CHG</i> (<i>q, m, n, k</i>)	Cumulative hypergeometric distribution.
	$CHG(q, m, n, k) = P(H \leq q) = \begin{cases} 0 (q < \max(0, k - m)) \\ \sum_{h=\max(0, k-m)}^q HG(h) (\max(0, k - m) \leq q \leq \min(k, m)) \\ 1 (q > \min(k, m)) \end{cases}$
<i>rank</i> (<i>x</i>)	Ranks the input variables. In case of ties, the average rank is calculated.
<i>choose</i> (<i>n, k</i>)	Calculates the binomial coefficients.

Global variable definitions:

<i>L</i>	=	The total number of occupied cells. ¹
<i>j</i>	=	An index counter indicating cell number.
<i>n_{1j}</i>	=	The number of Sprint transactions in cell <i>j</i> .
<i>n_{2j}</i>	=	The number of CLEC transactions in cell <i>j</i> .
<i>n_j</i>	=	The total number of transactions in cell <i>j</i> .
<i>X_{1jk}</i>	=	Individual Sprint transactions in cell <i>j</i> .
<i>X_{2jk}</i>	=	Individual CLEC transactions in cell <i>j</i> .
Φ^{-1}	=	Inverse cumulative standard normal distribution function.

Mean Performance Measures²

At this time, the following calculations will apply to parity submeasures contained in measures 6, 7, 13, 14, 21, and 44. Any subsequent change to measure classification (mean, proportion, rate) to a measure or submeasure in the PMP will take precedence over this list.

Variable definitions:

<i>STATISTIC</i>	<i>DEFINITION</i>	<i>EXPLANATION</i>
$\bar{X}_{1j} = \frac{1}{n_{1j}} \sum_{k=1}^{n_{1j}} X_{1jk}$	Sprint sample mean of cell <i>j</i> .	Add observations and divide by the number of observations.
$\bar{X}_{2j} = \frac{1}{n_{2j}} \sum_{k=1}^{n_{2j}} X_{2jk}$	CLEC sample mean of cell <i>j</i> .	Add observations and divide by the number of observations.

¹ If comparisons are performed at the submeasure level, *L* = 1 and only one cell (the submeasure) exists. If comparisons are performed at the cell level, *L* may exceed 1 and more than one cell may exist (see Attachment C for the list of (sub)measurements approved for comparison at the cell level).

² Only perform STEP 4 and STEP 5 if *L* > 1 (e.g., if this is a cell-level comparison, and there is more than one cell with CLEC activity, then perform STEP 4 and STEP 5).

Sprint Performance Measurement Plan

$s_{1j}^2 = \frac{1}{n_{1j} - 1} \sum_{k=1}^{n_{1j}} (X_{1jk} - \bar{X}_{1j})^2$	<p>Sprint sample variance in cell j. May be NA for very small sample sizes.</p>	<p>Subtract each observation by its mean, square the difference, add them all up, and divide by the number of observations minus 1.</p>
$s_{2j}^2 = \frac{1}{n_{2j} - 1} \sum_{k=1}^{n_{2j}} (X_{2jk} - \bar{X}_{2j})^2$	<p>CLEC sample variance in cell j. May be NA for very small sample sizes.</p>	<p>Subtract each observation by its mean, square the difference, add them all up, and divide by the number of observations minus 1.</p>
$\gamma_{1j} = \frac{\frac{1}{n_{1j}} \sum_{k=1}^{n_{1j}} (X_{1jk} - \bar{X}_{1j})^3}{\left[\frac{1}{n_{1j}} \sum_{k=1}^{n_{1j}} (X_{1jk} - \bar{X}_{1j})^2 \right]^{3/2}}$	<p>The Sprint sample skewness in cell j. May be NA for very small sample sizes.</p>	<p>Subtract each observation by its mean, cube the difference, add them all up, and divide by the number of observations. Then divide that number by the cubed square root of the population variance.</p>
$\gamma_{2j} = \frac{\frac{1}{n_{2j}} \sum_{k=1}^{n_{2j}} (X_{2jk} - \bar{X}_{2j})^3}{\left[\frac{1}{n_{2j}} \sum_{k=1}^{n_{2j}} (X_{2jk} - \bar{X}_{2j})^2 \right]^{3/2}}$	<p>The CLEC sample skewness in cell j. May be NA for very small sample sizes.</p>	<p>Subtract each observation by its mean, cube the difference, add them all up, and divide by the number of observations. Then divide that number by the cubed square root of the population variance.</p>
<p>XY_j</p>	<p>Combined Sprint and CLEC samples.</p>	<p>Concatenate the Sprint and CLEC samples into a single variable.</p>

STEP 1: Calculate Cell Weights

$$W_j = \sqrt{\frac{n_{1j} n_{2j}}{n_j}}$$

For each cell, multiply the Sprint sample size and the CLEC sample size, divide by their sum, and take a square root.

If all Sprint and CLEC transactions within a cell have identical performance measures (e.g. service durations), set $W_j = 0$.

STEP 2: Calculate a Z-statistic for each cell

- a. If $W_j = 0$, then set $Z_j = 0$.
- b. If $\min(n_{1j}, n_{2j}) > 6$ and $s_{ij}^2 > 0$

Sprint Performance Measurement Plan

$$T_j = \begin{cases} t_j + \frac{g}{6} \left(\frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left(t_j^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & t_j \geq t_{\min j} \\ t_j + \frac{g}{6} \left(\frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left(t_{\min j}^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & \text{otherwise} \end{cases}$$

where

$$t_j = \frac{\bar{X}_{1j} - \bar{X}_{2j}}{s_{1j} \sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}},$$

$$t_{\min j} = \frac{-3\sqrt{n_{1j} n_{2j} n_j}}{g(n_{1j} + 2n_{2j})}$$

and g is the median value of all values of γ_{1j} over all cells within the submeasure (reporting level) such that

- i) $\gamma_{1j} > 0$
- ii) $n_{1j} > 6$, and
- iii) $n_{1j} > n_{3q}$, where n_{3q} is the 3 quartile of all n_{1j} in cells where (i) and (ii) are true.

If no cells within a submeasure exist that satisfy conditions (i) - (iii), then set $g = 0$.

Calculate the p-value from the T_j statistic with $n_{1j} - 1$ degrees of freedom using

$$P_j = pt(T_j, n_{1j} - 1).$$

Calculate the z-score Z_j from this p-value³ as $Z_j = \Phi^{-1}(P_j)$.

c. If $[\min(n_{1j}, n_{2j}) \leq 6 \text{ OR } s_{1j}^2 = 0] \text{ AND } W_j > 0$ (from part 1):

- 1) Calculate the number of possible permutations
 $N_{\text{perms}} = \text{choose}(n_j, n_{1j})$

$$2) \text{ If } n_{1j} = n_{2j} = 1, \text{ then } Z_j = \begin{cases} 0.6744898 & X_{1j} > X_{2j} \\ 0 & X_{1j} = X_{2j} \\ -0.6744898 & X_{1j} < X_{2j} \end{cases}$$

³ Set the z-score to T_j if the p-value is 0 or 1.

Sprint Performance Measurement Plan

- 3) If only $n_{1j} = 1$ then let R_0 equal the rank of the Sprint observation in the combined sample XY_j . Calculate $Z_j = \Phi^{-1}\left(\frac{R_0 - 0.5}{n_j}\right)$.
- 4) If only $n_{2j} = 1$ then let R_0 equal the rank of the CLEC observation in the combined sample XY_j . Calculate $Z_j = -\Phi^{-1}\left(\frac{R_0 - 0.5}{n_j}\right)$.
- 5) If $\min(n_{1j}, n_{2j}) \geq 2$ and $Nperms \leq 1000$ then
 - i) Generate all possible permutations of sizes n_{1j} and n_{2j} from the combined sample XY_j .
 - ii) For each permuted sample, calculate the sum of sample of size n_{1j} .
 - iii) Let R_0 equal the rank of the observed sum within all of the permuted sums.
 Calculate $Z_j = \Phi^{-1}\left(\frac{R_0 - 0.5}{Nperms}\right)$.
- 6) If $\min(n_{1j}, n_{2j}) \geq 2$ and $Nperms > 1000$ then
 - i) Generate 1,000 random permutations of sizes n_{1j} and n_{2j} from the combined sample XY_j .
 - ii) For each permuted sample, calculate the sum of the sample of size n_{1j} .
 - iii) Let R_0 equal the rank of the observed sum within the 1000 permuted sums and calculate $Z_j = \Phi^{-1}\left(\frac{R_0 - 0.5}{1001}\right)$.

STEP 3: Truncate Z-statistic for each cell

$$\text{For each cell, } Z_j^* = \begin{cases} Z_j & L = 1 \\ \min(0, Z_j) & \text{otherwise} \end{cases}$$

Note that there is no truncation step if there is only one cell in the submeasure calculation.

STEP 4: Calculate the theoretical mean and variance of the truncated statistic under parity.

1. If for cell j , $W_j = 0$, set $ExpectedMean_j^{parity}$, $ExpectedVariance_j^{parity}$, and $ExpectedSkew_j^{parity}$ all equal to 0.
2. If $\min(n_{1j}, n_{2j}) > 6$ and $s_{1j}^2 > 0$
 - a. $ExpectedMean_j^{parity} = -\frac{1}{\sqrt{2\pi}}$.
 - b. $ExpectedVariance_j^{parity} = \frac{1}{2} - \frac{1}{2\pi}$

Sprint Performance Measurement Plan

c. $ExpectedSkew_j^{parity} = -\left(\frac{1}{2\sqrt{2\pi}} + \frac{2}{(2\pi)^{\frac{3}{2}}}\right)$

3. If $\min(n_{1j}, n_{2j}) \leq 6$ OR $s_{ij}^2 = 0$

a. Let $N_j = \min(Nperms, 1000)$

b. For $i = 1, \dots, N_j$; $z_{ji} = \min\left\{0, \Phi^{-1}\left(\frac{i-0.5}{N_j}\right)\right\}$.

c. $\Theta_{ji} = \frac{1}{N_j}$

d. $ExpectedMean_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}$

e. $ExpectedVariance_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}^2 - (ExpectedMean_j^{parity})^2$

$ExpectedSkew_j^{parity} =$

f. $\sum_i \Theta_{ji} z_{ji}^3 - 3ExpectedMean_j^{parity} \times ExpectedVariance_j^{parity} - [ExpectedMean_j^{parity}]^3$

STEP 5: Calculate the initial aggregate test statistic.

$$Z_0^T = \begin{cases} Z_1 & L = 1 \\ Z^T = \frac{\sum_j W_j (Z_j - ExpectedMean_j^{parity})}{\sqrt{\sum_j W_j^2 \times ExpectedVariance_j^{parity}}} & otherwise \end{cases}$$

STEP 6: Calculate the final aggregate test statistic.

1. If $L = 1$, we use the cell modified Z statistic. $Z^T = Z_0^T = Z_1$.

2. If $L > 1$, do the following.

a. Calculate the aggregate skewness coefficient.

$$g_{agg} = \frac{\sum_j W_j^3 \times ExpectedSkew_j^{parity}}{6 \times \left(\sum_j W_j^2 \times ExpectedVariance_j^{parity}\right)^{\frac{3}{2}}}$$

Sprint Performance Measurement Plan

b. If $Z_0^T > -\frac{1+4g_{agg}^2}{4g_{agg}}$ or $-10^{-6} < g_{agg} < 0$ then $Z^T = Z_0^T$.

c. Otherwise

$$Z^T = \frac{-1 + \sqrt{1 + 4g_{agg}^2 + 4g_{agg}Z_0^T}}{2g_{agg}}$$

Sprint Performance Measurement Plan

Proportion Performance Measures⁴

The following calculations will apply to parity submeasures contained in measures 5, 8, 11, 12, 15, 17a, 20, 22, 23, 26, 28, 31, 32, 33, 34, 37, 38, and 39. Any subsequent change to measure classification (mean, proportion, rate) to a measure or submeasure in the PMP will take precedence over this list.

Variable definitions:

- a_{1j} = Number of Sprint cases possessing an attribute of interest in cell j.
 a_{2j} = Number of CLEC cases possessing an attribute of interest in cell j.
 a_j = Number of cases possessing an attribute of interest in cell j.

****NOTE:** All measurements made using the number of *misses* (or negative measurement value).**

STEP 1: Calculate Cell Weights.

$$W_j = \sqrt{\frac{n_{1j}n_{2j}}{n_j} \frac{a_j}{n_j} \left(1 - \frac{a_j}{n_j}\right)}$$

For each cell, multiply the Sprint sample size and the CLEC sample size, the proportion of affected transactions and the proportion of non-affected transactions, divide by the total number of transactions, and take a square root.

STEP 2⁵: Calculate a Z-statistic for each cell.

If $W_j = 0$ then set $Z_j = 0$.

Else, calculate the Z-statistic as
$$Z_j = \frac{n_j a_{1j} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

STEP 3: Truncate Z-statistic for each cell.

For each cell,
$$Z_j^* = \begin{cases} Z_j & L = 1 \\ \min(0, Z_j) & \text{otherwise} \end{cases}$$

⁴ Only perform STEP 4 if $L > 1$ (e.g., if this is a cell-level comparison, and there is more than one cell with CLEC activity, then perform STEP 4).

⁵ If $L = 1$ and $W_j = 0$, then skip STEP 5, STEP 6 and STEP 7 and $Z^T = 0$. $Z^T = 0$ in the following cases: (1) $P_{\text{Sprint}} = P_{\text{CLEC}} = 100\%$ (when high values are "better"); (2) $P_{\text{Sprint}} = P_{\text{CLEC}} = 0\%$ (when low values are "better").

Sprint Performance Measurement Plan

Note that there is no truncation step if there is only one cell in the submeasure calculation.

STEP 4: Calculate the theoretical mean and variance of the truncated statistic under parity.

1. If for cell j , $W_j = 0$, set $ExpectedMean_j^{parity}$, $ExpectedVariance_j^{parity}$, and $ExpectedSkew_j^{parity}$ all equal to 0.
2. If $\min\left\{a_{1j}\left(1 - \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 - \frac{a_{2j}}{n_{2j}}\right)\right\} > 9$.
 - a. $ExpectedMean_j^{parity} = -\frac{1}{\sqrt{2\pi}}$.
 - b. $ExpectedVariance_j^{parity} = \frac{1}{2} - \frac{1}{2\pi}$.
 - c. $ExpectedSkew_j^{parity} = -\left(\frac{1}{2\sqrt{2\pi}} + \frac{2}{(2\pi)^{\frac{3}{2}}}\right)$
3. Else, if $\min\left\{a_{1j}\left(1 - \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 - \frac{a_{2j}}{n_{2j}}\right)\right\} \leq 9$.
 - a. Let $i = \max(0, a_j - n_{2j}), \dots, \min(a_j, n_{1j})$.
 - b. Calculate $z_{ji} = \min\left\{0, \frac{n_j i - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}\right\}$ for each value of i .
 - c. For each value of i , calculate $\Theta_{ji} = HG(i, n_{1j}, n_{2j}, a_j)$.
 - d. $ExpectedMean_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}$.
 - e. $ExpectedVariance_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}^2 - (ExpectedMean_j^{parity})^2$.
 - f. $ExpectedSkew_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}^3 - 3ExpectedMean_j^{parity} \times ExpectedVariance_j^{parity} - [ExpectedMean_j^{parity}]^3$

STEP 5: Calculate the initial aggregate test statistic.

1. If $L = 1$ and $\min\left\{a_{1j}\left(1 - \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 - \frac{a_{2j}}{n_{2j}}\right)\right\} \leq 9$,

Sprint Performance Measurement Plan

$$Z_0^T = \Phi^{-1}(\alpha)$$

where $\alpha = CHG(a_{1j}, n_{1j}, n_{2j}, a_j)$.

2. If $L > 1$ or $\min\left\{a_{1j}\left(1 - \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 - \frac{a_{2j}}{n_{2j}}\right)\right\} > 9$,

$$Z_0^T = \begin{cases} Z_1 & L = 1 \\ Z^T = \frac{\sum_j W_j (Z_j^* - \text{ExpectedMean}_j^{\text{parity}})}{\sqrt{\sum_j W_j^2 \times \text{ExpectedVariance}_j^{\text{parity}}}} & \text{otherwise} \end{cases}$$

STEP 6: Calculate the final aggregate test statistic.

1. If $L = 1$, we use the cell modified Z statistic. $Z^T = Z_0^T$.

2. If $L > 1$, do the following.

a. Calculate the aggregate skewness coefficient.

$$g_{\text{agg}} = \frac{\sum_j W_j^3 \times \text{ExpectedSkew}_j^{\text{parity}}}{6 \times \left(\sum_j W_j^2 \times \text{ExpectedVariance}_j^{\text{parity}} \right)^{\frac{3}{2}}}$$

b. If $Z_0^T > -\frac{1+4g_{\text{agg}}^2}{4g_{\text{agg}}}$ or $-10^{-6} < g_{\text{agg}} < 0$ then $Z^T = Z_0^T$.

c. Otherwise

$$Z^T = \frac{-1 + \sqrt{1 + 4g_{\text{agg}}^2 + 4g_{\text{agg}}Z_0^T}}{2g_{\text{agg}}}$$

Sprint Performance Measurement Plan

Rate Performance Measures⁶

The following calculations will apply to parity submeasures contained in measure 19. Any subsequent change to measure classification (mean, proportion, rate) to a measure or submeasure in the PMP will take precedence over this list.

Variable definitions:

b_{1j}	=	Number of Sprint base elements in cell j.
b_{2j}	=	Number of CLEC base elements in cell j.
b_j	=	Total number of base elements cell j.
$r_{1j} = n_{1j} / b_{1j}$	=	Sprint sample rate of cell j.
$r_{2j} = n_{2j} / b_{2j}$	=	CLEC sample rate of call j.
$q_j = b_{1j} / b_j$	=	Relative proportion of Sprint elements for cell j.

STEP 1: Calculate Cell Weights.

$$W_j = \sqrt{\frac{b_{1j} b_{2j} n_j}{b_j b_j}}$$

For each cell, multiply the number of Sprint base elements, the number of CLEC base elements and the number of transactions, divide by the total number of base elements squared, and take a square root.

STEP 2⁷: Calculate a Z-statistic for each cell.

If $W_j = 0$ then set $Z_j = 0$.

Else, calculate the Z-statistic as
$$Z_j = \frac{n_{1j} - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}$$

STEP 3: Truncate Z-statistic for each cell.

$$\text{For each cell, } Z_j^* = \begin{cases} Z_j & L = 1 \\ \min(0, Z_j) & \text{otherwise} \end{cases}$$

⁶ Only perform STEP 4 if $L > 1$ (e.g., if this is a cell-level comparison, and there is more than one cell with CLEC activity, then perform STEP 4).

⁷ If $L = 1$ and $W_j = 0$, then skip STEP 5, STEP 6 and STEP 7 and $Z^T = 0$. $Z^T = 0$ in the following cases: (1) $P_{\text{Sprint}} = P_{\text{CLEC}} = 100\%$ (when high values are "better"); (2) $P_{\text{Sprint}} = P_{\text{CLEC}} = 0\%$ (when low values are "better").

Sprint Performance Measurement Plan

Note that there is no truncation step if there is only one cell in the submeasure calculation.

STEP 4: Calculate the theoretical mean and variance of the truncated statistic under parity.

1. If for cell j , $W_j = 0$, set $ExpectedMean_j^{parity}$, $ExpectedVariance_j^{parity}$, and $ExpectedSkew_j^{parity}$ all equal to 0.

2. If $\min(n_{1j}, n_{2j}) > 15$ and $n_j q_j (1 - q_j) > 9$

a. $ExpectedMean_j^{parity} = -\frac{1}{\sqrt{2\pi}}$.

b. $ExpectedVariance_j^{parity} = \frac{1}{2} - \frac{1}{2\pi}$

c. $ExpectedSkew_j^{parity} = -\left(\frac{1}{2\sqrt{2\pi}} + \frac{2}{(2\pi)^{\frac{3}{2}}}\right)$

3. If $\min(n_{1j}, n_{2j}) \leq 15$ or $n_j q_j (1 - q_j) \leq 9$

a. Let $i = 0, \dots, n_j$.

b. Calculate $z_{ji} = \min\left\{0, \frac{i - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}\right\}$ for each value of i .

c. For each value of i , calculate $\Theta_{ji} = BN(i, n_j, q_j)$.

d. $ExpectedMean_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}$.

e. $ExpectedVariance_j^{parity} = \sum_{i=1}^{N_j} \Theta_{ji} z_{ji}^2 - (ExpectedMean_j^{parity})^2$.

f.

$ExpectedSkew_j^{parity} =$

$$\sum_i \Theta_{ji} z_{ji}^3 - 3ExpectedMean_j^{parity} \times ExpectedVariance_j^{parity} - [ExpectedMean_j^{parity}]^3$$

STEP 5: Calculate the initial aggregate test statistic.

1. If $L = 1$ and $(\min(n_{1j}, n_{2j}) \leq 15$ or $n_j q_j (1 - q_j) \leq 9)$,

$$Z_0^T = \Phi^{-1}(\alpha)$$

where $\alpha = CBN(n_{1j}, n_j, q_j)$.

Sprint Performance Measurement Plan

2. If $L > 1$ or $[\min(n_{1j}, n_{2j}) > 15$ and $n_j q_j (1 - q_j) > 9]$,

$$Z_0^T = \begin{cases} Z_1 & L = 1 \\ Z^T = \frac{\sum_j W_j (Z_j^* - \text{ExpectedMean}_j^{\text{parity}})}{\sqrt{\sum_j W_j^2 \times \text{ExpectedVariance}_j^{\text{parity}}}} & \text{otherwise} \end{cases}$$

STEP 6: Calculate the final aggregate test statistic.

1. If $L = 1$, we use the cell modified Z statistic. $Z^T = Z_0^T$.

2. If $L > 1$, do the following.

a. Calculate the aggregate skewness coefficient.

$$g_{\text{agg}} = \frac{\sum_j W_j^3 \times \text{ExpectedSkew}_j^{\text{parity}}}{6 \times \left(\sum_j W_j^2 \times \text{ExpectedVariance}_j^{\text{parity}} \right)^{\frac{3}{2}}}$$

b. If $Z_0^T > -\frac{1 + 4g_{\text{agg}}^2}{4g_{\text{agg}}}$ or $-10^{-6} < g_{\text{agg}} < 0$ then $Z^T = Z_0^T$.

c. Otherwise

$$Z^T = \frac{-1 + \sqrt{1 + 4g_{\text{agg}}^2 + 4g_{\text{agg}} Z_0^T}}{2g_{\text{agg}}}$$

Sprint Performance Measurement Plan

Attachment B

Measures of Severity (parity and benchmark)

Benchmark Measurements:

Definition:

$$D_B = \frac{I - B}{B} \times 100\%$$

where I is Sprint performance (mean, proportion, or rate) in service to a CLEC, and B is the benchmark set as the performance tolerance limit. This calculation assumes that the larger the value of I , the worse the service. For measures where this assumption does not hold true, the subtraction in the numerator is reversed. In other words, the numerator should be positive when the service to the CLEC is worse than the benchmark.

Rationale:

Upon determining that Sprint performance (in service to a CLEC) is not meeting the benchmark, the measure of severity will be calculated to represent the percentage difference from the benchmark. For example, if the benchmark is 4 hours and Sprint performance is 5 hours, then $D_B = \frac{5.0 - 4.0}{4.0} \times 100\%$, or $D_B = 25\%$. For a benchmark mean measure, this result would be considered a "moderate" deviation from the benchmark. Such a measure for compliance is only valid if the benchmark is set appropriately; set as a tolerance limit as opposed to a target.

Parity Measurements:

Definition:

Given Z^T (as calculated in STEP 6, Attachment A, for mean, proportion, and rate measures), define the measure of severity D_P as:

$$D_P = \sqrt{\frac{1}{N_1} + \frac{1}{N_2}} Z^T$$

where N_1 and N_2 are the number of Sprint and CLEC transactions combined from all cells in a submeasure with $W_j > 0$ (where W_j is the cell weight for cell j , as defined in Attachment A). As described in section 9 of this document, Z^T is negative when the CLEC is receiving non-compliant service.

Rationale:

Upon determining that an out-of-parity situation exists for a particular submeasure, for a particular CLEC, a measure of severity will be calculated to reflect the magnitude of the performance difference between Sprint's retail and Sprint's CLEC service. The statistical tests

Sprint Performance Measurement Plan

performed to determine whether service is in parity, provide the “yes” or “no” answer to the question of parity service. Further, the z-score itself provides a measure for the degree of certainty as to whether parity service exists. However, this degree of certainty does not indicate the severity of non-compliance, mainly due to the fact that the z-score is highly dependent on the sample size. If the submeasure has a considerably large sample size, yet a small difference between Sprint’s retail and Sprint’s CLEC service, the large sample size could cause the z-score to indicate a high confidence in lack of parity. This high confidence told by the z-score indicates that there is a *statistically* significant difference in service for the CLEC, but it does not indicate that there is a significant difference in service from a *business impact* point of view.

A reasonable measure of severity will provide an indication for how different the Sprint’s CLEC service is from that of Sprint’s service to its retail customers. Because parity service is defined as the CLEC receiving equivalent service to that provided to Sprint’s retail customers, the measure of severity should indicate the difference between Sprint’s retail and Sprint’s CLEC service. In practice, there are important considerations for appropriately calculating such a measure of severity. First, the measure should be consistent with the results of the z-score, accounting for the differences in calculations that result from small samples, truncating, weighting of cells, and adjustments for skewness. Second, the measure of severity should be applicable to all types of measurements (mean, proportion, and rate). These considerations can be taken into account by utilizing the aggregate, truncated z-score, Z^T ; simply adjusting the z-score so as to not include the sensitivity to sample size.


To visualize how this measure of severity works, consider the example of a mean submeasure having a single cell. In this case, it can be shown that D_P is simply the difference in mean performance between the Sprint’s retail and Sprint’s CLEC service, measured relative to the dispersion (or standard deviation) of Sprint’s retail service. As an equation, this yields:

$$D_P = \frac{\bar{X}_1 - \bar{X}_2}{s_1}$$

where \bar{X}_1 is the mean Sprint retail service, \bar{X}_2 is the mean Sprint service to CLECs, and s_1 is the standard deviation of Sprint’s retail service.

Under this example, consider the following graphs depicting a scenario in which a CLEC receives out-of-parity service on two different submeasurements (“Submeasurement A” and “Submeasurement B”):

Submeasurement A




If the service provided on submeasurement A to Sprint’s retail customers has a standard deviation of 1.2 hours, then

Sprint Performance Measurement Plan

$$D_P = \frac{4.0 - 5.0}{1.2}, \text{ or } D_P = -0.83.$$

So, for submeasurement A, the CLEC receives out-of-parity service that is a “moderate” severity.

Submeasurement B



If the service provided to Sprint’s retail customers on submeasurement B has a standard deviation of 0.4 hours, then

$$D_P = \frac{4.0 - 5.0}{0.4}, \text{ or } D_P = -2.50.$$

So, for submeasurement B, the CLEC receives out-of-parity service that is a “severe” severity.

Notice that the difference in the mean service is the same for both submeasurements. However, because Sprint’s service to its retail customers on submeasurement B has a lower dispersion (or standard deviation) than Sprint’s service on submeasurement A, the severity of the mean difference is higher for submeasurement B.

Sprint Performance Measurement Plan

Attachment C

Parity Measures and Submeasures with Cell-level Comparisons

Measurement Number / Description	Cell Level (i.e., wire center, etc...)
5 - Percentage of Orders Jeopardized	Wire Center, Company Number
6 - Average Jeopardy Notice Interval	Wire Center, Company Number
7 - Average Completed Interval	CLLI Code, Wire Center, Company Number
8 - Percent Completed Within Standard Interval	CLLI Code, Wire Center, Company Number
11 - Percent of Due Dates Missed	CLLI Code, Wire Center, Company Number
12 - Percent Due Dates Missed Due to Lack of Facilities	CLLI Code, Wire Center, Company Number
13 - Delay Order Interval to Completion Date (For Lack of Facilities)	CLLI Code, Wire Center, Company Number
14 - Held Order Interval	Wire Center, Company Number
15 - Provisioning Trouble Reports Prior to Service Order Completion	Company Number
17a - Percentage Troubles in 5 Days for New Orders	CLLI Code, Wire Center, Company Number
19 - Customer Trouble Report Rate	Wire Center, Company Number
20 - Percentage of Customer Trouble Not Resolved Within Estimated Time	CLLI Code, Wire Center, Company Number
21 - Average Time to Restore	CLLI Code, Wire Center, Company Number
22 - POTS Out of Service Less Than 24 Hours	Wire Center, Company Number
23 - Frequency of Repeat Troubles in 30 Day Period	CLLI Code, Wire Center, Company Number
28 - Usage Timeliness	Company Number
31 - Usage Completeness	Company Number
32 - Recurring Charge Completeness	Company Number
33 - Non-Recurring Charge Completeness	Company Number
34 - Bill Accuracy	Company Number
37 - Database Update Timeliness	Company Number
38 - Percent Database Accuracy	Company Number
39 - E911MS Database Update Interval	Company Number

Sprint Performance Measurement Plan

Definitions:

Company Number – Sprint LTD has two operating companies in FL. Therefore we calculate results at the company level to establish parity before aggregating the results into one FL result.

Wire Center – A building housing one or more end office and/or tandem switches.

CLLI Code – (Common Language Location Identifier) An 11-digit code that Sprint LTD assigns to a Carrier's location to designate the central office or area served by a central office.