# ORIGINAL

# MCWHIRTER REEVES

TAMPA OFFICE: 400 NORTH TAMPA STREET, SUITE 2450 TAMPA, FLORIDA 33602 P. O. BOX 3350 TAMPA, FL 33601-3350 (813) 224-0866 (813) 221-1854 FAX PLEASE REPLY TO:

TALI AHASSEE

TALLAHASSEE OFFICE: 117 SOUTH GADSDEN TALLAHASSEE, FLORIDA 32301 (850) 222-2525 (850) 222-5606 FAX

June 23, 2004

## VIA HAND DELIVERY

Blanca S. Bayo, Director Division of Records and Reporting Betty Easley Conference Center 4075 Esplanade Way Tallahassee, Florida 32399-0870

Re: Docket No.: <u>040601-T</u>P

Dear Ms. Bayo:

On behalf of DIECA Communications, Inc. d/b/a Covad Communications Company (Covad), enclosed for filing and distribution are the original and 15 copies of the following:

Petition for Arbitration and Request for Expedited Processing

Please acknowledge receipt of the above on the extra copy of each and return the stamped copies to me. Thank you for your assistance.

Sincerely,

Oi Cin Indem Laufman Vicki Gordon Kaufman

Encls.

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER - DATE

McWhirter, Reeves, McGlothlin, Davidson, Kaufman & Arnold, P.A.

06922 JUN 23 8

#### BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Petition of DIECA Communications, Inc., d/b/a Covad Communications Company, for Arbitration of Interconnection Agreement Amendment with BellSouth Telecommunications, Inc. pursuant to Section 252(b) of the Telecommunications Act of 1996.

Docket No.: 040601 - TP

Filed: June 23, 2004


## PETITION FOR ARBITRATION AND REQUEST FOR EXPEDITED PROCESSING

DIECA Communications, Inc., d/b/a Covad Communications Company ("Covad") respectfully submits this Petition for Arbitration in accordance with Section 12 and 16 of the Parties' Interconnection Agreement; 47 U.S.C. § 252.

Communications regarding this Petition should be directed to:

Charles E. (Gene) Watkins Covad Communications 1230 Peachtree Street, N.E. Atlanta, GA 30309 404-942-3492 gwatkins@covad.com Vicki Gordon Kaufman McWhirter Reeves McGlothlin Davidson Kaufman & Arnold, PA 117 South Gadsden Street Tallahassee, FL 32301 850-222-2525 vkaufman@mac-law.com

DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad") respectfully requests that the Florida Public Service Commission ("Commission") resolve one important open issue resulting from the interconnection negotiations between Covad and BellSouth Telecommunications, Inc. ("BellSouth") (BellSouth and Covad are collectively referred to herein as the "Parties"). Covad requests that the Commission resolve the issue designated herein by ordering the Parties to amend their interconnection agreement to incorporate Covad's position. This Petition includes: (1) the General Terms and Conditions and Attachment 2 to the Parties' current interconnection agreement (Attachment A) (the entire interconnection agreement is on file with the Commission); (2) the disputed issue for which Covad seeks Commission resolution, with the position of the Parties on the issue and



reference to the applicable section of the agreement (Attachment B); and (3) a matrix depicting the suggested language of Covad and BellSouth on the disputed issue (the "Proposed Language Matrix") (Attachment C).

#### **PARTIES**

- 1. DIECA Communications, Inc. d/b/a Covad Communications Company is a Virginia corporation and a wholly-owned subsidiary of Covad Communications Group, Inc., a publicly traded corporation formed under the laws of the state of Delaware. DIECA d/b/a Covad is a telecommunications carrier authorized to provide telecommunications services in the State of Florida.
- 2. BellSouth Telecommunications, Inc. is a corporation organized and formed under the laws of the State of Georgia. BellSouth is a certificated local exchange and intraLATA interexchange carrier and currently provides local service, intraLATA service and other services within its certificated areas in Florida. BellSouth is an incumbent local exchange carrier ("ILEC") in Florida as defined by Section 251(h) of the Act. 47 U.S.C. §251(h). BellSouth is also a Bell operating company ("RBOC") as defined by 47 U.S.C. §153 and 274(i)(3). Within its operating territory, BellSouth has been the incumbent local exchange provider of telephone exchange services at all relevant times.

## **JURISDICTION**

3. This Commission has jurisdiction over Covad's Petition pursuant to sections
12 and 16 of the Parties' Interconnection Agreement ("Agreement") and 47
U.S.C. §252. Attachment A, Sections 12 and 16. On December 4, 2003,
BellSouth provided Covad with proposed amendments to the Parties'

to the Federal Communications Commission's Triennial Review Order ("TRO" pursuant to Section 16.3, the change of law provision, of the Parties' Agreement. In thirty-two (32) separate paragraphs and an Exhibit containing rates, BellSouth proposed amendments to Attachment 2 of the Agreement related to line sharing rates, terms and conditions. On April 16, 2004, Covad provided BellSouth with its counter-proposal regarding amendments related to line sharing rates, terms and conditions.

4. Section 16 of the Agreement provides that in the event that proposed amendments to implement changes in law are not renegotiated within ninety (90) days after a party requests such a negotiation, the dispute shall be referred to the Dispute Resolution procedure set forth in the Agreement. Section 12, entitled Resolution of Disputes, provides that in the event that there is a dispute, "either Party may petition the Commission for a resolution of the dispute." Accordingly, Covad respectfully petitions the Commission to resolve the Parties' dispute over access to line sharing.

## STANDARD OF REVIEW

 This arbitration must be resolved by the standards established in Sections 201,
 202, 252 and 271 of the Act and the effective rules adopted by the Federal Communications Commission ("FCC").

#### ISSUES IN DISPUTE

6. While BellSouth proposed numerous changes to the Parties' Interconnection
Agreement in its December 4, 2003 proposed TRO amendment, Covad and
BellSouth have only exchanged proposed language regarding line sharing.

Moreover, many of the changes proposed by BellSouth were (or will be when

the mandate issues) reversed and/or vacated by the March 2, 2004 decision of the United States District Court of Appeals for the District of Columbia Circuit. Line sharing, however, was not one of the issues reversed or vacated. As a consequence, Covad only seeks Commission resolution as to a single open issue: line sharing, as set forth in Attachments B and C to this Petition. Attachment B includes a short description of the issue, assigns the issue a number, sets forth the position of Covad and BellSouth, and identifies the section(s) of the Interconnection Agreement which are affected.

7. Attachment C to this Petition is the Proposed Language Matrix, which depicts the proposed language of Covad and BellSouth on the disputed issue.

## RELIEF REQUESTED

## WHEREFORE, Covad respectfully requests that:

- 1. The Commission arbitrate the open issue identified in this Petition in accordance with Sections 201, 202, 252 and 271 of the Federal Telecommunications Act of 1996, and adopt the positions of Covad as set forth herein, and require the parties amend their Interconnection Agreement to incorporate and adopt the specific terms and contract language proposed by Covad, which are identified in the Proposed Language Matrix (Attachment C).
- 2. The Commission order the Parties to file on a date certain an amended Interconnection Agreement (between Covad and BellSouth), incorporating the Commission's decision as described above, for approval by the Commission pursuant to Section 252(e) of the Act.

3. The Commission process this arbitration on an expedited basis due to the October 1, 2004 cut-off date for line sharing.

CHARLES E. WATKINS

Covad Communications 1230 Peachtree Street

19<sup>th</sup> Floor

Atlanta, Georgia 30309

(404) 942-3492

VICKI GORDON KAUFMAN

McWhirter Reeves McGlothlin Davidson Kaufman & Arnold, PA 117 South Gadsden Street Tallahassee, Florida (850) 222-2525

**Attorneys for Covad Communications** 

## CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the foregoing Petition for Arbitration and Request for Expedited Processing has been furnished by (\*) hand delivery or (\*\*) Federal Express, this 23<sup>rd</sup> day of June, 2004 to the following:

(\*) Beth Keating Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Fl 32399

(\*) Nancy White c/o Nancy Sims BellSouth Telecommunications, Inc. 150 South Monroe Street, Suite 400 Tallahassee, FL 32301

(\*\*) BellSouth Telecommunications, Inc. BellSouth Local Contract Manager 600 North 19th Street, 8th Floor Birmingham, AL 35203

(\*\*) ICS Attorney Suite 4300 675 W. Peachtree Street Atlanta, GA 30375

(lilli Hordon Kaufman)
Vicki Gordon Kaufman

## ATTACHMENT A

General Terms and Conditions and Attachment 2 of the

Interconnection Agreement by and between BellSouth Telecommunications, Inc. and DIECA

Communications, Inc. d/b/a Covad Communications Company, dated December 19, 2001.

#### AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), a Virginia corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Covad or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Covad is or seeks to become a competitive local exchange carrier ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Covad wishes to purchase unbundled network elements and other services from BellSouth, resell BellSouth's telecommunications services, and/or the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Covad agree as follows:

#### 1. Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communication Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 ("Act")** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

## 2. Purpose

This Agreement sets forth the terms and conditions under which Covad will obtain services and unbundled network elements from BellSouth to provide telecommunications services to Covad customers within the territory of BellSouth. BellSouth will provide Covad with the functionalities of unbundled network elements so that Covad can provide any telecommunications service that can be offered by means of the unbundled elements as described in Attachment 2.

## 2.1 Term of the Agreement

- 2.2 The term of this Agreement shall be three years, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. This Agreement shall become effective on the date the last party executes the Agreement. (1211912001)
- 2.3 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.4.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.

- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.3 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective on the date the last party executes the Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic and BellSouth shall continue to provide Covad unbundled network elements and services for resale pursuant to the terms and conditions of this Agreement, except as provided in 2.4.1 and 2.4.2.
- 2.4.1 In the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.4 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Covad pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to Covad pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.
- 2.4.2 Notwithstanding Section 2.4 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.3 above, and (2) Covad either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.
- 2.4.3 The Parties may negotiate changes in section 2 as necessary.

#### 3. OSS

Covad shall, where appropriate, pay charges for Operational Support Systems (OSS).

### 4. Parity

When Covad purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. For resale purposes, BellSouth will provide Covad with pre-ordering, ordering, maintenance, and trouble reporting, and daily usage data functionality that will enable Covad to provide equivalent levels of customer service to its customers and end users as BellSouth provides to its own customers and end users. When Covad purchases unbundled network elements from BellSouth, to the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Covad shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Covad shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Covad.

## 5. White Pages Listings

- 5.1 BellSouth shall provide Covad and their customers access to white pages directory listings under the following terms:
- 5.2. <u>Listings</u>. Covad shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Covad residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Covad and BellSouth subscribers.
- 5.2.1 Rates. So long as Covad provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Covad one (1) primary White Pages listing per Covad subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Covad Subscriber Information are found in BellSouth's Ordering Guide for manually processed listings and in the Local Exchange Ordering Guide for mechanically submitted listings.
- 5.3.1 Notwithstanding any provision(s) to the contrary, Covad shall provide to BellSouth, and BellSouth shall accept, Covad's Subscriber Listing Information

(SLI) relating to Covad's customers in the geographic area(s) covered by this Interconnection Agreement. Covad authorizes BellSouth to release all such Covad SLI provided to BellSouth by Covad to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such CLEC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

- 5.3.2 No compensation shall be paid to Covad for BellSouth's receipt of Covad SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Covad's SLI, or costs on an ongoing basis to administer the release of Covad SLI, Covad shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.
- 5.3.3 BellSouth shall not be liable for the content or accuracy of any SLI provided by Covad under this Agreement. Covad shall indemnify, hold harmless and defend BellSouth from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Covad listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Covad any complaints received by BellSouth relating to the accuracy or quality of Covad listings.
- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. Covad will be required to provide to BellSouth the names, addresses and telephone numbers of all Covad customers that wish to be omitted from directories.
- 5.5 <u>Inclusion of Covad Customers in Directory Assistance Database</u>. BellSouth will include and maintain Covad subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Covad shall provide such Directory Assistance listings at no recurring charge. BellSouth and Covad will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

- Listing Information Confidentiality. BellSouth will accord Covad's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Covad's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to Covad subscribers at no charge or as specified in a separate BAPCO agreement.

## 6. Bona Fide Request/New Business Request Process for Further Unbundling

- BellSouth shall, upon request of Covad, provide to Covad access to its network elements at any technically feasible point for the provision of Covad's telecommunications service where such access is necessary and failure to provide access would impair the ability of Covad to provide services that it seeks to offer. Any request by Covad for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Exhibit 1 hereto.
- 6.2 Covad shall submit any Bona Fide Request/New Business Request in writing to Covad's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Covad's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

# 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Covad, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Covad end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Covad end users for the same length of time it maintains such information for its own end users.

- 7.2 <u>Subpoenas Directed to Covad.</u> Where BellSouth is providing to Covad telecommunications services for resale or providing to Covad the local switching function, then Covad agrees that in those cases where Covad receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Covad end users, and where Covad does not have the requested information, Covad will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

## 8. Liability and Indemnification

- 8.1 <u>Covad Liability</u>. In the event that Covad consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Covad under this Agreement.
- 8.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Covad for any act or omission of another telecommunications company providing services to Covad.
- 8.3 <u>Limitation of Liability</u>

#### 8.3.1 Liability Cap

8.3.1.1 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Covad, any Covad customer or by any other person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of BellSouth and claims for damages by Covad resulting from the failure of BellSouth to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability. Covad acknowledges that, to the extent BellSouth's obligations hereunder involve provisioning elements and services within any particular interval, BellSouth may not be able to meet such intervals 100% of the time. Covad bears the burden of showing that the number or percentage of intervals missed by BellSouth constitutes a material breach of this Agreement pursuant to applicable law. Any damages found payable to Covad

under this Section shall be reduced by the amount of any performance penalties for the same occurrence payable to Covad under this Agreement.

- 8.3.1.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth customer or by any other person or entity, for damages associated with any of the services provided by Covad pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Covad's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of Covad and claims for damages by BellSouth resulting from the failure of Covad to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability.
- 8.3.2 Neither Party shall be liable for any act or omission of any other telecommunications company to the extent such other telecommunications company provides a portion of a service.
- 8.3.3 Neither Party shall be liable for damages to the other Party's terminal location,
  Interconnection Point or the other Party's customers' premises resulting from the
  furnishing of a service, including but not limited to the installation and removal of
  equipment and associated wiring, except to the extent the damage is caused by such
  Party's gross negligence or willful misconduct, or by a Party's failure properly to
  ground a local loop after disconnection using sound engineering principles.
- 8.3.4 The Party providing services under this Agreement, its affiliates and its parent company shall be indemnified, defended and held harmless by the Party receiving such services against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement, involving: 1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving Party's own communications; 2) any claim, loss, or damage claimed by the receiving Party's customer(s) arising from such customer's use of any service, including 911/E911, that the customer has obtained from the receiving Party and that the receiving Party has obtained from the supplying Party under this Agreement; or 3) all other claims arising out of an act or omission of the receiving Party in the course of using services provided pursuant to this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder. Nothing herein is intended to modify or alter in any way the indemnification obligations set forth in Section 9, supra, relating to intellectual property infringement.

- 8.3.5 Neither Party guarantees or makes any warranty with respect to its services when used in an explosive atmosphere. Each Party shall be indemnified, defended and held harmless by the other Party or the other Party's customer from any and all claims by any person relating to the other Party or the other Party's customer's use of services so provided.
- 8.3.6 Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party (the "Indemnified Party") shall promptly give written notice to the other Party (the "Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable request for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party. Unless the Indemnified Party chooses to waive its rights to be indemnified further in any claim or action, the Indemnified Party's counsel shall not interfere with the defense strategy chosen by the Indemnifying Party and its counsel, and the Indemnified Party when such course of action in representation of the Indemnified Party's counsel shall not raise any claims, defenses, or objections or otherwise take a course of action in representation of the Indemnified Party when such course of action might be in conflict with a course of action or inaction chosen by the Indemnifying Party. The Indemnifying Party is not liable under this Section 8 for settlements or compromises by the Indemnified Party of any claim, demand, or lawsuit unless the Indemnifying Party ahs approved the settlement or compromise in advance or unless the Indemnified Party has tendered the defense of the claim, demand, or lawsuit to the Indemnifying Party in writing and the Indemnifying Party has failed to promptly undertake the defense.
- 8.4 Both Parties agree that they, at their own cost and expense, shall maintain throughout the term of this Agreement, all insurance required by law or required under this Agreement, and may at their own cost and expense purchase insurance or self-insure for their employer, public, professional and legal liabilities. No limit of liability on any policy, no program or self-insurance, nor any failure to maintain adequate insurance coverage shall limit the direct or indirect liability of either Party.
- 8.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE

OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

## 9. Intellectual Property Rights and Indemnification

- 9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Covad is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Covad may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 9.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.
- 9.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

## 10. Proprietary and Confidential Information

- 10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Covad, each as the "Discloser," to provide to the other party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, prices, costs, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All Information shall be provided to Recipient in written or other tangible or electronic form, clearly marked with a confidential and, proprietary notice. Information orally or visually provided to Recipient must be designated by Discloser as confidential and proprietary at the time of such disclosure and must be reduced to writing marked with a confidential and proprietary notice and provided to Recipient within thirty (30) calendar days after such oral or visual disclosure.
- 10.1.1 Each Party shall fully comply with all Customer Proprietary Network Information ("CPNI") and carrier information set forth in Section 222 of the Act and the FCC's rules and regulations implementing, or promulgated under, Section 222 of the Act.
- 10.2 <u>Use and Protection of Information.</u> Recipient shall use the Information solely for the purpose(s) of performing its obligations under this Agreement, and Recipient shall protect Information from any use, distribution or disclosure except as

permitted hereunder. Recipient will use the same standard of care to protect Information as Recipient uses to protect its own similar confidential and proprietary information, but not less than a reasonable standard of care. Recipient may disclose Information solely to the Authorized Representatives of the Recipient who (a) have a substantive need to know such Information in connection with performance of the Agreement; (b) have been advised of the confidential and proprietary nature of the Information; and (c) have personally agreed in writing to protect from unauthorized disclosure all confidential and proprietary information, of whatever source, to which they have access in the course of their employment. "Authorized Representatives" are the officers, directors and employees of Recipient and its Affiliates, as well as Recipient's and its Affiliates' consultants, contractors, counsel and agents.

- Ownership, Copying & Return of Information. Information remains at all times the property of Discloser. Recipient may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All such tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any information) will be destroyed and Recipient will provide Discloser with written certification stating that such Information has been destroyed.)
- Exceptions. Discloser's Information does not include: (a) any information publicly disclosed by Discloser; (b) any information Discloser in writing authorizes Recipient to disclose without restriction; (c) any information already lawfully known to Recipient at the time it is disclosed by the Discloser, without an obligation to keep confidential; or (d) any information Recipient lawfully obtains from any source other than Discloser, provided that such source lawfully disclosed and/or independently developed such information. If Recipient is required to provide Information to any court or government agency pursuant to written court order, subpoena, regulation or process of law, Recipient must first provide Discloser with prompt written notice of such requirement and cooperate with Discloser to appropriately protect against or limit the scope of such disclosure. To the fullest extent permitted by law, Recipient will continue to protect as confidential and proprietary all Information disclosed in response to a written court order, subpoena, regulation or process of law.
- 10.5 Equitable Relief. Recipient acknowledges and agrees that any breach or threatened breach of this Section 10 is likely to cause Discloser irreparable harm for which money damages may not be an appropriate or sufficient remedy. Recipient therefore agrees that Discloser or its Affiliates, may be entitled to receive injunctive or other equitable relief to remedy or prevent any breach or threatened breach of this Section 10. Such remedy is not the exclusive remedy for any breach

or threatened breach of this Section 10, but is in addition to all other rights and remedies available at law or in equity.

10.6 <u>Survival of Confidentiality Obligations.</u> The parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

## 11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the effective date thereof and, provided further, if the assignee is an assignee of Covad, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

## 12. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 13. Taxes

Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services

furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 13.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee; provided, however, that this provision shall not apply to any interest, penalties, or other charges or payable expenses (including reasonable attorney fees) attributable to the providing Party's failure to timely remit any taxes or fees collected from the purchasing Party.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

  Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the

existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 14. Force Majeure

14.1 In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. BellSouth understands that its obligation to

provide Covad with nondiscriminatory access to unbundled network elements is not altered by a work stoppage, strike or other labor problem.

## 15. Adoption of Agreements

BellSouth shall make available without unreasonable delay to Covad any individual interconnection, service, or network element arrangement contained in any agreement to which it is a party that is approved by a state commission pursuant to section 252 of the Act, upon the same rates, terms and conditions as those provided in the agreement. If BellSouth believes that it is no longer reasonable to allow Covad to opt into a particular agreement because of changes in technology or pricing or for any other reason, BellSouth may petition the Commission requesting that Covad not be allowed to opt-in.

## 16. Modification of Agreement

- 16.1 If Covad changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Covad to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Covad or BellSouth to perform any material terms of this Agreement, Covad or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

## 17. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such

£

decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

## 18. Severability

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

#### 19. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

## 20. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

#### 21. Notices

\* 21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### BellSouth Telecommunications, Inc.

Account Team 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

\* This section was amended pursuant to an Amendment to the IA dated Jan. 02,2003. Please see Amendment immediately following for current notice Version 2000:8/29/00 provisions.

Dhruv Khanna
Executive Vice President and General Counsel
Covad Communications Company
3420 Central Expressway
Santa Clara, CA 95054

and

Catherine F. Boone Senior Counsel Covad Companications Company 10 Glenlake Parkway, Suite 130 Atlanta, GA 30328

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the foregoing, BellSouth may provide Covad notice via Internet posting of price changes, changes to the terms and conditions of services available for resale, changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

## 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

## 23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Implementation of Agreement

If Covad is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

## 25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Covad and BellSouth shall share those fees evenly. Covad shall be responsible for publishing the required notice. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Covad is duly certified as a local exchange carrier in such state.

## 26. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

## 27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

## 28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

### 29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except

insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Covad as a requesting carrier under the Act).

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

## 31. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

## This Agreement may include the following attachments:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by Covad. Covad may elect to purchase said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.	DIECA Communications, Inc. d/b/a Covad Communications Company
Gragory R Fallonibee	Abuf hu
Signature	Signature
Gregory R Follensber	DHRUV KHANNA
Name	Name
Senior Director	EXECUTIVE VICE PRESIDENT – GENERAL COUNSEL
Title	Title
12-19-01	<b>DECEMBER 18, 2001</b>
Date	Date

#### AMENDMENT TO THE

# AGREEMENT BETWEEN DIECA COMMUNICATIONS, INC. d/b/a COVAD COMMUNICATIONS COMPANY

## AND

# BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 19, 2001

Pursuant to this Amendment, (the "Amendment"), DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 19, 2001 ("Agreement").

WHEREAS, The Parties desire to amend the Interconnection Agreement entered into on December 19, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties hereby agree to delete Section 21.1 of the General Terms and Conditions and replace with new Section 21.1 as follows:
  - 21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> Floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree Street Atlanta, GA 30375

#### DIECA Communications, Inc. d/b/a Covad Communications Company

Douglas Carlen, Esq. Assistant General Counsel 3420 Central Expressway Santa Clara, CA 95051

and

William H. Weber Vice President, External Affairs 1230 Peachtree Street, NE 19<sup>th</sup> Floor, Promenade II Atlanta, GA 30309

1

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 2. All of the other provisions of the Agreement, dated December 19, 2001, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

DIECA Communications, Inc. d/b/a	
Covad Communications Company	BellSouth Telecommunications, Inc.
By: Coll	By: Ma Shew for
<i>V</i>	i X
Name: Douglas Carlen, Esq.	Name: Elizabeth R. A. Shiroishi
Title: Assistant General Counsel	Title: Assistant Director
Date: 12/10/02	Date: // 2/03

į

## **Attachment 2**

**Network Elements and Other Services** 

Version 1Q00:3/6/00

## TABLE OF CONTENTS

1.	INTRODUCTION	3
2.	UNBUNDLED LOOPS, INTEGRATED DIGITAL LOOP CARRIERS, NETWORK INTERFACES DEVICE, UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM, SUB LOOPS AND DARK FIBER	
3.	SWITCHING	32
4.	UNBUNDLED NETWORK ELEMENT COMBINATIONS	43
5.	PORT/LOOP COMBINATIONS	48
6.	TRANSPORT AND DARK FIBER	50
7.	BELLSOUTH SWA 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE	56
8.	LINE INFORMATION DATABASE (LIDB)	58
9	SIGNALING	61
10.	OPERATOR CALL PROCESSING, INWARD OPERATOR SERVICES AND DIRECTORY ASSISTANCE SERVICES	70
11.	CALLING NAME (CNAM) DATABASE SERVICE	77
12.	BASIC 911 AND E911	79
13.	TRUE-UP	80
LII	OB Storage AgreementExhibit A	4
CN	AM Database ServicesExhibit 1	В
Dat	Exhibit	t C

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1. Introduction

- 1.1. This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.2.1. Except as otherwise required by law, BellSouth shall not impose limitation restrictions or requirements or requests for the use of the network elements or combinations that would impair the ability of Covad to offer telecommunications service in the manner Covad intends.
- 1.2.2 Except upon request by Covad, BellSouth shall not separate requested network elements that BellSouth currently combines.
- 1.3. BellSouth shall, upon request of Covad, and to the extent technically feasible, provide to Covad access to its network elements for the provision of Covad's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.
- 1.4. Covad may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Covad chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Covad for combining to the designated Covad collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.5. BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 unless BellSouth's actual performance or applicable industry

standards are greater than such technical reference, in which event BellSouth shall provide UNE's at such greater level. In the event the applicable industry standard exceeds the BellSouth technical reference, BellSouth shall provide UNE's consistent with the Industry Standard within ninety (90) days of notice from Covad that the industry standard exceeds the BellSouth technical reference.

- 1.6. In the event that any effective legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7. Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center BellSouth Operational Understanding Agreement regarding maintenance and installation of service.
- 1.8 If one or more of the requirements set forth in this Agreement are in conflict, the parties shall mutually agree on which requirement shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.
- 2. Unbundled Loops, Integrated Digital Loop Carriers, Network Interfaces Device, Unbundled Loop Concentration (ULC) System, Sub loops and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled loops.

#### 2.1 Unbundled Loops

## 2.1.1 <u>Definition</u>

2.1.2 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

- 2.1.3 The provisioning of service to a CLEC collocation space will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment. These cross-connects are a separate component, that are not considered a part of the loop, and thus have a separate charge.
- 2.1.4 The Loop shall be provided to Covad in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references. Covad shall be provided with six months notice of any changes to the existing loop specifications proposed by BellSouth to TR73600 after execution of this Agreement. The 6 months notification will not apply if Industry Standards, or legal or regulatory mandates require a different timeframe, if an applicable regulatory authority or industry forum requires modifications within a shorter time frame, or if otherwise agreed to by Covad and BellSouth.

Covad may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such serves are consistent with industry standards and BellSouth's TR73600.

BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered. In those cases where Covad has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type, the resulting loop will be maintained as an Unbundled Copper Loop (UCL), and Covad shall pay the recurring and non-recurring charges for the resulting UCL.

- 2.1.5 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination Time Specific."
- 2.1.6 "Order Coordination" allows BellSouth and Covad to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Covad's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and Covad advised. OC shall be provided in accordance with the chart set forth below.
- 2.1.7 "Order Coordination Time Specific" refers to service order coordination in which Covad requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate Covad's specific conversion time request. However, BellSouth reserves the right to negotiate with Covad a conversion time based on load and appointment control when necessary. Loops on a single service

order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Covad may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Covad specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

2.1.8 If Covad cancels an order for network elements and other services, any reasonable costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4. If Covad cancels an order for network elements and other services prior to the DLR Date for provisioning of the loop, Covad shall not be required to pay the above referenced cancellation charge. Notwithstanding the foregoing, if Covad places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services ordered in accordance with the transmission characteristics of the network elements or services ordered, cancellation charges described in this Section shall not apply. Where Covad places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Coyad may cancel its order as to those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Covad elect to cancel the entire LSR, cancellation charges as described in this Section shall apply as to those elements and services that were not the subject of inaccurate loop makeup information. In order to obtain the credit in those loop makeup instances described above where a credit would be due, Covad must provide (1) backup documentation to confirm cancellation of the service order, such documentation to include the purchase order number and the order status; and (2) a copy of the correlating loop makeup response output with the facility reservation number, such loop makeup response being the original catalyst for Covad's submission of the service order for the facility, which is the subject of the inaccurate loop makeup information; and (3) the Billing Adjustment Request (BAR) Form. Upon presentation of that information, BellSouth may investigate whether cancellation charges are appropriate. BellSouth shall issue the appropriate credit within 60 days of receiving the above referenced information from Covad, irrespective of whether it elected to perform an investigation. No other billing dispute process shall be required for Coyad to obtain the necessary credit for these charges.

- 2.1.9 If a Covad order for a local loop is cancelled or modified by Covad or a Covad enduser, and the cancellation or modification is not caused by BellSouth, Covad will compensate BellSouth costs incurred by BellSouth for provisioning or accommodating the modification of the local loop, unless such costs are already being recovered through approved rates. Covad may charge BellSouth order modification or cancellation charges using the same rates and conditions as BellSouth utilizes for assessing such charges to Covad, if the modification or cancellation is caused by BellSouth.
- 2.1.10 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels -Service Level One (SL1) and Service Level Two (SL2).
- 2.1.11 Unbundled Voice Loops SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by Covad. Covad may also order OC-TS when a specificied conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop makeup information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users. If Covad requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.
- 2.1.12 Unbundled Voice Loop SL2 loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a design layout record provided to Covad. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Covad to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.1.13 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.1.14 As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCLs), BellSouth will offer Order Coordination Time Specific (OC-TS). This will allow Covad the ability to specify the time that the

- coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- 2.1.15 Covad will be responsible for testing and isolating troubles on the loops. Once Covad has isolated a trouble to the BellSouth provided loop, Covad will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop on the first trouble ticket opened. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.1.16 If Covad reports a trouble and BellSouth appropriately tests its loop but finds no trouble, BellSouth will charge Covad for any dispatching and testing (inside and outside the CO for non-designed loops and outside the CO for designed loops) required by BellSouth in order to confirm the loop's working status. In the event BellSouth closes a Covad trouble ticket as "no trouble found," and Covad reports a subsequent trouble on the same loop within 30 days of the previous trouble ticket, Covad may provide to BellSouth in writing, using the Billing Adjustment Request (BAR) Form, the PON number of the order, the number of repeat trouble tickets and confirmation that the loop is currently operational. At that time, BellSouth shall investigate the trouble tickets to determine if the subsequent trouble was in fact the same trouble that had been previously reported and closed as "no trouble found." If the investigation reveals that the subsequent trouble was the same trouble reported by Covad within 30 days prior to the subsequent trouble, BellSouth shall credit Covad for all charges related to those trouble tickets within 60 days of Covad's providing the information specified above. No other formal billing dispute shall be required to obtain this credit. If the investigation reveals that the subsequent trouble was unrelated to the previous reported trouble, no credit will be due to Covad where the trouble tickets were closed as "no trouble found."

#### 2.1.17 xDSL Capable Loops

BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Specifically, BellSouth shall make available the following:

- 2.1.17.1 ADSL: Asymmetrical Digital Subscriber Line (ADSL) Capable Loop: These copper loops are provisioned according to the Revised Resistance Design (RRD) industry standards which means they may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap which is included in of the loop length.
- 2.1.17.2 HDSL: High Big Rate Digital Subscriber Line (HDSL) Capable Loop: These copper loops are provisioned according to the Industry Standard Carrier Service Area ("CSA") guidelines. It will be 12,000 feet or less on 24 gauge wire and 9,000 feet or

less on 26 gauge wire, inclusive of up to 2,500 feet of bridged tap (with no one bridged tap exceeding 2000 feet).

2.1.17.3 xDSL: Subscriber Line ("DSL") technologies. The "x" in xDSL is a placeholder for the various types of digital subscriber line services. A loop is a dedicated transmission facility between a distribution frame, or its equivalent, in a BellSouth central office and the loop demarcation point at the customer premises.

An xDSL loop is a plain twisted pair of cooper loop of unlimited length without intervening devices, such as load coils, repeaters (unless so requested by the requesting carrier), or digital access main lines ("DAMLs"), and which may contain minimal bridge tap. A cooper loop used for such purposes will meet basic electrical standards such as metallic conductivity and capacitive and resistive balance.

- 2.1.17.4 UCL/short: an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.
- 2.1.17.5 UCL/long: Unbundled Copper Loop/long (UCL/long). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A long UCL (18 kft or more) will be provisioned with a maximum 2800 ohms resistence. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.

- 2.1.17.6 When attempting to provide cooper-based loops, BellSouth will attempt to use any available copper facility that serves the end users address. This includes performing Line and Station Transfers (LSTs) to free up copper facilities that may be currently in use but could be provisioned using a different spare media that will support the service currently in use.
- 2.1.17.7 Where facilities are available, BellSouth will install ADSL, HDSL, UCL and UCL-ND loops in no more than a 5 business day interval from receipt of Firm Order Confirmation ("FOC"). For orders of 14 or more loops at the same address, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Covad, expedite charges will apply for intervals less than 5 days. The charges outlined in BellSouth's FCC #1 Tariff, Section 5.1.1, will apply.

#### 2.1.17.8 **ISDN/IDSL/UDC**

- 2.1.17.8.1 Due to technical limitations associated with certain DLC systems, certain ports on Digital Loop Carrier ("DLC") systems do not support ISDN Digital Subscriber Lines (IDSL).
- 2.1.17.8.2 BellSouth will offer the IDSL-Compatible Loop, known internally at BellSouth as the Universal Digital Channel (UDC), as a part of its Unbundled Digital Loop offerings as an xDSL capable loop. The IDSL-Compatible loop is compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. The technical specifications which govern this loop are those set forth in BellSouth's TR73600, which is in effect on the date of execution of this agreement.
- 2.1.17.8.3 Like the ISDN-capable loop, the IDSL-Compatible loop may be provisioned on copper or through a DLC system. When IDSL-Compatible loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.1.17.8.4 The Universal Digital Channel (UDC)/IDSL Compatible Loop shall be provisioned by BellSouth in no more than 10 business days from the date of the receipt of the Firm Order Confirmation.
- 2.1.17.8.5 The rates for the IDSL-Compatible shall be the same as the rates for ISDN loops, subject to true-up when and if BellSouth's proposed rates for the IDSL-Compatible are approved and accepted by a state commission.

2.1.17.8.6 Covad shall exclusively order the UDC for its IDSL service.

#### 2.1.17.9 Acceptance Testing and Cooperative Testing

- 2.1.17.9.1 Cooperative Acceptance Testing is acknowledged by both BellSouth and Covad to assist in the timely and efficient provisioning of functioning loops. If both parties agree in writing that this testing is no longer necessary, it can be suspended at any time.
- 2.1.17.9.2 BellSouth will dispatch a technician to provide normal acceptance testing where BellSouth determines a dispatch is required to provision the loop. Normal acceptance testing includes: Placing a short on the tip and ring conductors, listening for tone, and placing a ground on tip and ring. BellSouth will call Covad with the technician on the line to perform the above mentioned tests and Covad will within 15 minutes begin testing with the technician. The BellSouth technician will test with Covad for a period not to exceed 15 minutes. Testing not considered to be normal acceptance testing as outlined above may be performed by BellSouth, if requested by Covad. BellSouth will charge and Covad will pay for additional acceptance testing, by paying additional acceptance charges as outlined in FCC No. 1 Tariff. BellSouth shall deliver loops which perform according to the characteristics of TR73600 for the particular loop ordered.
- 2.1.17.9.3 Where a technician is dispatched to provision a loop, the BellSouth technician shall tag a circuit for identification purposes. Where a technician is not dispatched by BellSouth, BellSouth will provide sufficient information to Covad to enable Covad to locate the circuit being provisioned. Upon delivery of the loop BellSouth will contact CLEC via a toll free number to provide notification of the completion of the loop and where required, provide acceptance testing as provided for in this agreement.
- 2.1.17.9.4 If Covad is not available to perform acceptance testing within 15 minutes of the time of loop turn up by BellSouth then CLEC may request and BellSouth, if mutually agreed to, will require the BellSouth technician to standby. CLEC would then be required to pay standby charges as provided for in FCC No. 1 Tariff.
- 2.1.17.9.5 If BellSouth is unable to contact a Covad employee to perform acceptance testing at the time of loop turn up (placed on hold for more than 15 minutes, reaches voice mail or other recording, no answer or repeated busy conditions), BellSouth will test the loop to ensure the loop is provisioned according to requirements of TR73600 for the type of loop requested by CLEC. BellSouth will complete the local service request without obtaining acceptance from Covad and will have no further obligation to perform normal acceptance testing of the provisioned loop. On any such orders where

BellSouth completes the local service request without obtaining acceptance from Covad, BellSouth must provide the reason for which it was unable to contact Covad.

If at any time Covad feels that the process described in this paragraph is not being appropriately executed by BellSouth, Covad may escalate to the appropriate BellSouth Manager for immediate resolution. Such resolution shall include but not be limited to: an immediate review of the processes described above by BellSouth personnel, joint meetings of the parties to mutually resolve issues and any other such action which both parties agree may need to be implemented to correct the process failure.

- 2.1.17.9.6 If the Acceptance Test fails loop Continuity Test parameters, as defined by TR73600 for the loop being provisioned, the BellSouth technician will take any or all reasonable steps, if possible, to immediately resolve the problem with CLEC on the line including, but not limited to, calling the central office to perform work or troubleshooting for physical faults. If the problem cannot be resolved in an expedient manner, the technician will release the CLEC representative, and perform the work necessary to correct the situation. Once the loop is correctly provisioned, BellSouth will re-contact the CLEC representative to repeat the Acceptance Test.
- 2.1.17.9.7 Both Parties declare they will work together, in good faith, to implement Acceptance Testing procedures that are efficient and effective. If the Parties mutually agree to additional testing, procedures and/or standards not covered by this Appendix or any Public Utilities Commission or FCC ordered tariff, the Parties will negotiate terms and conditions to implement such additional testing, procedures and/or standards.
- 2.1.17.9.8 BellSouth will not bill for loop repairs when the repair resulted from a BellSouth problem.

#### 2.1.17.10 Unbundled Copper Loop - Non-Designed (UCL-ND)

2.1.17.10.1 The UCL-ND will be provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog

- voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a design layout record or a test point.
- 2.1.17.10.2 The UCL-ND will be provisioned according to the specifications for the UCL-ND set forth in BellSouth's TR73600.
- 2.1.17.10.3 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, COVAD can request Loop Make Up for which additional charges would apply.
- 2.1.17.10.4 At Covad's option, Covad may request that BellSouth participate in Joint Acceptance Testing on the UCL-ND under the following terms, conditions, and rates. BellSouth shall take all steps necessary to complete an order for the UCL-ND. After BellSouth has confirmed that the UCL-ND loop meets the applicable technical specifications, BellSouth shall call Covad and participate in Joint Acceptance Testing. The charges for testing shall be assessed as follows: 1) At the time of testing, if the parties agree that the loop complies with technical specifications set forth in TR73600, Covad will pay for the Joint Acceptance Testing; 2) At the time of testing, if the parties agree that the loop does not comply with technical specifications set forth in TR73600, BellSouth shall not charge Covad for the Joint Acceptance Testing and any subsequent, technically feasible work and testing necessary to deliver a UCL-ND that meet the technical specifications; and 3) At the time of testing, if the Parties disagree as to whether the UCL-ND complies with applicable technical specifications, BellSouth and Covad will both dispatch a technician to the end user location at a mutually agreeable time. During this joint dispatch, the technicians will work cooperatively to isolate the trouble to the loop and will retest the loop to determine if the loop meets the applicable specifications. If the jointly dispatched test indicates that the UCL-ND meets applicable technical specifications, Covad will only be billed for the time associated with the first Joint Acceptance Test. If the jointly dispatched testing indicates a non-conforming loop, then BellSouth will take whatever technically feasible action necessary to bring the loop into specifications. In such case, BellSouth will be responsible for all charges associated with Joint Acceptance Testing as well as the cost of the Covad technician's participation in the joint testing on a time and materials basis (rates will be negotiated and agreed to in advance). If the loop cannot be brought into specifications, then Covad may cancel the order and will not be charged cancellation charges for that loop. In the event the Commission establishes Joint Acceptance Testing rates different from those set forth herein, the Parties will amend this Agreement to incorporate such rates.

- 2.1.17.10.5 BellSouth will perform continuity validation on UCL-ND loops which require a dispatch to provision prior to order completion.
- 2.1.17.10.6 UCL-ND loops are not intended to support any particular service and may be utilized by COVAD to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.1.17.10.7 The UCL-ND will be delivered to COVAD's collocation space via a cross-connect. This cross-connect element will be provisioned as a part of BellSouth's Collocation offering.
- 2.1.17.10.8 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth's facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.1.17.10.9 COVAD may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.1.17.10.10 The provisioning interval for the UCL-ND is as set forth in Section 2.1.8 of this Attachment.
- 2.1.17.10.11 When BellSouth provisions a UCL-ND, BellSouth will take necessary steps to identify the pair as an xDSL compatible loop. As such, when making modifications to its network, BellSouth will maintain the same specified physical characteristics of the UCL-ND in accordance with TR 73600 until the loop is disconnected by the CLEC or the end-user.

#### 2.2 Loop Conditioning/Loop Modification

- 2.2.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Covad, whether or not BellSouth offers advanced services to the End User on that loop. BellSouth shall deliver a conditioned loop in no more than business days from receipt of Firm Order Confirmation.
- 2.2.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline



Version 1Q00:3/6/00

- telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.
- 2.2.3 Charges for conditioning a loop, if any, will be determined by each state public service commission.
- 2.2.4 The unbundled Loop Modifications (ULM) offering provides the following elements:
  1) removal of equipment on loops less than 18kft, 2) removal of equipment of loops longer than (18kft), 3) removal of bridged-taps on loops of any length.

## 2.3 Integrated Digital Loop Carriers

2.3.1 In the event that BellSouth has chosen to deploy Integrated Digital Loop Carrier (IDLC) systems to provide the local loop that do no permit unbundling of that local loop, BellSouth will provide a suitable alternative facility (such as a contiguous local copper loop which is in existence at that location and which is not currently being utilized by BellSouth or any other customer) without additional cost. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities.

#### 2.4 Network Interface Device

#### 2.4.1 <u>Definition</u>

The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the point of demarcation at the end users premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.4.2. BellSouth shall permit Covad to connect Covad's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.4.3 Access to Network Interface Device (NID)
- 2.4.3.1. Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Covad may access the on-premises wiring by any of the following means: BellSouth shall allow Covad to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are

- not used by BellSouth or any other telecommunications carriers to provide service to the premise. It is the responsibility of Covad to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID.
- 2.4.3.2. Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or
- 2.4.3.3. Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.4.3.4. Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Covad, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.
- 2.4.3.5. In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately capping off and guarding the other Party's loop. In such cases, it shall be the responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.
- 2.4.3.6. In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.4.3.7. In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.4.3.8. Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with Covad to develop specific procedures to establish the most effective means of implementing this Section, 2.4.3.
- 2.4.4 <u>Technical Requirements</u>
- 2.4.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.4.4.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Covad's NID, consistent with the NID's function at the Effective Date of this Agreement.

- 2.4.4.3 Where a BellSouth NID exists, it is provided in its "as is" condition. Covad may request BellSouth do additional work to the NID in accordance with Section 2.4.3.8.
- 2.4.4.4 When Covad deploys its own local loops with respect to multiple-line termination devices, Covad shall specify the quantity of NIDs connections that it requires within such device.
- 2.4.5 Interface Requirements
- 2.4.5.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

#### 2.5 Unbundled Loop Concentration (ULC) System

- 2.5.1 BellSouth will provide to Covad Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and may connect to Covad at Covad's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

## 2.6 Sub-loop Elements

- 2.6.1 BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Subloop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251(c) (3) of the Act, to the subloop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment.
- 2.6.2 Subloop components include but are not limited to the following:
- 2.6.2.1 Unbundled Sub-Loop Distribution;

- 2.6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
- 2.6.2.3 Unbundled Network Terminating Wire; and
- 2.6.2.4 Unbundled Sub-Loop Feeder.
- 2.6.3 Unbundled Sub-Loop (distribution facilities)
- 2.6.3.1 Definition
- 2.6.3.2 The unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):
- 2.6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.
- 2.6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to and including the point of demarcation.
- 2.6.4. Requirements for Unbundled Sub-Loop Distribution Facilities
- 2.6.4.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.6.4.2 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, Covad would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to Covad's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. Covad's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building

- equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.
- 2.6.4.3 BellSouth will provide Unbundled Sub-Loops where possible. Through the firm order Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where Covad has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section 2.6.4.4. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 2.6.4.4) to accommodate Covad's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to provision the Unbundled Sub-Loops. Covad will then have the option of paying the one-time SC charge to modify the facilities to meet Covad's request.
- 2.6.4.4 During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross-connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested sub-loop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.
- 2.6.5 Interface Requirements
- 2.6.5.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.
- 2.6.6 Unbundled Sub-Loop Concentration System (USLC)
- 2.6.6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to Covad with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Covad's collocation space. TR-008 and TR303 interface standards are available.
- 2.6.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Covad's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Covad's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of

two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.

2.6.6.3 In these scenarios Covad would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Covad's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

#### 2.6.7 Unbundled Network Terminating Wire (UNTW)

2.6.7.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Covad pursuant to the following terms and conditions at rates as set forth in this Attachment.

#### 2.6.7.2 Definition

2.6.7.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

#### 2.6.7.3 Requirements

- 2.6.7.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Covad. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Covad's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Covad. If after BellSouth has relinquished the first pair to Covad and the end user decides to change local service providers to BellSouth, Covad will relinquish the first pair back to BellSouth.
- 2.6.7.3.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Covad agrees to surrender its spare pair(s) upon request by BellSouth.
- 2.6.7.3.3 If an end user of Covad desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end

- user, then Covad agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- 2.6.7.3.4 If Covad has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Covad's NTW to provide local exchange service to the end user, then Covad agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.
- 2.6.7.3.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the CLEC.
- 2.6.8 <u>Technical Requirements</u>
- 2.6.8.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for CLEC access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. Covad will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. Covad will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

#### 2.7 Dark Fiber

#### 2.7.1 Defintion

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

#### 2.7.2 Requirements

- 2.7.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two –year planning period, there is no requirement to provide said fiber to Covad.
- 2.7.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Covad's request subject to time and materials charges.
- 2.7.2.3 Covad may test the quality of the Dark Fiber to confirm its usability and performance specifications.

- 2.7.2.4 BellSouth shall use its best efforts to provide to Covad information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from Covad ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to forty-five (45) days after Confirmation, BellSouth shall hold such requested Dark Fiber for Covad's use and may not allow any other party to use such media, including BellSouth.
- 2.7.2.5 BellSouth shall use its best efforts to make Dark Fiber available to Covad within thirty (30) business days after it receives written confirmation from Covad that the Dark Fiber previously deemed available by BellSouth is wanted for use by Covad. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Covad to connect or splice Covad provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.
- 2.7.2.6 Dark Fiber shall meet the manufacturer's design specifications.
- 2.7.2.7 Covad may splice and test Dark Fiber obtained from BellSouth using Covad or Covad designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

#### 2.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

#### 2.9 Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

2.9.1 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted

by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, MS, NC, SC, TN	KY	FL	LA
OSS LSR charge, per LSR received from the CLEC by one	\$3.50	\$3.50	\$3.50	\$3.50
of the OSS interactive interfaces	SOMEC	SOMEC	SOMEC	SOMEC
Incremental charge received from the CLEC by means other	See applicable rate element –	\$19.99	\$10.73	\$15.20
than one of the OSS interactive interfaces	applied on a per element basis	applied on a per LSR basis	applied on a per LSR basis	applied on a per LSR basis
	SOMAN	SOMAN	SOMAN	SOMAN

For network elements and service for which BellSouth makes available an electronic ordering mechanism, Covad shall pay the manual ordering charge when it submits a manual order, unless Covad submitted the manual order when the electronic systems were non functional for any reason other than scheduled maintenance and downtime. For network elements and services for which BellSouth does not make available a electronic ordering mechanism, Covad shall pay the manual ordering rate for manually submitted orders. Notwithstanding the foregoing, if BellSouth's retail operations have electronic ordering capabilities for services analogous to those provided by BellSouth to Covad and BellSouth does not make electronic ordering available to Covad, Covad shall pay the electronic ordering rate for those services, irrespective of whether the orders are placed manually or electronically.

#### 2.9.2 Denial/Restoral OSS Charge

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

2.9.3 Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad, except when BellSouth does not deliver the loop within seven (7) days of the standard loop delivery interval for each particular loop.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 2.9.4 Network Elements and Other Services Manual Additive
- 2.9.4.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means

other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit A.

#### 2. 10 Loop Makeup (LMU)

#### 2.10.1 <u>Description of Service</u>

- 2.10.1.1 BellSouth shall make available to Covad loop makeup information so that Covad can make an independent judgment about whether the loop is capable of supporting the advanced services equipment Covad intends to install and the services Covad wishes to provide. This section addresses LMU as a preordering transaction, distinct from Covad ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.10.1.2 BellSouth will provide Covad LMU information consistent with the effective FCC Rules, Orders and Regulations including the composition of the loop material (copper/fiber); the existence, location and type of equipment on the loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.10.1.3 BellSouth's LMU information is provided to Covad as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.10.1.4 Covad may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth loop. The determination shall be made solely by Covad and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said loop. The specific loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop requested taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Covad's ability to provide advanced data services over the ordered loop type. Further, if Covad orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Covad is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

#### 2.10.2 Submitting Loop Makeup Service Inquiries

- 2.10.2.1 Covad may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the loop from the mechanized LMUSI process, if Covad needs further loop information in order to determine loop service capability, Covad may initiate a separate Manual LMUSI for a separate nonrecurring charge as set forth in the rate exhibit for Attachment 2.
- 2.10.2.2 Manual LMUSIs shall be submitted by electronic-mail to BellSouth's Complex Resale Support Group (CRSG/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.10.3 Loop Reservations

- 2.10.3.1 Covad may reserve facilities for up to four (4) calendar days for each facility requested on a LMUSI from the time the LMU information is returned to Covad. During and prior to Covad placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Covad does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released. For a Mechanized LMUSI, Covad may reserve up to 10 loop facilities. For a Manual LMUSI, Covad may reserve up to 3 loop facilities.
- 2.10.3.2 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

## 2.10.4 Ordering of Other UNE Services

- 2.10.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Covad will not be billed any additional LMU charges for the loop ordered on such LSR. If however, Covad does not reserve facilities upon an initial LMUSI, Covad's placement of an order for an advanced data service type facility shall be deemed placed for such a facility rate element that "includes manual service inquiry and reservation" per the rate matrix of this Attachment.
- Where Covad has reserved multiple loop facilities on a single reservation, Covad may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Covad, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type loop as ordered by Covad. If the ordered loop type is not available, Covad may utilize the Unbundled Loop

Modification process or the Special Construction process, as applicable, to obtain the loop type ordered.

#### 2.11 High Frequency Spectrum Network Element

- 2.11.1 BellSouth shall provide Covad access to the high frequency portion of the local loop as an unbundled network element ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Covad with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.
- 2.11.1.1 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Covad the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 C.F.R. Section 51.230, including, but not limited to, ADSL, RADSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Covad shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Covad shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.
- 2.11.1.2 The following loop requirements are necessary for Covad to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. The process of removing such devices is called "conditioning." BellSouth shall charge and Covad shall pay as interim rates, the same rates that BellSouth charges for conditioning stand-alone loops as provided in this Interconnection Agreement (e.g., unbundled copper loops, ADSL loops, and HDSL loops) until permanent pricing for loop conditioning are established either by mutual agreement or by a state public utilities commission. The interim costs for conditioning are subject to true up as provided in this agreement. BellSouth will condition loops to enable Covad to provide xDSL-based services on the same loops the incumbent is providing analog voice service, regardless of loop length. BellSouth is not required to condition a loop in connection with Covad's access to the High Frequency Spectrum if conditioning of that loop impairs service from the end users perspective. If Covad requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly

- degrades the voice services on the loop, Covad shall pay for the loop to be restored to its original state.
- 2.11.1.3 Covad's termination point is the point of termination for Covad's on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect Covad's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to the Covad's xDSL equipment in the Covad's collocation space.
- 2.11.1.4 For the purposes of testing line shared loops, Covad shall have access to the test access point associated with the splitter and the demarcation point between BellSouth's network and Covad's network.

# 2.11.2 PROVISIONING OF HIGH FREQUENCY SPECTRUM AND SPLITTER SPACE

- 2.11.2.1 BellSouth will provide Covad with access to the High Frequency Spectrum as follows:
- 2.11.2.2 BellSouth will install splitters within thirty-six (36) calendar days of Covad's submission of such order to the BellSouth Complex Resale Support Group.
- 2.11.2.3 BellSouth shall provide Covad the status of manually submitted LSRs for end user line sharing orders through the PON Report on the CLEC Operations Website at <a href="https://clec.bellsouth.com">https://clec.bellsouth.com</a>.

Status shall include FOC Sent, Pending, Cancelled, In Clarification, Jeopardies or Rejected. A description of these statuses can be found on this website. This is a secure website. Passwords can be obtained from your account team.

For LSRs submitted through an electronic interface (EDI, TAG, LENS, RoboTAG), the following responses will be returned to Covad electronically: FOCs, Completion Notices, Errors/Clarifications, Pending Order Status, Jeopardies, e.g. missed appointments. Covad may view CSRs through LENs.

Covad may determine the status of its line sharing end user service orders through CSOTS (CLEC Service Order Tracking System). The service order statuses are described in the Pending Order Status Job Aid located on the web at <a href="http://www.interconnection.bellsouth.com/markets/lec/oss\_info.html">http://www.interconnection.bellsouth.com/markets/lec/oss\_info.html</a>. Passwords for CSOTS can be obtained from the account team.

Covad may determine the status of its COSMOS/SWITCH work order for its line sharing end user orders through the COSMOS/SWITCH Line Sharing Report. These reports will provide the telephone number, CLLI code, cable and pair, splitter

assignment, status and in COSMOS service order number if pending. The reports also provide a summary including working pairs, pairs pending disconnect, pairs pending connect. The COSMOS/SWITCH report will be in a form that enables Covad to download it into an excel-type spreadsheet format. When Covad has received a Firm Order Confirmation ("FOC") on an order and the CSOTS system also shows that order as complete, but the order appears on the COSMOS/SWITCH report in the pending connect or pending disconnect status, Covad shall enter a trouble report through DLEC Tafi or report troubles to the BellSouth CWINS center. When Covad has received a FOC on an order and the order in pending in CSOTS beyond the due date of the order, then Covad shall check to see if BellSouth has provided a jeopardy or clarification notification via the PON Status Report. If there are no outstanding clarifications or jeopardies, Covad will contact the LCSC. The COSMOS/SWITCH report will be updated by 8:00 p.m., daily, Monday thru Sunday.

- 2.11.2.4 Covad shall be entitled to order the High Frequency Spectrum on lines served out of any central office where Covad has a splitter available for its use pursuant to Section 2.11.2.
- 2.11.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Covad access to data ports on the splitter. In the event that BellSouth elects to use a brand of splitter other than Siecor, the Parties shall renegotiate the recurring and non-recurring rates associated with the splitter. In the event the Parties cannot agree upon such rates, the then current rates (final or interim) for the Siecor splitter shall be the interim rates for the new splitter. BellSouth will provide Covad with a carrier notification letter at least 30 days before such change and shall work collaboratively with Covad to select a mutually agreeable brand of splitter for use by BellSouth. Covad shall thereafter purchase ports on the splitter as set forth more fully below.
- 2.11.2.6 BellSouth will install the splitter in (i) a common area close to the Covad collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Covad DSO termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. Nothing in this section shall be construed as Covad's agreement that such placement is the most efficient network configuration. Moreover, nothing in this section shall be construed as Covad's agreement that such placement is consistent with TELRIC pricing rules or otherwise is a network configuration that would be used by an efficient forward looking provider of unbundled network elements. Notwithstanding the foregoing, neither Party waives any rights to take a position contrary to the provisions of this Section before any regulatory body regarding line sharing processes or rates. BellSouth will cross-connect the splitter data ports to a specified Covad DSO at such time that a Covad end user's service is established.

- 2.11.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Covad desires to continue providing xDSL service on such loop, Covad shall be required to purchase the full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Covad desires to continue providing xDSL service on such loop, Covad shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. BellSouth shall give Covad notice in a reasonable time prior to disconnect, which notice shall give Covad an adequate opportunity to notify BellSouth of its intent to purchase such loop. The Parties shall work collaboratively towards the method of notification and the time periods for notice. In those cases in which BellSouth no longer provides voice service to the end user and Covad purchases the full stand-alone loop, Covad may elect the type of loop it will purchase. Covad will pay the appropriate recurring and non-recurring rates for such loop as set forth in Attachment 2 of the Agreement, including a voice grade loop.
- 2.11.2.8 Covad and BellSouth shall continue to work together collaboratively to develop systems and processes for provisioning the High Frequency Spectrum in various real life scenarios. BellSouth and Covad agree that Covad is entitled to purchase the High Frequency Spectrum on a loop that is provisioned over fiber-fed digital loop carrier. BellSouth will provide Covad with access to feeder sub-loops at UNE prices. BellSouth and Covad will work together to establish methods and procedures for providing Covad access to the High Frequency Spectrum over fiber fed digital loop carriers.
- 2.11.2.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 2.11.2.10 To order High Frequency Spectrum on a particular loop, Covad must have a DSLAM collocated in the central office that serves the end-user of such loop. BellSouth shall allow Covad to order splitters in central offices where Covad is in the process of obtaining collocation space. BellSouth shall install such splitters before the end of Covad's collocation provisioning interval.
- 2.11.2.11 BellSouth will devise a splitter order form that allows Covad to order splitter ports in increments of 8, 24 or 96 ports.
- 2.11.2.12 BellSouth will provide Covad the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 2.11.2.13 BellSouth will provide Covad with access to the High Frequency Spectrum of the unbundled loop as follows:

For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at the same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

For manual orders, BellSouth will return a Firm Order Confirmation (FOC) in no more than twenty-four (24) business hours. For electronic orders, BellSouth will return a FOC in one (1) hour ninety-five percent (95%) of the time for orders that flow-through. For orders that do not flow-through, BellSouth will return a FOC in twenty-four (24) business hours.

- 2.11.2.14 BellSouth shall perform testing to confirm that all in place splitters are correctly installed to the BellSouth frame. In the event any splitters are not correctly cabled or installed shall be corrected before February 28, 2001. BellSouth shall include testing to ensure splitters are correctly installed and cabled to the BellSouth frame as a part of the splitter installation process. If BellSouth informs Covad that a splitter has been installed for Covad's use, and that splitter is later found to have been incorrectly installed, BellSouth shall waive the nonrecurring charge for that splitter installation.
- 2.11.2.15 BellSouth shall test the data portion of the loop to insure the continuity of the wiring for Covad's data using the LSVT test-set for both the provisioning and maintenance of a loop. This test shall be performed from the Covad designated tie cable pair (which is connected to Covad's DSLAM) to the Main Distribution Frame (MDF) where the customer's cable pair leaves the BellSouth central office. This process will be implemented unless, and until, Covad and BellSouth mutually agree on another process. If BellSouth delivers a line shared loop that is not properly wired by BellSouth, BellSouth shall adjust the monthly recurring charge to reflect the day that the line shared loop was placed in service.

#### 2.11.3 MAINTENANCE AND REPAIR

- 2.11.3.1 Covad shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Covad may access the loop at the point where the combined voice and data signal exits the central office splitter.
- 2.11.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer premise and the Termination Point of demarcation in the central office. Covad will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 2.11.3.3 If the problem encountered appears to impact primarily the xDSL service, the end user should call Covad. If the problem impacts primarily the voice service, the end user should call BellSouth. If both services are impaired, the end user should contact BellSouth and Covad.
- 2.11.3.4 BellSouth and Covad will work together to diagnose and resolve any troubles reported by the end-user and to develop a process for repair of lines as to which Covad has access to the High Frequency Spectrum. The Parties will continue to work together to address customer initiated repair requests and other customer impacting maintenance issues to better support unbundling of High Frequency Spectrum.
- 2.11.3.4.1 The Parties will be responsible for testing and isolating troubles on its respective portion of the loop. Once a Party ("Reporting Party") has isolated a trouble to the other Party's ("Repairing Party") portion of the loop, the Reporting Party will notify the end user to report the trouble to the other service provider. The Repairing Party will take the actions necessary to repair the loop if it determines a trouble exists in its portion of the loop.
- 2.11.3.4.2 If a trouble is reported on either Party's portion of the loop and no trouble actually exists, the Repairing Party may charge the Reporting Party for any dispatching and testing (both inside and outside the central office) required by the Repairing Party in order to confirm the loop's working status.
- 2.11.3.5 In the event Covad's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Covad and allow twenty-four (24) hours to cure the trouble. If Covad fails to resolve the trouble, BellSouth may discontinue Covad's access to the High Frequency Spectrum on such loop.

#### **2.11.4 PRICING**

2.11.4.1 BellSouth and Covad agree to the negotiated, interim rates for the High Frequency Spectrum. All interim prices will be subject to true up based on either mutually agreed to permanent pricing or permanent pricing established in a line sharing cost proceeding conducted by state public utility commissions. In the event interim prices are established by state public utility commissions before permanent prices are established, either through arbitration or some other mechanism, the interim prices established in this Agreement will be changed to reflect the interim prices mandated by the state public utility commissions; however, no true up will be performed until mutually agreed to permanent prices are established or permanent prices are established by state public utility commissions.

2.11.4.2 BellSouth and Covad enter into this Agreement without waiving current or future relevant legal rights and without prejudicing any position BellSouth or Covad may take on relevant issues before state or federal regulatory or legislative bodies or courts of competent jurisdiction. This clause specifically contemplates but is not limited to: (a) the positions BellSouth or Covad may take in any cost docket related to the terms and conditions associated with access to the High Frequency Spectrum; and (b) the positions that BellSouth or Covad might take before the FCC or any state public utility commission related to the terms and conditions under which BellSouth must provide Covad with access to the High Frequency Spectrum. The interim rates set forth in Exhibit C were adopted as a result of a compromise between the parties and do not reflect either party's position as to final rates for access to the High Frequency Spectrum.

Any element necessary for interconnection that is not identified above is priced as currently set forth in the Agreement. For additional terms and obligations See > LQS Amendment (Effective from 3.16.04 to 12.31.04) 3. Switching

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of local and tandem switching.

#### 3.1 **Local Switching**

BellSouth shall provide non-discriminatory access to local circuit switching capability. and local tandem switching capability, on an unbundled basis, except as set forth below in Section 3.1.3 to Covad for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Covad for the provision of a telecommunications service only in the limited circumstance described below in Section 3.3.4.6.

- 3.1.1. Except as otherwise provided herein, BellSouth shall not impose any restrictions on Covad regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other telecommunication carrier.
- 3.1.2. Local Circuit Switching Capability, including Tandem Switching Capability

#### 3.1.2.1 Definition

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the

# AMENDMENT TO THE AGREEMENT BETWEEN DIECA COMMUNICATIONS, INC. d/b/a COVAD COMMUNICATIONS COMPANY

## BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 19, 2001

Pursuant to this Amendment, (the "Amendment"), DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 19, 2001 ("Agreement") to be effective on the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Covad entered into the Agreement on December 19, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add the following language to Attachment 2 of the Agreement:
- 2.12 For purposes of this Amendment, "LQS Bulk List" or "Bulk List" refers to an electronic file made available by BellSouth to Covad on at least a monthly basis via a mutually agree upon method.
- 2.12.1 The Bulk List is a single bulk file of ADSL qualified numbers across the BellSouth region, and the Bulk List will contain, at a minimum, a list of all BellSouth telephone numbers qualified for ADSL service including, at a minimum, the following:
  - 2.12.1.1 Information sufficient to allow Covad to determine, for each telephone number on the Bulk List, loop length and whether the loop can reach the customer premise without traversing fiber (i.e., is it an all-copper loop?);
  - 2.12.1.2 All fields contained in the External Response string (the first 2 rows of data) of BellSouth's Loop Qualification System (LQS) desktop application for qualified telephone numbers;
  - 2.12.1.3 A field for distinguishing between Central Office (CO) qualified numbers, CO-qualified numbers requiring pair rearrangements, and non-CO qualified numbers. For purposes of this Amendment, a "CO-qualified number" indicates a telephone number served by an all-copper loop (or capable of being served by an all copper loop after pair rearrangement) between the CO and the end-user premises.
  - 2.12.2 Covad will not distribute the LQS Bulk List to third parties. Notwithstanding this restriction, BellSouth understands that Covad uses

the BellSouth LQS Bulk List together with Covad's proprietary information to develop a list of customers that Covad believes are likely to qualify for Covad's DSL services ("Prequalified DSL Customer List"). The Prequalified DSL Customer List will consist of the LQS Bulk List and Covad's proprietary information. BellSouth acknowledges that Covad may supply the Prequalified DSL Customer List to Covad's wholesale partners and its affiliated ISP, Covad.net (collectively, "Wholesale Partners") for the sole purpose of allowing Covad's Wholesale Partners to market Covad's DSL services either alone or as part of a bundle of telecommunications services. Nothing in this Agreement shall be construed to prevent Covad from providing the Prequalified DSL Customer List to Covad's wholesale partners.

- 2.12.3 The Parties acknowledge that they disagree about whether BellSouth is required by applicable law to provide the Bulk List to Covad. Nevertheless, Covad agrees to adhere to the terms and conditions enumerated below, and BellSouth agrees to provide Covad with access to LQS and a Bulk List of ADSL qualified customers from LQS subject to the change of law provisions in the Agreement:
- 2.12.3.1 BellSouth makes no claim as to the accuracy or completeness of either LQS or the Bulk List.
- 2.12.3.2 Covad is responsible for acting within the local, state, and federal law governing the use of the Bulk List for the purpose of, but not limited to, marketing of its own DSL service through direct mail or telemarketing. Furthermore, Covad hereby agrees to refrain from abusive telemarketing practices.
- 2.12.3.3 Covad agrees to use the LQS information and the Bulk List and/or any information directly derived from the Bulk List for the sole purpose of qualifying and selling its own DSL services (whether alone or in a package of other offerings). Covad will not disclose the stand-alone LQS information and/or the Bulk List to third parties, except as captured in the Prequalified DSL Customer List.
- 2.12.3.4 Covad will not use the Bulk List for the purpose of conducting research, marketing, qualifying, or selling products and/or services other than its own DSL services. This paragraph shall not be construed in a manner that would prevent Covad from providing the Prequalified DSL Customer List to its Wholesale Partners. Covad agrees, however, that its Wholesale Partners will not use the Prequalified DSL Customer List for any purpose other than to market Covad's wholesale DSL services either alone or as part of a bundle of telecommunications services.
- 2.12.3.5 BellSouth agrees to give Covad 30 days written notice should it ever intend to discontinue providing the Bulk List to Covad. In the event that Covad's right to the Bulk List is ever terminated, Covad agrees, upon written request of BellSouth, to immediately destroy or return all copies and/or components of the Bulk List. For purposes of this paragraph, the

term "immediately" shall be defined as a period of time not to exceed forty-eight (48) hours.

- 2. All of the other provisions of the Agreement, dated December 19, 2001, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- 3.1.2.2 When utilizing BellSouth's local circuit switching capability, local traffic shall be defined as set forth in Part B of the General Terms and Conditions.
- 3.1.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Covad when Covad serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 3.1.4 In the event that Covad orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office listed on Exhibit A, BellSouth's sole recourse shall be to charge Covad a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Covad the local services resale rate for use of all Combinations used to provide the affected facilities to Covad.
- 3.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Covad. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 3.1.6 BellSouth will provide to Covad customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 10 of Attachment 2; (iii) for Covad's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Covad. Covad customers may use the same dialing arrangements as BellSouth customers.
- 3.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.

- 3.1.8 Switching Capability will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g. call forwarding) and Centrex capabilities.
- 3.1.9 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad customers may use the same dialing arrangements as BellSouth customers, but obtain a Covad branded service.

#### 3.2 <u>Technical Requirements</u>

- 3.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 3.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in the applicable industry standard technical references.
- 3.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 3.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Covad will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 3.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 3.2.1.5 BellSouth shall activate service for a Covad customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Covad's services without loss of switch feature functionality as defined in this Agreement.
- 3.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 3.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.

- 3.2.1.8 BellSouth shall control congestion points such as those caused by radio station callins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 3.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 3.2.1.10 Special Services provided by BellSouth will include the following:
- 3.2.1.10.1 Telephone Service Prioritization;
- 3.2.1.10.2 Related services for handicapped;
- 3.2.1.10.3 Soft dial tone where required by law; and
- 3.2.1.10.4 Any other service required by law.
- 3.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 3.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 3.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Covad, upon a reasonable request from Covad. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 3.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
- 3.2.1.14.1 Basic and primary rate ISDN;
- 3.2.1.14.2 Residential features:
- 3.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 3.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 3.2.1.14.5 Advanced intelligent network triggers supporting Covad and BellSouth service applications.

3.2.2 BellSouth shall offer to Covad all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are: 3.2.2.1 Off-Hook Immediate 3.2.2.2 Off-Hook Delay 3.2.2.3 Termination Attempt 3.2.2.4 6/10 Public Office Dialing Plan 3.2.2.5 Feature Code Dialing 3.2.2.6 Customer Dialing Plan 3.2.3 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Covad: 3.2.3.1 Private EAMF Trunk 3.2.3.2 Shared Interoffice Trunk (EAMF, SS7) 3.2.3.3 N11 3.2.3.4 Automatic Route Selection 3.2.4 Where capacity exists, BellSouth shall assign each Covad customer line the class of service designated by Covad (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Covad customers to Covad directory assistance operators at Covad's option. 3.2.5 Where capacity exists, BellSouth shall assign each Covad customer line the class of services designated by Covad (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Covad customers to Covad operators at Covad's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to a Covad Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged. 3.2.6 Local Switching shall be offered in accordance with the technical specifications set forth in the applicable industry standard references.

Interface Requirements

3.2.7

3.2.7.1

BellSouth shall provide the following interfaces to loops:

- 3.2.7.1.1 Standard Tip/Ring interface including loop start or ground start, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 3.2.7.1.2 Coin phone signaling;
- 3.2.7.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.4 Two-wire analog interface to PBX;
- 3.2.7.1.5 Four-wire analog interface to PBX;
- 3.2.7.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 3.2.7.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 3.2.7.1.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 3.2.7.2 BellSouth shall provide access to the following but not limited to:
- 3.2.7.2.1 SS7 Signaling Network or Multi-Frequency trunking if requested by Covad;
- 3.2.7.2.2 Interface to Covad operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 3.2.7.2.3 Interface to Covad Directory Assistance Services through the Covad switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Covad required access to interexchange carriers as requested through appropriate trunk interfaces.

#### 3.3 Tandem Switching

#### 3.3.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

#### 3.3.2 <u>Technical Requirements</u>

- 3.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 3.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 3.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Covad and BellSouth;
- 3.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 3.3.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by Covad;
- 3.3.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 3.3.2.1.5.1 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 3.3.2.1.5.2 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 3.3.2.1.6 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
- 3.3.2.1.7 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 3.3.2.1.8 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 3.3.2.1.9 Tandem Switching shall record billable events and send them to the area billing centers designated by Covad. Tandem Switching will provide recording of all billable events as jointly agreed to by Covad and BellSouth.
- 3.3.2.1.10 Upon a reasonable request from Covad, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to Covad.

- 3.3.2.1.11 BellSouth shall maintain Covad's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 3.3.2.1.12 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 3.3.2.1.13 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth's switching network shall be mutually agreed to by Covad and BellSouth.
- 3.3.2.1.14 Tandem Switching shall process originating toll-free traffic received from Covad's local switch.
- 3.3.2.1.15 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 3.3.2.2 Interface Requirements
- 3.3.2.2.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 3.3.2.2.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 3.3.2.2.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 3.3.2.2.4 Tandem Switching shall interconnect with Covad's switch, using two-way trunks, for traffic that is transiting via BellSouth's network to interLATA or intraLATA carriers. At Covad's request, Tandem Switching shall record and keep records of traffic for billing.
- 3.3.2.2.5 Tandem Switching shall provide an alternate final routing pattern for Covad's traffic overflowing from direct end office high usage trunk groups.
- 3.3.2.2.6 Tandem Switching shall be equal or better than the requirements for Tandem Switching set forth in the applicable technical references.
- 3.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

- 3.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Covad. AIN Selective Carrier Routing will provide Covad with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 3.4.2 Covad shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 3.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 3.4.4 Where AIN Selective Carrier Routing is utilized by Covad, the routing of Covad's end user calls shall be pursuant to information provided by Covad and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 3.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Covad shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit A of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit A of this Attachment. For each Covad end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit A of this Attachment, payable to BellSouth pursuant to the terms of the General Terms and Conditions, incorporated herein by this reference. Covad shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit A of this Attachment.
- 3.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 coming up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to the client's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to the client, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 3.4.7 The non-recurring End Office Establishment Charge will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.8 End-User Establishment Orders will not be turned-up until the 2<sup>nd</sup> payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to the client following the normal billing cycle for per query charges.
- 3.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed according per contracted rates.

### 3.5 Packet Switching Capability

### 3.5.1 Definition

Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Mulitplexers, including but not limited to:

- 3.5.2 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 3.5.3 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 3.5.4 The ability to extract data units from the data channels on the loops, and
- 3.5.5 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 3.5.6 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 3.5.6.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

- 3.5.6.2 There are no spare copper loops capable of supporting the xDSL services Covad seeks to offer;
- 3.5.6.3 BellSouth has not permitted Covad to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point as defined in Section 2 of the Remote Site Collocation Attachment, nor has the Covad obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 C.F.R. § 51.319 (b); and
- 3.5.6.4 BellSouth has deployed packet switching capability for its own use.
- 3.5.7 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

### 3.6 Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Covad for the provision of a telecommunications service.

### 3.7 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

### 3.8 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

#### 4. Unbundled Network Element Combinations

- 4.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs) 2) Other Non-Switched Transport Combinations 3) UNE Loop/Special Access Combinations and 4) UNE Loop/Port Combinations.
- 4.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.
- 4.3 Enhanced Extended Links (EELs)

Version 1Q00:3/6/00

see next 08.

Exhibit 6, pps. 1-7 to FL Rate Amendment (Planting)

Effective 11/Ke/2002

- Where facilities permit and where necessary to comply with an effective FCC and/or 4.3.1 State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 4.3.2 below.
- 4.3.2 Subject to Section 4.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 4.3.5 following. Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in Sections 4.3.8.1.1, 4.3.8.1.2, 4.3.8.1.3 or 4.3.8.2) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Covad's POP serving wire center. The circuit must be connected to Covad's switch for the purpose of provisioning telephone exchange service to Covad's end-user customers. The EEL will be connected to Covad's facilities in Covad's collocation space at the POP SWC, or Covad may purchase BellSouth's access facilities between Covad's POP and Covad's collocation space at the POP SWC.
- When ordering EEL combinations, Coxad shall provide to BellSouth a letter certifying 4.3.3 that Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4.3.6 below, and shall indicated under what local usage option Covad seeks to qualify. Covad shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 4.3.8.1. Vthrough 4.3.8.1.3 is met. BellSouth shall have the right to audit Covad's records to verify that Covad is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 4.3.8.3 of this Attachment.
- BellSouth shall provide EEL combinations to Covad in Georgia, Kentucky, Louisiana, 4.3.4 Mississippi and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Covad those EEL combinations described in Section 4.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available EEL combinations to Covad in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Atlanta GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, MC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs regardless of whether or not such EELs are Currently Combined. Except as stated above, EELs will be provided to Covad only to the extent such network elements are Currently Combined.
- **EEL Combinations** 4.3.5
- DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

#### 4. Unbundled Network Element Combinations

For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Covad are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Covad are not already combined by BellSouth in the location requested by Covad but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Covad are not elements that BellSouth combines for its use in its network.

# 4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Covad with EELs where they are available.
- 4.2.2 BellSouth will provide access to EELs in the combinations set forth in Section 4.4.1 below.
- 423 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Covad's collocation space in a BellSouth central office. The circuit must be connected to the Covad's switch for the purpose of provisioning circuit telephone exchange service to the Covad's end-user customers. Covad may connect EELs within the Covad's collocation space to other transport terminating into Covad's switch. Covad may also connect the local loops listed in Section 4.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in Covad's switch. Provided that the entire EEL circuit meets the criteria set forth in Section 4.3.1.3 below, the circuit may, upon Covad's request, terminate to a CLEC's Point of Presence ("POP"). Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4.3.1 et seq. below. Upon BellSouth's request, Covad shall indicate under what local usage option Covad seeks to qualify. Covad shall be deemed to providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 4.3.1 et seq. is met. BellSouth shall have the right to audit Covad's EELs as specified in Section 4.3.3 below.

# 4.3 Conversions from Special Access Service to EELs

4.3.1 Covad may not convert existing special access services to combinations of loop and transport network elements, whether or not Covad self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Covad uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a

particular customer. To the extent Covad requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Covad shall provide to BellSouth a certification that Covad is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Covad seeks to qualify for conversion of special access circuits. Covad shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 4.3.1.1 **Option 1:** Covad certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Covad is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Covad can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 4.3.1.2 Option 2: Covad certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 4.3.1.3 Option 3: Covad certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Covad does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local

exchange traffic specified in this option

- 4.3.2 In addition, there may be extraordinary circumstances where Covad is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 4.3.1 et seq. In such case, Covad may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon Covad's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 4.3.3 BellSouth may, at its sole discretion, audit Covad's records in order to verify compliance with the local usage option provided by Covad pursuant to Section 4.3.1. The audit shall be conducted by a third party independent auditor, and Covad shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Covad shall reimburse BellSouth for the cost of the audit. If, based on the audit, Covad is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Covad for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Covad is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement incorporated herein by this reference.
- 4.3.4 In the event Covad converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, Covad shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 4.4 Rates
- 4.4.1 Currently Combined EELs listed below in Sections 4.4.1.1-4.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit C of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit C of this Attachment.
- 4.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

4.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 4.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 4.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 4.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 4.4.1.6 DS1 Interoffice Channel + DS1 Local Loop 4.4.1.7 DS3 Interoffice Channel + DS3 Local Loop 4.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop 4.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 4.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 4.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 4.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 4.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 4.4.1.14 4.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit C of this Attachment. Ordinarily combined EELs not listed in Sections 4.4.1.1-4.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit C of this Attachment. 4.4.3 To the extent that Covad requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

## 4.5 UNE Port/Loop Combinations

- 4.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 4.5.3 Except as set forth in Section 4.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 4.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit C. Except as set forth in Section 4.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 4.5.6 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 4.5.4 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 4.5.4.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Covad if Covad's customer has 4 or more DS0 equivalent lines.
- 4.5.4.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C. If a market rate is not set forth in Exhibit C for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 4.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for Covad's UNE port/loop combinations. BellSouth will not bill Covad for 911 surcharges. Covad is responsible for paying all 911 surcharges to the applicable governmental agency.
- 4.5.6 Combination Offerings
- 4.5.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU,

- common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

### 4.6 Other UNE Combinations

- 4.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Covad in addition to those specifically referenced in this Section 4 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Covad requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.
- 4.6.2 Rates

4.6.3 The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit C of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit C, in addition to a nonrecurring charge set forth in Exhibit C. To the extent Covad requests a Not Typically Combined Combination, or to the extent Covad requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

# 6. Transport and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled transport and dark fiber.

# 6.1. Transport

# 6.1.1 <u>Definition of Common (Shared) Transport</u>

Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport. Common (Shared) Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

# 6.1.2 <u>Technical Requirements of Common (Shared) Transport</u>

- 6.1.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 6.1.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 6.1.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standard technical references.
- 6.2 Interoffice transmission facility network elements include:
- 6.2.1 Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Covad.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;

- 6.2.3 Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.
- 6.2.4 BellSouth shall:
- 6.2.4.1 Provide Covad exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.2.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that Covad could use to provide telecommunications services;
- 6.2.4.3 Permit, to the extent technically feasible, Covad to connect such interoffice facilities to equipment designated by Covad, including but not limited to, Covad's collocated facilities; and
- 6.2.4.4 Permit, to the extent technically feasible, Covad to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 6.2.5 Provided that the facility is used to transport a significant amount of local exchange services Covad shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

# 6.3 Dedicated Transport

- 6.3.1 Definitions
- 6.3.2 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.
- 6.3.3 Unbundled Local Channel
- 6.3.4 Unbundled Local Channel is the dedicated transmission path between Covad's Point of Presence and the BellSouth Serving Wire Center's collocation.
- 6.3.5 Unbundled Interoffice Channel.
- 6.3.6 Unbundled Interoffice Channel is the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.3.7 BellSouth shall offer Dedicated Transport in each of the following ways:

- 6.3.7.1 As capacity on a shared UNE facility.
- 6.3.7.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Covad. This circuit shall consist of an Unbundled Local Channel or an Unbundled Interoffice Channel or both.
- 6.3.8 When Dedicated Transport is provided it shall include:
- 6.3.8.1 Transmission equipment such as, line terminating equipment, amplifiers, and regenerators;
- 6.3.8.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- 6.3.9 Rates for Dedicated Transport are listed in this Attachment. For those states that do not contain rates in this Attachment the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true up, and the Parties will amend the Agreement to reflect the new rates.
- 6.3.10 Technical Requirements
- 6.3.10.1 This Section sets forth technical requirements for all Dedicated Transport.
- 6.3.10.2 When BellSouth provides Dedicated Transport, the entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Covad designated traffic.
- 6.3.10.3 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, (1) DS0, DS1 and DS3 transport services, and (2) SONET at available transmission bit rates.
- 6.3.10.4 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 6.3.10.5 Where applicable, for DS3, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 6.3.10.6 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.3.10.6.1 DS0 Equivalent;
- 6.3.10.6.2 DS1 (Extended SuperFrame ESF);

- 6.3.10.6.3 DS3 (signal must be framed);
- 6.3.10.6.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.3.10.6.5 When Dedicated Transport is provided, BellSouth shall design it according to BellSouth's network infrastructure to allow for the termination points specified by Covad.
- 6.3.11 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.3.11.1 BellSouth Technical References:
- 6.3.11.2 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.3.11.3 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.3.11.4 TR 73525 MegaLink® Service, MegaLink Channel Service & MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

#### 6.4 Unbundled Channelization

- 6.4.1 BellSouth agrees to offer access to Unbundled Channelization when available pursuant to following terms and conditions and at the rates set forth in the Attachment.
- 6.4.2 Definition
- 6.4.2.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. This can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Covad can have channels activated on an as-needed basis by having BellSouth connect lower level UNEs via Central Office Channel Interfaces (COCIs).
- 6.4.3 Channelization capabilities will be as follows:
- 6.4.3.1 DS3 Channelization System: An element that channelizes a DS3 signal into 28 DS1s/STS-1s.

- 6.4.3.2 DS1 Channelization System: An element that channelizes a DS1 signal into 24 DS0s.
- 6.4.3.3 Central Office Channel Interfaces (COCI): Elements that can be activated on a channelization system.
- 6.4.4 DS1 Central Office Channel Interface elements can be activated on a DS3 Channelization System.
- 6.4.5 Voice Grade and Digital Data Central Office Channel Interfaces can be activated on a DS1 Channelization System.
- 6.4.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.4.7 COCI will be billed on the lower level UNE order that is interfacing with the UC arrangement and will have to be compatible with those UNEs.
- 6.4.8 Channelization may be incorporated within dedicated transport or ordered as a standalone capability, which requires either the high or low speed side to be connected to collocation.
- 6.4.9 Technical Requirements
- 6.4.9.1 In order to assure proper operation with BST provided central office multiplexing functionality, the customer's channelization equipment must adhere strictly to form and protocol standards. Separate standards exist for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for subrate digital access.
- 6.4.9.2 DS0 to DS1 Channelization
- 6.4.9.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions. DS0 to DS1 Channelization requirements are essential the same as defined in BellSouth Technical Reference 73525, MegaLink® Service, MegaLink® Channel Service, MegaLink® Plus Service, and MegaLink® Light Service Interface and Performance Specification.
- 6.4.9.3 DS1 to DS3 Channelization
- 6.4.9.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. DS1 to DS3 Channelization requirements are essentially the same as defined in BellSouth Technical Reference 73501,

LightGate® Service Interface and Performance Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

#### 6.4.9.4 DS1 to STS Channelization

6.4.9.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings. DS1 to STS Channelization requirements are essentially the same as defined in BellSouth Technical Reference TR 73501, LightGate® Service Interface and Performance Specifications.

### 6.5 Dark Fiber

The terms, conditions and rates for Dark Fiber are as set forth in Section 2.7 of this Attachment.

# 6.6 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

### 7. BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of 8XX Access Ten Digit Screening Services.

- 7.1 BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database
- 7.1.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (herein known as 8XX SCP) is a SCP that contains customer record information and functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (herein know as 8XX TFD), utilizes the 8XX SCP to provide identification and routing of the 8XX calls, based on the ten digits dialed. 8XX TFD is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Covad. BellSouth shall provide 8XX TFD in accordance with the following:

# 7.1.2 <u>Technical Requirements</u>

- 7.1.2.1 BellSouth shall provide Covad with access to the 8XX record information located in the 8XX SCP. The 8XX SCP contains current records as received from the national SMS and will provide for routing 8XX originating calls based on the dialed ten-digit 8XX number.
- 7.1.2.2 The 8XX SCP is designated to receive and respond to queries using the American National Standard Specification of Signaling System Seven (SS7) protocol. The 8XX SCP shall determine the carrier identification based on all ten digits of the dialed number and route calls to the carrier, POTS number, dialing number and/or other optional feature selected by Covad.
- 7.1.2.3 The SCP shall also provide, at Covad's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 7.1.2.3.1 Network Management;
- 7.1.2.3.2 Customer Sample Collection; and
- 7.1.2.3.3 Service Maintenance.
- 7.2 Automatic Location Identification/Data Management System (ALI/DMS)

7.2.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

### 7.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

Ì

### 8 Line Information Database (LIDB)

- 8.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of LIDB.
- 8.2 BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

### 8.2.1 Definition

8.2.2 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

### 8.2.3 Technical Requirements

- 8.2.4 BellSouth will offer to Covad any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.4.1 BellSouth shall process Covad's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Covad what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.4.2 Within two (2) weeks after a request by Covad, BellSouth shall provide Covad with a list of the customer data items, which Covad would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.4.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.4.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.4.6 All additions, updates and deletions of Covad data to the LIDB shall be solely at the direction of Covad. Such direction from Covad will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.4.7 BellSouth shall provide priority updates to LIDB for Covad data upon Covad's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.4.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Covad customer records will be missing from LIDB, as measured by Covad audits. BellSouth will audit Covad records in LIDB against DBAS to identify record mismatches and provide this data to a designated Covad contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Covad within one business day of audit. Once reconciled records are received back from Covad, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Covad to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.4.9 BellSouth shall perform backup and recovery of all of Covad's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.4.10 BellSouth shall provide Covad with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Covad and BellSouth.
- 8.2.4.11 BellSouth shall prevent any access to or use of Covad data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Covad in writing.
- 8.2.4.12 BellSouth shall provide Covad performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Covad at least at parity with BellSouth Customer Data. BellSouth shall obtain from Covad the screening

information associated with LIDB Data Screening of Covad data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Covad under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

- 8.2.4.13 BellSouth shall accept queries to LIDB associated with Covad customer records, and shall return responses in accordance with industry standards.
- 8.2.4.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.4.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.2.5 <u>Interface Requirements</u>
- 8.2.6 **BellSouth shall offer LIDB** in accordance with the requirements of this subsection.
- 8.2.6.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.2.6.2 The CCS interface to LIDB shall be the standard interface described herein.
- 8.2.6.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

### 8.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 9 Signaling

- 9.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Signaling Transport Services.
- 9.2 BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

# 9.3 Signaling Link Transport

- 9.3.1 Definition Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.
- 9.3.2 <u>Technical Requirements</u>
- 9.3.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 9.3.3 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 9.3.3.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 9.3.3.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 9.3.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.3.4.1 An A-link layer shall consist of two links.
- 9.3.4.2 A B-link layer shall consist of four links.
- 9.3.5 A signaling link layer shall satisfy a performance objective such that:
- 9.3.5.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 9.3.5.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.

- 9.3.5.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.3.5.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.3.5.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.3.5.4 <u>Interface Requirements</u>
- 9.3.5.4.1 There shall be a DS1 (1.544 Mbps) interface at the Covad designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.4 Signaling Transfer Points (STPs)
- 9.4.1 <u>Definition</u> Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.4.2 <u>Technical Requirements</u>
- 9.4.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 9.4.2.1.1 BellSouth Local Switching or Tandem Switching;
- 9.4.2.1.2 BellSouth Service Control Points/DataBases;
- 9.4.2.1.3 Third-party local or tandem switching;
- 9.4.2.1.4 Third-party-provided STPs.
- 9.4.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This explicitly includes the use of the BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transient messages). When the BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.4.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between a Covad local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Covad local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.4.2.4 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Covad or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Covad database, then Covad agrees to provide BellSouth with the Destination Point Code for the Covad database.
- 9.4.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment.

  All OMAP functions will be on a "where available" basis and can include:
- 9.4.2.6.1 MTP Routing Verification Test (MRVT); and
- 9.4.2.6.2 SCCP Routing Verification Test (SRVT).
- 9.4.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Covad or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by Covad and BellSouth.
- 9.4.2.8 STPs shall be on parity with BellSouth.

- 9.4.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 9.4.2.9.1 When technically feasible and upon request by Covad, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the Covad SS7 network to exchange TCAP queries and responses with a Covad SCP.
- 9.4.2.9.2 SS7 AIN Access shall provide Covad SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and Covad SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Covad SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 9.4.3 <u>Interface Requirements</u>
- 9.4.3.1 **BellSouth shall provide** the following STPs options to connect Covad or Covaddesignated local switching systems or STPs to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Covad local switching systems; and,
- 9.4.3.1.2 A B-link interface from Covad local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.3.6 Message Screening

- 9.4.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Covad local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Covad local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Covad from any signaling point or network interconnected through BellSouth's SS7 network where the Covad SCP has a legitimate signaling relation.
- 9.4.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the applicable industry standard technical references.
- 9.5 Service Control Points/Databases
- 9.5.1 Definition
- 9.5.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 9.5.3.1 Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Covad in accordance with the following requirements.

- 9.5.3.2 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.3 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.4 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 9.5.4 Database Availability
- 9.5.4.1 Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers, which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.
- 9.5.4.2 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Covad customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

### 9.6 Local Number Portability Database

- 9.6.1 Definition
- 9.6.2 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.
- 9.7 SS7 Network Interconnection
- 9.7.1 <u>Definition.</u>
- 9.7.2 SS7 Network Interconnection is the interconnection of Covad local Signaling Transfer Point Switches (STP) and Covad local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Covad local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.3 <u>Technical Requirements</u>

- 9.7.3.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 9.7.3.1.1 BellSouth local or tandem switching systems:
- 9.7.3.1.2 BellSouth DBs; and
- 9.7.3.1.3 Other third-party local or tandem switching systems.
- 9.7.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Covad or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.5 If traffic is routed based on dialed or translated digits between a Covad local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Covad local STPs and BellSouth or other third-party local switch.
- 9.7.6 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 9.7.7 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 9.7.7.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.7.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.7.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.8 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Covad local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of

- messages to a gateway pair of Covad local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.9 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 9.7.10 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.11 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 9.7.12 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 9.7.12.1 MTP Performance, as specified in ANSI T1.111.6;
- 9.7.12.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 9.7.12.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 9.7.13 <u>Interface Requirements</u>
- 9.7.13.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Covad or Covad-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 9.7.13.1.1 A-link interface from Covad local or tandem switching systems; and
- 9.7.13.1.2 B-link interface from Covad STPs.
- 9.7.13.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the

- failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.13.5 BellSouth shall set message screening parameters to accept messages from Covad local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Covad switching system has a legitimate signaling relation.
- 9.7.13.6 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the applicable industry standard technical references.

### 9.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

- 10. Operator Call Processing, Inward Operator Services and Directory Assistance Services
- 10.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Operator Call Processing, Inward Operator Services and Directory Assistance Services.

# 10.2 Operator Systems

10.2.1 <u>Definition.</u> Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

## 10.3 Operator Service

10.3.1 <u>Definition.</u> Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

### 10.3.2 Requirements

- 10.3.2.1 When Covad requests BellSouth to provide Operator Services, the following requirements apply:
- 10.3.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 10.3.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 10.3.2.1.3 BellSouth shall process calls that are billed to Covad end user's calling card that can be validated by BellSouth.
- 10.3.2.1.4 BellSouth shall complete person-to-person calls.
- 10.3.2.1.5 BellSouth shall complete collect calls.
- 10.3.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 10.3.2.1.7 BellSouth shall complete station-to-station calls.

- 10.3.2.1.8 BellSouth shall process emergency calls.
- 10.3.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 10.3.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
- 10.3.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 10.3.2.1.12 BellSouth shall adhere to equal access requirements, providing Covad local end users the same IXC access as provided to BellSouth end users.
- 10.3.2.1.13 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Covad that BellSouth provides for its own operator service.
- 10.3.2.1.14 BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
- 10.3.2.1.15 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Covad.
- 10.3.2.1.16 BellSouth shall provide a feed of customer call records in "EMI" format to Covad in accordance with CLEC ODUF standards specified in Attachment 7.

### 10.3.3 <u>Interface Requirements</u>

10.3.3.1 With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Covad, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

### 10.4 Directory Assistance Service

10.4.1 <u>Definition.</u> Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

### 10.4.2 Requirements

- 10.4.3 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Covad's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, Covad may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 10.4.4 Directory Assistance Service Updates

- 10.4.4.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.4.4.1.1 New end user connections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.2 End user disconnections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users; and
- 10.4.4.1.3 End user address changes: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 10.4.5 Branding for Operator Call Processing and Directory Assistance
- 10.4.5.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to Covad end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows Covad to have its calls custom branded with Covad's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.5.2 BellSouth offers four service levels of branding to Covad when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.5.2.1 Service Level 1 BellSouth Branding
- 10.4.5.2.2 Service Level 2 Unbranded
- 10.4.5.2.3 Service Level 3 Custom Branding
- 10.4.5.2.4 Service Level 4 Self Branding (applicable only to Covad for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 10.4.6 For Resellers and Use with an Unbundled Port
- 10.4.6.1 BellSouth Branding is the Default Service Level.
- 10.4.6.2 Unbranding, Custom Branding, and Self Branding require Covad to order selective routing for each originating BellSouth end office identified by Covad. Rates for Selective Routing are set forth in this Attachment.

- 10.4.6.3 Customer Branding and Self Branding require Covad to order dedicated trunking from each BellSouth end office identified by Covad, to either the BellSouth Traffic Operator Position System (TOPS) or Covad Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Covad to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.7 For Facilities Based Carriers
- 10.4.7.1 All Service Levels require Covad to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which Covad requires service.
- 10.4.8 Directory Assistance customized branding uses:
- 10.4.8.1 the recording of the name;
- 10.4.8.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.9 Operator Call Processing customized branding uses:
- 10.4.9.1 the recording of the name;
- 10.4.9.2 the front-end loading of the DRAM in the TOPS Switch;
- 10.4.9.3 the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- 10.4.9.4 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.9.5 BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad end users may use the same dialing arrangements as BellSouth end users, but obtain a Covad branded service.

## 10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to Covad end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). Covad agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Covad agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Covad authorizes the inclusion of Covad Directory Assistance listings in the BellSouth Directory Assistance products.
- 10.5.2 BellSouth shall provide Covad initially with a base file of subscriber listings which reflect all listing change activity occurring since Covad's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Covad and BellSouth. Covad agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Covad on a Business, Residence, or combined Business and Residence basis. Covad agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Covad receives the Base File.
- 10.5.4 BellSouth is authorized to include Covad Directory Assistance Listing Information in its Directory Assistance Database Service (DADS). Any other use by BellSouth of Covad Directory Assistance Listing Information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to Covad.
- 10.5.5 Rates for DADS are as set forth in this Attachment.

# 10.6 Direct Access to Directory Assistance Service

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Covad's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Covad to utilize its own switch, operator workstations and optional audio subsystems.

- 10.6.2 BellSouth will provide DADAS from its DA location. Covad will access the DADAS system via a telephone company provided point of availability. Covad has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 10.6.3 A specified interface to each Covad subsystem will be provided by BellSouth.

  Interconnection between Covad's system and a specified BellSouth location will be pursuant to the use of Covad owned or Covad leased facilities and shall be appropriate sized based upon the volume of queries being generated by Covad.
- 10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification;
- 10.6.4.2 DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification;
- 10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification.
- 10.6.5 Rates for DADAS are as set forth in this Attachment.
- 10.7 Automatic Location Identification/Data Management System (ALI/DMS)
- 10.7.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:
- 10.7.2 <u>Technical Requirements</u>
- 10.7.2.1 BellSouth shall offer Covad a data link to the ALI/DMS database or permit Covad to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Covad immediately after Covad inputs information into the ALI/DMS database. Alternately, Covad may utilize BellSouth, to

4

enter end user information into the data base on a demand basis, and validate end user information on a demand basis.

- 10.7.2.2 The ALI/DMS database shall contain the following end user information:
- 10.7.2.2.1 Name;
- 10.7.2.2.2 Address;
- 10.7.2.2.3 Telephone number; and
- 10.7.2.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 10.7.2.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Covad requests otherwise and shall be updated if Covad requests, provided Covad supplies BellSouth with the updates.
- 10.7.2.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 10.7.2.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 10.7.3 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Covad end users shall meet industry standards.

10.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

## 11. Calling Name (CNAM) Database Service

- All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of CNAM.
- The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Covad must provide to its account manager a written request with a requested activation date to activate this service. If Covad is interested in requesting CNAM with volume and term pricing, Covad must contact its account manager to request a separate CNAM volume and term Agreement.
- SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the applicable industry standard technical references.
- 11.4 Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- 11.4.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Covad the capability that will allow Covad and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- 11.4.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Covad. Scheduling procedures shall provide Covad equivalent priority to these resources.
- 11.4.2 BellSouth SCP shall partition and protect Covad service logic and data from unauthorized access, execution or other types of compromise.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Covad to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Covad access will be provided via remote data connection (e.g., dial-in, ISDN).

When Covad selects SCE/SMS AIN Access, BellSouth shall allow Covad to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

# 11.5 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

### 12. Basic 911 and E911

- All of the negotiated terms and conditions set forth in this Section pertain to the provision of Basic 911 and E911.
- 12.2 If Covad orders network elements and other services, then Covad is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.
- 12.3 <u>Definition</u>
- Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).
- 12.5 Requirements
- 12.5.1 Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to Covad a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Covad will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Covad will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Covad will be required to discontinue the Basic 911 procedures and begin using E911 procedures.
- 12.5.2 E911 Service Provisioning. For E911 service, Covad will be required to install a minimum of two dedicated trunks originating from the Covad serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Covad will be required to provide BellSouth daily updates to the E911 database. Covad will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Covad will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's

- interoffice network and will not carry the ANI of the calling party. Covad shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 12.5.3 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Covad beyond applicable charges for BellSouth trunking arrangements.
- Basic 911 and E911 functions provided to Covad shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Covad to follow in providing 911/E911 services.

## 13. True-Up

This section applies only to other rates that are interim or expressly subject to true-up under this attachment.

- The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the

Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

- A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and Covad are entitled to be a full Party to the proceeding;
  - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
  - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

### **EXHIBIT A**

# LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

### I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
  - 1. Billed Number Screening
  - 2. Calling Card Validation
  - 3. Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its

supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.
- (d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

## II. TERM

This Agreement will be effective as of \_\_\_\_\_\_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

## III. FEES FOR SERVICE AND TAXES

- A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

# IV. MISCELLANEOUS

A. This LIDB Storage Agreement shall be subject to the terms and conditions of the Interconnection Agreement between Covad and BellSouth.

# FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

Agraen	This is a Facilities Based Addendum to the Line Information Data Base Storage
Telecon	ment dated, between BellSouth mmunications, Inc. ("BellSouth"), and ("Covad"), we the day of,
I.	GENERAL
	This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.
II.	DEFINITIONS
A.	Billing number - a number that Covad creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
B.	Line number - a ten digit number that identifies a telephone line administered by Covad.
C.	Special billing number - a ten digit number that identifies a billing account established by Covad.
D.	Calling Card number - a billing number plus PIN number.
E.	PIN number - a four digit security code assigned by Covad which is added to a billing number to compose a fourteen digit calling card number.
F.	Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Covad.
G.	Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Covad.

## III. RESPONSIBILITIES OF PARTIES

- A. Covad will provide its billing number information to BellSouth's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BellSouth will store in its LIDB the billing number information provided by Covad. Under normal operating conditions, BellSouth shall include Covad's billing number information in its LIDB no later than two business days following BellSouth's receipt of such billing number information, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of Covad's working telephone numbers.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information provided by Covad to perform the following functions for authorized users on an on-line basis:
  - 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by Covad, and where the last four digits (PIN) are a security code assigned by Covad.
  - 2. Determine whether Covad or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.
- E. Covad will provide its own billing number information to BellSouth for storage and to be used for Billed Number Screening and Calling Card Validation. Covad will arrange and pay for transport of updates to BellSouth.

## IV. COMPLIANCE

Unless expressly authorized in writing by Covad, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

#### **EXHIBIT B**

## CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

## 1. Definitions

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Covad the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

**SERVICE CONTROL POINTs (SCPs)** - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

**SERVICE SWITCHING POINTs (SSPs)** - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

#### 2. Attachment

2.1 This Attachment contains the terms and conditions where BellSouth will provide to the Covad access to the BellSouth CNAM SCP for query or record storage purposes.

Version 1Q00:3/6/00

Covad shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to Covad's access to BellSouth's CNAM Database Services and shall be addressed to Covad's Account Manager.

# 3. Physical Connection and Compensation

- 3.1 BellSouth's provision of CNAM Database Services to Covad requires interconnection from Covad to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.2 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Covad shall provide its own CNAM SSP. Covad's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.3 If Covad elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Covad desires to query.

## 3.4 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

# 4. CNAM Record Initial Load and Updates

4.1 The mechanism to be used by Covad for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be

- provided by Covad in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Covad to provide accurate information to BellSouth on a current basis.
- 4.2 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.3 Covad CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	S RATES (\$)  Rec Nonrecurring Nonrecurring Disconnect						Submitted	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.
	<del></del> .	Ì	i í		i	D	Nonre	curring	Nonrecurrin	g Disconnect	į		oss	Rates (\$)		<del></del>
						nec nec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1						1					i
ODERATIONAL SUBBO	ORT SYSTEMS (OSS) RATES				1											
OPERATIONAL SUFFE	761 3131ENI3 (033) RATES		1		<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	1		<u></u>	<u> </u>	ł	L	
NOTE: (1) CLE specific Commi: NOTE: (2) Any	C should contact its contract negotiator if it prefers the selon ordered rates for the service ordering charges, or element that can be ordered electronically will be billed	CLEC ma d accordin	ay elect thing to the	ne regional service or SOMEC rate listed in	rdering charg n this categor	e, however, CLE y. Please refer	C can not obta to BellSouth's E	in a mixture of Jusiness Rules	the two. for Local Order	ing (BBR-LO) to	determine i	a product o	can be ordered	l electronically	. For those ele	ements that
NOTE: (1) CLEI specific Commit NOTE: (2) Any cannot be order	C should contact its contract negotiator if it prefers the ssion ordered rates for the service ordering charges, or	CLEC ma d accordin	ay elect thing to the	ne regional service or SOMEC rate listed in	rdering charg n this categor	e, however, CLE y. Please refer	C can not obta to BellSouth's E	in a mixture of Jusiness Rules	the two. for Local Order	ing (BBR-LO) to	determine i	a product o	can be ordered	l electronically	. For those ele	ements that

LINIDLINI	חוכם	NETWORK ELEMENTS - Florida							<del></del>				Attachment;	,	F., L.1	blt: C
NBOW	DEEL	NETWORK ELEMENTS - Florida				1					C O	la 0-d			h	
	- 1				ļ							Svc Order			incremental	
	- 1		\ \	i i	1	1						Submitted		Charge •	Charge -	Charge -
		DATE OF PARTIES	i i		l l			DATEC/E)			Elec	Manually	Manual Svc		Manual Svc	Manual Sv
CATEGO	RY	RATE ELEMENTS	1	1	ľ			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	- 1				1						Ì		Electronic-	Electronic-	Electronic-	Electronic
	- 1			1								1	1st	Add'l	Disc 1st	Disc Add'l
			<del>  -</del>				Nonrec	useina I	Nonrecurring	Disconnect	ļ		000	Rates(\$)	L	
					· · · · · · · · · · · · · · · · · · ·	Rec	First	Add'l	First			SOMAN	SOMAN		SOMAN	SOMAN
	ha "7a	ne" shown in the sections for stand-alone loops or loops as	part of a ce	ambination refers to	Geographicall	v Deaveraged 11									SUMAN	SUMAN
		ww.interconnection.belisouth.com/become_a_clec/html/inter			Geographican	y Deaveraged O	ME Zones. 10	view Georgiap	Incany Deaver	aged DNE ZON	e Desiganti	ions by C O	reser to inter	net website;		
			connection	i.nun		T			<del></del>							
OPERATI	OTE	SUPPORT SYSTEMS  1) Electronic Service Order: CLEC should contact its contract	ct negotiate	or If it profess the sta	ta enecific aloc	tronic condea o	rdaring charge	e oo ordorod b	u the State Co	mmissions T	ha alaataa	1	J-1			
																s rate
		s the BellSouth regional electronic service ordering charge.														
		<ol><li>Any element that can be ordered electronically will be bill</li></ol>														
		ements that cannot be ordered electronically at present per t			rate in this cate	agory reflects th	e charge that v	vould be billed	to a CLEC one	ce electronic o	rdering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
0	rdering	g charge, SOMAN, will be applied to a CLECs bill when it sub	omits an LS	R to BellSouth.												
		Manual Service Order Charge, per LSR, Disconnect Only (FL)			SOMAN				1.83			1				
		Electronic OSS Charge, per LSR, submitted via BST's OSS														
	į.	Interactive Interfaces (Regional)			SOMEC		3,50		i							
		DATE ADVANCEMENT CHARGE														
N	OTE:	The Expedite charge will be maintained commensurate with	BellSouth's	FCC No.1 Tariff, Se	ction 5 as appi	Icable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per														
		Day	\\	ALL UNE	SDASP		200,00				1			Ì		
UNBUND	LED E	XCHANGE ACCESS LOOP								· · · · · · · · · · · · · · · · · · ·		<del></del>				
2-	-WIRE	ANALOG VOICE GRADE LOOP														
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2 UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3 UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57	ļ-··	11.90				
		Loop Testing - Basic 1st Half Hour		UEANL	URET1		48.65					11.90				
		Loop Testing - Basic Additional Half Hour		UEANL	URETA		23.95				ļ	11.90	· · · · · · · · · · · · · · · · · · ·			
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,														
		billing for BST providing make-up		UEANL	UEANM		13.49								1	
		Manual Order Coordination for UVL-SL1s (per loop)	1	UEANL	UEAMC		9.00				-			<del></del>		
		Order Coordination for Specified Conversion Time for UVL-SL1								·-····································		· · · · · · · · · · · · · · · · · · ·		_		
		(per LSR)		UEANL	OCOSL		23.02		į							
2-	-WIRE	Unbundled COPPER LOOP														
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	J	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2 UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1 :	3 UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09		11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-														
		Designed (per loop)		UEQ	USBMC		9,00									
		Unbundled Copper Loop, Non-Designed Billing for BST														
		providing make-up		UEQ	UEQMU		13.49		1			11.90				
		oop Testing - Basic 1st Half Hour		UEQ	URET1		48.65					11.90				
		Loop Testing - Basic Additional Half Hour		UEQ	URETA		23.95					11.90				
		KCHANGE ACCESS LOOP														
2-		ANALOG VOICE GRADE LOOP														
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														
		Zone 1		UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90				
!		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1													
		Zone 1		UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57		11.90				
		Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														
		Zone 2	1 2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				
		Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-														
		Zone 2		UEPSR UEPSB	UEABS	15,20	49,57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														
		Zone 3		UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														
		Zone 3	3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6,57		11.90				
		CHANGE ACCESS LOOP											· · · · · · · · · · · · · · · · · · ·			
2-		ANALOG VOICE GRADE LOOP														
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 1		I UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
		Ground Start Signaling - Zone 2		! UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90				
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					-							<i></i>		
		Ground Start Signaling - Zone 3		UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		11.90				

				7							·		Attachment:		EXNI	bit: C
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
		""									per Lor	per con	Electronic-	Electronic-	Electronic- Disc 1st	Electron Disc Ad
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UEA	OCOSL.		23.02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		,	UEA	UEAR2	40.04	405.75	20.17					1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<del> '-</del>	UEA	UEARZ	12.24	135.75	82,47	63.53	12.01		11.90		<u> </u>		ļ
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	İ	11,90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						700.70	02.41	00.00	12.01	<del> </del>	11,30			<del> </del>	
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15		15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15	67.08	15,56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	47.62	167.86	115.15	67.08	15.56		11,90				
	ISDN DIGITAL GRADE LOOP			UEA	OCOSE		23.02	<del></del>				ļ				
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41		10.71	<del> </del>	11.90				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.62	147.69	94.41		10.71	<del> </del>	11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02		02.20			11.50			-	<del></del>
	Universal Digital Channel (UDC) COMPATIBLE LOOP									· · · · · · · · · · · · · · · · · · ·						
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71		11,90				l
-	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		2	UDC	LUDODY											
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			UDC	UDC2X	27.40	147.69	94,41	62,23	10,71		11.90				
	3		3	UDC	UDC2X	48.62	147.69	94.41	00.00	40.74						
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE			ODCZA	40.02	147.09	94.4	62.23	10.71		11,90				
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	1		<del></del>	<del></del>									
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63	İ	11.90				i
	2 Wire Unbundled ADSL Loop including manual service Inquiry		-					100.50	10.55	13.03		17.50				·
	& facility reservation - Zone 2		2	UAL	UAL2X	11,80	149.53	103,85	75.05	15.63		11.90				1
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	20,94	149.53	103.85	75.05	15.63		11.90				ĺ
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSL		23.02									
	facility reservation - Zone 1		1	UAL	UAL2W				i i							
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	8.30	124.83	71.12	60,64	9.12		11.90				
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		44.00				
	2 Wire Unbundled ADSL Loop without manual service Inquiry &				- 97.0211	11.00	124.03	(1.14	00.64	9.12		11.90				
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60,64	9,12		11.90	ĺ			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02			<u>-</u>		11.50				
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	.00P													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		_ 1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		11.90		!		
	& facility reservation - Zone 2		2	UHL	UHL2X	40.00										
	2 Wire Unbundled HDSL Loop including manual service inquiry			URL	UHLZX	10.26	159.09	113.41	75.05	15.63		11.90				
	& facility reservation - Zone 3	1	3	UHL	UHL2X	18.21	159.09	113.41	75.05				-	i		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL	10.21	23.02	113.41	/5.05	15.63		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry				100000		25.02						i			
	and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80,69	60.64	9.12		11.90	1	į		
	2 Wire Unbundled HDSL Loop without manual service inquiry											11.50				
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12		11.90				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UHL	OCOSL		23.02									
	4 Wire Unbundled HDSL Loop including manual service inquiry		.JUF													

UNBONDEED	NETWORK ELEMENTS - Florida										Teur Order	Svc Order	Attachment:			bit: C
CATEGORY	. RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Eiec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect			oss	Rates(\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire Unbundled HDSL Loop including manual service inquiry nd facility reservation - Zone 2	l	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				1
	-Wire Unbundled HDSL Loop including manual service inquiry		-	OFIL	UFILAX	15.44	193.31	130.36	17.13	12.01	<del> </del>	11.90	<del></del>		<del></del>	<del></del>
	nd facility reservation - Zone 3		3	luhL	UHL4X	27.39	193.31	138.98	77.15	12.61	1	11.90		İ	<b>!</b> .	1
	order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02	100100		, , , , , , , , , ,	-	11.00			<del> </del>	
	-Wire Unbundled HDSL Loop without manual service inquiry		$\overline{}$							· · · · · · · · · · · · · · · · · · ·		·			<del></del>	1
	nd facility reservation - Zone 1	Ì	] 1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22	1	11,90			1	1
4-	-Wire Unbundled HDSL Loop without manual service inquiry										1					
	nd facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>	11.90				
	-Wire Unbundled HDSL Loop without manual service inquiry													1		4
ar	nd facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22		11.90				<u> </u>
	order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL		23.02				1					
	OS1 DIGITAL LOOP		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		11.00			ļ	
	-Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2			USL	USLXX	100.54	313.75	181.48	61.22	13.53		11.90	<u> </u>			
	-Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3			USL	USLXX	178.39	313,75	181.48	61.22			11.90			<del> </del>	ļ
	order Coordination for Specified Conversion Time (per LSR)	<del> </del>	1	USL	OCOSL	170.00	23.02	101.40	0.7.22	15.55	<del> </del>	11.50		<del> </del>	-	
	9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1.	1		00000		20.02		<del> </del>			-			<del> </del>	<del> </del>
	Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90			<del></del>	
	Wire Unbundled Digital 19.2 Kbps	l	2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56	1	11.90				
	Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85		15.56		11.90				
4	Wire Unbundled Digital Loop 56 Kbps - Zone 1	L		UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
4	Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				
4	Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90				
	order Coordination for Specified Conversion Time (per LSR)		<del>                                     </del>	UDL	UDL64	22.20	23.02 161.56	108.85	67.08	15.56	<del> </del> -	44.00		ļ		ļ
	Wire Unbundled Digital Loop 64 Kbps - Zone 1		1 2	UDL	UDL64	31.56	161.56	108.85				11.90				ļ
	Wire Unbundled Digital Loop 64 Kbps - Zone 2 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08 67.08	15.56 15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)	-	-	UDL	OCOSL	33.33	23.02	100.00	07.00	13,36		11.90			<del> </del>	<del></del>
	Inbundled COPPER LOOP		<del>                                     </del>	1002	100000		20.02				<del> </del>			<del> </del>		
	-Wire Unbundled Copper Loop/Short including manual service		<u> </u>								<del></del>					
	equiry & facility reservation - Zone 1	1	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	1	11.90	}			
	Wire Unbundled Copper Loop/Short including manual service		1						!							
	quiry & facility reservation - Zone 2	L	2	UCL	UCLPB	11.80	148,50	102.82	75.05	15.63	}	11.90	1		j	)
2	Wire Unbundled Copper Loop/Short including manual service	1	1								1	1				
in	equiry & facility reservation - Zone 3	1	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63	<u> </u>	11.90	<u> </u>			1
	order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	<del> </del>	UCL	UCLMC		9.00	9.00	<u> </u>		1					
	-Wire Unbundled Copper Loop/Short without manual service	ĺ		UCL	UCLPW	8.30	400.04	=0.00	====		}		i	İ		1
	quiry and facility reservation - Zone 1 -Wire Unbundled Copper Loop/Short without manual service	<del></del>		JUCL	UCLPVV	8.30	123.81	70.09	60.64	9.12	1	11.90				l
	equiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9,12		11.90	!			1
2.	-Wire Unbundled Copper Loop/Short without manual service	<del>                                     </del>	1	1	1002111	11.00	12,5.01	70.00	00.04	3,12	<del></del>	11,90				{ · — · · ·
	iquiry and facility reservation - Zone 3	ĺ	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9,12		11.90	ł			1
	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00				11,00				<b>†</b>
	-Wire Unbundled Copper Loop/Long - includes manual srvc.	[											1			1
	quiry and facility reservation - Zone 1	I	1	UCL	UCL2L	17,42	148.50	102.82	75.05	15,63		11.90				1
	-Wire Unbundled Copper Loop/Long - Includes manual svc,	İ		Ì	1							ŧ				1
	quiry and facility reservation - Zone 2		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63	<del></del>	11,90.				
	Wire Unbundled Copper Loop/Long - Includes manual svc.			UCL	110101	40.04	440.50				1				1	1
	equiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL2L UCLMC	43.94	148.50 9.00	102.82	75,05	15.63		11.90			ļ	<u> </u>
	-Wire Unbundled Copper Loop/Long - without manual service	<del> </del>	<del> </del>	UUL	UCLIVIC		9.00	9.00						ļ . <del></del>	<b></b>	
	replies on bundled Copper Loop/Long - without manual service		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	-Wire Unbundled Copper Loop/Long - without manual service	-	<u> </u>		UULZYY	17.42	120,01	70.09	60.04	9.12	-	11.90			·	
	equiry and facility reservation - Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				
	-Wire Unbundled Copper Loop/Long - without manual service		-		-				1	ļ	1	, 1,50	h	·		\
	nquiry and facility reservation - Zone 3	L	3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90	1	!		
Ö	order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9,00	9.00					f			
A WINE O	COPPER LOOP	1	1													1

MRONDLE	D NETWORK ELEMENTS - Florida	1	1							,			Attachment:			ibit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron
					-	Rec		urring	Nonrecurring					Rates(\$)		
	4-Wire Copper Loop/Short - including manual service inquiry	7	7	ļ <u> </u>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Ì	and facility reservation - Zone 1	:		uct	UCL4S	11.83	177.87	132.76	77.15	17.73	1	44.00				
	4-Wire Copper Loop/Short - including manual service inquiry	1	- <del>-</del>	000	100143	11.03	177.07	132.70	77.15	17.73		11,90				4
	and facility reservation - Zone 2	}	! ,	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
	4-Wire Copper Loop/Short - including manual service inquiry	Ţ	1 <del>-</del>	1002	00210	10.01	117.01	702.70		17.70	·	11,50				1
	and facility reservation - Zone 3	i	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73	1	11.90				
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		9.00	9.00								-
	4-Wire Copper Loop/Short - without manual service inquiry and	T						***************************************								4
	facility reservation - Zone 1		1	UCL	UCL4W	11.83	153,18	100.03	62,74	11,22		11.90			,	J
- 1	4-Wire Copper Loop/Short - without manual service inquiry and	1	1													1
ļ	facility reservation - Zone 2	J	2	UCL	UCL4W	16,81	153.18	100.03	62.74	11,22		11.90			Į	Į
	4-Wire Copper Loop/Short - without manual service inquiry and	1							Ĩ							
	facility reservation - Zone 3	<del> </del>	3	UCL	UCL4W	29.82	153,18	100.03	62.74	11,22		11,90				1
	Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	1	UCL	UCLMC		9.00	9.00								1
ì	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	31.10	477.07	400 70		47 70	1					1
	inquiry and facility reservation - Zone 1	1		UCL	UCL4L	31.10	177.87	132.76	77.15	17.73		11.90				[
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	1	2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73	i l	44.00				
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - includes manual svc,		-	DCL	UCL4L	44,20	1/7.87	132.76	, //.15	17.73		11.90				1
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL4L	78.42	177.87	132.76	77.15	17,73	1 1	11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	70.42	9.00	9.00	77.15	17,73		17.90				1
_	4-Wire Unbundled Copper Loop/Long - without manual svc.	+	+	1002	OCCINO		3.00	3.00				<del></del>				<del> </del>
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL40	31.10	153,18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.	1	1	1000	000.0	31.13	100.10	700.00	02.74			71.00			-	+
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL40	44.20	153.18	100.03	62.74	11.22	1 1	11.90				i
- 1	4-Wire Unbundled Copper Loop/Long - without manual svc.	1														î
i	inquiry and facility reservation - Zone 3	L	3	UCL	UCL40	78.42	153,18	100.03	62.74	11.22	] }	11.90				j
- 1	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00				i j				)
OP MODIFI	PATION	į														Į
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00				11.90				
	greater than 18k ft	1	ļ	UCL, ULS, UEQ	ULM2G	İ	343.12	343.12	1		1 1	11.90				1
- (	Unbundled Loop Modification Removal of Load Coils - 4 Wire	-					373.12	070.12				11,30				1
- 1	less than or equal to 18K ft	1		UHL, UCL	ULM4L	Į.	0.00	0.00				11,90				
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1	-													1
1	pair greater than 18k ft	1	J	UCL	ULM4G		343,12	343.12			!J	11,90				]
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		40.50	40 50 1								
B-LOOPS	per unbundied toop	1	٠	USL	ULMB		10.52	10.52			<u> </u>	11,90				
	op Distribution	ļ			<del> </del>						ļI					
June	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	ì			<u> </u>											
- 1	Up	1 1	1	UEANL	USBSA		487.23		1		1	11.90 .				
t		-					107.120				-	(1,30)				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB	- 1	6.25	1	i			11.90				
ſ	Sub-Loop - Per Bullding Equipment Room - CLEC Feeder	1										,				1
	Facility Set-Up	1 1		UEANL	USBSC	F	169.25					11,90				
ſ	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up			UEANL	USBSD		38,65					11,90				
			1													
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			ł	1		i									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6,46	60.19	21.78	47.50	5.26		11.90	, m 1			

\_\_\_\_

UNBU	INDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	oit: C
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonred			Disconnect	1			Rates(\$)		
		1	1	!		1 100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19.	21.78	47.50	5.26	j	11.90				
<b></b>	20116 3		<u> </u>	OL MILE	OUDITE	10.20	00.10.	21.10	77.00	3.20	<b></b>	11.50				
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	]	UEANL	USBMC		9.00		ļ.		}					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1	-	1 1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60	<del> </del>	11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		11,90	1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	-	<del> </del> -		1		30.30	502	70.11	0,50	<del>                                     </del>	11,50				
1	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<del> </del>		UEANL	USBMC USBR2	200	9.00		47.50	5.50		17.00		ļ		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<del> </del> -		IUEANL	USBRZ	3.96	51.84	13.44	47.50	5,26	<del> </del>	11,90	<u> </u>			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.		  UEANL	USBMC		9.00		1	1						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	<del> </del>	UEANL	USBR4	9.37	55.91	17.51	49,71	6.60	<del> </del>	11.90		<del> </del>		<del></del>
	Cab Ecop 1 1/110 Milabelloning 110					1			T	0.00		1 1110				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	į.	UEANL	USBMC		9.00		l					}		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78		5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1			UCS2X	7.31	60.19	21.78		5.26		11,90		Ĺ		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	ÜEF	UCS2X	12.98	60.19	21.78	47.50	5.26	ļ	11.90				
									1				ł	÷		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC UCS4X	5.36	9.00	30,42	49.71	6.60	<del> </del>	11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+		UEF	UCS4X	7.61	68.83	30.42		6.60	ļi	11.90	<u> </u>			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>                                     </del>		UEF	UCS4X	13.51	68.83	30.42		6.60	<u> </u>	11.90	<del></del>		<del> </del>	
	4 Wile Copper Silbariated Sub-Eoop Distribution - 25fte 5	<del> '</del>	-	1000	0004/	10.01	00.00	30.42	43.71	0.00	<del>                                     </del>	11.30	<del> </del>		<del></del>	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1 1	9.00		1	İ						· ·
	Unbundled Sub-Loop Modification	1							<del></del>							
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1													
	Coil/Equip Removal per 2-W PR		ļ	UEF	ULM2X		10.11					11.90				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR		<del> </del>	UEF	ULM4X		10.11				ļ	11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded	'		UEF	ULM4T		15.58					11.90	1			
	Unbundled Network Terminating Wire (UNTW)	<del> </del>	<b></b>		O.L.	<u> </u>	10.00				<del> </del>	11.30	<del> </del>	· · · · · · · · · · · · · · · · · · ·		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02				<del> </del>	11,90				
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	-		UENTW	UND12		71.49	48.87				11.90				
	Network Interface Device (NID) - 1-6 lines	-		UENTW	UND16		113.89	89.07				11.90				
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	ļ		UENTW	UNDC2 UNDC4		7.63 7.63	7.63 7.63	-		ļ. <u></u>	11.90				
SUB-LC		+		CENTY	UNDC4	<del> </del>	1.03	1.03	-	ļ	<del> </del>	11.90				
	Sub-Loop Feeder					1					<del> </del>					
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		-	UEA,							<del> </del>					
	Distribution Facility set-up	İ		UDN,UCL,UDL,UDC	USBFW		487.23					11.90		ŀ		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	ì		UEA,												
	set-up	ļ	ļ	UDN,UCL,UDL,UDC			6.25	6.25			<u> </u>	11.90				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522.41	11.32				11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			UEA	USBFA	6.41	20.75	54.04		40.00	ļ					
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice	-	+	UCA	USBFA	0,41	92,75	51.24	58.45	13.07		11.90				
	Grade - Zone 2		2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	1	1-			J. 13	32.13	51.24	30.73	15.07		11.50				
	Voice Grade - Zone 3		3	UEA	USBFA	16.15	92.75	51,24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR	L		UEA	OCOSL		23.02									
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1	1	1_	UEA	USBFB	6.41	92.75	51.24	58.45	13.07	I	11.90				

					,											
				11.90		68.41	\$2.54	81.83	Z9'001	84,41	USBFP	Jor	1		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -	
							1		20.62		OCOSE	701		-	Order Coordination For Specified Time Conversion, per LSR	
		ļ		06.11		14.83	79.54	91,82	100.62	58.85	USBFO	Tar		<del>                                     </del>	E eno	
<u>-</u>			ļ						1		0200	101	1	1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	
	1	1		11.90		14.83	63.54	91.88	100,62	69.02	USBFO	חסר	7 2	<del>                                     </del>	Zenoż	
									İ	1		,,,,	7		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	
			1	06.11		14.83	Þ9'69	91.88	100.62	14.48	USBFO	nor	1 1	<del> </del>	r eno	
	ļ		ļ	ļ										1	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	
		ļ		06.11		14.83	46.58	51,88	29.001	56,85	USBFN	JOL	3 6	<del> </del>	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	
			ļ	06.11		14.83	\$3.54	91.83	100.62	65,02	USBFN	nar			Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	s l
	<del></del>	·		11,90		14.83	48.Ea	91,83	100.62	14.48	NZBEN	700		1	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	
		ļ			1				23.02		OCOST	nor			Order Coordination For Specified Conversion Time, per LSR	
			<u> </u>	06.11	1	12.28	86.09	67.20	99.66	18.46	USBFJ		1 8		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	
				06.11		12,28	86.08	02,78	99'66	10.40	USBFJ		7 7		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	
				11.90		12.28	86.03	57.20	99.66	7.32	USBFJ	nor			Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	
				<u> </u>					23.02		OCOSE	nor	1	1	Order Coordination For Specified Conversion Time, per LSR	
			1	06.11	1	10,82	48.84	42,24	72.28	67.6	Haesh	ncr		1		
									1	1					Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	ál I
			1	06.11		10.82	42.88	42.24	72.28	86.8	USBFH	nor	7 (	<b>-</b>	7	;
												101			Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	
				06,11		S8.01	\$8.84	42,24	72.28	97.£	ПЗВЕН	ncr	) [		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	
									23.02	-	Occor	781			Order Coordination For Specified Conversion Time, Per LSR	
				11.90		12.15	91.38	20.87	133.77	98.701	USBFG		3 1	-	Unbundied Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	
				06.11		12.12	91.38	78.02	177.661	£8.09	USBFG	ner		<del> </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	
				06.11		12.12	91.38	20.87	177,881	42.59	USBFG	750			Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	
				11.90		12.49	15.08	88.88	17,601	98.78	USBFS				Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	
				06.11		12.49	12.08	89.99	17.601	21,07	USBFS	noc			Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	
				06.11		12.49	12.09	89.99	17.601	14.83	USBFS	noc			Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	
									23.62		OCOSE	NON				
				11,90		12,49	12.08	89.99	17,601	66.78	USBFF	NON			Order Coordination For Specified Conversion Time, Per LSR	<del> </del>
				06.11		12.49	12.09	89.99	17.901	21.07	1788U	При		-	Unbundled Sub-Loop Feeder Loop, 2-Wire ISBN 8RI - Zone 3	
				06.11		12.49	15.08	89.88	17.601	14.83					Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN 8RI - Zone 2	
							1.000	10000	20.82	20 77	OCOSE	NDN			Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	
				11.90	<del></del>	14.83	42.59	97'79	26'901	CF:10					Order Coordination For Specified Conversion Time, Per LSR	
i						10077	1 5 63	37 73	20 901	31,45	USBFE	A∃U	3		Cene 2	
				11.90	<del> </del>	14,83	¢9.54	94.46	26.90†	£7.71	7 1000				Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	
				** **		00.7	1 - 2 03	10000	10000	62 21	USBFE	A∃U	7		Grade - Zone 2	
		7		06.11		14.83	43.59	97'79	106,92	74.21	7,000	1/20	<del>]  </del>		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	
						1	1,300	3, 13	00.901	20 61	3382U	ABU	1 1		Grade - Zone 1	
						<del> </del>		<del> </del>	20.62		70000		-		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	
				11.90	<del> </del>	14.83	93.54	97'79	26.901	31.45	OCOSE	VEA			Order Coordination For Specified Conversion Time, Per LSR	
				100,11		0071	1,303	37 73	00 901	31 15	USBFD	A∃U	ε	i	Seno - Sone 3	
				11.90		14.83	<b>\$3.54</b>	94.46	106.92	01111	0.1500				Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice	1
-				***		10077	1303	37 73	60 901	£7.71	USBFD	A∃U	2		CanoZ - ebs10	
				11.90		14.83	48.69	97'79	26,801	12,47	0.1000				Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l
l				** **		10077	1,363	37 73	CO 901	20 61	USBFD	VEA		i	f enoX - ebsiĐ	
					<del></del>	· · · · · · · · · · · · · · · · · · ·	ļ		20.62	<del></del>	70000		1		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	
	****			06.11		13.07	24.83	51.24	92,78	01:01	Occor				Order Coordination For Specified Conversion Time, per LSR	
		)		** **		2001	30 03	NC 13	37 60	31.91	USBFC	A∃U	3		Battery, Voice Grade - Zone 3	
				06.11		13.07	54.85	₽Z.124	01/70	01.10	0.4200				Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse	
				13.77		2001	37 03	1000	87.26	01.6	USBFC	A∃U	2		Voice Grade - Zone 2	
				11.90		13.07	94.85	51.24	01:70	1	<del></del>				Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	
				33.7		2001	37 03	10.19	87.S9	14.8	USBFC	ABU	1		Volce Grade - Zone 1	
								<del></del>	70:07	<del> </del>			ļ.,		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	
				06:11		13.01	Sp:85	57'10	23.02	I CLIOI	OCOSE	ABU			Order Coordination for Specified Time Conversion, per LSR	
				00 11	ł	20 61	20.62	51.24	87.26	S1.81	USBFB	A∃V	3		6 ano Z - aber 2	
				06,11		10,01	CH:00	h7:10	0.1176	0.110					Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	
				0011		70.E1	\$4.83	51.24	87.26	01,6	USBFB	ABU	7		Senos - ebsað	
NAMOS	NAMOS	NAMOS	NAMOS	NWMOC	07000	LDDV					4				Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	
	117.103	Rates(\$)		NAMOS	Pamos	I'bbA	isii-i	l'bbA	] Jani9	Sec						
		(3/00129	330		1	Disconnect	Nonrecurring	l onim	Nonrecui	<u> </u>						
Disc Add'i	Disc 1st	1.pp4	1st													
Electronic-	Electronic-	Electronic-	Electronic-													
Order vs.	Order vs.	Order vs.	Order vs.	Per LSR	ber LSK			(4)						ш		
Manual Svo	Manual Svc		Manual Svc	WannaM				(\$)&∃TAЯ			nsoc	BCS	anoz	Interi	RATE ELEMENTS	YR60977
Charge -	Charge -	срагде -	Charge -		1									,,		
					Submitted S											
letremental			1-1-0-17-017-1	TABLED AVE	SVC ()rdar						1		1 1			
ibit: C			Attachment:		1	·										

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			lbit: C
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Sve Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring			I		Rates(\$)		7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						400.00	50.40	00.54	44.00		44.00	•	į	1	4.
	Zone 2	ļ	2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83		11.90	<del></del>			1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		3	UDL	USBFP	36.53	100.62	58,16	63.54	14.83		11.90	ļ	į		
	Zone 3	-	1-3-	UDL	OCOSL	36.53	23.02	30,10	03.54	14.00		11.50		<del> </del>		
	Order Coordination For Specified Conversion Time, per LSR	<del> </del>	-	ODE	CCOSE		25.02	<del></del>	<del> </del>		<del> </del>		<del> </del>	<del></del>	<del> </del>	
SUB-LOOPS	oop Feeder	<u> </u>	<del> </del>					<del></del>	<del> </del>		<del> </del>				<del> </del>	1
SUD-L	Sub Loop Feeder - DS3 - Per Mile Per Month		<del> </del>	UE3	1L5SL	15.69			<del></del>		<del> </del>	1			1	1
	Sub Loop Feeder - DS3 - Facility Termination Per Month	1	1	UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58	<del> </del>	11,90			-	1
	Sub Loop Feeder - STS-1 - Per Mile Per Month	1	<del> </del>	UDLSX	1L5SL	15.69		,	1		1	-				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1	<del>                                     </del>	UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-3 - Per Mile Per Month	1		UDLO3	1L5SL	11.90									1	
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per													, , , ,		
1	Month	1	<u> </u>	UDLO3	USBF5	62.98								1	1	
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		1	UDLO3	USBF2	547.22	3,402.59	407.15	166.83	94.58	ļ.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11,90			ļ	
	Sub Loop Feeder - OC-12 - Per Mile Per Month		1	UDL12	1L5SL	14.65				· · · · · · · · · · · · · · · · · · ·			<del></del>			
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per		ļ	l					1		1	]				
	Month		ļ	UDL12	USBF6	502.47			122.22			1			<del></del>	<b></b>
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1	}	UDL12	USBF3	1,577.00	3,402.59	407.15	166.83	94.58		11.90		<del> </del>	<del> </del>	<del></del>
	Sub Loop Feeder - OC-48 - Per Mite Per Month	1	<del></del>	UDL48	1L5SL	48.06			<u> </u>		1		<del> </del>	<del> </del>	<del> </del>	-
1.	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	١.	1	UDL48	USBF9	251.80			1		1	}	1	1		1
	Month	<del></del>	<del> </del>	UDL48	USBF4	1,589.00	3,588.59	407.15	168.35	95.43		11.90			<del></del>	<del> </del>
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48	1	<del> </del>	UDL48	USBF8	331.15	804.98	407.15		95.43		11.90			<del></del>	<del> </del>
UNGUNDUED	LOOP CONCENTRATION	<del> </del>		0000	005.0			107.10	100.00	00.40	-	1,100				1
UNBUNDLED	Unbundled Loop Concentration - System A (TR008)		1.	ULC	UCT8A	449.49	359.42	359.42			1	11.90				
	Unbundled Loop Concentration - System B (TR008)	<del> </del>		ULC	UCT8B	53.44	149.76	149.76				11.90			1	1
	Unbundled Loop Concentration - System A (TR303)		1	ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149,76				11.90				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite		F						1							
	Card)	<u></u>	1	UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90		1		
	Unbundled Loop Concentration - UDC Loop Interface (Brite	1											1.	ľ		
	Card)		ļ	UDC	ULCCU	8,00	16.59	16.50	6.77	6.73		11.90	-		-	ļ
	Unbundled Loop Concentration 2 Wire Voice-Loop Start or	ĺ					10.55	40.50	1 1			44.00	1			
	Ground Start Loop Interface (POTS Card)	<u> </u>		UEA	ULCC2	2.00	16.59	16.50	6.77	6.73	<u> </u>	11.90			<del> </del>	
1	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCCR	11.90	10.50	16.50	6.77	6.73		11,90	1		-}	
	Loop Interface (SPOTS Card)			UEA	ULUCK	11.90	16.59	10.50	6.77	6./3		11,90				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card		-	ULC	UCTTC	34.68	16.59	16.50		6.73	1	11.90		<del> </del>		<del> </del>
	Unbundled Loop Concentration - TEST CIRCUIT Card			-	20110	34.00	10.39	10.30	0.17	0.73	<del> </del>	11.30			· · · · · · · · · · · · · · · · · · ·	<del> </del>
	Interface			UDL	ULCC7	10.51	16.59	16.50	6,77	6,73	(	11,90		}	1	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop					32.71						1			T	
	Interface		1	UDL	ULCC5	10.51	16.59	16.50	6.77	6.73	1	11,90	l .	1		Į.
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface	·	<u> </u>	UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90	L			
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00									<u> </u>
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00							ļ		
				UEANL,UEF,UEQ.U					1							
	Unbundled Contract Name, Provisioning Only - No Rate		-	ENTW	UNECN	0.00	0.00									ļ
JNE OTHER,	PROVISIONING ONLY - NO RATE		-													<del></del>
				LIM TICK LIDG LICK												
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,	UNECN	0.00	0.00						i			
	Unbundled Contact Name, Provisioning Only - no rate  Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	_	<del> </del>	ODINOCH, OTIC, OLO	511E011	0.00	0.00									-
	Chinamician 200-Foot Leader-5 Aute Ordes poy 2011/bet - 110		į.	UEA,UDN,UCL,UDC		0.00	0.00						1		!	

NOUNDLE	D NETWORK ELEMENTS - Florida		7		← —							Attachment:		Exhi	bit: C
TEGORY	RATE ELEMENTS	Interi m	Zona	BCS	usoc			RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order Electron Disc Ac
			+		<del> </del> -	1	1.				 				
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				<del> </del>										
	rale			UEA,USL,UCL,UDL	USBFR	0.00	0.00	i	Ì						İ
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				 				
	Unbundled DS1 Loop - Expanded Superframe Format option -	-	T		1										
	no rate			USL	CCOEF	0.00	0.00				 				
SH CAPACI	TY UNBUNDLED LOCAL LOOP										 				
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1						}						
	month	<u> </u>	-	UE3	1L5ND	10.92					 	· · ·		i	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	Ì	1	UE3	UE3PX	386.88	556.37	343.01	139.13	96,84	11.90				1
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			063	OE3FA	366.80	336.37	343.01	139.13	96,64	 11.90				
ļ	month	]	]	UDLSX	1L5ND	10.92									
<del></del>	High Capacity Unbundled Local Loop - STS-1 - Facility		_		1	1					 				
j	Termination per month	1		UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84	11.90			1.83	
OP MAKE-L	JP					.1									1
	Loop Makeup - Preordering Without Reservation, per working or														
	spare facility queried (Manual).		-	UMK	UMKLW		52.17	52.17			 			<u> </u>	1
1	Loop Makeup - Preordering With Reservation, per spare facility		1						į						
	queried (Manual).		-	UMK	UMKLP		55.07	55.07			 				
İ	Loop MakeupWith or Without Reservation, per working or		i	UMK	PSUMK	1	0.0704	0.0704							1
NI FREQUE	spare facility queried (Mechanized) NCY SPECTRUM			UIVIN	PSUNK		0.6784	0.6784			 				
	HARING			<del></del>	·						 				<del></del>
	TERS-CENTRAL OFFICE BASED		+		<del> </del>						 				
0, 211	Line Sharing Splitter, per System 96 Line Capacity - True up		1		1									<del></del>	
1	pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00	11.90				
	Line Sharing Splitter, per System 24 Line Capacity - True up										 				
	pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00	11.90				1
	Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00	11.90				
	Line Sharing-DLEC Owned Splitter in GO-CEA activation-		disco.	ALTERNATION OF		1,500,000	22.0								
	deactivation (per LSOD)		1	ULS	ULSDG		173.66	0.00	97.42	0.00	 11.90				
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY [Line Sharing - per Line Activation -(BST Owned Splitter)	SPEC	IRUM	ULS	ULSDC	0.61	29.68	21.28	19.57	0.64	 44.00				
	Line Sharing - per Line Activation -(BST Owned Splitter)		-	ULS	ULSUC	0.61	29.68	21.28	19.57	9.61	 11.90				
	Line Sharing - per Subsequent Activity per Line Rearrangement	R		ULS	ULSDS		21.68	16.44			11.90				
						j									<del> </del>
- 1	Line Sharing - per Subsequent Activity per Line Rearrangement	_			1										1
	- True up pending approval by PSC(DLEC Owned Splitter)	R	-	ULS	ULSCS		21.68	16,44			 11.90				
	Line Sharing - per Line Activation (DLEC owned Splitter)	. !		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74	 11.90				
	SER ORDERING-CENTRAL OFFICE BASED		<del> </del>								 				
ENDU	Line Splitting - per line activation DLEC owned splitter	1	+	UEPSR UEPSB	UREOS	0.61					 				
	Line Splitting - per line activation BST owned - physical		<del> </del>	UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61	 11.90				
	Line Splitting - per line activation BST owned - virtual	1	1	UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	 11.90				-
REMOT	TE SITE HIGH FREQUENCY SPECTRUM										1,1,00				
SPLITT	ERS-REMOTE SITE										 			-	
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	1	<del> </del>	ULS	ULSRB	25.00	150.00	0.00	150.00	0.00	11.90				
	Remote Site Line Share Cable Pair Activation CLEC Owned at						1								
END :	RS and deactivation		75115	ure	ULSTG		74.38	0.00	46,77	0.00	 11.90				L
	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	AKA	KEMO.	TE SITE LINE SHAR	NG										
	Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter		1	ULS	ULSRG	0.61	40.00	22.00	10.57	0.01	11.00				1
	RS Line Share Line Activation for End User served at RS, CLEC		-	1020	JEGINO	0.01	40.00	22,00	19.57	9.61	 11.90				
	Sp. tter	,		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61	11.90				1
											 711.00				-
BUNDLED D	DEDICATED TRANSPORT INTEROFFICE CHANNEL DEDICATED TRANSPORT - MINISTER		1		1	1			1						

BUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
FEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge - Manual Sve Order vs. Electronic- 1st	Charge - Manual Sve Order vs. Electronic- Add'i	Charge -	Charge
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1					i			i					İ
	Per Mile per month		<u> </u>	U1TVX	1L5XX	0.0091										
1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1		l		\				1		1		1	}
	Facility Termination			U1TVX	U1TV2	25.32	47.35	31,78	18.31	7.03	ļ	11,90				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade										}					i
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091					1		<u> </u>			<del> </del>
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat					25.20	47.0-									
	Facility Termination		<del> </del>	U1TVX	U1TR2	25.32	47.35	31,78	18.31	7.03		11.90				
- 1	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.0091	-			}			}	1		}
	Per Mile per month		-	IUTIVA	112344	0.0091					<del> </del>					
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	U1TV4	22.58	47.35	24.70	40.24	7.00		44.00				
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	22.50	47.35	31.78	18.31	7,03	<del> </del>	11.90	<del></del>			
				U1TDX	1L5XX	0.0091								!		1
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTOX .	ILJAA .	0.0091					<del> </del>					
	Termination		į	UITOX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90	1	1	1	
-	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		<del> </del>	01107	1011123	10.44	47.55	31.70	10.31	7.03	<del> </del>	11.90	<u> </u>	<del></del>		<del> </del>
İ	per month			U1TDX	1L5XX	0.0091	l			ĺ	l		i		1	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTTOX	112320	0.0031					<del>}</del>		<del></del>	<del>}</del>		├
	Termination		1	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	-	11.90	1			
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		+	OTTEX	101100	10.44	47.33	31.70	10.31	7.03		11.90				ļ
ļ	month			UITDI	1L5XX	0.1856				1	]	}	1	1	1	1
_	Interoffice Channel - Dedicated Tranport - DS1 - Facility		<del>                                     </del>	O I I D I	11232	0.7000					<del> </del>					
	Termination			U1TD1	U1TF1	88.44	105.54	98,47	21.47	19.05		11.90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<del></del>	01101	101117	50.44	103.54	90.47	21.47	19.05	<del></del>	11.90	\			<del> </del>
1	month			U1TD3	1L5XX	3.87	- 1					1	ì	}		
	Interoffice Channel - Dedicated Transport - DS3 - Facility		-	01103	123/01						<del></del>			<del> </del>		ļ
	Termination per month		1	U1TD3	U1TF3	1.071.00	335.46	219.28	72.03	70.56	1	11.90	ĺ	)	1	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		_					213.20	12.00	10.00		11.00		<del> </del>		<del> </del>
ļ	month		!	U1TS1	1L5XX	3.87	i			}	ĺ	ļ.	ł	!	ļ	i
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1								<u> </u>	-		<del> </del>		
ì	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90		!		
LOCA	L CHANNEL - DEDICATED TRANSPORT															<del>                                     </del>
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one mont	h, DS3/STS-1=f	our months										<del> </del>
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1			ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				1
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	27.94	265.84	46,97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	49.58	265.84	46.97	37,63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		1							[						
	Zone 1		1	ULDVX	ULDR2	19.66	265.84	46,97	37.63	4.00		11.90				ļ
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		1							}						
	Zona 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4:00		11.90			1	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat						1							1		
	Zone 3		3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1			UNDVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			UNDVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			UNDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 - Zone 1			ULDD1	ULDF1	36.49 51.85	216.65	183.54	24.30	16.95		11.90				ļ
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	92.00	216.65 216.65	183.54 183.54	24.30 24.30	16.95		11.90				ļ
	Local Channel - Dedicated - DS1 - Zone 3  Local Channel - Dedicated - DS3 - Per Mile per month		1-3	ULDD3	1L5NC	8.50	60.01	183.54	24.30	16.95	<del></del>	11.90				
-	Local Channel - Dedicated - DS3 - Fer Mile per month		-	ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		44.00				
-	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50	330.37	343.01	139.13	96.84		11.90				ļ ——
-	Local Channel - Dedicated - STS-1 - Fer Wile per month		-	ULDS1	ULDES	540.69	556.37	343.01	139.13	96.84		11.90				
K FIBER			+	00001	02010	340.09	330.37	343.01	139.13	96.84		11.90		ļ		ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		-							·			ļ			
	Thereof per month - Local Channel		1	UDF	1L5DC	55.04	1									
	NRC Dark Fiber - Local Channel		-	UDF	UDFC4	33.04	751.34	193.88				11.90				
			+	100	- 00104		7.51.54	193.00				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															



UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	iblt: Ç
CATEGORY	rate elements	interi m	Zone	BCS	Usoc			RATES(\$)	3			Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec First		Nonrecurring First		601150	2011411		Rates(\$)	201111	
	NRC Dark Fiber - Interoffice Channel		<del> </del>	UDF	UDF14		751.34	Add'l 193.88	First	Add'l	SOMEC	11,90	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			TODE	ODF 14	<del> </del>	131.34	193.00		<del> </del>	<del> </del>	11.90		·	<del> </del>	<del> </del>
	Thereof per month - Local Loop			UDF	1L5DL	55.04	i l		E E	1					1	1
<del></del>	NRC Dark Fiber - Local Loop		-	UDF	UDFL4	00.04	751,34	193.88	<del></del>	<del> </del> -	<del> </del>	11.90			<del></del>	<del> </del>
8XX ACCESS	TEN DIGIT SCREENING			3-1	<del>-  </del>		70,10				1	11.50		<del></del>	<del> </del>	-
OXX AGGEGG	8XX Access Ten Digit Screening, Per Call		1	OHD	<del></del>	0.0006252					1				<del> </del>	<del> </del>
<del></del>	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1						-		<del> </del>	<del></del>			<del> </del>	
	Number Reserved		1	OHD	N8R1X		4.15	0.70		ļ.	1	11.90				1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	-	Ī													
	POTS Translations		<u> </u>	OHD			8.78	1.18	5.77	0.70		11.90			]	A
-	8XX Access Ten Digit Screening, Per 8XX No. Established With								-							
	POTS Translations			ОНО	N8FTX		8.78	1,18	5,77	0.70	ļ	11.90				1
ł	8XX Access Ten Digit Screening, Customized Area of Service			OUD:	N8FCX		4.15	0.07	i i		1					1
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			ОНД	INSPEX		4.15	2.07	<del></del>	<del></del>	<del> </del>	11.90	<del></del>		<del> </del>	
1. 1	Routing Per CXR Requested Per 8XX No.			ОНО	N8FMX		4.85	2.78				11,90		ĺ	1 -	1
	8XX Access Ten Digit Screening, Change Charge Per Request		┼┈┈	OHD	N8FAX		4.85	0.70		<del> </del>	<del>                                     </del>	11.90	<del></del>		-	
<del></del>	8XX Access Ten Digit Screening, Call Handling and Destination		<del> </del>	37.5			1,50				<del> </del>	11.50			<del> </del>	<del></del>
	Features		1	ОНО	N8FDX	}	4.15	4.15			1	11.90		)	1	1
			$\vdash$						77		<del></del>	1		·	1	
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query	L	l	OHD		0.0006252									1	1
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per								9						1	ļ
	query		<u> </u>	OHD		0.0006252			,		1			!		
LINE INFORM	ATION DATA BASE ACCESS (LIDB)		ـــــ	ļ		<u> </u>		···	4	L						
	LIDB Common Transport Per Query		<b>├</b>	OQT		0.0000203	<u> </u>			ļ <u>.                                    </u>	ļ					
	LIDB Validation Per Query		<del> </del>	OQU OQT, OQU	NRPBX	0.0136959	55,13	55.40	55.40	ļ			ļ			-
SIGNALING (	LIDB Originating Point Code Establishment or Change			001,000	INKPBA	<del> </del>	55.13	55.13	55.13	55.13		11.90	<del></del>	·		<del> </del>
SIGNALING (	CCS7 Signaling Termination, Per STP Port		<del> </del>	UDB	PT8SX	135,05	<del></del>			<del> </del>		·		<del> </del>	<u> </u>	<del> </del>
	CCS7 Signaling Usage, Per TCAP Message		-	UDB	1.100%	0.0000607			<del></del>	<del></del>	<del> </del>			——————————————————————————————————————	<del> </del>	<del></del>
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18,31	<del> </del>	11.90			<del></del>	
	CCS7 Signaling Connection, Per link (B link) (also known as D									1	<del>                                     </del>	11.00			<del> </del>	1
	link)		l	UDB	TPP++	17,93	43.57	43.57	18.31	18.31		11.90			-	-
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152			57 10:							
	CCS7 Signaling Usage Surrogate, per link per LATA		<u> </u>	UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code			UDB	CCAPO				\$		1	1			1	
E911 SERVIC	Establishment or Change, per STP affected			ODB	CCAPO	<del> </del>	46.03	46.03	46.03	46.03	<u> </u>	11.90	·			ļ
ESTI SERVIC	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00	ļ	11.90			<del> </del>	ļ
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		<del> </del>			29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		_	-		57.22	265.84	46.97	37.63	4.00		11.90			<del> </del>	<del> </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091			0.100	7,00	<del> </del>	11.30			<del> </del>	<del> </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility								Can						<del></del>	<del> </del>
	Termination		<u> </u>			25.32	47.35	31.78	18.31	7.03		11.90			ĺ	
	Local Channel - Dedicated - DS1 - Zone 1				<u> </u>	35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2		<u> </u>			47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		<u> </u>			92.01	216.65	183.54	21.47	19.05		11.90				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856			<u> j</u>		<del> </del>					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		ļ		1	88.44	405.54	00.47	ا مد بم	40.00	,				1	1
CALLING NAT	ME (CNAM) SERVICE		-			56.44	105.54	98.47	21.47	19.05		11.90		·		
CALLING NAP	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For Non DB Owners - Service Establishment			oov	<del></del>		25.35	25.35	19.01	19.01	<u> </u>	11.90				
	CNAM For DB Owners - Service Provisioning With Point Code				1		20.50	20.00	15.01	13.01	-	11.30				
1	Establishment			oqv			1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment		-	oqv			546.51	393.82	358.06	259.09	<u> </u>	11.90				
	CNAM for DB Owners, Per Query			OQV		0.001024									1	
	CNAM for Non DB Owners, Per Query			OQV		0.001024					1					

UNBUNDLE	D NETWORK ELEMENTS - Florida				<u>.</u>	_							Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<del> </del>		<del></del>	Rec	Nonrec	urring	Nonrecurring	Disconnect	ļ		USS	Rates(\$)		
LUD 011 C-						{									<del> </del>	
LNP Query Se	LNP Charge Per query	1	1	ogv		0.000852									<u> </u>	<del> </del>
	LNP Service Establishment Manual		t		-	0.00000	13.83	13.83	12,71	12,71	1	11.90			<del>                                     </del>	<del> </del>
	LNP Service Provisioning with Point Code Establishment		1	i	1	<del></del>	655.50	334.88	297.03	218.40		11.90			}	
OPERATOR C	ALL PROCESSING		i			i			ì		1			-	<u> </u>	
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper, Call Processing - Oper, Provided, Per Min Using Foreign LIDB					1.24								==		
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB Oper. Call Processing - Fully Automated, per Call - Using					0.20										
}	Foreign LIDB			İ		0.20									1	
INWARD OPE	RATOR SERVICES			Ì					i i		1	<u>                                     </u>				
	Inward Operator Services - Verification, Per Call		1			1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95		_ '								
	OPERATOR CALL PROCESSING y based CLEC	}		1	-					\		·			<del> </del>	
Facino	Recording of Custom Branded OA Announcement		<del> </del>		CBAOS	<del>                                     </del>	7,000.00	7,000.00			ļ	11.90			-	<del> </del>
	Loading of Custom Branded OA Announcement per shelf/NAV										<u> </u>					-
UNEP	per OCN		ļ	ļ	CBAOL	1	500.00	500.00			]	11.90			ļ	ļ
	Recording of Custom Branded OA Announcement		+				7,000.00	7,000.00			<del> </del>	11.90			<del> </del>	<del></del>
	Loading of Custom Branded OA Announcement per shelf/NAV		1			-					<del> </del>				<del>                                     </del>	<del>                                     </del>
	per OCN	<u> </u>	-	ļ		ļ	500,00	500.00			ļ	11.90			ļ	
Unbra	nding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)		<del> </del>			<del> </del>	1,200.00	1,200.00				11.90				
DIRECTORY	ASSISTANCE SERVICES			-			1,200.00	1,200.00		<del></del>		11.50				1
	TORY ASSISTANCE ACCESS SERVICE		1									*			<del> </del>	<del> </del>
	Directory Assistance Access Service Calls, Charge Per Call					0.275					1					
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I Directory Assistance Call Completion Access Service (DACC),	DACC)														
	Per Call Attempt	<u> </u>	-			0,10					1					1
	ASSISTANCE SERVICES										-					
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)    Directory Assistance Data Base Service Charge Per Listing					0.04					ļ					-
	Directory Assistance Data Base Service Charge Fer Listing  Directory Assistance Data Base Service, per month		+		DBSOF	150.00					<del> </del>				ļ	
BRANDING - I	DIRECTORY ASSISTANCE					100.00					·					
	y Based CLEC		1		-	1									<del> </del>	<del> </del>
	Recording and Provisioning of DA Custom Branded												······			<del> </del>
	Announcement		-	AMT	CBADA		6,000.00	6,000.00				11.90				
UNEP	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00				11.90				ļ,
UNEP	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90		· · · · · · · · · · · · · · · · · · ·		ļ
	Loading of DA Custom Branded Announcement per Switch per	-	1													-
	OCN CLASS CLASS CLASS CLASS		ļ				1,170.00	1,170.00				11.90				
Unbra	nding via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)		<del> </del>				420.00	420.00			<del> </del>	44.00				
	Loading of DA per OCN (1 OCN per Order)						16.00	16.00			<del> </del> -	11.90				
SELECTIVE R		· · · · · ·	+			1	10.00	10.00			1	11.90				
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.55	93.55	12.71	12.71		11,90				
VIRTUAL COL	LOCATION											7				<del>                                     </del>
	Virtual Collocation - Application Cost			AMTFS	EAF		4,122.00	1,249.00				11.90				
				AMTFS	ESPCX	12.45	965.00					11.90		-		
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		+	AMTES	ESPVX	4.25	963,00	ļ			<del> </del>	11.90				

DUBOUDLE	D NETWORK ELEMENTS - Florida				,								Attachment:			bit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremer Charge
		├			<u> </u>	Rec	Nonrec First			g Disconnect				Rates(\$)		
	Virtual Collocation - Cable Support Structure, per entrance	<del> </del>					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	cable		ļ	AMTES	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (Icop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12.	UEAC4	9,0002	11.01	11.07				11.90				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03.	CNC2F	9	2,701,00	A Property				11,90				
	Virtual Collocation - 4-Fiber Cross Connects	1		ULDO3, ULD12, ULD48, UDF	CNOTE	İ	+		]			1	-			
	Virtual Collocation - 4-Piper Cross Connects			ULD48, UDF	CNC4F	9.77	2,701.00		ļ	ļ		11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 USL,ULC,AMTFS,U E3, U1TD3, UXTS1,	CNC1X	.,,,,,,	100.00	14.00				11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			E3, UTID3, UX:S1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Support Structure, per linear foot			AMTFS,CLO	VE1CB	0.0028							,			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				12100	0.0041										
	Support Structure,per cable			AMTFS	VE1CC		535.54					11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE405											
	Virtual Collocation Cable Records - per request				VE1CE VE1BA		535.54 1,525.00	1,525.00	267.08			11.90				
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable				12100		1,525.00	1,025.00	267.08	267.08						
	record			AMTFS	VE1BB		656.50	656.50	379.78	379.78						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each								2,41,0	0.00						
	100 pair			AMTFS:	VE1BC		9.66	9.66	11.84	11.84			i			
	Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BD		4,52	4.52	5.54	5.54						
-	Virtual Collocation Cable Records - US3, per 1311E Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		15.82	15.82	19.40	19.40						
	records			AMTES	VE1BF		169.67	100.00	451.65							
	Virtual collocation - Security Escort - Basic, per quarter hour				SPTBQ		10.89	169.67	154.89	154.89		14.00				
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64					11.90				
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS				VE11S	226.39	1,950.00					11.90				
												11.90				
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS  Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE11X	11.51	1,950.00					11.90			1	
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	50 NT	cnn 00								İ	

											10	T	Attachment:			bit: C
CATEGORY	rate elements	interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Sve Order vs Electronic- Add'l	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring	Disconnect	<del> </del>		OSS	Rates(\$)		
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	LUE 1 OV		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Vittal Collocation - 03-3/03C Closs Collinects, FER CK1			AWIPS	VE13X	10.06	528.00					11.90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour		1	AMTFS	SPTRE		10.89					11.90				
	Virtual collocation - Maintenance in CO - Overtime, per quarter											11.50				
	hour Virtual collocation - Maintenance in CO - Premium per quarter			AMTFS	SPTOE		13.64	2.7.1.4.F.				11.90				
	hour		1	AMTFS	SPTPE		16.40									
IRTUAL COL	LOCATION				0 2		10.40					11.90				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	VE1R2	0.0502	11.57	11.57				11.90	:			
	Wire Line Side PBX Trunk - Bus			UEPSP	VÉ1R2	0.0502	11.57									
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			021 01	VETRZ	0.0502	11.57	11.57	<del> </del>			11.90				
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire											17.50				
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			UEPSB	VE1R2	0.0502	11.57	11.57				11.90				
	ISDN			UEPSX	VE1R2	0.0502	11.57	11.57	1							
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				11111	0.0302	11.57	11.31				11.90				
	ISDN			UEPTX	VE1R2	0.0502	11.57	11.57				11,90	į			
ļ	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEDEV.								17,00				
IRTUAL COL				UEPEX	VE1R4	0.0502	11.57	11.57				11.90				
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0502	11.57					11.90				
HYSICAL CO												11.90				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		Ì	LIEBOD LIEBOD												
IN SELECTIV	E CARRIER ROUTING			UEPSR, UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90				
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737,00							
	End Office Establishment			SRC	SRCEO		187.36	187,36	0.69	0.69		11.90				
IN BELLEON	Query NRC, per query UTH AIN SMS ACCESS SERVICE			SRC		0.0031868				0.00		11.50				
IN - BELLSON	AIN SMS Access Service - Service Establishment, Per State.															
i	Initial Setup			A1N	CAMSE	į	43.56	43.56	44.93	44.93						
							43.30	43.30	44.93	44.93		11.90				
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	ID Code			A1N	CAMAU	i	38.66	38.66	20.00	00.00						
}	AIN SMS Access Service - Security Card, Per User ID Code,				10, 11, 10		30.00	30.00	29.88	29.88		11.90				
	Initial or Replacement			A1N	CAMRC	!	75.10	75.10	12.93	12.93		11.90		1		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute					0.0028						11.50				
	AIN SMS Access Service - Company Performed Session, Per	<del></del>		<del></del>		0.7809										
	Minute	-				0.4609										
IN - BELLSOL	JTH AIN TOOLKIT SERVICE					0.4003										
1	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup															
	AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,439.00	8,439.00				11.90				
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		4				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						0.04	0.04	10.03	10.03		11.90				
	DN, Off-Hook Detay  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		8.64	8.64	10.03	10.03		11.90				
	DN, Off-Hook Immediate				ВАРТМ		2.0									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAF 11VI		8.64	8.64	10.03	10.03		11.90				
	DN, 10-Digit PODP				ВАРТО		38.06	38.06	15.86	15.86		11.90				



UNBUNDU	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		•		Svc Order Submitted	Incremental		incremental Charge -	Increment Charge
						Rec		urring		Disconnect				Rates(\$)	<u> </u>	<u></u>
		ļ				Rec	First	Add.I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1	i	BAPTC		38,06	38.06	15,86	45.00		44.00			i	!
	DN, CDP AN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+	·	BAPIC	<del>                                     </del>	38,06	38.06	15.86	15.86	<del> </del>	11,90				
	DN. Feature Code	1		ļ	BAPTE	1	38.06	38.06	15.86	15.86		11.90			ļ	ļ
	AIN Toolkit Service - Query Charge, Per Query					0.0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	Ì														
	Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access	ļ			<del></del>	0.0063698									ļ	
	An Toolkit Service - SCP Storage Charge, Per SWS Access Account, Per 100 Kilobytes			F		0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	i —			T	0.00	-					·				
	Subscription	ļ	<b></b>	CAM	BAPMS	8.34	8.64	8.64	6,08	6.08		11.90				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		4	CAM	DADLO	0.70	0.50	0.50		, ,						
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		ļ	CAM	BAPLS	3,73	9.56	9.56		,,,,,,,		11,90				
	Subscription	Į	1	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08	l	11.90			ļ	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1										1	
	Service Subscription	L	<u> </u>	CAM	BAPES	0.12	9.56	9.56				11.90			<u> </u>	
ENHANCED I	EXTENDED LINK (EELs) E: New Density Zone 1 EELs are available in the following MSA	e: Oda	ndo El	: Miami El : Et I a	idardala El I	Atlanta Car New	Orloan I A								<u> </u>	ļ
NOTE	E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High F	oint. N	C: and Nashville, T	N.	Atlanta, Ga, New	Orleans, LA,								<del> </del>	<del></del>
NOTE	E: In all states, EEL network elements shown below also apply	to curre	ntly co	mbined facilities w	hich are conv	erted to UNE rat	es. A Switch	As Is Charge a	oplies to curre	ntly combined	facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE	E: In All States the EEL network elements apply to ordinarily co	mbined	netwo	rk elements.(No Sw	vitch As is Cha	rge.) When ord	fering ordinar	ily combined r	etwork elemen	nts, Non-recurr	ing rates de	apply				<u> </u>
2-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EROF	ICE TR	ANSPORT (EEL)												
	Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90			1	
	First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed		<del>                                     </del>	CHOTA	02/42	1	127,55	Q0.54	42.73	2.01		11,90			<del> </del>	ļ <u></u>
	Transport Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				1
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															· · · · · · · · · · · · · · · · · · ·
	Transport Combination - Zone 3	<del>                                     </del>	3	NUCAX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility		<del> </del>	DITOTA	TILOXX	0.1630									<b></b>	<b> </b>
	Termination per month	İ	l	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	DS1 Channelization System Per Month	ļ		UNC1X	MQ1	146.77	51.83	10.75				11.90				T
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		ļ	UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90			J	
İ	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				ļ
<del></del>	Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	ONOVA	ULALZ	12.24	127,35	.00.34	42.19	2.01		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				ļ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -	-	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	per month	ĺ		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-		<b>†</b>		1.51.0	1.55	12.70	0.77	9.71	4.04		11.90				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98	l	11,90				
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
ŀ	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1 4	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2,81		44.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1	DNCVX	UEAL4	10.09	127.59	60.54	42.79	2,81		11.90				}
	Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice													·	1	Ì
	Transport Combination - Zone 3	ļ	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90			4	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			011017	103//	0.1036										}
	Month			UNC1X	UITF1	88.44	174.46	122,46	45.61	17.95		11.90				
Y	Channelization - Channel System DS1 to DS0 combination Per		1													1
	Month			UNC1X	MQ1	146.77	51.83	10.75								

BUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
EGORY	RATE ELEMENTS	Interi m	Zona	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order v Electron Disc Ac
		<del> </del>	<del> </del>		ļ	Rec		urring		Disconnect	60456	001111		Rates(\$)		
	Voice Grade COCI - DS1 to DS0 Channel System combination -						First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
1	per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				1
	Additional 4-Wire Analog Voice Grade Loop in same DS1		,			40.00		-								1
-	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1	<del> </del>		UNCVX	UEAL4	18.89	127,59	60.54	42,79	2.81	<u> </u>	11.90				
i i	Interoffice Transport Combination - Zone 2	Ì	2	UNCVX	UEAL4	26,84	127.59	60.54	42.79	2.81		11,90			ļ	
1	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
┦	Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	47.62	127.59	60,54	42.79	2.81	ļ	11.90				
	per month			UNCVX	1D1VG	1.38	12,16	8.77	6.71	4.84		11.90				
_	Nonrecurring Currently Combined Network Elements Switch -As-						12,10		0,1,1	7.04		11.50				1
<del>-  </del>	Is Charge	101787		UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				l
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	PFICE	TRANSPORT (EEL)	-											
1	Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79.	2.81		11,90			[	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															† .
<del></del> -	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	31.58	127.59	60.54	42.79	2.81		11.90				1
ì	Transport Combination - Zone 3		3	UNCOX	UDL56	55.99	127,59	60,54	42.79	2.81		11.90				1
<b>†</b>	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1				, , , , , ,			11.00				1
ļ	Per Month		<u> </u>	UNC1X	1L5XX	0.1856										
)	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11,90			r	Ţ
<del> </del>	Channelization - Channel System DS1 to DS0 combination Per	,		ONGIA	107111	66.44	174.40	122.40	45.61	17.85		11.90			-	1
1	Month			UNC1X	MQ1	146.77	51.83	10.75				11.90				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8,77	6.71	4.84		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		١. ١	UNCDX	UDL56	22.20	407.50									Ī
+	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	<del> </del>		UNCUX	UUL36	22.20	127.59	60,54	42,79	2.81		11.90			į	1
(	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	31.56	127.59	60,54	42.79	2.81	). I	11.90				
1	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															ţ
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	<u> </u>	11.90				<u> </u>
}	combination per month (2.4-64kbs)		1	UNCDX	10100	2.10	12.16	8.77	6.71	4,84		11,90				Ì
Ī	Nonrecurring Currently Combined Network Elements Switch -As-											- 11.00				•
1.146	Is Charge E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	WITEDO	SELOE	UNC1X	UNCCC		8.98	8.98	8,98	8.98		11.90			L	·
4-4414	First 4-Wire 64Kbps Olgital Grade Loop in a DS1 Interoffice	MIERC	FFICE	TRANSPORT (EEL)											Ĺ	1
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2,81		11,90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															t
-	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	31.56	127.59	60.54	42,79	2.81		11.90				L
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	ľ	11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0,1856	127.00	00.54	78:10	B.01		11.30			·	
	Interoffice Transport - Dedicated - DS1 combination - Facility				1.55.5	0,1000			<del></del>		<b></b>					
_	Termination Per Month			UNC1X	U1TF1	88.44	174,46	122.46	45.61	17,95		11.90				1
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75				11,90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System   combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6,71	4.84						
t	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	01100/	1.0.00	2.10	12.16	8.17	6.11	4.84		11.90				-
Ţ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127,59	60.54	42.79	2.81		11.90				
1	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	LUDI CA		407									
r	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCUX	UDL64	31.56	127.59.	60.54	42,79	2.81		11.90			1	-
	Interoffice Transport Combination - Zone 3	!	3	UNCDX	UDL64	55.99	127:59	60.54	42.79	2.81		11.90				

NBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
				ļ. <u>.                                   </u>		Rec	Nonrec			Disconnect				Rates(\$)		
			ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	DCU-DP COCI (data) - DS1 to DS0 Channel System		1	UNCDX	10100	2.10	10.16	8,77	6.71	4.84		11.90				ļ
	combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-		<del> </del>	BNCDX	ממוטו	2.10	12.16	0.77	0,71	4.84		11.90				<del> </del>
	Is Charge		1	UNC1X	UNCCC	i	8.98	8.98	8.98	8.98	1	11.90	)	i		
4.WI	REDS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR				4.00	0.00	0.00	0.00	<del> </del>	11.50				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice										i					
	Transport - Zone 1		1_1_	UNC1X	USLXX	70.74	217.75	121.62	51,44	14.45		11.90				1
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		t .	l	L											
	Transport - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	<u> </u>	11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		3	UNC1X	USLXX	178.39	217,75	121.62	51,44	14.45		11.90				
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		1 3	DINCIA	USLM.	170.39	217,75	121.62	51.44	14.45	<del></del>	11,90				
- 1	Per Month		i	UNC1X	1L5XX	0.1856					1					
_	Interoffice Transport - Dedicated - DS1 combination - Facility		1-		1,40,01						<del> </del>					-
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122,46	45.61	17.95		11.90				ļ
	Nonrecurring Currently Combined Network Elements Switch -As-		1													
	is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11,90				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)		-										Ī
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			linion.			0.17.77	454.55								Ī
	1 Company of Company o		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	100.54	217.75	121.62	51,44	14.45		11.90			:	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONCIA	TOSEAN	100.54	211.13	121.02	31,44	14.45		11.90				-
	13 Past D3 (E00) III D33 Interoffice Transport Combination - Eone		3	UNC1X	Justxx	178.39	217.75	121.62	51,44	14,45		11.90	1			
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		-				2333					71.50				1
- 1	Per Month		i	UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per											***************************************				t
	month	L		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90	)			
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00		11.90				f
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13,76	12.16	8.77	6.71	4.84		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		Ì,	UNC1X	USLXX	70.74	217.75	121.62	51.44	44.45						
	Additional DS1Loop in DS3 Interoffice Transport Combination		<del> </del>	IONCIA	IDSLA	70.74	217.75	121.62	51,44	14.45		11,90				
1	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	1	11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -				- 333.31	100101	211110	121.02	01.44	14.45		11.50				
1	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13,76	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-		1													i i
	Is Charge RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FOOF	ICE TE	UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-VVII	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKOFF	ICE IF	CANSPORT (EEL)	+											
	Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
- t	2-WireVG Loop used with 2-wire VG Intereffice Transport				177.77		127.00	00.54		2.01		11.90				
	Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2,81		11.90				
Ţ	2-WireVG Loop used with 2-wire VG Interoffice Transport												<u></u>	-		
	Combination - Zone 3		3	UNCVX	UEAL2	30,87	127.59	60.54	42.79	2.81		11,90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		ì													
	Mile Per Month		ļ	UNCVX	1L5XX	0,0091										1
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	25,32	04.70	50.50	50 10	0.4	_					:
	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCVA	101172	25,32	94.70	52.59	50.49	21.53		11.90			_	_
	Is Charge		Į	UNCVX	JNCCC		8.98	8.98	8.98	8.98		11.90				
4-W1	RE VOICE GRADE EXTENDED LOOP! 4 WIRE VOICE GRADE INT	EROFF	ICE TE		011000	<del> </del>	0.30	0.50	0.36	86.6	-	11.90				
1	4-WireVG Loop used with 4-wire VG Interoffice Transport										-					
	Combination - Zone 1		1	UNCVX	UEAL4	18,89	127.59	60.54	42.79	2.81		11,90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															-
	Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11,90	<u> </u>			
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
11	Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90	1			

BUND	LEC	NETWORK ELEMENTS - Florida										,		Attachment:	2	Exhi	þit: C
	T											Svc Order	Svc Order	incremental	Incremental	Incremental	Incremer
				!		1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
	- 1		Intori			1 1						Elec	Manually	Manual Svc	Manual Svo	Manual Svc	Manual
EGOR	ıγ I	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
	`		m	1		1 1						por Lore	por Lore	Electronic-	Electronic-	Electronic-	Electro
	- 1		ĺ											1st	Add'i	Disc 1st	Disc Ac
	]			l									i	PBL	Addi	Disc 1st	DISC AG
	$\neg$			1				Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
_							Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
		nteroffice Transport - Dedicated - 4-wire VG combination - Per	1									I				1	
	-	Mile Per Month	<u> </u>		UNCVX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade										1					Ţ <u> </u>
		combination - Facility Termination per month		1	UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
$\neg$		Nonrecurring Currently Combined Network Elements Switch -As-	1					1									1
_		ls Charge		<u> </u>	UNCVX	UNCCC		8.98	8.98	8,98	8.98	<u> </u>	11.90				
DS	3 DIC	SITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRAI	NSPOR	T (EEL)	-					<u> </u>	<u> </u>					I
		High Capacity Unbundled Local Loop - DS3 combination - Per		1		1 1	. [	1			1					ŗ	Ī
		Mile per month	<u> </u>	<u> </u>	UNC3X	1L5ND	10.92										<u> </u>
		High Capacity Unbundled Local Loop - DS3 combination -	1														
		Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82		11.90				
1		Interoffice Transport - Dedicated - DS3 - Per Mile per month		ļ	UNC3X	1L5XX	3.87									,	
		Interoffice Transport - Dedicated - DS3 combination - Facility	l		LINGON	111750	4 074 00		100.65	22.55	40.55						
		Termination per per month	-		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23	ļ	11.90				ļ
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1 .	UNC3X	UNCCC		8.98	8.98	8.98	0.00	1	11.90				
		is Charge				UNCCC		6.96	0.90	5.90	8.98	<del></del>	11.90				ļ
IST	S1 D	IGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP	DKI (EEL)	· <del> </del> -				<del> </del>		<del> </del>					-
- 1		High Capacity Unbundled Local Loop - STS1 combination - Per	ļ		UNCSX	1E5ND	10.92	1		<b>'</b>		1	)	1	1	1	}
_		Mile per month	-	<del> </del>	UNCSX	ILDND	10.92			ļ		<del> </del>	<del> </del>			<u> </u>	
	ŀ	High Capacity Unbundled Local Loop - STS1 combination -	1	ł	UNCSX	UDLS1	426.60	249.97	162.05	.67,10	26.82	1	11.90			İ	
		Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile	<del> </del>	<del> </del>	UNCOX	ODEST	420.00	243.37	102.03	.97.10	20.02	<del> </del>	11.90				
			1	ŀ	UNCSX	1L5XX	3.87									1	Į
	{	per month Interoffice Transport - Dedicated - STS1 combination - Facility	<del> </del>		ONCOX	1120/01	3,07			<del></del>						<del></del>	<del> </del>
		Termination per month	1	i i	UNCSX	U1TFS	1,056,00	314.45	130.88	38.60	18.23	l .	11.90				
	{	Nonrecurring Currently Combined Network Elements Switch -As-	-	_	0.1007	101110	1,000.00	011110	100.00		10.20	<del> </del>	111.00			<del></del>	ļ · -
		Is Charge	Į	ļ	UNCSX	UNCCC		8.98	8.98	8.98	8.98	F .	11.90	•			
2-1	NIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT	RT (EEL	1						5.00	0.00	<del></del>	1				<del> </del> -
- 1		First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1	1		1						f					+
		Transport - Zone 1	1	1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	!	11.90				ł
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination				1											1
- 1		Transport - Zone 2	f	2	UNCNX	U1L2X	27,40	127.59	60.60	42.79	2.81	I	11,90				1
		First 2-Wire ISDN Loop In a DS1 Interoffice Combination	1								-					<u> </u>	ì
- )		Transport - Zone 3	L	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2,81		11.90			ļ	1
-		Interoffice Transport - Dedicated - DS1 combination - Per Mile		1.	UNC1X	1L5XX	0.1856									t	t
1		Interoffice Transport - Dedicated - DS1 combintion - Facility				1						1				F	t
		Termination per month		L	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90			ļ	
		Channelization - Channel System DS1 to DS0 combination -	1			1											t
1		per month		-	UNC1X	MQ1	146.77	51.83	10.75				11.90				1
- )		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		1		l I								Ī	İ		t
ļ		combination - per month		ļ	UNCNX	UC1CA	3,66	12.16	8.77	6.71	4.84		11,90				Į.
ì		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		١.	IIII									Į.		į	Ī
-		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
1		Additional 2-wire ISDN Loop In same DS1Interoffice Transport	1	2	UNCNX	U1L2X	07.40	407.50	40.40	40.70							ĺ.
ļ		Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UILZX	27.40	127.59	60.60	42.79	2.81		11.90			1	(
1		Additional 2-wire ISDN Loop in same DS linteroffice Transport  Combination - Zone 3	1		UNCNX	U1L2X	48.62	127.59	60.60	42.79		ľ					[
1		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			DINCHA	UILZA	40.02	127.59	00.00	42.19	2,81	-	11.90			1	
- }				1	UNCNX	UC1CA	3.66	12.16	8.77	6.71	1 404	1	44.00			i	
ł	{	combintation- per month  Nonrecurring Currently Combined Network Elements Switch -As-		-	DITORX	JOIGA	3.00	12.10	9.77	0,71	4,84		11.90		-	}	
-		Is Charge	1	l	UNC1X	UNCCC		0.00	0.00			j ,				ł	ļ
4.3		DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		3,1000		8.98	8.98	8.98	8.98		11.90				
4.4		First DS1 Loop in STS1 Interoffice Transport Combination -	1	1		1					i marana marana	<del></del>			-	ì	}
		Zone 1		1	UNC1X	USLXX I	70.74	217.75	121.62	51.44	14.45		11.90				
4		First DS1 Loop in STS1 Interoffice Transport Combination -				1-000	10.74	2.70	12,,02	V 1.77	17.45		11.30		-	ì	-
		Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51,44	14,45		11.90				
1		First DS1 Loop in STS1 Interoffice Transport Combination -	1	<u> </u>		1222.0	700,01	-11.15	121.02	01,44	17,49		11.30			1	-
		Zone 3		3	UNC1X	lustxx	178.39	217.75	121.62	51.44	14.45		11.90				

MUDITULE	D NETWORK ELEMENTS - Florida	T		1			• • • • • • • • • • • • • • • • • • • •						Attachment:			ibit: C
ATEGORY	RATE ELEMENTS	Interl	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Charge Manual Order v
				ļ		Rec	Nonred		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	ļ		<del> </del>	_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Per Month		1	UNCSX	1L5XX	3.87										,
	Interoffice Transport - Dedicated - STS1 combination - Facility			DITOUX	112300	3.07					ļ					
į	Termination			UNCSX	U1TFS	1,056,00	314,45	130.88	38.60	18,23		44.00				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19	314.40	3.39	30.00	10.23	<del></del>	11.90		<u> </u>		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4,84	<del></del>	11,90		ļI		
	Additional DS1Loop in STS1 Interoffice Transport Combination -								0.77	7.07		11,30			<del></del>	
	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11,90		. !		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		1									17100		·	<del></del>	<del></del>
	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90		. 1		
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		i	INCOV												
4 MIDI	IS CHARGE 5 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	CICE 1	DANIE	UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				i
4-4411/2	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	RANS	PORT (EEL)	_											
i	Combination - Zone 1		1	UNCDX	1151.50											
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		<del> '-</del>	UNCDX	UDL56	22.20	127.59	60,54	42.79	2.81	l	11.90				
	Combination - Zone 2		2	UNCDX	UDL56	31.56	407.50									
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		-	UNCDX	UDE30	31.50	127.59	60.54	42.79	2.81		11.90				L
	Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	5.04			.			
~	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -				10000	00.33	121.39	00.34	42.79	2.81		11.90				
	Per Mile		ĺ	UNCDX	1L5XX	0.0091										1
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	18.44	94,70	52.59	50.49	21.53		11.90	1			ł
	Nonrecurring Currently Combined Network Elements Switch -As-									27.00		11.50				
	is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP	FICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1			LINGS												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90			i	1
	Combination - Zone 2		2	UNCDX	UDL64				l							
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			ONCOX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90			ł	1
	Combination - Zone 3		3	UNCDX	UDL64	55.99	107.50	22.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONCOX	GDL04	55.99	127.59	60.54	42.79	2.81		11.90				
1 /	Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				120/01	0.0091										
	Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		44.05				
i	Nonrecurring Currently Combined Network Elements Switch -As-					10.44	34,70	02.09	50.49	21.53		11.90				
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11,90				
DITIONAL N	ETWORK ELEMENTS							3.00	0.00	0.50		11,90				
When u	ised as a part of a currently combined facility, the non-recurre	ng char	ges do	not apply, but a 5	Switch As Is ch	arge does app	ly.	-								
į vynen u	ised as ordinarily combined network elements in All States, th	e non-r	ecurrin	ng charges apply a	nd the Switch	As Is Charge d	oes not.									
Nonreci	urring Currently Combined Network Elements "Switch As Is" (	Charge	One a	pplies to each com	nbination)				1							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			( hiding												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90		-		
	Is Charge - 56/64 kbps			LINODY		1										
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Is Charge - DS1			LINCTY	LINGO											
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Is Charge - DS3			UNC3X	ILINICCO	1				i						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNGOA	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Is Charge - STS1	i		UNCSX	UNCCC		2.22								-	
	and Channel Dedicated Toward and 1919		D83-	one month DS3 a	nd about four		8.98	8.98	8.98	8.98		11.90				
NOTE: L	Local Channel - Dedicated Transport - minimum billing beriod	<ul> <li>Belov</li> </ul>														
NOTE: L	ocal Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	- Belov	1	UNCVX			265.04	10.07	27.00							
NOTE: L	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2	- Belov	1	UNCVX UNCVX	ULDV2 ULDV2	19.66 27.94	265.84 265.84	46.97 46.97	37.63 37.63	4.00		11.90				

JNBUI	NDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	blt: C
ATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				<del></del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90			<b> </b>	ļ
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2			UNCXV	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				<del> </del>
		Local Channel - Dedicated - 4-Wire Voice Grade Zone3		3	UNC1X	ULDF1	51,56 36,49	266.54	47.67	44.22	5.33		11.90				ļ
		Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	51.85	216.65	183.54 183.54	24.30 24.30	16.95		11.90				<del></del>
		Local Channel - Dedicated - DS1 - Per Month Zone 3			UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95 16.95	<b> </b> -	11.90		<u></u>	<del></del>	
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8.50	210.05	103,34	24.30	10.90		11,90			ļ	<del> </del>
		Local Channel - Dedicated - DS3 - Far Mile per Horitin		-	UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90		<del></del>		<del> </del>
		Local Channel - Dedicated - STS-1- Per Mile per month		<del>                                     </del>	UNCSX	1L5NC	8.50		343.07	133.13	30.04		11.90		<del></del>		<del> </del>
		Local Channel - Dedicated - STS-1 - Facility Termination		<del> </del>	UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				<del></del>
	Option	al Features & Functions:			-	320.0	0.0.03	000.37	545.01	100.10	20.04		11.80	<del></del>			
-	MULTI	PLEXERS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71,62	11.09	10.49		11.90				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1		-											<del></del>
		month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsom - per		-	UDL	1D1DD	2.10	10.07	7.08	-	<del></del>		11.90	<u> </u>			
į		month		1	UDN:	UC1CA	3.66	10.07	7.08				11.90			ļ	
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08				11.90			<del></del>	
		DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90			<del> </del>	
		STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118,64	40.34	39.07		11.90				
		DS3 Interface Unit (DS1 COCI) used with Loop per month		[	USL	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08				11.90				
	Sub-Lo	op Feeder											11.50			<del> </del>	
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		sw	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21	-					
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG										-	
		OCAL EXCHANGE SWITCHING(PORTS)														-	
		ge Ports		L	<u></u>												
		Although the Port Rate includes all available features in GA, F	(Y, LA	k TN, t	he desired feature:	s will need to b	e ordered usin	g retail USOCs									
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)			UEDED												
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3,63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1,40	3.74	3,63	1.88	1.80		11.90	-			
		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11,90				
		Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3,63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1,80		11.90				
		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR '	UEPRT	1.40	3.74	3.63	1.88						<u> </u>	
		Subsequent Activity			UEPSR	USASC	0.00	0.00		1.88	1,80		11.90				
	FEATU			-	OCT OIL	0000	0.00	0.00	0.00				11,90		· · · · · · · · · · · · · · · · · · ·		
	LATO	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				41.00				
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)			OLI ON	OEF VI	2.20	0.00	0.00				11.90				
	.,,,,,,	Exchange Ports - 2-Wire Analog Line Port without Caller ID -									<del></del>						
\$		Bus			UEPSB	UEPBL	1.40	3.74	3.63	1,88	1,80		11.90				1

~······		· · · · · · · · · · · · · · · · · · ·													
	ļ		J		I					0.0004372			1		Common Transport - Facilities Termination Per MOU
	ļ	1		<del> </del>		<del> </del>				8600000.0			1		Common Transport - Per Mile, Per MOU
	ļ ————		ļ	<b></b>	<u> </u>	<u> </u>	<u> </u>	1	_						Common Transport
	<del></del>	<del></del>	·	<del> </del>	+			<del> </del>		0.000235					Tandem Trunk Port - Shared, Per MOU
	+		<del> </del>		<del> </del>		ļ. <del></del>	ļ	<del></del>	1 6151000.0					UOM 199 notionung printching mebnaT
	<del> </del>	1	+		<del></del>	<del> </del>		<del> </del>	<del></del>	+	-11		-	<u> </u>	Tandem Switching (Port Usage) (Local or Access Tandem)
		<u> </u>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>			\$91000°0			ـــ	<u> </u>	End Office Trunk Port - Shared, Per MOU
	<del> </del>			<del> </del>	<del> </del>	<del> </del>			<del></del>	\$397000.0	<del></del>		<del></del>		End Office Switching Function, Per MOU
			<del> </del>	<u> </u>		<del>                                     </del>	<del> </del>	<del> </del>	<del></del>	<del></del>			<del></del>		End Office Switching (Port Usage)
	E8.1			11.90	<del>                                     </del>	18.23	08.64	Zt.26	19.471	47.58	V7./70	V7.170	<del>. </del>		UNBUNDLED LOCAL SWITCHING, PORT USAGE
_	T		1			T		00.0	00.0	00.0	X343U	JEPEX	-		Exchange Ports - 4-Wire ISDN DS1 Port
	.889	Request Proc	ew Business	Requestiv	e gous Elde	ermined via th	ISS WILL DE CE	acket capabili	d eur ioi seish	'8887014 188r	They esquend	DEPTX UEPSX	Aug si	GRUDAS	NOTE: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port - Channel Profiles
			eho.	VITE ISDN p	ted with 2-w	annels associa	esion by 8-Ch	menent eteb b	ircuit switched	VOICE STICK	Business Bogs	through BEBINGW	Affren	delieve	MOTE: Transmission/usage charges associated with POTS circuit aw
	58.1			11.90	T	<del> </del>	T	00.0	00.0	2.26	UEPVF	UEPTX UEPSX	N ODESII	pedativ	MOTE: Transmission/usage charge associated with POTS circuit ex
	1.83			11.90		£6.11	49.72	88.03	\$6.83	58.8	AM91U	JEPTX UEPSX			Exchange Ports - 2-Wire ISDN Port (See Notes below.)
	£8.1		1	11.90		3.10	18.84	87.77	151,11	56.43	NEPDD	VEPDO VEPDO			capability   Farchage Ports - 3-Wire 1970 Port (See Notes below )
			1			ŀ			1	-073	460311	00031	1		Exchange Pods - DDITS Pod - 4-Wire DS1 Pod with DID
	1.83			11.90		4.26	76'17	15,82	14.87	£7.8	Zadan	хэдэг	1	<del> </del>	Exchange Ports - 2-Wire DID Port
			-						T			73031	<del></del>	<del> </del>	ЕХСНАИСЕ РОЯТ ВАТЕЯ
		<u> </u>									<del></del>		+		TO THE TOTAL EXCEPT THE TOTAL OF THE TOTAL O
	'550	Request Proc	ssenisud we	MyseupeA e	e Bona Fide	termined yis th	ties will be de	Hideges teable	Rates for the p	rest Process.	Business Requ	web/848 aguoras	Kjuo ej	SVSIISD	MOLE: Wecess to b crigitial of D crigitial Cacket capabilities will be
· <del>- ·- ·- ·</del>	1		.sho	og MOSI enly	v-S Asiw best	annels associa	ssion by B-Ch	imenent steb b	ircuit switched	voice and/or o	rcuit switched	will also apply to ci	A eBesn	payon	NOTE: Transmission/usage charges associated with POTS circuit sw
	ļ			11,90		08.1	88.1	89.8	3.74	01.40	1	<u>i</u>	7	T	Exchange Ports - Coin Port
		<del> </del>				l							<del>                                     </del>		EXCHANGE PORT RATES (COIN)
				06.11				00.0	00.0	2.26	UEPVF	DEPSP UEPSE	1		All Available Vertical Features
<b></b>			L										1		FEATURES
		ļ		06.11				00.0	00.0	00.0	DSVSD	NEPSP	1		Subsequent Activity
		1	ļ ,	11.90		7817.0	12.35	81.81	39.06	04.1	NEPXS	JEPSP	1		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port
				06.11		7817.0	12:35	81.81	90.66	04.1	NEPXO	ÚE2SP			2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital
				06.11	1	7817.0	12,35	81,81	90.66	04.1	NEPXM	JEPSP	1		Room Calling Port
				06.11	1	7817.0	12.35	81.81	90'68	04,1	UEPXL	4243U	1		Administrative Calling Port  Administrative Voice Unbundled 2-Way PBX Hotel/Hospital Economy
	<del> </del>	-	<del> </del>	06.11	<del> </del>	7817.0	12.35	81.81	90'68	07:1	DEPXE	4S43U	1	-	Capable Port  [2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy]
	ļ	<del></del>	ļ	ļ	ļ										Odl basodribine Senime T DJ X89 belbrudrib epicy enity-2
	ļ	ļ		06.11		7817.0	12,35	81.81	90.98	1.40	ax93U	UEPSP	1		2-Wire Voice Unbundled PSX LD Terminal Switchboard Port
				06.11	<del>\</del>	T81T.0	12,35	81.81	90.06	04.1	UEPXC	484 <u>3</u> U	)		Norse Voice Unbundled PBX LD DDD Terminals Port
	ļ		ļ	06,11		7817.0	12,35	81.81	39.06	1.40	UEPXB	UEPSP	1		2-Wire Voice Unbundled P&X Toll Terminal Hotel Ports
	ļ	<del> </del>		11.90	<del></del>	7817.0	12,35	18.18	39.06	04.1	AX93U	UEPSP			2-Wire Vice Unbundled 2-Way PBX Usage Port
	<del> </del>	<del> </del>	ļ	06,11		7817.0	12.35	81,81	39.06	1.40	UEPLD	UEPSP	)		2-Wire Voice Unbundled PBX LD Terminal Ports
	ļ	<del> </del>		06.11		7817.0	12,35	81.81	90.66	1,40	UEPLD	UEPSP			2-Wire Analog Long Distance Terminal PBX Trunk - Bus
	ļ	ļ	ļ	06.11	ļ	7817.0	12.35	18.18	90.68	04.1	lad∃∩	UEPSP			2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus
		ļ <u>.</u>	<b></b>	06.11		7817.0	12.35	81.81	90'66	04.1	O993U	0EPSP	)		Z-Wire VG Line Side Unbundled Outward PBX Trunk - Bus
	ļ	<del> </del>	l	06.11	ļ. <u>.</u>	7817.0	12.35	81.81	90.66	00.1	NEPPC	4843U	1		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus
	ļ	ļ		06.11		7817.0	12,35	81.81	39.06	1.40	UEPRD	UEPSE	1		2-Wire VG Unbundled 2-Way PBX Trunk - Res
	ļ	<u> </u>							1						EXCHANGE PORT RATES (DID & PBX)
	ļ	ļ		06.11	1			00.0	00.0	2.26	UEPVF	UEPSB	1		All Available Vertical Features
				<u> </u>				1							FEATURES
	1			11.90				00.0	0.00	00.00	DSASU	UEPSB			Vivisy Anaupasdus
				06.11		08.1	88.1	€9.€	A7.E	04'1	JB43U	NEPSB			2-Wire voice unbundled incoming Only Port without Caller ID Capability
				06.11		08.1	88.1	£9'£	47.E	04.1	NEPB1	UEPSB			Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus
				06.11		08.1	88.1	89.8	47.6	04.1	OBRAD	UEPSB			Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.
				06.11		08.1	88.1	89.8	₽7.E	0t.r	UEPBC	UEPSB	<del> </del>		unbundled port with Caller+E484 ID - Bus.
			ļ		ļ <u> </u>				1						Exchange Ports - 2-Wire VG unbundled Line Port with
иАМО2	NAMOS	NAMOS	NAMOS	NAMOS	SOMEC	I'bbA	fa1i7	I'bbA	teni∓	уес					
	,	Rates(\$)	880		,	Disconnect	Иоптвситипр	Bujun	Nonrec						
Order vs. Electronic- Disc Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- l'bbA	Order vs. Electronic- 1st	yez jad	ber ray									w	
Manual Svc	Manual Svc				Per LSR			(\$)&3TAR		*	naoc	BCS	enoz	Interi	STATE ELEMENTS YRODSTAD
Charge -	- Spand		Manual Svc	Manually							1			,,	
		- egrado	- egredo		Submitted										
	Incremental		Incremental	Svc Order	Svc Ordar	İ					J	·····	1		
2 310	ExPIP	J	Attachment: 5												UNBUNDLED NETWORK ELEMENTS - Florida

Page 20 of 53

MOONDELD	NETWORK ELEMENTS - Florida	1											Attachment:	2	Exhl	bit: C
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Sve Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs.	
						Rec		curring		Disconnect				Rates(\$)	<u> </u>	L
ABLIANT ED BO	ORT/LOOP COMBINATIONS - COST BASED RATES				<del> </del>		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Cost Bas	sed Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission sule to as	Lida Habii	adjad Lasal Ru	Itab Isaa B		ļ							
Easturee	shall apply to the Unbundled Port/Loop Combination - Cos	t Bared	Pate	notion in the come	ovide Onbui	Idled Local Sw	itching or Swi	ch Ports.	L	<u> </u>	<u> </u>					
End Offic	ce and Tandem Switching Usage and Common Transport U	sage rate	ee in th	a Port section of th	is sate exhi	it shall applied	to the Stand-/	None Unbundi	ed Port section	of this Rate E	xhibit.					
The first	and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	d Combos For Cur	rently Comb	ined Combon t	ba papropinat	ions of loop/po	ort network eler	nents except	for UNE Coi	n Port/Loop	Combination	ıs.		
2-WIRE V	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		Tomay Come	THE COMBOS	Tie nomecum	ng charges sha	ii be those ider	ntified in the N	onrecurring	- Currently	Combined se	ctions.		
	t/Loop Combination Rates					<del> </del>	<del> </del>		<del> </del>							
2-	-Wire VG Loop/Port Combo - Zone 1		1			10.94			<del> </del>		<del> </del>		<del></del>			
2-	-Wire VG Loop/Port Combo - Zone 2		2		·	15.05										
12-	-Wire VG Loop/Port Combo - Zone 3		3			25.80	1									
UNE LOO						23.00	1	1								
	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77									<del></del>	
	-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88					1				<del> </del>	
	-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24,63	1									
	oice Grade Line Port Rates (Res)															
	-Wire voice unbundled port - residence			UEPRX	UEPRL	1,17	53.31	26.46	27.50	8,37	1	11.90				
	-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC .	1.17	53.31		27.50	8.37		11.90				
2-	-Wire vaice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31		27.50	8.37		11.90				
								-		0.07		11,30				
	-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90				
	-Wire voice unbundles res, low usage line port with Caller ID							1		0.07		11.00				
	LUM)			UEPRX	UEPAP	1,17	53.31	26,46	27.50	8.37	!	11.90				
	-Wire voice unbundled Florida extended dialing port for use									0.07		71.50				
	vith CREX7 and Caller ID			UEPRX	UEPA1	1.17	53,31	26.46	27.50	8.37		11.90				
	-Wire voice unbundled Florida extended dialing port for use						i					11.00				
	ith CREX7, without Caller ID capability			UEPRX	UEPA8	1;17	53.31	26.46	27.50	8.37		11.90	i			
	-Wire voice unbundled Florida Area Calling Port without Caller									0.0.		11.50				
	) Capability			UEPRX	UÉPA9	1.17	53.31	26.46	27.50	8.37		11.90				
	-Wire voice unbundled Low Usage Line Port without Caller ID											11.00				
	apability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90				
FEATURE																
	Il Features Offered			UEPRX	UEPVF	2.26	0.00	0.00				11.90				
	IUMBER PORTABILITY				<u> </u>											
	ocal Number Portability (1 per port) URRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0.35										
	-Wire Voice Grade Loop / Line Port Combination - Conversion -				<b> </b>											
	witch-as-is	- 1	i	UEPRX												
	-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRA	USAC2		0.102	0.102				11.90				
	witch with change			UEPRX	USACC		0.465									
	NAL NRCs			VL FRA	USACC		0,102	0.102				11.90				
	Wire Voice Grade Loop/Line Port Combination - Subsequent															
	ctivity			UEPRX	USAS2	0.00	0.00	0.00								
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			95.11/1	00/02	0.00	0.00	0.00				11.90				
	/Loop Combination Rates															
	Wire VG Loop/Port Combo - Zone 1		1			10.94										
	Wire VG Loop/Port Combo - Zone 2		2			15.05										
	Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE LOOP						25.00										
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9,77										
	Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	13.88										
	Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	24.63										
2-Wire Voi	ice Grade Line Port (Bus)															
	Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1,17	53.31	26,46	27.50	8.37						
	Wire voice unbundled port with Caller + E484 ID - bus	-			UEPBC	1.17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire voice unbundled incoming only port with Caller ID - Bus				UPEB1	1,17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire voice unbundled incoming Only Port without Caller ID						00.01	20,40	21.30	0.37		11.90				
Ca	apability			UEPBX	UEPBE	1.17	53,31	26.46	27.50	8.37		11.00				
LOCAL NI	UMBER PORTABILITY						00,01	20.70	21.00	0.37		11.90				

UNBUNDLE	NETWORK ELEMENTS - Florida											-	Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	interi m	Zone	BC\$	บรอด			RATES(\$)				Svc Order Submitted Manually		Incremental Charge -	Incremental Charge -	Increment Charge
			-			Rec	Nonrec			g Disconnect				Rates(\$)		
			ļ	UE DOV			First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)	ļ	<del> </del>	UEPBX	LNPCX	0.35				<del> </del>	<del> </del>	ļ			ļ	ļ
FEATU		<del> </del>	<del></del>	UEPBX	UEPVF	2.26	0.00	0.00		<del></del>	-	11.00		ļ		<del></del>
	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del> </del>	<del> </del>	UEPBA	UEPVF	2.20	0.00	0.00		<del> </del>	<del> </del>	11.90		ļ	<u> </u>	<del> </del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del> </del>	<del></del>					·	<del></del>	<del></del>	<del> </del>		<del> </del>		<del> </del>
	Switch-as-is	ļ	Ļ.,	UEPBX	USAC2		0.102	0.102			<u> </u>	11,90		ļ		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	]		LIEDOV							1					1
	Switch with change	ļ		UEPBX	USACC		0.102	0.102		<u> </u>		11,90				ļ
	ONAL NRCs	ļ	-	<del></del>	<del></del>					<del></del>		ļ				ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	ľ		UEPBX	USAS2		0.00	0,00				44.00			1	į.
	Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		+	UEFBA	USASZ		0.00	0.00		<del> </del>	<del> </del>	11.90	<u></u>		ļ	<del> </del>
	ort/Loop Combination Rates		<del> </del>	<del></del>						<del> </del>		ļ			<del> </del>	<del> </del>
	2-Wire VG Loop/Port Combo - Zone 1		1	<del></del>	<del></del>	10.94				<del> </del>	· <del></del>			<del> </del>	<del> </del>	-
	2-Wire VG Loop/Port Combo - Zone 2	i	2	·	<del> </del>	15.05					<del></del>			<del>                                     </del>	<del> </del>	<del></del>
	2-Wire VG Loop/Port Combo - Zone 3	_	3	<del>                                     </del>	1	25.80			1	<del> </del>	<del> </del>	<del> </del>		<del> </del>		<del> </del>
	op Rates		<del>  -</del> -			20.00				<del> </del>	<del></del>	<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del> </del>	<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77				<del> </del>	+			<del> </del>	<del></del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88		·		<del> </del>	<del> </del>			<del> </del>		<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63					1			<del> </del>	<del></del>	<del> </del>
	Voice Grade Line Port Rates (RES - PBX)		1		1					<del> </del>	<del> </del>	<del> </del>	· · · · · · · · ·	<del> </del>	<del> </del>	<del></del>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1								·			<del> </del>	<del> </del>	<del> </del>
i	Res NUMBER PORTABILITY	<u> </u>	ļ	UEPRG	UEPRD	1.17	174.81	100.65	75.88	12,73	ļ	11.90		ļ		ļ
	Local Number Portability (1 per port)		<del> </del>	UEPRG	LNPCP	0.00	0.00	0.00			<del></del>	11,90		<del> </del>		<del> </del>
FEATU		<del>                                     </del>	<del> </del>	OLI III	- Civir Ci	0.00	0.00	0.00		<del> </del>		11.90		<del> </del>		<del> </del>
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00		<del> </del>	<del> </del>	11.90		<del> </del>	<del></del>	<del> </del>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				102, 11		0.00	0.00				11.50		<del> </del>	<del> </del>	<del> </del>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						-				<del> </del>			<del> </del>		
	Conversion - Switch-As-Is	ļ	ļ ·	UEPRG	USAC2	. }	8.45	1,91		}	1	11,90		}	Ì	1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								· · · · · · · · · · · · · · · · · · ·	1	·			<del> </del>	<del> </del>	
	Conversion - Switch with Change	İ	1	UEPRG	USACC		8.45	1,91			İ	11,90				ļ
	ONAL NRCs										<b> </b>			<del> </del>		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		T										**	<del> </del>		<del></del>
	Subsequent Activity		<u> </u>	UEPRG	USAS2	0.00	0.00	0.00			Ĺ	11.90		İ		ı
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		i								T					
	Group		ļ				7.86	7.86				11.90	L		1	1
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		ļ												····	1
	rt/Loop Combination Rates		<del> </del>													
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94					L					
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		-	15.05 25.80					<del> </del>					
	op Rates					25.80					<del> </del>				<u> </u>	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9,77					- <del></del>			İ		<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88				<del> </del>	<del> </del>			ļ	<del></del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63				<del></del>	<del> </del>				<del> </del>	
	/oice Grade Line Port Rates (BUS - PBX)				× × × × × × × × × × × × × × × × × × ×	27.00					<del> </del>			<del></del>	<del> </del>	
					-				<del></del>		<del> </del>			<del> </del>		<del></del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1,17	174,81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	ÜEPPO	1,17	174.81	100.65	75.88	12.73		11.90		<del> </del>		<del> </del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174,81	100.65	75.88	12.73		11.90			<del> </del>	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90		<b></b>		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73	1	11.90			<del></del>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73		11.90		F		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1,17	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		L	UEPPX	UEPXE	1.17	174.81	100.65	75.88	12,73	1	11.90			L	

MBONDLI	ED NETWORK ELEMENTS - Florida	,	,			<u>·</u>							Attachment:	2	Exhi	ibit: C
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		urring		Disconnect				Rates(\$)		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			<u> </u>	<del> </del>		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
- 1		1	1	LIEDDY						}	1					
	Administrative Calling Port	<del></del>	ļ	UEPPX	UEPXL	1,17	174.81	100.65	75.88	12.73		11.90				
i	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	HEDDY	luesur.						1					
	Room Calling Port	<del> </del>		UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90				İ
i	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	İ		115001	LIEBVA						1				1	
	Discount Room Calling Port	-	ļ	UEPPX	UEPXO	1,17	174,81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ		UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				
LOCA	AL NUMBER PORTABILITY				<del></del>											
	Local Number Portability (1 per port)	<del> </del>		UEPPX	LNPCP	3.15	0.00	0.00	1			11.90				
FEAT	URES	<b></b>	ļ						1							
	All Features Offered	<del> </del>		UEPPX	UEPVF	2,26	0;00	0.00	L			11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		ļ													
İ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90			}	)
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		İ			ļ										
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				11.90				
ADDI	TIONAL NRCs	ļ												-		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Subsequent Activity	1		UEPPX	USAS2	0.00	0.00	0.00			1	11.90			1	
i	PBX Subsequent Activity - Change/Rearrange Multiline Hunt												***************************************			-
	Group						7.86	7.86				11,90				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates															-
	2-Wire VG Coin Port/Loop Combo Zone 1	L	1			10.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.05					1					
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			25.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	L		UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPÇO	UEPLX	24.63										-
2-Wir	e Voice Grade Line Ports (COIN)															
1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		( )													
_1	900/976, 1+DDD (FL)	<u> </u>		UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		11.90				ĺ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	}														
	(FL)		Ĺ	UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		11.90		i i		ĺ
	2-Wire Coin 2-Way with Operator Screening and Blocking:											1.133				-
	900/976, 1+DDD, 011+, and Local (FL)	1		UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(AL, FL)	i	i I	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		11.90	i			1
	2-Wire Coin Outward with Operator Screening and Blocking:															<b></b>
	900/976, 1+DDD, 011+ (FL)	-		UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37	ĺ	11,90				i
	2-Wire Coin Outward with Operator Screening and Blocking:								27.00	0.07		11,30				
	900/976, 1+DDD, 011+, and Local (FL, GA)	1		UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90	ł		ĺ	i
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin Outward Smartline with 900/976 (all states except							20.10	27.50	0.57		11.90				
	(LA)		i	UEPCO	UEPCR	1,17	53.31	26.46	27.50	8.37		11.90			1	i .
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)								27.00	0.07		17.30				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1,86	53,31	26.46	27.50	8.37		11,90				
LOCA	L NUMBER PORTABILITY				1				21.00	0.37		11.50				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.102	0.102			-	11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						0.702	0.102				11.90				
	Switch with change			UEPCO	USACC		0.102	0.102				11.90				1
ADDIT	FIONAL NRCs	<b></b>			1		0.102	0.102				11.90				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-		-												
	Activity			UEPCO	USAS2		0.00	0.00				11.00				
	E VOICE LOOP! 2WIRE VOICE GRADE IO TRANSPORT! 2-WIRE						0.00	0.00				11.90				

JABUADLI	ED NETWORK ELEMENTS - Florida				-								Attachment:			bit: C
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Sv Order vs.
													191	Aug :	Diac lat	Disc Add
			├	-		Rec	Nonrec First	Add'I	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Port/Loop Combination Rates	-	<del> </del>				11131	Addi		Addi	DOINE	JOHAN	DOMAN	3011171	30,1,2,14	3011011
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1			13.64										<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	Loop Rates		T												1	
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	17.40					<u> </u>			ļ	ļ	<b></b>
	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFR	UECF2	30.87									-	
2-Wir	e Voice Grade Line Port Rates (Res)						174.04	400.05	75.00	10.70	ļ				-	ļ
	2-Wire voice unbundled port - residence			UEPFR	UEPRL UEPRC	1.40	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73		11.90		<del> </del>	<del> </del>	ļ
	2-Wire voice unbundled port with Caller ID - res	-		UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73		11.90	<del> </del>		<del></del>	<del> </del>
	2-Wire voice unbundled port outgoing only - res			IUEPFR	DEPRO	1.40	1/4.01	100.65	/5.86	12.13	<del> </del>	11.90			<del> </del>	<del> </del>
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	U1TV2	25.32	47.35	31.78								
<del></del>	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1				47.33	37.70			1					
FEAT	or Fraction Mile	-	ļ	UEPFR	1L5XX	0.0091					<del> </del>				<del></del>	<del> </del>
FEAT	All Features Offered	<del> </del>	┼──	UEPFR	UEPVF	2.26	0.00	0.00			-	11.90	-		<del> </del>	1
1.00	AL NUMBER PORTABILITY	·	-	1	122.11							11.00				
Luci	Local Number Portability (1 per port)	1		UEPFR	LNPCX	0.35					<u> </u>				1	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED												1			
11011	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16,97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		$\vdash$													
	Combination - Conversion - Switch-With-Change	<u></u>		UEPFR	USACC		16.97	3.73				11.90				ļ
	RE VOICE LOOP! 2WIRE VOICE GRADE 10 TRANSPORT! 2-WIR	ELINE	PORT	(805)							<del></del>				+	<del> </del>
UNE	Port/Loop Combination Rates	<del> </del>	1	<del> </del>	<del></del>	13.64									<del> </del>	-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	+	2			18.80							<del> </del>			
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27					<del> </del>		<del> </del>		<del></del>	<del> </del>
LIME	Loop Rates	-	-		-1								<del> </del>			-
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	IUEPFB	UECF2	12.24					1				1.	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40							<del></del>			<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 3	-		UEPFB	UECF2	30.87							1		1	1
2-Wir	re Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88			11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled incoming only port with Caller iD - Bus	<u> </u>		UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		11.90				
LOCA	AL NUMBER PORTABILITY		L								1					
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT		-	ļ												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25.32	47:35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091									1	
FEAT	TURES	1			1	0.0001									-	
	All Features Offered	1	1	UEPFB	UEPVF	2.26	0,00	0.00				11.90	1			
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1													1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1														1
1	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73				11,90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11,90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	+	1	104114	33,,30		10.07	3.73	· · · · · · · · · · · · · · · · · · ·			11,30	<del></del>			ļ

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: C
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
	3					Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17,40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP .	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)										1				<del> </del>	ļ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73	1	11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.40	174.81	100.65		12.73		11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65		12,73		11.90				<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65		12.73		11.90				
<del></del>	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<b></b>		UEPFP	UEPXA	1,40	174.81	100.65		12.73		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65		12.73		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65		12,73		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65		12.73		11.90			<del> </del>	<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD										1				<del></del>	<del> </del>
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ļ		UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73		11.90				ļ
- 1	Administrative Calling Port	l		UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73		11.90			1	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		l —								<del> </del>					
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	1.40	174,81	100,65	75.88	12.73		11.90				ļ
İ	Discount Room Calling Port	}	1	UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73	1	11.90			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65		12.73	<del> </del>	11.90				<del> </del>
1,000	L NUMBER PORTABILITY			02.71	- 102,710		174.01	100.00	7 0.00	12.75	<del> </del>	11.30				<del> </del>
LUCA	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00		<del></del> -	<del> </del>	11,90			<del> </del>	<del> </del>
INTER	OFFICE TRANSPORT	<del> </del>	<del> </del>	OLI II			0,00	0.00	<del>{</del>		<del> </del>	11,50			·	
MILES	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25.32	47.35	31.78					<del></del>			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					-	47.30	31.70			-					ļ
	or Fraction Mile			UEPFP	1L5XX	0.0091					l	<u> </u>				
FEAT			ļ								ļ <u>.</u>					
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00				11,90			L	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		16,97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USACC		16,97				-					-
URLINGUED.	Combination - Conversion - Switch with change   PORT/LOOP COMBINATIONS - COST BASED RATES			UEFFF	USACC		16.97	3.73			ļ	11.90			ļ	<u> </u>
ABONDLED	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT							<u> </u>							ļ
		PURI									<del> </del>	ļ				<u> </u>
UNEP	ort/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	-	1	<del> </del>	<del>-  </del>	20.95					ļ					ļ
											<del> </del>	<del></del>		ļ		<u> </u>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		<del></del>	26,11 39.58					ļ <u></u>			<u> </u>	<del> </del>	
			3			39.58			i		ļ					l
UNEL	oop Rates	ļ	<del></del>	WE DOW	115001			<u> </u>	ļ		ļ					<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX UEPPX	UECD1	12.24					ļ	11,90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2				UECD1	17.40			ļ		<b></b>	11,90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87			II	<del></del>	ļ	11.90			1.83	
UNE P	ort Rate	-		U.EDOV	U5054				<u> </u>		ļ	<u> </u>				
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29	<b>}</b>		<b> </b>	11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED  2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			<del> </del>					[		<u> </u>					
	Switch-as-is			UEPPX	USAC1		7.85	1.87				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX			7.85	1,87								
1	with Bell South Allowable Changes				USA1C							11.90				

MADUNDEEL	NETWORK ELEMENTS - Florida	1	T			T	1					Syc Order	Svc Order	Attachment:		Incremental	bit: C
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)			Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
<del></del>				<del> </del>			<del> </del>	Nonrec	urring	Nonrecurrin	g Disconnect	<del>                                     </del>	·	OSS	Rates(\$)	L	I
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		T	UEPPX		USAS1		32.26	32.26		1		11.90				
Telepho	one Number/Trunk Group Establisment Charges					T											
	DID Trunk Termination (One Per Port)		Τ	UEPPX		NDT	0.00	0.00	0.00		T		11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group	1		1											]		
	of 20 DID Numbers		l	UEPPX		NDZ	0.00	0.00	0.00		1		11,90			1.83	
	Additional DID Numbers for each Group of 20 DID Numbers		L	UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00		L	ļ	11.90	<u> </u>	L	1.83	
	Reserve Non-Consecutive DID numbers		ļ	UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers		ļ	UEPPX		NDV	0.00	0.00	0.00			<u> </u>	11.90		<u> </u>	1.83	ļ
	NUMBER PORTABILITY	1	ļ				·				·						
	Local Number Portability (1 per port)	NE CIO		UEPPX		LNPCP	3.15	0.00	0.00								
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	NE SIDE	PORI			ļ					-						ļ
UNE Po	ort/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-									<del> </del>	<del> </del>	ļ		<del> </del>		ļ
)	UNE Zone 1		1	UEPPB	UEPPF		22.63				<u> </u>						ļ <u>.</u>
1 1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	ļ	29.05		i								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	ļ	3	UEPPB	UEPPR		45.84					<u> </u>					
UNE LO	oop Rates	<b>-</b>	<del> </del>			+	ļ				<del></del>	ļ					
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	ļ	1	UEPPB	UEPPR	USLZX	15.25				<del></del>	ļ	11.90		<u> </u>	1.83	
1 1	12157 0	1	2	115000	LIEBBB	1101.01	2, 27	J								{	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<del> </del>		UEPPB	UEPPR		21.67				1	<del> </del>	11.90		<u> </u>	1.83	ļ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<del> </del> -	3	UEPPB	UEPPR	USL2X	38.46				ļ	ļ	11.90	<b></b>		1.83	ļ
UNE PO	ort Rate		<del> </del>	UEPPB	UEPPR	UEPPB	7,38	124 50	145.00		<del> </del>	ļ. <u></u>			<del> </del>		ļ
	Exchange Port - 2-Wire ISDN Line Side Port			DEPPB	UEPPR	UEPPB	7,38	194.52	145.09		<del> </del>	<del> </del>	11.09			1.83	ļ
	CURRING CHARGES - CURRENTLY COMBINED	<del></del>	<del> </del>			<del> </del>					<del> </del>	<b></b>			<b> </b>		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion	1		LIEDOR	<b>VEPPR</b>	USACB	0.00	25.22	17.00		1		11.00			1.00	
	ONAL NRCs	<del> </del>	<del> </del>	UEFFB	OGFFR	UGACE	0.00	23.42	17.00		ļ	<del> </del>	11,90			1.83	ļ
	NUMBER PORTABILITY		<del> </del>				<del></del>			<del></del>	<del> </del>	<del> </del>	<del> </del>	<del></del>			<del> </del>
	Local Number Portability (1 per port)	<del> </del>	<del> </del>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		<del> </del>	<del> </del>		}	<del></del>	<del></del>	
	NNEL USER PROFILE ACCESS:		<del> </del>	100.10		1	- 0.90	0.00	0.00		<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>
	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCA	0.00	0,00	0.00		<del> </del>		<del> </del>	<del> </del>	<del></del>	<del> </del>	<del> </del>
	CVS (EWSD)		1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		<del> </del>	<del> </del>				<del> </del>	<del> </del> -
	CSD	1		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		ļ						<del> </del>
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)								T	1					
	TERMINAL PROFILE															<del></del>	† · · · · ·
	User Terminal Profile (EWSD only)	<b></b>	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES	<del> </del>	<b> </b> -														
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2,26	0.00	0.00		ļ		11.90				
	OFFICE CHANNEL MILEAGE	<u> </u>	<b>├</b>			<del></del>					1						
	Interoffice Channel mileage each, including first mile and		ļ	HEDDA	HEDDO	Lucus	05.0004	47.00							ļ		
	facilities termination				UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90		l	1.83	
	Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	COOT		UEPPB.	UEPPR	MIGNM	0.0091	0.00	0.00		<u> </u>		11.90		<u> </u>	1,83	
	ort/Loop Combination Rates	PORT	<del> </del>								<u> </u>						<u> </u>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del></del>			<del> </del>	<del> </del>								ļ		ļ
	Zone 1	i	1	UEPPP		}	153,48				İ		ĺ		ł		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del> '</del>	UEFFF		<del> </del>	153,40				<del> </del>		\				
	Zone 2		2	UEPPP			183.28				Į.						
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLI I F		<del> </del>	165.26				ļ						
	Zone 3	1	3	UEPPP			261.12										
	pop Rates	· -									·						<del> </del>
	4-Wire DS1 Digital Loop - UNE Zone 1	T	1	UEPPP		USL4P	70.74						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2	T		UEPPP		USL4P	100.54				1		11.90			1,83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38					*	11,90			1,83	
UNE Po	rt Rate																· · · · · · · · · · · · · · · · · · ·
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74	488.36	276.65		1		11,90	· · · · · · · · · · · · · · · · · · ·		1,83	

NBUNDLED NETWORK ELEMENTS - Florida			p							T		Attachment:			bit: C
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Sys Order vs. Electronic- 1st	Charge - Manual Syc Order vs. Electronic- Add'l	Incremental Charge - Manual Sys Order vs, Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
		-	<del></del>		Rec	Nonrec First	Add'I	First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED	1	+		-i		1 11 31	Addi	, ,,,,	A001	SOME	JOHAN	3011711	SOMAN	JOMAN	SOMAN
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<del> </del>	1-								<del> </del>					
Combination - Conversion -Switch-as-is	1	1	UEPPP	USACP	0.00	84.17	61.38			ł	11.90			1,83	
ADDITIONAL NRCs	1	_							1		1			1	
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1									1					
Inward/two way Tel Nos. (except NC)	1	1	UEPPP	PR7TF		0.5412					11.90			1.83	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		_												1	
Outward Tel Numbers (All States except NC)	1	1	UEPPP	PR7TO		12.71	12.71		}	1	11,90		-	1.83	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	<del>                                     </del>	1								1					
Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.42	25.42		l .	}	11.90			1.83	1
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		-	UEPPP	LNPCN	1.75										
INTERFACE (Provsioning Only)	T							,,		1		-			
Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
Inward Data	1	1	UEPPP	PR71E	0.00	0.00	0.00							-	-
New or Additional "B" Channel										1					
New or Additional - Voice/Data B Channel	1	1	UEPPP	PR7BV	0.00	15,48					11.90			1.83	
New or Additional - Digital Data B Channel	1	1	UEPPP	PR7BF	0.00	15.48				1	11.90			1.83	
New or Additional Inward Data B Channel		1-	UEPPP	PR7BD	0.00	15.48				<del></del>	11.90			1.83	
CALL TYPES		_								1					
Inward			UEPPP	PR7C1	0.00	0,00	0.00			1					
Outward			UEPPP	PR7C0	0.00	0.00	0.00								
Two-way		<del> </del>	UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage															
Fixed Each Including First Mile	1	+	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
Each Airline-Fractional Additional Mile	<del> </del>	<del> </del>	UEPPP	1LN1B	0,1856					<del> </del>					
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT										1					
UNE Port/Loop Combination Rates	1	1													
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del> </del>	1	UEPDC	-	125.69					1	11.90			1,83	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		155.49					<del> </del>	11,90		· · · · · ·	1.83	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del> </del>		UEPDC		233.33					ļ	11.90			1.83	
UNE Loop Rates		-													
4-Wire DS1 Digital Loop - UNE Zone 1	<del> </del>	1	UEPDC	USLDC	70.74					1	11,90			1,83	
4-Wire DS1 Digital Loop - UNE Zone 2	<del> </del>		UEPDC	USLDC	100.54					1	11.90			1.83	
4-Wire DS1 Digital Loop - UNE Zone 3	<del> </del>	3	UEPDC	USLDC	178.38					ļ	11.90			1.83	
UNE Port Rate	1	-													
4-Wire DDITS Digital Trunk Port	1		UEPDC	UDDIT	54.95	464.86	259.23				11.90			1,83	
NONRECURRING CHARGES - CURRENTLY COMBINED	1											-			
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1													
- Switch-as-is	1		UEPDC	USAC4		95.31	46.71				11.90			1.83	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	1													
- Conversion with DS1 Changes	!		UEPDC	lusawa		95.31	46.71				11.90			1.83	ĺ
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
- Conversion with Change - Trunk	1		UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDITIONAL NRCs	<del> </del>	-													
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<del>                                     </del>														
Subsequent Channel Activation/Chan - 2-Way Trunk	1	,	UEPDC	UDTTA		15.69	15.69	l l			11.90			1.83	L
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	L
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
Activation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC		15.69	15.69				11.90			1.83	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Chan															
Activation Per Chan - Inward Trunk with DID			UEPDC	מדדמט		15,69	15.69				11.90			1.83	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	· · · · · ·														
Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPOLAR 8 ZERO SUBSTITUTION	1	-													
BRZS -Superframe Format	-		UEPDC	CCOSF		0.00	655,00				11.90			1.83	
B8ZS - Extended Superframe Formal	+		UEPDC	CCOEF		0.00	655.00			,	11.90			1.83	

## PATE ELEMENTS   Inter- ## PATE ELEMENTS	IDLED	NETWORK ELEMENTS - Florida												Attachment:			bit: C
Red	DRY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Charge -	Increme Charg Manua Order Electro Disc A
Allernals Mark Noversion								Nonreci	urring	Nonrecurring	Disconnect			088	Pates(\$)		L
All Superflows Formats				1			Rec					SOMEC	SOMAN			SOMAN	SOM
PASK - Superferier Format   U-SPOC   NCOSP   0.00   0.00   0.00   1.00	Alternate	Mark Inversion	1	†													1
April   Emercial Superfixed Format   LEPOC   MCOPD   0.00   0.00   1.0					UEPDC	MCOSF		0.00	0.00								-
Palephone Number/Trux Group Establishment Charges   GPPO   GPTS   CPTS	A	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Respitore Number of Viving Deliveral Trains (Group   USPDC	Telephor	ne Number/Trunk Group Establisment Charges															
Transporter Numer for 1-Very Previor Turns (Group APP Provide 16 Group of AP												L				1.83	
DID Numbers			ļ													1.83	
17.00 Numbers   UPPC   NOZ   0.00   0.00   0.00   11				<b></b>	UEPDC	UDTGZ	0.00						11.90		L	1.83	
DID Numeers for asing Prough (20 DID Numeers   DEPC   NO1																	
Dis Numbers, Non-consecutive Did Namese. Fort Number   UEPDC   NO9   0.00   0.00   11.50			ļ					0.00	0.00			ļ <u>.</u>				1.83	ļ
Reserve Non. Contractural pil D Nos.   UEPC   Niph   0.00   0.00   0.00   11.50			ļ	<del></del>								ļ				1.83	ļ
Reserve DID Numbers				<del> </del>				0.00	2.00			<del> </del>				1.83	
Declared DS1 Interoffice Channel Mileage - FASE OF A Wint DS1 Digital Loop with - Wine D01'S Trunk Port			<del></del>									<del></del>		ļ		1,83	<del> </del>
Interoffice Channel Milagos - Fixed rate 0-5 miles (Facilities   UEPDC 11NO1 88.44 105.54 68.47 21.47 19.05 11.90			1 Digita				0.00	0.00	0.00				11.90			1.83	<b></b>
Temmplach   UEPDC	Dedicate	-taff Channel Mileage Fixed rate 0.9 miles (Facilities	Digita	Loop	WIGH THING DOING	Truik Port						<del> </del>					
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles   UEPDC			i		HEPDO	1LNO1	88 44	105.54	98.47	21.47	10.06		11.00			1.83	
Interceting Channel Minage - Frader rate 9-25 miles (Facilities   UEPDC   1LNO2   0.00   0.		emilianor)	-	1-	22. 20			100.04	30,47	21147	15.00		11,30			1.83	
Interceting Channel Minage - Frader rate 9-25 miles (Facilities   UEPDC   1LNO2   0.00   0.	ĺ,	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles			LIEPOC	11 NOA	0.1856	0.00	0.00								
Termination   UEPC			-		02.00	112.10%	0.1000	0.00	0.00						<del></del>		
Interestice Channel Miseage - Additional rate por mise - 9-23   UEPDC   ILNOB   0.1866   0.00   0.			}	1	UEPDC	1LNO2	0.00	0.00	0.00	1		)	!				Í
miles			<del> </del>	1		1,000		0.00	0,00						<del></del>		<del> </del>
Interreffice Channel Mileage - Additional rate per mile - 25+ miles   UEPOC   1NOC   0.1856   0.00					UEPDC	1LNOB	0.1856	0.00	0.00			1					i
Interoffice Channel Mileage - Additional rate par mile - 25+ miles																	
Local Number Portability, per DSS Activated   UEPDC   LINPCP   3.15   0.00   0.00   0.00   0.00	T	Termination)			UEPDC	1LNO3	0,00	0.00	0.00	0.00		}					ĺ
Local Number Portability, per DSJ Activated   UEPDC   LIPCP   3.15   0.00   0.00   0.00   0.00			T														
Central Office Termininating Point																	{
A-WIRE DST LOOP WITH CHANNELLZATION WITH PORT								0.00	0.00	0.00							
System is 1051 Loop, 104 Channel Bank, and up to 24 Feature Activations					UEPDC	CTG	0.00										
Each System can have up to 24 combinations of rates depending on type and number of ports used			1														
UNEDS1 Loop																	
4-Wire DS1 Loop - UNE Zone 1			type a	nd num	ber of ports used												
4-Wire DS1 Loop - UNE Zone 2   2   UEPMG   USLDC   100.54   0.00   0.00				1	LIEDMC	- UCL DC	70.74	- 200	0.00			ļ					
4-Wire DST Loop - UNE Zone 3   3   UEPMG																	
UNE DSC Channelization Capacities (D4 Channel Bank Configurations)   UEPMG   VUM24   118.06   0.00   0.00   0.00   11.90   11.90   14.050 Channel Capacity - 1 per 2 DS1s   UEPMG   VUM48   236.12   0.00   0.00   0.00   11.90   11																<del></del>	
24 DSO Channel Capacity - 1 per DS1			ng)	- 3	UEFING	USEDC	170.30	0,00	0.00								-
48 DSC Channel Capacity - 1 per 2 DS1s			119/	<del> </del>	LIEPMG	\/( JM24	118.06	0.00	0.00				44.00				
S6 DSC Channel Capacity - 1per 4 DS1s															<del></del>	1.83	<b></b>
144 DS0 Channel Capacity - 1 per 6 DS1s														<del></del>		1,83 1,83	
192 DS0 Channel Capacity -1 per 8 DS1s												ļ				1,83	
240 DS0 Channel Capacity - 1 per 10 DS1s   UEPMG   VUM20   1,180.60   0.00   0.00   0.00   11,90	1	92 DS0 Channel Capacity -1 per 8 DS1s	<u> </u>													1,83	
288 DSC Channel Capacity - 1 per 12 DS1s																1,83	
384 DS0 Channel Capacity - 1 per 16 DS1s			_													1,83	
480 DS0 Channel Capacity - 1 per 20 DS1s			-													1.83	
S76 DS0 Channel Capacity -1 per 24 DS1s																1.83	
S72 DS0 Channel Capacity -1 per 28 DS1s   UEPMG   VUM67   3,305.68   0,00   0.00   11,90	5	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57										1,83	
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System  A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.  Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.  NRC - Conversion (Currently Combined) with or without  Bell South Allowed Changes  System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and  New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation  UEPMG  VUMD4  0.00  726.11  468.21  11.90									0.00			· · · · · · · · · · · · · · · · · · ·				1,83	
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.  NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  UEPMG  USAC4  0.00  96.77  4.24  11,90  System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and  New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation  UEPMG  VUMD4  0.00  726.11  468.21  11.90								item									
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and  New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation  UEPMG  VUMD4  0.00  726.11  468.21  145.32  17.24  11.90																	
Bell South Allowed Changes			id'l afte	r the m	Inimum system co	nfiguration is	counted.										
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and  New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation  UEPMG VUMD4 0.00 726.11 468.21 145.32 17.24 11.90																	
New (Not Currently Combined) In all states, except in Density Zone 1 of Top 8 MSA's     1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			L	للبيا				96.77	4.24				11,90				-
1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation UEPMG VUMD4 0.00 726.11 468.21 145.32 17.24 11.90						bination Curre	ntly Exists and										
and Assoc Fea Activation   UEPMG   VUMD4   0.00   726.11   468.21   145.32   17.24   11.90			of Top	BMSA	`5												
					UEDNO												
IMPORT & Zero Nunsulturion					UEPMG	VUMD4	0.00	726.11	468.21	145.32	17,24		11.90	, <del></del>			
				+													
Clear Channel Capability Format, superframe - Subsequent																	1



INBUNDLED I	NETWORK ELEMENTS - Florida												Attachment:		Exhi	
ATEGORY	rate elements	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						1000	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	lear Channel Capability Format - Extended Superframe -	}		UEPMG	CCOEF	0.00	2 22	055.00			ì	44.00	1	1	Ì	
	ubsequent Activity Only Mark Inversion (AMI)			UEPNIG	ICCOEF	0.00	0.00	655.00				11.90		<del> </del>		
	uperframe Format			UEPMG	MCOSF	0.00	0.00	0.00						<del></del>		
	xtended Superframe Format	<u> </u>		UEPMG	MCOPO	0.00	0.00	0.00						<del></del>		
Exchange	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								-	<u> </u>		·		
Exchange																
T														1		
	ne Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1,83	
Lir	ne Side Outward Channelized PBX Trunk Port - Business	-		UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
				JEPPX	UEDON											
Lir	ine Side Inward Only Channelized PBX Trunk Port without DID			IUEPPX	UEP1X UEPDM	1,38 8,71	0,00	0.00	0.00	0.00		11.90		ــــــــــــــــــــــــــــــــــــــ	1.83	
[2-1	Wire Trunk Side Unbundled Channelized DID Trunk Port	-		UEFFA	OEPDM	8./1	0.00	0.00	-0.00	0.00		11.90			1,83	
	activations - Unbundled Loop Concentration eature (Service) Activation for each Line Port Terminated in D4															
Ba	ank	<u> </u>	L	UEPPX	1PQWM	0.66	25.40	13,41	3.96	3.93		11,90			1.83	
	4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95	1	14.00	1		1	
	e Number/ Group Establishment Charges for DID Service	├──	<del> </del>	DEFFX	TIPOWO	0.00	70.10	10.42	56.03	10.95		11.90			1.83	<del></del>
	ID Trunk Termination (1 per Port)	<del> </del>	<del></del>	UEPPX	NDT	0.00	0.00	0.00				11.90				<del></del>
	stab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<del></del>	<del> </del>	UEPPX	NDZ	0.00	0.00	0.00				11.90	<del> </del>	<del></del>		
	ID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			<del> </del>	11.90	<del> </del>	<del></del>		
	on-Consecutive DID Numbers - per number	<del></del>		UEPPX	NO5	0.00	0.00	0.00			<del></del>	11.90		<del></del>		
	eserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			<del></del>	11.90			<del></del>	
	eserve DID Numbers	1	1	UEPPX	NDV	0.00	0.00	0,00			<del> </del>	11.90	-	<del></del>		
	mber Portability												1	·		
Lo	ocal Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00						<del></del>		
FEATURE	ES - Vertical and Optional												1			
Local Swi	itching Features Offered with Line Side Ports Only		<u> </u>										·			
	Il Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	RT LOOP COMBINATIONS - MARKET RATES		<u> </u>	<u> </u>		<u>i</u>										
This inclu	ates shall apply where BellSouth is not required to provide	unbung	iled to	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
	ed port/loop combinations that are Currently Combined or	Not Cur	rectiv (	Combined In Zone	of the Top 8	MSAS In Balls	outh's region	ne and	uith 4 as more	Den saubuntas	Allaca					ļ
The Top 8	8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ate Mia	mi): G	A (Atlanta): I A (Nev	Orleans): NO	(Greensnoro-V	Winston Salam	HighnolotiCh	atiotte-Gaston	Day equivalen	N . Nachvill		<del> </del>			<u> </u>
BellSouth	currently is developing the billing capability to mechanic	ally bill	the rec	urring and non-rec	urning Market	Rates in this se	ection except f	or nonrecum	ng charges for	not currently	ni begigmo	FL and NO	in the inter	m where Bel	South cannot	hili Macuat
Rates, Be	ellSouth shall bill the rates in the Cost-Based section prece	ding in I	lleu of	the Market Rates a	nd reserves th	e right to true-	up the billing o	lifference.								OIII IN 61 KG
	et Rate for unbundled ports includes all available features						·				1					
End Office	e and Tandem Switching Usage and Common Transport Us	sage rat	es in ti	ne Port section of t	his rate exhib	it shall apply to	all combinatio	ne of loop/po	rt network elen	nonte excent	for LINE Cal	- Bod/Las-	Combination	na whish b		
(USOC: U	RECUN	augo iuc	<b></b> ,,, ,,	io i ori adecidii or i	ina rata exilio	it silasi appiy to	an combinatio	ms or loopspo	it network elen	nents except	OF UNE CO	n PortiLoop	Combination	ns which hav	a flat rate us	age charge
For Not C	Currently Combined scenarios the Nonrecurring charges are	listed i	n the I	irst and Additiona	NRC column	s for each Port	USOC FORCE	rrently Comb	ined econorios	the Nonescue	-lad obores	!!=1	I- 45- NDC			
Additiona	al NRCs may apply also and are categorized accordingly.				Title Column	o tor back tort	0000. 10100	Trentily Collins	mou scenarios,	, the Nonrecur	nng charge	s are listed	In the NKC -	currently Col	abined section	٦.
2-WIRE V	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				·	T			· · · · · · · · · · · · · · · · · · ·			1	T	T	T	
	/Loop Combination Rates													<del></del>	<del></del>	
	-Wire VG Loop/Port Combo - Zone 1	1	1			23.77							<del></del>			
2-	-Wire VG Loop/Port Combo - Zone 2		2			27.88										
2-1	-Wire VG Loop/Port Combo - Zone 3		3			38.63					İ	· · · · · · · · · · · · · · · · · · ·				
LINELOOP	p Rates															
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77										
(2-)	Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	13.88										
2-1			3	UEPRX	UEPLX	24.63										
2-1 2-1 2-1	Wire Voice Grade Loop (SL1) - Zone 3															
2-1   2-1   2-Wire Vo	pice Grade Line Port (Res)			LIEDDY	UEDDI	44.00						11.90				
2 2 2-Wire Vo	oice Grade Line Port (Res) Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90,00			<del></del>					
2   2   2-Wire Vo   2   2	olce Grade Line Port (Res) Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00				11.90				
2 2 2-Wire Vo	oice Grade Line Port (Res) Wire voice unbundled port - residence															
2 2 2Wire Vo 2 2 2	oice Grade Line Port (Res)  Wire voice unbundled port - residence  Wire voice unbundled port with Caller ID - res  Wire voice unbundled port outgoing only - res			UEPRX	UEPRO UEPRO	14.00	90.00 90.00	90.00 90.00				11.90 11.90				
2-1   2-2   2-Wire Vo   2-1   2-1   2-1	olce Grade Line Port (Res) Wire voice unbundled port - residence Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRC	14.00	90.00	90.00		7		11.90				

NBUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Eyhi	bit: C
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge Manual Svc Order vs Electronic- Add'l	Incremental Charge -	
		-			Rec	Nonrec			g Disconnect				Rates(\$)		
2-Wire voice unbundled Low Usage Line Port without Caller ID	-					First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Capability		1	UEPRX	UEPRT	14.00	90.00	90.00				44.00			1	
2-Wire voice unbundled Florida extended dialing port for use		<del> </del>	OEF IX	DEFRI	14.00	90.00	90.00		ļ	ļ,	11.90				
with CREX7 and Caller ID	1 .	1	UEPRX	UEPA1	14.00	90.00	90.00		l		11.90				
2-Wire voice unbundled Florida extended dialing port for use			021100	- OLI AI	14.00	30.00	30.00				11.90			<del></del>	<del></del>
with CREX7, without Caller ID capability			UEPRX	UEPA8	14.00	90.00	90.00	[			11.90				
2-Wire voice unbundled Florida Area Calling Port without Caller		1									71.00				<del></del>
ID Capability	1	1	UEPRX	UEPA9	14.00	90.00	90.00	ĺ			11.90				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRX	LNPCX	0,35									-	
FEATURES		l													
All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
NONRECURRING CHARGES - CURRENTLY COMBINED	-														
J		1	l												
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				11.90				
2-Wire Voice Grade Loop / Line Port Combination - Switch with	1		ucasy												
change	+	-	UEPRX	USACC		41.50	41.50				11,90				
ADDITIONAL NRCs  NRC - 2-Wire Voice Grade Loop/Line Port Combination -	-														
Subsequent	1		UEPRX	USAS2		0.00	0.00		}		44.00			-	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<del> </del>		DEF TOX	103/432		0.00	0.00				11,90				
UNE Port/Loop Combination Rates									<del> </del>	<del></del>					
2-Wire VG Loop/Port Combo - Zone 1	1	1			23.77										
2-Wire VG Loop/Port Combo - Zone 2		2			27.88			-						<del></del>	
2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE Loop Rates														·	
2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	9.77										
2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	13.88										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wire Voice Grade Line Port (Bus)		-													
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				11.90				
2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90,00	90.00				11.90				
2-Wire voice unbundled incoming Only Port without Caller ID	-		UEPBX	UEPBO	14.00	90.00	90.00				11.90				
Capability		i	UEPBX	UEPBE	14.00	90.00	90.00				44.00				
LOCAL NUMBER PORTABILITY			02.07	1021102	14.00	30.00	50.00				11.90				
Local Number Portability (1 per port)	-		UEPBX	LNPCX	0.35										
NONRECURRING CHARGES - CURRENTLY COMBINED								·							
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50			-	11.90				
2-Wire Voice Grade Loop / Line Port Combination - Switch with															
change			UEPBX	USACC		41.50	41.50				11.90	·			
ADDITIONAL NRCs															
NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1		HEDDY		. 1										
Subsequent   2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00				11.90				
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1	-	1			23.77										
2-Wire VG Loop/Port Combo - Zone 2	-	2			27.88										
2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE Loop Rates					30.03										
2-Wire Voice Grade Loop (SL1) - Zone 1	r	1	UEPRG	UEPLX	9.77										
2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG	UEPLX	13.88										
2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	24.63										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90	}			
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								

												Attachment:			lbit: C
GORY	RATE ÉLÉMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring Disco	Submitte Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Syc Order vs. Electronic- Add'l	incremental Charge -	Charge Manual
			<del>                                     </del>		_	Rec	First	Add'l			SOMAN	SOMAN	Rates(\$)	5011411	
FEATUR								Addi	11100	30INEC	SOMAN	SOMAN	SUMAN	SOMAN	SOMA
/	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			11.90		-	1	
NONREC	CURRING CHARGES - CURRENTLY COMBINED										-				-
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPRG	USAC2		41.50	41.50			11.90				
	Change			UEPRG	USACC	i	41.50	41.50	ļ	1	11.90		į	Į.	1
	NAL NRCs										11.00			-	
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00			11,90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group		ļ				7.09	7.09			11.90				
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	-											
UNE Por	r/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1												
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2	<del></del>		23.77									
	2-Wire VG Loop/Port Combo - Zone 3		3			27.88 j 38.63									
	op Rates					30.03							·		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9.77						<del></del>		-	-
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	13.88					-				
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	24.63					+			<del> </del>	ļ
2-Wire V	oice Grade Line Port Rates (BUS - PBX)														<del></del>
1 1.	A COLUMN TO A COLU		ĺ								1				-
	Ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus ine Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00			11.90			į	1
	ine Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00			11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00			11.90				
	-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00			11.90				-
	-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00		<del> </del>	11.90			<del> </del>	
	-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00			11.90				-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXD	14.00	90.00	90.00			11.90				-
	Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	14.00	90.00	90.00			11,90				
A	dministrative Calling PortWire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	14.00	90.00	90.00			11.90				
P	Room Calling Port -Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	14.00	90.00	90.00			11.90				
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00	\		44.55				
2	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00			11.90				-
	NUMBER PORTABILITY										11.90				
	ocal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1				
FEATUR	Il Features Offered			HEDDY	1150										
	URRING CHARGES - CURRENTLY COMBINED			UEPPX	UEPVF	0.00	0,00	0.00			11.90				
	-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50			11.90				
0	-Wire Voice Grade Loop/ Line Port Combination - Switch with change NAL NRCs			UEPPX	USACC		41.50	41.50			11.90				
1					-										
2	-Wire Voice Grade Loop/ Line Port Combination - Subsequent Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2	0.00	0,00	0.00			11.90				
S	ubsequent Activity- Nonrecurring						0.00	0.00			11.90				
G	BX Subsequent Activity - Change/Rearrange Multiline Hunt froup						7.09	7.09			11.90				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	1			-										
ILINE Post					1 1						1				

BUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
EGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonred	RATES(\$)		g Disconnect		Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Sva Order vs. Electronic Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	First	Add'i	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
2-Wire VG Coin Port/Loop Combo – Zone 2		2		<del> </del>	27.88	71180	Addi	First	Addi	SOMEC	JONIAN	SONA	JOWAN	SUMAN	SUMA
2-Wire VG Coin Port/Loop Combo - Zone 3		3			38.63										
UNE Loop Rates		-						<del></del>							
2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	9.77				1	1					
2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPCO	UEPLX	13.88										
2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	24.63			1		<del> </del>					
2-Wire Voice Grade Line Port Rates (Coin)									1	1		7			
2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90,00				11.90				
2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCAL NUMBER PORTABILITY		-	LIEBON .												
Local Number Portability (1 per port)  NONRECURRING CHARGES - CURRENTLY COMBINED	<del> </del>		UEPCO	LNPCX	0.35			ļ <u></u>	ļ						
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPCO UEPCO	USAC2 USACC		41.50	41.50				11.90				
Change     ADDITIONAL NRCs			DEPCO	USACC		41.50	41,50								
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E I INE	OPT	UEPCO	USAS2		0.00	0.00			<u> </u>	11.90				
UNE Port/Loop Combination Rates	LINE	10111	14.5)	<del></del>				<del></del>	<del></del>						
2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	(	<del></del>	26.24			ļ	ļ						
2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	·	2			31.40				<del> </del>						
2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.87				·						
UNE Loop Rates															
2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	12,24										
2-Wire Voice Grade Loop (SL2) - Zone 2	-		UEPFR	UECF2	17.40										
2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wire Voice Grade Line Port Rates (Res)	<u> </u>														
2-Wire voice unbundled port - residence	<u> </u>		UEPFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90				
2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90				
2-Wire voice unbundled port outgoing only - res     2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR UEPFR	UEPAF	14.00	180.00	110.00	85.00			11.90				
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR		14.00	180.00	110.00	85.00	20.00		11.90				
INTEROFFICE TRANSPORT			DEFFR	UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
Termination  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	U1TV2	25.32	47.35	31.78								
or Fraction Mile			UEPFR	1L5XX	0.0091								****		
FEATURES All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY			DEFIN	UCFVF	0.00	0.00	0.00				11.90				
Local Number Portability (1 per port)	-		UEPFR	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  [2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					0.55										
Combination - Conversion - Switch-as-is	L	<u> </u>	UEPFR	USAC2		16.97	3.73				11.90				

INBUNIE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred			Disconnect				Rates(\$)		· · · · · · · · · · · · · · · · · · ·
						7.40	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										1					
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90				l
2.WID	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT	BUS)										1		
LINE	Port/Loop Combination Rates	1	L	1												
OIL I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26.24					-					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<del>                                     </del>	2			31.40										
<del></del>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3			44.87										
			<del>-</del>								1					1
UNEL	oop Rates		1	UEPFB	UECF2	12.24								-	at a	-
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	17.40						-				-
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	30.87									<del> </del>	
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	OLFFB	UEUF2	30.07										+
2-Wire	Voice Grade Line Port (Bus)			UEPFB	UEPBL	14.00	180.00	110.00	85,00	20.00		11.90			-	
	2-Wire voice unbundled port without Caller ID - bus		<del> </del>	UEPFB	UEPBC	14.00	180.00	110.00	85,00	20.00		11.90				+
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBO	14.00	180.00	110.00	85.00	20.00		11.90			-	
	2-Wire voice unbundled port outgoing only - bus		<del> </del>						85.00	20.00		11.90		<del> </del>		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00		11.90		<del> </del> -		
LOCA	L NUMBER PORTABILITY		<u> </u>												-	
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					1					
INTER	ROFFICE TRANSPORT													1		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility									}	1		i	1		1.
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												1	i		1
	or Fraction Mile			UEPFB	1L5XX	0.0091									1	1
FEAT											1			1		
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1												1	
110.11	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									1	1			1	1	
1	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90				1
	2-Wire Loop / Dedicated to Transport / 2 Wire Line Port		<del>                                     </del>	00.75	00/102		10.01				-					
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11.90				1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OCFFD	00/00		10.57	0.70		-		11.00	<del> </del>		<del> </del>	
					<del></del>						-				<del> </del>	1
UNE	Port/Loop Combination Rates	-	1			26.24					<del> </del>	-				
	2-Wire VG t.oop/IO Tranport/Port Combo - Zone 1		2			31.40				<del> </del>		<del> </del>			<del></del>	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			44.87		<del></del>						ļ		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.07				<del> </del>		ļ				
UNE	Loop Rates		·	115050	115050						·	-	<del> </del>		<del> </del>	
	2-Wire Voice Grade Loop (SL2) - Zone 1	-		UEPFP	UECF2	12.24								<b>-</b>		-
	2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3	<del> </del>	3	UEPFP	UECF2	30.87								ļ <u> </u>		
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	ļ										J			<u>.</u>	)
		İ	1	ŕ	4 4	į!		1		1	1		-			
i i	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20,00		11.90	1			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00	T	11,90				1
	2-Wire Voice Unbundled PBX LO Terminal Ports			UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90		-		1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90		1		$\overline{}$
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00	1	11.90	<u> </u>			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	14.00	180.00	110.00	85.00	20.00		11.90		<del> </del>	†	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	14.00	180.00	110.00	85.00			11.90			-	-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDO	1			E.FU. CHC.	, ,,,,,	1,00.50	1.5.50	55.50	25.50	1	1				+
	Capable Port	1		UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00	1	11.90	Į.	1	1	1
<del></del>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	-	J-111	OF! VF	14,00	100,00	110.00	00.00	20.00	+	11,30				+
í I			i	UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90		l	į	l
	Administrative Calling Port	ļ		UEPPP	UEPAL	14,00	180,00	110.00	85.00	20.00		11.90				<del></del>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	UEDVIA	44.00	400.00	440.00	05.00	20.00		44.00	1	1	1	
	Room Calling Port		-	UEPFP	UEPXM	14.00	180,00	110.00	85.00	20.00		11.90		1	-	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				LIEDVO						1	1	1	1	1	1
L	Discount Room Calling Port			UEPFP	UEPXO	14,00	180.00	110.00	85.00	20.00		11.90	ļ	·		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00	1	11,90	1			1

INB	UNDLE	D NETWORK ELEMENTS - Florida													Attachment:		Exhi	bit: C
	GORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
				ļ				Rec	First		First	g Disconnect Add'I		SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
			-				LNPCP	3.15		Add'l	First	Addi	SOMEC	11.90	SOMAN	SUMAN	SUMAN	SOMAN
		Local Number Portability (1 per port)			UEPFP		LNPCP	3.15	0.00	0.00		<del> </del>	<del></del>	11.90		ļ		
	INTER	OFFICE TRANSPORT															ļ	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP		U1TV2	25.32	47.35	31.78								
	-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile										1						
		or Fraction Mile			UEPFP		1L5XX	0.0091							ļ			ļ
	FEATU		ļ															
		All Features Offered			UEPFP		UEPVF	0.00	0.00	0.00				11.90				
-	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP		USAC2		16.97	3.73				11.90				
	-	Combination - Conversion - Switch-as-is			UEFFF		USACZ		10.57	3.73			+	11.30				
	}	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		UEPFP		USACC		16.97	3.73		1		11.90			1	1
	.1	Combination - Conversion - Switch with change			UEPFP		USACC		16.97	3./3				11.90				
UNBL	INDLED	PORT/LOOP COMBINATIONS - MARKET BASED RATES															ļ <u>.</u>	
	2-WIRI	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	( PORT										1					
	UNE P	ort/Loop Combination Rates			i										i			
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				67.24										1
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			1	72.40										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			1	85.87							1			
	- LINE I			<del> </del>			1	30,0					<del> </del>				1	<del> </del>
	UNE L	oop Rates		1-1-	UEPPX		UECD1	12.24					-	11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX		UECD1	17.40										<del> </del>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2										11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<del> </del>	3	UEPPX		UECD1	30.87						11.90			1.83	
	UNE P	ort Rate		ļ									ļ	ļ			<u> </u>	-
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	55.00	850.00	75.00				11.90			1.83	
	NONR	ECURRING CHARGES - CURRENTLY COMBINED												L				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-															1
		Switch-As-Is Top 8 MSAs only	l	<u> </u>	UEPPX		USAC1		850.00	75.00	Ĺ			11.90	İ			
		2-Wire Voice Grade Loon / 2-Wire DID Trunk Port Conversion																
		with BellSouth Allowable Changes Top 8 MSAs only	1		UEPPX.		USA1C		850.00	75.00				11.90				
	ADDIT	IONAL NRCs	1				-											
	ADDIT	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1	1	UEPPX		USAS1		32.26	32.26			<del> </del>	11.90				<del> </del>
	Talaah	one Number/Trunk Group Establisment Charges	<del> </del>	-	JCT TA		190/191		QZ.20	02.20			-	11,00				<del>                                     </del>
	relebu	IDID Trunk Termination (One Per Port)			UEPPX		NDT	. 0.00	0.00	0.00					-		100	
					ULFFA		11101	. 0.00	0.00	0.00				11.50			1.83	<del>                                     </del>
		DID Numbers, Establish Trunk Group and Provide First Group	ŀ		UEPPX		ND7	0.00	2 22	0.00		1.	1		1			
		of 20 DID Numbers					NDZ		0.00					11.90			1.83	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	L
		DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPPX		ND5	0.00	0.00	0.00			<u> </u>	11.90			1.83	
		Reserve Non-Consecutive DID numbers		ļ	UEPPX		ND6	0.00	0.00	0.00			1	11.90			1.83	
		Reserve DID Numbers		<u> </u>	UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	PORT	-													
	LINE P	ort/Loop Combination Rates	T	1	-													
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	-									<del> </del>				<del></del>	
		UNE Zone 1		1_1_	UEPPB	UEPPR		85.25										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		91.67										
	1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1									]						
		UNE Zone 3		3	UEPPB	UEPPR		108.46										
	I I I		<del> </del>	<del> </del>	02	021111	+	700.40				-	<del> </del>					
	UNEL	oop Rates	+	1	UEPPB	UEPPR	1161 27	15.25				<del> </del>		44.00			1.00	
		2-Wire ISDN Digital Grade Loop - UNE Zone 1			UEPPB	UEPPR	USLZX	15.25					ļ	11.90			1.83	<u> </u>
					Lucasa	115555	11010:						1					
		2-Wire ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB	UEPPR	USL2X	21.67				<b></b>		11.90			1.83	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38,46					1	11.90			1.83	
		ort Rate					1							1				
	UNE P			1														
	UNE P	Exchange Port - 2-Wire ISDN Line Side Port	-		UEPPB	UEPPR	UEPPB	70.00	525.00	400.00		<del> </del>		11.09			1.83	

			T		T		T	1	1	9881.0	ILNIB		nT .	·	Each Airline-Fractional Additional Mile	1 1
	1.93			06.11	†	30.61	74.12	74.86	105.54	988.0	AINJI	ddd=			Fixed Each Including First Mile Each Additional Additional Mile	
			1		1		<u> </u>	1	,,,,,,,	0303 00	A FIA IF	000	'	+	Ice Channel Mileage Etxed Each Including First Mile	
				T			·	00.0	00.0	00.0	227.89	444	n	<del> </del>	Two-way	
						T		00.0	00.0	00.0	00789			<del> </del>	DiswiuO	
						1		00.0	00.0	00.0	12789				Inward	
			-					1000	1.000		10200	000=	<del>'' </del>			T TOPO
	£8.1			06.11		<del></del>		<del> </del>	20.00	00.0	087.89	444	0		New or Additional Inward Data B Channel	
	1.83			06,11	<del>                                     </del>		1		20.00	00.0	987A9	999		<del></del>		
	£8.1			06.11				<del> </del>	20.00	00.0	V87A9			-	New or Additional - Voice/Data B Channel New or Additional - Digital Data B Channel	
			1		†		<del> </del>	<del> </del>	0000	000	//02/00	0002	14		Additional "B" Channel	
					j		<del> </del>	00.0	00.0	00.0	31789	4443			Inward Data	
					<del>                                     </del>		· · · · · · · · · · · · · · · · · · ·	00.0	00.0	00.0	01789				Digital Data	
					·			00.0	00.0	00.0	V1789				Voice/Data	
					i		<del></del>	1-00-0	1.000	1000	7,1200	000		-	ACE (Provaioning Only)	
								-	·	92.1	ГИРСИ	ddd3	0	<del> </del>	Local Number Portability (1 per part)	
							1	<del> </del>		+ <del></del>	1100111	0002	'	<del> </del>	VTIJBATROG PORTBELLITY  (A post post post post post post post post	
1	£8.1		1	06.11				25.42	25,42	<del></del>	72789	ddd3	0	┼	Subsequent Inward Telephone Numbers	
				!		1	1	1	0	+	12200	0001	''  -	1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port	
1	£8.t			06.11				17.21	12.51		OTARG	ddd	<del></del>	<del> </del>	Outward Tel Numbers (All States except NC)	
								1	,		3,12,00	0003	``		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	
1	£8.1			06.11			1	1	0.5412	<del> </del>	4T7.A9	Ebbb	0	+	Inward/two way Telephone Numbers (except NC)	
								1	1		21200	9993			4-Wire DS1 Loop/4-W ISDN Digit Tik Port - Subsqt Actvy-	
													+	+	ONAL MRCs	
	£8.1			06.11				925.00	00.826	00.0	45A2U	ddd3	n	+	Combination - Conversion -Switch-As-Is Top 8 MSAs only	
							İ		100.000	100	457511	0003	''	-	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	
						· · · · · · · · · · · · · · · · · · ·	<del> </del>	T	+	<del>                                     </del>	-			<del> </del>	CURRING CHARGES - CURRENTLY COMBINED	NONKE
	£8.1			11,90				1,150.00	1,150.00	00.006	ddd3N	Ebbb	<u></u>		Exchange Ports - 4-Wire ISDN DS1 Port	
												3323	<del>'</del>	-	eis R ho	
8	£8.1			06.11						98.871	USL4P	ЕРРР	n ε	<del></del>	4-Wire DS1 Digital Loop - UNE Zone 3	
{	£8.†			06.11			† · · · · · · · · · · · · · · · · · · ·	1		100.64	USL4P	Ebbb		<del></del>	4-Wire DS1 Digital Loop - UNE Zone 2	
(	£8.1			11.90				1	1	₽Z.0Z	USL4P	EPPP		-	4-Wire DS1 Digital Loop - UNE Zone 1	
					_			1	1				<del>`</del>		setes quo	
			1							6E.870,1	T	Eppp	nε	-	S eno Z	
							-	1	ł	1		000.	''	1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	
					* *************************************					1,000,54		6643	n z	<del> </del>	Z enoZ	
							1			1.3.0007	1	0001	''  "		AW DS1 Digital Loop/AW (SDN DS1 Digital Trunk Port - UNE	
									<del></del>	47.079	+	Ebbb	n i		μ θυογ	
				1						72020		0000	''  '		4W DS1 Digital Loop/4W ISDN DS1 Digital Tunk Port - UNE	
			1				-				<del> </del>			<del> </del>	or/Loop Combination Rates	DA ENO
			·		-						1		<del></del> -	INOA	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	
	1.83			11.90				00.0	00.0	1600.0	MNOIM	EPPB UEPPR	<del>.  </del>	Laca.	Interoffice Channel mileage each, additional mile	
18	1.83			06.11		£0.7	18.81	87.16	36.74	1644.81	MIGNC			· · · · ·	facilities termination	
1			i		1		1.00	1	30 2,	7077 07	0110771	000311 0002	''		interoffice Channel mileage each, including first mile and	
							1			<del></del>			+		DEFICE CHANNEL MILEAGE	INTERC
				06.11				00.0	00'0	92.2	UEPVE	EPPB UEPPR	0	<del> </del>	All Vertical Features - One per Channel B User Profile	
								†		1000	2	0001.7 0001	``	<del> </del>	SAL FEATURES	VERTIC
								00.0	00'0	00.0	AMUTU	A993U 8993	<u> </u>	<del> </del>	User Terminal Profile (EWSD only)	
				l			T	-	1000	1000	1	436517 4665	``	+	TERMINAL PROFILE	
													(N1	8 'CM'	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	
							1	00.0	00'0	00.0	ววกเก	EPPB UEPPR		1	C2D	
			1					00.0	00.0	00.0	NINCE				CAR (EMRD)	
			<del> </del>				<del></del>	00.0	00.0	00.0	ADUIU			<del> </del>	CARICZD (DWZIEEZZ)	
							<del> </del>	1.22.3.	1000		VOLIETI				NAEL USER PROFILE ACCESS:	
								00.0	00.0	36.0	YOUNG	ЕРРВ ОЕРРЯ	0	<del> </del>	Local Number Portability (1 per port)	
				l			<del> </del>		1555	100	ADGIV I	22211 0003		<del> </del>	YTIJIBATAOO REBUILIT	
									-	<del> </del>	<del> </del>			<del> </del>	ONAL NRCs	
	68.1			11.90			<del> </del>	00.215	215,00	00.0	NSACB	EPPB UEPPR	0	1	Combination - Conversion - Top 8 MSAs only	
								33.0	30 270	500	G0V311	000011 0000			2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	
NAMOS	NAMOS	NAMOS	NAMOR	NAMOS	SOMEC	I.PPV	First	l'bbA	first		<del> </del>			-	2 0 1 0 1 1 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0	
		Rates(\$)			·		Nonrecurring		Молгеси	⊃ <sub>6</sub> Я				1		
Order vs.	Order vs. Electronic- Disc 1st	Order vs. Electronic	Order vs. Electronic- 1st	유당기 18g				RATES(\$)			naoc	BCS	₽uoZ	ш	гемейта Егемейта	YROĐĐIAS
Charge -	Incrementa Charge - Manual Svo	Incremental Charge - cv3 IsunaM	Incremental - Sparge - Systeme - Sys		Submitted									hotal		

UNBONDLE	D NETWORK ELEMENTS - Florida				<del></del>		<del></del>	<del></del>			Svc Order		Attachment:		Exhii	Increment
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT									· · · · · · · · · · · · · · · · · · ·						
UNE P	ort/Loop Combination Rates	-	<u> </u>						<b></b>			1		<b></b>		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		820.74						11.90	<u> </u>		1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC	<u> </u>	850.54						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		928.39					<u> </u>	11.90			1.83	
UNE L	oop Rates		ļ						L					<u> </u>		
	4-Wire DS1 Digital Loop - UNE Zone 1		1 1	UEPDC	USLDC	70.74					ļ	11.90		<u> </u>	1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54					ļ. <u></u>	11.90		ļ	1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.39			<u> </u>		<u> </u>	11.90		ļ	1.83	
UNE F	ort Rate		<u> </u>								ļ <u>.                                    </u>					
	4-Wire DDITS Digital Trunk Port	<u> </u>	ļ	UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10	<b>}</b>	11.90	<b> </b>	<b></b>	1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>									<del> </del>			ļ	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	- Switch-As-is Top 8 MSAS Only			OEF DC	U3AC4		93,31	40.71	<del> </del>			11.50			1.03	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			VEPDC	USAWA		95.31	46,71				11.90	· }		1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		$\vdash$	OLI DO	03/11/2		90,51	40.71				11,50			1.03	
	- Conversion with Change - Trunk Top 8 MSAs only	ĺ		UEPDC	USAWB.		95.31	46.71			1	11.90			1.83	
ADDIT	TIONAL NRCs		<del> </del>	OEF OC	TUSAVE.		30.5,1	40.71	1		<del> </del>	11.90	<del> </del>	<del></del>	1.03	
AUUL	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		<del>}</del>												<del></del>	
	Subsequent Channel Activation/Chan - 2-Way Trunk	j	l	UEPDC	UDTTA		15,69	15.69	]		ĺ	11.90	İ	l	1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			oerbo	10DIIA		15,05	13.00			<del> </del>	11.90	<del></del>		1,03	
	Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsignt Channel  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsignt Channel			UEPDC	UDTTB		15.69	15.69	<u> </u>		<u> </u>	11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqrit Chamler Activation/Chan Inward Trunk Wout DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqrit Chan			UEPDC	UDTTC		15.69	15.69		*************		11.90	·		1,83	
	Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		ļ	UEPDC	UDTTD		15.69	15,69			<u> </u>	11.90			1.83	
	Activation / Chan - 2-Way DID w User Trans  AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		15.69	15.69				11.90			1:83	
BIPOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655,00	<del> </del>			11,90		-	1,83	
	B8ZS - Extended Superframe Format	<b></b> -		UEPDC	CCOEF		0.00	655.00	<del> </del>		<del></del>	11.90	<del></del>	<u> </u>	1.83	
Altam	ate Mark Inversion		<del> </del>	00100	100001		0.00	055.00	-		<del> </del>	11.90	<del></del>	<del> </del>	1.03	
Altein	AMI -Superframe Format			UEPDC	MCOSF		0,00	0.00	<del> </del>		<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>	
	AMI - Extended SuperFrame Format		┼	UEPDC	MCOPO		0,00	0.00						<del> </del>		
Toloni	none Number/Trunk Group Establisment Charges			OLI DO	IVICOT O		0.00	0.00	<del> </del>		<del> </del>			<del></del>	<del></del>	
- I giabi	Telephone Number for 2-Way Trunk Group			UÉPDÇ	UDTGX	0.00			<del></del>	<del></del>	<del> </del> -	11,90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			<del> </del>	·	<del> </del>	11.90		<del></del>	1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID		<b></b>	UEPDC	UDTGZ	0,00			<del> </del>		<del> </del>	11.90		<del></del>	1.83	
	DID Numbers, Establish Trunk Group and Provide First Group				12122							1,,,,,,	<del> </del>		1.63	
	of 20 DID Numbers			UEPDC	ND2	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	5.00			<del> </del>	11.90	···		1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00					<del> </del>	11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			<del> </del>	11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedic	ated DS1 (Interoffice Channel Mileage) -										T					
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														1	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21,47	19.05		11,90			1,83.	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00							1,50	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC				-								
	Termination)			UEPUU	1LNO2	0.00	0.00	0.00				ļ				
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0,00							

					1 1						245 01781	240 01001	Incremental	mer dinaugn	i iii ci eineiliai	Increment
EGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge- Manual Svc Order vs. Electron c- Add'l	Charge -	Charge Manual S Order vs Electroni Disc Add
		L.	]		_ 11	Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1	UEPDC	1LNOC	0.1856	0.00	0.00	1.						l .	1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	LNPCP	3.15	0.00	0.00	0.00						<u> </u>	
	Local Number Portability, per DS0 Activated			UEPDC	CTG	0.00	0.00	0.00	0,00						<del> </del>	<del> </del>
	Central Office Termininating Point  DS1 LOOP WITH CHANNELIZATION WITH PORT		<del> </del>	UEF BC	- 0.0	0.00			<del></del>							<del> </del>
4-VVIRE	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations	-					<del></del>		<del></del>						<del> </del>
	em can have various rate combinations based on type and nur			used	<del></del>				<del> </del>						<del> </del>	<del></del>
	St Loop							<del></del>							<del> </del>	<del> </del>
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00	<u> </u>						<del> </del>	<del> </del>
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00	<del>                                     </del>							
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00							j	<del> </del>
	SO Channelization Capacities (D4 Channel Bank Configuration	15)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11,90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	708.36	0.00	0,00				11,90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	ļ
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	<u> </u>
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM38	1,888.96 2,361,20	0.00	0.00	<del> </del>	_ · · · · · · · · · · · · · · · · · · ·		11.90			1.83	ļ
	480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00	ļ			11.90			1.83	
	672 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00	l			11.90			1.83	
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann						0.00				11.50		·	1.63	
A Minir	mum System configuration is One (1) DS1, One (1) D4 Channel	Bank.	and Ur	To 24 DSO Port	s with Feature A	ctivations		~							<del> </del>	<del> </del>
Multipl	es of this configuration functioning as one are considered Ad	d'I after	the m	inimum system	configuration is	counted.			-				-			<del> </del>
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAÇ4	0.00	450.00	50.00				11.90				
	Additions Where Currently Combined and New (Not Currently	y Comb	ined)													
	sity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				l i											
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90	, , , , , , , , , , , , , , , , , , , ,			
	r 8 Zero Substitution		<u> </u>						l							
	Clear Channel Capability Format, superframe - Subsequent			UEPMG	ccosf	0.00	0.00	655.00				44.00				
	Activity Only  Clear Channel Capability Format - Extended Superframe -			OLF WG	CCOGF	0.00	0.00	033.00				11.90			<del> </del>	
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
	Ite Mark Inversion (AMI)					9.00	0.00	000.00				11.30			<del> </del>	<del> </del>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00	<del></del>						<del> </del>	
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							<del></del>	<del> </del>
Exchan	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port												<del> </del>	<del> </del>
	nge Ports						-								<del> </del>	<del> </del>
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	-
				•										·		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90		-,-	1.83	
Feature	Activations - Unbundled Loop Concentration			<u> </u>												
1	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
1. 1	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
	one Number/ Group Establishment Charges for DID Service															I
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0,00				11.90	,			
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX	ND4 ND5	0.00	0.00	0.00				11.90			1	
																1

UNBUNDLED N	ETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
ATEGORY		Interi m	Zone	BCS	usoc							Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svç Order vs. Electronic-	Charge
			Ì									Ì	1st	Add'I	Disc 1st	Disc Ad
					T		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
					1	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Res	serve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
	ber Portability															
Loc	al Number Portability - 1 per port		i	UEPPX	LNPCP	3.15	0,00	0.00								
FEATURES	S - Vertical and Optional										·					
Local Swite	ching Features Offered with Line Side Ports Only		<u> </u>	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
All f	Features Available TREX PORT/LOOP COMBINATIONS - COST BASED RATE:	ļ		UEPPX	DEPVE	2.20	0.00	0.00				11.90			1.83	
ABUNDLED CEN	sed Rates are applied where BellSouth is required by FCC	and/or	State (	Commission rule to	provide Linbs	undled Local S	witching or Sw	vitch Ports			<del> </del>	<del> </del>	<del></del>		<del></del>	-
1. Cost Bas	s shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	ed to the Stand	-Alone Unbun	died Port section	on of this Rat	e Exhibit.	<del> </del>				
3 End Offic	ice and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop	port network e	ements excer	t for UNE	Coin Port/Lo	op Combinat	ions.		
															A	
	and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combi	os, the nonrect	irring charges	shall be those	identified in t	ne Nonrecu	rring - Curr	ently Combin	ed sections.	Additional NE	Cs may
apply also	and are categorized accordingly.		41-1-4			VI A with a second					,			,		
5. Market F	Rates for Unbundled Centrex Port/Loop Combination will	be nego	tiated	on an individual Ca	se Basis, un	ti turther notic	е,		ļ			ļ			ļ	
UNE-P CEN	NTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<del> </del>	-		<del> </del>				<b> </b>		<del></del>	<del> </del>				<del> </del>
2-Wire VG	Loop/2-Wire Voice Grade Port (Centrex) Combo		_									<del> </del>			·	
UNE Port/L	oop Combination Rates (Non-Design) Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-				-						<del> </del>					
2-W	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - n-Design		1	UEP91	ì	10.94			į i		1		i	I		1 .
2.14	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02.0.		10.04						<del> </del>				
	n-Design		2	UEP91	1	15,05			i '		1	l		1	1	1
12-14	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	n-Design	l	3	UEP91		25.80										İ
	oop Combination Rates (Design)		1		1							1				
2-W	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -											i				
Des	slan		1	UEP91		13.41			[					ţ	ļ	ţ
2-W Des	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		18.57										
2-W	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1	1				
Des	sign		3_	UEP91	l	32.04					i	<u> </u>				<u> </u>
UNE Loop	Rate															
	Vire Voice Grade Loop (SL 1) - Zone 1			UEP91	UECS1	9.77										1
	Vire Voice Grade Loop (SL 1) - Zone 2			UEP91	UECS1	13.88									<u></u>	
	Vire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP91 UEP91	UECS1 UECS2	24.63 12.24			<u> </u>		ļ		L		Į.	
2-W	Vire Voice Grade Loop (SL 2) - Zone 1			IUEP91	UECS2	17.40										
	Vire Voice Grade Loop (SL 2) - Zone 2 Vire Voice Grade Loop (SL 2) - Zone 3		2	UEP91	UECS2	30.87								<del></del> -	<b>!</b>	
UNE Ports			-	021 37	01.002	30.01					<del></del>		<del>                                     </del>			
	Except North Carolina and Sout Carolina)		1									-			i-	
	Vire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37	<del>                                     </del>	11.90				ŀ
	Vire Voice Grade Port (Centrex 800 termination)Basic Local		1												ľ	
Area	a		1	UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37	1	11 90			l	
2-W	Vire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Area				UEP91	UEPYH	1,17	53,31	26.46	27.50	8.37		11.90		ĺ		
	Vire Voice Grade Port (Centrex from diff Serving Wire inter)2 Basic Local Area			UEP91	UEPYM	1,17	139,49	86,10	65.41	13.81		11.90				
	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service m - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		11,90				
	Vire Voice Grade Port terminated in on Megalink or equivalent						105.45	00.10	00.41	10.01		11,90				
	asic Local Area		(	UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37	1	11,90				1
2-W	Vire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	1,17	53.31	26.46	27.50	8.37		11,90				
	nd Florida Only			00.01	J_1 12	1.1/	00.01	20.46	27.50	0.37		11,90				
	Vire Voice Grade Port (Centrex )			UEP91	UEPHA	1,17	53.31	26.46	27.50	8.37	<del> </del>	11.90				
	Vire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		11,90				
	Vire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1,17	53.31	26.46	27.50	8,37	<del> </del>	11,90				
2-W	Vire Voice Grade Port (Centrex from diff Serving Wire nter)2			UEP91	UEPHM	1,17	139.49	86.10	65.41	13.81		11,90				
	Vire Voice Grade Port, Diff Serving Wire Center - 800 Service					11.77	7007-10	00.70	00.41	10,01		11,30				
1 4-44	THE THIS CLASS COLUMN COLLING THE COLLEGE COO COLUMN			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81	i	11.90				

	<del></del>							***************************************						·			<del></del>
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
			-	-			Rec	Nonrec First	urring Add'i	Nonrecuming First	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
<del> </del>			-	-		<b>—</b>								- COMPANY			1
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		L.	UEP91	UEPH9	1,17	53.31	26.46	27.50	8.37		11.90				·
		2-Wire Voice Grade Port Terminated on 800 Service Term		<del>-</del>	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90			·	ļ
	Local S	witching Centrex Intercom Funtionality, per port		<del></del>	UEP91	URECS	0.7384						<del> </del>		-		<del></del>
	Local	lumber Portability		+-	DEF-91	OKLOG	0.7304					<del> </del>				-	<del> </del>
	LOCAL	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature	)S													1		
		All Standard Features Offered, per port		_	UEP91	UEPVF	2.26						11.90			<u> </u>	
		All Select Features Offered, per port		-	UEP91 UEP91	UEPVS	0.00 2.26	370.70					11.90				
	NATO	All Centrex Control Features Offered, per port			DEPSI	DEPVC	2.26						11.90				
	NARS	Unbundled Network Access Register - Combination	-	-	UEP91	UARCX	0.00	0.00	0.00			1	11.90	<del> </del>		<del> </del>	
		Unbundled Network Access Register - Combination			UEP91	UAR1X	0.00	0.00	0.00			1	11.90	<del>                                     </del>		<del></del>	
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
		aneous Terminations															
	2-Wire	Trunk Side		-		1051113				ļ							
		Trunk Side Terminations, each			UEP91	CENA6	8.73						ļ		ļ	ļ	
	Interof	fice Channel Mileage - 2-Wire			UEP91	M1GBC	25.32										
		Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	<del> </del>	+	UEP91	M1GBM	0.0091					<del> </del>				<del>}</del>	-
	Eastur	Activations (DS0) Centrex Loops on Channelized DS1 Service	.e	<del> </del>	100.01	III. ODIII	0.000.				<del> </del>	<del> </del>	<del> </del>	<del></del>	-		<del> </del>
<del></del>	D4 Cha	nnel Bank Feature Activations	Ī	$\overline{}$	1										<del> </del>		
	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	ļ	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot		<del> </del>	UEP91	1PQWA	0.66		· · · · · · · · · · · · · · · · · · ·				<del> </del>			1	
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															-
		Conversion - Currently Combined Switch-As-Is with allowed										T			1		
	<u> </u>	changes, per port		-	UEP91	USAC2		21,50	8.42	ļ			11,90				·
		Conversion of Existing Centrex Common Block		-	UEP91	M1ACS	0.00	5,17 618.82	8.32				11.90				
		New Centrex Standard Common Block New Centrex Customized Common Block			UEP91	MIACS	0.00	618.82		<del></del>			11.90				
		Secondary Block, per Block	-	-	UEP91	M2CC1	0.00	71.31					11.90		<del> </del>	<del></del>	<del> </del>
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48		<del> </del>	<del> </del>	<del> </del>	11.90		<del> </del>	<del> </del>	<del> </del>
		CENTREX - 5ESS (Valid in All States)														<del> </del>	<u> </u>
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo														1	1
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP95		10.94			<u> </u>							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		25.80										
	I ILIE D	ordinan Combination Potes (Design)	-	-	-				<u> </u>	-		-	-		1		
	<u> </u>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP95		13.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	_	2	UEP95		18,57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		l			}							

BUNDLED N	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
EGORY	RATE ELEMENTS	Interi —	Zone	BCS	Usoc			RATES(\$)			Submitted	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
			<del>                                     </del>	<del></del>		Rec	First	Add'I	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop	Rate															
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77			-							
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88									1	
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										ļ
	Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										-
12-V	Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17,40									†	
	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UÉCS2	30.87										
UNE Port	Rate															
All States			1												1	
2-1	Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.17	53,31	26.46	27.50	8,37		11.90				
2-1	Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1,17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1											
Are	ea			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire Voice Grade Port (Centrex from diff Serving Wire															
Ce	enter)2 Basic Local Area		ļ	UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90			<u> </u>	
2-1	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		-												1	
	erm - Basic Local Area		<u> </u>	UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
2-\	Wire Voice Grade Port terminated in on Megalink or equivalent				- 1	1									1	
- B	Basic Local Area		<u> </u>	UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
2-1	Wire Voice Grade Port Terminated on 800 Service Term -		į						[							
	asic Local Area		1	UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
	A, MS, SC, & TN Only															
FL & GA C			<u> </u>													
	Wire Voice Grade Port (Centrex )		<u> </u>	UEP95	UEPHA	1,17	53.31	26.46	27.50	8.37		11.90				
	Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90		1		
	Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8,37		11.90				
	Wire Voice Grade Port (Centrex from diff Serving Wire	[	1		1 1											
	enter)2			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90	<u>.</u>	l		<u> </u>
	Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		ì						ll					(		
Tei	ım		<b>!</b>	UEP95	UEPHZ	1.17	139,49	86.10	65.41	13.81		11.90			<u> </u>	
1 1		1							11							1
	Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP95	UEPH9	1,17	53.31	26.46	27.50	8.37		11.90				
	Wire Voice Grade Port Terminated on 800 Service Term		<b>_</b>	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Local Swit		<u> </u>	<del> </del>	UEP95	URECS	0.7004								ļ <u>.</u>	ļ	<u> </u>
	entrex Intercom Funtionality, per port		-	105795	URECS	0.7384										
	nber Portability cal Number Portability (1 per port)		<del> </del>	UEP95	LNPCC	0.35										
Features	cal Number Portability (1 per port)		├	UCF 93	ENPCC	0.35										<u> </u>
	Standard Features Offered, per port			UEP95	UEPVF	2.26		···	ļ						ł	
	Select Features Offered, per port			UEP95	UEPVS	0.00	370,70		<del>  </del>			44.00		ļ <u>.</u>	<u> </u>	ļ
	Centrex Control Features Offered, per port		<del> </del>	UEP95	UEPVC	2.26	370,70		<del></del>			11,90			ļ	
NARS	Centrex Control 1 eateres Citeres, por port		<del>                                     </del>	100,00	1021 40	2.20			<del></del>						ļ	
	bundled Network Access Register - Combination		<del> </del>	UEP95	UARCX	0.00	0.00	0.00	<del></del>			11,90		<del> </del>		
	bundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00						ļ	-	
	bundled Network Access Register - Outdial	<del></del>	<del> </del>	UEP95	UAROX	0.00	0.00	0.00				11,90 11,90				
	eous Terminations			100,00	- CANTON	0.00	0,00	0.00				11.90		<del> </del>	<del> </del>	
2-Wire Tru			<del></del>		<del>-  </del>									<del></del>		
	unk Side Terminations, each		<del> </del>	UEP95	CEND6	8.73									<del> </del>	
	pital (1.544 Megabits)				72,53								· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del> </del>	
	S1 Circuit Terminations, each			UEP95	M1HD1	54.95								<del> </del>	<del> </del>	
	60 Channels Activated, each			UEP95	M1HDO	0.00	15.69			•		11.90				
	Channel Mlleage - 2-Wire			T				······				11.50		<del> </del>	<del> </del>	
	eroffice Channel Facilities Termination			UEP95	MIGBC	25.32								<del> </del>	<del></del>	
	eroffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	0												<del></del>		
	el Bank Feature Activations							· · · · · · · · · · · · · · · · · · ·							<del> </del>	<del> </del>
	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
						1										
	ature Activation on D-4 Channel Bank FX line Side Loop Slot		l .	UEP95	1PQW6	0.66								1		1



	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
EGORY	RATE ELEMENTS	Interl	Zone	BCS	usoc			RATES(\$)	-		Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge · Manual Svc	Incremental Charge -	incremen Charge Manual S
		m									perLSR	per LSR	Order vs. Electronic- 1st	Order vs Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
						Rec		urring		g Disconnect				Rates(\$)		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		-	<del> </del>			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Slot .			UEP95	1PQW7	0.66				!						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Footbase Authorities on D. / Observal Book Driver 11: 1										<del> </del>					
	Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWV	0.66					l i					
	Slot		1	UEP95	1,0000	0.00										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del> </del>		UEP95	1PQWQ 1PQWA	0.66										
	curring Charges (NRC) Associated with UNE-P Centrex			021 00	III	0.66										
	NRC Conversion Currently Combined Switch-As-Is with allowed							<del></del>								
	changes, per port			UEP95	USAC2	0.00	21.50	8.42				44.55				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	0.00	5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP95	MIACS	0.00	618.82	0.02				11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48				<del> </del>	11.90				
	CENTREX - DMS100 (Valid in All States)											17.50				
LINE DO	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design)			<u> </u>												
UNEFO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		10.94										
. i	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		15.05										
	Non-Design		3	UEP9D	1 1	25.80	i									
	rt/Loop Combination Rates (Design)			02.00		25.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32.04							-			
UNE Lo																
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	9.77	-									
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	13.88			-							
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D UEP9D	UECS2	17.40										
UNE Por			3-1	DEP9D	UECS2	30.87										
ALL STA					<del></del>								-			
1	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17										
/	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1,17	53.31	26.46	27.50			11.90				
A	P-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26,46	27.50	8.37		11.90				
A	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26,46	27.50 27.50	8.37		11,90				
Α	P-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Grea			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8,37		11.90				
A	-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local trea			UEP9D	UEPYF	1,17	53.31	26.46	27.50	8.37 8.37		11,90				
A	-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local vea			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90				
.l  A	-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			JEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				
	-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local grea			JEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	blt: C
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge- Manual Svc Order vs. Electron c- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1,17	53,31	26,46	27.50	8.37		11.90	1	<del></del>		
	2-Wiro Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1,17	53,31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53,31	26.46	27.50	8.37		11.90				
-	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27,50	8.37		11,90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UËPYM	1,17	53.31	26.46	27.50	8.37		11,90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1,17	139.49	86.10	65.41	13.81		11.90	<u> </u>			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area		<b>.</b>	UEP9D	UEPYS	1.17	139,49	86,10	65,41	13,81		11,90		·		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1,17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81		11.90		ļ		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.17	139,49	86.10	65.41	13,81		11.90			<b> </b>	ļ <u>.</u>
	2-Wire Voice Grade Port (Centrexonnel SWC /2BS-NUST0)2, 3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1,17	139.49	86,10	65.41	13.81		11.90				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90			<u> </u>	
	Pasic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				-
- 151 0	Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27,50	8.37		11.90				
FL &	GA Only  2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8,37	<del></del>	11.90	<del> </del>			ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1,17	53.31	26.46	27.50	8.37		11.90			<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17	53.31	26,46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5318)3			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
İ	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			,												
	Indication)3			UEP9D	UEPHW	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8,37		11.90				
<del></del>	2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		-	UEP9D	UEPHO	1,17	139.49	86.10	65.41	13.81	-	11.90			}	
					_										<u> </u>	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1,17	139,49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		!	IUEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81		11.90	\ <u></u>	<u> </u>	<u> </u>	L

NBONDLED NET	TWORK ELEMENTS - Florida	· · · · ·				-							Attachment:	2	Exhi	blt: C
į		1 1	i								Svc Order				Incremental	Increme
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge-	Charge -	Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	L	<u> </u>
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2 Wire	Voice Grade Port (Centrewdiffer SWC /EBS-M5112)2, 3	1	- 1.	LIEDOD												
2-44116	Voice Glade Folt (Centrewdiller SWC /EBS-MST12)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65,41	13.81		11.90				
2-Wire	Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	4.13			!							
	1500 5100 7 01 (5511 510 110 170 7250 1100 12)2, 5			OLF 3D	UEFRO	1.17	139.49	86.10	65.41	13.81	<u> </u>	11.90				
2-Wire	Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		į,	UEP9D	UEPH4	1.17	139,49	86.10	65.41	13.81	1					
						1.17	155,45	00.10	65.41	13.81		11.90				
2-Wire	Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		- 1	UEP9D	UEPH5	1,17	139,49	86.10	65.41	13.81		11.90				
										13.01		11.90		<del></del>		ļ
2-Wire	Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86,10	65.41	13,81	ļ	11.90				
\ \										,,,,,		71.50				
	Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		!	UEP9D	UEPH7	1.17	139.49	86,10	65,41	13.81		11.90				
	Voice Grade Port, Diff Serving Wire Center - 800 Service									***						
Term				UEP9D	UEPHZ	1.17	139,49	86.10	65.41	13.81		11,90				
2 10/100	Vaina Crada Bart terminated in au Manadiali accessions			UEDOB												
	Voice Grade Port terminated in on Megalink or equivalent Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH9	1,17	53.31	26.46	27.50	8.37		11.90				
Local Switchin				UEP9D	UEPH2	1,17	53.31	26.46	27.50	8.37		11.90				
Control	x Intercom Funtionality, per port	-		UEP9D												
Local Number	Portability			DEPAD	URECS	0.7384										
	Number Portability (1 per port)			UEP9D	LNPCC	0.00										
Features	tumber r citability (1 per port)			UEP9U	LNPCC	0.35			L							
	ndard Features Offered, per port			JEP9D	UEPVF	2.55										
	ect Features Offered, per port			JEP9D	UEPVS	2.26	272.72					i				
	ntrex Control Features Offered, per port			JEP9D	UEPVC	2.26	370.70	<del></del> -				11.90				
NARS	,			02.00	1021 10	2.20										
Unbund	dled Network Access Register - Combination		- 10	JEP9D	UARCX	0.00	0.00	0.00								
	dled Network Access Register - Inward			JEP9D	UAR1X	0.00	0.00	0.00				11,90				
Unbund	dled Network Access Register - Outdial			JEP9D	UAROX	0.00	0.00	0.00				11.90				
	Terminations					0.00	0.00	0.00				11.90				
2-Wire Trunk S																
	Side Terminations, each		Ļ	JEP9D	CEND6	8.73										
	(1.544 Megabits)															
	rcuit Terminations, each			JEP9D	M1HD1	54.95										
	nannels Activiated per Channel		L	JEP9D	M1HDQ	0.00	15.69					11.90				
	annel Mileage - 2-Wire											11.50				
Interoni	ice Channel Facilities Termination			JEP9D	MIGBC	25.32										
Feature Activat	ice Channel mileage, per mile or fraction of mile tions (DS0) Centrex Loops on Channelized DS1 Service			JEP9D	MIGBM	0.0091										
D4 Channel Ba	ank Feature Activations															
Feature	Activation on D-4 Channel Bank Centrex Loop Slot	<del>-</del> -	<del>  </del> -	JEP9D	1PQWS	0.00										
	2000 0101			) LI 3D	IFUVVS	0.66										
Feature	Activation on D-4 Channel Bank FX line Side Loop Slot		lı.	JEP9D	1PQW6	0.66										
Feature	Activation on D-4 Channel Bank FX Trunk Side Loop					0.00										
Slot			u	JEP9D	1PQW7	0.66										
	Activation on D-4 Channel Bank Centrex Loop Slot -					0.00										
Differen	t Wire Center		U	JEP9D	1PQWP	0.66		1	1			1		j		
Feature	Activation on D-4 Channel Bank Private Line Loop Stot		U	EP9D	1PQWV	0.66										
Feature	Activation on D-4 Channel Bank Tjie Line/Trunk Loop			-												
Slot	And the second s			JEP9D	1PQWQ	0.66										
	Activation on D-4 Channel Bank WATS Loop Slot		Ų	EP9D	1PQWA	0.66										
	Charges (NRC) Associated with UNE-P Centrex										-					
	onversion Currently Combined Switch-As-Is with allowed s, per port															
	s, per port sion of existing Centrex Common Block, each			EP9D	USAC2		21.50	8.42				11.90				
	intrex Standard Common Block, each			EP9D	USACN		5.17	8.32				11.90				
	ntrex Customized Common Block			EP9D	M1ACS	0.00	618.82					11.90				
	tablishment Charge, Per Occasion			EP9D	M1ACC	0.00	618.82					11.90			-	
JUNE ES	raphormonic Charge, ner Occasion		IU	EP9D	URECA	0.00	66.48					11.90				



DUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Evhl	bit: C
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
EGORY	RATE ELEMENTS	Interi	Zone	BCS	Linea						Elec	Submitted Manually		Charge- Manual Svc	Charge - Manual Svc	Charg
20011	NATE ELEMENTS	m	20118	EC3	usoc			RATES(\$)			perLSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs, Electronic- Disc 1st	Order S Electron
						D	Nonre	curring	Nonrecurring	Disconnect	<del> </del>			Rates(\$)	0.30 131	Disc Ac
						Rec	First	Add'l	First	Add'!	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				1								00/////	BOILIAII	SOWAN	SUMA
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)		ļ													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -							1								
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	LIEBOE												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E		15.05					L					1 .
i	Non-Design		3	UEP9E		05.00		1								
UNE P	ort/Loop Combination Rates (Design)			UEF9E		25.80			-							L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		13.41										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.41										
	Design		2	UEP9E		18,57					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		32.04										i
	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	ort Rate															
AL, FL	KY, LA, MS, & TN only															
	2-Wire Volce Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11,90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   Term - Basic Local Area			U.E.D.O.E.								11.90				
				UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Florida																
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1,17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPHH	1.17	53,31	26.46	27.50	8.37		11.90				
	Center)2			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11,90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.52							
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50 27.50	8.37		11.90				
	witching				JEI HE	1.17	55.51	20.46	27.50	8.37		11.90				
	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.7384										
	umber Portability				1	5.7004										
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					-					
Feature	9					5.50										
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			JEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			JEP9E	UEPVC	2.26	5.5.76					11.90				
NARS	Unbundled Network Access Register - Combination					í										

UNBUND	LED	NETWORK ELEMENTS - Florida												Attachment:			ibit: C
CATEGORY	Y	RATE ELEMENTS	interi m	Zone	BCS	USOC							Submitted	Manual Syc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sy Order vs.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
						ļ.,,,,,,,		First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ļŪ	Inbundled Network Access Register - Indial	<u> </u>	<u> </u>	UEP9E	UAR1X	0.00	0.00	0.00				11.90				
		Inbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				<del> </del>
		neous Terminations	<u> </u>	ļ						<u></u>			ļ		<u> </u>	ļ <u>.                                    </u>	<b></b>
2-W		runk Side			WEBSE .		0.70										-
		runk Side Terminations, each	ļ		UEP9E	CEND6	8.73					<u> </u>					<del>+</del>
4-W		igital (1.544 Megabits)	ļ	<del> </del>	UEP9E	M1HD1	54.95						ļ		<del></del>	<del> </del>	
		OS1 Circuit Terminations, each			UEP9E	M1HDO	0.00	15.69				<del> </del>	11.90		<del></del>	<del></del>	<del> </del>
l		DS0 Channel Activated Per Channel			UEF9E	WITHOU	0.00	15.05		<del> </del>		<del> </del>	11.30			<del> </del>	
Inte		ce Channel Mileage - 2-Wire	<del> </del>	<del> </del>	UEP9E	MIGBC	25.32				<u> </u>		<del></del>		<del> </del>	<del> </del>	<del> </del>
		nteroffice Channel Facilities Termination	<del></del>		UEP9E	MIGBM	0.0091								<del> </del>	<del></del>	<del></del>
	ir	nteroffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Service		-	Dur se	IVIIGDIVI	0.0091										<del> </del>
Fea	Ch.	Activations (DSI) Centrex Loops on Channelized DS1 Service	-	-		+								-			
D4		rei Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9E	1PQWS	0.66		·						<del></del>	-	1
		earnie Workation ou n-4 Culautier Bank Ceutiex Foob 2101			OLF BE	IF QVV3	0.06			<del> </del>		<del>                                     </del>				<del></del>	<del></del>
	F	eature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP9E	1PQW6	0.66										-
	s	eature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
		eature Activation on D-4 Channel Bank Centrex Loop Slot - offerent Wire Center			UEP9E	1PQWP	0,66									ļ	
		eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	s	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66										
		eature Activation on D-4 Channel Bank WATS Loop Slot	ļ	-	UEP9E	1PQWA	0.66									ļ	-
Nor		urring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	ļ									L				
		RC Conversion Currently Combined Switch-As-Is with allowed changes, per port		}	UEP9E	USAC2		21.50	8.42	1			11.90		]		
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block	<del> </del>		UEP9E	MIACS	0.00	618.82		1			11.90				1
		New Centrex Customized Common Block			UEP9E	MIACC	0.00	618.82					11.90			1	
	1	AR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
Not	te 1 -	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		1												T	
Not	te 2 -	Regures Interoffice Channel Mileage		1			1									T	1
		Requires Specific Customer Premises Equipment															1
UNBUNDLE	ED CE	NTREX PORT/LOOP COMBINATIONS - MARKET RATES		]													
11. N	Market	Rates are applied where BellSouth is not required by FCC:					ndled Local Sv	itching or Swi	tch Ports.			-				<del> </del>	<del>†                                      </del>
2. R	Recur	ring Charges for all Standard Centrex and Centrex Conrol Fe	atures	are Inc	luded in the Marke	t Rate											
3. E	nd O	ffice and Tandem Switching Usage and Common Transport	Usage	rates ir	the Port section o	f this rate exh	ibit shall apply	to all combina	tions of loop	port network el	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		st and additional Port nonrecurring charges apply to Not Cu so and are categorized accordingly.	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ntly Combine	ed sections.	Additional NF	Cs may
i i Mi	F.P.C	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)											·			T
2-14	lire V	G Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
11111	F Por	t/Loop Combination Rates (Non-Design)				1										l	<b>—</b>
Olar	12	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													<del> </del>
1		Ion-Design	i	1	UEP91		26.94							l			l
	2	-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- ton-Design		2	UEP91		31.06										
<del> </del>	Ž	con-Design		3	UEP91		45.87						-				
TIME		t/Loop Combination Rates (Design)		1													1
	2	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			UEP91		29.36		·								
		Design Wire VG Loop/Z-Wire Voice Grade Port (Centrex)Port Combo -		<del></del>	92. 91	1	20.00		·				<del></del>				<del>                                     </del>
	D	esign -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		34.43					ļ					<b>_</b>
	D	p Rate		3	UEP91		50.68										



UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCŞ	USOC	i		RATES(\$)			Elec per LSR		Manual Svc Order vs. Electronic- 1st	Manual Svs Order vs. Electronic Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
	,	1	1 1		[	Rec	Nonrec		Nonrecurring		[			Rates(\$)	-	
	<i>t</i> : •		1 :		· •	1	First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>		UEP91	UECS1	17.06								,		
	2-Wire Voice Grade Loop (SL 1) - Zone 3	<b>}</b>		UEP91	UECS1	31.87					,	,		1		· · · · · · · · · · · · · · · · · · ·
i .	2-Wire Voice Grade Loop (SL 2) - Zone 1	<b></b> _		UEP91	UECS2	15.36	ļ				: *				·	·
·	2-Wire Voice Grade Loop (SL 2) - Zone 2	ļ		UEP91 UEP91	UECS2	20.43	ē		e e	,	r	e	c	,	r — —	· —
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68			r - F		ī		r	į		
Ali Sta	tes (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex ) Basic Local Area	; <u>                                      </u>	 	UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00	; [	, [11,90		<i>i</i> ,	r *	· —
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	•			•		,									*
	Area	ļ		UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00	ļ	11.90		,		
. 10	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPYH	14,00	70.00	35,00	35.00	10.00		11.90	r	,	· — - —	,····
e	Center)2 Basic Local Area  2-Wire Voice Grade Port. Diff Serving Wire Center - 800 Service			UEP91	UEPYM	14.00	180.00	110,00	85.00	20.00		11.90	ē ·		r	e.
	Ferm - Basic Local Area			UEP91	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	<sup>2</sup> -Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90			r	
,	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90	,	,		
seorgi	a and Florida Only	<del></del>	<del>  </del>	UEP91	UEPHA	14.00	70.00	35.00		10.00	ļ	<del> </del>	F	,		
,	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14.00	70.00	35.00	35.00 35.00	10.00 10.00		11.90	e .	e .	e i	
. ,.	2-Wire Voice Grade Port (Centrex with Caller ID)1	<del>                                     </del>		JEP91	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90	r	r	<del></del>	
*	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del> </del>	<del></del>	00, 01	104.1111	14.00	70.00	33.00	35.00	10.00	ļ	11.90	•	r	ė	
	Center)2   2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del> </del>		UEP91	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90	ļ			
	Term	ļ		UEP91	UEPHZ	14.00	180,00	110.00	85.00	20.00		11.90		ļ	ļ	
ļ	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00	!	11.90				•
<del></del>	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	14.00	70.00	35.00	35.00	10,00		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Local	Number Portability	<del>  </del>														
Featur				UEP91	LNPCC	0.35										
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						11.90				
	All Select Features Offered, per port	ļ		UEP91	UEPVS	0.00	370.70					11.90				
NAMO	All Centrex Control Features Offered, per port	<del> </del>		UEP91	UEPVC	0.00			-			11.90				
NARS	Unbundled Network Access Register - Combination	-		UEP91	UARCX	0.00	0.00	0.00	<del> </del>			11.90				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				ļ
	Unbundled Network Access Register - Outdial	<del> </del>		UEP91	UAROX	0.00	0.00	0.00	· · · · · · · · · · · · · · · · · · ·			11.90				
Miscel	laneous Terminations						3.50	0.00				11.50				
	Trunk Side															
	Trunk Side Terminations, each			JEP91	CENA6	8.81							- <del> </del>			
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			JEP91 JEP91	M1GBC	25.32										
Factor	Interoffice Channel mileage, per mile or fraction of mile a Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	M1GBM	0.0091										
	e Activations (DSU) Centrex Loops on Channelized DS1 Service	1				-					-					
D4 GH	Feature Activation on D-4 Channel Bank Centrex Loop Slot			JEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			JEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			JEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			JEP91	1PQWP	0.66										

ADVIANTE	D NETWORK ELEMENTS - Florida										leus Com	Sun Cod	Attachment:			ibit: C
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge- Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vi
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>	ļ	UEP91	1PQWV	0.66										<u> </u>
	Stot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66			1						ļ	
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex												1			
	Conversion - Currently Combined Switch-As-Is with allowed			<u> </u>									1			
	changes, per port			UEP91	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Black		<u> </u>	UEP91	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00 1	618.82					11.90				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82		ļ			11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31		<del></del>	ļ	ļ	11.90				
_	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48		ļ		ļ	11.90				-
UNE-P	CENTREX - 5ESS (Valid in All States)									-	·		<b> </b>		}	1
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<del> </del> -							<del></del>	-				ļ	
UNEP	ort/Loop Combination Rates (Non-Design)  [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-								ļ <u>.</u>				ļ			
	Non-Design		1_	UEP95		26.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		31.06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		45.87										
UNEP	Port/Loop Combination Rates (Design)			1						<del> </del>	<del> </del>		-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP95		29.36			<u> </u>							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		34.43										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP95		50.68				<u> </u>	1					-
LINET	Design oop Rate			UEP95		50.68				-			ļ			
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12,94			ļ		ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	17,06			<del> </del>	<del></del>	ļ-—i					<del> </del>
<del></del>	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	31.87			<del> </del>	<del> </del>	<del></del>		<del> </del>			
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	15.36			<del> </del>				<del> </del>			
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	20.43			<del> </del>	<del> </del>					<del> </del>	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68				-			<del> </del>			<del></del>
UNE P	ort Rate								1				<del> </del>			
All Sta									T				1			4
	2-Wire Voice Grade Port (Centrex.) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00						
AL, KY	C. LA. MS, SC, & TN Only					13.50	70.00	33.00	33,00	10.00		11.90				
	GA Only		-													
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	70.00	35.00				11.90				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00	-	11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90	1	-		

IBUNDLE	D NETWORK ELEMENTS - Florida			,									Attachment:			bit: C
TEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge- Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		L	<b></b>			Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1	1	1 1		. }		]							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				L
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00	Ĺ	11.90				
Local S	Switching	ļ	<u> </u>													
	Centrex Intercom Funtionality, per port		<u> </u>	UEP95	URECS	0.7384										
Local I	lumber Portability		ļ													<u> </u>
_	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										ļ
Feature				LIEBOG	115015						ļ	·				<del> </del>
	All Standard Features Offered, per port		<del> </del> -	UEP95	UEPVF	0.00								· · · · · · · · · · · · · · · · · · ·		<u> </u>
	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	370.70			·		11.90				
	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	0,00										
NARS		<u> </u>	<del> </del>	LIEBOS .												
	Unbundled Network Access Register - Combination		ļ	UEP95 UEP95	UARCX	0.00	0.00	0.00		······································		11.90				
	Unbundled Network Access Register - Indial	<del> </del>	<del> </del>		UAR1X	0.00	0.00	0.00		<del></del>		11.90				ļ
	Unbundled Network Access Register - Outdial	<del> </del>	<del> </del>	UEP95	UAROX	0.00	0,00	0,00				11.90				
	aneous Terminations		<del> </del>	<del> </del>												
Z-VVIFE	Trunk Side Trunk Side Terminations, each			UEP95	CEND6	8.81		<del></del>								
4 10/100			<del> </del>	101733	CENDO	0.01			<del> </del>			<del></del>			· · · · · · · · · · · · · · · · · · ·	
	Digital (1.544 Megabits) DS1 Circuit Terminations, each	<del> </del>	+-	UEP95	M1HD1	54.95							····			
	DS0 Channels Activated, each	<del> </del>	<del> </del> -	UEP95	M1HDO	0.00	15.69		<del> </del>			11.90				
Interes	fice Channel Mileage - 2-Wire	<del> </del>		OLF 83	WITTE	0.00	(3.09					11.90				
interoi	Interoffice Channel Facilities Termination	-	<del> </del>	UEP95	MIGBC	25.32										ļ
_	Interoffice Channel mileage, per mile or fraction of mile		<del> </del>	UEP95	MIGBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	<u> </u>	+	OEF 33	IVIIGEIVI	0.0091										
	nnel Bank Feature Activations	-	<del> </del>						<del> </del>							ļ
D4 C//6	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP95	1PQWS	0.66										
	realure Activation on D-4 Chainer Bank Centrex 200p Slot			OEF-90	IF QVV3	0.00				·						ļ
-	Loop Slot	1	-	UEP95	1PQW6	0.66	l									1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	_	-	1	17 3770	0.00										<del></del>
	Slot			UEP95	1PQW7	0.66										
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		_	100,00	11. 3.11	0.00		·····		<del></del>		<del> </del>				<del> </del>
	Different Wire Center	1	i i	UEP95	1PQWP	0.66			i .				•			
	7		-													<del></del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66	1		[							l
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop														· ,	
-	Slot	i		UEP95	1PQWQ [	0.66					į	1				(
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										· · · · · · · · · · · · · · · · · · ·
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			1									<del></del>	·		
	changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				1
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	66.48					11.90				
	CENTREX - DMS100 (Valid in All States)	l		ļ												
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1				Ţ.										
	Non-Design	ļ	1	UEP9D		26.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_											-		
	Non-Design		2	UEP9D		31.06			<u> </u>							L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		LIEDOD												
1	Non-Design	<u> </u>	3	UEP9D		45.87										
	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			ļ					L							
UNEF							- 1				7					
UNEF				LIEDOD	1	20.00	- 1				i					1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		. 1	UEP9D		29.36										

OMBUNDLE	D NETWORK ELEMENTS - Florida	,											Attachment:	2	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge Manual S/c Order vs. Electronis- Add'I	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge - Manual So Order vs Electronic Disc Add
						Rec	Nonred First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						1 // 3	Auui	11131	Addi	JOWEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Design		3	UEP9D		50.68										į
UNEL	oop Rate	ļ	<u> </u>		<u> </u>											
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	12.94			<u> </u>							
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17.06				1						
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	31.87					l					
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	15.36			<u> </u>							
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	20.43			ļ							
une e	2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP9D	UECS2	36.68			<u> </u>					·		
	ort Rate TATES															
ALL S	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.05				ļ	ļ				1	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	-		05590	UEPTA	14.00						11.90				
	Area			UEP9D	UEPYB	14.00	70.00	35.00	05.00	10.00		,				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	<del> </del>		GEF9D	UEPTB	14,00	70.00	35.00	35.00	10.00		11.90				
	Area	ļ		UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00		44.00			1	ì
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	<del>                                     </del>		00,00	- OLITO	14.00	70.00	35.00	35.00	10.00		11.90			ļ	
	Area			UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00		11,90			· ·	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local					14.00	70.00	33.00	33.00	10.00		11,90				ļ
	Area	İ	1	UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00	ļ	11.90			ł	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			00.00	- CEI 1E	14.00	70.00	30.00	35,00	10.00	ļ	11.90				
ı	Area			UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00	1	11.00			ĺ	
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	-		OLI OD	- OCT 11	14.00	7,0.00	35.00	35.00	10.00		11.90				ļ
ł	Area			UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90			1	[
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				- 02: 10	17.00	10.00	33.00	33.00	10.00		11.90				
1.	Area	İ	i i	UEP9D	UEPYT	14.00	70.00	35.00	35,00	10.00		11.90			ŀ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local				102:	(4.00	10.00	33.00	33,00	10.00		11.90			ļ	
1	Area			UEP9D	UEPYU	14.00	70.00	35.00	35.00	10.00		11.90				1
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				92, 73	11.00	70.00	33.00	33.00	10.00		11.90				ļ
ľ	Area			UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00		11.90			İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				100	11.00	70.00	33.00	33.00	10.00		11.90				ļ
1	Area	ŀ		UEP9D	UEPY3	14.00	70:00	.35.00	35.00	10.00	*	11.90			·	1
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				1 1	11.55	70.00	.55,00	33.00	10.00		11.90				
ŀ	Area			UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00		44.00				1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				102	14.00	70.00	33.00	35.00	10.00		11.90		<del></del>		
1	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	70.00	35.00	35.00	10,00		44.00		i		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3				102.77	14.00	70.00	33.00	33.00	10,00		11.90				
	Basic Local Area			UEP9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		44.00				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					14.00	70.00	33.00	30.00	10.00		11.90				<u> </u>
-	2 Basic Local Area	,		UEP9D	UEPYM	14.00	70,00	35.00	35.00	10.00		44.00				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3					14.00	70.00	33.00	33.00	10.00		11.90				<b></b>
	Basic Local Area			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		44.00				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3					11.00	70.00	33,00	33.00	10.00		11.90				<del> </del>
ŀ	Basic Local Area			UEP9D	UEPYP	14.00	70,00	35.00	35.00	10.00		44.00				ı
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3					7.100	10.00	30.00	33.50	10.00		11.90			<del></del>	<del> </del>
	Basic Local Area		. [	UEP9D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				1 .
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		-					1,0.00	00.00	20.00		71.90				<del> </del>
i	Basic Local Area			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11,90				Í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3								30,00	20.00		11,50				<b></b>
	Basic Local Area			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3									20.00		11.30				
	Basic Local Area			UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3									20.00		- 11.50				<del>                                     </del>
	Basic Local Area			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3						-			20.00		. 1,00				<del> </del>
	Basic Local Area			UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3											,50				
	Basic Local Area			UEP9D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				i

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
TEGORY	rate elements	interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Sys Order vs. Electronic- 1st	Charge- Manual Sys Order vs. Electronic- Add'I	Charge -	Charge
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1									]				
ļ	Term			UEP9D	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				į
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		[						1							
1	Basic Local Area			UEP9D	UEPY9	14.00	70.00	35.00	35.00	10.00	İ	11.90		i	!	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
1	Local Area			UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				1
FL & G	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	70.00	35.00	35.00	10,00	<del> </del>	11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14.00	70.00	35.00	35.00	10.00	<del></del>	11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	14.00	70.00	35.00	35.00	10,00		11.90				
				UEP9D	UEPHE	14.00										
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3						70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3				UEPHG		70.00	35.00		10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	70.00	35.00		10,00		11.90				L
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	14.00	70.00	35.00		10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Calter ID)			UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
}	22-VIII VOICE GIADS FOIT (CERTICAL TOTAL CERTING TIME SOLITOR)			UEP9D	UEPHM 1	14.00	180.00	110.00	85.00	20.00		11.90				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	180,00	110.00	85.00	20.00		11.90				<del> </del>
	2-Wire Voice Grade Port (Centrewdiner GWC /203-POE1)2, 3			OLIPO	021110	14.00	100,00	110.00	45.00	20.00		11.50				<del></del>
i	THE REPORT OF THE PROPERTY OF		1	UEP9D	UEPHP	14.00	100.00	110.00	85.00	20.00	!	14.00				)
	2-Wire Volce Grade Port (Centrex/differ SWC /EBS-M5009)2, 3						180.00	110.00		20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		L	UEP9D	UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
1									!							1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
			1 1		1											1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	180.00	110.00	85.00	20.00		11.90				<u></u>
											1		1			1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	180.00	110.00	85.00	20.00		11,90				1
			- 1													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	180.00	110:00	85.00	20.00		11,90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				l
	Z THIC TOLOGO CIACO I STILLONIA				-							1				
) '	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	j		UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90	1	1		i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.30	1021711		700.00		00.00	20.00		11.00				
			١.	UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90			ļ	į.
	Term			UEF9U	UEPHZ	14.00	180.00	110.00	65.00	20.00		11.50				
1 1		į į	l L	.====	Lummun I				/		' /		- 1	- 1	- 1	l
	Z-Wire Voice Grade Port terminated in on Megalink or equivalent			JEP9D	UEPH9	14.00	70.00	35.00	35.00	10.00		11,90				
	2-Wire Voice Grade Port Terminated on 800 Service Term		!١	JEP9D	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local S	witching															
	Centrex Intercom Funtionality, per port		1	JEP9D	URECS	0.7384										
Local N	umber Portability															
1	Local Number Portability (1 per port)			JEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port		11	JEP9D	UEPVF	0.00										
	All Select Features Offered, per port			JEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			JEP9D	UEPVC	0.00										
	All Centrex Control relations Officially, per port															
NARS	Manual Manual Assess Buglates Combination			JEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Combination			JEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Inward			JEP9D	UAROX	0.00	0.00	0.00				11.90				V
	Unbundled Network Access Register - Outdial			JE: 3D	UNITON	0.00	0.00	9.00								
	aneous Terminations															

Patrix   P				Attachmen	nt: 2	Exh	iblt: C
Trunk Side Terminations, each	Submitt Elec per LS	Elec		ly Manual Sv	Manual Svo	Order vs.	Charge Manual S Order vs Electroni Disc Add
Tubis Soft Terminations each					SS Rates(\$)		-
A-Wire Digital (1,544 Magabilis)	1 SOME	SOME	MEC SOMAN	N SOMAN	SOMAN	SOMAN	SOMAN
DST Circuit Terminations, each   UEPPD MH1DD 0,00 15.59							
DSC Channers Activitied per Channel   Interoffice Channel Miseage - Wilfe   Interoffice Channel Facilities   Termination   UEP90   Miseage   Mis							
Interoffice Channel Rullege - 2-Wire   UEPPO MIGSC   25.32							
Interoffice Channel Facilities Termination   UEPPO MIGSC   25.32			11.9	90		1	
Interoffice Channel miseage, per mile of fraction of mile							
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service   D4 Channel Bank Feature Activations   D51 Channel Bank Feature Activations on D4 Channel Bank Feature Activation on D4 Channel Bank Feature Activation on D4 Channel Bank FX Trunk Side Loop   UEP90   1PQWS   0.66							
Deckmane  Bank Feature Activations   Deckmane  Bank Centrex  Loop Stot   UEP9D   1PQWS   0.66							
Feature Activation on D-4 Channel Bank FX fine Side Loop Side   UEP90   1PQW8   0.66		<u> </u>				J	
Feature Activation on D-4 Channel Bank FX Inine Side Loop Stot   UEPBO		1			_		
Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEPBD   IPDW7   0.66							
Feature Activation on D-4 Channel Bank Centrex Loop Stot	i	i			-		
Slot							
Feature Advancion on O-4 Channel Bank Private Line Loop Slot   UEPBD   1PQWP   0.65							
Different Wire Center		-					
Feature Activation on D-4 Channel Bank Private Line Loop Stot   UEP90   1POWV   0.66			1	į			1
Feature Activation on D-4 Channel Bank Tijo Line/Trunk Loop   UEP9D   1PQWQ   0.68							
Feature Activation on D-4 Channel Bank Tijo Line/Trunk Loop   UEP9D   1PQWQ   0.68	i	i					
Stot							
Feature Activation on D-4 Channet Bank WATS Loop Slot   UEP9D   1PQWA   0.66	1	}		1	}		
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   NRC Conversion of south of Charges, per port   UEP9D USAC2   21,50   8,42   Charges, per port   UEP9D USAC2   21,50   8,42   Charges, per port   UEP9D USAC3   New Centrex Standard Common Block   UEP9D USAC5   New Centrex Standard Common Block   UEP9D MIAC5   0,00   618,82   New Centrex Customized Common Block   UEP9D MIAC5   0,00   618,82   New Centrex Customized Common Block   UEP9D MIAC5   0,00   618,82   New Centrex Customized Common Block   UEP9D MIAC5   0,00   618,82   New Centrex Customized Common Block   UEP9D MIAC5   0,00   66,48   UEP9D MIAC5   0,00							L
NRC Conversion Currently Cambined Switch-As-Is with allowed changes, per port   UEPBD							<u> </u>
Changes, per port							
Conversion of existing Centrex Common Block, each   UEP9D   USACN   5.17   8.32	i	i		i	İ		
New Centrex Standard Common Block			11.9				<u> </u>
New Centrex Customized Common Block   UEP9D   MIACC   0.00   618.82     NAR Establishment Charge, Per Occasion   UEP9D   URECA   0.00   66.48     UNEP CENTREX - EWSD (Valid in AL, FL. KY, LA, MS & TN)     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Combo   UNEP OrtLoop Combination Rates (Non-Design   1 UEP9E   26.94     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   2 UEP9E   31.06     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   2 UEP9E   31.06     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   2 UEP9E   45.87     UNEP Ort/Loop Combination Rates (Design)   1 UEP9E   29.36     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Design   1 UEP9E   29.36     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   2 UEP9E   34.43     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Design   3 UEP9E   34.43     Z-Wire VG Loop/Z-Wire Voice Grade Port (Centrex) Port Combo   Design   3 UEP9E   50.68     UNELoop Rate   2 UEP9E   34.43   2 UEP9E   34.43     Z-Wire Voice Grade Loop (SL 1) - Zone 1   1 UEP9E   UECS1   17.06     Z-Wire Voice Grade Loop (SL 1) - Zone 2   2 UEP9E   UECS1   31.87     Z-Wire Voice Grade Loop (SL 1) - Zone 3   3 UEP9E   UECS1   31.87     Z-Wire Voice Grade Loop (SL 2) - Zone 2   UEP9E   UECS2   20.43     Z-Wire Voice Grade Loop (SL 2) - Zone 2   UEP9E   UECS2   20.43     Z-Wire Voice Grade Loop (SL 2) - Zone 2   UEP9E   UECS2   20.43     Z-Wire Voice Grade Loop (SL 2) - Zone 3   UEP9E   UECS2   36.68     UNE Port Rate   AL, FL, KY, LA, MS, & TN only   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     UNE Port Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     UNE Port Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     UNE Port Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00			11,9				
NAR Establishment Charge, Per Occasion			11.9				İ
UNE-P CENTREX - EWSD (Valid in AL, FL. KY, LA, MS & TN)			11.9				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo   UNE Port/Loop Combination Rates (Non-Design   1 UEP9E   26,94		-	11.90	10			
UNE Port/Loop Combination Rates (Non-Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   3   UEP9E   31.06     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Non-Design   3   UEP9E   45.87     31.06     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Design   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   1   UEP9E   29.36     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   2   UEP9E   34.43   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   2   UEP9E   34.43   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   2   UEP9E   50.68   UNE Loop Rate   2-Wire Voice Grade Loop (St. 1) - Zone 1   1   UEP9E   UECS1   12.94   2-Wire Voice Grade Loop (St. 1) - Zone 2   2   UEP9E   UECS1   17.06   2-Wire Voice Grade Loop (St. 1) - Zone 3   3   UEP9E   UECS1   31.87   2-Wire Voice Grade Loop (St. 2) - Zone 1   1   UEP9E   UECS2   15.36   2-Wire Voice Grade Loop (St. 2) - Zone 1   1   UEP9E   UECS2   20.43   2-Wire Voice Grade Loop (St. 2) - Zone 3   3   UEP9E   UECS2   36.68   UNE Port Rate   AL, FL, KY, LA, MS, & TN only   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00   10.00   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   36.00		-				1	1
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design   1 UEP9E   28,94						ļ	
Non-Design   1   UEP9E   26,94		-				ļ	-
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design   2 UEP9E   31.06	l	Į.	Į.	1			1
Non-Design   2   UEP9E   31.06						ļ	L
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design   3   UEP9E   45.87	!	1				-}	1
Non-Design							1
UNE Port/Loop Combination Rates (Design)	}	1		)			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   1   UEP9E   29.36     29.36						1	1
Design   2-Wire Voice Grade Port (Centrex)Port Combo - Design   2 UEP9E   34.43   2 UEP9E   34.43   3   2 UEP9E   34.43   3   2 UEP9E   34.43   3   3 UEP9E   34.43   3   3 UEP9E   34.43   34.43   3 UEP9E   34.43   3 UEP9E   34.43   3 UEP9E   34.43   3 UEP9E   34.43   3 UEP9E   34.43   3 UEP9E   34.43   3 UEP9E   34.43   34.43   34.43   3 UEP9E   34.43   34.43   34.43   34.43   34.43   34.43   34.43   34.43   3 UEP9E   34.43   34.43   34.4						<u> </u>	ļ
2   Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   2   UEP9E   34.43	{	{	-	1	1		}
Design   2   UEP9E   34.43						ļ	<u> </u>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design   3 UEP9E   50.68	Į	Į		Ì		1	Ì
Design   3   UEP9E   50.68			<del></del>				
UNE Loop Rate    2-Wire Voice Grade Loop (SL 1) - Zone 1				1		1	
2-Wire Voice Grade Loop (SL 1) - Zone 1			<del></del>			ļ	ļ
2-Wire Voice Grade Loop (SL 1) - Zone 2   2   UEP9E   UECS1   17.06					<del></del>	<u> </u>	ļ
2-Wire Voice Grade Loop (SL 1) - Zone 3   3   UEP9E   UECS1   31.87     2-Wire Voice Grade Loop (SL 2) - Zone 1   1   UEP9E   UECS2   15.36     2-Wire Voice Grade Loop (SL 2) - Zone 2   2   UEP9E   UECS2   20.43     2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP9E   UECS2   20.43     UNE Port Rate   AL, FL, KY, LA, MS, & TN only   2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination)Basic Local   UEP9E   UEP9E   UEPYA   14.00   70.00   35.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination   10.00   10.00   10.00     3-Wire Voice Grade Port (Centrex) 800 termination   10.00   1		+			-}	<del> </del>	<del> </del>
2-Wire Voice Grade Loop (SL 2) - Zone 1		-				-	
2-Wire Voice Grade Loop (SL 2) - Zone 2   2 UEP9E   UECS2   20.43						<del></del>	
2-Wire Voice Grade Loop (SL 2) - Zone 3   3   UEP9E   UECS2   36.68     UNE Port Rate   AL, FL, KY, LA, MS, & TN only     2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00     10.00		-				ļ	
UNE Port Rate		-		_		1	
AL, FL, KY, LA, MS, & TN only  2-Wire Voice Grade Port (Centrex ) Basic Local Area UEP9E UEPYA 14.00 70.00 35.00 35.00 10.00  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-				ļ	
2-Wire Voice Grade Port (Centrex ) Basic Local Área   UEP9E   UEPYA   14.00   70.00   35.00   35.00   10.00   2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		-			-	ļ	
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	0.00					<u> </u>	
	0.00	-	11.90	U			-
Area     UEP9E   UEPYB   14.00   70.00   35.00   10.00	0.00						
Area   UEP9E   UEPYB   14.00   70.00   35.00   35.00   10.00	0.00	-	11.90	U	-	ļ	
Area UEP9E UEPYH 14.00 70.00 35.00 35.00 10.00	0.00	1	11.90			1	



UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: C
ATEGORY		Interi m	Zone	BCS	usoc							Svc Order Submitted Manually per LSR		Incremental Charge Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<del> </del>	+				Nonrec	urring	Nonrecurring	Disconnect	<del> </del>	<b></b>	OSS	Rates(\$)	<del></del>	
			<del> </del>	1		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1													
	Center)2 Basic Local Area			UEP9E	UEPYM	14,00	180.00	110.00	85.00	20.00		11.90	<u> </u>			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1		1											
	Term - Basic Local Area	ļ		UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	<del> </del>		TUEF8E	UEFTS	14.00	70.00	35.00	35.00	10.00	<del> </del>	11.90			<del> </del>	<del></del>
	Basic Local Area	1	1	UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00	ļ	11.90	1			
Florida		<del></del>	+	02. 32	- 0.5.72	77.00	70.00	00.00	00.00	10.00	<del> </del>	11.50		<del></del>	<del> </del>	
Tionda	2-Wire Voice Grade Port (Centrex )	<del> </del> -		UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90		<del></del>		
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9É	UEPHH	14.00	70.00	35.00		10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
				UEP9E	UEPH9	44.00		25.00			1		1		1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	14.00	70.00	35.00 35.00	35.00 35.00	10.00		11.90 11.90			ļ	
1 1 6	2-Wire Voice Grade Port Terminated on 800 Service Terminated On 800 Service Terminated On 800 Se	<del> </del>	<del> </del>	DEPSE	UEPHZ	14.00	70.00	33.00	35.00	10.00	<del> </del>	11.90	ļ		ļ	
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384			<del> </del>							<del></del>
Local N	lumber Portability	<del> </del>	+	102.02	1011200	0.7004										<del> </del>
	Local Number Portability (1 per port)	1	+	UEP9E	LNPCC	0.35										
Feature											1				<del></del>	
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00									·	1
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										1
NARS																
	Unbundled Network Access Register - Combination	<u> </u>	<del></del>	UEP9E	UARCX	0.00	0.00	0.00				11,90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11,90				
	Unbundled Network Access Register - Outdial	-	<del></del>	UEP9E	UAROX	0.00	0.00	0.00				11,90				
	aneous Terminations		-												1	
	Trunk Side Trunk Side Terminations, each			UEP9E	CEND6	8.81									ļ	<del> </del>
	Digital (1.544 Megabits)	<del> </del>		OEFSE	CENDO	0.01									-	
	DS1 Circuit Terminations, each	<del> </del>	1	UEP9E	M1HD1	54.95					<del> </del>	<del></del>				
	DS0 Channel Activated Per Channel		+	UEP9E	M1HDO	0.00	15.69					11.90			<del> </del>	
	Ice Channel Mileage - 2-Wire						10.00					11.00	i	·		
	Interoffice Channel Facilities Termination	1	1	UEP9E	MIGBC	25.32									<del> </del>	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	9														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		1	UEP9E	1PQWS	0.66										
1 1		1					İ		1							1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
1 1	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1		40011/2		ĺ								1	
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.66										
	Different Wire Center		1	UEP9E	1PQWP	0.66	[								1	
	Autorditt Hilla Oduter		-	00100	DI CANAL	0,00			-						<del> </del>	
Į.	Feature Activation on D-4 Channel Bank Private Line Loop Slot	l		UEP9E	1PQWV	0.66	į				į į			)		
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop	<del>                                     </del>	+	32, 34	- 11 Sett V	0.00			<del> </del>						ļ. —— ·	ţ
ı	Slot	1	1	UEP9E	1PQWQ	0.66			ļ		[					ł
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<del>                                     </del>	1	UEP9E	1PQWA	0.66			<del> </del>		<del></del>				<del> </del>	-
	curring Charges (NRC) Associated with UNE-P Centrex	1	<del>                                     </del>	-	1	2.30			<del>                                     </del>		<del> </del>					
	NRC Conversion Currently Combined Switch-As-Is with allowed	<u> </u>	1	1			-		1						<del>                                     </del>	
	changes, per port		<u></u>	UEP9E	USAC2		21.50	8.42	<u>                                       </u>			11.90			ŀ	
	Conversion of Existing Centrex Common Block, each			UEP9E	USAÇN		5.17	8.32				11.90			T	
	New Centrex Standard Common Block	1	1	UEP9E	M1ACS	0.00	618.82					11.90				

CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec	Submitted Manually per LSR		Order vs.	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manuai Svo Order vs. Electronic- Disc Add'l
		_				Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
<del>                                     </del>	New Centrex Customized Common Block		l	UEP9E	M1ACC	0.00	618.82	Aug.	11.00	7041		11.90	COMAN	Johnan	JOINAN	JUMAN
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90		f	i	
Note 2	Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires interoffice Channel Mileage - Requires Specific Customer Premises Equipment															

Rates of the other BellSouth states will be provided upon request.

## ATTACHMENT B

#### ssue Number

1. Line Sharing

#### Position of the Parties

Covad: Because BellSouth is obliged to provide access to line sharing under 47 U.S.C. § 271, Covad proposes the same access requirements set-forth in the Parties current IA. with modifications to the pricing consistent with the FCC's TRO guidance. BellSouth's proposed TRO amendment improperly relies on the transitional pricing set-forth by the FCC under its 201 and 202 authority and fails to address line sharing ordering after October However, the just and reasonable 2004. standard under 201 and 202, and not the FCC's transitional pricing, applies to the access requirements for line sharing under Section 271. Because BellSouth is obliged to offer line sharing under Section 271, the proper 201 and 202 pricing is the just and reasonable rate, not the transitional rate identified by the FCC. In most instances, the just and reasonable rate will be lower than the rates proposed by BellSouth in its December 4, 2003 IA amendment. Because the access requirements have not changed, Covad is not proposing any change to the existing IA regarding access to line sharing apart from the introductory language in Attachment 2.

BellSouth: BellSouth's position, pursuant to the clear language of our contract, is that this petition results from the application of the "change in law" provisions in Covad's current interconnection agreement, and is not an arbitration petition within the meaning of 47 U.S.C. § 252. BellSouth has previously stated its position publicly that it has no obligation under 47 U.S.C. §271 to provide line sharing. Moreover, even if such an obligation did exist, and if, as Covad suggests, the appropriate standard for determining the rates for such an obligation is that the rates must be "just and reasonable" under 47 U.S.C. §§ 201 and 202, only the FCC would have jurisdiction to review such rates.

## ATTACHMENT C

#### PROPOSED AMENDMENTS

New language is underlined


Deleted language is crossed through

#### **Covad Proposed Amendments to Attachment 2**

- 1.1. This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act. This Attachment also sets—forth the High Frequency Portion of the Loop (HFPL) that BellSouth agrees to offer to Covad on an unbundled basis in accordance with its obligations under Section 271 of the Act beginning October 1, 2004. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. The provision of the HFPL, as a Network Element, under Section 271 of the Act is addressed in section 2.11 et seq. of this Agreement. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

#### **Covad Proposed Amendments to Exhibit C**

[A set of spreadsheets outlining Covad's proposed 271 pricing for line sharing is attached hereto as Exhibit 1]



# Exhibit 1 Amendment to Interconnection Agreement

#### FLORIDA

ME :		CATEGORY	NOTES	Market Based Element	Interim	Zone	BCS	usoc						
										· · ·	RATES			-
-				1						Nonrecu	rring	Nonrect	arring	-
	ST ID									First	Add'l	Nonrece Discon		Soul
	STID								Rec	First	Addi	First	Add'I	Soul
	-					ll		l			1			.J
İ		MARKET BA						]						Τ
_			CENTRAL	PFICE BASED LINE SHARING Line Sharing Splitter - per Splitter System 96-Line Capacity in the Central Office				-				-		+
-				w/o Test Jack Line Sharing Splitter - per Splitter System 24-Line Capacity in the Central Office			ULS	ULSDA	\$117.18	\$379,13	\$0.00	\$347.90	\$0.00	М
				w/o Test Jack			ULS	ULSDB	\$29.30	\$379.13	\$0.00	\$347.90	\$0.00	J <sub>M</sub>
				Line Sharing Splitter - per Splitter System 8-Line Capacity in the Central Office w/c Test Jack			ULS	ULSD8	\$9.77	\$379.13	\$0.00	\$347.90	\$0.00	1
				Line Sharing Splitter - per Splitter Port in the Central Office w/o Test Jack					\$1.22	\$3.95	\$0.00	\$3.62	\$0.00	M
				Line Sharing – per Line Activation in the Central Office			ULS	ULSDT	\$3.28	\$29.68	\$21.28	\$19.57	\$9.61	М
				1111			*****							1
						-1		l			-			1
				The second secon										
<del>-</del>														+
				170 170 170 170 170 170 170 170 170 170										
	-			1911										
				, , , , , , , , , , , , , , , , , , , ,										-
			· <del></del>											
									-					
+												-		-
				7. A. W. W. J. A. M. W. A. P. W. W. W. W. W. W. W. W. W. W. W. W. W.										
-														
						$\Box$								
+-				Vocation and the second		$\dashv$								$\vdash$
														<u> </u>
-							-							
-														
-														
i														
											***			

### **BellSouth Proposed Amendments to Attachment 2**

[Note: BellSouth proposed changes are based on its template IA, not Covad's current Interconnection Agreement, thereby essentially striking out the similar sections of Attachment 2 and replacing them entirely. For ease of reading, no underlining is used to denote new language as it is essentially all new. BellSouth's proposed language largely replaces sections 2.11.2 through 2.11.4.2 of the Parties' current Interconnection Agreement.]

- 3. Line Sharing
- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which <<customer\_short\_name>> provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and <<customer\_short\_name>> using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with <<customer\_short\_name>>. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, 
  <<customer\_short\_name>> may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, 
  <<customer\_short\_name>> may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with <<customer\_short\_name>>, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow <customer\_short\_name>> the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying

with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. <<customer\_short\_name>> shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the abovementioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to <<customer\_short\_name>> on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If <<customer\_short\_name>> requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, <<customer\_short\_name>> shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and <<customer short name>> desires to continue providing xDSL service on such Loop, <<customer short name>> shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give <<customer short name>> notice in a reasonable time prior to disconnect, which notice shall give <<customer short name>> an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and <<customer short name>> purchases the full stand-alone Loop, <<customer short name>> may elect the type of Loop it will purchase. <<customer short name>> will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event <<customer short name>> purchases a voice grade Loop, <<customer short name>> acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If <<customer\_short\_name>> reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge <<customer\_short\_name>> for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit Λ of this Attachment.

- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 Provisioning of Line Sharing and Splitter Space
- 3.2.1 BellSouth will provide <<customer\_short\_name>> with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop,

  <customer\_short\_name>> must have a Digital Subscriber Line Access

  Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 
  <customer\_short\_name>> may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of 
  <customer\_short\_name>>'s submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of <<customer\_short\_name>> in a central office in which <<customer\_short\_name>> is located, <<customer\_short\_name>> shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and <<customer\_short\_name>> shall pay the electronic or manual ordering charges as applicable when <<customer\_short\_name>> orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for <<customer short name>>'s data.
- 3.3 BellSouth Provided Splitter Line Sharing
- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide <<customer\_short\_name>> access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to <<customer\_short\_name>>'s xDSL equipment in <<customer\_short\_name>>'s collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide <<customer\_short\_name>> with a carrier notification letter, informing <<customer\_short\_name>> of change. <<customer\_short\_name>> shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. <<customer\_short\_name>> shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to 
  <customer\_short\_name>>'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to <customer\_short\_name>>'s DS0 termination point as possible. <customer\_short\_name>> shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination


Point is defined as the point of termination for <<customer\_short\_name>> on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified <<customer\_short\_name>> DS0 at such time that a <<customer\_short\_name>> End User's service is established.

- 3.4 CLEC Provided Splitter Line Sharing
- 3.4.1 
  <customer\_short\_name>> may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements.
  <customer\_short\_name>> may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by <<customer\_short\_name>> in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. <<customer\_short\_name>> may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 Ordering Line Sharing
- 3.5.1 <<customer\_short\_name>> shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide <<customer\_short\_name>> the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- BellSouth will provide <<customer\_short\_name>> access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and <<customer\_short\_name>> shall pay the rates for such services, as described in Exhibit A.
- 3.6 *Maintenance and Repair Line Sharing*
- 3.6.1 
  <customer\_short\_name>> shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If 
  <customer\_short\_name>> is using a BellSouth owned splitter, 
  <customer\_short\_name>> may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If 
  <customer\_short\_name>> provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. <<customer\_short\_name>> will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 <customer\_short\_name>> shall inform its End Users to direct data problems to
  <customer\_short\_name>>, unless both voice and data services are impaired, in
  which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to <<customer\_short\_name>>, BellSouth will notify <<customer\_short\_name>>. <<customer\_short\_name>> will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, <<customer\_short\_name>> will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue <<customer\_short\_name>>'s access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

### **BellSouth Proposed Amendments to Exhibit C**

[A set of spreadsheets outlining BellSouth's proposed pricing for line sharing is attached hereto as Exhibit 2]



UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Florida													ment: 2	Exhibit: A	
CATEGORY		Interim	Zone	BCS	USOC						Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs Electronic
													1st	Add'I	Disc 1st	Disc Add'I
					ļ	Rec	Nonrecurring		Nonrecurring Disconnect					Rates (\$)		
LINE CHADING	AND LINE SPLITTING	-	ļ		ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1		1	<u> </u>				·						
NOTE	1: The Line Sharing monthly recurring rates for all installation:	s compi	etea tro	om October 02, 2003	through mic	inight October C	1, 2004 shall b	e billed as foll	ows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper io	op non	-designed ("UCLND	")						ļ					
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		ļ													
					ļ											
	1: Above will applyto USOCS: ULSDT and ULSCT	<u></u>	<u> </u>		L	<u> </u>										
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	DC and	ULSCO	applies only to circ	cuits installed	d and inservice	on or before O	ctober 1, 2003								l
	HARING		ļ													
SPLITT	ERS-CENTRAL OFFICE BASED		L													
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379,13	0.00	347.90	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity		l	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19,57	9,61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing - perSubsequent Activity per Line Rearrangement (BST Owned Splitter)			ULS	ULSDS		21.68	16,44								
	Line Sharing - perSubsequent Activity per Line Rearrangement (DLEC Owned Splitter)			ULS	ULSCS		21.68	16,44								
	Line Sharing - perLine Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						