## ORIGINAL



BellSouth Telecommunications, Inc. Regulatory & External Affairs

150 South Monroe Street 400

Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073



July 21, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Broadwing Communications Services of Florida, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to IURC Agreement with Broadwing Communications Services of Florida, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Morshall Mars III, PH Regulatory Vice President

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE

07959 JUL 21 8

### ORIGINAL

# AMENDMENT TO THE AGREEMENT BETWEEN BROADWING COMMUNICATIONS SERVICES INC. AND

#### BELLSOUTH TELECOMMUNICATIONS, INC. DATED NOVEMBER 8, 2002

Pursuant to this Amendment (the "Amendment"), Broadwing Communications Services Inc., ("Broadwing"), a Delaware corporation on behalf of itself, and BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself, hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interexchange Carrier Cross Connect Agreement between the Parties dated November 8, 2002 (the "Agreement").

WHEREAS, BellSouth and Broadwing entered into the Agreement on November 8, 2002, and;

WHEREAS, the Parties desire to amend the Agreement to add 2-fiber and 4-fiber cross connect rates to the Agreement.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree that the Agreement between Broadwing and BellSouth is hereby amended to add 2-fiber and 4-fiber cross connect rates to Exhibit A of the Agreement, which rates are identified in Exhibit 1 attached hereto and made a part hereof.
- 2. All of the other provisions of the Agreement, dated November 8, 2002, shall remain in full force and effect.
- 3. This Amendment shall be deemed effective thirty (30) calendar days following the date of the last signature of both Parties.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.	<b>Broadwing Communications - Operations</b>
By: la Liurdi	By: Den Af
Name: Elizabeth RA Shiroishi	Name: David King
Title: Drector	Title: V.P Access Planning & Operations
Date: <u>(25</u> 0 <sup>3</sup> )	Date: June 9,2003

# AMENDMENT TO THE AGREEMENT BETWEEN BROADWING COMMUNICATIONS SERVICES INC. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED NOVEMBER 8, 2002

Pursuant to this Amendment (the "Amendment"), Broadwing Communications Services Inc., ("Broadwing"), a Delaware corporation on behalf of itself, and BellSouth Telecommunications, Inc. ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself, hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interexchange Carrier Cross Connect Agreement between the Parties dated November 8, 2002 (the "Agreement").

WHEREAS, BellSouth and Broadwing entered into the Agreement on November 8, 2002, and;

WHEREAS, the Parties desire to amend the Agreement to add 2-fiber and 4-fiber cross connect rates to the Agreement.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree that the Agreement between Broadwing and BellSouth is hereby amended to add 2-fiber and 4-fiber cross connect rates to Exhibit A of the Agreement, which rates are identified in Exhibit 1 attached hereto and made a part hereof.
- All of the other provisions of the Agreement, dated November 8, 2002, shall remain in full force and effect.
- 3. This Amendment shall be deemed effective thirty (30) calendar days following the date of the last signature of both Parties.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.	Broadwing Communications - Operations
By: original signature on file	By:original signature on file
Name: Elizabeth R.A. Shiroishi	Name:David King
Title:Director	Title: V.P. – Access Planning & Operations
Date: June 23, 2003	Date: June 9, 2003

CATEGORY NOTES	UNBUNOLED NETWORK ELEMENT Filt InterIm	Zone	BCS	USOC		F	RATES						oss	RATES		
											Submitted Elec per LSR	Submitted Manually per LSR	Svc Order vs.	Charge - Manual Svc Order vs. Electronic-Add'i	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs
f a same of						Nonrecum	Ing	Nonre	curring							
								Disc	onnect							
					Rec	First	Add'l	First	Add1	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION						- (-) -::	· · · · · · · ·									
	Physical Collocation - 2-Fiber Cross-Connects	_	CLO	PE1F2	15.64	41.56	29.82									
	Physical Collocation - 4-Fiber Cross-Connects		CLO	PE1F4	28.11	50.53	38.78		1							
	Physical Collocation - 4-Fiber Cross-Connects	-	CLO	PE1F4	28.11	50.53	38.78			-						

CATEGORY NOTES	UNBUNDLED NETWORK ELEMENT	Filt Z	ne BC\$	usoc		R/	ATES						oss	RATES		
											Submitted Elec per LSR	Manually per LSR	Svc Order vs.	Charge - Manual Svc Order vs. Electronic-Add'i	Charge - Manual Svc Order vs.	Charge - Manual Sve Order vs.
	-					Nonrecurrin	ıg		recurring connect	-			=			
		1 1			Rec	First	Addl	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION									L =				_			
	Physical Collocation - 2-Fiber Cross-Connects		CLO	PE1F2	15.64	41.56	29.82						_			
	Physical Collocation - 4-Fiber Cross-Connects		CLO	PE1F4	28.11	50.53	38.78									

CATEGORY NOTES	: UNBUNDLED NETWORK ELEMENT	Filt In	te rim	Zone	BCS	usoc	<u> </u>	R	RATES						oss	RATES		
		1 1											Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-1st		Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
								Nonrecur	ring _		curring	-				-		
				2			Rec	First	Add'l	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION		1			-		-	- !		_				16			-	G/G
	Physical Collocation - 2-Fiber Cross-Connects	-			CLO	PE1F2	15.64	41.56	29.82						. —			
	Physical Collocation - 4-Fiber Cross-Connects				CLO	PE1F4	28.11	50.53	38.78						_			
		L i																

CATEGORY NOTES	UNBUNDLED NETWORK ELEMENT	Filt Interim	Zone	BCS	USOC		R.A	ATES						oss	RATES		
												Submitted Elec per LSR	Submitted Manually per LSR	Svc Order vs.	Electronic-Add'l	Charge - Manual Svc Order vs.	Charge - Manual Sve Order vs.
				-			Nonrecurr	ing		onnect				-			
						Rec	First	Add'l	First	Add7	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION	e :			-						-	-						
	Physical Collocation - 2-Fiber Cross-Connects			CLO	PE1F2	15.64	41.56	29.82									
	Physical Collocation - 4-Fiber Cross-Connects			CLO	PE1F4	28.11	50.53	38.78									
										,	1	1	1	ł .	1 1		

CATEGORY NOTES	UNBUNDLED NETWORK ELEMENT F		BCS	USOC		R.	ATES						oss	RATES		
	i										Submitted Elec per LSR		Svc Order vs.	Charge - Manual Svc Order vs. Electronic-Add1	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
		-				Nonrecurri	ng		onnect						-	
				n 1	Rec	First	Add'l	First	Add'I	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION										- 54		-		[	18/81 8	
	Physical Collocation - 2-Fiber Cross-Connects		CLO	PE1F2	15.64	41.56	29.82				- m					
	Physical Collocation - 4-Fiber Cross-Connects		Crō	PE1F4	28.11	50.53	38.78					1000				
		-						l	5.5	100				er inin e		y ima

CATEGORY NOTES	UNBUNDLÉD NETWORK ELEMENT ,FIH	Zone	acs	usoc		F	ATES						oss	RATES_		
											Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-1st	Svc Order vs.	Charge - Manuel Svc Order vs.	Charge - Manual Sv Order va
						Nonrecum	ing		onnect	-			_	_		
					Rec	First	Add'I	First	Add'i	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL COLLOCATION	Physical Collocation - 2-Fiber Cross-Connects	-	CLÓ	PE1F2	15.64	41.56	29.82							r -	ve.	
	Physical Collocation - 4-Fiber Cross-Connects		CLO	PE1F4	28.11	50.53	38.78									
		100									e a					
															2 21	
- 1																

CATEGORY NOTES			Zone	BCS	USOC		R	ATES						OSS R	ATES		
												Svc Order Submitted Elec per LSR	LSR	Charge - Manual Svc Order vs. Electronic-1st	Charge - Manual Svc Order vs. Electronic-Add'i	Manual Svc Order vs.	Charge - Manual Svo Order vs.
							Nonrecu	rring _	Nonre	curring							1 1 1 1 1 1
			1. 1						Disc	onnect							
						Rec	First	Add'I	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL COLLOCATION		-			-						-						
	Physical Collocation - 2-Fiber Cross-Connects			CLO	PE1F2	15.64	41.56	29.82									
	Physical Collocation - 4-Fiber Cross-Connects			CLO	PE1F4	28.11	50.53	38.78									

CATEGORY NOTES	. UNBUNDLED NETWORK ELEMENT 'FI	t Interim	<b>Z</b> опе	BCS	usoc		RATES						oss	RATES		
											Submitted Elec per LSR	Submitted Manually per LSR	Electronic-1st	Svc Order vs. Electronic-Add1	Charge - Manual Svc Order vs.	Charge Manual St Order vs
				1			Nonrecurring		ecurring connect	-						
		5				Rec	First Add'l	First	Add'I	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL COLLOCATION		375	-						1 .	-				1		
	Physical Collocation - 2-Fiber Cross-Connects			CLO	PE1F2	15.64	41.56 29.82			1.	-			i		
	Physical Collocation - 4-Fiber Cross-Connects			CLO	PE1F4	28.11	50.53 38.78		entre la la c	1						440
										1 .				l	-	

CATEGORY NOTES	UNBUNDLED NETWORK ELEMENT 'Fill Interim	Zone	BCS	usoc		R/	ATES					oss	RATES	
										Submitted Elec per LSR	Submitted Manually per LSR	Cherge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual S Order vs
			-		-	Nonrecurri	ing	Nonrecurring Disconnect						
					Rec	First	Add'I	First Ad	d'I Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION														
	Physical Collocation - 2-Fiber Cross-Connects		CLO	PE1F2	15.64	41.56	29.82							- 100 - 2 2 2
	Physical Collocation - 4-Fiber Cross-Connects		CLO	PE1F4	28.11	50.53	38.78							

Charge - Manual Svc Order vs.

Page 10 of 10

. .