LAW OFFICES

ROSE, SUNDSTROM & BENTLEY, LLP

2548 Blairstone Pines Drive Tallahassee, Florida 32301

FREDERICK L. ASCHAUER, JR.
CHRIS H. BENTLEY, P.A.
ROBERT C. BRANNAN
DAVID F. CHESTER
F. MARSHALL DETERDING
JOHN R. JENKINS, P.A.
STEVEN T. MINDLIN, P.A.
DAREN L. SHIPPY
WILLIAM E. SUNDSTROM, P.A.
JOHN L. WHARTON

ROBERT M. C. ROSE, OF COUNSEL

WAYNE L. SCHIEFELBEIN, OF COUNSEL

(850) 877-6555 Fax (850) 656-4029 www.rsbattorneys.com CENTRAL FLORIDA OFFICE 600 S. NORTH LAKE BLVD., SUITE 160 ALTAMONTE SPRINGS, FLORIDA 32701 (407) 830-6331 FAX (407) 830-8522

August 24, 2004

MARTIN S. FRIEDMAN, P.A. VALERIE L. LORD

HAND DELIVERY

Ms. Blanca Bayo Commission Clerk and Administrative Services Director Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399

Re: Docket No. 030445-SU; Application by Utilities, Inc. Of Eagle Ridge for Rate Increase in Lee

County, Florida

Our File No.: 30057.43

Dear Ms. Bayo:

Utilities, Inc. Of Eagle Ridge ("Utility") provides the following supplemental response to Staff's data requests dated August 9, 2004:

DATA REQUEST NO. 8:

Provide all consumption data by month since service began for the new church located in the Eagle Ridge service area.

RESPONSE: Please refer to the attached document. Consumption is measured in thousands of gallons. The monthly totals are in the right column and the rolling totals are in the left column.

Should you have any questions regarding these responses, please do not hesitate to give me a call.

Very truly yours,

IE L. LORD

For the Firm

VLL/tlc Enclosure

cc: Ms. Tricia Merchant (w/enclosure) (via facsimile and hand delivery)

Ms. Tiffany Joyce (w/enclosure) (via facsimile and hand delivery)

Mr. Steven M. Lubertozzi (w/enclosure)

Mr. Patrick C. Flynn (w/enclosure)

C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files\Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTI705AN\PSC Clerk 12 (Response to Data Repursip Plants) At The Content.IE5\OTi705AN\PSC Clerk 12 (Response to Data Repursip Plant

09246 AUG 24 3

Notes			
(1-5) House No Pre Street	Name	Suf Apar	rt (70) Route - 673
Addr MERIC	AN COLONY	BLUD	(71) Sequence -
(6) Zip - FORT MYERS FL :	33919		(72) Tap Fee - 7007.60
(96) Tract-			(73) Paid Date 3/18/03
(7) Service Type - CHUR (CHURCH	Me	ter Information
(9) Units - 1		(7	74) Number - 60348650
Read Dt Meter One Mo	eter Two Consu	mpth E (7	'5) Type - S
Curr			6) Conversion- 1000
(10) 07/20/04 45		4 E (7	77) Size - 2
(15) 96/29/94 41			'B) Make –
(20) 05/05/04 37		7 (7	9) Location -
(25) 04/02/04 30			10) Comments -
(30) 03/04/04 25		4 (8	11) EW - 0 (82) ES - 8
(35) 02/04/04 21		5 (8	3) Installed - 07/21/03
(40) 01/07/04 16		6 A (8	14) Pr Number –
(45) 12/20/03 10		8 A G	5) Pr Consump-
(50) 11/05/03 10		1 A (8	66) WSFE - [0 SSFE - 1
(55) 10/04/03 9		7 A (8	18) NasterAcct-
(60) 09/08/03 2			Create Dt - 03/18/03
(65) 08/06/03 0		8	Total Pen - 0.00