



040939 -TP

BellSouth Telecommunications, Inc.
Regulatory & External Affairs

150 South Monroe Street 400 Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

COMMISSION

AUG 24 PM 4: 37

RECEIVED FPSC

August 24, 2004

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and NuVox Communications, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with NuVox Communications, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

EPSC-BUREAU OF RECORDS

DOCUMENT NUMBER-DATE

09275 AUG 24 3

FPSC-COMMISSION CLERK

Amendment To the Interconnection Agreement Between NuVox Communications, Inc. and BellSouth Telecommunications, Inc. Dated June 30, 2000

Pursuant to this Amendment, (the "Amendment"), NuVox Communications, Inc. (NuVox), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 30, 2000 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and NuVox entered into the Agreement on June 30, 2000, and;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- The Parties agree to add the rate elements and USOCs contained in Exhibit 1 to Exhibit A of Attachment 4.
- 2. The Parties agree to replace Sections 5.6 and 5.6.1 with the following:
 - 5.6 Co-Carrier Cross Connect (CCXC). CCXCs are cross connects between NuVox and another collocated telecommunications carrier other than BellSouth in the same Premises. Where technically feasible, BellSouth will permit NuVox to interconnect directly between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises via CCXCs and the associated cabling necessary to complete the interconnection consistent with FCC Rule 51.323. Both NuVox's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXCs. BellSouth applicable charges will be imposed on the requesting telecommunications carrier. NuVox is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
 - 5.6.1 NuVox may provision the CCXC using its own technicians, if certified as a BellSouth Certified Supplier, or contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned or leased by NuVox. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities (lit or dark). In cases where NuVox's equipment and the equipment of the other collocated telecommunications carrier are

located in contiguous caged Collocation Spaces, NuVox may use its own technicians to install CCXCs using either electrical or optical facilities (and associated patch cords, jumper cables, tie-pairs, etc.) between the equipment of both collocated telecommunication carriers and construct a dedicated cable support structure, if needed, between the two (2) contiguous cages. NuVox shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. NuVox shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross Connect), or LGX (Light Guide Cross Connect). NuVox is responsible for ensuring the integrity of the signal.

- 5.6.2 The CCXC fees provided for in this Agreement shall not apply when BellSouth has installed fiber or copper/coax cable support structure prior to July 28, 2004 that has been paid in full by NuVox via nonrecurring CCXC charges. If NuVox has ordered a service that originates from its collocation space and terminates to another collocator's space in the same BellSouth Premises, which caused a BellSouth technician to jumper the two (2) collocation spaces together using NuVox specific connecting facility assignments (CFAs) provided by NuVox and the other collocator at a BellSouth frame, panel or existing POT bay (wherever the point of demarcation resides), then BellSouth will permit these cross connections to remain in-service as provisioned and at the rates at which they were provisioned ("grandfathered").
- 5.6.3 NuVox shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting NuVox provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two (2) contiguous caged collocation arrangements, NuVox may use its own technicians to construct the dedicated support structure between the two (2) collocation arrangements.
- 5.6.4 To request or self-provision CCXCs, NuVox must submit a Remote Site Application, an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for CCXCs, as set forth in Exhibit A, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply as appropriate. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to NuVox. If the CCXC is requested as part of an Initial Application, only the Initial Application Fee shall apply, plus any other applicable charges.
- 5.6.5 If requested by NuVox, BellSouth will provision additional cable racking, if insufficient capacity is available to support NuVox's request to provision a CCXC itself.

- 5.6.6 Direct Connect (DC). BellSouth will permit NuVox to interconnect directly between NuVox's virtual and/or physical collocation arrangements within the same Premises by utilizing a DC. NuVox must use a BellSouth Certified Supplier to place the DC. The DC shall be provisioned through facilities owned by NuVox. In those cases where NuVox's virtual and/or physical collocation space is contiguous in the central office, NuVox will have the option of using NuVox's own technicians to deploy DC's using either electrical or optical facilities between the collocation spaces and constructing its own dedicated cable support structure. NuVox will deploy such optical or electrical connections directly between its own facilities without being routed through BellSouth equipment. NuVox may not self-provision DC's on any BellSouth distribution frame, POT, DSX (Digital System Crossconnect) or LGX (Light Guide Cross-connect).
- 5.6.6.1 NuVox is responsible for ensuring the integrity of the signal. NuVox-provisioned DC's shall utilize common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used. In the case of two (2) contiguous collocation arrangements, NuVox will have the option of using NuVox's own technicians to construct its own dedicated support structure.
- 5.6.6.2 To request or self-provision DCs, NuVox must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of DC's, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for DC, as defined in Exhibit A, will apply. If modifications in addition to the placement of DC's are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 3. All of the other provisions of the Agreement dated June 30, 2000 shall remain unchanged and in full force and effect.
- 4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By:

Name: KRISTEN E. RAJE

Title: JIRECTON

Date: 8/6/04

NuVox Communications, Inc.

Name: HAMILTON E. Russell, TE

Title: VILE PRESIDENT - LEGAL AFFAIRS

Date: July 28, 2004

Hong

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
-						5	Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
1	Physical Collocation - Co-Carner Cross Connects/Direct Connect -															
	Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				1.500											
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			CLO	PE1DT		584 22									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				www.											
	Fiber Cable Support Structure, per cable	- 1		CLO	PE1DU		535 37		-		-					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				05.4514		525.07									
	Copper/Coax Cable Support Structure, per cable	1	-	CLO	PE1DV		535 37		_	-	_				_	
		-	-		_						-			-		_
		+	-		_											
		+	+													
		+	-						+	-	-					
		+	-						_		+					
		+	+	1	+ - 1				1		-					
		1	1													
		-	_	_							1					
		+	+								1					
		1														
		1														
_																
		1														-
		100														
														1		-
			(0)													
										-						
											-		_			
			1						-	1	1					
		-														
		_	-						-	-					-	
		-	-						-							
		-		+				_	-	-	_	_		-		-
		-	-		_				_	-	-	_		_		-
		-	1	-				_	1					1		
		-	-	-					_					_		
		-	+								1					
				-							-					
		-	1			-				1	-					
		-	-	1	_											
		+	-		-				+	-						
		1										-	-			
		-														-
-		+	-	1												
		1														

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'i	First	Adďi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DILLOCATION															
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1	İ	0.0	75477											1
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0014				 	+		ļ			
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			0.0	PE1DT		504.44									'
	Application Fee, per application Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		-	CLO	PEIDI		584.11									
	Fiber Cable Support Structure, per cable	1 1		CLO	PE1DU	1	535.54							Į		
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1									1					
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		535.54									
			ļ								ļ				ļ	
		-							+	-				ļ		
		+							+							
		+														
			_		 				 	 						
		1									1		i			
		-	ļ								<u> </u>					
										ļ	<u> </u>					
			 		·				-		ļ	ļ	ļ			
		+							1		+	·	-		 	
	· · · · · · · · · · · · · · · · · · ·	+			 				 		 					
											1					
			<u> </u>													
			 								-					
 		+	-								 		 		<u> </u>	
		+	 								· · · · · · · · · · · · · · · · · · ·		-			
		-	1	İ						1						
											ļ					
		1	-							-					ļ	
		+												-		
			-			I			+		 	 				
		1	+						-		·					
											<u> </u>					
			ļ													
			-													ļ
		-	-		+				-			<u> </u>				
ļ		-	-		+											-
		+									ļ			 		
			+						1	 	 			-	 -	
				·		·		·				L	l		L	

UNBL	NDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				<u> </u>			Rec	Nonrec	urring		g Disconnect	<u> </u>		OSS	Rates(\$)		
			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ			ļ	1				ļ						
PHYSI	AL COL	LOCATION															
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect -		ł	_												
		Fiber Cable Support Structure, per linear ft.	1	ļ	CLO	PE1ES	0.0012			4	ļ						
	i	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		1													
	ļ	Copper/Coax Cable Support Structure, per lin, ft.	 	-	CLO	PE1DS	0.0018			 	-	-					
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	1		CLO	PE1DT	1	584.20									
	 	Application Fee, per application Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	 	-	CLO	FEIDI	 	304.20		+	-	-					
1	1	Fiber Cable Support Structure, por cable	1 .		CLO	PE1DU	1 1	535.55				1					
		Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	 			1 -100		000.00			1	1			 		
		Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		535.55							i		
	-	Copper, Copp. Capio Capport di acciore, per cania	T			T	1				1						
				1			1				1						
	1							. ,									
			1							L							
	1										1						
			-			<u> </u>											
			ļ			ļ									1		
			 														
	1		ļ	<u> </u>							ļ				ļ		
	ļ		-														
-										+	ļ	-					
			 	 		 				+		+					
-	+		+			-	 			+	+	-					
-	+		 	1								+					
-			1	1		1		-		1					-		
-	 		1							1							
			1								T						
	1														1		
				<u></u>							1						
				ļ		1				J							
			-	ļ		-				_	ļ	↓					
				-						 							
	-		-							 	 						
	 		 		 	+				-					ļ		
	ļ	<u> </u>	 		 		 			+	 						
			1	+		 	 			1	1	 			 		
—	+			 		+				+	<u> </u>				1		
	+		1	 		1		-		+		 					
-	+			 	<u> </u>	1				1	 	+					
	+		1			1					1	-					
	1		1		T	1									1		
_	1															1	
	1									1	1	1					·
	T													***************************************	T		
									.,,								
			<u> </u>	ļ													
		<u> </u>		<u></u>	L		<u> </u>		L	1		1					

UNBUNDLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs.
						Rec	Nonred First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
					_		Litat	Addi	First	Addi	SUMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
PHYSICAL COL	LOCATION	_							-	1	_					-
FIT SICAL COL	Physical Collocation - Co-Carner Cross Connects/Direct Connect -															
	Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -							30.00								
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS_	0.0015				1	-					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application	-		CLO	PE1DT		583.30									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			404	DELOU		534.79									
	Fiber Cable Support Structure, per cable	-1		CLO	PEIDU		5,34.79		-	-	-	_				
1 - 1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1		CLO	PEIDV		534.79									1
	Copper/Coax Cable Support Structure, per cable:	+ -		CLO	PEIDV		554.75			-	1					_
		-	-												_	_
																-
				_												
					- 15											
		-			_					-	-					
		-	-							_	-					-
		-							-	+						
_		-	_						_	-	+					_
		+	-						+	+	+					
		+														
	-										1					
		_														
															-	
		-														
		-	-		_				-							
		_							-	+	-	-	_			
_		-	_							-						-
		+			1	-										
		1							_	1	1					_
		_														
												10-				
												1				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs.
						Rec	Nonre	urring	Nonrecurrin	g Disconnect				Rates(\$)		
						1,500	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION				_			2.2	-	-						-
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -		1	CLO	PE1ES	0.001										
	Fiber Cable Support Structure, per linear fl. Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	+	-	CLO	PETES	0,001			-		-					-
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable	1	-	CLO	PE1DU		534 65		+	_						
	Physical Collocation - Co-Carrier Cross Connect/Direct Cornect - Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		534 65									
				2												
			-													
		-	-							-	-					
		+									+					-
_		+	_						 	1	-					
			1													
		_														
		-	-													
		-	-						-		-					
		-	-		_				+		+					
		+	-						+	-						
		+														
_		1														
		-	-													
		+	_													
		-	-						+		-					
		+	-		_					-	1					
		+	-						_		+	_				
		1	-													
							7-			1						
		-	-							-						-
		+	-		-						-					
		+-			_						+		1		_	-
		-	-	_					1			-			_	
		+						-								
										5 1						

	D NETWORK ELEMENTS - North Carolina										1-			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	ILLOCATION															
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0041										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Fiber Cable Support Structure per linear ft.			CLO	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			CLO	PE1DT		583 66									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			1,000												
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		532.72									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		532.72									
							-									
									1							
				-												
											-					
							2.0		7						12	
														E		
					-01-5-1											
															7 - 2	
			1													
					4											
			-													
															-	
															1	
			-	-	_						-					_

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		_								1			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
						7,00	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-														
PHYSICAL CO	DLLOCATION	-	-		_					-	_					-
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -			CLO	PE1ES	0.001										
	Fiber Cable Support Structure, per linear ft.	-	-	CLO	PETES	0.001			1	-	-					-
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PE1DS	0.0015					1 1					
	Copper/Coax Cable Support Structure, per lin. ft.	-	-	CLO	FEIDS	0.0013				-	_					-
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			CLO	PE1DT		584 42									
	Application Fee, per application Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	-		CLO	TE ID		304 42		_							
	Fiber Cable Support Structure, per cable			CLO	PE1DU		536.56									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<u> </u>		CLO	- 12.00		500.00									
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		536.56				1					
	supplied and one of the comment of t	TE S														
														8 77		
																1
		1	-													
		-	-		_				_	_						
		-	-		-					-	-					-
		-	-								-			_		
		-	-			_										
		_	-	-			_					_				-
		-							-	_	1					
			-		-				_						-	-
		-	_													
			1												-	
		1	_													
	_															
											-					
		-	-						-		-					-
		-	-		-				+		-					
		-	-													
		+	-							-					-	-
		-	-			-				-	-					
		+	-		-					-						
-		+-	-		-		-				-					
		-									+		-			
		-	-		-				1	-						
		_	1	-					-	-			_			
		-	1	1						 						
		1									_	7				
			-													

INBUNDLE	D NETWORK ELEMENTS - Tennessee	,												ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Order vs.	Charge -
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
						1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-														
HYSICAL CO	DLLOCATION	-			+				+	-	-					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. It			CLO	PE1DS	0.0019					1					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -	-		CLO	PEIDS	0.00.13			_							
	Ethor Cable Support Structure, pur linear ft	1 0		CLO	PE1ES	0.0013										
_	Fiber Cable Support Structure, per linear ft. Physical Collocation - Co-Carner Dross Connects/Direct Connect,		-	510	I E I E O	0.0015			+		-		-			
	Application Fee, per application			CLO	PE1DT		585.09									
	Physical Colocation - Co-Carrier Cross Connect/Direct Connect -	_		-												
	Fiber Cable Support Structure, per cable			CLO	PE1DU		555.03									
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -													7		
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV	-	555.03									
114																
			-													
	The state of the s															
								_								
					-				-							
		-							-							
					-											
		-			_				_							
						-			-							
-		_			_				-		-					-
		-									-					
		+							+	-	1					
			-						1		-				5.	
									1							
		1														
		-														
		-									1					
		-	-			-										
		-	-						-	-						
		-								-						
		-			-				-	-	-					
	+	-	-		+-+				+		-					-
		-	-		-					-						_
			-						+		-					
										-						
_		-							-							-
		-														-
		1	_		1											-
										-	-					