

ORIGINAL
STATE OF FLORIDA

COMMISSIONERS:
BRAULIO L. BAEZ, CHAIRMAN
J. TERRY DEASON
LILA A. JABER
RUDOLPH "RUDY" BRADLEY
CHARLES M. DAVIDSON



TIMOTHY DEVLIN, DIRECTOR
DIVISION OF ECONOMIC REGULATION
(850) 413-6900 RECEIVED-FPSC

SEP 28 AM 9:23

Public Service Commission

COMMISSION
CLERK

September 24, 2004

Charles A. Wilson, C.P.A., P.A.
2364 Sunset Point Road
Clearwater, FL 33765

Re: Docket No. 040972-SU - Application for an increase in wastewater rates by Ranch Mobile WWTP, Inc. in Pinellas County

Dear Mr. Wilson:

On August 30, 2004, Ranch Mobile WWTP (Ranch Mobile), Inc. filed its minimum filing requirements to increase its rates for wastewater service pursuant to Sections 367.081 and 367.0816, Florida Statutes and Rule 25-30.443, Florida Administrative Code. We reviewed the company's filing and by letter dated September 9, 2004, notified Ranch Mobile that its filing was deficient and listed the deficiencies. On September 22, 2004, the company submitted the revised schedules identified in the September 9th deficiency letter.

We have reviewed the revised MFRs submitted on September 22, 2004, and have determined that Ranch Mobile has met the minimum filing requirements imposed by Commission rule. Therefore, pursuant to Section 367.083, Florida Statutes, the official date of filing is established at September 22, 2004.

If you should have any questions, please contact me.

Sincerely,

Tim Devlin
Director

- CMP _____
- COM _____
- CTR _____
- ECR _____
- GCL _____
- OPC _____
- MMS _____
- RCA _____
- SCR _____
- SEC 1
- OTH _____

cc: Division of Commission Clerk and Administrative Services
Division of Economic Regulation (Willis, Rendell, Merta, Massoudi)
Office of the General Counsel (Vining)
Ranch Mobile WWTP, Inc.

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD • TALLAHASSEE, FL 32399-0850
An Affirmative Action / Equal Opportunity Employer

PSC Website: <http://www.floridapsc.com>

Internet E-mail: contact@psc.state.fl.us

DOCUMENT NUMBER - DATE
10445 SEP 28 04
FPSC-COMMISSION CLERK