

# BELLSOUTH

---

**BellSouth Telecommunications, Inc.**

150 South Monroe Street  
Suite 400  
Tallahassee, FL 32303-1556

[Marshall.criser@bellsouth.com](mailto:Marshall.criser@bellsouth.com)

**Marshall M. Criser III**

Vice President  
Regulatory & External Affairs

850 224 7798  
Fax 850 224 5073

May 5, 2005

Mrs. Blanca S. Bayo  
Director, Division of Commission Clerk and Administrative Services  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, Florida 32399

050335-JP

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Novus Communications, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with Novus Communications, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

  
Regulatory Vice President

DOCUMENT NUMBER-DATE  
04754 MAY 16 08  
FPSC-COMMISSION CLERK

**Amendment to the Agreement  
Between  
Novus Communications, Inc.  
and  
BellSouth Telecommunications, Inc.  
Dated February 5, 2005**

Pursuant to this Amendment, (the "Amendment"), Novus Communications, Inc. ("Novus"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated February 5, 2005 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Novus entered into the Agreement on February 5, 2005, and;

WHEREAS, BellSouth and Novus desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;


NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
3. All of the other provisions of the Agreement dated February 5, 2005 shall remain unchanged and in full force and effect.
4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

**BellSouth Telecommunications, Inc.**

**Novus Communications, Inc.**

By: 

By: 

Name: Kristen Rowe

Name: Dennis Bassetti

Title: Director

Title: President

Date: 4/21/05

Date: 4/14/2005

## **Attachment 2**

### **Network Elements and Other Services**



**TABLE OF CONTENTS**

**1 INTRODUCTION..... 3**

**2 LOOPS..... 7**

**3 LINE SPLITTING ..... 26**

**4 UNBUNDLED NETWORK ELEMENT COMBINATIONS..... 28**

**5 DEDICATED TRANSPORT AND DARK FIBER TRANSPORT..... 30**

**6 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)..... 35**

**7 WHITE PAGES LISTINGS..... 36**

**Rates ..... Exhibit A**

**Rates ..... Exhibit B**

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Novus for Novus's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Novus (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Novus to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Novus purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Novus may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Novus shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Novus pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Novus pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Novus. A

Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Novus and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Novus may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Novus has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Novus.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Novus shall undertake a reasonably diligent inquiry to determine whether Novus is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Novus self-certifies that to the best of Novus's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Novus's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Novus may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM

then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Novus, BellSouth shall perform the RNM.

1.11 Commingling of Services

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Novus has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Novus must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.

1.13 Ordering Guidelines and Processes

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Novus should refer to the "Guides"

section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is:  
<http://www.interconnection.bellsouth.com/>.

- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the “CLEC UNE Products” Web site address:  
<http://www.interconnection.bellsouth.com/guides/html/unes.html>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Novus’s Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Novus’s Collocation Space. These cross-connections are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 Novus will be responsible for testing and isolating troubles on Network Elements. Novus must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Novus will be required to provide the results of the Novus test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once Novus has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Novus reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth’s network, BellSouth will charge Novus a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element’s working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth’s FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User’s location more than once due to incorrect or incomplete information provided by Novus (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Novus for each ~~additional dispatch~~ <sup>dispatch</sup> incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth’s FCC No.1 Tariff, Section 13.3.1

## 2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Novus shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1 The Loop does not include any packet switched features, functions or capabilities.

2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Novus on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobit per second (Kbps) second-class service stream over its FTTH/FTTC facilities.

2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Novus. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval

2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Novus with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

2.1.4 Transition for DS1 and DS3 Loops

2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Novus as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.

2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Novus's Embedded Base during the Transition Period:

2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.

2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

2.1.4.5 During the Transition Period, the rates for Novus's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.

not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement

- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Novus in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Novus wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Novus may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Novus shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and Novus to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Novus's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at



BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

- 2.1.8.2 OC-TS allows Novus to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Novus's specific conversion time request. However, BellSouth reserves the right to negotiate with Novus a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Novus may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Novus specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	<b>Order Coordination (OC)</b>	<b>Order Coordination – Time Specific (OC-TS)</b>	<b>Test Points</b>	<b>DLR</b>	<b>Charge for Dispatch and Testing if No Trouble Found</b>
<b>SL-1 (Non-Designed)</b>	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>UCL-ND (Non-Designed)</b>	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
<b>Unbundled Digital Loop (Designed)</b>	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
<b>Unbundled Copper Loop (Designed)</b>	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Novus must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Novus when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Novus's Interconnection

2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.9.3 The Loops converted to Novus pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

2.1.10.1 BellSouth will make available to Novus a Bulk Migration process pursuant to which Novus may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.10.2 Should Novus request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Novus must use the Bulk Migration process referenced in 2.1.10.1 above.

2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop), or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Novus will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Novus, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Novus may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Novus may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Novus. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Novus to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop

- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Novus will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
  - 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
  - 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Novus at any single building in which DS1 Loops are available as unbundled Loops

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Novus may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Novus.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Novus to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Novus can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Novus may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Novus to provide a wide-range of telecommunications services as long

as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 Novus may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.

2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.

2.5.3 For any copper loop being ordered by Novus which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Novus, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Novus. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

2.5.4 Novus may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

2.5.5 Rates for ULM are as set forth in Exhibit A.



- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Novus requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Novus will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Novus shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Novus desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Novus, Novus will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Novus is available at the location for which the ULM was requested, Novus will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Novus will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where Novus has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Novus. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Novus (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  3. If capacity exists, provide "side-door" porting through the switch.
  4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed circuits such as the IDLC and the IDLC-DLC cannot be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from Novus, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Novus will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit Novus to connect Novus's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 Novus may access the End User's premises wiring by any of the following means and Novus shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow Novus to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;

2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Novus may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Novus's responsibility to ensure there is no safety hazard, and Novus will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Novus shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Novus shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Novus to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Novus's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Novus may request BellSouth to do additional work to the NID on a time and material basis. When Novus deploys its own local loops in a multiple-line terminal enclosure, Novus shall specify the quantity of NID connections that it requires within such device.

- 2.8 **Subloop Elements.**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 **Unbundled Subloop Distribution (USLD)**
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:
- USLD – Voice Grade (USLD-VG)
  - Unbundled Copper Subloop (UCSL)
  - USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))
- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Novus requests a UCSL and it is not available, Novus may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Novus, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible to multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Novus's use on this cross-connect panel.

Novus will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Novus shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Novus's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Novus is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Novus's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: <http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before Novus can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Novus's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Novus will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Novus requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Novus for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenant Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

**2.8.3.3 Requirements**

**2.8.3.3.1** On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

**2.8.3.3.2** The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

**2.8.3.3.3** In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Novus does own or control such wiring, Novus will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Novus.

**2.8.3.3.4** In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Novus for each pair activated commensurate to the price specified in Novus's Agreement.

**2.8.3.3.5** Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

**2.8.3.3.6** Access Terminal installation intervals will be established on an individual case basis.

**2.8.3.3.7** The Requesting Party is responsible for ensuring that the Requesting Party has provided sufficient information for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as



certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

## 2.9 Loop Makeup

Change to 2.9.1

- 2.9.1.1 BellSouth shall make available to Novus LMU information with respect to Loops that are required to be unbundled under this Agreement so that Novus can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Novus intends to install and the services Novus wishes to provide. LMU is a preordering transaction, distinct from Novus ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Novus LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Novus as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Novus may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Novus and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Novus's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Novus or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Novus is fully responsible



for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Novus, according to the applicable network disclosure requirements. It will be Novus's responsibility to move any service it may provide over such facilities to alternative facilities. If Novus fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

## 2.9.2 Submitting LMUSI

2.9.2.1 Novus may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: [www.interconnection.bellsouth.com/guides/html/unec.html](http://www.interconnection.bellsouth.com/guides/html/unec.html). After obtaining the Loop information from the mechanized LMU process, if Novus needs further Loop information in order to determine Loop service capability, Novus may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Novus will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Novus does not reserve facilities upon an initial LMUSI, Novus's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

2.9.2.3 Where Novus has reserved multiple Loop facilities on a single reservation, Novus may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Novus, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Novus.

2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

## 3 **Line Splitting**

Line splitting shall mean that a provider of data services (a Data CLEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End

Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

3.2 **Line Splitting – UNE-L.** In the event Novus provides its own switching or obtains switching from a third party, Novus may engage in line splitting arrangements with another CLEC using a splitter, provided by Novus, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 **Provisioning Line Splitting and Splitter Space**

3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Novus or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4 **CLEC Provided Splitter – Line Splitting**

3.4.1 To order High Frequency Spectrum on a particular Loop, Novus must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.4.2 Novus must provide its own splitters in a central office and have installed its DSLAM in that central office.

3.4.3 Novus may purchase, install and maintain central office POTS splitters in its collocation arrangements. Novus may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.4 Any splitters installed by Novus in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Novus may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

**Maintaining Line Splitting**

3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.5.2 Novus shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### **4 Unbundled Network Element Combinations**

4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Novus are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Novus are not already combined by BellSouth in the location requested by Novus but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Novus are not elements that BellSouth combines for its use in its network.

4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

4.1.2 To the extent Novus requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

#### **4.2 Rates**

4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition

4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Novus.

### 4.3 Enhanced Extended Links (EELs)

4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Novus with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

4.3.3 By placing an order for a high-capacity EEL, Novus thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Novus's high-capacity EELs as specified below.

### 4.3.4 Service Eligibility Criteria

4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Novus must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

4.3.4.1.1 Novus has received state certification to provide local voice service in the area being served;

4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Novus will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Novus will have at least one (1) active DS1 local service interconnection trunk over which Novus will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Novus's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Novus failed to comply with the service eligibility criteria, Novus must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Novus did not comply in any material respect with the service eligibility criteria, Novus shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Novus did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Novus for its reasonable and demonstrable costs associated with the audit. Novus will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Novus converts special access services to UNEs, Novus shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- 5.1 **Dedicated Transport.** Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Novus. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Novus. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Novus unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 5.2 **Transition for DS1 and DS3 Dedicated Transport**
- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for Novus as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Novus's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 During the Transition Period, the rates for Novus's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B.
- 5.2.4.4 The Transition Period shall apply only to Novus's Embedded Base and Novus shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2.
- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1 no future DS1 Dedicated Transport unbundling will be required in that wire center.



5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.

5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.

5.3 BellSouth shall:

5.3.1 Provide Novus exclusive use of Dedicated Transport to a particular customer or carrier;

5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;

5.3.3 Permit, to the extent technically feasible, Novus to connect Dedicated Transport to equipment designated by Novus, including but not limited to, Novus's collocated facilities; and

5.3.4 Permit, to the extent technically feasible, Novus to obtain the functionality provided by BellSouth's digital cross-connect systems.

5.4 BellSouth shall offer Dedicated Transport:

5.4.1 As capacity on a shared facility; and

5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Novus.

5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

5.6 Novus may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

## 5.7 Technical Requirements

Existing circuits for DS0 equivalent shall meet transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements

specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
  - 5.7.2.1 DS0 Equivalent;
  - 5.7.2.2 DS1;
  - 5.7.2.3 DS3; and
  - 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Novus shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
  - 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
  - 5.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
  - 5.7.4.3 BellSouth's TR73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 Unbundled Channelization (Multiplexing)
  - 5.8.1 To the extent Novus is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Novus may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
    - 5.8.2 BellSouth shall make available the following channelization systems and interfaces:



- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, Novus's channelization equipment must adhere strictly to form and protocol standards. Novus must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport
  - 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
  - 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Novus as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
  - 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
  - 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Novus's Embedded Base during the Transition Period:
    - 5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocations.

- 5.9.1.5 During the Transition Period, the rates for Novus's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B.
- 5.9.1.6 The Transition Period shall apply only to Novus's Embedded Base and Novus shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement.
- 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.

5.10 **Rearrangements**

- 5.10.1 A request to move a working Novus CFA to another Novus CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Novus, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Novus may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Novus and another carrier that will allow Novus to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

**6 Automatic Location Identification/Data Management System (ALI/DMS)**

6.1 **911 and E911 Databases**

- 6.1.1 BellSouth shall provide Novus with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine enhanced routing flexibility for 911. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

Novus will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.

6.2 **Technical Requirements**

6.2.1 BellSouth's 911 database vendor shall provide Novus the capability of providing updates to the ALI/DMS database through a specified electronic interface. Novus shall contact BellSouth's 911 database vendor directly to request interface. Novus shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Novus and BellSouth shall not be liable for the transactions between Novus and BellSouth's 911 database vendor.

6.2.2 It is Novus's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

6.2.3 Novus shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>.

6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Novus, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Novus to assume responsibility for such records.

6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Novus that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Novus shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Novus within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Novus shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Novus's records.

7 **White Pages Listings**

7.1 BellSouth shall provide Novus and its End Users access to white pages directory listings under the following terms:

7.1.2 Listings. Novus shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Novus residential and business End

User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Novus and BellSouth End Users. Novus shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.

- 7.1.3 Unlisted/Non-Published End Users. Novus will be required to provide to BellSouth the names, addresses and telephone numbers of all Novus End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 7.1.4 Inclusion of Novus End Users in Directory Assistance Database. BellSouth will include and maintain Novus End User listings in BellSouth's Directory Assistance databases. Novus shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.5 Listing Information Confidentiality. BellSouth will afford Novus's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.6 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 7.1.7 Rates. So long as Novus provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Novus one (1) basic White Pages directory listing per Novus End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement.
- 7.2 Directories. BellSouth or its agent shall make available White Pages directories to Novus and BellSouth's agent.

- 7.3 Procedures for submitting Novus Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Novus authorizes BellSouth to release all Novus SLI provided to BellSouth by Novus to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such Novus SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to Novus for BellSouth's receipt of Novus SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Novus's SLI, or costs on an ongoing basis to administer the release of Novus SLI, Novus shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Novus's SLI, Novus will be notified. If Novus does not wish to pay its proportionate share of these reasonable costs, Novus may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Novus shall amend this Agreement accordingly. Novus will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Novus under this Agreement. Novus shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Novus listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Novus any complaints received by BellSouth relating to the accuracy or quality of Novus listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

CATEGORY	DATE RATE ELEMENTS	Interim Zone	B S	USOC	RATES (\$)					Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l	SOMEQ	SOMAN			SOMEQ
	<p>The "Zone" in the above mentioned locations for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.connect4all.com/hotlink/interconnection.htm">http://www.connect4all.com/hotlink/interconnection.htm</a></p> <p>NOTE: (1) Client should contact its contract negotiator if it prefers the "site specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges. CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 4 states.</p> <p>NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEQ rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEQ rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied as a CLEC bill when it submits an LSR to BellSouth.</p> <p>OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - U/T - Only</p> <p>OSS - Annual Service Order Charge, Per Local Service Request (LSR) - U/T - Only</p>											
	<p>UNE SERVICE DATE ADVANCEMENT CHARGE</p> <p>NOTE: This rate charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.</p>											
	<p>UNE Service Charge - per Circuit or Line Assignable USOC, per Day</p>			SDASP		200.00						
	<p>UNBUNDLED EXCH 2-WIRE ANY</p> <p>1 - VOICE - LOOP</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 1</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 2</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 3</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 1</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 2</p> <p>2 - Analog Voice - Trade Loop - Service Level 1 - Zone 3</p> <p>Unit - per Month</p> <p>Price - per Hour</p> <p>Loop - per Hour</p>											

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring First	Nonrecurring Add'l
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO	15.78	8.94								
	Unbundled Voice Loop - Non-Design Voice Loop, billing for BST providing making (Engineering Information - E.I.)			UEANL	UEANM	13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	23.02									
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>														
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises			UEQ	URETL	8.33	0.83								
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC	9.00									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing making (Engineering Information - E.I.)			UEQ	UEQMU	13.49									
	Loop Testing - Basic Half Hour			UEQ	URET1	48.65	48.65								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA	23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO	14.27	7.43								
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 2		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 1		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 2		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57					
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL	11.21	1.10								
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>														
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56					
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56					
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	87.71	36.35								



UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
										OSS Rates (\$)					
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>2-WIRE ISDN DIGITAL LOOP</b>															
	2-Wire ISDN Digital Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71					
	2-Wire ISDN Digital Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71					
	2-Wire ISDN Digital Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71					
	Order Coordination - Specified Conversion Time (per LSR)			UDN	OCOSL		23.02								
	CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15							
<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63					
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63					
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63					
	Order Coordination - Specified Conversion Time (per LSR)			UAL	OCOSL		23.02								
	2-Wire Unbundled DSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12					
	2-Wire Unbundled DSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12					
	2-Wire Unbundled DSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12					
	Order Coordination - Specified Conversion Time (per LSR)			UAL	OCOSL		23.02								
	CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39							
<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63					
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63					
	2-Wire Unbundled DSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63					
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	2-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12					
	2-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12					
	2-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12					
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39							
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	4-Wire Unbundled DSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61					
	4-Wire Unbundled DSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61					
	4-Wire Unbundled DSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61					
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	4-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22					
	4-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22					
	4-Wire Unbundled DSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22					
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39							
<b>4-WIRE DS1 DIGITAL LOOP</b>															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53					
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53					
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53					
	Order Coordination - Specified Conversion Time (per LSR)			USL	OCOSL		23.02								

UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2 Ex. A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04							
<b>4-WIRE</b>	<b>19.2 Kbps DIGITAL GRADE LOOP</b>														
	4-Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56					
	Order Coordination - Specified Conversion Time (per LSR)			UDL	OCOSL			23.02							
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56					
	Order Coordination - Specified Conversion Time (per LSR)			UDL	OCOSL			23.02							
	CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74							
<b>2-WIRE</b>	<b>Unbundled COPPER LOOP</b>														
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63					
	Order Coordination - Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12					
	Order Coordination - Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	CLEC Conversion Charge without outside dispatch (UCL Lines)			UCL	UREWO		97.21	42.47							
<b>4-WIRE</b>	<b>COPPER LOOP</b>														
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73					
	Order Coordination - Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22					
	Order Coordination - Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47							
<b>LOOP MODIFICATION</b>															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52							
<b>SUB-LOOPS</b>															

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
						Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
	Sub-Loop Distribution															
	Sub-Loop Distribution - Per Cross Box Location - CLEC Feeder Facility Set-Up				UEANL	USBSA	487.23									
	Sub-Loop Distribution - Per Cross Box Location - Per 25 Pair Panel Set-Up				UEANL	USBSB	6.25									
	Sub-Loop Distribution - Per Building Equipment Room - CLEC Feeder Facility Set-Up				UEANL	USBSC	169.25									
	Sub-Loop Distribution - Per Building Equipment Room - Per 25 Pair Panel Set-Up				UEANL	USBSD	38.65									
	Sub-Loop Distribution - Zone 1 - Per 2-Wire Analog Voice Grade Loop - Zone 1		1		UEANL	USBN2	6.46	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution - Zone 2 - Per 2-Wire Analog Voice Grade Loop - Zone 2		2		UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution - Zone 3 - Per 2-Wire Analog Voice Grade Loop - Zone 3		3		UEANL	USBN2	16.29	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution - Per 4-Wire Analog Voice Grade Loop - Zone 1		1		UEANL	USBN4	7.37	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution - Zone 2 - Per 4-Wire Analog Voice Grade Loop - Zone 2		2		UEANL	USBN4	10.47	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution - Zone 3 - Per 4-Wire Analog Voice Grade Loop - Zone 3		3		UEANL	USBN4	18.58	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution - Per 2-Wire In-Building Network Cable (INC)				UEANL	USBR2	3.96	51.84	13.44	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution - Per 4-Wire In-Building Network Cable (INC)				UEANL	USBR4	9.37	55.91	17.51	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		9.00	9.00							
	Loop Testing - Basic - Per Half Hour				UEANL	URET1		48.65	48.65							
	Loop Testing - Basic - Additional Half Hour				UEANL	URETA		23.95	23.95							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UEF	UCS2X	7.31	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC		9.00	9.00							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UEF	UCS4X	13.51	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC		9.00	9.00							
	Loop Testing - Basic - Per Half Hour				UEF	URET1		48.65	48.65							
	Loop Testing - Basic - Additional Half Hour				UEF	URETA		23.95	23.95							
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair				UENTW	UENPP	0.4572	18.02								
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines				UENTW	UND12		71.49	48.87							
	Network Interface Device (NID) - 1-6 lines				UENTW	UND16		113.89	89.07							
	Network Interface Device Cross Connect - 2 W				UENTW	UNDC2		7.63	7.63							
	Network Interface Device Cross Connect - 4W				UENTW	UNDC4		7.63	7.63							
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID Dispatch and Service Order for NID Installation				UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only - No Rate				UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only - No Rate				UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00								
	UNE OTHER, PROVISIONING ONLY - NO RATE															

UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2 Exh. A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop Superframe Format Option - no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00								
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366					
<b>LOOP MAKE-UP</b>															
	Loop Makeup - Provisioning Without Reservation, per working or spare facility quarter (Manual)			UMK	UMKLV		52.17	52.17							
	Loop Makeup - Provisioning With Reservation, per spare facility quarter (Manual)			UMK	UMKLP		55.07	55.07							
	Loop Makeup - Without Reservation, per working or spare facility quarter (Mechanized)			UMK	UMKMQ		0.6784	0.6784							
<b>LINE SPLITTING</b>															
<b>LINE SPLITTING</b>															
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61					
<b>MAINTENANCE OF SERVICE</b>															
<b>NOTE: The credit charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.</b>															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00							
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00							
<b>UNBUNDLED DEDICATED TRANSPORT</b>															
<b>INTEROFFICE CHANNEL DEDICATED TRANSPORT</b>															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 2-Wire VG - Rev Bat. - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A											
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring		Nonrecurring Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Interim Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856															
	Interim Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05											
	Interim Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87															
	Interim Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56											
	Interim Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	3.87															
	Interim Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56											
<b>DARK FIBER</b>																					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Local Channel			UDF, UDFCX	1L5DC	53.87															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Interface Channel			UDF, UDFCX	1L5DF	26.85															
	NRC Dark Fiber - Interface Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Local Loop			UDF, UDFCX	1L5DL	53.87															
<b>VIRTUAL COLLOCATION</b>																					
	Virtual Collocation - Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00											
<b>PHYSICAL COLLOCATION</b>																					
	Physical Collocation - Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58											
<b>ENHANCED EXTENSION LINK (EFL)</b>																					
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																				
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																				
	<b>2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																				
	2-Wire Voice Grade Loop (5000) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81											
	2-Wire Voice Grade Loop (5000) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81											
	2-Wire Voice Grade Loop (5000) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81											
	2-Wire Voice Grade COCI (date in combination - per month)			UNCVX	1D1VG	1.38	10.07	7.08													
	<b>4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																				
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81											
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81											
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81											
	4-Wire Analog Voice Grade COCI (date in combination - per month)			UNCVX	1D1VG	1.38	10.07	7.08													
	<b>4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																				
	4-Wire 56Kbps Digital Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81											
	4-Wire 56Kbps Digital Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81											
	4-Wire 56Kbps Digital Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81											
	4-Wire 56Kbps Digital COCI (date in combination - per month (2,4-64kbs))			UNCDX	1D1DD	2.10	10.07	7.08													
	<b>4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																				
	4-Wire 64Kbps Digital Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81											
	4-Wire 64Kbps Digital Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81											
	4-Wire 64Kbps Digital Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81											
	4-Wire 64Kbps Digital COCI (date in combination - per month (2,4-64kbs))			UNCDX	1D1DD	2.10	10.07	7.08													
	<b>2-WIRE ISDN LOOP FOR USE IN A COMBINATION</b>																				
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81											
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81											
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81											
	2-Wire ISDN COCI (DATE) - in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08													
	<b>4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>																				
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45											
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45											
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45											
	4-Wire DS1 Digital COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08													

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect							
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>																
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>																
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>																
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>																
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>																
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
<b>DS1 DIGITAL LOOP AND PER INTEROFFICE TRANSPORT</b>																
	4-wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						



UNBUNDLED NETWORK ELEMENTS - Florida														Attachment: 2 Exh. A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)					
													Rec	Nonrecurring		Nonrecurring Disconnect		SOMEC
								First	Add'l	First	Add'l							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54		217.75	121.62	51.44	14.45							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39		217.75	121.62	51.44	14.45							
	Interoffice Transport Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856												
	Interoffice Transport Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95								
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>																	
	DS3 Local Loop in Combination - per mile per month			UNC3X	1L5ND	12.558												
	DS3 Local Loop in Combination - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366								
	Interoffice Transport Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87												
	Interoffice Transport Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56								
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>																	
	STS-1 Local Loop in Combination - per mile per month			UNC5X	1L5ND	12.558												
	STS-1 Local Loop in Combination - Facility Termination per month			UNC5X	UDLS1	490.59	639.8255	394.4615	159.9995	111.366								
	Interoffice Transport Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	3.87												
	Interoffice Transport Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TFS	1,056.00	314.45	130.88	38.60	18.23								
	<b>ADDITIONAL NETWORK ELEMENTS</b>																	
	When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																	
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																	
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/1 wire VG			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X	UNCCC		8.98	8.98	8.98	8.98								
	<b>Optional Features &amp; Functions:</b>																	
	Clear Channel Capability Extended Frame Option - per DS1			U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00								
	Clear Channel Capability Super Frame Option - per DS1			U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00								
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80								
	Clear Channel Capability Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.08	7.67	0.773	0.00								
	<b>MULTIPLE</b>																	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62										
	OC1 to COCI (dedicated DS1 to DS0 Channel System - per month) (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08										
	OC1 to COCI (dedicated DS1 to DS0 Channel System - per month) (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00								
	2-wire UDN COCI (DTE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08										
	2-wire UDN COCI (DTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00								
	Voice Grade COCI (DTE) in DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08										
	Voice Grade COCI (DTE) in DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00								
	DS1 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07								
	STS-1 to DS1 Channel System per month			UNC5X	MQ3	211.19	199.28	118.64	40.34	39.07								
	DS1 to DS1 used with loop per month			USL	UC1D1	13.76	10.07	7.08										
	DS1 to DS1 (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00								



UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COC used with Interoffice Channel per month			U1D1	UC1D1	13.76	10.07	7.08	0.00	0.00					
	DS3 Surface Unit (DS1 COC) used with Local Channel per			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00					
Note: Rates in Interim column are interim as a result of a Commission order.															

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2 Ex. B					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
													Rec	Nonrecurring		Nonrecurring Disconnect
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																
<b>2-WIRE HIGH RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.30	159.09	113.41	75.05	15.63						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.80	159.09	113.41	75.05	15.63						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	20.94	159.09	113.41	75.05	15.63						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.30	134.40	80.69	60.64	9.12						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.80	134.40	80.69	60.64	9.12						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	20.94	134.40	80.69	60.64	9.12						
<b>4-WIRE HIGH RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	12.49	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	17.76	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	31.50	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	12.49	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	17.76	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	31.50	168.62	115.47	62.74	11.22						
<b>4-WIRE DS1 DIGITAL LOOP</b>																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	115.62	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	205.15	313.75	181.48	61.22	13.53						
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.56										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	444.91										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.56										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	490.59										
<b>UNBUNDLED DEDICATED TRANSPORT</b>																
<b>INTEROFFICE CHANNEL DEDICATED TRANSPORT</b>																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.21										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	101.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.45										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1231.65										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.45										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1214.40										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV2	22.61										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV2	32.13										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV2	57.02										

UNBUNDLED NETWORK ELEMENTS - Florida	CATEGORY	STATE ELEMENTS	Inter Zone	BCS	USOC	RATES (\$)				Attachment: 2 Ex. B
						Sub Order	Submitted	Charge - Manual Svc	Charge - Manual Svc	
NOTE: The monthly recurring and non-recurring charges below will apply for UNE combinations provisions as 'Ordinarily Combined' Network Elements.										
ENHANCED EXTENSION LINK (EEL) -										
Local - Panel - Dedicated - 2-Wire Voice Grade Rev. Bat. -	1	ULDR2				22.61				SOMAN
Local - Panel - Dedicated - 2-Wire Voice Grade Rev. Bat. -	1	ULDR2				32.13				SOMAN
Local - Panel - Dedicated - 2-Wire Voice Grade Rev. Bat. -	2	ULDR2				57.02				SOMAN
Local - Panel - Dedicated - 4-Wire Voice Grade - Zone 1	1	ULDVA				23.52				SOMAN
Local - Panel - Dedicated - 4-Wire Voice Grade - Zone 2	2	ULDVA				33.42				SOMAN
Local - Panel - Dedicated - 4-Wire Voice Grade - Zone 3	3	ULDVA				59.29				SOMAN
Local - Panel - Dedicated - DST - Zone 1	1	ULDF1				41.96				SOMAN
Local - Panel - Dedicated - DST - Zone 2	2	ULDF1				59.63				SOMAN
Local - Panel - Dedicated - DST - Zone 3	3	ULDF1				105.80				SOMAN
Local - Panel - Dedicated - DST - Per Mile per month		ULDDB, UNCSX				9.78				SOMAN
Local - Panel - Dedicated - DST - Facility Termination		ULDDB, UNCSX				611.70				SOMAN
Local - Panel - Dedicated - STS-1 - Per Mile per month		ULDS1, UNCSX				9.78				SOMAN
Local - Panel - Dedicated - STS-1 - Facility Termination		ULDS1, UNCSX				621.79				SOMAN
NOTE: The monthly recurring and non-recurring charges below will apply for UNE combinations provisions as 'Currently Combined' Network Elements.										
Local - Panel - Dedicated - 2-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	1	UNCVX				14.08				SOMAN
Local - Panel - Dedicated - 2-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	2	UNCVX				20.01				SOMAN
Local - Panel - Dedicated - 2-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	3	UNCVX				35.50				SOMAN
Local - Panel - Dedicated - 4-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	1	UNCVX				21.72				SOMAN
Local - Panel - Dedicated - 4-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	2	UNCVX				30.87				SOMAN
Local - Panel - Dedicated - 4-Wire VOIC GRADE LOOP FOR USE IN A COMBINATION	3	UNCVX				54.76				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	1	UNCDX				25.53				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	2	UNCDX				36.29				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	3	UNCDX				64.39				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	1	UNCDX				25.53				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	2	UNCDX				36.29				SOMAN
Local - Panel - Dedicated - 4-Wire SKBPS DIAL GRADE LOOP FOR USE IN A COMBINATION	3	UNCDX				64.39				SOMAN
Local - Panel - Dedicated - 4-Wire COCI (2-4-6kbs) GRADE LOOP FOR USE IN A COMBINATION	1	UNCDX				2.42				SOMAN
Local - Panel - Dedicated - 4-Wire COCI (2-4-6kbs) GRADE LOOP FOR USE IN A COMBINATION	2	UNCDX				36.29				SOMAN
Local - Panel - Dedicated - 4-Wire COCI (2-4-6kbs) GRADE LOOP FOR USE IN A COMBINATION	3	UNCDX				64.39				SOMAN
Local - Panel - Dedicated - 2-Wire ISDN LOOP FOR USE IN A COMBINATION	1	UNCNX				22.17				SOMAN
Local - Panel - Dedicated - 2-Wire ISDN LOOP FOR USE IN A COMBINATION	2	UNCNX				31.51				SOMAN
Local - Panel - Dedicated - 2-Wire ISDN LOOP FOR USE IN A COMBINATION	3	UNCNX				56.91				SOMAN
Local - Panel - Dedicated - 4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCLX				81.35				SOMAN
Local - Panel - Dedicated - 4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCLX				115.62				SOMAN
Local - Panel - Dedicated - 4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCLX				205.15				SOMAN
Local - Panel - Dedicated - 2-Wire COCI (2-4-6kbs) LOOP FOR USE IN A COMBINATION	1	UNCLX				15.82				SOMAN
Local - Panel - Dedicated - 2-Wire COCI (2-4-6kbs) LOOP FOR USE IN A COMBINATION	2	UNCLX				16.82				SOMAN
Local - Panel - Dedicated - 2-Wire COCI (2-4-6kbs) LOOP FOR USE IN A COMBINATION	3	UNCLX				16.82				SOMAN
Local - Panel - Dedicated - 2-Wire VOIC GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION		UNCVX				0.01				SOMAN
Local - Panel - Dedicated - 2-Wire VOIC GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION		UNCVX				0.01				SOMAN
Local - Panel - Dedicated - 2-Wire VOIC GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION		UNCVX				29.12				SOMAN
Local - Panel - Dedicated - 2-Wire VG - Dedicated - Facility		UNCVX				0.01				SOMAN
Local - Panel - Dedicated - 2-Wire VG - Dedicated - Facility		UNCVX				0.01				SOMAN
Local - Panel - Dedicated - 2-Wire VG - Dedicated - Facility		UNCVX				25.97				SOMAN

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. B		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
										OSS Rates (\$)					
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>														
	Interoffice Transport per month														
	Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.21									
	Interoffice Transport Termination per month			UNC1X	U1TF1	101.71									
	<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>														
	Interoffice Transport Per Month														
	Dedicated - DS3 combination - Per Mile			UNC3X	1L5XX	4.45									
	Interoffice Transport Termination per month			UNC3X	U1TF3	1231.65									
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>														
	Interoffice Transport Per Month														
	Dedicated - STS-1 combination - Per Mile			UNC5X	1L5XX	4.45									
	Interoffice Transport Termination per month			UNC5X	U1TFS	1214.40									
	<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>														
	4-wire 56 kbps Loop in combination - Zone 1		1	UNCDX	UDL56	25.53									
	4-wire 56 kbps Loop in combination - Zone 2		2	UNCDX	UDL56	36.29									
	4-wire 56 kbps Loop in combination - Zone 3		3	UNCDX	UDL56	64.39									
	Interoffice Transport - Per Mile per month														
	Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01									
	Interoffice Transport - Facility Termination per month			UNCDX	U1TD5	21.21									
	<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>														
	4-wire 64 kbps Loop in combination - Zone 1		1	UNCDX	UDL64	25.53									
	4-wire 64 kbps Loop in combination - Zone 2		2	UNCDX	UDL64	36.29									
	4-wire 64 kbps Loop in combination - Zone 3		3	UNCDX	UDL64	64.39									
	Interoffice Transport - Per Mile per month														
	Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01									
	Interoffice Transport - Facility Termination per month			UNCDX	U1TD6	21.21									
	<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>														
	4-wire 56 kbps Loop in combination - Zone 1		1	UNCDX	UDL56	25.53									
	4-wire 56 kbps Loop in combination - Zone 2		2	UNCDX	UDL56	36.29									
	4-wire 56 kbps Loop in combination - Zone 3		3	UNCDX	UDL56	64.39									
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month														
	Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01									
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.21									
	<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>														
	4-wire 64 kbps Loop in combination - Zone 1		1	UNCDX	UDL64	25.53									
	4-wire 64 kbps Loop in combination - Zone 2		2	UNCDX	UDL64	36.29									
	4-wire 64 kbps Loop in combination - Zone 3		3	UNCDX	UDL64	64.39									
	4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month														
	Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.21									
	<b>DS1 DIGITAL LOOP AND INTEROFFICE TRANSPORT</b>														
	4-Wire DS1 Digital Loop in combination - Zone 1		1	UNC1X	USLXX	81.35									
	4-Wire DS1 Digital Loop in combination - Zone 2		2	UNC1X	USLXX	115.62									
	4-Wire DS1 Digital Loop in combination - Zone 3		3	UNC1X	USLXX	205.15									
	Interoffice Transport - Per Mile per month														
	Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21									
	Interoffice Transport - Facility Termination per month			UNC1X	U1TF1	101.71									
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>														
	DS3 Digital Loop in combination - per mile per month														
	Dedicated DS3 combination - per mile per month			UNC3X	1L5ND	14.44									
	DS3 Digital Loop in combination - Facility Termination per month			UNC3X	UE3PX	511.65									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. B					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
									SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45									
	Interoffice Transport Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65									
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>														
	STS-1 Local Loop combination - per mile per month			UNCSX	1L5ND	14.44									
	STS-1 Local Loop combination - Facility Termination per month			UNCSX	UDLS1	564.18									
	Interoffice Transport Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.45									
	Interoffice Transport Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1214.40									
	<b>ADDITIONAL NETWORK ELEMENTS</b>														
	When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	Optional Features & Functions:														
	Clear Channel Capacity Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00					
	Clear Channel Capacity Super Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00					
	Clear Channel Capacity (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80					
	Clear Channel Capacity Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00					
	<b>MULTIPLE USE</b>														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.79									
	OC1 to COCI (dedicated) DS1 to DS0 Channel System - per month (4-64kbs) used for a Local Loop			UDL	1D1DD	2.42									
	OC1 to COCI (dedicated) DS1 to DS0 Channel System - per month (4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42									
	2-wire SDN COCI (DTE) - DS1 to DS0 Channel System - per month (for a Local Loop)			UDN	UC1CA	4.21									
	2-wire SDN COCI (DTE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	4.21									
	Voice Grade COCI DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.59									
	Voice Grade COCI DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.59									
	DS3 to DS1 Channel System per month			UNC3X	MQ3	242.87									
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	242.87									
	DS1 COCI used with Loop per month			USL	UC1D1	15.82									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	15.82									
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	15.82									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	15.82									

LOCAL INTERCONNECTION Florida										Attachment: 3 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>SIGNALING (CCS7)</b>															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05									
	CCS7 Signaling Usage, Per TCAP Message					0.0000607									
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Switched access service, interface ground transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Switched access service, interface ground transmission paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Usage, Per ISUP Message					0.0000152									
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32									
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03					

# BELLSOUTH

---

**BellSouth Telecommunications, Inc.**

150 South Monroe Street  
Suite 400  
Tallahassee, FL 32303-1556

[Marshall.criser@bellsouth.com](mailto:Marshall.criser@bellsouth.com)

**Marshall M. Criser III**

Vice President  
Regulatory & External Affairs

850 224 7798  
Fax 850 224 5073

May 5, 2005

Mrs. Blanca S. Bayo  
Director, Division of Commission Clerk and Administrative Services  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, Florida 32399

050336-TP

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and SNC Communications, LLC

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with SNC Communications, LLC

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,



Regulatory Vice President

DOCUMENT NUMBER-DATE

04755 MAY 16 05

FPSC-COMMISSION CLERK



**Amendment to the Agreement  
Between  
SNC Communications, LLC  
and  
BellSouth Telecommunications, Inc.  
Dated March 25, 2004**

Pursuant to this Amendment, (the "Amendment"), SNC Communications, LLC ("SNC Communications"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated March 25, 2004 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and SNC Communications entered into the Agreement on March 25, 2004, and;

WHEREAS, BellSouth and SNC Communications desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

**10 BASIC 911 AND E911 INTERCONNECTION**

10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

10.2 Basic 911 Interconnection. BellSouth will provide to SNC Communications a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. SNC Communications shall provide a ten (10) digit directory number in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as

stated on the list provided by BellSouth. SNC Communications will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, SNC Communications will be required to begin using E911 procedures.

10.3 **E911 Interconnection.** SNC Communications shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, SNC Communications shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. SNC Communications will be required to provide BellSouth daily updates to the E911 database. SNC Communications will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, SNC Communications will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. SNC Communications shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

10.4 Trunks and facilities for 911 Interconnection may be ordered by SNC Communications from BellSouth pursuant to the terms and conditions set forth in this Attachment.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

## 11 **SS7 Network Interconnection**

SS7 Network Interconnection is the interconnection of SNC Communications local signaling transfer point switches or SNC Communications local or tandem switching systems with BellSouth local or tandem switching systems. The

interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, SNC Communications local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and SNC Communications or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a SNC Communications Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the SNC Communications local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
  - 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
  - 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
  - 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a SNC Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of SNC Communications local STPs and shall not include SCCP Subsystem Management of the destination.

SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a SNC Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of SNC Communications local STPs and shall not include SCCP Subsystem Management of the destination.

- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.9 Interface Requirements. The following SS7 Network Interconnection interface options are available to connect SNC Communications or SNC Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
  - 11.9.1 A-link interface from SNC Communications local or tandem switching systems; and
  - 11.9.2 B-link interface from SNC Communications STPs.
  - 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
  - 11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
  - 11.9.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
  - 11.9.6 BellSouth shall set message screening parameters to accept messages from SNC Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the SNC Communications switching system has a valid signaling relationship.

3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.

4. The Parties agree to add Section 3.8 to Attachment 6 as follows:

3.8 If SNC Communications modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation

(FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by SNC Communications in accordance with FCC No. 1 Tariff, Section 5.

5. All of the other provisions of the Agreement dated March 25, 2004 shall remain unchanged and in full force and effect.
6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

<b>BellSouth Telecommunications, Inc.</b>	<b>SNC Communications, LLC</b>
By: <u><i>Kristen Rowe</i></u>	By: <u><i>Rachelle Uhland</i></u>
Name: <u>Kristen Rowe</u>	Name: <u>Rachelle Uhland</u>
Title: <u>Director</u>	Title: <u>Escalation Manager</u>
Date: <u>4/20/05</u>	Date: <u>04/19/05</u>

Version: TRRO Amendment  
03/15/05

## **Attachment 2**

### **Network Elements and Other Services**



**TABLE OF CONTENTS**

**1 INTRODUCTION..... 3**

**2 LOOPS..... 7**

**3 LINE SPLITTING..... 27**

**4 LOCAL SWITCHING..... 29**

**5 UNBUNDLED NETWORK ELEMENT COMBINATIONS..... 38**

**6 DEDICATED TRANSPORT AND DARK FIBER TRANSPORT..... 44**

**8 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)..... 58**

**9 OSS..... 60**

**Rates..... Exhibit A**

**Rates..... Exhibit B**

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to SNC Communications for SNC Communications's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to SNC Communications (Other Services). Additionally, the provision of a particular Network Element or Other Service may require SNC Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If SNC Communications purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 SNC Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 SNC Communications shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to SNC Communications pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to SNC Communications pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations to specific Wholesale Services.

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from SNC Communications. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between SNC Communications and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, SNC Communications may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that SNC Communications has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to SNC Communications.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, SNC Communications shall undertake a reasonably diligent inquiry to determine whether SNC Communications is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, SNC Communications self-certifies that to the best of SNC Communications's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon SNC Communications's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 SNC Communications may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performed them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth will perform such RNM at no additional charge. RNM shall be

performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from SNC Communications, BellSouth shall perform the RNM.

1.11 Commingling of Services

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that SNC Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. SNC Communications must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.12 Terms and conditions for order cancellation charges and Service Date  
A description of the charges and conditions for order cancellation charges and Service Date is incorporated herein by this reference. The charges shall be as set forth in Exhibit A

1.13 Ordering Guidelines and Processes

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, SNC Communications should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: <http://www.interconnection.bellsouth.com/>.

1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: <http://www.interconnection.bellsouth.com/guides/html/unes.html>.

1.13.3 The provisioning of Network Elements, Combinations and Other Services to SNC Communications's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with SNC Communications's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.

1.13.4 Testing/Trouble Reporting.

1.13.4.1 SNC Communications will be responsible for testing and isolating troubles on Network Elements. SNC Communications must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, SNC Communications will be required to provide the results of the SNC Communications test which indicate a problem on the Bellsouth network.

1.13.4.2 Once SNC Communications has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

1.13.4.3 If SNC Communications reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge SNC Communications a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable  
1/24/05 version of Service Order and Network Element List, Section 10.1

- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by SNC Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill SNC Communications for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

## 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. SNC Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is not required to purchase Loop. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly



residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to SNC Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.

2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by SNC Communications. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval

2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide SNC Communications with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

2.1.4 Transition for DS1 and DS3 Loops

2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5

2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for SNC Communications's Embedded Base during the Transition Period:

2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.



- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5 During the Transition Period, the rates for SNC Communications's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to SNC Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If SNC Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), SNC Communications may order Loop Tagging Bytes for Loop tagging are as set forth in Exhibit A.

2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), SNC Communications shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.

2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

2.1.8.1 OC allows BellSouth and SNC Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to SNC Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.8.2 OC-TS allows SNC Communications to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate SNC Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with SNC Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. SNC Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If SNC Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	<b>Order Coordination (OC)</b>	<b>Order Coordination – Time Specific (OC-TS)</b>	<b>Test Points</b>	<b>DIR</b>	<b>Charge for Dispatch and Testing if No Trouble Found</b>
<b>SL-1 (Non-Designed)</b>	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>UCL-ND (Non-Designed)</b>	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
<b>Unbundled Digital Loop (Designed)</b>	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
<b>Unbundled Copper Loop (Designed)</b>	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, SNC Communications must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by SNC Communications when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in SNC

2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.9.3 The Loops converted to SNC Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

#### 2.1.10 Bulk Migration

2.1.10.1 BellSouth will make available to SNC Communications a Bulk Migration process pursuant to which SNC Communications may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.10.2 Should SNC Communications request migration for two (2) or more EATNs containing fifteen (15) or more circuits, SNC Communications must use the Bulk Migration process referenced in 2.1.10.1 above.

#### 2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop), or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and upgrading its network, may use any of the facilities that are used to provide an

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that SNC Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by SNC Communications, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. SNC Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that SNC Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to SNC Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow SNC Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

BellSouth hereby certifies that the information herein:



- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. SNC Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 loops, subscriber lines may be provisioned over loops that include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to SNC Communications at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 SNC Communications may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL)
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any Designed and Non-Designed.



2.4.2 Unbundled Copper Loop – Designed (UCL-D)

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by SNC Communications.

2.4.2.4 These Loops are not intended to support any particular services and may be utilized by SNC Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, SNC Communications can request LMU for which additional charges would apply.

2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that SNC Communications may request facilities on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by SNC Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 SNC Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by SNC Communications which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from SNC Communications, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to SNC Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 SNC Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap that serves no network design purpose) of less than 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If SNC Communications requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. SNC Communications will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 SNC Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that SNC Communications desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for SNC Communications, SNC Communications will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by SNC Communications is available at the location for which the ULM was requested, SNC Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, SNC Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where SNC Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to SNC Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for SNC Communications (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises
  2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  3. If capacity exists, provide "side-door" porting through the switch.
  4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from SNC Communications, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. SNC Communications will then have the option of paying the one-time SC rates to place the Loop.
- 2.7 Network Interface Device
- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit SNC Communications to connect SNC Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 SNC Communications may access the End User's premises wiring by any of the following means and SNC Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow SNC Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User's premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire

from the customer premises wiring through a suitable “punch-out” hole of such NID enclosures; or

2.7.3.1.4 SNC Communications may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.3.2 In no case shall either Party remove or disconnect the other Party’s loop facilities from either Party’s NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be SNC Communications’s responsibility to ensure there is no safety hazard, and SNC Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party’s loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

2.7.3.3 SNC Communications shall not remove or disconnect ground wires from BellSouth’s NIDs, enclosures, or protectors.

2.7.3.4 SNC Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth’s NID enclosures.

2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with SNC Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

#### 2.7.4 Technical Requirements

2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User’s customer premises and the distribution media and/or cross-connect to SNC Communications’s NID.

2.7.4.3 Existing BellSouth NIDs will be operational and provided in “as is” condition. SNC Communications may request BellSouth to do additional work to the NID on

a time and material basis. When SNC Communications deploys its own local loops in a multiple-line termination device, SNC Communications shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Elements.

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

- USLD – Voice Grade (USLD-VG)
- Unbundled Copper Subloop (UCSL)
- USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If SNC Communications requests a UCSL and it is not available, SNC Communications may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- 2.8.2.4.1 Upon request for USLD-INC from SNC Communications, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for SNC Communications's use on this cross-connect panel. SNC Communications will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSSL, SNC Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. SNC Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by SNC Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet SNC Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address:  
<http://www.interconnection.bellsouth.com/products/html/unec.html>.
- 2.8.2.7 The site set-up must be completed before SNC Communications can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice SNC Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, SNC Communications will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when SNC Communications requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by SNC Communications for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an



individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and SNC Communications does own or control such wiring, SNC Communications will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to SNC Communications.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate SNC Communications for each pair activated commensurate to the price specified in SNC Communications's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party shall verify that the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide a report of all billing records to the Provisioning Party. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Dark Fiber Loop.

2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for SNC Communications to utilize Dark Fiber Loops.

2.8.4.2 Transition for Dark Fiber Loop

2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for SNC Communications at the terms and conditions set forth in this Attachment.

2.8.4.4 The rates for SNC Communications's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

2.8.4.5 The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.4.6 Effective September 10, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to SNC Communications LMU information with respect to Loops that are required to be unbundled under this Agreement so that SNC Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment SNC Communications intends to install and the services SNC Communications wishes to provide. LMU is a preordering transaction distinct from SNC Communications ordering any other service(s). Loop Makeup Service Inquiries (LMSI) and mechanized LMSI queries for preordering LMU are likewise unique from other preordering functions which are not part of this Agreement.

- 2.9.1.2 BellSouth will provide SNC Communications LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to SNC Communications as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 SNC Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by SNC Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee SNC Communications's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by SNC Communications or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. SNC Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify SNC Communications, according to the applicable network disclosure requirements. It will be SNC Communications's responsibility to move any service it may provide to another Loop or to terminate the service. If SNC Communications fails to move

the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

## 2.9.2 Submitting LMUSI

2.9.2.1 SNC Communications may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). After obtaining the Loop information from the mechanized LMU process, if SNC Communications needs further Loop information in order to determine Loop service capability, SNC Communications may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. SNC Communications will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, SNC Communications does not reserve facilities upon an initial LMUSI, SNC Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

2.9.2.3 Where SNC Communications has reserved multiple Loop facilities on a single reservation, SNC Communications may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to SNC Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by SNC Communications.

2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

## 3 **Line Splitting**

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

3.2 Line Splitting – UNE-L. In the event SNC Communications provides its own switching or other services from a third party CLEC, SNC Communications may engage in line splitting arrangements with another CLEC using a splitter, provided

by SNC Communications, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 Line Splitting – Loop and UNE Port (UNE-P).

3.3.1 To the extent SNC Communications is purchasing UNE-P pursuant to this Agreement, BellSouth will permit SNC Communications to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in SNC Communications's Embedded Base as described in Section 5.4.3.2.

3.3.2 SNC Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if SNC Communications will not provide voice and data services.

3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 on or before March 10, 2006.

3.4 Provisioning Line Splitting and Splitter Space

3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When SNC Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.

3.5 CLEC Provided Splitter – Line Splitting

3.5.1 To order High Frequency Spectrum on a particular Loop, SNC Communications must have a DCFLAM connected in the central office that serves the End User of such Loop.

- 3.5.2 SNC Communications must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.5.3 SNC Communications may purchase, install and maintain central office POTS splitters in its collocation arrangements. SNC Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.5.4 Any splitters installed by SNC Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. SNC Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.6 Maintenance – Line Splitting.
- 3.6.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.6.2 SNC Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### **4 Local Switching**

- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.
- 4.2 Transition for Local Switching
- 4.2.1 For purposes of this Section 4, the Transition Period for Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base



- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not place new orders for Local Switching pursuant to this Agreement.
- 4.2.4 The rates for SNC Communications's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.
- 4.2.5 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 4.3 Local Switching Capability, including Tandem Switching Capability
- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to SNC Communications's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that SNC Communications has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a SNC Communications local End User, or originated by a BellSouth local End User and terminated to a SNC Communications local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge SNC Communications the Network Elements for the BellSouth facilities utilized. Call origination charge network access charge for such calls. Intercarrier compensation for local calls between BellSouth and SNC Communications shall be as described in BellSouth's UNE Local Call Flows

set forth on BellSouth's Web site:  
<http://interconnection.bellsouth.com/products/docs/FLWSPPT.pdf>

- 4.3.5 Where SNC Communications has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a SNC Communications End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge SNC Communications the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and SNC Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill SNC Communications the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to SNC Communications selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by SNC Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.3.12 BellSouth shall perform maintenance and repair work on a mutually agreed upon schedule. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling

Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to SNC Communications all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by SNC Communications.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
  - 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
  - 4.3.15.2 Coin phone signaling;
  - 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
  - 4.3.15.4 2-wire analog interface to PBX;
  - 4.3.15.5 4-wire analog interface to PBX; and
  - 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 SNC Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 SNC Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the SNC Communications's End Users.
- 4.4 Common (Shared) Transport
  - 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches. in BellSouth's <sup>end office wiring,</sup> such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to SNC Communications.

4.4.3 Technical Requirements of Common (Shared) Transport

4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.

4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

4.5 Tandem Switching

4.5.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.5.2 Where SNC Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by reference, shall apply to the Tandem Switching rates apply for specific scenarios.

- 4.5.3 Technical Requirements
- 4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by SNC Communications and BellSouth;
- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to SNC Communications.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from SNC Communications's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon SNC Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for SNC Communications's traffic overflowing from direct end office high usage trunk groups.
- 4.6 Remote Call Forwarding (URCF)

- 4.6.1 As an option, BellSouth shall make available to SNC Communications an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. SNC Communications must ensure that the following conditions are satisfied:
- 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
  - 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
  - 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
  - 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge SNC Communications the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers
- 4.7.1 Where BellSouth provides Local Switching to SNC Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of SNC Communications. AIN SCR will provide SNC Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
  - 4.7.2 SNC Communications shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
  - 4.7.3 AIN SCR is not available in DMS 10 switches
  - 4.7.4 Where AIN SCR is utilized by SNC Communications, the routing of SNC Communications's End User calls shall be pursuant to information provided by

database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an “as needed” basis. The same LCCs will be assigned in each central office where AIN SCR is established.

4.7.5 Upon ordering AIN SCR Regional Service, SNC Communications shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each SNC Communications End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. SNC Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A.

4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to SNC Communications's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to SNC Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

4.7.7 The nonrecurring End Office Establishment charge will be billed to SNC Communications following BellSouth’s normal monthly billing cycle for this type of order.

4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to SNC Communications following BellSouth’s normal monthly billing cycle for this type of order.

4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to SNC Communications following the normal billing cycle for per query charges.

4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.

#### 4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)

When CLEC Communications has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth,



BellSouth will route SNC Communications's End User calls to that provider through Selective Call Routing.

- 4.8.2 SCR-LCC provides the capability for SNC Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.8.4 Where available, SNC Communications specific and unique LCCs are programmed in each BellSouth end office switch where SNC Communications intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify SNC Communications's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and SNC Communications intends to provide SNC Communications - branded OCP/DA to its End Users in these multiple rate areas.
- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require SNC Communications to order dedicated trunking from each BellSouth end office identified by SNC Communications, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the SNC Communications Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.
- 4.8.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by SNC Communications to the BellSouth TOPS.
- 4.8.7 The Rates for SCR-LCC are as set forth in Exhibit A. There is a NRC for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat fee shall apply in conjunction with unbundled ports and unbundled port/loop switch combinations

**5 Unbundled Network Element Combinations**

5.1 For purposes of this Section, references to “Currently Combined” Network Elements shall mean that the particular Network Elements requested by SNC Communications are in fact already combined by BellSouth in the BellSouth network. References to “Ordinarily Combined” Network Elements shall mean that the particular Network Elements requested by SNC Communications are not already combined by BellSouth in the location requested by SNC Communications but are elements that are typically combined in BellSouth’s network. References to “Not Typically Combined” Network Elements shall mean that the particular Network Elements requested by SNC Communications are not elements that BellSouth combines for its use in its network.

5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth’s network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth’s network.

5.1.2 To the extent SNC Communications requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

**5.2 Rates**

5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of SNC Communications

5.3 Enhanced Extended Links (EELs)

5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide SNC Communications with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

5.3.3 By placing an order for a high-capacity EEL, SNC Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit SNC Communications's high-capacity EELs as specified below.

5.3.4 Service Eligibility Criteria

5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. SNC Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

5.3.4.1.1 SNC Communications has received state certification to provide local voice service in the area being served;

5.3.4.2 For each commingled high-capacity EEL, each DS1 circuit on a DS3 EEL, and each DS1-equivalent circuit on a DS3 EEL:

5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(b).

- 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which SNC Communications will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, SNC Communications will have at least one (1) active DS1 local service interconnection trunk over which SNC Communications will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit SNC Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that SNC Communications failed to comply with the service eligibility criteria, SNC Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that SNC Communications did not comply in any material respect with the service eligibility criteria, SNC Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that SNC Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse SNC Communications for its reasonable and demonstrable costs associated with the audit. SNC Communications will maintain appropriate documentation to support its certifications.
- 5.3.4.4 In the event SNC Communications converts special access services to UNEs, SNC Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 UNE-P
- 5.4.1 DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.3.9 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA

5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.

5.4.3 Transition Period for UNE-P

5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not place new orders for UNE-P pursuant to this Agreement.

5.4.3.4 The rates for SNC Communications's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.

5.4.3.5 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

5.4.4 BellSouth shall make 911 updates in the BellSouth 911 database for SNC Communications's UNE-P. BellSouth will not bill SNC Communications for 911 surcharges. SNC Communications is responsible for paying all 911 surcharges to the applicable governmental agency.

5.5 Intercarrier Compensation

5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by SNC Communications utilizing Local Switching shall apply as follows:

5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge SNC Communications for End Office Switching as set forth in Exhibit A at the terminating end office.

5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge SNC Communications for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.

- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, SNC Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If SNC Communications does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by SNC Communications, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to SNC Communications for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and SNC Communications will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to SNC Communications utilizing Local Switching shall apply as follows:
- 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge SNC Communications for End Office Switching at the terminating end office for use of the network component; therefore, SNC Communications shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge SNC Communications for End Office Switching at the terminating end office for use of the network component; therefore, SNC Communications shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, SNC Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. SNC Communications may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originating to BellSouth from any carrier (wireless, landline, long distance) where SNC Communications uses BellSouth's CIC for its End User's LPIC:

- 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge SNC Communications for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge SNC Communications for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and SNC Communications will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, SNC Communications is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If SNC Communications does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by SNC Communications, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
  - 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to SNC Communications for each such call; or
  - 5.5.3.3.3.2 pay such charges as billed by the third party carrier and SNC Communications will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to SNC Communications utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:
  - 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge SNC Communications for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. SNC Communications may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. SNC Communications shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, SNC Communications may bill the interexchange carrier in



accordance with SNC Communications's tariff and will not bill BellSouth any charges for such call. SNC Communications shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

## **6 Dedicated Transport and Dark Fiber Transport**

6.1 **Dedicated Transport.** Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by SNC Communications. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to SNC Communications. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to SNC Communications unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

### 6.2 **Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities**

6.2.1 For purposes of this Section 6.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

6.2.3 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.

6.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 6. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for SNC Communications's Embedded Base during the Transition Period:

6.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.

6.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

6.2.4.3 During the Transition Period, the rates for SNC Communications's Embedded Base Dedicated Transport shall be the same as the rates for BellSouth's Unbundled Network Elements (UNE) as set forth in the BellSouth Tariff.

as set forth in Exhibit B and the rates for SNC Communications's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.

- 6.2.4.4 The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- 6.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 6.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 6.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 6.3 BellSouth shall:
  - 6.3.1 Provide SNC Communications exclusive use of Dedicated Transport to a particular customer or carrier;
  - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
  - 6.3.3 Permit, to the extent technically feasible, SNC Communications to connect Dedicated Transport to equipment designated by SNC Communications, including but not limited to, SNC Communications's collocated facilities; and
  - 6.3.4 Permit, to the extent technically feasible, SNC Communications to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
  - 6.4.1 As capacity on a shared facility; and
  - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to SNC Communications.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.6 SNC Communications shall have the right to request that BellSouth provide DS3 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated

Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.7 Technical Requirements

6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.2.1 DS0 Equivalent;

6.7.2.2 DS1;

6.7.2.3 DS3; and

6.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. For SDH Communication, specify the termination points for Dedicated Transport.

6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References:

6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.3 BellSouth's TR73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C.

6.8 Unbundled Channelization (Multiplexing)

- 6.8.1 To the extent SNC Communications is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, SNC Communications may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, SNC Communications's channelization equipment must adhere strictly to form and protocol standards. SNC Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub-rate digital access.
- 6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending

- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for SNC Communications as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 6.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for SNC Communications's Embedded Base during the Transition Period:
- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 During the Transition Period, the rates for SNC Communications's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.1 shall be as set forth in Exhibit B and the rates for SNC Communications's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 shall be as set forth in Exhibit A.
- 6.9.1.6 The Transition Period shall apply only to SNC Communications's Embedded Base and SNC Communications shall not add new Dark Fiber Transport as described in this Section 6.9 pursuant to this Agreement.
- 6.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.

## 6.10 Rearrangements

- 6.10.1 A request to move a working SNC Communications CFA to another SNC Communications CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.

Upon request, SNC Communications, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2. SNC Communications may request O.D.T.S. for such orders.

6.10.4 BellSouth shall accept a Letter of Authorization (LOA) between SNC Communications and another carrier that will allow SNC Communications to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

## 7 Call Related Databases and Signaling

7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to SNC Communications pursuant to this Agreement.

### 7.2 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At SNC Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by SNC Communications.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

### 7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, SNC Communications must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB provides access to the BellSouth Local Number Portability (LNP) Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data.

LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

- 7.3.2.1 BellSouth will offer to SNC Communications any additional capabilities that are developed for LIDB during the life of this Agreement.
- 7.3.2.2 BellSouth shall process SNC Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to SNC Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 7.3.2.3 Within two (2) weeks after a request by SNC Communications, BellSouth shall provide SNC Communications with a list of the customer data items, which SNC Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 7.3.2.7 All additions, updates and deletions of SNC Communications data to the LIDB shall be solely at the direction of SNC Communications. Such direction from SNC Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for SNC Communications data upon SNC Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of SNC



SNC Communications audits. BellSouth will audit SNC Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated SNC Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to SNC Communications within one (1) business day of audit. Once reconciled records are received back from SNC Communications, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact SNC Communications to negotiate a time frame for the updates, not to exceed three (3) business days.

- 7.3.2.10 BellSouth shall perform backup and recovery of all of SNC Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide SNC Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between SNC Communications and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of SNC Communications data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by SNC Communications in writing.
- 7.3.2.13 BellSouth shall provide SNC Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by SNC Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from SNC Communications the screening information associated with LIDB Data Screening of SNC Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to SNC Communications under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with SNC Communications customer records and shall return responses in accordance with industry standards.

under normal conditions as defined in industry standards.

- 7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 Interface Requirements
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. SNC Communications shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. SNC Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.
- 7.4.1 Signaling Link Transport. Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between SNC Communications designated SPOI that provide appropriate physical diversity.
- 7.4.1.1 Technical Requirements
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex, bi-directional 56 kbps transmission paths and shall perform in the following two ways:

- 7.4.1.1.1.1 As an “A-link” Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.1.2 As a “B-link” Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
  - 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
  - 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
  - 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
  - 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 **Interface Requirements.** There shall be a DS1 (1.544 Mbps) interface at SNC Communications’s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 **STP.** An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
  - 7.4.3.1 **Technical Requirements**
    - 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
    - 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of our BellSouth SS7 network to carry signaling messages that originate at a signaling end point directly connected to the BellSouth SS7 network (i.e. transit messages). When the BellSouth SS7 network is used to connect to a

messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP are as set forth in Exhibit A.

- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a SNC Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between SNC Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a SNC Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a SNC Communications database, then SNC Communications agrees to provide BellSouth with the Destination Point Code for SNC Communications database.
- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a SNC Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 7.4.4 SS7
- 7.4.4.1 When technically feasible and upon request by SNC Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is

the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with SNC Communications's SS7 network to exchange TCAP queries and responses with a SNC Communications SCP.

7.4.4.2 SS7 AIN Access shall provide SNC Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and SNC Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the SNC Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

7.4.4.3 Interface Requirements

7.4.4.3.1 BellSouth shall provide the following STP options to connect SNC Communications or SNC Communications-designated Local Switching systems to the BellSouth SS7 network:

7.4.4.3.1.1 An A-link interface from SNC Communications Local Switching systems; and

7.4.4.3.1.2 A B-link interface from SNC Communications local STPs.

7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

7.4.4.4 Message Screening

7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from SNC Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the SNC Communications

7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from SNC Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the SNC Communications switching system has a valid signaling relationship.

7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from SNC Communications from any signaling point or network interconnected through BellSouth's SS7 network where the SNC Communications SCP has a valid signaling relationship.

7.4.5 SCP/Databases

7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.

7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

7.4.5.3 Technical Requirements for SCPs/Databases

7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).

7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

7.5 LNP Database. The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

7.6 CNAM Database Service

7.6.1 BellSouth shall provide a service to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries

launched to the CNAM database. This service also provides SNC Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- 7.6.2 SNC Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to SNC Communications's access to BellSouth's CNAM Database Services and shall be addressed to SNC Communications's Local Contract Manager.
- 7.6.3 BellSouth's provision of CNAM Database Services to SNC Communications requires interconnection from SNC Communications to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 7.6.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, SNC Communications shall provide its own CNAM SSP. SNC Communications's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 7.6.5 If SNC Communications elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that SNC Communications desires to query.
- 7.6.6 If SNC Communications queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 7.6.7 The mechanism to be used by SNC Communications for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by SNC Communications in a flat file format and shall contain records for every working telephone number that can



originate phone calls. It is the responsibility of SNC Communications to provide accurate information to BellSouth on a current basis.

- 7.6.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 7.6.9 SNC Communications CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

7.7 SCE/SMS AIN Access

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide SNC Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to SNC Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect SNC Communications service logic and data from unauthorized access.
- 7.7.4 When SNC Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable SNC Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 SNC Communications access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow SNC Communications to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

**8 Automatic Location Identification/Data Management System (ALI/DMS)**

8.1 911 and E911 Databases

911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.210 (f).

8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. SNC Communications will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.

8.2 Technical Requirements

8.2.1 BellSouth's 911 database vendor shall provide SNC Communications the capability of providing updates to the ALI/DMS database through a specified electronic interface. SNC Communications shall contact BellSouth's 911 database vendor directly to request interface. SNC Communications shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of SNC Communications and BellSouth shall not be liable for the transactions between SNC Communications and BellSouth's 911 database vendor.

8.2.2 It is SNC Communications's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

8.2.3 SNC Communications shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>.

8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to SNC Communications, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for SNC Communications to assume responsibility for such records.

8.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to SNC Communications that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. SNC Communications shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to SNC Communications within two (2) months following the date of the Stranded Unlock report provided by BellSouth. SNC Communications shall be responsible for the deletion of End User records if the database vendor imposes on BellSouth for the deletion of SNC Communications's records.

**9 OSS**

- 9.1 BellSouth has developed and made available electronic interfaces by which SNC Communications may submit LSRs electronically.
- 9.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 9.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 9.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 9.5 Denial/Restoral OSS Charge. BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event SNC Communications provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 9.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

CATEGORY	DATE ELEMENTS	Interim Zone	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	OSS Rates (\$)		Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
								Rec	SOME				
<p>The "Zone" column in the conditions for stand-alone loops or loops as part of a combination refer to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.inconnectcentral.com/bellsouth.com/become_a_clec/html/interconnection.htm">http://www.inconnectcentral.com/bellsouth.com/become_a_clec/html/interconnection.htm</a></p>													
<p><b>OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"</b></p> <p>NOTE: (1) CLECs should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless of CLEC has an interconnection contract established in each of the states.</p> <p>NOTE: (2) Any element that can be ordered electronically will be billed accordingly to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOME, will be applied as a CLEC when it submits an LSR to BellSouth.</p> <p>OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UTR Only</p> <p>OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UTR Only</p> <p>UNE SERVICE DATE: VANCE</p> <p>NOTE: The "Rate element" will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.</p>													
			SOME	3.50	0.00	0.00		3.50	0.00				
			SOMAN	11.90	0.00	0.00		11.90	0.00				
					200.00								
UNE	Handoff Charge - one Circuit or Line Assemblable USOC, per Day		SDASP										
UNBUNDLED EXCH	VOICE												
2-Wire Analog	1 - VOICE - Remote Loop	1	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 1	1	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 2	2	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 3	3	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 1	1	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 2	2	UEANL	22.83	49.57	25.62		22.83	25.62				
2-Wire Analog	2 - VOICE - Remote Loop - Service Level 1 - Zone 3	3	UEANL	22.83	49.57	25.62		22.83	25.62				
Unbundled	Miscellaneous - Basic Rate Element, Tam Loop at End User		UEANL	8.33	0.83			8.33	0.83				
Loop	Miscellaneous - Basic Rate Element, Tam Loop		UEANL	48.65	48.65			48.65					
Loop	Miscellaneous - Basic Rate Element, Tam Loop - Additional Half Hour		UEANL	23.95	23.95			23.95					

CATEGORY	TITLE ELEMENTS	Initial Zone	USDC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 3 Ex				
				Nonrecurring		OSS Rates (\$)				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
				Rec	Add'l	First	Add'l							
UNBUNDLED NETWORK SERVICES - Florida	CLEC in CLEC Group - Non-Design Voice Loop - Billing for BST (per LSR)		UREWO		15.78	8.94								
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)	1	UEQ2X		7.69	20.50	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)	2	UEQ2X		10.92	20.50	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)	3	UEQ2X		19.38	20.50	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		URETL		8.33	0.83								
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		USBMC		9.00									
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		UEOMU		13.48									
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		URET1		48.65									
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		URET2		23.95									
	2-Wire Unbundled Copper Loop - Non-Design Voice Loop - Billing for BST (per LSR)		UREWO		14.27	7.43								
UNBUNDLED EXCHANGE ACCESS - Florida	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEPSB	UEPSB	10.69	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEPSB	UEPSB	10.69	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEPSB	UEPSB	15.20	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEPSB	UEPSB	15.20	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEPSB	UEPSB	26.97	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEPSB	UEPSB	26.97	22.83	25.62	6.57						
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
UNBUNDLED EXCHANGE ACCESS - Florida	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 2	2	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 3	3	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Loop - Service Level 1-Line Splitting - Zone 1	1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	PCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
													Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First
											SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>2-WIRE ISDN DIGITAL COMPATIBLE LOOP</b>																
	2-Wire ISDN Digital Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	Order Coordination - Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
<b>2-WIRE ASYMMETRIC DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>																
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2-Wire Unbundled Loop without manual service inquiry & facility reservation - Zone 1		1	UHL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2-Wire Unbundled Loop without manual service inquiry & facility reservation - Zone 2		2	UHL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2-Wire Unbundled Loop without manual service inquiry & facility reservation - Zone 3		3	UHL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.19	40.39								
<b>2-WIRE HIGH RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2-Wire Unbundled Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
<b>4-WIRE HIGH RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																
	4-Wire Unbundled Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Order Coordination - Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
<b>4-WIRE DS1 DIGITAL LOOP</b>																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Order Coordination - Specified Conversion Time (per LSR)			USL	OCOSL		23.02									

UNBUNDLED NETWORK ELEMENTS - Florida							Attachment: 2 Ex. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
CATEGORY	ELEMENTS	Interim	Zone	POS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring		Nonrecurring Disconnect					OSS Rates (\$)		
							First	Add'l	First	Add'l	\$CMEC	\$OMAN	\$OMAN	\$OMAN	\$OMAN	\$OMAN
	CLEC in CLEC Commission Charge without outside dispatch				UREWO		101.07	43.04								
4-WIRE	19.2 Kbps OR 64 Kbps DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1		UDL	UDL19	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital 19.2 Kbps		2		UDL	UDL19	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL	UDL19	55.99	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL	UDL56	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL	UDL56	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UDL	UDL56	55.99	161.56	108.85	67.08	15.56					
	Order Coordination - Specified Conversion Time (per LSR)				UDL	OCOSL		23.02								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL	UDL64	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL	UDL64	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL	UDL64	55.99	161.56	108.85	67.08	15.56					
	Order Coordination - Specified Conversion Time (per LSR)				UDL	OCOSL		23.02								
	CLEC in CLEC Commission Charge without outside dispatch				UREWO		102.11	49.74								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1		UCL	UCLPB	8.30	148.50	102.82	75.05	15.63					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2		UCL	UCLPB	11.80	148.50	102.82	75.05	15.63					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3		UCL	UCLPB	20.94	148.50	102.82	75.05	15.63					
	Order Coordination - Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1		UCL	UCLPW	8.30	123.81	70.09	60.64	9.12					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2		UCL	UCLPW	11.80	123.81	70.09	60.64	9.12					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3		UCL	UCLPW	20.94	123.81	70.09	60.64	9.12					
	Order Coordination - Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
	CLEC in CLEC Commission Charge without outside dispatch (UCL Pos)				UREWO		97.21	42.47								
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1		UCL	UCL4S	11.83	177.87	132.76	77.15	17.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2		UCL	UCL4S	16.81	177.87	132.76	77.15	17.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3		UCL	UCL4S	29.82	177.87	132.76	77.15	17.73					
	Order Coordination - Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1		UCL	UCL4W	11.83	153.18	100.03	62.74	11.22					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2		UCL	UCL4W	16.81	153.18	100.03	62.74	11.22					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3		UCL	UCL4W	29.82	153.18	100.03	62.74	11.22					
	Order Coordination - Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
	CLEC in CLEC Commission Charge without outside dispatch				UREWO		97.21	42.47								
LOOP MODIFICATION																
	Unbundled Loop Modification Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop				UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop				UHL, UCL, UEA	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop				UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52							
SUB-LOOPS																



UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	OSS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manual per LSR	Attachment 7 Ex. A				
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)				
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA	487.23										
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB	6.25										
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC	169.25										
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD	38.65										
	Sub-Loop Distribution - Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution - Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.16	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution - Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	9.00	9.00									
	Sub-Loop Distribution - Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution - Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution - Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	9.00	9.00									
	Sub-Loop 2-Wire In-Building Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	9.00	9.00									
	Sub-Loop 4-Wire In-Building Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	9.00	9.00									
	Loop Testing - Basic - Per Half Hour			UEANL	URET1	48.65	48.65									
	Loop Testing - Basic - Additional Half Hour			UEANL	URETA	23.95	23.95									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	9.00	9.00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination - Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	9.00	9.00									
	Loop Testing - Basic - Per Half Hour			UEF	URET1	48.65	48.65									
	Loop Testing - Basic - Additional Half Hour			UEF	URETA	23.95	23.95									
	Unbundled Network Terminating Wire (UNTW)			UENTW	UENPP	0.4572	18.02									
	Network Interface Device (NID)			UENTW	UNDP											
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	71.49	48.87									
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16	113.89	89.07									
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	7.63	7.63									
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4	7.63	7.63									
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Patch and Service Order for NID Installation			UENTW	UNDBX	0.00	0.00									
	UNTW - Provisioning Only - No Rate			UENTW	UNCE	0.00	0.00									
	Unbundled Contract Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									

UNBUNDLED NETWORK ELEMENTS - Florida							Attachment: 2 Ex. A														
CATEGORY	RATE ELEMENTS	Interim	Zone	PSS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring		Nonrecurring Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Center Provisioning Only - no rate			UAL,UCI,UOC,UDL,UDN,UEA,UHL,USL	UNECN	0.00	0.00														
	Unbundled Sub-Loop Header-2 Wire Cross Box Jumper - no rate			UEA,UEB,UCL,UDC	USBFO	0.00	0.00														
	Unbundled Sub-Loop Header-4 Wire Cross Box Jumper - no rate			UEA,UEB,UCL,UDL	USBFR	0.00	0.00														
	Unbundled DS1 Loop Superframe Format Option - no rate			UEA,UEB,UCL,UDL	CCOSF	0.00	0.00														
	Unbundled DS1 Loop Expanded Superframe Format option - no rate			UEA,UEB,UCL,UDL	CCOEF	0.00	0.00														
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>																					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92															
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366											
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92															
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366											
<b>LOOP MAKE-UP</b>																					
	Loop Make-up - Provisioning Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW			52.17	52.17												
	Loop Make-up - Provisioning With Reservation, per spare facility queried (Manual)			UMK	UMKLP			55.07	55.07												
	Loop Make-up-Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ			0.6784	0.6784												
<b>LINE SPLITTING</b>																					
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>																					
	Line Splitting - per activation DLEC owned splitter			UEPSP,UEPSB	UREOS	0.61															
	Line Splitting - per activation BST owned - physical			UEPSP,UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61											
	Line Splitting - per activation BST owned - virtual			UEPSP,UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61											
<b>MAINTENANCE OF SERVICE</b>																					
	NOTE: The expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.																				
	No Trouble Found - per 1/2 hour increments - Basic							80.00	55.00												
	No Trouble Found - per 1/2 hour increments - Overtime							90.00	65.00												
	No Trouble Found - per 1/2 hour increments - Premium							100.00	75.00												
<b>UNBUNDLED DEDICATED TRANSPORT</b>																					
<b>INTEROFFICE CHANNEL</b>																					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091															
	Interoffice Channel - Dedicated Transport-2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Fee - Per Mile per month			U1TVX	1L5XX	0.0091															
	Interoffice Channel - Dedicated Transport-2-Wire VG - Rev Bat. - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091															
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03											
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091															
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03											
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091															
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03											

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2, Ex. A		Attachment 2, Ex. A		Attachment 2, Ex. A						
CATEGORY	DATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		Nonrecurring Disconnect		SOMEK	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Interoffice Channel - Designated Channel - DS1 - Per Mile per month				U1TD1	1L5XX	0.1856													
	Interoffice Channel - Designated Transport - DS1 - Facility Termination				U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05									
	Interoffice Channel - Designated Transport - DS3 - Per Mile per month				U1TD3	1L5XX	3.87													
	Interoffice Channel - Designated Transport - DS3 - Facility Termination per month				U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56									
	Interoffice Channel - Designated Transport - STS-1 - Per Mile per month				U1TS1	1L5XX	3.87													
	Interoffice Channel - Designated Transport - STS-1 - Facility Termination				U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56									
<b>DARK FIBER</b>																				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel				UDF, UDFCX	1L5DC	53.87													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Office Channel				UDF, UDFCX	1L6DF	26.85													
	NRC Dark Fiber, Office Channel				UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop				UDF, UDFCX	1L5DL	53.87													
<b>8XX ACCESS TEN DIGIT SCREENING</b>																				
	8XX Access Ten Digit Screening, Per Call						0.0006252													
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query						0.0006252													
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query						0.0006252													
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>																				
	LIDB Common Transport Per Query						0.0000203													
	LIDB Validation Per Query						0.0136959													
	LIDB Originating Point Code Establishment or Change				DDU	NRBPX		55.13	55.13	55.13	55.13									
<b>CALLING NAME (CNAM) SERVICE</b>																				
	CNAM for DB Owners Per Query						0.001024													
	CNAM for Non DB Owners Per Query						0.001024													
<b>LNP Query Service</b>																				
	LNP Change Per query						0.000852													
	LNP Service Establishment Manual							13.83	13.83	12.71	12.71									
	LNP Service Provisioning with Point Code Establishment							655.50	334.86	297.03	218.40									
<b>SELECTIVE ROUTING</b>																				
	Selective Routing - Unique Line Class Code Per Request Per Switch							93.55	93.55	12.71	12.71									
<b>VIRTUAL COLLOCATION</b>																				
	Virtual Collocation - Wire Cross Connects (Loop) for Line Splitting				UEPSB	UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00								
<b>PHYSICAL COLLOCATION</b>																				
	Physical Collocation - Wire Cross Connects (Loop) for Line Splitting				UEPSB	UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58								
<b>AIN SELECTIVE CALLER ROUTING</b>																				
	Registration Service Establishment							193,444.00		7,737.00										
	End Service Establishment							187.36	187.36	0.69	0.69									
	Query TRC, per query						0.0031858													
<b>AIN - BELL SOUTH AIN TRMS ACCESS SERVICE</b>																				
	AIN Service Access Service Establishment, Per State, Initial Setup				AIN	CAMSE		43.56	43.56	44.93	44.93									
	AIN Service Access Service - Port Connection - Dial/Shared Access				AIN	CAMDP		8.64	8.64	10.03	10.03									
	AIN Service Access Service - Port Connection - ISDN Access				AIN	CAM1P		8.64	8.64	10.03	10.03									
	AIN Service Access Service - User Identification Codes - Per User				AIN	CAMAU		38.65	38.66	29.88	29.88									

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A							
						Rec	Nonrecurring		Nonrecurring Disconnect			SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
							First	Add'l	First									Add'l	
	AIN S... Access S... - Security Card, Per User ID Code, Initial or Replacement				CAMRC														
	AIN S... Access S... - Storage, Per Unit (100 Kilobytes)					0.0028	75.10	75.10	12.93	12.93									
	AIN S... Access S... - Session, Per Minute					0.7809													
	AIN S... Access S... - Company Performance Session, Per Minute					0.4609													
	CCS... Signaling Use... Per TCAP Message					0.0000607													
	CCS... Signaling Use... Per ISUP Message					0.0000152													
	<b>SIGNALING (CCS7)</b>																		
	<b>ENHANCED EXTENSION LINK (EEL)</b>																		
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-A-Service Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																		
	NOTE: The monthly recurring and the Switch-As-A-Service Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																		
	<b>2 WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																		
	2-Wire VG Loop (S...)		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81									
	2-Wire VG Loop (S...)		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81									
	2-Wire VG Loop (S...)		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81									
	Voice Grade COCI (date)			UNCVX	1D1VG	1.38	10.07	7.08											
	<b>4 WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																		
	4-Wire Analog Voice Grade Loop In Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81									
	4-Wire Analog Voice Grade Loop In Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81									
	4-Wire Analog Voice Grade Loop In Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81									
	Voice Grade COCI (date) in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08											
	<b>4 WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCY	UDL56	22.20	127.59	60.54	42.79	2.81									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCY	UDL56	31.56	127.59	60.54	42.79	2.81									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCY	UDL56	55.99	127.59	60.54	42.79	2.81									
	OCUCI (date) in combination - per month (2,4-64kbs)			UNCDCY	1D1DD	2.10	10.07	7.08											
	<b>4 WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCY	UDL64	22.20	127.59	60.54	42.79	2.81									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCY	UDL64	31.56	127.59	60.54	42.79	2.81									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCY	UDL64	55.99	127.59	60.54	42.79	2.81									
	OCUCI (date) in combination - per month (2,4-64kbs)			UNCDCY	1D1DD	2.10	10.07	7.08											
	<b>2 WIRE ISDN LOOP FOR USE IN COMBINATION</b>																		
	2-Wire ISDN Loop (S...)		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81									
	2-Wire ISDN Loop (S...)		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81									
	2-Wire ISDN Loop (S...)		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81									
	2-wire ISDN COCI (date) in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08											
	<b>4 WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>																		
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45									
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08											
	<b>2 WIRE VOICE GRADE INTER-OFFICE TRANSPORT FOR USE IN A COMBINATION</b>																		
	Interface Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091													
	Interface Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53									
	<b>4 WIRE VOICE GRADE INTER-OFFICE TRANSPORT FOR USE IN A COMBINATION</b>																		
	Interface Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091													
	Interface Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53									
	<b>DS1 INTER-OFFICE TRANSPORT FOR COMBINATION</b>																		
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856													
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95									
	<b>DS3 INTER-OFFICE TRANSPORT FOR USE IN A COMBINATION</b>																		

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment 2 Ex. A	
CATEGORY	DESCRIPTION	Internal	Zone	OS	USOC	RATE (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Monthly per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN
	Interoffice Transport - Per Month				UNC3X	1L5XX	3.87					
	Interoffice Transport - Facility Termination per month				UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	
<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>												
	Interoffice Transport - Per Month				UNC5X	1L5XX	3.87					
	Interoffice Transport - Facility Termination per month				UNC5X	U1TFS	1,056.00	314.45	130.88	38.60	18.23	
<b>4-WIRE 56 Kbps DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1		1		UNC0X	UDL56	22.20	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 2		2		UNC0X	UDL56	31.56	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 3		3		UNC0X	UDL56	55.99	127.59	60.54	42.79	2.81	
	Interoffice Transport - Per Mile per month				UNC0X	1L5XX	0.0091					
	Interoffice Transport - Facility Termination per month				UNC0X	U1TD5	18.44	94.70	52.59	50.49	21.53	
<b>4-WIRE 64 Kbps DIGITAL LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in combination - Zone 1		1		UNC0X	UDL64	22.20	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 2		2		UNC0X	UDL64	31.56	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 3		3		UNC0X	UDL64	55.99	127.59	60.54	42.79	2.81	
	Interoffice Transport - Per Mile per month				UNC0X	1L5XX	0.0091					
	Interoffice Transport - Facility Termination per month				UNC0X	U1TD6	18.44	94.70	52.59	50.49	21.53	
<b>4-WIRE 56 Kbps DIGITAL LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1		1		UNC0X	UDL56	22.20	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 2		2		UNC0X	UDL56	31.56	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 3		3		UNC0X	UDL56	55.99	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month				UNC0X	1L5XX	0.0091					
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month				UNC0X	U1TD5	18.44	94.70	52.59	50.49	21.53	
<b>4-WIRE 64 Kbps DIGITAL LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in combination - Zone 1		1		UNC0X	UDL64	22.20	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 2		2		UNC0X	UDL64	31.56	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 3		3		UNC0X	UDL64	55.99	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month				UNC0X	1L5XX	0.0091					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month				UNC0X	U1TD6	18.44	94.70	52.59	50.49	21.53	
<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>												
	4-Wire DS1 Digital Loop in combination - Zone 1		1		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	
	4-Wire DS1 Digital Loop in combination - Zone 2		2		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	
	4-Wire DS1 Digital Loop in combination - Zone 3		3		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	
	Interoffice Transport - Per Month				UNC1X	1L5XX	0.1856					
	Interoffice Transport - Facility Termination per month				UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	
<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>												
	DS3 Local Loop in combination - Facility Termination per month				UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month				UNC3X	1L5XX	3.87					
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month				UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	
<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>												
	STS-1 Local Loop in combination - per mile per month				UNC5X	1L5ND	12.556					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A													
CATEGORY	RATE ELEMENTS	Interim	Zone	DSC	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		Nonrecurring Disconnect		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l							
	STS - Local Loop Combination - Facility Termination per month			UNCSX	UDLS1	490.59																	
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSY	1L5XX	3.87																	
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSY	U1TFS	1,056.00	314.45	130.88	38.60	18.23													
<b>ADDITIONAL NETWORK ELEMENTS</b>																							
When used as part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																							
When used as a standalone network element in All States, the non-recurring charges apply and the Switch As Is Charge does not.																							
Non-recurring charges for currently combined Network Elements "Switch As Is" Charge (One applies to each combination)																							
	Monitoring Current Combined Network Elements Switch -As-Is Charge - 2 wire/1MG			UNCVX, UNCCX, UNCSX	UNCCX																		
<b>Optional Features &amp; Functions</b>																							
	Clear Channel Capacity Extended Frame Option - per DS1			U1TD1, ULDD1, UNCC1X	CCOEF																		
	Clear Channel Capacity Super Frame Option - per DS1			U1TD1, ULDD1, UNCC1X	CCOSF																		
	Clear Channel Capacity (SF/ESF) Option - Subsequent Activity per DS1			U1TD1, ULDD1, UNCC1X, USL	NRCCC	184.92	23.82	2.07	0.80														
	C-bit Capacity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNCC3X	NRCC3	219.09	7.67	0.773	0.00														
<b>MULTIPLERS</b>																							
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62															
	OCU to COCI (dedicated DS1 to DS0 Channel System - per month) (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08															
	OCU to COCI (dedicated DS1 to DS0 Channel System - per month) (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00													
	2-wire SDN COCI (D/E) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08															
	2-wire SDN COCI (D/E) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUR	UC1CA	3.66	10.07	7.08	0.00	0.00													
	Voice Grade COCI (D/E) in DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08															
	Voice Grade COCI (D/E) in DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00													
	DS3 in DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07													
	STS-1 in DS1 Channel System per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07													
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08															
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TJA	UC1D1	13.76	10.07	7.08	0.00	0.00													
	DS1 COCI used with Metrooffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00													
	DS3 Interface Unit (DS3 COCI) used with Local Channel per month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00													
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)</b>																							
The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.																							
<b>Exchange Ports</b>																							
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																							
<b>2-WIRE VOICE GRADE LINE PORT RATES (RES)</b>																							
	Exchange Ports - 2 Wire Analog Line Port - Res.			UEPSR	UEPRL	2.40	3.74	3.63	1.88	1.80													
	Exchange Ports - 2 Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.40	3.74	3.63	1.88	1.80													
	Exchange Ports - 2 Wire Analog Line Port with Caller ID - Res. #NAME?			UEPSR	UEPRO	2.40	3.74	3.63	1.88	1.80													
	Exchange Ports - 2 Wire MG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80													





UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: Ex. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	PCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect							
						First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
NOTE: Access to B Channel Packet capabilities will be available only through RFP/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
UNBUNDLED PORT WITH	NOTE CALL FORWARDING CAPABILITY															
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
Unbundled Remote	Call Forwarding Service, Area Calling, Res				UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, Local Calling - Res				UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, InterLATA - Res				UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, IntraLATA - Res				UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80					
Non-Recurring	Unbundled Remote Switching Basis				UEPVR	USAC2		0.102	0.102							
Unbundled Remote	Call Forwarding Service, Conversion with				UEPVR	USACC		0.102	0.102							
UNBUNDLED REMOTE CALL FORWARDING - BUS																
Unbundled Remote	Call Forwarding Service, Area Calling - Bus				UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, Local Calling - Bus				UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, InterLATA - Bus				UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, IntraLATA - Bus				UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80					
Unbundled Remote	Call Forwarding Service, Expanded and Exception Local Calling				UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80					
Non-Recurring	Unbundled Remote Switching Basis				UEPVB	USAC2		0.102	0.102							
Unbundled Remote	Call Forwarding Service, Conversion with				UEPVB	USACC		0.102	0.102							
UNBUNDLED LOCAL SWITCHING - PORT USAGE																
End Office Switching (Port Usage)																
End Office Switching (Port Usage)	Function, Per MOU						0.0007662									
End Office Trunk Port	Shared, Per MOU						0.000164									
Tandem Switching (Port Usage) (Local or Access Tandem)																
Tandem Switching (Port Usage) (Local or Access Tandem)	Function Per MOU						0.0001319									
Tandem Trunk Port	Shared, Per MOU						0.000235									
Tandem Switching (Port Usage) (Local or Access Tandem)	Function Per MOU (Melded)						0.000027185									
Tandem Trunk Port	Shared, Per MOU (Melded)						0.000048434									
Melded Factor	20.61% of Tandem Rate															
Common Transport																
Common Transport	Per Mile, Per MOU						0.0000035									
Common Transport	Facilities Termination Per MOU						0.0004372									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
>Cost Based Rates are applicable where BellSouth is required by FCC and/or State Commission rules to provide Unbundled Local Switching or Switch Ports																
>The UNE-P Switching Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.																
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)</b>																
<b>UNE Port/Loop Combination Rates</b>																
	2-Wire VG Loop/Port Combo - Zone 1						11.94									
	2-Wire VG Loop/Port Combo - Zone 2						16.05									
	2-Wire VG Loop/Port Combo - Zone 3						26.80									
<b>UNE Loop Rates</b>																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1		UEPRX	UEPLX	9.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2		UEPRX	UEPLX	13.88									

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	RCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A									
								Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)					
												SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					Rec			Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l						
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX			24.63									
	2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire Voice Unbundled port - residence			UEPRX	UEPRL			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled port with Caller ID - res			UEPRX	UEPRC			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled port outgoing only - res			UEPRX	UEPRO			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled (LUM) - res, low usage line port with Caller ID			UEPRX	UEPAP			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Florida extended dialing with Caller ID			UEPRX	UEPA1			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPA8			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Florida Area Calling Port without Caller ID Capability			UEPRX	UEPA9			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT			2.17	53.31	26.46	27.50	8.37					
	FEATURES																
	All Features Offered			UEPRX	UEPVF			2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch in place			UEPRX	USAC2				0.102	0.102							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC				0.102	0.102							
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at Quick Start Location - Not Conversion of Existing Service			UEPRX	URECC				0.102								
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activation			UEPRX	USAS2			0.00	0.00	0.00							
	Unbundled Miscellaneous Rate Element, Tap Loop at End User Premises			UEPRX	URETL				8.33	0.83							
	OPTION PRE-DESIGN CHANNELS																
	2-Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN			10.69	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN			15.20	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN			26.97	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED			12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED			17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED			30.87	135.75	82.47	63.53	12.01					
	INTEROFFICE TRANSPORTATION																
	Interoffice Transportation - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2			25.32	47.35	31.78							
	Interoffice Transportation - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM			0.0091	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
	LINE Port/Loop Combination Rates																
	2-Wire Loop/Port Combo - Zone 1							11.94									
	2-Wire Loop/Port Combo - Zone 2							16.05									
	2-Wire Loop/Port Combo - Zone 3							26.80									
	LINE Loop Port																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX			9.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX			13.88									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX			24.63									
	2-Wire Voice Grade Line Port (Bus)																
	2-Wire Voice Unbundled port without Caller ID - bus			UEPBX	UEPBL			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled port outgoing only - bus			UEPBX	UEPBO			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1			2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE			2.17	53.31	26.46	27.50	8.37					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	RES	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
FEATURES															
All Features Offered															
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switched basis			UEPBX	UEPVF	2.26	0.00	0.00							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switched basis with changeover			UEPBX	USAC2		0.102	0.102							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises			UEPBX	URETL		8.33	0.83							
OFFICE PREMISES EXTENSION CHANNELS															
	2-Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01					
INTEROFFICE TRANSPORTATION															
	Interoffice Transportation - Indicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	25.32	47.35	31.78							
	Interoffice Transportation - Indicated - 2 Wire Voice Grade - Per Mile (or Fraction Mile)			UEPBX	U1VM	0.0091	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire Voice Grade Loop / Port - Combo - Zone 1					11.94									
	2-Wire Voice Grade Loop / Port - Combo - Zone 2					16.05									
	2-Wire Voice Grade Loop / Port - Combo - Zone 3					26.80									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63									
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire Voice Grade Unbundled Loop / Port Combination 2-Way CSX Trunk Port - Res			UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73					
FEATURES															
All Features Offered															
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switched basis			UEPRG	USAC2		8.45	1.91							
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switched basis Change			UEPRG	USACC		8.45	1.91							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises			UEPRG	URETL		8.33	0.83							
OFFICE PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01					
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01					
	Non-Wire Direct Service Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54					
	Non-Wire Direct Service Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54					
	Non-Wire Direct Service Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54					
INTEROFFICE TRANSPORTATION															

UNBUNDLED NETWORK ELEMENTS - Florida										Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
CATEGORY	DATE ELEMENTS	Interim	Zone	PCS	USOC	RATES (\$)				OSS Rates (\$)						
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l						
	Interoffice Transport Termination				UEPRG	U1TV2	25.32	47.35	31.78							
	Interoffice Transport or Fraction Mile				UEPRG	U1TVM	0.0091	0.00	0.00							
	2-WIRE VOICE GRADE LINE WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Line Combination Rates															
	2-Wire VGS Loop/Port Combo - Zone 1						11.94									
	2-Wire VGS Loop/Port Combo - Zone 2						16.05									
	2-Wire VGS Loop/Port Combo - Zone 3						26.60									
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1		UEPPX	UEPLX	9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UEPPX	UEPLX	13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3		UEPPX	UEPLX	24.63									
	2-Wire Voice Grade Line Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73					
	Line Side Unbundled Outward PBX Trunk Port - Bus				UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73					
	Line Side Unbundled Incoming PBX Trunk Port - Bus				UEPPX	UEPP1	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port				UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port				UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port				UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port				UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73					
	FEATURES															
	All Features Offered				UEPPX	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES															
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Combination - Switch Rate Change				UEPPX	USAC2		8.45	1.91							
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Combination - Switch Rate Change				UEPPX	USACC		8.45	1.91							
	ADDITIONAL CHARGES															
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activities				UEPPX	USAS2	0.00	0.00	0.00							
	PBX Frequent Group							7.86	7.86							
	Unbundled Miscellaneous Rate Element, Toll Loop at End User Premise				UEPPX	URETL		8.33	0.93							
	OPTIONAL SERVICES EXTENSION CHANNELS															
	Local Channel Voice Grade, per Termination		1		UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01					
	Local Channel Voice Grade, per Termination		2		UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01					
	Local Channel Voice Grade, per Termination		3		UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01					
	Non-Local Direct Seizure Channel Voice Grade		1		UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54					
	Non-Local Direct Seizure Channel Voice Grade		2		UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54					
	Non-Local Direct Seizure Channel Voice Grade		3		UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54					
	INTEROFFICE TRANSPORT															
	Interoffice Transport Termination				UEPPX	U1TV2	25.32	47.35	31.78							
	Interoffice Transport or Fraction Mile				UEPPX	U1TVM	0.0091	0.00	0.00							
	2-WIRE VOICE GRADE LINE WITH 2-WIRE ANALOG LINE COIN PORT															

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	PCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	LINE Port/Loop Combination Rates											
	2-Wire Loop/Port Combo - Zone 1					11.94						
	2-Wire Loop/Port Combo - Zone 2					16.05						
	2-Wire Loop/Port Combo - Zone 3					26.80						
	LINE Loop Rates											
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77						
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88						
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63						
	2-Wire Voice Grade Line Port (COIN)											
	2-Wire Loop/Port Combo with Operator Screening and Blocking: 011			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with Operator Screening and Blocking: 900/975, 1+DDD, 011 and Local (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with Operator Screening and Blocking: 900/975, 1+DDD, 011 (FL)			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with Operator Screening and Blocking: 900/975, 1+DDD, 011 and Local (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with 900/976 (all states except LA)			UEPCO	UEPCK	2.17	53.31	26.46	27.50	8.37		
	2-Wire Loop/Port Combo with 900/976 (all states except LA)			UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37		
	ADDITIONAL CHARGES - LOOP (RC)											
	LINE Loop/Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.85	0.00	0.00	0.00	0.00		
	NONRECURRING CHARGES - CURRENTLY COMBINED											
	2-Wire Voice Grade Loop/Line Port Combination - Conversion - Switch Basis			UEPCO	USAC2		0.102	0.102				
	2-Wire Voice Grade Loop/Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.102	0.102				
	ADDITIONAL CHARGES											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activation			UEPCO	USAS2		0.00	0.00				
	Unbundled Port Merit Premium Rate Element, Ten Loop at End User Premise			UEPCO	URETL		8.33	0.83				
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE ID TRANSPORT/2-WIRE LINE PORT (RES)											
	LINE Port/Loop Combination Rates											
	2-Wire Loop/Port Combo - Zone 1					14.64						
	2-Wire Loop/Port Combo - Zone 2					19.80						
	2-Wire Loop/Port Combo - Zone 3					33.27						
	LINE Loop Rates											
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24						
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40						
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.67						
	2-Wire Voice Grade Line Port Rates (Res)											
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73		
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73		
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73		
	INTEROFFICE TRANSPORT											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	25.32	47.35	31.78				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0091						
	FEATURES											

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A												
CATEGORY	RATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l										
													Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS Rates (\$)				
													SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00														
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch-as-is			UEPFR	USAC2		16.97	3.73														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch-With-Change			UEPFR	USACC		16.97	3.73														
	Unbundled Miscellaneous Rate Element, Top Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10														
	<b>2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)</b>																					
	<b>UNE Port/Loop Combination Rates</b>																					
	2-Wire Loop/IO Transport/Port Combo - Zone 1						14.64															
	2-Wire Loop/IO Transport/Port Combo - Zone 2						19.80															
	2-Wire Loop/IO Transport/Port Combo - Zone 3						33.27															
	<b>UNE Loop Rates</b>																					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2		12.24															
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2		17.40															
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2		30.87															
	<b>2-Wire Voice Grade Line Rates (BUS)</b>																					
	2-Wire Voice Unbundled Loop without Caller ID - bus			UEPFB	UEPBL		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled Loop with Caller - E484 ID - bus			UEPFB	UEPBC		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled Loop outgoing only - bus			UEPFB	UEPBO		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled Loop incoming only port with Caller ID - Bus			UEPFB	UEPB1		2.40	174.81	100.65	75.88	12.73											
	<b>INTEROFFICE TRANSPORT</b>																					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2		25.32	47.35	31.78													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX		0.0091															
	<b>FEATURES</b>																					
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00														
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>																					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch-as-is			UEPFB	USAC2		16.97	3.73														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch with change			UEPFB	USACC		16.97	3.73														
	Unbundled Miscellaneous Rate Element, Top Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10														
	<b>2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)</b>																					
	<b>UNE Port/Loop Combination Rates</b>																					
	2-Wire Loop/IO Transport/Port Combo - Zone 1						14.64															
	2-Wire Loop/IO Transport/Port Combo - Zone 2						19.80															
	2-Wire Loop/IO Transport/Port Combo - Zone 3						33.27															
	<b>UNE Loop Rates</b>																					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2		12.24															
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2		17.40															
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2		30.87															
	<b>2-Wire Voice Grade Line Rates (BUS - PBX)</b>																					
	Line Port Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFB	UEPPC		2.40	174.81	100.65	75.88	12.73											
	Line Port Unbundled Outward PBX Trunk Port - Bus			UEPFB	UEPPO		2.40	174.81	100.65	75.88	12.73											
	Line Port Unbundled Incoming PBX Trunk Port - Bus			UEPFB	UEPP1		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFB	UEPLD		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFB	UEPXA		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFB	UEPXB		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFB	UEPXC		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFB	UEPXD		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD																					
	Capacity Port			UEPFB	UEPXE		2.40	174.81	100.65	75.88	12.73											
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Call Port			UEPFB	UEPXL		2.40	174.81	100.65	75.88	12.73											



UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 - Ex. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	DPS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.40	174.81	100.65	75.88	12.73					
INTRA-OFFICE TRANSPORT															
	Inter-Office Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25.32	47.35	31.78							
	Inter-Office Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0091									
FEATURES															
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch-as-is			UEPFP	USAC2		16.97	3.73							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Combination - Switch with change			UEPFP	USACC		16.97	3.73							
	Unbundled Miscellaneous Rate Element, Tap Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10							
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					21.95									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					27.11									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					40.58									
UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87									
UNE Port Rates															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.71	214.16	98.29							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		7.85	1.87							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with Port/South Atlantic Changes			UEPPX	USA1C		7.85	1.87							
ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26							
	Unbundled Miscellaneous Rate Element, Tap Designed Loop at End User Premise			UEPPX	URETN		11.21	1.10							
Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Numbers, Establishment Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00							
	DID Numbers, Non-Consecutive DID Numbers, Per Number			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1					23.63									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2					30.05									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3					46.84									
UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25								
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67								



UNBUNDLED NETWORK ELEMENTS - Florida

Attachment & Ex. A	Incremental	Charge - Manual Svc	Disc vs. Manual Svc	Electronic - Order vs. Manual Svc	Electronic - Order vs. Manual Svc	Disc vs. Electronic - Order vs. Manual Svc	Disc Add'l
--------------------	-------------	---------------------	---------------------	-----------------------------------	-----------------------------------	--	------------

RATES (\$)	SOMC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Nonrecurring Disconnect			Rec	Zone	Interm	Rate Elements	USOC
								First	First	Add'l					

USOC															
------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida	UNBUNDLED NETWORK ELEMENTS - Florida
--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------



UNBUNDLED NETWORK ELEMENTS - Florida							Attachment 2 Ex. A									
CATEGORY	RATE ELEMENTS	Interim	Zone	RBS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
							Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)				
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						11.94									
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						16.05									
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						26.80									
	<b>UNE Port/Loop Combination Rates (Design)</b>															
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						14.41									
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						19.57									
	2-Wire TDM Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						33.04									
	<b>UNE Loop Rates</b>															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1		9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1		13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1		24.63									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2		12.24									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2		17.40									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2		30.87									
	<b>UNE Port Rates</b>															
	<b>All States</b>															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 Basic Local Area			UEP95	UEPYM		2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ		2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2		2.17	53.31	26.46	27.50	8.37					
	<b>AL, KY, LA, MS, NC, SC, &amp; TN</b>						2.17									
	<b>FL &amp; GA Only</b>						2.17									
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3			UEP95	UEPHM		2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Diff Serving Wire Center - 800 Service Term -			UEP95	UEPHZ		2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Terminated in an Megalink or equivalent			UEP95	UEPH9		2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Terminated on 800 Service Term			UEP95	UEPH2		2.17	53.31	26.46	27.50	8.37					
	<b>Local Switches</b>															
	Centrex Intercom Facility, per port			UEP95	URECS		0.7384									
	<b>Features</b>															
	All Standard Features Offered, per port			UEP95	UEPVF		2.26									
	All Select Features Offered, per port			UEP95	UEPVS		0.00	370.70								
	All Centrex Control Features Offered, per port			UEP95	UEPVC		2.26									
	<b>NAPS</b>															
	Unbundled Network Access Register - Combination			UEP95	UARCX		0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Indial			UEP95	UAR1X		0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP95	UAROX		0.00	0.00	0.00	0.00	0.00					
	<b>Miscellaneous</b>															
	2-Wire Trunk Line Termination, each			UEP95	CEND6		8.73									



UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	WIRE	GRADE	ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachments Ex. A					
								Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
									First	Add'l	First							Add'l	OSS Rates (\$)
											SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	2-Wire	Basic Grade	(Centrex 800 termination) Basic Local			UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-PSET)3 Basic Local			UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5009)3 Basic Local			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5209)3 Basic Local			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5112)3 Basic Local			UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5212)3 Basic Local			UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5008)3 Basic Local			UEP9D	UEPYT	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5209)3 Basic Local			UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5215)3 Basic Local			UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5316)3 Basic Local			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex with Caller ID) Basic Local			UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37							
	Indicator	Basic Local Area	(Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex from diff Serving Wire Center)			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37							
	2.3-Base	Basic Local Area	(Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYP	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPYR	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYS	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPY4	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	(Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81							
	2-Wire	Basic Grade	Terminated in on Menalink or equivalent			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37							
FL & GA On								2.17											
	2-Wire	Basic Grade	(Centrex)			UEP9D	UEPHA	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex 800 termination)			UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-PSET)4			UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5009)4			UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5209)4			UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37							
	2-Wire	Basic Grade	(Centrex / EBS-M5112)4			UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37							

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A							
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													SOMEc	SOMAN	SOMAN	SOMAN
Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l												
	2-Wire Voice Grade Ter (Centrex / EBS-M5312)4			UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex / EBS-M5008)4			UEP9D	UEPHT	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex / EBS-M5208)4			UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex / EBS-M5216)4			UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex / EBS-M5316)4			UEP9D	UEPH3	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex with Caller ID)			UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter Diff Serving Wire Center - 800 Service Term			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Ter Terminated in on Megalink or equivalent			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Ter Terminated on 800 Service Term			UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37						
Local Switch	Centrex Intercom Facility, per port			UEP9D	URECS	0.7384										
Features	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Special Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NAPS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous	Termination															
2-Wire Trunk	Trunk Line Termination, each			UEP9D	CEND6	8.73										
4-Wire Digital	DS1 Trunk Termination, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activated, per Channel			UEP9D	M1HDO	0.00	15.69									
Intraoffice Channel	Interoffice Channel, 1-Wire															
	Interoffice Channel, Facilities Termination			UEP9D	M1GBC	25.32										
	Interoffice Channel, Charge, per mile or fraction of mile			UEP9D	M1GBM	0.0091										
Feature Activation	Centrex Loops on Channelized DS1 Service															
D4 Channel Bank	Feature Activation, Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation, Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										





UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First						
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Florida Only						2.17									
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent			UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37					
Local Switching	Central Intercom Facility, per port			UEP9E	URECS	0.7384									
Features	All Standard Features Offered, per port			UEP9E	UEPVF	2.26									
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70								
	All Complex Control Features Offered, per port			UEP9E	UEPVC	2.26									
NARS	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Cudial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00					
Miscellaneous	2-Wire Trunk Line Termination, each			UEP9E	CEND6	8.73									
	4-Wire Digital DS1 Loop Termination, each			UEP9E	M1HD1	54.95									
	DS0 Channel Activation, Per Channel			UEP9E	M1HDO	0.00	15.69								
Interoffice Channel Mileage	Interoffice Channel Mileage Termination			UEP9E	M1GBC	25.32									
	Interoffice Channel Mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091									
Feature Activation	Centrex Loops on Channelized DS1 Service														
D4 Channel Bank Feature Activation	D4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66									
	D4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66									
	D4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66									
	D4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66									
	D4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66									
	D4 Channel Bank Tje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66									
	D4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66									
Non-Recurring Charges (NRC)	Associated with UNE-P Centrex														
	NRC Conversion Charge, Combined Switch-As-Is with allowed change, per port			UEP9E	USAC2		21.50	8.42							
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32							
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82								
	New Centrex Custom Common Block			UEP9E	M1ACC	0.00	618.82								
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48								
Additional Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate Element, Tap Loop at End Use Premise				UEP9E	URETL		8.33	0.83							
Unbundled Miscellaneous Rate Element, Tap Design Loop at End Use Premise				UEP9E	URETN		11.21	1.10							
Note 1 - Removal of Port for Centrex Control in 1AESS, SESS & EWSD															
Note 2 - Removal of Interoffice Channel Mileage															
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	DATE ELEMENTS	Interim	Zone	USDC	RATES (\$)	Submitted		Svc Order		Incremental		Incremental		Incremental		
						Manual	Electronic	Manual	Electronic	Charge - Manual Svc Order vs. Electronic 1st	Charge - Manual Svc Order vs. Electronic Add'l	Charge - Manual Svc Order vs. Electronic 1st	Charge - Manual Svc Order vs. Electronic Add'l	Charge - Manual Svc Order vs. Electronic 1st	Charge - Manual Svc Order vs. Electronic Add'l	
						Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)		SOMAN		SOMAN		
						First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note 4 - Requiring Specific Customer Premises Equipment																
Note: Rates displayed in the Interim column are interim as a result of a Commission order.																

UNBUNDLED NETWORK ELEMENTS - Florida	CATEGORY	RATE ELEMENTS	Interim	Zone	BOS	USOC	RATES (\$)			Attachment 2 - Ex. B								
							Nonrecurring		Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
							Rec	First		Add'l	SOMAN	SOMAN	SOMAN	SOMAN				
	UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE HIGH RATE LOCAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2-Wire Unbundled Local Loop including manual service inquiry & facility reservation - Zone 1	1 UHL					8.30	159.09	113.41	75.05	15.63							
	2-Wire Unbundled Local Loop including manual service inquiry & facility reservation - Zone 2	2 UHL					11.80	159.09	113.41	75.05	15.63							
	2-Wire Unbundled Local Loop including manual service inquiry & facility reservation - Zone 3	3 UHL					20.94	159.09	113.41	75.05	15.63							
	2-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 1	1 UHL					8.30	134.40	80.69	60.64	9.12							
	2-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 2	2 UHL					11.80	134.40	80.69	60.64	9.12							
	2-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 3	3 UHL					20.94	134.40	80.69	60.64	9.12							
	4-WIRE HIGH RATE LOCAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4-Wire Unbundled Local Loop including manual service inquiry and facility reservation - Zone 1	1 UHL					12.49	193.31	138.98	77.15	12.61							
	4-Wire Unbundled Local Loop including manual service inquiry and facility reservation - Zone 2	2 UHL					17.76	193.31	138.98	77.15	12.61							
	4-Wire Unbundled Local Loop including manual service inquiry and facility reservation - Zone 3	3 UHL					31.50	193.31	138.98	77.15	12.61							
	4-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 1	1 UHL					12.49	168.62	115.47	62.74	11.22							
	4-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 2	2 UHL					17.76	168.62	115.47	62.74	11.22							
	4-Wire Unbundled Local Loop without manual service inquiry and facility reservation - Zone 3	3 UHL					31.50	168.62	115.47	62.74	11.22							
	4-WIRE DS1 DIGITAL LOOP																	
	4-Wire DS1 Digital Loop - Zone 1	1 USL					81.35	313.75	181.48	61.22	13.53							
	4-Wire DS1 Digital Loop - Zone 2	2 USL					115.62	313.75	181.48	61.22	13.53							
	4-Wire DS1 Digital Loop - Zone 3	3 USL					205.15	313.75	181.48	61.22	13.53							
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE3					12.56											
	High Capacity Unbundled Local Loop - DS3 - Facility	UE3					444.91											
	High Capacity Unbundled Local Loop - STS - Per Mile per month	UDLSX					12.56											
	High Capacity Unbundled Local Loop - STS - Facility	UDLSX					490.59											
	UNBUNDLED DEDICATED CHANNEL																	
	Dedicated Channel - DS1 - Per Mile per month	U1TD1					0.21											
	Dedicated Channel - DS3 - Facility	U1TD1					101.71											
	Dedicated Channel - DS3 - Per Mile per month	U1TD3					4.45											
	Dedicated Channel - DS3 - Facility	U1TD3					1231.65											
	Dedicated Channel - STS - Per Mile per month	U1TS1					4.45											
	Dedicated Channel - STS - Facility	U1TS1					1214.40											
	Local Channel - 2-Wire Voice Grade - Zone 1	U1UDVX, UNDOVX					22.61											
	Local Channel - 2-Wire Voice Grade - Zone 2	U1UDVX, UNDOVX					32.13											
	Local Channel - 2-Wire Voice Grade - Zone 3	U1UDVX, UNDOVX					57.02											

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. B		
CATEGORY	RATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Sys Order vs. Electronic-1st	Incremental Charge - Manual Sys Order vs. Electronic-Add'l	Incremental Charge - Manual Sys Order vs. Electronic-1st	Incremental Charge - Manual Sys Order vs. Electronic-Add'l
Local Zone	Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. -		1	ULDVX	ULDR2	22.61						
Local Zone	Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. -		2	ULDVX	ULDR2	32.13						
Local Zone	Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. -		3	ULDVX	ULDR2	57.02						
Local Zone	Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNPDX	ULDV4	23.52						
Local Zone	Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNPDX	ULDV4	33.42						
Local Zone	Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX, UNPDX	ULDV4	59.29						
Local Zone	Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNPDX	ULDF1	41.96						
Local Zone	Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNPDX	ULDF1	59.63						
Local Zone	Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNPDX	ULDF1	105.80						
Local Zone	Channel - Dedicated - DS3 - Per Mile per month		1	ULDD3, UNPDX	1L5NC	9.78						
Local Zone	Channel - Dedicated - DS3 - Facility Termination		1	ULDD3, UNPDX	ULDF3	611.70						
Local Zone	Channel - Dedicated - STS-1 - Per Mile per month		1	ULDS1, UNPDX	1L5NC	9.78						
Local Zone	Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1, UNPDX	ULDFS	621.79						
ENHANCED EXTENSION LINK (EPL)												
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.												
NOTE: The monthly recurring and non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.												
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
2-Wire	VG Loop (Per Mile) in Combination - Zone 1		1	UNCVX	UEAL2	14.08						
2-Wire	VG Loop (Per Mile) in Combination - Zone 2		2	UNCVX	UEAL2	20.01						
2-Wire	VG Loop (Per Mile) in Combination - Zone 3		3	UNCVX	UEAL2	35.50						
2-Wire	Voice Grade COCI (per Month)		1	UNCVX	1D1VG	1.59						
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
4-Wire	Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.72						
4-Wire	Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	30.87						
4-Wire	Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	54.76						
4-Wire	Voice Grade COCI (per month)		1	UNCVX	1D1VG	1.59						
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION												
4-Wire	56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.53						
4-Wire	56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.29						
4-Wire	56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	64.39						
4-Wire	COCI (digital) in combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	2.42						
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION												
4-Wire	64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53						
4-Wire	64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.29						
4-Wire	64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39						
4-Wire	COCI (digital) in combination - per month (2.4-64kbs)		1	UNCDX	1D1DD	2.42						
2-WIRE ISDN LOOP FOR USE IN A COMBINATION												
2-Wire	ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.17						
2-Wire	ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	31.51						
2-Wire	ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	55.91						
2-Wire	ISDN COCI (per month)		1	UNCNX	UC1CA	4.21						
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION												
4-Wire	DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35						
4-Wire	DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62						
4-Wire	DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15						
4-Wire	DS1 COCI in combination per month		1	UNC1X	UC1D1	15.82						
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
2-Wire	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						
2-Wire	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	29.12						
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
4-Wire	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						
4-Wire	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	25.97						

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	RCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B								
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													SOMEK	SOMAN	SOMAN	SOMAN	
							Rec	Nonrecurring		Nonrecurring Disconnect							
								First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS1	INTEROFFICE TRANSPORT FOR COMBINATION																
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month					0.21											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71											
DS3	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.45											
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1231.65											
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION																
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.45											
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1214.40											
4-WIRE 56 Kbps	DIGITAL TENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																
	4-wire 56 kbps Loop in combination - Zone 1		1	UNCDX	UDL56	25.53											
	4-wire 56 kbps Loop in combination - Zone 2		2	UNCDX	UDL56	36.29											
	4-wire 56 kbps Loop in combination - Zone 3		3	UNCDX	UDL56	64.39											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	21.21											
4-WIRE 64 Kbps	DIGITAL TENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																
	4-wire 64 kbps Loop in combination - Zone 1		1	UNCDX	UDL64	25.53											
	4-wire 64 kbps Loop in combination - Zone 2		2	UNCDX	UDL64	36.29											
	4-wire 64 kbps Loop in combination - Zone 3		3	UNCDX	UDL64	64.39											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	21.21											
4-WIRE 56 Kbps	DIGITAL TENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	4-wire 56 kbps Loop in combination - Zone 1		1	UNCDX	UDL56	25.53											
	4-wire 56 kbps Loop in combination - Zone 2		2	UNCDX	UDL56	36.29											
	4-wire 56 kbps Loop in combination - Zone 3		3	UNCDX	UDL56	64.39											
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01											
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	21.21											
4-WIRE 64 Kbps	DIGITAL TENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	4-wire 64 kbps Loop in combination - Zone 1		1	UNCDX	UDL64	25.53											
	4-wire 64 kbps Loop in combination - Zone 2		2	UNCDX	UDL64	36.29											
	4-wire 64 kbps Loop in combination - Zone 3		3	UNCDX	UDL64	64.39											
	4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01											
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.21											
DS1	DIGITAL LOOP AND INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in combination - Zone 1		1	UNC1X	USLXX	81.35											
	4-Wire DS1 Digital Loop in combination - Zone 2		2	UNC1X	USLXX	115.62											
	4-Wire DS1 Digital Loop in combination - Zone 3		3	UNC1X	USLXX	205.15											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71											
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Digital Loop in combination - per mile per month			UNC3X	1L5ND	14.44											
	DS3 Digital Loop in combination - Facility Termination per month			UNC3X	UE3PX	511.65											

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. B						
CATEGORY	RATE ELEMENTS	Inter	Zone	RCC	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
	Interface Transport Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45										
	Interface Transport Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65										
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>															
	STS-1 Local Loop combination - per mile per month			UNC3X	1L5ND	14.44										
	STS-1 Local Loop combination - Facility Termination per month			UNC3X	UDLS1	564.18										
	Interface Transport per month Dedicated - STS-1 combination - per mile			UNC3X	1L5XX	4.45										
	Interface Transport per month Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	1214.40										
<b>ADDITIONAL NETWORK ELEMENTS</b>																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as a part of an ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
Optional Features & Functions:																
	Clear Channel Capacity Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0.00	0.00	0.00	0.00							
	Clear Channel Capacity Super Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0.00	0.00	0.00	0.00							
	Clear Channel Capacity (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.92	23.82	2.07	0.80							
	C-bit Early Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3	219.09	7.67	0.773	0.00							
<b>MULTIPLEXES</b>																
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.79										
	OCU to COCI (dual) DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.42										
	OCU to COCI (dual) DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42										
	2-wire (SN COCI (SFE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	4.21										
	2-wire (SN COCI (SFE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	4.21										
	Voice Grade COCI (SFE) to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.59										
	Voice Grade COCI (SFE) to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.59										
	DS3 to DS1 Channel System per month			UNC3X	MQ3	242.87										
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	242.87										
	DS1 COCI used with Loop per month			USL	UC1D1	15.82										
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	15.82										
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	15.82										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	15.82										



LOCAL INTERCONNECTION		Florida						Attachment: 3		Exh. A					
CATEGORY	DATE ELEMENTS	Interim	Zone	BOS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect						
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>SIGNALING (CCS7)</b>															
	CCS7 Signaling Termination, Per STP Port			UDR	PT6SX	135.05									
	CCS7 Signaling Usage, Per TCAP Message					0.0000607									
	CCS7 Signaling Connection, Per link (A link)			UDR	TPP6A	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDR	TPP6B	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Switched access service, interface group transmission basis 6 DS1 level path with bit stream signaling			UDR	TPP6X	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection-A link, per month			UDR	TPP8A	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDR	TPP8B	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Connection, Switched access service, interface group transmission basis 9 DS3 level path with bit stream signaling			UDR	TPP9X	17.93	43.57	43.57	18.31	18.31					
	CCS7 Signaling Usage, Per ISUP Message					0.0000152									
	CCS7 Signaling Usage, Surrogate, per link per LATA			UDR	STU56	694.32									
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDR	CCAPO		46.03	46.03	46.03	46.03					