

BELLSOUTH

BellSouth Telecommunications, Inc.

150 South Monroe Street
Suite 400
Tallahassee, FL 32303-1556

Marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President
Regulatory & External Affairs

850 224 7798
Fax 850 224 5073

May 18, 2005

Mrs. Blanca S. Bayo
Director, Division of Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

650352-TP

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and CariLink International, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with CariLink International, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,


Regulatory Vice President

DOCUMENT NUMBER-DATE

04856 MAY 18 05

FPSC-COMMISSION CLERK

**Amendment to the Agreement
Between
CariLink International, Inc.
and
BellSouth Telecommunications, Inc.
Dated January 25, 2003**

Pursuant to this Amendment, (the "Amendment"), CariLink International, Inc. ("CariLink International"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 25, 2003 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and CariLink International entered into the Agreement on January 25, 2003, and;

WHEREAS, BellSouth and CariLink International desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10 BASIC 911 AND E911 INTERCONNECTION

10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

10.2 Basic 911 Interconnection. BellSouth will provide to CariLink International a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality.

00000000

will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, CariLink International will be required to begin using E911 procedures.

- 10.3 E911 Interconnection. CariLink International shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, CariLink International shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. CariLink International will be required to provide BellSouth daily updates to the E911 database. CariLink International will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, CariLink International will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. CariLink International shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.
- 10.4 Trunks and facilities for 911 Interconnection may be ordered by CariLink International from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.
- 11 SS7 Network Interconnection**
- 11.1 SS7 Network Interconnection is the interconnection of CariLink

International local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and CariLink International or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a CariLink International Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the CariLink International local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
 - 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
 - 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
 - 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a CariLink International local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of CariLink International local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.9 Interface Requirements. The following SS7 Network Interconnection interface options are available to connect CariLink International or CariLink International-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.9.1 A-link interface from CariLink International local or tandem switching systems; and
- 11.9.2 B-link interface from CariLink International STPs.
- 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.9.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.9.6 BellSouth shall set message screening parameters to accept messages from CariLink International local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the CariLink International switching system has a valid signaling relationship.

3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
4. The Parties agree to add Section 3.8 to Attachment 6 as follows:

3.7.4.1 The Parties agree to add terms and conditions to Attachment 2 as follows:

5. All of the other provisions of the Agreement dated January 25, 2003 shall remain unchanged and in full force and effect.
6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.

By: 

Name: Kristen Rowe

Title: Director

Date: 4/26/05

CariLink International, Inc.

By: 

Name: HANY AYOUB

Title: VP

Date: 4/20/05



Attachment 2

Network Elements and Other Services



TABLE OF CONTENTS

1 INTRODUCTION 3

2 LOOPS 7

3 LINE SPLITTING 27

4 UNBUNDLED NETWORK ELEMENT COMBINATIONS 29

5 DEDICATED TRANSPORT AND DARK FIBER TRANSPORT 31

6 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 36

7 OSS 38

Rates Exhibit A

Rates Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to CariLink International for CariLink International's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to CariLink International (Other Services). Additionally, the provision of a particular Network Element or Other Service may require CariLink International to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If CariLink International purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 CariLink International may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 CariLink International shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to CariLink International pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to CariLink International pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services.

of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from CariLink International. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CariLink International and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, CariLink International may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that CariLink International has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to CariLink International.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, CariLink International shall undertake a reasonably diligent inquiry to determine whether CariLink International is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, CariLink International self-certifies that to the best of CariLink International's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon CariLink International's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 CariLink International may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with

performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from CariLink International, BellSouth shall perform the RNM.

1.11 Commingling of Services

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that CariLink International has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. CariLink International must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.13 Ordering Guidelines and Processes

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, CariLink International should refer to the “Guides” section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: <http://www.interconnection.bellsouth.com/>.

1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the “CLEC UNE Products” Web site address: <http://www.interconnection.bellsouth.com/guides/html/unes.html>.

1.13.3 The provisioning of Network Elements, Combinations and Other Services to CariLink International’s Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with CariLink International’s Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 Testing/Trouble Reporting.

1.13.4.1 CariLink International will be responsible for testing and isolating troubles on Network Elements. CariLink International must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, CariLink International will be required to provide the results of the CariLink International test which indicate a problem on the BellSouth network.

1.13.4.2 Once CariLink International has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

1.13.4.3 If CariLink International reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth’s network, BellSouth will charge CariLink International a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the

1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by CariLink International (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill CariLink International for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. CariLink International shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1 The Loop does not include any packet switched features, functions or capabilities.

2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to CariLink International on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.

2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by CariLink International. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval

2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide CariLink International with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

2.1.4 Transition for DS1 and DS3 Loops

2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for CariLink International as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.

2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for CariLink

03/15/05

03/15/05

- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5 During the Transition Period, the rates for CariLink International's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to CariLink International's Embedded Base and CariLink International shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to CariLink International in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If CariLink International wants to ensure the Loop is tagged during the provisioning process

2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), CariLink International shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.

2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

2.1.8.1 OC allows BellSouth and CariLink International to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to CariLink International's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.8.2 OC-TS allows CariLink International to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate CariLink International's specific conversion time request. However, BellSouth reserves the right to negotiate with CariLink International a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CariLink International may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If CariLink International specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, CariLink International must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by CariLink International when converting an existing Loop from another CLEC for the same

2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.9.3 The Loops converted to CariLink International pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

2.1.10.1 BellSouth will make available to CariLink International a Bulk Migration process pursuant to which CariLink International may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.10.2 Should CariLink International request migration for two (2) or more EATNs containing fifteen (15) or more circuits, CariLink International must use the Bulk Migration process referenced in 2.1.11.1 above.

2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that CariLink International will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by CariLink International, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. CariLink International may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that CariLink International may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to CariLink International. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow CariLink International to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital
provisioning scheme, for example

- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. CariLink International will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End

- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to CariLink International at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 CariLink International may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g. filters, load coils, range

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by CariLink International.

2.4.2.4 These Loops are not intended to support any particular services and may be utilized by CariLink International to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, CariLink International can request LMU for which additional charges would apply.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by CariLink International to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 CariLink International may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by CariLink International which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from CariLink International, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to CariLink International. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If CariLink International requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. CariLink International will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 CariLink International shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that CariLink International desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for CariLink International, CariLink International will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by CariLink International is available at the location for which the ULM was requested, CariLink International will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, CariLink International will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where CariLink International has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to CariLink International. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for CariLink International (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 3. If capacity exists, provide "side-door" porting through the switch.

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from CariLink International, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. CariLink International will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit CariLink International to connect CariLink International's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 CariLink International may access the End User's premises wiring by any of the following means and CariLink International shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow CariLink International to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;

2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID:

from the customer premises wiring through a suitable “punch-out” hole of such NID enclosures; or

- 2.7.3.1.4 CariLink International may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party’s loop facilities from either Party’s NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be CariLink International’s responsibility to ensure there is no safety hazard, and CariLink International will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party’s loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 CariLink International shall not remove or disconnect ground wires from BellSouth’s NIDs, enclosures, or protectors.
- 2.7.3.4 CariLink International shall not remove or disconnect NID modules, protectors, or terminals from BellSouth’s NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with CariLink International to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User’s customer premises and the distribution

a time and material basis. When CariLink International deploys its own local loops in a multiple-line termination device, CariLink International shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Elements.

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

- USLD – Voice Grade (USLD-VG)
- Unbundled Copper Subloop (UCSL)
- USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If CariLink International requests a UCSL and it is not available, CariLink International may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect

- 2.8.2.4.1 Upon request for USLD-INC from CariLink International, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for CariLink International's use on this cross-connect panel. CariLink International will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, CariLink International shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. CariLink International's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by CariLink International is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet CariLink International's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address:
<http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before CariLink International can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice CariLink International's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, CariLink International will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when CariLink International requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by CariLink International for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.

individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and CariLink International does own or control such wiring, CariLink International will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to CariLink International.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate CariLink International for each pair activated commensurate to the price specified in CariLink International's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior

SECRET

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began service on the

2.8.4 Dark Fiber Loop.

2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for CariLink International to utilize Dark Fiber Loops.

2.8.4.2 Transition for Dark Fiber Loop

2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for CariLink International as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for CariLink International at the terms and conditions set forth in this Attachment.

2.8.4.4 The rates for CariLink International's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

2.8.4.5 The Transition Period shall apply only to CariLink International's Embedded Base and CariLink International shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to CariLink International LMU information with respect to Loops that are required to be unbundled under this Agreement so that CariLink International can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment CariLink International

side 3 M

- 2.9.1.2 BellSouth will provide CariLink International LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to CariLink International as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 CariLink International may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by CariLink International and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee CariLink International's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by CariLink International or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. CariLink International is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements;

service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 **Submitting LMUSI**

2.9.2.1 CariLink International may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if CariLink International needs further Loop information in order to determine Loop service capability, CariLink International may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. CariLink International will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, CariLink International does not reserve facilities upon an initial LMUSI, CariLink International's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

2.9.2.3 Where CariLink International has reserved multiple Loop facilities on a single reservation, CariLink International may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to CariLink International, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by CariLink International.

2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 **Line Splitting**

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

3.2 Line Splitting – UNE-L. In the event CariLink International provides its own

3.3 Provisioning Line Splitting and Splitter Space

3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When CariLink International or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4 CLEC Provided Splitter – Line Splitting

3.4.1 To order High Frequency Spectrum on a particular Loop, CariLink International must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.4.2 CariLink International must provide its own splitters in a central office and have installed its DSLAM in that central office.

3.4.3 CariLink International may purchase, install and maintain central office POTS splitters in its collocation arrangements. CariLink International may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.4 Any splitters installed by CariLink International in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. CariLink International may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Maintenance – Line Splitting.

3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the

injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by CariLink International are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by CariLink International are not already combined by BellSouth in the location requested by CariLink International but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by CariLink International are not elements that BellSouth combines for its use in its network.

4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

4.1.2 To the extent CariLink International requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations

and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of CariLink International.

4.3 Enhanced Extended Links (EELs)

4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide CariLink International with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

4.3.3 By placing an order for a high-capacity EEL, CariLink International thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit CariLink International's high-capacity EELs as specified below.

4.3.4 Service Eligibility Criteria

4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. CariLink International must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

4.3.4.1.1 CariLink International has received state certification to provide local voice service in the area being served;

4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

4.3.4.2.2 2) Each DS1 Loop will be assigned a DS3 EEL

- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which CariLink International will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, CariLink International will have at least one (1) active DS1 local service interconnection trunk over which CariLink International will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit CariLink International's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that CariLink International failed to comply with the service eligibility criteria, CariLink International must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that CariLink International did not comply in any material respect with the service eligibility criteria, CariLink International shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that CariLink International did comply in all material respects with the service eligibility criteria, BellSouth will reimburse CariLink International for its reasonable and demonstrable costs associated with the audit. CariLink International will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event CariLink International converts special access services to UNEs, CariLink International shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

transmission

and

well as dark fiber, dedicated to CariLink International. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to CariLink International unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 5.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities
- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for CariLink International as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5.2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for CariLink International's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 During the Transition Period, the rates for CariLink International's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for CariLink International's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A.
- 5.2.4.4 The Transition Period shall apply only to CariLink International's Embedded Base and CariLink International shall not add new DS1 or DS3 Dedicated Transport as

- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.3 BellSouth shall:
 - 5.3.1 Provide CariLink International exclusive use of Dedicated Transport to a particular customer or carrier;
 - 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
 - 5.3.3 Permit, to the extent technically feasible, CariLink International to connect Dedicated Transport to equipment designated by CariLink International, including but not limited to, CariLink International's collocated facilities; and
 - 5.3.4 Permit, to the extent technically feasible, CariLink International to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
 - 5.4.1 As capacity on a shared facility; and
 - 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to CariLink International.
- 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.6 CariLink International may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 Technical Requirements

specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
 - 5.7.2.1 DS0 Equivalent;
 - 5.7.2.2 DS1;
 - 5.7.2.3 DS3; and
 - 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. CariLink International shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
 - 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
 - 5.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
 - 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

5.8 Unbundled Channelization (Multiplexing)

- 5.8.1 To the extent CariLink International is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, CariLink International

- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, CariLink International's channelization equipment must adhere strictly to form and protocol standards. CariLink International must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for CariLink International as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for

- 5.9.1.5 During the Transition Period, the rates for CariLink International's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for CariLink International's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A.
- 5.9.1.6 The Transition Period shall apply only to CariLink International's Embedded Base and CariLink International shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement.
- 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.

5.10 Rearrangements

- 5.10.1 A request to move a working CariLink International CFA to another CariLink International CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of CariLink International, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and CariLink International may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between CariLink International and another carrier that will allow CariLink International to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

6 **Automatic Location Identification/Data Management System (ALI/DMS)**

6.1 911 and E911 Databases

database vendor imposes on BellSouth for the deletion of CariLink International's records.

7 OSS

- 7.1 BellSouth has developed and made available electronic interfaces by which CariLink International may submit LSRs electronically.
- 7.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 7.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 7.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 7.5 Denial/Restoral OSS Charge. BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event CariLink International provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 7.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLED	CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
							Rec	Nonrecurring		Nonrecurring Disconnect			SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
								First	Add'l	First									Add'l
	2.0000	ISD																	
		1.0000		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71								
		2.0000		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71								
		3.0000		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71								
		Order Conversion Time (per LSR)			UDN	OCOSL		23.02											
		Charge without outside dispatch			UDN	UREWO		91.61	44.15										
	2.0000	Subscriber Line (ADSL) COMPATIBLE LOOP																	
		including manual service inquiry		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63								
		including manual service inquiry		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63								
		including manual service inquiry		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63								
		Order Conversion Time (per LSR)			UAL	OCOSL		23.02											
		without manual service inquiry &		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12								
		without manual service inquiry &		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12								
		without manual service inquiry &		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12								
		Order Conversion Time (per LSR)			UAL	OCOSL		23.02											
		Charge without outside dispatch			UAL	UREWO		86.19	40.39										
	2.0000	Subscriber Line (HDSL) COMPATIBLE LOOP																	
		including manual service inquiry		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63								
		including manual service inquiry		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63								
		including manual service inquiry		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63								
		Order Conversion Time (per LSR)			UHL	OCOSL		23.02											
		without manual service inquiry		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12								
		without manual service inquiry		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12								
		without manual service inquiry		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12								
		Order Conversion Time (per LSR)			UHL	OCOSL		23.02											
		Charge without outside dispatch			UHL	UREWO		86.12	40.39										
	4.0000	Subscriber Line (HDSL) COMPATIBLE LOOP																	
		including manual service inquiry		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61								
		including manual service inquiry		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61								
		including manual service inquiry		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61								
		Order Conversion Time (per LSR)			UHL	OCOSL		23.02											
		without manual service inquiry		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22								
		without manual service inquiry		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22								
		without manual service inquiry		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22								
		Order Conversion Time (per LSR)			UHL	OCOSL		23.02											
		Charge without outside dispatch			UHL	UREWO		86.12	40.39										
	4.0000	Subscriber Line (DSL) COMPATIBLE LOOP																	
		including manual service inquiry		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53								
		including manual service inquiry		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53								
		including manual service inquiry		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53								
		Order Conversion Time (per LSR)			USL	OCOSL		23.02											

UNBUNDLED SERVICE	CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
							Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)						
								First	Add'l	First			Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Charge without outside dispatch			USL	UREWO		101.07	43.04										
		1. GRADE LOOP																	
		1 Mbps - 2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56								
		1 Mbps - 3 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56								
		1 Mbps - 2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56								
		1 Mbps - 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56								
		1 Mbps - 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56								
		1 Mbps - 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56								
		Order Conversion Time (per LSR)			UDL	OCOSL		23.02											
		1 Mbps - 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56								
		1 Mbps - 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56								
		1 Mbps - 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56								
		Order Conversion Time (per LSR)			UDL	OCOSL		23.02											
		Charge without outside dispatch			UDL	UREWO		102.11	49.74										
		Non-Designed including manual activation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63								
		Non-Designed including manual activation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63								
		Non-Designed including manual activation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63								
		Installed Copper Loops (per loop)			UCL	UCLMC		9.00	9.00										
		Non-Designed without manual activation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12								
		Non-Designed without manual activation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12								
		Non-Designed without manual activation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12								
		Installed Copper Loops (per loop)			UCL	UCLMC		9.00	9.00										
		Charge without outside dispatch			UCL	UREWO		97.21	42.47										
		including manual service inquiry		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73								
		including manual service inquiry		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73								
		including manual service inquiry		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73								
		Installed Copper Loops (per loop)			UCL	UCLMC		9.00	9.00										
		without manual service inquiry		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22								
		without manual service inquiry		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22								
		without manual service inquiry		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22								
		Installed Copper Loops (per loop)			UCL	UCLMC		9.00	9.00										
		Charge without outside dispatch			UCL	UREWO		97.21	42.47										
		Removal of Load Coils - 2 Wire per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00										
		Removal of Load Coils - 4 Wire per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00										
		Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52										

UNBUNDLED SERVICE		FL - Florida				RATES (\$)				Attachment: 2 Ex. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Conditioning Only - no rate			UAL,UCL,UCC,UDL,UDN,UEA,UHL,USL	UNECCN	0.00	0.00									
	Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UCC	USBFQ	0.00	0.00									
	Frame Format Option - no rate			UEA,USL,UCL,UDL,USL	USBFR	0.00	0.00									
	Tel Superframe Format option			USL	CCOSF	0.00	0.00									
	Loop - DS3 - Per Mile per month			UIF3	1L5ND	10.92										
	Loop - DS3 - Facility			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
	Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	Loop - STS-1 - Facility			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366						
	Loop without Reservation, per working or spare facility			UMK	UMKLV		52.17	52.17								
	Loop with Reservation, per spare facility			UMK	UMKLP		55.07	55.07								
	Loop Reservation, per working or spare (deducted)			UMK	UMKMQ		0.6784	0.6784								
	Office Based															
	Line owned by DLEC			UEPSR UEPSB	UREOS	0.61										
	Line owned by BST - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line owned by BST - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	Maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	Hour increments - Basic						80.00	55.00								
	Hour increments - Overtime						90.00	65.00								
	Hour increments - Premium						100.00	75.00								
	Ground Transport															
	Transport - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
	Transport - 2-Wire Voice Grade - Facility			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Transport - 2-Wire Voice Grade - Rev Bat.			U1TVX	1L5XX	0.0091										
	Transport - 2-Wire VG - Rev Bat.			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Transport - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
	Transport - 4-Wire Voice Grade - Facility			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Transport - 56 kbps - per mile			U1TDX	1L5XX	0.0091										
	Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
	Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0091										
	Transport - 64 kbps - Facility			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						

UNBUNDLED SERVICE	CATEGORY	Florida					RATES (\$)				Attachment: 2 Ex. A						
		ELEMENTS	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								First	Add'l								
											SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.1856										
		Transport - DS1 - Facility			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
		Transport - DS3 - Per Mile per			U1TD3	1L5XX	3.87										
		Transport - DS3 - Facility			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Transport - STS-1 - Per Mile per			U1TS1	1L5XX	3.87										
		Transport - STS-1 - Facility			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
		Dark Fiber - Per Route Mile or Fraction			UDF, UDFCX	1L5DC	53.87										
		Dark Fiber - Per Route Mile or Fraction			UDF, UDFCX	1L5DF	26.85										
		Dark Fiber - Per Route Mile or Fraction			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
		Dark Fiber - Per Route Mile or Fraction			UDF, UDFCX	1L5DL	53.87										
		Virtual Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
		Physical Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
		Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.															
		Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.															
		USE IN A COMBINATION															
		Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
		Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		Combination - per month			UNCVX	1D1VG	1.38	10.07	7.08								
		USE IN A COMBINATION															
		Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
		Loop in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08								
		USE IN A COMBINATION															
		Loop in Combination - Zone 1		1	UNCDCX	UDL56	22.20	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 2		2	UNCDCX	UDL56	31.56	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 3		3	UNCDCX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Loop in combination - per month (2.4-64kbs)			UNCDCX	1D1DD	2.10	10.07	7.08								
		USE IN A COMBINATION															
		Loop in Combination - Zone 1		1	UNCDCX	UDL64	22.20	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 2		2	UNCDCX	UDL64	31.56	127.59	60.54	42.79	2.81						
		Loop in Combination - Zone 3		3	UNCDCX	UDL64	55.99	127.59	60.54	42.79	2.81						
		Loop in combination - per month (2.4-64kbs)			UNCDCX	1D1DD	2.10	10.07	7.08								
		USE IN A COMBINATION															
		Combination - Zone 1		1	UNCNXX	U1L2X	19.28	127.59	60.60	42.79	2.81						
		Combination - Zone 2		2	UNCNXX	U1L2X	27.40	127.59	60.60	42.79	2.81						
		Combination - Zone 3		3	UNCNXX	U1L2X	48.62	127.59	60.60	42.79	2.81						
		Combination - per month			UNCNXX	UC1CA	3.66	10.07	7.08								
		USE IN A COMBINATION															
		Combination - Zone 1		1	UNC1XX	USLXX	70.74	217.75	121.62	51.44	14.45						
		Combination - Zone 2		2	UNC1XX	USLXX	100.54	217.75	121.62	51.44	14.45						
		Combination - Zone 3		3	UNC1XX	USLXX	178.39	217.75	121.62	51.44	14.45						
		Combination - per month			UNC1XX	UC1D1	13.76	10.07	7.08								

UNBUNDLED NF

CATEGORY	Inter	Man	Term	Per	Fac
2 WIRE VOIP	Inter	Man	Term	Per	Fac
4 WIRE VOIP	Inter	Man	Term	Per	Fac
DS1 PER	Inter	Man	Term	Per	Fac
DS3 PER	Inter	Man	Term	Per	Fac
ST-1 PER	Inter	Man	Term	Per	Fac
4 WIRE 56 K	Inter	Man	Term	Per	Fac
4 WIRE 64 K	Inter	Man	Term	Per	Fac
4 WIRE 56 K	Inter	Man	Term	Per	Fac
4 WIRE 64 K	Inter	Man	Term	Per	Fac
DS1 PER	Inter	Man	Term	Per	Fac

Florida						Attachment: 2 Exh. A																																								
ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l																																			
												Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)																													
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN																													
TRANSPORT FOR USE IN A COMBINATION																																														
2 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0091																																									
2 - Dedicated - Facility			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53																																					
TRANSPORT FOR USE IN A COMBINATION																																														
2 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0091																																									
2 - Dedicated - Facility			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53																																					
COMBINATION																																														
4 - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856																																									
4 - DS1 combination - Facility			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95																																					
PER USE IN A COMBINATION																																														
4 - DS3 combination - Per Mile			UNC3X	1L5XX	3.87																																									
4 - DS3 - Facility Termination per			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56																																					
FOR USE IN COMBINATION																																														
4 - STS-1 combination - Per Mile			UNCSX	1L5XX	3.87																																									
4 - STS-1 combination - Facility			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23																																					
4 WIRE 56 KBPS INTEROFFICE TRANSPORT																																														
combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81																																					
combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81																																					
combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81																																					
4 - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0091																																									
4 - 4-wire 56 kbps combination -			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53																																					
4 WIRE 64 Kbps INTEROFFICE TRANSPORT																																														
combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81																																					
combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81																																					
combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81																																					
4 - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0091																																									
4 - 4-wire 64 kbps combination -			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53																																					
4 WIRE 56 Kbps INTEROFFICE TRANSPORT																																														
combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81																																					
combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81																																					
combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81																																					
transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0091																																									
transport - Dedicated - Facility			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53																																					
4 WIRE 64 Kbps INTEROFFICE TRANSPORT																																														
combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81																																					
combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81																																					
combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81																																					
transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0091																																									
transport - Dedicated - Facility			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53																																					
OFFICE TRANSPORT																																														
combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81																																					

UNBUNDLED NETWORK ELEMENTS - Florida						RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
CATEGORY	DESCRIPTION	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		SOME C	SOMAN	OSS Rates (\$)			
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 - DS1 combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 - DS1 combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	4-Wire DS1 - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	4-Wire DS1 - DS1 combination - Facility			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	4-Wire DS3 INTEROFFICE TRANSPORT															
	4-Wire DS3 - per mile per month			UNC3X	1L5ND	12.558										
	4-Wire DS3 - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
	4-Wire DS3 - DS1 - Per Mile per month			UNC3X	1L5XX	3.87										
	4-Wire DS3 - DS1 combination - Facility			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	4-Wire STS-1 INTEROFFICE TRANSPORT															
	4-Wire STS-1 - per mile per month			UNC3X	1L5ND	12.558										
	4-Wire STS-1 - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
	4-Wire STS-1 - DS1 - Per Mile per month			UNC3X	1L5XX	3.87										
	4-Wire STS-1 - DS1 combination - per mile			UNC3X	UDLS1	490.59	639.8255	394.4615	159.9995	111.366						
	4-Wire STS-1 - DS1 combination - Facility			UNC3X	1L5XX	3.87										
	4-Wire STS-1 - DS1 combination - Facility			UNC3X	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
ADDITIONAL NETWORK ELEMENTS																
	When used in a combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used in a network element in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
	Non-recurring charges for Network Elements "Switch As Is" Charge (One applies to each combination)															
	Optional Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Optional Network Elements Cleared Frame Option - per DS1		I	U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Optional Network Elements Cleared Frame Option - per DS1		I	U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Optional Network Elements Cleared Frame Option - Subsequent		I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
	Optional Network Elements Cleared Frame Option - Subsequent		I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UNC1X	MQ1	146.77	101.42	71.62								
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UDL	1D1DD	2.10	10.07	7.08								
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UDN	UC1CA	3.66	10.07	7.08								
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08								
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			USL	UC1D1	13.76	10.07	7.08								
	Optional Network Elements 2-wire DS1 to DS0 Channel System - per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS	
CATEGORY	DESCRIPTION
	DS1
	DS3
	mon
	Note: Rates

B - Florida										Attachment: 2 Exh. A					
ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rate	Nonrecurring		Nonrecurring Disconnect							
						First	Add'l	First	Add'l						
Channel per month used with Local Channel per			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						

UNBUNDLED SERVICE	CATEGORY	DESCRIPTION	Zone		BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A					
			Interim	Zone			Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)					
							First	Add'l	First	Add'l			SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Charge without outside dispatch			UDN	UREWO		120.98	33.04									
		ADSL COMPATIBLE LOOP																
		including manual service inquiry	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UAL	OCOSL		57.79										
		Charge without outside dispatch & without manual service inquiry	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UAL	OCOSL		57.79										
		Charge without outside dispatch	1		UAL	UREWO		44.69	29.29									
		ADSL COMPATIBLE LOOP																
		including manual service inquiry	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UHL	OCOSL		57.79										
		Charge without outside dispatch & without manual service inquiry	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UHL	OCOSL		57.79										
		Charge without outside dispatch	1		UHL	UREWO		44.69	31.55									
		ADSL COMPATIBLE LOOP																
		including manual service inquiry	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00							
		including manual service inquiry	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UHL	OCOSL		57.79										
		Charge without outside dispatch & without manual service inquiry	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00							
		Charge without outside dispatch & without manual service inquiry	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00							
		Order Conversion Time (per LSR)			UHL	OCOSL		57.79										
		Charge without outside dispatch	1		UHL	UREWO		44.69	31.55									
		ADSL COMPATIBLE LOOP																
		Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20							
		Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20							
		Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20							
		Order Conversion Time (per LSR)			USL	OCOSL		57.79										
		Charge without outside dispatch			USL	UREWO		100.91	42.97									
		ADSL COMPATIBLE LOOP																
		1 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20							
		2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20							
		3 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20							

UNBUNDLED SERVICE	CATEGORY	S - Georgia					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
		Interim	Zone	BCS	USOC	Rec			Nonrecurring		Nonrecurring Disconnect						OSS Rates (\$)					
									First	Add'l	First	Add'l					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 MW	56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20												
1 MW	56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20												
1 MW	56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20												
Order	Lead Conversion Time (per LSR)			UDL	OCOSL		57.79															
1 MW	64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20												
1 MW	64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20												
1 MW	64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20												
Order	Lead Conversion Time (per LSR)			UDL	OCOSL		57.79															
CLEC	Charge without outside dispatch			UDL	UREWO		101.95	49.66														
2	Non-Designed including manual service inquiry - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00												
2	Non-Designed including manual service inquiry - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00												
2	Non-Designed including manual service inquiry - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00												
2	Installed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92														
2	Non-Designed without manual service inquiry - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00												
2	Non-Designed without manual service inquiry - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00												
2	Non-Designed without manual service inquiry - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00												
2	Installed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92														
2	Installed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92														
2	Charge without outside dispatch			UCL	UREWO		44.69	31.55														
4	Non-Designed including manual service inquiry - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00												
4	Non-Designed including manual service inquiry - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00												
4	Non-Designed including manual service inquiry - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00												
4	Installed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92														
4	Non-Designed without manual service inquiry - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00												
4	Non-Designed without manual service inquiry - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00												
4	Non-Designed without manual service inquiry - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00												
4	Installed Copper Loops (per loop)			UCL	UCLMC		18.92	18.92														
4	Charge without outside dispatch			UCL	UREWO		44.69	31.55														
Loop Mfg	Removal of Lead Coils - 4 Wire Unbundled Loop			UHL, UCL, UEA, UEQ, UL3, UCA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00														
Loop Mfg	Removal of Bridged Tap Removal, Unbundled Loop			UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91															
Sub-Location	Facility Set-up			UEANL	USBSA		255.76															

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Ex. A											
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring		Nonrecurring Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
	Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.1154															
	Transport - DS1 - Facility			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73											
	Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.53															
	Transport - DS3 - Facility			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81											
	Transport - STS-1 - Per Mile per			U1TS1	1L5XX	2.53															
	Transport - STS-1 - Facility			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81											
	Per Route Mile or Fraction			UDF, UDFCX	1L5DC	46.84															
	Per Route Mile or Fraction			UDF, UDFCX	1L5DF	23.29															
	Per Route Mile or Fraction			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70											
	Per Route Mile or Fraction			UDF, UDFCX	1L5DL	46.84															
	Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00											
	Connects (Long) for Line			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00													
Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																					
Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																					
USE IN A COMBINATION																					
	Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86											
	Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86											
	Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86											
	Combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04											
USE IN A COMBINATION																					
	Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86											
	Combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04											
USE IN A COMBINATION																					
	Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86											
	Combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04											
USE IN A COMBINATION																					
	Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86											
	Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86											
	Combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04											
USE IN A COMBINATION																					
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86											
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86											
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86											
	Combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04											
USE IN A COMBINATION																					
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86											
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86											
	Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86											
	Combination - per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04											

UNBUNDLED SERVICE CATEGORY	SERVICE NAME	Georgia										Attachment: 2 Ex. A					
		ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							Rec	Nonrecurring		Nonrecurring Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		5 - TRANSPORT FOR USE IN A COMBINATION															
		5 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0057										
		5 - Dedicated - Facility			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
		6 - TRANSPORT FOR USE IN A COMBINATION															
		6 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0057										
		6 - Dedicated - Facility			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
		7 - COMBINATION															
		7 - DS1 combination - Per Mile			UNC1X	1L5XX	0.1154										
		7 - DS1 combination - Facility			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		8 - USE IN A COMBINATION															
		8 - DS3 combination - Per Mile			UNC3X	1L5XX	2.53										
		8 - DS3 combination - Facility			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
		9 - FOR USE IN COMBINATION															
		9 - STS-1 combination - Per Mile			UNCSX	1L5XX	2.53										
		9 - STS-1 combination - Facility			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		10 - 56 KBPS INTEROFFICE TRANSPORT															
		10 - 56 kbps combination - Zone 1	1		UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		10 - 56 kbps combination - Zone 2	2		UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		10 - 56 kbps combination - Zone 3	3		UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		10 - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0057										
		10 - 4-wire 56 kbps combination - Facility			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		11 - 64 KBPS INTEROFFICE TRANSPORT															
		11 - 64 kbps combination - Zone 1	1		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		11 - 64 kbps combination - Zone 2	2		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		11 - 64 kbps combination - Zone 3	3		UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		11 - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0057										
		11 - 4-wire 64 kbps combination - Facility			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
		12 - LOOP WITH DS0 INTEROFFICE TRANSPORT															
		12 - DS0 combination - Zone 1	1		UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
		12 - DS0 combination - Zone 2	2		UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		12 - DS0 combination - Zone 3	3		UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		12 - DS0 transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0057										
		12 - DS0 transport - Dedicated - Facility			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		13 - LOOP WITH DS0 INTEROFFICE TRANSPORT															
		13 - DS0 combination - Zone 1	1		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		13 - DS0 combination - Zone 2	2		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		13 - DS0 combination - Zone 3	3		UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		13 - DS0 transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0057										
		13 - DS0 transport - Dedicated - Facility			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
		14 - OFFICE TRANSPORT															
		14 - Office combination - Zone 1	1		UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						

UNBUNDLED ELEMENT	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A					
						Rec	Nonrecurring		Nonrecurring Disconnect				SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l								
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86								
	Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86								
	DS1 - DS1 combination - Per Mile			UNC1X	1L5XX	0.1154												
	DS1 - DS1 combination - Facility			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97								
	DS3 DS3 INTEROFFICE TRANSPORT - per mile per month			UNC3X	1L5ND	12.6155												
	DS3 - Facility Termination per month			UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262								
	DS3 - DS3 - Per Mile per month			UNC3X	1L5XX	2.53												
	DS3 - DS3 combination - Facility			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88								
	DS3 DS3 INTEROFFICE TRANSPORT - per mile per month			UNCSX	1L5ND	12.6155												
	DS3 - Facility Termination per			UNCSX	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262								
	DS3 - STS-1 combination - per mile			UNCSX	1L5XX	2.53												
	DS3 - STS-1 combination - Facility			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88								
	When combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																	
	Network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																	
	Network Elements "Switch As Is" Charge (One applies to each combination)																	
	Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		5.70	5.70	6.61	6.61								
	Channelized DS1 - Channelized Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00								
	Channelized DS1 - Channelized Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00								
	Channelized DS1 - Channelized Frame Option - Subsequent	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79								
	Channelized DS1 - Channelized Frame Option - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00								
	DS1 - DS1 combination - per month			UNC1X	MQ1	69.75	86.10											
	DS1 - DS1 combination - DS0 Channel System - per month			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61								
	DS1 - DS1 combination - DS0 Channel System - per month - connection to a channelized DS1 Local Channel in the same SMC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61								
	DS1 - DS1 combination - DS1 to DS0 Channel System - per month			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61								
	DS1 - DS1 combination - DS1 to DS0 Channel System - per month - connection to a channelized DS1 Local Channel in the same SMC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61								
	DS1 - DS1 combination - DS0 Channel System - per month			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61								
	DS1 - DS1 combination - DS0 Channel System - per month - connection to a channelized DS1 Local Channel in the same SMC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61								
	DS3 - DS3 combination - per month			UNC3X	MQ3	121.90												
	DS3 - DS3 combination - per month			UNCSX	MQ3	121.90												
	DS1 - DS1 combination - per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61								

CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		Nonrecurring Disconnect							SOME C	SOMAN	OSS Rates (\$)				
							First	Add'l	First									Add'l	SOMAN	SOMAN	SOMAN	SOMAN
	ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that represent per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, it submits an LSR to BellSouth																					
	Charge, Per Local Service					SOME C	3.50	0.00	3.50	0.00												
						SOMAN	15.20	0.00	15.20	0.00												
	maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 4 as applicable																					
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA																		
						SDASP	200.00															
	Unit or Line Assignable USOC, per Day																					
	2-Wire Analog Tag Loop																					
	2-Wire Analog Tag Loop - Service Level 1- Zone 1		1	UEANL	JEAL2		12.11	57.99	42.37													
	2-Wire Analog Tag Loop - Service Level 1- Zone 2		2	UEANL	JEAL2		21.24	57.99	42.37													
	2-Wire Analog Tag Loop - Service Level 1- Zone 3		3	UEANL	JEAL2		33.65	57.99	42.37													
	2-Wire Analog Tag Loop - Service Level 1- Zone 1		1	UEANL	JEASL		12.11	57.99	42.37													
	2-Wire Analog Tag Loop - Service Level 1- Zone 2		2	UEANL	JEASL		21.24	57.99	42.37													
	2-Wire Analog Tag Loop - Service Level 1- Zone 3		3	UEANL	JEASL		33.65	57.99	42.37													
	Tag Loop Element, Tag Loop at End User																					
				UEANL	URETL		8.33	0.83														
				UEANL	URET1		76.24	76.24														
				UEANL	URETA		39.51	39.51														

UNBUNDLED		North Carolina				RATES (\$)				Attachment: 2 Ex. A						
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Charge Without Outside Dispatch			UEANL	UREWO		15.76	8.93								
	Design Voice Loop, billing for BST			UEANL	UEANM		28.74	28.74								
	ing Information - E.I.)			UEANL	UEAMC		61.38	61.38								
	UVL-SL1s (per loop)			UEANL	OCOSL		45.34	45.34								
	Conversion Time for UVL-SL1															
2	Non-Designed - Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60								
	Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60								
	Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60								
	Element, Tap Loop at End User			UEQ	URETL		8.33	0.83								
	Wire Unbundled Copper Loop -			UEQ	USBMC		61.38	61.38								
	Design Copper Loop, billing for			UEQ	UEQMU		28.74	28.74								
	ing Information - E.I.)			UEQ	URET1		76.24	76.24								
	hour			UEQ	URETA		39.51	39.51								
	Half Hour															
	Charge Without Outside Dispatch			UEQ	UREWO		14.26	7.42								
UNBUNDLED	2-Wire															
	Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00						
	Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00						
	Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00						
	Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00						
	Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00						
	Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00						
UNBUNDLED	2-Wire															
	Service Level 2 w/Loop or		1	UEA	UEAL2	14.97	142.97	106.56								
	Service Level 2 w/Loop or		2	UEA	UEAL2	25.93	142.97	106.56								
	Service Level 2 w/Loop or		3	UEA	UEAL2	40.81	142.97	106.56								
	Conversion Time (per LSR)			UEA	OCOSL		45.34									
	Service Level 2 w/Reverse		1	UEA	UEAR2	14.97	142.97	106.56								
	Service Level 2 w/Reverse		2	UEA	UEAR2	25.93	142.97	106.56								
	Service Level 2 w/Reverse		3	UEA	UEAR2	40.81	142.97	106.56								
	Conversion Time (per LSR)			UEA	OCOSL		45.34									
	Charge without outside dispatch			UEA	UREWO		87.64	36.33								
	Loop			UEA	URETL		11.20	1.10								
4	Zone 1		1	UEA	UEAL4	21.32	288.47	237.45								
	Zone 2		2	UEA	UEAL4	36.27	288.47	237.45								
	Zone 3		3	UEA	UEAL4	56.57	288.47	237.45								
	Conversion Time (per LSR)			UEA	OCOSL		45.34									
	Charge without outside dispatch			UEA	UREWO		87.64	36.33								

INBUN

- North Carolina

CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
						Rec	Nonrecurring		Nonrecurring Disconnect			SOMEC	SOMAN	SOMAN	SOMAN			
							First	Add'l	First							Add'l		
											OSS Rates (\$)							
											SOMEC	SOMAN	SOMAN	SOMAN				
	Charge without outside dispatch			USL	UREWO		100.99	43.00										
	GRADE LOOP																	
	30 Kbps		1	UDL	UDL19	25.32	489.04	337.51										
	30 Kbps		2	UDL	UDL19	43.11	489.04	337.51										
	30 Kbps		3	UDL	UDL19	67.26	489.04	337.51										
	56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51										
	56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51										
	56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51										
	64 Conversion Time (per LSR)			UDL	OCOSL		45.34											
	64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51										
	64 Kbps - Zone 2		2	UDL	UDL64	43.11	489.04	337.51										
	64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51										
	64 Conversion Time (per LSR)			UDL	OCOSL		45.34											
	Charge without outside dispatch			UDL	UREWO		102.03	49.70										
	Non-Designed including manual																	
	Evolution - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75										
	Non-Designed including manual																	
	Evolution - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75										
	Non-Designed including manual																	
	Evolution - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75										
	Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38										
	Non-Designed without manual																	
	Evolution - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96										
	Non-Designed without manual																	
	Evolution - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96										
	Non-Designed without manual																	
	Evolution - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96										
	Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38										
	Charge without outside dispatch			UCL	UREWO		97.14	42.44										
	Manual service inquiry and facility																	
	Evolution - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93										
	Manual service inquiry and facility																	
	Evolution - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93										
	Manual service inquiry and facility																	
	Evolution - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93										
	Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38										
	Manual service inquiry and facility																	
	Evolution - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14										
	Manual service inquiry and facility																	
	Evolution - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14										
	Manual service inquiry and facility																	
	Evolution - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14										
	Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38										
	Charge without outside dispatch			UCL	UREWO		97.14	42.44										
OOP MODIFICATION																		
	Unbundled Copper Loops - Removal of Load Coils - 2 Wire pair (less than 1000 ft. per Unbundled Loop)			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24										
	Unbundled Copper Loops - Removal of Load Coils - 4 Wire pair (less than 1000 ft. per Unbundled Loop)			UHL, UCL, UEA	ULM4L		21.24	21.24										
	Unbundled Copper Loops - Removal of Bridged Tap Removal, per month			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84										

UNBUNDLED SERVICE		- North Carolina								Attachment: 2 Ex. A						
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Positioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECCN	0.00	0.00									
	Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL,USL	USBFR	0.00	0.00									
	Same Format Option - no rate			USL	CCOSF	0.00	0.00									
	Extended Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACITY	Loop - DS3 - Per Mile per month		UE3		1L5ND	13.33										
	Loop - DS3 - Facility															
	Loop - STS-1 - Per Mile per month		UE3		UE3PX	450.69	1,231.65	743.038								
	Loop - STS-1 - Facility				JDL SX	13.33										
	Loop - STS-1 - Facility				JDL SX	464.26	1,231.65	743.038								
LOOP MAINTENANCE	Hourly Reservation, per working or spare facility			UMK	UMK LW		55.44	55.44								
	Hourly Reservation, per spare facility			UMK	UMK LP		55.73	55.73								
	Reservation, per working or spare facility (deducted)			UMK	UMK MQ		0.6960821	0.6960821								
LINE SPLITTING	PRICE BASED															
	Line owned - DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line owned - BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59								
	Line owned - BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59								
MAINTENANCE OF FACILITIES	The maintenance of facilities is maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	Hourly increments - Basic						80.00	55.00								
	Hourly increments - Overline						90.00	65.00								
	Hourly increments - Premium						100.00	75.00								
UNBUNDLED TRANSPORT	UNBUNDLED TRANSPORT															
	Interoffice Transport - 2-Wire Voice Grade - Per Month			U1TVX	1L5XX	0.0125										
	Interoffice Transport - 2-Wire Voice Grade - Facility			U1TVX	U1TV2	18.00	137.48	52.58								
	Interoffice Transport - 2-Wire Voice Grade - Rev Bat.			U1TVX	1L5XX	0.0125										
	Interoffice Transport - 2-Wire VG Rev Bat. - Facility			U1TVX	U1TR2	18.00	137.48	52.58								
	Interoffice Transport - 4-Wire Voice Grade - Per Month			U1TVX	1L5XX	0.0125										
	Interoffice Transport - 4-Wire Voice Grade - Facility			U1TVX	U1TV4	22.16	106.11	65.95								
	Interoffice Transport - 56 kbps - per mile			U1TDX	1L5XX	0.0282										
	Interoffice Transport - 56 kbps - Facility			U1TDX	U1TD5	17.40	137.48	52.58								
	Interoffice Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0282										
	Interoffice Transport - 64 kbps - Facility			U1TDX	U1TD6	17.40	137.48	52.58								

UNBUNDLED NETWORK ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A				
					Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						First	Add'l	First							Add'l
Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.5753										
Transport - DS1 - Facility			U1TD1	U1TF1	71.29	217.17	163.75								
Transport - DS3 - Per Mile per			U1TD3	1L5XX	12.98										
Transport - DS3 - Facility			U1TD3	U1TF3	720.38	794.94	579.55								
Transport - STS-1 - Per Mile per			J1TS1	1L5XX	6.14										
Transport - STS-1 - Facility			J1TS1	U1TFS	790.37	642.23	408.89								
Per Route Mile or Fraction			UDF, UDFCX	1L5DC	73.65										
Channel			UDF, UDFCX	1L5DF	27.71										
Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
Per Route Mile or Fraction			UDF, UDFCX	1L5DL	73.65										
Connects (Loop) for Line			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.0309	33.53	31.85	0.00	0.00						
Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
USE IN A COMBINATION															
Combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
Combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
USE IN A COMBINATION															
Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
Loop in Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
Combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
USE IN A COMBINATION															
Loop in Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
Loop in Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
Loop in Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
Combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
USE IN A COMBINATION															
Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
Combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
USE IN A COMBINATION															
Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
Combination - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
Combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
USE IN A COMBINATION															
Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
Combination - per month			UNC1X	UC1D1	16.07	13.09	9.38								

UNBUNDLED	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		SOMEK	SOMAN	OSS Rates (\$)				
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN	
2	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0282											
	Termination per month - Facility			UNCVX	U1TV2	18.00	137.48	52.58									
4	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION - Dedicated - Per Mile Per			UNCVX	1L5XX	0.0282											
	Termination per month - Facility			UNCVX	U1TV4	22.16	106.11	65.95									
0	INTEROFFICE TRANSPORT COMBINATION - DS1 combination - Per Mile			UNC1X	1L5XX	16.07											
	Termination per month - Facility			UNC1X	U1TF1	71.29	217.17	163.75									
0	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION - DS1 - DS3 combination - Per Mile			UNC3X	1L5XX	12.98											
	Termination per month - Facility			UNC3X	U1TF3	720.36	794.94	579.55									
5	INTEROFFICE TRANSPORT FOR USE IN COMBINATION - STS-1 combination - Per Mile			UNCSX	1L5XX	6.14											
	Termination per month - Facility			UNCSX	U1TFS	790.37	642.23	408.89									
4	4-WIRE 56 KBPS INTEROFFICE TRANSPORT - combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51									
	Termination per month - Facility		2	UNCDX	UDL56	43.11	489.04	337.51									
	Termination per month - Facility		3	UNCDX	UDL56	67.26	489.04	337.51									
	Termination per month - Facility			UNCDX	1L5XX	0.0282											
	Termination per month - Facility			UNCDX	U1TD5	17.40	137.48	52.58									
4	4-WIRE 64 KBPS INTEROFFICE TRANSPORT - combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51									
	Termination per month - Facility		2	UNCDX	UDL64	43.11	489.04	337.51									
	Termination per month - Facility		3	UNCDX	UDL64	67.26	489.04	337.51									
	Termination per month - Facility			UNCDX	1L5XX	0.0282											
	Termination per month - Facility			UNCDX	U1TD6	17.40	137.48	52.58									
4	4-WIRE 56 KBPS INTEROFFICE TRANSPORT - combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51									
	Termination per month - Facility		2	UNCDX	UDL56	43.11	489.04	337.51									
	Termination per month - Facility		3	UNCDX	UDL56	67.26	489.04	337.51									
	Termination per month - Facility			UNCDX	1L5XX	0.0282											
	Termination per month - Facility			UNCDX	U1TD5	17.40	137.48	52.58									
4	4-WIRE 64 KBPS INTEROFFICE TRANSPORT - combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51									
	Termination per month - Facility		2	UNCDX	UDL64	43.11	489.04	337.51									
	Termination per month - Facility		3	UNCDX	UDL64	67.26	489.04	337.51									
	Termination per month - Facility			UNCDX	1L5XX	0.0282											
	Termination per month - Facility			UNCDX	U1TD6	17.40	137.48	52.58									
0	INTEROFFICE TRANSPORT - combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47									

UNBUNDLED NETWORK ELEMENTS - North Carolina		Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. A						
CATEGORY	ELEMENTS					Rec	Nonrecurring		Nonrecurring Disconnect		SOME C	SOMAN	OSS Rates (\$)					
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN		
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47										
	Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47										
	DS1 - DS1 combination - Per Mile			UNC1X	1L5XX	16.07												
	DS1 - DS1 combination - Facility			UNC1X	U1TF1	71.29	217.17	163.75										
	UNBUNDLED DS3 INTEROFFICE TRANSPORT																	
	DS3 - per mile per month			UNC3X	1L5ND	13.33												
	Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12										
	Interoffice - DS3 - Per Mile per month			UNC3X	1L5XX	12.98												
	Interoffice - DS3 combination - Facility			UNC3X	U1TF3	720.38	794.94	579.55										
	UNBUNDLED STS-1 INTEROFFICE TRANSPORT																	
	STS-1 - per mile per month			UNCSX	1L5ND	13.33												
	Termination - Facility Termination per			UNCSX	UDLS1	464.26	1,071.00	646.12										
	Interoffice - STS-1 combination - per mile			UNCSX	1L5XX	6.14												
	Interoffice - STS-1 combination - Facility			UNCSX	U1TFS	790.37	642.23	408.89										
	When combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																	
	Network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																	
	Network Elements "Switch As Is" Charge (One applies to each combination)																	
	Unbundled Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		21.75	21.75	32.28	10.96								
	Unbundled Frame Option - per DS1		I	U1TD1, ULDD1, UNC1X	CGOEF		0.00	0.00	0.00	0.00								
	Unbundled FrameOption - per DS1		I	U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00								
	Unbundled (BSP) Option - Subsequent		I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78								
	Unbundled Local Loop Activity - per DS3		I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00								
	Unbundled DS0 Channel System - per month			UNC1X	MQ1	146.69	197.78	140.06										
	Unbundled Local Loop - per month			UDL	1D1DD	2.00	13.09	9.38										
	Unbundled DS0 Channel System - per connection to a channelized DS1			U1TUD	1D1DD	2.00	13.09	9.38										
	Unbundled DS1 to DS0 Channel System - per month			UDN	UC1CA	3.59	13.09	9.38										
	Unbundled DS1 to DS0 Channel System - per channelized DS1 Local Channel			U1TUB	UC1CA	3.59	13.09	9.38										
	Unbundled DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38										
	Unbundled Local Loop - per month			U1TUC	1D1VG	1.27	13.09	9.38										
	Unbundled DS0 Channel System - per month			UNC3X	MQ3	233.10	403.97	234.40										
	Unbundled Local Loop - per month			UNCSX	MQ3	233.10	403.97	234.40										
	Unbundled DS1 to DS0 Channel System - per month			USL	UC1D1	16.07	13.09	9.38										
	Unbundled Local Loop - per month			U1TUA	UC1D1	16.07	13.09	9.38										

UNBUN	
CATEGORY	
Channel per month	
ULDD1	
UC1D1	

- North Carolina											
ELEMENTS											
	Interim	Zone	BCS	USOC	RATES (\$)						
					Svc Order Submitted	Elec per LSR	Manually per LSR	Charge - Manual Svc	Incremental	Charge - Manual Svc	Incremental
					Charge - Manual Svc	Electronic- Order vs. Add'l	Charge - Manual Svc	Electronic- Order vs. Add'l	Charge - Manual Svc	Electronic- Order vs. Disc 1st	Charge - Manual Svc
					Nonrecurring	First	First	First	First	First	First
					Nonrecurring	First	First	First	First	First	First
					16.07	13.09	9.38	16.07	13.09	9.38	16.07
					UC1D1	UC1D1	UC1D1	UC1D1	UC1D1	UC1D1	UC1D1
					ULDD1	ULDD1	ULDD1	ULDD1	ULDD1	ULDD1	ULDD1
					Interim as a result of a Commission order.						

UNBUNDLED CATEGORY	DESCRIPTION	South Carolina				RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A					
		Interim	Zone	BCS	USOC				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
													Rec	Nonrecurring
								SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Conversion Time for LML-SL1			UEANL	OCOSL	18.13	18.13							
2-Mile	Non-Designed Zone 1	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42					
2-Mile	Non-Designed - Zone 2	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42					
2-Mile	Non-Designed - Zone 3	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42					
	ent, Tag Loop at End User			UEQ	URETL	8.33	0.83							
	Unbundled Copper Loop - Non-			UEQ	USBMC	8.17	8.17							
	in Copper Loop Billing for			UEQ	UEQMU	13.47	13.47							
	Information - (S.L.)			UEQ	URET1	34.23	34.23							
	Hour			UEQ	URETA	19.80	19.80							
	Without Outside Dispatch			UEQ	UREWO	14.30	7.45							
UNBUNDLED														
2-Mile	Service Level 1 Line Splitting-	1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32					
2-Mile	Service Level 1 Line Splitting-	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32					
2-Mile	Service Level 1 Line Splitting-	2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32					
2-Mile	Service Level 1 Line Splitting-	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32					
2-Mile	Service Level 1 Line Splitting-	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32					
2-Mile	Service Level 1 Line Splitting-	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32					
UNBUNDLED														
2-Mile	Service Level 2 w/Loop or	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61					
2-Mile	Service Level 2 w/Loop or	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61					
2-Mile	Service Level 2 w/Loop or	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61					
	Conversion Time (per LSR)			UEA	OCOSL	18.13								
	Service Level 2 w/Reverse	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61					
	Service Level 2 w/Reverse	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61					
	Service Level 2 w/Reverse	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61					
	Conversion Time (per LSR)			UEA	OCOSL	18.13								
	without outside dispatch			UEA	UREWO	87.90	36.44							
	Loop (per LSR)			UEA	URETL	11.24	1.10							
4-Mile	Zone 1	1	UEA	UEAL4	32.59	132.36	94.83	59.35	14.61					
4-Mile	Zone 2	2	UEA	UEAL4	43.89	132.36	94.83	59.35	14.61					
4-Mile	Zone 3	3	UEA	UEAL4	43.38	132.36	94.83	59.35	14.61					
	Conversion Time (per LSR)			UEA	OCOSL	18.13								
	without outside dispatch			UEA	UREWO	87.90	36.44							
2-Mile	Zone 1	1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61					
2-Mile	Zone 2	2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61					
2-Mile	Zone 3	3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61					
	Conversion Time (per LSR)			UDN	OCOSL	18.13								
	without outside dispatch			UDN	UREWO	91.82	44.25							
2-Mile	SCRIBER LINE (ADSL) COMPATIBLE LOOP													
2-Mile	ing manual service inquiry &	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93					

UNBUNDLED SERVICE NAME	South Carolina					RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A									
	CATEGORIES	COMMENTS	Interim	Zone	BCS				USOC	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
														Rec	Nonrecurring		Nonrecurring Disconnect	
												SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		ing manual service inquiry &		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93							
		ing manual service inquiry &		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93							
		Conversion Time (per LSR)			UAL	OCOSL		18.13										
		out manual service inquiry &		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93							
		out manual service inquiry &		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93							
		out manual service inquiry &		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93							
		Conversion Time (per LSR)			UAL	OCOSL		18.13										
		without outside dispatch			UAL	UREWO		86.38	40.48									
24		FIBER LINE (HDSL) COMPATIBLE LOOP																
		ing manual service inquiry &		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93							
		ing manual service inquiry &		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93							
		ing manual service inquiry &		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93							
		Conversion Time (per LSR)			UHL	OCOSL		18.13										
		out manual service inquiry and		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93							
		out manual service inquiry and		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93							
		out manual service inquiry and		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93							
		Conversion Time (per LSR)			UHL	OCOSL		18.13										
		without outside dispatch			UHL	UREWO		86.32	40.48									
4		FIBER LINE (HDSL) COMPATIBLE LOOP																
		ing manual service inquiry and		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38							
		ing manual service inquiry and		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38							
		ing manual service inquiry and		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38							
		Conversion Time (per LSR)			UHL	OCOSL		18.13										
		out manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38							
		out manual service inquiry and		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38							
		out manual service inquiry and		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38							
		Conversion Time (per LSR)			UHL	OCOSL		18.13										
		without outside dispatch			UHL	UREWO		86.32	40.48									
4		USL																
				1	USL	USLXX	79.51	253.03	157.89	44.80	11.73							
				2	USL	USLXX	136.00	253.03	157.89	44.80	11.73							
				3	USL	USLXX	229.15	253.03	157.89	44.80	11.73							
		Conversion Time (per LSR)			USL	OCOSL		18.13										
		without outside dispatch			USL	UREWO		101.30	43.13									
4		UDL																
		TRADE LOOP		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61							
				2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61							
				3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61							
		ops - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61							
		ops - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61							
		ops - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61							
		Conversion Time (per LSR)			UDL	OCOSL		18.13										
		ops - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61							
		ops - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61							
		ops - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61							
		Conversion Time (per LSR)			UDL	OCOSL		18.13										
		without outside dispatch			UDL	UREWO		102.34	49.85									

UNBUNDLED SERVICE CATEGORY	DESCRIPTION	South Carolina		BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A									
		Interim	Zone						SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
															GSS Rates (\$)			
															Rec	Nonrecurring		Nonrecurring Disconnect
	Wire 56 kbps combination -			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91								
4.3	DS1 WITH 64 KBPS INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 2	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 3	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								
	Wire 64 kbps combination -			UNCDX	1L5XX	0.0134												
4.3	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 2	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 3	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61								
	1 - Dedicated - Per Mile per Month			UNCDX	1L5XX	0.0134												
4.3	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91								
		Facility Termination - Zone 2	2	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 3	3	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
	1 - Dedicated - Per Mile per Month			UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								
4.3	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCDX	1L5XX	0.0134												
		Facility Termination - Zone 2	2	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91								
		Facility Termination - Zone 3	3	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
	1 - Dedicated - Per Mile per Month			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
4.3	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91								
		Facility Termination - Zone 2	2	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
		Facility Termination - Zone 3	3	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
	1 - Dedicated - Per Mile per Month			UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								
DS1	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73								
		Facility Termination - Zone 2	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73								
		Facility Termination - Zone 3	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73								
	1 - Dedicated - Per Mile per Month			UNC1X	1L5XX	0.27												
DS1	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
		Facility Termination - Zone 2	2	UNC3X	1L5ND	12.26												
		Facility Termination - Zone 3	3	UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77								
	1 - Dedicated - Per Mile per Month			UNC3X	1L5XX	6.42												
DS1	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59								
		Facility Termination - Zone 2	2	UNCSX	1L5ND	12.26												
		Facility Termination - Zone 3	3	UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77								
	1 - Dedicated - Per Mile per Month			UNCSX	1L5XX	6.42												
DS1	DS1 WITH DS0 INTEROFFICE TRANSPORT																	
		Facility Termination - Zone 1	1	UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59								
		Facility Termination - Zone 2	2	UNCSX	1L5XX	6.42												
		Facility Termination - Zone 3	3	UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77								
	1 - Dedicated - Per Mile per Month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77								
ADDITIONAL NETWORK ELEMENTS																		
	When used as a combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																	
	When used as a network element in All States, the non-recurring charges apply and the Switch As Is Charge does not.																	
	Non-recurring Charge - Network Elements "Switch As Is" Charge (One applies to each combination)																	
	Non-recurring Charge - Network Elements Switch -As-Is																	
	Optional Feature - Network Elements Switch -As-Is																	
	Clear Channel Option - per DS1	I																
	Clear Channel Option - per DS1	I																
	Clear Channel Option - Subsequent Activity - per DS1	I																

UNBUNDLED SERVICE		South Carolina								Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
CATEGORY	DESCRIPTION	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
	Activity - per DS3	I		UE3, UNC3X	NRCC3	219.58	7.89	0.737	0.00							
MI	DS1 Local Channel System - per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	DS0 Channel System - per month			UDL	1D1DD	1.19	6.59	4.73								
	DS0 Channel System - per month (channelized DS1 Local Channel)			U1TUD	1D1DD	1.19	6.59	4.73								
	DS0 Channel System - per month (channelized DS1 Local Channel in the			UDN	UC1CA	2.56	6.59	4.73								
	Channel System - per month			U1TUB	UC1CA	2.56	6.59	4.73								
	Channel System - per month			UEA	1D1VG	0.56	6.59	4.73								
	Channel System - per month															
	Channel System - per month (DS1 Local Channel in the			U1TUC	1D1VG	0.56	6.59	4.73								
	Channel System - per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Channel System - per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Channel System - per month			USL	UC1D1	8.64	6.59	4.73								
	Channel System - per month (channelized DS1 Local Channel)			U1TUA	UC1D1	8.64	6.59	4.73								
	Channel System - per month (channelized DS1 Local Channel in the			U1TD1	UC1D1	8.64	6.59	4.73								
	Channel System - per month															
	Channel System - per month (with Local Channel per month)			ULDD1	UC1D1	8.64	6.59	4.73								
Notes	Returns are inform as a result of a Commission order.															

UNBUNDLED ELEMENTS		- Florida				RATES (\$)				Svc Order Submitted Elec per LSR		Svc Order Submitted Manually per LSR		Attachment: 2 Ex. B				
CATEG	ELEMENTS	Interi	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		SOME	SOMAN	OSS Rates (\$)					
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN		
UNBUNDLED	Subscriber Line (HDSL) Compatible Loop																	
2	including manual service inquiry		1	UHL	UHL2X	8.30	159.09	113.41	75.05	15.63								
	including manual service inquiry		2	UHL	UHL2X	11.80	159.09	113.41	75.05	15.63								
	including manual service inquiry		3	UHL	UHL2X	20.94	159.09	113.41	75.05	15.63								
	without manual service inquiry		1	UHL	UHL2W	8.30	134.40	80.69	60.64	9.12								
	without manual service inquiry		2	UHL	UHL2W	11.80	134.40	80.69	60.64	9.12								
	without manual service inquiry		3	UHL	UHL2W	20.94	134.40	80.69	60.64	9.12								
4	Subscriber Line (HDSL) Compatible Loop																	
	including manual service inquiry		1	UHL	UHL4X	12.49	193.31	138.98	77.15	12.61								
	including manual service inquiry		2	UHL	UHL4X	17.76	193.31	138.98	77.15	12.61								
	including manual service inquiry		3	UHL	UHL4X	31.50	193.31	138.98	77.15	12.61								
	without manual service inquiry		1	UHL	UHL4W	12.49	168.62	115.47	62.74	11.22								
	without manual service inquiry		2	UHL	UHL4W	17.76	168.62	115.47	62.74	11.22								
	without manual service inquiry		3	UHL	UHL4W	31.50	168.62	115.47	62.74	11.22								
4	USL																	
	Zone 1		1	USL	USLXX	81.35	313.75	181.48	61.22	13.53								
	Zone 2		2	USL	USLXX	115.62	313.75	181.48	61.22	13.53								
	Zone 3		3	USL	USLXX	205.15	313.75	181.48	61.22	13.53								
HIGH CAP	High Capacity Loop - DS1 - Per Mile per month																	
	High Capacity Loop - DS1 - Facility			UE3	1L5ND	12.56												
	High Capacity Loop - STS-1 - Per Mile per month																	
	High Capacity Loop - STS-1 - Facility			UDLSX	1L5ND	12.56												
	High Capacity Loop - STS-1 - Facility			UDLSX	UDLS1	490.59												
UNBUNDLED	Interoffice Transport																	
IM	Interoffice Transport - Channel - DS1 - Per Mile per month																	
	Interoffice Transport - DS1 - Facility			U1TD1	1L5XX	0.21												
	Interoffice Transport - DS1 - Facility			U1TD1	U1TF1	101.71												
	Interoffice Transport - DS3 - Per Mile per month																	
	Interoffice Transport - DS3 - Facility			U1TD3	1L5XX	4.45												
	Interoffice Transport - STS-1 - Per Mile per month																	
	Interoffice Transport - STS-1 - Facility			U1TS1	1L5XX	4.45												
	Interoffice Transport - STS-1 - Facility			U1TS1	U1TFS	1214.40												
	Local Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV2	22.61												
	Local Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV2	32.13												
	Local Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV2	57.02												

UNBUNDLED NETWORK ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B												
								Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l									
												OSS Rates (\$)								
Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN										
Wire Voice Grade Rev. Bat. - Zone 1		1	ULDVX	ULDR2	22.61															
Wire Voice Grade Rev. Bat. - Zone 2		2	ULDVX	ULDR2	32.13															
Wire Voice Grade Rev. Bat. - Zone 3		3	ULDVX	ULDR2	57.02															
Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	23.52															
Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	33.42															
Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV4	59.29															
DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	41.96															
DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	59.63															
DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	105.80															
DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	9.78															
DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	611.70															
DS1 - Per Mile per month			ULDS1, UNC5X	1L5NC	9.78															
DS1 - Facility Termination			ULDS1, UNC5X	ULDFS	621.79															
Non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																				
Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																				
USE IN A COMBINATION																				
Combination - Zone 1		1	UNCVX	UEAL2	14.08															
Combination - Zone 2		2	UNCVX	UEAL2	20.01															
Combination - Zone 3		3	UNCVX	UEAL2	35.50															
Combination - per month			UNCVX	1D1VG	1.59															
USE IN A COMBINATION																				
Loop in Combination - Zone 1		1	UNCDX	UDL56	25.53															
Loop in Combination - Zone 2		2	UNCDX	UDL56	36.29															
Loop in Combination - Zone 3		3	UNCDX	UDL56	64.39															
Combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.42															
USE IN A COMBINATION																				
Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53															
Loop in Combination - Zone 2		2	UNCDX	UDL64	36.29															
Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39															
Combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.42															
USE IN A COMBINATION																				
Combination - Zone 1		1	UNCNX	U1L2X	22.17															
Combination - Zone 2		2	UNCNX	U1L2X	31.51															
Combination - Zone 3		3	UNCNX	U1L2X	55.91															
Combination - per month			UNCNX	UC1GA	4.21															
USE IN A COMBINATION																				
Combination - Zone 1		1	UNC1X	USLXX	81.35															
Combination - Zone 2		2	UNC1X	USLXX	115.62															
Combination - Zone 3		3	UNC1X	USLXX	205.15															
Combination - per month			UNC1X	UC1D1	15.82															
TRANSPORT FOR USE IN A COMBINATION																				
3 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.01															
3 - Dedicated - Facility			UNCVX	U1TV2	29.12															
TRANSPORT FOR USE IN A COMBINATION																				
3 - Dedicated - Per Mile Per			UNCVX	1L5XX	0.01															
3 - Dedicated - Facility			UNCVX	U1TV4	25.97															

UNBUNDLED SERVICE	DESCRIPTION	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B										
									Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
										First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS1	DS1 COMBINATION																		
	Interoffice - DS1 combination - Per Mile			UNC1X	1L5XX	0.21													
	Facility Termination per month			UNC1X	U1TF1	101.71													
DS3	DS3 USE IN A COMBINATION																		
	Interoffice - DS3 combination - Per Mile			UNC3X	1L5XX	4.45													
	Facility Termination per month			UNC3X	U1TF3	1231.65													
STS-1	STS-1 USE IN A COMBINATION																		
	Interoffice - STS-1 combination - Per Mile			UNCSX	1L5XX	4.45													
	Facility Termination per month			UNCSX	U1TFS	1214.40													
4-wire 56 Kbps	4-wire 56 Kbps INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNCDX	UDL56	25.53													
	Interoffice - Zone 2		2	UNCDX	UDL56	36.29													
	Interoffice - Zone 3		3	UNCDX	UDL56	64.39													
	Facility Termination per month			UNCDX	1L5XX	0.01													
4-wire 64 Kbps	4-wire 64 Kbps INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNCDX	UDL64	25.53													
	Interoffice - Zone 2		2	UNCDX	UDL64	36.29													
	Interoffice - Zone 3		3	UNCDX	UDL64	64.39													
	Facility Termination per month			UNCDX	U1TD5	21.21													
4-wire 64 Kbps	4-wire 64 Kbps INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNCDX	UDL64	25.53													
	Interoffice - Zone 2		2	UNCDX	UDL64	36.29													
	Interoffice - Zone 3		3	UNCDX	UDL64	64.39													
	Facility Termination per month			UNCDX	U1TD6	21.21													
4-wire 56 Kbps	4-wire 56 Kbps INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNCDX	UDL56	25.53													
	Interoffice - Zone 2		2	UNCDX	UDL56	36.29													
	Interoffice - Zone 3		3	UNCDX	UDL56	64.39													
	Facility Termination per month			UNCDX	1L5XX	0.01													
4-wire 64 Kbps	4-wire 64 Kbps INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNCDX	UDL64	25.53													
	Interoffice - Zone 2		2	UNCDX	UDL64	36.29													
	Interoffice - Zone 3		3	UNCDX	UDL64	64.39													
	Facility Termination per month			UNCDX	U1TD5	21.21													
DIGITAL DS3	DIGITAL DS3 INTEROFFICE TRANSPORT																		
	Interoffice - Zone 1		1	UNC1X	USLXX	81.35													
	Interoffice - Zone 2		2	UNC1X	USLXX	115.62													
	Interoffice - Zone 3		3	UNC1X	USLXX	205.15													
	Facility Termination per month			UNC1X	1L5XX	0.21													
DIGITAL DS3	DIGITAL DS3 INTEROFFICE TRANSPORT																		
	Interoffice - per mile per month			UNC3X	1L5ND	14.44													
DIGITAL DS3	DIGITAL DS3 INTEROFFICE TRANSPORT																		
	Facility Termination per month			UNC3X	UE3PX	511.65													

UNBUNDLED	CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B									
										Rec	Nonrecurring		Nonrecurring Disconnect		SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
											First	Add'l	First	Add'l					
UNBUNDLED	YCP	Subscriber Line (HDSL) Compatible Loop																	
2		including manual service inquiry	1	1	UHL	UHL2X	9.06	44.69	31.55	0.00	0.00								
		including manual service inquiry	1	2	UHL	UHL2X	10.45	44.69	31.55	0.00	0.00								
		including manual service inquiry	1	3	UHL	UHL2X	16.65	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	1	UHL	UHL2W	9.06	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	2	UHL	UHL2W	10.45	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	3	UHL	UHL2W	16.65	44.69	31.55	0.00	0.00								
4		Subscriber Line (HDSL) Compatible Loop																	
		including manual service inquiry	1	1	UHL	UHL4X	11.95	44.69	31.55	0.00	0.00								
		including manual service inquiry	1	2	UHL	UHL4X	13.80	44.69	31.55	0.00	0.00								
		including manual service inquiry	1	3	UHL	UHL4X	21.93	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	1	UHL	UHL4W	11.95	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	2	UHL	UHL4W	13.80	44.69	31.55	0.00	0.00								
		without manual service inquiry	1	3	UHL	UHL4W	21.93	44.69	31.55	0.00	0.00								
4		Loop 1		1	USL	USLXX	47.17	211.93	72.49	38.24	7.20								
		Loop 2		2	USL	USLXX	53.37	211.93	72.49	38.24	7.20								
		Loop 3		3	USL	USLXX	71.33	211.93	72.49	38.24	7.20								
HIGH CAP		Loop - DS3 - Per Mile per			UE3	1L5ND	12.62												
		Loop - DS3 - Facility			UE3	UE3PX	291.39												
		Loop - STS-1 - Per Mile per			UDLSX	1L5ND	12.62												
		Loop - STS-1 - Facility			UDLSX	UDLS1	351.23												
UNBUNDLED	IN	Intermediary Transport																	
		Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.13												
		Transport - DS1 - Facility			U1TD1	U1TF1	39.32												
		Transport - DS3 - Per Mile per			U1TD3	1L5XX	2.91												
		Transport - DS3 - Facility			U1TD3	U1TF3	393.32												
		Transport - STS-1 - Per Mile per			U1TS1	1L5XX	2.92												
		Transport - STS-1 - Facility			U1TS1	U1TFS	412.47												
		2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	8.90												
		2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	8.90												
		1-Wire Voice Grade			ULDVX, UNCVX	ULDV4	10.03												
		DS1 Zone 1		1	ULDD1, UNC1X	ULDF1	21.24												

UNBUNDLED SERVICE CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B						
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													SOME C	SOMAN	SOMAN
	4 - DS3 - Facility Termination per month			UNC3X	U1TF3	393.32									
	FOR USE IN COMBINATION														
	4 - STS-1 combination - Per Mile			UNCSX	1L5XX	2.91									
	4 - STS-1 combination - Facility			UNCSX	U1TFS	412.47									
	4 - 56 KBPS INTEROFFICE TRANSPORT														
	4 - 56 Kbps combination - Zone 1		1	UNCDX	UDL56	25.14									
	4 - 56 Kbps combination - Zone 2		2	UNCDX	UDL56	32.61									
	4 - 56 Kbps combination - Zone 3		3	UNCDX	UDL56	43.95									
	4 - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.01									
	4 - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	9.00									
	4 - 64 Kbps INTEROFFICE TRANSPORT														
	4 - 64 Kbps combination - Zone 1		1	UNCDX	UDL64	25.14									
	4 - 64 Kbps combination - Zone 2		2	UNCDX	UDL64	32.61									
	4 - 64 Kbps combination - Zone 3		3	UNCDX	UDL64	43.95									
	4 - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.01									
	4 - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	9.00									
	4 - 64 Kbps DS0 INTEROFFICE TRANSPORT														
	4 - 64 Kbps DS0 combination - Zone 1		1	UNCDX	UDL64	25.14									
	4 - 64 Kbps DS0 combination - Zone 2		2	UNCDX	UDL64	32.61									
	4 - 64 Kbps DS0 combination - Zone 3		3	UNCDX	UDL64	43.95									
	4 - 64 Kbps DS0 transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01									
	4 - 64 Kbps DS0 transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	9.00									
	4 - 64 Kbps DS0 INTEROFFICE TRANSPORT														
	4 - 64 Kbps DS0 combination - Zone 1		1	UNCDX	UDL64	25.14									
	4 - 64 Kbps DS0 combination - Zone 2		2	UNCDX	UDL64	32.61									
	4 - 64 Kbps DS0 combination - Zone 3		3	UNCDX	UDL64	43.95									
	4 - 64 Kbps DS0 transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01									
	4 - 64 Kbps DS0 transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	9.00									
	4 - 1.5 Mbps INTEROFFICE TRANSPORT														
	4 - 1.5 Mbps combination - Zone 1		1	UNC1X	USLXX	47.17									
	4 - 1.5 Mbps combination - Zone 2		2	UNC1X	USLXX	53.37									
	4 - 1.5 Mbps combination - Zone 3		3	UNC1X	USLXX	71.33									
	4 - 1.5 Mbps combination - DS1 combination - Per Mile			UNC1X	1L5XX	0.13									
	4 - 1.5 Mbps combination - DS1 combination - Facility Termination per month			UNC1X	U1TF1	39.32									
	DS3 DIGITAL TRANSPORT														
	DS3 Local Loop combination - per mile per month			UNC3X	1L5ND	14.51									
	DS3 Local Loop combination - Facility Termination per month			UNC3X	UE3PX	335.10									
	4 - DS3 combination - DS3 - Per Mile per month			UNC3X	1L5XX	2.91									
	4 - DS3 combination - Facility Termination per month			UNC3X	U1TF3	393.32									
	STS-1 DIGITAL TRANSPORT														
	STS-1 Local Loop combination - per mile per month			UNCSX	1L5ND	14.51									
	STS-1 Local Loop combination - Facility Termination per month			UNCSX	UDLS1	403.92									

UNBUNDLED NETWORK ELEMENTS	G - Georgia										Attachment: 2 Ex. B										
	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring		Nonrecurring Disconnect							SOMECS	SOMAN	OSS Rates (\$)			
							First	Add'l	First									Add'l	SOMAN	SOMAN	SOMAN
DS1 - STS-1 combination - per mile				UNCSX	1L5XX	2.91															
DS1 - STS-1 combination - Facility				UNCSX	U1TFS	412.47															
When used in combination with other network elements in All States, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used in combination with other network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Network Elements "Switch As Is" Charge (One applies to each combination)																					
Extended Frame Option - per DS1	I			U1TD1, ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00												
Extended Frame Option - per DS1 (DSF) Option - Subsequent	I			U1TD1, ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00												
Extended Frame Option - Subsequent	I			ULDD1, U1TD1, UNC1X, USL	NRCCC	184.62	23.78	2.03	0.79												
Extended Frame Option - per DS3	I			U1TD3, ULDD3, UE3, UNC3X	NRCC3	218.74	7.66	0.7591	0.00												
DS0 Channel System - per month				UNC1X	MQ1	80.21															
DS0 Channel System - per Local Loop				UDL	1D1DD	1.15															
DS0 Channel System - per connection to a channelized DS1				U1TUD	1D1DD	1.15															
DS0 Channel System - per DS1 to DS0 Channel System				UDN	UC1CA	1.91															
DS0 Channel System - per DS1 to DS0 Channel System - per channelized DS1 Local Channel				U1TUB	UC1CA	1.91															
DS0 Channel System - per month				UEA	1D1VG	0.54															
DS0 Channel System - per month channelized DS1 Local Channel in the				U1TUC	1D1VG	0.54															
DS0 Channel System - per month				UNC3X	MQ3	140.18															
DS0 Channel System - per month				UNC3X	MQ3	140.18															
DS0 Channel System - per month				USL	UC1D1	8.45															
DS0 Channel System - per month to a channelized DS1 Local (collocation) per month				U1TUA	UC1D1	8.45															
DS0 Channel System - per month				U1TD1	UC1D1	8.45															
DS0 Channel System - per month used with Local Channel per				ULDD1	UC1D1	8.45															

JNBUNDLED NETWORK ELEMENTS		North Carolina				RATES (\$)				Attachment: 2 Ex. B						
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l	First	Add'l						
	Facility Termination per			UNCSX	UDLS1	533.90										
	Facility - STS-1 combination - per mile			UNCSX	1L5XX	7.06										
	Facility - STS-1 combination - Facility			UNCSX	U1TFS	908.93										
ADDITIONAL NETWORK ELEMENTS	When used in combination with a combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
When used in combination with network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.	Network Elements "Switch As Is" Charge (One applies to each combination)															
Optical Fiber	Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
Clear Channel	Clear Channel Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
Clear Channel	Clear Channel (CSF) Option - Subsequent	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
Clear Channel	Clear Channel Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00						
MULTI-MEDIA	DS1 to DS0 Channel System - per month			UNC1X	MQ1	168.69										
DS1	DS1 to DS0 Channel System - per month - Local Loop			UDL	1D1DD	2.30										
DS1	DS1 to DS0 Channel System - per month - connection to a channelized DS1 Local Channel			U1TUD	1D1DD	2.30										
DS1	DS1 to DS0 Channel System - per month - DS1 to DS0 Channel System - per month - channelized DS1 Local Channel			UDN	UC1CA	4.13										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			U1TUB	UC1CA	4.13										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			UEA	1D1VG	1.46										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			U1TUC	1D1VG	1.46										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			UNC3X	MQ3	268.06										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			UNCSX	MQ3	268.06										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			USL	UC1D1	18.48										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			U1TUA	UC1D1	18.48										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			U1TD1	UC1D1	18.48										
DS1	DS1 to DS0 Channel System - per month - channelized DS1 Local Channel in the same			ULDD1	UC1D1	18.48										

UNBUNDLED SERVICE		South Carolina										Attachment: 2 Ex. B				
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED SERVICE	Subscriber Line (HDSL) Compatible Loop															
	Including manual service inquiry		1	UHL	UHL2X	11.02	129.52	79.24	50.37	7.93						
	Including manual service inquiry		2	UHL	UHL2X	12.56	129.52	79.24	50.37	7.93						
	Including manual service inquiry		3	UHL	UHL2X	13.11	129.52	79.24	50.37	7.93						
	Without manual service inquiry		1	UHL	UHL2W	11.02	104.49	66.50	50.37	7.93						
	Without manual service inquiry		2	UHL	UHL2W	12.56	104.49	66.50	50.37	7.93						
	Without manual service inquiry		3	UHL	UHL2W	13.11	104.49	66.50	50.37	7.93						
UNBUNDLED SERVICE	Subscriber Line (HDSL) Compatible Loop															
	Including manual service inquiry		1	UHL	UHL4X	18.42	158.18	107.89	55.12	10.38						
	Including manual service inquiry		2	UHL	UHL4X	16.48	158.18	107.89	55.12	10.38						
	Including manual service inquiry		3	UHL	UHL4X	19.37	158.18	107.89	55.12	10.38						
	Without manual service inquiry		1	UHL	UHL4W	18.42	133.14	95.16	55.12	10.38						
	Without manual service inquiry		2	UHL	UHL4W	16.48	133.14	95.16	55.12	10.38						
	Without manual service inquiry		3	UHL	UHL4W	19.37	133.14	95.16	55.12	10.38						
UNBUNDLED SERVICE	USL															
	Zone 1		1	USL	USLXX	91.44	253.03	157.89	44.80	11.73						
	Zone 2		2	USL	USLXX	156.40	253.03	157.89	44.80	11.73						
	Zone 3		3	USL	USLXX	263.52	253.03	157.89	44.80	11.73						
HIGH CAPACITY	Loop - DS3 - Per Mile per month			UE3	1L5ND	14.10										
	Loop - DS3 - Facility			UE3	UE3PX	352.31										
	Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	14.10										
	Loop - STS-1 - Facility			UDLSX	UDLS1	360.51										
UNBUNDLED SERVICE	Interoffice Transport															
	Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.39										
	Channel Transport - DS1 - Facility			U1TD1	U1TF1	88.71										
	Channel Transport - DS3 - Per Mile per month			U1TD3	1L5XX	9.22										
	Channel Transport - DS3 - Facility			U1TD3	U1TF3	1012.75										
	Channel Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	9.22										
	Channel Transport - STS-1 - Facility			U1TS1	U1TF5	1012.63										
	Local Wire Voice Grade			ULDVX	ULDV2	17.63										
	Local Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.63										
	Local Wire Voice Grade			ULDVX, UNCVX	ULDV4	19.02										
	Local DS1 - Zone 1		1	ULDD1, UNC1X	ULDF1	49.01										

UNBUNDLED COMPONENT		South Carolina								Attachment: 2 Ex. B						
CATEGORY	ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FOR USE IN COMBINATION															
	Interoffice - STS-1 combination - Per Mile			UNCSX	1L5XX	7.38										
	Interoffice - STS-1 combination - Facility			UNCSX	U1TFS	810.11										
4-WIRE	DS0 LOOP WITH 56 KBPS INTEROFFICE TRANSPORT															
4-wire	combination - Zone 1	1	UNCDX	UDL56	34.42											
4-wire	combination - Zone 2	2	UNCDX	UDL56	39.09											
4-wire	combination - Zone 3	3	UNCDX	UDL56	39.95											
Interoffice	4-wire 56 kbps combination -			UNCDX	1L5XX	0.02										
Per month	4-wire 56 kbps combination -			UNCDX	U1TD5	15.42										
Facility	4-wire 56 kbps combination -			UNCDX	U1TD5	15.42										
4-WIRE	DS0 LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
4-wire	combination - Zone 1	1	UNCDX	UDL64	34.42											
4-wire	combination - Zone 2	2	UNCDX	UDL64	39.09											
4-wire	combination - Zone 3	3	UNCDX	UDL64	39.95											
Interoffice	4-wire 64 kbps combination -			UNCDX	1L5XX	0.02										
Per month	4-wire 64 kbps combination -			UNCDX	U1TD6	15.42										
Facility	4-wire 64 kbps combination -			UNCDX	U1TD6	15.42										
4-WIRE	DS0 LOOP WITH DS0 INTEROFFICE TRANSPORT															
4-wire	combination - Zone 1	1	UNCDX	UDL56	34.42											
4-wire	combination - Zone 2	2	UNCDX	UDL64	39.09											
4-wire	combination - Zone 3	3	UNCDX	UDL56	39.95											
4-wire	transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.02										
Per month	transport - Dedicated - Facility			UNCDX	U1TD5	15.42										
Facility	transport - Dedicated - Facility			UNCDX	U1TD5	15.42										
4-WIRE	DS0 LOOP WITH DS0 INTEROFFICE TRANSPORT															
4-wire	combination - Zone 1	1	UNCDX	UDL64	34.42											
4-wire	combination - Zone 2	2	UNCDX	UDL64	39.09											
4-wire	combination - Zone 3	3	UNCDX	UDL64	39.95											
4-wire	transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.02										
Per month	transport - Dedicated - Facility			UNCDX	U1TD6	15.42										
Facility	transport - Dedicated - Facility			UNCDX	U1TD6	15.42										
DS1 DIGITAL	DS1 INTEROFFICE TRANSPORT															
3-Wire	combination - Zone 1	1	UNC1X	USLXX	104.50											
4-Wire	combination - Zone 2	2	UNC1X	USLXX	178.74											
4-Wire	combination - Zone 3	3	UNC1X	USLXX	301.17											
Interoffice	4-wire DS1 combination - Per Mile			UNC1X	1L5XX	0.31										
Per month	4-wire DS1 combination - Facility			UNC1X	U1TF1	70.97										
Facility	4-wire DS1 combination - Facility			UNC1X	U1TF1	70.97										
DS1 DIGITAL	DS3 INTEROFFICE TRANSPORT															
DS3 Loop	combination - per mile per month			UNC3X	1L5ND	14.10										
DS3 Loop	combination - Facility Termination per month			UNC3X	UE3PX	352.31										
Interoffice	4-wire DS3 combination - Per Mile per month			UNC3X	1L5XX	7.38										
Per month	4-wire DS3 combination - Facility Termination per month			UNC3X	U1TF3	810.20										
Facility	4-wire DS3 combination - Facility Termination per month			UNC3X	U1TF3	810.20										
STS-1 DIGITAL	DS1 INTEROFFICE TRANSPORT															
STS-1	combination - per mile per month			UNCSX	1L5ND	14.10										
STS-1	combination - Facility Termination per			UNCSX	UDLS1	360.51										
Per month	4-wire STS-1 combination - per mile			UNCSX	1L5XX	7.38										
Per month	4-wire STS-1 combination - per mile			UNCSX	1L5XX	7.38										

LOCAL INTERCARRIER		Carolina										Attachment: 3 Exh. A				
CATEGORY	DESCRIPTION	Interim	Zone	BCS	USOC	Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l	First	Add'l						
SIGNALING (257)	Per STP Port			UDB	PT8SX	163.49										
CCS	MAP Message					0.0000692										
CCS	Per link (A link)			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
CCS	Per link (B link) (also known as D link)			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
CCS	Switched access service, interface group design: DS1 level path with bit stream			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
CCS	Per link, per month			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
CCS	Per link(also known as D link) per month			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
CCS	Switched access service, interface group design: DS3 level path with bit stream			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
CCS	MAP Message					0.0000173										
CCS	Rate, per link per LATA or Originating Point Code STP affected			UDB	STU56	791.37										
CCS	Rate, per Destination Point Code STp Affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
CCS				UDB	CCAPD		29.08	29.08	35.65	35.65						