

BellSouth Telecommunications, Inc. 150 South Monroe Street Suite 400 Tallahassee, Florida 32301

Jerry.Hendrix@bellsouth.com

Jerry D. Hendrix Vice President Regulatory Relations

Phone: (850) 577-5550 (850) 224-5073

April 4, 2006

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

060318-TP

Re: Approval of Amendment to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Access Point, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, unbundling, resale and collocation Agreement with Access Point, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 577-5551.

The underlying agreement was filed July 18, 2003 in docket 030648-TP.

Very truly yours,

Regulatory Vice President

EDCC COSMICARION.

Amendment to the Agreement Between Access Point, Inc. and BellSouth Telecommunications, Inc. Dated May 24, 2003

Pursuant to this Amendment, (the "Amendment"), Access Point, Inc. ("Access Point"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 24, 2003 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Access Point entered into the Agreement on May 24, 2003, and;

WHEREAS, BellSouth and Access Point desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

BASIC 911 AND E911 INTERCONNECTION

Basic 911 Interconnection. BellSouth will provide to Access Point a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Access Point will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Access Point will be required to route

Version: TRRO Amendment - DS0

10

that call to the appropriate PSAP. When a municipality converts to E911 service, Access Point will be required to begin using E911 procedures.

10.3 E911 Interconnection. Access Point shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Access Point shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Access Point will be required to provide BellSouth daily updates to the E911 database. Access Point will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Access Point will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Access Point shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

- 10.4 Trunks and facilities for 911 Interconnection may be ordered by Access Point from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Network Interconnection is the interconnection of Access Point local signaling transfer point switches or Access Point local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Access Point local

Version: TRRO Amendment - DS0

or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Access Point or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a Access Point Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7-Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Access Point local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Access Point local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Access Point local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

Version: TRRO Amendment - DS0

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.9 Interface Requirements. The following SS7 Network
 Interconnection interface options are available to connect Access
 Point or Access Point-designated local or tandem switching
 systems or signaling transfer point switches to the BellSouth SS7
 network:
- 11.9.1 A-link interface from Access Point local or tandem switching systems; and
- 11.9.2 B-link interface from Access Point STPs.
- 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 11.9.5 The protocol interface requirements for SS7 Network
 Interconnection include the MTP, ISDNUP, SCCP, and TCAP.
 These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.9.6 BellSouth shall set message screening parameters to accept messages from Access Point local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Access Point switching system has a valid signaling relationship.
- 3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
- 4. The Parties agree to add Section 3.8 to Attachment 6 as follows:
 - 3.8 If Access Point modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Access Point in accordance with FCC No. 1 Tariff, Section 5.

Version: TRRO Amendment - DS0

- 5. All of the other provisions of the Agreement dated May 24, 2003 shall remain unchanged and in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment - DS0

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.

By: State 2 Ihm

Name: Kristen Rowe Shore

Title: Director

Date: 3/14/06

Access Point, Inc.

By Kieland E. Krown

Name: RICHARD E. BROWN

Title: CEO

Date: 3 10 06

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	LOOPS	7
3	LINE SPLITTING	27
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	28
5	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	31
6	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYS	TEM (ALI/DMS) 36
7	OSS	
Rat	tes	Exhibit A
Rat	tes	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Access Point for Access Point's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Access Point (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Access Point to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Access Point purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Access Point may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Access Point shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 <u>Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services.</u> Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Access Point pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Access Point pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following

BellSouth's receipt of a complete and accurate Conversion request from Access Point. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Access Point and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Access Point may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Access Point has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Access Point.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Access Point shall undertake a reasonably diligent inquiry to determine whether Access Point is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Access Point self-certifies that to the best of Access Point's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Access Point's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Access Point may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Access Point, BellSouth shall perform the RNM.

1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Access Point has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Access Point must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- Terms and conditions for order cancellation charges and Service Date
 Advancement Charges will apply in accordance with Attachment 6 and are
 incorporated herein by this reference. The charges shall be as set forth in Exhibit
 A.

1.13 Ordering Guidelines and Processes

- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Access Point should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: http://www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Access Point's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Access Point's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 <u>Testing/Trouble Reporting.</u>

- 1.13.4.1 Access Point will be responsible for testing and isolating troubles on Network Elements. Access Point must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Access Point will be required to provide the results of the Access Point test which indicate a problem on the BellSouth network.
- Once Access Point has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If Access Point reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Access Point a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Access Point (e.g.,

incomplete address, incorrect contact name/number, etc.), BellSouth will bill Access Point for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Access Point shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Access Point on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Access Point. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Access Point with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Access Point's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5 During the Transition Period, the rates for Access Point's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Access Point in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Access Point wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Access Point may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Access Point shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

- 2.1.8.1 OC allows BellSouth and Access Point to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Access Point's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Access Point to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Access Point's specific conversion time request. However, BellSouth reserves the right to negotiate with Access Point a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Access Point may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Access Point specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Access Point must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Access Point when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Access Point's Interconnection Agreement before requesting a conversion.

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to Access Point pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

- 2.1.10.1 BellSouth will make available to Access Point a Bulk Migration process pursuant to which Access Point may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should Access Point request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Access Point must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Access Point will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Access Point, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Access Point may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Access Point may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Access Point. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Access Point to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop

2.3.2.2 2-wire Unbundled ADSL Compatible Loop 2.3.2.3 2-wire Unbundled HDSL Compatible Loop 2.3.2.4 4-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled DS1 Digital Loop 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.6 2.3.2.7 DS3 Loop 2.3.2.8 STS-1 Loop 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Access Point will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.6 4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards 2.3.6.1 for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-2ire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.

2.3.6.2

BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Access Point at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Access Point may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Access Point.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Access Point to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Access Point can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Access Point may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Access Point to provide a wide-range of telecommunications services as

long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Access Point may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCLND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by Access Point which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Access Point, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Access Point. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Access Point may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Access Point requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Access Point will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Access Point shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Access Point desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Access Point, Access Point will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Access Point is available at the location for which the ULM was requested, Access Point will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Access Point will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 <u>Loop Provisioning Involving IDLC</u>
- 2.6.1 Where Access Point has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Access Point. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Access Point (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from Access Point, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Access Point will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Access Point to connect Access Point's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Access Point may access the End User's premises wiring by any of the following means and Access Point shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Access Point to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Access Point may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Access Point's responsibility to ensure there is no safety hazard, and Access Point will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Access Point shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Access Point shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Access Point to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Access Point's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Access Point may request BellSouth to do additional work to the NID on a time and material basis. When Access Point deploys its own local loops in a multiple-line termination device, Access Point shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Subloop Distribution (USLD)</u>
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Access Point requests a UCSL and it is not available, Access Point may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Access Point, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Access Point's use on this cross-connect

panel. Access Point will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Access Point shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Access Point's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Access Point is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Access Point's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Access Point can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Access Point's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Access Point will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Access Point requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Access Point for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Access Point does own or control such wiring, Access Point will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Access Point.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Access Point for each pair activated commensurate to the price specified in Access Point's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 <u>Dark Fiber Loop.</u>
- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber

Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Access Point to utilize Dark Fiber Loops.

- 2.8.4.2 <u>Transition for Dark Fiber Loop</u>
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Access Point at the terms and conditions set forth in this Attachment.
- 2.8.4.4 The rates for Access Point's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Access Point LMU information with respect to Loops that are required to be unbundled under this Agreement so that Access Point can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Access Point intends to install and the services Access Point wishes to provide. LMU is a preordering transaction, distinct from Access Point ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Access Point LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to Access Point as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Access Point may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Access Point and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Access Point's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Access Point or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Access Point is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Access Point, according to the applicable network disclosure requirements. It will be Access Point's responsibility to move any service it may provide over such facilities to alternative facilities. If Access Point fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.
- 2.9.2 Submitting LMUSI

- 2.9.2.1 Access Point may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Access Point needs further Loop information in order to determine Loop service capability, Access Point may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Access Point will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Access Point does not reserve facilities upon an initial LMUSI, Access Point's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Access Point has reserved multiple Loop facilities on a single reservation, Access Point may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Access Point, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Access Point.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Access Point provides its own switching or obtains switching from a third party, Access Point may engage in line splitting arrangements with another CLEC using a splitter, provided by Access Point, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Provisioning Line Splitting and Splitter Space</u>
- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Access Point or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at

the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

- 3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 <u>CLEC Provided Splitter Line Splitting</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, Access Point must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 Access Point must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.4.3 Access Point may purchase, install and maintain central office POTS splitters in its collocation arrangements. Access Point may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.4 Any splitters installed by Access Point in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Access Point may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 <u>Maintenance Line Splitting.</u>
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 Access Point shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.
- 4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are not already combined by BellSouth in the location requested by Access Point but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Access Point requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Access Point.
- 4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Access Point with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Access Point thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Access Point's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Access Point must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Access Point has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Access Point will transmit the calling party's number in connection with calls exchanged over the trunk;

- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Access Point will have at least one (1) active DS1 local service interconnection trunk over which Access Point will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Access Point's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Access Point failed to comply with the service eligibility criteria, Access Point must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that Access Point did not comply in any material respect with the service eligibility criteria, Access Point shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Access Point did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Access Point for its reasonable and demonstrable costs associated with the audit. Access Point will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Access Point converts special access services to UNEs, Access Point shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Access Point. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Access Point. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Access Point unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 5.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3</u> Entrance Facilities

5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006. 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base. 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5. 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Access Point's Embedded Base during the Transition Period: 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators. 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators. 5.2.4.3 During the Transition Period, the rates for Access Point's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for Access Point's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A. 5.2.4.4 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement. 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center. 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center. 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected. 5.3 BellSouth shall: 5.3.1 Provide Access Point exclusive use of Dedicated Transport to a particular customer or carrier;

Provide all technically feasible features, functions, and capabilities of Dedicated 5.3.2 Transport as outlined within the technical requirements of this section; Permit, to the extent technically feasible, Access Point to connect Dedicated 5.3.3 Transport to equipment designated by Access Point, including but not limited to, Access Point's collocated facilities; and 5.3.4 Permit, to the extent technically feasible, Access Point to obtain the functionality provided by BellSouth's digital cross-connect systems. 5.4 BellSouth shall offer Dedicated Transport: 5.4.1 As capacity on a shared facility; and 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Access Point. 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 5.6 Access Point may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any. 5.7 **Technical Requirements** BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice 5.7.1 grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards. 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 5.7.2.1 DS0 Equivalent; 5.7.2.2 DS1; 5.7.2.3 DS3; and

- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Access Point shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent Access Point is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Access Point may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

- 5.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, Access Point's channelization equipment must adhere strictly to form and protocol standards. Access Point must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Access Point's Embedded Base during the Transition Period:
- 5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.5 During the Transition Period, the rates for Access Point's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for Access Point's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A.
- 5.9.1.6 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement.

- 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.

5.10 Rearrangements

- 5.10.1 A request to move a working Access Point CFA to another Access Point CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Access Point, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Access Point may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Access Point and another carrier that will allow Access Point to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

6 Automatic Location Identification/Data Management System (ALI/DMS)

6.1 911 and E911 Databases

- 6.1.1 BellSouth shall provide Access Point with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

 Access Point will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.

6.2 <u>Technical Requirements</u>

6.2.1 BellSouth's 911 database vendor shall provide Access Point the capability of providing updates to the ALI/DMS database through a specified electronic interface. Access Point shall contact BellSouth's 911 database vendor directly to

request interface. Access Point shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Access Point and BellSouth shall not be liable for the transactions between Access Point and BellSouth's 911 database vendor.

- 6.2.2 It is Access Point's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 Access Point shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at http://www.interconnection.bellsouth.com/guides.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Access Point, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Access Point to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Access Point that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Access Point shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Access Point within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Access Point shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Access Point's records.

7 OSS

- 7.1 BellSouth has developed and made available electronic interfaces by which Access Point may submit LSRs electronically.
- LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.

- 7.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 7.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 7.5 <u>Denial/Restoral OSS Charge.</u> BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Access Point provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBL	INDLE	O NETWORK ELEMENTS - Alabama												Attach	ment; 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BC\$	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Sy Order vs.
														Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Disc Add
							Rec	Nonred First	curring Add'l	Nonrecurrin First	g Disconnect Add'i	COMEO	SOMAN		Rates (\$)	201111	
							· · · · · · · · · · · · · · · · · · ·	1		 					SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of a	combir	nation refers to Geog	raphically D	eaveraged UNE	Zones. To vie	w Geographic	ally Deaverage	d UNE Zone De	signations	by Central	Office, refer to	internet Web	site:	
OPER	Inttp://v	ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnecti	on.htm	1				,		· · · · · · · · · · · · · · · · · · ·					····	
Or LIV	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	o "stata s	nacific	" OSS charges as ore	lared by the	State Commission	L. The OCC		<u> </u>		<u> </u>	1	<u> </u>			
	elect el	ther the state specific Commission ordered rates for the servi	ice orderi	na char	roes, or CLFC may el	ect the regio	nal service orde	ons, The USS	charges curre	ently contained	in this rate ex	hibit are the	BellSouth	"regional" se	rvice ordering	charges. Cl	LEC may
	reach o	the 9 states.															
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed accord	ling to	the SOMEC rate liste	d in this cat	egory. Please re	efer to BellSou	th's Local Ord	lering Handbo	ok (LOH) to det	ermine if a	product car	be ordered e	ectronically.	For those el	ements tha
	cannot	be ordered electronically at present per the LOH, the listed S	OMEC rat	e in thi	s category reflects th	e charge th	at would be bille	ed to a CLEC o	nce electronic	ordering capa	bilities come o	n-line for th	at element.	Otherwise, t	he manual or	dering charge	, SOMAN,
	Will be	applied to a CLECs bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service			T				·	,	,		, <u>.</u>				
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3,50	0.00						1
		OSS - Manual Service Order Charge, Per Local Service Request						3.30	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN	<u> </u>	15.66	0.00	1.97	0.00						
UNES		DATE ADVANCEMENT CHARGE			L												
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applica	ble.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	•		UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDC, UC1BC, ULDIS, ULDIS, ULDIS, ULDIS, ULDIS, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNTOS, UNTOS, UXTD1, UXTD3, UXTD1, UTTUS, UTT												
LIMBUR	IDLEDE	Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									
CIABOL		ANALOG VOICE GRADE LOOP					 										
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17,56	23,49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEAL2	21.05	37.81	17.56	23.49	5.30						·····
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	34.34	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
	├	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	21.05	37.81	17.56		5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	ļ	Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	34.16								
	L	Loop Testing - Basic Additional Half Hour			UEANL	URETA	L	19.85	19.85	1							

ONRONDL	ED NETWORK ELEMENTS - Alabama	,	,			Y								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring				oss	Rates (\$)	L	
	CLEC to CLEC Conversion Charge Without Outside Dispatch		ļ			7100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(UVL-SL1)		1	UEANL	UREWO		45.70									
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	 	 	ULANL	OREWO		15.78	8.94			ļ				<u></u>	ļ
	providing make-up (Engineering Information - E.I.)	1	İ	UEANL	UEANM		13.44				ŀ			i	-	İ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL.	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1										ļ			t		
2.10	(per LSR)	<u> </u>		UEANL	OCOSL		18.09							I .	1	
2-WI	RE Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop - Non-Designed Zone 1		<u> </u>	UEQ												
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 	2	UEQ	UEQ2X UEQ2X	11.20 13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.07	34.14 34.14	15.10 15.10	21.25 21.25	4.15 4.15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u>`</u> -		O-GEA	13.07	34.14	15.10	41.25	4.15		 			 	
	Premise	L		UEQ	URETL		8.33	0.83	f l							1
T	Manual Order Coordination 2 Wire Unbundled Copper Loop -	I									 			 	<u> </u>	
	Non-Designed (per loop)		L	UEQ	USBMC		8.15									1
ı	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour			UEQ UEQ	UEQMU URET1		13.44									
	Loop Testing - Basic Additional Half Hour	 		UEQ	URETA	<u> </u>	34.16 19.85	34.16 19.85			ļ					
	CLEC to CLEC Conversion Charge Without Outside Dispatch			OEG.	UNEIA		19.85	19.85								
	(UCL-ND)			UEQ	UREWO		14.27	7.43								1
UNBUNDLED	EXCHANGE ACCESS LOOP				10			7.40			1					
2-Wil	RE ANALOG VOICE GRADE LOOP										 					ļ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	,									<u> </u>					
	Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						L
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	27.01	17.50	22.42	5.00						1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			DEFOR DEFOR	UEALS	21.05	37.81	17.56	23.49	5.30				ļ		
1	Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					2.100	91.01	17.00	20.40	0.00	i					·
	Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.58	23.49	5.30	ļ į					1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
UNBUNDLE	Zone 3 EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						L
	RE ANALOG VOICE GRADE LOOP				-											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														~~ ~~	
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7,44						i .
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1			33.00	77.24	7,44	 					<u> </u>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						f
i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09	7.11								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	99.60	EE 00								1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	UEAR2	14.38	88,00	55.00	47.24	7.44	-					·
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7,44						ł
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			· · · · · · · · · · · · · · · · · · ·	1	22.55		30.00	77.24	7,44	 					
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									1
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)			UEA	UREWO		87.72	36.36								<u> </u>
4-W/II	RE ANALOG VOICE GRADE LOOP	<u> </u>		UEA	URETL		11.21	1.10								<u> </u>
7-1/11	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131,97	94.51	50.14	14.55	ļ					
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14 59.14	14.50 14.50	ļ					
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50	-					
	Order Coordination for Specifled Conversion Time (per LSR)			UEA	OCOSL	50.54	18.09	3-1,31	33.14	17,30						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UND	UNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
			 	-			Rec	Nonrec First	urring Add'l	Nonrecurring First		COME	001141		Rates (\$)		
	2-WIRE	ISDN DIGITAL GRADE LOOP	 					FIISL	AGUI	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - Zone 1	 	1	UDN	UIL2X 1	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2	· · · · · · · · · · · · · · · · · · ·	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54	-					
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09	70,77	32.00	10.54	 				ļ	
		CLEC to CLEC Conversion Charge without outside dispatch	T		UDN	UREWO		91.63	44.16			<u> </u>				 	
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP		101.5.115		01.00			····						
		2 Wire Unbundled ADSL Loop including manual service inquiry	T							†					·		
	_1	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44					İ	1
	Ţ	2 Wire Unbundled ADSL Loop including manual service inquiry	T								7.44					 	
		& facility reservation - Zone 2		2	UAL.	UAL2X	12.73	110.00	68.00	47,24	7.44						ŀ
1		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7,44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09				 					
		2 Wire Unbundled ADSL Loop without manual service inquiry &							***************************************								
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						ı
		2 Wire Unbundled ADSL Loop without manual service inquiry &													· · · · · · · · · · · · · · · · · · ·		·
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						ĺ
		2 Wire Unbundled ADSL Loop without manual service inquiry &													<u> </u>		
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						ĺ
		Order Coordination for Specified Conversion Time (per LSR)			ÜAL,	OCOSL		18.09								·	
		CLEC to CLEC Conversion Charge without outside dispatch			ÚAL	UREWO		86.20	40,40								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP												··	
		2 Wire Unbundled HDSL Loop including manual service inquiry	,														
	1	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						ĺ
		2 Wire Unbundled HDSL Loop including manual service inquiry															
İ		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	ŀ					İ
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11,44	110.00	68.00	47.24	7.44	l				ļ	İ
		Order Coordination for Specified Conversion Time (per LSR)		· · · · ·	UHL	OCOSL		18.09				· · · · · ·					
		2 Wire Unbundled HDSL Loop without manual service inquiry		1													
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44				1		1
		2 Wire Unbundled HDSL Loop without manual service inquiry															· · · · · · · · · · · · · · · · · · ·
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44	İ					ĺ
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44				l		ĺ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							·		
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		86.14	40.40								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
		4 Wire Unbundled HDSL Loop including manual service inquiry										7				************	
		and facility reservation - Zone 1	İ	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73	ĺ			ĺ		İ
		4-Wire Unbundled HDSL Loop including manual service inquiry															1
		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73	ļ			1		l
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		ŀ				1
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry												·			
		and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						i
		4-Wire Unbundled HDSL Loop without manual service inquiry															
L		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						L
		4-Wire Unbundled HDSL Loop without manual service inquiry															
	-	and facility reservation - Zone 3			UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
	_	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	1	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86,14	40.40								
	4-WIRE	DS1 DIGITAL LOOP		ļ													
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	82.55	252.47	157.54	44.70	11.71						
<u> </u>		4-Wire DS1 Digital Loop - Zone 2	L		USL	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	314,52	252.47	157.54	44.70	11.71						
	i	Order Coordination for Specified Conversion Time (per LSR)	1		USL	OCOSL		18.09									

ONBONDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted	Incremental Charge -	Charge -	Incremental Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Sv Order vs.
											,	,,,,,	Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
											L	l			2100 101	0.00 7.00
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch		ļ		LIDEUIS.	ļ	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4 14/15	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.09	43.05				ļ				<u> </u>
4-4411	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	20.00	165.07				ļ			ļ		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL.	UDL19	26.09 35.95	126.27	88.80		14.50	ļ	ļ				ļ
	4 Wire Unbundled Digital 19.2 Kbps	 	3	UDL	UDL19	37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50	ļ					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 	1 1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50 14.50	 -	ļ		 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50	·			 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	37.88	126.27	88.80		14.50	 	ļ		 	 	
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL.	OCOSL	01.00	18.09	00.00	1	14.50	<u> </u>			 		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80		14.50	†			<u> </u>		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	I	3	UDL	UDL64	37.88	126.27	88.80		14.50				1		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09						l'''			
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
2-WIR	E Unbundled COPPER LOOP		L													
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7,44						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual		_	UCL	LICI DD	44.00										
	service inquiry & facility reservation - Zone 3		3		UCLPB UCLMC	14.30	112.46	65.30		7.44					L	
	Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop-Designed without manual	 		UCL	UCLINC	 	8.15	8.15			 			ļ		
	service inquiry and facility reservation - Zone 1	1 ,	1	UCL	UCLPW	11.01	91,46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	14.30	8.15	8.15		7.44				 		
	CLEC to CLEC Conversion Charge without outside dispatch			· · · · · · · · · · · · · · · · · · ·				-								
	(UCL-Des)			UCL	UREWO		97.23	42.48	ļ							<u> </u>
4-WIR	E COPPER LOOP								ļ							ļ
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)		-3	UÇL	UCLMC	20.21	8.15	8.15		9.73	 	ļ				
	4-Wire Copper Loop-Designed without manual service inquiry	 	 	1000	1000410	 	0.15	0.15	·		+		 	 	 	
	and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51,70	9.73						<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	20,76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry				T			****								
	and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						ļ
	Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		8.15	8.15								ļ
LOOP MODIF	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48	ļ							
LOOF MODII	I I I I I I I I I I I I I I I I I I I	 		UAL, UHL, UCL,					 		 		h	 		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL, UEPSR,								:				•
	pair less than or equal to 18k ft. per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00								<u> </u>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,				3.00						<u> </u>		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ,ULS,UEA. UEANL, UEPSR,							1					
1	per unbundled loop	1	1	UEPSB	ULMBT	}	32.41	32.41			1	1	1	L		<u> </u>
SUB-LOOPS					,				1		1	1				

J.TDOITDEL	ED NETWORK ELEMENTS - Alabama	γ											Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
			 			Rec	Nonrec		Nonrecurring		<u> </u>	,		Rates (\$)		
Sub-I	.oop Distribution		 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 		 						 					ļ
l	Up		1	UEANL	USBSA		244.42		İ		1					i
			 	OCANE	03037		244.42				ļ	ļ				
.	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	1	UEANL	USBSB		22.64				1	i				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	· · · · · · · · · · · · · · · · · · ·	 	102,442	00000		22.04			····-	 					
	Facility Set-Up	- 1	i	UEANL	USBSC		177.45				ŀ					
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		†		00000	·	177.43		 			·				
	Set-Up	1		UEANL	USBSD		55.15								}	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1				30				 			-	 	
	Zone 1	!	1	UEANL	USBN2	11,21	65.80	30.96	45.25	6.70						i
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -									0110	1					
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						İ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -													·		
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						İ
											T					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								İ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										1					
	Zone 1		1	UEANL	USBN4	8,46	79.03	44.19	49.71	9,07						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	i														
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07	1	<u> </u>				1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		ļ						l							
	Zone 3		3	UEANL	USBN4	32.57	79,03	44.19	49.71	9.07	J					
l		•														
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		8.15	8.15			1					L
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		ļ	UEANL	USBR2	2.27	53,01	18.17	45.25	6.70						
				l		ł	1									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	l					
	Order Coordination for Unburdled Sub Leave new sub-leave sele					l										1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour	ļ	 		URET1 URETA		34.16	34.16								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS2X	6.22	19.85	19.85			ļ					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80 65.80	30.96 30.96	45.25	6.70	ļ					ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	11.27	65.80	30.96	45.25 45.25	6.70 6.70						
	2 This day of the analog day book both ballon being	 	 	, OC	OCOZA	11.27	65.60	30.96	45.25	6.70	ļ					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1	8,15	8.15								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6,11	79.03	44.19	49.71	9.07	 					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	 					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	 					
				1						3.57	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	-	8.15	8.15								1
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	34.16				·				
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85						·		———
Unbur	ndled Network Terminating Wire (UNTW)											l				
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01				1					1
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines				UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines				UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W		ļ	UENTW	UNDC2		5.87	5.87								
UNIE OTUES	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87								
JINE OTHER	PROVISIONING ONLY - NO RATE		ļ													
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								•	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	1	I	1	UEANL,UEF,UEQ,U ENTW	UNECN		i									1
1	Unbundled Contract Name, Provisioning Only - No Rate	1				0.00	0.00									

ONDONDE	ED NETWORK ELEMENTS - Alabama										· · · · · · · · · · · · · · · · · · ·			nent: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Name	RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			 		 	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	COMAN
							rnst	Add I	riist	Add I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOMAN
ì		1	1	UAL,UCL,UDC,UDL.												Ì
	Unbundled Contact Name, Provisioning Only - no rate	ļ		UDN,UEA,UHL, USL	UNECN	0.00	0.00								ļ	
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no											 				
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				l	ł										
·	Unbundled DS1 Loop - Superframe Format Option - no rate	ļ	ļ	UEA,USL,UCL,UDL	USBFR	0.00	0.00				ļ					
	Unbundled DS1 Loop - Superrame Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -	 	 	USL	CCOSF	0.00	0.00									
i i	no rate			UŞL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	 				0.00	0.00		 		 					
T	High Capacity Unbundled Local Loop - DS3 - Per Mile per	<u> </u>			1						 					
	month			UE3	1L5ND	8.38					1	1				
	High Capacity Unbundled Local Loop - DS3 - Facility	1													l	
	Termination per month			UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117						L
1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	ì	LIDI OV												
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	8.38										
1	Termination per month	ł		UDLSX	UDLS1	319.83	519.248	303.531	407 4105	20.447			j			ļ
OOP MAKE-		 		ODESX	ODLST	319.83	519.248	303.531	137.4135	96.117						ļ
	Loop Makeup - Preordering Without Reservation, per working or	 														
ļ	spare facility queried (Manual).		ł	UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility										t					
	queried (Manual).			UMK	UMKLP		21.00	21.00								1
ŀ	Loop MakeupWith or Without Reservation, per working or															
INE SPLITTI	spare facility queried (Mechanized)	ļ		UMK	UMKMQ		0.59	0.59								
	NG SPLITTING															
	JSER ORDERING-CENTRAL OFFICE BASED															ļ <u> </u>
	Line Splitting - per line activation DLEC owned splitter	 		UEPSR UEPSB	UREOS	0.61								····		
	Line Splitting - per line activation BST owned - physical	 	_	UEPSR UEPSB	UREBP	0.61	37.01	21,19	20.02	9.83					<u> </u>	
	Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0,61	37.01	21.19	20.02	9.83	 					
	TENANCE										1	-			· · · · · · · · · · · · · · · · · · ·	
NOTE	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	olicable.										
	No Trouble Found - per 1/2 hour increments - Basic			· · · · · · · · · · · · · · · · · · ·	ļ		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	 	 				90.00	65.00								
INBUNDI ED	DEDICATED TRANSPORT	<u> </u>	ļ				100.00	75.00								
	ROFFICE CHANNEL - DEDICATED TRANSPORT	 			 	-			ļ		ļ	 				
_	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								 		 	 				
	Per Mile per month			U1TVX	1L5XX	0.008838			[i
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1														
	Facility Termination		ļ	U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1														
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		 	U1TVX	1L5XX	0.008838				·~···	ļ					
	Facility Termination	1	1	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6,90					ĺ	1
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	 	 	01177	UTINE	21.13	40.54	21.41	10.74	6.90	 					
	Per Mile per month	1]	U1TVX	1L5XX	0.008838		j	i i				i			
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade					1					 	 				
	- Facility Termination	L	<u></u>	U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile										I					
	per month		ļ	U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIKTBY												
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile	 		U1TDX	U1TD5	15.12	40.54	27.41	16.74	6,90		ļ				ļ
	per month		1	U1TDX	1L5XX	0.008838					1		i]
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			03/	1.50//	0.000036					 					
1	Termination	1	1	U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1		ļ			

ONDONDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					 -	Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	month		ļ	U1TD1	1L5XX											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 		UNUI	ILSAA	0.18										
	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	l 1					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	T		<u> </u>	101111	00.10	03.21	61.01	10.35	14,44					 	
	month		ļ	U1TD3	1L5XX	4.09									į .	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		······································												
	Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						
ł	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		-													ļ
	month			U1TS1	1L5XX	4.09										Ì
1	Interoffice Channel - Dedicated Transport - STS-1 - Facility				l											
ARK FIBER	Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46					<u> </u>	
COUL CIDEM	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				 											
1	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	69.37	1									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI, ODI CA	TLOOC	69.37										
1	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.23	639.09	137.87	317.06	197.66						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+		555.55	101.01	017.00	107.00						
	Thereof per month - Local Loop	İ		UDF, UDFCX	1L5DL	69.37										
IRTUAL COL	LLOCATION	I		····	1											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
HYSICAL CO	OLLOCATION	,														
į	Physical Collocation-2 Wire Cross Connects (Loop) for Line				L											
NHANCEDE	Splitting EXTENDED LINK (EELs)			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
	:: The monthly recurring and non-recurring charges below will	nanki ana	l the Cu	itab As Is Charas	<u> </u>	7 UNIT 11	., .									
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charge below will	annly for LIN	E combinations	provisioned a	oned as Ordin	arily Combine	Network Ele	ments.					
2-WIR	RE VOICE GRADE LOOP FOR USE IN A COMBINATION	1	carring	Charges below will	I	L COMBINATIONS	provisioned a	s Currently C	ombined Metw	ork ciements.						
1	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
ı	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2										1					
	4 Mire Angles Visias Crade I I- Combination 7 2			UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop In Combination - Zone 3			UNCVX	UEAL4	38.58 60.02	131.97 131.97	94.51	59.14 59.14	14.50						
4-WIR	Voice Grade COCI in combination - per month					38.58	131.97				,					
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX	UEAL4 1D1VG	38.58 60.02 0.53	131.97 131.97 6.58	94.51 4.72	59.14	14.50	,					
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCVX UNCVX UNCDX	UEAL4 1D1VG UDL56	38.58 60.02 0.53 26.09	131.97 131.97 6.58	94.51 4.72 88.80	59.14 59.14	14.50	1					
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		1 2	UNCVX UNCVX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56	38.58 60.02 0.53 26.09 35.95	131.97 131.97 6.58 126.27	94.51 4.72 88.80 88.80	59.14 59.14 59.14	14.50 14.50 14.50	1					
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		1 2	UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56	38.58 60.02 0.53 26.09 35.95 37.88	131.97 131.97 6.58 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80	59.14 59.14	14.50	1					
	Voice Grade COCI in combination - per month IE 56 KBPS DigiTAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		1 2	UNCVX UNCVX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56	38.58 60.02 0.53 26.09 35.95	131.97 131.97 6.58 126.27	94.51 4.72 88.80 88.80	59.14 59.14 59.14	14.50 14.50 14.50						
	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1 2 3	UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56	38.58 60.02 0.53 26.09 35.95 37.88	131.97 131.97 6.58 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80	59.14 59.14 59.14	14.50 14.50 14.50						
	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		3 1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58	94.51 4.72 88.80 88.80 88.80 4.72	59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50	1					
	Voice Grade COCI in combination - per month 15 56 KBPS DigITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 16 54 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		1 2 3	UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80 88.80 88.80	59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month 15: 56 KBPS Digital ALOOP FOR USE IN A COMBINATION 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3 1 2 3	UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80	59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) IE ISDN LOOP FOR USE IN COMBINATION		1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 ID1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27 6.58	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80 88.80 4.72	59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50	,					
4-WIR	Voice Grade COCI in combination - per month E 56 KBPS DigITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (24-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1		1 2 3 1 2 3	UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 ID1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80 88.80 4.72 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month 15: 56 KBPS Digital AL LOOP FOR USE IN A COMBINATION 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire 1-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1-Wire		1 2 3 1 2 3	UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 1D1DD UL64 1D1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50	1					
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) IE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 1D1DD U1L2X U1L2X U1L2X	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 6.58 117.24 117.24	94.51 4.72 88.80 88.80 4.72 88.80 4.72 98.80 98.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month E 56 KBPS DiGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (24-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (24-64kbs) E ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN LOOP in Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 1D1DD UL64 1D1DD	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27	94.51 4.72 88.80 88.80 88.80 4.72 88.80 88.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) IE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2		1 2 3 1 2 3 1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCNX UNCNX	UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 1D1DD U1L2X U1L2X U1L2X	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55 2.41	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127 126.27 126.27 126.27 126.27 126.27	94.51 4.72 88.80 88.80 4.72 88.80 4.72 79.77 79.77 79.77 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month 15: 56 KBPS DilGITAL LOOP FOR USE IN A COMBINATION 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 1 5 CCU-DP COCI (data) per month (2.4-64kbs) 1 6 A KBPS DIGITAL LOOP FOR USE IN A COMBINATION 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 1 5 CU-DP COCI (data) - in combination - per month (2.4-64kbs) 1 5 ISDN LOOP FOR USE IN COMBINATION 2 -Wire ISDN Loop in Combination - Zone 2 2 -Wire ISDN Loop in Combination - Zone 2 2 -Wire ISDN Loop in Combination - Zone 2 2 -Wire ISDN LOOP FOR USE IN A COMBINATION		1 2 3 1 2 3 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL66 UDL6	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.95 37.88 1.12 21.88 32.85 48.55	131.97 131.97 6.58 126.27 126.27 126.27 6.58 126.27 126.27 126.27 6.58 117.24 117.24	94.51 4.72 88.80 88.80 4.72 88.80 4.72 98.80 98.80 4.72 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	14.50 14.50 14.50 14.50 14.50 14.50 14.50						
4-WIR	Voice Grade COCI in combination - per month IE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) IE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) IE ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 2-wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3 1-Wire ISDN Loop in Combination - Zone 3		1 2 3 1 2 3 1 2 3	UNCOX UNCOX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX UNCOX	UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDL64 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLC4 UDLCA UDLCA UDLCX UTLZX UTLZX UTLZX UTLZX UTLZX UTLZX UTLZX	38.58 60.02 0.53 26.09 35.95 37.88 1.12 26.09 35.96 37.88 1.12 21.88 32.85 48.55 2.41	131.97 131.97 6.58 126.27 126.27 126.27 126.27 126.27 126.27 126.27 127.27 128.27 128.27 117.24 117.24 117.24 117.24	94.51 4.72 88.80 88.80 4.72 88.80 4.72 88.80 4.72 79.77 79.77 79.77 79.77	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14 52.88 52.88	14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50 14.50						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	SAPINIAT	ION		 		First	Add'l_	FIFST	Addi	SUMEC	SUMAN	SOMAN	SOWAN	SOMAN	OUNT
2 WIF	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	JIVIDINAT	TON .								 	.			· · · · · · · · · · · · · · · · · · ·	
	Month			UNCVX	1L5XX	0.008838				l						
	Interoffice Transport - 2-wire VG - Dedicated - Facility			LINGIN		04.40	40.54	07.44	40.74	6.00						
4 3/05	Termination per month E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MARINAT	TON	UNCVX	U1TV2	21.13	40.54	27,41	16.74	6.90	 	-	 	 	 	+
4 9911	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	INDINA	IOIV		_				· · · · · · · · · · · · · · · · · · ·		 		 	 		1
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility								l							1
	Termination per month		ļ	UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		ļ		1	 	
DS1 II	NTEROFFICE TRANSPORT FOR COMBINATION			ļ					 	ļ	 	 		 	 	+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0,18									<u>L</u>	
	Interoffice Transport - Dedicated - DS1 combination - Facility	l	 						1		1	T				
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	<u> </u>	ļ				+
DS3 II	NTEROFFICE TRANSPORT FOR USE IN A COMBINATION													ļ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile					4.00					l					
	Per Month			UNC3X	1L5XX	4.09						 			+	+
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58,46				1		
	3/1 Channel System in combination per month		 	UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83			 	·		
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION		!	0.1007												
1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
i L	Per Month	,		UNCSX	1L5XX	4.09			ļ					ļ	ļ	
	Interoffice Transport - Dedicated - STS-1 combination - Facility			l										İ	1	
	Termination per month	ļ	ļ	UNCSX	U1TFS	701.37	278.75 178.14	162.76 93.97		58,46 31.83	_	 		 	1	+
	3/1 Channel System in combination per month	COCOT	ļ	UNCSX	MQ3	166.13	178.14	93.97	33.26	31.63			 	 		+
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN 14-wire 56 kbps Local Loop In combination - Zone 1	ISPURI	+	UNCDX	UDL56	26.09	126.27	88,80	59.14	14.50	 	 	1			
	4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	35.95	126.27	88.80				-	 	1		1
l	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	37.88	126.27	88.80				 	 			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	<u> </u>	† <u> </u>													
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.008838					 	 	 	 		+
	Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90			İ			1
4-W1F	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TE	RANSPO		_											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	I	1	UNCDX	UDL64	26.09	126.27	88.80								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80		14.50			ļ			
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	<u> </u>	3	UNCDX	UDL64	37.88	126.27	88.80	59,14	14.50	ļ	ļ		-	ļ	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838		ł								
 	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	†	1		1					1	1	1				
	Facility Termination per month	<u> </u>	<u>L</u> _	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1	1	L			
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT										<u> </u>	ļ	_	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80				 	-	 	 	+
<u> </u>	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95 37.88	126.27 126.27	88.80 88.80				 	 	+		+
 	4-wire 56 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL56	37.88	120.27	88.80	59.14	14.50	+	+	 	+	-	+
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.008838										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility				U1TD5	15.12	40.54	27.41	16,74	6.90						
14 14.11	Termination per month RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	FTDANS	POPT	UNCDX	01105	15.12	40.54	27.41	10.74	0.90	+	1	 	 	1	1
4-WII	4-wire 64 kbps Local Loop in combination - Zone 1	LIMIN	1 1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	 	1	 		1	1
 	4-wire 64 kbps Local Loop in combination - Zone 1	1	2	UNCDX	UDL64	35.95	126.27	88.80				1				
	4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	37.88	126.27	88.80								
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		T	UNCDX	1L5XX	0.008838										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1											1		
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16,74	6.90			_L			

UNB	UNDLFI	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	lbit: A
3,10			Γ	T	1		I					Svc Order	Svc Order	Incremental			
1					1		1						Submitted		Charge -	Charge -	Charge -
				1	İ	1	1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	ı		RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
					1							'	'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
					ļ	 		Nonrec	urring	Nonrecurring	Disconnect	-	l	066	Rates (\$)	L	1
	+		 				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT				T	1					1					
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11,71						
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11,71						
1		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1													l	
<u> </u>		per month Interoffice Transport - Dedicated - DS1 combination - Facility	 		UNC1X	1L5XX	0.18					ļ					
		Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	DS3 DIG	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT	 	UNCIX	DITE	60.16	89.27	81.81	16.35	14.44						
	10000.	DS3 Local Loop in combination - per mile per month	Ť	 	UNC3X	1L5ND	9.637										
		The state of the s	· ·	†	220	1	\$			 		 					
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117	1				!	I
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
		Interoffice Transport - Dedicated - DS3 combination - Facility										1					
-	<u> </u>	Termination per month		<u> </u>	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						L
		DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT		LINGOV	41.051	ļ					ļ					
		STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per		├ ──	UNCSX	1L5ND	9.637			ļ							ļ
		month		1	LINCEY	LIDL C4	207.0045	510.010	222 524								
		Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
		per month	ļ	1	UNCSX	1L5XX	4.09		1				•				į
·	1	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOA	ILSAA	4.09				 	 					
		Termination per month	}		UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
ADDIT		ETWORK ELEMENTS	,		O. COOK	10.7.0	701.07	270.73	102.70	00.20	30,40	 	 				
	When u	sed as a part of a currently combined facility, the non-recurr	ng charg	es do n	ot apply, but a Swit	tch As Is cha	rge does apply.			***************************************							
	When u	ised as ordinarily combined network elements in All States, ti	ne non-re	curring	charges apply and	the Switch A	s is Charge does	s not.									
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge (One app		nation)											
1	1 1				UNCVX, UNCDX,	1		· ·									
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,]			İ				
	Ontions	Is Charge		 	UNCSX	UNCCC		5.59	5.59	6.98	6.98						
	Optione	a rendites & runctions.			U1TD1.												
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						İ
—				 	U1TD1.	100021		0.00	0.00	0.00	0.00						
	1	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			0.00	0.00	0.00	0.00						
	1	Activity - per DS1		<u> </u>	UNC1X, USL	NRCCC	I	184.85	23.81	1.99	0.7741	[.			
1					U1TD3, ULDD3,							İ					
		C-bit Parity Option - Subsequent Activity - per DS3	i	ļ	UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
		DS1 to DS0 Channel System assembly		L	Library	1											
	├ ──	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		ļ	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
1		month (2.4-64kbs) used for a Local Loop		ľ	UDL	1D1DD	ا من ا	0.50	,								
—		OCU-DP COCI (data) - DS1 to DS0 Channel System - per		 	OUL	וטוטט	1.12	6.58	4.72	0.00	0.00						
		month (2.4-64kbs) used for connection to a channelized DS1		l			i l	1							J		
1		Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00				J		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01.00	1,0,00	1.14	0,58	4.72	0.00	0.00						
1	1	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per				1	2.77	3.30	7,72	0.00	0.00						
		month used for connection to a channelized DS1 Local Channel]		l	ļ	1					l		
1		in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	1	Voice Grade COCI - DS1 to DS0 Channel System - per month															
				l	UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
		used for a Local Loop															
		Voice Grade COCI - DS1 to DS0 Channel System - per month					l	ļ	i i						1		
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			LATIO .	150/-											
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33,26	31.83						
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation															

UNBUND	LED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
·		1	T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1		1				Ì					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RATE ELEMENTS	interim	Zone	BCS	USOC	i		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		ļ			i						1	İ	Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'i	Disc 1st	Disc Add'l
		†	 				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local	T														
	Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						l
	DS1 COCI used with Interoffice Channel per month	T		U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00					L	1
Not	te: Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.												

UNBUND	DLED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit; A
		l	T		[Υ					Svc Order	Svc Order	Incremental		Incremental	Increment
			ĺ									Submitted		Charge -	Charge -	Charge -
			İ								Elec	Manually				Manual Sy
CATEGOR	RY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		1									percan	percon	Electronic-	Electronic-	Electronic-	Electronic
			l									1	1st	Add'l	Disc 1st	Disc Add
												1	ISI	Addi	DISCIST	DISC Add
						Rec		curring		g Disconnect				Rates (\$)		
						7160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
76		I	<u> </u>		l	L				L						
1119	e "Zone" shown in the sections for stand-alone loops or loops as	part of a	compin	ation refers to Geog	raphically De	eaveraged UNE	Zones, To vi	ew Geographic	ally Deaverage	ed UNE Zone D	Designations	s by Central	Office, refer t	o internet We	bsite:	
	tp://www.interconnection.bellsouth.com/become_a_clec/html/inter DNAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connecti	on.ntm	r				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·		,		
INO	OTE: (1) CLEC should contact its contract negotiator if it prefers the	c "otata o	n noisin'	OCC sharman are are	1	0		<u></u>	L.,	<u> </u>	1	<u>L</u>	L	L	L.,	L
olo	or aither the state specific Commission and and rates for the send	e states	pecilic	OSS charges as ord	iered by the	State Commis	sions. The OS	s charges cur	ently containe	d in this rate e	xhibit are ti	ne BellSouti	n "regional" s	ervice orderin	g charges. C	CLEC may
000	ect either the state specific Commission ordered rates for the servi ch of the 9 states.	ce orden	ng char	ges, or CLEC may el	ect the regio	nai service ord	lering charge,	however, CLE	can not obta	in a mixture of	the two rec	gardless if C	LEC has a int	erconnection	contract esta	iblished in
	OTE: (2) Any element that can be ordered electronically will be bill	od accor	ling to	ha COMEC rate lists	d in this set	DI	4 . 6	- Marie 1 1 1			····					
car	nnot be ordered electronically at present per the LOH, the listed St	OMEC 234	o in this	cotogon reflects th	o m mis can	egory. Please	refer to BellSo	utn's Locar Un	ering Handbo	ok (LOH) to de	etermine if a	product ca	n be ordered	electronically	. For those e	lements the
wil	nnot be ordered electronically at present per the LOH, the listed S Il be applied to a CLECs bill when it submits an LSR to BellSouth.	OWIEC (at	e iii uiii	s category renects th	e charge tha	it would be bill	ed to a CLEC	once electronic	cordering cap	abilities come	on-line for t	that element	t. Otherwise,	the manual o	rdering charg	e, SOMAN,
WIT	OSS - Electronic Service Order Charge, Per Local Service			r				т	γ			,				γ
	Request (LSR) - UNE Only				SOMEC		2.50	0.00	0.50	۰	1					i
	OSS - Manual Service Order Charge, Per Local Service Request		 		JOIVIEU		3.50	0.00	3.50	0.00	 	 	 			
1	(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00			[1
UNE SERV	VICE DATE ADVANCEMENT CHARGE				SOWAY		11.90	0.00	1.03	0.00	<u> </u>					
	TE: The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff Section	as annlicat	10					 		 			
			1	, 000.011	о по пррисац	,,,,,						·		ļ		
1			1	UAL, UEANL, UCL.		1		1			1	1	ì			}
				UEF, UDF, UEQ,]			i					
1				UDL, UENTW, UDN,		į					ŀ		1			
				UEA, UHL, ULC.				l		ł	ł	1	1			
			•	USL, U1T12, U1T48,						i	1		Į.			
				U1TD1, U1TD3,							1 .		1			ŀ
1		_		U1TDX, U1TO3,							ł		Į.			
		•		U1TS1, U1TVX,												ĺ
İ											Į			i		}
				UC1BC, UC1BL,				i			ł					
				UC1CC, UC1CL,				l								
i	}			UC1DC, UC1DL,							1					
ı			[UC1EC, UC1EL,								i				
1			1	UC1FC, UC1FL,						ľ	ł	1	1	'		ĭ
				UC1GC, UC1GL,												
1	•			UC1HC, UC1HL,	İ				Ï							
				UDL12, UDL48,				l								1
				UDLO3, UDLSX,							į					ĺ
	}			UE3, ULD12,							ĺ					
				ULD48, ULDD1,							i					
				ULDD3, ULDDX,												
				ULDO3, ULDS1,								1				
1				ULDVX, UNC1X,							İ					i
1				UNC3X, UNCDX,) '	1				
				UNCNX, UNCSX,							1	i .				
1				UNCVX, UNLD1,							i					
- 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			UNLD3, UXTD1,							\	\	1			
				UXTD3, UXTS1.												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,								ļ				
	Day			U1TUB, U1TUA	SDASP		200.00				į	1				
	ED EXCHANGE ACCESS LOOP						200.00	· · · · · · · · · · · · · · · · · · ·			t	 	 			
2-W	VIRE ANALOG VOICE GRADE LOOP										 	†				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	 					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	ŲĔANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		<u> </u>				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57	 	 				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57	 	 				····
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	 	<u> </u>				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					20.01	70.07	22.00	20.02	0.37	 					
	Premise			UEANL	URETL		8.33	0.83			i				1	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65			 	 				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95			 	 	 			
			L	V=131L	U-1517	L	23.95	20.95			L	L	1		1	1

UNBU	IDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit; A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
				ļ			Rec	Nonrec		Nonrecurring First		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch						First	Addʻl	FIFST	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SOWAN	SOWAN
1 1		(UVL-SL1)	ļ		UEANL	UREWO		15.78	8.94			1					
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST									······································			· · · · · · · · · · · · · · · · · · ·			
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								ļ
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.02						ĺ		ì	
	2.WIRE	Unbundled COPPER LOOP	 	ļi	DEAINL	OCCUSE		23.02				 	 				
1		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	···	1	UEQ	UEQ2X	7.69	44,98	20.90	24.88	6.45	 	 				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						ļ. <u></u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEQ	URETL		8.33	0.83								
		Premise Manual Order Coordination 2 Wire Unbundled Copper Loop -	ļ	 	UEU	UNEIL	 	8.33	0.83	 			 		 	 	
		Non-Designed (per loop)	1		UEQ	USBMC		9.00					L				
		Unbundled Copper Loop, Non-Design Cooper Loop, billing for	<u> </u>									1					
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49					ļ <u></u>				ļ
		Loop Testing - Basic 1st Half Hour		ļ	UEQ	URET1		48.65	48.65	ļ		ļ	ļ				
_		Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		23.95	23.95	 	 		ļ				
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14,27	7.43							1	
UNBUN	DLED	XCHANGE ACCESS LOOP		+		OI LETTO						 	<u> </u>				
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	•	1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		ļ				
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57	ļ					
		EXCHANGE ACCESS LOOP		-								 	ļ	 			
	Z-WIRL	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	+		 	 			 		+	 	 		 	
		Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	ļ.,	 				
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01	<u> </u>					
		Ground Start Signaling - Zone 3		з	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		<u></u>			l	<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									40.51			1			1
		Battery Signaling - Zone 1	 	1-1-	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01	 	 	 		 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						-
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02								l	
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36,35			<u> </u>		ļ		 	
	7 117-	Loop Tagging - Service Level 2 (SL2)		4	UEA	URETL		11.21	1.10				-	-		 	
 	4-WIR	E ANALOG VOICE GRADE LOOP	 	1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	+	 	 		 	+
		4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	 	1 2	ÜEA	UEAL4	26.84	167.86	115.15		15.56		+	 		 	
		4-Wire Analog Voice Grade Loop - Zone 3	 	3	UEA	UEAL4	47.62	167.86	115.15		15.56		 	 		1	
		Order Coordination for Specified Conversion Time (per LSR)	1	1-	UEA	OCOSL		23.02	1								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				1				J.,

CHRONDE	ED NETWORK ELEMENTS - Florida		· · · · · · · · · · · · · · · · · · ·										Attach	ment; 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES (\$)	Nonrecurring			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
			 		-	Rec	First	Add'l	First	Add'i	SOMEC	SOMAN		Rates (\$)		
2-WI	RE ISDN DIGITAL GRADE LOOP	 					First	Addi	First	Addi	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 1	 	1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	 	ļ				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94,41	62.23	10.71	 -			 		
	2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71	 					
	Order Coordination For Specified Conversion Time (per LSR)	 		UDN	OCOSL	40.02	23.02	34.41	02.23	10.71						
	CLEC to CLEC Conversion Charge without outside dispatch	 		UDN	UREWO		91.61	44.15								
2-WI	IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP	0511	0.12440		31,01	44.15								
	2 Wire Unbundled ADSL Loop including manual service inquiry	T	1		+											-
1	& facility reservation - Zone 1		1 1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63	i	1				1
	2 Wire Unbundled ADSL Loop including manual service inquiry				1	0.00		.00.00	7 3.00	10.00	 					
	& facility reservation - Zone 2	1	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		}				
	2 Wire Unbundled ADSL Loop including manual service inquiry				1		. 40.00	100.00	70.00	10.00						
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02	100.00	70.00	13,00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	T									 					
i	facility reservaton - Zone 1		1 1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		1				1
	2 Wire Unbundled ADSL Loop without manual service Inquiry &							7	50.04	0.12	 					
i	facility reservaton - Zone 2	İ	1 2 !	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12	İ					1
	2 Wire Unbundled ADSL Loop without manual service inquiry &					11.00	124.00	71.12	00.04	3.12						
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						ł
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	20.01	23.02	71.16	00.04	3.12						
	CLEC to CLEC Conversion Charge without outside dispatch	 		UAL	UREWO		86.19	40.39								
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP		O.T.E.TO		00.13	40.03				-				
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1								-	-				
!	& facility reservation - Zone 1	1	1 1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63]					1
	2 Wire Unbundled HDSL Loop including manual service inquiry		 	OT IL	- OTICEX	7.22	139,09	110.41	75.05	15.65						
ļ	& facility reservation - Zone 2		2	UHL.	UHL2X	10.26	159.09	113,41	75.05	15.63						1
	2 Wire Unbundled HDSL Loop including manual service inquiry	-			OFILEX	10.20	159.09	113,41	75.05	15.63						
ĺ	& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	45.00	1					i
	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL	10.21	23.02	113.41	75,05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	1	UIL	OCCOSE		23.02									-
i	and facility reservation - Zone 1	ļ] , [UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	 '- -	OFIL	UNLZVV	1.22	134.40	80.69	60.64	9.12						
- 1	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.26	134,40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry	 		Olive	OFILEVV	10.20	134,40	00.09	60,64	9,12						
l	and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12	ļ					
	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL	10.21	23.02	80.09	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO		86.12	40.39								
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLETO	OP	OI IL	ONLIVO		00,12	40.39								
	4 Wire Unbundled HDSL Loop including manual service inquiry	T T	1		+											
1	and facility reservation - Zone 1	ł	1 1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						İ
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFILAX	10.00	190,01	130.90	77.15	12.01						
- 1	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61)					
	4-Wire Unbundled HDSL Loop including manual service inquiry			Olik	OFILAX	15,44	193.31	130.90	77.15	12.61						
ı	and facility reservation - Zone 3	İ	l 3	UHL	UHL4X	27.39	193.31	138.98	77.15	10.61						
	Order Coordination for Specified Conversion Time (per LSR)	 	<u> </u>	UHL	OCOSL	27.39	23.02	130.90	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	 	OIL	00031		25,02									
i	and facility reservation - Zone 1		₁	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						1
 -	4-Wire Unbundled HDSL Loop without manual service inquiry		 ' 	OTIL	OT IL TOY	10,00	100.02	115.47	02.74	11.22						
	and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	i					1
+	4-Wire Unbundled HDSL Loop without manual service inquiry			Of IL	OT IL4VV	15.44	100.02	110.47	02.74	11.22						
- 1	and facility reservation - Zone 3	1	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.00						1
	Order Coordination for Specified Conversion Time (per LSR)		-3	UHL	OCOSL OCOSL	21.39	23.02	115.47	62.74	11.22	ļ					
	CLEC to CLEC Conversion Charge without outside dispatch		 	UHL	UREWO		86.12	40.39								
	RE DS1 DIGITAL LOOP			UNL	JIIEVV		80.12	40.39								
4.1/1					1			101.10								
4-WI	4-Wire DS1 Digital Loop - Zone 1															
4-WI	4-Wire DS1 Digital Loop - Zone 1		1 2	USL	USLXX	70.74	313.75	181.48	61.22	13.53						-
4-WI	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		2	USL USL	USLXX	70.74 100.54 178.39	313.75 313.75 313.75	181.48 181.48	61.22 61.22 61.22	13.53 13.53 13.53						

NRON	IDLE	D NETWORK ELEMENTS - Florida										1	Ta		ment; 2		ibit; A
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring	Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		First 101.07	Add'l 43.04	First	A001	SOMEC	SUMAN	SUMM	SOWAN	SOWAN	SOWAN
	WIDE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 		031	UNEWO		101.07	43.04			 					
		4 Wire Unbundled Digital 19.2 Kbps	 	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56	 					
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps	†	3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56	1					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									ļ
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-	WIHE	Unbundled COPPER LOOP	L	-								-					
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1			UCL	UCLPB	8.30	148.50	102.82	75.05	15.63				1		i
		2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	0.30	146.50	102.82	75.05	15.63						
1		service Inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						İ
		2 Wire Unbundled Copper Loop-Designed including manual		-	OCL	OCLEB	11.00	146.50	102.02	75.05	13.03						
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						l
		Order Coordination for Unbundled Copper Loops (per loop)		_ -	UCL	UCLMC	20.04	9.00	9.00	75.05	10.00						
		2-Wire Unbundled Copper Loop-Designed without manual				1 002			0,00								
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12			-	1		l
		2-Wire Unbundled Copper Loop-Designed without manual		- "													
		service inquiry and facility reservation - Zone 2	ļ.	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12				i		
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		- 1				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL -Des)	<u> </u>		UCL	UREWO		97.21	42.47				Ī				1
4-1		COPPER LOOP															
- 1		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77,15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry		_													
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3													
-		Order Coordination for Unbundled Copper Loops (per loop)		. 3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed without manual service inquiry			UÇL	UCLMC		9.00	9,00								
i		and facility reservation - Zone 1		,	UCL	UCL4W	11.83	153.18	400.00	22.74		, i	l				
		4-Wire Copper Loop-Designed without manual service inquiry			UCL	OCE4VV	11.63	153.18	100.03	62.74	11.22						
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	152.10	100.00	00.74	44.00				- 1	,	
		4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCL4VV	10.01	153.18	100.03	62.74	11.22						
j		and facility reservation - Zone 3		з	UCL	UCL4W	29.82	150.10	100.00	00.74	44.00			l			
		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	29.62	153.18 9.00	100.03 9.00	62.74	11.22						
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
OP MO					002	-0112110		37.21	42.47								
					UAL, UHL, UCL.			·									
j					UEQ, ULS, UEA,		1	1	1	1				ŀ			
1		Unbundled Loop Modification, Removal of Load Coils - 2 Wire		- 1	UEANL, UEPSR,				ļ	1	l		-		ŀ		
		pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00	- 1	J	j			1		
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															
		ess than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00	1	l		J	l	}		
	- 1			T	UAL, UHL, UCL,]					
		Unburnalled Land Madiffrantian Danson of Date 177			UEQ, ULS, UEA,				1	i					I	1	
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR,		İ	1	İ	1					i	1	
- 1	PS	per unbunuled 100p			UEPSB	ULMBT		10.52	10.52							1	

ONBONDL	ED NETWORK ELEMENTS - Florida	,												ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sy Order vs. Electronic Disc Add
			-			Rec	Nonred			Disconnect				Rates (\$)		·
Cut. 1	_oop Distribution						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
300-1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-										ļ			ļ		ļ
	Up	1	ļ	UEANL	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	1	ļ	UEANL	USBSB		6.25				ļ	ļ				
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	'	ļ	UEANL	USBSC		169.25				ļ					
	Set-Up	ı	ļ	UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1_1_	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26	<u> </u>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7,37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
1									1		i					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		ļ	UEANL UEANL	USBMC USBR2	3.96	9.00 51.84	9.00 13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	l I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>		UEANL	USBMC		9.00	9.00				1	_			
	Loop Testing - Basic 1st Half Hour			UEANL.	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour	ļ	<u> </u>	UEANL	URETA		23.95	23.95								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
			3		UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	!	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	13,51	68.83	30.42	49.71	6.60		-				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1	9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	ndled Network Terminating Wire (UNTW)	.	ļ	1174774	LIENDO	0.4570	10.00		ļ							
Mater	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)			UENTW	UENPP	0.4572	18.02		 				 			
INETW	Network Interface Device (NID) - 1-2 lines	 	 	UENTW	UND12		71,49	48.87	 	·····			·		L	
	Network Interface Device (NID) - 1-6 lines	 	 	UENTW	UND16		113.89	89.07	l		·					
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
JNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation	ļ	ļ	UENTW	UNDBX	0.00	0.00				ļ					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	ļ	├	UENTW UEANL,UEF,UEQ,U	UENCE	0.00	0.00									
INE OTHER	Unbundled Contract Name, Provisioning Only - No Rate PROVISIONING ONLY - NO RATE	ļ	ļ	ENTW	UNECN	0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhl	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonre		Nonrecurring		201450			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00									
1 1	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no trate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR	0.00	0.00				ļ					-
	Unbundled DS1 Loop - Expanded Superframe Format option - Ino rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP				COOL	0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	639.8255	394,4615	159.9995	111.366						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	639.8255	394,4615	159.9995	111.366						
LOOP MAKE-				OBLOX	ODCOT	420.00	039.0233	354,4013	159.9995	111.300						
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	,		UMK	UMKLP		55.07	55.07					_			
LINE SPLITTI	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	PLITTING			· · · · · · · · · · · · · · · · · · ·												
	SER ORDERING-CENTRAL OFFICE BASED				·											ĺ
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 1.134	29.68 29.68	21.28 21.28	19.57 19,57	9.61						
MAINTENANC	E OF SERVICE			OEFSH OEFSB	UNEDV	1.134	29.68	21.28	19,57	9.61						
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	licable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						90.00	65.00 75.00	ļ							
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT						100.00	75.00					·			
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					 					ļ					
	Per Mile per month interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0091										
	Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0091										
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03				· · · · · · · · · · · · · · · · · · ·		
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0091				*						
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0091										
	Termination			U1TDX	U1TD6	18.44	47.35	31.78	18,31	7.03						

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>					 				J				
			ļ			Rec	Nonred First	Add'i	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 					11131	Addi	FIIBL	Addi	SOWIEC	JOIVIAN	SOWAN	JOINAN	JOWAN	SOWAN
	month			U1TD1	1L5XX	0.1856							_			
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	00.44	105.54	00.47	04.47	40.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	01101	Uliri	88.44	105.54	98.47	21.47	19.05	 	 				1
	month		<u> </u>	U1TD3	1L5XX	3.87				l	1	ł				İ
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LUTDO	LIZEO											
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	month			U1TS1	1L5XX	3.87										1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
DARK FIBER	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		ļ				ļ <u>.</u>
-2	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		 					<u> </u>	 		 	<u> </u>				
	Thereof per month - Local Channel		L	UDF, UDFCX	1L5DC	53.87										<u> </u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	11.5DF											ı
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	26.85	751.34	193.88	356.21	230.11	 	 -				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 						100.00	000.21	200.11	<u> </u>	 				
	Thereof per month - Local Loop	<u> </u>		UDF, UDFCX	1L5DL	53.87						l	_			
VIRTUAL COI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00	l .					1
PHYSICAL CO		 	 	OLF SIT OLF SD	VETES	0.0302	11.57	11.57	0.00	0.00	 	 				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line										 				,	
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
	XTENDED LINK (EELs) The monthly recurring and non-recurring charges below will	anniv and	the Su	vitch-Ae-le Charge w	ill not apply	tor UNE combin	ations provis	ionad as 1 Ord	inarily Combin	ad' Notwork E	lomonto					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combinations	provisioned	as ' Currently	Combined' Net	work Element	s.					
2-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION										I					
ļ	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	 	1 2	UNCVX UNCVX	UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						<u> </u>
	2-Wire VG Loop (SL2) in Combination - Zone 2		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	 	 				
	Voice Grade COCI - Per Month	 	 	UNCVX	1D1VG	1.38	10.07	7.08	72.73	2.01		 				
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION											1				
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	<u> </u>		UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3	 		UNCVX	UEAL4 UEAL4	26.84 47.62	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81	ļ	ļ				
	Voice Grade COCI in combination - per month	 	1 –	UNCVX	1D1VG	1.38	10.07	7.08	42.79	2.01	 				· · · · · · · · · · · · · · · · · · ·	
4-WIR	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION					· · · · · · · · · · · · · · · · · · ·										
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ		UNCDX	UDL56	22.20	127.59	60.54	42.79	2,81						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3				UDL56 UDL56	31.56 55.99	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81	<u> </u>					
	OCU-DP COCI (data) per month (2.4-64kbs)	 	١ ٠		1D1DD	2.10	10.07	7.08	42.79	2.61	 	 				
4-WIR	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	1				20	10.07	1.50			<u> </u>	 -				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 	3	UNCDX	UDL64 1D1DD	55.99 2.10	127.59 10.07	60.54 7.08	42.79	2.81	<u> </u>	 				
2-WIR	E ISDN LOOP FOR USE IN COMBINATION	 		UNODA_	טטוטי	2.10	10.07	7.08	 		ļ	 				
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	2-Wire ISDN CoCl (BRITE) - in combination - per month	 	3	UNCNX	U1L2X UC1CA	48.62 3.66	127.59 10.07	60.60	42.79	2.81	<u> </u>					
4-WIR	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION	 	 	UNUNA	OCICA	3.66	10.07	7.08			 	 -				
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	 					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3 DS1 COCl in combination per month	ļ	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	por coci in combination per month	L	l	UNC1X	UC1D1	13.76	10.07	7.08			1	1				1

UNBU	INDLE	D NETWORK ELEMENTS - Florida	,	,											ment: 2		bit: A
CATEG	iORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates (\$)	·	·
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													<u> </u>
İ	ĺ	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month	· · · · · · · · · · · · · · · · · · ·		UNCVX	U1TV2	25.32	94.70	52.59	50.49	04.50						
	4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ION	ONOVA	01172	25.32	94.70	52.59	50.49	21.53			 .	ļ	ļ	ļ
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	1	<u> </u>						 						 	
		Month			UNCVX	1L5XX	0.0091									<u> </u>	
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		l	UNCVX	U1TV4	22.58	94,70	52.59	50.49	21.53						
	DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION								1							
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856				71-11-1						
		Interoffice Transport - Dedicated - DS1 combination - Facility		 -		1											
	DC2 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION		 	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	DS3 IN	Interoffice Transport - Dedicated - DS3 combination - Per Mile	 							ļ					ļ		
	l	Per Month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month															
	CTC 1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	313-11	Interoffice Transport - Dedicated - STS-1 combination - Per Mile										 					ļ
		Per Month			UNCSX	1L5XX	3.87	ļ									
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	,		UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	40.00						
	4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT		ONCOX	UTIFS	1,056,00	314.45	130.88	38,60	18.23						
		4-wire 56 kbps Local Loop in combination - Zone 1	0	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month		<u> </u>	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53					<u> </u>	
	4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64 UDL64	22.20	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3			UNCDX	UDL64	31.56 55.99	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONOBA	100004	33.33	121.59	00.54	42.19	2.01						
		Per Mile per month			UNCDX	1L5XX	0.0091			li							
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	.,					
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	O.TODX	10.100	10.44	34.70	32.33	30.49	21.55						
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility							· · · · · · · · · · · · · · · · · · ·	 							
	4 14/155	Termination per month	TDANS	L	UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53				L		
	4-WIHE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE 4-wire 64 kbps Local Loop in combination - Zone 1	EIHANS	PORT	UNCDX	UDL64	22,20	127.59	20.51	10.75	0.61	 					<u> </u>
		4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	31.56	127.59	60.54 60.54	42.79	2.81 2.81				 		
	 	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79 42.79	2.81						
		14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per				1	33.33	127.39	00.54	72.79	2.01						
		month			UNCDX	1L5XX	0.0091										
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		}	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	DS1 DI	GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT								1							
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						

UNBUNDE	ED NETWORK ELEMENTS - Florida					·····								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USQC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec	Nonrec		Nonrecurring					Rates (\$)		
	1 M - DOLD - 1	ļ					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2	ļ		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility	ļ														
	Termination per month	<u> </u>		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						I
DS3 C	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month		L	UNC3X	1L5ND	12.558										
l																
	DS3 Local Loop in combination - Facility Termination per month		l	UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month	L		UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT							1		1					
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.558										
	STS-1 Local Loop in combination - Facility Termination per	1														***************************************
1	month	İ		UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366	i '		'			l l
	Interoffice Transport - Dedicated - STS-1 combination - per mile								1							·
!	per month			UNCSX	1L5XX	3.87			1 1							
	Interoffice Transport - Dedicated - STS-1 combination - Facility				1.001.01	3,3,			† · · · · · · · · · · · · · · · · · · ·							
	Termination per month	ŀ	•	UNCSX	U1TES	1,056.00	314.45	130.88	38.60	18.23	1 1					
DITIONAL	NETWORK ELEMENTS	 			1	1,000,00		100.00	00.00	.0.20	····					
When	used as a part of a currently combined facility, the non-recurr	rng charg	es do n	ot apply, but a Swi	ch As Is cha	rge does apply			 		·					
	used as ordinarily combined network elements in All States, t								 							
	curring Currently Combined Network Elements "Switch As Is"								 						·	· · · · · · · · · · · · · · · · · · ·
	T	J 90 (,,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	UNCVX, UNCDX.	1				 							
	Nonrecurring Currently Combined Network Elements Switch -As-		i	UNC1X, UNC3X,					1							i
	Is Charge - 2 wire/4-Wire VG			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Option	nal Features & Functions:	 		0.100.1	10000		0.00	0.00	0.50	0.50		· · · · · · · · · · · · · · · · · · ·				
100.00	1	 		UITDI.	+				-							
	Clear Channel Capability Extended Frame Option - per DS1	1 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						ĺ
	Oreal Charmer Capability Extended Frame Option per 001	 		U1TD1.	CCCLI		0.00	0.00	0.00	0.00	 					
	Clear Channel Capability Super FrameOption - per DS1	1 .		ULDD1,UNC1X	CCOSF		0.00	0,00	0.00	0.00	Ĭ l					
	Clear Channel Capability (SF/ESF) Option - Subsequent	 '		ULDD1, U1TD1,	CCCSr		0.00	0,00	0.00	0.00						ļ
1	Activity - per DS1	1 .		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80	1 1					
	ACIMILY POLICOT	 '		U1TD3, ULDD3,	INACCC	· · · ·	104.92	23.02	2.07	0,80						
	C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		040.00	7.67								
NALII T	TPLEXERS			UES, UNCSX	INHCC3		219.09	7.67	0.773	0.00						ļ
IWOLI	DS1 to DS0 Channel System per month	ļ		UNC1X	MQ1	146.77	- 101 10	74.00	ļ							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		<u> </u>	UNCIX	MQ1	146.77	101.42	71,62			ļ.,					
1											1 1					
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
1	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		ļ					1 1		\ \					1
1	month (2.4-64kbs) used for connection to a channelized DS1			İ <u></u> _					1							
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
l	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per								1							
	month for a Local Loop	ļ		UDN	UC1CA_	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ł	1		ı		1		i i					
	month used for connection to a channelized DS1 Local Channel]						l	ĺ
	In the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
1	Voice Grade COCI - DS1 to DS0 Channel System - per month		l		1	1 7			1							
	used for a Local Loop	 		UEA	1D1VG	1.38	10.07	7.08	<u> </u>]					
1	Voice Grade COCI - DS1 to DS0 Channel System - per month				1				-							
1	used for connection to a channelized DS1 Local Channel in the	1			1						t l				l	
1	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
	DS3 to DS1 Channel System per month	1	l	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07	í	l l				
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX	MQ3 UC1D1	211.19 13.76	199.28 10.07	7.08		39.07						
	STS-1 to DS1 Channel System per month									39.07						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	į				1 :						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ľ											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
											Ī		Electronic-	Electronic-	Electronic-	Electronic-
					1								1st	Add'l	Disc 1st	Disc Add'l
		1		1		P	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	!	
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per										ļ					
L	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00		1				1
Note:	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.							1					

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$) Rec Nonrecurring Nonrecurring Disc First Add'I	Submitted Elec per LSR connect Add'I SOMEC IE Zone Designation this rate exhibit are to this rate of the two reconstruction.	SOMAN Is by Central O the BellSouth ' gardless if CLI a product can	Charge - Manual Svc Order vs. Electronic- 1st OSS Rate SOMAN S Office, refer to int "regional" servic EC has a interco	SOMAN SOMAN sternet Website: ce ordering charges, connection contract es	Charge - c Manual Svc Order vs Electronic- Disc Add'l SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE http://www.interconnection.bellsouth.com/become a_clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in the elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mile each of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities will be applied to a CLECs bill when it submits an LSR to BellSouth.	Add'I SOMEC IE Zone Designation this rate exhibit are thixture of the two regions. OH) to determine if a les come on-line for	the BellSouth '	SOMAN S Office, refer to int "regional" service. EC has a interco	SOMAN SOMAN sternet Website: ce ordering charges, connection contract es	CLEC may
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Intp://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in the elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a meach of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities will be applied to a CLEC bill when it submits an LSR to BellSouth.	IE Zone Designation this rate exhibit are thinkture of the two retails. OH) to determine if a lies come on-line for	the BellSouth '	Office, refer to int "regional" servic EC has a interco	ce ordering charges.	CLEC may
http://www.interconnection.belisouth.com/become_a_clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in the elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mi each of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities will be applied to a CLECs bill when it submits an LSR to BellSouth.	this rate exhibit are the two repairs of the two repairs. OH) to determine if a lies come on-line for	the BellSouth 'gardless if CLI	"regional" servic EC has a interco	ce ordering charges.	CLEC may tablished in
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in the elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a meach of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities will be applied to a CLEC bill when it submits an LSR to BellSouth.	OH) to determine if a lies come on-line for	gardless if CLI	EC has a interco	onnection contract es	CLEC may tablished in
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in the elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mile each of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilitie will be applied to a CLECs bill when it submits an LSR to BellSouth.	OH) to determine if a lies come on-line for	gardless if CLI	EC has a interco	onnection contract es	CLEC may tablished in
elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a meach of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilitie will be applied to a CLECs bill when it submits an LSR to BellSouth.	OH) to determine if a lies come on-line for	gardless if CLI	EC has a interco	onnection contract es	tablished in
leach of the 9 states. NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LC cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilitie will be applied to a CLECs bill when it submits an LSR to BellSouth.	OH) to determine if a ies come on-line for	a product can	be ordered elect		
cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilitie will be applied to a CLECs bill when it submits an LSR to BellSouth.	ies come on-line for	a product can that element,	be ordered elect Otherwise, the r		
will be applied to a CLECs bill when it submits an LSR to BellSouth.	- 1	that element,	Otherwise, the r	tronically. For those	elements that
	0.00	T		manual ordering cha	ge, SOMAN,
	0.00				
			1		
OSS - Manual Service Order Charge, Per Local Service Request	l l				
(LSR) - UNE Only SOMAN 11.73 0.00 6.13	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE					
NOTE: The Expedite charge will be maintained commensurate with BeliSouth's FCC No.1 Tariff, Section 5 as applicable.					
UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1112, U1148, U1101, U11703, U1170X, U11703, U1170X, U11703, U1170X, U11703, U1170X, U11703, U1170X, U11703, U1170X, U11704, U116C, UC16L, UC16C, UC16L, UD03, ULD17, ULD03, ULD17, ULD03, ULD17, ULD03, ULD17, ULD03, ULD17, ULD03, ULD17, UND03, UNC17, UNC3X, UNC17, UNC17, UNC17, UNC18, UNC17, UNC17, UNC18, UNC17, UNC18,					
Day U1TUA SDASP 200.00					
UNBUNDLED EXCHANGE ACCESS LOOP		1			
2-WIRE ANALOG VOICE GRADE LOOP	1.72	1			+
2-wire Analog Voice Grade Loop - Service Level 1-Zone 2 1 UEANL UEAL2 15.85 40.02 9.99 5.61 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 15.85 40.02 9.99 5.61	1,72				+
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 31.97 40.02 9.99 5.61	1.72	 			1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 10.51 40.02 9.99 5.61	1.72				
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 15.85 40.02 9.99 5.61	1.72				
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 31.97 40.02 9.99 5.61	1.72				1
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83					
Friends		 			+
Loop Testing - Basic Additional Half Hour UEANL URETA 13.62 13.62		+		***************************************	+

	T*****	T			1	I	Τ	T	62.73		OCOSE	Nd∩	<u> </u>		Order Coordination For Specified Conversion Time (per LSR)
						76.8	18.23	35.25	90.081	Z1.04	U1L2X	Nan	3		2-Wire ISDN Digital Grade Loop - Zone 3
						26 9	18.23	32.25	90.081	7S.2S	U1L2X	NDN	2		2-Wire ISDN Digital Grade Loop - Zone Z
	1					26 .9	62.81	35.25	30.081	21.89	U1L2X	Nau	1		2-Wire ISDN Digital Grade Loop - Zone 1
					ļ	ļ					<u> </u>				2-WIRE ISDN DIGITAL GRADE LOOP
	 	ļ		ļ		ļ	<u> </u>	36.3E	S7.78		UREWO	A∃U			CLEC to CLEC Conversion Charge without outside dispatch
	Į	 		ļ	ļ	31:0	1-0:01	1	67.78	07:00	OCOSE	V=U			Order Coordination for Specified Conversion Time (per LSR)
		ļ			ļ	8.12	59.61	71.82	10.56	30.25	UEAL4	VEA.	3		4-Wire Anal og Voice Grade Loop S
		ļ			 	S1.8 S1.8	S8.61	28.17	10.69	17.80	UEAL4	VEA			4-Wire Analog Voice Grade Loop - Zone 2
·	 	 			 	1010	103 05	21.60	10 60	08 21	DEAL4	∀∃N	 		4-WIRE ANALOG VOICE GRADE LOOP - Zone 1 4-WIRE ANALOG VOICE GRADE LOOP - Zone 1
	+	 	ļ				+	01.1	61.11	+	JT3RU	ABU			Loop Tagging - Service Level 2 (SL2)
	 				·		 	36.3E	ST.78		OHEMO	ABU			CLEC to CLEC Conversion Charge without outside dispatch
					·		 		67.73		OCOSE	VEA			Order Coordination for Specified Conversion Time (per LSR)
						78.T	26.81	24.65	38.67	80.66	UEAR2	A∃U			Battery Signaling - Zone 3
	1	1			1	ĺ		1		1	1		i '		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse
					1	Y8.7	26.81	24.65	S8.67	16.95	UEAR2	ABU	2		Battery Signaling - Zone 2
	1.		i				I	İ			1 1				2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse
						78.T	56.81	24.65	38.97	11.67	UEAR2	A∃U	1		Battery Signaling - Zone 1
											l		l		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse
							L		67.73		OCOSE	A∃U.			Order Coordination for Specified Conversion Time (per LSR)
						78.7	Se.81	24.65	38.67	80.66	UEAL2	A∃U	3		Ground Start Signaling - Zone 3
	ļ				ļ <u>.</u>		<u> </u>	1							2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or
	1	}		ì	j	78.Y	Se.81	24.65	28.97	26.91	UEAL2	A∃U	7		Ground Start Signaling - Zone 2
						L	ļ	<u> </u>							2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or
					1	78.7	56.81	24.65	28.67	73.11	SJABU	ABU			Ground Start Signaling - Zone 1
	ļ					ļ	ļ				 	·			2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or
	 	ļ			 		ļ	- 			 				2-WIRE ANALOG VOICE GRADE LOOP
	 	ļ			 		1.000	 			1	20.120.110.120			IDLED EXCHANGE ACCESS LOOP
		1			 	85.1	76.1	96.7	10.05	31.66	UEABS	UEPSR UEPSB			2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3
	 	 			 	82.1	76.1 76.1	95.7	50.01	31.66	UEALS	UEPSR UEPSB			2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3
		1		ļ	 	82.1	7E.1	96.7 36.7	30.01	98.41	UEABS	UEPSR UEPSB			Z-Wire Voice Grade Loop (SL1) for Line Splitting - Zone Z
		 			 	82.1	75.1	96.7	30.01	98.01	NEABS UEALS	UEPSR UEPSB			2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2
	 					1.28	75.1	36.7	30.01	98.6	NEALS	BS93U A293U B293U A293U			2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1
	+	 			 		+201	302				HISTORIUMAL D	82080	door bun	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line split
	+	 			 		+	 	+	(X Idali seter e	1000 0001 #5	a some out deter	50311	agol pait	2-WIRE ANALOG VOICE GRADE LOOP
	 	 			 	 	 		+		 				DEED EXCHANGE ACCESS LOOP
	 				 		+	S4.7	14.25		OMEMO	NEO			IDI ED EXCHANCE VECESE I DOB
	l	Į.		l	Į.	Į.	Į.	0. 2	120.11	1	CALLERY	0211	1		CLEC to CLEC Conversion Charge Without Outside Dispatch
	 	 			 		 	Z9.E1	13.62		ATERU	ΩEσ			Loop Testing - Basic Additional Half Hour
				i											
	1	1		ļ			1	25.12	21.25		INRETI	UEQ	1 1		Loop Testing - Basic 1st Half Hour
	 										UEDMU	∩EØ ∩EØ	-		BS1 providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour
								7.30	7.30		UEOMU	NEQ NEQ			BST providing make-up (Engineering Information - E.I.)
											UEQMU	UEQ			Unbundled Copper Loop, Mon-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)
								0E.7	05.7						Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)
								0E.7	05.7		UEQMU	UEQ			Unbundled Copper Loop, Mon-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)
								£8.0 \$9.81 06.7	56.81 59.81		URETL USBMC	DEQ			Unbundled Miscellaneous Fisite Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for BST prowding make-up (Engineaning Information - E.I.)
						00.0	00.0	68.0 59.81 50.7	68.44 EE.8 59.81	20.02	NEOWN NEET	DEQ	ε		2 Wire Unbundled Gopper Loop Non-Designed-Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop, Hon-Design Copper Loop.
						00.0	00.0	04.55 04.55 88.0 59.81	69.44 68.81 56.81	12.72	URETL USBMC	neo neo	S 3		Unbundled Miscellaneous Fisite Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for BST prowding make-up (Engineaning Information - E.I.)
								68.0 59.81 50.7	68.44 EE.8 59.81		NEOWN NEET	NEO NEO NEO	3		2 Wire Unbundled Gopper Loop Non-Designed-Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2 Wire Unbundled Copper Loop Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop, Hongheama
						00.0	00.0	04.55 04.55 88.0 59.81	69.44 69.44 69.44 66.81	12.72	NEOWN NELT NEOSX NEOSX NEOSX NEOSX	0E0 0E0 0E0 0E0 0E0	3		2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2 Wire Unbundled Copper Loop Non-Designed- Zone 1 2 Wire Unbundled Copper Loop Non-Designed- Zone 3 2 Wire Unbundled Copper Loop Non-Designed- Zone 3 2 Wire Unbundled Copper Loop Non-Designed- Zone 3 Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Inhundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop) BST providing make-up (Engineering Information - E.L.)
						00.0	00.0	04.55 04.55 88.0 59.81	69.44 68.81 56.81	12.72	NEOWN NEELT NEOSX NEOSX	NEO NEO NEO	3		Per LSR) 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 2 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2-Wire Unbundled Copper Loop Premise Manual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Inhundled Copper Loop, Non-Design Copper Loop at Inhundled Copper Loop Non-Designed (per loop)
						00.0	00.0	06.52 04.52 04.52 08.0 58.0	67.72 69.44 69.44 69.44 69.44 69.44 69.44	12.72	NEDWN NELT NEOSX NEOSX NEOSX NEOSX OCOST	0E0 0E0 0E0 0E0 0E0	3		Order Coordination for Specified Conversion Time for UVL-SL1 2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-WIRE Unbundled Copper Loop Non-Designed-Zone 1 2-Wire Unbundled Copper Loop Non-Designed-Zone 3 2-Wire Unbundled Copper Loop Non-Designed-Zone 3 2-Wire Unbundled Copper Loop Non-Designed-Zone 3 Warnal Order Coordination 2-Wire Unbundled Copper Loop Manual Order Coordination 2-Wire Unbundled Copper Loop Mon-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Wandled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Wandled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Wandled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop)
						00.0	00.0	26.81 04.52 04.52 04.52 26.81 56.81	26.81 26.81 26.81 26.81	12.72	NEOWN NELT NEOSX NEOSX NEOSX NEOSX	0E0 0E0 0E0 0E0 0E0	3		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 3-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop, to Copper Loop)
						00.0	00.0	06.52 04.52 04.52 08.0 58.0	67.72 69.44 69.44 69.44 69.44 69.44 69.44	12.72	NEDWN NELT NEOSX NEOSX NEOSX NEOSX OCOST	NEO NEO NEO NEO NEO NEO NEO	3		Providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per 10-pp) Order Coordination for Specified Conversion Time for UVL-SL1 S-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-WIRE Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 2 3-Wire Unbundled Copper Loop Non-Designed- Zone 3 The Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Manual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Non-Designed (per loop)
						00.0	00.0	06.7 26.81 06.52 06.52 06.53 06.53 26.81	26.81 67.72 69.44 69.44 69.44 69.44 79.40 79	12.72	DEGMN DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGMN DEMMC	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		Unbundled Voice Loop, Non-Design Voice Loop, billing 9 or BST Providing make-up (Engineering Internation - E.L.) Manual Order Coordination for UVL-SL1s (per 1oop) Order Coordination for Specified Conversion Time for UVL-SL1 per LSD 2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-WIRE Unbundled Copper Loop Non-Designed-Zone 1 2 Wire Unbundled Copper Loop Non-Designed-Zone 2 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 Warnal Order Coordination 2 Wire Unbundled Copper Loop Non-Designed (per loop) Won-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop)
						00.0	00.0	26.81 26.81 26.81 26.81	26.81 26.81 26.81 26.81	12.72	NEOWN NEOSX	DEO DEO DEO DEO DEO DEO DEO DEO DEO DEO	3		(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
						00.0	00.0	26.8 26.81 26.81 04.55 04.	26.81 69.44 69.44 69.44 69.44 60.7 29.81 00.7	12.72	DEGMN DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGMN DEMMC	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		Unbundled Voice Loop, Non-Design Voice Loop, billing 9 or BST Providing make-up (Engineering Internation - E.L.) Manual Order Coordination for UVL-SL1s (per 1oop) Order Coordination for Specified Conversion Time for UVL-SL1 per LSD 2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED 2-WIRE Unbundled Copper Loop Non-Designed-Zone 1 2 Wire Unbundled Copper Loop Non-Designed-Zone 2 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 2 Wire Unbundled Copper Loop Non-Designed-Zone 3 Warnal Order Coordination 2 Wire Unbundled Copper Loop Non-Designed (per loop) Won-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop, billing for Unbundled Copper Loop)
NAMOS	NAMOS	NAMOS	NAMOS	NAMOS	Sowec	I'bbA 00.0	1311F	26.8 06.7 59.81 04.55 04.5	67.72 67.72 69.44 69	12.72	DEGMN DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGGSX DEGMN DEMMC	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
NAMOS	NAMOS	(\$) sets H		NAMOS	SOMEC	I'bbA 00.0	00.0	26.8 06.7 59.81 04.55 04.5	26.81 69.44 69.44 69.44 69.44 60.7 29.81 00.7	50,11	DEGMN DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGMN	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
	Namos			NAMOS	SOMEC	I'bbA 00.0	1311F	26.8 06.7 59.81 04.55 04.5	67.72 67.72 69.44 69	50,11	DEGMN DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGMN	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
l'bbA seld	Disc 1st	(\$) setsA	tal S20	NAMOS	Dawos	I'bbA 00.0	1311F	26.8 06.7 59.81 04.55 04.5	67.72 67.72 69.44 69	50,11	DEGMN DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGMN	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3		(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
Electronic	Electronic	l'bbA (\$) eetsA	SSO			I'bbA 00.0	1311F	26.8 26.8 56.81 56.81 04.55 04.5	67.72 67.72 69.44 69	50,11	NEGWN NELT NEOSX NEOSX NEOSX OCCOST NEWN NEWN NEWN	DEO DEO DEO DEO DEO DEO DEO DEO DEO DEO	3 1		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) Thourdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL) Manual Order Coordination for UVL-SL1s (per loop) Manual Order Coordination for Decrified Conversion Time for UVL-SL1 Per LSR) 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop) Unbundled Copper Loop) BST providing make-up (Engineering Information - EL)
Order vs. Electronic- Disc Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'i Astes (\$)	Order vs. Electronic- 1st OSS	RSJ 19d	FISJ hed	I'bbA 00.0	1311F	26.8 06.7 59.81 04.55 04.5	67.72 67.72 69.44 69	50,11	DEGMN DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGSX DEGMN	лемиг ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО ОБО	3 1	mhəini	(UVV.SL1) Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL.) Manual Order Coordination for UVV.SL1s (per loop) Order Coordination for Specified Conversion Time for UVL.SL1 Per LSR) 2-Wire Unburdled Copper Loop Non-Designed. Zone 1 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed. Zone 3 Warnal Order Coordination 2-Wire Unburdled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unburdled Copper Loop, Non-Design Copper Loop, billing for Unburdled Copper Loop.
Manual Svo Order vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Add'i Agtes (\$)	Manual Syc Order vs. Electronic- Ist OSS	Manually Ref LSA	Elec per LSR	PibbA I'bbA	1311F	26.8 26.8 56.81 56.81 04.55 04.5	67.72 67.72 69.44 69	50,11	NEGWN NELT NEOSX NEOSX NEOSX OCCOST NEWN NEWN NEWN	DEO DEO DEO DEO DEO DEO DEO DEO DEO DEO	3 1	Interim	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) Thourdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL) Manual Order Coordination for UVL-SL1s (per loop) Manual Order Coordination for Decrified Conversion Time for UVL-SL1 Per LSR) 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop) Unbundled Copper Loop) BST providing make-up (Engineering Information - EL)
Charge - Manual Svo Order vs. Electronic- Disc Add'l	Charge - Manual Svc Order ve, Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'i Add'i	Charge - Manual Svc Order vs, Electronic- 1st	Submitted Manually RSJ 199	Submitted Elec FISJ req	PibbA I'bbA	1311F	26.8 26.8 56.81 56.81 04.55 04.5	67.72 67.72 69.44 69	50,11	NEGWN NELT NEOSX NEOSX NEOSX OCCOST NEWN NEWN NEWN	DEO DEO DEO DEO DEO DEO DEO DEO DEO DEO	3 1	mhəini	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) Thourdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL) Manual Order Coordination for UVL-SL1s (per loop) Manual Order Coordination for Decrified Conversion Time for UVL-SL1 Per LSR) 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop) Unbundled Copper Loop) BST providing make-up (Engineering Information - EL)
Incrementa Charge - Order vs. Electronic- Disc Add'i	Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'i Add'i	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually RSJ 199	Submitted Elec FISJ req	PibbA I'bbA	1311F	26.8 26.8 56.81 56.81 04.55 04.5	67.72 67.72 69.44 69	50,11	NEGWN NELT NEOSX NEOSX NEOSX OCCOST NEWN NEWN NEWN	DEO DEO DEO DEO DEO DEO DEO DEO DEO DEO	3 1	mhəini	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) Thourdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - EL) Manual Order Coordination for UVL-SL1s (per loop) Manual Order Coordination for Decrified Conversion Time for UVL-SL1 Per LSR) 2-Wire Unbundled Copper Loop Non-Designed- Zone 1 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed- Zone 3 Wanual Order Coordination 2-Wire Unbundled Copper Loop Non-Designed (per loop) Non-Designed (per loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop, Non-Design Copper Loop - Unbundled Copper Loop) Unbundled Copper Loop) Unbundled Copper Loop) BST providing make-up (Engineering Information - EL)

OMBONDLE	D NETWORK ELEMENTS - Georgia		r								1	10 0		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			ļ	ļ <u></u> -		Rec	Nonrec			Disconnect				Rates (\$)		001111
	CLEC to CLEC Conversion Charge without outside dispatch	-	 	UDN	UREWO		First 120.98	Add'I 33.04	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-1/10	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	000	1001	UNEWO		120.96	33.04	 		<u> </u>	 	 		 	———
2-1111	2 Wire Unbundled ADSL Loop including manual service inquiry	MIIDLE	1001	 					 		 	 	 		 	·
	& facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	& facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry	١.		ļ	LILLOY						1	1			ì	1
	& facility reservation - Zone 3	<u> </u>	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
 	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ		UAL	OCOSL		57.79		ļ				ļ		-	
	facility reservaton - Zone 1	1 .	١.	UAL	UAL2W	11.23	44.00	04.55	0.00						İ	ĺ
}	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	 	OAL	UALZVV	11.23	44,69	31.55	0.00	0.00						
	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00		<u> </u>				
1 1	2 Wire Unbundled ADSL Loop without manual service inquiry &	i .	1 .								İ				İ	1
ļ	facility reservator - Zone 3	ļ	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
ļ	Order Coordination for Specified Conversion Time (per LSR)	ļ <u>.</u>	<u> </u>	UAL	OCOSL		57.79				ļ	ļ				
12 14/15	CLEC to CLEC Conversion Charge without outside dispatch	TIBLE L	ļ	UAL	UREWO		44.69	29.29			ļ	ļ	-		ļ	
2-WIH	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE LO	JOP								-	 	-		<u> </u>	
	& facility reservation - Zone 1	1	١,	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00			ŀ			
	2 Wire Unbundled HDSL Loop including manual service inquiry								1		ļ	T				
	& facility reservation - Zone 2	 	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00		ļ	ļ			
1	2 Wire Unbundled HDSL Loop including manual service inquiry	١.	_												{	(
\	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	 	3	UHL	UHL2X OCOSL	14.48	44.69 57.79	31.55	0,00	0.00	 	 				
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	├	IUAL	UCUSL		57.79		 			ļ				
1 1	and facility reservation - Zone 1	1 .	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	i					ĺ
 	2 Wire Unbundled HDSL Loop without manual service inquiry	 	 '-	UTIL	UNICEVV	7.00	44.09	31.33	0.00	0.00						
	and facility reservation - Zone 2	L	2	UHL	UHL2W	9.09	44,69	31.55	0.00	0.00					ļ	(
	2 Wire Unbundled HDSL Loop without manual service inquiry		1					· · · · · · · · · · · · · · · · ·		<u> </u>	1					
1 1	and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0,00	0.00				İ		İ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44.69	31.55								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE LO	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															1
	and facility reservation - Zone 1	<u> </u>	1 1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00	L	 		ļ		
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.		l												
<u> </u>	and facility reservation - Zone 2	 	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00		ļ		ļ	ļ	
	4-Wire Unbundled HDSL Loop including manual service inquiry	1 .				10.0-	11.00	24 ==	1	۱	L				1	1
	and facility reservation - Zone 3	 ' -	3	UHL	UHL4X OCOSL	19.07	44.69 57.79	31.55	0.00	0,00	 	 	 		 	
 	Order Coordination for Specified Conversion Time (per LSR) 4-Wire Unbundled HDSL Loop without manual service inquiry	 	├ ──	JUIL	UCUSL		57.79		 		 	 	 	-		
1 1	and facility reservation - Zone 1	1 1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry	 '	 -	1000	OI ILTVV	10.09	44.09	51.55	0.00		 	 	 			
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	1		1			
	4-Wire Unbundled HDSL Loop without manual service inquiry	t	1 -	1				255	1	1	 	 	1	· · · · · · · · ·	1	
լ լ	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00			L.,			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55	L							
4-WIF	E DS1 DIGITAL LOOP		 													
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49		7.20		 			ļ	
	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	46.41	211.93	72.49		7.20		 				
	4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20	 	 	 	ļ	ļ	
·	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 	 	USL	UREWO		57.79 100.91	42.97	 	ļ	 	 	 	ļ		
A-MIE	IE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	†	 	USL	UNEWU		100.91	42.97	 		 	 	 		 	
4-1416	4 Wire Unbundled Digital 19.2 Kbps	 		UDL	UDL19	21.86	196.66	37.00	18.82	7.20	+	 	 		 	
 	4 Wire Unbundled Digital 19.2 Kbps	1	2	UDL	UDL19	28.36	196.66	37.00		7.20		 			†	!
	4 Wire Unbundled Digital 19.2 Kbps	†		UDL	UDL19	38.22	196.66	37.00		7.20		 	†			

UNBUNDLE	D NETWORK ELEMENTS - Georgia				·, ·····							·		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ			ļ	Rec	Nonrec		Nonrecurring		201150			Rates (\$)		SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 		UDL	UDL56	21.86	First 196.66	Add'l 37.00	First 18.82	Add'l 7.20	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		2	UDL	UDL56	28.36	196.66	37.00		7.20		 	 			
 	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	38.22	196.66	37.00		7.20		ļ				
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)	 		UDL	OCOSL	30.22	57,79	37.00	10.02	7.20	 	f	 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20		 	 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20		 	 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	·	3	UDL	UDL64	38.22	196.66	37.00		7.20		 				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79		1		 	 				†
1 1 1 1 1 1 1	CLEC to CLEC Conversion Charge without outside dispatc h			UDL.	UREWO	1	101.95	49.66			 					1
2-WIRE	E Unbundled COPPER LOOP		·								 	 				1
	2-Wire Unbundled Copper Loop-Designed including manual										1	1	l			
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00		<u></u>		1	<u> </u>	
	2-Wire Unbundled Copper Loop-Designed including manual										1	T				
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00			L		1	
	2 Wire Unbundled Copper Loop-Designed including manual		1													
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	<u> </u>	UCL	UCLMC		18.92	18.92							l	
	2-Wire Unbundled Copper Loop-Designed without manual		١	l					1			į.	Į.		i	
ļ	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00	<u> </u>					
	2-Wire Unbundled Copper Loop-Designed without manual	١.											i			1
ļ	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31,55	0.00	0.00	ļ					
	2-Wire Unbundled Copper Loop-Designed without manual	Ι.]						1							
	service inquiry and facility reservation - Zone 3	 !	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00	4	ļ				_
	Order Coordination for Unbundled Copper Loops (per loop)	,		UCL	UCLMC		18,92	18.92			 	 				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92			·	ļ				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	١.,		UCL	UREWO		44.00	01 55	1 1					ļ		1
4 WIDI	E COPPER LOOP	 	 	UCL	UHEWU	ļ 	44.69	31.55	·		. 	 				
4-WINE	4-Wire Copper Loop-Designed including manual service inquiry			ļ					 			 	 			+
	and facility reservation - Zone 1	١,	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00					!	
 	4-Wire Copper Loop-Designed including manual service inquiry	 '	 '	OOL	UCL43	10.03	44.09	31.35	0.00	0.00	 	 	 		 	
	and facility reservation - Zone 2	١,	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00	.				İ	l
	4-Wire Copper Loop-Designed including manual service inquiry	 		OCL	100E43	19.22	44.09	31.35	0.00	0.00		 	 		 	+
	and facility reservation - Zone 3	١,	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00	.			1		
h	Order Coordination for Unbundled Copper Loops (per loop)	 	 	UCL	UCLMC	00.55	18.92	18.92	0.00	0.00		 	ļ		 	+
	4-Wire Copper Loop-Designed without manual service inquiry	t	 	-	10000		10.02	10.02	 			 			 	1
	and facility reservation - Zone 1	1 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00	. {				l	
	4-Wire Copper Loop-Designed without manual service inquiry		1		1232	10.00		0.100	1	0.00	 	 	<u> </u>			
	and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0,00		1		1	1	
	4-Wire Copper Loop-Designed without manual service inquiry	T				1				- 19-	1				I	1
	and facility reservation - Zone 3	<u></u> ı	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00				1	1	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,											1	
1 1			}	UEQ, ULS, UEA,	1	1	1						1	1	1	
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1 .	1	UEANL, UEPSR,	l] 1			1	1	1	1	
	pair less than or equal to 18k ft, per Unbundled Loop	 	ļ	UEPSB	ULM2L	ļ	0.00	0.00	ļ		<u> </u>	ļ		ļ		<u> </u>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		[1	1		_					1		1	
	less than or equal to 18K ft, per Unbundled Loop	 	 	UHL, UCL, UEA	ULM4L	ļi	0.00	0.00			ļ	ļ	ļ	}		↓
				UAL, UHL, UCL,									1			1
	Habitanian Land Mandelline Dec. 12 (D.) 17 C			UEQ, ULS, UEA,	1				1		1		1			
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,									1	[1
EUR LOOPS	per Unbundled Loop	ļ	ļ	UEPSB	ULMBT	 	17.91		 		 	ļ	ļ		ļ	
SUB-LOOPS		ļ	 						I		 		 			
	oon Distribution															
	oop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	ļ	ļ	 		 			ļ		 	ļ				

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'! Rates (\$)	Order vs.	Charge -
		 	 			Rec	Nonrec First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN			SOMAN	SOMAN
			 				riist	Auui	Filat	Addi	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29								[
	Sub-Loop - Per Building Equipment Room - CLEC Feeder]														
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		ļ	UEANL	USBSC		175.09									
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		 		-		07.01				 				·	
	and Spare Loop Activation		L	UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation	1	ì	Ì												
 -	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	ļ	 -	UEANL	USBRD	7.67	31.07	4.79	2.27	0.01	ļ					
	Zone 1	i	1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01	İ					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -							0.00	2.20	0.01	 					
	Zone 2	ļ	2	UEANL	USBN2	10.18	28.46	3.85	2.20	0,01						
ì	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	Ì	3	UEANL	USBN2	19.51										1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			DEANL	USBN2	19.51	28.46	3.85	2.20	0.01	 				<u> </u>	
1	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3															
	Zone 3	ļ	3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ŀ	UEANL	USBMC		18.92	18.92								ļ
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						† · · · · · · · · · · · · · · · · · · ·
											1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabullding Network Cable (INC)	 -	ļ	UEANL	USBMC		18.92	18.92	ļ							
	Sub-Loop 4-wire intrabuliding Network Cable (INC)	 '		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01	ļ					
: İ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 		UEF	UCS2X UCS2X	7.51 9.22	28.46 28.46	3.85 3.85	2.20 2.20	0.01	ļ					ļ
	S TANK SUPPORT OF SURFICE SUPPORT SUPP	 	 	ŲC.	00027	3.22	20.40	3.63	2.20	0.01	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!		UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X UCS4X	6.32	31.07	4.79	2.27	0.01						ļ
	4 Wire Copper Orburided Sub-Loop Distribution - Zone 3	 '	-3	UEF	100541	9.10	31.07	4.79	2.27	0.01						ļ
İ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.92	18.92	!							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12			 					<u> </u>
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								· · · · · · · · · · · · · · · · · · ·
Unbu	ndled Network Terminating Wire (UNTW)		ļ													
Natur	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)	 		UENTW	UENPP	0.533	25.12	12.28								
Helwi	Network Interface Device (NID) - 1-2 lines	 	 	UENTW	UND12		32.86	20.69			ļ					
	Network Interface Device (NID) - 1-6 lines	 		UENTW	UND16		56.03	43.86			-					
	Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		2.45	2.45								
LINE OTHER	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE UTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation	 	-	UENTW	UNDBX	0.00	0.00				ļ				L	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	 		UENTW	UENCE	0.00	0.00									
			<u> </u>	UEANL, UEF, UEQ, U		9.50	0.00				 					
	Unbundled Contract Name, Provisioning Only - No Rate	L		ENTW	UNECN	0.00	0.00									1
UNE OTHER,	PROVISIONING ONLY - NO RATE	L														

CIADOIADE	ED NETWORK ELEMENTS - Georgia		T									T		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs Electronic
				<u></u>									1st	Addʻl	Disc 1st	Disc Add'
						Rec	Nonrec	curring	Nonrecurring	Disconnect		· · · · · · · · · · · · · · · · · · ·	OSS	Rates (\$)		
		<u> </u>	ļ			1100	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ĺ	UAL.UCL.UDC.UDL.												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,USL	LINEON	0.00	0,00							İ		}
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	 	 	0011,007,0112,002	ONLON	0.00	0.00				 				 	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		[į				İ	ļ
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no										 				 	
	rate	ļ		UEA,USL,UCL,UDL	USBFR	0.00	0.00									1
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		ļ	USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00			l i							i
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			103L	CCOEF	0.00	0.00		<u> </u>							ļ
T	High Capacity Unbundled Local Loop - DS3 - Per Mile per	t	†	 	 	 			 		ļ			 	 	
	month	<u></u>	L	UE3	1L5ND	10.97									1	
	High Capacity Unbundled Local Loop - DS3 - Facility				T									 		
	Termination per month			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month High Capacity Unbundled Local Loop - STS-1 - Facility		ļ	UDLSX	1L5ND	10.97								ļ		
·	Termination per month			UDLSX	UDLS1	205 40	0.040.0445	454.605	100 5105		1	i			1	
LOOP MAKE				UDLSX	UULST	305.42	2,016.2145	151.685	129.8465	87.262						ļ
	Loop Makeup - Preordering Without Reservation, per working or					 			ļ							ļ
Ì	spare facility queried (Manual).]	lumk	UMKLW		15.19	15.19								
	Loop Makeup - Preordering With Reservation, per spare facility					· · · · · · · · · · · · · · · · · · ·	10.10	15.10								
	queried (Manual).	,		UMK	UMKLP		19.85	19.85			1				1	
- 1	Loop MakeupWith or Without Reservation, per working or															1
1115 651 15	spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SPLITT	SPLITTING															
	USER ORDERING-CENTRAL OFFICE BASED					ļ										
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30			··	<u> </u>	ļ	
	Line Splitting - per line activation BST owned - virtual		-	UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30	 				 	
	ICE OF SERVICE													 		
NOT	E: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as ap	plicable.										
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								1
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
INBLIND E	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT		 				100.00	75,00								
	ROFFICE CHANNEL - DEDICATED TRANSPORT	 	 	<u> </u>	 	 					ļ				ļ	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		 													ļ
	Per Mile per month	[U1TVX	1L5XX	0.0057									1	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	ļ				0.000							***************************************		·	
	Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						i
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															<u> </u>
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										ł
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UtTVX	U1TR2	12.87	48.46	19.48	16.58	5.00					ļ	<u> </u>
	Per Mile per month		}	U1TVX	1L5XX	0.0057							į		ĺ	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	 	 	01177	1.000	0.0057			 					· · · · · · · · · · · · · · · · · · ·		
[- Facility Termination			UITVX	U1TV4	10.78	48.46	19.48	16.58	5.00						1
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile					1	.55	1070		0.00						
	per month	<u> </u>		U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															h
	Termination	ļ <u>.</u>	ļ	U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						L
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LILTEN												
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	 	U1TDX	1L5XX	0.0057			ļ							
1	processing chainer bedicated transport of kops - Facility	1	1	I	1	1 1					1	I			1	1

	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				ļ	7,00	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month			U1TD1	1L5XX	0.1154										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIBI	T LOZO	0.1134										
	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						ł
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	2.53										
	Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						ĺ
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01100	011173	342.02	320.47	60.32	00.77	52.81						
	month			U1TS1	1L5XX	2.53	ļ									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
ARK FIBER	Termination	ļ		U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81					ļ	
ANN FIDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	 			 	 									 	
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	l	Ì	UDF, UDFCX	1L5DL	46.84										
RTUAL COL				ODF, ODFCX	ILSUL	40.84									 	
1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
YSICAL CO	LLOCATION	,														
ŀ	Physical Collocation-2 Wire Cross Connects (Loop) for Line			LIEBOD LIEBOD												
HANCEDE	Splitting XTENDED LINK (EELs)	ļ		UEPSR UEPSB	PE1LS	0.0197	0.00	0.00							ļl	
	The monthly recurring and non-recurring charges below will:	anniv and	the Sw	itch-As-is Charge w	ill not apply	for LINE combin	nations provis	oned as ' Ord	narily Combine	ed' Notwork El	omonte					
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below will	apply for UN	E combinations	s provisioned	s ' Currently	Combined' Net	vork Elements	ements.					
2-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION								1							
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42 16.86	6.86					ļ	
4 14/17)	E VOICE GRADE LOOP FOR USE IN A COMBINATION					0.4000	07.00									ı
				OIVOVA	1D1VG	0.4689	27.33	2.90	10.00	1.04						
4-44101	4-Wire Analog Voice Grade Loop In Combination - Zone 1		1													
4-44114	4-Wire Analog Voice Grade Loop In Combination - Zone 1 4-Wire Analog Voice Grade Loop In Combination - Zone 2			UNCVX UNCVX	UEAL4 UEAL4	0.4689 17.80 21.68	27.33 195.94 195.94	36.38	18.42	6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3		2	UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4	17.80 21.68 30.25	195.94									
	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month		2	UNCVX UNCVX	UEAL4 UEAL4	17.80 21.68	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION		3	UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 1D1VG	17.80 21.68 30.25 0.4689	195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90	18.42 18.42 18.42 18.42 16.86	6.86 6.86 6.86 1.04						
	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		3	UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG	17.80 21.68 30.25 0.4689 21.86	195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90	18.42 18.42 18.42 16.86	6.86 6.86 6.86 1.04						
	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2 3 1 2	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	17.80 21.68 30.25 0.4689 21.86 28.36	195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86						
	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		2 3 1 2	UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56	17.80 21.68 30.25 0.4689 21.86 28.36 38.22	195.94 195.94 195.94 27.33 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86 6.86						
4-WIRI	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2 3 1 2	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56	17.80 21.68 30.25 0.4689 21.86 28.36	195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42	6.86 6.86 6.86 1.04 6.86 6.86						
4-WIRI	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire 56KDPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56KDpS Digital Grade Loop In Combination - Zone 1 4-Wire 56KDpS Digital Grade Loop In Combination - Zone 2 4-Wire 56KDpS Digital Grade Loop In Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kDs) 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64KDpS Digital Grade Loop In Combination - Zone 1		2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963	195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 2.90	18.42 18.42 18.42 16.86 18.42 18.42 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04						
4-WIRI	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 564 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	17.80 21.66 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22	195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38	18.42 18.42 16.86 18.42 18.42 18.42 16.86 18.42 16.86 18.42 18.42	6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Yokee Grade COCI in combination - per month 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 54 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56 UDL56	17.80 21.66 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36	195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42 16.86 18.42 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 6.86 1.04						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Sekde COCI in combination - per month 5-56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 3 DCU-DP COCI (data) per month (2.4-64kbs) 5-64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 3 COU-DP COCI (data) - In combination - per month (2.4-64kbs) 5-ISDN LOOP FOR USE IN COMBINATION		2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963	195,94 195,94 195,94 27,33 195,94 195,94 195,94 195,94 195,94 195,94 195,94 195,94	36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 18.42 18.42 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Yokee Grade COCI in combination - per month 55 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 54 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64 UDL64 UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22	195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38	18.42 18.42 16.86 18.42 18.42 18.42 18.42 16.86 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCl in combination - per month 5 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 3 OCU-DP COCl (data) per month (2.4-64kbs) 5 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 5 COU-DP COCl (data) - in combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop In Combination - Zone 1 2-Wire ISDN Loop In Combination - Zone 2 2-Wire ISDN Loop In Combination - Zone 2		2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.62 26.26	195.94 195.94 195.94 27.33 195.94 195.94 195.94 27.33 195.94 195.94 195.94 195.94	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38	18.42 18.42 16.86 18.42 18.42 18.42 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 Voice Grade COCI in combination - per month 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 SISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 3		2 3 1 2 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX	UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 UDL56 1D1DD UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 0.9963	195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 195.94 195.94 195.94 195.94	36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38	18.42 18.42 18.42 16.86 18.42 18.42 16.86 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Sede COCI in combination - per month 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 564 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) 51SDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month 581 DIGITAL LOOP FOR USE IN A COMBINATION		2 3 1 2 3 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL66	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 0.9963	195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 27.33 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 2.90	18.42 18.42 18.42 16.66 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Sede COCI in combination - per month 5-56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop In Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 5-64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2 5-Wire ISDN Loop In Combination - per month (2.4-64kbs) ISDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop In Combination - Zone 1 2-Wire ISDN Loop In Combination - Zone 3 2-wire ISDN Loop In Combination - Zone 3 2-wire ISDN COCI (BRITE) - In combination - per month DS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop In Combination - Zone 1		2 3 1 2 3 	UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX UNCNX UNCNX UNCNX	UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 26.36 38.22 0.9963 19.82 42.17 1.66	195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 27.33 195.94 27.33 195.94 27.33	36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 36.38 2.90 36.38 36.38 2.90	18.42 18.42 16.86 18.42 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 1.04 6.86 6.86 6.86						
4-WIRE	4-Wire Analog Voice Grade Loop In Combination - Zone 2 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Analog Voice Grade Loop In Combination - Zone 3 4-Wire Sede COCI in combination - per month 556 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) per month (2.4-64kbs) 564 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2.4-64kbs) 51SDN LOOP FOR USE IN COMBINATION 2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month 581 DIGITAL LOOP FOR USE IN A COMBINATION		2 3 3 1 2 3 3 1 2 3	UNCVX UNCVX UNCVX UNCVX UNCDX UNCNX UNCNX	UEAL4 UEAL4 UEAL4 UEAL4 1D1VG UDL56 UDL56 1D1DD UDL64 UDL66	17.80 21.68 30.25 0.4689 21.86 28.36 38.22 0.9963 21.86 28.36 38.22 0.9963 19.82 0.9963	195.94 195.94 195.94 27.33 195.94 195.94 27.33 195.94 27.33 195.94 195.94 195.94 27.33 195.94 27.33	36.38 36.38 36.38 2.90 36.38 36.38 2.90 36.38 36.38 36.38 36.38 36.38 2.90	18.42 18.42 18.42 16.66 18.42 18.42 16.86 18.42 16.86 18.42 16.86 18.42 16.86	6.86 6.86 1.04 6.86 6.86 6.86 1.04 6.86 6.86 6.86 6.86 6.86 6.86 6.86						

UNBUND	LED	NETWORK ELEMENTS - Georgia												Attach	ment; 2	Exhi	bit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1			 	 	 		_	Nonrec	urring	Nonrecurring	Disconnect	ļ	L	OSS	Rates (\$)	1	
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 W		VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
		interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0057										
		interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2		00.50	00.01	10.40							
4 V		VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION	UNCVA	01172	12.87	66.53	33.61	43.42	27.60	 		ļ			
		nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per	1		 	 						 					
	1	Month			UNCVX	1L5XX	0.0057		,								
	1	nteroffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
DS		EROFFICE TRANSPORT FOR COMBINATION															
		nteroffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1154										
	T)	nteroffice Transport - Dedicated - DS1 combination - Facility		1													l
100		Termination per month EROFFICE TRANSPORT FOR USE IN A COMBINATION	ļ	 	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					ļ	
103	ī	nteroffice Transport - Dedicated - DS3 combination - Per Mile	 	 									 				
		Per Month nteroffice Transport - Dedicated - DS3 - Facility Termination per		 	UNC3X	1L5XX	2.53										 -
	r	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
513		ITEROFFICE TRANSPORT FOR USE IN COMBINATION nteroffice Transport - Dedicated - STS-1 combination - Per Mile	<u> </u>									ļ					
		Per Month			UNCSX	1L5XX	2.53										
		nteroffice Transport - Dedicated - STS-1 combination - Facility Termination per month	,		UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
4-W		56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT	 	UNCOX	UTIFS	336.07	325.91	77.07	49,56	32.00		 				
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				 		
		4-wire 56 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				 	· · · · · · · · · · · · · · · · · · ·	
		1-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86			····			
		nteroffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0057										
		nteroffice Transport - Dedicated - 4-wire 56 kbps combination -			CNODA	1123//	0.0037										
		acility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4-W		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
		1-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86				ļ		
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3 nteroffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	ļ					
	f	Per Mile per month			UNCDX	1L5XX	0.0057										
		nteroffice Transport - Dedicated - 4-wire 64 kbps combination -		l	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	'					
4-W		56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	0.10211	10000		00.00	00.01	70.72	27.00			······································			l
		4-wire 56 kbps Local Loop in combination - Zone 1	Γ	1	UNCDX	UDL56	21.86	195.94	36.38	18,42	6.86		· · · · · · · · · · · · · · · · · · ·				
		4-wire 56 kbps Local Loop In combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per nonth			UNCDX	1L5XX	0.0057										1
		4-wire 56 kbps Interoffice Transport - Dedicated - Facility	T									 					
4.W		Termination per month 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60		ļ				
		4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	 			 		
		4-wire 64 kbps Local Loop in combination - Zone 2	l	1 2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86	 			 		
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195,94	36.38	18.42	6.86	 					
		14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month												-			
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	1L5XX	0.0057					-					
		Termination per month		-	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
ine																	

	1	1			T	19.9	19.9	95.11	15.21	SE.T	ncipi	nsr			D21 COCI nzed with Loop per month	7
										121.90	MQ3	NACSX			STS-1 to DS1 Channel System per month	
										121.90	MO3	ПИСЗХ			D23 to D21 Channel System per month	
					1	19.9	19.9	11.39	86.11	6894.0	10106	JUTIU			same SWC as collocation	
	i				1		l			Į	1				naeq tor connection to a channelized DS1 Local Channel in the	1
	1	İ	Ì	1	1			1			1 1				Voice Grade COCI - DS1 to DS0 Channel System - per month	1
					1	19.9	19.9	95.11	86.11	6894.0	1D1VG	∀∃∩			nzeq (or a Local Loop	
							1	İ		Í					Voice Grade COCI - DS1 to DS0 Channel System - per month	
						19.9	19.9	9E.11	18.81	99.1	UCICA	autiu			in the same SWC as collocation	
				l	Į.	ļ	Į.	1	1	Į.	1				month used for connection to a channelized DS1 Local Channel	1 '
		i						1							S-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systaem - per	
						19.9	19.8	9E.11	18.81	99.1	UCICA	∩DM			month for a Local Loop	
	L					L									2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	
						19.9	19.9	11.39	86.11	£966.0	qqiqi	autiu			Local Channel in the same SWC as collocation	
	Į	l		ļ	1	,	i	1	1	1	1 1		'		month (2.4-64kbs) used for connection to a channelized DS1	1
						<u> </u>				<u> </u>	ll				OCU-DP COCI (data) - DS1 to DS0 Channel System - per	
		ŀ				19.9	18.8	96,11	86.11	6966.0	agrar	าดก			mouth (2.4-64kbs) used for a Local Loop	
	<u> </u>				<u> </u>	<u> </u>									OCU-DP COCI (data) - DS1 to DS0 Channel System - per	
									01.38	97.69	MQ1	UNCTX			D21 to D20 Channel System per month	
	ļ			<u> </u>			1	1							TIPLEXERS	เากพ
	l	ļ			1	00.0	1697.0	99.Y	218.74		ИВССЗ	ПЕЗ, UNC3X		!	C-bit Parity Option - Subsequent Activity - per DS3	
			ļ		 					<u> </u>		UITES, ULDES,				
	İ					67.0	S.03	87.ES	184.62		NRCCC	UNC1X, USL		- 1	Activity - per DS1	
			L	ļ	ļ <u></u>	J		1		1	1	, ומדוט , ומפזט			Clear Channel Capability (SF/ESF) Option - Subsequent	
	,	ł		1	1	00.0	00.0	00.0	00.0	1	CCOSE	ULDD1,UNC1X		1	Clear Channel Capability Super FrameOption - per DS1	
							 	 		ļ	ļ	, ratiu				
	i			1	i	00.0	00.0	00.0	00.0	1	CCOEF	ULDD1,UNC1X		1	Clear Channel Capability Extended Frame Option - per DS1	ł
					 			<u> </u>		ļ	 	וסדוט,				
			ļ		ļ	ļ		-			l	· 			onal Features & Functions:	oitaO
	\	ľ	ì	ì	1	19.9	19.9	07.2	0Y.2	1	писсс	UNCSX			ls Charge	
						1			1]	UNC1X, UNC3X,			Nonrecurring Currently Combined Network Elements Switch -ks-	
															1	
	ļ	ļ							į.	1	1	ОИСУХ, UNCDX,				
					ļ		ļ			ļ	(uone		dde aiv	V agranda	SCHOOL SOURCE CONTINUED MEMORY EXCHIBITS SMITCH WE IS	MUONI
					<u> </u>				Jon 8	is custige age	(noite	lles to each combin	dde euc	op-non er Oharge (O	ecruting Currently Combined Network Elements in All States, in	moN
									s not.	le does apply.	aA riotiws en	charges apply and t	้อนมุมกร	ea-uou eu	n used as ordinarily combined network elements in All States, the	Wher
									s not.	le does apply.	aA riotiws en	charges apply and t	้อนมุมกร	ea-uou eu	nused as a part of a currently combined facility, the non-recurr or used as ordinarlly combined network elements in All States, the	Myer
						88.25	99'64	/0//		e does apply.	ch As Is charg aA dotive en	ot apply, but a Swite charges apply and t	้อนมุมกร	ea-uou eu	n used as a part of a currently combined facility, the non-recurr nused as a part of a currently combined facility, the non-recurr nused as ordinarily combined network elements in All States, the	Myer
						88.35	95.64	70.77	325.91 s not.	358.67	aA riotiws en	charges apply and t	้อนมุมกร	ea-uou eu	Termination per month used as a part of a currently combined facility, the non-recurr used as a part of a currently combined facility, the non-recurr used as ordinarly combined network elements in All States, the	Myer
						32.88	99.64	70.17		358.67 Ylqqa səob əl	U1TFS ch As Is charged sA dothes en	UNCSX UNCSX	้อนมุมกร	ea-uou eu	Interoffice Transport - Dedicated - STS-1 combination - Facility LETWORK ELEMENTS NETWORK ELEMENTS UETWORK ELEMENTS 1 used as part of a currently combined facility, the non-recurr 1 used as cordinally combined network elements in All States, the	Myer
						88.55	95.64	70.17		e does apply.	ch As Is charg aA dotive en	ot apply, but a Swite charges apply and t	้อนมุมกร	ea-uou eu	per month Inferolffice Transport - Dedicated - STS-1 combination - Facility Temination per month VETWORK ELEMENTS UEBOG as paid of a currently combined facility, the non-recurr 1 used as paid of a currently combined facility, the non-recurr	Myer
									16.325	59.5 79.836 79.836	TLEXX U1TFS The Switch As Is charged As Is c	iles to esch combinate to esch combinate to switch and the switch	้อนมุมกร	ea-uou eu	Interoffice Transport - Dedicated - STS-1 combination - per male per month inferoffice Transport - Dedicated - STS-1 combination - Facility Termination per month used as a part of a currently combined facility, the non-recurr used as a part of a currently combined facility, the non-recurr used as ordinally combined network in All States, the used as ordinally combined network in All States, the used as ordinally combined network in All States, the used as ordinally combined network in All States.	Myer
						292,78	99'67	288,121 70,57		358.67 Ylqqa səob əl	U1TFS ch As Is charged sA dothes en	UNCSX UNCSX	้อนมุมกร	ea-uou eu	month Interoflice Transport - Dedicated - STS-1 combination - per mile Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport - Dedicated - STS-1 combination - Facility Interoflice Transport -	Myer
									16.325	2.53 2.53 2.53 2.53 2.53	TLEXX STILL STILL SATIU A le chard A	Ilea to each combination of a Swind NucsX ONCSX ONCSX	้อนมุมกร	ea-uou eu	515-1 Local Loop in combination - Facility Termination per month month Interdiffice Transport - Dedicated - 515-1 combination - per mile Interdiffice Transport - Dedicated - 515-1 combination - Facility Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination	Myer
									16.325	59.5 79.836 79.836	TLEXX U1TFS The Switch As Is charged As Is c	iles to esch combinate to esch combinate to switch and the switch	้อนมุมกร	ng charg	STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per month interofitice Transport - Dedicated - STS-1 combination - per mile per month interofitice Transport - Dedicated - STS-1 combination - Facility Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination - Facility	JANOITIGGA 191W 191W
									16.325	2.53 2.53 2.53 2.53 2.53	TLEXX STILL STILL SATIU A le chard A	Ilea to each combination of a Swind NucsX ONCSX ONCSX	้อนมุมกร	ng charg	515-1 Local Loop in combination - Facility Termination per month month Interdiffice Transport - Dedicated - 515-1 combination - per mile Interdiffice Transport - Dedicated - 515-1 combination - Facility Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination	JANOITIGGA 191W 191W
						292.78	129,8465	389,131	241S.310,S 341S.310,S	2.63.33 2.63.33 73.835	DDLS1 TLEXX TLEXX TLEXX ON TES Ch As is chart Ch Switch Series	Ilea to each combination of the action of th	้อนมุมกร	ng charg	Temination per month I plotTAL LOOP WITH DEDICATED \$75-1 INTEROFFICE TRAN STS-1 Local Lolp in combination - per mile per month month interoffice Transport - Dedicated - STS-1 combination per interoffice Transport - Dedicated - STS-1 combination - Per mile interoffice Transport - Dedicated - STS-1 combination - Per mile interoffice Transport - Dedicated - STS-1 combination - Facility Temhasion per month Temhasion per month Temhasion per month Temhasion per month Temhasion per month Temparation - Facility Temparation - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Temparation - Per mile Te	JANOTTIGGA Party Jertw Jertw
						292.78	129,8465	389,131	241S.310,S 341S.310,S	20.242.02 92.0242.02 92.034 92.035 93.034 93	DDLS1 TLEXX TLEXX TLEXX ON TES Ch As is chart Ch Switch Series	Ilea to each combination of the action of th	้อนมุมกร	ng charg	Interoffice Transpord - Dedicated - DS3 combination - Facility 1 Emination per month 1 DigitAL LOOP WITH DEDICATED 5TS-1 INTEROFFICE TRAN STS-1 Local Loop in combination - per mile per month interoffice Transpord - Dedicated - STS-1 combination per Interoffice Transpord - Dedicated - STS-1 combination - Per mile per month Interoffice Transpord - Dedicated - STS-1 combination - Facility 2 per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation per month 1 temptation and 1 temptation - Facility 1 temptation per month 1 temptation and 1 temptation - Per mile 1 temptation per month 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per month 1 temptation - Per mile 1 temptation - Per mile 1 temptation - Per mile 2 temptation	JANOITIGGA 191W 191W
						292.78	129,8465	389,131	241S.310,S 341S.310,S	20.246 26.233 26.53 26.53 36.166 36.1	UTE3 LEND LEND LEXX LEXX LEXX LEXX LEXX A Re le chart	iles to each combination of the same of th	้อนมุมกร	ng charg	Temination per month I plotTAL LOOP WITH DEDICATED \$75-1 INTEROFFICE TRAN STS-1 Local Lolp in combination - per mile per month month interoffice Transport - Dedicated - STS-1 combination per interoffice Transport - Dedicated - STS-1 combination - Per mile interoffice Transport - Dedicated - STS-1 combination - Per mile interoffice Transport - Dedicated - STS-1 combination - Facility Temhasion per month Temhasion per month Temhasion per month Temhasion per month Temhasion per month Temparation - Facility Temparation - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Temparation - Per mile Te	JANOITIGGA 19rlW 19rlW
						88.SE 282.78	49,66	70.77 289.121	386.910,S 3818.810,S	20.242.02 92.0242.02 92.034 92.035 93.034 93	11.63X 11	iles to each combination of the second of th	้อนมุมกร	ng charg	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month Termination per month Termination per month OGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN STS-1 Local Lobp in combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination Per	JANOITIGGA 191W 191W
						88.SE 282.78	49,66	70.77 289.121	386.910,S 3818.810,S	20.242.02 92.0242.02 92.034 92.035 93.034 93	UTTE3 UDLS1 UDLS1 UDLS1 UTTES UTTES	iles to each combination of the second of th	้อนมุมกร	ng charg	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month Termination per month Termination per month OGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN STS-1 Local Lobp in combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination per month Termination Per	JANOITIGGA 191W 191W
						\$8.25 88.25 58.78	39.84 6S1 39.94 39.94 6S1	289,121 70,77	326.91 326.91 326.91	29:19:21 29:20 20:20 20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20 20 20 20 20 20 20 20 20 20 20 20 2	11.63X 11	iles to each combination of the same of th	้อนมุมกร	SPORT	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month 1 DIGITAL LOOP WITH DEDICATED 5TS-1 INTEROFFICE TRAN STS-1 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Facility Jermination per month Termination Termi	-ete
						88.SE 282.78	49,66	70.77 289.121	386.910,S 3818.910,S	20.546 20	11.63X 11	iles to each combination of the same of th	้อนมุมกร	SPORT	Termination per month DS3 Local Loop wiTH DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Termination per month TOIGITAL LOOP WITH DEDICATED 5TS-1 INTEROFFICE TRAN STS-1 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 combination - Per mile STS-1 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Termination per month Termination per month Termination per month	-ete
						\$8.25 88.25 58.78	39.84 6S1 39.94 39.94 6S1	289,121 70,77	326.91 326.91 326.91	61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45 61.45	UTET UTES UTES UTES UTES UTES UTES UTES UTES UTES UTES	ilea to each combination of the second of th	้อนมุมกร	SPORT	Interoffice Transpord - Dedicated - DS1 combination - Facility Termination per month DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORDS3 Local Loop in combination - per mile per month DS3 Local Loop in combination - per mile per month Interoffice Transpord - Dedicated - DS3 combination - Facility Interoffice Transpord - Dedicated - DS3 combination - Facility Termination per month STS-1 Local Loop in combination - Facility Termination per month Interoffice Transpord - Dedicated - STS-1 remination per STS-1 Local Loop in combination - Facility Termination per Month Interoffice Transpord - Dedicated - STS-1 combination - per mile per month Interoffice Transpord - Dedicated - STS-1 combination per North Tomorth	-ete
						\$8.25 88.25 58.78	39.84 6S1 39.94 39.94 6S1	289,121 70,77	326.91 326.91 326.91	29:19:21 29:20 20:20 20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20:20 20 20 20 20 20 20 20 20 20 20 20 20 2	TLEND TL	ilea to each combination of the second of th	้อนมุมกร	SPORT	per month interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORTICE LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORTICE LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORTICE Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Month Lee Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - Dedicated - STS-1 combination - Per mile Per month Interoffice Transport - Dedicated - Dedicated - DEDICATED - DEDICATED - Per month Interoffice Transport - Dedicated	-ete
						76.75 285.78 88.26 285.78	08.Ch 38.6S1 38.6b 38.6c1	65.34 60.131 70.77	37.76 24.76 326.91 326.91 326.91	49'85E 69'8 69'8 69'8 20'84E 5919'81 61'46 61'46 6919'81	TEXX TEND	ijes to esch complus creades abbil and r nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	Bu op se	SPORT	Interoffice Transport - Dedicated - DS1 combination - Per Mile per months Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS3 retremental on per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Per month Interoffice Transport - Dedicated - DS3 combination - Per month Interoffice Transport - Dedicated - DS3 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile	-ete
						76.72 282.78 88.26 282.78	08.64 3848.651 3848.651	67.34 683,131 70,77 383,131	209.45 87.76 2016.2145 325.91 325.91	#\$11.0 60.59 #\$11.0 61.46 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51	TLEND TL	ilea to each combination of the second of th	S S S S S S S S S S S S S S S S S S S	SPORT	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility DG3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPOR DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility STS-1 Local Loop in combination - Facility Interoffice Transport - Dedicated - DS3 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination - Per mile Der month Termination per month Termination per month Termination are month Termination are according to a currently combined facility, the non-recurrent of the month Termination are a currently combined facility, the non-recurrently are as part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently aread as ordinally combined network elements in All Scales, the combined facility and the combined facility.	-ete
						98.56 292.78 292.78 292.78	16.75 16.75 39.89 621 39.94 39.95	\$69,181 70,77	20,905 20,005 20,016,2145 325,91 2,016,2145 2,016,2145	49'85E 69'8 69'8 69'8 20'84E 5919'81 61'46 61'46 6919'81	TEXX TEND	ijes to esch complus creades abbil and r nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	S S S S S S S S S S S S S S S S S S S	SPORT	Interoffice Transport - Dedicated - DS1 combination - Per Mile per months Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS3 retremental on per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Per month Interoffice Transport - Dedicated - DS3 combination - Per month Interoffice Transport - Dedicated - DS3 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Per mile per month Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile Interoffice Transport - Dedicated - STS-1 combination - Per mile	-ete
NAMOS	NAMOS	NAMOS	NAMOS	NAMOS	ЭЭМО	76.75 28.78 58.78 58.78 58.26	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	PbbA \$4.07 \$65.131 70.77 \$88.131	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	TLEND TL	ilea to each combination of the second of th	S S S S S S S S S S S S S S S S S S S	SPORT	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility DG3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPOR DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility STS-1 Local Loop in combination - Facility Interoffice Transport - Dedicated - DS3 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination - Per mile Der month Termination per month Termination per month Termination are month Termination are according to a currently combined facility, the non-recurrent of the month Termination are a currently combined facility, the non-recurrently are as part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently aread as ordinally combined network elements in All Scales, the combined facility and the combined facility.	-ete
NAMOS	NAMOS	(\$) sateR		NAMOS	SOMEC	76.75 28.78 58.78 58.78 58.26	16.75 16.75 39.89 621 39.94 39.95	PbbA \$4.07 \$65.131 70.77 \$88.131	20,905 20,005 20,016,2145 325,91 2,016,2145 2,016,2145	#\$11.0 60.59 #\$11.0 61.46 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51 \$210.51	TLEND TL	ilea to each combination of the second of th	S S S S S S S S S S S S S S S S S S S	SPORT	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility DG3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPOR DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility STS-1 Local Loop in combination - Facility Interoffice Transport - Dedicated - DS3 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination - Per mile Der month Termination per month Termination per month Termination are month Termination are according to a currently combined facility, the non-recurrent of the month Termination are a currently combined facility, the non-recurrently are as part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently aread as ordinally combined network elements in All Scales, the combined facility and the combined facility.	-STS -STS JANOTIGGA 194W
	1	(\$) sətsA		NAMOS	Damos	76.75 28.78 58.78 58.78 58.26	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	PbbA \$4.07 \$65.131 70.77 \$88.131	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	TLEND TL	ilea to each combination of the second of th	S S S S S S S S S S S S S S S S S S S	SPORT	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility DG3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPOR DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility STS-1 Local Loop in combination - Facility Interoffice Transport - Dedicated - DS3 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination - Per mile Der month Termination per month Termination per month Termination are month Termination are according to a currently combined facility, the non-recurrent of the month Termination are a currently combined facility, the non-recurrently are as part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently aread as ordinally combined network elements in All Scales, the combined facility and the combined facility.	-STS -STS JANOTIGGA 194W
l'bbA saiQ	Disc 1st	l'bbA (\$) setsR	18f 220	NAMOS	COMME	76.75 28.78 58.78 58.78 58.26	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	PbbA \$4.07 \$65.131 70.77 \$88.131	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	TLEND TL	ilea to each combination of the second of th	S S S S S S S S S S S S S S S S S S S	SPORT	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Interoffice Transport - Dedicated - DS1 combination - Facility DG3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPOR DS3 Local Loop in combination - per mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility Interoffice Transport - Dedicated - DS3 combination - Facility STS-1 Local Loop in combination - Facility Interoffice Transport - Dedicated - DS3 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination per Month Interoffice Transport - Dedicated - STS-1 combination - Per mile Der month Termination per month Termination per month Termination are month Termination are according to a currently combined facility, the non-recurrent of the month Termination are a currently combined facility, the non-recurrently are as part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently are as a part of a currently combined facility, the non-recurrently aread as ordinally combined network elements in All Scales, the combined facility and the combined facility.	-ete
Electronic- Disc Add'l	Electronic- Disc 1st	Electronic- l'bbA (\$)	Electronic- 1st OSS			76.75 28.78 58.78 58.78 58.26	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	Point PbbA hb,07 hb,07 E7.3h 70.77	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	XX JOU YEAX YEAX YEAX YEAV	ilea to each complex creadee abbil and to nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	E Z	TAC	4-Wire DS1 Dignal Loop in Combination - Zone 2 4-Wire DS1 Dignal Loop in Combination - Zone 3 4-Wire DS1 gignal Loop in Combination - Per Mile per month per month Termination per month Termination per month DS3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport -) E2G -STS -STS
Order vs. Electronic- Disc Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'l Astes (\$)	Order vs. Electronic- 1st OSS	Per LSR	Per LSR	76.75 28.78 58.78 58.78 58.26	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	PbbA \$4.07 \$65.131 70.77 \$88.131	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	TLEND TL	ilea to each combination of the second of th	E Z	SPORT	4-Wire DS1 Dignal Loop in Combination - Zone 2 4-Wire DS1 Dignal Loop in Combination - Zone 3 4-Wire DS1 gignal Loop in Combination - Per Mile per month per month Termination per month Termination per month DS3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport -) E2G -STS -STS
Manual Svc Order vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Add'l Agtes (\$)	Manual Syc Order vs. Electronic- 1st OSS	Manually per LSR	Elec per LSR	79977002810 Pada 16.86 86.36 79.75 28.78 88.26 28.78	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	Point PbbA hb,07 hb,07 E7.3h 70.77	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	XX JOU YEAX YEAX YEAX YEAV	ilea to each complex creadee abbil and to nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	E Z	TAC	4-Wire DS1 Dignal Loop in Combination - Zone 2 4-Wire DS1 Dignal Loop in Combination - Zone 3 4-Wire DS1 gignal Loop in Combination - Per Mile per month per month Termination per month Termination per month DS3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport -) E2G -STS -STS
Charge - Manual Svc Order vs. Electronic- Disc Add'l	Charge - Manual Svc Order vs. Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'i Agtes (\$)	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually RSJ req	bethindus Sei3 RSJ ned	79-76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	Point PbbA hb,07 hb,07 E7.3h 70.77	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	XX JOU YEAX YEAX YEAX YEAV	ilea to each complex creadee abbil and to nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	E Z	TAC	4-Wire DS1 Dignal Loop in Combination - Zone 2 4-Wire DS1 Dignal Loop in Combination - Zone 3 4-Wire DS1 gignal Loop in Combination - Per Mile per month per month Termination per month Termination per month DS3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport -) E2G -STS -STS -STS
Incremental Charge - Manual Svc Crder vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Manual Syc Order vs. Electronic- 1st OSS	Submitted Manually RSJ req	bethindus Sei3 RSJ ned	79-76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75 76-75	181H 16.7E 16.7E 08.6A 38.86.9S1 38.9A 38.9S1	Point PbbA hb,07 hb,07 E7.3h 70.77	209.46 209.45 209.45 326.91 2,016.2145 2,016.2145 326.91	11.94 12.11.0 60.53 60.54 60.55 60.54 60.55 60.54 60.55	XX JOU YEAX YEAX YEAX YEAV	ilea to each complex creadee abbil and to nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex nucex	E Z	TAC	4-Wire DS1 Dignal Loop in Combination - Zone 2 4-Wire DS1 Dignal Loop in Combination - Zone 3 4-Wire DS1 gignal Loop in Combination - Per Mile per month per month Termination per month Termination per month DS3 Local Loop with DEDICATED DS3 INTEROFFICE TRANSPO DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - Per mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 - Combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination per month Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport - Dedicated - STS-1 combination - Fecility Interoffice Transport -	VROĐETAO DESO TE

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
	1											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			İ			1								Electronic-	Electronic-	Electronic-	Electronic-
	ļ					1						1		1st	Add'l	Disc 1st	Disc Add'l
			1				Rec	Nonreci	urring	Nonrecurring	Disconnect		·	oss	Rates (\$)		
							nec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		DS1 COCI (used for connection to a channelized DS1 Local											1				
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61				!		
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61	T	T				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per										1	1				
		month		L	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61		1				
N	ote: F	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.		L.										

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit; A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
				ļ			Rec		curring		g Disconnect	20112	I		Rates (\$)		L
				 				First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
. [1	1ttp://w	one" shown in the sections for stand-alone loops or loops as www.interconnection.bellsouth.com/become_a_clec/html/inte SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	part of a rconnecti	combir on.htm	ation refers to Geog	raphically D	eaveraged UNE	Zones. To vi	ew Geographic	cally Deaverag	ed UNE Zone (esignations	by Central	Office, refer t	o internet We	osite:	
OPERAI	VOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state s	pecific	OSS charges as ore	ered by the	State Commiss	ions The OS	S charges cur	rently contains	d in this rate s	whihit are th	na BallSouth	"ragional" c	ondes orderin	a charges C	I EC may
(e	elect ei	ther the state specific Commission ordered rates for the servi	ice orderi	ng char	ges, or CLEC may el	ect the regio	nal service ord	ering charge,	however, CLE	C can not obta	in a mixture of	the two reg	ardless if C	LEC has a int	ervice orderin	contract esta	blished in
Je	ach of	the 9 states.															
c	annot	(2) Any element that can be ordered electronically will be bill be ordered electronically at present per the LOH, the listed S	OMEC rat	ang to te in thi	ine SOMEC rate liste s category reflects th	e in this cat se charge thi	egory. Please r it would be bill	eter to BellSo ed to a CLEC :	uth's Local Or once electroni	dering Handbo c ordering can	ok (LOH) to de abilities come	etermine if a	product ca	n be ordered	electronically.	For those e	lements tha
v	vill be	applied to a CLECs bill when it submits an LSR to BellSouth	•						D1100 010011 01111	c ordoring cap	abilities come	OII-IIII O IOI I	mat elemen	i. Ollierwise,	trie manuai oi	uering charg	e, solviali,
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0,00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00					·	
		DATE ADVANCEMENT CHARGE							7,00		0.00						
	IOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	5 as applicat	ole.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	•	7	UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T18, U1T01, U1T03, U1T01, U1T03, U1T01, U1T03, U1T01, U1T04, UC1BC, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UNCDX, UNCDX, UNCDX, UNCDX, UNCNX, UNCNX, UNCNX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTTUC, U1TUD,												
UNBUND		Day XCHANGE ACCESS LOOP		 	U1TUB, U1TUA	SDASP		200.00				-	ļ				
	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEAL2 UEAL2	10.56 15.34	46.66 46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57 22.57	26.65 26.65	7.65 7.65		-				
]	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL UEANL	UEASL UEASL	15.34 31,11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65	ļ	-				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		ا ا	UEANL	URETL	91,11	8.33	0.83	20.05	7.65						
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88		 	l					
	1	Loop Testing - Basic Additional Half Hour		l	UEANL	URETA		24.16	24.16	l		l					

CHDONDELD IN	ETWORK ELEMENTS - Kentucky			·	,								Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
		 -			 	Rec	Nonrec First	Add'l	Nonrecurring		201150			Rates (\$)	· · · · · · · · · · · · · · · · · · ·	
CLE	C to CLEC Conversion Charge Without Outside Dispatch	 	 		+		FIISL	AUU I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
(UVL	L-SL1)			UEANL	UREWO		15.78	8.94	i l		į į					
	undled Voice Loop, Non-Design Voice Loop, billing for BST						70.70	0.57	 		 					
	riding make-up (Engineering Information - E.I.)	L	<u> </u>	UEANL	UEANM		13.49	13.49	1 1							
	ual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00			·					
	er Coordination for Specified Conversion Time for UVL-SL1 LSR)	}														
	oundled COPPER LOOP		<u> </u>	UEANL	OCOSL		23.01	23.01			<u> </u>					
	ire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ												
	ire Unbundled Copper Loop - Non-Designed Zone 2		2	UEQ	UEQ2X UEQ2X	10.58	44.97	20.89	25.64	6.65						
2 Wi	ire Unbundled Copper Loop - Non-Designed - Zone 3	 	3	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
	undled Miscellaneous Rate Element, Tag Loop at End User	 	- <u>Ŭ</u> -	000	OLUZA	13.19	44.97	20.89	25.64	6.65	<u> </u>					
Prem		[UEQ	URETL	1	8.33	0.83	\		i i	Ì				
	ual Order Coordination 2 Wire Unbundled Copper Loop -	 					0.33	0.63	 		 					
Non-	-Designed (per loop)			UEQ	USBMC		9.00	9.00	ļ .		ļ		1	1		
Unbu	undled Copper Loop, Non-Design Copper Loop, billing for						- 5:50	3.00								
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13,49]			i		
	Testing - Basic 1st Half Hour			UEQ	URETI		46.88	46.88			 					
	Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16			 					
	C to CLEC Conversion Charge Without Outside Dispatch															
(UCL				UEQ	UREWO		14.27	7.43				i				
	ANGE ACCESS LOOP								· · · · · · · · · · · · · · · · · · ·							
	ALOG VOICE GRADE LOOP															
Zone		,	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	re Analog Voice Grade Loop-Service Level 1-Line Splitting-													i		· ·
Zone			1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65	l i	1				
Zone	re Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	i	Ì									
	re Analog Voice Grade Loop- Service Level 1-Line Splitting-		_2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
Zone			2	UEPSR UEPSB	UEABS	45.04)					
	re Analog Voice Grade Loop-Service Level 1-Line Splitting-			OEFSH UEFSB	UEABS	15.34	46.66	22.57	26.65	7.65						
Zone			3	UEPSR UEPSB	UEALS	31,11	46.66	22.57	20.05	7 05			1	1	i	
2 Wir	re Analog Voice Grade Loop-Service Level 1-Line Splitting-			001 011 001 00	OCALS	31,11	46.66	22.57	26.65	7.65						
Zone	93		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		l	ŧ	Į.	(
	ANGE ACCESS LOOP						10.00	22.07	20.03	7.05	 					
	LOG VOICE GRADE LOOP			· · · · · · · · · · · · · · · · · · ·												
2-Wir	re Analog Voice Grade Loop - Service Level 2 w/Loop or															
Grou	and Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88	l l	- 1]	ľ		
2-Wir	re Analog Voice Grade Loop - Service Level 2 w/Loop or		ĺ													
	Ind Start Signaling - Zone 2 re Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		ŀ	ı			
Groun	ind Start Signaling - Zone 3		. 1													
	er Coordination for Specified Conversion Time (per LSR)		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				i	_	
	re Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL		23.01									
	ery Signaling - Zone 1	J	ιĺ	UEA	UEADO				ļ				}			
	re Analog Voice Grade Loop - Service Level 2 w/Reverse		, -}	UEM .	UEAR2	12.67	134.89	81.87	73.65	14.88						
	ery Signaling - Zone 2]	2	UEA	UEAR2	17,45	134.89	04.07	70.05		1				į	
	re Analog Voice Grade Loop - Service Level 2 w/Reverse		 -		CLAIL	17,45	134.09	81.87	73.65	14.88						
Batte	ery Signaling - Zone 3	Į	3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.00	- 1	1	1	i		
Order	Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	50,22	23.01	01.07	/3.05	14.88	+	~ -				
CLEC	to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						}		
Loop	Tagging - Service Level 2 (SL2)			UEA	URETL		11,21	1.10								
	LOG VOICE GRADE LOOP															
4-Wir	re Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
4-Wir	re Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
	re Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85,06	164.11	112.36	78.91	18.66						
Order	er Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
T LOTEC	C to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

	D NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremer
		 	 			Rec	Nonred			g Disconnect				Rates (\$)		·
2-WIRI	ISDN DIGITAL GRADE LOOP	 					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire ISDN Digital Grade Loop - Zone 1	 	1 1	UDN	U1L2X						i					
	2-Wire ISDN Digital Grade Loop - Zone 2	 	2	UDN	U1L2X	18.44	146.77	95.02		13.83						—
	2-Wire ISDN Digital Grade Loop - Zone 3	 	3	UDN	U1L2X	25.08	146.77	95.02		13.83						*
	Order Coordination For Specified Conversion Time (per LSB)	 	- 	UDN	OCOSL	42.87	146.77	95.02	71.38	13.83						
	CLEC to CLEC Conversion Charge without outside dispatch	·····		UDN	UREWO		23.01 91.63		ļ							
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP		Oncwo		91.53	44.16	ļ							
	2 Wire Unbundled ADSL Loop including manual service inquiry		-						ļ							
	& facility reservation - Zone 1	1	1 1	UAL	UAL2X	10.82	141.98	70 70			!!		i			
	2 Wire Unbundled ADSL Loop including manual service inquiry				UALEX	10.62	141.98	79.73	69.02	11.47						1
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	1		1					
	2 Wire Unbundled ADSL Loop Including manual service inquiry				UNLEA	11.75	141.96	79.73	69.02	11.47						<u> </u>
	& facility reservation - Zone 3	i	3	UAL	UAL2X	12.87	141.98	70.70								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.07	23.01	79.73	69.02	11.47					:	Ĺ
	2 Wire Unbundled ADSL Loop without manual service inquiry &				30002		23.01									
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09		1	ı				
	2 Wire Unbundled ADSL Loop without manual service inquiry &				07.02.77	10.02	121.10	69.00	69.09	11,54						L
	facility reservation - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00			ĺ	ì				1
	2 Wire Unbundled ADSL Loop without manual service inquiry &				O' LLL	11.75	121.10	69.00	69.09	11.54						l
	facility reservation - Zone 3		3	· UAL	UAL2W	12.87	121.18	69.00				I	l			i
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.07	23.01	69.00	69.09	11.54						1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL.	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP		OTILWO		00.20	40.40								
] !	2 Wire Unbundled HDSL Loop including manual service inquiry				1	***************************************										
	& facility reservation - Zone 1	,	1	UHL	UHL2X	8.75	151.54	00.00					l			
	2 Wire Unbundled HDSL Loop including manual service inquiry			- 0112	OI ILZX	6.75	151.54	89.29	69.09	11,54						
	& facility reservation - Zone 2	i	2	UHL	UHL2X	9.56	151.54	00.00					1			,
	2 Wire Unbundled HDSL Loop including manual service inquiry				- Oricex	9.50	151.54	89.29	69.09	11.54						
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151,54	89.29					ľ	l		
	Order Coordination for Specified Conversion Time (per LSR)			ÜHL	OCOSL	10.01	23.01	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry				1 00000		23.01									
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	00.00				- 1	- 1		
	2 Wire Unbundled HDSL Loop without manual service inquiry				 	0.75	130.74	/0.50	69.09	11.54						
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		- 1				
	2 Wire Unbundled HDSL Loop without manual service inquiry				-	0.00	100.74	76.50	09.09	11.54						
	and facility reservation - Zone 3		3	UHL	UHL2W	10,61	130.74	78.56	69.09	11.74	1	1	1		i	
i	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.01	23.01	70.56	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86,14	40.40								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP		1		00.14	40.40								
l i	4 Wire Unbundled HDSL Loop including manual service inquiry										,					
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		1				
i i	4-Wire Unbundled HDSL Loop including manual service inquiry				1		100.70	120.00	74.95	14.69						
	and facility reservation - Zone 2	1 1	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	1	i				
1 1	4-Wire Unbundled HDSL Loop including manual service inquiry				1	.,,,,,,	100.75	120.00	74.85	14.69						
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		1		1	1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	- 10.00	23.01	120.50	74.95	14.09						
- ()	4-Wire Unbundled HDSL Loop without manual service inquiry				T	——————————————————————————————————————	20.01									
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164,95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry				1 1		101100	117.04	11.52	15.60						
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80			ļ	- 1	į.	
	4-Wire Unbundled HDSL Loop without manual service inquiry				1		255	.,,,,,,,	11,02	13.60						
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	l		1	ł	1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01		77.02	15.60						
1, 1005-	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40							<u> </u>	
	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3	T	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
	Order Coordination for Specified Conversion Time (per LSR)	T		USL	OCOSL		23.01		55.50	17.00						

MOUNDLE	D NETWORK ELEMENTS - Kentucky		,		.,								Attach	ment: 2	Exhi	ibit; A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs, Electronic- Add'l	Charge -	Charge -
						Rec	Nonred		Nonrecurring	Disconnect		· · · · · · · · · · · · · · · · · · ·	oss	Rates (\$)	·	<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch				<u> </u>	1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-		USL	UREWO		101.09	43.04								
4-11111	4 Wire Unbundled Digital 19.2 Kbps	 	1	LID	- III											1
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19	27.59	157.81	106.06		18.66						
	4 Wire Unbundled Digital 19.2 Kbps	 	3	UDL	UDL19 UDL19	32.48 36.37	157.81	106.06		18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>	1	UDL	UDL56	27.59	157.81 157.81	106.06 106.06		18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 	2	UDL	UDL56	32.48	157.81	106.06	78.91 78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	00.07	23.01	100.00	76.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	· · · · · ·	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06		18.66						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01	. 55.00	7.5.51	10.00	 					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								
Z-WIRI	E Unbundled COPPER LOOP												~~~			
]	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54	1					1
ŀ	2-Wire Unbundled Copper Loop-Designed including manual															·
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11,54		ŀ	:			1
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		ł				
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLMC		9.00	9.00								
	service inquiry and facility reservation - Zone 1					1							*			
	2-Wire Unbundled Copper Loop-Designed without manual		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54				1		
İ	service inquiry and facility reservation - Zone 2		_		l l	i										
	2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						Í
	service inquiry and facility reservation - Zone 3		ا ۾ ا	ı i dı												
	Order Coordination for Unbundled Copper Loops (per loop)	 	3	UČL	UCLPW	12.87	120.15	67.97	69.09	11.54						l
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		9.00	9.00								
	(UCL-Des)		- 1	UCL	UREWO	į			}							
4-WIRE	COPPER LOOP			UCL	UNEWO		97.23	42.48								
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	100.00			1	1				
	4-Wire Copper Loop-Designed including manual service inquiry		· · · · ·		00143	10.92	170.31	108.06	74.95	14,69						
	and facility reservation - Zone 2	ļ ļ	2	UCL	UCL4S	17,36	170.31	108.06	74.95	14.69			1	1		
	4-Wire Copper Loop-Designed including manual service inquiry				1	17.00	170.31	108.06	/4.95	14.69					1	
	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69	}			ļ	1	ı
	Order Coordination for Unbundled Copper Loops (per loop)			UCI.	UCLMC		9.00	9.00	/4.33	14.09						
	4-Wire Copper Loop-Designed without manual service inquiry							5.00			7					
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69	ļ			l	ł	
	4-Wire Copper Loop-Designed without manual service inquiry									56						
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69				ļ	ŀ	
	4-Wire Copper Loop-Designed without manual service inquiry	T	T													
	and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14,69			ĺ	ĺ	l	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		- 1		[<u> </u>											
P MODIFIC				UCL	UREWO		97.23	42.48						j		
1				HAL HELLING	ļ											
			- 1	UAL, UHL, UCL, UEQ, ULS, UEA,		1				T						
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		İ	UEANL, UEPSR.		- 1	İ		•	I					I	
	pair less than or equal to 18k ft, per Unbundled Loop	ļ	- 1	UEPSB	ULM2L	Į.						1	1	1	Į	
	Unbundled Loop Modification Removal of Load Colls - 4 Wire			UELOB	ULW2L		9.24	9.24								
	less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L	ł			Т							
	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			UAL, UHL, UCL,	OLIVIAL		9.24	9.24								
				UEQ, ULS, UEA,		1	ļ	ł	1		- T	T				
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR.							i	ŀ	1	i		

ONBONDE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Syc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		
SUB-LOOPS		 	 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	.oop Distribution	 									ļ	 				
- 000	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-							·			-					
	Up	l ,		UEANL	USBSA		207.91	207.91	1		i					
			 		000071		207.51	207.51	 			ļ				· · · · · · · · · · · · · · · · · · ·
ŀ	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	1	UEANL	USBSB		12.50	12.50			1				İ	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	 	1								 	 				
	Facility Set-Up	1	1	UEANL	USBSC		80.87	80.87	1		1	1	1			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel										1	<u> </u>				
	Set-Up	<u> </u>	<u> </u>	UEANL.	USBSD		45.04	45.04	1			l			l	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										T					
	Zone 1	1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	i														
	Zone 2	1	2	UEANL	USBN2	9,06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop			i												
	Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Onder Constitution for Units III 10 th II										1					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop								l l							1
	Zone 1		1	UEANL	USBN4	8.14	102.31	56,32	65.24	10.88						L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop								i							
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88	l	_				l
- 1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						ĺ									
	Zone 3	<u> </u>	3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						L
	la. a								1							1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								<u> </u>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90	<u> </u>					.
							j									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEANL	USBMC		9.00	9.00								1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						1
Į.	Order Canadia ation for Habitandlad Colb I annually to the Indianally	ļ		1.05 43.0		1			1		1	\				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL	URET1		46.88	46.88								L
			1	UEANL	URETA		24.16	24.16								
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 - 		UEF UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90						
	2 Wire Copper Unbarrated Sub-Loop Distribution - Zone 3	ļ	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90	l					
l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		9.00	9.00								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	7.09	102.31	9.00 56.32	65.01	10.00	 ,	ļ				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 	2	UEF	UCS4X	8.66	102.31		65.24	10.88						
·	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19.40	102.31	56.32 56.32	65.24	10.88	1					
	Suppor Grisariated Gabacoop Distribution - Zolle 3	 '	-	OEF -	UU34X	19.40	102.31	56.32	65.24	10.88	ļ					
}	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	}	1	UEF	USBMC	1	9.00	9.00	1]]			· ·	1
	Loop Testing - Basic 1st Half Hour	 		UEF	URET1		46.88	46.88	 		 					
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16	 		 					
Unbu	ndled Network Terminating Wire (UNTW)	 		- J-	JILIA		27,10	24.10	 		 					
1	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51	 		 					
Netwo	ork Interface Device (NID)	 		<u> </u>	OC.WIT	- V.33	20.01	20.01	 		 	ļ				
	Network Interface Device (NID) - 1-2 lines	 		UENTW	UND12		73.53	49,47	 		 					
1	Network Interface Device (NID) - 1-6 lines	 		UENTW	UND16		115.96	91.91	 		 					
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56	 		 					
1	Network Interface Device Cross Connect - 4W	 		UENTW	UNDC4		8.56	8.56	 							
JNE OTHER.	PROVISIONING ONLY - NO RATE	 					0.50	0.56	 		 					
	NID - Dispatch and Service Order for NID installation	l		UENTW	UNDBX	0.00	0.00		 		 					
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		 		t					
				UEANL, UEF, UEQ, U					 		 					
[Unbundled Contract Name, Provisioning Only - No Rate	I		ENTW	UNECN	0.00	0.00		ļ [l .
	PROVISIONING ONLY - NO RATE			· · · · · · · · · · · · · · · · · · ·		0.00	0.00				t					

UNBUND	LED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
			l									Svc Order	Incremental		incremental	Incrementa
		1]	İ	-	1						Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	Y RATE ELEMENTS	Interim	Zona	BCS	usoc	ļ		RATES (\$)			Elec	Manually	Manual Svc			
UA I LUUII	TATE ECCHENIO	" " " "	20116	003	0300	į		NATES (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
)	1	İ]		Electronic-	Electronic-	Electronic-	Electronic-
			<u>L</u>										1st	Add'I	Disc 1st	Disc Add'i
						Rec	Nonrec	curring	Nonrecurring	Disconnect	 		oss	Rates (\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		1														1
	Habitan all and Constant Name - Boundary air and Constant			UAL,UCL,UDC,UDL,					i	l	l			1	1	1
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		-	UDN,UEA,UHL,USL	UNECH	0.00	0.00				<u> </u>			<u> </u>		
	rate	1	1	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00				i					
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	+	 	OCA,ODIV,OOC,ODO	OSBIG	0.00	0.00	<u> </u>			 					ļ
- 1	rate		1	UEA,USL,UCL,UDL	USBFR	0.00	0.00]	1				1	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		 		 				 	
	Unbundled DS1 Loop - Expanded Superframe Format option -								 					-		
	no rate			USL	CCOEF	0.00	0.00		1	Ì	ì			l	1	
HIGH CAP	ACITY UNBUNDLED LOCAL LOOP															T
	High Capacity Unbundled Local Loop - DS3 - Per Mile per														1	
	month	+	 	UE3	1L5ND	9.25			1					<u></u>		
1	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	1	1	UE3	UE3PX	200.01	004.000	200	100 :-						1	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	+		UE3	UE3PX	308.31	634.087	388.792	198.95	138.483	ļ					
	month		[UDLSX	1L5ND	9.25			1	1				Ì	1	1
	High Capacity Unbundled Local Loop - STS-1 - Facility		 	ODLSX	ILSIND	9.25					_					
	Termination per month	1		UDLSX	UDLS1	320.51	634.087	388.792	198,95	138.483						l
LOOP MAK		+	 	ODEOX	ODEST	320.51	034.067	300.792	198,95	136.483	 			ļ		
1	Loop Makeup - Preordering Without Reservation, per working of	7	1	 							 					
ı	spare facility queried (Manual).		1	UMK	UMKLW		23.40	23.40						1	İ	
	Loop Makeup - Preordering With Reservation, per spare facility								1		 					
	queried (Manual).		<u>Ĺ</u>	UMK	UMKLP]]	24.85	24,85	1		İ					
	Loop MakeupWith or Without Reservation, per working or	_	1													
	spare facility queried (Mechanized)		ļ	UMK	UMKMQ		0.67	0.67								
LINE SPLIT		-	-			ļi										
	IE SPLITTING D USER ORDERING-CENTRAL OFFICE BASED	-	 								ļ					
EN	Line Splitting - per line activation DLEC owned splitter		 -	UEPSR UEPSB	UREOS	0.61					ļ					
	Line Splitting - per line activation BST owned - physical	+	 	UEPSR UEPSB	UREBP	0.61	37.02	21,20	21.10	9.87	 					
	Line Splitting - per line activation BST owned - virtual		 	UEPSR UEPSB	UREBV	0.61	37.02	21,20	21.10	9.87	 					
MA	INTENANCE			02.01.02.02	31.24	0.01		21,20	21.10	3.07	-				 	
	TE: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as app	olicable.					1					
	No Trouble Found - per 1/2 hour increments - Basic			I			80.00	55.00							***************************************	
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								
	ED DEDICATED TRANSPORT	+											~			
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-	 			ļ					ļ			ļ		
	Per Mile per month			UITVX	1L5XX					1]	1	1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade		 	10114	ILSAA	0.01			<u> </u>					ļ		
	Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75				Ì	1	1
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	-	t			20,17	47.54	31./6	22.11	0.75	 				 	
. 1	Rev Bat Per Mile per month		I	U1TVX	1L5XX	0.01								ł	i	1
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Facility Termination			UITVX	U1TR2	29.11	47.34	31.78	22.77	8.75						L
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	9	1													
	Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	e	1	LITTO												
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75				<u></u>		
	per month	1	ĺ	UITDX	1L5XX	0.0115								ĺ		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	+	 	01104	ILOAA	0.0115					-			ļ		
	Termination	1)	U1TDX	U1TD5	20.97	47.35	31.78	22,77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		 	1	31100	20.01	47.05	31.76	22,11	0.75	 				 	
	per month		[UITDX	1L5XX	0.0115			i i		[l			ļ	l
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination	1	I	U1TDX	U1TD6	20.97	47.35	31.78	22.77	8,75					i	i

month interoff Termin interoff month interoff inter	roffice Channel - Dedicated Tranport - DS1 - Facility nination roffice Channel - Dedicated Transport - DS3 - Per Mile per 1th roffice Channel - Dedicated Transport - DS3 - Per Mile per 1th roffice Channel - Dedicated Transport - DS3 - Facility nination per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per 1th roffice Channel - Dedicated Transport - STS-1 - Facility nination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Dark Fiber - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop	Interim	Zone	U1TD1 U1TD3 U1TD3 U1TS1 U1TS1	USOC 1L5XX U1TF1 1L5XX U1TF3 1L5XX	96.04 4.97	Nonrec First 105.52	RATES (\$) curring Add'I 98.46	Nonrecurring First	Disconnect Add'l		Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$)	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
month interoff Termin interoff month interoff inter	th noroffice Channel - Dedicated Transport - DS1 - Facility initiation roffice Channel - Dedicated Transport - DS3 - Per Mile per the roffice Channel - Dedicated Transport - DS3 - Facility initiation per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per the roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel - Dark Fiber - Interoffice Channel - Dark Fiber - Interoffice Channel - Channel - STS-1 - Facility reof per month - Local Loop			U1TD1 U1TD3 U1TD3 U1TS1	U1TF1 1L5XX U1TF3	0.23 96.04 4.97	First	Add'l			SOMEC	SOMAN			SOMAN	SOMAN
month interoff Termin interoff month interoff inter	th noroffice Channel - Dedicated Transport - DS1 - Facility initiation roffice Channel - Dedicated Transport - DS3 - Per Mile per the roffice Channel - Dedicated Transport - DS3 - Facility initiation per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per the roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel - Dark Fiber - Interoffice Channel - Dark Fiber - Interoffice Channel - Channel - STS-1 - Facility reof per month - Local Loop			U1TD1 U1TD3 U1TD3 U1TS1	U1TF1 1L5XX U1TF3	0.23 96.04 4.97			First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
month interoff Termin interoff month interoff month interoff month interoff month interoff month interoff month interoff month interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Termin interoff Interoff	th noroffice Channel - Dedicated Transport - DS1 - Facility initiation roffice Channel - Dedicated Transport - DS3 - Per Mile per the roffice Channel - Dedicated Transport - DS3 - Facility initiation per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per the roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Channel - Dedicated Transport - STS-1 - Facility initiation roffice Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel - Dark Fiber - Interoffice Channel - Dark Fiber - Interoffice Channel - Channel - STS-1 - Facility reof per month - Local Loop			U1TD1 U1TD3 U1TD3 U1TS1	U1TF1 1L5XX U1TF3	96.04 4.97	105.52	98.46					l i	۱ ۱	1	
Interoff Termin Interoff Inter	roffice Channel - Dedicated Tranport - DS1 - Facility nination roffice Channel - Dedicated Transport - DS3 - Per Mile per 1th roffice Channel - Dedicated Transport - DS3 - Per Mile per 1th roffice Channel - Dedicated Transport - DS3 - Facility nination per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per 1th roffice Channel - Dedicated Transport - STS-1 - Facility nination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Dark Fiber - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop			U1TD1 U1TD3 U1TD3 U1TS1	U1TF1 1L5XX U1TF3	96.04 4.97	105.52	98.46					1 '	. '	1 !	1
Termin Interoff month	nination roffice Channel - Dedicated Transport - DS3 - Per Mile per th roffice Channel - Dedicated Transport - DS3 - Facility rination per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per th roffice Channel - Dedicated Transport - STS-1 - Facility roffice Channel - Dedicated Transport - STS-1 - Facility nination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel - Dark Fiber - Interoffice Channel - Dark Fiber - Interoffice Channel - Chann			U1TD3 U1TD3 U1TS1	1L5XX U1TF3	4.97	105.52	98.46					 		ļl	·
month interoff Termin Interoff month interoff month interoff month interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff In	Ath roffice Channel - Dedicated Transport - DS3 - Facility rinination per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per th roffice Channel - Dedicated Transport - STS-1 - Facility rinination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Telber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop			U1TD3 U1TD3 U1TS1	1L5XX U1TF3	4.97	100.02		23.09	20,49			(!	, 1	į l	1
Interoff Termin Interoff Interoff Month Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Inte	roffice Channel - Dedicated Transport - DS3 - Facility inination per month or office Channel - Dedicated Transport - STS-1 - Per Mile per th or office Channel - Dedicated Transport - STS-1 - Facility nination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel - Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel - Dark Fiber - Interoffice Channel - Channel - Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel - Channel - Strands, Per Route Mile or Fraction reof per month - Local Loop			U1TD3 U1TS1	U1TF3		1		23.09	20,49			l		l	
Termin Interoff month Interoff month Interoff month Interoff Termin PARK FIBER Dark F Thereo Dark F Thereo NRC Interoff Thereo NRC Interoff Thereo NRC Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Thereo Interoff Interoff Thereo Interoff	nination per month roffice Channel - Dedicated Transport - STS-1 - Per Mile per tith roffice Channel - Dedicated Transport - STS-1 - Facility rination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop			U1TS1		4 475 45			l i		i i			, '	1 1	
Interofi month interoff month interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff	roffice Channel - Dedicated Transport - STS-1 - Per Mile per the control of the c			U1TS1												
month Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Termin Interoff Interoco Dark Fig. 1 Dark Fig.	th roffice Channel - Dedicated Transport - STS-1 - Facility initiation (Fiber, Four Fiber Strands, Per Route Mile or Fraction recof per month - Local Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction recof per month - Interoffice Channel) Dark Fiber - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction recof per month - Local Loop				1L5XX	1,175.15	335.40	219.24	89.57	87.75				i		
Interoff JARK FIBER Dark Fi Thereo Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo Intereo Splittin HYSICAL COLLOCAT Splittin HYSICAL COLLOCAT Splittin HYSICAL COLLOCAT Splittin HYSICAL COLLOCAT Splittin HYSICAL COLLOCAT Splittin HYSICAL COLLOCAT Splittin NOTE: The mo NOTE: The mo 2-Wire 2-Wire 2-Wire 2-Wire 4-Wire 4-Wire 4-Wire 4-Wire Volce G 4-WIRE Fo KB	roffice Channel - Dedicated Transport - STS-1 - Facility nination (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel (Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop				1LOAA	4.07								,	1	1
Dark FIBER Dark FIBER Dark FITHereo Dark FITHEREO Dark FITHEREO NRC L Dark FITHEREO NRC L Dark FITHEREO NRC L Dark FITHEREO NRC L Dark FITHEREO Splittin HYSICAL COLLOCATI NITUAL COLLOCATI Virtual Splittin NANCED EXTENDE NOTE: The mo NOTE: The mo 2-Wire 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-WIRE 4-Wire 4-Wire 4-Wire Voice C 4-WIRE S6 KB	nination K Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop			UITSI	1	4.97							j		 	
Dark Fiber Dark Fiber Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Dark Fibere Splittin HYSICAL COLLOCAT Physic Splittin NHANCED EXTENDE NOTE: The mc NOTE: The mc NOTE: The mc 2-Wire 2-Wire 2-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire Volce G 4-Wire 56 KB	k Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Channel k Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop			 	UITES	1,149.51	335.40	219,24	89.57	87.75	}		()	, 1	()	ı
Thereo Dark Fi Thereo NRC I Dark Fi Thereo IRTUAL COLLOCATI Virtual Splittin HYSICAL COLLOCA Physic Splittin NHANCED EXTENDE NOTE: The mo NOTE: The mo 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire Voice C 4-Wire 56 KB	reof per month - Local Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop				101110	1,140,51	355.40	213,24	09.57	07.75	-		r		 	
Dark Fi Thereo NRC I Dark Fi Thereo NRC I Dark Fi Thereo Intrual COLLOCATI Virtual Splittin HYSICAL COLLOCAT Physics Physics NOTE: The mo NOTE: The mo NOTE: The mo 2-Wire VOICE 2-Wire 2-Wire 4-Wire 4-Wire 4-Wire 4-Wire Voice C 4-Wire 56 KB	Kriber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop		 	1	T											
Thereo NRC I Dark Fi Thereo IRTUAL COLLOCATI Virtual Splittin HYSICAL COLLOCA Splittin HYSICAL COLLOCA NOTE: The mo NOTE: The mo 2-Wire 2-Wire 2-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KBI	reof per month - Interoffice Channel Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop		1	UDF, UDFCX	1L5DC	54.06			ļ l				, ,	, !	, }	
NRC D Dark Fi Theree IRTUAL COLLOCAT Virtual Splittin HYSICAL COLLOCA Physic Splittin NMANCED EXTENDE NOTE: The mo NOTE: The mo 2-Wire 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KB	Dark Fiber - Interoffice Channel Fiber, Four Fiber Strands, Per Route Mile or Fraction Freof per month - Local Loop	<u> </u>														
Dark Fi Thereo IRTUAL COLLOCATI Virtual Splittin HYSICAL COLLOCAT Physic	Fiber, Four Fiber Strands, Per Route Mile or Fraction reof per month - Local Loop		<u> </u>	UDF, UDFCX	1L5DF	30.74								i		
ITHOROUSE INTUAL COLLOGATI INTUAL COLLOGATI Splittin HYSICAL COLLOGA Physics Splittin NHANCED EXTENDE NOTE: The mo NOTE: The mo 2-WIRE VOICE 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire Voice C 4-WIRE S6 KBI	reof per month - Local Loop		ļ	UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
IRTUAL COLLOCATI Virtual Spilitin HYSICAL COLLOCA Physic Spilitin NHANCED EXTENDE NOTE: The mo NOTE: The mo 2-Wire 2-Wire Voice 4-Wire 4-Wire 4-Wire 4-Wire Voice C 4-Wire 56 KB		ì	1	UDF, UDFCX	1L5DL	54.00]]		i 1	, J	, 1	
Virtual Splittin Wiscont		 		Jobr, Obrex	TILSUL	54.06							 		 	
Splittin HYSICAL COLLOCA' Physical Splittin NHANCED EXTENDE NOTE: The mo NOTE: The mo 2-WIRE VOICE 2-Wire 2-Wire Voice 6 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 5-6-KB	ral Collocation-2 Wire Cross Connects (Loop) for Line	+														
Physics Splittin NHANCED EXTENDE NOTE: The mo NOTE: The mo 2-WIRE VOICE 2-Wire 2-Wire Voice 0 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KB		(į.	UEPSR UEPSB	VE1LS	0.0309	24,68	23.68	12.14	10.95) <u> </u>	ì	i 1	,)	i 1	
Splittin NANCED EXTENDE NOTE: The mo NOTE: The mo 2-Wire 2-Wire 2-Wire 2-Wire Voice 6 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 5-6-KB		,						20.00	,2	70.00						
NAME	sical Collocation-2 Wire Cross Connects (Loop) for Line				T											
NOTE: The mo NOTE: The mo 2-WIRE VOICE 2-Wire 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KB			<u> </u>	UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12,14	10.95				}	ı J	
NOTE: The mo 2-WIRE VOICE 2-Wire 2-Wire Voice 0 4-WIRE VOICE 4-Wire 4-Wire Voice 0 4-Wire 4-Wire 4-Wire Voice 0 4-WIRE VOICE	DED LINK (EELs)		1	<u> </u>	<u> </u>	L										
2-WIRE VOICE	monthly recurring and non-recurring charges below will	apply and	the Sv	vitch-As-is Charge w	ill not apply	for UNE combi	nations provis	ioned as ' Ord	narily Combine	d' Network El	ements.		i			
2-Wire 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KB	monthly recurring and the Switch-As-Is Charge and not CE GRADE LOOP FOR USE IN A COMBINATION	the non-re	Curring	charges below will	apply for UN	E combination	s provisioned	as ' Currently (Combined' Netv	ork Elements						
2-Wire 2-Wire 2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 4-Wire 56 KBI	/ire VG Loop (SL2) in Combination - Zone 1	 	1	UNCVX	UEAL2	12.67	125,22	60.48	59.69	7,84						
2-Wire Voice C 4-WIRE VOICE 4-Wire 4-Wire 4-Wire Voice C 4-WIRE 56 KBI	/ire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
4-WIRE VOICE 4-Wire 4-Wire 4-Wire Voice 0 4-WIRE 56 KBI	/ire VG Loop (SL2) in Combination - Zone 3	T	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
4-Wire 4-Wire 4-Wire Volce 0 4-WIRE 56 KBI	e Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84	30.00							
4-Wire 4-Wire Volce 0 4-WIRE 56 KBI	CE GRADE LOOP FOR USE IN A COMBINATION															
4-Wire Voice 0	/ire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
4-WIRE 56 KBI	fire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
4-WIRE 56 KBI	/ire Analog Voice Grade Loop in Combination - Zone 3 e Grade COCI in combination - per month	 	3	UNCAX UNCAX	UEAL4 1D1VG	85.06 0.62	125.22	60.48	59.69	7.84			,		,	
	(BPS DIGITAL LOOP FOR USE IN A COMBINATION	 	 	UNUVA	LIDIAG	0.62	6.71	4.84								
	fire 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	/ire 56Kbps Digital Grade Loop in Combination - Zone 2	 		UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
4-Wire	fire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						~
OCU-D	J-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				~				
	(BPS DIGITAL LOOP FOR USE IN A COMBINATION															
	/ire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	rire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	tro E4K bon Digital Grada Loop in Combined - 7	 	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	/ire 64Kbps Digital Grade Loop in Combination - Zone 3	 	 	UNCDX	1D1DD	1.32	6.71	4.84								
	J-DP COCI (data) - in combination - per month (2.4-64kbs)	 	1 1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
		 		UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
2-Wire	J-DP COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR USE IN COMBINATION			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	J-DP COCI (data) - in combination - per month (2.4-64kbş) N LOOP FOR USE IN COMBINATION Tre ISDN Loop in Combination - Zone 1 Tre ISDN Loop in Combination - Zone 2 Tre ISDN Loop in Combination - Zone 3			UNCNX	UC1CA	2.84	6.71	4.84	- 55.55							
	J-DP COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR USE IN COMBINATION fire ISDN Loop in Combination - Zone 1 fire ISDN Loop in Combination - Zone 2 fire ISDN Loop in Combination - Zone 3 re ISDN COCI (BRITE) - in combination - per month															
	J-DF COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR USE IN COMBINATION Tire ISDN Loop in Combination - Zone 1 Tire ISDN Loop in Combination - Zone 2 Tire ISDN Loop in Combination - Zone 3 Tire ISDN Loop in Combination - per month DIGITAL LOOP FOR USE IN A COMBINATION			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	J-DP COCI (data) - in combination - per month (2.4-64kbş) N LOOP FOR USE IN COMBINATION Tire ISDN Loop in Combination - Zone 1 Tire ISDN Loop in Combination - Zone 2 Tire ISDN Loop in Combination - Zone 3 re ISDN COCI (BRITE) - in combination - per month DIGITAL LOOP FOR USE IN A COMBINATION re DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	114.10	210.70									
DS1 Co	J-DF COCI (data) - in combination - per month (2.4-64kbs) N LOOP FOR USE IN COMBINATION Tire ISDN Loop in Combination - Zone 1 Tire ISDN Loop in Combination - Zone 2 Tire ISDN Loop in Combination - Zone 3 Tire ISDN Loop in Combination - per month DIGITAL LOOP FOR USE IN A COMBINATION		2 3		USLXX	297.76	210.70	114.60 114.60	63.96 63.96	17.97 17.97						

UNDUN	ULEL	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc		N	RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Charge -
			 	 			Rec	Nonred First		Nonrecurring					Rates (\$)		
2 '	WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MRINAT	ION				rirst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	1	T			·			 		 	<u> </u>				
		Month		i	UNCVX	1L5XX	0.01						J				
		Interoffice Transport - 2-wire VG - Dedicated - Facility	 	 	CHOTA	TICOAA .	0.01			-		 	ļ				
L		Termination per month	1	ł	UNCVX	U1TV2	23.95	98.09	53.67	56.31	25.40			ł	i I		
4	WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ION		- 07,12	20.00	96.09	53.07	56.31	22.42						ļ <u>.</u>
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per										 		ļ			
		Month	1	1	UNCVX	1L5XX	0.01					ĺ	i	1			l
		Interoffice Transport - 4-wire VG - Dedicated - Facility				1.0701				 	·	ļ	ļ				
		Termination per month	ł	1	UNCVX	U1TV4	23.95	98,09	53.67	56.31	22.42	1	1	ì	}		i
DS		EROFFICE TRANSPORT FOR COMBINATION		I				55,55	55.67	30,31	22.42	 		 	 		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	· · · · · · · · · · · · · · · · · · ·	ľ						† 		 	···	 	 i		
		per month		<u></u>	UNC1X	1L5XX	0.19	1		1)	1]]		1
1		Interoffice Transport - Dedicated - DS1 combination - Facility								1				 			
		Termination per month			UNC1X	U1TF1	79.02	181,24	123.53	56.72	22.32						(
<u> _</u>		1/0 Channelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14,74	1.86	1,67						
D.		EROFFICE TRANSPORT FOR USE IN A COMBINATION	<u> </u>								···						
- 1		Interoffice Transport - Dedicated - DS3 combination - Per Mile	Į.	ĺ		Ī											· · · · · · · · · · · · · · · · · · ·
		Per Month	ļ		UNC3X	1L5XX	4.09						ļ				ĺ.
- 1		Interoffice Transport - Dedicated - DS3 - Facility Termination per	l			1.											
		month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	ļ					i
121		NTEROFFICE TRANSPORT FOR USE IN COMBINATION															
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month	ŀ			1											
		Interoffice Transport - Dedicated - STS-1 combination - Facility	<u> </u>		UNCSX	1L5XX	4.09					Į.	· ·		li		į.
ì		Termination per month	l	l	LINICOV												
4.3	WIDE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	CDODT		UNCSX	UITFS	945.79	350.56	141.58	48.00	23.39						L
		4-wire 56 kbps Local Loop in combination - Zone 1	SPUHI		LINODY	1151.55											
		4-wire 56 kbps Local Loop in combination - Zone 2		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	32.48	125.22	60.48	59.69	7.84						i
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	 	-3-	UNCDX	UULS6	36.37	125.22	60.48	59.69	7.84						
i	- 1	Per Mile per month			UNCDX	1L5XX	0.01			1 1		 	l i				1
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONCOA	ILDAA	0.01					<u></u>					ļ
		Facility Termination per month	i		UNCDX	U1TD5	17.25	98.09	53.67	50.04	00.40	i	i				l .
4-1		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO		01103	17.23	96.09	53.67	56.31	22.42	ļ		ļ			
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1100		UNCDX	UDL64	27,59	125.22	60.48	59.69	7.84	ļ					
		4-wire 64 kbps Looal Loop In Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				7		120.22	00.40	39.09	7.04	 			 		
]	Per Mile per month			UNCDX	1L5XX	0.01	ł		1					ļ	l	i
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -								 		 					
		Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42)					l
4-1		56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	ETRANS							T							ſ <u>······</u>
	I	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	ÜDL56	36.37	125.22	60.48	59.69	7.84						/
1		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per										· · · · · · · · · · · · · · · · · · ·					
		nonth		<u> </u>	UNCDX	1L5XX	0.01										l
- 1		4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
		Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42			i ')	ı
4-V		64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E (RANS		Littory	- i											
		4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
		4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						_
	}	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
1	- 1.	l4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			LINGRY	41.5301		·-J									
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility	<u> </u>		UNCDX	1L5XX	0.01										
1		Termination per month			LINCDV	Luzpa											
ne		STAL LOOP AND DS1 INTERFOFFICE TRANSPORT		 	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						·
100	o i Dic	THE LOOP AND DOT INTERPOPPICE THANSPORT		ليسيا			1										

	NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhil	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
		ļ			1	Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63,96	17.97						
	-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
pe	steroffice Transport - Dedicated - DS1 combination - Per Mile er month			UNC1X	1L5XX	0.19										
	iteroffice Transport - Dedicated - DS1 combination - Facility				1											
	ermination per month	1	}	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1		!		{	}
DS3 DIGIT	TAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPI	ORT														
D:	S3 Local Loop in combination - per mile per month	T	1	UNC3X	1L5ND	10.6375										
					1											
l los	S3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483	i i			(i	ì
	steroffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	4.09		555.,52	.00.00	100.700	<u> </u>				 	
In	teroffice Transport - Dedicated - DS3 combination - Facility	1	1		1	1		-			-					
	ermination per month	1	{	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	('	1	1		1
	GITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	USPORT		DITOOK	101110	300.00	000.00	(41.50	40.00	20.00	 					
	TS-1 Local Lolp in combination - per mile per month	10. 0	-	UNCSX	1L5ND	10.6375										
	TS-1 Local Loop in combination - Facility Termination per			brook	1.20140	10.0075										
m-	onth			UNCSX	UDLS1	368.5865	634.087	388.792	198.95	138.483						
1 1	steroffice Transport - Dedicated - STS-1 combination - per mile er month			UNCSX	1L5XX	4.09										}
	steroffice Transport - Dedicated - STS-1 combination - Facility															
	ermination per month			UNCSX	U1TFS	945,79	350.56	141.58	48.00	23.39						
	TWORK ELEMENTS	1				<u> </u>										
When use	ed as a part of a currently combined facility, the non-recur	rng charg	es do n	ot apply, but a Swi	tch As is cha	rge does apply.										
When use	ed as ordinarily combined network elements in All States, t	he non re	aurrina.	charges apply and	the Switch A	e le Charge des	4									
	ed to ordinarry combined notwork elements in Air Clares,	me none	canning	direct goo appris and	CHO SWILCH M	is is Charge doe	s not.	L		<u> </u>	1					
Nonrecur	ring Currently Combined Network Elements "Switch As is"	Charge (One app	lies to each combin	ation)	is is charge doe	s not.									
Nonrecur	ring Currently Combined Network Elements "Switch As Is"	Charge (One app	lies to each combin	nation)	as is charge doe	s not,									
Nonrecur	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As	Charge (One app	lies to each combin	nation)	is is charge doe	s not.									
Nonrecur	ring Currently Combined Network Elements "Switch As Is"	Charge (One app	lies to each combin UNCVX, UNCDX,	unccc	is is charge doe		8.98	11.17	11.17						
Nonrecur No Nonrecur	ring Currently Combined Network Elements "Switch As Is" onrecurring Currently Combined Network Elements Switch -As	Charge (One app	UNCVX, UNCDX, UNC1X, UNC3X,	ation)	is is charge doe	8.98	8.98	11.17	11.17						
Nonrecur No Nonrecur	ring Currently Combined Network Elements "Switch As Is" onrecurring Currently Combined Network Elements Switch -As Charge	Charge (One app	lies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	ation)	s is Charge doe		8.98	11.17	11.17						
Nonrecur No Is Optional	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions:	Charge (One app	lies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	is is charge doe	8.98									
Nonrecur No Is Optional	ring Currently Combined Network Elements "Switch As Is" onrecurring Currently Combined Network Elements Switch -As Charge	Charge (One app	UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X	ation)	is is charge doe		8.98	11.17	11.17						
Nonrecuri No Is Optional	ring Currently Combined Network Elements "Switch As Is" on recurring Currently Combined Network Elements Switch -As Charge Features & Functions:	Charge (One app	lies to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1,	UNCCC	is is criarge doe	8.98	0.00	0.00	0.00						
Nonrecuri Nonrecuri Is Optional	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As: Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1	Charge (One app	lies to each combinuous uncox, uncox, uncox, uncox, uncox, uncox, uncox, uncox, uncox, uncox, ultipli, uncoi, ultipli, uncoi, ultipli, uncoi, ultipli, uncoi, uncoi, ultipli, uncoi, unc	UNCCC	is is Criarge doe	8.98									
Nonrecum Nonrecum Nonrecum Is Optional	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent	Charge (One app	Iles to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X	UNCCC CCOEF CCOSF	is is Criarge doe	8.98 0.00 0.00	0.00	0.00	0.00						
Nonrecum Nonrecum Is Optional	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As: Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1	Charge (One app	Illes to each combination of the	UNCCC	is is Crialge doe	8.98	0.00	0.00	0.00						
Nonrecuri Nonrecuri Is Optional	rring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCD1, UNCD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X, USCA, UNCA, USC	UNCCC CCOEF CCOSF NRCCC	is is Criarge doe	8.98 0.00 0.00 184.91	0.00 0.00 23.82	0.00 0.00 1.99	0.00 0.00 0.78						
Nonrecuri No Is Optional CI CI CI	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF	is to Creatify the	8.98 0.00 0.00	0.00	0.00	0.00						
Nonrecur Nonlis Optional CI CI CC MULTIPL	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 clear Channel Capability Super FrameOption - per DS1 clear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC		8.98 0.00 0.00 184.91 205.70	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecuri	ring Currently Combined Network Elements "Switch As is" on recurring Currently Combined Network Elements Switch -As: Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 -EXXENS S1 to DS0 Channel System per month	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCD1, UNCD1, ULDD1, UNC1X ULDD1, UNC1X ULDD1, UNC1X, USCA, UNCA, USC	UNCCC CCOEF CCOSF NRCCC	113.33	8.98 0.00 0.00 184.91	0.00 0.00 23.82	0.00 0.00 1.99	0.00 0.00 0.78						
Nonrecur Nonrecur Nonrecur Nonrecur Col Col Acl MULTIPL DO	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS St to DS0 Channel System per month CU-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Col Col Ad MULTIPL Do m	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1bit Parity Option - Subsequent Activity - per DS3 EXERS S1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per wonth (2.4-64kbs) used for a Local Loop	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC		8.98 0.00 0.00 184.91 205.70	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Col Col Ad MULTIPL Do m	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS St to DS0 Channel System per month CU-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecurion Nonrecurio Nonr	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS St to DS0 Channel System per month CU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop CU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channel zero	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecuri	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As: Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 bit Parity Option - Subsequent Activity - per DS3 EXXENS S1 to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per ionth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CCI CCI CCI ACI MULTIPL DD O m CO m Lci	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS St to DS0 Channel System per month CU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop CU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channel zero	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UTD1, ULDD1,UNC1X UTD1, UND1,UNC1X ULDD1,UNC1X, USL UTD1, UNCD1, UNCD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20 14.74 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CC CC MULTIPL OO m LC CC graph CO graph Graph CO g	ring Currently Combined Network Elements "Switch As is" on recurring Currently Combined Network Elements Switch -As: Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXXENS S1 to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channelized DS1 ocal Channel in the same SWC as collocation -wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per control (SD1 COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per collocation - collocat	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	113.33 1.32	8.98 0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecuri	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UTD1, ULDD1,UNC1X UTD1, UND1,UNC1X ULDD1,UNC1X, USL UTD1, UNCD1, UNCD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC NRCC3	113.33	8.98 0.00 0.00 184.91 205.70 57.26	0.00 0.00 23.82 7.20 14.74 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CC CC CC CC CC MULTIPL DC Multipl CC CC CC Multipl CC CC CC Multipl CC CC CC CC CC Multipl CC CC CC CC CC CC Multipl CC CC CC CC CC CC CC CC CC	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	113.33 1.32	8.98 0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur CC CC MULTIPL OO m CC MULTIPL OO m CC MULTIPL OO m CC MULTIPL OO m CC MULTIPL OO OO MULTIPL OO MUL	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	113.33 1.32 1.32 2.84	8.98 0.00 0.00 184.91 205.70 57.26 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Col Col Ac MULTIPL Do m Col Col	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 -bit Parity Option - Subsequent Activity - per DS3 EXERS St to DS0 Channel System per month CU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channelized DS1 cocal Channel in the same SWC as collocation wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per conth for a Local Loop were ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per conth used for connection to a channelized DS1 Local Channel to the same SWC as collocation	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD	113.33 1.32	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CC CC CC CC AA CC MULTIPL DC O m LC 22- m in VV	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combit UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCSX, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, UNCYX, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	113.33 1.32 1.32 2.84	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CC CC MULTIPL DD M CO m Loc 2- m in voc us	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent citivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent citivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent citivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent citivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent citivity - per DS1 lear Channel System per month Option - Subsequent Citivity - per DS3 EXERS S1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per nonth (2.4-64kbs) used for connection to a channelized DS1 cocal Channel in the same SWC as collocation -wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per nonth used for connection to a channelized DS1 Local Channel the same SWC as collocation coice Grade COCI - DS1 to DS0 Channel System - per month sed for a Local Loop	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	113.33 1.32 1.32 2.84	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Col Ac MULTIPL DO m Lc 2- m in VV us VV	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1	Charge (One app	Illes to each combit UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCSX, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X U1TD1, UNCYX, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UDL U1TUD	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA	113.33 1.32 1.32 2.84	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecure Nonrecure Nonrecure Nonrecure Nonrecure Nonrecure Coll Ac MULTIPL Do O m Lc 2- m in Vo	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: Idear Channel Capability Extended Frame Option - per DS1 Idear Channel Capability Super FrameOption - per DS1 Idear Channel Capability Super FrameOption - per DS1 Idear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 Idear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 Idear Channel Capability Super FrameOption - per DS3 IEXERS ISST to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per nonth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per nonth (2.4-64kbs) used for connection to a channelized DS1 ocal Channel in the same SWC as collocation Indicated Coci (BRITE) - DS1 to DS0 Channel System - per nonth for a Local Loop It is same SWC as collocation older Grade COCI - DS1 to DS0 Channel System - per nonth used for connection to a channelized DS1 Local Channel in the same SWC as collocation Indicated COCI - DS1 to DS0 Channel System - per month sed for a Local Loop Oice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the	Charge (One app	Illes to each combination of the	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	113.33 1.32 1.32 2.84 2.84 0.6228	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08	0.00 0.00 1.99 0.6924	0.00 0.00 0.78 0.00						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur CC CC MULTIPL DD mm Lcc mm in Vonv Vonus see see	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS3 EXERS S1 to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channel system - per conth (2.4-64kbs) used for connection to a channel System - per conth (2.6-64kbs) used for connection to a channel System - per conth for a Local Loop - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per conth used for connection to a channelized DS1 Local Channel to the same SWC as collocation olice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the ame SWC as collocation olice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the ame SWC as collocation	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCX, UNC3X, UNC3X, UNC3X, UNC3X, UNC5X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	113.33 1.32 1.32 2.84 2.84 0.6228	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						
Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Nonrecur Coll Coll Ac MULTIPL Dol m Lc 2- m in V. us see	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent ctivity - per DS3 EXERS ST to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per onth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per onth (2.4-64kbs) used for connection to a channelized DS1 cocal Channel in the same SWC as collocation wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per onth for a Local Loop wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per onth used for connection to a channelized DS1 Local Channel the same SWC as collocation olice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the ame SWC as collocation S3 to DS1 Channel System per month	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UTTD1, ULDD1,UNC1X UTTD1, ULDD1,UNC1X ULDD1,UNC1X, USL UTTD3, ULDD3, UE3, UNC3X UNC1X ULDU UNC3X UNC1X ULDU UNC3X UNC1X ULDD1, UTTD3, UNC3X UNC1X UNC2X UNC2X UNC1X UNC2X	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA 1D1VG MO3	113.33 1.32 1.32 2.84 2.84 0.6228	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						
Nonrecur Nonrecur Nonrecur Nonrecur Col Col Acl MULTIPL Dol Multipl Col Col Multipl Col Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Multipl Col Col Multipl Col Col Multipl Co	ring Currently Combined Network Elements "Switch As is" onrecurring Currently Combined Network Elements Switch -As Charge Features & Functions: lear Channel Capability Extended Frame Option - per DS1 lear Channel Capability Super FrameOption - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS1 lear Channel Capability (SF/ESF) Option - Subsequent clivity - per DS3 EXERS S1 to DS0 Channel System per month ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for a Local Loop ICU-DP COCI (data) - DS1 to DS0 Channel System - per conth (2.4-64kbs) used for connection to a channel system - per conth (2.4-64kbs) used for connection to a channel System - per conth (2.6-64kbs) used for connection to a channel System - per conth for a Local Loop - wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per conth used for connection to a channelized DS1 Local Channel to the same SWC as collocation olice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the ame SWC as collocation olice Grade COCI - DS1 to DS0 Channel System - per month sed for connection to a channelized DS1 Local Channel in the ame SWC as collocation	Charge (One app	Illes to each combine UNCVX, UNCDX, UNCX, UNC3X, UNC3X, UNC3X, UNC3X, UNC5X UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	113.33 1.32 1.32 2.84 2.84 0.6228	8.98 0.00 0.00 184.91 205.70 57.26 10.07 10.07 10.07	0.00 0.00 23.82 7.20 14.74 7.08 7.08 7.08	0.00 0.00 1.99 0.6924 1.86	0.00 0.00 0.78 0.00 1.67						

UNBU	NDLE	NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhl	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			}	1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ORV	RATE ELEMENTS										Elec	Manually	Manuai Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORT	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				1									l	Electronic-	Electronic-	Electronic-	Electronic-
)]								1	ĺ	1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		·	oss	Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		DS1 COCI (used for connection to a channelized DS1 Local						1					[
		Channel in the same SWC as collocation) per month	L		U1TUA	UC1D1	11.80	10.07	7.08	i Ì		1	i				1 1
		DS1 COCI used with Interoffice Channel per month			UITDI	UC1D1	11.80	10.07	7.08			1					
		DS3 Interface Unit (DS1 COCI) used with Local Channel per											1				
		month			ULDD1	UC1D1	11.80	10.07	7.08	. 1		}	1		1		
	Note: I	lates displaying an "I" in Interim column are interim as a resu	ult of a Co	mmissi	on order.												

UNBUNI	DLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit; A
	\top		T	Ţ	T	T						Svc Order	Svc Order	Incremental			Increment
	ľ		Ì	1			ļ						Submitted		Charge -	Charge -	Charge
				1			i					Elec					
CATEGOR	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC	ļ		RATES (\$)				Manually				
	1					0000			114163 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
	- 1					1	1							Electronic-	Electronic-	Electronic-	Electroni
				1	Į.	Į.	Į.					1)	1st	Add'l	Disc 1st	Disc Add
				+	 	 		Nonro	curring	Manualizata	g Disconnect	ļ		J	D (0)	<u> </u>	<u> </u>
			 	†	 	 	Rec	First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	Rates (\$)		
			 	1							 				SOMAN	SOMAN	SOMAN
Th	ie "Zoi	ne" shown in the sections for stand-alone loops or loops as	part of a	combin	nation refers to Geog	raphically D	eaveraged UNE	Zones To via	w Geographic	rally Deaverage	d LINE Zone D	peignations	by Cantral	Office rater t	to Internet We	nalta:	L
1110	1 p.//ww	www.interconnection.bensouth.com/become a clec/html/inter	rconnecti	on.htm		,, .			sw Geographic	carry beaverage	SU DIVE ZUNG D	esignations	by Central	Office, refer t	to internet we	osite;	
OPERATIO	JANC	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1	T			T	T	T	T	Τ	T	T	1	T		· · · · · ·
NC	OTE: (CLEC should contact its contract negotiator if it prefers the state specific Commission and advantage for the state specific Commission and advantage for the state specific Commission and advantage for the state specific Commission and advantage for the state specific Commission and advantage for the state specific Commission and advantage for the state specific Commission and the specific Commission and the state specific Commission and the specific Commission and the state specific Commission and the spe	ne "state s	pecific	" OSS charges as or	ered by the	State Commis	sions The OS	S charges cur	rently contains	d in this rate o	whihit are th	n BallSauth	"resisent" s	andon audaris	L charact	I FC
ele	ect eith	her the state specific Commission ordered rates for the servi	ice orderi	na char	ges, or CLEC may al	ect the regio	nal service or	dering charge	however CI E	C can not obto	u m unstate e	the two year	ie Deligouti	Tegional s	ervice ordeni	ig charges. C	CEC may
NC)TE: (2	2) Any element that can be ordered electronically will be bill	led accord	ding to	the SOMEC rate liste	d in this cat	egory Please	refer to BallSo	uth's Local Or	dadaa Haadha	ale (LOH) to de	A - complex - 14 a		C	1		
ca	nnot b	be ordered electronically at present per the LOH, the listed S	OMEC rat	te in thi	s category reflects th	e charge the	at would be bil	lad to a CLEC.	on on electroni	demig nandbo	ok (LON) to de	neriiine n a	product ca	n be orgered	electronically	. Por those e	Hements tr
wi	ll be a	ipplied to a CLECs bill when it submits an LSR to BellSouth.			o outogot, tottoolo ti	ic ondigo and	it would be bil	ING TO A CLEC	once electroni	c ordering cap	abilities come	on-line for t	nat element	. Otherwise,	the manual o	rdering charg	ie, SOMAN
		OSS - Electronic Service Order Charge, Per Local Service	.	1	T									,	·		
- 1		Request (LSR) - UNE Only	1	i	1	SOMEC	1	3,50		1 2		1		ĺ	1	1 .	1
		OSS - Manual Service Order Charge, Per Local Service Request	 	 	 	CONNEC	 	3.50	0.00	3.50	0.00		<u> </u>	ļ	ļ		
	ℓ	(LSR) - UNE Only		l	l	SOMAN	Į.	15.20	2.00	45.00		}	j '	1	1	j i	Ì
NE SERV		DATE ADVANCEMENT CHARGE	-	+	 	SCIVIAIN		15.20	0.00	15,20	0.00						<u> </u>
		The Expedite charge will be maintained commensurate with	RellSouth	's FCC	No 1 Tariff Section	E ne applicat	<u> </u>										<u> </u>
			1	1	Trong Section	i as applicat	ле. Г			 			<u> </u>				
)	- 1			ļ	UAL, UEANL, UCL.	ĺ	1	1							İ		
- 1	- 1			ł						1	ļ		Į		l		ļ
			ļ	ļ	UEF, UDF, UEQ,	}	1	1		ì	Ì	1]		1		
)	- 1			Ĭ.	UDL, UENTW, UDN,						i		į į			1	
İ					UEA, UHL, ULC,	l		į į		1				i	ł	i	
			1	į.	USL, U1T12, U1T48,	}		\))					!	
					U1TD1, U1TD3,									i .			
				1	UITDX, UITO3,							,			ŀ	((į.
	- 1		'	ł	U1TS1, U1TVX,	}]		1			l i			1	
- 1				1	UC1BC, UC1BL,	1			!	l i					1	i	ĺ
ł	- 1											i			Į		Į.
	- [l	UC1CC, UC1CL,					1					i		
- 1				l	UC1DC, UC1DL,]						l	
	-			l	UC1EC, UC1EL,					1	i	į į	l i		Į	! !	ļ
	1		ļ	1	UC1FC, UC1FL,					1 i					ļ	1	
	ĺ			i	UC1GC, UC1GL,										İ		1
	- 1			ļ	UC1HC, UC1HL,					1			Į į		Į.		
	ļ			1	UDL12, UDL48,		i i			1 i		i :					
ľ	- 1		1		UDLO3, UDLSX,												
				1	UE3, ULD12,										,	\ i	1
- 1	- 1		1	1	ULD48, ULDD1,							ĺ					
ł	- 1		l		ULDD3, ULDDX,								!				
	- 1			i	ULDO3, ULDS1,											1	1
1	1)	1	ULDVX, UNC1X,	ļ											
ı				1	UNC3X, UNCDX.							,			[
	i													1	`	1	
}	- 1			Ì	UNCNX, UNCSX,					1							
- 1					UNCVX, UNLD1,												
	- 1			l	UNLD3, UXTD1,					}		1	i			1	
- 1	- 1.]	UXTD3, UXTS1,												
- 1		JNE Expedite Charge per Circuit or Line Assignable USOC, per		1	UTTUC, UTTUD,											į	
		Day	i	L	U1TUB, U1TUA	SDASP		200.00		ſ !				Ì	ļ]	
		CHANGE ACCESS LOOP														<u> </u>	
2-V		ANALOG VOICE GRADE LOOP														·	
		-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		_ 1	UEANL	UEAL2	12.90	36.54	16.87	 					·		
		-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		_2	UEANL	UEAL2	23.33	36.54	16.87								
1		-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36,54	16.87								
	2	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEASL	12.90	36.54	16,87								·
		-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEASL	23.33	36.54	16.87								
		-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	IUEANL		49,431										
	2 U	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Inbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	48.43	36.54	16.87								
	2 U P	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		3	UEANL		48.43										
	2 U P	Inbundled Miscellaneous Rate Element, Tag Loop at End User		3		URETL URET1	48.43	8.33 33.17	0.83 33.17								

UNBUN	DLE	NETWORK ELEMENTS - Louisiana									***************************************			Attach	ment: 2	Exhi	bit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			 					Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		L
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i i	ľ	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)	1]	LIE AND												
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	ļ		UEANL	UREWO		15.75	8.93		<u> </u>						
L l.		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04	ĺ			ĺ				
		Manual Order Coordination for UVL-SL1s (per loop)	1		UEANL.	UEAMC		7.92	7.92			 				···	
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			LIFANI	00001											
2		Unbundled COPPER LOOP			UEANL	OCOSL	-	17.56	17.56			<u> </u>					ļ
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	12.40	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEO	UEQ2X	14.32	35.27	15.60								
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEQ	UEQ2X	16.87	35.27	15.60								
	1	Premise	1		UEQ	URETL		8.33	0.83			1					
		Manual Order Coordination 2 Wire Unbundled Copper Loop -	 		02.0	UNLIL	1	6.33	0.83								
-		Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.t.)			UEO												
		Loop Testing - Basic 1st Half Hour			UEQ UEQ	UEQMU URET1		13.04 33.17	13.04 33.17			<u> </u>	ļ <u></u>				ļ
		Loop Testing - Basic Additional Half Hour			UEQ	URETA	 	19.28	19.28			 					
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
LIMBUND		(UCL-ND) XCHANGE ACCESS LOOP		-	UEQ	UREWO		14.25	7.42								
		ANALOG VOICE GRADE LOOP	 				{ -										ļ
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	· ·				 						ļ				
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00	1					l
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEBOR LIEBOR												
		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	ļ	1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						ļ
		Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										†					
		Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						l
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť	OEI OIT OEI OE	GEALG	70,75	30.34	10.67	0.00	0.00	 					
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						1
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					 					ļ					
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72			ł					ĺ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	25.35	102.10	65.72								
	i	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72								1
		Order Coordination for Specified Conversion Time (per LSR)		- ŭ	UEA	OCOSL	30.40	17.56	05.72			 -					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				- C-7 11E	20.00	102,10	00.12			 					
		Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
-		Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UEA UEA	OCOSL		17.56	20.00								
		Loop Tagging - Service Level 2 (SL2)	 -		UEA	UREYU	 	87.59 11,20	36.30 1.10		+						
4-	WIRE	ANALOG VOICE GRADE LOOP						11.20	1.10								
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127,40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA UEA	UEAL4 UEAL4	38.32 60.39	127.40	91.02								
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	60.39	127.40 17.56	91.02								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	1	87.59	36.30								

UNBUNDLE	D NETWORK ELEMENTS - Louisiana	,												ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)		Sub	mitted lec	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs, Electronic- Disc Add'l
						<u>-</u>	Nonrec	urrina	Nonrecurring Disconn	act			OSS	Rates (\$)		
						Rec	First	Add'l	First Add'		MEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	E ISDN DIGITAL GRADE LOOP															
 	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96								
 	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)	 	3	UDN	U1L2X OCOSL	65.18	113.34	76.96								
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDN	UREWO	ļ	17.56 91,49	44.09								
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	OOP	ODIV	UNEVVO		91,49	44.09								
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	1													
	& facility reservation - Zone 1		1	UAL.	UAL2X	12.29	117.08	68.36		1			ĺ			
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2	ļ	2	UAL	UAL2X	14.09	117.08	68.36			L					
	2 Wire Unbundled ADSL Loop including manual service inquiry	1														
	& facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X	15.75	117.08	68.36								
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSL		17.56									ļ
	facility reservation - Zone 1			UAL	UAL2W	12.29	92,83	56.02		ŀ	1					Į.
	2 Wire Unbundled ADSL Loop without manual service inquiry &		 	I OAL	UNIZV	12.23	92.03	50.02								
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02			Ì					l
	2 Wire Unbundled ADSL Loop without manual service Inquiry &									_						
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02		Į	- 1					ļ
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
	Wire Unbundled HDSL Loop including manual service inquiry facility reservation - Zone 1	'	1	UHL	UHL2X	9,79	125.50	76.77								
	Wire Unbundled HDSL Loop including manual service inquiry tacility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	ĺ	3	UHL	UHL2X	12.74	125.50	76.77								
	Order Coordination for Specified Conversion Time (per LSR)	 	 	UHL	OCOSL		17.56				┷					
	2 Wire Unbundled HDSL Loop without manual service inquiry		1													
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
!	2 Wire Unbundled HDSL Loop without manual service inquiry	ĺ	ŀ													
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch		 	UHL	OCOSL UREWO		17.56	45.54								ļ
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRIFIC	OP	UITL	UNEWU	 	86.00	40.34	l						<u> </u>	
	4 Wire Unbundled HDSL Loop including manual service inquiry		í ·			 			·····							
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry		T				- 135.23									
	and facility reservation - Zone 2		_2	UHL	UHL4X	16.65	153.26	104.54		- 1	- 1					
	4-Wire Unbundled HDSL Loop including manual service inquiry		[1									
	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١.,	UHL	UHL4W	16.24	400.00			- 1	- 1	i		i		
	4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>				129.00	92.20		_						
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	 	2	UHL	UHL4W	16.65	129.00	92.20	<u> </u>							
	and facility reservation - Zone 3	l	3	UHL	UHL4W	17.34	129.00	92.20								1
	Order Coordination for Specified Conversion Time (per LSR)	 		UHL	OCOSL	17.34	17.56	92.20								
	CLEC to CLEC Conversion Charge without outside dispatch	 	 	UHL	UREWO	 	86.00	40.34								
4-WIR	E DS1 DIGITAL LOOP	 	 	 	-	 	30.00	40.04					 			
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	85.70	245.16	152.98			1					
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								{
- I	Order Coordination for Specified Conversion Time (per LSR)	L		USL	OCOSL		17.56									

UNBUNDLE	NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Submitted Manually	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		<u> </u>				Rec	Nonrec	urring	Nonrecurring Disconnect		L	OSS	Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch			1.01	Lineilla	Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 		USL	UREWO	 	100.93	42.98		 	 				
	4 Wire Unbundled Digital 19.2 Kbps	 	1	ÚDL	UDL19	30.99	121.86	85,48	 		 				
	4 Wire Unbundled Digital 19.2 Kbps	Î	2	UDL.	UDL19	36.78	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48			1				
 	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78 38.92	121.86	85.48 85.48	<u> </u>		ļ				
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL	30.92	17.56	05.46			<u> </u>	 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48		-}	 	 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL.	UDL64	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	ļ	3	UDL	UDL64	38.92	121.86	85.48							
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	 		UDL	OCOSL UREWO	 	17.56 101.97	49.67							
	Unbundled COPPER LOOP	 	 	ouc	Onewo		101.97	49.67							
	2-Wire Unbundled Copper Loop-Designed including manual	 			 	t			 		 				
i	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46		⊥.	L				
	2-Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 2	ļ	2	UCL.	UCLPB	14.09	116.18	67.46							
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	45.75	440.40	07.40				İ			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	15.75	116.18 7.92	67.46 7.92							
l	2-Wire Unbundled Copper Loop-Designed without manual	 		1002	TOOLING	 	1.52	1.92							
	service inquiry and facility reservation - Zone 1	١	1	UCL	UCLPW	12.29	91.92	55.12				i			
	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12							
	2-Wire Unbundled Copper Loop-Designed without manual	ļ		1101											
-	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3_	UCL UCL	UCLPW	15.75	91.92 7.92	55.12							
	CLEC to CLEC Conversion Charge without outside dispatch			I DOL	UCLMC		7.92	7.92		 	ļ				
	(UCL-Des)			UCL	UREWO	1	91.92	42.47		1	1			!	
	COPPER LOOP	 			10.12.770		31.52	72.71		+					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1			UCL	1101.40	00.07	100.00								
	4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL4S	22.27	139.69	90.96							
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96		į					i
	4-Wire Copper Loop-Designed including manual service inquiry				T			00.00							
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96	<u> </u>						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	NCFWC		7.92	7.92							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	22.27	4.5.5	70.00		' -					
	4-Wire Copper Loop-Designed without manual service inquiry	 		UUL	UCL4W	22.27	115.43	78.63							
	and facility reservation - Zone 2	ļ	2	UCL	UCL4W	18.95	115.43	78.63		1				·	
	4-Wire Copper Loop-Designed without manual service inquiry							, 0.00		+					
	and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63			1				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7,92							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	UREWO		24.52	40 :-							
LOOP MODIFIC	ATION	 		OOL	JONEWO		91.92	42.47	 	+					
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	T			† 		5.50			 	·				
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15							

Δ 11	141443	nent: 2	rd>sttA	l											NETWORK ELEMENTS - Louisiana	IDLE	ONBON
ncrementa Charge - Manual Sve Order vs, Electronic	Order vs.	Incremental Charge - Manual Svc Order va. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Svc Order Submitted Manually Per LSR	Submitted			(\$) S∃TAR			neoc	BCS	enoZ	minetril	RATE ELEMENTS	YAG	оээтаэ
l'bbA osid	Disc 1st	l'bbA (\$) seteR	1st SSO) Disconnect	Nonrecurring		Nonrecu	- DeR							
NAMOS	NAMOS	NAMOS	NAMOS	NAMOS	SOMEC	ľbbA	18117	I'bbA	tevi7	-	 						SUB-LOC
	-				-										pp Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	on-and	-
	<u> </u>				<u> </u>			60.441	60.441		ASBSU	UEANL			dd	 	+
	 				ļ	ļ					asasn	UEANL		']	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		
	 	 		 				66.01	66.01	 					Sub-Loop - Per Building Equipment Room - CLEC Feeder scility Set-Up	1	
***************************************		İ		 			 	91.98	91.88	 	nabac	DEANL	ļ	ļ	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		
							 	27.13	27.13	 	OSBSD	DEANL	 	 	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		
								90.06	68.69	73.7	USBN2	UEANL	1	 	Zone 1 Jub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-	+
				ļ				30.06	68.69	12.75	USBNZ	NEANL	2	1	7. 900	,	+
		<u> </u>	<u> </u>	ļ	ļ				68.69	21,45	USBNZ	NEANL	3		bub-Loop Distribution Per S-Wire Analog Voice Grade Loop - cone 3	?	1
		 	 	 	 	 		90.05		1		JNABU			Order Coordination for Unbundled Sub-Loops, per sub-loop pair		
			 		 	ļ	 	S6.7	S6.7	 	USBMC		<u> </u>		- dooJ elstribution Per 4-Wire Analog Voice Grade Loop -	1	
	***************************************			†	 		 	26.54	37.97	97.11	PN8SU	TNA 3		 	- dood Distribution Per 4-Wire Analog Voice Grade Loop -	3	
							1	S6.S4	37.97	16.84	DSBN4	TEANL	2	 	one 2 - doo Distribution Per 4-Wire Analog Voice Grade Loop -	3	
								S6.S4	37.9T	7S.61	USBN4	JEANL	3	1.	one 3	Z	-
					1			26.7	<u>2</u> 6.7		USBMC	JEANL	1	 '-	order Coordination for Unbundled Sub-Loops, per sub-loop pair ub-Loop 2-Wire Intrabuliding Network Cable (INC)		
			<u> </u>			<u> </u>		39.71	84.13	16.2	SHBSU	JEANL				1	
							1	26.7	Se.7	939	USBRE	JEANL JEANL			hter Coordination for Unbundled Sub-Loops, per sub-loop pair ub-Loop 4-Wire Intrabuilding Network Cable (INC)	3	7
						 	 	17.65	⊅ 9.73	89.9	PHBSU				inder Coordination for Unbundled Sub-Loops, per sub-loop pair		
		T	 	 			 	26.7 71.66	S9.7 71.66	-	USBMC	JEANL JEANL			OOP LESTING - BASIC 1ST HAIT HOUT	7	
					-		ļ	85.61	19.28	30.9	URETA UCS2X	JEANL JEF			oop Testing - Basic Additional Half Hour Wire Copper Unbundled Sub-Loop Distribution - Zone 1	2	
				 	 	 		90.0£	68.E9 68.E9	5.26	ncasx)Et.	2 (<u> </u>	write Copper Unbundled Sub-Loop Distribution - Zone 2	7	
			 					90.05	68.89	12,70	OCSSX	JEE		 	Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	
					1			29.7	29. Y	FOR	OCS4X OSBWC	IEE		1	rder Coordination for Unbundled Sub-Loops, per sub-loop pair Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+-	
		<u> </u>			 	-		S2.54 S2.92	27.97 27.97	17.01	UCS4X	JEL	7 7	 	Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+-	
								42.92	S7.97	80.9	∩cs∢x	156				1	
				1	1			26.7	Se.7		USBMC)EE		+	rder Coordination for Unbundled Sub-Loops, per sub-loop pair oop Testing - Basic 1st Half Hour		
		 	 		 			33.91	33.91 85.91		AT∃RU	IEF I			d Network Terminating Wire (UNTW)	ipunqi	<u>-U</u>
								ST.41	14.72	4345.0	ПЕИРР	ENTW	7		nbundled Network Terminating Wire (UNTW) per Pair	nl	
		 										WTN3	1		ntertace Device (VID) - 1-2 lines	N	201
					 			£8,7S £4,84	42.26		UND12	ENTW	1		stwork Interface Device (NID) - 1-6 lines	N	
								£7.3	6,73		UNDC4 UNDC2	ENTW ENTW	ni n	+	Stwork Interlace Device Cross Connect - 4W	N	
		 			-			67.2	£7.3						O-Dispatch and Service Order for MID installation D - Dispatch and Service Order for MID installation	א' הא	NE OTHE
									00.0	00.0	NENCE NNDBX	ENTW ENTW			VTW Circuit ld Establishment, Provisioning Only - No Rate	n	
		-					-				NNECN	EANL,UEF,UEQ,U WTW			nbundled Contract Name, Provisioning Only - No Rate	n	
	1	1	i						00.0	00.0					VISIONING ONLY - NO RATE) PR(,RE	ME OTHE

UNBUNDL	ED NETWORK ELEMENTS - Louisiana	,												ment: 2	Exhi	ibit; A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00						COMMAN	Colman	OOMAN	COMPAN
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate										 		 			<u> </u>
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no trate			UEA,UDN,UCL,UDC		0.00	0.00	: 								<u> </u>
 	Unbundled DS1 Loop - Superframe Format Option - no rate	 		UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00		ļ							<u> </u>
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00				 					
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP	 	 	032	CCOEF	0.00	0.00			 	ļ					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	362.34	504.229	294.745								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374.56	504.229	294.745								
LOOP MAKE						37.1190	501.220	201.110								
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	,		UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE SPLITT	SPLITTING		ļ.,													
	USER ORDERING-CENTRAL OFFICE BASED	 	 			 					 					
	Line Splitting - per line activation DLEC owned splitter				UREOS	0.61					 					
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual				UREBP	0.61	17.97	10.29								
MAINTENAN	CE OF SERVICE	 	ļ	UEPSR UEPSB	UREBV	0.61	17.97	10.29			ļ					
	: The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	plicable.				 						
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium	ļ	ļ			1	90.00	65.00								
UNBUNDLED	DEDICATED TRANSPORT	-	 		L	 	100.00	75.00		ļ						
	ROFFICE CHANNEL - DEDICATED TRANSPORT								 	 						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013					'					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
	Interoffice Channel - Dedlcated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								

CHOUNDLE	ED NETWORK ELEMENTS - Louislana													ment; 2		ibit: A
													Incremental		Incremental	
												Submitted	(Charge -	Charge -	Charge -
CATEGORY	227 - 247	l	i _	\		1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			!			1					'		Electronic-	Electronic-	Electronic-	Electronic-
			l	i							1	l	1st	Add'I	Disc 1st	Disc Add'i
						 			T			l	<u> </u>	<u>L</u>		<u> </u>
		 				Rec	Nonre		Nonrecurring					Rates (\$)		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 					First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	month		1	UITDI	1L5XX					[1	ţ		Į.	ļ	1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		 	101101	ILSXX	0.2652										
	Termination			U1TD1								1	1	ļ	i	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			UIIUI	U1TF1	70.47	86.69	79.44								
1	month		[Luzoo	41 577						{	{	}	\		1
 	Interoffice Channel - Dedicated Transport - DS3 - Facility	 	 	U1TD3	1L5XX	6.04			<u> </u>							ļ
	Termination per month			U1TD3	U1TF3	250.45					1	}	1	l		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		<u> </u>	01103	U11F3	850.45	270.69	158.05								ļ
	month	Į.	Į.	U1TS1	41.577				1	}	\	!	1	1	ì	ì
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01151	1L5XX	6.04		<u> </u>								
1	Termination	i	l	Luter	LUTES				1	!]]
DARK FIBER		 		U1TS1	U1TFS	830.19	270.69	158.05								<u> </u>
DAUK LIBER									1							1
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		l	LIDE LIDEON	41.500		!									
				UDF, UDFCX	1L5DC	60.06										1
[Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	ĺ			1	1 1										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25.28			l		i					<u> </u>
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		620.60	133.88								
l	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1	1										
MIDTING OF	Thereof per month - Local Loop	<u></u>		UDF, UDFCX	1L5DL	60.06										
VIRTUAL COL		ļ			-											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		Ι,		i	i l										
Diwala	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00			_			
PHYSICAL CO		<u> </u>		<u> </u>												
ļ	Physical Collocation-2 Wire Cross Connects (Loop) for Line	\			1	i i										
ENLANCED E	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00	L					
	XTENDED LINK (EELs)	L	L													
NOTE	: The monthly recurring and non-recurring charges below will a	apply and	the Sw	itch-As-Is Charge v	vill not apply	for UNE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network E	ements.					
2 WID	: The monthly recurring and the Switch-As-Is Charge and not the VOICE GRADE LOOP FOR USE IN A COMBINATION	ne non-re	curring	charges below will	apply for UN	E combination:	s provisioned	as ' Currently	Combined' Net	work Elements	5.					
2-17111	2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		LINOVA	1.000											
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09			l					1
	Voice Grade COCI - Per Month		3	UNCVX	UEAL2	50.46	94.21	45.09								
4-WID	E VOICE GRADE LOOP FOR USE IN A COMBINATION	ļ		UNCVX	1D1VG	0.6497	5.91	4.26								
4-11111				11110101												
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	30.81	94.21	45.09			<u> </u>					
		ļ		UNCVX	UEAL4	38.32	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3 Voice Grade COCI in combination - per month		3	UNCVX	UEAL4	60.39	94.21	45.09								
4-3/10	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	L		UNCVX	1D1VG	0.6497	5.91	4.26								
				LINODY	1.05											
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	30.99	94.21	45.09								
		L		UNCDX	UDL56	36.78	94.21	45.09								L
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								1
A.Mribi	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
4-WIH	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			14.000												1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	30,99	94.21	45.09								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	36.78	94.21	45.09								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 OCU-DP COCI (data) - in combination - per month (2,4-64kbs)		3	UNCDX	UDL64	38.92	94.21	45.09								
2-W/IDI	E ISDN LOOP FOR USE IN COMBINATION			UNCDX	1D1DD	1.38	5.91	4.26								
F-44101	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	LITTON											
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.09	94.21	45.09	 							· · · · · · · · · · · · · · · · · · ·
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	35.28	94.21	45.09	 		 _i					
	2-wire ISDN COCI (BRITE) - in combination - per month		3	UNCNX	U1L2X	65.18	94.21	45.09	ļ		ļ					
4-WIRI	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION	L		UNCINA	UC1CA	2.96	5.91	4.26								
1 11111	4-Wire DS1 Digital Loop in Combination - Zone 1		-,-	UNC1X	luci vy											
	4-Wire DS1 Digital Loop in Combination - Zone 1				USLXX	85.70	169.22	100.89	ļl							
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X UNC1X	USLXX	194,96	169.22	100.89								
			- 3 1	UNUIX	HISLXX	491.94	169.22	100.89								
	DS1 COCI in combination per month			UNC1X	UC1D1	11,78	5.91	4.26				1				

MBUNDLED ME	TWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
		 	}			Rec	Nonrec			ng Disconnect				Rates (\$)		
2 WIRE VOIC	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	ORADINAT	101			.,,	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	office Transport - 2-wire VG - Dedicated- Per Mile Per	UNIDINA	TON						ļ		 					<u> </u>
Monti			ļ	UNCVX	1L5XX	0.013							1			
	office Transport - 2-wire VG - Dedicated - Facility			UNCVA	ILSAA	0.013			 			ļ				<u> </u>
	ination per month			UNCVX	U1TV2	22.60	72.60	41.75		ŀ			İ		İ	
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION	OHOVA	- OTIVE	22.00	72.00	41.75			 -	ļ				
	office Transport - 4-wire VG - Dedicated - Per Mile Per	T	T								 					┼
Month	h	į		UNCVX	1L5XX	0.013						1			l	
Intero	office Transport - 4-wire VG - Dedicated - Facility		1			0.015			 		 	 				
	ination per month			UNCVX	U1TV4	19.81	72.60	41.75		ł	1		ŀ			
DS1 INTERO	FFICE TRANSPORT FOR COMBINATION															+
Interd	office Transport - Dedicated - DS1 combination - Per Mile									·	1					
per m		<u> </u>		UNC1X	1L5XX	0.2652										1
	office Transport - Dedicated - DS1 combination - Facility		T										<u> </u>			
	ination per month		<u> </u>	UNC1X	U1TF1	70.47	143.58	103.88					ļ			1
	hannelization System in combination Per Month	ļ		UNC1X	MQ1	105.09	59.97	12.96								
	FFICE TRANSPORT FOR USE IN A COMBINATION	<u> </u>														
	office Transport - Dedicated - DS3 combination - Per Mile		Į.						,						1	Ţ
Per M				UNC3X	1L5XX	6.04			ļ	<u></u>	<u> </u>					
	office Transport - Dedicated - DS3 - Facility Termination per										1	i				1
month	ROFFICE TRANSPORT FOR USE IN COMBINATION		↓	UNC3X	U1TF3	850.45	270.69	158.05								
	office Transport - Dedicated - STS-1 combination - Per Mile		 								<u> </u>					↓
Per M				UNCSX	1L5XX								ŀ			1
	office Transport - Dedicated - STS-1 combination - Facility	 	 	UNCOX	ILSAA	6.04										
	ination per month			UNCSX	U1TFS	830.19	270.69	150.05				ŀ				1
	BPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT	 	ONOSA	101115	630.19	270.69	158,05		 						
	e 56 kbps Local Loop in combination - Zone 1	107 0111	+	UNCDX	UDL56	30.99	94.21	45.09	·	 	 	 				
	e 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09	 		1	 	 			
	e 56 kbps Local Loop in combination - Zone 3	·	3	UNCDX	UDL56	38.92	94.21	45.09	 		 					
	office Transport - Dedicated - 4-wire 56 kbps combination -	1	1			00.02			 		·		 			
	Alle per month	1	1	UNCDX	1L5XX	0.013										
	office Transport - Dedicated - 4-wire 56 kbps combination -		1			5,5			 		 	 			,,	
	ity Termination per month		l	UNCDX	U1TD5	15.61	72.60	41.75								
4-WIRE 64 KI	BPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO	RT						 	 					
4-wire	e 64 kbps Lcoal Loop In Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09		1	 	1				
	e 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09			1					
	e 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	office Transport - Dedicated - 4-wire 64 kbps combination -									1						
	file per month	<u> </u>		UNCDX	1L5XX	0.013					'		<u></u>			
	office Transport - Dedicated - 4-wire 64 kbps combination -															T
	ty Termination per month	<u> </u>	<u> </u>	UNCDX	U1TD6	15.61	72.60	41.75		<u> </u>	<u> </u>					<u> </u>
	BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS		1010001							<u> </u>					
	re 56 kbps Local Loop in combination - Zone 1	 -		UNCDX	UDL56	30.99	94.21	45.09			ļ					
	re 56 kbps Local Loop in combination - Zone 2 re 56 kbps Local Loop in combination - Zone 3	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09		<u> </u>	<u> </u>					
	ree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL56	38.92	94.21	45.09	ļ	 						
month				UNCDX	1L5XX	0.013					1		Į i			l
	re 56 kbps Interoffice Transport - Dedicated - Facility	├	 	ONCOX	ILEDAY	0.013			 	 	 				~	
	ination per month	1		UNCDX	U1TD5	15,61	72.60	41,75	1		1					1
	BPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANS	PORT	555X	101100	13.01	12.00	41.75		 	 				·	+
	re 64 kbps Local Loop in combination - Zone 1	1	1 1	UNCDX	UDL64	30.99	94.21	45.09		 	 	 				
	re 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64	36.78	94.21	45.09		 	 	 				
	re 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	38.92	94.21	45.09		 	 					
I4-wi	ire 65 kbps Interoffice Transport - Dedicated - Per Mile per	T	T				J.,,,	.0.00		 	 					
month				UNCDX	1L5XX	0.013			1							
	re 64 kbps Interoffice Transport - Dedicated - Facility		l						<u> </u>	 	†	 				
	ination per month		1_	UNCDX	U1TD6	15.61	72.60	41.75	1	1	}	1			1	1
IDS1 DIGITAL	L LOOP AND DS1 INTERFOFFICE TRANSPORT	1							T							T

	~	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	oit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
			-	 			Rec	Nonre	curring	Nonrecurring	Disconnect	†		oss	Rates (\$)		
	 	4-Wire DS1 Digital Loop in Combination - Zone 1	ļ	 	LINOAY	1		First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	4-Wire DS1 Digital Loop in Combination - Zone 1	 	1 2	UNC1X	USLXX	85.70	169.22	100.89								
	+	4-Wire DS1 Digital Loop In Combination - Zone 3	 	3	UNC1X UNC1X	USLXX	194.96	169.22	100.89								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		°	UNCIX	USLXX	491.94	169.22	100.89								
	1	per month	İ	1	UNC1X	1L5XX	0.2652		Ì		1						
	1	Interoffice Transport - Dedicated - DS1 combination - Facility	 	+	ONOTA	1120//	0.2052		··								
	1	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88		ļ	[[Į.			
	DS3 DI	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT	 	OTTO IX	101111	70.47	143.58	103.88								
		DS3 Local Loop in combination - per mile per month	T T	1	UNC3X	1L5ND	11.546					ļ					
				1		1.45.16	11.040										
	<u> </u>	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	416.691	504.229	294.745					İ		İ	
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	I	T	UNC3X	1L5XX	6.04	554.228	234.145		 	 					
	1	Interoffice Transport - Dedicated - DS3 combination - Facility		T													
		Termination per month	L		UNC3X	U1TF3	850.45	270.69	158.05	'		1 1	Ī				
	STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	ISPORT									 					
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.546										
	1	STS-1 Local Loop in combination - Facility Termination per		}		T							}				
		month			UNCSX	UDLS1	430.744	504,229	294.745		l]		i	ĺ	1	
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month		ļ	UNCSX	1L5XX	6.04					1 1	ì)	1		
	1	Interoffice Transport - Dedicated - STS-1 combination - Facility	1														
		Termination per month			UNCSX	U1TFS	830.19	270.69	158.05				ı				
ווטטו	JWhan I	IETWORK ELEMENTS	L	<u></u>	<u> </u>												
	WITEH	used as a part of a currently combined facility, the non-recurr	rng charg	es do n	otapply, but a Swi	itch As Is cha	rge does apply.										
	Nonre	used as ordinarily combined network elements in All States, the	ne non-re	curring	charges apply and	the Switch A	s Is Charge doe	s not.									
	Nonrec	used as ordinarily combined network elements in All States, to curring Currently Combined Network Elements "Switch As Is"	Charge (One app	olies to each combin	the Switch A nation)	s Is Charge doe	s not.									
	Nonrec	surring currently Combined Network Elements "Switch As Is"	Charge (0	One app	UNCVX, UNCDX,	nation)	s Is Charge doe	s not.					-				
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge (0	One app	UNCVX, UNCDX, UNC1X, UNC3X,	nation)	s Is Charge doe						-				
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	Charge (0	One app	UNCVX, UNCDX,	unccc	s Is Charge doe	s not. 5.43	5.43								
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As-	Charge (0	One app	UNCVX, UNCDX, UNC1X, UNC3X, UNC5X	nation)	s Is Charge doe		5.43								
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions:	Charge (0	One app	UNCVX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCSX	UNCCC	s Is Charge doe	5.43									
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	Charge (0	One app	Dies to each combination of the	nation)	s Is Charge doe		5.43	0.00	0.00						
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1	Charge (0	One app	UNCYX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X	UNCCC CCOEF	s is Charge doe	5.43	0.00								
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	Charge (0	One app	UNCVX, UNCDX, UNCIX, UNC3X, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X	UNCCC	s is Charge doe	5.43		0.00	0.00						
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent	Charge (G	One app	Iles to each combin UNCVX, UNCDX, UNC1X, UNC3X, UNCSX U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X	UNCCC CCOEF CCOSF	s is Charge doe	5.43 0.00 0.00	0.00	0.00	0.00						
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1	Charge (0	One app	Jiles to each combin UNCVX, UNCDX, UNCIX, UNC3X, UNCSX, U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X, USL	UNCCC CCOEF	s is Charge doe	5.43	0.00								
	Nonrec	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCIX, USL UNCIX, USL ULDD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC	s is Charge doe	5.43 0.00 0.00 184.65	0.00 0.00 23.79	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCIX, UNC3X, UNCSX, U1TD1, ULDD1,UNC1X U1TD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X, USL	UNCCC CCOEF CCOSF	s Is Charge doe	5.43 0.00 0.00	0.00	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3		5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge af Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCDI, UNCIX, USL UNCIX, USL ULDD3, ULDD3,	UNCCC CCOEF CCOSF NRCCC	s Is Charge doe	5.43 0.00 0.00 184.65	0.00 0.00 23.79	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3	105.09	5.43 0.00 0.00 184.65 218.78 59.97	0.00 0.00 23.79 7.66	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3		5.43 0.00 0.00 184.65 218.78	0.00 0.00 23.79 7.66	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge at Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3	105.09	5.43 0.00 0.00 184.65 218.78 59.97	0.00 0.00 23.79 7.66	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3	105.09	5.43 0.00 0.00 184.65 218.78 59.97	0.00 0.00 23.79 7.66	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MG1 1D1DD	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BITTE) - DS1 to DS0 Channel System - per	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MG1 1D1DD	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge af Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MG1 1D1DD	105.09 1.38 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a scall cocal connection to a channel System - per month to a scall cocal connection to a channel System - per month to a scall cocal Cocal Cocal Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month	Charge (G	One app	Jiles to each combil UNCVX, UNCDX, UNCVX, UNCDX, UNCSX UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MG1 1D1DD 1D1DD UC1CA	105.09	5.43 0.00 0.00 184.65 218.78 59.97 6.39	0.00 0.00 23.79 7.66 12.96 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge al Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for a Local Loop	Charge (G	One app	Jiles to each combil UNCVX, UNCDX, UNCVX, UNCDX, UNCSX UITD1, ULDD1,UNC1X UITD1, ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X ULDD1,UNC1X UNC1X, USL U1TD3, ULDD3, UE3, UNC3X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	UNCCC CCOEF CCOSF NRCCC NRCC3 MG1 1D1DD 1D1DD UC1CA	105.09 1.38 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- is Charge af Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month voice Grade COCI - DS1 to DS0 Channel System - per month	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	105.09 1.38 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge af Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 **C-bit Parity Option - Subsequent Activity - per DS3 **DEXERS** DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month to a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	105.09 1.38 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge a Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA	105.09 1.38 1.38 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge af Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, USA, USA, USA, USA, USA, USA, USA, USA	UNCCC CCOEF CCOSF NRCCC NRCC3 MQ1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	105.09 1.38 1.38 2.96 2.96	5.43 0.00 0.00 184.65 218.78 59.97 6.39 6.39 6.39	0.00 0.00 23.79 7.66 12.96 4.58 4.58	0.00	0.00						
	Option	Nonrecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- Is Charge a Features & Functions: Clear Channel Capability Extended Frame Option - per DS1 Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 C-bit Parity Option - Subsequent Activity - per DS3 PLEXERS DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System	Charge (G	One app	Jiles to each combin UNCVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDI, UN	UNCCC CCOEF CCOSF NRCCC NRCC3 MO1 1D1DD 1D1DD UC1CA UC1CA 1D1VG	105.09 1.38 1.38 2.96 0.6497	5,43 0,00 0,00 184,65 218,78 59,97 6,39 6,39 6,39 6,39 6,39	0.00 0.00 23.79 7.66 12.96 4.58 4.58 4.58	0.00	0.00						

UNBUNDLE	D NETWORK ELEMENTS - Louislana												Attachi	nent: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		ļ				1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc			D. 1 T. T. (A)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
04.200	MATE ELEMENTS	IIIteriiii	20116	BC\$	USUC	}		RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			1		l							ļ	Electronic-	Electronic-	Electronic-	Electronic
		<u> </u>				}							1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
		 			L	7,00	First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI (used for connection to a channelized DS1 Local	1	1													
	Channel in the same SWC as collocation) per month	L		U1TUA	UC1D1	11.78	6.39	4.58				l	Į .			1
	DS1 COCI used with Interoffice Channel per month	1		U1TD1	UC1D1	11.78	6.39	4.58			 	 				
1	DS3 Interface Unit (DS1 COCI) used with Local Channel per	1		····	 		- 0.50			 			 		<u> </u>	
	month	İ	1	ULDD1	UC1D1	11.78	6.39	4.58		1	ł		1	'		
Note:	Rates displaying an "I" in Interim column are interim as a resi	ult of a Co	mmissi	on order.							 					

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEG	OPV												Svc Order Submitted Manually		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGO	OHY	RATE ELEMENTS	Interim	Zone	,	USOC			RATES (\$)			per LSR		Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
							Rec		curring		Disconnect				Rates (\$)	l	<u> </u>
				—				First	Add'l	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of a	combir	nation refers to Geog	raphically D	eaveraged UNE	Zones. To vie	w Geographica	ally Deaverage	d UNE Zone De	l signations	by Central	Office, refer to	internet Web	site:	J
		ww.interconnection.bellsouth.com/become_a_clec/html/intell. SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnecti	on.htm									.,				
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state s	pecific	OSS charges as ord	lered by the	State Commiss	iong The OSS	charges surre		l la Mala and	h 11-14 45-	D.110 (1		L, i		I
l f	01001 01	the state specific Commission ordered rates for the serv	ice orderi	ng char	ges, or CLEC may el	ect the regio	nal service orde	ering charge, h	owever, CLEC	can not obtain	in this rate ex	he two rega	rdless if Ci	"regional" se	rvice ordering	g charges, Ci contract estal	LEC may
	cannot	(2) Any element that can be ordered electronically will be bill be ordered electronically at present par the LOH, the listed S	OMEC rat	ling to	the SOMEC rate liste	d in this cate	egory. Please re	efer to BellSou	th's Local Ord	ering Handboo	k (LOH) to det	ermine if a	product can	be ordered e	lectronically.	For those el-	ements that
	will be	be ordered electronically at present per the LOH, the listed S applied to a CLECs bill when it submits an LSR to BeilSouth.		e m un	s category renects to	e charge tha	it would be bille	ed to a CLEC o	nce electronic	ordering capa	bilities come o	n-line for th	at element.	Otherwise, t	he manual or	dering charge	, SOMAN,
		OSS - Electronic Service Order Charge, Per Local Service			I					1	[<u></u>		1	Y		
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request	ļ			SOMEC		3.50	0.00	3.50	0.00			<u> </u>			
		(LSR) - UNE Only			i	SOMAN		15.75	0.00	1.97	0.00						1
		DATE ADVANCEMENT CHARGE						10.75	0.00	1,97	0.00						ļ
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section	as applicat	ole.										
l				ŀ	UAL, UEANL, UCL.	l											
i					UEF, UDF, UEQ.												
ŀ			ł		UDL, UENTW, UDN,												
1					UEA, UHL, ULC,												
- 1	- 1		ļ		USL, U1T12, U1T48, U1TD1, U1TD3,	i											
- 1			,		U1TDX, U1TO3,												1
ł					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
- !					UC1CC, UC1CL, UC1DC, UC1DL.												8
					UC1EC, UC1EL,												
1					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL, UDL12, UDL48.												
- {					UDLO3, UDLSX,										'		ľ
	1				UE3, ULD12,												
					ULD48, ULDD1,												
i					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,							:					
1					UNC3X, UNCDX,												
Į.					UNCNX, UNCSX, UNCVX, UNLD1,												
					UNLD3, UXTD1,												
- 1					UXTD3, UXTS1,												
}		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UITUC, UITUD,												
UNBUNE		Day XCHANGE ACCESS LOOP			U1TUB, U1TUA	SDASP		200.00									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	12.03	37.92	17.55	23,48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16,87	37.92	17.55	23.48	5.25				****		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4				UEAL2 UEAL2	25.68	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEASL	43.85 12.03	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.87	37.92	17.55	23,48	5.25						· · · · · · · · · · · · · · · · · · ·
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 Unbundled Miscellaneous Rate Element, Tag Loop at End User		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour				URET1		34.36	34.36								

	D NETWORK ELEMENTS - Mississippi	·											Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge -
		 		 		Rec	Nonrec			g Disconnect			oss	Rates (\$)	_	
	Loop Testing - Basic Additional Half Hour	 	 -	UEANL	URETA	 	First	Add'í	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch	 		UEANL	UREWO		19.97	19,97	ļ							
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	}		OLANI.	UNEWO		15.75	8.92								
	providing make-up (Engineering Information - E.I.)	!		UEANL	UEANM	1			İ	ì						
	Manual Order Coordination for UVL-SL1s (per loop)	 		UEANL	UEAMC	 	13.51	13.51				L				<u> </u>
	Order Coordination for Specified Conversion Time for UVL-SL1				OLAWO		8.20	8.20		 	<u> </u>	l				
	(per LSR)			UEANL	OCOSL	1	18.19	40.40	1	1	i					
2-WIRE	Unbundled COPPER LOOP			00,000	- JOCOSE	 	18.19	18.19		<u> </u>						
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ	UEQ2X	11.01	36.53	16.16		ļ						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	T	2	UEQ	UEQ2X	11.51	36.53		22.66	4.42	<u> </u>					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	11.57		16.16	22.66	4,42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	T		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	·	· · · · · · · · · · · · · · · · · · ·		ULUZA	13.10	36.53	16.16	22.66	4.42						
	Premise		· '	UEQ	URETL]		0.00		1						1
	Manual Order Coordination 2 Wire Unbundled Copper Loop -				- OTTE	 	8.33	0.83	ļ	 						
	Non-Designed (per loop)) 1		UEQ	USBMC	ļ :	8.20	8.20	f		 					(
	Unbundled Copper Loop, Non-Design Copper Loop, billing for				- COBING	 	0.20	8,20								
	BST providing make-up (Engineering Information - E.I.)			luea	UEQMU		13.51	13.51			i					
	Loop Testing - Basic 1st Half Hour			UEQ	URET1	 	34.36									L
	Loop Testing - Basic Additional Half Hour			UEQ	URETA	 		34.36	ļ							1
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		19,97	19.97								
JNBUNDLED E	XCHANGE ACCESS LOOP				TONLVVO		14.24	7.42								
	ANALOG VOICE GRADE LOOP					ļ										
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					 										
!	Zone 1	('(1	UEPSR UEPSB	UEALS	12,03	27.00	477.55					J			i
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		- -	OLI OIT OLI 3B	TUEALS	12,03	37.92	17.55	23.48	5.25						
	Zone 1	\ \	1	UEPSR UEPSB	UEABS	12.03	27 00	17.55	20.40				1			1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				OLADO	12.03	37.92	17.55	23.48	5.25						i
	Zone 2	} }	2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	00.40				i			
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			02. 0 02. 05	JOLALO	10.67	37.92	17.55	23.48	5.25						
	Zone 2	i i	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	00.40	1						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				OLADO	10.07	37.92	17.55	23.48	5.25						
	Zone 3)	3	UEPSR UEPSB	UEALS	25,68	37.92	17.55	23.48				- 1	į	Į	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				OLALO	20,08	37.92	17.55	23.46	5.25						
	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	00.40		' j		ļ	Į	1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				- JOEANO	20.00	37.92	17.55	23.48	5.25						
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	22.40	<i>"</i> 05	1		į	į	1	i
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				100.00	40.00	37.92	17.55	23.48	5.25						
	Zone 4	ĺĺ	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48			Į.	Į	}	,	
JNBUNDLED E	XCHANGE ACCESS LOOP				100.00	40.00	37.32	17.55	23.48	5.25						
2-WIRE	ANALOG VOICE GRADE LOOP				+											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-											
	Ground Start Signaling - Zone 1	i	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		1	}	1	i	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1 - 1	10.00	100.90	00.20	52.62	10.37						
i	Ground Start Signaling - Zone 2	}	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37	1		1	ĺ	}	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1		103.30	00.20	52.62	10.37						
	Ground Start Signaling - Zone 3	ĺ	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10,37	ì	Ì	1]	i	
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						100.00	00.20	52.02	10,37						
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37	ì	1		i	ļ	
	Order Coordination for Specified Conversion Time (per LSR)			ÜEA	OCOSL		18.19	00.20	52.02	10.37						
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse)						
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37	į	ļ	ļ	}	}	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				7				JE.02	10.07						
	Battery Signaling - Zone 2		2	UEA	UEAR2	18,75	105.96	68,28	52.82	10.37	ļ		- 1	i	1	
[[2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	T							02.02	10.07						
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	}	}	1	}	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 4			UEA	UEAR2	45.72	105.96	68.28	52.82	10.37	1	1	ł	1	ì	
1 1	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL	· · · · · · · · · · · · · · · · · · ·	18.19		52.02	10.07						

HOUNDED	D NETWORK ELEMENTS - Mississippi	T		, ———		,								ment; 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Increment Charge - Manual Sy
	TOTAL COMPLETED	1111011111	20118		0300						per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
	 	 	ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	CLEC to CLEC Conversion Charge without outside dispatch	 		UEA	UREWO		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Tagging - Service Level 2 (SL2)	 	├──	UEA	URETL	 	87.56 11.19	36.29				L				
4-WIR	E ANALOG VOICE GRADE LOOP		 	<u> </u>	ONLIL	 	11.19	1.10			ļ					<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64	ļ					
	4-Wire Analog Voice Grade Loop - Zone 2		_ 2	UEA	UEAL4	38.26	132.27	94.59		14.64	 	 				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59		14.64						
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						·
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	OCOSL	ļ l	18.19									
2-WIR	E ISDN DIGITAL GRADE LOOP	 		UEA	UREWO	 	87.56	36.29								
- 12	2-Wire ISDN Digital Grade Loop - Zone 1	├──	1	UDN	U1L2X	21,01	117.61	70.00	50.00							
	2-Wire ISDN Digital Grade Loop - Zone 2	1		UDN	U1L2X	27,59	117.61	79.92 79.92		10.37	ļ	<u> </u>				
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92		10.37	 					
	2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92		10.37	 					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19				h					ı
0.000	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								
Z-WIHI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP 2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	.OOP		4	 										
	& facility reservation - Zone 1		11	UAL	UAL2X	11,11	121.27	70.81	50.38	7.93						1
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11,47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	Wire Unbundled ADSL Loop Including manual service inquiry facility reservation - Zone 4	,	4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 1		1	UAL	UAL2W	11,11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03		7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19		70.00	7.50						
- 0.14155	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE LO	OP													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7,93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	-					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19	70.02	30,36	7.93						
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	104,86	66,74	50.38	7,93						
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
+	and facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104,86	66.74	50.38	7.93						·
	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	UHL2W OCOSL	10.46	104.86	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	 		UHL	UREWO	 	18.19	10.00								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE LO	OP		ONEWO		85.98	40.33								
	and facility reservation - Zone 1			UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						

		1													-	bit: A
		l				ļ								incremental	Incremental	
		1	Ì		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interim	7000		USOC			DATES (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	HATE ELEMENTS	Interim	Zone		USOC	1		RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
					1	(1		1st	Add'i	Disc 1st	Disc Add'l
					 	 	Nonre	curting	Nonrequiring	Disconnect	 	<u> </u>	088	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry				 		11130	Auu	11131	- Aug t	JOMEC	SOWAN	SOWAN	SOMAN	JOWAN	SOWAN
	and facility reservation - Zone 2		_ 2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68	1					
	4-Wire Unbundled HDSL Loop including manual service inquiry							7								
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68	ŀ					
	4-Wire Unbundled HDSL Loop including manual service inquiry	!														
	and facility reservation - Zone 4 Order Coordination for Specified Conversion Time (per LSR)	ļ	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						l
-	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19									
- 1	and facility reservation - Zone 1			UHL	UHL4W	13.78	400.00				{		'	i		
	4-Wire Unbundled HOSL Loop without manual service inquiry			OIIL	UNE4VV	13.76	133.62	95,50	56.72	10.68	ļ					
1	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68	[[1
	4-Wire Unbundled HDSL Loop without manual service inquiry				0.12.11	70:10	100.02	30.00	30.72	10.00	 					
	and facility reservation - Zone 3	İ	3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	İ			i i		1
	4-Wire Unbundled HDSL Loop without manual service inquiry				1			55:00	33.72	.0.00						·
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33								
4-WIH	E DS1 DIGITAL LOOP			1101												
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		1		USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2		2		USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4			USL	USLXX	206.74 458.46	253.93	158.45	46.10	12.07	ļ					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	458.40	253.93 18.19	158.45	46.10	12.07	ļ					
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				101.2110		100.50	42.30								·
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34,55	126.53	88.85	60.68	14.64	<u> </u>					
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60,68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.25	126.53	88.85	60,68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.44	126.53	88.85	60.68	14,64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 Order Coordination for Specified Conversion Time (per LSR)			UDL	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL UDL	OCOSL UDL64	27.44	18.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	34.55	126.53 126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85 88.85	60.68	14.64 14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL.	OCOSL	52.00	18,19	00.00	00.00	14.04						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66			7					
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
-	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						L
	2 Wire Unbundled Copper Loop-Designed including manual				LICI DO											1
	service inquiry & facility reservation - Zone 3 2 Wire Unbundled Copper Loop-Designed including manual		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
	service inquiry & facility reservation - Zone 4	l	4	UCL	UCLPB	12.69	120.04	80.07					1	ļ		1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.09	120.34 8.20	69.87 8.20	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual				-		0.20	0.20								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93))	1		i
	2-Wire Unbundled Copper Loop-Designed without manual							300	50.00	7.30						
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11,47	95.21	57.09	50.38	7.93		- 1	- 1	{		i
	2-Wire Unbundled Copper Loop-Designed without manual				1											
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93			İ	I	[i
	2-Wire Unbundled Copper Loop-Designed without manual					T										
	Service inquiry and facility reservation - Zone 4 Order Coordination for Unbundled Copper Loops (per loop)			UCL UCL	UCLPW	12.69	95.21 8.20	57.09 8.20	50.38	7.93				1		

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D NETWORK ELEMENTS - Mississippi												Attachi			bit: A
ATEGORY	RATE ELEMENTS	interim	Zone		USOC			RATES (\$)				Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec	curring	Nonrecurring	g Disconnect	 		OSS	Rates (\$)		L
						nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	CLEC to CLEC Conversion Charge without outside dispatch	1														
4 WIDI	(UCL-Des) E COPPER LOOP	ļ	ļ	UCL	UREWO		95.21	42.40			L					
4-WIN				 												
1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		١.	uo:	11101.40	47.00				1						
	4-Wire Copper Loop-Designed including manual service inquiry	 	 	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68	<u> </u>					
ì	and facility reservation - Zone 2	İ	2	UCL	UCL4S	18.84	144.68	04.00	50.70		ĺ		1			
	4-Wire Copper Loop-Designed including manual service inquiry		+-	1000	100043	10.04	144.08	94.22	56.72	10.68	 					ļ
	and facility reservation - Zone 3	ł	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry	 		T	100210		144.00	34.22	30.72	10.66	 	ļ				
1	and facility reservation - Zone 4)	4	UCL	UCL4S	21.33	144,68	94.22	56.72	10.68	ŀ	1 .				
	Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC		8.20	8.20	30.72	10.00	 					
	4-Wire Copper Loop-Designed without manual service inquiry				1		0.20	0.2.0	 	 	 					
	and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						l
	4-Wire Copper Loop-Designed without manual service inquiry									1	 					
	and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81,44	56.72	10.68	Í					
	4-Wire Copper Loop-Designed without manual service inquiry									1,1,100	-					
	and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81,44	56,72	10.68	1		ł	1		
	4-Wire Copper Loop-Designed without manual service inquiry	1														· · · · · · · · · · · · · · · · · · ·
	and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68			Í	i		
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.20	8.20								
1	CLEC to CLEC Conversion Charge without outside dispatch	Į.	l													
	(UCL-Des)			UCL	UREWO		95.21	42.40								
OP MODIFI	CATION															
\		ì	1	UAL, UHL, UCL,												
		ļ	1	UEQ, ULS, UEA,	1 .	j					!!!		Į.	ļ	1	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	\	ł	UEANL, UEPSR,	·)	ì			1 1		}			
	pair less than or equal to 18k ft, per Unbundled Loop			UEPS8	ULM2L		32.57	32.57								
İ	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	l	į.		J	1										
	riess man or equal to Tok II, per Unbundied Loop			UHL, UCL, UEA UAL, UHL, UCL.	ULM4L		32,57	32.57	·							
				UEQ, ULS, UEA,	[ļ			1	{ }	i i	j	}		
1	Unbundled Loop Modification Removal of Bridged Tap Removal,])	UEANL, UEPSR.]				ĺ	
1	per unbundled loop	i		UEPSB	ULMBT	ŀ	32.59	32.59			(1	1	1	
B-LOOPS				DE: 00	CLIVID		32.39	32.59			<u> </u>					
Sub-Lo	pop Distribution		-		+						 					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1					 	 					
	Up		ł	UEANL	USBSA	İ	259.69	j	l i		j i		i	1	ł	
		[[1											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		L_	UEANL	USBSB	l l	22.77				ļ·		ĺ	J	ı	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder										t					
	Facility Set-Up	1		UEANL	USBSC		178.47							1	i	
1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up			UEANL	USBSD		56.39		l i				J	ł		
- 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		!													
	Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		ì	ļ	ì]	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		!	l												
	Zone 2	11	2	UEANL	USBN2	9.51	66.18	31,14	45.36	6.71	L		1			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		_	Ì.,_,,	1		I								· · · · · · · · · · · · · · · · · · ·	
1			3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
		1	!		USBN2		1]						T		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1				18.26	66.18	31.14	45.36	6.71						
	Zone 4		4	UEANL	USBINZ											
	Zone 4		4				25-))					
	Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair		4	UEANL	USBMC		8.20	8.20								
	Zone 4		4	UEANL	USBMC				F1 0-	0.00						
	Zone 4 Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1			7.30	8.20 79.49	8.20 44.45	51.27	9.35						· · · · · · · · · · · · · · · · · · ·

	ED NETWORK ELEMENTS - Mississippi	T	T		1	T		·						ment; 2	Exhi	bit: A
!			1	İ							Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			ł]					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	j	usoc	i					Elec	Manually	Manual Svc		Manual Svc	Manual Sy
			20110	i '	0300	!		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						•					Pui = 1	pur Lott	Electronic-			
			l	Į.	1						ŀ			Electronic-	Electronic-	Electronic
		 									1		1st	Add'I	Disc 1st	Disc Add'
			ļ			Rec	Nonr	ecurring	Nonrecurrin	g Disconnect			088	Rates (\$)		L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					nec	First	Add'l	First	Add'I	SOMEC	SOMAN				T
	Zone 3	1	i						11100	Auu	SOIVIEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	C.h.I O. I. I.		3	UEANL	USBN4	16.73	79.49	44.45	51.27		1					
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					10.10	73.40	7 444.45	51.27	9.35	 	<u> </u>				Ì
	Zone 4		4	UEANL	USBN4	16.73	79.49				į.					
Ī					000111	10.73	79.48	9 44.45	51.27	9.35				i		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	•										
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2		8.20									
				DEAINL	USBR2	2.29	53.32	18.28	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			115 4411	l i											
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC		8.20			ļ		1		1		
	(INC)			UEANL	USBR4	4.40	59.60	24.55	51,27	9.35						
1	Order Coordination for Unbundled Cart			}				1	1 31,27	9.33	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20					1	I		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36				ļ	ļ				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	T	1	UEF	UCS2X	6.06					L					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X		66.18		10.00	6.71						
	12 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 		UEF		7.09	66.18		45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	8.16	66.18		45.36	6.71						
	The state of the s		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i			1							<u> </u>				
	4 Wire Copper Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20	1					;	ŀ	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.10	79.49		51.27	2.05	l					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.11	79.49			9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	T	3	UEF	UCS4X	14.00	79.49			9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00			51.27	9.35						
- 1					100047	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	- 1	ĺ	UEF	USBMC			1						· · · · · · · · · · · · · · · · · · ·		
	Loop Testing - Basic 1st Half Hour			UEF			8.20	8.20			1		i		1	
	Loop Testing - Basic Additional Half Hour				URET1		34.36	34.36								
Unbun	dled Network Terminating Wire (UNTW)			UEF	URETA		19.97	19.97								
	Unbundled Network Terminating Wire (UNTW) per Pair							1								
Networ	k Interface Device (NID)			UENTW	UENPP	0.3366	30.55									
	Network Interface Device (NID) - 1-2 lines															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90		~						
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94								T	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4			5.94					T.			
NE OTHER, P	ROVISIONING ONLY - NO RATE				ONDO4		5.94	5.94								
1 1	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW		0.00	0.00									
					UENCE	0.00	0.00									
1 1	Unbundled Contract Name, Provisioning Only - No Rate	1	- //	UEANL, UEF, UEQ, U	1											
NE OTHER. P	ROVISIONING ONLY - NO RATE		!	ENTW	UNECN	0.00	0.00		1	i	- 1	ļ	ļ	-		
	TIME OFFI THO DATE											\longrightarrow				
1 1			1												l.	
	11.1	- 1	ŧ	JAL,UCL,UDC,UDL.					1		- 1		İ	1		
	Unbundled Contact Name, Provisioning Only - no rate	- 1		JDN,UEA,UHL,USL	UNECN	0.00	0.00				1		l		[
1 1	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no					0.00	0.00	ļ							- 1	
	rate	1	J,	JEA,UDN,UCL,UDC	LICEE											
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			JEN, ODIN, OCE, ODC	USBru	0.00	0.00			i		1	ļ	į.	1	
	rate	J	1.	IF A LIGHT CONT.												
	Unbundled DS1 Loop - Superframe Format Option - no rate			JEA,USL,UCL,UDL	USBFR	0.00	0.00		1	ļ	l	1	- 1	1	1	
	Unbundled DS1 Loop - Expanded Superframe Format option -			JSL	CCOSF	0.00	0.00									
	no rate		ſ													
CH CARACIT	V I INDIANO ED LOCAL A COM		l	J\$L	CCOEF	0.00	0.00	ĺ	[l	1	1	ł	ļ	T	
GIT CAPACIT	Y UNBUNDLED LOCAL LOOP					0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month [- 1	h	JE3	1L5ND	11.20	i	ľ	İ	Т						
	High Capacity Unbundled Local Loop - DS3 - Facility				. 25140	11.20						i		1	i	
	Termination per month		I.	JE3	LIEBRY										~ ~~	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			11-0	UE3PX	326.15	522.2495	305.2905	141.7145	99.1185	j	- 1		i	i	ļ
1 1	month	1	I.			T										
	······································	L		JDLSX	1L5ND	11.20		1	1		-	1	1	i	ļ	

CHADONALE	D NETWORK ELEMENTS - Mississippi	T	ı——		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		 	 	 		Rec	Nonrec		Nonrecurring					Rates (\$)		
	High Capacity Unbundled Local Loop - STS-1 - Facility	 	 		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination per month	ļ	Į	UDLSX	UDLS1	338.55	522.2495	305.2905	141.7145	99,1185	1	1			ľ	}
LOOP MAKE-U				1	10000	000.00	G22.2430	303.2303	141.7145	33,1103		 			ļ	
	Loop Makeup - Preordering Without Reservation, per working or			1	·	·										
	spare facility queried (Manual).			UMK	UMKLW		24.12	24.12	_	1						1
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		ļ									ļ				t
	Loop MakeupWith or Without Reservation, per working or	 		UMK	UMKLP		25.58	25.58								l
	spare facility queried (Mechanized)		1	UMK	UMKMQ	•	0.0000	0.0050				ĺ				
LINE SPLITTIN	NG	 		UIVIK	UNINIU	 	0.6652	0.6652								ļ
LINES	PLITTING					 		···	 	 	 					
END U	SER ORDERING-CENTRAL OFFICE BASED				 					 	 					
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			1		† 			····		
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
MAINTENANC	Line Splitting - per line activation BST owned - virtual E OF SERVICE			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
	The Expedite charge will be maintained commensurate with	BallCarat	In ECO	No 1 Tould Co.	10.01	1			1							L
11012.	No Trouble Found - per 1/2 hour increments - Basic	Delisouth	T	No.1 Tarim, Section	13.3.1 as ap	plicable.	80.00	FF 00	ļ							<u></u>
	No Trouble Found - per 1/2 hour increments - Overtime	ļ		 	 	 	90.00	55.00 65.00								
	No Trouble Found - per 1/2 hour increments - Premium	·	 	 	 	f	100.00	75.00	 		ļ					
	DEDICATED TRANSPORT				· · · · · · · · · · · · · · · · · · ·		100.00	70.00	 		 					
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				1	·			-							
1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0098					l					
l	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination	[ļ	14770/	1,147,10											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade		ļ	U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
1	Rev Bat Per Mile per month	i	i	U1TVX	1L5XX	0,0098							ļ			
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	 		OTTVA	ILSAA	0,0098										
	Facility Termination	{		UITVX	U1TR2	22.52	40.77	27.57	17.26	7.11					I	1
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -							21.01	17.20						·	
	Per Mile per month			U1TVX	1L5XX	0.0098			į l		!		İ			
1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17,26	7.11						(
1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month)	Ì	Luzov					1							
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		 	U1TDX	1L5XX	0.0098										L
1	Termination			UITDX	U1TD5	15.68	40.78	27.57	17.26	,,,,			- 1			1
<u> </u>	Interoffice Channel - Dedicated Transport - 64 kbps - per mile				13,103	15,08	40.78	21,5/	17.26	7.11	 					
	per month		<u></u>	U1TDX	1L5XX	0.0098	· 1		ן ו] -					l
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination		L	U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						1
ľ	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			l	1											
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.201										L
1	Termination			U1TD1	U1TF1											
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			וטווטו	ULIFI	57.33	89.79	82.28	16.86	14.90						ļ
	month			U1TD3	1L5XX	4.76			!!!				}			1
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1.2000	4.76			 		 					
	Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29			1	İ		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				T				52.00	55,20						
	month			U1TS1	1L5XX	4.76			L				ŀ	ĺ		l
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			l												
DARK FIBER	Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				 											ļ
j	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	68.94	İ					İ	ļ			i
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			221, Q2. OX	1.000	00.94			 		<u> </u>					
- 1	Thereof per month - Interoffice Channel	1		UDF, UDFCX	1L5DF	28.27						1		ı		i

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone		usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				 	- 		Nonrec	curring	Nonrecurring	Disconnect	ļ	L	088	Rates (\$)	l	L
		 				Rec -	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		642.79	138.67		203.85		0011	JOMES!		001117117	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												 			
	Thereof per month - Local Loop		ļ	UDF, UDFCX	1L5DL	68.94		L					<u> </u>	<u> </u>	1	ì
VIHIUAL CO	DLLOCATION	ļ														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		ļ	UEPSR UEPSB	VE1LS	0.0268					ļ			l		
PHYSICAL C	COLLOCATION	 	 	UEFOR UEFOR	VEILS	0.0268	12.37	11.87	6.04	5.45		ļ				ļ
T	Physical Collocation-2 Wire Cross Connects (Loop) for Line	 		 		 				·	ļ				 	
l	Splitting	İ	i	UEPSR UEPSB	PEILS	0.0288	12.37	11.87	6.04	5.45			ļ			}
	EXTENDED LINK (EELs)							·		······································						
NOT	E; The monthly recurring and non-recurring charges below will	apply and	the Sv	vitch-As-Is Charge	will not apply	for UNE combine	ations provisi	oned as ' Ordi	narily Combine	d' Network Ele	ments.					
NOT	E: The monthly recurring and the Switch-As-Is Charge and not	the non-re	curring	charges below wil	I apply for UN	E combinations	provisioned a	s ' Currently C	Combined' Netw	ork Elements.						
2-W1	RE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1	 	 	UNCVX	UEAL2	1000			<u> </u>							
	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	13.89 18.75	105,96	68.28		10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 3	 		UNCVX	UEAL2	27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37	 		 			
	2-Wire VG Loop (SL2) in Combination - Zone 4	 		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37			-			
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74		10.07						
4-WI	RE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	ļ	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 4	 	3	UNCVX	UEAL4	50.03	132.27	94.59		14.64						
	Voice Grade COCI in combination - per month	 -	4	UNCVX	UEAL4 1D1VG	50.03 0.5737	132.27 6.62	94.59 4.74		14,64						
4-WI	RE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	 		ONOVA	TIDIVG	0.5/3/	0.02	4.74				<u> </u>			<u> </u>	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	27.44	126.53	88.85	60,68	14.64				<u> </u>		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126,53	88.85	60.68	14.64						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85		14.64						
4 14/0	OCU-DP COCI (data) per month (2.4-64kbs) RE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	ļ		UNCDX	1D1DD	1.22	6.62	4.74								
4-WI	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		-	UNCDX	UDL64	27,44										
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	 	2	UNCDX	UDL64	34.55	126.53 126.53	88.85 88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	 		UNCDX	UDL64	40.76	126.53	88.85	60,68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4	 		UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		I	UNCDX	1D1DD	1.22	6.62	4.74		1.1,04						
2-WI	RE ISDN LOOP FOR USE IN COMBINATION	<u> </u>														
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3	 	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						ļ
	2-Wire ISDN Loop in Combination - Zone 3 2-Wire ISDN Loop in Combination - Zone 4	 	3	UNCNX	U1L2X U1L2X	37.34 59.18	117.61	79.92	52.82 52.82	10.37	<u> </u>			ļ	<u></u>	
	2-wire ISDN COCI (BRITE) - in combination - per month	 	 	UNCNX	UC1CA	2.62	6.62	79.92 4.74	52.82	10.37						
4-WII	RE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	 			1=2.2.		0.02	7.74	 							
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 4 DS1 COCI in combination per month	 	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
2 WII	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBUNAT	ON	UNC1X	UC1D1	2.62	6.62	4.74								
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per	CISTORINATI	<u> </u>			 			 	·						
	Month			UNCVX	1L5XX	0.00088]							1
	Interoffice Transport - 2-wire VG - Dedicated - Facility									-						
	Termination per month	1	<u> </u>	UNCVX	U1TV2	20.32	40,77	27.57	17.26	7.11						1
4 WII	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINATI	ON													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1		LINGVA	41.5004	1			1							
	Interoffice Transport - 4-wire VG - Dedicated - Facility	 	 	UNCVX	1L5XX	0.00088			ļI							
	Termination per month	1	1	UNCVX	U1TV4	17.86	40.77	27.57	17.00	744						(
DC4	INTEROFFICE TRANSPORT FOR COMBINATION	 	 	3.101/	01,144	17.00	40.77	21.51	17.26	7.11						

	ED NETWORK ELEMENTS - Mississippi		·										Attach	ment: 2	Exhi	bit: A
		1	1	}	1						Svc Order	Svc Order		Incremental		Incremer
	i	1	į.	1	1	İ						Submitted		Charge -	Charge -	
TE0000					1											Charge
ATEGORY	RATE ELEMENTS	Interim	Zone	1 .	USOC	ì		RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual S
		1			''''						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1		1						(Electronic-	Electronic-	Electronic	Electronic
		1	1	1	1	Ì					l 1		1st	Add'I	Disc 1st	Disc Add
		1	 	 	 	 									2.50 150	Disc Add
		 	 	 		Rec	Nonrec		Nonrecurring		L		OSS	Rates (\$)		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				-	ļ	First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month		1		1											00.00
	Interoffice Transport - Dedicated - DS1 combination - Facility	 	 	UNC1X	1L5XX	0.1813					ļ '					1
1	Termination per month	1]	1	1											
DS3 I	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	-	 	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	J I	l				l
1200	Interesting Transport Designation										 			ļ <u>.</u>		ļ
1	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		ļ	ł												
		i	L	UNC3X	1L5XX	4.76										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	}							·		<u> </u>					
-	month	1	ļ	UNC3X	U1TF3	641.90	280.37	163.70	60.00							
STS-	1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION		1		-	041.00	200.07	163.70	62.08	60.29	L					
- {	Interoffice Transport - Dedicated - STS-1 combination - Per Mile				 											
	Per Month			UNCSX	1L5XX	4.76	ļ									
	Interoffice Transport - Dedicated - STS-1 combination - Facility			TONISON -	I LOXX	4.70					<u> </u>			1		}
	Termination per month	}	}	UNCSX	UITES			ļ								
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAF	ISPOUT	 	UNCOX	UTIFS	644.21	280.37	163.70	62.08	60,29	1					
	4-wire 56 kbps Local Loop in combination - Zone 1	J. On	 -	LINCOV	1											
	4-wire 56 kbps Local Loop in combination - Zone 2		 _' _	UNCDX	UDL56	27,44	126.53	88.85	60.68	14.64						
_	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	40.76	126.53	88.85	60,68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
-	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					·		50.00	- 00.00	14.04						
	Per Mile per month		ļ .	UNCDX	1L5XX	0.0098		1	1		1		ł	İ		
1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															!
	Facility Termination per month	,	ł	UNCDX	U1TD5	22.52	40.78	27.57	47.00			Į.	1	(,	
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO	RT		22.02	40.76	21.51	17.26	7.11						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			TUNCDX	UDL64	27.44	126.53									
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55		88.85	60.68	14.64						
	4-wire 64 kbps Looal Loop in Combination - Zone 3		3	UNCDX	UDL64		126.53	88.85	60,68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX		40,76	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		- 4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
1	Per Mile per month) 1	1	Ì	1	1										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0098				1		i	1	!	i	
	Facility Termination per month			Į.									-			
4 14/110	Tracing termination per month	L		UNCDX	U1TD6	22.52	40.78	27.57	17.26	7,11		l		1	ï	
4-1/1	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANSF														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85		14.64						
	4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	32.25	126.53		60.68	14.64				l		
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per				ODEGO	02.20	120.53	88.85	60.68	14.64						
	month			UNCDX	1L5XX	0.0098	ļ	- 1	l	1	T	7				
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			000/	15000	0.0098							f	1	ļ	
	Termination per month			UNCDX	U1TD5			- 1		T						
4-WIR	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	TDANCE	OPT	ONCOX	01105	22.52	40.78	27.57	17.26	7.11	i	1	}	1	ì	
	4-wire 64 kbps Local Loop in combination - Zone 1	THANSE	1	UNCDX												
	4-wire 64 kbps Local Loop in combination - Zone 2				UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Local Loop in combination - Zone 3			UNCDX	UDL64	34,55	126.53	88.85	60.68	14.64						~
				UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
1	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	ľ								1-5,0-4						
	month		[UNCDX	1L5XX	0.0098		1	į.	1		- 1	- 1	i		
1	4-wire 64 kbps Interoffice Transport - Dedicated - Facility						+									
 	Termination per month		1	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11]	1	!		
DS1 D	IGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT						+0.70	61.51	17.20	/.11						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45								
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	129.38			46.10	12.07			T			
	4-Wire DS1 Digital Loop in Combination - Zone 3	+		UNC1X	USLXX		253.93	158.45	46.10	12.07						
	4-wire DS1 Digital Local Loop in Combination - Zone 4			UNC1X		206.74	253.93	158.45	46.10	12.07						***************************************
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			ONOIN	USLXX	458.46	253.93	158.45	46.10	12.07						
[per month		l	LINOTY		_ [
+	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813				1	1	1	j	1	1	
1	Termination per month]	1													
				UNC1X	U1TF1	51.72	89.79	82,28	16.86	14.90		ı	I			

JNBUNDLED N	ETWORK ELEMENTS - Mississippi												Attach	ment; 2	Exhi	bit: A
			Γ—–	[Svc Order	Svc Order	incremental	Incremental	Incremental	Incrementa
i					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			ĺ	ļ	1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sve
ATEGORY	RATE ELEMENTS	Interim	Zone		USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
				1				,			por Lorr	per con	Electronic-	Electronic-	Electronic-	Electronic-
		1	١	}	1						1		1st	Add'I	Disc 1st	Disc Add'l
				L											0180 191	Olse Add 1
						Rec	Nonre	curring	Nonrecurring	Disconnect		•	OSS	Rates (\$)		
						l Hec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DS3 DIGITA	AL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT	 													
IDS	3 Local Loop in combination - per mile per month	T	1	UNC3X	1L5ND	12.88										
				1												
DS	3 Local Loop in combination - Facility Termination per month	l	l	UNC3X	UE3PX	375.0725	522.2495	305.2905	141,7145	99.1185	i	l		ĺ	1	1
Inte	eroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.76										
Inte	eroffice Transport - Dedicated - DS3 combination - Facility										1				1	
Ten	mination per month		i	UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29	i					
STS-1 DIGI	ITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT			1											
STS	S-1 Local Lolp in combination - per mile per month		1	UNCSX	1L5ND	12.88										
	S-1 Local Loop in combination - Facility Termination per				1											
mor		<u> </u>	L	UNCSX	UDLS1	389.3325	522.2495	305.2905	141.7145	99.1185	1		<u> </u>	1		
	eroffice Transport - Dedicated - STS-1 combination - per mile			}							I					
	month		L	UNCSX	1L5XX	4.76						L		L		
	eroffice Transport - Dedicated - STS-1 combination - Facility				1											
	mination per month		1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29	i					
	WORK ELEMENTS															
	d as a part of a currently combined facility, the non-recurr															
	d as ordinarily combined network elements in All States, t					s Is Charge does	not.									<u> </u>
Nonrecurri	ng Currently Combined Network Elements "Switch As Is"	Charge (One ap		iation)											
		1	1	UNCVX, UNCDX,												
Nor	nrecurring Currently Combined Network Elements Switch -As-	1	1	UNC1X, UNC3X,	[ļ	1	1	Ì	1	1
	Charge			UNCSX	UNCCC	L1	5.63	5.63	7.20	7.20						
Optional Fe	eatures & Functions:													L		
1				U1TD1,							ì					
Cle	ear Channel Capability Extended Frame Option - per DS1		<u> </u>	ULDD1,UNC1X	CCOEF	li	0.00	0.00	0.00	0.00						
			}	U1TD1,												ì
	ear Channel Capability Super FrameOption - per DS1	L	L	ULDD1,UNC1X	CCOSF	11	0.00	0.00	0.00	0.00						
Cle	ear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,											1	1
Act	tivity - per DS1	1		UNC1X, USL	NRCCC	1	184.60	23.78	1.96	0.76		<u> </u>				
				U1TD3, ULDD3,												
	oit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3	L	218.72	7.66	0.7201	0.00		<u> </u>				1
MULTIPLE							· · · · · · · · · · · · · · · · · · ·									
	1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10					ļ	
	CU-DP COCI (data) - DS1 to DS0 Channel System - per		1			1					1	1	1	}		
mor	nth (2.4-64kbs) used for a Local Loop	-	 	UDL	1D1DD	1.22	6.62	4.74			<u> </u>	 			ļ	
	CU-DP COCI (data) - DS1 to DS0 Channel System - per	i	İ	1		i i			l	(1	1	1	1	1	ì
	onth (2.4-64kbs) used for connection to a channelized DS1	!	1	l		1						1		i	1	ŀ
	cal Channel in the same SWC as collocation		 	U1TUD	1D1DD	1.22	6.62	4.74					 			
	vire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1	1	LIEN		, , ,			\ 		1 ,	1		I	1	1
	onth for a Local Loop		_	UDN	UC1CA	2.62	6.62	4.74							 	
	vire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		i			1		l .	Į	({		1	1		1
	onth used for connection to a channelized DS1 Local Channel	1	}	LUZIO		1	0.00		1		1	1		l		
	the same SWC as collocation ice Grade COCI - DS1 to DS0 Channel System - per month		 	U1TUB	UC1CA	2.62	6.62	4.74			 		 		 	
				UEA	1D1VG	0.5737	6.62	4.74		Ì	}	Ì		1	l	
	ed for a Local Loop ce Grade COCI - DS1 to DS0 Channel System - per month	 	 	UEA	TIDIVG	0.5/3/	0.02	4.74		 	+	 		 	 	1
	ed for connection to a channelized DS1 Local Channel in the								l	Į.	1	1	1	1	1	1
	me SWC as collocation	1	1	UITUC	1D1VG	0.5737	6.62	4.74	l		1	1		1		Į.
	3 to DS1 Channel System per month	 		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82		 			 	
	S-1 to DS1 Channel System per month	1	 	UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82		 		 	 	+
	1 COCI used with Loop per month	1		USL	UC1D1	12.96	6.62	4.74	34.30	32.02	+	 	 		 	+
	1 COCI (used for connection to a channelized DS1 Local	 	 -	1000	100101	12.50	0.02	4.74	 		-	 			 	
	annel in the same SWC as collocation) per month		1	U1TUA	UC1D1	12.96	6.62	4.74			1	1	1	I		1
	if COCI used with Interoffice Channel per month	 -	+	U1TD1	UC1D1	12.96	6.62	4.74			 		 	 	 	
	3 Interface Unit (DS1 COCI) used with Local Channel per	+	1	101101	100.01	12.30	0.02	4.74			 	 	 	 		+
	onth	ì	1	ULDD1	UC1D1	12.96	6.62	4.74	İ		1	1		1		1
	es displaying an "I" in Interim column are interim as a rest	ult of a Co	mmics		100.01	12,30	0.02	4.74	 	 			 		-	+
INUIE: nate	oo waxayiiiy an 🕕 in iriteriin Çolumn are interim as a fest	unt of a Co	///////////////////////////////////////	ion order.				1		L						

UNBUND	LED	NETWORK ELEMENTS - North Carolina												Attach	ment; 2	Exhi	bit: A
													Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEGOR	Y	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	<u> </u>	
							riec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	"Zoi	ne" shown in the sections for stand-alone loops or loops as	part of a	combin	ation refers to Cook	rephicelly D	I INE	Zon T-ide	<u> </u>	<u> </u>	411115			000	1		L
http	o://wv	vw.interconnection.bellsouth.com/become_a_clec/html/intel SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connection	on.htm	lation releas to deog	Tapriically D	Taveraged UNE	Zones. 10 Vie	ew Geographic	ally Deaverage	d UNE Zone D	esignations	by Central	Unice, refer	to internet we	obsite:	Γ
NO	TE: () CLEC should contact its contract negotiator if it prefers the	e "state s	pecific	OSS charges as ord	dered by the	State Commiss	ions. The OS	S charges cur	rently containe	d in this rate e	xhibit are th	ne BellSouth	"regional" s	ervice orderir	g charges. C	LEC may
elec	ct eiti	ner the state specific Commission ordered rates for the servi	ce orderi	ng char	ges, or CLEC may el	ect the regio	nal service ord	ering charge,	however, CLE	C can not obtai	n a mixture of	the two reg	ardless if C	LEC has a in	terconnection	contract esta	ablished in
eac	th of	he 9 states.															
INO	IE: (i	Any element that can be ordered electronically will be bill	ed accord	ding to	the SOMEC rate liste	d in this cat	egory. Please r	refer to BellSo	uth's Local Or	dering Handbo	ok (LOH) to de	etermine if a	product car	n be ordered	electronically	. For those e	lements tha
will	he a	e ordered electronically at present per the LOH, the listed S pplied to a CLECs bill when it submits an LSR to BellSouth.	OMEC rat	e in thi	s category reflects th	ie charge tha	at would be bill	ed to a CLEC	once electroni	c ordering capa	bilities come	on-line for t	hat element	, Otherwise,	the manual o	rdering charg	je, SOMAN,
		DSS - Electronic Service Order Charge, Per Local Service	·	T	Γ	Т	T1							I		T	
	F	Request (LSR) - UNE Only				SOMEÇ		3.50	0.00	3.50	0.00						
		DSS - Manual Service Order Charge, Per Local Service										 			· · · · · · · · · · · · · · · · · · ·		
INF OFFINA		Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
		ATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	Pall Courth	- FCC	No 1 Taul# C	F	<u> </u>										
	<u> </u>	tie Expedite charge will be maintained commensurate with	bensouth	SFCC	No.1 Tariff, Section :	s as applicai	oie.					 					
			•		UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TS1, U1T03, U1TS1, UTTVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1CC, UC1CL, UC1FC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1HC, UC1HL, UDL03, UDL8X, UBJ, ULD12, ULD03, ULD12, ULD03, ULDD1, ULDD3, ULDD5, ULD03, ULDD5, ULD03, ULDD5, ULD03, ULDD5, ULD03, ULDD5, ULD03, ULD05, ULD03, ULD05, ULD03, ULD05, UNC03X, UNC05X, UNC05X, UNC05X, UNC05X, UNC05X,												
	D EX	INE Expedite Charge per Circuit or Line Assignable USOC, per lay CHANGE ACCESS LOOP			UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD,	SDASP		200.00									
2-W		ANALOG VOICE GRADE LOOP															
	- 12	-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 -Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL UEANL	UEAL2 UEAL2	12,11	57.99	42.37								
 -		-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 -Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	21.24 33.65	57.99 57.99	42.37 42.37								
		-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37			 					
	2	-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEASL	21.24	57.99	42.37						 		
	2	-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3		UEASL	33.65	57.99	42.37					·			
	F	Inbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
		oop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Įι	oop Testing - Basic Additional Half Hour	_		UEANL	URETA	1	39.51	39.51								

		O NETWORK ELEMENTS - North Carolina	Τ	1	T		T								ment: 2	Exhi	ibit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'1	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			 	ļ			Rec	Nonre	urring	Nonrecurrin	g Disconnect		L	OSS	Rates (\$)		<u> </u>
		CLEC to CLEC Conversion Charge Without Outside Dispatch	ļ				TIEC .	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(UVL-SL1)			I IT AND	LIDELLO.	1 :					1				COMPAN	OUNIAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	 	 	UEANL	UREWO		15.76	8.93								
	- 1	providing make-up (Engineering Information - F.L.)		1	UEANL	UEANM	i										
		Manual Order Coordination for UVL-SL1s (per loop)	· · · · · ·		UEANL	UEAMC		28.74 61.38	28.74	 							
- 1	- 1	Order Coordination for Specified Conversion Time for UVL-SL1					· · · · · · · · · · · · · · · · · · ·	01.36	61.38	 -		ļ					
	WIDE	(per LSR) Unbundled COPPER LOOP		<u> </u>	UEANL	OCOSL		45.34	45.34								
			ļ	ļ								-					ļ
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		1	UEQ	UEQ2X	10.16	35.27	15.60			1					·
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	17.55	35.27	15.60			<u> </u>					
		Unbundled Miscellaneous Rate Element, Tag Loop at End User	 	3	UEU	UEQ2X	27.58	35.27	15.60								
		Premise		ĺ	UEQ	URETL		8.33		1							
		Manual Order Coordination 2 Wire Unbundled Copper Loop -			02.0	OTILITE		8.33	0.83								L
		Non-Designed (per loop)			UEQ	USBMC		61.38	61.38			İ					
		Unbundled Copper Loop, Non-Design Copper Loop, billing for						01.50	01.36								l
		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74								i
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24								·····
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
-	- 17	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)															
UNBUND	LED E	KCHANGE ACCESS LOOP			UEQ	UREWO		14.26	7.42				ŀ				i
		ANALOG VOICE GRADE LOOP				 											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	- 2	Zone 1	•	1	UEPSR UEPSB	UEALS	12.11										
	2	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OEI SIT OEI 3B	UEALS	12.11	57.99	42.37	0.00	0.00						
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00							,
	13	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	12.17	37.33	42.37	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00				ŀ		1
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-							,2.07	0.00	0.00						
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00		F	l		ŀ	
i	15	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		_													
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00	i	į		-		
	2	Zone 3		3	UEPSR UEPSB		1										
JNBUND	LED EX	(CHANGE ACCESS LOOP		-3-1	UEFSH UEFSB	UEABS	33.65	57,99	42.37	0.00	0.00				ŀ		
2-	WIRE	ANALOG VOICE GRADE LOOP															
	2	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+											
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56	i				ľ		f	
- 1	12	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							100.00			-,					
	- 1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56	i	ł	•	1	1	-		
İ	ا ا	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		_													
	- 6	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	UEAL2	40.81	142,97	106.56					1			
		-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL		45.34									
	le le	Battery Signaling - Zone 1		1 1	UEA	UEAR2											
	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		' '	ULA	UEAHZ	14.97	142.97	106.56				i			- 1	
	B	lattery Signaling - Zone 2	i	2	UEA	UEAR2	25.93	142.97	100 50								
	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				OL/WIZ	20.90	142.97	106.56								
	B	attery Signaling - Zone 3		3 (UEA	UEAR2	40.81	142.97	106.56	l	l	1	j		!	Ī	
	- Z	Order Coordination for Specified Conversion Time (per LSR)			JEA	OCOSL		45.34	.00.50		***************************************						
		CLEC to CLEC Conversion Charge without outside dispatch	I		JEA	UREWO		87.64	36.33						 }-		
1_1	WIRE /	oop Tagging - Service Level 2 (SL2) NALOG VOICE GRADE LOOP			JEA	URETL		11.20	1.10								
	14	-Wire Analog Voice Grade Loop - Zone 1		- , - 4.	IE A	1											
	4	-Wire Analog Voice Grade Loop - Zone 2			JEA JEA	UEAL4	21.32	288.47	237.45								
	4	-Wire Analog Voice Grade Loop - Zone 3			JEA JEA	UEAL4 UEAL4	36.27	288.47	237.45								
				0 11	JLA .	IUCAL4	56.57	288.47	237.45								
	C	Order Coordination for Specified Conversion Time (per LSR) DEC to CLEC Conversion Charge without outside dispatch		11	JEA	OCOSL		45,34	207.40								

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina											-	Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
				 			Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.42	325.91	251.31								1
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31								
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	4	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12							 	1
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE L	OOP													
	Į.	2 Wire Unbundled ADSL Loop Including manual service inquiry				1											
		& facility reservation - Zone 1	L	1	UAL	UAL2X	11.00	264.71	145.60	1			· '		}	ì	1
		2 Wire Unbundled ADSL Loop including manual service inquiry														 	
		& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60	1 [Į .				}	1
		2 Wire Unbundled ADSL Loop including manual service inquiry								 						 	1
	1	& facility reservation - Zone 3	l	3	UAL	UAL2X	28.42	264,71	145.60	1						(1
		Order Coordination for Specified Conversion Time (per LSR)	,		UAL	OCOSL		45.34									
		2 Wire Unbundled ADSL Loop without manual service inquiry &		 	T			40.04		 						ļ	
	1_	facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82	, ,						i	1
		2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	1	TONG.	11.00	190.23	114.02						<u> </u>		
	1	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82	į			1			1	
		2 Wire Unbundled ADSL Loop without manual service inquiry &			O/AL	OALZVV	10.09	190.25	114.02	<u> </u>							
		facility reservaton - Zone 3		3	UAL	UAL2W	28.42	100.05	111.00	1		ļ,				}	1
	+	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UAL	OCOSL	20.42	190.25 45.34	114.82	 							
		CLEC to CLEC Conversion Charge without outside dispatch		 	UAL												
	2.WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLECO	100	UAL	UREWO		86.12	40.36								
	Z-WINE	2 Wire Unbundled HDSL Loop including manual service inquiry	IIDLE LC	T	 					ļl							
	1	& facility reservation - Zone 1		١,	ļ					1			1				
	+	2 Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL2X	9.01	284.74	163.54								
				۱ ـ	l			ŧ		1							
	-	& facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54								
	1	2 Wire Unbundled HDSL Loop including manual service inquiry		_		l				l (
		& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54								
		Order Coordination for Specifled Conversion Time (per LSR)			UHL	OCOSL		45.34									
		2 Wire Unbundled HDSL Loop without manual service inquiry			l	1	1										1
		and facility reservation - Zone 1			UHL	UHL2W	9.01	207.48	132.05								l
		2 Wire Unbundled HDSL Loop without manual service inquiry		ĺ													
		and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05								ĺ
		2 Wire Unbundled HDSL Loop without manual service inquiry		1													
		and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05	1							ĺ
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL.	UREWO		86.06	40.36								
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
		4 Wire Unbundled HDSL Loop including manual service inquiry								1							
		and facility reservation - Zone 1		11	UHL	UHL4X	10.62	341.65	220.45	1							{
		4-Wire Unbundled HDSL Loop including manual service Inquiry				"											
		and facility reservation - Zone 2		2	UHL	UHL4X	17,67	341.65	220.45			i	i				ļ
		4-Wire Unbundled HDSL Loop including manual service inquiry			[
		and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								Į.
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	220,70								
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96	į (1	1			1
		4-Wire Unbundled HDSL Loop without manual service inquiry						201.08	100.90	 							
		and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				ļ	ļ			}
		4-Wire Unbundled HDSL Loop without manual service inquiry				1-1-1-1		201.00	100.50	 							
	1	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					l			
		Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL	21.24	45.34	188.96	 							
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36								
		DS1 DIGITAL LOOP			V-1L	OUEAAO		86.06	40.36								
		4-Wire DS1 Digital Loop - Zone 1		1	III	USLXX	47.00		401.4-								
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	47.60 84.36	714.84	421.47								
	+	4-Wire DS1 Digital Loop - Zone 2						714.84	421.47								
		Order Coordination for Specified Conversion Time (per LSR)			USL	USLXX	134.29	714.84	421.47								
	1	Corder Coordination for Specified Conversion Time (per LSH)		L	USL	OCOSL		48.31					T				

	D NETWORK ELEMENTS - North Carolina			,									Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme
		 		ļ		Rec	Nonrec			g Disconnect			oss	Rates (\$)		1
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		First 100.99	Add'l 43.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				0.12.70		100.99	43.00		ļ	ļ					
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51		-	ļ					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51			 		·			ļ
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51			 	ļ	<u> </u>			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51		 						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<u> </u>		UDL	UDL56	43.11	489.04	337.51		 	 					
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	UDL56	67.26	489.04	337.51								 -
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		ļ	UDL	OCOSL		45.34									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		1 1	UDL	UDL64	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		2	UDL	UDL64	43.11	489.04	337,51				-				
	Order Coordination for Specified Conversion Time (per LSR)	 	3	UDL	UDL64	67.26	489.04	337.51								
	CLEC to CLEC Conversion Charge without outside dispatch	 -		UDL UDL	OCOSL		45.34									
2-WIRE	Unbundled COPPER LOOP	<u> </u>	 		UREWO		102.03	49.70								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UÇL	UCLPB	13.26	200 00			1						1
	2-Wire Unbundled Copper Loop-Designed including manual			OOL	OCLEB	13.26	262.86	143.75								1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	200 00									
	2 Wire Unbundled Copper Loop-Designed Including manual				OCLEB	22.39	262.86	143.75								L.
1 1	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	440 75								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	34.00	61.38	143.75 61.38								
	2-Wire Unbundled Copper Loop-Designed without manual				000,000		01.36	01.38								
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				i	- 1	ŀ		ı
1 1	2-Wire Unbundled Copper Loop-Designed without manual					10.20	100.00	112.50								
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22,39	188.39	112.96			1			I		
1 1	2-Wire Unbundled Copper Loop-Designed without manual							.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96				1		ĺ		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)							~								
	COPPER LOOP			UCL	UREWO		97.14	42.44			i		i		i	
	4-Wire Copper Loop including manual service inquiry and facility															
	reservation - Zone 1			uo	1											
	4-Wire Copper Loop including manual service inquiry and facility		_'_	UCL	UCL4S	17.36	311.03	191.93							1	
- i I,	reservation - Zone 2	1	ا ہ	UCL												
	4-Wire Copper Loop including manual service inquiry and facility		2	UCL	UCL4S	29.61	311.03	191.93				ŀ				
1 1	reservation - Zone 3		3	UCL	1,,,,,,		- 1									
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL4S UCLMC	46.26	311.03	191.93						}	_ 1	
- 4	4-Wire Copper Loop without manual service inquiry and facility				UCLIVIC		61.38	61.38								
r	reservation - Zone 1		1 1	UCL	UCL4W	17.00	222 == 1	40								
	4-Wire Copper Loop without manual service inquiry and facility			VOL	JUCK444	17.36	236.57	161.14							i	
r	reservation - Zone 2	i	2	UCL	UCL4W	29.61	236.57	161.14				T				
4	4-Wire Copper Loop without manual service inquiry and facility				JUL 777	29.01	230.57	161,14								
r	eservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14	ļ	l	1	1		T		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	40.20	61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch				100000		01.30	01.30								
1 10	UCL-Des)			UCL	UREWO		97.14	42.44	ļ	i	i		1		- 1	
OP MODIFICA	ATION				1 5 5		77.17	76.77								
	Jnbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		l	UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire ess than or equal to 18K ft, per Unbundled Loop	1														
- "	coo man or equal to rok it, per Unbundled Loop			JHL, UCL, UEA	ULM4L		21.24	21.24		l	-		1		1	
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		į.	JAL, UHL, UCL, JEQ, ULS, UEA, JEANL, UEPSR, JEPSB	ULMBT			24.84								

	D NETWORK ELEMENTS - North Carolina	···	т										Attach	ment: 2	Exhi	ibit; A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme
1					 	Rec	Nonrec First	Add'l	First	g Disconnect				Rates (\$)		
UB-LOOPS							11131	Addi	FIRST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Sub-Li	pop Distribution									 						ļ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	1		UEANL	USBSA		373.57									 -
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		33.78									
_	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	-		UEANL]											ļ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up				USBSC		234.76									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		81.05									İ
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	7.31	126.03	54.54								1
	IZone 2	1	2	UEANL	USBN2	11.93	126.03	54.54	· · · · · · · · · · · · · · · · · · ·		***************************************					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	18.20					-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair					10,20	126.03	54.54								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1	UEANL	USBN4	8.44	156.52	79.66								
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	13.81	156,52	79.66			}		l			
_	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3.74	127.67	50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38	1							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	· · · · · · · · · · · · · · · · · · ·	76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	····	39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.10	137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	!		UEF	UCS2X	9.70	137.10	60.24								
+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	14.59	137.10	60.24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	į,	JEF	USBMC	1	61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1 (JEF	UC\$4X	6.58	162.24	85,38			-,					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- i	2 1	JEF	UCS4X	10.51	162.24	85,38								
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			JEF	UCS4X	15.84	162.24	85.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		١,	JEF	USBMC											
	Loop Testing - Basic 1st Half Hour			JEF	URET1		61.38	61.38							[
	oop Testing - Basic Additional Half Hour			JEF	URETA		76.24 39.51	76.24 39.51								
Unbund	led Network Terminating Wire (UNTW)						39.51	39.51								
Network	Unbundled Network Terminating Wire (UNTW) per Pair Interface Device (NID)		- I	JENTW	UENPP	0.4351	64.98									
	Vetwork Interface Device (NID) - 1-2 lines			JENTW	UND12											
	Network Interface Device (NID) - 1-6 lines			JENTW	UND16		86.37 127.93	56.69								
!	Network Interface Device Cross Connect - 2 W		t	JENTW	UNDC2		11.68	98.21								
OTHER SE	Network Interface Device Cross Connect - 4W			JENTW	UNDC4		11.68	11.68								
OINEH, PF	ROVISIONING ONLY - NO RATE		二十				11.00	11.00		<u> </u>						
	NID - Dispatch and Service Order for NID installation			JENTW	UNDBX	0.00	0.00									
 	JNTW Circuit Id Establishment, Provisioning Only - No Rate			JENTW	UENCE	0.00	0.00								$ \Box$	
	Unbundled Contract Name, Provisioning Only - No Rate			JEANL,UEF,UEQ,U NTW	UNECN	0.00			·							
OTHER, PF	OVISIONING ONLY - NO RATE				CITEOIN	0.00	0.00		- 1	1						

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachi	ment; 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
 						Rec	Nonrec		Nonrecurring Disc		COMEO	COMAN		Rates (\$)	COMAN	LCOMAN
			 				First	Add'l	First /	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC		0.00	0.00					,				
	Inhundled DC1 Lean Superfrome Format Oation as vote			UEA,USL,UCL,UDL	USBFR	0.00	0.00		ļ							
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL		0.00	0.00									
HIGH CAPACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
- HOIT CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per		-													
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	450.69	1,231.65	743,038								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	464.26	1,231.65	743.038								
LOOP MAKE-	ÚP .					, o mae	1,201.00	7 10.000								·
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.73	55.73								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SPLITTI	NG CONTRACTOR OF THE CONTRACTO															
	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED															
ENDO	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			 							
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59								
	E OF SERVICE															
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	13.3.1 as ap	plicable.										
ļ	No Trouble Found - per 1/2 hour Increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
LINBUNDLED	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT						100.00	75.00								
	OFFICE CHANNEL - DEDICATED TRANSPORT					 			ļ							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										7					
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0125										
	Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.0125	20.1.3	52.50								
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.16	106,11	05.05								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282	100.11	65.95								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5		107.10	F0 =2								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile					17,40	137.48	52.58								
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0282										
	Termination	L	l	U1TDX	U1TD6	17.40	137.48	52.58	L							L

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge -			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec	curring	Nonrecurring	Disconnect	 		oss	Rates (\$)		L
<u> </u>	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per					riec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı ! '	month			UITDI	1L5XX	0.5753	l		1			1				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		 	07.0.	TESAN	0.5735			 		 	 				<u> </u>
·	Termination			U1TD1	U1TF1	71.29	217.17	163.75	<u> </u>			-				-
. '	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		i	U1TD3	1L5XX	40.00										
	Interoffice Channel - Dedicated Transport - DS3 - Facility	 	<u> </u>	01103	ILSXX	12.98			 		<u> </u>	 	<u> </u>			
	Termination per month			U1TD3	U1TF3	720.38	794.94	579.55	1							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month											<u> </u>				
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	 		U1TS1	1L5XX	6.14										
	Termination	i		U1TS1	U1TFS	790.37	642.23	408.89	1 :		1					
DARK FIBER					10	,555.57	042.20	400.08			 	 				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel	1		LIDE (IDEC)							1					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	ļ		UDF, UDFCX	1L5DC	73.65						<u> </u>				
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop															
VIRTUAL COLL		 		UDF, UDFCX	1L5DL	73.65										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			·		 					<u> </u>	 	-			
	Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
PHYSICAL COL																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	20 52	04.05								
ENHANCED EX	KTENDED LINK (EELs)						33.53	31.65	0.00	0.00	ļ					
NOTE:	The monthly recurring and non-recurring charges below will	apply and	the Sw	itch-As-Is Charge v	vill not apply	for UNE combin	nations provisi	ioned as ' Ordi	Inarily Combine	ed' Network El	ements.					
INOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-re	curring	charges below will	apply for UN	E combinations	provisioned a	as ' Currently (Combined' Nety	vork Elements						
2-WIHE	2-Wire VG Loop (SL2) in Combination - Zone 1	-	1	UNCVX	UEAL2	14.97	110.07	100 50								
	2-Wire VG Loop (SL2) in Combination - Zone 2	 		UNCVX	UEAL2	25.93	142.97 142.97	106.56 106.56								
	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	40.81	142.97	106.56								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.27	13.09	9.38								
	VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	0, 50										
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	21.32 36.27	288.47 288.47	237.45 237.45								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.27	13.09	9.38								
	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	LINEDY	UDL56											
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX UNCDX	UDL56	25.32 43.11	489.04 489.04	337.51 337.51								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			101000												
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX UNCDX	UDL64 UDL64	25.32 43.11	489.04 489.04	337.51 337.51								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	67.26	489.04	337.51								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	ISDN LOOP FOR USE IN COMBINATION				1											
	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	19.42	325.91	251.31								
				UNCNX UNCNX	U1L2X U1L2X	32.88 51,14	325.91 325.91	251.31 251.31								
	2-Wire ISDN Loop in Combination - Zone 3							11.28								
	2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	JUC1CA	3.59 1	15.70							1		
4-WIRE	2-wire ISDN COCI (BRITE) - in combination - per month DS1 DIGITAL LOOP FOR USE IN A COMBINATION				UC1CA	3.59	15.76									
4-WIRE	2-wire ISDN COCI (BRITE) - in combination - per month EDS1 DIGITAL LOOP FOR USE IN A COMBINATION 4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47								
4-WIRE	2-wire ISDN COCI (BRITE) - in combination - per month DS1 DIGITAL LOOP FOR USE IN A COMBINATION		2													

NIBUNULED NE	TWORK ELEMENTS - North Carolina	,										,		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted		Charge - Manual Svc Order vs. Electronic-	Charge -	Charge Manual S Order vs
		1	1										1st	Addil	Disc 1st	Disc Add
							Nonred	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIRE VOICE	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
Interof	fice Transport - 2-wire VG - Dedicated- Per Mile Per										1				1	
Month		1	1	UNCVX	1L5XX	0.0282				ł	1				ŀ	[
	fice Transport - 2-wire VG - Dedicated - Facility															
	nation per month	L		UNCVX	U1TV2	18.00	137.48	52.58	ì	ì	1		l			L
	E GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
	fice Transport - 4-wire VG - Dedicated - Per Mile Per									1					1	
Month		1	1	UNCVX	1L5XX	0.0282			L	Ĺ						
	fice Transport - 4-wire VG - Dedicated - Facility														[
	nation per month		<u> </u>	UNCVX	U1TV4	22.16	106.11	65.95		1						
	FICE TRANSPORT FOR COMBINATION		-													
	fice Transport - Dedicated - DS1 combination - Per Mile		ľ						ĺ		l	ļ		ļ	1	}
per mo			├	UNC1X	1L5XX	16.07			ļ				L	_	ļ	
	fice Transport - Dedicated - DS1 combination - Facility	1		L					1					i		1
	nation per month		 	UNC1X	U1TF1	71.29	217.17	163.75								
	FICE TRANSPORT FOR USE IN A COMBINATION		 													
	fice Transport - Dedicated - DS3 combination - Per Mile	J	ļ							ļ .		[ļ	l		1
Per Mo				UNC3X	1L5XX	12.98										
	fice Transport - Dedicated - DS3 - Facility Termination per		l							1		i i				
month				UNC3X	U1TF3	720.38	794.94	579.55							1	
	OFFICE TRANSPORT FOR USE IN COMBINATION										L					
	fice Transport - Dedicated - STS-1 combination - Per Mile	i	İ													
Per Mo				UNCSX	1L5XX	6.14				1	·	ì		<u></u>	İ	1
	fice Transport - Dedicated - STS-1 combination - Facility	,	1]		ĺ										
	nation per month	<u></u>		UNCSX	U1TFS	790.37	642.23	408.89			L					
	PS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT														
	56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51								
	56 kbps Local Loop in combination - Zone 3	L	3	UNCDX	UDL56	67.26	489.04	337.51								
	fice Transport - Dedicated - 4-wire 56 kbps combination -		1													
	le per month		ļ	UNCDX	1L5XX	0.0282									L	
	fice Transport - Dedicated - 4-wire 56 kbps combination -	1	1													
	/ Termination per month		<u> </u>	UNCDX	U1TD5	17.40	137.48	52.58		<u></u>	L			<u> </u>	<u> </u>	
	PS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
4-wire	64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51							L	
	64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	fice Transport - Dedicated - 4-wire 64 kbps combination -		İ								ĺ	Į l		1	1	
	le per month		 	UNCDX	1L5XX	0.0282				<u> </u>	L					
	fice Transport - Dedicated - 4-wire 64 kbps combination -	l		LINGDY	Lures					i	'					
	y Termination per month PS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	FTDANS		UNCDX	U1TD6	17.40	137.48	52.58								
		ETHANS	PORT	INIONY	- 1000 50											
	56 kbps Local Loop in combination - Zone 1	ļ	 	UNCDX	UDL56	25.32	489.04	337.51								
	56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	43.11	489.04	337.51			<u> </u>					
	56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	e 56 kbps Interoffice Transport - Dedicated - Per Mile per		Į							ļ	ļ			1	\	١
month				UNCDX	1L5XX	0.0282										
	e 56 kbps Interoffice Transport - Dedicated - Facility]		LINCDY	1147755											
	nation per month	FTDANS	DODT	UNCDX	U1TD5	17.40	137.48	52.58		-				L		L
	PS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	EIHANS	PUKI	LINCDY	UDICA											
	64 kbps Local Loop in combination - Zone 1 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	25.32	489.04	337.51								
	64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51	L	ļ						L
		-	3	UNCDX	UDL64	67.26	489.04	337.51								
month	e 65 kbps Interoffice Transport - Dedicated - Per Mile per	l	I	LINGDY												1
				UNCDX	1L5XX	0.0282										
	e 64 kbps Interoffice Transport - Dedicated - Facility	İ		LINODY	 		[
	nation per month		├	UNCDX	U1TD6	17.40	137.48	52.58								
	LOOP AND DS1 INTERFOFFICE TRANSPORT		 _													
	DS1 Digital Loop in Combination - Zone 1	L	1 1	UNC1X	USLXX	47.60	714.84	421.47							,	

BUNDLED NETWORK ELEMENTS - North Carolina		Т	γ									Attach	ment: 2	Eyhi	bit: A
EGORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
	 	 	 		Rec	Nonrec			g Disconnect			oss	Rates (\$)		
4-Wire DS1 Digital Loop in Combination - Zone 2	-	2	UNC1X	USLXX	24.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Digital Loop in Combination - Zone 3	+	3	UNC1X	USLXX	84.36	714.84	421,47								
Interoffice Transport - Dedicated - DS1 combination - Per Mile	 	1	ONCIA	USLXX	134.29	714.84	421.47		L						
[per month		1	UNC1X	1L5XX	16.07										
Interoffice Transport - Dedicated - DS1 combination - Facility	1		OTTOTA	10000	16.07					İI					
Termination per month			UNC1X	U1TF1	71.29	217.17	400 75		1						
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT				/1.29	217.17	163.75								
DS3 Local Loop in combination - per mile per month	T		UNC3X	1L5ND	13.33										
		1		1.00.1.0	10.00										
DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	450.69	1,071.00	646.12		J		1		1		
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98	1,077.00	040.12								
Interoffice Transport - Dedicated - DS3 combination - Facility	1	1			10.00										
Termination per month		<u> </u>	UNC3X	U1TF3	720.38	794.94	579.55								
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT				-		373.33								
STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	13.33										
STS-1 Local Loop in combination - Facility Termination per month															
			UNCSX	UDLS1	464.26	1,071.00	646.12			J				İ	
Interoffice Transport - Dedicated - STS-1 combination - per mile per month															
	ļ		UNCSX	1L5XX	6.14					}	i	ľ	i		
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		Ì									i				
TIONAL NETWORK ELEMENTS			UNCSX	U1TFS	790.37	642.23	408.89					1		ı	
When used as a part of a currently combined to the	ــــــــــــــــــــــــــــــــــــــ	L.,	L												
When used as a part of a currently combined facility, the non-recurr	ng charg	es do no	ot apply, but a Swi	tch As Is char	ge does apply.										
When used as ordinarily combined network elements in All States, it Nonrecurring Currently Combined Network Elements "Switch As Is"					Is Charge does	s not.									
Total Control of Committee Network Elements "Switch As Is"	Charge (C	one app	iles to each combin	nation)											
Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX, UNCDX.												
Is Charge			UNC1X, UNC3X,	1 1					ļ	ŀ		1	1	ł	
Optional Features & Functions:			UNCSX	UNCCC		21.75	21.75	32.28	10.96				1		
			UITDI.												
Clear Channel Capability Extended Frame Option - per DS1	,		ULDD1,UNC1X	00000											
	-		U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF			1								
Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	CCUSF		0.00	0.00	0.00	0.00			j		ŀ	
Activity - per DS1	1		UNC1X, USL	NRCCC						````					
				NHCCC		184.76	23.80	1.99	0.78		1			l l	
C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3,	1	i	1		ſ							
MULTIPLEXERS			UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00	1		ľ	1	i	
DS1 to DS0 Channel System per month			UNC1X	1											
			ONCIX	MQ1	146.69	197.78	140.06								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD					1						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per							9.38	i		1	1			- 1	
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			ODL	10100	2.00	13.09	9.30	1							
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1			ODE	10100	2.00	13.09	9.36								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation												4			
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Local			U1TUD	1D1DD	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per															
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month to a Local Loop			U1TUD	1D1DD	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month to a Local Loop			U1TUD UDN	1D1DD UC1CA	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Volce Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			U1TUD UDN U1TUB	UC1CA	2.00 3.59	13.09 13.09	9.38 9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month vised for a Local Loop			U1TUD UDN	1D1DD UC1CA	2.00	13.09	9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Volce Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channelized DS1 Local Channel in the			U1TUD UDN U1TUB	UC1CA	2.00 3.59	13.09 13.09	9.38 9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Volce Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUD UDN UITUB UEA	UC1CA UC1CA	2.00 3.59 3.59 1.27	13.09 13.09 13.09	9.38 9.38 9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation OS3 to DS1 Channel System per month		I	UITUD UDN UITUB UEA	1D1DD UC1CA UC1CA 1D1VG	2.00 3.59 3.59 1.27	13.09 13.09 13.09 13.09	9.38 9.38 9.38 9.38								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Volce Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channel System - per month used for connection to a channel System - per month used for connection to a channelized DS1 Local Channel in the		1	UITUD UITUB UEA UITUC UNCSX	1D1DD UC1CA UC1CA 1D1VG 1D1VG MO3	2.00 3.59 3.59 1.27 1.27 233.10	13.09 13.09 13.09 13.09 13.09 403.97	9.38 9.38 9.38 9.38 9.38 234.40								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Volce Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop System - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UITUD UITUB UEA UITUC UNCSX UNCSX	1D1DD UC1CA UC1CA 1D1VG 1D1VG MO3 MO3	2.00 3.59 3.59 1.27 1.27 233.10 233.10	13.09 13.09 13.09 13.09 13.09 403.97 403.97	9.38 9.38 9.38 9.38 234.40 234.40								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Cop To S1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month DS1 COCI (used for connection to a channelized DS1 Local			UITUD UITUB UEA UITUC UNCSX	1D1DD UC1CA UC1CA 1D1VG 1D1VG MO3	2.00 3.59 3.59 1.27 1.27 233.10	13.09 13.09 13.09 13.09 13.09 403.97	9.38 9.38 9.38 9.38 9.38 234.40								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UITUD UITUB UEA UITUC UNCSX UNCSX	1D1DD UC1CA UC1CA 1D1VG 1D1VG MO3 MO3	2.00 3.59 3.59 1.27 1.27 233.10 233.10	13.09 13.09 13.09 13.09 13.09 403.97 403.97	9.38 9.38 9.38 9.38 234.40 234.40								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											····	Attach	ment: 2	Exhi	bit: A
		T									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		!	1 1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
					ŀ							1	Electronic-	Electronic-	Electronic-	Electronic-
											}		1st	Add'I	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month		1	ULDD1	UC1D1	16.07	13.09	9.38	i		ļ	i				1
Note:	Rates displaying an "I" in Interim column are interim as a res	ult of a Co	mmissi	on order.												

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - South Carolina												Attachr	Attachment: 2	Exhi	Exhibit: A
											Svc Order	Svc Order	Incremental	-	Incremental	Incremental
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	osn	***************************************		RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st		Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nome	Nonrecurring st Add'1	Nonrecurring Disconnect	Disconnect	SOMEC	SOMAN	OSS Rates (\$)	Rates (\$) SOMAN	SOMAN	SOMAN
The "Zo	service in the confirmation for what a confirmation of the control of the confirmation of the control of the co															
http://w	In P. Zone "south and the Sections to Standardone loops as part of a combination refers to Geographically Deaveraged UNE Zone Designations by Central Office, refer to intermet Website. Interforment of the Control C	nt of a com	tm	sters to Geographi	cally Deaver	aged UNE Zones.	. To view Geog	raphically Deav	eraged UNE Zo	ne Designation	s by Central	Office, refer	to internet We	ebsite:		
NOTE: - state sp NOTE: (NOTE: (1) CLEC should contact its prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BeilSouth "regional" service ordering charges. or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges, not be service ordering charges, or CLEC may elect the regional service ordering charges. Or CLEC may elect the regional service ordering charges, not charge service ordering charges. Or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges. Or CLEC may elect the regional service ordering charges in the service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service ordering charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or charges or CLEC may elect the regional service or CLEC may elect the regional service or charges or CLEC may elect the regional service or CLEC may elect the regional service or CLEC may elect the regional service or CLEC may elect the region or CLEC may elect the region or charges or CLEC may elect the region or charges or charges or CLEC may elect the region or charges or charges or clear the region or clear the region or char	state spec es, or CLE(according t	ific" OSS	charges as ordered the regional servante (AEC rate listed in the the charge that we	d by the Stat rice ordering his category. ould be billed	charge, however Please refer to f	The OSS charg	les currently cor. cobtain a mixtur al Ordering Hanc	e of the two regalabook (LOH) to	ate exhibit are t gardless if CLE o determine if a	the BellSouti C has a inter product can	h "regional" s rconnection c be ordered e	service orderii contract estat electronically.	ng charges. Collished in each For those ele	CLEC may elect of the 9 state one of the 9 state one of the 1 state one of the 1 state on the the transfer of	st either the ss. nnot be
bill whe	bill when it submits an LSR to BellSouth. OSS - Flectronic Sarvine Order Charne Part ocal Service		-					aming capanimes	Acute Ott-tion	for mar enemen	r. Otnerwise	, the manual	ordering chai	rge, sowan,	will be applied	to a CLECS
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
Tomas de la constante de la co	USS. Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only		1		SOMAN		15.69	0:00	1.97	00:00						
ONE SERVICE NOTE:	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	South's F	CC No.1 1	ariff. Section 5 as applicable	apolicable.											
i	Typedire orange with the manufaction of the second of the	S IIIDOCIII S L	3	arm, section 5 as	applicable.											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per		<u> </u>	U.C. COO S. X. X. X. X.								·				
INBIINDI ED EX	Day		5	JITUA	SDASP		200.00									
2-WIRE	ANALOG VOICE GRADE LOOP		\dagger													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		11		UEAL2	14.94		17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		ı		UEAL2	21.39		17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		UEASL	14.94	L	17.62	23.56	5.32			1			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2 UE	UEANL	UEASL		37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tar Loop at End User			ANL	UEASL	26.72		17.62	23.56	5.32						
	Premise		3		URETL		8.33	0.83			-					
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		34.23	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)) E		UREWO		15.81	96.8								
	Unburdled Voice Loop, Non-Design Voice Loop, billing for BST providing make-to (Engineering Information - E.1.)		<u> </u>		FANM		13.47	1, 6,								
	Manual Order Coordination for UVL-SL1s (per loop)		is.	UEANL	UEAMC		8.17	8.17								

[CCCS Amendment 115 of 142]

	D NETWORK ELEMENTS - South Carolina		1	I							Pur Cont	Cun Cul	Attachi		Exhi	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
	***************************************		 		+	Rec	Nonre First		Nonrecurring		20150			Rates (\$)		
	Order Coordination for Specified Conversion Time for UVL-SL1		 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Į.	(per LSR)		1	UEANL	OCOSL	1	18.13	18.13	1	1	1 1					1
2-WIRE	Unbundled COPPER LOOP							.0.10	 	 	 		<u> </u>			
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42	-					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83			<u> </u>					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		8.17	8.17								
į	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)		<u> </u>	UEQ	UEOMU		13.47	13.47		L						
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		 -	UEQ UEQ	URET1		34.23	34.23	ļ							
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEG	URETA		19.90	19.90			·					
İ	(UCL-ND)			UEQ	UREWO		14.30	7.45	1	}	1	}	\			í
IBUNDLED E	EXCHANGE ACCESS LOOP				15.1.5.1		7 7.00	7.40			†					·
	ANALOG VOICE GRADE LOOP								<u> </u>							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-								1		1					i
	Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		. 1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						<u> </u>
-	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2,	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						ļ
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
-	Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	l l		4	- 1	ļ	l
BUNDLED E	XCHANGE ACCESS LOOP		<u> </u>	OET OTT GET GE	10000	20.72	57.32	17.02	23.36	5.32	 					
	ANALOG VOICE GRADE LOOP				1						 					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									·						
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	ŀ					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13		33.30		 					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signating - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										-		· · ·			
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28,46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)			UEA	UREWO		87.90	36.44								
	ANALOG VOICE GRADE LOOP			UEA	URETL		11.24	1.10			L					
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61	 					
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61	 					
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.90	36.44				-				
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61					1	
	2-Wire ISDN Digital Grade Loop - Zone 3 Order Coordination For Specified Conversion Time (per LSR)			UDN	U1L2X OCOSL	37.70	117.58	80.03	53.05	10.61						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		18.13 91.82	44.25								
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	TIBLE LO	OP		STILL WO		91.82	44.25			<u> </u>					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1			UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						

ONRONDE	ED NETWORK ELEMENTS - South Carolina			·	-						T=			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring		<u> </u>			Rates (\$)		
	2 Wire Unbundled ADSt, Loop including manual service inquiry &						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93				i		
	2 Wire Unbundled ADSL Loop including manual service inquiry &			UAL	UALZA	10.71	120.64	70.56	50.37	7.93						
	facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1														
	facility reservator - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						ļ
- 1	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						İ
	2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL .	OALZW	13.71	33.61	57.82	30.37	7.93	 					
<u> </u>	facility reservaton - Zone 3	i	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7,93	į.					[
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LOC)P		-											
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		١, ١	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSt, Loop including manual service inquiry &			OTIL	IONLZX.	3.36	123.52	79.24	50.37	7.93						
i	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &			·····												
	facility reservation - Zone 3	i		UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			ŲHL	ocost		18.13									
i	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL		0.50	404.40									1
	2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93	ļ					ļ
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						i
	2 Wire Unbundled HDSL Loop without manual service inquiry and			<u> </u>	OTILEVY	10.32	104.43	60.50	30.07	7,53	 	·				
1	facility reservation - Zone 3		3 '	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LOC)P	· · · · · · · · · · · · · · · · · · ·												
1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	i	1	UHL		40.00	450.40									
	4-Wire Unbundled HDSL Loop including manual service inquiry and			UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
1	facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and			<u> </u>	- CHEAK	14.00	1,00.10	107.00	33,12	10,36						
	facility reservation - Zone 3			UHL	UHL4X	16.84	158,18	107.89	55.12	10.38						İ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
İ	4-Wire Unbundled HDSL Loop without manual service inquiry and				1 1											
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38	ļ					
	facility reservation - Zone 2		,	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						Į.
	4-Wire Unbundled HDSL Loop without manual service inquiry and				10.112411	14.00	100.14	33.10	33.12	10.36						
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48								
4-WIF	IE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1			ilei	LIECULO I	70.51	050.00									
	4-Wire DS1 Digital Loop - Zone 1			USL USL	USLXX	79.51 136.00	253.03	157.89	44.80	11.73				····		ļ
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	223.13	18.13	137.69	44.60	11.73						
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12	59.35	14.61	<u> </u>					
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	34.74 29.93	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61	 					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61	 					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13	22.15								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									

UNBUNE	LED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fvhi	ibit: A
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		
							Rec		curring	Nonrecurring					Rates (\$)		
2 1/2	VIDE	Inbundled COPPER LOOP			<u> </u>	 		First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 12-VI		-Wire Unbundled Copper Loop-Designed including manual	 	 	 -												
		ervice inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	}					
	2	-Wire Unbundled Copper Loop-Designed including manual			1	JOSE, B	12.73	113.51	03.02	30.37	1,55	 		 			
	s	ervice inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		i	1	ļ		
. 1		Wire Unbundled Copper Loop-Designed including manual service		1		1								1	ļ		
		nquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	ļ					
		-Wire Unbundled Copper Loop-Designed without manual service			IUCL .	UCLMC		8.17	8.17			 	ļ	ļ	ļ.—.		
		equiry and facility reservation - Zone 1		1	luci	UCLPW	12.19	94.87	56,89	50.37	7.93		Į.	1	ĺ		
		-Wire Unbundled Copper Loop-Designed without manual service							00,00	00.07	7.50	 		 	ļ		
		nquiry and facility reservation - Zone 2		2	UCL	UÇLPW	13.71	94.87	56.89	50.37	7.93			l			1
		-Wire Unbundled Copper Loop-Designed without manual service			l	1											
		equiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	14.14	94.87 8,17	56.89	50.37	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-			OCL	UCLIVIC		8.17	8.17								
	D	les)			UÇL	UREWO		94.87	42.57					ļ	1	1	1
4-1/		OPPER LOOP														<u> </u>	
	4	-Wire Copper Loop-Designed including manual service inquiry															
		nd facility reservation - Zone 1		_1	UCL	UCL4S	19.64	144,17	93.88	55.12	10.38						<u></u>
İ		-Wire Copper Loop-Designed including manual service inquiry nd facility reservation - Zone 2		١,	UCL												
		-Wire Copper Loop-Designed including manual service inquiry			IUCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		nd facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						i
		order Coordination for Unbundled Copper Loops (per loop)		- ~	UCL	UCLMC	10.04	8.17	8.17	35.12	10.36						
	4	-Wire Copper Loop-Designed without manual service inquiry and				1			<u> </u>								
		acility reservation - Zone 1		1,	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38	ļ		i			
į.		-Wire Copper Loop-Designed without manual service inquiry and		2													
		acility reservation - Zone 2 -Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
		acility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						ŀ
	Ö	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	10.04	8.17	8.17	33.12	10.36						
	C	LEC to CLEC Conversion Charge without outside dispatch (UCL-					· · · · · · · · · · · · · · · · · · ·										
LOOP MOD		es)			UCL	UREWO		94.87	42.57	<u> </u>							
TOOP WOD	IFICA	TION			1141 1111 1114	<u> </u>											
Ì					UAL, UHL, UCL, UEQ, ULS, UEA,									ĺ			
	U	inbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR.					l i							İ
		air less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46	i i							ļ
ì		inbundled Loop Modification Removal of Load Coils - 4 Wire less															
	tr	nan or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
					UAL, UHL, UCL, UEQ, ULS, UEA,	1 1											
}	U	nbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,								4				l
	pe	er unbundled loop			UEPSB	ULMBT (32.48	32.48	, ,		}					}
SUB-LOOP:												· · · · · · · · · · · · · · · · · · ·					
Sub		Distribution															
		ub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				l											
		<u>p</u>			UEANL	USBSA		241.42	241.42								
	s	ub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.69	22.69	1							ì
		ub-Loop - Per Building Equipment Room - CLEC Feeder Facility				100000		20.53	22.09				_				
	s	et-Up	ı		UEANL	USBSC		177.84	177.84								1
		ub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-															
		P. Uh.I. con Dietribution Box 2 Wise Analog Voice Crade Lean	<u> </u>		UEANL	USBSD		55.58	55.58								
		ub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - one 1	1	4	UEANL	USBN2	0.67	(5.0.1	24.02								
		ub-Loop Distribution Per 2-Wire Analog Voice Grade Loop			O CAINC	OSDINZ	8.87	65.94	31.03	45.35	6.71						ļ
	Z	one 2	- 1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	- Ic	ub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				1				.0.00	V., 1	 					
					ι												
		one 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						

ATTECHNY RATE ELEMENTS been 80 USO	JNBUNDLE	D NETWORK ELEMENTS - South Carolina			,		· · · · · · · · · · · · · · · · · · ·		~~~			,			ment: 2		bit: A
Sub-Displace Sub-	ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
The control of the							Rec										
2 mr		Cub Loop Distriction Day 4 Wiley Apples Vision Control Con		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Column	i			1 1	LIFANI	USBNA	1411	79.21	44.29	49.82	0.00	1			İ		
Zone 2				† 	OCA II	000144	 	75.21	44.23	43.02	3.03	 					
Zone 3				2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09	1	ĺ				
Other Cookselentor to Universided State Logos, per sub-loop part UEANL USBNC 2 + 5.10 15.21 65.35 6.71				T					<u> </u>			1					
Self-Loop 2-West Immobility of Mathematic Self-Loop page and belographic USANL U		Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
Set Loop 2-twin immobilish person CARM (RC)		Order Coordination for Hiphundled Sub-Loans, nor sub-loan pair	1	1	LIEANU	HEBMC			0.47							i	
Other Coordination for Unitered Sub-Loops, per sub-holp pair USANL USBNC 8.17 8.17 9.20		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		 			2 41				6.71						
School - S		one app 2 through about the property of the pr	 	 	- CONTRACTOR OF THE PROPERTY O	CODITE	2,41	30.10	10.21	45.55	0.71	}				!	
Order Coordination by Unbandled Sub-Loops, per sub-loop pair		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								İ
Soop Teathing - Sease Let Healt Ploy UREAN URET \$4.20 \$4.20 \$5.20		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
				1]
Coop Tealings - Basis - Additional Healt Houry URANL URETA 19.90 19.			<u> </u>	_			ļ					ļ					ļ
2 Wine Copper Usurched Set-Loop Detribution - Zone 1 1 UEF UCSSX 7.11 65.94 31.03 65.36 6.71				├			 			ļ		ļ				ļ	ļ
2 Wire Copper Unstanded Stat-Loop Detentation - Zone 2				 			711			45.35	C 71	ļ		-			
2 Wine Copper Uservaled Sub-Loop (Substandorn - Zone)				1 2													
Outer Coordination for Unburshed Size-Loops part sub-toop pair 4 New Copper Unburshed Size-Loop Destination: Zoha 1 1 1 UEF USSMC 785 7821 4429 4985 5,00 4 Wine Copper Unburshed Size-Loop Destination: Zoha 3 1 3 UEF USSAX 785 7821 4429 4985 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 1 3 UEF USSAX 12.54 7921 4429 4985 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 1 3 UEF USSAX 12.54 7921 4429 4985 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 1 3 UEF USSAX 12.54 7921 4429 4986 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 UEF USSAX 12.54 7921 4429 4986 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 UEF USSAX 12.54 7921 4429 4986 5,00 Cotter Coordination for Unburshed Size-Loop Destination: Zoha 3 UEF USSAX 12.54 792 142 4429 4986 5,00 Unburshed New York (USSAX 12.54 12.54 792 142 4429																	
A Winc Copper Urburshed Side Loop Destroken - Zone 1 1 UEF UCSAX 14.77 79.21 44.29 49.62 9.09 1 1 1 1 1 1 1 1 1																	
4 Wire Copper Urbaranded Sub-Loop Delitrouncy - Zone 2 1 2 UEF UCSAX 14.17 79.21 44.29 49.62 9.09												L					
4 Wire Copper Urbanded Sub-Loop Distribution - Zone 3												<u> </u>					
Order Coordination for Unburdied Sub-Loops, per sub-loop pair UEF USBMC 8 17 8 17 1			- !														
Loop Testing - Basic fall Holl Flour UPER UPERT 34.23 34.23		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09	 					
Loop Testing - Basic fold-Mode March Loop Testing - Basic fold-Mode March Mode Loop Testing - Basic fold-Mode March Mode March March Mode March Mode March		Order Coordination for Unbundled Sub-Loops, nor sub-loop pair			lice	HEBMC		0.17	0.17			1					İ
Lopurded Network Terminating Wire (UNTV) Uentrol Network Terminating Wire (UNTV) Uentrol Network Terminating Wire (UNTV) Uentrol Network Network Terminating Wire (UNTV) Uentrol Network Network Terminating Wire (UNTV) Uentrol Network Network Network Network (ND) Uentrol Network Ne		Loop Testing - Basic 1st Half Hour	 				 			 		 					
Under United Un										 		1					· · · · · · · · · · · · · · · · · · ·
Network Interface Device (NID) Network Interface Device (NID) 1-12 (Initial Network Interface Device (NID) 1-12 (Initial Network Interface Device (NID) 1-12 (Initial Network Interface Device (NID) 1-12 (Initial Network Interface Device Cross Connect - 2W UENTW UND 16 64.42 445.53	Unbun									1							
Network Interface Device (NID) -1-2 lines UENTW UND12 43.68 29.79					UENTW	UENPP	0.3303	30.20	30.20								
Network Interface Device (NID) -1-6 lines	Netwo											ļ					
Network Interface Device Cross Cornect - 2W				 								ļ					
Network Interface Device Cross Connect - 4W				ļ						 							
NRE OTHER, PROVISIONING ONLY - NO RATE			 	 			 					 		 			
UNTW Circuit of Establishment, Provisioning Only - No Rate	NE OTHER, I			1			 					·					
Urburdled Contact Name, Provisioning Only - No Rate																	
Unburdled Contract Name, Provisioning Only - No Rate		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1		UENCE	0.00	0.00									
NE OTHER, PROVISIONING ONLY - NO RATE				1								1	}			1	i
Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate UEA,UDN,UCL,UDC USBFQ 0.00 Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate UEA,UDN,UCL,UDC USBFR 0.00 0.00 Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate UEA,UDN,UCL,UDC USBFR 0.00 0.00 Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate UEA,USL,UCL,UDL USBFR 0.00 0.00 Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate USL CCOSF 0.00 0.00 USL CCOSF 0.00 0.00 IGH CAPACITY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per month UE3 1L5ND 12.26 High Capacity Unbundled Local Loop - STS-1 - Per Mile per month UE3 UE3PX 306.36 520.398 304.2095 137.7125 96.3355	NE OTUER				ENIM	UNECN	0.00	0.00		ļ							
Unbundled Contact Name, Provisioning Only - no rate	IVE OTHER,	PROVISIONING ONLY - NO RATE	 	1			 		 	 	<u> </u>	 		 	 	 	
Unbundled Contact Name, Provisioning Only - no rate				l	UAL LICEUDG UDL.				ľ]	
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		Unbundled Contact Name, Provisioning Only - no rate	l	ľ		UNECN	0.00	0.00				ļ		i	1	İ	
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate																	<u> </u>
Unbundled DS1 Loop - Superframe Format Option - no rate USL CCOSF 0.00 0.00		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00			_						
Unbundled DS1 Loop - Superframe Format Option - no rate USL CCOSF 0.00 0.00	'			"												}	\
Unbundled DS1 Loop - Expanded Superframe Format option - no rate USL CCOEF 0.00 0.0			ļ	ļ								ļ				ļ	
Tate			 	 	USL	CCOSF	0.00	0.00		 							
High Capacity Unbundled Local Loop - DS3 - Per Mile per month			ĺ		USL	CCOEF	0.00	0.00					}				
High Capacity Unbundled Local Loop - DS3 - Per Mile per month	IIGH CAPACI		——	†	T		0.00	V.50				 					
High Capacity Unbundled Local Loop - DS3 - Facility Termination UE3				1			1					T					
Per month				1	UE3	1L5ND	12.26		<u> </u>	1		<u> </u>	<u></u>]			<u> </u>
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month UDLSX 1L5ND 12.26 High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month UDLSX UDLS1 313.49 520.398 304.2095 137.7125 96.3355 OOP MAKE-UP					l	l											I
High Capacity Unbundled Local Loop - STS-1 - Facility UDLSX		per month			UE3	UE3PX	306.36	520.398	304.2095	137.7125	96.3355	 				 	ļ
High Capacity Unbundled Local Loop - STS-1 - Facility		High Capacity Inhurylled coal con STS-1 - Per Mile per month]		LIDICY	11 END	12.20		ŀ	1		1			1		ļ
Termination per month UDLSX UDLS1 313.49 520.398 304.2095 137.7125 96.3355 OOP MAKE-UP			 	 	UDLOA	ICUIVE	12.26	 		 		 				 	
OOP MAKE-UP			[l	UDLSX	UDLSI	313.49	520.398	304.2095	137,7125	96.3355	1		l			l
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	OOP MAKE-L	JÞ .					1				30.0000						
Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). UMK UMKLW 24.04 24.04		Loop Makeup - Preordering Without Reservation, per working or							1			1		l			T

ONRONDLE	D NETWORK ELEMENTS - South Carolina										D O	S O		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	UŞOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 -			Rec		curring	Nonrecurring		201150			Rates (\$)		
	Loop Makeup - Preordering With Reservation, per spare facility	 	ļ		-}		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	queried (Manual).			UMK	UMKLP		25.49	25,49	}							
	Loop MakeupWith or Without Reservation, per working or spare										 					
LINE SPLITTIN	facility queried (Mechanized)		L.	UMK	UМКМQ		0.34	0.34								
	PLITTING	ļ				-		ļ		ļ	 					
	SER ORDERING-CENTRAL OFFICE BASED		 -		- 					 						
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					 					
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
MAINTENANCE	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	The Expedite charge will be maintained commensurate with Be	llSouth's	FCC No	.1 Tariff, Section 13.	3.1 as applica	bie.				ļ						
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00		<u> </u>						
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00								
	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT						100.00	75.00								
	OFFICE CHANNEL - DEDICATED TRANSPORT				+											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1											
	Per Mile per month			U1TVX	1L5XX	0.0167			ļ							
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	1147710											
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			UTIVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										1
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						L
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		,	U1TVX	1L5XX	0.0167										1
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -		-	UTIVX	ILSXX	0.0167										
	Facility Termination			U1TVX	U1TV4	21,29	40.63	27,47	16.77	6.91						1
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0167										
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91			ļ			1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			OTTOX	01103	10.70	40.63	27.41	16.77	6.91						
	month			U1TDX	1L5XX	0.0167									j	1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	month			U1TD1	1L5XX	0.3415										ĺ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			· · · · · · · · · · · · · · · · · · ·	1.07.1.1	<u> </u>										Γ
	Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						i
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			III-TDO												1
	Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	8.02						· · · · · · · · · · · · · · · · · · ·				
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per									55.50			·			
	month			U1TS1	1L5XX	8.02				· · · · · · · · · · · · · · · · · · ·						i
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	880.55	270.27	460.40	60.00	50.50						l
ARK FIBER	Tomagaen		-	01131	UTIFS	000.33	279.37	163.12	60.33	58.59						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof															
	per month - Local Channel			UDF, UDFCX	1L5DC	112.30										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	20.44										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	36.41	640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof						340.01	130.17	317.76	130.11						
(IDTILAL OC:	per month - Local Loop			UDF, UDFCX	1L5DL	112.30							i			
IRTUAL COLL	OCATION				_											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		ĺ	UEPSR UEPSB	VEILS	0.0317	12.32	11.83	6.04			l		Ţ		
HYSICAL COL	LOCATION			o oc. oo	72.20	0.0317	12.32	11.83	6.04	5.45						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
1 1	Splitting	1		UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45	i i	1		1	ŀ	

JNBUNDL	LED NETWORK ELEMENTS - South Carolina												Attach	ment; 2		ibit: A
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS			200	,,,,,,,			DATES (4)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ALEGORY	HATE ELEMENTS	Interim	Zone	BCS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs.
		ļ			1								Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
					ļ		r					L			0100131	DISC AUDI
		 			 	Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	COMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
NOT	E: The monthly recurring and non-recurring charges below will ap	ply and the	Switch	n-As-Is Charge will n	ot apply for U	NE combinations	provisioned as	' Ordinarily Cor	phined' Networ	k Flomente	SOMEC	SOIVIAIY	SOWAN	SOMAN	SOWAN	SOMAN
INOH	i E: I he monthly recurring and the Switch-As-Is Charge and not the	non-recu	ring ch	arges below will app	ly for UNE co	mbinations provis	sioned as ' Curre	ently Combined	' Network Elem	nents.						
2-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 2-Wire VG Loop (SL2) in Combination - Zone 1	ļ		UNCVX	UEAL2	10.00	107.00									
	2-Wire VG Loop (SL2) in Combination - Zone 1		2	UNCVX	UEAL2	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61	 					ł
4.400	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
4-WIF	IRE VOICE GRADE LOOP FOR USE IN A COMBINATION 4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	ļ.,_	UNCVX	11501											
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1 2	UNCVX	UEAL4 UEAL4	32.59 43.89	132.38 132.38	94.83 94.83	59.35 59.35	14.61						ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56		4.73		0.00				<u> </u>		
4-WIF	IRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION			i wani												
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	 	1 2	UNCDX	UDL56 UDL56	29.93	126.66	89.12	59.35	14.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	 		UNCDX	UDL56	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						}
	OCU-DP COCI (data) per month (2.4-64kbs)		`	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
4-WIF	IRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION				1											
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89,12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		2	UNCDX	UDL64	33.99		89.12	59.35	14.61						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	 	3	UNCDX	UDL64 1D1DD	34.74 1.19	126.66 6.59	89.12 4.73	59.35 0.00	14.61						
2-WIF	IRE ISDN LOOP FOR USE IN COMBINATION			ONODA	10100	1.13	0.55	4.73	0.00	0.00						
	2-Wire ISDN Loop in Combination - Zone 1		1_	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32,76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month		3	UNCNX	U1L2X UC1CA	37.70	117.58	80.03	53.05	10.61						
4-WIF	IRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION			DINCHA	UCICA	2.56	6.59	4.73	 		ļ					
	4-Wire DS1 Digital Loop in Combination - Zone 1	 	1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
2 WIE	DS1 COCI in combination per month IRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	LADIN ATI	NAI .	UNC1X	UC1D1	8.64	6.59	4.73								
2 VY III	THE VOICE GRADE HATEROFFICE TRANSFORT FOR USE IN A CO	NINGHALK)N													
i	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134	,		1	•	'					1
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															· · · · · · · · · · · · · · · · · · ·
4 1000	per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						<u> </u>
4 WIH	RE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINATIO	<u> </u>		 											
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134	}									
	Interoffice Transport - 4-wire VG - Dedicated - Facility	 				0.0.04	i				 					
	Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						1.
DS1 I	INTEROFFICE TRANSPORT FOR COMBINATION				ļ											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per Imonth	ļ i		UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility	 		UNU IX	TILDAX	0.27										
	Termination per month	l		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		İ				
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	-					
DS3 i	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
1	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month]		LINCSY	1L5XX	C 10										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	 		UNC3X	ILSAA	6.42										
	month			UNC3X	U1TF3	704,52	279,37	163.12	60.33	58.59				1		l
STS-1	-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION									00.00						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	i .														
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility	ļ		UNCSX	1L5XX	6.42										
	Termination per month			UNCSX	UITES	704.44	279.37	163.12	60.33	5050				J		Í
4-WIR	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANS	SPORT		<u> </u>	57110	704.44	613.31	163.12	60.33	58.59						
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	ļ	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						

JNBUN	DLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
ATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge Manual So Order vs Electroni Disc Add
						 	D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		L
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	Ī														
		Facility Termination per month	L	L	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						L
4-		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF	FFICE TRA														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	ļ		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3	ļ		UNCDX	UDL64	33.99 34.74	126.66	89.12	59.35	14.61					ļ	Ļ
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCUX	UDL64	34.74	126.66	89.12	59.35	14.61						_
		Per Mile per month		1	UNCDX	1L5XX	0.0134										1
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1											
L		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91					!	i
4-	WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANSF	ORT													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14,61						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	l		LINGDY	III EVV	0.042.									!	l
		month	ļ		UNCDX	1L5XX	0.0134										
- 1		4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		İ	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91	!					
4-	WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE	TRANSE	OPT	ONCOX	01105	13.41	40.63	27.47	16.77	6.91					ļ	
		4-wire 64 kbps Local Loop in combination - Zone 1	1117113	1 1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
		4-wire 64 kbps Local Loop in combination - Zone 2	 	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		~				
		4-wire 64 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per							30172	00.00							
		month	1	1	UNCDX	1L5XX	0.0134			1		l i					ļ
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility				T											
- 1		Termination per month			UNÇDX	U1TD6	13.41	40.63	27.47	16.77	6.91					ĺ	
D:		GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT		,													
		4-Wire DS1 Digital Loop in Combination - Zone 1		11	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11,73		~				
		4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per	1	ĺ	LINOAV	ILEVY	0.07					i i					
		month Interoffice Transport - Dedicated - DS1 combination - Facility	 	 	UNC1X	1L5XX	0.27										ļ
		Termination per month	İ		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
D:		GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	RT.		ONO IX	1	01.71	03,47	01.33	10.33	14.40						
		DS3 Local Loop in combination - per mile per month	 		UNC3X	1L5ND	12.26										
						1						-					
L		DS3 Local Loop in combination - Facility Termination per month		L	UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X_	1L5XX	6,42										
7		Interoffice Transport - Dedicated - DS3 combination - Facility	1	-													I
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
91		DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANS	SPORT			 											
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.26					L					
	- 1	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
		Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSA	ODEST	313.49	432.52	264.53	119.75	83.77						
- [per month	1	 	UNCSX	1L5XX	6.42			{		\				\	}
-		Interoffice Transport - Dedicated - STS-1 combination - Facility			1	1.500	0.42									ļ	
		Termination per month			UNCSX	U1TFS	704,44	279.37	163.12	60.33	58.59					!	!
	IAL N	TWORK ELEMENTS										·					
W	hen u	sed as a part of a currently combined facility, the non-recurring	charges d	o not a	pply, but a Switch A	s is charge do	es apply.										
W	'hen u	sed as ordinarily combined network elements in All States, the r	non-recuri	ing cha	rges apply and the S	witch As Is Ch	arge does not.										
No	onrec	urring Currently Combined Network Elements "Switch As Is" Ch	narge (One	applie		on)											
				l	UNCVX, UNCDX,	1											
- 1		Nonrecurring Currently Combined Network Elements Switch -As-Is	1	1	UNC1X, UNC3X,	lunece		5.04	.	, ,,,	***	1 1				Ι '	
		Charge I Features & Functions:	 		UNCSX	UNCCC		5.61	5,61	7.00	7.00	}				<u> </u>	
ᆛ	Prioris	i reatures a rurictions;	 		U1TD1.	+	·····					<u> </u>			ļ	 	
		Clear Channel Capability Extended Frame Option - per DS1	1 4		ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00						
-		Signal Statement Supremity Extended Flame Option - pai Dat	 '	 	U1TD1,	TOUGET.		0.00	. 0.00	0.00	0.00	 					
1		Clear Channel Capability Super FrameOption - per DS1	1 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00					l i	
		Clear Channel Capability (SF/ESF) Option - Subsequent Activity -		 	ULDD1, U1TD1,	1		- 5.50	3.50	0.00	9.50						
- 1		per DS1	I .	I	UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78	ı		l			

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2	Exhi	ibit: A
													Incremental		Incremental	
		i	}	ĺ							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1			1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			ł								1	· ·	Electronic-	Electronic-	Electronic-	Electronic-
			1			!							1st	Add'l	Disc 1st	Disc Add'l
		ļ	<u> </u>						·			L		L	l	L
			٠		<u> </u>	Rec	Nonrec		Nonrecurring		<u> </u>			Rates (\$)		T
	<u> </u>						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ı İ				U1TD3, ULDD3,	1	i !					1					
	C-bit Parity Option - Subsequent Activity - per DS3	i	ļ	UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00	<u> </u>					ļ
MUL	TIPLEXERS	<u> </u>	ļ													
	DS1 to DS0 Channel System per month		Ļ	UNC1X	MQ1	107.57	91.24	62,71	10.56	9.81	L			ļ		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month	l		l	1									1	l	1
	(2.4-64kbs) used for a Local Loop	ļ		UDL	1D1DD	1.19	6.59	4.73								
i I	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month		1	Į.	1		j		1		1					1
	(2.4-64kbs) used for connection to a channelized DS1 Local		i		1] [1					1
	Channel in the same SWC as collocation	ļ	<u> </u>	U1TUD	1D1DD	1.19	6.59	4.73				L				<u> </u>
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1	1	1	1]						i				
	month for a Local Loop	<u> </u>	 	UDN	UC1CA	2.56	6.59	4.73	<u> </u>							
1	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	ł			1											
	month used for connection to a channelized DS1 Local Channel in	ł	İ		1				1					i		
	the same SWC as collocation	<u> </u>		U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		1			1					}					'''
	used for a Local Loop	1		UEA	1D1VG	0.56	6.59	4.73				i		l		
1 1	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the	i	1				Í									
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73						I		
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90	1			T		
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local		T													
LL	Channel In the same SWC as collocation) per month		l	U1TUA	UC1D1	8.64	6.59	4.73			1		L		l	<u> </u>
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DC0	1	,	UI DD4	UO4D4	0.54		4.70								
···	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	8.64	6.59	4.73			 					
Note	: Rates displaying an "I" in Interim column are interim as a result o	r a Comm	ission c	raer.		L					<u> </u>	<u> </u>	L	J	L	

CATEGORY RATE ELEMENTS Interim Zone BCS USDC RATES (6) RATE	Attachment: 2	Exhibit; A
Become and the sections for stand-stone loops or isopes a part of a combination refers to Geographically beaveraged UNE Zone Souther South	nental Incremental I rge - Charge - al Svc Manual Svc I	Incremental Incremen Charge - Charge
The Content of Conte	ronic- Electronic-	Electronic- Disc 1st Disc Add
Physical Process and Commission of Control College of Topics as part of a combination refers to Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiveraged UNE Zones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographically Desiverage United Sones. To view Geographical Interview of the William Sones. To view Geographical Interview Geographical United Sones. To view Geographical Interview Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geographical United Sones. To view Geogra	OSS Rates (\$)	
Integration interconnection believed. Configuration of the process		SOMAN SOMAN
OPERATIONAL SUPPORT SYSTEMS (GSS): "REGIONAL RATES"	refer to Internet Web	bsite:
NOTE: (1) CLEC should context its contract regolator if it prefers the "state speed(if") CSS charges a ordered by the State Commission. The CSS charges according charges, or CLEC may either the state speed(if commission ordered reference) and in an activate of the two speed(if charge) and in activate the charge will be shalled. WITE: (1) A state of the 3 states. WITE: (1) A state of the 3 states. WITE: (2) A state of the 3 states. WITE: (3) A state of the 3 states. WITE: (3) A state of the 3 states. WITE: (3) A state of the 3 states. WITE: (3) A state of the 3 states. WITE: (4) A state of the 3 states. WITE: (4) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 3 states. WITE: (5) A state of the 4 states. WITE: (6) A state of the 4 states. WITE: (6) A state of th		
elected where the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless of CLEC has all of a CLEC once detection of the control of the con	nal" service ordering	g charges. CLEC may
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically at present per the LOH, the lates of SOMEC rate in this category reflects the caregory reflects the caregory tell of a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, will be applied to a CLEC bill when it submits an LSR to BellSouth. NOTE: (DSS: **Thanus Bernot Order Chrups, Per Local Sortice**) Reguent (LSR) - UNE Only UNE SERVICE DATA CHARGE NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCN to Tarritt, Section is as applicable. NOTE: Une Expedite charge will be maintained commensurate with BellSouth's FCN to Tarritt, Section is as applicable. NOTE: Une Expedite charge will be maintained commensurate with BellSouth's FCN to Tarritt, Section is as applicable. NOTE: Une Expedite charge will be maintained commensurate with BellSouth's FCN to Tarritt, Section is as applicable. NOTE: Une Expedite charge per Circuit or Line Assignable USOC, per Unitable USOC	is a interconnection c	contract established in
Control to discrete electrolicity of project per field. Use, the laised SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-time for that element. Otherwise, will be applied to a CLEC bill when it submits as 1.5 ft to 98/100M. Control		
Will be applied to a CLES bill when it submit an LER bell'scott.	dered electronically.	. For those elements the
Cost - Electron's Service Order Charge, Per Local Service SOMEC 3.50 0.00 3.50 0.00	wise, the manual ord	dening charge, SOMAR
Request (15R): UNE Chily		
NOTE: The Expedite charge will be maintained commensurate with DeliSouth's PCC No.1 Tariff, Section 5 as applicable.		i
UNE Expedite Charge per Circuit or Line Assignable USCC, per UNES NATIONAL UNION, UNI		(
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNIDUS UNIDUS, UN		
UBE_FUPF_UEQ_ UDL_UERNW_UDN, UEA_UHL, ULC, USL_UTTL8, UTTDI, UTTO3, UTTDI, UTTO3, UTTDI, UTTO3, UT		
URE DEPOSITE CHANGE ACCESS LOOP UNID NUTD, UTTUB, UTTU	İ	
USL, U1T12, U1T48, U1TD1, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T03, U1T0X, U1T04, U1T0		ı
UNE Expedite Charge per Circuit or Line Assignable USOC, per UTUB,		ı
UNE Expedite Charge per Circuit or Line Assignable USOC, per DNBUNDLED EXCHANGE ACCESS LOOP 2.WIRE ANALOG VOICE GRADE LOOP 2.WIRE ANALOG VOICE GRADE LOOP Service Level 1-Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEAL2 15.3 19.9 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 2.55 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 2.55 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 2.55 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEALS 2.55 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.23 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1-Zone 3 3 UEANL UEASL 17.25 31.99 20.00 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Servic		ł
UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 2.0 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEALS 2.2.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog		ł
UCICC, UCICL, UC		
UCIDC, UCIDL, UCIDL, UCIDL, UCIDL, UCIEC, UCIEL, UCIEC, UCIEL, UCIEC, UCIEL, UCIEC, UCIEL, UCIGC, UCIEL, UCIGC, UCIEL, UCIGC, UCIGL, UCIDL, ULDS, UUDCX, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, UNCX,		i
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 22:53 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAl2 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17:23 31:99 20:02 10:66 1.41 20:35 2.4Wire Analog Vo		i I
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNIVER ANALOGY VOICE GRADE LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17:23 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22:53 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22:53 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22:53 31:99 20:02 10:65 1.41 20:35 2:Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22:53 31:99 20:02 10:65 1.41 20:35 2:W		ł
Unicological Unic		į l
UDL12, UDL48, UDL03, UDL51, UDL03, UDL03, UDL03, UDL03, UDL03, UDD		i
UDLO3, UDLSX, UU3, ULD12, ULD12, ULD13, ULD14, ULD11, ULD03, ULD04, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD04, ULD04, ULD04, ULD04, ULD05, UNC0X, UNC0		1
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.35 2.4Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99		i l
ULD48, ULD01, ULD03, ULD05, ULD05, ULD05, ULD05, ULD03, ULD05, ULD03, ULD04, ULD03, ULD05, ULD04, ULD03, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, ULD05, UNC07, UN		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNITUB, UNIT		i
ULDVX, UNC1X, UNC3X, UNCXX, UN		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE Day UNE		
UNCNX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNLD1, UNLD3, UXTD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA SDASP 200.00 UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Lo		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNTUB, U1TUC, U1TUD, U1TUD, U1TUD, U1TUB, U1TUA SDASP 2-Wire Analog Voice Grade Loop 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEAL2 22.55 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 2 UEANL UEASL 22.53 20.99 20.02 10.65 1.41 20.35 20.35 20.35 20.35		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 2.253 31.99 20.02 10.65 1.41 20.35 20.35 2.Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 22.53 20.05 2		: I
UNBUNDLED EXCHANGE ACCESS LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 12.63 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 20.05		
Day		
UNBUNDLED EXCHANGE ACCESS LOOP		
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 UEANL UEAL2 13.19 31.99 20.02 10.65 1.41 20.35		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 Unbundled Miscellaneous Rate Element, Tag Loop at End User		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 22.53 31.99 20.02 10.65 1.41 20.35	20.35 10.54	13.32 13.0
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 13.19 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 Unbundled Miscellaneous Rate Element, Tag Loop at End User	20.35 10.54	13.32 13.3
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2 UEANL UEASL 17.23 31.99 20.02 10.65 1.41 20.35		13.32 13.3
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 3 UEANL UEASL 22.53 31.99 20.02 10.65 1.41 20.35 Unbundled Miscellaneous Rate Element, Tag Loop at End User		13.32 13.3 13.32 13.3
Unbundled Miscellaneous Rate Element, Tag Loop at End User		13.32 13.3
I I ITIERRISE I I III-ANI III I I 000 000 I I I I		
20.35	20.35 10.54	13.32 13.3
		13,32 13.3
CLEC to CLEC Conversion Charge Without Outside Dispatch	20.35 10.54	13.32 13.3
(UVL-SL1) UEANL UREWO 15.80 8.95 20.35	20.35 10.54	13.32 13.3

ONBONDLE	NETWORK ELEMENTS - Tennessee			·		,							Attachi			bit: A
													Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	İ		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
				1	1						per Lon	percan				
			l										Electronic-	Electronic-	Electronic-	Electronic
				1									1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect	t		OSS	Rates (\$)		·
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL.	UEANM		28.80	28.80								1
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52	ļ		 	· · · · · · · · · · · · · · · · · · ·				·
	Order Coordination for Specified Conversion Time for UVL-SL1	1									 	f				
	(per LSR)			UEANL	OCOSL		34.29	34.29			į.					ì
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1,41	<u> </u>		20.35	10.54	13.32	13.3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.
	Unbundled Miscellaneous Rate Element, Tag Loop at End User										 		20.00		10.02	
	Premise			UEQ	URETL		8.33	0.83			ſ		20.35	10.54	13.32	13.3
	Manual Order Coordination 2 Wire Unbundled Copper Loop -								1		1				10.02	 '0'`
	Non-Designed (per loop)		1	UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for										—					
	BST providing make-up (Engineering Information - E.I.)	1	l	UEQ	UEQMU		28.80	28.80			İ		20,35	10.54	13.32	13.3
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.3
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33	· · · · · · · · · · · · · · · · · · ·		 		20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge Without Outside Dispatch										ļ		20.00	10.04	10.02	,,,,
	(UCL-ND)			UEQ	UREWO		14.29	7.44				1	20.35	10.54	13.32	13.3
	XCHANGE ACCESS LOOP				***************************************			,,					20,00	10.54	10.02	10.0
	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10,54	13.32	13.3
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	•			1				10.00		ļ		20.00	10.54	13,32	10.0
	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-					000	20.02	10.00	1,41			20.33	10.54	13.32	10.0
	Zone 2	i l	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-						07.00	20,02	10.00	1,41			20.35	10.54	13.32	13.3
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1,41			00.05	40.54	40.00	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				100,00	17.20	01.33	20.02	10.05	1.41			20.35	10.54	13.32	13.3
	Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OCT OTT OCT OB	IOLALS	22.55	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65							
IBUNDLED E	XCHANGE ACCESS LOOP			CEI OIT CEI GD	UCADO	22.33	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2-WIRE	ANALOG VOICE GRADE LOOP								<u> </u>							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	40.00		4		1				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				ULALE	10.50	/5.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.00	40.00				i				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			JUN	OUALZ	∠1.03	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	20.00	77 00				'		l			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UCUSL		34.29							i		
	Battery Signaling - Zone 1		- , 1	UEA	UEAR2											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Battery Signaling - Zone 2	1	2	UEA	UEAR2							- !				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ŲEA.	OEAH2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Battery Signaling - Zone 3	İ	3	UEA	UEAR2	20.00						·				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL OCOSL	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge without outside dispatch			UEA			34,29									
	Loop Tagging - Service Level 2 (SL2)				UREWO		75.06	36.41					20.35	10.54	13.32	13.3
4-WIRE	ANALOG VOICE GRADE LOOP			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.3
	4-Wire Analog Voice Grade Loop - Zone 1			I IT A	1.054.4											
- - ;	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13,3
	4-Wire Analog Voice Grade Loop - Zone 2			UÉA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Specified Convention Time (LOD)		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch			UEA	OCOSL		34.29									
				UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.3
	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3

ATECOPY RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION RATE ELIMENTS INSUITE DESCRIPTION REPORT OF CONTROL OF CON	UNB	JNDLE	D NETWORK ELEMENTS - Tennessee	·											Attach	ment: 2	Exhi	ibit: A
ATECOMY BATE BLEMENTS New Individual State Batter Blements Bat				T	1	T							Svc Order	Svc Order				
ATE BLENETS NATE B								1									Charge -	Charge -
ATTECHY RATE ELDRATS BASE DATA SALES AND ADMINISTRATION Show No. 10 April 19 April				l	l	l	l	Į.										Manual Syc
Part Part	CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								Order vs.
Note December De				İ	l								per Lorr	per con				
March Marc							1						!	l				
Print March Marc								L							181	Addi	Disc 1st	DISC Add I
April Apri								Boo			Nonrecurring	Disconnect						
Silver SSN Digital Silver (2002) 1975 1988 75% 1988 75% 1988 75% 1988 198									First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Other Concentration Fel Special Convention Principles (SM)																		13.32
GLEC D CLEC Convention Change dehot a control insigned USB SHEWN 91,77 44,22 18,00 13,27 13,20					3			37.95		88.88	76.35	39.16			20.35	10.54	13.32	13.32
A continue for September / Continue for Sept			Order Coordination For Specified Conversion Time (per LSR)		L													
2 Mine Unbounded ADS, Loop including manual service requiry 2 UAL UALZX 13(2) 270.01 294.50 74.64 39.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.64 13.32 33.14 30.05 10.65 13.32 33.14 30.05 30.0			CLEC to CLEC Conversion Charge without outside dispatch		L	UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13,32
S. Radily speciments - Zeno 1 1 U.A. U.A.Z. 13.60 270.01 234.60 74.54 30.14 30.05 10.94 13.20 33.21		2-WIRE		ATIBLE	OOP		1											
2 Web Unburned ADS. Loop Incoding minural service requiry 2 UAL UALX 18.05 270.01 234.65 74.54 30.14 30.05 19.04 13.32 13.34 1					ĺ.	J	1							!			1	
S. Relife receivable - Zena 2 2 U.K. U.A.Z.X. 18.05 27.001 23.46.3 74.54 39.14 29.35 10.54 13.32 13.32 2 2 2 2 2 2 2 2 2		+			1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
2 West Described ADSL Loop including manual service inquiry 1	ŀ	i				l							1	!				
A facility reportation Zero 3 UAL UAL VAL 20.00 20.45 74.54 30.14 20.05 10.04 13.02 13.1					2	IUAL	UAL2X	18.05	270.01	234,63	74.54	39.14	Ļ		20.35	10.54	13.32	13.32
Order Coordination for Specialized Convention (part Set)	ļ	1		}	1	ì							1	l				
2 Wes Instanced ADSL Loop without marval service inquiry & 1 1 MA. UAL2W 13,62 31,99 20,00 10,65 1,41 20,35 10,54 13,32 13,3		+			1 3			23.60		234,63	74.54	39.14		 	20.35	10.54	13.32	13.32
MacBity reservation - Zone 1		+				UAL	JUCUSE		34.29				 				ļ	
2 Wire Unbounded ASSL Loop without manual service inquiry 1 2 UAL						LIM	1141 2147	12.52	31.00	00.00	10.65				20.05	10.51	12.00	10.00
		+			'	UAL	JOALEVV	13.82	31,99	20.02	10.65	1.41	 		20.35	10.54	13.32	13.32
2 West Unburneded ADSL Loop without manual services in part 1587 1 3 UAL UNAZW 22.60 31.90 20.02 10.66 1.41 20.35 10.54 13.32 13		1		١.	1 2	ILIAI	1101 300	10.05	21.00	20.02	10.65		1		20.25	10.54	12.22	12.22
Facility reservation - Zone 3				'	 	UAL	JONE VV	18.05	31.99	20.02	10.65	1.41		ļ	20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)	1				1 2	LIAI	LIAL SVA	22.60	21.00	20.02	10.65	1 41			20.25	10.54	12.22	12 20
CLEC Gruescian Charge without outside depend U.K. UREWO 31.98 20.02 20.05 10.54 13.32 13.2 2.9 2.9 2.9 2.9 2.0		 						23.60		20.02	10.00	1,41	 		20.35	10.54	13.32	10,02
2 Wint Unbundled HDS Loop Including manual service inquiry 1 0-9L		+								20.02			 		20.25	10.54	12.22	12 22
2 Wife Unbundled MOSL Loop Including manual service inquiry 1 UML UHLZX 10,88 270.01 234.63 74.54 39.14 20.35 10.54 13.32 13.1 13.2 2 Wife Unbundled MOSL Loop Including manual service inquiry 2 UML UHLZX 14.15 270.01 234.63 74.54 39.14 20.35 10.54 13.32 13.1 13.2 2 Wife Unbundled MOSL Loop Including manual service inquiry 2 UML UHLZX 14.15 270.01 234.63 74.54 39.14 20.35 10.54 13.32 13.1 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 270.01 234.63 74.54 39.14 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 270.01 234.63 74.54 39.14 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 2 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 3 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 3 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Without manual service inquiry 3 UML UHLZX 14.15 31.99 20.02 10.65 1.41 20.35 10.54 13.32 13.2 2 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manual service inquiry 4 Wife Unbundled MOSL Loop Routing manua		2-WIRE		TIBLETO	OOP	UAL .	Onevvo		31.99	20.02				 	20,35	10.54	13.32	13.32
Stability reservation - Zone 1				T			 	 					 					
2 Wife Unbunded HDSL Loop including manual service inquiry 2 UHL		1			1	i ii	LIHLOY	10.03	270.01	224.62	74.54	20.14	1	1	20.25	10.54	12 22	1222
A facility reservation - Zone 2		 				0112	OTILEX	10.00	270.01	204,00	74.54	35.14			20.35	10.54	13.32	10.02
2 Wire Unburded HDSL Loop including manual service inquiry			& facility reservation - Zone 2		1 ,	UHI	LIHI 2X	14.15	270.01	224 63	74.54	30 14			20.35	10.54	13 33	13.32
S. facility reservation - Zone 3		 		ļ		0112	OTILEX	14.15	270.01	2.04,00	74.54	33.14		·	20.35	10.54	10.52	10.02
Order Coordination for Specified Conversion Time (per LSR)		1			3	UHL	UHI 2X	18 50	270.01	234 63	74.54	30 14			20.35	10.54	13.32	13.32
2 Wire Unburided HOSL Loop without manual service inquiry and facility reservation - Zone 1 1 1 UHL								10.00		204.00	14.04	00.114			20.03	10.54	10.02	10.02
and facility reservation - Zone 1		1					1						1					-
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 UHL UHLX 18,9 31,99 20,02 10,65 14,1 20,55 10,54 13,32 13.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.		1	and facility reservation - Zone 1	1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41	i		20.35	10.54	13.32	13.32
2 Wire Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3			2 Wire Unbundled HDSL Loop without manual service inquiry															1
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3			and facility reservation - Zone 2	1	2	UHL	UHL2W	14,15	31.99	20.02	10.65	1.41	 		20,35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)																		
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 31.99 20.02 20.02 20.05 10.54 13.32 13.34 20.05 10.54 13.32 13.34 20.05				l l	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13,32	13.32
### HIGH BIT ANTE DIGITAL SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP ##WIRE Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 1 ##WIRE Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 3 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL Loop without manual service inquiry and facility reservation - Zone 2 ##WIRE Unbundled HOSL																		
A Wire Unbundled HDSL Loop Including manual service inquiry and facility reservation - Zone 1						UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
Indiacitity reservation - Zone 1		4-WIRE		TIBLE LO	OOP													
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 2 UHL UHL4X 18.20 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.3 13.3 13.3 13.4 20.35 10.54 13.32 13.3		1														_		
and facility reservation - Zone 2					1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
## A-Wire Unbundled HDSL Loop Including manual service inquiry and facility reservation - Zone 3 ## UHL UHL4X 23.80 279.60 244.22 74.54 39.14 20.35 10.54 13.32 13.3 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## UHL OCOSL 34.29 ## OCOSL 34.20 ## OCOSL 34.20 ## OCOSL 34.20 ## OCOSL 34.20 ##					١.,													
and facility reservation - Zone 3					2	IUHL.	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)		1			١ ,	l								[l
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1					3			23.80		244.22	74.54	39.14			20.35	10.54	13.32	13.32
and facility reservation - Zone 1						UHL	OCOSL		34.29									ļ
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		1				l												
and facility reservation - Zone 2				 		UHL	UHL4W	13.93	31,99	20.02	10.65	1.41	\		20.35	10.54	13.32	13.32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3					_			40.00	04.00								40.00	40.00
and facility reservation - Zone 3		+		 	2	UNL	JUNL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)		1		١,	,		LIGHT 43AZ	22.00	21.00	20.02	10.65				20.05	10.54	10.00	1000
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 31.99 20.02 20.35 10.54 13.32 13.35 14-WIRE DSI Digital Loop - Zone 1 1 USL USLXX 57.73 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.54 11.95 11.55 11.		 						23.80		20.02	10,65	1,41	-		20.35	10.54	13.32	13.32
4-Wire DS1 Digital Loop 1 USL USLXX 57.73 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.95 4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 75.40 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.95 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 98.59 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.95 Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59 CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130.47 40.11 20.35 10.54 13.32 13.32 13.32		+			 			 		20.00	 				20.05	10.54	12.22	12.00
4-Wire DS1 Digital Loop - Zone 1 1 USL USLXX 57.73 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.95 4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 75.40 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.9 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 98.59 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11.9 Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59 </td <td></td> <td>4-WIDE</td> <td></td> <td></td> <td></td> <td>VIIL</td> <td>SUEAAO</td> <td></td> <td>31.99</td> <td>20.02</td> <td> </td> <td><u> </u></td> <td></td> <td></td> <td>20.35</td> <td>10.54</td> <td>13.32</td> <td>13.32</td>		4-WIDE				VIIL	SUEAAO		31.99	20.02	 	<u> </u>			20.35	10.54	13.32	13.32
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 75.40 313.08 219.72 96.86 40.45 18.98 8.43 11.95 11					1	1101	LIGI VV	E7 70	212.00	210 70	06.00	40.45			10.00	0.40	11.05	11.00
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 98.59 313.08 219.72 96.86 40.45 18.98 8.43 11.95		+																11.95
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 34.59 CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130.47 40.11 20.35 10.54 13.32 13.32 13.32		 	4-Wire DS1 Digital Loop - Zone 3	-									 					
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 130,47 40,11 20,35 10,54 13,32 13,32 13,32		†			 			90.59		219.72	90.00	40.45	 		10.98	0.43	11.95	11.95
		 		 	 					40.11			 		20.25	10.54	13 22	13.32
		4-W/IDI			 		CHLVVO	 	130.47	40.11			 		20.35	10,34	10.32	13.32

NOUNDER	D NETWORK ELEMENTS - Tennessee	,												ment: 2	Exh)	bit: A
		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			i									Submitted	Charge -	Charge -	Charge -	Charge
			1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)								
					1000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			1										Electronic-	Electronic-	Electronic-	Electroni
				ļ		İ							1st	Add'i	Disc 1st	Disc Add
		 	 	 			Nonrecurring		Nonrecurring	Disconnect	 	L	000	77-4 (6)	l	L
			 	 		Rec	First	Add'l	First	Add'l	SOMEC			Rates (\$)		
	4 Wire Unbundled Digital 19.2 Kbps	 	 	UDL	UDL19	01.10					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps	 	2	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	ļ		20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital 19.2 Kbps	 -	3	UDL		40.61	207.01	141.38		44.18			20.35	10.54	13.32	13.
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 			UDL19	53.11	207.01	141.38		44.18		L	20.35	10.54	13.32	13.
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		1	UDL	UDL56	31.10		141.38		44.18			20.35	10.54	13.32	13.
	4 Wire Unburdled Digital Loop 56 Kbps - Zone 2	<u> </u>	2	UDL	UDL56	40.61	207.01	141.38		44.18			20.35	10.54	13.32	13.
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļ	3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18	1		20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	ļ	UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18	 		20.35	10.54	13.32	13,
	Order Coordination for Specified Conversion Time (per LSR)		I	UDL	OCOSL		34.29		1		 		20.00	10.04	10.02	, , , , , , , , , , , , , , , , , , ,
	CLEC to CLEC Conversion Charge without outside dispatch		T	UDL	UREWO		102.28	49.82	 		· · · · · · · · · · · · · · · · · · ·		20.35	10.54	13.32	13
2-WIRE	Unbundled COPPER LOOP		 	1			102.20	70.02			 		20.35	10.54	13.32	13
	2-Wire Unbundled Copper Loop-Designed including manual		 	 			 		 		 		 		<u></u>	
ſ	service inquiry & facility reservation - Zone 1	1	1 1	luct	UCLPB	13.19	31.99	20.02	10.05	4.44	1		20.25	40.74	10.00	
	2-Wire Unbundled Copper Loop-Designed including manual	 	 		1000 0	13.19	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.
1	service inquiry & facility reservation - Zone 2	١,	2	UCL	UCLPB	17.00	1	00			1	i '	i i			1
	2 Wire Unbundled Copper Loop-Designed including manual		 	UCL	OCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
l	2 Wife Oribunated Copper Loop-Designed including manual	١.	١ ـ	l			1									
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41	ł., .		20.35	10.54	13.32	13.
	Order Coordination for Unbundled Copper Loops (per loop)		L	UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	2-Wire Unbundled Copper Loop-Designed without manual				-1				10.00				10.00	10.04	10.02	10.
	service inquiry and facility reservation - Zone 2	1 .	2	luct	UCLPW	17.23	31.99	20.02	10.65	1,41	1		20.35	10.54	13.32	13.
	2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>	 			.7.20	01,33	20.02	10.05	1,41	ļ		20.35	10.54	13.32	13.
i	service inquiry and facility reservation - Zone 3	1 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1,41				40.54	40.00	
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC	22.33		36.52	10.65	1,41			20.35	10.54	13.32	13.
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		36.52	36.52	ļ							
i	(UCL-Des)	l ,		UCL							i l					
4-WIRE	COPPER LOOP	 '		1000	UREWO		31.99	20.02	ļ				20.35	10.54	13.32	13,
4-1111	4-Wire Copper Loop-Designed including manual service inquiry		ļ													
	and facility reservation - Zone 1	1 .	١.		1											
				UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
1	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16	Į I	1	20.35	10.54	13.32	13
i i	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3	1	3_	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	Order Coordination for Unbundled Copper Loops (per loop)		L	UCL.	UCLMC		36.52	36.52			l					
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
1	4-Wire Copper Loop-Designed without manual service inquiry							73.57			···		20.00	10.04	10.02	- 13
	and facility reservation - Zone 2	1	2	luct	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	10
	4-Wire Copper Loop-Designed without manual service inquiry	· · · · · · · · · · · · · · · · · · ·	t		1	- OE.ES	124.10	05.57	10,35	39.10	 		20.35	10.54	13.32	13
	and facility reservation - Zone 3		3	UCL.	UCL4W	42,17	122.76	85.57	76.35	39.16						
	Order Coordination for Unbundled Copper Loops (per loop)	-	- <u>~</u>	UCL	UCLMC	42,17			70.35	39.16			20.35	10.54	13.32	13
	CLEC to CLEC Conversion Charge without outside dispatch			I OCL	UCLIVIC		36.52	36.52								
	(UCL-Des)	1	i	UCL	LIDENTO	i										
P MODIFIC		- '	 	OCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.
F WODIFIC	JATION				J											
1				UAL, UHL, UCL,	1. 1											
			i	UEQ, ULS, UEA,								i				
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,									·			
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40				1	20.35	10.54	13.32	13
	Unbundled Loop Modification Removal of Load Coils - 4 Wire					-										
			L	UHL, UCL, UEA	ULM4L		65.40	65.40	i i			i	20.35	10.54	13.32	13
	less than or equal to 18K ft, per Unbundled Loop										·		20.00	10.54	10.02	13
	less than or equal to 18K ft, per Unbundled Loop			UAL, UHL, UÇL,	, ,										t t	
	less than or equal to 18K ft, per Unbundled Loop	- 			1	l	i)	1			1]	ì		
				UEQ, ULS, UEA,)		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEQ, ULS, UEA, UEANL, UEPSR,	I II MRT		ee 44	CF 44								
LOOPS		1		UEQ, ULS, UEA,	ULMBT		65.44	65.44					20.35	10.54	13.32	13.

MEGNOLE	D NETWORK ELEMENTS - Tennessee		,										Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vo Electron
													1st	Add'I	Disc 1st	Disc Ade
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates (\$)		
	Cub Lee Be Coas Be Lee II CI FO Fe de France		-			1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
i	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	١.									1					
	Ю	 '	 	UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	١,		UEANL	USBSB		42.00	40.00			i					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEAINL	USBSB		42.68	42.68			ļ		20.35	10.54	13.32	13
- (Facility Set-Up	1	{	UEANL	USBSC		313.01	313.01	\	}	1		00.05	10.54	40.00	١.
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		†		00000		0.0.01	010.01			 		20.35	10.54	13.32	1:
	Set-Up	1		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	1;
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -												20.00	10.54	10.02	
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65	i		20.35	10.54	13.32	1:
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u></u>	UEANL	USBMC		34.29	34.29						L .	<u>L</u>	ĺ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1 .													
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		- 1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	1
	Zone 2		2	UEANL	USBN4		117.00]					1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBN4	9.54	147,93	75.11	99.96	16.98			20.35	10.54	13.32	1
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.00			20.55	10.54	10.00	1 .
			<u> </u>		000144	12,47	147.93	/5.11	99.96	16.98			20.35	10.54	13.32	1.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29	l l		1	į				1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	1
							0.1100	20.00			i		20.55	10.54	10.02	,
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29	[[Į	Į į			ŧ
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1 .		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	1
į į																
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		34.29	34.29			L	i				1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	Wire Copper Unbundled Sub-Loop Distribution - Zone 1 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		1	UEF	UCS2X	5.16	110.71	37,89	94.41	13.09			20.35	10.54	13.32	1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	1
	2 Wife Copper Orbandied Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	8.81	110.71	37.89	94.41	13,09			20.35	10.54	13.32	1
- }	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29			1	ì				ı
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ī	3	UEF	UCS4X	11,14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	-
									33.30	10,30			20.33	10.54	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29	j				1			i
	Loop Testing - Basic 1st Half Hour			UEF	URETI		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.33	23.33								
Unbun	died Network Terminating Wire (UNTW)															
Motoro	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID)		ļ	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	1
Mermo	Network Interface Device (NID) - 1-2 lines		ļ	LICATON	LINDAG										,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Network Interface Device (NID) - 1-2 lines			UENTW UENTW	UND12 UND16		89.69	54.56	0.6391	0.6391	<u> </u>		20.35	10.54	13.32	13
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		129.65 11.11	94.51	0.6522	0.6522			20.35	10.54	13.32	1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11,11			L		20.35	10.54	13.32	1
E OTHER, F	PROVISIONING ONLY - NO RATE				3.7007		11.77	11.11					20.35	10.54	13.32	1
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL, UEF, UEQ, U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00		1		L					į.
OTHER, F	PROVISIONING ONLY - NO RATE															
					I	\neg										
-	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL		0.55						1	i			
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN, DEA, ONE, OSL	UNECN	0.00	0.00									
1	rate	1		UEA,UDN,UCL,UDC	1	1	1	1			1		I	1		

ONDUNDLE	D NETWORK ELEMENTS - Tennessee	,		T			·				T=			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	land of		, non	11000			mamma sa:			Submitted Elec	Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Increment Charge Manual S
CATEGORY	HATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	l	
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ĺ	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	l				1										
	Irate Unbundled DS1 Loop - Superframe Format Option - no rate	ļ	 	UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option -	 	 	USL	CCOSF	0.00	0.00									
- 1	Ino rate			USL.	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			1002	10000	0.00	0.00				-			 		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	· ·					· · · · · · · · · · · · · · · · · · ·				 					
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	9.19					ļ					
	Termination per month			UE3	UE3PX	374.24	684.6755	350.175	270,0545	195.684			20.35	10.54		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1		204.0755	050.475								<u> </u>
Note (1): Rates provided in TN for both electronic and manual Loop	Makeun	re inter	dm and subject to re	tro-active tr	389.35	684.6755	350.175	248,193	173.8225		T	20.35	10.54	··-··	
LOOP MAKE-U	JP .			uno subject to re	J-active tr	aurup aujusime	irre henning a	Jermanem rat	e runny on the	se rate elemer	its from the	i ennessee	negulatory A	uinority.		
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			111.417												ļ
	Loop Makeup - Preordering With Reservation, per spare facility	R	ļ	UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19,99
	queried (Manual).	R		UMK	UMKLP		0.76	0.76					40.00	19.99	40.00	1
	Loop MakeupWith or Without Reservation, per working or	- ''	-	OWIK	CIVINE	ļ	0.76	0.76					19.99	19.99	19.99	19.99
	spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76			1					l .
LINE SPLITTIN											1					
	PLITTING														***************************************	
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20,35	10.54	13.32	13.32
MAINTENANCI	E OF SERVICE			UEPSH UEPSB	OHEBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13,32
	The Expedite charge will be maintained commensurate with I	BellSouth	's FCC	No.1 Tariff, Section	13.3.1 as and	nlicable										
	No Trouble Found - per 1/2 hour increments - Basic				otori do api	I I	80.00	55.00			 					·
	No Trouble Found - per 1/2 hour Increments - Overtime					 	90.00	65.00			 					
	No Trouble Found - per 1/2 hour increments - Premium				***************************************		100.00	75.00								
	DEDICATED TRANSPORT													~		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															i
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month															
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0054										i
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51	i i	i	20.35	21.09		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat, - Per Mile per month			U1TVX	1L5XX	0.0054					7		20.00			
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			01147	TESAX	0.0054					l					
	Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		ı
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	11.577					0.01			20.00	21.05		
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1L5XX	0.0054										
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		· · · · · · · · · · · · · · · · · · ·
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0174										ı
	Termination			U1TDX	U1TD5	17.98	55,39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174				3.01			20.00	21.03		
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility														~	
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.3562				.,						
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14,99			20.35	21.09		

CIABOIADEE	D NETWORK ELEMENTS - Tennessee			,		,								ment: 2	 	bit; A
											1	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
				İ							Elec		Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1 "	•	Electronic-	Electronic-	Electronic-	Electronic
		1	1										1st	Add'l	Disc 1st	Disc Add'
							Nonrecurring		Nonrecurring	Disconnect	 	1,	000	Rates (\$)	l	L
		 	 			- Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		 			·	1.10	- Aug I	11131	Audi	Joined	SOMAN	SOMAN	JOHAN	OOMAN	JOHAN
	month			U1TD3	1L5XX	2.34						Ì				
	Interoffice Channel - Dedicated Transport - DS3 - Facility													ļ —————		
	Termination per month		L	U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91	1	L	36.84	36.84	1	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	i	Ì	1147704												
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		 	U1TS1	1L5XX	2.34			ļ			ļ	<u> </u>			
1	Termination			U1TS1	U1TFS	849.30	395.29	176.56	100.04	105.01	1	i	20.04		}	
DARK FIBER	1 Communication		+	01131	1011153	649.30	395.29	1/0.50	109.04	105.91	<u> </u>		36.84	36.84		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	· · · · · ·	†										 			
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	67.65			1		1	[ľ		Į
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1				1		<u> </u>		1	 	1			1
	Thereof per month - Interoffice Channel		ļ	UDF, UDFCX	1L5DF	28.74							L			
	NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop] .	UDE UDEOX		11	1 7									
VIRTUAL COLL			_	UDF, UDFCX	1L5DL	67.65					<u> </u>	ļ				
VINTUAL COLL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			ļ		ļ					ļ	ļ				
	Solitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICAL COL			 	DEF STEDET OF	145.00	0.57	11.02	9.90	10.36	0.00		·	19.99	19.99	19,99	19.95
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				 	 	 				 -	· · · · · · · · · · · · · · · · · · ·				ļ
	Splitting			UEPSR UEPSB	PEILS	0.7905	11.62	9.90	10.38	8.66	İ	İ	19.99	19.99	19,99	19.99
	TENDED LINK (EELs)		i								1		70.00	10.00		10.00
NOTE:	The monthly recurring and non-recurring charges below will	apply and	the Sw	itch-As-Is Charge	will not apply	for UNE combi	nations provisi	oned as ' Ord	inarily Combine	ed' Network E	lements.	 				· · · · · · · · · · · · · · · · · · ·
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-re	curring	charges below wil	l apply for UN	E combination	s provisioned a	s ' Currently (Combined' Net	work Elements	ş,					
2-WIHE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16,56	108.76	35.47	72.94	10.86			20.35	21.09		
	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86	<u> </u>	ļ	20.35	21.09		
	Voice Grade COCI - Per Month		3-	UNCVX	1D1VG	28,28 0.91	108.76 5.70	35.47 4.42	72.94	10.86	 	 	20.35	21.09		
	VOICE GRADE LOOP FOR USE IN A COMBINATION		 	ONOVA	IDIVG	0.91	5.70	4.42								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72,94	10.86	 		20.35	21.09		ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	 	 	20.35	21.09		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		ļ —————
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	-							
	56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	31,10	108.76	35.47	72.94	10.86			20.35	21.09		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	 		20.35	21.09		
	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	<u></u>	 	0,1007	טטיטי	0.91	5.70	4.42	 		 '					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31,10	108.76	35.47	72.94	10.86	 		20.35	21.09		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	 		20.35	21.09		ļ
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	 		20.35	21.09		
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	72.0	10.00			20.00	21.03		
2-WIRE	ISDN LOOP FOR USE IN COMBINATION									· · · · · · · · · · · · · · · · · · ·						
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	U1L2X UC1CA	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
	DS1 DIGITAL LOOP FOR USE IN A COMBINATION			UNUNX	UCICA	3.24	5.70	4.42	ļ			ļ				
- 	4-Wire DS1 Digital Loop In Combination - Zone 1		 	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	 	ļ	20.35			
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75,40	228.40	161.74	79.87	24.88			20.35	21.09 21.09		
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	98.59	228,40	161.74	79.87	24.88	 	 	20.35	21.09		
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	, 5.07	24.00	 	 	20.05	21.09	***************************************	
						17.30 1	3.70									
	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	MBINAT	ON			17.56	3.70	7,76								

UNBL	JNDLE	D NETWORK ELEMENTS - Tennessee			ylada				····			,			ment: 2		bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring			**********		Rates (\$)		T-2222
				ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Interoffice Transport - 2-wire VG - Dedicated - Facility			LINO	LIATOR	04.70	70.00	44.00	60.00	24.00			20.00	21.00		
	4 WIDE	Termination per month VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CI	OMBINAT	ION	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	 	ļ	20.35	21.09		
	4 WINC	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	JUBINAL	TON .						ļ		 	 		 		
		Month	1	1	UNCVX	1L5XX	0.0174			-							İ
	DC1 IN	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month TEROFFICE TRANSPORT FOR COMBINATION			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	DSTIN	Interoffice Transport - Dedicated - DS1 combination - Per Mile										 					
		per month			UNC1X	1L5XX	0.3562						}			Į.	
	 	Interoffice Transport - Dedicated - DS1 combination - Facility	-	 		- 1	0.0002					 			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
		Termination per month	L		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	L	<u></u>
	DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION															
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.34										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per	1	ĺ												1	[
	1000	month		 	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		ļ
	515-11	INTEROFFICE TRANSPORT FOR USE IN COMBINATION Interoffice Transport - Dedicated - STS-1 combination - Per Mile		 						 				<u> </u>			
	1	Per Month	1		UNCSX	1L5XX	2.34			ļ							
		Interoffice Transport - Dedicated - STS-1 combination - Facility													 		
	<u> </u>	Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		
	4-WIRE	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	ISPORT -	ļ.,								<u> </u>					!
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47		10.86						
	1	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	40.61 53.11	108.76 108.76	35.47 35.47		10.86 10.86			<u> </u>	ļ		ļ
	 	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-3-	UNCOX	UDLS	53.11	106.76	35.47	72.94	10.86		 				
		Per Mile per month		ĺ	UNCDX	1L5XX	0.0174										
	1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			<u> </u>				·····								
		Facility Termination per month		L	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00	1		20.35	21.09		
		64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
	1	4-wire 64 kbps Lcoal Loop In Combination - Zone 1			UNCDX	UDL64	31.10	108.76	35.47		10.86		ļ				
	ļ	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	ļ		UNCDX	UDL64	40.61	108.76	35.47		10.86		ļ				<u> </u>
	+	4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 	3	UNCDX	UDL64	53,11	108.76	35.47	72.94	10.86		ļ				
		Per Mile per month			UNCDX	1L5XX	0.0174					Ì	İ	İ			1
	-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	 	 	GIAODX	125701	0.0174	 		 		<u> </u>	 		 	 	
		Facility Termination per month		1	UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00	1	ł	20.35	21.09	1	
	4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47		10.86						
		4-wire 56 kbps Local Loop in combination - Zone 2	ļ	2	UNCDX	UDL56	40.61	108.76	35.47		10.86						
		4-wire 56 kbps Local Loop in combination - Zone 3	ļ	3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86	ļ					
		4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month		ļ	UNCDX	1L5XX	0.0174						.,,				
	4-WIRE	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month 54 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETRANS	PORT	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		ļ
	T	4-wire 64 kbps Local Loop in combination - Zone 1	T	1 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	 		 	 	1	
		4-wire 64 kbps Local Loop in combination - Zone 2	L	2	UNCDX	UDL64	40.61	108.76	35.47		10.86				ļ	 	
		4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86						
		I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
		4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1													
	DC1 D	Termination per month GITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			UNCDX	U1TD6	21,19	79.83	44.08	69.32	31.00	 	<u> </u>	20.35	21.09		!
	וט ופטן	4-Wire DS1 Digital Loop in Combination - Zone 1	 	1	UNC1X	USLXX	E7 70	220.40	101 71	70.00	04.00	ļ				ļ	ļ
	+	4-Wire DS1 Digital Loop in Combination - Zone 1	 	<u> </u>	UNC1X	USLXX	57,73 75.40	228.40	161.74 161.74		24.88 24.88			 			ļ
	1	4-Wire DS1 Digital Loop In Combination - Zone 3	-		UNC1X	USLXX	98.59	228.40	161.74		24.88				 		

	D NETWORK ELEMENTS - Tennessee	· · · · · ·		Y		,								ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	-		 		Nonrecurring		Nonrecurring	Disconnect			099	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1						3020	Johnson	JOHIAN	OUMAN	JOWAN	SOMAIN
	per month			UNC1X	1L5XX	0.3562										
'	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month	1		UNC1X_	U1TF1	77.86	171.24	113.12	70.07	30.90	1		20.35	21.09		
053 010	GITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO DS3 Local Loop in combination - per mile per month	ORT		1100007												
	D33 Cocai Coop in combination - per mile per month	 	ļ	UNC3X	1L5ND	9.19										
] '	DS3 Local Loop in combination - Facility Termination per month	İ	İ	UNC3X	UE3PX	373.47	242.00	400.07								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5XX	2.34	240.23	180.87	106.78	45.24	ļ					
	Interoffice Transport - Dedicated - DS3 combination - Facility			01400X	TLOAA	2.34					ļ					
	Termination per month	İ	ĺ	UNC3X	U1TF3	854.97	482.01	153,81	64,43	35.43		!	36,84	36.84		
STS-1 [DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT			-		1	100,01	04.40	00.40	ļ	 	30.04	30.64	·	
		1					 				 	 				
	STS-1 Local Lolp in combination - per mile per month	L.	l	UNCSX	1L5ND	9.19	1				ļ	1				ł
"	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			L BLOOK												
 -	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	2.34						ļ				
- '	Termination per month	i		UNCSX	U1TFS	849.30	482.01	153.81	64.43			i				
	ETWORK ELEMENTS			ONCOX	01115	649.30	482.01	153.81	64.43	35.43			36.84	36.84		
When t	sed as a part of a currently combined facility, the non-recurr	ng charge	es do no	ot apply, but a Swit	ch As Is char	rge does analy	 					··				
When u	ised as ordinarily combined network elements in All States, ti	he non-re	currina	charges apply and	the Switch As	s Is Charge do	es not.									·
Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge (C	ne app	lies to each combin	ation)											
i I				UNCVX, UNCDX,												
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X, UNC3X,												
البيناك	ls Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Options	al Features & Functions:			11.45												
- } - }	Clear Channel Capability Extended Frame Option - per DS1	Ι.		U1TD1, ULDD1,UNC1X	CCOEF		11)								
	Clear Charnel Capability Extended Frame Option - per DS1	-		U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1.	100031		0.00	0.00	0.00	0.00						
	Activity - per DS1	l ı		UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79			45.68	1.76		
				U1TD3, ULDD3,			100.10	20.00	2.00	0.73			45.00	1.70		
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00			45,68	1.76		
	PLEXERS				1								40,00	1.10		
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop	ļ		חסר	10100	1.82	6.07	4.66		·	'			9.80		
	OCU-DP COCi (cata) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	15155											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			01100	1D1DD	1.82	6.07	4.66								
	month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIV	OOTEX	3.10	6.07	4.00								
	month used for connection to a channelized DS1 Local Channel							l						i		
	in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1		5.57									
	used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the			l <u>-</u>					1				1			
	same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66								
	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
				UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80		
	DS1 COCLused with Loop per month			LICI	LICADA	47										
	DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66								
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			USL U1TUA	UC1D1	17.58 17.58	6.07	4.66 4.66								

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
]		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring I	Disconnect	—		OSS	Rates (\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month	I		ULDD1	UC1D1	17.58	6.07	4.66			1		!			1
Note: F	Rates displaying an "I" in Interim column are interim as a resu	uit of a Co	mmissi	on order.							<u> </u>		· · · · · · · · · · · · · · · · · · ·	 	<u> </u>	

LOCAL INT	ERCONNECTION - Alabama										·····		Attachment:	3	Exhibit: A	***************************************
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	W	 	 			 	Nonrec	urring	Nonrecurring	Disconnect	 	L	220	Rates(\$)		·
			 	<u> </u>		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								·····			1					
SIGNALING (T									T				
	CCS7 Signaling Connection, Per 56Kbps Facility					15,46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83					†	T				
	CCS7 Signaling Usage, Per TCAP Message					0.0000569					1	<u> </u>				
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44	1	1				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15,46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection-A link, per month	1	1	UDB	TPP9A	15.46	35.53	35.53	16.44	16.44		 				
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	ТРР9В	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, Interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16,44	16.44						
	CCS7 Signaling Usage, Per ISUP Message		1	<u> </u>		0.0000142	- 40.11				 					
	CCS7 Signaling Usage Surrogate, per link per LATA		 	UDB	STU56	650.33					 	t			<u> </u>	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	29.01	29.01	35.57	35.57	-					

LOCAL INTI	ERCONNECTION - Florida												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
					 		Nonrec	urrina	Nonrecurring	Disconnect	 	4	oss	Rates(\$)	· · · · · · · · · · · · · · · · · · ·	
						Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C	CC57)															
	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	135.05					1					
	CCS7 Signaling Usage, Per TCAP Message					0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	17.93	43.57	43.57	18,31	18.31						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	ТРР9В	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message					0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						

LOCAL INT	RCONNECTION - Georgia					······································							Attachment:	3	Exhibit; A	
		T	T			1					Ta a .					
i			1													Incremental
		1	1								Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	D. 27 7/ 7/2020	Interi	\			}					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			perLSR			Order vs.	Order vs.	Order vs.
1					1								Electronic-	Electronic-	Electronic-	Electronic-
			ĺ								Į.		1st	Add'l	Disc 1st	Disc Add'l
													181	Addi	Disc ist	DISC AGG I
		ļ				Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)		
l		ļ				ricc	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C	(CS7)		 													
1	CCS7 Signaling Termination, Per STP Port		 	UDB	PT8SX	108.80					}					
	CCS7 Signaling Usage, Per TCAP Message		 	000	F 103A				 							L
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP6A	0.0000527										
	CCS7 Signaling Connection, Per link (R link) (also known as D		 	006	IPPOA	8,73	34.77	34.77	16.91	16.91	L					L
	link) (same as E.3.1)		i	UDB	TPP6B	0.70			1							
	CCS7 Signaling Connection, Switched access service, interface		 	000	TPF0B	8.73	34.77	34.77	16.91	16.91		İ				L
	groups, transmissiom paths 6 DS1 level path with bit stream						Į.									
	Isignaling		i l				i				ĺ					i
 				UDB	TPP6X	8.73	34.77	34.77	16.91	16.91		L				1 1
 	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP9A	8.73	34.77	34,77	16.91	16.91						
1 1	CCS7 Signaling Connection-B link(also known as D link) per				-						T					
	month (same as E.3.1)			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91	l					i l
	CCS7 Signaling Connection, Switched access service, interface				1											
	groups, transmissiom paths 9 DS3 level path with bit stream		l i		i	1 1										i I
	signaling			UDB	TPP9X	8.73	34.77	34,77	16.91	16.91	ļ					
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)				1	0.0000132			10.01							
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44			~							
	CCS7 Signaling Point Code, Establishment or Change, per STP					221111										/
	affected		i I	UDB	CCAPO	1	28.15	28.15	33.32	33.32	l .				'	i

LOCAL INTI	ERCONNECTION - Kentucky												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
			1				Nonrec	urring	Nonrecurring	Disconnect		!	oss	Rates(\$)	L	*
						Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C	CCS7)				 											
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39					 					
	CCS7 Signaling Usage, Per TCAP Message			·····		0.0000656					†					
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP6A	20.71	43.56	43.56	22.45	22.45	1				1	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45	† 				<u> </u>	
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage, Per ISUP Message				1	0.0000164									1	[
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08					1					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						

LOCAL INT	ERCONNECTION - Louisiana												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Sve Order vs,
						-	Nonrec	urring	Nonrecurri	ng Disconnect	†		OSS	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)	 	+						 			 	ļ		ļ	
	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	147.60			ļ		 	 	 			
	CCS7 Signaling Usage, Per TCAP Message		1			0.000064			 		 	 	 		 	
	CCS7 Signaling Connection, Per link (A link)	1	1	UDB	TPP6A	15.77	34.50	34.50	 		 	 	 		 	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	15.77	34,50	34.50						*		
	CCS7 Signaling Connection, Switched access service, Interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection-A link, per month	1	1	UDB	TPP9A	15.77	34.50	34.50			 	 	 		 	
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	ТРР9Х	15.77	34.50	34.50								
	CCS7 Signaling Usage, Per ISUP Message	1		1		0.000016			 		 	 	 		 	
	CCS7 Signaling Usage Surrogate, per link per LATA	1	1	UDB	STU56	732,10		·			 		 	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								

LOCAL INTE	ERCONNECTION - Mississippi													Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone		BCS	usoc			RATES(\$)				Submitted	Manual Svc	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				T				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C	L CCS7)	_		 			<u> </u>					<u> </u>	ļ		 		
	CCS7 Signaling Termination, Per STP Port			UDB		PT8SX	132.21			~		<u> </u>		 		 	
	CCS7 Signaling Usage, Per TCAP Message			 			0.0000597	··· ··· ·· ·									<u> </u>
	CCS7 Signaling Connection, Per link (A link)		1	UDB	··· · · · · · · · · · · · · · · · · ·	TPP6A	16.55	35.74	35.74	16.53	16.53					 	1
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB		TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-A link, per month			UDB		TPP9A	16.55	35.74	35.74	16.53	16.53					 	ļ
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB		TPP98	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message						0.0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		29.18	29.18	35.78	35.78						

LOCAL	INTERCONNECTION - North Carolina												Attachment:	3	Exhibit: A	
CATEGO	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted	Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disco	nnect			OSS	Rates(\$)		
		_	-			Hec	First	Add'!	First Ad	ld'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALI	NG (CCS7)	 	+							+						
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP6A	18.22	278.02	278.02				 		 	 	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	18.22	278.02	278.02								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	18.22	278.02	278.02								
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	18.22	278.02	278,02				 				
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	18.22	278.02	278,02								711
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	18.22	278.02	278.02								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message				1	0.00004										
	CCS7 Signaling Usage, Per TCAP Message					0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98					-					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								

LOCAL INTE	RCONNECTION - South Carolina												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (C	CS7)		ļ			 					ļ	ļ <u>-</u>	·			
O.G.I.A.C.II.G.	CCS7 Signaling Termination, Per STP Port	 	 	UDB	PT8SX	163,49			ļ		 			·		
	CCS7 Signaling Usage, Per TCAP Message			000	1 100%	0.0000692										
	CCS7 Signaling Connection, Per link (A link)		 	ÚDB	TPP6A	16.93	35.61	35.61	16.48	16.48	 	 				<u> </u>
	CCS7 Signaling Connection, Per link (B link) (also known as D				1							 			· · · · · · · · · · · · · · · · · · ·	·
	(link)	ł	ļ	UDB	TPP6B	16.93	35.61	35.61	16.48	16.48	1	Ì	}	ì	ì	1
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	16.93	35.61	35.61	16.48	16,48						-
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	трр9В	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message					0.0000173						T				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										ĺ
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						

LOCAL INTI	RCONNECTION - Tennessee												Attachment:	3	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Manual Svc	Charge -	Charge -	Charge -
	, , , , , , , , , , , , , , , , , , , ,		 		· 	<u> </u>	Nonrec	urring	Nonrecurring	g Disconnect	1		OSS	Rates(\$)		
			 			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			 					-,001	,	1.541	+	1				
SIGNALING (C	CCS7)		 							1	†	<u> </u>		T		
1	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	138.41					1	1	· · · · · · · · · · · · · · · · · · ·			
	CCS7 Signaling Usage, Per TCAP Message	-	†			0.0000916		·	ļ	1	†		·	T		
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP6A	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17,84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-A link, per month	·		UDB	TPP9A	17.84	130.84	130.84	· · · · · · · · · · · · · · · · · · ·	1	†		20.35	20.35	13.32	13.32
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message					0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121,77					20.35	20.35	13.32	13.32