

VOTE SHEET

April 4, 2006

Docket No. 060121-EI -- Proposed amendment of Rules 25-6.022, 25-6.052, 25-6.056, 25-6.058, 25-6.059, 25-6.060, and 25-6.103, Florida Administrative Code.

Issue 1: Should the Commission propose the amendment of Rule 25-6.022, Record of Metering Devices and Metering Device Tests; Rule 25-6.052, Test Procedures and Accuracies of Consumption Metering Devices; Rule 25-6.056, Metering Device Test Plans; Rule 25-6.058, Determination of Average Meter Error; Rule 25-6.059, Meter Test By Request; 25-6.060, Meter Test - Referee; and Rule 25-6.103, Adjustment of Bills for Meter Error?

Recommendation: Yes. Rules 25-6.022, 25-6.052, 25-6.056, 25-6.058, 25-6.059, 25-6.060, and 25-6.103 should be amended as set forth in Attachment A of staff's March 23, 2006 memorandum.

DEFERRED

COMMISSIONERS ASSIGNED: All Commissioners

COMMISSIONERS' SIGNATURES

MAJORITY

DISSENTING

REMARKS/DISSENTING COMMENTS:

DOCUMENT NUMBER-DATE

03025 APR -4 8

Vote Sheet

April 4, 2006

Docket No. 060121-EI – Proposed amendment of Rules 25-6.022, 25-6.052, 25-6.056, 25-6.058, 25-6.059, 25-6.060, and 25-6.103, Florida Administrative Code.

(Continued from previous page)

Issue 2: Should this docket be closed?

Recommendation: Yes. If no requests for hearing or comments are filed, the rule amendments as proposed should be filed for adoption with the Secretary of State and the docket should be closed.