

ORIGINAL

LAW OFFICES

ROSE, SUNDBSTROM & BENTLEY, LLP

2548 BLAIRSTONE PINES DRIVE
TALLAHASSEE, FLORIDA 32301

(850) 877-6555
FAX (850) 656-4029
www.rsbattorneys.com

REPLY TO CENTRAL FLORIDA OFFICE

November 7, 2006

RECEIVED-FPSC

06 NOV -7 PM 12:08

CENTRAL FLORIDA OFFICE
SANLANDO CENTER
2180 W. STATE ROAD, SUITE 2118
LONGWOOD, FLORIDA 32779
(407) 830-6331
FAX (407) 830-8522

MARTIN S. FRIEDMAN, P.A.
VALERIE L. LORD
BRIAN J. STREET

FREDERICK L. ASCHAUER, JR.
CHRIS H. BENTLEY, P.A.
ROBERT C. BRANNAN
DAVID F. CHESTER
F. MARSHALL DETERDING
JOHN R. JENKINS, P.A.
STEVEN T. MINDLIN, P.A.
CHASITY H. O'STEEN
DAREN L. SHIPPY
WILLIAM E. SUNDBSTROM, P.A.
DIANE D. TREMOR, P.A.
JOHN L. WHARTON
WAYNE L. SCHIEFELBEIN, OF COUNSEL
ROBERT M. C. ROSE (1924-2006)

Ms. Blanca Bayo
Commission Clerk and Administrative Services Director
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399

HAND DELIVERY


Re: Labrador Utilities, Inc.; Application for Rate Increase in Pasco County, Florida;
Docket No. 030443-WS
Our File No. 30057.64

Dear Ms. Bayo:

Enclosed for filing in the above-referenced docket is the CORRECTED final report of the meter flow test results required under Commission Order No. PSC-04-1281-PAA-WS. The report reflects the test results which were completed on May 24, 2006. The dates of the meter tests have been revised to reflect actual 2006 test dates.

Should you have any questions concerning the enclosed, please do not hesitate to give me a call.

Very truly yours,



VALERIE L. LORD
For the Firm

- CMP _____
- COM _____
- CTR _____
- ECR _____
- GCL _____
- OPC _____
- RCA _____
- SCR _____
- SGA _____
- SEC I
- OTH _____

VLL/tlc
Enclosures

cc: Mr. Gerald Edwards, Division of Economic Regulation (w/enc. - by hand delivery)
Steven M. Lubertozzi, Chief Regulatory Officer (w/enclosures - by U.S. Mail)
John Hoy, Regional Vice President for Operations (w/o enclosures - by U.S. Mail)
Patrick C. Flynn, Regional Director (w/enclosures - by U.S. Mail)

M:\1 ALTAMONTE\UTILITIES INC\LABRADOR UTILITIES\(.64) LABRADOR 2003 RATE CASE\PSC Clerk 037 (Corrected Meter Test Report).ltr.wpd

DOCUMENT NUMBER-DATE

10259 NOV-7 06

FPSC-COMMISSION CLERK

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS



RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|----------|------------|-------------------|----------------|---------------|-------------|------|----------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001001 1 | TRLF | 6462 PRESIDENTIAL CIR | 5/8 | NEPT | UNKNOWN | 110400 | 10.0 | 9.8 | 98.00% | 3/10/2005 | | | | | |
| 00693 001002 2 | TRLF | 6460 PRESIDENTIAL CIR | 5/8 | NEPT | 33862266 | 167320 | 10.0 | 9.6 | 96.00% | 3/10/2005 | | | | | |
| 00693 001003 1 | TRLF | 6458 PRESIDENTIAL CIR | 5/8 | NEPT | 33379186 | 214340 | 10.0 | 9.6 | 96.00% | 3/10/2005 | | | | | |
| 00693 001004 1 | TRLF | 6456 PRESIDENTIAL CIR | 5/8 | KENT | 90004134 | 739260 | 10.0 | 10.0 | 100.00% | 3/10/2005 | BADG | 32206580 | 0 | 4/19/2006 | |
| 00693 001005 1 | TRLF | 6454 PRESIDENTIAL CIR | 5/8 | PREC | 8449469 | 888600 | 10.0 | 10.1 | 101.00% | 3/10/2005 | BADG | 32206494 | 0 | 8/30/2005 | |
| 00693 001006 1 | TRLF | 6452 PRESIDENTIAL CIR | 5/8 | NEPT | 46466657 | 99840 | 10.0 | 10.0 | 100.00% | 3/10/2005 | | | | | |
| 00693 001007 1 | TRLF | 6450 PRESIDENTIAL CIR | 5/8 | NEPT | 46466690 | 212200 | 10.0 | 9.8 | 98.00% | 3/10/2005 | | | | | |
| 00693 001008 1 | TRLF | 6448 PRESIDENTIAL CIR | 5/8 | NEPT | 32884249 | 443350 | 10.0 | 10.0 | 100.00% | 3/10/2005 | | | | | |
| 00693 001009 2 | TRLF | 6446 PRESIDENTIAL CIR | 5/8 | NEPT | 46466655 | 340810 | 10.0 | 9.9 | 99.00% | 3/10/2005 | | | | | |
| 00693 001010 1 | TRLF | 6444 PRESIDENTIAL CIR | 5/8 | NEPT | 46466644 | 178510 | 10.0 | 9.9 | 99.00% | 3/10/2005 | | | | | |
| 00693 001011 1 | TRLF | 6442 PRESIDENTIAL CIR | 5/8 | NEPT | 46466673 | 108850 | 10.0 | 9.9 | 99.00% | 3/10/2005 | | | | | |
| 00693 001012 1 | TRLF | 6429 FOREST LAKE DR | 5/8 | MAST | 1059516 | 840310 | 10.0 | 0.7 | | 3/10/2005 | BADG | 30223640 | 10 | 4/10/2006 | |
| 00693 001013 1 | TRLF | 6434 PRESIDENTIAL CIR | 5/8 | NEPT | 39605831 | 222420 | 10.0 | 10.0 | 100.00% | 3/10/2005 | | | | | |
| 00693 001014 1 | TRLF | 6428 PRESIDENTIAL CIR | 5/8 | NEPT | 39605800 | 269870 | 10.0 | 9.8 | 98.00% | 3/10/2005 | | | | | |
| 00693 001015 1 | TRLF | 6424 PRESIDENTIAL CIR | 5/8 | MAST | 1042967 | 473450 | 9.5 | 10.0 | | 2/4/2005 | BADG | 30223635 | 10 | 2/7/2005 | |
| 00693 001016 1 | TRLF | 6416 PRESIDENTIAL CIR | 5/8 | NEPT | 40002850 | 173760 | 10.0 | 9.6 | 96.00% | 3/10/2005 | | | | | |
| 00693 001017 1 | TRLF | 6408 PRESIDENTIAL CIR | 5/8 | MAST | 1046076 | 785340 | 9.8 | 10.0 | | 2/4/2005 | BADG | 30223651 | 10 | 2/16/2005 | |
| 00693 001018 1 | TRLF | 41215 WHITMER DR | 5/8 | NEPT | 40002584 | 132130 | 10.0 | 9.8 | 98.00% | 3/11/2005 | | | | | |
| 00693 001019 1 | TRLF | 41221 WHITMER DR | 5/8 | PREC | 8808413 | 825460 | 10.0 | 10.1 | 101.00% | 8/30/2005 | BADG | 32206612 | 10 | 8/30/2005 | |
| 00693 001020 1 | TRLF | 41227 WHITMER DR | 5/8 | PREC | 8811179 | 645760 | 10.0 | 10.1 | 101.00% | 3/11/2005 | BADG | 32206615 | 10 | 8/30/2005 | |
| 00693 001021 1 | TRLF | 41231 WHITMER DR | 5/8 | PREC | 8808411 | 711920 | 9.8 | 10.0 | | 2/16/2005 | BADG | 30223693 | 10 | 2/16/2005 | |
| 00693 001022 1 | TRLF | 41237 WHITMER DR | 5/8 | PREC | 8449467 | 1449760 | 10.0 | 13.1 | | 3/11/2005 | BADG | 30223645 | 10 | 3/14/2005 | |
| 00693 001023 1 | TRLF | 41243 WHITMER DR | 5/8 | MAST | 1042774 | 699490 | 9.7 | 10.0 | | 2/16/2005 | BADG | 30223639 | 10 | 2/16/2005 | |
| 00693 001024 1 | TRLF | 41249 WHITMER DR | 5/8 | MAST | 1042776 | 729990 | 10.0 | 0.1 | | 1/16/2005 | BADG | 19616967 | 10 | 2/2/2005 | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|-------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001025 1 | TRLF | 41255 WHITMER DR | 5/8 | MAST | 1059502 | 547540 | 10.0 | 10.1 | 101.00% | 12/20/2005 | BADG | 32206744 | 10 | 12/20/2005 |
| 00693 001026 2 | TRLF | 41261 WHITMER DR | 5/8 | MAST | 1053399 | 843560 | 10.0 | 10.1 | 101.00% | 12/20/2005 | BADG | 32206746 | 10 | 12/20/2005 |
| 00693 001027 2 | TRLF | 41303 WHITMER DR | 5/8 | PREC | 8449414 | 505390 | 10.0 | 10.0 | 100.00% | 3/11/2005 | BADG | 32206745 | 10 | 12/20/2005 |
| 00693 001028 2 | TRLF | 41288 WHITMER DR | 5/8 | MAST | 1053402 | 267420 | 10.0 | 9.5 | 95.00% | 4/15/2005 | BADG | 32206770 | 10 | 4/15/2005 |
| 00693 001029 1 | TRLF | 41282 XENON WAY | 5/8 | BADG | 19148704 | 98880 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001030 1 | TRLF | 41276 XENON WAY | 5/8 | NEPT | 30223689 | 2300 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001031 2 | TRLF | 41270 XENON WAY | 5/8 | MAST | 1042785 | 760130 | 10.0 | 10.1 | 101.00% | 8/30/2005 | BADG | 32206495 | 10 | 8/30/2005 |
| 00693 001032 2 | TRLF | 41266 XENON WAY | 5/8 | MAST | 10459507 | 333830 | 10.0 | 10.5 | 105.00% | 5/19/2005 | BADG | 32206730 | 10 | 5/19/2005 |
| 00693 001033 1 | TRLF | 41262 XENON WAY | 5/8 | MAST | 1053397 | 1314810 | 10.0 | 11.1 | 111.00% | 5/19/2005 | BADG | 32206731 | 10 | 5/19/2005 |
| 00693 001034 1 | TRLF | 41258 XENON WAY | 5/8 | MAST | 19616992 | 18760 | 10.0 | 10.0 | 100.00% | 5/19/2005 | BADG | 32371424 | 0 | 4/10/2006 |
| 00693 001035 1 | TRLF | 41252 XENON WAY | 5/8 | NEPT | 30223628 | 9760 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001036 2 | TRLF | 41244 XENON WAY | 5/8 | BADG | 19616987 | 22690 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001037 1 | TRLF | 41232 XENON WAY | 5/8 | NEPT | 40002581 | 258710 | 10.0 | 10.3 | 103.00% | 6/16/2005 | BADG | 32206789 | 10 | 6/16/2005 |
| 00693 001038 1 | TRLF | 41222 XENON WAY | 5/8 | MAST | 1042737 | 483570 | 10.0 | 10.1 | 101.00% | 12/20/2005 | BADG | 32206747 | 0 | 12/20/2005 |
| 00693 001039 1 | TRLF | 41210 XENON WAY | 5/8 | NEPT | 41420203 | 123000 | 10.0 | 10.0 | 100.00% | 6/29/2005 | | | | |
| 00693 001040 1 | TRLF | 41204 XENON WAY | 5/8 | BADG | 19074049 | 348960 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001041 2 | TRLF | 6255 SPRING LAKE CIR | 5/8 | MAST | 1050210 | 471560 | 10.0 | 11.0 | 110.00% | 7/13/2005 | BADG | 32206558 | 0 | 7/18/2005 |
| 00693 001042 1 | TRLF | 6303 SPRING LAKE CIR | 5/8 | PREC | 8811174 | 627200 | 10.0 | 10.3 | 103.00% | 11/8/2005 | BADG | 32206782 | 0 | 11/8/2005 |
| 00693 001043 1 | TRLF | 6309 SPRING LAKE CIR | 5/8 | MAST | 1042733 | 643040 | 10.0 | 10.5 | 105.00% | 7/13/2005 | BADG | 32206559 | 0 | 7/18/2005 |
| 00693 001044 1 | TRLF | 6310 SPRING LAKE CIR | 5/8 | NEPT | 39605801 | 233210 | 10.0 | 10.1 | 101.00% | 6/30/2005 | | | | |
| 00693 001045 3 | TRLF | 6329 FOREST LAKE DR | 5/8 | MAST | 1053393 | 1504550 | 10.0 | 10.5 | 105.00% | 11/16/2005 | BADG | 32206576 | 0 | 11/16/2005 |
| 00693 001046 2 | TRLF | 6330 FOREST LAKE DR | 5/8 | PREC | 8449470 | 693660 | 10.0 | 10.5 | 105.00% | 6/15/2005 | BADG | 32206790 | 10 | 6/16/2005 |
| 00693 001047 1 | TRLF | 6343 PRESIDENTIAL CIR | 5/8 | MAST | 1046071 | 538260 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32206529 | 0 | 11/15/2005 |
| 00693 001048 1 | TRLF | 6344 PRESIDENTIAL CIR | 5/8 | BADG | 19616957 | 30770 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

0 METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001049 1 | TRLF | 41253 XENON WAY | 5/8 | MAST | 1042764 | 540070 | 10.0 | 10.4 | | 7/20/2005 | BADG | 32206632 | 0 | 8/16/2005 |
| 00693 001050 1 | TRLF | 41259 XENON WAY | 5/8 | MAST | 1053392 | 784080 | 10.0 | 7.5 | | 7/20/2005 | BADG | 32206561 | 10 | 7/20/2005 |
| 00693 001051 1 | TRLF | 41263 XENON WAY | 5/8 | BADG | 30223630 | 9570 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | |
| 00693 001052 1 | TRLF | 41271 XENON WAY | 5/8 | MAST | 1042368 | 343590 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206537 | 0 | 8/17/2005 |
| 00693 001053 1 | TRLF | 41277 XENON WAY | 5/8 | PREC | 8811185 | 1033450 | 5.0 | 5.0 | 100.00% | 9/14/2004 | BADG | 32371398 | 0 | 4/19/2006 |
| 00693 001054 2 | TRLF | 41287 XENON WAY | 5/8 | BADG | 18721942 | 58000 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | |
| 00693 001055 1 | TRLF | 41242 WHITMER DR | 5/8 | BADG | 19616968 | 16550 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | |
| 00693 001056 1 | TRLF | 41232 WHITMER DR | 5/8 | MAST | 105950 | 519550 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32206530 | 0 | 11/15/2005 |
| 00693 001057 1 | TRLF | 41228 WHITMER DR | 5/8 | BADG | 30223646 | 17150 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | |
| 00693 001058 1 | TRLF | 41222 WHITMER DR | 5/8 | MAST | 1046072 | 616240 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32206531 | 0 | 11/16/2005 |
| 00693 001059 1 | TRLF | 41216 WHITMER DR | 5/8 | MAST | 1042778 | 552870 | 10.0 | 10.1 | 101.00% | 8/30/2005 | BADG | 32206493 | 0 | 8/30/2005 |
| 00693 001060 1 | TRLF | 6352 PRESIDENTIAL CIR | 5/8 | MAST | 1059509 | 325910 | 10.0 | 10.1 | 101.00% | 8/30/2005 | BADG | 32206497 | 0 | 8/30/2005 |
| 00693 001061 1 | TRLF | 6349 PRESIDENTIAL CIR | 5/8 | BADG | 30223637 | 10860 | 10.0 | 10.0 | 100.00% | 6/16/2005 | | | | |
| 00693 001062 1 | TRLF | 6336 FOREST LAKE DR | 5/8 | MAST | 1046077 | 557190 | 10.0 | 10.1 | 101.00% | 6/15/2005 | BADG | 32206748 | 0 | 12/20/2005 |
| 00693 001063 1 | TRLF | 6335 FOREST LAKE DR | 5/8 | BADG | 19616928 | 38120 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001064 2 | TRLF | 6316 SPRING LAKE CIR | 5/8 | NEPT | 4000583 | 182210 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256677 | 0 | 5/18/2006 |
| 00693 001065 1 | TRLF | 6322 SPRING LAKE CIR | 5/8 | MAST | 1059504 | 979070 | 5.0 | 5.0 | 100.00% | 9/15/2004 | BADG | 32206504 | 0 | 7/27/2005 |
| 00693 001066 1 | TRLF | 6339 FOREST LAKE DR | 5/8 | BADG | 19616931 | 11830 | 5.0 | 5.0 | 100.00% | 9/15/2004 | | | | |
| 00693 001067 2 | TRLF | 6340 FOREST LAKE DR | 5/8 | NEPT | 39605808 | 318440 | 10.0 | 10.2 | | 6/15/2005 | BADG | 32206786 | 10 | 6/16/2005 |
| 00693 001068 2 | TRLF | 6355 PRESIDENTIAL CIR | 5/8 | BADG | 19616965 | 17330 | 10.0 | 10.0 | 100.00% | 6/16/2005 | | | | |
| 00693 001069 1 | TRLF | 6359 PRESIDENTIAL CIR | 5/8 | MAST | 1059512 | 622940 | 10.0 | 10.1 | 101.00% | 9/21/2005 | BADG | 32371431 | 10 | 9/21/2005 |
| 00693 001070 2 | TRLF | 6365 PRESIDENTIAL CIR | 5/8 | MAST | 1059511 | 320230 | 10.0 | 10.1 | 101.00% | 9/21/2005 | BADG | 32206511 | 10 | 9/21/2005 |
| 00693 001071 2 | TRLF | 6371 PRESIDENTIAL CIR | 5/8 | MAST | 1046074 | 389990 | 10.0 | 0.0 | | 6/15/2005 | BADG | 32206550 | 10 | 6/15/2005 |
| 00693 001072 2 | TRLF | 6405 PRESIDENTIAL CIR | 5/8 | BADG | 92114008 | 625110 | 10.0 | 9.9 | 99.00% | 11/14/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

LOW METERS
FAST METERS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | 800 | DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|--------------|----------------|-----|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | | |
| 00693 001073 1 | TRLF | 6415 PRESIDENTIAL CIR | 5/8 | MAST | 1042739 | 961960 | 10.0 | 10.5 | 100.00% | 6/15/2005 | BADG | 32206689 | 10 | | | 7/15/2005 |
| 00693 001074 1 | TRLF | 6425 PRESIDENTIAL CIR | 5/8 | BADG | 18486319 | 82110 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | | | |
| 00693 001075 3 | TRLF | 6413 FOREST LAKE DR | 5/8 | MAST | 1059526 | 1355910 | 10.0 | 10.5 | 100.00% | 6/29/2005 | BADG | 32206592 | 10 | | | 6/30/2005 |
| 00693 001076 1 | TRLF | 6407 FOREST LAKE DR | 5/8 | MAST | 1053400 | 778140 | 10.0 | 10.5 | 100.00% | 6/29/2005 | BADG | 32206588 | 10 | | | 6/30/2005 |
| 00693 001077 1 | TRLF | 6401 FOREST LAKE DR | 5/8 | NEPT | 41960530 | 744090 | 10.0 | 10.2 | 100.00% | 6/29/2005 | BADG | 32206608 | 10 | | | 6/26/2005 |
| 00693 001078 2 | TRLF | 6374 FOREST LAKE DR | 5/8 | PREC | 8811176 | 453780 | 10.0 | 10.5 | 100.00% | 6/15/2005 | BADG | 32206551 | 10 | | | 6/16/2005 |
| 00693 001079 1 | TRLF | 6373 FOREST LAKE DR | 5/8 | PREC | 8811183 | 1218340 | 10.0 | 10.4 | 100.00% | 6/29/2005 | BADG | 32206607 | 10 | | | 6/29/2005 |
| 00693 001080 1 | TRLF | 6363 FOREST LAKE DR | 5/8 | MAST | 1046069 | 495020 | 10.0 | 10.5 | 100.00% | 11/16/2005 | BADG | 32206575 | 0 | | | 11/16/2005 |
| 00693 001081 1 | TRLF | 6364 FOREST LAKE DR | 5/8 | MAST | 1042775 | 1103980 | 10.0 | 10.3 | 100.00% | 6/15/2005 | BADG | 32206547 | 10 | | | 6/16/2005 |
| 00693 001082 3 | TRLF | 6358 FOREST LAKE DR | 5/8 | MAST | 1042741 | 1234520 | 10.0 | 0.0 | 100.00% | 11/15/2005 | BADG | 32206528 | 0 | | | 11/15/2005 |
| 00693 001083 1 | TRLF | 6357 FOREST LAKE DR | 5/8 | MAST | 1042779 | 1072430 | 10.0 | 10.4 | 100.00% | 11/16/2005 | BADG | 32206574 | 0 | | | 11/16/2005 |
| 00693 001084 3 | TRLF | 6351 FOREST LAKE DR | 5/8 | MAST | 32206517 | 321440 | 10.0 | 10.0 | 100.00% | 6/29/2005 | BADG | 32206517 | 10 | | | 4/1/2005 |
| 00693 001085 1 | TRLF | 6352 FOREST LAKE DR | 5/8 | MAST | 1059508 | 1119490 | 10.0 | 10.5 | 100.00% | 6/15/2005 | BADG | 32206787 | 10 | | | 6/16/2005 |
| 00693 001086 1 | TRLF | 6346 FOREST LAKE DR | 5/8 | MAST | 1042773 | 372410 | 10.0 | 0.0 | 100.00% | 11/15/2005 | BADG | 32206780 | 0 | | | 11/15/2005 |
| 00693 001087 1 | TRLF | 6345 FOREST LAKE DR | 5/8 | MAST | 32206516 | 184890 | 10.0 | 10.0 | 100.00% | 6/29/2005 | BADG | 32206516 | 10 | | | 4/1/2005 |
| 00693 001088 1 | TRLF | 6328 SPRING LAKE CIR | 5/8 | NEPT | 39605792 | 119230 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | | | |
| 00693 001089 1 | TRLF | 6334 SPRING LAKE CIR | 5/8 | MAST | 1046075 | 361140 | 10.0 | 10.3 | 100.00% | 11/16/2005 | BADG | 32206573 | 0 | | | 11/16/2005 |
| 00693 001090 1 | TRLF | 6340 SPRING LAKE CIR | 5/8 | NEPT | 40002631 | 71010 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256678 | 0 | | | 5/18/2006 |
| 00693 001091 1 | TRLF | 6346 SPRING LAKE CIR | 5/8 | BADG | 18486322 | 890 | 10.0 | 10.0 | 100.00% | 6/29/2005 | | | | | | |
| 00693 001092 2 | TRLF | 6352 SPRING LAKE CIR | 5/8 | NEPT | 74377016 | 101460 | 10.0 | 10.0 | 100.00% | 6/29/2005 | | | | | | |
| 00693 001093 2 | TRLF | 6313 SPRING LAKE CIR | 5/8 | MAST | 1053403 | 1072500 | 10.0 | 10.2 | 100.00% | 11/15/2005 | BADG | 32206639 | 0 | | | 11/15/2005 |
| 00693 001094 1 | TRLF | 6319 SPRING LAKE CIR | 5/8 | PREC | 8811182 | 681960 | 10.0 | 10.1 | 101.00% | 7/13/2005 | BADG | 32206584 | 0 | | | 12/21/2005 |
| 00693 001095 1 | TRLF | 6325 SPRING LAKE CIR | 5/8 | NEPT | 41420284 | 164640 | 10.0 | 10.1 | 101.00% | 7/13/2005 | | | | | | |
| 00693 001096 1 | TRLF | 6331 SPRING LAKE CIR | 5/8 | MAST | 1046073 | 578470 | 10.0 | 10.9 | 100.00% | 7/13/2005 | BADG | 32206562 | 0 | | | 7/18/2005 |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|----------------------|-------|-------|-----------|------------|-------------------------------------|----------------|---------------|-------------|----------|----------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001097 2 | TRLF | 6335 SPRING LAKE CIR | 5/8 | PREC | 8449416 | 535080 | 10.0 | 10.3 | 100.00% | 7/13/2005 | BADG | 32206563 | 0 | 7/18/2005 | |
| 00693 001098 1 | TRLF | 6343 SPRING LAKE CIR | 5/8 | MAST | 1046078 | 1098720 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32206783 | 0 | 11/15/2005 | |
| 00693 001099 1 | TRLF | 6351 SPRING LAKE CIR | 5/8 | NEPT | 41420205 | 169010 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | | |
| 00693 001100 1 | TRLF | 6359 SPRING LAKE CIR | 5/8 | PREC | 8811177 | 1244560 | 10.0 | 10.1 | 101.00% | 11/8/2005 | BADG | 32206785 | 0 | 11/8/2005 | |
| 00693 001101 1 | TRLF | 6359 SPRING LAKE CIR | 5/8 | BADG | 30082983 | 38510 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | | |
| 00693 001102 1 | TRLF | 6365 SPRING LAKE CIR | 5/8 | PREC | 8811178 | 991310 | 10.0 | 10.2 | 102.00% | 11/10/2005 | BADG | 32206706 | 0 | 11/10/2005 | |
| 00693 001103 2 | TRLF | 6371 SPRING LAKE CIR | 5/8 | MAST | 1053394 | 1453280 | 10.0 | 10.1 | 101.00% | 11/10/2005 | BADG | 32206705 | 0 | 11/10/2005 | |
| 00693 001104 2 | TRLF | 6377 SPRING LAKE CIR | 5/8 | BADG | 18486290 | 80160 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | | |
| 00693 001105 1 | TRLF | 6383 SPRING LAKE CIR | 5/8 | | 909996810 | 403580 | 10.0 | 10.1 | 101.00% | 7/20/2005 | BADG | 32206736 | 0 | 4/11/2006 | |
| 00693 001106 1 | TRLF | 6389 SPRING LAKE CIR | 5/8 | MAST | 1053395 | 572350 | 10.0 | 10.2 | 100.00% | 7/20/2005 | BADG | 32206613 | 10 | 7/26/2005 | |
| 00693 001107 1 | TRLF | 6395 SPRING LAKE CIR | 5/8 | KENT | 90004135 | 691830 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32371424 | 0 | 4/10/2006 | |
| 00693 001108 1 | TRLF | 6308 TWILIGHT DR | 5/8 | KENT | 90004139 | 532000 | 10.0 | 10.0 | 100.00% | 7/20/2005 | BADG | 32206734 | 0 | 4/11/2006 | |
| 00693 001109 1 | TRLF | 6304 TWILIGHT DR | 5/8 | PREC | 8811180 | 395890 | 10.0 | 10.1 | 101.00% | 7/26/2005 | BADG | 32206680 | 10 | 7/26/2005 | |
| 00693 001111 1 | TRLF | 6255 TWILIGHT DR | 5/8 | MAST | 1050268 | 993740 | 10.0 | 10.4 | 100.00% | 7/20/2005 | BADG | 32206631 | 0 | 8/16/2005 | |
| 00693 001112 2 | TRLF | 6249 TWILIGHT DR | 5/8 | MAST | 1050223 | 778130 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | BADG | 32206630 | 0 | 8/16/2005 | | |
| 00693 001113 1 | TRLF | 6245 TWILIGHT DR | 5/8 | MAST | 1050230 | 611570 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | BADG | 32206538 | 0 | 8/17/2005 | | |
| 00693 001114 1 | TRLF | 6246 TWILIGHT DR | 5/8 | MAST | 1059506 | 1007400 | 10.0 | 10.2 | 102.00% | 7/20/2005 | BADG | 32206616 | 10 | 7/26/2005 | |
| 00693 001115 2 | TRLF | 41086 BREAM CIR | 5/8 | MAST | 1050279 | 346310 | 10.0 | 10.3 | 100.00% | 7/20/2005 | BADG | 32206682 | 0 | 7/26/2005 | |
| 00693 001116 1 | TRLF | 41080 BREAM CIR | 5/8 | MAST | 1059503 | 414860 | 10.0 | 10.1 | 101.00% | 7/26/2005 | BADG | 32206681 | 0 | 7/26/2005 | |
| 00693 001117 1 | TRLF | 41074 BREAM CIR | 5/8 | NEPT | 39636501 | 83410 | 10.0 | 10.1 | 101.00% | 7/20/2005 | | | | | |
| 00693 001118 1 | TRLF | 41068 BREAM CIR | 5/8 | MAST | 1050269 | 524790 | 10.0 | 10.3 | 100.00% | 7/20/2005 | BADG | 32206674 | 0 | 7/26/2005 | |
| 00693 001119 1 | TRLF | 41062 BREAM CIR | 5/8 | MAST | 1059566 | 775660 | 10.0 | 10.1 | 101.00% | 7/26/2005 | BADG | 32206683 | 0 | 7/26/2005 | |
| 00693 001120 1 | TRLF | 41056 BREAM CIR | 5/8 | MAST | 1059567 | 971580 | 10.0 | 10.2 | 102.00% | 7/20/2005 | BADG | 32206687 | 0 | 7/26/2005 | |
| 00693 001121 1 | TRLF | 41050 BREAM CIR | 5/8 | KENT | 90004167 | 924030 | 10.0 | 10.1 | 101.00% | 7/20/2005 | BADG | 32206733 | 0 | 4/11/2006 | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | TOTAL TESTED | 800 | DATE CHANGED OUT |
|----------------|-------|------------------|-------|-------|----------|------------|-------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|--------------|-----|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | | |
| 00693 001122 1 | TRLF | 41044 BREAM CIR | 5/8 | BADG | 19616903 | 45120 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | | |
| 00693 001123 3 | TRLF | 41038 BREAM CIR | 5/8 | MAST | 1059534 | 449380 | 10.0 | 10.1 | 101.00% | 7/28/2005 | BADG | 32206507 | 0 | | | 7/28/2005 |
| 00693 001124 2 | TRLF | 41032 BREAM CIR | 5/8 | NEPT | 79377354 | 83320 | 10.0 | 9.9 | 99.00% | 4/25/2006 | | | | | | |
| 00693 001125 1 | TRLF | 41026 BREAM CIR | 5/8 | BADG | 18721926 | 166970 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | | |
| 00693 001126 2 | TRLF | 41020 BREAM CIR | 5/8 | MAST | 1059520 | 373880 | 10.0 | 10.3 | | 7/20/2005 | BADG | 32206617 | 10 | | | 7/28/2005 |
| 00693 001127 1 | TRLF | 41023 BREAM CIR | 5/8 | KENT | 90004136 | 1053960 | 10.0 | 10.0 | 100.00% | 7/20/2005 | BADG | 32206641 | 0 | | | 11/15/2005 |
| 00693 001128 1 | TRLF | 41037 BREAM CIR | 5/8 | MAST | 1050232 | 352630 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206534 | 0 | | | 8/16/2005 |
| 00693 001129 1 | TRLF | 41053 BREAM CIR | 5/8 | BADG | 90123101 | 773430 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | | |
| 00693 001130 1 | TRLF | 41067 BREAM CIR | 5/8 | MAST | 1059485 | 2066170 | 10.0 | 0.0 | | 7/20/2005 | BADG | 32206535 | 0 | | | 8/16/2005 |
| 00693 001131 2 | TRLF | 41083 BREAM CIR | 5/8 | MAST | 1050228 | 585500 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206536 | 0 | | | 8/16/2005 |
| 00693 001132 1 | TRLF | 6239 TWILIGHT DR | 5/8 | MAST | 1050281 | 228620 | 5.0 | 5.0 | 100.00% | 9/15/2004 | BADG | 32206539 | 0 | | | 8/17/2005 |
| 00693 001133 1 | TRLF | 6233 TWILIGHT DR | 5/8 | MAST | 1050237 | 384510 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206635 | 0 | | | 8/15/2005 |
| 00693 001134 1 | TRLF | 6229 TWILIGHT DR | 5/8 | MAST | 1050362 | 410980 | 10.0 | 10.4 | | 7/20/2005 | BADG | 32206634 | 0 | | | 8/15/2005 |
| 00693 001135 1 | TRLF | 6223 TWILIGHT DR | 5/8 | MAST | 1050266 | 518220 | 10.0 | 10.3 | | 7/20/2005 | BADG | 32206692 | 0 | | | 8/15/2005 |
| 00693 001136 1 | TRLF | 6217 TWILIGHT DR | 5/8 | MAST | 1050229 | 365790 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206633 | 0 | | | 8/15/2005 |
| 00693 001137 2 | TRLF | 6211 TWILIGHT DR | 5/8 | MAST | 1050202 | 422280 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206690 | 0 | | | 8/15/2005 |
| 00693 001138 1 | TRLF | 6207 TWILIGHT DR | 5/8 | PREC | 8449466 | 936440 | 10.0 | 10.0 | 100.00% | 7/20/2005 | BADG | 32206691 | 0 | | | 8/15/2005 |
| 00693 001139 1 | TRLF | 6201 TWILIGHT DR | 5/8 | MAST | 1059513 | 1515030 | NOT TESTED/HOUSE EMPTY/OFF AT HOUSE | | | | BADG | 32206694 | 0 | | | 8/11/2005 |
| 00693 001140 1 | TRLF | 6155 TWILIGHT DR | 5/8 | MAST | 1059522 | 908880 | 10.0 | 10.5 | | 7/20/2005 | BADG | 32206693 | 0 | | | 8/11/2005 |
| 00693 001141 1 | TRLF | 6149 TWILIGHT DR | 5/8 | BADG | 18486293 | 98120 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | | |
| 00693 001142 1 | TRLF | 6143 TWILIGHT DR | 5/8 | BADG | 18486291 | 224190 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | | |
| 00693 001143 2 | TRLF | 6137 TWILIGHT DR | 5/8 | KENT | 90004122 | 324770 | 10.0 | 10.1 | 101.00% | 7/20/2005 | BADG | 32206733 | 0 | | | 4/11/2006 |
| 00693 001144 1 | TRLF | 6131 TWILIGHT DR | 5/8 | MAST | 1059514 | 302680 | 10.0 | 10.1 | 101.00% | 8/11/2005 | BADG | 32206505 | 0 | | | 8/11/2005 |
| 00693 001145 1 | TRLF | 6125 TWILIGHT DR | 5/8 | KENT | 90004149 | 448470 | 10.0 | 10.1 | 101.00% | 11/15/2005 | BADG | 32206585 | 0 | | | 12/21/2005 |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

0

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | | MAKE | NEW SERIAL # | TOTAL TESTED | |
|----------------|------|----------------------|------|------|----------|------------|-------------------|----------------|---------------|-------------|----------------|----------|--------------|--------------|--|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | NEW METER READ | | | 800 | |
| 00693 001146 1 | TRLF | 6119 TWILIGHT DR | 5/8 | MAST | 1050209 | 372460 | 10.0 | 10.1 | 101.00% | 8/11/2005 | BADG | 32206509 | 0 | 8/11/2005 | |
| 00693 001147 1 | TRLF | 6113 TWILIGHT DR | 5/8 | BADG | 19617006 | 6810 | 5.0 | 5.0 | 100.00% | 9/15/2004 | | | | | |
| 00693 001148 1 | TRLF | 6107 TWILIGHT DR | 5/8 | MAST | 1050278 | 718750 | 10.0 | 10.1 | 101.00% | 11/10/2005 | BADG | 32206638 | 0 | 11/10/2005 | |
| 00693 001149 1 | TRLF | 6101 TWILIGHT DR | 5/8 | MAST | 50277 | 486840 | 10.0 | 10.3 | 101.00% | 7/13/2005 | BADG | 32206688 | 0 | 7/15/2005 | |
| 00693 001150 1 | TRLF | 6132 TWILIGHT DR | 5/8 | MAST | 159515 | 392520 | 10.0 | 10.1 | 101.00% | 7/28/2005 | BADG | 32206508 | 0 | 7/28/2005 | |
| 00693 001151 1 | TRLF | 6126 TWILIGHT DR | 5/8 | MAST | 1059519 | 459720 | 10.0 | 10.1 | 101.00% | 7/28/2005 | BADG | 32206506 | 0 | 7/28/2005 | |
| 00693 001152 1 | TRLF | 6120 TWILIGHT DR | 5/8 | BADG | 90123031 | 292360 | 10.0 | 9.9 | 99.00% | 11/10/2005 | | | | | |
| 00693 001153 1 | TRLF | 6114 TWILIGHT DR | 5/8 | BADG | 18486277 | 56830 | 10.0 | 10.0 | 100.00% | 7/20/2005 | | | | | |
| 00693 001154 1 | TRLF | 6001 SPRING LAKE CIR | 5/8 | MAST | 1050272 | 430970 | 10.0 | 10.1 | 101.00% | 11/10/2005 | BADG | 32206672 | 0 | 11/10/2005 | |
| 00693 001155 1 | TRLF | 6002 SPRING LAKE CIR | 5/8 | BADG | 30223632 | 8430 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | | |
| 00693 001156 1 | TRLF | 6008 SPRING LAKE CIR | 5/8 | MAST | 1050199 | 341000 | 10.0 | 10.1 | 101.00% | 11/10/2005 | BADG | 32206634 | 0 | 11/10/2005 | |
| 00693 001157 2 | TRLF | 6007 SPRING LAKE CIR | 5/8 | MAST | 1050206 | 420240 | 10.0 | 10.1 | 101.00% | 11/10/2005 | BADG | 32206673 | 0 | 11/10/2005 | |
| 00693 001158 2 | TRLF | 6013 SPRING LAKE CIR | 5/8 | MAST | 1059523 | 484490 | 10.0 | 10.3 | 101.00% | 7/13/2005 | BADG | 32206685 | 0 | 7/14/2005 | |
| 00693 001159 2 | TRLF | 6014 SPRING LAKE CIR | 5/8 | BADG | 30223629 | 10090 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | | |
| 00693 001160 1 | TRLF | 6020 SPRING LAKE CIR | 5/8 | MAST | 1050201 | 80 | 10.0 | 10.0 | 100.00% | 11/10/2005 | BADG | 32206675 | 0 | 11/10/2005 | |
| 00693 001161 2 | TRLF | 6019 SPRING LAKE CIR | 5/8 | MAST | 1050224 | 632200 | 10.0 | 10.1 | 101.00% | 7/13/2005 | BADG | 32206583 | 0 | 12/21/2005 | |
| 00693 001162 1 | TRLF | 6025 SPRING LAKE CIR | 5/8 | NEPT | UNKNOWN | 554320 | 10.0 | 10.1 | 101.00% | 7/13/2005 | | | | | |
| 00693 001163 1 | TRLF | 6026 SPRING LAKE CIR | 5/8 | MAST | 1050258 | 809000 | 10.0 | 0.0 | 101.00% | 7/13/2005 | BADG | 32206684 | 0 | 7/14/2005 | |
| 00693 001164 1 | TRLF | 6032 SPRING LAKE CIR | 5/8 | MAST | 1050265 | 317080 | 10.0 | 10.3 | 101.00% | 6/30/2005 | BADG | 32206676 | 0 | 11/10/2005 | |
| 00693 001165 1 | TRLF | 6031 SPRING LAKE CIR | 5/8 | BADG | 90123048 | 679200 | 10.0 | 9.9 | 99.00% | 11/8/2005 | | | | | |
| 00693 001166 1 | TRLF | 6037 SPRING LAKE CIR | 5/8 | BADG | 90123122 | 654270 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | | |
| 00693 001167 1 | TRLF | 6038 SPRING LAKE CIR | 5/8 | MAST | 1050222 | 218020 | 10.0 | 10.2 | 101.00% | 11/14/2005 | BADG | 32206677 | 0 | 11/10/2005 | |
| 00693 001168 1 | TRLF | 6044 SPRING LAKE CIR | 5/8 | KENT | 90004122 | 254290 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206738 | 0 | 4/17/2006 | |
| 00693 001169 1 | TRLF | 6043 SPRING LAKE CIR | 5/8 | MAST | UNKNOWN | 381530 | 10.0 | 10.1 | 101.00% | 11/19/2005 | BADG | 32206512 | 0 | 11/19/2005 | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

TOTAL TESTED 800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|----------------------|------|------|----------|------------|-------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001170 1 | TRLF | 6049 SPRING LAKE CIR | 5/8 | MAST | 1050276 | 435130 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206513 | 0 | 11/14/2005 |
| 00693 001171 2 | TRLF | 6050 SPRING LAKE CIR | 5/8 | BADG | 18486281 | 196810 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | |
| 00693 001172 1 | TRLF | 6056 SPRING LAKE CIR | 5/8 | KENT | 90004132 | 1294100 | 10.0 | 10.0 | 100.00% | 11/14/2005 | BADG | 32206758 | 0 | 11/16/2005 |
| 00693 001173 2 | TRLF | 6055 SPRING LAKE CIR | 5/8 | MAST | 1059565 | 740620 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206514 | 0 | 11/14/2005 |
| 00693 001174 1 | TRLF | 6061 SPRING LAKE CIR | 5/8 | KENT | 90004162 | 999270 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206510 | 0 | 11/14/2005 |
| 00693 001175 1 | TRLF | 6062 SPRING LAKE CIR | 5/8 | KENT | 90004131 | 829960 | 5.0 | 5.0 | 100.00% | 9/15/2004 | BADG | 32206739 | 0 | 4/17/2006 |
| 00693 001176 2 | TRLF | 6068 SPRING LAKE CIR | 5/8 | KENT | 90004140 | 1201730 | 10.0 | 10.0 | 100.00% | 11/14/2005 | BADG | 32206532 | 0 | 11/16/2005 |
| 00693 001177 2 | TRLF | 6067 SPRING LAKE CIR | 5/8 | BADG | 90123119 | 924720 | 10.0 | 9.9 | 99.00% | 11/8/2005 | | | | |
| 00693 001178 1 | TRLF | 6073 SPRING LAKE CIR | 5/8 | BADG | 90123130 | 734440 | 10.0 | 9.9 | 99.00% | 11/8/2005 | | | | |
| 00693 001179 1 | TRLF | 6074 SPRING LAKE CIR | 5/8 | KENT | 90004141 | 354230 | 10.0 | 10.2 | | 11/16/2005 | BADG | 32206739 | 0 | 4/17/2006 |
| 00693 001180 1 | TRLF | 6080 SPRING LAKE CIR | 5/8 | KENT | 90004164 | 506380 | 10.0 | 10.4 | | 11/16/2005 | BADG | 32206611 | 10 | 6/29/2005 |
| 00693 001181 1 | TRLF | 6101 SPRINGLAKE CIR | 5/8 | BADG | 19616966 | 9240 | 10.0 | 10.0 | 100.00% | 7/13/2005 | | | | |
| 00693 001182 2 | TRLF | 6107 SPRING LAKE CIR | 5/8 | MAST | 1050223 | 650890 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206757 | 0 | 11/14/2005 |
| 00693 001183 2 | TRLF | 6102 SPRING LAKE CIR | 5/8 | KENT | 90004168 | 670880 | 10.0 | 10.0 | 100.00% | 6/30/2005 | BADG | 32206740 | 0 | 4/17/2006 |
| 00693 001184 1 | TRLF | 6108 SPRING LAKE CIR | 5/8 | BADG | 18486278 | 324100 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | |
| 00693 001185 1 | TRLF | 6115 SPRING LAKE CIR | 5/8 | KENT | 90004130 | 905060 | 10.0 | 10.1 | 101.00% | 7/13/2005 | BADG | 32206738 | 0 | 4/17/2006 |
| 00693 001186 1 | TRLF | 6114 SPRING LAKE CIR | 5/8 | NEPT | 41960469 | 1301380 | 5.0 | 5.0 | 100.00% | 9/15/2004 | | | | |
| 00693 001187 1 | TRLF | 6120 SPRING LAKE CIR | 5/8 | BADG | 19616959 | 44970 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | |
| 00693 001188 1 | TRLF | 6125 SPRING LAKE CIR | 5/8 | BADG | 90123034 | 77190 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001189 1 | TRLF | 6133 SPRING LAKE CIR | 5/8 | MAST | 1050203 | 631450 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206159 | 0 | 11/14/2005 |
| 00693 001190 1 | TRLF | 6126 SPRING LAKE CIR | 5/8 | MAST | 1050273 | 466410 | 10.0 | 10.2 | | 11/16/2005 | BADG | 32206570 | 0 | 11/16/2005 |
| 00693 001191 1 | TRLF | 6132 SPRING LAKE CIR | 5/8 | MAST | 1050204 | 499800 | 10.0 | 10.3 | | 11/16/2005 | BADG | 32206571 | 0 | 11/16/2005 |
| 00693 001192 1 | TRLF | 6143 SPRING LAKE CIR | 5/8 | KENT | 90004142 | 373460 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206756 | 0 | 11/14/2005 |
| 00693 001193 4 | TRLF | 6138 SPRING LAKE CIR | 5/8 | NEPT | 45737050 | 234660 | 10.0 | 10.1 | 101.00% | 4/25/2006 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | TOTAL TESTED | 800 | | |
|----------------|-------|--------------------------|-------|-------|----------|------------|--|----------------|---------------|-------------|-------|--------------|----------------|------------------|------------|--|--|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | DATE CHANGED OUT | | | |
| 00693 001194 1 | TRLF | 6144 SPRING LAKE CIR | 5/8 | BADG | 18721919 | 133560 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | | | | |
| 00693 001195 1 | TRLF | 6156 SPRING LAKE CIR | 5/8 | BADG | 19616960 | 39580 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | | | | |
| 00693 001196 1 | IRRG | 6360 SPRING LAKE CIR IRR | 2 | NEPT | 47121370 | 500 | LARGE METER TESTER NEEDED TO TEST IN FIELD | | | | | | | | | | |
| 00693 001197 1 | TRLF | 6155 SPRING LAKE CIR | 5/8 | KENT | 90004138 | 860800 | 10.0 | 10.0 | 100.00% | 7/13/2005 | BADG | 32206650 | 0 | | 4/17/2006 | | |
| 00693 001198 1 | TRLF | 6161 SPRING LAKE CIR | 5/8 | KENT | 90004137 | 432740 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206760 | 0 | | 11/14/2005 | | |
| 00693 001199 1 | TRLF | 6162 SPRING LAKE CIR | 5/8 | BADG | 30223633 | 5610 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | | | | |
| 00693 001200 1 | TRLF | 6168 SPRING LAKE CIR | 5/8 | BADG | 18486295 | 223380 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | | | | |
| 00693 001201 1 | TRLF | 6167 SPRING LAKE CIR | 5/8 | KENT | 90004165 | 763180 | 10.0 | 10.2 | 102.00% | 11/14/2005 | BADG | 32206652 | 0 | | 4/17/2006 | | |
| 00693 001202 1 | TRLF | 6201 SPRING LAKE CIR | 5/8 | KENT | 90004166 | 82820 | 10.0 | 10.1 | 101.00% | 11/14/2005 | BADG | 32206761 | 0 | | 11/14/2005 | | |
| 00693 001203 2 | TRLF | 6202 SPRING LAKE CIR | 5/8 | BADG | 18486267 | 97800 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | | | | |
| 00693 001204 1 | TRLF | 6208 SPRING LAKE CIR | 5/8 | BADG | 18721916 | 212120 | 10.0 | 10.0 | 100.00% | 6/30/2005 | | | | | | | |
| 00693 001205 1 | TRLF | 6207 SPRING LAKE CIR | 5/8 | KENT | 90004161 | 861320 | 10.0 | 9.8 | 98.00% | 7/13/2005 | BADG | 32206652 | 0 | | 4/17/2006 | | |
| 00693 001206 1 | TRLF | 6213 SPRING LAKE CIR | 5/8 | BADG | 90123124 | 226530 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | | | | |
| 00693 001207 1 | TRLF | 6214 SPRING LAKE CIR | 5/8 | MAST | 1050271 | 750090 | 10.0 | 9.7 | 97.00% | 7/11/2005 | BADG | 32206582 | 0 | | 12/20/2005 | | |
| 00693 001208 2 | TRLF | 6220 SPRING LAKE CIR | 5/8 | MAST | 1050270 | 536150 | 10.0 | 9.7 | 97.00% | 7/11/2005 | BADG | 32206749 | 0 | | 12/20/2005 | | |
| 00693 001209 1 | TRLF | 6219 SPRING LAKE CIR | 5/8 | KENT | 90004121 | 487180 | 5.0 | 5.0 | 100.00% | 9/14/2004 | BADG | 32206732 | 0 | | 4/11/2006 | | |
| 00693 001210 2 | TRLF | 6225 SPRING LAKE CIR | 5/8 | KENT | 90004124 | 649340 | 10.0 | 10.0 | 100.00% | 7/13/2005 | BADG | 32206737 | 0 | | 4/11/2006 | | |
| 00693 001211 1 | TRLF | 6226 SPRING LAKE CIR | 5/8 | MAST | UNKNOWN | 527820 | 10.0 | 10.5 | 105.00% | 6/30/2005 | BADG | 32206581 | 10 | | 7/11/2005 | | |
| 00693 001212 1 | TRLF | 6232 SPRING LAKE CIR | 5/8 | MAST | UNKNOWN | 977020 | 10.0 | 10.4 | 104.00% | 6/30/2005 | BADG | 32206591 | 10 | | 7/11/2005 | | |
| 00693 001213 1 | TRLF | 6231 SPRING LAKE CIR | 5/8 | MAST | 1050264 | 990990 | 10.0 | 0.0 | 0.00% | 7/13/2005 | BADG | 32206687 | 0 | | 7/15/2005 | | |
| 00693 001214 1 | TRLF | 6237 SPRING LAKE CIR | 5/8 | KENT | 90084120 | 964390 | 10.0 | 9.8 | 98.00% | 7/13/2005 | BADG | 32206734 | 0 | | 4/11/2006 | | |
| 00693 001215 1 | TRLF | 6238 SPRING LAKE CIR | 5/8 | MAST | 1059517 | 823430 | 10.0 | 10.3 | 103.00% | 11/16/2005 | BADG | 32206572 | 0 | | 11/16/2005 | | |
| 00693 001216 1 | TRLF | 6243 SPRING LAKE CIR | 5/8 | MAST | 1050267 | 1136490 | 10.0 | 5.0 | 50.00% | 7/13/2005 | BADG | 32206740 | 0 | | 11/8/2005 | | |
| 00693 001217 1 | TRLF | 6244 SPRING LAKE CIR | 5/8 | MAST | 1050267 | 1955220 | 10.0 | 10.4 | 104.00% | 6/30/2005 | BADG | 32206590 | 10 | | 7/1/2005 | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES
RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | 800 DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|--------------|----------------|----------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001218 1 | TRLF | 6250 SPRING LAKE CIR | 5/8 | BADG | 19616971 | 8980 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | | |
| 00693 001219 1 | TRLF | 6253 SPRING LAKE CIR | 5/8 | MAST | 1050260 | 524350 | 10.0 | 10.3 | 100.00% | 7/13/2005 | BADG | 32206686 | 0 | 7/15/2005 | |
| 00693 001220 1 | TRLF | 6256 SPRING LAKE CIR | 5/8 | MAST | 1059521 | 1303940 | 10.0 | 11.1 | 100.00% | 6/30/2005 | BADG | 32206593 | 10 | 7/11/2005 | |
| 00693 001221 1 | TRLF | 6053 TWILIGHT DR | 5/8 | KENT | 90004119 | 288420 | 10.0 | 10.0 | 100.00% | 7/13/2005 | BADG | 32206515 | 0 | 11/14/2005 | |
| 00693 001222 2 | TRLF | 6047 TWILIGHT DR | 5/8 | KENT | 90004153 | 661230 | 10.0 | 11.5 | 100.00% | 6/23/2005 | BADG | | 10 | 6/23/2005 | |
| 00693 001223 1 | TRLF | 6041 TWILIGHT DR | 5/8 | KENT | 90004150 | 280510 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32371397 | 0 | 4/19/2006 | |
| 00693 001224 2 | TRLF | 6035 TWILIGHT DR | 5/8 | KENT | 90004151 | 802760 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33112080 | 0 | 4/18/2006 | |
| 00693 001225 1 | TRLF | 6031 TWILIGHT DR | 5/8 | KENT | 90004152 | 1549650 | 5.0 | 5.0 | 100.00% | 9/15/2004 | BADG | 33112108 | 0 | 4/18/2006 | |
| 00693 001226 1 | TRLF | 6025 TWILIGHT DR | 5/8 | KENT | 90004133 | 753420 | 10.0 | 10.1 | 101.00% | 5/26/2005 | BADG | 32371402 | 0 | 4/19/2006 | |
| 00693 001227 1 | TRLF | 6019 TWILIGHT DR | 5/8 | BADG | 90123105 | 511630 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | |
| 00693 001228 1 | TRLF | 6015 TWILIGHT DR | 5/8 | BADG | 90123161 | 433350 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001229 1 | TRLF | 6009 TWILIGHT DR | 5/8 | KENT | 90004163 | 700010 | 10.0 | 10.0 | 100.00% | 5/26/2005 | BADG | 32371401 | 0 | 4/19/2006 | |
| 00693 001230 1 | TRLF | 6005 TWILIGHT DR | 5/8 | BADG | 91492981 | 287520 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256584 | 0 | 5/16/2006 | |
| 00693 001231 2 | TRLF | 6002 PRESIDENTIAL CIR | 5/8 | BADG | 90123165 | 396260 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | |
| 00693 001232 1 | TRLF | 6001 PRESIDENTIAL CIR | 5/8 | BADG | 90123166 | 604550 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | |
| 00693 001233 1 | TRLF | 6002 FOREST LAKE DR | 5/8 | BADG | 18721923 | 304640 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | | |
| 00693 001234 1 | TRLF | 6001 FOREST LAKE DR | 5/8 | BADG | 90123116 | 1563900 | 10.0 | 10.1 | 101.00% | 6/23/2005 | | | | | |
| 00693 001235 2 | TRLF | 6005 FOREST LAKE DR | 5/8 | KENT | 90004154 | 595960 | 5.0 | 5.0 | 100.00% | 9/14/2004 | BADG | 32206649 | 0 | 4/17/2006 | |
| 00693 001236 1 | TRLF | 6006 FOREST LAKE DR | 5/8 | BADG | 90125028 | 734730 | 10.0 | 9.9 | 99.00% | 11/16/2005 | | | | | |
| 00693 001237 1 | TRLF | 6003 PRESIDENTIAL CIR | 5/8 | BADG | 90123029 | 398520 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | |
| 00693 001238 1 | TRLF | 6004 PRESIDENTIAL CIR | 5/8 | BADG | 90123102 | 375130 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256636 | 0 | 5/18/2006 | |
| 00693 001239 1 | TRLF | 6006 PRESIDENTIAL CIR | 5/8 | BADG | 90123113 | 233650 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256637 | 0 | 5/16/2006 | |
| 00693 001240 1 | TRLF | 6005 PRESIDENTIAL CIR | 5/8 | BADG | 90123033 | 415810 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | | |
| 00693 001241 1 | TRLF | 6010 FOREST LAKE DR | 5/8 | BADG | 18721913 | 130400 | 10.0 | 10.0 | 100.00% | 6/23/2005 | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS



RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | METER | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | METER | NEW SERIAL # | TOTAL TESTED | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|-------|-----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001242 1 | TRLF | 6009 FOREST LAKE DR | 5/8 | KENT | 90004156 | 668010 | 10.0 | 10.0 | 100.00% | 6/28/2005 | BADG | 32206651 | 0 | 4/17/2006 | |
| 00693 001243 1 | TRLF | 6013 FOREST LAKE DR | 5/8 | KENT | 90004144 | 1224720 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32206648 | 0 | 4/17/2006 | |
| 00693 001244 1 | TRLF | 6014 FOREST LAKE DR | 5/8 | KENT | 90004145 | 400750 | 10.0 | 10.0 | 100.00% | 6/23/2005 | BADG | 32371435 | 0 | 4/18/2006 | |
| 00693 001245 2 | TRLF | 6007 PRESIDENTIAL CIR | 5/8 | BADG | 90123129 | 544220 | 10.0 | 10.0 | 100.00% | 11/11/2005 | | | | | |
| 00693 001246 1 | TRLF | 6008 PRESIDENTIAL CIR | 5/8 | BADG | 18721920 | 74310 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | |
| 00693 001247 2 | TRLF | 6010 PRESIDENTIAL CIR | 5/8 | BADG | 90123106 | 469680 | 10.0 | 10.2 | 102.00% | 5/26/2005 | BADG | 32206660 | 0 | 5/26/2005 | |
| 00693 001248 1 | TRLF | 6009 PRESIDENTIAL CIR | 5/8 | BADG | 90123172 | 572020 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | | |
| 00693 001249 1 | TRLF | 6018 FOREST LAKE DR | 5/8 | KENT | 90004143 | 514550 | 10.0 | 9.9 | 99.00% | 6/23/2005 | BADG | 32371436 | 0 | 4/18/2006 | |
| 00693 001250 1 | TRLF | 6017 FOREST LAKE DR | 5/8 | KENT | 90004159 | 633210 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32206653 | 0 | 4/17/2006 | |
| 00693 001251 1 | TRLF | 6021 FOREST LAKE DR | 5/8 | KENT | 90004155 | 219250 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32371437 | 0 | 4/17/2006 | |
| 00693 001252 3 | TRLF | 6022 FOREST LAKE DR | 5/8 | BADG | 90123038 | 844660 | 10.0 | 10.0 | 100.00% | 6/23/2005 | | | | | |
| 00693 001253 1 | TRLF | 6011 PRESIDENTIAL CIR | 5/8 | BADG | 90123170 | 743800 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | |
| 00693 001254 2 | TRLF | 6012 PRESIDENTIAL CIR | 5/8 | BADG | 18721957 | 42430 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256638 | 0 | 5/16/2006 | |
| 00693 001255 2 | TRLF | 6014 PRESIDENTIAL CIR | 5/8 | BADG | 90999692 | 1216760 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | |
| 00693 001256 2 | TRLF | 6013 PRESIDENTIAL CIR | 5/8 | BADG | 90123188 | 508890 | 10.0 | 9.9 | 99.00% | 4/27/2006 | | | | | |
| 00693 001257 1 | TRLF | 6026 FOREST LAKE DR | 5/8 | BADG | 18721969 | 26830 | 10.0 | 10.0 | 100.00% | 6/23/2005 | | | | | |
| 00693 001258 1 | TRLF | 6025 FOREST LAKE DR | 5/8 | KENT | 90004157 | 434680 | 10.0 | 10.1 | 101.00% | 6/28/2005 | BADG | 32371434 | 0 | 4/17/2006 | |
| 00693 001259 1 | TRLF | 6029 FOREST LAKE DR | 5/8 | KENT | 990004160 | 476230 | 10.0 | 10.1 | 101.00% | 6/28/2005 | BADG | 32371390 | 0 | 4/17/2006 | |
| 00693 001260 1 | TRLF | 6030 FOREST LAKE DR | 5/8 | BADG | 19161929 | 39000 | 10.0 | 10.0 | 100.00% | 6/23/2005 | | | | | |
| 00693 001261 1 | TRLF | 6015 PRESIDENTIAL CIR | 5/8 | BADG | 90123127 | 532990 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | | |
| 00693 001262 2 | TRLF | 6016 PRESIDENTIAL CIR | 5/8 | BADG | 90999672 | 665690 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | |
| 00693 001263 1 | TRLF | 6018 PRESIDENTIAL CIR | 5/8 | NEPT | 38955598 | 224660 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001264 1 | TRLF | 6017 PRESIDENTIAL CIR | 5/8 | BADG | 90123120 | 332840 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256634 | 0 | 5/18/2006 | |
| 00693 001265 1 | TRLF | 6034 FOREST LAKE DR | 5/8 | KENT | 90004129 | 435210 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32206599 | 0 | 4/17/2006 | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001266 3 | TRLF | 6033 FOREST LAKE DR | 5/8 | KENT | 90004150 | 319820 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32206735 | 0 | 4/17/2006 |
| 00693 001267 1 | TRLF | 6037 FOREST LAKE DR | 5/8 | KENT | 90004147 | 850240 | 10.0 | 10.1 | 101.00% | 6/28/2005 | BADG | 32371438 | 0 | 4/18/2006 |
| 00693 001268 1 | TRLF | 6038 FOREST LAKE DR | 5/8 | BADG | 90123039 | 117770 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | |
| 00693 001269 2 | TRLF | 6019 PRESIDENTIAL CIR | 5/8 | BADG | 90123123 | 270010 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256639 | 0 | 5/18/2006 |
| 00693 001270 1 | TRLF | 6020 PRESIDENTIAL CIR | 5/8 | NEPT | 37386293 | 166250 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | |
| 00693 001271 4 | TRLF | 6022 PRESIDENTIAL CIR | 5/8 | BADG | 90123186 | 425740 | 10.0 | 10.3 | 101.00% | 5/26/2005 | BADG | 32206661 | 0 | 5/26/2005 |
| 00693 001272 1 | TRLF | 6021 PRESIDENTIAL CIR | 5/8 | BADG | 90123121 | 512070 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | |
| 00693 001273 1 | TRLF | 6042 FOREST LAKE DR | 5/8 | BADG | 90123040 | 761660 | 10.0 | 10.0 | 100.00% | 6/23/2005 | | | | |
| 00693 001274 1 | TRLF | 6043 FOREST LAKE DR | 5/8 | NEPT | 45737051 | 25020 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256633 | 0 | 5/18/2006 |
| 00693 001275 2 | TRLF | 6047 FOREST LAKE DR | 5/8 | KENT | 90004146 | 225850 | 10.0 | 10.0 | 100.00% | 6/28/2005 | BADG | 32371433 | 0 | 4/18/2006 |
| 00693 001276 1 | TRLF | 6046 FOREST LAKE DR | 5/8 | BADG | 18721946 | 52560 | 10.0 | 10.0 | 100.00% | 6/22/2005 | | | | |
| 00693 001277 3 | TRLF | 6023 PRESIDENTIAL CIR | 5/8 | BADG | 90123108 | 340380 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256671 | 0 | 5/18/2006 |
| 00693 001278 1 | TRLF | 6024 PRESIDENTIAL CIR | 5/8 | BADG | 90123171 | 744420 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | |
| 00693 001279 1 | TRLF | 6026 PRESIDENTIAL CIR | 5/8 | BADG | 90123189 | 679200 | 10.0 | 9.8 | 98.00% | 11/11/2005 | | | | |
| 00693 001280 1 | TRLF | 6025 PRESIDENTIAL CIR | 5/8 | BADG | 90123182 | 456500 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | |
| 00693 001281 2 | TRLF | 6050 FOREST LAKE DR | 5/8 | BADG | 90123050 | 1795850 | 10.0 | 10.0 | 100.00% | 6/22/2005 | | | | |
| 00693 001282 1 | TRLF | 6053 FOREST LAKE DR | 5/8 | BADG | 90123047 | 482010 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001283 1 | TRLF | 6057 FOREST LAKE DR | 5/8 | KENT | 90004125 | 1471920 | 10.0 | 9.8 | 98.00% | 6/28/2005 | BADG | 33112079 | 0 | 4/18/2006 |
| 00693 001284 2 | TRLF | 6054 FOREST LAKE DR | 5/8 | BADG | 90123190 | 526950 | 10.0 | 10.0 | 100.00% | 6/22/2005 | | | | |
| 00693 001285 1 | TRLF | 6029 PRESIDENTIAL CIR | 5/8 | BADG | 90123187 | 461580 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | |
| 00693 001286 1 | TRLF | 6028 PRESIDENTIAL CIR | 5/8 | BADG | 90123177 | 342890 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | |
| 00693 001287 1 | TRLF | 6030 PRESIDENTIAL CIR | 5/8 | BADG | 90123179 | 218840 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | |
| 00693 001288 1 | TRLF | 6032 PRESIDENTIAL CIR | 5/8 | BADG | 90123162 | 848970 | 10.0 | 10.4 | 104.00% | 5/26/2005 | BADG | 32206662 | 10 | 5/26/2005 |
| 00693 001289 2 | TRLF | 6031 PRESIDENTIAL CIR | 5/8 | BADG | 90123167 | 285450 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256624 | 0 | 5/18/2006 |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

0000 METERS
0000 METERS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | 800 | DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|--------------|----------------|-----------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | | |
| 00693 001290 2 | TRLF | 6058 FOREST LAKE DR | 5/8 | BADG | 90123025 | 366260 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | | | |
| 00693 001291 1 | TRLF | 6061 FOREST LAKE DR | 5/8 | KENT | 90004148 | 372670 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33112107 | 0 | | 4/18/2006 | |
| 00693 001292 1 | TRLF | 6062 FOREST LAKE CIR | 5/8 | BADG | 90123036 | 451590 | 10.0 | 9.9 | 99.00% | 11/16/2005 | | | | | | |
| 00693 001293 1 | TRLF | 6033 PRESIDENTIAL CIR | 5/8 | BADG | 90123183 | 496170 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | | |
| 00693 001294 1 | TRLF | 6034 PRESIDENTIAL CIR | 5/8 | BADG | 90123163 | 508670 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | | | |
| 00693 001295 3 | TRLF | 6036 PRESIDENTIAL CIR | 5/8 | BADG | 90123115 | 512440 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | | | |
| 00693 001296 2 | TRLF | 6035 PRESIDENTIAL CIR | 5/8 | BADG | 90123126 | 379000 | 10.0 | 9.6 | 96.00% | 4/27/2006 | | | | | | |
| 00693 001297 2 | TRLF | 6066 FOREST LAKE DR | 5/8 | BADG | 90123044 | 524630 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256675 | 0 | | 5/18/2006 | |
| 00693 001298 2 | TRLF | 6067 FOREST LAKE DR | 5/8 | BADG | 90123043 | 444420 | 10.0 | 9.8 | 98.00% | 11/16/2005 | | | | | | |
| 00693 001299 2 | TRLF | 6070 FOREST LAKE DR | 5/8 | BADG | 90123026 | 330190 | 10.0 | 10.2 | 102.00% | 6/22/2005 | BADG | 32206791 | 10 | | 6/22/2005 | |
| 00693 001300 1 | TRLF | 6039 PRESIDENTIAL CIR | 5/8 | BADG | 90123184 | 515940 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | | |
| 00693 001301 2 | TRLF | 6038 PRESIDENTIAL CIR | 5/8 | BADG | 91492996 | 504540 | 10.0 | 10.0 | 100.00% | 11/11/2005 | | | | | | |
| 00693 001302 2 | TRLF | 6040 PRESIDENTIAL CIR | 5/8 | BADG | 90123169 | 600910 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | | | |
| 00693 001303 1 | TRLF | 6042 PRESIDENTIAL CIR | 5/8 | BADG | 90123180 | 808790 | 10.0 | 9.8 | 98.00% | 11/11/2005 | | | | | | |
| 00693 001304 1 | TRLF | 6041 PRESIDENTIAL CIR | 5/8 | NEPT | 41960497 | 161500 | 10.0 | 9.6 | 96.00% | 4/27/2006 | | | | | | |
| 00693 001305 1 | TRLF | 6074 FOREST LAKE DR | 5/8 | BADG | 19616972 | 39980 | 10.0 | 10.0 | 100.00% | 6/22/2005 | | | | | | |
| 00693 001306 1 | TRLF | 6073 FOREST LAKE DR | 5/8 | BADG | 90123125 | 750670 | 10.0 | 10.0 | 100.00% | 6/28/2005 | | | | | | |
| 00693 001307 1 | TRLF | 6079 FOREST LAKE DR | 5/8 | BADG | 90123041 | 320620 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256631 | 0 | | 5/18/2006 | |
| 00693 001308 1 | TRLF | 6078 FOREST LAKE DR | 5/8 | BADG | 90123046 | 1141010 | 10.0 | 10.1 | 101.00% | 6/22/2005 | | | | | | |
| 00693 001309 2 | TRLF | 6043 PRESIDENTIAL CIR | 5/8 | BADG | 90123178 | 254580 | 10.0 | 9.9 | 99.00% | 4/27/2006 | | | | | | |
| 00693 001310 1 | TRLF | 6044 PRESIDENTIAL CIR | 5/8 | BADG | 91838596 | 619020 | 10.0 | 9.9 | 99.00% | 4/27/2006 | | | | | | |
| 00693 001311 1 | TRLF | 6045 PRESIDENTIAL CIR | 5/8 | BADG | 90123173 | 1324180 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | | | |
| 00693 001312 2 | TRLF | 6082 FOREST LAKE DR | 5/8 | KENT | 90004128 | 886730 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32371422 | 0 | | 4/18/2006 | |
| 00693 001313 1 | TRLF | 6085 FOREST LAKE DR | 5/8 | BADG | 90123049 | 676690 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

23
TOTAL TESTED 800

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|---------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001314 1 | TRLF | 6103 FOREST LAKE DR | 5/8 | BADG | 90123052 | 617780 | 10.0 | 10.0 | 100.00% | 6/28/2005 | | | | |
| 00693 001315 2 | TRLF | 6086 FOREST LAKE DR | 5/8 | BADG | 90123024 | 1097840 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256670 | 0 | 5/18/2006 |
| 00693 001316 1 | TRLF | 6104 FOREST LAKE DR | 5/8 | BADG | 90123023 | 334080 | 10.0 | 10.1 | 101.00% | 6/22/2005 | | | | |
| 00693 001317 3 | TRLF | 6112 FOREST LAKE DR | 5/8 | NEPT | 41960471 | 167690 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | |
| 00693 001318 1 | TRLF | 6113 FOREST LAKE DR | 5/8 | KENT | 90004127 | 742600 | 10.0 | 10.2 | 102.00% | 6/28/2005 | BADG | 32206611 | 10 | 6/29/2005 |
| 00693 001319 1 | TRLF | 6123 FOREST LAKE DR | 5/8 | BADG | 90123103 | 261580 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | |
| 00693 001320 1 | TRLF | 6120 FOREST LAKE DR | 5/8 | BADG | 90123111 | 979740 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001321 1 | TRLF | 6128 FOREST LAKE DR | 5/8 | BADG | 90123051 | 778440 | 10.0 | 10.2 | 102.00% | 6/15/2005 | BADG | 32206788 | 10 | 6/16/2005 |
| 00693 001322 1 | TRLF | 6136 FOREST LAKE DR | 5/8 | BADG | 90123107 | 400920 | 10.0 | 10.1 | 101.00% | 5/26/2005 | | | | |
| 00693 001323 4 | TRLF | 6135 FOREST LAKE DR | 5/8 | BADG | 90123110 | 566100 | 10.0 | 10.4 | 104.00% | 6/28/2005 | BADG | 32206609 | 10 | 6/29/2005 |
| 00693 001324 1 | TRLF | 6144 FOREST LAKE DR | 5/8 | BADG | 90123181 | 1010750 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001325 2 | TRLF | 6143 FOREST LAKE DR | 5/8 | BADG | 90123185 | 603400 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001326 1 | TRLF | 6157 FOREST LAKE DR | 5/8 | BADG | 90123118 | 638940 | 10.0 | 10.1 | 101.00% | 6/28/2005 | | | | |
| 00693 001327 1 | TRLF | 6163 FOREST LAKE DR | 5/8 | BADG | 90999679 | 689070 | 10.0 | 9.8 | 98.00% | 6/28/2005 | | | | |
| 00693 001328 2 | TRLF | 6169 FOREST LAKE DR | 5/8 | BADG | 91232891 | 1508550 | 10.0 | 10.0 | 100.00% | 6/28/2005 | | | | |
| 00693 001329 1 | TRLF | 6203 FOREST LAKE DR | 5/8 | BADG | 29140549 | 19060 | 10.0 | 9.9 | 99.00% | 6/28/2005 | | | | |
| 00693 001330 1 | TRLF | 6209 FOREST LAKE DR | 5/8 | BADG | 18486299 | 77280 | 10.0 | 9.9 | 99.00% | 6/28/2005 | | | | |
| 00693 001331 1 | TRLF | 6215 FOREST LAKE DR | 5/8 | NEPT | 39582393 | 23680 | 10.0 | 10.1 | 101.00% | 4/25/2006 | | | | |
| 00693 001332 2 | TRLF | 6221 FOREST LAKE DR | 5/8 | BADG | 91232878 | 127050 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001333 1 | TRLF | 6227 FOREST LAKE DR | 5/8 | BADG | 18486279 | 10 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001334 1 | TRLF | 6233 FOREST LAKE DR | 5/8 | BADG | 91610805 | 245660 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256680 | 0 | 5/23/2006 |
| 00693 001335 2 | TRLF | 6239 FOREST LAKE DR | 5/8 | NEPT | 41960505 | 172940 | 10.0 | 9.8 | 98.00% | 4/25/2006 | | | | |
| 00693 001336 1 | TRLF | 6243 FOREST LAKE DR | 5/8 | BADG | 32206659 | 1270 | 10.0 | 10.0 | 100.00% | 6/29/2005 | | | | |
| 00693 001337 3 | TRLF | 6251 FOREST LAKE DR | 5/8 | BADG | 18722014 | 75900 | 10.0 | 10.0 | 100.00% | 6/29/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | TOTAL TESTED | 800 |
|----------------|------|-----------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | NEW METER READ | DATE CHANGED OUT |
| 00693 001338 1 | TRLF | 6301 FOREST LAKE DR | 5/8 | NEPT | 46186478 | 465780 | 10.0 | 9.9 | 99.00% | 4/25/2006 | BADG | 33256632 | 10 | 5/18/2006 |
| 00693 001339 1 | TRLF | 6309 FOREST LAKE DR | 5/8 | NEPT | 3884177 | 43680 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256679 | 0 | 5/23/2006 |
| 00693 001340 1 | TRLF | 6310 FOREST LAKE DR | 5/8 | BADG | 91610803 | 824560 | 10.0 | 10.1 | 101.00% | 6/15/2005 | | | | |
| 00693 001341 2 | TRLF | 6306 FOREST LAKE DR | 5/8 | BADG | 18722013 | 13410 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001342 2 | TRLF | 6302 FOREST LAKE DR | 5/8 | BADG | 19616990 | 52400 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001343 2 | TRLF | 6252 FOREST LAKE DR | 5/8 | BADG | 18722011 | 202250 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001344 2 | TRLF | 6246 FOREST LAKE DR | 5/8 | BADG | 19616991 | 360030 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001345 1 | TRLF | 6240 FOREST LAKE DR | 5/8 | BADG | 91232820 | 2017460 | 5.0 | 5.0 | 100.00% | 9/14/2004 | BADG | 32206549 | 0 | 6/8/2005 |
| 00693 001346 1 | TRLF | 6238 FOREST LAKE DR | 5/8 | BADG | 91232821 | 1542510 | 10.0 | 10.1 | 101.00% | 6/15/2005 | | | | |
| 00693 001347 1 | TRLF | 6232 FOREST LAKE DR | 5/8 | BADG | 18721939 | 21690 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001348 1 | TRLF | 6226 FOREST LAKE DR | 5/8 | BADG | 18721650 | 18090 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001349 1 | TRLF | 6220 FOREST LAKE DR | 5/8 | BADG | 18486294 | 21310 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001350 1 | TRLF | 6214 FOREST LAKE DR | 5/8 | BADG | 19616953 | 25330 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001351 1 | TRLF | 6208 FOREST LAKE DR | 5/8 | BADG | 91232834 | 533710 | 10.0 | 10.0 | 100.00% | 6/15/2005 | BADG | 32248267 | 0 | 6/3/2005 |
| 00693 001352 1 | TRLF | 6202 FOREST LAKE DR | 5/8 | NEPT | 45737052 | 381330 | 10.0 | 10.0 | 100.00% | 6/15/2005 | | | | |
| 00693 001353 1 | TRLF | 6168 FOREST LAKE DR | 5/8 | BADG | 91232830 | 985900 | 10.0 | 9.9 | 99.00% | 6/15/2005 | | | | |
| 00693 001354 2 | TRLF | 6162 FOREST LAKE DR | 5/8 | BADG | 9183587 | 245970 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001355 1 | TRLF | 6156 FOREST LAKE DR | 5/8 | NEPT | 47909372 | 78630 | 10.0 | 10.0 | 100.00% | 11/8/2005 | | | | |
| 00693 001356 2 | TRLF | 6157 PRESIDENTIAL CR | 5/8 | BADG | 91232888 | 595870 | 10.0 | 10.5 | 105.00% | 6/14/2005 | BADG | 32206548 | 10 | 6/15/2005 |
| 00693 001357 1 | TRLF | 6163 PRESIDENTIAL CIR | 5/8 | BADG | 18721956 | 24170 | 10.0 | 9.9 | 99.00% | 5/18/2006 | | | | |
| 00693 001358 1 | TRLF | 6169 PRESIDENTIAL CIR | 5/8 | BADG | 90999678 | 313040 | 10.0 | 9.8 | 98.00% | 4/27/2006 | | | | |
| 00693 001359 2 | TRLF | 6203 PRESIDENTIAL CIR | 5/8 | BADG | 30223648 | 15080 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |
| 00693 001360 1 | TRLF | 6209 PRESIDENTIAL CIR | 5/8 | NEPT | 35153354 | 272030 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |
| 00693 001361 2 | TRLF | 6215 PRESIDENTIAL CIR | 5/8 | BADG | 19616988 | 43970 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS



RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001362 1 | TRLF | 6221 PRESIDENTIAL CIR | 5/8 | BADG | 91232828 | 302680 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |
| 00693 001363 1 | TRLF | 6227 PRESIDENTIAL CIR | 5/8 | NEPT | 41420200 | 155660 | 10.0 | 9.8 | 98.00% | 4/27/2006 | | | | |
| 00693 001364 1 | TRLF | 6233 PRESIDENTIAL CIR | 5/8 | BADG | 91838591 | 859760 | 10.0 | 10.0 | 100.00% | 11/14/2005 | | | | |
| 00693 001365 1 | TRLF | 6239 PRESIDENTIAL CIR | 5/8 | BADG | 90999693 | 2087600 | 10.0 | 10.1 | 101.00% | 6/14/2005 | | | | |
| 00693 001366 2 | TRLF | 6241 PRESIDENTIAL CIR | 5/8 | BADG | 91238888 | 2146000 | 10.0 | 9.9 | 99.00% | 6/14/2005 | | | | |
| 00693 001367 1 | TRLF | 6249 PRESIDENTIAL CIR | 5/8 | BADG | 91838583 | 707110 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |
| 00693 001368 1 | TRLF | 6253 PRESIDENTIAL CIR | 5/8 | BADG | 91610793 | 425960 | 10.0 | 10.1 | 101.00% | 9/13/2005 | BADG | 32206496 | 0 | 9/13/2005 |
| 00693 001369 1 | TRLF | 6305 PRESIDENTIAL CIR | 5/8 | NEPT | 41420798 | 250810 | 10.0 | 9.9 | 99.00% | 11/14/2005 | | | | |
| 00693 001370 2 | TRLF | 6313 PRESIDENTIAL CIR | 5/8 | BADG | 91232819 | 1138760 | 10.0 | 9.6 | 96.00% | 4/27/2006 | | | | |
| 00693 001371 1 | TRLF | 6319 PRESIDENTIAL CIR | 5/8 | BADG | 81232877 | 407760 | 10.0 | 9.9 | 99.00% | 11/14/2005 | | | | |
| 00693 001372 1 | TRLF | 6325 PRESIDENTIAL CIR | 5/8 | NEPT | 40002582 | 1301060 | 10.0 | 10.0 | 100.00% | 11/14/2005 | | | | |
| 00693 001373 1 | TRLF | 6326 PRESIDENTIAL CIR | 5/8 | NEPT | 74377344 | 95080 | 10.0 | 9.7 | 97.00% | 4/27/2006 | BADG | 33256628 | 0 | 5/18/2006 |
| 00693 001374 2 | TRLF | 6320 PRESIDENTIAL CIR | 5/8 | BADG | 18486298 | 97470 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001375 1 | TRLF | 6316 PRESIDENTIAL CIR | 5/8 | BADG | 90999694 | 591260 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256641 | 0 | 5/23/2006 |
| 00693 001376 2 | TRLF | 6312 PRESIDENTIAL CIR | 5/8 | BADG | 18721948 | 39970 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001377 2 | TRLF | 6306 PRESIDENTIAL CIR | 5/8 | NEPT | 30131988 | 2840 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001378 1 | TRLF | 6302 PRESIDENTIAL CIR | 5/8 | BADG | 91232826 | 462960 | 10.0 | 9.8 | 98.00% | 4/28/2006 | | | | |
| 00693 001379 2 | TRLF | 6252 PRESIDENTIAL CIR | 5/8 | BADG | 29140506 | 17560 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001380 3 | TRLF | 6246 PRESIDENTIAL CIR | 5/8 | BADG | UNKNOWN | 3296290 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001381 1 | TRLF | 6240 PRESIDENTIAL CIR | 5/8 | BADG | 91232825 | 1215000 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | |
| 00693 001382 2 | TRLF | 6238 PRESIDENTIAL CIR | 5/8 | NEPT | 41420201 | 624580 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001383 1 | TRLF | 6232 PRESIDENTIAL CIR | 5/8 | BADG | 18486318 | 70360 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001384 2 | TRLF | 6226 PRESIDENTIAL CIR | 5/8 | BADG | 91839599 | 426890 | 10.0 | 9.9 | 99.00% | 4/28/2006 | | | | |
| 00693 001385 1 | TRLF | 6220 PRESIDENTIAL CIR | 5/8 | BADG | 19822650 | 120430 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001386 1 | TRLF | 6214 PRESIDENTIAL CIR | 5/8 | BADG | 91232823 | 109850 | 10.0 | 9.9 | 99.00% | 4/28/2006 | | | | |
| 00693 001387 1 | TRLF | 6208 PRESIDENTIAL CIR | 5/8 | BADG | 18721911 | 55930 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256604 | 0 | 5/23/2006 |
| 00693 001388 3 | TRLF | 6202 PRESIDENTIAL CIR | 5/8 | BADG | 19616989 | 42240 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001389 1 | TRLF | 6168 PRESIDENTIAL CIR | 5/8 | BADG | 90999691 | 505020 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001390 2 | TRLF | 6162 PRESIDENTIAL CIR | 5/8 | BADG | 90999680 | 372440 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001391 1 | TRLF | 6156 PRESIDENTIAL CIR | 5/8 | BADG | 91492998 | 502390 | 10.0 | 9.5 | | 5/19/2005 | BADG | 32206657 | 0 | 4/29/2005 |
| 00693 001392 1 | TRLF | 6157 JESSUP DR | 5/8 | BADG | 18721925 | 187720 | 10.0 | 10.0 | 100.00% | 5/18/2005 | | | | |
| 00693 001393 1 | TRLF | 6163 JESSUP DR | 5/8 | BADG | 91232829 | 374590 | 10.0 | 9.8 | 98.00% | 11/28/2005 | | | | |
| 00693 001394 1 | TRLF | 6169 JESSUP DR | 5/8 | BADG | 91232839 | 533740 | 10.0 | 10.0 | 100.00% | 5/18/2005 | | | | |
| 00693 001395 2 | TRLF | 6203 JESSUP DR | 5/8 | BADG | 29140608 | 14440 | 10.0 | 10.0 | 100.00% | 5/18/2005 | | | | |
| 00693 001396 1 | TRLF | 6209 JESSUP DR | 5/8 | BADG | 18721947 | 202320 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001397 1 | TRLF | 6215 JESSUP DR | 5/8 | BADG | 91838594 | 349350 | 10.0 | 0.0 | | 4/19/2005 | BADG | 32206721 | 10 | 4/19/2005 |
| 00693 001398 1 | TRLF | 6221 JESSUP DR | 5/8 | BADG | 18486320 | 58250 | 10.0 | 10.0 | 100.00% | 5/13/2005 | | | | |
| 00693 001399 1 | TRLF | 6227 JESSUP DR | 5/8 | BADG | 91232830 | 598000 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256629 | 0 | 5/16/2006 |
| 00693 001400 3 | TRLF | 6233 JESSUP DR | 5/8 | BADG | 30223649 | 4120 | 10.0 | 10.0 | 100.00% | 5/13/2005 | | | | |
| 00693 001401 1 | TRLF | 6239 JESSUP DR | 5/8 | BADG | 91492988 | 494120 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256676 | 0 | 5/18/2006 |
| 00693 001402 1 | TRLF | 6241 JESSUP DR | 5/8 | BADG | 91492994 | 440660 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001403 2 | TRLF | 6247 JESSUP DR | 5/8 | NEPT | 74045706 | 64350 | 10.0 | 9.9 | 99.00% | 4/26/2006 | BADG | 33256681 | 10 | 5/18/2006 |
| 00693 001404 1 | TRLF | 6251 JESSUP DR | 5/8 | NEPT | 34377336 | 260070 | 10.0 | 10.1 | 101.00% | 5/13/2005 | | | | |
| 00693 001405 1 | TRLF | 6301 JESSUP DR | 5/8 | BADG | 18722012 | 51210 | 10.0 | 10.0 | 100.00% | 5/13/2005 | | | | |
| 00693 001406 2 | TRLF | 6307 JESSUP DR | 5/8 | BADG | 32206656 | 110 | 10.0 | 10.0 | 100.00% | 5/2/2005 | | | | |
| 00693 001407 1 | TRLF | 6313 JESSUP DR | 5/8 | BADG | 91232873 | 525840 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256643 | 0 | 5/23/2006 |
| 00693 001408 2 | TRLF | 6317 JESSUP DR | 5/8 | BADG | 19616994 | 11430 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001409 1 | TRLF | 6323 JESSUP DR | 5/8 | NEPT | 46466659 | 449000 | 10.0 | 10.3 | | 5/20/2005 | BADG | 32206720 | 0 | 5/20/2005 |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | TOTAL TESTED | 800 |
|----------------|-------|-----------------|-------|-------|----------|------------|-----------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | NEW METER READ | DATE CHANGED OUT |
| 00693 001410 1 | TRLF | 6335 JESSUP DR | 5/8 | BADG | 92420158 | 651120 | 10.0 | 9.7 | 97.00% | 11/28/2005 | | | | |
| 00693 001411 1 | TRLF | 6339 JESSUP DR | 5/8 | BADG | 91492983 | 1353660 | 10.0 | 10.0 | 100.00% | 5/16/2005 | BADG | 32206729 | 0 | 5/16/2005 |
| 00693 001412 1 | TRLF | 6345 JESSUP DR | 5/8 | BADG | 91492985 | 361540 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001413 1 | TRLF | 6351 JESSUP DR | 5/8 | BADG | 18721941 | 89760 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001414 1 | TRLF | 6401 JESSUP DR | 5/8 | BADG | 18427492 | 247840 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001415 1 | TRLF | 6407 JESSUP DR | 5/8 | BADG | 18721915 | 52480 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001416 1 | TRLF | 6413 JESSUP DR | 5/8 | BADG | 18721945 | 62000 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001417 1 | TRLF | 6419 JESSUP DR | 5/8 | BADG | 19616963 | 11630 | 10.0 | 10.0 | 100.00% | 5/20/2005 | | | | |
| 00693 001418 1 | TRLF | 6418 JESSUP DR | 5/8 | BADG | 91492992 | 2024350 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001419 2 | TRLF | 6412 JESSUP DR | 5/8 | BADG | 91492998 | 627500 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001420 3 | TRLF | 6406 JESSUP DR | 5/8 | BADG | 91838585 | 277680 | 10.0 | 10.1 | 101.00% | 5/10/2005 | | | | |
| 00693 001421 1 | TRLF | 6400 JESSUP DR | 5/8 | BADG | 91493000 | 421320 | 10.0 | 10.0 | 100.00% | 5/10/2005 | | | | |
| 00693 001422 2 | TRLF | 6350 JESSUP DR | 5/8 | NEPT | 33111627 | 78270 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001423 2 | TRLF | 6344 JESSUP DR | 5/8 | BADG | 91492997 | 712490 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001424 1 | TRLF | 6338 JESSUP DR | 5/8 | BADG | 18721972 | 96580 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001425 1 | TRLF | 6334 JESSUP DR | 5/8 | BADG | 91492979 | 344240 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001426 1 | TRLF | 6328 JESSUP DR | 5/8 | BADG | 91492974 | 429940 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | |
| 00693 001427 2 | TRLF | 6322 JESSUP DR | 5/8 | BADG | 91610800 | 393940 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001428 2 | TRLF | 6316 JESSUP DR | 5/8 | NEPT | 39605825 | 296470 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | |
| 00693 001429 2 | TRLF | 6312 JESSUP DR | 5/8 | BADG | 91610789 | 471020 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001430 1 | TRLF | 6306 JESSUP DR | 5/8 | NEPT | 39605829 | 328090 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001431 1 | TRLF | 6300 JESSUP DR | 5/8 | BADG | 91232874 | 856980 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001432 1 | TRLF | 6250 JESSUP DR | 5/8 | BADG | 91610799 | 874820 | 10.0 | 10.3 | | 3/8/2005 | BADG | 30223664 | 10 | 4/8/2005 |
| 00693 001433 4 | TRLF | 6246 JESSUP DR | 5/8 | BADG | 91610794 | 629250 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|-----------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001434 2 | TRLF | 6240 JESSUP DR | 5/8 | NEPT | 41960466 | 327660 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001435 2 | TRLF | 6238 JESSUP DR | 5/8 | | 32206523 | 2340 | 10.0 | 10.0 | 100.00% | 5/11/2005 | BADG | 32206523 | 33590 | 4/19/2006 |
| 00693 001436 1 | TRLF | 6232 JESSUP DR | 5/8 | BADG | 18721971 | 140580 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001437 2 | TRLF | 6226 JESSUP DR | 5/8 | NEPT | 74045696 | 122960 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001438 1 | TRLF | 6220 JESSUP DR | 5/8 | NEPT | 41960502 | 85570 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256573 | 0 | 5/1/2006 |
| 00693 001439 1 | TRLF | 6214 JESSUP DR | 5/8 | BADG | 18721949 | 59770 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001440 2 | TRLF | 6208 JESSUP DR | 5/8 | BADG | 91232883 | 445000 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | |
| 00693 001441 2 | TRLF | 6202 JESSUP DR | 5/8 | BADG | 30223631 | 4100 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001442 1 | TRLF | 6168 JESSUP DR | 5/8 | BADG | 91232889 | 1151260 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001443 3 | TRLF | 6162 JESSUP DR | 5/8 | NEPT | 41960499 | 423050 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001444 1 | TRLF | 6156 JESSUP DR | 5/8 | BADG | 19616997 | 43240 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001445 2 | TRLF | 5901 JESSUP DR | 5/8 | BADG | 92420147 | 353590 | 10.0 | 9.7 | 97.00% | 4/6/2006 | | | | |
| 00693 001446 1 | TRLF | 5902 JESSUP DR | 5/8 | BADG | 91838641 | 438310 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001447 1 | TRLF | 5901 UTOPIA DR | 5/8 | BADG | 92420085 | 2688720 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001448 2 | TRLF | 5902 UTOPIA DR | 5/8 | BADG | 91838634 | 715260 | 10.0 | 10.0 | 100.00% | 4/20/2005 | | | | |
| 00693 001449 1 | TRLF | 5904 UTOPIA DR | 5/8 | BADG | 92114034 | 404200 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 30223671 | 10 | 3/18/2005 |
| 00693 001450 1 | TRLF | 5903 UTOPIA DR | 5/8 | BADG | 92420099 | 619690 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | |
| 00693 001451 1 | TRLF | 5904 JESSUP DR | 5/8 | BADG | 91838590 | 1031190 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001452 1 | TRLF | 5903 JESSUP DR | 5/8 | BADG | 91838601 | 419660 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001453 1 | TRLF | 5905 JESSUP DR | 5/8 | BADG | 92420164 | 228310 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001454 2 | TRLF | 5906 JESSUP DR | 5/8 | BADG | 92114036 | 524970 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001455 2 | TRLF | 5905 UTOPIA DR | 5/8 | BADG | 92114024 | 564680 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001456 1 | TRLF | 5906 UTOPIA DR | 5/8 | BADG | 92420091 | 270270 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | |
| 00693 001457 1 | TRLF | 5908 UTOPIA DR | 5/8 | BADG | 91838592 | 373700 | 10.0 | 10.1 | 101.00% | 12/20/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

10
126

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001458 1 | TRLF | 5907 UTOPIA DR | 5/8 | BADG | 92114023 | 1158800 | 10.0 | 9.9 | 99.00% | 4/21/2005 | | | | | |
| 00693 001459 4 | TRLF | 5908 JESSUP DR | 5/8 | BADG | 92114043 | 284760 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | | |
| 00693 001460 1 | TRLF | 5907 JESSUP DR | 5/8 | BADG | 92420166 | 468250 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | | |
| 00693 001461 2 | TRLF | 5909 JESSUP DR | 5/8 | BADG | 91838599 | 222900 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | | |
| 00693 001462 1 | TRLF | 5910 JESSUP DR | 5/8 | BADG | 92114013 | 395960 | 10.0 | 10.3 | 100.00% | 5/12/2005 | BADG | 32206654 | 10 | | 5/13/2005 |
| 00693 001463 2 | TRLF | 5909 UTOPIA DR | 5/8 | BADG | 92420092 | 349500 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | | |
| 00693 001464 1 | TRLF | 5910 UTOPIA DR | 5/8 | BADG | 92114033 | 782390 | 10.0 | 10.0 | 100.00% | 4/20/2005 | | | | | |
| 00693 001465 2 | TRLF | 5912 UTOPIA DR | 5/8 | BADG | 92113997 | 202760 | 10.0 | 9.7 | 97.00% | 12/20/2005 | | | | | |
| 00693 001466 1 | TRLF | 5911 UTOPIA DR | 5/8 | BADG | 92420148 | 279600 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001467 1 | TRLF | 5912 JESSUP DR | 5/8 | BADG | 92114037 | 1478300 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | | |
| 00693 001468 1 | TRLF | 5911 JESSUP DR | 5/8 | BADG | 91838644 | 314580 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001469 1 | TRLF | 5913 JESSUP DR | 5/8 | BADG | 91838635 | 431940 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | | |
| 00693 001470 1 | TRLF | 5914 JESSUP DR | 5/8 | BADG | 92114042 | 252520 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | | |
| 00693 001471 1 | TRLF | 5913 UTOPIA DR | 5/8 | BADG | 92114017 | 192070 | 10.0 | 9.8 | 98.00% | 11/28/2005 | | | | | |
| 00693 001472 2 | TRLF | 5914 UTOPIA DR | 5/8 | BADG | 92113998 | 280150 | 10.0 | 10.0 | 100.00% | 4/20/2005 | | | | | |
| 00693 001473 1 | TRLF | 5916 UTOPIA DR | 5/8 | BADG | 92114026 | 459460 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | | |
| 00693 001474 1 | TRLF | 5915 UTOPIA DR | 5/8 | BADG | 92420040 | 323400 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | | |
| 00693 001475 1 | TRLF | 5916 JESSUP DR | 5/8 | BADG | 91838581 | 226430 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256605 | 10 | | 5/15/2006 |
| 00693 001476 1 | TRLF | 5915 JESSUP DR | 5/8 | BADG | 91838640 | 620170 | 10.0 | 10.1 | 101.00% | 5/13/2005 | | | | | |
| 00693 001477 1 | TRLF | 5917 JESSUP DR | 5/8 | BADG | 91838633 | 368800 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256581 | 0 | | 5/15/2006 |
| 00693 001478 1 | TRLF | 5918 JESSUP DR | 5/8 | BADG | 91838623 | 307630 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256607 | 0 | | 5/15/2006 |
| 00693 001479 2 | TRLF | 5917 UTOPIA DR | 5/8 | BADG | 19617008 | 8500 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | | |
| 00693 001480 1 | TRLF | 5919 UTOPIA DR | 5/8 | BADG | 30223647 | 12750 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | | |
| 00693 001481 2 | TRLF | 5920 JESSUP DR | 5/8 | BADG | 91838645 | 215430 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256608 | 0 | | 5/4/2006 |

METER CHANGE-OUT GUIDELINES
RANGE OF RESULTS - 95% - 101.5%
CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | | RESULTS | | | NEW METER READ | TOTAL TESTED | DATE CHANGED OUT |
|----------------|-------|-----------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|----------|--------------|----------------|--------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | MA KE | NEW SERIAL # | | | |
| 00693 001482 1 | TRLF | 5919 JESSUP DR | 5/8 | BADG | 91838636 | 238660 | 10.0 | 10.1 | 101.00% | 5/13/2005 | | | | | |
| 00693 001483 1 | TRLF | 5921 JESSUP DR | 5/8 | BADG | 91838637 | 572980 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001484 3 | TRLF | 5922 JESSUP DR | 5/8 | BADG | 18721974 | 22670 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | 33256583 | 0 | 5/15/2006 | | |
| 00693 001485 3 | TRLF | 5921 UTOPIA DR | 5/8 | BADG | 92114045 | 269010 | 10.0 | 10.1 | 101.00% | 4/26/2005 | | | | | |
| 00693 001486 1 | TRLF | 5923 UTOPIA DR | 5/8 | BADG | 92114009 | 75250 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | | |
| 00693 001487 1 | TRLF | 5924 JESSUP DR | 5/8 | BADG | 91838689 | 221750 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001488 1 | TRLF | 5923 JESSUP DR | 5/8 | BADG | 91838618 | 413490 | 10.0 | 10.1 | 101.00% | 5/17/2005 | | | | | |
| 00693 001489 1 | TRLF | 5925 JESSUP DR | 5/8 | BADG | 91838621 | 370870 | 10.0 | 10.2 | 102.00% | 5/17/2005 | BADG | 32206726 | 10 | 5/18/2005 | |
| 00693 001490 1 | TRLF | 5926 JESSUP DR | 5/8 | BADG | 91838630 | 753230 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | | |
| 00693 001491 1 | TRLF | 5925 UTOPIA DR | 5/8 | BADG | 91938630 | 213650 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | | |
| 00693 001492 1 | TRLF | 5927 UTOPIA DR | 5/8 | BADG | 92114021 | 550690 | 10.0 | 10.1 | 101.00% | 4/26/2005 | | | | | |
| 00693 001493 1 | TRLF | 5929 UTOPIA DR | 5/8 | BADG | 92113999 | 942290 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | | |
| 00693 001494 2 | TRLF | 5928 JESSUP DR | 5/8 | BADG | 29140550 | 28280 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | | |
| 00693 001495 1 | TRLF | 5927 JESSUP DR | 5/8 | BADG | 91838617 | 1729110 | 10.0 | 9.9 | 99.00% | 4/26/2006 | | | | | |
| 00693 001496 1 | TRLF | 5929 JESSUP DR | 5/8 | BADG | 91838622 | 346380 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001497 1 | TRLF | 5930 JESSUP DR | 5/8 | NEPT | 41960474 | 161250 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256609 | 0 | 5/4/2006 | |
| 00693 001498 1 | TRLF | 5931 UTOPIA DR | 5/8 | BADG | 92420150 | 46830 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001499 1 | TRLF | 5933 UTOPIA DR | 5/8 | BADG | 92114022 | 463430 | 10.0 | 10.0 | 100.00% | 4/21/2006 | | | | | |
| 00693 001500 1 | TRLF | 5932 JESSUP DR | 5/8 | BADG | 92114006 | 1028160 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001501 1 | TRLF | 5931 JESSUP DR | 5/8 | BADG | 91838620 | 1325100 | 10.0 | 10.1 | 101.00% | 5/17/2005 | | | | | |
| 00693 001502 1 | TRLF | 5933 JESSUP DR | 5/8 | BADG | 18721917 | 63840 | 10.0 | 10.0 | 100.00% | 5/17/2005 | | | | | |
| 00693 001503 1 | TRLF | 5934 JESSUP DR | 5/8 | BADG | 91838632 | 599860 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | | |
| 00693 001504 1 | TRLF | 5935 UTOPIA DR | 5/8 | BADG | 92114007 | 363600 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | | |
| 00693 001505 1 | TRLF | 5937 UTOPIA DR | 5/8 | BADG | 92114020 | 204040 | 10.0 | 9.7 | 97.00% | 11/28/2005 | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001506 2 | TRLF | 5936 JESSUP DR | 5/8 | BADG | 91838631 | 426110 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256604 | 0 | 5/3/2006 | |
| 00693 001507 1 | TRLF | 5935 JESSUP DR | 5/8 | BADG | 91838627 | 844240 | 10.0 | 10.1 | 101.00% | 5/17/2005 | | | | | |
| 00693 001508 1 | TRLF | 5937 JESSUP DR | 5/8 | BADG | 91838626 | 360500 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001509 1 | TRLF | 5938 JESSUP DR | 5/8 | BADG | 91838584 | 307690 | 10.0 | 9.8 | 98.00% | 11/28/2005 | | | | | |
| 00693 001510 1 | TRLF | 5939 UTOPIA DR | 5/8 | BADG | 92114019 | 361310 | 10.0 | 10.1 | 101.00% | 11/28/2005 | | | | | |
| 00693 001511 2 | TRLF | 5941 UTOPIA DR | 5/8 | BADG | 92114030 | 166290 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | | |
| 00693 001512 1 | TRLF | 5940 JESSUP DR | 5/8 | BADG | 42114016 | 721260 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | | |
| 00693 001513 1 | TRLF | 5939 JESSUP DR | 5/8 | BADG | 91838628 | 207380 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256585 | 0 | 5/16/2006 | |
| 00693 001514 1 | TRLF | 5942 JESSUP DR | 5/8 | BADG | 18721918 | 56090 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | | |
| 00693 001515 1 | TRLF | 5943 UTOPIA DR | 5/8 | BADG | 92114047 | 510830 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | | |
| 00693 001516 3 | TRLF | 5945 UTOPIA DR | 5/8 | BADG | 92114018 | 510470 | 10.0 | 10.0 | 100.00% | 4/21/2006 | | | | | |
| 00693 001517 2 | TRLF | 5947 UTOPIA DR | 5/8 | BADG | 92420107 | 195110 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001518 1 | TRLF | 5944 JESSUP DR | 5/8 | BADG | 92420090 | 636290 | 10.0 | 9.8 | 98.00% | 11/28/2005 | | | | | |
| 00693 001519 1 | TRLF | 5941 JESSUP DR | 5/8 | BADG | 18486269 | 68550 | 10.0 | 10.0 | 100.00% | 5/17/2005 | | | | | |
| 00693 001520 2 | TRLF | 5943 JESSUP DR | 5/8 | BADG | 91838643 | 607280 | 10.0 | 10.2 | 102.00% | 5/17/2005 | BADG | 32206728 | 10 | 5/18/2005 | |
| 00693 001521 1 | TRLF | 5945 JESSUP DR | 5/8 | BADG | 92114010 | 688120 | 10.0 | 10.0 | 100.00% | 5/17/2005 | | | | | |
| 00693 001522 1 | TRLF | 5946 JESSUP DR | 5/8 | BADG | 92420102 | 281210 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | | |
| 00693 001523 1 | TRLF | 5948 JESSUP DR | 5/8 | BADG | 91838646 | 291590 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256606 | 0 | 5/3/2006 | |
| 00693 001524 3 | TRLF | 5949 UTOPIA DR | 5/8 | BADG | 92420088 | 339790 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | | |
| 00693 001525 1 | TRLF | 5951 UTOPIA DR | 5/8 | BADG | 92114048 | 930590 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | | |
| 00693 001526 1 | TRLF | 5954 UTOPIA DR | 5/8 | BADG | 92420215 | 423520 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | | |
| 00693 001527 4 | TRLF | 5952 UTOPIA DR | 5/8 | BADG | 92114032 | 395560 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | | |
| 00693 001528 2 | TRLF | 5950 UTOPIA DR | 5/8 | BADG | 92114035 | 575700 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | | |
| 00693 001529 2 | TRLF | 5948 UTOPIA DR | 5/8 | BADG | 92114046 | 715900 | 10.0 | 9.7 | 97.00% | 12/20/2005 | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

TOTAL TESTED 800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001530 1 | TRLF | 5946 UTOPIA DR | 5/8 | BADG | 92420168 | 269830 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001531 1 | TRLF | 5944 UTOPIA DR | 5/8 | BADG | 92420145 | 223190 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | |
| 00693 001532 1 | TRLF | 5942 UTOPIA DR | 5/8 | BADG | 92420091 | 92620 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | |
| 00693 001533 2 | TRLF | 5940 UTOPIA DR | 5/8 | BADG | 18486289 | 69610 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | |
| 00693 001534 1 | TRLF | 5938 UTOPIA DR | 5/8 | BADG | 92420095 | 224610 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256577 | 0 | 5/1/2006 |
| 00693 001535 1 | TRLF | 5936 UTOPIA DR | 5/8 | NEPT | 46466622 | 225030 | 10.0 | 10.3 | 103.00% | 4/19/2005 | BADG | 32206723 | 10 | 4/20/2005 |
| 00693 001536 1 | TRLF | 5934 UTOPIA DR | 5/8 | BADG | 19616964 | 6320 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | |
| 00693 001537 1 | TRLF | 5932 UTOPIA DR | 5/8 | BADG | 92114029 | 246740 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256574 | 0 | 5/1/2006 |
| 00693 001538 1 | TRLF | 5930 UTOPIA DR | 5/8 | BADG | 92420105 | 432210 | 10.0 | 9.6 | 96.00% | 4/21/2006 | | | | |
| 00693 001539 1 | TRLF | 5928 UTOPIA DR | 5/8 | BADG | 92420100 | 383180 | 10.0 | 9.9 | 99.00% | 4/21/2006 | | | | |
| 00693 001540 2 | TRLF | 5926 UTOPIA DR | 5/8 | BADG | 92420106 | 325210 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256578 | 0 | 5/1/2006 |
| 00693 001541 1 | TRLF | 5924 UTOPIA DR | 5/8 | BADG | 92420093 | 252500 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256575 | 0 | 5/1/2006 |
| 00693 001542 1 | TRLF | 5922 UTOPIA DR | 5/8 | BADG | 92113995 | 593260 | 10.0 | 11.2 | 112.00% | 4/20/2005 | BADG | 32206646 | 10 | 4/21/2005 |
| 00693 001543 1 | TRLF | 5920 UTOPIA DR | 5/8 | BADG | 92113996 | 373570 | 10.0 | 10.0 | 100.00% | 4/20/2005 | | | | |
| 00693 001544 4 | TRLF | 5918 UTOPIA DR | 5/8 | BADG | 92114028 | 400280 | 10.0 | 10.0 | 100.00% | 4/20/2005 | | | | |
| 00693 001545 3 | TRLF | 5921 TWILIGHT DR | 5/8 | BADG | 92114026 | 187070 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001546 2 | TRLF | 5919 TWILIGHT DR | 5/8 | BADG | 92420098 | 258800 | 10.0 | 10.0 | 100.00% | 5/12/2005 | | | | |
| 00693 001547 1 | TRLF | 5917 TWILIGHT DR | 5/8 | BADG | 94240149 | 434750 | 10.0 | 10.1 | 101.00% | 5/12/2005 | | | | |
| 00693 001548 1 | TRLF | 5915 TWILIGHT DR | 5/8 | BADG | 92420087 | 1020490 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | |
| 00693 001549 1 | TRLF | 5913 TWILIGHT DR | 5/8 | BADG | 92114044 | 292090 | 10.0 | 10.1 | 101.00% | 12/20/2005 | | | | |
| 00693 001550 2 | TRLF | 5911 TWILIGHT DR | 5/8 | BADG | 18721924 | 16310 | 10.0 | 10.1 | 101.00% | 4/21/2005 | | | | |
| 00693 001551 1 | TRLF | 5909 TWILIGHT DR | 5/8 | BADG | 32206600 | 80 | 10.0 | 10.0 | 100.00% | 4/21/2005 | | | | |
| 00693 001552 1 | TRLF | 5901 BENZ PL | 5/8 | NEPT | 38955629 | 813640 | 10.0 | 9.8 | 98.00% | 4/13/2005 | | | | |
| 00693 001553 2 | TRLF | 5902 BENZ PL | 5/8 | BADG | 93259732 | 588830 | 10.0 | 9.9 | 99.00% | 4/13/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001554 1 | TRLF | 5801 NAPLES DR | 5/8 | BADG | 93259711 | 323510 | 10.0 | 10.0 | 100.00% | 4/1/2005 | | | | |
| 00693 001555 1 | TRLF | 5802 NAPLES DR | 5/8 | BADG | 93259730 | 778870 | 10.0 | 9.8 | 98.00% | 3/29/2005 | | | | |
| 00693 001556 1 | TRLF | 5804 NAPLES DR | 5/8 | NEPT | 38955577 | 128270 | 10.0 | 10.4 | | 3/29/2005 | BADG | 32206526 | 10 | 3/30/2005 |
| 00693 001557 2 | TRLF | 5803 NAPLES DR | 5/8 | NEPT | 39379086 | 509180 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001558 1 | TRLF | 5904 BENZ PL | 5/8 | BADG | 93259729 | 41090 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001559 1 | TRLF | 5903 BENZ PL | 5/8 | BADG | 93259792 | 301840 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001560 2 | TRLF | 5905 BENZ PL | 5/8 | BADG | 93259710 | 486760 | 10.0 | 9.9 | 99.00% | 4/13/2005 | | | | |
| 00693 001561 1 | TRLF | 5906 BENZ PL | 5/8 | BADG | 93259731 | 395630 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001562 1 | TRLF | 5805 NAPLES DR | 5/8 | BADG | 93259712 | 700050 | 10.0 | 10.0 | 100.00% | 4/1/2005 | | | | |
| 00693 001563 1 | TRLF | 5806 NAPLES DR | 5/8 | NEPT | 39605794 | 163900 | 10.0 | 14.5 | | 3/29/2005 | BADG | 32206527 | 10 | 3/30/2005 |
| 00693 001564 1 | TRLF | 5808 NAPLES DR | 5/8 | NEPT | 39605822 | 167720 | 10.0 | 9.8 | 98.00% | 3/29/2005 | | | | |
| 00693 001565 2 | TRLF | 5807 NAPLES DR | 5/8 | NEPT | 39379089 | 186220 | 10.0 | 10.3 | 100.00% | 4/1/2005 | BADG | 32206524 | 10 | 4/6/2005 |
| 00693 001566 1 | TRLF | 5908 BENZ PL | 5/8 | BADG | 93259733 | 294310 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001567 1 | TRLF | 5907 BENZ PL | 5/8 | BADG | 93259851 | 187990 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001568 1 | TRLF | 5909 BENZ PL | 5/8 | BADG | 93259715 | 357680 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001569 1 | TRLF | 5910 BENZ PL | 5/8 | NEPT | 41960470 | 767770 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | |
| 00693 001570 1 | TRLF | 5809 NAPLES DR | 5/8 | NEPT | 39379101 | 180350 | 10.0 | 10.1 | 101.00% | 4/1/2005 | | | | |
| 00693 001571 1 | TRLF | 5810 NAPLES DR | 5/8 | | | | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 18721944 | 40 | 4/19/2006 |
| 00693 001572 1 | TRLF | 5812 NAPLES DR | 5/8 | BADG | 18721910 | 6920 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001573 2 | TRLF | 5811 NAPLES DR | 5/8 | NEPT | 39379110 | 358720 | 10.0 | 10.1 | 101.00% | 4/1/2005 | | | | |
| 00693 001574 1 | TRLF | 5912 NAPLES DR | 5/8 | BADG | 93259714 | 653670 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001575 2 | TRLF | 5911 BENZ PL | 5/8 | BADG | 93259818 | 213150 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | |
| 00693 001576 1 | TRLF | 5913 BENZ PL | 5/8 | BADG | 93259853 | 362770 | 10.0 | 9.8 | 98.00% | 4/13/2005 | | | | |
| 00693 001577 2 | TRLF | 5914 BENZ PL | 5/8 | BADG | 19616961 | 10960 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

0

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001578 2 | TRLF | 5813 NAPLES DR | 5/8 | NEPT | 38955605 | 115300 | 10.0 | 10.1 | 101.00% | 4/1/2005 | | | | |
| 00693 001579 2 | TRLF | 5814 NAPLES DR | 5/8 | NEPT | 39605823 | 214760 | 10.0 | 15.5 | 155.00% | 3/29/2005 | BADG | 30223681 | 10 | 3/30/2005 |
| 00693 001580 1 | TRLF | 5816 NAPLES DR | 5/8 | NEPT | 39605807 | 150020 | 10.0 | 10.0 | 100.00% | 3/29/2005 | | | | |
| 00693 001581 1 | TRLF | 5815 NAPLES DR | 5/8 | BADG | 93259819 | 550020 | 10.0 | 10.0 | 100.00% | 4/1/2005 | | | | |
| 00693 001582 1 | TRLF | 5916 BENZ PL | 5/8 | NEPT | 41960501 | 229910 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 001583 1 | TRLF | 5915 BENZ PL | 5/8 | NEPT | 38955624 | 1122760 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | |
| 00693 001584 1 | TRLF | 5917 BENZ PL | 5/8 | BADG | 93259839 | 233730 | 10.0 | 9.9 | 99.00% | 4/13/2005 | | | | |
| 00693 001585 2 | TRLF | 5918 BENZ PL | 5/8 | NEPT | 38955618 | 199760 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001586 3 | TRLF | 5817 NAPLES DR | 5/8 | BADG | 93259826 | 459990 | 10.0 | 9.8 | 98.00% | 4/1/2005 | | | | |
| 00693 001587 1 | TRLF | 5818 NAPLES DR | 5/8 | NEPT | 39605827 | 89830 | 10.0 | 16.8 | 155.00% | 3/29/2005 | BADG | 32206525 | 10 | 3/30/2005 |
| 00693 001588 1 | TRLF | 5820 NAPLES DR | 5/8 | NEPT | 39605136 | 435040 | 10.0 | 10.5 | 105.00% | 3/29/2005 | BADG | 32206522 | 10 | 3/30/2005 |
| 00693 001589 2 | TRLF | 5819 NAPLES DR | 5/8 | BADG | 93259861 | 202770 | 10.0 | 10.0 | 100.00% | 4/1/2005 | | | | |
| 00693 001590 1 | TRLF | 5920 BENZ PL | 5/8 | BADG | 93259848 | 279720 | 10.0 | 11.0 | 110.00% | 4/12/2005 | BADG | 32206774 | 10 | 4/13/2005 |
| 00693 001591 2 | TRLF | 5919 BENZ PL | 5/8 | NEPT | 38955625 | 300830 | 10.0 | 10.1 | 101.00% | 4/13/2005 | | | | |
| 00693 001592 1 | TRLF | 5921 BENZ PL | 5/8 | NEPT | 38955622 | 147280 | 10.0 | 10.1 | 101.00% | 12/20/2005 | | | | |
| 00693 001593 1 | TRLF | 5922 BENZ PL | 5/8 | NEPT | 39879054 | 264270 | 10.0 | 10.2 | 102.00% | 4/12/2005 | BADG | 32206776 | 10 | 4/13/2005 |
| 00693 001594 1 | TRLF | 5821 NAPLES DR | 5/8 | BADG | 93259824 | 397510 | 10.0 | 10.1 | 101.00% | 4/1/2005 | | | | |
| 00693 001595 2 | TRLF | 5822 NAPLES DR | 5/8 | NEPT | 38955578 | 185380 | 10.0 | 9.6 | 96.00% | 3/29/2005 | | | | |
| 00693 001596 2 | TRLF | 5824 NAPLES DR | 5/8 | NEPT | 39605799 | 269980 | 10.0 | 10.0 | 100.00% | 3/29/2005 | | | | |
| 00693 001597 2 | TRLF | 5823 NAPLES DR | 5/8 | BADG | 93259829 | 525660 | 10.0 | 10.0 | 100.00% | 4/1/2005 | | | | |
| 00693 001598 1 | TRLF | 5924 BENZ PL | 5/8 | BADG | 93259862 | 574970 | 10.0 | 9.5 | 95.00% | 4/12/2005 | BADG | 32206775 | 10 | 4/13/2005 |
| 00693 001599 1 | TRLF | 5923 BENZ PL | 5/8 | BADG | 93259865 | 283180 | 10.0 | 10.1 | 101.00% | 4/13/2005 | | | | |
| 00693 001600 1 | TRLF | 5925 BENZ PL | 5/8 | NEPT | 38955635 | 691570 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001601 1 | TRLF | 5926 BENZ PL | 5/8 | BADG | 93259848 | 332210 | 10.0 | 10.0 | 100.00% | 4/12/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

TOTAL TESTED 800

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-----------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001602 2 | TRLF | 5825 NAPLES DR | 5/8 | NEPT | 38955606 | 199500 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | |
| 00693 001603 1 | TRLF | 5826 NAPLES DR | 5/8 | NEPT | 39605830 | 237210 | 10.0 | 9.9 | 99.00% | 3/29/2005 | | | | |
| 00693 001604 1 | TRLF | 5828 NAPLES DR | 5/8 | NEPT | 41960496 | 295440 | 10.0 | 13.5 | 102.00% | 3/24/2005 | BADG | 30223680 | 10 | 3/28/2005 |
| 00693 001605 1 | TRLF | 5830 NAPLES DR | 5/8 | NEPT | 41960468 | 107560 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | |
| 00693 001606 1 | TRLF | 5827 NAPLES DR | 5/8 | NEPT | 38955599 | 270930 | 10.0 | 10.2 | 102.00% | 4/7/2005 | BADG | 30223667 | 10 | 4/8/2005 |
| 00693 001607 1 | TRLF | 5928 BENZ PL | 5/8 | BADG | 93259793 | 140560 | 10.0 | 9.9 | 99.00% | 4/12/2005 | | | | |
| 00693 001608 2 | TRLF | 5927 BENZ PL | 5/8 | NEPT | 38955617 | 549720 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001609 1 | TRLF | 5929 BENZ PL | 5/8 | BADG | 9259864 | 134140 | 10.0 | 9.8 | 98.00% | 4/13/2005 | | | | |
| 00693 001610 2 | TRLF | 5930 BENZ PL | 5/8 | BADG | 18486292 | 46120 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001611 1 | TRLF | 5829 NAPLES DR | 5/8 | NEPT | 38955604 | 152040 | 10.0 | 10.2 | 102.00% | 4/7/2005 | BADG | 30223665 | 10 | 4/8/2005 |
| 00693 001612 1 | TRLF | 5832 NAPLES DR | 5/8 | NEPT | 39604139 | 600750 | 10.0 | 14.3 | 103.00% | 3/24/2005 | BADG | 30223678 | 10 | 3/28/2005 |
| 00693 001613 3 | TRLF | 5834 NAPLES DR | 5/8 | NEPT | 39379194 | 160450 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | |
| 00693 001614 1 | TRLF | 5831 NAPLES DR | 5/8 | NEPT | 38955603 | 564660 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 30223668 | 10 | 4/8/2005 |
| 00693 001615 2 | TRLF | 5932 BENZ PL | 5/8 | NEPT | 38955616 | 267930 | 10.0 | 10.0 | 100.00% | 4/12/2005 | | | | |
| 00693 001616 1 | TRLF | 5931 BENZ PL | 5/8 | BADG | 93259852 | 302060 | 10.0 | 9.9 | 99.00% | 4/13/2005 | | | | |
| 00693 001617 1 | TRLF | 5934 BENZ PL | 5/8 | NEPT | 39379085 | 187240 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001618 1 | TRLF | 5833 NAPLES DR | 5/8 | BADG | 93259863 | 164810 | 10.0 | 10.0 | 100.00% | 4/7/2005 | | | | |
| 00693 001619 1 | TRLF | 5836 NAPLES DR | 5/8 | NEPT | 39379055 | 540640 | 10.0 | 12.5 | 125.00% | 3/24/2005 | BADG | 30223676 | 10 | 3/28/2005 |
| 00693 001620 1 | TRLF | 5838 NAPLES DR | 5/8 | NEPT | 38955580 | 223160 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | |
| 00693 001621 1 | TRLF | 5835 NAPLES DR | 5/8 | NEPT | 38955631 | 142850 | 10.0 | 10.0 | 100.00% | 4/21/2006 | | | | |
| 00693 001622 3 | TRLF | 5936 BENZ PL | 5/8 | NEPT | 38955610 | 202730 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 32206778 | 10 | 4/11/2005 |
| 00693 001623 1 | TRLF | 5933 BENZ PL | 5/8 | BADG | 93259827 | 226620 | 10.0 | 9.8 | 98.00% | 12/20/2005 | | | | |
| 00693 001624 1 | TRLF | 5935 BENZ PL | 5/8 | NEPT | 89565628 | 150530 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | |
| 00693 001625 1 | TRLF | 5937 BENZ PL | 5/8 | NEPT | 38955583 | 236680 | 10.0 | 10.2 | 102.00% | 4/19/2005 | BADG | 32206722 | 10 | 4/20/2005 |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | TOTAL TESTED | 800 | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-----------------------|----------------|---------------|-------------|------|--------------|----------------|--------------|-----|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | | |
| 00693 001626 1 | TRLF | 5938 BENZ PL | 5/8 | NEPT | 38955607 | 177550 | 10.0 | 10.4 | 104.00% | 4/7/2005 | BADG | 30223709 | 10 | | | 4/11/2005 |
| 00693 001627 1 | TRLF | 5837 NAPLES DR | 5/8 | NEPT | 38955600 | 98730 | 10.0 | 10.0 | 100.00% | 4/7/2005 | | | | | | |
| 00693 001628 1 | TRLF | 5840 NAPLES DR | 5/8 | NEPT | 39605798 | 99960 | NOT TESTED/VACANT LOT | | | | | | | | | |
| 00693 001629 2 | TRLF | 5842 NAPLES DR | 5/8 | NEPT | 39605134 | 149230 | 10.0 | 9.8 | 98.00% | 3/24/2005 | | | | | | |
| 00693 001630 1 | TRLF | 5839 NAPLES DR | 5/8 | NEPT | 39379082 | 335300 | NOT TESTED/VACANT LOT | | | | | | | | | |
| 00693 001631 2 | TRLF | 5940 BENZ PL | 5/8 | NEPT | 39379105 | 266820 | 10.0 | 10.2 | 102.00% | 4/7/2005 | BADG | 30223710 | 10 | | | 4/11/2005 |
| 00693 001632 2 | TRLF | 5841 NAPLES DR | 5/8 | NEPT | 39379084 | 224940 | NOT TESTED/VACANT LOT | | | | | | | | | |
| 00693 001633 2 | TRLF | 5844 NAPLES DR | 5/8 | NEPT | 39379198 | 238810 | 10.0 | 13.5 | 135.00% | 3/24/2005 | BADG | 30223677 | 10 | | | 3/28/2005 |
| 00693 001634 1 | TRLF | 5846 NAPLES DR | 5/8 | NEPT | 36905796 | 197390 | 10.0 | 10.0 | 100.00% | 3/24/2005 | | | | | | |
| 00693 001635 1 | TRLF | 5843 NAPLES DR | 5/8 | NEPT | 39379051 | 300780 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 32223669 | 10 | | | 4/8/2005 |
| 00693 001636 3 | TRLF | 5942 BENZ PL | 5/8 | BADG | 93259728 | 152150 | 10.0 | 10.0 | 100.00% | 4/7/2005 | | | | | | |
| 00693 001637 1 | TRLF | 5939 BENZ PL | 5/8 | BADG | 9259836 | 870410 | 10.0 | 9.6 | 96.00% | 12/20/2005 | | | | | | |
| 00693 001638 2 | TRLF | 5941 BENZ PL | 5/8 | NEPT | 39855613 | 236040 | 10.0 | 10.2 | 102.00% | 4/19/2005 | BADG | 32206724 | 10 | | | 4/20/2005 |
| 00693 001639 1 | TRLF | 5944 BENZ PL | 5/8 | NEPT | 39379090 | 383590 | 10.0 | 10.2 | 102.00% | 4/7/2005 | BADG | 30223711 | 10 | | | 4/11/2005 |
| 00693 001640 1 | TRLF | 5845 NAPLES DR | 5/8 | NEPT | 39379102 | 173720 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001641 1 | TRLF | 5848 NAPLES DR | 5/8 | NEPT | 39379200 | 182710 | 10.0 | 12.2 | 122.00% | 3/24/2005 | BADG | 30223662 | 10 | | | 3/28/2005 |
| 00693 001642 2 | TRLF | 5850 NAPLES DR | 5/8 | NEPT | 39379193 | 308610 | 10.0 | 12.5 | 125.00% | 3/24/2005 | BADG | 32206604 | 10 | | | 3/28/2005 |
| 00693 001643 1 | TRLF | 5847 NAPLES DR | 5/8 | NEPT | 39379133 | 371440 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001644 2 | TRLF | 5946 BENZ PL | 5/8 | NEPT | 39379088 | 185190 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001645 1 | TRLF | 5943 BENZ PL | 5/8 | NEPT | 31955615 | 304630 | 10.0 | 10.1 | 101.00% | 4/19/2005 | | | | | | |
| 00693 001646 1 | TRLF | 5945 BENZ PL | 5/8 | NEPT | 38955614 | 243150 | 10.0 | 10.1 | 101.00% | 4/19/2005 | | | | | | |
| 00693 001647 2 | TRLF | 5948 BENZ PL | 5/8 | NEPT | 38955611 | 170330 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 30223708 | 10 | | | 4/11/2005 |
| 00693 001648 1 | TRLF | 5849 NAPLES PL | 5/8 | NEPT | 93979134 | 539880 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 30223666 | 10 | | | 4/8/2005 |
| 00693 001649 1 | TRLF | 5852 NAPLES PL | 5/8 | NEPT | 39379196 | 417290 | 10.0 | 14.5 | 145.00% | 3/24/2005 | BADG | 32206601 | 10 | | | 3/28/2005 |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | 800 | DATE CHANGED OUT |
|----------------|-------|-----------------|-------|-------|----------|------------|-----------------------|----------------|---------------|-------------|-------|--------------|--------------|----------------|-----|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | | |
| 00693 001650 1 | TRLF | 5854 NAPLES DR | 5/8 | NEPT | 39379191 | 198230 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | | | |
| 00693 001651 1 | TRLF | 5851 NAPLES DR | 5/8 | NEPT | 39605152 | 349500 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001652 2 | TRLF | 5950 BENZ PL | 5/8 | NEPT | 39379059 | 140130 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 30223707 | 10 | | | 4/11/2005 |
| 00693 001653 1 | TRLF | 5947 BENZ PL | 5/8 | BADG | 93259854 | 372550 | 10.0 | 10.0 | 100.00% | 4/19/2005 | BADG | 32206498 | 10 | | | 9/18/2005 |
| 00693 001654 1 | TRLF | 5949 BENZ PL | 5/8 | NEPT | 46156508 | 89550 | 10.0 | 10.1 | 101.00% | 4/19/2005 | | | | | | |
| 00693 001655 3 | TRLF | 5952 BENZ PL | 5/8 | NEPT | 39379056 | 165360 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001656 1 | TRLF | 5853 NAPLES DR | 5/8 | NEPT | 39379109 | 140490 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001657 2 | TRLF | 5856 NAPLES DR | 5/8 | BADG | 95325916 | 420100 | 10.0 | 10.3 | 103.00% | 3/24/2005 | BADG | 32206603 | 10 | | | 3/28/2005 |
| 00693 001658 4 | TRLF | 5858 NAPLES DR | 5/8 | NEPT | 39615153 | 230690 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | | | |
| 00693 001659 1 | TRLF | 5855 NAPLES DR | 5/8 | NEPT | 39605161 | 358100 | 10.0 | 10.3 | 103.00% | 4/7/2005 | BADG | 30223706 | 10 | | | 4/11/2005 |
| 00693 001660 1 | TRLF | 5954 BENZ PL | 5/8 | BADG | 93259842 | 231870 | 10.0 | 9.9 | 99.00% | 4/7/2005 | | | | | | |
| 00693 001661 1 | TRLF | 5951 BENZ DR | 5/8 | BADG | 93259843 | 467450 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | | | |
| 00693 001662 2 | TRLF | 5953 BENZ PL | 5/8 | BADG | 93259846 | 345690 | 10.0 | 10.0 | 100.00% | 4/19/2005 | | | | | | |
| 00693 001663 2 | TRLF | 5955 BENZ PL | 5/8 | NEPT | 39379103 | 231030 | 10.0 | 10.2 | 102.00% | 4/19/2005 | BADG | 32206725 | 10 | | | 4/20/2005 |
| 00693 001664 1 | TRLF | 5960 BENZ PL | 5/8 | BADG | 93299845 | 583800 | 10.0 | 10.0 | 100.00% | 4/7/2005 | | | | | | |
| 00693 001665 1 | TRLF | 5958 BENZ PL | 5/8 | BADG | 93259725 | 197090 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001666 1 | TRLF | 5956 BENZ PL | 5/8 | NEPT | 39371397 | 116960 | NOT TESTED/VACANT LOT | | | | | | | | | |
| 00693 001667 1 | TRLF | 5857 NAPLES DR | 5/8 | BADG | 93259719 | 192120 | 10.0 | 9.9 | 99.00% | 4/7/2005 | | | | | | |
| 00693 001668 1 | TRLF | 5859 NAPLES DR | 5/8 | BADG | 93259723 | 431060 | 10.0 | 9.8 | 98.00% | 4/7/2005 | | | | | | |
| 00693 001669 1 | TRLF | 5861 NAPLES DR | 5/8 | NEPT | 38955608 | 446380 | 10.0 | 10.1 | 101.00% | 4/7/2005 | | | | | | |
| 00693 001670 1 | TRLF | 5866 NAPLES DR | 5/8 | BADG | 93259847 | 408050 | 10.0 | 9.7 | 97.00% | 3/24/2005 | | | | | | |
| 00693 001671 1 | TRLF | 5864 NAPLES DR | 5/8 | BADG | 19616958 | 9850 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | | | |
| 00693 001672 1 | TRLF | 5862 NAPLES DR | 5/8 | NEPT | 38955627 | 232770 | 10.0 | 11.9 | 119.00% | 3/24/2005 | BADG | 32206602 | 10 | | | 3/28/2005 |
| 00693 001673 1 | TRLF | 5860 NAPLES DR | 5/8 | NEPT | 39605132 | 152600 | 10.0 | 10.0 | 100.00% | 3/24/2005 | | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

LOW METERS 10
PSC METERS 120

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | DATE CHANGED OUT |
|----------------|------|------------------|------|------|----------|------------|-----------------------|----------------|---------------|-------------|------|--------------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001674 1 | TRLF | 5907 TWILIGHT DR | 5/8 | BADG | 93259822 | 200720 | 10.0 | 9.9 | 99.00% | 12/20/2005 | | | | | |
| 00693 001675 1 | TRLF | 5905 TWILIGHT DR | 5/8 | NEPT | 38955630 | 340450 | 10.0 | 10.1 | 101.00% | 4/21/2005 | | | | | |
| 00693 001676 1 | TRLF | 5903 TWILIGHT DR | 5/8 | BADG | 93259722 | 144850 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001677 1 | TRLF | 5901 TWILIGHT DR | 5/8 | NEPT | 38955621 | 546650 | 10.0 | 10.1 | 101.00% | 4/21/2005 | | | | | |
| 00693 001678 1 | TRLF | 5851 TWILIGHT DR | 5/8 | NEPT | 39379087 | 484620 | 10.0 | 10.1 | 101.00% | 11/28/2005 | | | | | |
| 00693 001679 1 | TRLF | 5849 TWILIGHT DR | 5/8 | NEPT | 38955683 | 173220 | 10.0 | 10.4 | 102.00% | 4/21/2005 | BADG | 32206644 | 10 | | 4/22/2005 |
| 00693 001680 2 | TRLF | 5847 TWILIGHT DR | 5/8 | NEPT | 39605138 | 115510 | 10.0 | 10.1 | 101.00% | 4/21/2005 | | | | | |
| 00693 001681 1 | TRLF | 5845 TWILIGHT DR | 5/8 | NEPT | 39379058 | 217270 | 10.0 | 10.1 | 101.00% | 4/21/2006 | | | | | |
| 00693 001682 2 | TRLF | 5843 TWILIGHT DR | 5/8 | NEPT | 39379057 | 753750 | 10.0 | 10.2 | 102.00% | 4/20/2005 | BADG | 32206642 | 10 | | 4/21/2005 |
| 00693 001683 1 | TRLF | 5841 TWILIGHT DR | 5/8 | NEPT | 39379106 | 359690 | 10.0 | 10.1 | 101.00% | 4/20/2005 | | | | | |
| 00693 001684 1 | TRLF | 5751 VIAU WAY | 5/8 | BADG | 93259857 | 450290 | 10.0 | 14.1 | 141.00% | 3/22/2005 | BADG | 32206545 | 10 | | 3/24/2005 |
| 00693 001685 1 | TRLF | 5749 VIAU WAY | 5/8 | BADG | 93259859 | 240180 | 10.0 | 9.7 | 97.00% | 3/22/2005 | | | | | |
| 00693 001686 2 | TRLF | 5750 VIAU WAY | 5/8 | NEPT | 39379107 | 120230 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | | |
| 00693 001687 1 | TRLF | 5748 VIAU WAY | 5/8 | NEPT | 39605137 | 670990 | 10.0 | 9.9 | 99.00% | 3/23/2005 | | | | | |
| 00693 001688 2 | TRLF | 5747 VIAU WAY | 5/8 | NEPT | 39379053 | 253450 | 10.0 | 10.0 | 100.00% | 3/22/2005 | | | | | |
| 00693 001689 1 | TRLF | 5745 VIAU WAY | 5/8 | BADG | 19616906 | 17080 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | | |
| 00693 001690 2 | TRLF | 5746 VIAU WAY | 5/8 | NEPT | 39605826 | 188740 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | | |
| 00693 001691 1 | TRLF | 5744 VIAU WAY | 5/8 | NEPT | 32829906 | 40 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001692 1 | TRLF | 5743 VIAU WAY | 5/8 | BADG | 93259832 | 645530 | 10.0 | 13.2 | 132.00% | 3/22/2005 | BADG | 32206544 | 10 | | 3/24/2005 |
| 00693 001693 1 | TRLF | 5741 VIAU WAY | 5/8 | NEPT | 39379060 | 596520 | 10.0 | 9.9 | 99.00% | 3/22/2005 | | | | | |
| 00693 001694 1 | TRLF | 5742 VIAU WAY | 5/8 | NEPT | 37797403 | 40 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001695 1 | TRLF | 5740 VIAU WAY | 5/8 | NEPT | 39690023 | 60 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001696 1 | TRLF | 5739 VIAU WAY | 5/8 | BADG | 17990532 | 60790 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | | |
| 00693 001697 1 | TRLF | 5738 VIAU WAY | 5/8 | NEPT | 32829829 | 30 | NOT TESTED/VACANT LOT | | | | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

0

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | TOTAL TESTED | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-----------------------|----------------|---------------|-------------|------|--------------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | | |
| 00693 001698 2 | TRLF | 5737 VIAU WAY | 5/8 | BADG | 18721955 | 89050 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | | |
| 00693 001699 1 | TRLF | 5736 VIAU WAY | 5/8 | NEPT | 34594308 | 30 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001700 2 | TRLF | 5735 VIAU WAY | 5/8 | BADG | 93259859 | 974180 | 10.0 | 13.3 | 100.00% | 3/22/2005 | BADG | 32206543 | 10 | | 3/22/2005 |
| 00693 001701 1 | TRLF | 5734 VIAU WAY | 5/8 | NEPT | 34594308 | 30 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001702 1 | TRLF | 5733 VIAU WAY | 5/8 | BADG | 93259855 | 842170 | 10.0 | 13.7 | 100.00% | 3/22/2005 | BADG | 32206540 | 10 | | 3/22/2005 |
| 00693 001703 1 | TRLF | 5731 VIAU WAY | 5/8 | BADG | 93259727 | 683850 | 10.0 | 9.6 | 96.00% | 3/22/2005 | | | | | |
| 00693 001704 1 | TRLF | 5732 VIAU WAY | 5/8 | NEPT | 40177401 | 30 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001705 1 | TRLF | 5730 VIAU WAY | 5/8 | NEPT | 46186497 | 40 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001706 1 | TRLF | 5728 VIAU WAY | 5/8 | NEPT | 40466697 | 40 | 10.0 | 10.1 | 101.00% | 10/19/2005 | BADG | 32206614 | 0 | | 10/19/2005 |
| 00693 001707 1 | TRLF | 5729 VIAU WAY | 5/8 | NEPT | 38955632 | 1075490 | 10.0 | 10.0 | 100.00% | 3/22/2005 | | | | | |
| 00693 001708 3 | TRLF | 5727 VIAU WAY | 5/8 | BADG | 93259841 | 375670 | 10.0 | 11.0 | 100.00% | 3/22/2005 | BADG | 32206541 | 10 | | 3/22/2005 |
| 00693 001709 1 | TRLF | 5726 VIAU WAY | 5/8 | NEPT | 46466655 | 40 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001710 1 | TRLF | 5724 VIAU WAY | 5/8 | NEPT | 46466645 | 110 | NOT TESTED/VACANT LOT | | | | | | | | |
| 00693 001711 1 | TRLF | 5725 VIAU WAY | 5/8 | BADG | 93259825 | 1217680 | 10.0 | 11.5 | 100.00% | 3/22/2005 | BADG | 30223672 | 10 | | 3/22/2005 |
| 00693 001712 1 | TRLF | 5723 VIAU WAY | 5/8 | NEPT | 38955626 | 541180 | 10.0 | 10.0 | 100.00% | 3/22/2005 | | | | | |
| 00693 001713 2 | TRLF | 5721 VIAU WAY | 5/8 | NEPT | 39379104 | 628900 | 10.0 | 10.0 | 100.00% | 3/22/2005 | | | | | |
| 00693 001714 1 | TRLF | 5722 VIAU WAY | 5/8 | NEPT | 39605824 | 137240 | 10.0 | 9.9 | 99.00% | 3/23/2005 | | | | | |
| 00693 001715 1 | TRLF | 5720 VIAU WAY | 5/8 | BADG | 93259717 | 182630 | 10.0 | 9.8 | 98.00% | 3/23/2005 | | | | | |
| 00693 001716 3 | TRLF | 5719 VIAU WAY | 5/8 | NEPT | 39370052 | 664020 | 10.0 | 10.0 | 100.00% | 3/22/2005 | | | | | |
| 00693 001717 1 | TRLF | 5718 VIAU WAY | 5/8 | NEPT | 38955584 | 226880 | 10.0 | 9.9 | 99.00% | 3/23/2005 | | | | | |
| 00693 001718 2 | TRLF | 5717 VIAU WAY | 5/8 | NEPT | 38955601 | 536390 | 10.0 | 13.7 | 100.00% | 3/22/2005 | BADG | 30223675 | 10 | | 3/22/2005 |
| 00693 001719 2 | TRLF | 5715 VIAU WAY | 5/8 | NEPT | 38955634 | 168090 | 10.0 | 9.9 | 99.00% | 3/17/2005 | | | | | |
| 00693 001720 1 | TRLF | 5716 VIAU WAY | 5/8 | NEPT | 38955582 | 216160 | 10.0 | 9.9 | 99.00% | 3/23/2005 | | | | | |
| 00693 001721 2 | TRLF | 5714 VIAU WAY | 5/8 | NEPT | 38955585 | 257930 | NOT TESTED/VACANT LOT | | | | | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

FAST METERS
126

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | MAKE | | | |
| 00693 001722 3 | TRLF | 5713 VIAU WAY | 5/8 | NEPT | 39605160 | 134280 | 10.0 | 11.2 | 112.00% | 3/15/2005 | BADG | 30223687 | 10 | 3/18/2005 |
| 00693 001723 1 | TRLF | 5711 VIAU WAY | 5/8 | NEPT | 38955625 | 230250 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001724 1 | TRLF | 5712 VIAU WAY | 5/8 | NEPT | 39605140 | 141410 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | |
| 00693 001725 1 | TRLF | 5710 VIAU WAY | 5/8 | NEPT | 39379192 | 398710 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | |
| 00693 001726 2 | TRLF | 5709 VIAU WAY | 5/8 | NEPT | 39605154 | 210190 | 10.0 | 10.0 | 100.00% | 3/15/2005 | | | | |
| 00693 001727 2 | TRLF | 5707 VIAU WAY | 5/8 | NEPT | 38955620 | 706690 | 10.0 | 9.9 | 99.00% | 3/15/2005 | | | | |
| 00693 001728 1 | TRLF | 5708 VIAU WAY | 5/8 | NEPT | 38955581 | 522480 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | |
| 00693 001729 1 | TRLF | 5706 VIAU WAY | 5/8 | NEPT | 39379195 | 241790 | 10.0 | 11.0 | 110.00% | 3/23/2005 | BADG | 32206542 | 10 | 3/24/2005 |
| 00693 001730 2 | TRLF | 5705 VIAU WAY | 5/8 | BADG | 93259724 | 935830 | 10.0 | 10.4 | 104.00% | 3/15/2005 | BADG | 30223696 | 10 | 3/18/2005 |
| 00693 001731 1 | TRLF | 5703 VIAU WAY | 5/8 | NEPT | 74377029 | 1120 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001732 2 | TRLF | 5704 VIAU WAY | 5/8 | NEPT | 39379159 | 212680 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | |
| 00693 001733 1 | TRLF | 5702 VIAU WAY | 5/8 | NEPT | 39605135 | 170300 | 10.0 | 10.0 | 100.00% | 3/23/2005 | | | | |
| 00693 001734 2 | TRLF | 5701 VIAU WAY | 5/8 | NEPT | 39379108 | 276610 | 10.0 | 10.0 | 100.00% | 3/15/2005 | | | | |
| 00693 001735 2 | TRLF | 5651 VIAU WAY | 5/8 | BADG | 93259718 | 316780 | 10.0 | 9.4 | 94.00% | 3/15/2005 | BADG | 30223684 | 10 | 3/16/2005 |
| 00693 001736 1 | TRLF | 5650 VIAU WAY | 5/8 | NEPT | 39605133 | 162580 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | |
| 00693 001737 1 | TRLF | 5649 VIAU WAY | 5/8 | NEPT | 38955579 | 253840 | 10.0 | 10.0 | 100.00% | 3/15/2005 | | | | |
| 00693 001738 1 | TRLF | 5648 VIAU WAY | 5/8 | BADG | 93259720 | 224290 | 10.0 | 9.8 | 98.00% | 3/24/2005 | | | | |
| 00693 001739 1 | TRLF | 5647 VIAU WAY | 5/8 | NEPT | 38955502 | 664110 | 10.0 | 10.0 | 100.00% | 3/15/2005 | | | | |
| 00693 001740 1 | TRLF | 5646 VIAU WAY | 5/8 | NEPT | 38955609 | 264110 | 10.0 | 9.8 | 98.00% | 3/24/2005 | | | | |
| 00693 001741 1 | TRLF | 5645 VIAU WAY | 5/8 | NEPT | 39379136 | 523460 | 10.0 | 10.1 | 101.00% | 4/21/2006 | | | | |
| 00693 001742 2 | TRLF | 5644 VIAU WAY | 5/8 | BADG | 93259860 | 3240 | 10.0 | 0.0 | 0.00% | 3/24/2005 | BADG | 30223679 | 10 | 3/28/2005 |
| 00693 001743 1 | TRLF | 5643 VIAU WAY | 5/8 | BADG | 18149173 | 131090 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001744 1 | TRLF | 5641 VIAU WAY | 5/8 | NEPT | UNKNOWN | 311180 | 10.0 | 10.1 | 101.00% | 3/15/2005 | | | | |
| 00693 001745 2 | TRLF | 5642 VIAU WAY | 5/8 | BADG | 18721909 | 71010 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

TOTAL TESTED 800

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001747 1 | TRLF | 5640 VIAU WAY | 5/8 | BADG | 93259826 | 378010 | 10.0 | 9.1 | | 3/24/2005 | BADG | 32206605 | 10 | 3/28/2005 |
| 00693 001748 1 | TRLF | 5637 VIAU WAY | 5/8 | NEPT | 38643160 | 190890 | 10.0 | 11.2 | | 3/15/2005 | BADG | 30223698 | 10 | 3/16/2005 |
| 00693 001749 1 | TRLF | 5638 VIAU WAY | 5/8 | NEPT | 38955636 | 515540 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001750 1 | TRLF | 5636 VIAU WAY | 5/8 | NEPT | 38955612 | 1916870 | 10.0 | 9.9 | 99.00% | 3/24/2005 | | | | |
| 00693 001751 2 | TRLF | 5635 VIAU WAY | 5/8 | BADG | 93259835 | 1262540 | 10.0 | 9.7 | 97.00% | 3/15/2005 | | | | |
| 00693 001752 1 | TRLF | 5633 VIAU WAY | 5/8 | NEPT | 74377011 | 1449860 | 10.0 | 9.9 | 99.00% | 9/14/2004 | | | | |
| 00693 001753 1 | TRLF | 6046 UTOPIA DR | 5/8 | BADG | 93060806 | 323420 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001754 2 | TRLF | 6045 UTOPIA DR | 5/8 | BADG | 93259658 | 1708780 | 10.0 | 9.8 | 98.00% | 4/26/2005 | | | | |
| 00693 001755 1 | TRLF | 6050 JESSUP DR | 5/8 | BADG | 18721912 | 330400 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001756 1 | TRLF | 6049 JESSUP DR | 5/8 | BADG | 92420101 | 1167170 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001757 2 | TRLF | 6048 PRESIDENTIAL CIR | 5/8 | BADG | 18721943 | 47230 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001758 1 | TRLF | 6049 PRESIDENTIAL CIR | 5/8 | NEPT | 41960498 | 85520 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 32371400 | 0 | 5/24/2006 |
| 00693 001759 1 | TRLF | 6051 PRESIDENTIAL CIR | 5/8 | BADG | 90123174 | 318940 | 10.0 | 9.8 | 98.00% | 11/11/2005 | | | | |
| 00693 001760 1 | TRLF | 6053 PRESIDENTIAL CIR | 5/8 | BADG | 30223673 | 3310 | 10.0 | 10.0 | 100.00% | 5/26/2005 | | | | |
| 00693 001761 1 | TRLF | 6055 PRESIDENTIAL CIR | 5/8 | BADG | 90123176 | 210810 | 10.0 | 10.4 | | 5/27/2005 | BADG | 32206664 | 10 | 5/27/2005 |
| 00693 001762 2 | TRLF | 6111 PRESIDENTIAL CIR | 5/8 | BADG | 90999685 | 758770 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001763 1 | TRLF | 6119 PRESIDENTIAL CIR | 5/8 | BADG | 90999689 | 324070 | 10.0 | 9.9 | 99.00% | 4/27/2006 | | | | |
| 00693 001764 1 | TRLF | 6127 PRESIDENTIAL CIR | 5/8 | BADG | 90123175 | 186300 | 10.0 | 9.9 | 99.00% | 11/14/2005 | | | | |
| 00693 001765 2 | TRLF | 6135 PRESIDENTIAL CIR | 5/8 | BADG | 19617005 | 18930 | 10.0 | 10.0 | 100.00% | 5/27/2005 | | | | |
| 00693 001766 2 | TRLF | 6143 PRESIDENTIAL CIR | 5/8 | BADG | 30223650 | 19940 | 10.0 | 10.0 | 100.00% | 6/14/2005 | | | | |
| 00693 001767 1 | TRLF | 6144 PRESIDENTIAL CIR | 5/8 | BADG | 90999701 | 497090 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | |
| 00693 001768 1 | TRLF | 6138 PRESIDENTIAL CIR | 5/8 | BADG | 90999700 | 563190 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001769 2 | TRLF | 6132 PRESIDENTIAL CIR | 5/8 | BADG | 18722016 | 43880 | 10.0 | 10.0 | 100.00% | 5/19/2005 | | | | |
| 00693 001770 1 | TRLF | 6126 PRESIDENTIAL CIR | 5/8 | BADG | 90999686 | 810100 | 10.0 | 9.9 | 99.00% | 5/19/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|-----------------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001771 1 | TRLF | 6118 PRESIDENTIAL CIR | 5/8 | BADG | 90999684 | 660690 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | |
| 00693 001772 1 | TRLF | 6110 PRESIDENTIAL CIR | 5/8 | BADG | 90999684 | 366990 | 10.0 | 10.0 | 100.00% | 11/11/2005 | | | | |
| 00693 001773 1 | TRLF | 6056 PRESIDENTIAL CIR | 5/8 | BADG | 18486280 | 59880 | 10.0 | 10.1 | 101.00% | 5/19/2005 | | | | |
| 00693 001774 1 | TRLF | 6054 PRESIDENTIAL CIR | 5/8 | BADG | 90999695 | 436550 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256635 | 0 | 5/16/2006 |
| 00693 001775 1 | TRLF | 6052 PRESIDENTIAL CIR | 5/8 | NEPT | 74377357 | 45900 | 10.0 | 9.7 | 97.00% | 4/27/2006 | | | | |
| 00693 001776 1 | TRLF | 6050 PRESIDENTIAL CIR | 5/8 | BADG | 90123168 | 440690 | 10.0 | 9.9 | 99.00% | 11/11/2005 | | | | |
| 00693 001777 1 | TRLF | 6051 JESSUP DR | 5/8 | BADG | 29140557 | 23300 | 10.0 | 10.0 | 100.00% | 5/17/2005 | | | | |
| 00693 001778 1 | TRLF | 6053 JESSUP DR | 5/8 | BADG | 92114000 | 427740 | 10.0 | 10.0 | 100.00% | 5/17/2005 | | | | |
| 00693 001779 1 | TRLF | 6055 JESSUP DR | 5/8 | BADG | 91838624 | 390380 | 10.0 | 9.6 | 96.00% | 4/26/2006 | | | | |
| 00693 001780 2 | TRLF | 6057 JESSUP DR | 5/8 | BADG | 92420163 | 265460 | 10.0 | 9.8 | 98.00% | 4/26/2006 | | | | |
| 00693 001781 1 | TRLF | 6059 JESSUP DR | 5/8 | BADG | 91838693 | 832150 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001782 1 | TRLF | 6121 JESSUP DR | 5/8 | BADG | 91838602 | 310450 | 10.0 | 10.0 | 100.00% | 5/18/2005 | | | | |
| 00693 001783 1 | TRLF | 6123 JESSUP DR | 5/8 | BADG | 91838600 | 752340 | 10.0 | 10.1 | 101.00% | 5/18/2005 | | | | |
| 00693 001784 1 | TRLF | 6125 JESSUP DR | 5/8 | BADG | 91838604 | 189910 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 3325682 | 0 | 5/16/2006 |
| 00693 001785 1 | TRLF | 6127 JESSUP DR | 5/8 | BADG | 91838603 | 207660 | 10.0 | 9.9 | 99.00% | 11/28/2005 | BADG | 33256630 | 0 | 5/16/2006 |
| 00693 001786 1 | TRLF | 6129 JESSUP DR | 5/8 | BADG | 92114040 | 554040 | 10.0 | 10.4 | 104.00% | 5/18/2005 | BADG | 32206727 | 10 | 5/18/2005 |
| 00693 001787 1 | TRLF | 6131 JESSUP DR | 5/8 | BADG | 92420086 | 364540 | 10.0 | 10.1 | 101.00% | 5/18/2005 | | | | |
| 00693 001788 2 | TRLF | 6130 JESSUP DR | 5/8 | BADG | 30223636 | 4020 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001789 1 | TRLF | 6128 JESSUP DR | 5/8 | BADG | 92420096 | 250610 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001790 1 | TRLF | 6126 JESSUP DR | 5/8 | BADG | 92420146 | 270150 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001791 2 | TRLF | 6124 JESSUP DR | 5/8 | BADG | 18721922 | 61490 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001792 1 | TRLF | 6122 JESSUP DR | 5/8 | BADG | 92114012 | 379270 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | |
| 00693 001793 1 | TRLF | 6120 JESSUP DR | 5/8 | BADG | 92114015 | 308430 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001794 1 | TRLF | 6064 JESSUP DR | 5/8 | BADG | 92121025 | 263800 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

TOTAL TESTED 800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|-----------------|-------|-------|----------|------------|--------------------------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001795 1 | TRLF | 6062 JESSUP DR | 5/8 | BADG | 92420167 | 499720 | 10.0 | 10.2 | 102.80% | 5/11/2005 | BADG | 32206655 | 0 | 5/13/2005 |
| 00693 001796 1 | TRLF | 6060 JESSUP DR | 5/8 | BADG | 92420165 | 400360 | 10.0 | 10.1 | 101.00% | 5/11/2005 | | | | |
| 00693 001797 2 | TRLF | 6058 JESSUP DR | 5/8 | BADG | 92420089 | 252790 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001798 3 | TRLF | 6056 JESSUP DR | 5/8 | BADG | 92114005 | 413930 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256570 | 0 | 5/1/2006 |
| 00693 001799 2 | TRLF | 6054 JESSUP DR | 5/8 | BADG | 92114001 | 284550 | 10.0 | 10.0 | 100.00% | 5/11/2005 | | | | |
| 00693 001800 1 | TRLF | 6052 JESSUP DR | 5/8 | BADG | 92114003 | 572590 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256580 | 0 | 5/1/2006 |
| 00693 001801 2 | TRLF | 6047 UTOPIA DR | 5/8 | NEPT | 41960473 | 133540 | 10.0 | 9.8 | 98.00% | 4/21/2006 | | | | |
| 00693 001802 1 | TRLF | 6049 UTOPIA DR | 5/8 | BADG | 92420203 | 684510 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001803 2 | TRLF | 6051 UTOPIA DR | 5/8 | BADG | 92420204 | 668830 | 10.0 | 0.0 | 8.00% | 4/26/2005 | BADG | 32206643 | 10 | 4/28/2005 |
| 00693 001804 1 | TRLF | 6053 UTOPIA DR | 5/8 | BADG | 92420225 | 248770 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001805 1 | TRLF | 6055 UTOPIA DR | 5/8 | BADG | 92420226 | 153490 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001806 1 | TRLF | 6059 UTOPIA DR | 5/8 | BADG | 92420224 | 206050 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001807 1 | TRLF | 6061 UTOPIA DR | 5/8 | BADG | 92420223 | 1678430 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001808 2 | TRLF | 6063 UTOPIA DR | 5/8 | BADG | 92420221 | 722230 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256576 | 0 | 5/1/2006 |
| 00693 001809 1 | TRLF | 6065 UTOPIA DR | 5/8 | BADG | 92420156 | 341810 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256579 | 0 | 5/1/2006 |
| 00693 001810 2 | TRLF | 6123 UTOPIA DR | 5/8 | BADG | 92420234 | 274680 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001811 2 | TRLF | 6125 UTOPIA DR | 5/8 | BADG | 92420222 | 648870 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001812 1 | TRLF | 6127 UTOPIA DR | 5/8 | BADG | 29140607 | 6090 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001813 1 | TRLF | 6129 UTOPIA DR | 5/8 | BADG | 93060813 | 308810 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001814 1 | TRLF | 6131 UTOPIA DR | 5/8 | BADG | 92420213 | 222780 | 10.0 | 10.1 | 101.00% | 4/26/2005 | | | | |
| 00693 001815 1 | TRLF | 6133 UTOPIA DR | 5/8 | BADG | 19616974 | 11040 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001816 1 | TRLF | 6157 UTOPIA DR | 5/8 | BADG | 92420214 | 616170 | 10.0 | 10.1 | 101.00% | 4/26/2005 | | | | |
| 00693 001817 1 | TRLF | 6163 UTOPIA DR | 5/8 | BADG | 93050799 | 491330 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001818 1 | TRLF | 6169 UTOPIA DR | 5/8 | BADG | 93060803 | 468250 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|--------------------------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001819 1 | TRLF | 6203 UTOPIA DR | 5/8 | BADG | 93259667 | 714780 | 10.0 | 9.6 | 96.00% | 4/26/2005 | | | | |
| 00693 001820 1 | TRLF | 6209 UTOPIA DR | 5/8 | BADG | 93259670 | 754780 | 10.0 | 9.7 | 97.00% | 4/26/2005 | | | | |
| 00693 001821 1 | TRLF | 6215 UTOPIA DR | 5/8 | BADG | 18486283 | 100200 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001822 1 | TRLF | 6221 UTOPIA DR | 5/8 | BADG | 93060816 | 460950 | 10.0 | 9.9 | 99.00% | 4/26/2005 | | | | |
| 00693 001823 1 | TRLF | 6227 UTOPIA DR | 5/8 | BADG | 92420217 | 464950 | 10.0 | 10.0 | 100.00% | 4/26/2005 | | | | |
| 00693 001824 3 | TRLF | 6233 UTOPIA DR | 5/8 | BADG | 92420205 | 246900 | 10.0 | 10.2 | 102.00% | 4/26/2005 | BADG | 32206647 | 10 | 4/28/2005 |
| 00693 001825 1 | TRLF | 6239 UTOPIA DR | 5/8 | BADG | 93259671 | 613230 | 10.0 | 9.4 | 94.00% | 4/26/2005 | BADG | 32206645 | 10 | 4/28/2005 |
| 00693 001826 1 | TRLF | 6241 UTOPIA DR | 5/8 | BADG | 93259669 | 633940 | 10.0 | 9.6 | 96.00% | 5/10/2005 | | | | |
| 00693 001827 2 | TRLF | 6245 UTOPIA DR | 5/8 | BADG | 93259662 | 1311840 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256568 | 0 | 5/1/2006 |
| 00693 001828 2 | TRLF | 6249 UTOPIA DR | 5/8 | NEPT | UNKNOWN | 124370 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256571 | 0 | 5/1/2006 |
| 00693 001829 1 | TRLF | 6253 UTOPIA DR | 5/8 | BADG | 93259665 | 1837700 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001830 1 | TRLF | 6307 UTOPIA DR | 5/8 | BADG | 92420155 | 2042430 | 10.0 | 10.0 | 100.00% | 5/10/2005 | | | | |
| 00693 001831 1 | TRLF | 6309 UTOPIA DR | 5/8 | BADG | 93259677 | 979680 | 10.0 | 9.6 | 96.00% | 11/28/2005 | | | | |
| 00693 001832 1 | TRLF | 6313 UTOPIA DR | 5/8 | BADG | 93060793 | 502850 | 10.0 | 9.8 | 98.00% | 5/10/2005 | | | | |
| 00693 001833 1 | TRLF | 6317 UTOPIA DR | 5/8 | BADG | 93060801 | 198340 | 10.0 | 10.0 | 100.00% | 5/10/2005 | | | | |
| 00693 001834 1 | TRLF | 6321 UTOPIA DR | 5/8 | BADG | 93060808 | 726580 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001835 1 | TRLF | 6325 UTOPIA DR | 5/8 | BADG | 93060809 | 356530 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256569 | 0 | 5/1/2006 |
| 00693 001836 2 | TRLF | 6329 UTOPIA DR | 5/8 | BADG | 93060815 | 330150 | 10.0 | 9.9 | 99.00% | 11/28/2005 | | | | |
| 00693 001837 1 | TRLF | 6333 UTOPIA DR | 5/8 | BADG | 93259678 | 134980 | 10.0 | 9.6 | 96.00% | 11/28/2005 | | | | |
| 00693 001838 1 | TRLF | 6337 UTOPIA DR | 5/8 | BADG | 93259661 | 854120 | 5.0 | 5.0 | 100.00% | 9/14/2004 | BADG | 29185712 | 0 | 7/28/2005 |
| 00693 001839 1 | TRLF | 6341 UTOPIA DR | 5/8 | BADG | 93060800 | 752240 | 10.0 | 10.0 | 100.00% | 5/10/2005 | | | | |
| 00693 001840 1 | TRLF | 6403 UTOPIA DR | 5/8 | BADG | 92420211 | 175040 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | | | BADG | 33256572 | 0 | 5/1/2006 |
| 00693 001841 1 | TRLF | 6407 UTOPIA DR | 5/8 | BADG | 93060812 | 291470 | 10.0 | 10.0 | 100.00% | 11/28/2005 | | | | |
| 00693 001842 1 | TRLF | 6419 UTOPIA DR | 5/8 | BADG | 9242028 | 749190 | 10.0 | 9.9 | 99.00% | 5/10/2005 | | | | |

TOTAL TESTED 800

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

TOTAL TESTED 800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYP E | SERVICE ADDRESS | SIZ E | MA KE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MA KE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|-------|------------------|-------|-------|----------|------------|-------------------|----------------|---------------|-------------|-------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001843 3 | TRLF | 41309 WHITMER DR | 5/8 | BADG | 91492989 | 558570 | 10.0 | 9.8 | 98.00% | 3/11/2005 | | | | |
| 00693 001844 2 | TRLF | 41313 WHITMER DR | 5/8 | NEPT | 39605828 | 270420 | 10.0 | 9.9 | 99.00% | 3/11/2005 | | | | |
| 00693 001845 1 | TRLF | 41319 WHITMER DR | 5/8 | BADG | 91610801 | 601720 | 10.0 | 9.9 | 99.00% | 3/11/2005 | | | | |
| 00693 001846 2 | TRLF | 41323 WHITMER DR | 5/8 | NEPT | 74377346 | 48210 | 10.0 | 9.9 | 99.00% | 3/11/2005 | | | | |
| 00693 001847 1 | TRLF | 41325 WHITMER DR | 5/8 | BADG | 93259674 | 582850 | 10.0 | 8.9 | 95.00% | 3/11/2005 | BADG | 30223695 | 10 | 3/15/2005 |
| 00693 001848 2 | TRLF | 6418 UTOPIA DR | 5/8 | BADG | 93259660 | 528780 | 10.0 | 9.8 | 98.00% | 3/11/2005 | | | | |
| 00693 001849 3 | TRLF | 6414 UTOPIA DR | 5/8 | BADG | 93259660 | 584190 | 10.0 | 9.5 | 95.00% | 3/11/2005 | BADG | 30223697 | 10 | 3/16/2005 |
| 00693 001850 1 | TRLF | 6410 UTOPIA DR | 5/8 | BADG | 92420152 | 657450 | 10.0 | 9.8 | 98.00% | 3/11/2005 | | | | |
| 00693 001851 2 | TRLF | 6406 UTOPIA DR | 5/8 | NEPT | 41960500 | 82770 | 10.0 | 10.6 | 106.00% | 3/11/2005 | BADG | 30223643 | 10 | 3/11/2005 |
| 00693 001852 1 | TRLF | 6402 UTOPIA DR | 5/8 | BADG | 93259664 | 749140 | 10.0 | 9.3 | 93.00% | 3/11/2005 | BADG | 30223644 | 10 | 3/14/2005 |
| 00693 001853 1 | TRLF | 6340 UTOPIA DR | 5/8 | BADG | 19486323 | 39910 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001854 1 | TRLF | 6336 UTOPIA DR | 5/8 | BADG | 19616969 | 12700 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001855 1 | TRLF | 6332 UTOPIA DR | 5/8 | NEPT | 41853429 | 286870 | 10.0 | 13.7 | 137.00% | 3/14/2005 | BADG | 30223641 | 10 | 3/15/2005 |
| 00693 001856 1 | TRLF | 6328 UTOPIA DR | 5/8 | BADG | 93060804 | 222930 | 10.0 | 9.9 | 99.00% | 3/14/2005 | | | | |
| 00693 001857 1 | TRLF | 6324 UTOPIA DR | 5/8 | BADG | 93060794 | 603750 | 10.0 | 9.7 | 97.00% | 3/14/2005 | | | | |
| 00693 001858 1 | TRLF | 6320 UTOPIA DR | 5/8 | BADG | 18721964 | 28590 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001859 1 | TRLF | 6316 UTOPIA DR | 5/8 | BADG | 19074030 | 238730 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001860 1 | TRLF | 6312 UTOPIA DR | 5/8 | BADG | 29185788 | 20730 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001861 1 | TRLF | 6308 UTOPIA DR | 5/8 | BADG | 18486296 | 88460 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001862 2 | TRLF | 6304 UTOPIA DR | 5/8 | BADG | 93259659 | 920520 | 10.0 | 9.7 | 97.00% | 3/14/2005 | | | | |
| 00693 001863 2 | TRLF | 6250 UTOPIA DR | 5/8 | BADG | 92420160 | 212730 | 10.0 | 9.6 | 96.00% | 3/14/2005 | | | | |
| 00693 001864 1 | TRLF | 6246 UTOPIA DR | 5/8 | BADG | 93259657 | 248830 | 10.0 | 9.6 | 96.00% | 3/14/2005 | | | | |
| 00693 001865 1 | TRLF | 6242 UTOPIA DR | 5/8 | BADG | 18721921 | 78290 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001866 1 | TRLF | 6238 UTOPIA DR | 5/8 | BADG | 93060798 | 324220 | 10.0 | 9.9 | 99.00% | 3/14/2005 | | | | |

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

25 METERS
25 METERS
TOTAL TESTED 800

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------|------|------|----------|------------|-----------------------|----------------|---------------|-------------|------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001867 1 | TRLF | 6234 UTOPIA DR | 5/8 | NEPT | 41960472 | 150370 | 10.0 | 9.8 | 98.00% | 3/14/2005 | | | | |
| 00693 001868 2 | TRLF | 6230 UTOPIA DR | 5/8 | BADG | 92420206 | 211010 | 10.0 | 9.8 | 98.00% | 3/14/2005 | | | | |
| 00693 001869 1 | TRLF | 6226 UTOPIA DR | 5/8 | BADG | 92420210 | 824530 | 10.0 | 9.8 | 98.00% | 3/14/2005 | | | | |
| 00693 001870 1 | TRLF | 6222 UTOPIA DR | 5/8 | BADG | 92420210 | 937110 | 10.0 | 11.8 | 100.00% | 3/14/2005 | BADG | 30223642 | 10 | 3/15/2005 |
| 00693 001871 1 | TRLF | 6218 UTOPIA DR | 5/8 | BADG | 92420209 | 813270 | 10.0 | 9.8 | 98.00% | 4/21/2006 | | | | |
| 00693 001872 1 | TRLF | 6212 UTOPIA DR | 5/8 | BADG | 92420163 | 552250 | 10.0 | 9.8 | 98.00% | 3/14/2005 | | | | |
| 00693 001873 1 | TRLF | 6202 UTOPIA DR | 5/8 | BADG | 92420207 | 934170 | 10.0 | 9.7 | 97.00% | 3/15/2005 | | | | |
| 00693 001874 2 | TRLF | 6168 UTOPIA DR | 5/8 | BADG | 92420218 | 264820 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001875 1 | TRLF | 6162 UTOPIA DR | 5/8 | NEPT | 74377023 | 25250 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001876 1 | TRLF | 6156 UTOPIA DR | 5/8 | BADG | 93060814 | 313300 | 10.0 | 9.7 | 97.00% | 3/15/2005 | | | | |
| 00693 001877 2 | TRLF | 6136 UTOPIA DR | 5/8 | BADG | 19617007 | 5220 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |
| 00693 001878 2 | TRLF | 6134 UTOPIA DR | 5/8 | BADG | 9240220 | 194620 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001879 3 | TRLF | 6132 UTOPIA DR | 5/8 | BADG | 93259672 | 280720 | 10.0 | 9.2 | 92.00% | 3/15/2005 | BADG | 30223674 | 10 | 3/18/2005 |
| 00693 001880 1 | TRLF | 6130 UTOPIA DR | 5/8 | BADG | 30223638 | 1480 | 10.0 | 10.0 | 100.00% | 2/7/2005 | | | | |
| 00693 001881 1 | TRLF | 6128 UTOPIA DR | 5/8 | BADG | 93060796 | 578020 | 10.0 | 10.6 | 100.00% | 3/15/2005 | BADG | 30223694 | 20 | 3/15/2005 |
| 00693 001882 1 | TRLF | 6126 UTOPIA DR | 5/8 | BADG | 92420229 | 339790 | 10.0 | 12.5 | 125.00% | 3/15/2005 | BADG | 30223699 | 10 | 3/16/2005 |
| 00693 001883 1 | TRLF | 6124 UTOPIA DR | 5/8 | BADG | 30223634 | 2000 | 10.0 | 10.0 | 100.00% | 2/14/2005 | | | | |
| 00693 001884 1 | TRLF | 6068 UTOPIA DR | 5/8 | BADG | 92420227 | 508390 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001885 2 | TRLF | 6066 UTOPIA DR | 5/8 | BADG | 93060802 | 465930 | 10.0 | 13.5 | 135.00% | 3/15/2005 | BADG | 30223670 | 10 | 3/16/2005 |
| 00693 001886 1 | TRLF | 6064 UTOPIA DR | 5/8 | BADG | 19616973 | 10880 | 5.0 | 5.0 | 100.00% | 9/14/2004 | | | | |
| 00693 001887 1 | TRLF | 6062 UTOPIA DR | 5/8 | BADG | 342480 | 419130 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001888 2 | TRLF | 6060 UTOPIA DR | 5/8 | BADG | 9240169 | 542340 | 10.0 | 9.6 | 96.00% | 3/15/2005 | | | | |
| 00693 001889 1 | TRLF | 6058 UTOPIA DR | 5/8 | BADG | 92420157 | 247940 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001890 2 | TRLF | 6056 UTOPIA DR | 5/8 | BADG | 18486297 | 80020 | 10.0 | 10.0 | 100.00% | 12/20/2005 | | | | |

LABRADOR UTILITIES, INC.
DOCKET NO. 030443-WS

METER CHANGE-OUT GUIDELINES

RANGE OF RESULTS - 95% - 101.5%

CHANGE OUT IF LESS THAN 9.5 OR 10.2 OR GREATER

OF METERS OUTSIDE PSC LIMITS

TOTAL TESTED 800

RESPONSE TO PAA ACTION REQUEST - ISSUE #1 - METER FLOW TEST RESULTS

| ACCOUNT NUMB | TYPE | SERVICE ADDRESS | SIZE | MAKE | SERIAL # | METER READ | VOLUME IN GALLONS | | RESULTS | | MAKE | NEW SERIAL # | NEW METER READ | DATE CHANGED OUT |
|----------------|------|-----------------------|------|------|-----------|------------|--------------------------------------|----------------|---------------|-------------|----------|--------------|----------------|------------------|
| | | | | | | | PTM TESTER | CUSTOMER METER | % OF ACCURACY | DATE TESTED | | | | |
| 00693 001891 1 | TRLF | 6054 UTOPIA DR | 5/8 | BADG | 92420231 | 105970 | NOT TESTED/VACANT LOT | | | | | | | |
| 00693 001892 2 | TRLF | 6052 UTOPIA DR | 5/8 | BADG | 93060811 | 367220 | 10.0 | 9.7 | 97.00% | 3/15/2005 | | | | |
| 00693 001893 3 | TRLF | 6050 UTOPIA DR | 5/8 | BADG | 9240232 | 233130 | 10.0 | 10.0 | 100.00% | 3/15/2005 | | | | |
| 00693 001894 1 | TRLF | 6048 UTOPIA DR | 5/8 | BADG | 930060907 | 334840 | 10.0 | 9.8 | 98.00% | 3/15/2005 | | | | |
| 00693 001895 1 | TRLF | 6329 JESSUP DR | 5/8 | BADG | 92420153 | 603480 | NOT TESTED/OFF AT HOUSE/REPLACED PER | | BADG | | 33256673 | 0 | 5/24/2006 | |
| 00693 001896 1 | POOL | 6443 PRESIDENTIAL CIR | 1 | NEPT | 33025796 | 4997560 | 10.0 | 10.1 | 101.00% | 11/16/2005 | | | | |
| 00693 001897 1 | COMI | 6360 SPRING LAKE DR | 1 | BADG | 99242441 | 457540 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | |
| 00693 001898 1 | IRRG | FOREST LAKE DR | 2 | BADG | UNKNOWN | 611100 | METER INSTALLED 2004 | | | | | | | |
| 00693 001899 0 | MISC | UTOPIA DR | 2 | NEPT | 60278179 | 212600 | WWTP METER, INSTALLED 2004 | | | | | | | |
| 00693 001900 0 | COMI | 6360 SPRING LAKE DR | 1 | NEPT | 16649670 | 127510 | 10.0 | 10.0 | 100.00% | 11/16/2005 | | | | |
| 00693 001902 0 | RES | 5912 BENZ PL | 5/8 | BADG | 93259174 | 653860 | 10.0 | 10.0 | 100.00% | 4/13/2005 | | | | |
| 00693 009000 1 | COMI | 6420 FOREST LAKE | 6 | | 9931296 | 6393000 | LARGE MTR/FLD TESTED, REPLACED | | BADG | | 20061284 | 27 | 5/10/2006 | |

Valerie L. Lord

From: "Valerie L. Lord" <vlord@rsbattorneys.com>
To: "Gerald Edwards" <GEDwards@PSC.STATE.FL.US>
Sent: Monday, November 06, 2006 11:29 AM
Attach: Flow Test Results.05.24.06 corrected.xls
Subject: Labrador 030443

Gerald

There must have been a glitch in the software or the software user. The spreadsheet has an automatic date format in that column, and the preparer didn't change it so it defaulted back to the earlier date format. The corrected one is attached. I will re-file this one with the Commission Clerk.

Valerie L. Lord
Rose, Sundstrom & Bentley, LLP
2180 W. State Road 434, Suite 2118
Longwood, FL 32779
Tel: 407/830-6331
Fax: 407/830-8522

NOTICE: This e-mail message and any attachment to this e-mail message contains confidential information that is legally privileged. If you are not the intended recipient, you must not review, retransmit, convert to hard copy, copy, use or disseminate this e-mail or any attachments to it. If you have received this e-mail in error, please notify us immediately by return e-mail or by telephone at 407-830-6331 and delete the original and all copies of this transmission (including any attachments).

Thank you.

11/6/2006