

BellSouth Telecommunications, Inc. 150 South Monroe Street Suite 400 Tallahassee, Florida 32301

Jerry.Hendrix@bellsouth.com

Jerry D. Hendrix Vice President NOV 28 PM 4: 27 Regulatory Relations

COMMISSION

Phone: (850) 577-5550CLERK Fax (850) 224-5073

November 28, 2006

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Notice of the Adoption of Interconnection, unbundling, resale and collocation agreement with modifications between BellSouth Telecommunications, Inc. ("BellSouth") and KMC Data, LLC by Trans National Communications International, Inc.

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by Trans National Communications International, Inc. of the Interconnection, Unbundling, Resale, and Collocation Agreement with modifications for the State of Florida entered into between BellSouth Telecommunications Inc. and KMC Data, LLC, which was filed with this Commission on July 7,2005 in Docket No. 050466-TP

Trans National Communications International, Inc. is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed are the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and Trans National Communications International, Inc., for your records.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 577-5551.

Very truly yours,

Regulatory Vice President

DOCUMENT NUMBER-DATE

10833 HOV 28 8

7/7/05 050466-Tr

BELLSOUTH[®] / CLEC Agreement

Customer Name: Trans National Communications International, Inc.

Trans National Communications International - Adoption of KMC	2
Adoption Papers	3
Signature Page	6
TNCI - GA UNE Rate Amendment	7

By and Between

BellSouth Telecommunications, Inc.

And

Trans National Communications International, Inc.

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between Trans National Communications International, Inc. ("TNCI"), a Delaware corporation on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection agreement filed and approved pursuant to 47 U.S.C. § 252; and

WHEREAS, TNCI has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and KMC Data, LLC dated June 30, 2005 for the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, TNCI and BellSouth hereby agree as follows:

1. TNCI and BellSouth shall adopt in its entirety the KMC Data, LLC Interconnection Agreement dated June 30, 2005 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The KMC Data, LLC Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO.
	PAGES
Adoption Papers	6
Title Page	1
Table of Contents	1
Exhibit 1	1
KMC Data, LLC Interconnection Agreement	679
Amendment dated 12/14/05	65
TOTAL	750

- 2. In the event that TNCI consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of TNCI under this Agreement.
- 3. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in Section 2, General Terms and Conditions of the KMC Data, LLC Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to Section 2 of the KMC Data, LLC Interconnection Agreement, the effective date shall be thirty (30) days following the date of the last signature.
- 4. TNCI shall accept and incorporate any amendments to the KMC Data, LLC Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 5. Every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Trans National Communications International, Inc.

Brian Twomey, President 2 Charlesgate West Boston, MA 02215 617.369.1210 phone 617.369.1117 fax btwomey@tncii.com Copy to:

Beth Davis 2 Charlesgate West Boston, MA 02215 617.369.1053 phone 617.369.1148 fax edavis@tncii.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSou	ith Telecommunications, Inc.	Trans Na Internation	itional Communications
Ву:	Krister & Shore	Ву:	58 l
Name:	Kristen E. Shore	Name:	Brian Twomey
Title:	Director	Title:	Prisident
Date:	11/15/06	Date:	11-9-06

Amendment to the Agreement Between Trans National Communications International, Inc. and BellSouth Telecommunications, Inc. Dated December 15, 2006

Pursuant to this Amendment, (the "Amendment"), Trans National Communications International, Inc. (TNCI), and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated December 15, 2006 (Agreement).

WHEREAS, on February 21, 2006, the Georgia Public Service Commission (Commission) issued a Letter Order in Docket No. 14361-U (Letter Order) establishing new UNE rates (New UNE Rates) to replace the rates previously ordered by the Commission on June 24, 2003 and September 22, 2003 in the first phase of Docket No. 14361-U (Old UNE Rates); and

WHEREAS, the Letter Order entitles BellSouth to recover the difference between the Old UNE Rates and the New UNE Rates for the period of time that BellSouth charged TNCI the Old UNE Rates; and

WHEREAS, the Parties are obligated to amend the Agreement to replace the Old UNE Rates in the Agreement with the New UNE Rates established by the Commission in its Letter Order; and

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties hereby agree to incorporate into the Agreement the New UNE Rates set forth in Exhibit 1 to Attachment 1, Exhibit 2 to Attachment 2, and Exhibit 4 to Attachment 4, all as attached hereto and incorporated herein by this reference, and such rates shall apply to services provided in the State of Georgia only.
- 2. To the extent that the New UNE Rates set forth in Exhibit 1 to Attachment 1, Exhibit 2 to Attachment 2, and Exhibit 4 to Attachment 4, all attached hereto, conflict with any other rates in the Agreement, the rates in these attached Exhibits shall prevail for the State of Georgia.
- 3. All of the other provisions of the Agreement shall remain in full force and effect.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: GA UNE Rate Remand Amendment

04/21/06

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.	Trans National Communications International, Inc.
By: The I Shop	By: 32
Name: Kristen E. Shore	Name: Brian twomey
Title: Director	Title: President
Date: 11/12/64	Date: //- 9-36

Version: GA UNE Rate Remand Amendment 04/21/06

RESALE	DIS	COUNTS & RATES - Georgia												Attachment:	Exh: D		
			T									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGOR	łΥ	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order va.
			İ	1								1		Electronic-	Electronic-	Electronic-	Electronic
				1 I										1st	Add'l	Disc 1st	Disc Add
		·	_										L			L	l
								Nonre	curring	Nonrecurring		<u> </u>			Rates(\$)		
			1				Rec	First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EOI	DUF S	SERVICES	ļ	├		 	ļ	· · · · · · · · · · · · · · · · · · ·				ļ					
		IAL DAILY USAGE FILE (ODUF)	 	 		+				 		·····					t
		ODUF: Recording, per message	+	+		 	0.000007		 	 			 				
		ODUF: Message Processing, per message		1		 	0.002165		1								
		ODUF: Message Processing, per Magnetic Tape provisioned		1		1	36.02			 							
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010888								-		
E	MAN	CED OPTIONAL DAILY USAGE FILE (EODUF)														··· ··· ··· ··· ··· ··· ··· ··· ··· ··	
		EODUF: Message Processing, per message					0.229077					1					

UNB	UNDI F	D NETWORK ELEMENTS - Georgia												Attachement	2 Exh: A	1	1
				Τ	T	Τ	T					Svc Order	Suc Order	Incremental	Incremental	Incremental	Incrementa
												5	Submitted		Charge -	Charge -	Charge -
				1	ļ												_
			interi	l								Elec	Manually	Manual Svc		Manual Svc	
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC	J		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''		1							1	(Electronic-	Electronic-	Electronic-	Electronic-
						1						1	1	1st	Add'l	Disc 1st	Disc Add'l
			1	İ		1	1					ŀ					
	Т			 		 	1	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				├	 	···	1100		7,001								
	 	L	L	↓	1		L		<u> </u>			- Davis		ral Office and	- t- Internet	Mahaita	
		one" shown in the sections for stand-alone loops or loops as				eograpnically	Deaveraged U	NE Zones. 10	view Geograpi	nicany Deavera	iged UNE ZOII	e Designatio	ons by Cent	rai Office, rei	at to informer	wansite.	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.h	tm											4.00	
OPER	ATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		T		7										L	
	Т	OSS - Manual Service Order Charge, Per Local Service Request		1		1										Í	ľ
	1	(LSR) - UNE Only		1		SOMAN		11.71	0.00	6.13	0.00	1					
IINBI	NOI ED I	XCHANGE ACCESS LOOP		 								†··					
UNBO		E ANALOG VOICE GRADE LOOP			·	 						 					
	Z-WIHE				11000	UEAL O	40.00	20.00	9.98	F 01	1.72				 	 	
ļ		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.08	39.98		5.61							
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	L	2	UEANL	UEAL2	17.43	39.98	9.98	5.61	1.72		ļ		ļ	 	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	L	3	UEANL	UEAL2	35.09	39.98	9.98	5.61	1.72		1		ļ	ļ	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.08	39.98	9.98	5.61	1.72					L	<u> </u>
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	J	2	UEANL	UEASL	17.43	39.98	9.98	5.61	1.72				<u> </u>		
	T	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	35.09	39.98	9.98	5.61	1.72		Í	l	1		
	 	Manual Order Coordigation for UVL-SL1s (per loop)		 	UEANL	UEAMC		18.90	18.90			1				1	I
	+	Order Coordination for Specified Conversion Time for UVL-SL1	 	 	1	+======	 					1	 	I	1	1	T
į	i		l	1	UEANL	OCOSL	1 1	57.73			1	1	l	i	1		1
		(per LSR)	ļ	↓	UEANL	UCUSL		31.73									-
l	1	Unbundled Non-Design Voice Loop, billing for BST providing	1		l							į.	i	i	ļ		i
	<u> </u>	make-up (Engineering Information - E.I.)	L	L	UEANL	UEANM		7.29	7.29								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED										<u> </u>	ļ		ļ		ļ
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	1	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00		L				<u> </u>
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22,40	0.00	0.00	1	1			L	l
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		+	1							1					
i	1	Non-Designed (per loop)	Ì	1	UEQ	USBMC	ł	18.90	18.90		ŀ	1	1				1
				 	044	TOGENIO	 	10.00	10.00			 					
l	1	Unbundled Copper Loop - Non-Design, billing for BST providing	Į.		1,50			7.29	7.29		i			ł		l	
L		make-up (Engineering Information - E.I.)		 	UEQ	UEQMU		1.29	7.29			 		 		 	
UNBU		EXCHANGE ACCESS LOOP										 			 	 	
	2-WIRE	ANALOG VOICE GRADE LOOP		1			<u> </u>					<u> </u>	<u> </u>				
·	7	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				T	1				İ			1	1	!	
	ļ	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86			1		<u></u>	
	 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			 							1		I	I	1	ļ
	1	Ground Start Signaling - Zone 2	ł	2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86	l .	1		į.		1
}		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-	OCA	- GEAGE	10.00					 		 		1	
i			!	_	UEA	UEAL2	26.22	79,78	24.62	18.90	7.86	1				ł	
		Ground Start Signaling - Zone 3	₩	3	UEA	UEALZ	36.33	79.78	24.02	16.90	1.00	 		 	 	 	†
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	i	ļ.	l					40.00		l	1	1	ļ	1	
		Battery Signaling - Zone 1	L	1	UEA	UEAR2	13.32	79.78	24.62	18,90	7.86	 		ļ <u> </u>	 	 	+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		i	1	1	1		I		İ	1	1		1	ì	
1	1.	Battery Signaling - Zone 2	<u></u>	2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86	<u> </u>	<u> </u>	ļ		ļ	
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	1										1		1
ļ	1	Battery Signaling - Zone 3	ſ	3	UEA	UEAR2	36.33	79.78	24.62	18,90	7.86	1	l .	l	ł	L	1
	+	Switch-as-is Conversion rate per UNE Loop, Single LSR (per		+	 	102.11.10	1			13.30	1		1		1	T	1
1	1		l	1	lues.	URESL	1	5.69	5.69	ŀ	I	1	1	I	1	l	1
L	+	DS0)*		 	UEA	UKESL		5.09	3.69		 	+		 	 	†	
1	1	Switch-as-is Conversion rate per UNE Loop, Spreadsheet (per	1	ļ	1.	1]	l		1	ļ	1	1		1
L		DS0)*	<u> </u>	1	UEA	URESP		5.69	5.69		ļ					+	
	4-WIR	E ANALOG VOICE GRADE LOOP			L				L			 	ļ	 	 	 	
		4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	21.04	92.92	28.14	19.50	8.12		<u> </u>		L	 	
		4-Wire Analog Voice Grade Loop - Zone 2	1	2	UEA	UEAL4	24.49	92.92	28,14	19.50	8.12					<u> </u>	
	 	4-Wire Analog Voice Grade Loop - Zone 3	1			UEAL4	33.40	92.92	28.14	19.50	8.12	1		l	1	L	
	+-	Switch-as-is Conversion rate per UNE Loop, Single LSR (per	t	1	1	1	1	<u></u>		I	 	7	7	1	1	1	1
1		DS0)*	1	1	UEA	URESL	1	5.69	5.69	1	1	l	l	1	I	1	1
			├	+	+	Johnson	 	5.43	5.05		 	 	 	 	 	1	1
1	ı	Switch-as-is Conversion rate per UNE Loop, Spreadsheet (per	1	1		LUDEOS				İ	1	1	1	1		1	1
L		DS0)*	<u> </u>	-	UEA	URESP	 	5.69	5,69	ļ		 	 	 		+	+
	2-WIR	E ISDN DIGITAL GRADE LOOP	ļ	1	<u> </u>	1	L	L		ļ			1	 		 	+
		2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97		L		.	 	
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97		<u> </u>			<u> </u>	
ļ		2-Wire ISDN Digital Grade Loop - Zone 3	T	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97		1	L	1	L	
	-1	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIE			1			1		1	1	1	1		1	

LINEHNINE E	D NETWORK ELEMENTS - Georgia												Attachement	2 Exh: A	I	
ONDONDEL	T WORK ELEMENTS Georgia	T	T		1						Svc Order	Svc Order	Incremental		Incremental	Incrementa
		ļ.	ì		1							Submitted	Charge -	Charge -	Charge -	Charge -
		1			1						1		Manual Svc	Manual Svc	Manual Svc	, -
		Interl	1_					DATEO(6)			Elec	Manually		1		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		""	l										Electronic-	Electronic-	Electronic-	Electronic-
		l											1st	Add'i	Disc 1st	Disc Add'l
			L											<u></u>	<u> </u>	L
			l i		<u> </u>		Nonrec		Nonrecurring					Rates(\$)	·	·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry													ļ		1
1	& facility reservation - Zone 1		1	UAL.	UAL2X	11.23	44.69	31.55	0.00	0.00	L					
	2 Wire Unbundled ADSL Loop including manual service inquiry			······································												
Į.	& facility reservation - Zone 2)	2	UAL	UAL2X	12,97	44.69	31.55	0.00	0.00	1					
	2 Wire Unbundled ADSL Loop including manual service inquiry		 		 					·						
4	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		+													
l l	facility reservation - Zone 1		1 .	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00				1	1	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		 '	OAL	UNLEVV	71.20	44.00	01.55	0.00	- 0.00						1
1		1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	!					l
	facility reservaton - Zone 2	——		UAL	UALZVV	12.97	44,03	31,33	0.60	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &					00.00	44,69	31.55	0.00	0.00	i		1			1
	facility reservaton - Zone 3	<u></u>	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00					 	+
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								 		ļ	 	 	+
	2 Wire Unbundled HDSL Loop including manual service inquiry	l									Ì				Į.	1
	& facility reservation - Zone 1	L	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00	L					+
	2 Wire Unbundled HDSL Loop including manual service inquiry										1					
1	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00				<u> </u>	ļ	
	2 Wire Unbundled HDSL Loop including manual service inquiry		T									i		ł	ļ	
	& facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00					L	
	2 Wire Unbundled HDSL Loop without manual service inquiry		1												1	
1	and facility reservation - Zone 1		1 1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	1	į į	į			
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	+	<u> </u>												
[and facility reservation - Zone 2	ĺ	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00	l	i	l	ł	ł	1
	2 Wire Unbundled HDSL Loop without manual service inquiry	├──	 -	OTIL	CI ICE.VV	0.00	77.00	01.00	0.00						1	
1 1		!	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00	İ		l	1	ì	ļ
	and facility reservation - Zone 3	TID1 =		UNL	UNLZVV	14,40	44.03	31.33	0.00	0.00	 			 -	 	
4-WIH	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	HIBLE	LOOP		 										 	
	4 Wire Unbundled HDSL Loop including manual service inquiry			l			44.00	04.55		0,00		,	i	1	1	
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0,00				 		
	4-Wire Unbundled HDSt, Loop including manual service inquiry	1	1			l i					i				1	
1 1_	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00				<u> </u>		
	4-Wire Unbundled HDSL Loop including manual service inquiry]							ł					1		
1 1	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00	1	<u> </u>	Ĺ	<u> </u>	<u> </u>	
	4-Wire Unbundled HDSL Loop without manual service inquiry		T								ļ	!		i	1	1
	and facility reservation - Zone 1	1	1 1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00	L					1
 	4-Wire Unbundled HDSL Loop without manual service inquiry	1	 													
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00		!		l	<u> </u>	
	4-Wire Unbundled HDSL Loop without manual service inquiry		 -				··· ·····			~~~~					1	1
	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00	ļ		l .		1	i
4.445	IE DS1 DIGITAL LOOP	┼		Orac.	- OTIL-TVV	10.07	11.55	01.00	0.00		 					
4-41		+	+	USL	USLXX	49.41	211.72	72.42	38.20	7.19			1			
 	4-Wire DS1 Digital Loop - Zone 1				USLXX	52.55	211.72	72.42	38.20	7.19		 	t	1	1	1
 	4-Wire DS1 Digital Loop - Zone 2	 		USL			211.72	72.42	38.20	7.19	 	 	 	 	 	1
L———	4-Wire DS1 Digital Loop - Zone 3	 	3	USL	USLXX	68.40	211./2	12.42	36.20	7.19	 		 	 	 	
1 1	Switch-as-is Conversion rate per UNE Loop, Single LSR (per		1	l	l					l	l	1		1	1	1
	DS1)*	1	1	USL	URESL		5.69	5.69	ļ	ļ			 	 	 	+
I T	Switch-as-is Conversion rate per UNE Loop, Spreadsheet (per	1	1			i		1	ļ	1	1		ì	i	!	1
1	DS1)*	<u> </u>	Ĺ	USL	URESP		5,69	5.69			ļ	<u> </u>		ļ	1	
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP								L	L	1	<u> </u>	ļ			+
· · · · · · · · · · · · · · · · · · ·	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	T	1	UDL	UDL2X	25,81	196.47	36,96	18.80		L	ļ		<u> </u>		
 	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	T	2	UDL	UDL2X	31.54	196.47	36.96	18.80				L.	<u> </u>		
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	1		UDL	UDL2X	42.38	196.47	36.96	18.80	7.19	L	1			L	1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	 		UDL.	UDL4X	25.81	196,47	36.96	18.80							
h	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	\vdash		UDL	UDL4X	31.54	196,47	36.96	18.80	7.19	1				1	
 	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		UDL	UDL4X	42.38	196.47	36.96		7.19	· · · · · · · · · · · · · · · · · · ·	T	T			
 	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		UDL	UDL9X	25.81	196.47	36.96			 	1	1	 	1	T .
 		+		UDL	UDL9X	31.54	196.47	36,96					†	 	 	7
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+				42.38	196.47	36.96				 	 	 	1	1
<u> </u>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	 		UDL	UDL9X		196.47	36.96				 	+	 	1	1
 	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	25.81						+	 		†	+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1		UDL	UDL19	31.54	196.47	36.96				 	 	+	 	+
I I	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	42.38	196.47	36.96	18.80	7.19	<u> </u>					

IINBIIN	DI FI	D NETWORK ELEMENTS - Georgia												Attachement	2 Exh: A	1	1
UNBUN	ULEI	NETWORK ELEMENTS - Georgia		Τ		·/						Svc Order	Svc Order		,	Incremental	Incremental
ĺ						1							Submitted	Charge -	Charge -	Charge -	Charge -
ĺ		i		i		1						Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGOR	RV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OATEGO.		THATE ELLINEATIO	m			}						percon	par Luit				Electronic-
İ				l		1 !								Electronic-	Electronic-	Electronic-	
1				i		1								1st	Add'l	Disc 1st	Disc Add'l
						-		Nonrec	velma	Nonrecurring	Disconnect	 	L	220	Rates(\$)	<u> </u>	
\vdash				-				First	Add'l	First	Add'I	COLLEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 M C 1		1	1101	LIDI CC	Rec					SOMEC	SUMAN	SUMAN	SOMAN	JOMAN	JOWAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ	1 1	UDL	UDL56	25.81	196.47	36.96	18.80	7,19	ļ					
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.54	196.47	36.96	18.80	7.19	ļ				ļ	
L		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	42.38	196.47	36.96	18.80	7.19						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.81	196.47	36.96	18.80	7.19						ļ
$\sqcup \sqcup$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.54	196.47	36.96	18.80	7.19						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	42.38	196.47	36.96	18.80	7.19						1
		Switch-as-is Conversion rate per UNE Loop, Single LSR (per		I												l :	1
1 1		D\$0)*		l	UDL	URESL		5.69	5.69								
		Switch-as-is Conversion rate per UNE Loop, Spreadsheet (per				1											
1		DS0)*		1	UDL.	URESP		5.69	5.69								
19.	WIRF	Unbundled COPPER LOOP										1					1
 	,	2-Wire Unbundled Copper Loop-Designed including manual	 	t		 						1			· · · · · · · · · · · · · · · · · · ·	l	1
(I		service inquiry & facility reservation - Zone 1	l	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00	I			1	1	
 		2-Wire Unbundled Copper Loop-Designed including manual		- 		1005, 0	12.02	44.03	01.33	¥.007	0.00	 			 	 	
			1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00				l	1	l
		service inquiry & facility reservation - Zone 2	<u> </u>	<u> </u>	UUL	JULLED	13.88	44.69	31.55	0.00	0.00	 					
		2 Wire Unbundled Copper Loop-Designed including manual		١ ,		Lucian		44.55		ا مما					l		
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00	ļ			ļ		
		2-Wire Unbundled Copper Loop-Designed without manual				1											
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						ļ
1 1		2-Wire Unbundled Copper Loop-Designed without manual				1		1									ì
i i		service inquiry and facility reservation - Zone 2	ĺ	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															1
1 1		service inquiry and facility reservation - Zone 3	i	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.90	18.90								
4-		COPPER LOOP		1		1											
 	*****	4-Wire Copper Loop-Designed including manual service inquiry		 	·····	1											
1 1		and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00		i				1
		4-Wire Copper Loop-Designed including manual service inquiry				TOOL40	10.00		01.55	V.00	0.00	·					· · · · · · · · · · · · · · · · · · ·
1 1			l	2	LICI	UCL4S	19.22	44.69	31.55	0.00	0.00	1				1	1
		and facility reservation - Zone 2	ļ	2	UCL	UCL45	19.22	44.09	31.33	0.00	0.00	-					
1 1		4-Wire Copper Loop-Designed including manual service inquiry	1	١.	l						0.00	1				1	
		and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00	ļ		<u> </u>	ļ		
		4-Wire Copper Loop-Designed without manual service inquiry			1			ì					ļ				
		and facility reservation - Zone 1	L	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00	ļ					ļ
		4-Wire Copper Loop-Designed without manual service inquiry		1		1									ŀ	•	
1 1		and facility reservation - Zone 2		2	UCL	UCL4W	19,22	44.69	31.55	0.00	0,00						
		4-Wire Copper Loop-Designed without manual service inquiry											1		•	Į.	
1 1		and facility reservation - Zone 3		3	luct	UCL4W	30.55	44.69	31.55	0.00	0.00	i					ļ.,
		Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC		18.90	18,90							L	L
		the state of the s	I	1	UEA, UDN, UAL,	1											1
		Order Coordination for Specified Conversion Time (per LSR)	}	1	UHL, UDL, USL	OCOSL		57.73		i I		1	l		1		
UNE LOC	P CO	MMINGLING	—	 								1	T				
		DOP COMMINGLING (Loop as part of a Multi-bandwidth comm	ninalin	l arren	nement)	 						 	1		 	1	1
		ANALOG VOICE GRADE LOOP - COMMINGLING	I	3	30,1,3110					<u> </u>		 			<u> </u>		1
2·	ANILLE		 	├	 	+						 	 	 	 		1
{		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1 .	MITCHE	LIEALO	40.00	70 70	24.62	18.90	7.86	l .	1	l		l	1
\vdash		Ground Start Signaling - Zone 1	ļ	1	NTCVG	UEAL2	13.32	79.78	24.62	16.90	1.80	 			 	 	
1 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1				ł	
\sqcup		Ground Start Signaling - Zone 2	ļ	2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86			ļ		 	
[T		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	1	1							1	l	l	1	I	i
		Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	36.33	79.78	24.62	18,90	7.86	<u> </u>	L	L		 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	I	-	I -						l	1		1	1		1
1 1		Battery Signaling - Zone 1	<u></u>	1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86			L		ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	F	Ι									1		1	1	1
1		Battery Signaling - Zone 2	l	2	NTCVG	UEAR2	18.66	79.78	24.62	18.90	7.86	İ	L.	L	L	L	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	†- - -	T	1					l	1					1
1 1		Battery Signaling - Zone 3	1	3	NTCVG	UEAR2	36.33	79,78	24.62	18.90	7.86	1		1	_	 	L
1 1		Switch-as-is Conversion rate per UNE Loop, Single LSR (per		† <u>-</u>	1			12,72				†	1	1	1	1	
			1	i	I	ł	1			1	ı	1	ı	1	1	1	I
\vdash					INTCVG			5.60	5 60								
		DS0)* Switch-as-is Conversion rate per UNE Loop, Spreadsheet (per	ļ		NTCVG	URESL		5.69	5.69			 		·	 		———

UNBUNDLED N	ETWORK ELEMENTS - Georgia												Attachement			
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			 -				Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)	1,	
	***************************************		 		 	Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE AN	ALOG VOICE GRADE LOOP		t													
[4-W	/ire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	21.04	92.92	28.14	19.50	8.12					1	
	/ire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	24.49	92.92	28.14	19.50	8.12						
4-W	/ire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12						
Swit	tch-as-is Conversion rate per UNE Loop, Single LSR (per															
DSC	0)*		1	NTCVG	URESL		5.69	5.69							i	<u> </u>
Swit	tch-as-is Conversion rate per UNE Loop, Spreadsheet (per															
DSC			1	NTCVG	URESP		5.69	5.69								<u> </u>
4-WIRE DS1	1 DIGITAL LOOP - COMMINGLING															1
4-W	/ire DS1 Digital Loop - Zone 1			NTCD1	USLXX	49,41	211.72	72.42	38.20	7,19						
4-W	/ire DS1 Digital Loop - Zone 2			NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19					L	
	/ire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19					ļ	
	tch-as-is Conversion rate per UNE Loop, Single LSR (per												1		l	1
DS1			L	NTCD1	URESL		5.69	5.69					ļ			ļ
	tch-as-is Conversion rate per UNE Loop, Spreadsheet (per		1								ľ		1		1	l
DS1			<u> </u>	NTCD1	URESP		5.69	5.69					[ļ	<u> </u>
	2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	3	<u> </u>													
	/ire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	25.81	196.47	36.96	18.80	7.19			ļ			
	/ire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19						
	/ire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	42.38	196.47	36.96	18.80	7.19						
	/ire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	25.81	196.47	36.96	18.80	7.19			ļ			ļ
	/ire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19	ļ				ļ	
	/ire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19			ļ			
	/ire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	25.81	196.47	36.96	18.80	7.19						
	/ire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	31.54	196.47	36.96	18.80	7.19						
4 W	/ire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	42.38	196.47	36.96	18.80	7.19			<u> </u>			
	/ire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	25.81	196.47	36.96	18.80	7.19					ļ	ļ
	/ire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	31.54	196.47	36.96	18.80	7.19					 	
	/ire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	42.38	196.47	36.96	18.80	7,19					ļ	ļ
	/ire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	25.81	196.47	36.96	18.80	7.19		ļ				
	/ire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	31.54	196.47	36,96	18.80	7.19						}
	/ire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	42.38	196.47	36.96	18.80	7,19		ļ				
	/ire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	25.81	196.47	36.96	18.80	7.19 7.19		ļ	<u> </u>			
	/ire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	31.54	196.47	36.96	18.80		ļ					
4 W	/ire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19						
₋ .				NTCVG, NTCUD,			57.70				1		l			
	der Coordination for Specified Conversion Time (per LSR)		ļ	NTCD1	OCOSL	ļi	57.73		ļ			ļ				
	itch-as-is Conversion rate per UNE Loop, Single LSR (per		1	LITOUR .	Lucros		5.50	5.69				l .	1			}
DSC			 	NTCUD	URESL		5.69	5.09							 	
	itch-as-is Conversion rate per UNE Loop, Spreadsheet (per		1	NTCUD	unren	1	5.69	5.69				j				1
DSC			 	NICOD	URESP		3.69	3.69				-	 		 	
OOP MODIFICATI	ION			UAL. UHL. UCL.							 -		 		 	
1 1				UEQ, ULS, UEA,							Į.]			
	houndled Lean Medification Democrat of Lend Coils, A Mire			UEANL, UEPSR,	Į.				1		!		ì	1		
	bundled Loop Modification, Removal of Load Coils - 2 Wire r less than or equal to 18k ft, per Unbundled Loop	l	l.	UEPSB	ULM2L	l .	0.00	0.00			İ	l			Į.	
	bundled Loop Modification Removal of Load Coils - 4 Wire		├	UEFSB	ULIVIZE	<u> </u>	0.00	0.00					 		 	1
	s than or equal to 18K ft, per Unbundled Loop		l	UHL, UCL, UEA	ULM4L		0.00	0.00				1		•	}	i
less	s man or equal to Ton It, per Oribundied Loop		 	UAL, UHL, UCL,	OLIVAL.	 	0.00	0.00							1	
			1	UEQ, ULS, UEA,	1				!			1	I			1
Link	bundled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,	1				1		1		1	1		1
	Unbundled Loop	l		UEPSB	ULMBT	j	17.91		i			1		I		
UB-LOOPS	Onbunded 100b	├	 	00, 00	- CLIVID!	 	.,,,,,,,		 			 	1	 		1
	Distribution	 	1	 	+	l					† ···	1		T	T	T
	b-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		 	 		 							 	l	1	1
Up		l	1	UEANL, UEF	USBSA	[255.51		l		1		1	1		
- Op			 	, OC. 1116, OC.	150001				 		 		†		T	T
1 1	b-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL, UEF	USBSB	,	7.29			I	1	}	I	1	i	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachement	2 Exh: A		
	1		1	T							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
			i		1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	DATE ELEMENTS	Interi	7	BCS	usoc			RATES(\$)								•
ATEGORY	RATE ELEMENTS	m	Zone	865	usuc			NA 1 E3(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	ļ .		ļ		1 1							i	Electronic-	Electronic-	Electronic-	Electronic-
]		1								1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>								l	L	<u></u>	L	l
			ļ	<u> </u>		L	Nonrec		Nonrecurring					Rates(\$)		
			ļ			Rec	First	Addʻi	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	Sub-Loop - Per Building Equipment Room - CLEC Feeder						j				1			1		l
	Facility Set-Up		L	UEANL	USBSC		174.92									
į	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			1	1								l .			Ì
	Set-Up			UEANL	USBSD		51.56									
1	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		l .]							l
	and Spare Loop Activation			UEANL	USBRC	3.71	28.43	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation		ĺ	UEANL	USBRD	7.90	31.04	4.79	2.27	0.01				i		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop															
	Zone 1		1 1	UEANL	USBN2	7.45	28.43	3.85	2.20	0.01				l		ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-		1300.72		20.70	2.00		5.01						
ı	Zone 3		3	UEANL	USBN2	21.46	28.43	3.85	2.20	0.01						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			CLANE	000142	21.40	20.43	5.05		0.01				 		
1	Zone 1		1	UEANL	USBN4	6.91	31.04	4.79	2.27	0,01				1		1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		 '-	UEAINL	USBINA	0.91	31.04	4.75	2.21	0,01						ļ
			١.,	UEANL	USBN4	10.98	31,04	4.79	2.27	0.01		1	ĺ.			
	Zone 2		2	UEANL	USBN4	10,98	31,04	4.79	2.21	0.01				ļ		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				I					0.04	i			1		
	Zone 3		3	UEANL	USBN4	20.32	31.04	4.79	2.27	0.01						
			l	i												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		18.90	18.90								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.71	28.43	3.85	2.20	0.01						
i	!		ļ		1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		18.90	18.90								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.90	31.04	4.79	2.27	0.01						
			1											I		
l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ĺ	UEANL	USBMC	1	18.90	18.90					!			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.88	28,43	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.32	28.43	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	10.26	28.43	3.85	2.20	0.01						
								,		· · · · · · · · · · · · · · · · · · ·						
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	1	18.90	18.90			[ŀ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.55	31.04	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	7.12	31.04	4.79	2.27	0.01		-				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	10.26	31.04	4.79	2.27	0.01						
	Title depper difference due goop plantation. Zone d		 	00.	10001/	10.50				0.01						
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	ĺ	18.90	18.90							1	l
Linhur	ndled Sub-Loop Modification			JOLI	CODIVIC		10.50	10.50								· · · · · · · · · · · · · · · · · · ·
Ulibai	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		 													
1				UEF	ULM2X		0.00	0,00								
	Coil/Equip Removal per 2-W PR			UEF	ULNIZA		0,00	0,00	ļi					ļ		
1	Unbundled Sub-loop Modification - 4-W Copper Dist Load		ł		1							l .	i	!		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								ļ
	Unbundled Loop Modification, Removal of bridge Tap, per													1		
	unbundled loop			UEF	ULMBT		0,00	0.00	ļ			ļ				ļ <u>-</u>
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.5325	25.10	12.27								
Netwo	rk Interface Device (NID)										L			L		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.82	20.67			L				L	L
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		55.97	43.82					1			
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45							L	
1	Network Interface Device Cross Connect - 4W		T	UENTW	UNDC4		2.45	2.45								
OOP MAKE-			T	1					1			T	I			1
1	Loop Makeup - Preordering Without Reservation, per working or		T		1				1		1		1	I		I
	spare facility queried (Manual).	l	1	UMK	UMKLW	l	15.18	15.18	1		Į.	l	ł	I	1	I
	Loop Makeup - Preordering With Reservation, per spare facility		 	 	O VEVV		13.10	10.10	 		 	 	!		 	
i	queried (Manual).	l	1	UMK	UMKLP		19.83	19.83	1		I	1	i	i	1	I
	[quency (ivanigal).	1	1	LOINIU	DIVINLE		15.00	15.00	ļ		L					
	Loop MakeupWith or Without Reservation, per working or			1	1 1				ł i	,		1	l .	1	ł	

UNBUNDLE	NETWORK ELEMENTS - Georgia												Attachement	2 Evh. A	[
UNBUNDLEL	O NET WORK ELEMENTS - Georgia	T									Eug Order	Sua Ordar	Incremental		Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted		Charge -	Charge -	Charge -
		 	 		 		Nonrec	urring	Nonrecurring	Disconnect	 	L	OSS	Rates(\$)		
		1				Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SPLITTIN																
	SER ORDERING-CENTRAL OFFICE BASED	L	1								ļ				ļ	
	Line Splitting - per line activation BST owned - physical	<u> </u>	—	UEPSR UEPSB	UREBP	0.0197	34.43	22.35	10.38	7.34	ļ					
DHAGIC	Line Splitting - per line activation BST owned - virtual		 -	UEPSR UEPSB	UREBV	0.0188	34.43	22.35	10.38	7.34	 					
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		-								 					
	Splitting		1	UEPSR UEPSB	PE1LS	0.0202	0.00	0.00								ı
	L COLLOCATION		 	our oir ocrop	1 - 1 - 1	9:0202		- 5.00			 					
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	ļ —			1						· · · · · · · · · · · · · · · · · · ·					
	Splitting	<u> </u>	<u> </u>	UEPSR UEPSB	VE1LS	0.0192	0.00	0.00	0.00	0.00						<u> </u>
	EDICATED TRANSPORT															ļ
	OFFICE CHANNEL - DEDICATED TRANSPORT	ļ	ļ		41 500	20055				L	 	L	ļ	 	ļ	ļ
	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination		+	U1TVX U1TVX	1L5XX U1TV2	0.0059 13.15	48.41	19.46	16.56	4,99	 			 	ļ	
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat, - per mile	 	┼─	UTTVX	1L5XX	0.0059	48.41	19.46	10.50	4.99	ļ					
	interonice Chariner - 2-Wire Voice Grade nev Bat per fille	 	 	UTIVA	ILDAX	0.0059					 				 	
]	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination		1	U1TVX	U1TR2	13.15	48.41	19.46	16.56	4.99	1				1	ĺ
	Interoffice Channel - 4-Wire Voice Grade - per mile		 -	U1TVX	1L5XX	0.0059		75,15			1					
			-								† - -					
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		1	U1TVX	U1TV4	11.01	48.41	19.46	16.56	4.99	l					L
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0059										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	8.00	48.41	19.46	16.56	4.99	<u> </u>					
	Interoffice Channel - 64 kbps - per mile			UITDX	1L5XX	0.0059					ļ	ļ				
	Interoffice Channel - 64 kbps - Facility Termination		ļ	UITOX	U1TD6	8.00	48,41	19,46	16.56	4.99	ļ			ļ		
	Interoffice Channel - DS1 - per mile	ļ	ļ	U1TD1	1L5XX	0.1199	110.92		31.33	21.71	ļ				ļ	
	Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile		-	U1TD1 U1TD3	U1TF1 1L5XX	34.93 2.63	110.92	80.20	31.33	21.71	 					
	Interoffice Channel - DS3 - Facility Termination	├	┼	U1TD3	UITE3	349.42	320.16	86.24	66.71	52.76	 			 		
	Interoffice Channel - STS-1 - per mile	 -	 	UITSI	IL5XX	2.63	520.10	30,24	30.77	32.70	 			 		
	Interoffice Channel - STS-1 - Facility Termination		 	U1TS1	U1TFS	366.43	320.16	86.24	66.71	52.76				····		
	DLED DARK FIBER		†		1						1					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	·	—													
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24,17					L					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per													1		l
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,774.79	89.66	73.57	18.69	ļ			ļ		
	Y UNBUNDLED LOCAL LOOP		 								 				ļ	
	FS-1 UNBUNDLED LOCAL LOOP - Stand Alone DS3 Unbundled Local Loop - per mile		 	UE3	1L5ND	11.40					 					
	DS3 Unbundled Local Loop - Pacifity Termination		+	UE3	UE3PX	258,44	1,751.51	131.77	112.80	75.81	 					
	STS-1Unbundled Local Loop - per mile	 	_	UDLSX	1L5ND	11.40	- 1,1.00		7.2.00		··				1	
	STS-1 Unbundled Local Loop - Facility Termination		1	UDLSX	UDLS1	311.51	1,751.51	131.77	112.80	75.81	†					
ENHANCED EX	TENDED LINK (EELs)										T					
Networl	k Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1	I		UNCVX	UEAL2	13.32	195.75	36.35	18.40	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	18.66	195.75	36.35	18.40	6.86				ļ. <u>. </u>	<u> </u>	
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.33	195.75	36.35	18.40	6.86		ļ		 		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	 	1	UNCVX	UEAL4	21.04 24.49	195.75 195.75	36.35	18.40 18.40	6.86 6.86			ļ	 	 	
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	3	UNCVX	UEAL4 UEAL4	33.40	195.75	36.35 36.35	18.40	6.86		 		 	 	
	2-Wire ISDN Loop in Combination - Zone 3	 	1	UNCNX	U1L2X	21.89	195.75	36.35	18.40	6.86			 	 	 	
	2-Wire ISDN Loop in Combination - Zone 2	 	1 2	UNCNX	U1L2X	25.27	195.75	36.35	18.40	6.86			 	 	1	t
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	40,17	195.75	36.35	18.40	6,86		<u> </u>	<u> </u>	1	1	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	25.81	195.75	36.35		6.86				1		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.54	195.75	36.35	18.40	6,86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	42.38	195.75	36.35	18.40	6.86					J	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCOX	UDL64	25.81	195.75	36.35	18,40	6.86					ļ	<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	31.54	195.75	36.35	18.40	6.86		<u> </u>	ļ	<u> </u>	ļ	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	.		UNCDX	UDL64	42.38	195.75	36.35	18.40	6.86		<u> </u>	L	ļ		
1 1	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	49.41	209.25	70.37	37.87	6.86	L	L	L	1	<u> </u>	1

CCCS 15 of 24

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachement	2 Exh: A	l	
			T	T							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	1	1	1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)						Order vs.	Order vs.	Order vs.
CATEGORY	HATE ELEMENTS	m	20116	503	0300			HAT LO(\$)			per LSR	per LSR	Order vs.		1	
		1			1 1						1		Electronic-	Electronic-	Electronic-	Electronic-
					1						1		1st	Add'l	Disc 1st	Disc Add'l
			 				Nonrec		Nonrecurring	Disconnect	 	L	000	Rates(\$)	·	L
		ļ				Rec	First	Add'i	First	Add'i	POWER	SOMAN		SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2	 	 	UNC1X	USLXX					6,86	SUMEC	SUMAN	JOWAN	JUMAN	JOWAN	SOMAN
		ļ				52.55	209,25	70.37	37.87		 					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	68.40	209,25	70.37	37.87	6.86	L			ļ		
	DS3 Local Loop in combination - per mile		<u> </u>	UNC3X	1L5ND	11.40	4.050.00	000.00	14 10	20.74				ļ	ļ	
	DS3 Local Loop in combination - Facility Termination		 -	UNC3X	UE3PX	258.44	1,259.23	628.22	41,49	20,74		ļ				ļ
	STS-1 Local Loop in combination - per mile		ļ	UNCSX	1L5ND	11.40					ļ					
	STS-1 Local Loop in combination - Facility Termination		ļ	UNCSX	UDLS1	311.51	1,259.23	628.22	41.49	20.74		ļ				
	Interoffice Channel in combination - 2-wire VG - per mile		<u> </u>	UNCVX	1L5XX	0.0059										ļ
	Interoffice Channel in combination - 2-wire VG - Facility		1												1	İ
	Termination		L	UNCVX	U1TV2	13.15	66.47	33.57	43.38	27.57	<u> </u>					
	Interoffice Channel in combination - 4-wire VG - per mile	L		UNCVX	1L5XX	0.0059									ļ	ļ
{	Interoffice Channel in combination - 4-wire VG - Facility	ĺ	ĺ	1	1 1	1	ì		ł i		l	1	ł	l	}	1
	Termination	L		UNCVX	U1TV4	11.01	66,47	33,57	43.38	27.57			L			
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0059								i		L
1	Interoffice Channel in combination - 4-wire 56 kbps - Facility			1							I			1	I	1
1	Termination		l	UNCDX	U1TD5	8.00	66,47	3 3,57	43.38	27.57						L
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0059										L
	Interoffice Channel in combination - 4-wire 64 kbps - Facility				1						1					1
ĺ	Termination	l	l	UNCDX	U1TD6	8.00	66.47	33.57	43.38	27.57				Ì		1
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1199								1		
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	34.93	87.67	45.69	43.76	27.95						
	Interoffice Channel in combination - DS3 - per mile		 -	UNC3X	1L5XX	2.63										
	Interoffice Channel in combination - DS3 - Facility Termination		1	UNC3X	U1TF3	349.42	325.59	76,99	49.51	32.85						
	Interoffice Channel in combination - STS-1 - per mile	·		UNCSX	1L5XX	2.63					1					
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	UITES	366,43	325.59	76.99	49.51	32.85						
ADDITIONAL	NETWORK ELEMENTS		 		1											
Optio	onal Features & Functions;		!	 	1											
	DS1/DS0 Channel System		1	UNC1X	MQ1	71.23	86.01	0,00	0.00	0.00						
	DS3/DS1Channel System	-		UNC3X, UNCSX	MQ3	124.39	0.00	0.00	0.00	0.00						
	Voice Grade COCI in combination		†	UNCVX	1D1VG	0.479	27,30	2.90	16.85	1.04	 		·			
	Voice Grade COCI - for Stand Alone Local Loop		1	UEA	1D1VG	0.479	27.30	2,90	16.85	1.04						
	Voice Grade COCI - for connection to a channelized DS1 Local		_		·											
	Channel in the same SWC as collocation	Į.	1	UITUC	1D1VG	0.479	27.30	2.90	16.85	1.04	1		ļ			
	OCU-DP GOCI (2.4-64kbs) in combination	 	1	UNCDX	1D1DD	1.02	27.30	2.90	16.85	1,04	····					
	OCU-DP COCI (2,4-64kbs) - for Stand Alone Local Loop	l	 	UDL	1D1DD	1.02	27.30	2.90	16.85	1.04	1					
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized		 		1.5.						1		·			
	DS1 Local Channel in the same SWC as collocation	1	1	U1TUD	10100	1.02	27.30	2.90	16.85	1.04			ļ			İ
	2-wire ISDN COCI (BRITE) in combination		1	UNCNX	UC1CA	1.70	27.30	2.90	16.85	1.04			· · · · · · · · · · · · · · · · · · ·			
	2-wire ISDN COCI (BRITE) - for a Local Loop	 	 	UDN	UC1CA	1.70	27.30	2.90		1.04						
	2-wire ISDN COCI (BRITE) - for connection to a channelized	 	 -		1						· · · · · · · · · · · · · · · · · · ·					
	DS1 Local Channel in the same SWC as collocation	1	1	UITUB	UC1CA	1,70	27.30	2.90	16.85	1.04	ł	i i	Í	ì	ł	l
	DS1 COCI in combination		 -	UNC1X	UC1D1	7.50	27,30	2.90		1.04					 	
	DS1 COCI - for Stand Alone Local Channel		 	ULDD1	UC1D1	7.50	27.30	2.90		1.04	 				·	
	DS1 COCI - for Stand Alone Interoffice Channel		 	UITDI	UC1D1	7.50	27.30	2.90		1.04				 		·
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	7.50	27.30	2.90	16.85	1.04	 					
	DS1 COCI - for stand Alone Local Loop DS1 COCI - for connection to a channelized DS1 Local Channel	 	 	USL	OCIDI .	7.30	21.30	2.90	10.63	1.04	 				 	
	in the same SWC as collocation		l	U1TUA	UC1D1	7.50	27.30	2,90	16.85	1.04	ĺ	[Í	İ	i	1
	in the same SWC as conocation		╄—-	UNCVX, UTTVX,	100101	7.50	21.30	2,90	10.63	1.04	 -					
		l			į l					1	1				1	ł
l l				UNCDX, U1TDX, UNC1X.					1			Ì				Į.
ì		1	ì	U1TD1.UNC3X.							į.					İ
1	1	l	1		1 .				1	1	1]	ļ.	J	}	J
I		l	1	U1TD3, UNCSX,	1 !]	1	1	l	1	1	ł
	NAME OF THE PARTY		ł	U1TS1,	1,,,,,,,,						1	i		1	Į.	1
	Wholesale to UNE, Switch-As-Is Conversion Charge*		 	UDF,UDFCX	UNCCC		5.69	5.69	6.60	6.60	ļ		ļ		<u> </u>	
Acce	as to DCS - Customer Reconfiguration (FlexServ)	ļ	 						ļ	ļ		ļ	ļ		 	
	Customer Reconfiguration Establishment	ļ	 —-	ļ,			1.40		1.63	L	ļ	!	ļ	ļ	 	
	DS1 DCS Termination with DS0 Switching	<u> </u>				20.08	24.87	18.91	15.02	11.94		<u> </u>	ļ		J	
	DS1 DCS Termination with DS1 Switching	ļ	1	ļ <u>.</u>		7.24	18.16	12.19	11.13	8.05	ļ	ļ			ļ	
LL	DS3 DCS Termination with DS1 Switching					128.34	24.87	18.91	15.02	11.94						
COMMINGLI	NG	1	1	1	1						1				<u> </u>	<u> </u>

JNBUNDLE	NETWORK ELEMENTS - Georgia											i	Attachement	2 Exh: A	1	į.
		T	Τ		1	Τ					Svc Order	Svc Order	Incremental	incremental	incremental	Increment
(1	Į		1	ì						Submitted	Charge -	Charge -	Charge -	Charge
J		ì	1		1	(1 1		, -		Manual S
ATEGORY	RATE ELEMENTS	Interl	70-0	BCS	usoc	1		RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		
AIEGONT	HATE ELEMENTS	m	Zone	BCS	usoc	1		HATES(3)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		1	1		1	ļ						(i	Electronic-	Electronic-	Electronic-	Electronic
J		1			(ĺ					1		1st	Add'l	Disc 1st	Disc Add
														L	1	
]	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Commi	ngled (UNE part of single bandwidth circuit)															
	Commingled VG COCI			XDV2X, NTCVG	1D1VG	0.479	27.30	2.90	16.85	1.04						
	Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.02	27.30	2.90	16.85	1.04						
	Commingled ISDN COCI			XDD4X	UC1CA	1.70	27.30	2.90	16.85	1.04						
	Commingled 2-wire VG Interoffice Channel	1		XDV2X	U1TV2	13.15	66.47	33.57	43.38	27.57						
	Commingled 4-wire VG Interoffice Channel		 	XDV6X	U1TV4	11.01	66.47	33.57	43.38	27.57					 	
	Commingled 56kbps Interoffice Channel	+		XDD4X	U1TD5	8.00	66.47	33.57	43.38	27.57						
	Commingled 64kbps Interoffice Channel	 	-	XDD4X	U1TD6	8.00	66.47	33.57	43.38	27.57						
	Comminged Oakopa Interoffice Chamier	 			101106	0,00	00.47	33.37	43,30	21.31						
	Commingled VG/DS0 Intereffice Channel Mileura	ĺ	1	XDV2X, XDV6X,	LI EVY	ا مصحما			j ļ						1	1
	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0059		20.5-	<u> </u>					ļ	ļ	
	Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	13,32	195.75	36.35	18.40	6.86						
	Commingled 2-wire Local Loop Zone 2	<u> </u>		XDASX	UEAL2	18,66	195.75	36.35	18.40	6.86						
	Commingled 2-wire Local Loop Zone 3		3	XDV5X	UEAL2	36.33	195.75	36.35	18,40	6.86					1	L
	Commingled 4-wire Local Loop Zone 1	L		XDV6X	UEAL4	21,04	195.75	36.35	18.40	6,86				L		
	Commingled 4-wire Local Loop Zone 2	l	2	XDV6X	UEAL4	24.49	195.75	36.35	18.40	6,86						
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	33.40	195.75	36.35	18.40	6.86						
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	25.81	195.75	36,35	18.40	6.86						
	Commingled 56kbps Local Loop Zone 2	1	2	XDD4X	UDL56	31,54	195,75	36.35	18.40	6.86						
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	42,38	195,75	36.35	18.40	6.86						
	Commingled 64kbps Local Loop Zone 1	 		XDD4X	UDL64	25.81	195.75	36.35	18.40	6.86						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.54	195,75	36.35	18.40	6.86						
	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	42.38	195.75	36.35	18.40	6.86						
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	21,89	195.75	36.35	18.40	6.86						
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	25.27	195.75	36.35	18.40	6.86					 	
	Commingled ISDN Local Loop Zone 3	-				40.17		36.35	18.40							
			3	XDD4X	U1L2X		195.75			6.86						
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	7.50	27.30	2.90	16.85	1.04						
	Commingled DS1 Interoffice Channel		ļ	XDH1X	U1TF1	34.93	87.67	45.69	43.76	27.95						
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1199										
	Commingled DS1/DS0 Channel System	L		XDH1X	MQ1	71.23	86.01	0.00	0.00	0.00						
	Commingled DS1 Local Loop Zone 1	L	1	XDH1X	USLXX	49.41	209.25	70.37	37.87	6.86						-
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	52.55	209.25	70.37	37.87	6.86					L	
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	68.40	209.25	70.37	37.87	6.86						1
	Commingled DS3 Local Loop			HFQC6	UE3PX	258.44	1,751.51	131.77	112.80	75.81						
	Commingled DS3/STS-1 Local Loop Mileage	1		HFQC6, HFRST	1L5ND	11.40										
	Commingled STS-1 Local Loop	·		HFRST	UDLS1	311.51	1,751.51	131,77	112.80	75.81						
	Commingled DS3/DS1 Channel System	 	-	HFQC6	MQ3	124.39	0.00	0.00	0.00	0.00						
	Commingled DS3 Interoffice Channel	 	-	HFQC6	U1TF3	349.42	325.59	76.99	49.51	32.85						
	Commingled DS3 Interoffice Channel Mileage	 		HFQC6	1L5XX	2.63	323.33	70.33	43.31	32.03						
	Commingled STS-1Interoffice Channel	 		HFRST	UITES	366.43	325.59	76.99	49.51	32.85						
		-	Ļ				323.39	70.99	49.51	32.65					ļ	
	Commingled STS-1Interoffice Channel Mileage		<u> </u>	HFRST	1L5XX	2.63										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber]	1			1			1		i i	1 1			}	ı
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.17										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber]			1										,	ı
	Strands, Per Route Mile Or Fraction Thereof	L	L !	HEQDL	UDF14	L l	1,774.79	89.66	73.57	18.69					l	
GNALING (CO			L													
NOTE:	bk" beside a rate indicates that the parties have agreed to bit	l and ke	ep for	that element pursua	ant to the terr	ns and condition	ns in Attachm	ent 3.								
	CCS7 Signaling Usage, Per TCAP Message				1	0.0000536								[
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)				1	.0000134bk										
IP Query Sen		 	 		 	.0000.010								 	 	
	LNP Charge Per query	 	 		†	0.0008227										
	LNP Service Establishment Manual	 	-		+	0.0000221	12.47		11.07		-					
	LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment				 		574.30	202.22		101.70	ļ					
_1 _1	Switch-as-is rates are only applicable if agreement is TRO/T	L		L		L	5/4.30	293.39	251.23	184.73	l					L

UNBUN	DLE	D NETWORK ELEMENTS - Georgia													Exh: B		
CATEGOR	Rγ	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					·		Rec	Nonre	urring	Nonrecurring	Disconnect				Rates (\$)		
	-						Nec	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
I I I I I I I I I I I I I I I I I I I		XCHANGE ACCESS LOOP	_									 			·		···
		XCHANGE ACCESS LOOP HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIDLE LA	1								 					
		2 Wire Unbundled HDSL Loop including manual service inquiry &	IBLE L	T								 			 		
.		facility reservation - Zone 1	1	1	UHL	UHL2X	9.06			ļ							l
		2 Wire Unbundled HDSL Loop including manual service inquiry &	1														ı
		facility reservation - Zone 2	1	2	UHL	UHL2X	10.45					ļ	Ĺ	L			
- 1		2 Wire Unbundled HDSL Loop including manual service inquiry &	Ι.	.	4 14 17		40.00				1	1		1			ĺ
		facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and	 '	3	UHL	UHL2X	16.65				 						
. 1		facility reservation - Zone 1	1 .	1	UHL	UHL2W	9.06										1
		2 Wire Unbundled HDSL Loop without manual service inquiry and	 			- OTALE VI	0.00								f		
		facility reservation - Zone 2	[1	2	UHL	UHL2W_	10.45				l	<u> </u>					
		2 Wire Unbundled HDSL Loop without manual service inquiry and		T]		1	· ·		1
_		facility reservation - Zone 3		3	UHL	UHL2W	16.65					ļ					ļ
4-		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT 4 Wire Unbundled HDSL Loop including manual service inquiry and	IBLE LO	400													
		facility reservation - Zone 1	١.	1	UHL	UHL4X	11,95										ĺ
		4-Wire Unbundled HDSL Loop including manual service inquiry and	 	1		OT LEAVE	77,00					<u> </u>					
		facility reservation - Zone 2	1	2	UHL	UHL4X_	13.80							l			
		4-Wire Unbundled HDSL Loop including manual service inquiry and										Ī		I			1
		facility reservation - Zone 3		3	UHL	UHL4X	21,93					ļ					
. 1		4-Wire Unbundled HDSL Loop without manual service inquiry and	Ι.	١. ١	UHL		11.95										i
		facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and	 	1	UHL	UHL4W	11.95				 	 		ļ	ļ		
. 1		facility reservation - Zone 2	l ,	2	UHL	UHL4W	13.80				ļ	ł		İ			ĺ
		4-Wire Unbundled HDSL Loop without manual service inquiry and	 	1		5											
		facility reservation - Zone 3	1	3	UHL	UHL4W	21,93			i		L		L			
4-		DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	56.62										
		4-Wire DS1 Digital Loop - Zone 2		3	USL USL	USLXX	60.43 78.66					 					
HIGH CAL	ACIT	4-Wire DS1 Digital Loop - Zone 3 Y UNBUNDLED LOCAL LOOP		1 3	USL	USLAA	/8.00					<u> </u>					
TIGH ON	7011	T DADDAD CED COOKE COOF	 	-													
	ļ	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		1	UE3	1L5ND	13.11			<u> </u>							
		High Capacity Unbundled Local Loop - DS3 - Facility Termination								1	1						1
		per month			UE3	UE3PX	297.21				L						
.				1	UDLOV	41 END	40.44				ļ	1		Ì	ŀ		1
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility	 	-	UDLSX	1L5ND	13,11							·			
. 1		Termination per month	i		UDLSX	UDL\$1	401.83			ļ					İ		
UNBUND		EDICATED TRANSPORT	<u> </u>								1						
IIN	TERC	FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per											1		1		1
		month	 		U1TD1	1L5XX	0.1379			ļ		 					
. 1		Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	U1TF1	40.17			1	ļ	1	Į		1		1
		Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	\vdash	+	UIIDI	UITT.	40.17			 	 	 	l				
. }		month	1	1	U1TD3	1L5XX	3.02		i	}	J	1	ļ	j	ļ	i	
	-	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1									l				1
	1	Termination per month	L		U1TD3	U1TF3	401.83										ļ
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1						1			l		ļ	1	1
		month	ļ	+	U1TS1	1L5XX	3.02		ļ	 	 	 		 		 	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination]		UITSI	UITES	421.39		}	}		1		1		1	
, 	NRUN	DLED DARK FIBER	 	+	V.1101	71175	421.39			†		 	† <u>-</u> -		<u> </u>		
,—— °		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	 	 	l	 	 			T	1		<u> </u>	T	T		
		Route Mile Or Fraction Thereof		1	UDF, UDFCX	1L5DF	27.80		i		<u></u>	L			<u> </u>		
ENHANC	ED EY	TENDED LINK (EEL a)									L	1					ļ
ENHANC	OTE:	The monthly recurring and non-recurring charges below will ap The monthly recurring and the Switch-As-Is Charge and not the	ply and	the Sw	itch-As-Is Charge will	not apply for	UNE combinat	ions provisions	d as ' Ordinari	y Combined' N	etwork Elemen	its.	ļ		ļ	 	}
IN		The monthly recurring and the Switch &e.le Chame and not the	non-re	curring	charges below will a	ply for UNE	combinations p	rovisioned as '	Currently Com	bined Network	(Elements.	1	1	1	<u> </u>	L	
N	OTE:	The monthly recurring and the Switch As is charge and not the			DEFINE TE	-	T							1	I .	1	
N	OTE: XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT 4-Wire DS1 Digital Loop in Combination - Zone 1	ED DS1	INTER	OFFICE TRANSPOR	USLXX	56.82					1			 		

UNBUN	DLE	D NETWORK ELEMENTS - Georgia											·····		Exh: B		
CATEGO			Interim	Zone	всѕ	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs, Electronic- Disc Add'i
· · · · · · · · · · · · · · · · · · ·			 	1				Nonn	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						1	Rec	First	Add'!	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66		Ι							L	1
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1379										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	40.17										
E	XTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE					L							<u> </u>	ļ <u> </u>
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.11						ļ <u>.</u>	ļ			ļ
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	297.21										ļ
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	3.02		ļ					ļ			
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	401.83		<u> </u>								
E	XTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF				····	ļ	<u> </u>		_					
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.11		<u> </u>	<u> </u>						ļ	
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										ļ <u></u>
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.02										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	421.39										<u></u>

COLLOCAT	ION - Georgia												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre First	curring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
			 		 	nec	Filat	Addi	гиз	Addi	SOMEC	SOMAII	SOMAN	JOWIAN	JOHAN	- SOMAN
PHYSICAL CO	LLOCATION		 		 	 			·		 	···	†			
Applica	ation											1				
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,284.72		0.59		1					
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,084.41		0.59							
Space	Preparation		Ļ	6. 6					ļ							
	Physical Collocation - Floor Space, per sq feet Physical Collocation - Space enclosure, welded wire, first 100			CLO	PE1PJ	4.71			 			ļ				
	square feet	1		CLO	PE1BW	167.00					1					1
	Physical Collocation - Space enclosure, welded wire, each		 -	020	7 2 1 2 1 2	707.00			1							
	additional 50 square feet	İ		CLO	PE1CW	16.38							ļ l			1
	Physical Collocation - Space Preparation - C.O. Modification per					1										
	square ft.	ļ		CLO	PE1SK	2.10										
	Physical Collocation - Space Preparation, Common Systems	Ì		CLO	PE1SL	2.27								ļ.		1
	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems		├	CLO	PEISL	2.21			·							
	Modifications-Caged, per cage	j	ĺ	CLO	PE1SM	77.24					i					1
	Physical Collocation - Space Preparation - Firm Order			020	T C TOW						- 					
l I	Processing		1	CLO	PE1SJ		140.96		1							
	Physical Collocation - Space Availability Report, per Central										T					
	Office Requested	ļ	ļ	CLO	PE1SR		248.50									<u> </u>
Power		ļ			ļ <u></u>	ļ										
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	4,84										l
	Physical Collocation - Power, 120V AC Power, Single Phase,		 	CLO	FEIFL	4,04			 		+					l
	per Breaker Amp		ļ	CLO	PE1FB	5,16										1
	Physical Collocation - Power, 240V AC Power, Single Phase,		· · · · ·		 		· · · · · · · · · · · · · · · · · · ·		1				1			
	per Breaker Amp		L	CLO	PE1FD	10.34										
	Physical Collocation - Power, 120V AC Power, Three Phase, per							ļ								ł
 	Breaker Amp			CLO	PE1FE	15,50										ļ
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	j	ł	CLO	PE1FG	35.79										1
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	 	CLO	reira	35.75			· · · · · · · ·		+	 				
0.000		T		UEANL,UEQ,			· · · · · · · · · · · · · · · · · · ·				 	h				
				UNCNX, UEA, UCL.		1 1				ļ	1			1		
				UAL, UHL, UDN,	Ī	1					1		i			i
	Physical Collocation - 2-wire cross-connect, loop, provisioning		ļ	UNCVX	PE1P2	0.0202										<u> </u>
	la de la la la la la la la la la la la la la	!	1	UEA, UHL, UNCVX,	05404	0.0400							1			l
	Physical Collocation - 4-wire cross-connect, loop, provisioning		├	WDS1L, WDS1S,	PE1P4	0.0403			ļ	ļ			ļ			
	ļ ·	1		UXTD1, ULDD1,					j				1			
				USLEL, UNLD1.	1											
				U1TD1, UNC1X,									1		!	
į				UEPSR. UEPSB,	1				1							
				UEPSE, UEPSP,		1								1		
	Physical Collocation -DS1 Cross-Connect for Physical		!	USL, UEPEX,	Į.]				1	ł	
	Collocation, provisioning		ļ	UEPDX	PE1P1	0.3807		ļ			-	ļ		ļ	ļ	
				UE3, U1TD3,							1	1				
		1		UXTD3, UXTS1, UNC3X, UNCSX,	İ	ļ										1
				ULDD3, U1TS1.		1			}							
				ULDS1, UNLD3,					1					1		
1				UEPEX, UEPDX,											1	
			1	UEPSR, UEPSB,]		1				
1	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	4.15		L	1	<u> </u>	1		L	L	L	L

COLL	OCATI	ION - Georgia												Attachment:	4 Exh B		
CATEG	ORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	 		ļ	ļ		ļ	ļ	Nonre		Nonrecurring					Rates(\$)		
			ļ	 	0.0.111500		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	1.76										
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	3.38										
				1	UEPSR, UEPSP.							l i					
		Physical Collocation 2-Wire Cross Connect, Port	l		UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0,0202							1			
	 	Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0202										
	Securit		├	 	OC. CA, OC. DD	Line	0,0403					 					
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE18T		16.51	10.82								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			cLO	PE1OT		21.90	14.17								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.29	17.53								
		Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.011										
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		21.98									, , , , , , , , , , , , , , , , , , , ,
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.37									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		16.99									
		Physical Collocation - Security Access - Initial Key, per Key		 	CLO	PETAK	 	13.19									
	 	Physical Collocation - Security Access - Key, Replace Lost or		 	<u>OLO</u>	I LIAN	 	13.19									
		Stolen Key, per Key		Ì	CLO	PE1AL	1	13.19									
	Cable I	Records - Note: The rates in the First & Additional columns wi	II actua	lly be t			ent S" respectiv	rety									
		Physical Collocation - Cable Records, per request		Ι΄.	CLO	PE1CR	7	1 742.92	S 477.59	125.63							
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		317.29		177.60							
		Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		1	a. a	25100											
	 	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO	 	4,47 2.22		5.29 2.62		ļ					
	 	Physical Collocation, Cable Records, DS1, per 11 TE			CLO	PE1C3	 	7.76		9.18		 					
		Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		83.37		73,49							
		Physical Collocation, Cable Records, CAT5/RJ45		—	CLO	PE1C5	1	2.22		2.62							
	Entran	ce Ćable				1											
		Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		736.20		21.49							
		Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	7.37										
		Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PE1EE	0.2686										
		Physical Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Collocation Space)			CLO	PE1EF		754.41		21.49							
		Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PE1EG		9.11	vi.····								
	L	LOCATION		 	ULU	PEIEG	 	9.11			L	ļ		L	ļ		ļ

COLLO	CATIO	ON - Georgia												Attachment:	4 Exh B		
	7	e worgid	·	1						<u> </u>	I	Svc Order		Incremental		Incremental	Incremental
			1	1									Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RAT	res(\$)		1	per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		· · · · · · · · · · · · · · · · · · ·	m			1000	Ì		(+)	1		per con	her can		Electronic-	Electronic-	Electronic-
				ŀ							ł	1		Electronic-	l		
	J										ŀ			1st	Add'i	Disc 1st	Disc Add'l
T		——————————————————————————————————————		 				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Applica	itlon															
		Virtual Collocation - Application Fee	1		AMTES	EAF		608.92		0.59							
S		Preparation															
		Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	4.71										
P	Power																
		Virtual Collocation - Power, per fused amp			AMTES	ESPAX	4.84										
C	Cross C	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	I													
				1	UEANL, UEA, UDN,												
	- 1		1	1	UAL, UHL, UCL,		1			İ		1			1		
			ĺ	1	UEQ, UNCVX,			1			ł			i			
		Virtual Collocation - 2-wire cross-connect, loop, provisioning	<u> </u>			UEAC2	0.0192										
					UEA, UHL, UCL,												
			l	l	UDL, UNCVX,			l						Į			
		Virtual Collocation - 4-wire cross-connect, loop, provisioning	L	L	UNCDX	UEAC4	0.0385							L	L		
T				1	ULR, UXTD1,										1		
	- 1		1	1	UNC1X, ULDD1,			l			l				[
			İ		U1TD1, USLEL,	i	1					1		ĺ			
		Virtual collocation - Special Access & UNE, cross-connect per	•		UNLD1, USL,												
		DS1				CNC1X	0.3807			_							
					USL, UE3, U1TD3,												
					UXTS1, UXTD3,			ĺ									
					UNC3X, UNCSX,							[l			
1 1	1		Ì	1	ULDD3, U1TS1,		1										
i 1		Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,		1									i	
		DS3		1	UNLD3	CND3X	4.15	i									
			1	1													
			l	1	UDL12, UDLO3,		}	1									
!			1	i	U1T48, U1T12,		i i]			
i i			1	l	U1TO3, ULDO3,							1		1			
		Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	1.76					l					
1 1	Ì		1	1	UDL12, UDLO3,						İ						
			}	ļ.	U1T48, U1T12,						į						
ļ ļ			ŀ	1	U1TO3, ULDO3,						!				İ		
LL		Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.53					L					
l F					UEPSX, UEPSB,				_					ŀ]		
			i		UEPSE, UEPSP,			i			l				l	']
		Virtual Collocation 2-Wire Cross Connect, Port	ļ	ļ	UEPSR, UEP2C	VE1R2	0.0192				<u> </u>		ļ.,				L
		Virtual Collocation 4-Wire Cross Connect, Port	L	Ļ		VE1R4	0.0385				 			ļ	ļ		ļ
		Records - Note: The rates in the First & Additional columns wi	II actua	ily be i			S" respective				ļ	 		ļ	ļ		ļ
 		Virtual Collocation Cable Records - per request		 	AMTES	VE1BA		742.92	477.59	125.63	ļ				ļ		
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable												1	1		1
\vdash		record	Ļ	ļ	AMTFS	VE1BB	 	317.29		177.60	ļ			ļ			
		Virtual Collocation Cable Records - VG/DS0 Cable, per each												1	l		
		100 pair		<u> </u>	AMTFS	VE1BC	L1	4.47		5.29	ļ		ļ		ļ		
		Virtual Collocation Cable Records - DS1, per T1TIE		ļ	AMTES	VE1BD	 	2.22		2.62	ļ	ļ	 	ļ	ļ		
 		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	ļ	7.76		9.18	ļ	<u> </u>		 			
j		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1								[1		1			
		records	ļ		AMTFS	VE1BF	ļ	83.37		73.49	ļ	ļ			ļ		ļ
 		Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE1B5		2.22		2.62	ļ		ļ	-	ļ		
ļļ ^s	Securit		 	₩-		ļ	ļ					ļ			 		
		Virtual collocation - Security escort, basic time, normally	1							1		1		ł	1	1	l
		scheduled work hours	!		AMTFS	SPTBX		16.51	10.82			 			ļ		ļ
		Virtual collocation - Security escort, overtime, outside of		1	l	l				İ	I	ı		1	I	l	1
		normally scheduled work hours on a normal working day	 	ļ	AMTFS	SPTOX		21.90	14.17				<u> </u>		ļ	ļ	
1 1		Virtual collocation - Security escort, premium time, outside of a	1	1		1	[1	1	1	1	1	I	l	1
LL		scheduled work day	Ļ		AMTFS	SPTPX		27.29	17.53	I	<u> </u>	1			L	ļ	
	Mainte											1			<u> </u>		
		Virtual collocation - Maintenance in CO - Basic, per half hour	1	1	AMTES	CTRLX	1 7	26.52	10.82	1	1	1		1	I	i	1

COLLOC	ATI	ON - Georgia												Attachment:	4 Exh P		T
CATEGOR		RATE ELEMENTS	RATE ELEMENTS Interi		BCS	usoc		PA*	TES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
						ļ		Nonre	numin a	Nonrecurring	Diseases			1st	Add'l Rates(\$)	Disc 1st	Disc Add'l
				†~~~			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															- Journa		- COMPAN
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		35.41	14.17				1				ĺ
- 1	- 1	Matural college in the internation of the internati															
En		Virtual collocation - Maintenance in CO - Premium per half hour		ļ	AMTFS	SPTPM		44.30	17.53								
		Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		736.20		21.49	······	ļ					
		Virtual Collocation - Cable Support Structure, per cable			AMTES	ESPSX	7.74	736.20		21.49							
					7.11(1)	201 01											
}		Virtual Collocation, Entrance Cable Support Structure, Copper,		1		l	i l					1					
		per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EE	0.235										
	- 1	Virtual Collocation, Entrance Cable Installation, Copper, per									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
		Cable (CO Manhole to Frame)			AMTFS	VETEF		754.41		21.49							
- 1		Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)		. !	AL 0770	. = 4 = 0						1					
COLLOCA	TION	IN THE REMOTE SITE			AMTFS	VE1EG		9.11					i				
		Remote Site Collocation															
		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.31		132,49							
	- 1	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	148.11	000.01		102.40							

		Physical Collocation in the Remote Site - Security Access - Key		l i	CLORS	PE1RD		13,19									
1		Physical Collocation in the Remote Site - Space Availability															
		Report per Premises Requested			CLORS	PE1SR		109.83									
	- 1	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			0.000												
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		-	CLORS CLORS	PE1RE PE1RR		36.00 116.71									
		Physical Collocation - Security Escort for Basic Time - normally			CLUNS	PEIHH		116.71									
İ		scheduled work, per half hour			CLORS	PE1BT	1	16.51	10.82								
		Physical Collocation - Security Escort for Overtime - outside of				1			10.02								
	1	normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		21.90	14.17								
		Physical Collocation - Security Escort for Premium Time -		,													
176		outside of scheduled work day, per half hour		1	CLORS	PE1PT		27.29	17.53								
		Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee			VE1RS	107455											
		virtual Collocation III the Hemote Site - Application Fee			VETHS	VE1RB		300,31		132.49							
	J,	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	148.11					1		i			
		Virtual Collocation in the Remote Site - Space Availability Report			VE 1110	VE1110	740.11										
		per Premises requested		1	VE1RS	VE1RR	1	109.83		: }		ì	1	ì	1		
		Virtual Collocation in the Remote Site - Remote Site CLLI Code															
		Request, per CLLI Code Requested			VE1RS	VE1RL		36.00									
AUJACEN		LOCATION															
		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1725										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC	PE1JC	4.12										
					UEANL,UEQ,UEA,U												
		Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.0176	1					1				
	/	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0353										
		Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.3686					1					
		Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			UE3	PE1JH	4.83										
		Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC CLOAC	PE1JJ PE1JK	1.69 3.31										
		Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JK PE1JB	3.31	1,380,83		0.50							
		Adjacent Collocation - 120V, Single Phase Standby Power Rate			VLUAU	r G IUD		1,300.83		0.50							
		per AC Breaker Amp			CLOAC	PE1JL	5.16	1		ļ			i				
	1	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
		per AC Breaker Amp			CLOAC	PEIJM	10.34	1	Ì	1)]			
1		Adjacent Collocation - 120V, Three Phase Standby Power Rate									· · · · · · · · · · · · · · · · · · ·	1					
1	- 11	per AC Breaker Amp			CLOAC	PE1JN	15.50	. 1					ļ		i	į	

COLLOCAT	ION - Georgia												Attachment:	4 Exh B		
						I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					ł					1	Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				Į				ĺ	Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	ļ	RA	TES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1 I		l .						1		Electronic-	Electronic-	Electronic-	Electronic-
					1								18t	Add'l	Disc 1st	Disc Add'l
					l		Nonre	curring	Nonrecurring	Disconnect	†	L	OSS	Rates(\$)	h	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JO	35.79			1		1	1	1		Į	1 1

CCCS 24 of 24