

ORIGINAL  
STATE OF FLORIDA

COMMISSIONERS:  
LISA POLAK EDGAR, CHAIRMAN  
ISILIO ARRIAGA  
MATTHEW M. CARTER II  
KATRINA J. TEW  
KEN LITTLEFIELD



TIMOTHY DEYIN, DIRECTOR  
DIVISION OF ECONOMIC REGULATION  
(850) 413-6900  
RECEIVED FPSC

07 JAN 12 PM 4:13

COMMISSION  
CLERK

Public Service Commission

January 12, 2007

STAFF'S FOURTH DATA REQUEST

Valerie L. Lord, Esquire  
Rose, Sundstrom & Bentley, LLP  
2180 West State Road 434  
Sanlando Center, Suite 2118  
Longwood, FL 32779

**Re: Docket No. 060253-WS - Application for increase in water and wastewater rates in Marion, Orange, Pasco, Pinellas and Seminole Counties by Utilities, Inc. of Florida.**

Dear Ms. Lord:

In Utilities, Inc. of Florida's letter dated January 5, 2007, in its response to Question 2 regarding Infiltration/Inflow for the Ravenna Park/Lincoln Heights system, the utility estimated excess Infiltration/Inflow of 4,888,467 gallons with a reduction to Operation and Maintenance expenses of \$20,238.25. Please provide a response to the following questions for the Ravenna Park/Lincoln Heights system.

1. Has the utility performed an engineering study to determine the cause of the Infiltration/Inflow? If so, please provide a copy of this study.
2. If the utility has not performed an engineering study, what would an engineering study cost and how long would it take to complete?
3. Has the utility received any bids to reline and repair the manholes and lift stations? Please provide a copy of any bids.
4. If the utility has not received any bids to reline and repair the manholes and lift stations, what does the utility estimate it will cost to reline any manholes and lift stations that need repair? Please provide a copy of the utility's estimates.
5. Has the utility received any bids to video and repair the collection system? Please provide a copy of any bids.

CMP \_\_\_\_\_  
 COM \_\_\_\_\_  
 CTR \_\_\_\_\_  
 ECR \_\_\_\_\_  
 GCL \_\_\_\_\_  
 OPC \_\_\_\_\_  
 RCA \_\_\_\_\_  
 SCR \_\_\_\_\_  
 SGA \_\_\_\_\_  
 SEC     
 OTH \_\_\_\_\_

DOCUMENT NUMBER - DATE

00367 JAN 12 20

FPSC-COMMISSION CLERK

Ms. Valerie L. Lord, Esquire

Page 2

January 12, 2007

6. If the utility has not received any bids to video and repair the collection systems, what does the utility estimate it will cost to video and repair the collection system? Please provide a copy of the utility's estimates.
7. Has the utility requested any proforma adjustments to correct the infiltration/inflow issue at the Ravenna Park/Lincoln Heights systems? If not, why not.
8. When does the utility plan to address the Infiltration/Inflow issue?

Please submit the above information to the Division of the Commission Clerk and Administrative Services by February 2, 2007. If you have any questions, please contact me by phone at (850) 413-6922 or by e-mail at [kkaproth@psc.state.fl.us](mailto:kkaproth@psc.state.fl.us).

Sincerely,



Kathy Kaproth  
Professional Accountant Specialist

KK

cc: Division of Economic Regulation (Bulecza-Banks, Slemkewicz, Romig, Marsh, Redemann, Walden)  
Office of the General Counsel (Jaeger)  
Division of the Commission Clerk and Administrative Services  
Office of Public Counsel