

ORIGINAL

**Pomona Park**

Docket No. 060368-WS

Application to Increase Rates and Charges  
For a "Class A" Utility  
In

Florida

**VOLUME 6**

**Book 7**

**Set 37 of 57**

Containing  
Additional Engineering Requirements

Monthly Operating Reports

CMP \_\_\_\_\_

COM \_\_\_\_\_

CTR \_\_\_\_\_

ECR \_\_\_\_\_

GCL \_\_\_\_\_

OPC \_\_\_\_\_

RCA \_\_\_\_\_

SCR \_\_\_\_\_

SGA \_\_\_\_\_

SEC \_\_\_\_\_

OTH \_\_\_\_\_

Aqua Utilities Florida, Inc.

DOCUMENT NUMBER DASH

00867 JAN 26 5

FPSC-COMMISSION CLERK

# Aqua Utilities Florida, Inc. Monthly Operating Reports

## Pomona Park

	<b>Tab Number</b>	<b>Page Number</b>
<b>Year: 2004</b>		
January	1	3
February	2	5
March	3	7
April	4	9
May	5	11
June	6	13
July	7	14
August	8	16
September	9	18
October	10	20
November	11	22
December	12	24
<b>Year: 2005</b>		
January	1	26
February	2	28
March	3	30
April	4	32
May	5	34
June	6	37
July	7	39
August	8	41
September	9	43
October	10	45
November	11	47
December	12	49



## MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** January, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	27,100		2.5									1.0	
2	X	24.0	33,800		2.8									1.0	
3		24.0	36,167												
4		24.0	36,167												
5	X	24.0	36,167		2.5									1.0	
6	X	24.0	35,700		3.0									1.2	
7	X	24.0	25,000		2.6									0.9	
8	X	24.0	37,000		2.0									0.6	
9	X	24.0	21,300		2.4									0.4	
10		24.0	35,633												
11		24.0	35,633												
12	X	24.0	35,633		2.1									0.6	
13	X	24.0	49,300		2.8									0.6	
14	X	24.0	59,600		2.8									0.9	
15	X	24.0	18,500		2.6									0.8	
16	X	24.0	47,900		2.2									0.7	
17		24.0	49,333												
18		24.0	49,333												
19	X	24.0	49,333		2.5									0.8	
20	X	24.0	54,200		2.0									0.5	
21	X	24.0	56,500		2.3									0.7	
22	X	24.0	72,000		2.5									1.0	
23	X	24.0	51,900		2.7									1.0	
24		24.0	47,900												
25		24.0	47,900												
26	X	24.0	47,900		3.0									1.1	
27	X	24.0	28,400		2.7									1.0	
28	X	24.0	27,000		2.5									0.9	
29	X	24.0	35,600		2.9									1.1	
30	X	24.0	23,200		3.1									1.0	
31		24.0													
<b>Total</b>			1,211,100												
<b>Average</b>			39,068												
<b>Maximum</b>			72,000												

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** February, 2004

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park	PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	159	Total Population Served at End of Month:	397
PWS Owner:	Florida Water Services		
Contact Person:	Craig Anderson	Contact Person's Title:	VP Environmental Services
Contact Person's Mailing Address:	P.O. Box 609520	City:	Orlando
		State:	Florida
		Zip Code:	32860-9520
Contact Person's Telephone Number:	(407) 598-4199	Contact Person's Fax Number:	(407) 598-4217
Contact Person's E-Mail Address:	craigca@florida-water.com		

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park	Plant Telephone Number:	904-329-1122
Plant Address:	Church Street	City:	Pomona Park
		State:	Florida
		Zip Code:	32181
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Paul Thompson	A	7251	Days 1st Shift
Other Operators:	Donald Holcomb	A	5091	Days 1st Shift

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date \_\_\_\_\_ Paul Thompson \_\_\_\_\_ A-7251 \_\_\_\_\_  
 Printed or Typed Name License Number

**MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park February, 2004

**III. Daily Data for the Month/year of:**

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Days Plant Visited by Staffed or Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Measurement (T) at C	Disinfectant Contact Time Provided Before or at First Customer During Peak Flow, mg-minutes	Temp of Water, °C if Applicable	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest UV Dose, mW-sec/cm <sup>2</sup>	Remote Point in Distribution System, mg/L	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*	
											UV Dose	UV Dose
1		24.0	38,150	2.0								
2	X	24.0	31,200	3.0								0.8
3	X	24.0	20,400	3.5								1.7
4	X	24.0	28,300	3.5								2.1
5	X	24.0	29,200	3.5								2.0
6	X	24.0	25,767	3.5								2.0
7		24.0	25,767									
8		24.0	25,767									
9	X	24.0	30,900	3.0								1.4
10	X	24.0	26,500	3.5								1.4
11	X	24.0	25,400	3.2								1.6
12	X	24.0	33,800	3.0								1.4
13	X	24.0	29,510	2.8								1.2
14		24.0	24,400									1.0
15		24.0	24,400									
16	X	24.0	10,220	3.0								1.4
17	X	24.0	28,410	3.2								1.6
18	X	24.0	24,400	3.0								1.5
19	X	24.0	20,460	3.0								1.6
20	X	24.0	42,230	2.8								1.2
21		24.0	20,460									
22		24.0	32,120									
23	X	24.0	24,400	3.2								1.1
24	X	24.0	24,400	3.2								1.3
25	X	24.0	24,400	3.0								1.1
26	X	24.0	24,400	3.0								1.1
27	X	24.0	24,400	3.0								1.0
28		24.0	24,400									
29		24.0	24,400									
Total		820,000										
Average		28,276										
Maximum		95,570										

\* Refer to the instructions for this report to determine which plants must provide this information. DEP Form 62-555 900(3) Alternate



## MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

III. Daily Data for the Month/Year of: March, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations						UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	102,090		2.8									0.8	
2	X	24.0	30,890		3.0									1.1	
3	X	24.0	33,820		2.7									1.0	
4	X	24.0	27,340		2.9									0.9	
5	X	24.0	37,950		3.1									1.1	
6	X	24.0	55,400												
7	X	24.0	35,725												
8	X	24.0	35,725		2.8									1.0	
9	X	24.0	47,500		2.6									0.8	
10	X	24.0	31,600		3.1									1.1	
11	X	24.0	30,600		2.7									1.0	
12	X	24.0	37,360		1.8									0.7	
13		24.0	38,200												
14		24.0	38,200												
15	X	24.0	38,200		3.0									1.2	
16	X	24.0	27,910		2.8									1.0	
17	X	24.0	24,270		3.0									1.0	
18	X	24.0	29,140		2.8									1.1	
19	X	24.0	43,130		2.5									0.8	
20		24.0	36,503												
21		24.0	36,503												
22	X	24.0	36,503		2.8									1.1	
23	X	24.0	34,160		2.7									1.0	
24	X	24.0	34,850		3.0									0.9	
25	X	24.0	37,630		3.0									1.0	
26	X	24.0	36,150		3.2									1.2	
27		24.0	38,350												
28		24.0	38,350												
29	X	24.0	38,350		2.8									1.0	
30	X	24.0	30,360		2.7									0.8	
31	X	24.0	33,570		3.2									1.0	
<b>Total</b>			1,176,329												
<b>Average</b>			37,946												
<b>Maximum</b>			102,090												

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** April, 2004

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 159		Total Population Served at End of Month: 397	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
		Zip Code: 32860-9520	
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: 904-329-1122	
Plant Address: Church Street		City: Pomona Park	State: Florida
		Zip Code: 32181	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
Lead/Chief Operator:	Paul Thompson	A	7251
Other Operators:	Donald Holcomb	A	5091

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Paul Thompson Printed or Typed Name	A-7251 License Number
--------------------	--	--------------------------

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 | Plant Name: Pomona Park | April, 2004

**III. Daily Data for the Month/year of:**

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Peak Flow, mg/L	Customer During Peak Flow, mg/L	Point During Measurement at C	Disinfectant Contact Time (T)	Before or at Lowest CT	First Customer During Peak Flow, mg- min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg- min/L	Operating UV Dose, mW-sec/cm <sup>2</sup>	Lowest UV Dose Required, mW-sec/cm <sup>2</sup>	Minimum Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*		CT Calculations			
																		UV Dose	UV Dose	minutes	min/L		
1	X		24.0	35,270	2.7																		
2	X		24.0	34,570	2.9																		
3			24.0	40,430																			
4			24.0	40,430																			
5	X		24.0	40,340	1.8																		
6	X		24.0	28,870	2.8																		
7	X		24.0	34,910	1.3																		
8	X		24.0	27,240	2.0																		
9	X		24.0	32,550	2.6																		
10			24.0	31,237																			
11			24.0	31,237																			
12	X		24.0	21,237	3.5																		
13	X		24.0	26,220	2.5																		
14	X		24.0	32,560	2.8																		
15	X		24.0	32,730	2.5																		
16	X		24.0	29,030	2.8																		
17			24.0	35,097																			
18			24.0	35,097																			
19	X		24.0	35,097	3.0																		
20	X		24.0	35,390	3.0																		
21	X		24.0	32,700	2.8																		
22	X		24.0	38,350	2.5																		
23	X		24.0	44,230	3.0																		
24			24.0	36,533																			
25			24.0	36,533																			
26	X		24.0	36,533	3.5																		
27	X		24.0	32,280	3.0																		
28	X		24.0	32,150	2.8																		
29	X		24.0	32,980	3.0																		
30	X		24.0	50,220	3.0																		
Total				1,032,051																			
Average				34,402																			
Maximum				50,220																			

\* Refer to the instructions for this report to determine which plants must provide this information.



**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** May, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>			
1		24.0	32,973												
2		24.0	32,973												
3	X	24.0	32,973		3.2									1.1	
4	X	24.0	24,240		2.8									0.9	
5	X	24.0	34,990		3.0									1.0	
6	X	24.0	33,670		3.0									1.1	
7	X	24.0	34,680		0.8									0.3	
8		24.0	39,857												
9		24.0	39,857												
10	X	24.0	39,857		1.0									0.5	
11	X	24.0	38,680		2.8									1.0	
12	X	24.0	36,130		3.0									1.0	
13	X	24.0	37,230		3.0									1.1	
14	X	24.0	28,700		2.8									1.0	
15		24.0	37,453												
16		24.0	37,453												
17	X	24.0	37,453		3.0									1.1	
18	X	24.0	38,880		3.0									1.0	
19	X	24.0	36,000		3.5									1.2	
20	X	24.0	37,860		3.1									1.0	
21	X	24.0	35,370		3.0									1.3	
22		24.0	42,267												
23		24.0	42,267												
24	X	24.0	42,267		1.1									0.4	
25	X	24.0	44,080		1.3									0.5	
26	X	24.0	39,050		1.5									0.6	
27	X	24.0	41,690		2.0									0.9	
28	X	24.0	53,870		2.1									1.0	
29		24.0	42,813												
30		24.0	42,813												
31	X	24.0	42,813		1.9									1.0	
<b>Total</b>			1,181,210												
<b>Average</b>			38,104												
<b>Maximum</b>			53,870												

\* Refer to the instructions for this report to determine which plants must provide this information.

**Docket No. 060368-WS**

**Application to Increase Rates and Charges  
For a "Class A" Utility**

**In**

**Florida**

**Report Missing:**

**Monthly Operating Report**

**Pomona Park**

**June 2004**

**Aqua Utilities Florida, Inc.**

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** July, 2004

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park			PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	159			Total Population Served at End of Month:	397
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Michael Fitzgerald			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	1343 NE 17th Road	City:	Ocala	State:	Florida
Contact Person's Telephone Number:	(352) 732-6027			Contact Person's Fax Number:	(352) 732-3213
Contact Person's E-Mail Address:	mvfitzgerald@aquaamerica.com				

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park			Plant Telephone Number:	904-329-1122
Plant Address:	Church Street			City:	Pomona Park
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water			<input type="checkbox"/> Purchased Finished Water	
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000				
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.):	
				C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>	<b>Day(s) / Shift(s) Worked</b>	
<b>Lead/Chief Operator:</b>	Mark March	C	8287		
<b>Other Operators:</b>	Paul Thompson	A	7251	Days 1st Shift	

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

\_\_\_\_\_  
Signature and Date

Mark March

C-8287  
License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** July, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)

Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	45,850		1.0									0.4	
2	X	24.0	45,190		2.1									0.8	
3		24.0	30,880												
4		24.0	30,880												
5	X	24.0	30,880		1.7									0.5	
6	X	24.0	38,840		2.5									0.7	
7	X	24.0	32,930		3.0									0.8	
8	X	24.0	32,370		3.0									1.0	
9	X	24.0	34,840		2.0									1.1	
10		24.0	35,583												
11		24.0	35,583												
12	X	24.0	35,583		2.2									1.0	
13	X	24.0	30,340		2.0									0.7	
14	X	24.0	36,790		2.5									1.1	
15	X	24.0	37,770		2.3									1.0	
16	X	24.0	37,740		2.6									1.4	
17		24.0	28,963												
18		24.0	28,963												
19	X	24.0	28,963		2.2									1.2	
20	X	24.0	31,610		2.4									1.2	
21	X	24.0	28,470		2.3									1.0	
22	X	24.0	38,460		2.5									1.1	
23	X	24.0	33,600		2.8									1.1	
24		24.0	41,017												
25		24.0	41,017												
26	X	24.0	41,017		1.7									0.8	
27	X	24.0	37,870		3.5									1.4	
28	X	24.0	41,810		3.5									1.6	
29	X	24.0	41,880		3.5									1.5	
30	X	24.0	45,460		3.2									1.5	
31		24.0	36,180												
<b>Total</b>			1,117,330												
<b>Average</b>			36,043												
<b>Maximum</b>			45,850												

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** August, 2004

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park			PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	159			Total Population Served at End of Month:	397
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Michael Fitzgerald			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	1343 NE 17th Road	City:	Ocala	State:	Florida
Contact Person's Telephone Number:	(352) 732-6027			Contact Person's Fax Number:	(352) 732-3213
Contact Person's E-Mail Address:	mvfitzgerald@aquaaamerica.com				

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park			Plant Telephone Number:	904-329-1122	
Plant Address:	Church Street			City:	Pomona Park	
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water	<input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000					
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.):	C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>	<b>Day(s) / Shift(s) Worked</b>		
<b>Lead/Chief Operator:</b>	Mark March	C	8287			
<b>Other Operators:</b>	Paul Thompson	A	7251	Days 1st Shift		

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date: \_\_\_\_\_ Mark March \_\_\_\_\_ C-8287 \_\_\_\_\_  
 License Number



MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park August, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation  Other (Describe):  
 Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, If Applicable\*  
 CT Calculations  
 UV Dose

Days Plant Started or Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal	Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement During Peak Flow, minutes	Lowest CT Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest UV Dose Operating, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
1		78,435	24.0	2.6									
2	X	78,435	24.0	1.8								1.2	
3	X	44,000	24.0	1.8								0.7	
4	X	37,990	24.0	2.5								1.0	
5	X	43,300	24.0	2.5								1.0	
6	X	37,800	24.0	1.0								1.0	
7		36,713	24.0										
8		36,713	24.0										
9	X	36,713	24.0	2.5								1.2	
10	X	40,000	24.0	2.8								1.4	
11	X	31,300	24.0	2.6								1.2	
12	X	25,180	24.0	1.7								0.6	
13	X	30,280	24.0	3.0								1.4	
14		31,883	24.0										
15		31,883	24.0										
16	X	31,883	24.0	2.0								1.0	
17	X	31,280	24.0	1.8								1.0	
18	X	27,180	24.0	2.2								1.2	
19	X	29,900	24.0	1.5								0.7	
20	X	35,970	24.0	2.4								1.1	
21		30,637	24.0										
22		30,637	24.0										
23	X	30,637	24.0	2.0								1.0	
24	X	26,600	24.0	1.5								0.7	
25	X	31,730	24.0	2.2								0.8	
26	X	30,570	24.0	1.8								0.8	
27	X	26,740	24.0	1.5								0.7	
28		32,830	24.0										
29		32,830	24.0										
30	X	32,830	24.0	0.8								0.4	
31		27,000	24.0										
Total		1,109,880											
Average		35,803											
Maximum		78,435											

\* Refer to the instructions for this report to determine which plants must provide this information.  
 DEP Form 62-555-900(3) Alternate

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** September, 2004

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 159		Total Population Served at End of Month: 397	
PWS Owner: Aqua Utilities Florida			
Contact Person: Michael Fitzgerald		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: 1343 NE 17th Road		City: Ocala	State: Florida
Contact Person's Telephone Number: (352) 732-6027		Zip Code: 34472	
Contact Person's E-Mail Address: mvfitzgerald@aquaaamerica.com		Contact Person's Fax Number: (352) 732-3213	

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: 904-329-1122	
Plant Address: Church Street		City: Pomona Park	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		Zip Code: 32181	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
Lead/Chief Operator:	Mark March	C	8287
Other Operators:	Paul Thompson	A	7251
			Days 1st Shift

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date \_\_\_\_\_ Mark March \_\_\_\_\_ C-8287 \_\_\_\_\_  
License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** September, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>				
1	X	24.0	33,550		1.5										0.7	
2	X	24.0	31,470		2.0										1.1	
3	X	24.0	32,040		2.0										1.0	
4		24.0	58,903													
5		24.0	58,903													
6	X	24.0	58,903		1.6										1.0	
7	X	24.0	36,690		2.0										1.0	
8	X	24.0	47,590		2.0										1.0	
9	X	24.0	66,920		2.8										0.7	
10	X	24.0	52,390		1.8										1.0	
11		24.0	47,293													
12		24.0	47,293													
13	X	24.0	47,293		1.0										0.4	
14	X	24.0	34,850		2.5										1.2	
15	X	24.0	35,490		2.5										2.2	
16	X	24.0	25,710		2.5										1.6	
17	X	24.0	50,010		2.0										1.0	
18		24.0	33,473													
19		24.0	33,473													
20	X	24.0	33,473		1.2										0.6	
21	X	24.0	34,870		1.8										0.8	
22	X	24.0	27,280		1.4										0.8	
23	X	24.0	27,240		0.9										0.4	
24	X	24.0	42,380		1.0										0.6	
25		24.0	38,133													
26		24.0	38,133													
27	X	24.0	38,133		2.8										1.1	
28	X	24.0	42,200		1.5										0.7	
29	X	24.0	26,300		2.0										1.0	
30	X	24.0	34,690		1.8										0.7	
31		24.0														
<b>Total</b>			1,215,080													
<b>Average</b>			39,196													
<b>Maximum</b>			66,920													

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** October, 2004

**A. Public Water System (PWS) Information**

PWS Name: <u>Pomona Park</u>		PWS Identification Number: <u>2540905</u>	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: <u>159</u>		Total Population Served at End of Month: <u>397</u>	
PWS Owner: <u>Aqua Utilities Florida</u>			
Contact Person: <u>Michael Fitzgerald</u>		Contact Person's Title: <u>Area Manager</u>	
Contact Person's Mailing Address: <u>1343 NE 17th Road</u>		City: <u>Ocala</u>	State: <u>Florida</u> Zip Code: <u>34472</u>
Contact Person's Telephone Number: <u>(352) 732-6027</u>		Contact Person's Fax Number: <u>(352) 732-3213</u>	
Contact Person's E-Mail Address: <u>mvfitzgerald@aquaamerica.com</u>			

**B. Water Treatment Plant Information**

Plant Name: <u>Pomona Park</u>		Plant Telephone Number: <u>904-329-1122</u>	
Plant Address: <u>Church Street</u>		City: <u>Pomona Park</u>	State: <u>Florida</u> Zip Code: <u>32181</u>
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: <u>187,000</u>			
Plant Category (per subsection 62-699.310(4), F.A.C.): <u>V</u>		Plant Class (per subsection 62-699.310(4), F.A.C.): <u>C</u>	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>
<b>Lead/Chief Operator:</b>	<u>Mark March</u>	<u>C</u>	<u>8287</u>
<b>Other Operators:</b>	<u>Paul Thompson</u>	<u>A</u>	<u>7251</u>
			<u>Days 1st Shift</u>

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date: \_\_\_\_\_ Mark March C-8287  
License Number

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** November, 2004

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 159		Total Population Served at End of Month: 397	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: 1343 NE 17th Road		City: Ocala	State: Florida
Contact Person's Telephone Number: (352) 732-6027		Zip Code: 34472	
Contact Person's E-Mail Address: <a href="mailto:beheath@aquaaamerica.com">beheath@aquaaamerica.com</a>		Contact Person's Fax Number: (352) 732-3213	

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: 904-329-1122	
Plant Address: Church Street		City: Pomona Park	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		Zip Code: 32181	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>
<b>Lead/Chief Operator:</b>	Mark March	C	8287
<b>Other Operators:</b>	Paul Thompson	A	7251
			Days 1st Shift

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

\_\_\_\_\_  
Signature and Date

Mark March

C-8287  
License Number

## MONTHLY OPERATION REPORT FOR PW"Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** November, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations						UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	132,190		3.0									1.2	
2	X	24.0	29,900		3.5									2.0	
3	X	24.0	43,740		2.7									1.2	
4	X	24.0	38,250		2.5									1.0	
5	X	24.0	33,950		1.4									0.8	
6		24.0	32,210												
7		24.0	32,210												
8	X	24.0	32,210		1.0									0.4	
9	X	24.0	26,110		1.6									0.8	
10	X	24.0	39,330		1.6									0.8	
11	X	24.0	35,420		1.8									0.8	
12	X	24.0	30,570		1.6									0.8	
13		24.0	29,827												
14		24.0	29,827												
15	X	24.0	29,827		2.0									0.7	
16	X	24.0	29,280		2.0									0.6	
17	X	24.0	30,880		2.0									0.5	
18	X	24.0	35,180		2.1									0.6	
19	X	24.0	27,440		2.3									0.6	
20		24.0	33,660												
21	X	24.0	33,660		2.3									0.6	
22	X	24.0	30,570		1.8									0.5	
23	X	24.0	22,340		1.5									0.4	
24	X	24.0	37,750		1.6									0.5	
25		24.0	32,790												
26	X	24.0	32,790		1.4									0.5	
27		24.0	32,860												
28		24.0	32,860												
29	X	24.0	32,860		1.6									0.5	
30	X	24.0	23,460		1.5									0.4	
31		24.0													
<b>Total</b>			1,063,950												
<b>Average</b>			34,321												
<b>Maximum</b>			132,190												

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



Polymer Page 3 Due in December

See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** December, 2004

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 159		Total Population Served at End of Month: 397	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: 1343 NE 17th Road		City: Ocala	State: Florida
Contact Person's Telephone Number: (352) 732-6027		Contact Person's Fax Number: (352) 732-3213	
Contact Person's E-Mail Address: <a href="mailto:beheath@aquaaamerica.com">beheath@aquaaamerica.com</a>			

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: 904-329-1122	
Plant Address: Church Street		City: Pomona Park	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
<b>Lead/Chief Operator:</b>	Mark March	C	8287
<b>Other Operators:</b>	Paul Thompson	A	7251

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Mark March	C8287
		License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905	Plant Name: Pomona Park
------------------------------------	-------------------------

**III. Daily Data for the Month/Year of:** December, 2004

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine     Chlorine Dioxide     Ozone     Combined Chlorine (Chloramines)

Ultraviolet Radiation     Other (Describe): \_\_\_\_\_

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine     Combined Chlorine (Chloramines)     Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Minimum CT Required, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>				
1	X	24.0	18,450		2.7										0.4	
2	X	24.0	18,450		1.9										0.5	
3	X	24.0	32,060		1.4										0.5	
4		24.0	32,573													
5		24.0	32,573													
6	X	24.0	32,573		1.4										0.5	
7	X	24.0	35,770		1.4										1.0	
8	X	24.0	30,820		1.4										0.6	
9	X	24.0	39,310		1.0										0.4	
10	X	24.0	32,100		2.0										0.4	
11		24.0	33,350													
12		24.0	33,350													
13	X	24.0	33,350		1.0										0.6	
14	X	24.0	29,720		1.0										0.5	
15	X	24.0	40,830		0.8										0.5	
16	X	24.0	34,520		1.4										0.5	
17	X	24.0	29,690		1.4										0.5	
18		24.0	32,780													
19		24.0	32,780													
20	X	24.0	32,780		1.8										0.5	
21	X	24.0	30,490		1.3										0.6	
22	X	24.0	41,110		1.8										0.6	
23	X	24.0	31,750		2.1										0.8	
24	X	24.0	24,860		1.8										0.6	
25		24.0	27,917													
26		24.0	27,917													
27	X	24.0	27,917		1.6										0.5	
28	X	24.0	35,260		1.0										0.4	
29	X	24.0	27,130		1.2										0.4	
30	X	24.0	25,790		0.8										0.4	
31	X	24.0	23,210		1.2										0.4	
<b>Total</b>			961,180													
<b>Average</b>			31,006													
<b>Maximum</b>			41,110													

\* Refer to the instructions for this report to determine which plants must provide this information.



**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** January, 2005

**A. Public Water System (PWS) Information**

PWS Name: <u>Pomona Park</u>		PWS Identification Number: <u>2540905</u>	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: <u>159</u>		Total Population Served at End of Month: <u>397</u>	
PWS Owner: <u>Aqua Utilities Florida</u>			
Contact Person: <u>Brian Heath</u>		Contact Person's Title: <u>Area Manager</u>	
Contact Person's Mailing Address: <u>PO Box 490310</u>		City: <u>Leesburg</u>	State: <u>Florida</u> Zip Code: <u>34749</u>
Contact Person's Telephone Number: <u>(352) 787-0980</u>		Contact Person's Fax Number: <u>(352) 787-6333</u>	
Contact Person's E-Mail Address: <u>beheath@aquaaamerica.com</u>			

**B. Water Treatment Plant Information**

Plant Name: <u>Pomona Park</u>		Plant Telephone Number: <u>(352) 787-0980</u>	
Plant Address: <u>Church Street</u>		City: <u>Pomona Park</u>	State: <u>Florida</u> Zip Code: <u>32181</u>
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: <u>187,000</u>			
Plant Category (per subsection 62-699.310(4), F.A.C.): <u>V</u>		Plant Class (per subsection 62-699.310(4), F.A.C.): <u>C</u>	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b> / <b>Day(s) / Shift(s) Worked</b>
<b>Lead/Chief Operator:</b>	<u>Paul Thompson</u>	<u>A</u>	<u>7251</u> / <u>Days 1st Shift</u>
<b>Other Operators:</b>			

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

	Paul Thompson	A7251
Signature and Date		License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** January, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>			
1		24.0	32,287												
2		24.0	32,287												
3	X	24.0	32,287		1.6									0.6	
4	X	24.0	26,760		1.6									0.8	
5	X	24.0	29,970		1.7									0.7	
6	X	24.0	31,700		1.6									0.7	
7	X	24.0	28,330		1.6									0.7	
8		24.0	32,497												
9		24.0	32,497												
10	X	24.0	32,497		1.6									0.6	
11	X	24.0	19,320		1.7									0.6	
12	X	24.0	47,650		1.7									0.4	
13	X	24.0	24,890		1.4									0.4	
14	X	24.0	31,280		1.0									0.4	
15		24.0	28,547												
16		24.0	28,547												
17	X	24.0	28,547		0.9									0.5	
18	X	24.0	27,500		0.6									0.3	
19	X	24.0	40,490		1.6									0.4	
20	X	24.0	26,160		1.0									0.4	
21	X	24.0	32,860		1.6									0.4	
22		24.0	31,537												
23		24.0	31,537												
24	X	24.0	31,537		1.5									0.5	
25	X	24.0	28,800		1.4									0.7	
26	X	24.0	37,930		1.5									0.5	
27	X	24.0	31,040		1.4									0.5	
28	X	24.0	29,750		1.5									0.5	
29		24.0	33,793												
30		24.0	33,793												
31	X	24.0	33,793		1.5									0.5	
<b>Total</b>			970,410												
<b>Average</b>			31,304												
<b>Maximum</b>			47,650												

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** February, 2005

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park			PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	192			Total Population Served at End of Month:	672
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Brian Heath			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg	State:	Florida
Contact Person's Telephone Number:	(352) 787-0980			Zip Code:	34749
Contact Person's E-Mail Address:	beheath@aquaamerica.com			Contact Person's Fax Number:	(352) 787-6333

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park			Plant Telephone Number:	(352) 787-0980
Plant Address:	Church Street	City:	Pomona Park	State:	Florida
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water		<input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000				
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.):	
				C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>	<b>Day(s) / Shift(s) Worked</b>	
Lead/Chief Operator:	Paul Thompson	A	7251	Days 1st Shift	
Other Operators:					

**II Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date: \_\_\_\_\_ Paul Thompson \_\_\_\_\_ A7251 \_\_\_\_\_  
License Number



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

<b>I. General Information for the Month/Year of:</b>	March, 2005
--	-------------

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 192		Total Population Served at End of Month: 672	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: PO Box 490310		City: Leesburg	State: Florida    Zip Code: 34749
Contact Person's Telephone Number: (352) 787-0980		Contact Person's Fax Number: (352) 787-6333	
Contact Person's E-Mail Address: <a href="mailto:beheath@aquaaamerica.com">beheath@aquaaamerica.com</a>			

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: (352) 787-0980	
Plant Address: Church Street		City: Pomona Park	State: Florida    Zip Code: 32181
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
<b>Licensed Operators</b>	Name	License Class	License Number    Day(s) / Shift(s) Worked
<b>Lead/Chief Operator:</b>	Paul Thompson	A	7251    Days 1st Shift
<b>Other Operators:</b>			

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

\_\_\_\_\_  
Signature and Date

Paul Thompson  
\_\_\_\_\_

A7251  
\_\_\_\_\_  
License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2549095 Plant Name: Pomona Park

III. Daily Data for the Month/Year of: March, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal	Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, If Applicable	Minimum CT Required, mg-min/L	Operating UV Dose, mW-sec/cm <sup>2</sup>	Lowest UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose, mW-sec/cm <sup>2</sup>	Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
															CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, If Applicable*	UV Dose
1	X		32,380	24.0	2.3											
2	X		30,600	24.0	2.3											
3	X		34,030	24.0	2.5											
4	X		39,010	24.0	2.4											
5			38,253	24.0												
6			38,253	24.0												
7	X		38,253	24.0	2.4											
8	X		34,620	24.0	2.5											
9	X		32,460	24.0	1.5											
10	X		21,130	24.0	2.8											
11	X		40,500	24.0	2.6											
12			36,277	24.0												
13			36,277	24.0												
14	X		24.0	36,277	2.7											
15	X		24.0	34,360	2.8											
16	X		24.0	30,400	2.8											
17	X		24.0	27,720	2.5											
18	X		24.0	31,350	2.4											
19			24.0	28,190												
20			24.0	28,190												
21	X		24.0	28,190	2.3											
22	X		24.0	39,740	2.4											
23	X		24.0	27,930	1.0											
24	X		24.0	24,440	2.8											
25	X		24.0	31,600	2.3											
26			24.0	33,767												
27			24.0	33,767												
28	X		24.0	33,767	1.4											
29	X		24.0	24,550	1.2											
30	X		24.0	37,680	1.2											
31	X		24.0	25,460	1.0											
Total			1,009,420													
Average			32,562													
Maximum			40,500													

\* Refer to the instructions for this report to determine which plants must provide this information.

DEP Form 62-555 900(3) Alternate

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** April, 2005

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park			PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	192			Total Population Served at End of Month:	672
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Brian Heath			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg	State:	Florida
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333		
Contact Person's E-Mail Address:	beheath@aquaaamerica.com				

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park			Plant Telephone Number:	(352) 787-0980	
Plant Address:	Church Street	City:	Pomona Park	State:	Florida	
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water			<input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000					
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.):	C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>	<b>Day(s) / Shift(s) Worked</b>		
<b>Lead/Chief Operator:</b>	Larry White	C	7082	Days 1st Shift		
<b>Other Operators:</b>	Paul Thompson	A	7251	Days 1st Shift		

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date \_\_\_\_\_ Larry White \_\_\_\_\_ C7082 \_\_\_\_\_  
 License Number

## MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

III. Daily Data for the Month/Year of: April, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>				
-1	X	24.0	28,830		1.5										0.5	
2		24.0	41,183													
3		24.0	41,183													
4	X	24.0	41,183		1.8										0.5	
5	X	24.0	27,760		2.5										1.2	
6	X	24.0	27,390		2.5										1.4	
7	X	24.0	35,360		2.4										1.6	
8	X	24.0	23,250		2.5										1.5	
9		24.0	36,577													
10		24.0	36,577													
11	X	24.0	36,577		1.5										1.9	
12	X	24.0	32,220		2.0										0.8	
13	X	24.0	34,060		2.0										1.1	
14	X	24.0	27,820		2.0										1.3	
15	X	24.0	37,350		2.3										1.8	
16		24.0	35,963													
17		24.0	35,963													
18	X	24.0	35,963		1.8										0.9	
19	X	24.0	34,110		2.0										1.3	
20	X	24.0	27,520		2.2										1.0	
21	X	24.0	31,130		2.0										0.9	
22	X	24.0	56,150		2.3										1.5	
23		24.0	49,477													
24		24.0	49,477													
25	X	24.0	49,477		2.2										1.2	
26	X	24.0	48,400		2.3										1.4	
27	X	24.0	52,200		1.9										1.2	
28	X	24.0	52,610		2.1										1.3	
29	X	24.0	52,430		2.3										1.1	
30		24.0	38,619													
31		24.0														
<b>Total</b>			1,156,809													
<b>Average</b>			37,316													
<b>Maximum</b>			56,150													

\* Refer to the instructions for this report to determine which plants must provide this information.  
 DEP Form 62-555 900(3)Alternate





MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park May, 2005

III. Daily Data for the Month/Year of:

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Started or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal	Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer Point During Peak Flow, mg/L	Disinfectant Contact Time (T) at C	Lowest CT Provided Before or at Customer Point During Peak Flow, mg-minutes	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*	
														UV Dose	UV Dose
1	X		24.0	57,930	1.9										
2	X		24.0	57,930	1.9										
3	X		24.0	31,610	2.1										
4	X		24.0	41,410	2.0										
5	X		24.0	28,310	2.1										
6	X		24.0	39,590	2.1										
7			24.0	42,867											
8	X		24.0	42,867											
9	X		24.0	42,867	2.0										
10	X		24.0	40,780	2.2										
11	X		24.0	51,010	2.3										
12	X		24.0	44,640	2.2										
13	X		24.0	31,350	1.9										
14			24.0	50,243											
15			24.0	50,243											
16	X		24.0	50,243	1.8										
17	X		24.0	38,170	2.3										
18	X		24.0	24,410	2.3										
19	X		24.0	40,000	2.2										
20	X		24.0	49,810	2.3										
21			24.0	43,777											
22			24.0	43,777											
23	X		24.0	43,777	2.0										
24	X		24.0	41,160	2.0										
25	X		24.0	30,010	2.3										
26	X		24.0	46,000	2.0										
27	X		24.0	51,820	2.2										
28			24.0	47,747											
29			24.0	47,747											
30	X		24.0	47,747	2.0										
31	X		24.0	46,700	1.8										
Total				1,346,540											
Average				43,437											
Maximum				57,930											

\* Refer to the instructions for this report to determine which plants must provide this information.

WO#0002160742 SILVER LAKE ESTS CYCLE 330D PREM-CODE=639671  
 SCHED-DATE 122206 PROMISED ALL DAY ORDER-DESC SVLK/Service Leak  
 PRINT-DATE 12/21/06 PRINT-TIME 08:45:05 ORDER-STATUS NEW  
 WESTERN SHORES

-----  
 CUST/PREM 000896804/639671 DIST F STYP RSM1  
 CUST-NAME HORTON, JOE SCAT WTR  
 SRV-ADDR 34304 ISLAND DR SET-MTR U94515553  
 SRV-CITY LEESBURG FL 34788-4479 SET-DATE 01-JAN-1700  
 PHONE# H 352-742-0842 W - - SET-RDG 005540  
 M-NAME NONE SET-SIZE 5/8  
 M-ADDR NONE SET-RMTH MR  
 M-CITY NONE ARB-RMT#  
 M-CITY NONE ERT  
 BILLED 21-DEC-2006 A/R-STAT PA MIU#  
 DUE-DTE 12-JAN-2007 A/R-BAL A 10.65 SERIAL # U999999  
 OCCUPANT AMT-COL .00 EXTENS-#  
 COMP# 1336420 RC=RS ROUTE 08431 STOP 00360  
 CRED-CDS TYPE-HEAT MTR-CDS 06  
 BILL-FR=12 SWIM(Y,N) N #DL= 5 DD= 0 M= 1/DL= 0 DD= 0 M= 0  
 FROZEN MODEL-1  
 LAST-SIZE 5/8 LAST-DATE 01-JAN-00 MODEL-2  
 PREM-ID

-----  
 READ ONLY: DATE TIME READ INSIDE REMOTE EMP#

REM	DATE	READING	MK	METER NUMBER	TEST YEAR	SZ	TYPE HEAT	CHECK X RESEALED	SEAL	OCC DATE
SET								SEALED		
CURB STOP: ON OFF SWIM POOL: YES NO EMP#										

ERT#-----REMARKS:-----  
 -----

R-DATE	ACTN	READING	CONSUM	DYS	C	AMOUNT	CHG-DATE	CAT	RATE	BILL-CHG
121406	READ	6235	23	30	A	10.65	122006	WTR	F335	10.65
111406	READ	6212	32	29	A	11.83	111706	WTR	F335	11.83
							102006	WTR	F335	10.26

MTR-INST:  
 WORK-ORDER-REMARKS:  
 MS HORTON STATED THAT THE METER BOX WAS RAN OVER BY A MOVING TRUCK  
 AND NOW THEY HAVE A LEAK @ THE METER. SHE CAN BE REACHED @  
 352-223-0745

APP-Time Start 21-DEC-2006 08:00:00 End 21-DEC-2006 20:00:00  
 Call-Ahead Ord# 2160742 Type Phone# Ext # Min-Before 0

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** June, 2005

**A. Public Water System (PWS) Information**

PWS Name:	Pomona Park			PWS Identification Number:	2540905
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	192			Total Population Served at End of Month:	672
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Brian Heath			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg	State:	Florida
Contact Person's Telephone Number:	(352) 787-0980			Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com				

**B. Water Treatment Plant Information**

Plant Name:	Pomona Park			Plant Telephone Number:	(352) 787-0980	
Plant Address:	Church Street	City:	Pomona Park	State:	Florida	
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water		<input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	187,000					
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.):	C	
<b>Licensed Operators</b>	<b>Name</b>	<b>License Class</b>	<b>License Number</b>	<b>Day(s) / Shift(s) Worked</b>		
<b>Lead/Chief Operator:</b>	Larry White	C	7082	Days 1st Shift		
<b>Other Operators:</b>	Paul Thompson	A	7251	Days 1st Shift		

**II Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

\_\_\_\_\_  
Signature and Date

Larry White

C7082  
License Number

**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** June, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>				
1	X	24.0	27,350		1.5										0.9	
2	X	24.0	47,380		2.3										1.6	
3	X	24.0	38,270		1.8										1.5	
4		24.0	40,590													
5		24.0	40,590													
6	X	24.0	40,590		1.1										1.0	
7	X	24.0	43,310		2.0										1.8	
8	X	24.0	19,890		2.0										1.9	
9	X	24.0	49,250		2.0										1.4	
10	X	24.0	29,610		2.1										1.6	
11		24.0	41,410													
12		24.0	41,410													
13	X	24.0	41,410		2.3										1.8	
14	X	24.0	30,240		2.3										1.9	
15	X	24.0	40,600		2.4										2.0	
16	X	24.0	46,110		1.6										0.9	
17	X	24.0	22,440		1.6										1.0	
18		24.0	41,773													
19		24.0	41,773													
20	X	24.0	41,773		2.0										1.7	
21	X	24.0	56,030		2.3										1.8	
22	X	24.0	37,820		1.5										1.3	
23	X	24.0	50,590		1.8										1.4	
24	X	24.0	40,810		2.0										1.6	
25		24.0	44,487													
26		24.0	44,487													
27	X	24.0	44,487		1.9										1.4	
28	X	24.0	35,530		1.8										1.4	
29	X	24.0	34,210		1.5										1.3	
30	X	24.0	50,160		1.4										1.1	
31		24.0														
<b>Total</b>			1,204,380													
<b>Average</b>			38,851													
<b>Maximum</b>			56,030													

\* Refer to the instructions for this report to determine which plants must provide this information.

**MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** July, 2005

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park	PWS Identification Number: 2540905
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 192	Total Population Served at End of Month: 672
PWS Owner: Aqua Utilities Florida	
Contact Person: Brian Heath	Contact Person's Title: Area Manager
Contact Person's Mailing Address: PO Box 490310	City: Leesburg State: Florida Zip Code: 34749
Contact Person's Telephone Number: (352) 787-0980	Contact Person's Fax Number: (352) 787-6333
Contact Person's E-Mail Address: beheath@aquaaamerica.com	

**B. Water Treatment Plant Information**

Plant Name: Pomona Park	Plant Telephone Number: (352) 787-0980
Plant Address: Church Street	City: Pomona Park State: Florida Zip Code: 32181
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000	
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C
<b>Licensed Operators</b>	<b>Name License Class License Number Day(s) / Shift(s) Worked</b>
<b>Lead/Chief Operator:</b> Paul Thompson	A 7251 Days 1st Shift
<b>Other Operators:</b> Larry White	C 7082 Days 1st Shift
David Haring	C 14091 Days 1st Shift

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date \_\_\_\_\_ Paul Thompson \_\_\_\_\_ A7251 \_\_\_\_\_  
 License Number

## MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** July, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>		
1	X	24.0	33,380		1.3								0.8	
2		24.0	40,483											
3		24.0	40,483											
4	X	24.0	40,483		1.8								1.4	
5	X	24.0	49,210		1.9								1.3	
6	X	24.0	39,260		2.0								1.6	
7	X	24.0	38,030		2.2								1.8	
8	X	24.0	37,030		2.1								1.7	
9		24.0	47,210											
10		24.0	47,210											
11	X	24.0	47,210		2.2								1.7	
12	X	24.0	45,570		2.5								1.8	
13	X	24.0	37,070		1.6								1.3	
14	X	24.0	35,100		2.3								1.5	
15	X	24.0	40,630		2.3								1.6	
16		24.0	41,107											
17		24.0	41,107											
18	X	24.0	41,107		2.3								1.7	
19	X	24.0	36,570		1.6								1.2	
20	X	24.0	39,480		1.8								1.3	
21	X	24.0	55,180		1.9								1.2	
22	X	24.0	48,420		1.8								1.1	
23		24.0	43,143											
24		24.0	43,143											
25	X	24.0	43,143		1.5								0.9	
26	X	24.0	42,310		1.4								0.8	
27	X	24.0	41,790		1.3								0.9	
28	X	24.0	56,150		1.2								0.7	
29	X	24.0	40,970		2.0								1.3	
30		24.0	37,283											
31		24.0	37,283											
<b>Total</b>			1,306,546											
<b>Average</b>			42,147											
<b>Maximum</b>			56,150											

\* Refer to the instructions for this report to determine which plants must provide this information.





MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

III. Daily Data for the Month/Year of: August, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Operator ("X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal	Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Measurement Point During Peak Flow, mg/L	Disinfectant Contact Time Before or at First Customer During Peak Flow, minutes	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg·min/L	Lowest UV Dose, mW·sec/cm <sup>2</sup>	UV Dose Required, mW·sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Type of Disinfectant Residual Maintained in Distribution System	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable	
														Lowest CT	UV Dose
1	X		24.0	55,925	1.2							1.0	Out of Operation		
2	X		24.0	53,700	2.4							2.0	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components		
3	X		22,690	22,690	2.0							1.9			
4	X		38,760	24.0	2.1							1.9			
5	X		36,250	24.0	2.0							1.7			
6			33,917	24.0											
7			33,917	24.0											
8	X		33,917	24.0	1.5							1.1			
9	X		45,200	24.0	1.6							1.0			
10	X		27,280	24.0	1.6							1.2			
11	X		36,610	24.0	2.0							1.5			
12	X		41,480	24.0	1.8							1.0			
13			36,140	24.0											
14			36,140	24.0											
15	X		36,140	24.0	2.0							1.5			
16	X		39,630	24.0	1.7							1.2			
17	X		42,270	24.0	2.2							1.5			
18	X		41,410	24.0	2.0							1.6			
19	X		47,700	24.0	2.1							1.5			
20			44,897	24.0											
21			44,897	24.0											
22	X		44,897	24.0	1.9							1.4			
23	X		44,600	24.0	1.9							1.4			
24	X		40,390	24.0	2.0							1.3			
25	X		39,820	24.0	2.1							1.3			
26	X		50,170	24.0	2.0							1.2			
27			33,513	24.0											
28			33,513	24.0											
29	X		33,513	24.0	2.3							1.5			
30	X		40,740	24.0	2.2							1.4			
31			37,090	24.0	2.3							1.6			
Total			1,227,115												
Average			39,584												
Maximum			55,925												

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** September, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*													
Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations						UV Dose		Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>		
1	X	24.0	33,970		2.2								
2	X	24.0	29,450		2.1							1.6	
3		24.0	28,357									1.5	
4		24.0	28,357										
5	X	24.0	28,357		2.1								
6	X	24.0	33,000		2.0							1.6	
7	X	24.0	28,990		1.9							1.4	
8	X	24.0	46,600		2.2							1.3	
9	X	24.0	31,360		2.1							1.5	
10		24.0	32,840									1.4	
11		24.0	32,840										
12	X	24.0	32,840		2.2								
13	X	24.0	38,460		2.2							1.6	
14	X	24.0	30,550		2.3							1.4	
15	X	24.0	27,830		2.3							1.9	
16	X	24.0	37,300		1.2							1.8	
17		24.0	33,553									1.0	
18		24.0	33,553										
19	X	24.0	33,553		1.5								
20	X	24.0	31,770		1.6							1.2	
21	X	24.0	37,130		1.8							1.2	
22	X	24.0	26,560		1.8							1.2	
23	X	24.0	30,810		2.0							1.4	
24		24.0	34,853									1.8	
25		24.0	34,853										
26	X	24.0	34,853		2.1								
27	X	24.0	24,640		1.2							1.7	
28	X	24.0	22,910		0.6							0.9	
29	X	24.0	32,970		2.0							0.4	
30	X	24.0	34,990		1.7							1.5	
31		24.0										1.4	
<b>Total</b>			968,100										
<b>Average</b>			31,229										
<b>Maximum</b>			46,600										

\* Refer to the instructions for this report to determine which plants must provide this information.

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

**I. General Information for the Month/Year of:** October, 2005

**A. Public Water System (PWS) Information**

PWS Name: Pomona Park		PWS Identification Number: 2540905	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 192		Total Population Served at End of Month: 672	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: PO Box 490310		City: Leesburg	State: Florida
Contact Person's Telephone Number: (352) 787-0980		Contact Person's Fax Number: (352) 787-6333	
Contact Person's E-Mail Address: beheath@aquaaamerica.com			

**B. Water Treatment Plant Information**

Plant Name: Pomona Park		Plant Telephone Number: (352) 787-0980		
Plant Address: Church Street		City: Pomona Park	State: Florida	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 187,000				
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C		
Licensed Operators:	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Paul Thompson	A	7251	Days 1st Shift
Other Operators:	Larry White	C	7082	Days 1st Shift
	David Haring	C	14091	Days 1st Shift

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

\_\_\_\_\_  
Signature and Date

Paul Thompson

A7251  
License Number

## MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** October, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations				UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>		
1		24.0	34,083										
2		24.0	34,083										
3	X	24.0	34,083		1.4							0.6	
4	X	24.0	27,390		1.6							0.8	
5	X	24.0	26,060		1.4							0.6	
6	X	24.0	20,720		1.5							0.5	
7	X	24.0	34,870		0.7							0.5	
8		24.0	34,263										
9		24.0	34,263										
10	X	24.0	34,263		0.7							0.4	
11	X	24.0	21,350		0.9							0.4	
12	X	24.0	37,050		0.6							0.4	
13	X	24.0	20,020		2.8							1.0	
14	X	24.0	43,140		1.6							0.7	
15		24.0	32,413										
16		24.0	32,413										
17	X	24.0	32,413		1.6							0.7	
18	X	24.0	33,560		1.5							0.7	
19	X	24.0	25,800		1.7							0.7	
20	X	24.0	22,390		1.8							0.7	
21	X	24.0	44,300		2.5							0.4	
22		24.0	30,047										
23		24.0	30,047										
24	X	24.0	30,047		1.5							0.6	
25	X	24.0	17,510		1.3							0.5	
26	X	24.0	29,730		1.3							0.4	
27	X	24.0	30,750		1.6							0.4	
28	X	24.0	34,600		1.5							0.7	
29		24.0	27,500										
30		24.0	27,500										
31	X	24.0	27,500		1.4							0.5	
<b>Total</b>			944,160										
<b>Average</b>			30,457										
<b>Maximum</b>			44,300										

\* Refer to the instructions for this report to determine which plants must provide this information.



**MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

III. Daily Data for the Month/year of: November, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Operator Visited by Staffed or Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C	Lowest CT Provided Before or at First Customer During Peak Flow, mg-minutes	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Operating UV Dose, mW-sec/cm <sup>2</sup>	Required UV Dose, mW-sec/cm <sup>2</sup>	System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*	
														UV Dose	UV Dose
1	X	34,710	24.0	33,650	1.4	1.6									
2	X	33,650	24.0	15,990	1.4	1.5									
3	X	15,990	24.0	40,030	1.4	1.4									
4	X	40,030	24.0	34,787	1.4	1.4									
5		24.0	24.0	34,787											
6		24.0	24.0	34,787											
7	X	24.0	24.0	34,787	1.7	1.7									
8	X	16,560	24.0	15,560	1.5	1.5									
9	X	53,650	24.0	38,590	1.5	1.5									
10	X	38,590	24.0	31,140	1.4	1.4									
11	X	31,140	24.0	40,520	1.5	1.5									
12		40,520	24.0	40,520											
13		40,520	24.0	40,520											
14	X	40,520	24.0	40,520	1.2	1.2									
15	X	23,230	24.0	40,630	1.4	1.4									
16	X	40,630	24.0	54,730	1.4	1.4									
17	X	54,730	24.0	43,680	1.2	1.2									
18	X	43,680	24.0	28,563											
19		24.0	24.0	28,563											
20		24.0	24.0	28,563											
21	X	24.0	24.0	28,563	0.4	0.4									
22	X	24.0	24.0	33,630	2.4	2.4									
23	X	24.0	24.0	36,370	1.8	1.8									
24	X	24.0	24.0	30,990	1.7	1.7									
25	X	24.0	24.0	26,380	1.7	1.7									
26		24.0	24.0	34,720											
27		24.0	24.0	34,720											
28	X	24.0	24.0	34,720	1.6	1.6									
29	X	24.0	24.0	23,010	1.4	1.4									
30	X	24.0	24.0	41,500	0.8	0.8									
31		24.0													
Total		1,034,240													
Average		33,363													
Maximum		54,730													

\* Refer to the instructions for this report to determine which plants must provide this information





**MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER**

PWS Identification Number: 2540905 Plant Name: Pomona Park

**III. Daily Data for the Month/Year of:** December, 2005

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations				UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>		
1	X	24.0	26,430		0.6							0.3	
2	X	24.0	31,320		1.8							0.6	
3		24.0	30,800										
4		24.0	30,800										
5	X	24.0	30,800		2.0							0.7	
6	X	24.0	30,760		2.0							1.4	
7	X	24.0	28,260		2.0							1.2	
8	X	24.0	30,030		1.4							1.0	
9	X	24.0	27,940		2.2							0.8	
10		24.0	27,237										
11		24.0	27,237										
12	X	24.0	27,237		2.6							0.7	
13	X	24.0	28,960		1.6							0.6	
14	X	24.0	25,570		1.5							0.6	
15	X	24.0	20,410		1.6							0.5	
16	X	24.0	30,350		1.7							0.5	
17		24.0	29,433										
18		24.0	29,433										
19	X	24.0	29,433		1.6							0.5	
20	X	24.0	21,130		2.0							0.4	
21	X	24.0	37,300		1.1							0.6	
22	X	24.0	29,710		0.8							0.3	
23	X	24.0	28,080		2.4							1.0	
24		24.0	29,773										
25		24.0	29,773										
26	X	24.0	29,773		0.7							0.4	
27	X	24.0	43,860		1.5							0.6	
28	X	24.0	28,360		1.7							0.5	
29	X	24.0	32,470		1.6							0.6	
30	X	24.0	37,300		1.8							0.6	
31		24.0	33,826										
<b>Total</b>			923,796										
<b>Average</b>			29,800										
<b>Maximum</b>			43,860										

\* Refer to the instructions for this report to determine which plants must provide this information.