

Commission Clerk

070183

From: Commission Clerk
Sent: Tuesday, May 20, 2008 3:07 PM
Subject: Order or Notice issued by the Public Service Commission (Email ID = 686568)
Attachments: 08-0328.ord.doc

The attached order or notice has been issued by the Public Service Commission.

If you have any problems opening this attachment, please contact the Office of Commission Clerk by reply email or at 850-413-6770.

When replying, please do not alter the subject line; as it is used to process your reply.

Thank you.

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <u>05397-07</u>		
DISTRIBUTION: _____		

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations. | DOCKET NO. 070183-WS
ORDER NO. PSC-08-0328-FOF-WS
ISSUED: May 20, 2008

The following Commissioners participated in the disposition of this matter:

MATTHEW M. CARTER II, Chairman
LISA POLAK EDGAR
KATRINA J. McMURRIAN
NANCY ARGENZIANO
NATHAN A. SKOP

NOTICE OF ADOPTION OF RULE

BY THE COMMISSION:

NOTICE is hereby given that the Florida Public Service Commission, pursuant to Section 120.54, Florida Statutes, has adopted Rule 25-30.4325, Florida Administrative Code, relating to water treatment plant used and useful calculations with changes.

The rule was filed with the Department of State on May 19, 2008 and will be effective on June 8, 2008. A copy of the rule as filed with the Department is attached to this Notice.

This docket is closed upon issuance of this notice.

By ORDER of the Florida Public Service Commission this 20th day of May, 2008.

/s/ Ann Cole

ANN COLE

Commission Clerk

This is an electronic transmission. A copy of the original signature is available from the Commission's website, www.floridapsc.com, or by faxing a request to the Office of Commission Clerk at 1-850-413-7118.

(S E A L)

RG

25-30.4325 Water Treatment and Storage Used and Useful Calculations

(1) Definitions.

(a) A water treatment system includes all facilities, such as wells and treatment facilities, excluding storage and high service pumping, necessary to pump and treat potable water.

(b) Storage facilities include ground or elevated storage tanks and high service pumps.

(c) Peak demand for a water treatment system includes the utility's maximum hour or day demand, excluding excessive unaccounted for water, plus a growth allowance based on the requirements of Rule 25-30.431, Florida Administrative Code, and, where fire flow is provided, a minimum of either the fire flow required by the local governmental authority or 2 hours at 500 gallons per minute.

(d) Peak demand for storage includes the utility's maximum day demand, excluding excessive unaccounted for water, plus a growth allowance based on the requirements of Rule 25-30.431, Florida Administrative Code, and, where provided, a minimum of either the fire flow required by the local governmental authority or 2 hours at 500 gallons per minute.

(e) Excessive unaccounted for water (EUW) is unaccounted for water in excess of 10 percent of the amount produced.

(2) The Commission's used and useful evaluation of water treatment system and storage facilities will consider the prudence of the investment, economies of scale, and other relevant factors including whether flows have decreased due to conservation or to a reduction in the number of customers.

(3) Separate used and useful calculations shall be made for the water treatment system and storage facilities. An alternative calculation may also be provided, along with supporting documentation and justification, including service area restrictions, factors involving treatment

capacity, well drawdown limitations, changes in flow due to conservation or to a reduction in the number of customers, and alternative peaking factors.

(4) A water treatment system is considered 100 percent used and useful if the service territory the system is designed to serve is built out and there is no apparent potential for expansion of the service territory or the system is served by a single well.

(5) The used and useful calculation of a water treatment system is made by dividing the peak demand by the firm reliable capacity of the water treatment system.

(6) The firm reliable capacity of a water treatment system is equivalent to the pumping capacity of the wells, excluding the largest well for those systems with more than one well.

(a) Firm reliable capacity is expressed in gallons per minute for systems with no storage capacity.

(b) Firm reliable capacity is expressed in gallons per day, based on 16 hours of pumping, for systems with storage capacity.

(7) Peak demand is based on a peak hour for a water treatment system with no storage capacity and a peak day for a water treatment system with storage capacity.

(a) Peak hour demand, expressed in gallons per minute, shall be calculated as follows:

1. The single maximum day (SMD) in the test year where there is no unusual occurrence on that day, such as a fire or line break, less excessive unaccounted for water, divided by 1440 minutes in a day, times 2 $[(SMD-EUW)/1,440] \times 2$, or

2. If the actual maximum day flow data is not available, 1.1 gallons per minute per equivalent residential connection (1.1 x ERC).

(b) Peak day demand, expressed in gallons per day, shall be calculated as follows:

1. The single maximum day in the test year where there is no unusual occurrence on that

day, such as a fire or line break, less excessive unaccounted for water (SMD-EUW), or

2. If the actual maximum day flow data is not available, 787.5 gallons per day per equivalent residential connection (787.5 x ERC).

(8) The used and useful calculation of storage is made by dividing the peak demand by the usable storage of the storage tank. Usable storage capacity less than or equal to the peak day demand shall be considered 100 percent used and useful. A hydropneumatic tank is not considered usable storage.

(9) Usable storage determination shall be as follows:

(a) An elevated storage tank shall be considered 100 percent usable.

(b) A ground storage tank shall be considered 90 percent usable if the bottom of the tank is below the centerline of the pumping unit.

(c) A ground storage tank constructed with a bottom drain shall be considered 100 percent usable, unless there is a limiting factor, in which case the limiting factor will be taken into consideration.

(10) To determine whether an adjustment to plant and operating expenses for excessive unaccounted for water will be included in the used and useful calculation, the Commission will consider all relevant factors, including whether the reason for excessive unaccounted for water during the test period has been identified, whether a solution to correct the problem has been implemented, or whether a proposed solution is economically feasible.

Specific Authority: 350.127(2), 367.121(1)(f) FS.

Law Implemented: 367.081(2), (3) FS.

History: New

Commission Clerk

PSC-08-0328- FOF-WS

From: System Administrator
To: joann.chase@akerman.com
Sent: Tuesday, May 20, 2008 3:07 PM
Subject: Undeliverable: Order or Notice issued by the Public Service Commission (Email ID = 686568)

done - mailed 05/21/08

Your message did not reach some or all of the intended recipients.

Subject: Order or Notice issued by the Public Service Commission (Email ID = 686568)
Sent: 5/20/2008 3:07 PM

The following recipient(s) could not be reached:

joann.chase@akerman.com on 5/20/2008 3:07 PM

There was a SMTP communication problem with the recipient's email server. Please contact your system administrator.
<mail.psc.state.fl.us #5.5.0 smtp;550 No such user - psmtp>

From: System Administrator
To: PLCOMM@Earthlink.net
Sent: Tuesday, May 20, 2008 3:07 PM
Subject: Undeliverable: Order or Notice issued by the Public Service Commission (Email ID = 686568)

done - mailed 05/21/08

Your message did not reach some or all of the intended recipients.

Subject: Order or Notice issued by the Public Service Commission (Email ID = 686568)
Sent: 5/20/2008 3:07 PM

The following recipient(s) could not be reached:

PLCOMM@Earthlink.net on 5/20/2008 3:07 PM

There was a SMTP communication problem with the recipient's email server. Please contact your system administrator.
<mail.psc.state.fl.us #5.5.0 smtp;550 PLCOMM@earthlink.net...Due to extended inactivity new mail is not currently being accepted for this mailbox.>

Marguerite McLean

PSC-08-0328-FOF-WS

From: Mary Diskerud
Sent: Tuesday, May 20, 2008 12:04 PM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 5/20/2008 12:03:00 PM
Docket Number: 070183-ws
Filename / Path: 070183 AdoptOrder.rg.doc

4 pgs

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. 05397-07		
DISTRIBUTION: _____		

Copied to gcorders

21 email
12 Fax
3 mail

**FLORIDA PUBLIC SERVICE COMMISSION
CASE MANAGEMENT SYSTEM
PARTICIPATING EMAIL ADDRESSES FOR DOCKET 070183**

PARTY NAME	COMPANY CODE	EMAIL ADDRESS	ADDRESS IN MASTER COMMISSION DIRECTORY
Akerman Senterfitt		joann.chase@akerman.com	Yes
Aloha Utilities, Inc.	WS001	administration@aloha-water.com	Yes
Aqua America, Inc.		kajoyce@aquaamerica.com	Yes
Aqua Utilities Florida, Inc. (07)		kajoyce@aquaamerica.com	No
City of Melbourne		citymanager@melbourneflorida.org	Yes
Collier County Government Complex		JimDeLony@colliergov.net	Yes
Committee on Utilities & Telecommunications		cochran.keating@myfloridahouse.gov	Yes
Elsie V. Crippen, CPA		ecgator@aol.com	Yes
Gainesville Regional Util./City of Gainesville	EM858	manascoro@gru.com	Yes
ITS Telecommunications Systems, Inc.	TL712	maryannh@itstelecom.net	Yes
Lake Utility Services, Inc.	WU553	pcflyn@uiwater.com	Yes
Lorne W. Hunsberger, C.P.A.		cpa@numberdoctor.com	Yes
Management & Regulatory Consultants, Inc. (07)		frankden@nettally.com	No
Management and Regulatory Consultants		frankden@nettally.com	Yes
Office of Public Counsel		beck.charles@leg.state.fl.us	Yes
Office of Public Counsel		Reilly.Steve@leg.State.FI.US	Yes
Placid Lakes Utilities, Inc.	WU193	PLCOMM@Earthlink.net	Yes
Rose Law Firm (07)		mfriedman@rsbattorneys.com	No
Rutledge Law Firm (08a)		Ken@reuphlaw.com	No
The Corporation for Future Resources		dglickd@pipeline.com	Yes
Utilities, Inc. of Florida		pcflyn@uiwater.com	No

Matilda Sanders

From: Mary Diskerud
Sent: Thursday, April 17, 2008 8:37 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 4/17/2008 8:36:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 NoticeChange.rg.doc


FPSC, CLK - CORRESPONDENCE
 Administrative Parties Consumer
DOCUMENT NO. 05297-07
DISTRIBUTION: _____

Copied to gcorders

9 faxed
3 mailed
21 emailed

**FLORIDA PUBLIC SERVICE COMMISSION
CASE MANAGEMENT SYSTEM
PARTICIPATING EMAIL ADDRESSES FOR DOCKET 070183**

PARTY NAME	COMPANY CODE	EMAIL ADDRESS	ADDRESS IN MASTER COMMISSION DIRECTORY
Akerman Senterfitt		joann.chase@akerman.com	Yes
Aloha Utilities, Inc.	WS001	administration@aloha-water.com	Yes
Aqua America, Inc.		kajoyce@aquaamerica.com	Yes
Aqua Utilities Florida, Inc. (07)		kajoyce@aquaamerica.com	No
City of Melbourne		citymanager@melbourneflorida.org	Yes
Collier County Government Complex		JimDeLony@colliergov.net	Yes
Committee on Utilities & Telecommunications		cochran.keating@myfloridahouse.gov	Yes
Elsie V. Crippen, CPA		ecgator@aol.com	Yes
Gainesville Regional Util./City of Gainesville	EM858	manascoro@gru.com	Yes
ITS Telecommunications Systems, Inc.	TL712	maryannh@itstelecom.net	Yes
Lake Utility Services, Inc.	WU553	peflynn@uiwater.com	Yes
Lorne W. Hunsberger, C.P.A.		cpa@numberdoctor.com	Yes
Management & Regulatory Consultants, Inc. (07)		frankden@nettally.com	No
Management and Regulatory Consultants		frankden@nettally.com	Yes
Office of Public Counsel		beck.charles@leg.state.fl.us	Yes
Office of Public Counsel		Reilly.Steve@leg.State.FI.US	Yes
Placid Lakes Utilities, Inc.	WU193	PLCOMM@Earthlink.net	Yes
Rose Law Firm (07)		mfriedman@rsbattorneys.com	No
Rutledge Law Firm (08a)		Ken@reuphlaw.com	No
The Corporation for Future Resources		dglickd@pipeline.com	Yes
Utilities, Inc. of Florida		peflynn@uiwater.com	No



Case Management System (CMS) - Docket View

Docket/Document/Case: 070183

Docket 070183-WS

Docket # / Count: 52 of 287

General | Title | Progmods | Staff | Commissioners | Events | Documents | Utilities | Parties | Comments | Notify

Emails

Emailing Options

Option 1: Emails Option 2: Faxes

Option 3: Envelopes

Begin Faxing From 1 of 12

- Holland & Knight
- Messer, Caparello & Self, P.A.
- Office of Public Counsel
- Office of Public Counsel (07h)
- Rose, Sundstrom & Bentley, LLP
- Rutledge, Ecenia, Purnell & Hoffman, P.A.
- Suzanne Brownless, P.A.
- Talquin Electric Cooperative, Inc.

File Attachments (Right-click an attachment to view the document)

L:\PSC\LIBRARY\FILINGS\08\03035-08\070183 NOTICECHANGE RG.DOC

Send
Cancel
Attachments


Document ID / Order ID: 03035-08

Parties of Interest Filter Options

- 060476-T
- 060479-T
- 060485-T
- 060540-V
- 060575-V
- 060582-T
- 060598-T
- 060599-V
- 060601-V
- 060602-V
- 060606-V
- 060614-T
- 060632-C
- 060644-T
- 060741-V
- 060774-E
- 060826-T
- 070084-V
- 070109-V
- 070178-T
- 070183-V

Item(s): 9 Order Name Direction: Ascending

Start | Inbox - Micr... | Case Manag... | Docket 0701... 12:40 PM



Commission Clerk

From: System Administrator
To: PLCOMM@Earthlink.net
Sent: Thursday, April 17, 2008 12:40 PM
Subject: Undeliverable: Order or Notice issued by the Public Service Commission (Email ID = 355691)

Your message did not reach some or all of the intended recipients.

Subject: Order or Notice issued by the Public Service Commission (Email ID = 355691)
Sent: 4/17/2008 12:40 PM

The following recipient(s) could not be reached:

PLCOMM@Earthlink.net on 4/17/2008 12:40 PM

There was a SMTP communication problem with the recipient's email server. Please contact your system administrator.
<mail.psc.state.fl.us #5.5.0 smtp;550 PLCOMM@earthlink.net...Due to extended inactivity new mail is not currently being accepted for this mailbox.>

done
mailed 04/17

Commission Clerk

070183

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <u>05397-07</u>		
DISTRIBUTION: _____		

From: Commission Clerk
Sent: Monday, April 07, 2008 2:28 PM
Subject: Order or Notice issued by the Public Service Commission (Email ID = 089263)
Attachments: 02638-08.pdf

The attached order or notice has been issued by the Public Service Commission.

If you have any problems opening this attachment, please contact the Office of Commission Clerk by reply email or at 850-413-6770.

When replying, please do not alter the subject line; as it is used to process your reply.

Thank you.

COMMISSIONERS:
MATTHEW M. CARTER II, CHAIRMAN
LISA POLAK EDGAR
KATRINA J. MCMURRIAN
NANCY ARGENZIANO
NATHAN A. SKOP

STATE OF FLORIDA



OFFICE OF COMMISSION CLERK
ANN COLE
COMMISSION CLERK
(850) 413-6770

Public Service Commission

April 7, 2008

Transmitted via electronic mail to:

Martin S. Friedman
Email address of record: mfriedman@rsbattorneys.com

Ken A. Hoffman
Email address of record: Ken@reuphlaw.com

Stephen C. Reilly
Email address of record: reilly.steve@leg.state.fl.us

To: Interested Persons in Docket No. 070183-WS

**Re: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used
and Useful Calculations.**

To Whom It May Concern:

This is to inform you that the Commission is reporting the attached ex parte communication in the above-referenced docket, which will be made a part of the record in this proceeding:

Letter dated April 3, 2008, from Senator Mike Fasano.

Because staff's recommendation concerning the proposed adoption of Rule 25-20.4325, F.A.C., is scheduled for Tuesday, April 8, 2008, if you plan to respond to this ex parte communication, please do so in writing, prior to the April 8, 2008, Agenda Conference or preferably by the close of business today.

Sincerely,

Handwritten signature of Ann Cole in cursive.

Ann Cole
Clerk of the Commission

/ac

Enclosure

cc: Michael Cooke, General Counsel

DOCUMENT NUMBER - DATE

02638 APR-7 08

FPSC-COMMISSION CLERK

State of Florida



RECEIVED-FPS

Public Service Commission

08 APR -7 AM 9:30

CAPITOL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD
TALLAHASSEE, FLORIDA 32399-0850

COMMISSION
CLERK

-M-E-M-O-R-A-N-D-U-M-

DATE: April 7, 2008

TO: Ann Cole, Commission Clerk - PSC, Office of Commission Clerk

FROM: Nancy Argenziano, Commissioner *[Signature]*

RE: Ex Parte Communication in Docket No. 070183-WS

Pursuant to the requirements of Section 350.042, Florida Statutes, I am reporting an *ex parte* communication received in Docket No. 070183-WS, Proposed Adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations. The communication consists of a letter from Senator Mike Fasano, addressed to the Chair of the Commission, which I received as a carbon copy by Fax.

DOCUMENT NUMBER - DATE
02638 APR -7 08
COMMISSION CLERK

COMMISSIONERS:
MATTHEW M. CARTER II, CHAIRMAN
LISA POLAK EDGAR
KATRINA J. MCMURRIAN
NANCY ARGENZIANO
NATHAN A. SKOP

STATE OF FLORIDA



OFFICE OF COMMISSION CLERK
ANN COLE
COMMISSION CLERK
(850) 413-6770

Public Service Commission

April 7, 2008

Transmitted via electronic mail to:

Martin S. Friedman
Email address of record: mfriedman@rsbattomeys.com

Ken A. Hoffman
Email address of record: Ken@reuphlaw.com

Stephen C. Reilly
Email address of record: reilly.steve@leg.state.fl.us

To: Interested Persons in Docket No. 070183-WS

Re: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

To Whom It May Concern:

This is to inform you that the Commission is reporting the attached ex parte communication in the above-referenced docket, which will be made a part of the record in this proceeding:

Letter dated April 3, 2008, from Senator Mike Fasano.

Because staff's recommendation concerning the proposed adoption of Rule 25-20.4325, F.A.C., is scheduled for Tuesday, April 8, 2008, if you plan to respond to this ex parte communication, please do so in writing, prior to the April 8, 2008, Agenda Conference or preferably by the close of business today.

Sincerely,

Handwritten signature of Ann Cole in cursive.

Ann Cole
Clerk of the Commission

/ac

Enclosure

cc: Michael Cooke, General Counsel

DOCUMENT NUMBER - DATE

02638 APR -7 08

FPSC-COMMISSION CLERK

State of Florida



RECEIVED-FPS

08 APR -7 AM 9:30

COMMISSION
CLERK

Public Service Commission

CAPITOL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD
TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE: April 7, 2008
TO: Ann Cole, Commission Clerk - PSC, Office of Commission Clerk
FROM: Nancy Argenziano, Commissioner *NA*
RE: Ex Parte Communication in Docket No. 070183-WS

Pursuant to the requirements of Section 350.042, Florida Statutes, I am reporting an *ex parte* communication received in Docket No. 070183-WS, Proposed Adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations. The communication consists of a letter from Senator Mike Fasano, addressed to the Chair of the Commission, which I received as a carbon copy by Fax.

DOCUMENT NUMBER-DATE
02638 APR -7 08
COMMISSION CLERK



THE FLORIDA SENATE

Tallahassee, Florida 32399-1100

COMMITTEES:
Transportation and Economic Development
Appropriations, *Chair*
Communications and Public Utilities
Fiscal Policy and Calendar
Health Regulation
Judiciary
Regulated Industries
Rules

SELECT COMMITTEE:
Property Insurance Accountability

JOINT COMMITTEE:
Legislative Budget Commission

SENATOR MIKE FASANO

Majority Whip
11th District

FAX TRANSMISSION COVER SHEET

To: The Honorable Nancy Argenziano
Fax#: 850-413-6395
From: Senator Mike Fasano
Subject: Water Treatment and Storage Used and Useful Calculations
Date: April 4, 2008
Pages: 2

COMMENTS:

REPLY TO:

- 8217 Massachusetts Avenue, New Port Richey, Florida 34653-3111 (727) 848-5885
- 302 Senate Office Building, 404 South Monroe Street, Tallahassee, Florida 32399-1100 (850) 487-5062

Senate's Website: www.flsenate.gov

KEN PRUITT
President of the Senate

LISA CARLTON
President Pro Tempore

DOCUMENT NUMBER - DATE

02638 APR -7 08

FPSC - COMMISSION CLERK



THE FLORIDA SENATE

Tallahassee, Florida 32399-1100

COMMITTEES:
Transportation and Economic Development
Appropriations, Chair
Communications and Public Utilities
Fiscal Policy and Calendar
Health Regulation
Judiciary
Regulated Industries
Rules

SELECT COMMITTEE:
Property Insurance Accountability

JOINT COMMITTEE:
Legislative Budget Commission

SENATOR MIKE FASANO

Majority Whip
11th District

April 3, 2008

The Honorable Matthew Carter, Chairman
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

Dear Chairman Carter:

On April 8, 2008 the Commission will consider a staff recommendation to adopt proposed Rule 25-30.4325, F.A.C. titled Water Treatment and Storage Used and Useful Calculations. I am concerned about this rule, particularly the provision of the rule found in (6)(b).

This provision will have a great negative impact on the very consumers I represent in my district, and that you serve all throughout the state. The provision provides that the "firm reliable capacity is expressed in gallons per day, based upon 12 hours of pumping, for systems with storage capacity." When calculating the used and useful percentage of water treatment the Commission should not automatically eliminate one-half of the capacity of the remaining wells, by reducing pumping time from 24 hours to 12 hours, after the capacity of the largest well has been removed, on the single highest demand day of the year.

A statewide automatic elimination of one-half of the remaining capacity of the wells would unfairly overstate the used and useful percentage of water treatment plants in future rate cases, and unfairly increase water rates paid by Florida's citizens. At this time when the cost of producing potable water is increasing every day, this provision will unfairly and unnecessarily increase the cost even more, jeopardizing the availability of this vital resource to our most vulnerable citizens, particularly seniors on limited or fixed incomes.

I respectfully request that the Commission adopt language for (6)(b) that recognizes the full rated capacity of the remaining wells, based upon 24 hours of pumping, not 12 hours of pumping, unless the water management district believes it is appropriate in a specific case to limit pumping in order to protect Florida's water resources. To do otherwise would be unfair to everyone who purchases water in the state of Florida.

Yours truly,

Mike Fasano
State Senator, District 11

MF/gg

Cc: The Honorable Lisa Edgar
The Honorable Nathan Skop
The Honorable Nancy Argenziano
The Honorable Katrina McMurrian

REPLY TO:

- 8217 Massachusetts Avenue, New Port Richey, Florida 34653-3111 (727) 848-5885
- 302 Senate Office Building, 404 South Monroe Street, Tallahassee, Florida 32399-1100 (850) 487-5062

Senate's Website: www.flsenate.gov

KEN PRUITT
President of the Senate

LISA CARLTON
President Pro Tempore

DOCUMENT NUMBER-DATE
02638 APR-78
FPSC-COMMISSION CLERK

COMMISSIONERS:
MATTHEW M. CARTER II, CHAIRMAN
LISA POLAK EDGAR
KATRINA J. MCMURRIAN
NANCY ARGENZIANO
NATHAN A. SKOP

STATE OF FLORIDA



OFFICE OF COMMISSION CLERK
ANN COLE
COMMISSION CLERK
(850) 413-6770

Public Service Commission

April 7, 2008

Transmitted via electronic mail to:

Martin S. Friedman
Email address of record: mfriedman@rsbattorneys.com

Ken A. Hoffman
Email address of record: Ken@reuphlaw.com

Stephen C. Reilly
Email address of record: reilly.steve@leg.state.fl.us

To: Interested Persons in Docket No. 070183-WS

**Re: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used
and Useful Calculations.**

To Whom It May Concern:

This is to inform you that the Commission is reporting the attached ex parte communication in the above-referenced docket, which will be made a part of the record in this proceeding:

Letter dated April 3, 2008, from Senator Mike Fasano.

Because staff's recommendation concerning the proposed adoption of Rule 25-20.4325, F.A.C., is scheduled for Tuesday, April 8, 2008, if you plan to respond to this ex parte communication, please do so in writing, prior to the April 8, 2008, Agenda Conference or preferably by the close of business today.

Sincerely,

Handwritten signature of Ann Cole in cursive.

Ann Cole
Clerk of the Commission

/ac

Enclosure

cc: Michael Cooke, General Counsel

DOCUMENT NUMBER-DATE

02638 APR-7 08

FPSC-COMMISSION CLERK

State of Florida



RECEIVED-FPS

Public Service Commission

08 APR -7 AM 9:30

CAPITOL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD
TALLAHASSEE, FLORIDA 32399-0850

COMMISSION
CLERK

-M-E-M-O-R-A-N-D-U-M-

DATE: April 7, 2008
TO: Ann Cole, Commission Clerk - RSC, Office of Commission Clerk
FROM: Nancy Argenziano, Commissioner *NA*
RE: Ex Parte Communication in Docket No. 070183-WS

Pursuant to the requirements of Section 350.042, Florida Statutes, I am reporting an *ex parte* communication received in Docket No. 070183-WS, Proposed Adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations. The communication consists of a letter from Senator Mike Fasano, addressed to the Chair of the Commission, which I received as a carbon copy by Fax.

DOCUMENT NUMBER - DATE
02638 APR-7 08
COMMISSION CLERK



THE FLORIDA SENATE

Tallahassee, Florida 32399-1100

COMMITTEES:
Transportation and Economic Development
Appropriations, *Chair*
Communications and Public Utilities
Fiscal Policy and Calendar
Health Regulation
Judiciary
Regulated Industries
Rules

SELECT COMMITTEE:
Property Insurance Accountability

JOINT COMMITTEE:
Legislative Budget Commission

SENATOR MIKE FASANO
Majority Whip
11th District

FAX TRANSMISSION COVER SHEET

To: The Honorable Nancy Argenziano
Fax#: 850-413-6395
From: Senator Mike Fasano
Subject: Water Treatment and Storage Used and Useful Calculations
Date: April 4, 2008
Pages: 2

COMMENTS:

REPLY TO:

- 8217 Massachusetts Avenue, New Port Richey, Florida 34653-3111 (727) 848-5885
- 302 Senate Office Building, 404 South Monroe Street, Tallahassee, Florida 32399-1100 (850) 487-5062

Senate's Website: www.flsenate.gov

KEN PRUITT
President of the Senate

LISA CARLTON
President Pro Tempore

DOCUMENT NUMBER-DATE
02638 APR-7 08
FPSC-COMMISSION CLERK



THE FLORIDA SENATE

Tallahassee, Florida 32399-1100

COMMITTEES:
 Transportation and Economic Development
 Appropriations, Chair
 Communications and Public Utilities
 Fiscal Policy and Calendar
 Health Regulation
 Judiciary
 Regulated Industries
 Rules

SELECT COMMITTEE:
 Property Insurance Accountability

JOINT COMMITTEE:
 Legislative Budget Commission

SENATOR MIKE FASANO

Majority Whip
 11th District

April 3, 2008

The Honorable Matthew Carter, Chairman
 Florida Public Service Commission
 2540 Shumard Oak Boulevard
 Tallahassee, FL 32399-0850

Dear Chairman Carter:

On April 8, 2008 the Commission will consider a staff recommendation to adopt proposed Rule 25-30.4325, F.A.C. titled Water Treatment and Storage Used and Useful Calculations. I am concerned about this rule, particularly the provision of the rule found in (6)(b).

This provision will have a great negative impact on the very consumers I represent in my district, and that you serve all throughout the state. The provision provides that the "firm reliable capacity is expressed in gallons per day, based upon 12 hours of pumping, for systems with storage capacity." When calculating the used and useful percentage of water treatment the Commission should not automatically eliminate one-half of the capacity of the remaining wells, by reducing pumping time from 24 hours to 12 hours, after the capacity of the largest well has been removed, on the single highest demand day of the year.

A statewide automatic elimination of one-half of the remaining capacity of the wells would unfairly overstate the used and useful percentage of water treatment plants in future rate cases, and unfairly increase water rates paid by Florida's citizens. At this time when the cost of producing potable water is increasing every day, this provision will unfairly and unnecessarily increase the cost even more, jeopardizing the availability of this vital resource to our most vulnerable citizens, particularly seniors on limited or fixed incomes.

I respectfully request that the Commission adopt language for (6)(b) that recognizes the full rated capacity of the remaining wells, based upon 24 hours of pumping, not 12 hours of pumping, unless the water management district believes it is appropriate in a specific case to limit pumping in order to protect Florida's water resources. To do otherwise would be unfair to everyone who purchases water in the state of Florida.

Yours truly,

Mike Fasano
 State Senator, District 11

MF/gg

Cc: The Honorable Lisa Edgar
 The Honorable Nathan Skop
 The Honorable Nancy Argenziano
 The Honorable Katrina McMurrin

REPLY TO:

- 8217 Massachusetts Avenue, New Port Richey, Florida 34853-3111 (727) 848-5885
- 302 Senate Office Building, 404 South Monroe Street, Tallahassee, Florida 32399-1100 (850) 487-5062

Senate's Website: www.flsenate.gov

KEN PRUITT
 President of the Senate

LISA CARLTON
 President Pro Tempore

DOCUMENT NUMBER-DATE

02638 APR-7 8

FPSC-COMMISSION CLERK

NO.	COMM.	PAGES	FILE	DURATION	X/R	IDENTIFICATION	DATE	TIME	DIAGNOSTIC
12	OK	002	475	00:00:52	XMT	612023448300	MAR-21	10:46	0107A20001070
13	OK	006	476	00:01:20	XMT	618018864510	MAR-21	10:58	F007A2000BCC0
14	OK	005	477	00:01:10	RCV		MAR-21	11:36	040FC0000BCD0
15	OK	001	478	00:00:19	RCV	+4153711048	MAR-22	18:51	0507C0000BCB0
16	420	000	479	00:00:42	RCV		MAR-24	11:35	0000C00000000
17	212	000	480	00:01:06	RCV		MAR-24	11:37	000FC0000AA90
18	OK	002	481	00:01:33	RCV		MAR-24	11:40	040FC0000A070
19	OK	001	482	00:00:41	RCV		MAR-24	11:47	0507C0000BCA0
20	OK	003	483	00:00:30	XMT	4136229	MAR-24	12:05	0107A2000BD80
21	OK	001/001	484	00:00:16	XMT	4136229	MAR-24	12:06	0107A2000BCA0
22	OK	001	485	00:00:30	RCV		MAR-24	13:30	0407C0000A070
23	OK	002	486	00:00:19	XMT	6276440	MAR-24	13:47	2107A2000BDB0
24	OK	002/002	487	00:01:03	XMT	6272583	MAR-24	13:48	0007A20008060
25	OK	002	488	00:00:52	RCV		MAR-24	15:59	0507C0000A030
26	OK	004	489	00:01:01	RCV		MAR-25	07:33	040FC0000ACB0
27	OK	002	490	00:00:26	XMT	614042305710	MAR-25	08:25	0007A2000ADA0
28	OK	008	491	00:01:04	XMT	5611761	MAR-25	08:39	6007A2000BCB0
29	OK	004	492	00:01:01	RCV		MAR-25	08:41	040FC0000ACC0
30	OK	010	493	00:01:47	XMT	619417449691	MAR-25	13:04	A107A2000BDB0
31	OK	002	494	00:00:51	XMT	6272583	MAR-26	08:34	0007A20008070
32	OK	002/002	495	00:00:20	XMT	6276440	MAR-26	08:36	2107A2000BDB0
33	OK	010	496	00:01:20	XMT	5611761	MAR-26	13:11	6007A2000BCC0
34	OK	010	497	00:01:16	RCV	8508758473	MAR-26	14:49	0507C0000BCD0
35	OK	021	498	00:02:29	RCV		MAR-28	13:03	040FC0000BCC0
36	OK	018/018	499	00:02:12	XMT	5611761	MAR-28	13:17	6007A2000BCC0
37	OK	003	500	00:00:23	XMT	5611761	MAR-28	13:58	6007A2000BCC0
38	OK	002	501	00:00:19	XMT	5611761	MAR-28	14:33	6007A2000BCB0
39	STOP	000/002	502	00:00:00	XMT	19048286092	MAR-28	15:33	0000000000000
40	OK	002	503	00:00:49	XMT	619048286092	MAR-28	15:34	0107A2000A070
41	OK	001/001	505	00:00:20	XMT	613524987549	MAR-31	09:30	0107A2000AD70
42	STOP	000/001	504	00:00:00	XMT	13524987549	MAR-31	09:33	0000000000000
43	OK	001/001	506	00:00:21	XMT	613524987549	MAR-31	09:35	0107A2000AD70
44	OK	011	507	00:02:43	XMT	613524987549	MAR-31	09:57	0107A2000AD70
45	OK	002	508	00:00:41	RCV	5136454960	MAR-31	13:55	0507C0000A070
46	OK	001	509	00:00:16	RCV	850 222 8640	MAR-31	15:11	0507C0000BCC0
47	OK	001	510	00:00:29	RCV		APR-01	07:16	0407C0000A070
48	OK	003	511	00:01:16	RCV		APR-01	09:13	0507C0000A070
49	420	000	512	00:00:42	RCV		APR-01	09:51	0000C00000000
50	420	000	513	00:00:37	RCV		APR-01	09:53	0000C00000000
51	OK	004	514	00:02:10	RCV		APR-01	09:55	040FC0000A070
52	OK	002	515	00:00:21	XMT	618018864510	APR-01	11:53	F007A2000BCC0
53	OK	001	516	00:00:33	RCV		APR-02	09:07	0507C00009070
54	OK	001	517	00:00:26	RCV	770 956 0700	APR-03	11:00	050FC0000ACD0
55	OK	002	518	00:02:16	RCV	14342360008	APR-03	15:41	0509C00001030
56	OK	002	519	00:00:42	RCV	7273722677	APR-04	13:13	050FC0000A070
57	OK	002	520	00:00:22	RCV	2028628958	APR-07	10:04	0507C0000BCA0
58	OK	002	521	00:02:06	RCV	8503861352	APR-07	13:25	0517C0000BD80
✓59	OK	005	522	00:02:25	XMT	4884491	APR-07	14:09	0107A20008030
✓60	OK	005	523	00:01:20	XMT	6816515	APR-07	14:18	6107A20008070
✓61	OK	005/005	524	00:02:06	XMT	614078308522	APR-07	14:28	C107A200091050

-PSC CCA(850-413-71186770)-

2/13/2008 1:34 PM

Office of Commission Clerk Official Filing

Ruth Nettles

PSC-08-0091-PCO-WS

From: Mary Diskerud
Sent: Wednesday, February 13, 2008 1:22 PM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 2/13/2008 1:22:00 PM
Docket Number: 070183-WS
Filename / Path: 070183 ExtendMotion.rg.doc
Order Type: Signed / Hand Deliver

FPC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. 0539707		
DISTRIBUTION: _____		

COMMISSION CLERK

08 FEB 13 PM 1:34

RECEIVED-FPSC

1/1/4

copied to gcorders

**FLORIDA PUBLIC SERVICE COMMISSION
CASE MANAGEMENT SYSTEM
PARTICIPATING EMAIL ADDRESSES FOR DOCKET 070183**

PARTY NAME	COMPANY CODE	EMAIL ADDRESS	ADDRESS IN MASTER COMMISSION DIRECTORY
Aqua Utilities Florida, Inc. (07)		kajoyce@aquaaamerica.com	No
Management & Regulatory Consultants, Inc. (07)		frankden@nettally.com	No
Rose Law Firm (07)		mfriedman@rsbattorneys.com	No
Utilities, Inc. of Florida		pcflynn@uiwater.com	No

State of Florida



Public Service Commission

-M-E-M-O-R-A-N-D-U-M-

DATE: February 5, 2008
TO: Ann Cole, Commission Clerk
FROM: Jane Faurot, Chief, Hearing Reporter Services Section
RE: DOCKET NO. 070183-WS, HEARING HELD 01/22/08.

Attached for filing are exhibits 1 through 22, representing a complete filing of the exhibits identified and admitted into the record during the proceedings held in the above docket.

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <u>05397-07</u>		
DISTRIBUTION: _____		

Acknowledged BY:

A handwritten signature in cursive script, appearing to read "Shannon Kice", written over a horizontal line.

JF/rlm

Matilda Sanders

PSC-08-0043-PHO-WS

From: Mary Diskerud
Sent: Tuesday, January 22, 2008 9:14 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 1/22/2008 9:13:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 Prehearing Order.doc
Order Type: Signed / Hand Deliver

23pgs

RECEIVED-FPSC
08 JAN 22 AM 9:26
COMMISSION
CLERK

copied to gcorders

DOCUMENT NO. DATE
05397-07 0710207
FPSC - COMMISSION CLERK

1/1/4

**FLORIDA PUBLIC SERVICE COMMISSION
CASE MANAGEMENT SYSTEM
PARTICIPATING EMAIL ADDRESSES FOR DOCKET 070183**

PARTY NAME	COMPANY CODE	EMAIL ADDRESS	ADDRESS IN MASTER COMMISSION DIRECTORY
Aqua Utilities Florida, Inc. (07)		kajoyce@aquaamerica.com	No
Management & Regulatory Consultants, Inc. (07)		frankden@nettally.com	No
Rose Law Firm (07)		mfriedman@rsbattorneys.com	No
Utilities, Inc. of Florida	Kickback	P.C.Flynn@uiwater.com	No

address updated on 01/23/08

Matilda Sanders

PSC-07-0988-PCO-WS

From: Mary Diskerud
Sent: Tuesday, December 11, 2007 9:50 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 12/11/2007 9:50:00 AM
Docket Number: 070183-WS
Filename / Path: 12-4 Procedural.rg.doc
Order Type: Signed / Hand Deliver

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. 05397-07		
DISTRIBUTION: _____		

RECEIVED-FPSC
07 DEC 11 AM 10:38
COMMISSION
CLERK

copied to gcorders

1/1/4

Matilda Sanders

Pse-07-0904 - PCD-WS

From: Mary Diskerud
Sent: Thursday, November 08, 2007 11:48 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 11/8/2007 11:48:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 Aqua OrderGrantInterv.rg.doc

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <i>05397-07</i>		
DISTRIBUTION: _____		

copied to gcorders

5/1/0

Matilda Sanders

PSC-07-0903-PCO-WS

From: Mary Diskerud
Sent: Thursday, November 08, 2007 11:47 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 11/8/2007 11:47:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 Utilities OrderGrantInterv.rg.doc

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. 05397-07		
DISTRIBUTION:		

copied to gcorders

5/1/0

Matilda Sanders

PSC-07-0777-PCO-WS

From: Mary Diskerud
Sent: Tuesday, September 25, 2007 9:36 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 9/25/2007 9:35:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 procedural.rg.doc

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <u>05397-07</u>		
DISTRIBUTION: _____		

RECEIVED-FPSC
07 SEP 25 AM 10:23
COMMISSION
CLERK

Copied to gcorders

190 mailed

Matilda Sanders

PSC-07-0741-PEO-WS

From: Mary Diskerud
Sent: Monday, September 17, 2007 10:28 AM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 9/17/2007 10:27:00 AM
Docket Number: 070183-WS
Filename / Path: 070183.8.28.07or.rg.doc

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. <u>05397-07</u>		
DISTRIBUTION: _____		

Copied to gcorders

Mary

123/32

Matilda Sanders

From: Sandy Simmons
Sent: Wednesday, September 12, 2007 11:01 AM
To: Matilda Sanders
Subject: Proposed Changes to Form 070183-WS-00001

Attachments: CCS Form 070183-WS-00001-002.pdf



CCS Form
3-WS-00001-C

FPSC, CLK - CORRESPONDENCE		
<input checked="" type="checkbox"/> Administrative	<input type="checkbox"/> Parties	<input type="checkbox"/> Consumer
DOCUMENT NO. 05397-07		
DISTRIBUTION: _____		

COMMISSION
CLERK

07 SEP 13 AM 11:06

RECEIVED FPSC

Docket Number 070183-WS - Form Number 070183-WS-00001-002

Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Add new appointment - Day 1 of a 1-day Prehearing Conference - 01/07/2008 - 1:30 p.m. - 3:00 p.m. - in Tallahassee - Room E-148 - Involving Carter

Attached is a Case Scheduling/Rescheduling Advice (CSRA) in the referenced docket. If you have any questions regarding the form, please contact Sandy Simmons at 413-6008.

Case Scheduling/Rescheduling Advice

Last Revised 09/12/2007 at 11:00 a.m.

To: Commissioner Carter Deputy Executive Director Economic Regulation
 Commissioner McMurrain General Counsel Court Reporter
 Commissioner Argenziano Strategic Analysis & Gov. Affairs Staff Contact - Rosanne Gervasi
 Commissioner Skop Commission Clerk
 Executive Director Competitive Markets/Enforcement
 Public Information Officer Reg. Compliance/Consumer Asst.

From: Office of Chairman Lisa Edgar

Docket Number: 070183-WS -- Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

RECEIVED PSC
07 SEP 13 AM 11:06
COMMISSION CLERK

1. Schedule Information

Event	Former Date	New Date	Location / Room	Time
Prehearing Conference		01/07/2008	Tallahassee / E-148	1:30 p. - 3:00 p.

2. Hearing/Prehearing Assignment Information

Hearing Officers

Former Assignments

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		

Current Assignments

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		
X						

Prehearing Officer

Commissioners				
ED	CT	MMAG	SK	ADM

Commissioners				
ED	CT	MMAG	SK	ADM
	X			

Remarks:

Prehearing conference added; full-Commission hearing is scheduled for 1/22-23/08.

Matilda Sanders

070183

From: Sandy Simmons
Sent: Tuesday, July 24, 2007 4:07 PM
To: Matilda Sanders
Subject: New Advice Form 070183-WS-00001

Attachments: CCS Form 070183-WS-00001-001.pdf



CCS Form
3-WS-00001-C

FPSC, CLK - CORRESPONDENCE
<input checked="" type="checkbox"/> Administrative <input type="checkbox"/> Parties <input type="checkbox"/> Consumer
DOCUMENT NO. <u>D5397-07</u>
DISTRIBUTION: _____

RECEIVED-FPSC
07 JUL 25 AM 7:02
COMMISSION
CLERK

Docket Number 070183-WS - Form Number 070183-WS-00001-001

Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Add new appointment - Day 2 of a 2-day Commission Rule Hearing - 01/23/2008 - 9:30 a.m. - 5:00 p.m. - in Tallahassee - Room E-148 - Involving All Commissioners

Add new appointment - Day 1 of a 2-day Commission Rule Hearing - 01/22/2008 - 9:30 a.m. - 5:00 p.m. - in Tallahassee - Room E-148 - Involving All Commissioners

Attached is a Case Scheduling/Rescheduling Advice (CSRA) in the referenced docket. If you have any questions regarding the form, please contact Sandy Simmons at 413-6008.

Case Scheduling/Rescheduling Advice

Last Revised 07/24/2007 at 4:06 p.m.

To: Commissioner Carter Deputy Executive Director Economic Regulation
 Commissioner McMurrian General Counsel Court Reporter
 Commissioner Argenziano Strategic Analysis & Gov. Affairs Staff Contact - Rosanne Gervasi
 Commissioner Skop Commission Clerk
 Executive Director Competitive Markets/Enforcement
 Public Information Officer Reg. Compliance/Consumer Asst.

From: Office of Chairman Lisa Edgar

Docket Number: 070183-WS -- Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

1. Schedule Information

Event	Former Date	New Date	Location / Room	Time
Commission Rule Hearing		01/22/2008	Tallahassee / E-148	9:30 a. - 5:00 p.
Commission Rule Hearing		01/23/2008	Tallahassee / E-148	9:30 a. - 5:00 p.

2. Hearing/Prehearing Assignment Information

Hearing Officers

Former Assignments

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		

Current Assignments

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		
X						

Prehearing Officer

Commissioners					
ED	CT	MMAG	SK	ADM	

Commissioners					
ED	CT	MMAG	SK	ADM	
	X				

Remarks:

Matilda Sanders

PSC-07-0469-NOR-WS

From: Mary Diskerud
Sent: Wednesday, May 30, 2007 2:42 PM
To: CLK - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 5/30/2007 2:41:00 PM
Docket Number: 070183-WS
Filename / Path: 070183 Rulemaking.ma.doc *4*

Copied to gcorders. Distribution is Water and Wastewater (WAW)

Mary

1 30/33



Public Service Commission
-M-E-M-O-R-A-N-D-U-M-

DATE: May 25, 2007

TO: Ann Cole, Commission Clerk

FROM: Jane Faurot, Chief, Hearing Reporter Services

RE: DOCKET NO. 070183-WS, AGENDA HELD 05/22/07.

RE: PROPOSED ADOPTION OF RULE 25-30.4325, F.A.C., WATER TREATMENT PLANT USED AND USEFUL CALCULATIONS.

DOCUMENT No.: 04296-07, 05/24/07

The transcript for the above proceedings has been completed and is forwarded for placement in the docket file, including attachments.

Please note that Staff distribution of this transcript was made to:

LEGAL, ECR

Acknowledged BY:

A handwritten signature in cursive script, appearing to be "JF", written over a horizontal line.

JF/rlm

Kimberley Pena

From: Kimberley Pena
Sent: Monday, April 09, 2007 9:20 AM
To: Larry Harris
Subject: RE: Dkt. 070183

We will add per this e-mail. Thank you, Sir.

-----Original Message-----

From: Larry Harris
Sent: Monday, April 09, 2007 9:08 AM
To: Kimberley Pena
Subject: RE: Dkt. 070183

Frank Seidman
Management & Regulatory Consultants, Inc.
P.O. Box 13427
Tallahassee, FL 32317-3427

Let me know if you need anything else.
Larry

-----Original Message-----

From: Kimberley Pena
Sent: Monday, April 09, 2007 9:00 AM
To: Larry Harris
Subject: RE: Dkt. 070183

*Done
04/09/07
KC*

Per this e-mail, we will add. Thank you, Sir.

-----Original Message-----

From: Larry Harris
Sent: Monday, April 09, 2007 8:56 AM
To: Kimberley Pena; Ralph Jaeger
Cc: Ann Cole; Tiffany Williams; Matilda Sanders
Subject: RE: Dkt. 070183

Utilities Inc. of Florida, Company Code WS251

Mr. Martin Friedman
Rose Law Firm
Sanlando Center
2180 W State Road 434, Suite 2118
Longwood FL 32779

I'm working on getting Mr. Seidman's info; I'll send it on when he gets back to me.
Larry

****CCA OFFICIAL DOCUMENT...****

-----Original Message-----

From: Kimberley Pena

Sent: Thursday, April 05, 2007 4:20 PM

To: Larry Harris; Ralph Jaeger

Cc: Ann Cole; Tiffany Williams; Matilda Sanders

Subject: Dkt. 070183

Larry or Ralph,

In your request establishing docket you listed Utilities, Inc. (Friedman, Seidman). Please provide more information as to the specific Utilities, Inc. you want us to include (company code will be sufficient) and complete name and addresses for the representatives of the company.

Please let me know if you have any questions. Thank you.

Matilda Sanders

From: Mary Diskerud
Sent: Friday, April 06, 2007 10:41 AM
To: CCA - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 4/6/2007 10:40:00 AM
Docket Number: 070183-WS
Filename / Path: 070183 reconference call.lidh.doc

Copied to gcorders. Distribution is Water and Wastewater (WAW).

Mary

*136/34.
+3 on 04/09/07
Utilities Inc.
Rose Law Firm
Mgt. & Reg. Consults.
Kemp*

Matilda Sanders

From: Mary Diskerud
Sent: Wednesday, April 04, 2007 1:54 PM
To: CCA - Orders / Notices
Subject: Order / Notice Submitted

Date and Time: 4/4/2007 1:52:00 PM
Docket Number: 070183-WS
Filename / Path: 070183 conference call.lzh.doc

ADMINISTRATIVE

Copied to gcorders. Distribution is Water and Wastewater (WAW)

Mary

115/29
+3 on
04/04/07
Utilities Inc.
Rose Law Firm
Mgt. & Reg. Consult's
KMP

3:12

DOCUMENT NUMBER-DATE

05397 JUL-25

FPSC-COMMISSION CLERK

Section 1 - Bureau of Records Complete

Docket No. 070183-WS Date Docketed: 03/21/2007 Title: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Company: Water and Wastewater Utilities

FPSC, CLK - CORRESPONDENCE
 Administrative Parties Consumer
 DOCUMENT NO. 06397-07
 DISTRIBUTION: _____

Official Filing Date: _____

Expiration: _____

Last Day to Suspend: _____

Referred to:

(*O) indicates OPR

ADM CMP ECR (GCL) PIF RCA SCR SGA

Section 2 - OPR Completes and returns to CCA in 10 workdays. **Time Schedule**

Program Module B7(a); A11(a)

WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT
 IT IS TENTATIVE AND SUBJECT TO REVISION.
 FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770

Staff Assignments

OPR Staff

Current CASR revision level

Due Dates

Previous Current

Staff Counsel

OCRs

Recommended assignments for hearing and/or deciding this case:

Full Commission ___ Commission Panel ___
 Hearing Examiner ___ Staff ___

Date filed with CCA: _____

Initials OPR

Staff Counsel

Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

Commissioners						Hrg Exam	Staff
ALL	ED	CT	MM	C1	C2		

Prehearing Officer

Commissioners					ADM
ED	CT	MM	C1	C2	

Where panels are assigned the senior Commissioner is Panel Chairman: the identical panel decides the case.

Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

Approved: _____

Date: _____

Section 1 - Bureau of Records Complete

Docket No. 070183-WS Date Docketed: 03/21/2007 Title: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Company: Water and Wastewater Utilities

Official Filing Date: _____

Expiration: _____

Last Day to Suspend: _____

Referred to:

ADM CLK CMP ECR (GCL) PIF RCA SCR SGA

(*) indicates OPR

			X	X				
--	--	--	---	---	--	--	--	--

Section 2 - OPR Completes and returns to CCA in 10 workdays.

Time Schedule

Program Module B7(a); A11(a)

WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT
IT IS TENTATIVE AND SUBJECT TO REVISION.
FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770

Staff Assignments

OPR Staff

L Harris

Current CASR revision level

Due Dates
Previous Current

Staff Counsel

L Harris, R Jaeger

OCRs (ECR)

R Redemann, T Rendell
S Rieger

Recommended assignments for hearing and/or deciding this case:

Full Commission Commission Panel ___
Hearing Examiner ___ Staff ___

Date filed with CCA: 04/06/2007

Initials OPR _____
Staff Counsel _____

1.	Staff Recommendation	NONE	04/26/2007
2.	Agenda	NONE	05/08/2007
3.	FAW Notice Filed	NONE	05/15/2007
4.	FAW Notice Published - Proposal	NONE	05/25/2007
5.	Request for Hearing/Comments Due	NONE	06/15/2007
6.	Revised CASR Due	NONE	06/25/2007
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			

Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

Commissioners						Hrg Exam	Staff
ALL	ED	CT	MM	C1	C2		
X							

Prehearing Officer

Commissioners					ADM
ED	CT	MM	C1	C2	
	X				

Where panels are assigned the senior Commissioner is Panel Chairman:
the identical panel decides the case.
Where one Commissioner, a Hearing Examiner or a Staff Member is
assigned the full Commission decides the case.

Approved: ED/...

Date: 04/06/2007

Section 1 - Office of Commission Clerk

Docket No. 070183-WS Date Docketed: 03/21/2007 Title: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Company: Water and Wastewater Utilities

Official Filing Date: _____

Expiration: _____

Last Day to Suspend: _____

Referred to:

ADM	CLK	CMP	ECR	(GCL)	PIF	RCA	SCR	SGA
			X	X				

('O' indicates OPR)

Section 2 - OPR Completes and returns to CLK in 10 workdays.

Time Schedule

Program Module B7(a); A11(a)

**WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT
IT IS TENTATIVE AND SUBJECT TO REVISION.
FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770**

Staff Assignments

OPR Staff

L Harris

Current CASR revision level

Due Dates
Previous Current

Staff Counsel

L Harris, R Jaeger

OCRs (ECR)

R Redemann, T Rendell
S Rieger

Recommended assignments for hearing and/or deciding this case:

Full Commission Commission Panel
Hearing Examiner Staff

Date filed with CLK: 04/25/2007

Initials OPR _____
Staff Counsel _____

1.	Staff Recommendation	04/26/2007	05/10/2007
2.	Agenda	05/08/2007	05/22/2007
3.	FAW Notice Filed	05/15/2007	05/29/2007
4.	FAW Notice Published - Proposal	05/25/2007	06/08/2007
5.	Request for Hearing/Comments Due	06/15/2007	06/29/2007
6.	Revised CASR Due	06/25/2007	07/13/2007
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			

Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

Commissioners						Hrg Exam	Staff
ALL	ED	CT	MM	CI	C2		
X							

Prehearing Officer

Commissioners					ADM
ED	CT	MM	CI	C2	
	X				

Where panels are assigned the senior Commissioner is Panel Chairman: the identical panel decides the case.
Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

Approved: ED/ [Signature]
Date: Pending 5/07/07

Case Scheduling/Rescheduling Advice

Last Revised 07/24/2007 at 4:06 p.m.

To: Commissioner Carter Deputy Executive Director Economic Regulation
 Commissioner McMurrin General Counsel Court Reporter
 Commissioner Argenziano Strategic Analysis & Gov. Affairs Staff Contact - Rosanne Gervasi
 Commissioner Skop Commission Clerk
 Executive Director Competitive Markets/Enforcement
 Public Information Officer Reg. Compliance/Consumer Asst.

RECEIVED-FPSC
 07 JUL 25 AM 7:03
 COMMISSION CLERK

From: Office of Chairman Lisa Edgar

Docket Number: 070183-WS -- Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

1. Schedule Information

Event	Former Date	New Date	Location / Room	Time
Commission Rule Hearing		01/22/2008	Tallahassee / E-148	9:30 a. - 5:00 p.
Commission Rule Hearing		01/23/2008	Tallahassee / E-148	9:30 a. - 5:00 p.

2. Hearing/Prehearing Assignment Information

Former Assignments

Current Assignments

Hearing Officers

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		
X						

Prehearing Officer

Commissioners				
ED	CT	MMAG	SK	ADM

Commissioners				
ED	CT	MMAG	SK	ADM
	X			

Remarks:

Section 1 - Office of Commission Clerk

Docket No. 070183-WS Date Docketed: 03/21/2007 Title: Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

Company: Water and Wastewater Utilities

Official Filing Date: _____

Expiration: _____

Last Day to Suspend: _____

Referred to:

ADM CLK CMP ECR (GCL) PIF RCA SCR SGA

(*O* indicates OPR)

Section 2 - OPR Completes and returns to CLK in 10 workdays.

Time Schedule

Program Module B7(a); A11(a)

WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT
IT IS TENTATIVE AND SUBJECT TO REVISION.
FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770

Staff Assignments

OPR Staff

R Gervasi

Current CASR revision level

Due Dates
Previous Current

Staff Counsel

R Gervasi, R Jaeger

OCRs (ECR)

R Redemann, T Rendell
S Rieger

1.	* Staff Recommendation	04/26/2007	05/10/2007
2.	* Agenda	05/08/2007	05/22/2007
3.	* FAW Notice Filed	05/15/2007	05/29/2007
4.	* Order Noticing Proposed Adoption of Rule	SAME	05/31/2007
5.	* Notice to JAPC for Proposed Rule, etc.	SAME	06/01/2007
6.	FAW Notice Published - Proposal	05/25/2007	06/08/2007
7.	* Request for Hearing/Comments Due	06/15/2007	06/29/2007
8.	FAW Notice Filed	NONE	08/07/2007
9.	Staff Recommendation	NONE	08/16/2007
10.	Agenda	NONE	08/28/2007
11.	Order Establishing Procedure(If Petition Grant	NONE	09/11/2007
12.	Revised CASR Due	08/31/2007	09/13/2007
13.	Standard Order	NONE	09/17/2007
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			

Recommended assignments for hearing and/or deciding this case:

Full Commission Commission Panel _____
Hearing Examiner _____ Staff _____

Date filed with CLK: 08/03/2007

Initials OPR _____
Staff Counsel _____

Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

Commissioners						Hrg Exam	Staff
ALL	ED	CT	MM	AG	SK		
X							

Prehearing Officer

Commissioners					ADM
ED	CT	MM	AG	SK	
	X				

Where panels are assigned the senior Commissioner is Panel Chairman:
the identical panel decides the case.
Where one Commissioner, a Hearing Examiner or a Staff Member is
assigned the full Commission decides the case.

Approved: EOI
Date: 08/03/2007

Case Scheduling/Rescheduling Advice

Last Revised 09/12/2007 at 11:00 a.m.

To:

<input checked="" type="checkbox"/> Commissioner Carter	<input checked="" type="checkbox"/> Deputy Executive Director	<input checked="" type="checkbox"/> Economic Regulation
<input checked="" type="checkbox"/> Commissioner McMurrin	<input checked="" type="checkbox"/> General Counsel	<input checked="" type="checkbox"/> Court Reporter
<input checked="" type="checkbox"/> Commissioner Argenziano	<input type="checkbox"/> Strategic Analysis & Gov. Affairs	<input checked="" type="checkbox"/> Staff Contact - Rosanne Gervasi
<input checked="" type="checkbox"/> Commissioner Skop	<input checked="" type="checkbox"/> Commission Clerk	<input type="checkbox"/>
<input checked="" type="checkbox"/> Executive Director	<input type="checkbox"/> Competitive Markets/Enforcement	<input type="checkbox"/>
<input checked="" type="checkbox"/> Public Information Officer	<input checked="" type="checkbox"/> Reg. Compliance/Consumer Asst.	<input type="checkbox"/>

From: Office of Chairman Lisa Edgar

Docket Number: 070183-WS -- Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.

RECEIVED-PSC
 07 SEP 12 AM 11:06
 COMMISSION
 CLERK

1. Schedule Information

Event	Former Date	New Date	Location / Room	Time
Prehearing Conference		01/07/2008	Tallahassee / E-148	1:30 p. - 3:00 p.

2. Hearing/Prehearing Assignment Information

Former Assignments

Current Assignments

Hearing Officers

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		

Commissioners					Hearing Exam.	Staff
ALL	ED	CT	MMAG	SK		
X						

Prehearing Officer

Commissioners				
ED	CT	MMAG	SK	ADM

Commissioners				
ED	CT	MMAG	SK	ADM
	X			

Remarks:

Prehearing conference added; full-Commission hearing is scheduled for 1/22-23/08.

Section 1 - Office of Commission Clerk

Docket No. 070183-WS Date Docketed: 03/21/2007 Title: **Proposed adoption of Rule 25-30.4325, F.A.C., Water Treatment Plant Used and Useful Calculations.**

Company: **Water and Wastewater Utilities**

Official Filing Date: _____ Expiration: _____

Last Day to Suspend: _____

Referred to:

ADM CLK CMP ECR (GCL) PIF RCA SCR SGA

(*O* indicates OPR)

Section 2 - OPR Completes and returns to CLK in 10 workdays.

Time Schedule

Program Module **B7(a); A11(a)**

**WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT
IT IS TENTATIVE AND SUBJECT TO REVISION.
FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770**

Staff Assignments

OPR Staff

R Gervasi

4 Current CASR revision level

Due Dates
Previous Current

Staff Counsel

R Gervasi, R Jaeger

OCRs (ECR)

**C Bulecza-Banks
P Daniel, C Hewitt
R Redemann, S Rieger
T Walden**

1.	FAW Notice Published - Notice of Change	SAME	04/25/2008
2.	File Rule With Secretary of State	SAME	05/19/2008
3.	Close Docket or Revise CASR	05/28/2008	05/21/2008
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			

Recommended assignments for hearing and/or deciding this case:

Full Commission Commission Panel _____
Hearing Examiner _____ Staff _____

Date filed with CLK: 04/23/2008

Initials OPR _____
Staff Counsel _____

Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

Commissioners						Hrg Exam	Staff
ALL	CT	ED	MM	AG	SK		
X							

Prehearing Officer

Commissioners					ADM
CT	ED	MM	AG	SK	
X					

Where panels are assigned the senior Commissioner is Panel Chairman: the identical panel decides the case.
Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

Approved: CT/hrs
Date: Pending 5/05/08