

Jerry D. Hendrix Vice President Regulatory Relations AT&T Florida 150 South Monroe Street Suite 400 Tallahassee, FL 32301

T: 850.577.5550
F: 850.224.5073
jerfy:hendrix@att.com
www.att.com
CLETT

28

October 30, 2007

070668-TP

Mrs. Ann Cole
Director, Division of the Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and dPi Teleconnect, LLC.

Dear Mrs. Cole:

Please find enclosed for filing and approval, the original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and dPi Teleconnect, LLC.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 577-5551.

COMVery truly yours,
CTR
ECR Alrry W. Nendrypy
GCLRegulatory Vice President
OPC
RCA
SCR
SGA
SEC
OTH

CMP \

DOCUMENT NUMBER-DATE

09860 OCT 30 €

BELLSOUTH® / CLEC Agreement

Customer Name: dPi Teleconnect, LLC

DPI 2007 ICA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	25
Att 1 - Resale	26
Att 1 - Resale Discounts & Rates	45
Att 2 - Network Elements & Other Services	54
Att 2 - Exh 1 - GA 271 Requirements	106
Att 2 - Network Element Rates - Exhibit A	112
Att 2 - Network Elements Rates - Exhibit B	215
Att 3 - Network Interconnection	232
Att 3 - Local Interconnection Rates	261
Att 4 - Collocation	279
Att 4 - Collocation Rates - Exhibit B	332
Att 5 - Access to Numbers and Number Portability	377
Att 6 - Ordering	382
Att 7 - Billing	391
Att 8 - Rights of Way	402
Att 9 - Service Quality Measurements	404
Att 10 - Disaster Recovery Plan	406
Att 11 - BFR and NBR Process	415

DOCUMENT NUMBER - DATE

Interconnection Agreement

Between

BellSouth Telecommunications, Inc.

and

dPi Teleconnect, LLC

DOCUMENT NUMBER-DATE

09860 OCT 30 5

FPSC-COMMISSION CLERK

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- 26. Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

Version: 4Q06 Standard ICA

11/30/06

DOCUMENT NUMBER-DATE

09860 OCT 30 %

TABLE OF CONTENTS (cont'd)

- Attachment 1 Resale
- Attachment 2 Network Elements and Other Services
- **Attachment 3 Network Interconnection**
- Attachment 4 Collocation
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- Attachment 7 Billing
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Service Quality Measurements**
- Attachment 10 BellSouth Disaster Recovery Plan
- Attachment 11 Bona Fide Request and New Business Request Process

Version: 4Q06 Standard ICA

11/30/06

0000MENT NUMBER-DATE

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and dPi Teleconnect, LLC (DPI), a Delaware company, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or DPI or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, DPI is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; DPI wishes to purchase certain services from BellSouth; and

WHEREAS, the Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

WHEREAS, DPI wishes to purchase and BellSouth wishes to provide other services as described in this Agreement;

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and DPI agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than ten percent (10%).

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Version: 4Q06 Standard ICA

11/30/06

DOCUMENT NUMBER-DATE

09860 OCT30 \$

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1 CLEC Certification

- 1.1 DPI agrees to provide BellSouth in writing DPI's CLEC certification from the Commission for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval. Additionally, DPI shall provide to BellSouth an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.
- To the extent DPI is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, DPI may not purchase services hereunder in that state. DPI will notify BellSouth in writing and provide CLEC certification from the Commission when it becomes certified to operate in, as well as an effective certification to do business issued by the secretary of state or equivalent authority for, any other state covered by this Agreement. Upon receipt thereof, BellSouth will file this Agreement in that state, and DPI may purchase services pursuant to this Agreement in that state, subject to establishing appropriate accounts in the additional state as described in Attachment 7.
- 1.3 Should DPI's certification in any state be rescinded or otherwise terminated,
 BellSouth may, at its election, suspend or terminate this Agreement immediately
 and all monies owed on all outstanding invoices for services provided in that state

Version: 4006 Standard ICA

shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. DPI shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

2 Term of the Agreement

- 2.1 The initial term of this Agreement shall be five (5) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred eighty (180) days prior to the expiration of the initial term of this Agreement, the Parties shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 DPI may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to DPI. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to DPI pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.

Version: 4Q06 Standard ICA

- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.
- If, at any time during the term of this Agreement, BellSouth is unable to contact DPI pursuant to the Notices provision hereof or any other contact information provided by DPI under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to DPI pursuant to the Notices section hereof. Furthermore, if after eighteen (18) months following the Effective Date of this Agreement DPI has no active services pursuant to this Agreement, BellSouth may terminate this Agreement, without any liability to BellSouth, upon notification to DPI pursuant to the Notices section hereof.
- In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due. In such event, DPI is solely responsible for notifying its customers of any discontinuance of service.

3 Nondiscriminatory Access

When DPI purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to customers, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its customers. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to DPI shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of DPI shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's customers and service quality as perceived by DPI.

Version: 4Q06 Standard ICA

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services for DPI, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to DPI customers. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for DPI customers for the same length of time it maintains such information for its own customers.
- 4.2 <u>Subpoenas Directed to DPI.</u> Where BellSouth is providing resold services to DPI, then DPI agrees that in those cases where DPI receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to DPI customers, and where DPI does not have the requested information, DPI will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's customer, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

- 5.1 <u>DPI Liability.</u> In the event that DPI consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using DPI's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of DPI under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to DPI for any act or omission of another entity providing any services to DPI.
- 5.3 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to DPI pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to DPI pursuant to this Agreement.
- 5.3.1 <u>Limitations in Tariffs.</u> A Party may, in its sole discretion, provide in its tariffs and contracts with its customers and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum

Version: 4006 Standard ICA

extent permitted by Applicable Law, such Party shall not be liable to the customer or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- Neither BellSouth nor DPI shall be liable for damages to the other Party's terminal location, equipment or customer premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 5.3.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except as otherwise set forth in this Agreement and except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by any third party (including, but not limited to, a customer of the Party receiving services) arising from the third party's use or reliance on and

Version: 4Q06 Standard ICA

arising from the Party receiving services use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.

5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

6.1 No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.

Version: 4Q06 Standard ICA

6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

6.3 Intellectual Property Remedies

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

6.3.2 Claim of Infringement

- 6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 <u>Exception to Obligations.</u> Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or

Version: 4Q06 Standard ICA

equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

- Proprietary and Confidential Information. It may be necessary for BellSouth and DPI, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- Use and Protection of Information. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees consultants, contractors and agents of Recipient or its Affiliates with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipients may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Information remains at all times the property of Discloser. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any Information)

Version: 4Q06 Standard ICA

will be promptly returned to Discloser or destroyed, and Recipient will provide Discloser with written certification stating that such information has been returned or destroyed.

7.3 Exceptions

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

Version: 4006 Standard ICA

9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefor, excluding any taxes levied on income.
- 9.2 <u>Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party</u>
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not applicable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be applicable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

Version: 4006 Standard ICA

- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application of or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party.

Version: 4Q06 Standard ICA

The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 9.5 Additional Provisions Applicable to All Taxes and Fees
- 9.5.1 In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.
- 9.5.2 Notwithstanding any provision of this Agreement to the contrary, any administrative, judicial, or other proceeding concerning the application or amount of a tax or fee shall be maintained in accordance with the provisions of this Section and any applicable federal, state or local law governing the resolution of such disputed tax or fee; and under no circumstances shall either Party have the right to

Version: 4006 Standard ICA

bring a dispute related to the application or amount of a tax or fee before a regulatory authority.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by DPI, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. The Party affected shall provide notice of the Force Majeure event within a reasonable period of time following such an event.

11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to DPI any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

12 Modification of Agreement

- If DPI changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of DPI to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the Commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, DPI shall provide BellSouth with any necessary supporting documentation, which may include, but is not limited to, a credit application, Application for Master Account, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by National Exchange Carrier Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), BellSouth's blanket form letter of authority (LOA), Misdirected Number form and a tax exemption certificate.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

Version: 4Q06 Standard ICA

In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of DPI or BellSouth to perform any material terms of this Agreement, DPI or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

14 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such

Version: 4Q06 Standard ICA

provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

18 Assignments and Transfers

- 18.1 Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that DPI is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, DPI shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) DPI pays all bills, past due and current, under this Agreement, or (2) DPI's assignee expressly assumes liability for payment of such bills.
- In the event that DPI desires to transfer any services hereunder to another provider of Telecommunications Service, or DPI desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

19 Notices

19.1 Every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

BellSouth Telecommunications, Inc.

Version: 4Q06 Standard ICA

BellSouth Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

Business Markets Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

dPi Teleconnect, LLC

Brian Bolinger
2997 LBJ Freeway
Suite 225
Dallas, TX 75234
(972) 488-5500 EX 4018
brian.bolinger@dpiteleconnect.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

Version: 4Q06 Standard ICA

22 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as DPI is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. This Agreement also contains certain provisions that were negotiated without regard to the Parties' obligations as set forth Section 251 of the Act. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

27 Rates

DPI shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill DPI for such rate or for the difference between the

Version: 4Q06 Standard ICA

rate actually billed and the rate that should have been billed pursuant to this Agreement; provided, however, that subject to DPI's agreement to the limitation regarding billing disputes as described in Section 2.2 of Attachment 7 hereof, BellSouth shall not back bill any amounts for services rendered more than twelve (12) months prior to the date that the charges or additional charges for such services are actually billed. Notwithstanding the foregoing, both Parties recognize that situations may exist which could necessitate back billing beyond twelve (12) months. These exceptions are:

- Charges connected with jointly provided services whereby meet point billing guidelines require either Party to rely on records provided by a third party and such records have not been provided in a timely manner;
- Charges incorrectly billed due to erroneous information supplied by the non-billing Party;
- Charges for which a regulatory body has granted, or a regulatory change permits, the billing Party the authority to back bill.
- To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent DPI requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

28 Rate True-Up

- 28.1 This section applies to rates that are expressly subject to true-up.
- 28.2 The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the

Version: 4Q06 Standard ICA

Commission and shall be binding upon BellSouth and DPI specifically or upon all carriers generally, such as a generic cost proceeding.

29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

30 Entire Agreement

30.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and DPI acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

30.2 Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this Agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned; provided, however, that in any state where certain BellSouth services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provision of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which BellSouth provides such services as a result of detariffing or deregulation.

Version: 4Q06 Standard ICA

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	dPi Teleconnect, LLC		
By: Martin C. Starce	By: Jarel 6. Jawal		
Name: Kristen E. Shore	Name: DAVID B. Dokwan		
Title: Director	Title: President + CEO		
Date: $4/\sqrt{12/\sqrt{2}}$	Date: 4/9/07		

Attachment 1 Page 1

Attachment 1

Resale

Version: 4Q06 Standard ICA

Table of Contents

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4	BellSouth's Provision of Services to dPi	6
5.	Maintenance of Services	7
6.	Discontinuance of Service	7
7.	White Pages Listings	8
8.	Operator Services (Operator Call Processing and Directory Assistance)	9
9.	Branding for Wholesale OCP and DA	11
10.	LIDB	11
11.	Revenue Accounting Office (RAO) Hosting	12
12.	Optional Daily Usage File (ODUF)	12
13.	Enhanced Optional Daily Usage File (EODUF)	12
Res	sale Restrictions	Exhibit A
Opt	tional Daily Usage File (ODUF)	Exhibit B
Enh	hanced Option Daily Usage File (EODUF)	Exhibit C
	sale Discounts and Rates	

Version: 4Q06 Standard ICA

RESALE

1. Discount Rates

- The discounts rates applied to dPi's purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit D. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The Telecommunications Services available for purchase by dPi for the purposes of resale to dPi's customers shall be available at BellSouth's tariffed rates less the discount reflected in Exhibit D and subject to the exclusions and limitations in Exhibit A.

2. Definition of Terms

For purposes of this Attachment only, the following terms shall have the definitions as set forth below:

- 2.1 Customer of Record means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.2 End User Customer Location means the physical location of the premises where a customer makes use of the Telecommunications Services.
- 2.3 New Services means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.4 Resale means an activity wherein a certificated CLEC, such as dPi, subscribes to the retail Telecommunications Services of BellSouth and then offers those retail Telecommunications Services to the public.

3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail Telecommunications Services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to dPi for resale those Telecommunications Services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not Telecommunications carriers.
- When dPi provides Resale service in a cross boundary area (customer is physically located in a particular state and is served by a central office in an adjoining state) the rates, regulations and discounts for the state in which the serving central office is located will apply. Billing will be from the state in which the customer is located.
- 3.2 dPi as a reseller of Lifeline and Link-Up Services hereby certifies that it has and

Version: 4006 Standard ICA

will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 54.417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.

- 3.2.1 dPi shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and dPi shall provide such documentation to the FCC or it's Administrator upon request.
- 3.2.2 In Tennessee, if dPi does not resell Lifeline service to any end users, and if dPi agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event dPi resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon dPi and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate OCN is established for billing of Lifeline service end users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- dPi must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or ordering the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- dPi may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 dPi must resell services to other end users.
- 3.3.2 dPi cannot be a CLEC for the single purpose of selling to itself.
- 3.3.3 dPi will be the Customer of Record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from dPi for said services.
- dPi will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the customer except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the customer for any services that the customer specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any customer within the service area of dPi. BellSouth will continue to market directly its own Telecommunications products and services and in doing so may establish independent relationships with customers of dPi. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the customer's service from dPi to such other CLEC. Upon completion of the conversion BellSouth will notify dPi that such conversion has been completed.

Version: 4006 Standard ICA

- 3.5.2 When a customer of dPi or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the customer's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the customer's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and dPi will refrain from contacting an customer who has placed or whose selected carrier has placed on the customer's behalf an order to change the customer's service provider from BellSouth or dPi to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the customer and are assigned to the service furnished. However, neither Party nor the customer has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.8 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.9 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.10 If dPi or its customers utilize a BellSouth resold Telecommunications Service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs dPi has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to dPi remain the property of BellSouth.
- 3.12 <u>Service Ordering and Operations Support Systems (OSS)</u>
- dPi must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. dPi may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.12.2 BellSouth messaging services set forth in BellSouth's Messaging Service Re-Seller Information Package shall be made available for resale without the wholesale discount.
- 3.13 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale

Version: 4006 Standard ICA

discount.

- In the event dPi acquires a customer whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to dPi that Special Assembly at the wholesale discount at dPi's option. dPi shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.15 BellSouth shall provide 911/E911 for dPi customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate dPi customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the dPi customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- 3.16 Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to dPi, and dPi shall pay, the End User Common Line (EUCL) charges identical to the EUCL charges BellSouth bills its customers.

4 BellSouth's Provision of Services to dPi

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of Telecommunications Services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only Telecommunications Services available for resale to Hotel/Motel and Hospital customers, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by dPi to establish authenticity of use. Such audit shall not occur more than once in a calendar year. dPi shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by dPi for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual customer of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If dPi cancels an order for resold services, any costs incurred by BellSouth in

Version: 4006 Standard ICA

conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.

- 4.4 Service Jointly Provisioned with an Independent Company or CLEC
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When dPi assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to dPi.
- dPi must establish a billing arrangement with the ICO or other CLEC prior to assuming a customer account where such circumstances apply.
- 4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- dPi or its customers may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 dPi accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- dPi will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, dPi shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth reserves the right to contact dPi's customers, if deemed necessary, for maintenance purposes.

6. Discontinuance of Service

- 6.1 The procedures for discontinuing service to a customer are as follows:
- 6.1.1 BellSouth will deny service to dPi's customer on behalf of, and at the request of, dPi. Upon restoration of the customer's service, restoral charges will apply and will be the responsibility of dPi.
- 6.1.2 At the request of dPi, BellSouth will disconnect a dPi customer.
- 6.1.3 All requests by dPi for denial or disconnection of a customer for nonpayment must be in writing.

Version: 4Q06 Standard ICA

- dPi will be made solely responsible for notifying the customer of the proposed disconnection of the service.
- 6.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise dPi when it is determined that annoyance calls are originated from one of its customer's locations. BellSouth shall be indemnified, defended and held harmless by dPi and/or the customer against any claim, loss or damage arising from providing this information to dPi. It is the responsibility of dPi to take the corrective action necessary with its customer who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the customer's service.)

7. White Pages Listings

- 7.1 BellSouth shall provide dPi and its end users access to white pages directory listings under the following terms:
- 7.1.1 Listings. dPi shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include dPi residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between dPi and BellSouth customers. dPi shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> dPi will be required to provide to BellSouth the names, addresses and telephone numbers of all dPi customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 Inclusion of dPi Customers in Directory Assistance Database. BellSouth will include and maintain dPi customer listings in BellSouth's Directory Assistance databases. dPi shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford dPi's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as dPi provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to dPi one (1) basic White Pages directory listing per dPi customer at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to dPi customer at no charge or as specified in a separate agreement between dPi

Version: 4006 Standard ICA

and BellSouth's agent.

- 7.3 Procedures for submitting dPi Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 dPi authorizes BellSouth to release all dPi SLI provided to BellSouth by dPi to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such dPi SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to dPi for BellSouth's receipt of dPi's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of dPi's SLI, or costs on an ongoing basis to administer the release of dPi's SLI, dPi shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of dPi's SLI, dPi will be notified. If dPi does not wish to pay its proportionate share of these reasonable costs, dPi may instruct BellSouth that it does not wish to release its SLI to independent publishers, and dPi shall amend this Agreement accordingly. dPi will be liable for all costs incurred until the effective date of the amendment.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by dPi under this Agreement. dPi shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate dPi listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to dPi any complaints received by BellSouth relating to the accuracy or quality of dPi listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the customer has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for BellSouth OCP, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to dPi customer's calling card that can be validated by

Version: 4Q06 Standard ICA

BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and ELI requests. 8.2.9 Process emergency call trace originated by PSAP. 8.2.10 Process operator-assisted DA calls. 8.2.11 Adhere to equal access requirements, providing dPi local customer the same IXC access that BellSouth provides its own operator service (OS). Exercise at least the same level of fraud control in providing OS to dPi that 8.2.12 BellSouth provides for its own OS. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. Direct customer account and other similar inquiries to the customer service center 8.2.14 designated by dPi. 8.3 Upon dPi's request BellSouth shall provide call records to dPi in accordance with Optional Daily Usage File (ODUF) standards. 8.4 The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards. 8.5 DA Service 8.5.1 DA Service provides local and non-local customer telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.5.2 DA Service shall provide up to two (2) listing requests per call, if available and if requested by dPi's customer. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings. DA Service Updates. BellSouth shall update customer listings changes daily. 8.6 These changes include: 8.6.1 New customer connections: 8.6.2 Customer disconnections: 8.6.3 Customer address changes; and 8.6.4 Non-listed and non-published numbers for use in emergencies.

Version: 4Q06 Standard ICA

9. Branding for Wholesale OCP and DA

- 9.1 BellSouth's branding feature provides a definable announcement to dPi's customers using BellSouth's DA/OCP prior to placing such customers in queue or connecting them to an available operator or automated operator system. This feature allows dPi to have its calls custom branded with dPi's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.
- 9.2 BellSouth offers three (3) branding options to dPi when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 9.3 dPi's order for Custom Branding is considered firm ten (10) business days after BellSouth's receipt of the order. dPi may cancel its order more than ten (10) business days after BellSouth's receipt of the order. dPi shall notify BellSouth in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), dPi must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, dPi shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, dPi must have its OCN(s) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, dPi must submit a manual order form which requires, among other things, dPi's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. dPi shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon dPi's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all dPi customers served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

10. LIDB

- 10.1 BellSouth LIDB stores current information on working telephone numbers and billing account numbers.
- Where dPi is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from dPi LSR's to populate LIDB with dPi's customer information. BellSouth provides access to information in its LIDB, including dPi customer information, to its LIDB customers via queries to LIDB.
- When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of dPi data to the LIDB (e.g., calling card deactivation).

Version: 4006 Standard ICA

10.2.2 dPi will not be charged a fee for LIDB storage services provided by BellSouth to dPi pursuant to this Attachment. 10.3 Responsibilities of the Parties BellSouth will administer the data provided by dPi pursuant to this Agreement in 10.3.1 the same manner as BellSouth administers its own data. dPi is responsible for completeness and accuracy of the data being provided to 10.3.2 BellSouth. BellSouth shall not be responsible to dPi for any lost revenue which may result 10.3.3 from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time. 11. Revenue Accounting Office (RAO) Hosting RAO Hosting is not required for resale in the BellSouth region. 11.2 12. **Optional Daily Usage File (ODUF)** The ODUF Agreement with terms and conditions is included in this Attachment 12.1 as Exhibit B. Rates for ODUF are as set forth in Exhibit D. BellSouth will provide ODUF service upon written request. 12.2 **Enhanced Optional Daily Usage File (EODUF)** 13. The EODUF service Agreement with terms and conditions is included in this 13.1 Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D. BellSouth will provide EODUF service upon written request. 13.2

Version: 4Q06 Standard ICA

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)

	Type of Service		AL		FL		GA		ζY		LA		MS		NC		SC		TN
	Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
		ļ								-									
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Promotions - > 90 Days(Note 2 &3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - < 90 Days (Note 2 & 3)	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
4	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	N11 Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Nonrecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11	EUCL Charge	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13	Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No	otes:																	
	1. Grandfathere																		
	Where availab									would h	iave qualit	ied for t	he promo	tion had	it been pr	ovided b	y BellSou	ith direc	tly.
	Promotions sha																·		
	3. Promotions sha																		
"	4. Some of BellS	outh's lo	cal excha	nge and	toll Teleco	ommuni	cations Se	rvices a	re not ava	ilable in	certain ce	ntral off	ices and a	reas.					

Version: 4Q06 Standard ICA

Optional Daily Usage File

Upon written request from dPi, BellSouth will provide the ODUF service to dPi

	pursuant to the terms and conditions set forth in this section.
2.	dPi shall furnish all relevant information required by BellSouth for the provision of the ODUF.
3.	The ODUF feed provides dPi messages that were carried over the BellSouth network and processed by BellSouth for dPi.
4.	Charges for ODUF will appear on dPi's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
6.	ODUF Specifications
6.1	ODUF Message to be Transmitted
6.1.1	The following messages recorded by BellSouth will be transmitted to dPi:
6.1.1.1	Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.);
6.1.1.2	Measured local calls;
6.1.1.3	Directory Assistance messages;
6.1.1.4	IntraLATA Toll;
6.1.1.5	WATS and 800 Service;
6.1.1.6	N11;
6.1.1.7	Information Service Provider Messages;
6.1.1.8	OS Messages;
6.1.1.9	OS Message Attempted Calls;
6.1.1.10	Credit/Cancel Records; and
6.1.1.11	Usage for Voice Mail Message Service.
6.1.2	Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
6.1.3	BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to dPi.
6.1.4	In the event that dPi detects a duplicate on ODUF they receive from BellSouth,

Version: 4Q06 Standard ICA

11/30/06

6.1.4

6.2

1.

ODUF Physical File Characteristics

dPi will drop the duplicate message and will not return the duplicate to BellSouth.

- ODUF will be distributed to dPi via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT: Direct data circuits (private line or dial-up) will be required between BellSouth and dPi for the purpose of data transmission. Where a dedicated line is required, dPi will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. dPi will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be dPi's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to dPi. Additionally, all message toll charges associated with the use of the dial circuit by dPi will be the responsibility of dPi. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on dPi's end for the purpose of data transmission will be the responsibility of dPi.
- 6.2.3 If dPi utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of dPi.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to dPi which BellSouth RAO is sending the message. BellSouth and dPi will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by dPi and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- dPi will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard

Version: 4Q06 Standard ICA

ATIS EMI error codes will be used. dPi will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to dPi by BellSouth.

6.5 ODUF Control Data

dPi will send one confirmation record per pack that is received from BellSouth.

This confirmation record will indicate dPi's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by dPi for reasons stated in the above section.

6.6 ODUF Testing

6.6.1 Upon request from dPi, BellSouth shall send ODUF test files to dPi. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that dPi set up a production (live) file. The live test may consist of dPi's employees making test calls for the types of services dPi requests on ODUF. These test calls are logged by dPi, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 4Q06 Standard ICA

Enhanced Optional Daily Usage File

1.	Upon written request from dPi, BellSouth will provide the EODUF service to dPi pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
2.	dPi shall furnish all relevant information required by BellSouth for the provision of the EODUF.
3.	The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
4.	Charges for EODUF will appear on dPi's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	All messages will be in the standard ATIS EMI record format.
6.	Messages that error in the billing system of dPi will be the responsibility of dPi. If, however, dPi should encounter significant volumes of errored messages that prevent processing by dPi within its systems, BellSouth will work with dPi to determine the source of the errors and the appropriate resolution.
7.	EODUF Specifications
7.1	EODUF Usage To Be Transmitted
7.1.1	The following messages recorded by BellSouth will be transmitted to dPi:
7.1.1.1	Customer usage data for flat rated local calls originating from dPi's customer lines (1FB or 1FR). The EODUF record for flat rate messages will include:
7.1.1.1.1	Date of Call
7.1.1.1.2	From Number
7.1.1.3	To Number
7.1.1.1.4	Connect Time
7.1.1.5	Conversation Time
7.1.1.1.6	Method of Recording
7.1.1.1.7	From RAO
7.1.1.1.8	Rate Class
7.1.1.1.9	Message Type
7.1.1.1.10	Billing Indicators
7.1.1.1.11	Bill to Number
7.1.2	BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to dPi.

Version: 4Q06 Standard ICA

- 7.1.3 In the event that dPi detects a duplicate on EODUF they receive from BellSouth, dPi will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 <u>EODUF Physical File Characteristics</u>
- 7.2.1 EODUF feed will be distributed to dPi via FTP. The EODUF messages will be intermingled among dPi's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and dPi for the purpose of data transmission. Where a dedicated line is required, dPi will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. dPi will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to dPi. Additionally, all message toll charges associated with the use of the dial circuit by dPi will be the responsibility of dPi. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on dPi's end for the purpose of data transmission will be the responsibility of dPi.
- 7.2.3 If dPi utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of dPi.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to dPi which BellSouth RAO is sending the message. BellSouth and dPi will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by dPi and resend the data as appropriate.

Version: 4006 Standard ICA

Attachment 1 Page 19 Exhibit C

Version: 4Q06 Standard ICA

ESALE DISCOUNTS & RATES - Alabama												Att: 1 Exh: D			
		1 7								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
	ļ									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
	1			İ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc	i		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
	1	1 1								por corr	po. 00	Electronic-	Electronic-	Electronic-	Electron
		1										1st	Add'I	Disc 1st	Disc Ad
				ł								181	AGUI	Disc 191	DISCAGO
	1				Rec	Nonrec	uming	Nonrecurring	Disconnect			oss	Rates(\$)	·	
					nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
ESALE APPLICABLE DISCOUNTS		—	<u> </u>	 							<u> </u>		·	ļ	
Residence %		1							}			ļ <u>.</u>		ļ	ļ
Business %	├	+		+	16.30					 				<u> </u>	
CSAs %	 	+			16.30								ļ		
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	├	+		+	16.30							 			
ETTATION OF THE TOTAL TOTAL TOTAL TRATES		1							L	L	l	<u> </u>	L	I	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the service ordering ch	"state s; narges, c	pecific" or CLEC	OSS charges as ord may elect the region	dered by the S anal service o	itate Commissio: rdering charge, h	ns. The OSS cl lowever, CLEC	narges current can not obtain	y contained in a mixture of th	this rate exhibit ve two regardie	are the Bel	South "regi nas a interco	onal" service on nnection cont	ordering char ract establish	ges. CLEC ma ed in each of t	ay elect e the 9 stat
OSS - Electronic Service Order Charge, Per Local Service	T		-							1	T		T	1	T
Request (LSR) - Resale Only				SOMEC	1	3.50	0.00	3.50	0.00		i		ł		
OSS - Manual Service Order Charge, Per Local Service Request											Î				
(LSR) - Resale Only			<u> </u>	SOMAN	<u> </u>	19.99	0.00	19.99	0.00		L	1			1
DUF/EODUF SERVICES	Ι	1		T											
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message		<u></u>]	0.000011					I''	L				
ODUF: Message Processing, per message					0.004101										
ODUF: Message Processing, per Magnetic Tape provisioned	1				42.67				L			L			
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										1
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
EODUF: Message Processing, per message		1			0.22				1						
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)											1		<u> </u>		
Selective Routing Per Unique Line Class Code Per Request Per										1					1
Switch	1	1	L			84.70	84.70	14,11	14.11			<u> </u>			
IRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	S SOFT	WARE								<u> </u>	<u> </u>	1	ļ		
Recording of DA Custom Branded Announcement						3,000.00	3,000.00		<u> </u>		1		 		
Loading of DA Custom Branded Anouncement per Switch per		1	_			·				1	İ				
JOCN	1	1				1,170.00	1,170.00					ļ		4	
IRECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE			<u> </u>										 		+
Loading of DA per OCN (1 OCN per Order)	↓					420.00	420.00		Ļ		<u> </u>	<u> </u>	ļ		
Loading of DA per Switch per OCN			<u> </u>			16.00	16.00			 		 	_		
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SSOFT	WARE			<u> </u>	<u> </u>		ļ		 		ļ	 	+	
Recording of Custom Branded OA Announcement	4	+				7,000.00	7,000.00	-	-	 	 	+	 		+
Loading of Custom Branded OA Announcement per shelf/NAV per OCN	r					500.00	500.00				<u> </u>		ļ		
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
												1	1		
PERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE				1	1	1			1	L			1		

Version: 4Q06 Std ICA 11/30/06

RESALE DIS	SCOUNTS & HATES - Florida												Att: 1 Exh: D			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					1						Submitted		Charge -	Charge -	Charge -	Charge -
)	ì	1		ì						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		}			1 1111	1					percan	percan				
		1	1 1										Electronic-	Electronic-	Electronic-	Electronic-
		1	l i		i						i		1st	Add'l	Disc 1st	Disc Add'l
					†	Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			T									- 			1	
RESALE APPL	ICABLE DISCOUNTS					1					-					
	Residence %				 	21.83										
	Business %	_	1		 	16.81						-				
	CSAs %		1		 	16.81									 	
OPERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		—						· · · · · · · · · · · · · · · · · · ·							
						·					<u> </u>	·		·	L	
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the "	state sr	ecific" (OSS charges as ord	ered by the S	tate Commission	s. The OSS cl	varges current	v contained in t	his rate exhibit	are the Bel	South "reck	onal" service	ordering char	as CIFC me	w elect either
the sta	te specific Commission ordered rates for the service ordering ch	arges. c	r CLEC	may elect the region	nal service or	dering charge, b	owever CLEC	can not obtain	a mixture of th	e two renardle	as if CLEC I	as a interce	nnection con	rart establish	ed in each of t	ha 9 atatos
	OSS - Electronic Service Order Charge, Per Local Service	Τ					1		a mixture or the	o two logalato	T OCCO.	I I I I I I I I I I I I I I I I I I I	I CONTRACTOR	Tuck colabilati	T GOOD OF	The o states.
Į.	Request (LSR) - Resale Only	ł			SOMEC]	3.50	0.00	3.50	0.00		ŀ		i	1	
	OSS - Manual Service Order Charge, Per Local Service Request	 	1		100		3.30	0.00	3.30	0.00			├	 	 	
	(LSR) - Resale Only		1 1		SOMAN		19.99	0.00	19.99	0.00		1				1
ODUF/EODUF			1		GOWAN		13.33	0.00	19.99	0.00	 		 		 	
	NAL DAILY USAGE FILE (ODUF)	Щ-				 i				L	Щ	<u> </u>	<u> </u>	<u> </u>	┸───	
- 151.110	ODUF: Recording, per message	,			1	0.0000071								····		,
 -	ODUF: Message Processing, per message		+		+	0.000071					 			 	 	
	ODUF: Message Processing, per Message ODUF: Message Processing, per Magnetic Tape provisioned	 	1		 	35.91					 			 	 	
	ODUF: Data Transmission (CONNECT:DIRECT), per message		 		 						 				 	ļ
ENITIA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		ــــــــــــــــــــــــــــــــــــــ		ــــــــــــــــــــــــــــــــــــــ	0.00010375				L	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
ENTA	EODUF: Message Processing, per message														·····	
OFI FOTRIF O	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)		-			0.080698						ļ				
SELECTIVE C		 	4								-		<u> </u>	ļ <u>.</u>	ļ	ļ
,	Selective Routing Per Unique Line Class Code Per Request Per	1	1		!							ļ	1		1	Į.
	Switch	ــــــــــــــــــــــــــــــــــــــ	J		 		93.55	93 55	12.71	12.71	<u> </u>		ļ	<u> </u>	J	·
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE		1	<u> </u>					-	1	<u> </u>	1	1	
	Recording of DA Custom Branded Announcement		_			L	3,000.00	3,000.00	L		1	ļ		<u> </u>	J	
	Loading of DA Custom Branded Anouncement per Switch per	1							i	1	1			1		1
	OCN	<u> </u>					1,170.00	1,170.00		L		ļ		 		1
DIRECTORY A	ASSISTANCE UNBRANDING VIA OLNS SOFTWARE		1									ļ		L		ļ
I	Loading of DA per OCN (1 OCN per Order)		<u> </u>			L	420.00	420.00	L				1			
	Loading of DA per Switch per OCN						16.00	16.00					1		J	
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	VARE												l	1
	Recording of Custom Branded OA Announcement	I	1		T		7,000.00	7,000.00				1			1	
	Loading of Custom Branded OA Announcement per shelf/NAV per	T			1				1			I Total			1	
	OCN	1	1	l	1		500.00	500.00	1		!			<u> </u>		
	Loading of OA Custom Branded Announcement per Switch per		1		T				1		T		T		T	1
	OCN	1	1	1]		1,170.00	1,170.00			1	1	I _	L		<u> </u>
OPERATOR 4	SSISTANCE UNBRANDING VIA OLNS SOFTWARE	1	1	ļ.	l l											

Version: 4Q06 Std iCA 11/30/06

RESALE DISCOUNTS & RATES - Georgia												Att: 1 Exh: D			
										Svc Order		Incremental	Incremental	Incremental	Increment
	Į.	1 1		Į.	Į.					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
					İ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC]		RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
				1							l .	Electronic-	Electronic-	Electronic-	Electronic
		1		1								1st	Add'l	Disc 1st	Disc Add'i
	┼	-		 		Nonrec	urring	Nonrecurring	Disconnect	 	L	OSS	Rates(\$)	L	L
	1				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			-						30	1 00.00			1	10000
ESALE APPLICABLE DISCOUNTS	1	T		1	<u> </u>					 	 			 	
Residence %		1		1	20.30					-	1			 	
Business %				1	17.30					 	 				
CSAs %	T-				17.30								 		
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	T									1	 		 		
NOTE: (1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the service ordering c OSS - Electronic Service Order Charge, Per Local Service	harges, o	or CLEC	may elect the regio	nal service or	tate Commission dering charge, h	owever, CLEC	can not obtain	ly contained in it a mixture of th	this rate exhibit e two regardle	se if CLEC	South "regi	onal" service innection conf	ordering char ract establish	ges. CLEC ma ed in each of t	y elect eith he 9 state:
Request (LSR) - Resale Only	1	1			1									ŀ	
OSS - Manual Service Order Charge, Per Local Service Request	 	 		SOMEC		3.50	0.00	3.50	0.00				L		
(LSR) - Resale Only		1													İ
DUF/EODUF SERVICES		-		SOMAN		19.99	0.00	19.99	0.00		L			<u> </u>	
OPTIONAL DAILY USAGE FILE (ODUF)	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	L	ــــــــــــــــــــــــــــــــــــــ	L				<u> </u>	L	L	L	<u> </u>	<u> </u>	
ODUF: Recording, per message		_									·		,		
ODUF: Message Processing, per message		 		↓	0.000007					 	ļ				
ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned	 				0.002165					 	} -		 		
ODUF: Data Transmission (CONNECT:DIRECT), per message	+	+	<u> </u>		36.02					 		ļ	Ļ		
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	ــــــــــــــــــــــــــــــــــــــ	ь	L		0.00010888			l		<u> </u>	J.,	<u> </u>	<u> </u>		ــــــــــــــــــــــــــــــــــــــ
EODUF: Message Processing, per message		1			0.229077				r 						
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	+	+		+	0.229077					 	 		 		
Selective CALL ROOTING USING LINE CLASS CODES (SCH-LCC) Selective Routing Per Unique Line Class Code Per Request Per	+	+								 			 	 	
Switch			İ	1	1	102.19	61,15	12.68	6.34	1			1		
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIN OLN	SSOFT	WARE		+		102.13	01.10	12.00	0.54	 	 	 	 		
Recording of DA Custom Branded Announcement						3,000.00	3,000.00				1				
Loading of DA Custom Branded Anouncement per Switch per				1							1		T		1
locn .			•		1	1,170.00	1,170.00			i	1		!	1	1
DIRECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	1														
Loading of DA per OCN (1 OCN per Order)	Τ					420.00	420.00	l							
Loading of DA per Switch per OCN						16.00	16.00	I					l		
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	VARE									L				
Recording of Custom Branded OA Announcement				1		7,000.00	7,000.00								1
Loading of Custom Branded OA Announcement per shelf/NAV per	r												T		
OCN		<u> </u>				500.00	500.00	L			<u> </u>		ļ		
Loading of OA Custom Branded Announcement per Switch per		1												1	
OCN				1	<u> </u>	1,170.00	1,170.00	ļ	L	1	<u> </u>	L	 	ļ	
PERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE		1						L		ļ		ļ		J	
Loading of OA per OCN (Regional)		Ι		1	1	1,200.00	1,200.00			<u> </u>					

Version: 4006 Std ICA 11/30/06

RESALE DISCOUNTS & RATES - Kentucky												Att: 1 Exh: D			
	\	1			I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	1				i					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		1		ł	1					pu. co.,	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
		1		1						1	ĺ	1st	Addi	Disc 1st	Disc Add'l
	1.				1					i	ĺ	181	AGGI	DISCIST	DISC AGG I
		\Box			Rec	Nonrec		Nonrecurring					Rates(\$)		
— <u> </u>		-			1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ESALE APPLICABLE DISCOUNTS	+	╅──			 					<u> </u>				ļ	
Residence %	+				16.79			 	ļ		L				
Business %	+	1-		 -	15.54				 			 		 	
CSAs %	 	1	 -	 -	15.54				 			h			
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	+	+		+	13.34				 	 	<u> </u>				
	-		<u> </u>					L		<u> </u>	L	L		L	L
NOTE: (1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific"	OSS charges as or	dered by the S	State Commission	ns The OSS c	harnes current	ly contained in	this rate exhibi	are the Rei	South "real	onal" sandice d	ordarina char	es CLEC me	v elect eithe
the state specific Commission ordered rates for the service ordering c	harges,	or CLEC	may elect the region	onal service o	rdering charge, h	owever, CLEC	can not obtain	a mixture of the	ne two regardle	ss if CLEC I	as a interco	nnection cont	ract establish	ed in each of t	he 9 states.
OSS - Electronic Service Order Charge, Per Local Service				-				1	1	1	1	I			T COLUMN
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0 00	L]
OSS - Manual Service Order Charge, Per Local Service Request		1													
(LSR) - Resale Only	↓	ļ.,		SOMAN		19.99	0.00	19.99	0.00	l	l				
DUF/EODUF SERVICES			l		1								Ĺ.		
OPTIONAL DAILY USAGE FILE (ODUF)			, 												
ODUF: Recording, per message	 				0.0000136										
ODUF: Message Processing, per message					0.002506				l						
ODUF: Message Processing, per Magnetic Tape provisioned	1		<u> </u>		35.90										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)			,		· · · · · · · · · · · · · · · · · · ·										
EODUF: Message Processing, per message		ļ			0.235889										
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)									l	<u> </u>				<u> </u>	L
Selective Routing Per Unique Line Class Code Per Request Per				ļ				1		1					
Switch		J				93.53	93.53	15.58	15.58	1	<u> </u>	L	l	L	
RECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	SSOFT	WARE			ļ					ļ					
Recording of DA Custom Branded Announcement					.	3,000.00	3.000.00		 	<u> </u>	L	ļ		L	 _
Loading of DA Custom Branded Anouncement per Switch per	i	1		ł				ł	1	}			l	1	1
OCN	—	 			ļ	1,170.00	1,170.00			 	Ļ			ļ	
RECTORY ASSISTANCE UNBRANDING VIN OLNS SOFTWARE	4	1	 		 				 	 	L			 	
Loading of DA per OCN (1 OCN per Order)	+	+	 	 	·	420.00	420.00		 	 	<u> </u>				
Loading of DA per Switch per OCN	1	1405	 		1	16.00	16.00		 	 	 -	 			
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIB OLN	SUFTV	VAHE			 	7 000 00	7,000,00	ļ	 	 		 	 	├	
Recording of Custom Branded OA Announcement	+	+	 		 	7,000.00	7,000.00	 	 	 	 	 		 	
Loading of Custom Branded OA Announcement per shelf/NAV per	"			1	1	500.00	500.00						[1	
Loading of OA Custom Branded Announcement per Switch per	+	-				500.00	500.00	 	 	 	_	 	 	 	
	}	1	i	ì	1	1 170 00	1,170,00	1	1	1	1			1	1
PERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE		+	 			1,170.00	1,170.00		 	 		 		 	
	+-		 		·			 	 		ļ	 	 	├	
Loading of OA per OCN (Regional)			L			1,200.00	1,200.00	L	<u></u>	<u> </u>	L	1	L	Щ.	

Version: 4006 Std ICA 11/30:06 Page 4 of 9 CCCS 48 of 421

CONTE DI	SCOUNTS & RATES - Louisiana												Att: 1 Exh: D			
			1								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		Į.	1 1		!						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		ł			l						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
					l						po. 00		Electronic-	Electronic-	Electronic-	Electronic
					1	1							_	Add'l	Disc 1st	Disc Add'l
					ł	1							1st	Addi	DISC 1St	DISC AGG I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		L
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DECALE ADDI	LICABLE DISCOUNTS		 		 											
HESALL AFFE	Residence %									 						
	Business %	<u> </u>	-			20.72										
	CSAs %				 _	20.72				<u> </u>						
		├ ~			L	9.05										
OPERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	<u></u>		L	J				L							
NOTE:	: (1) CLEC should contact its contract negotiator if it prefers the	state sp	pecific"	OSS charges as ord	ered by the S	tate Commission	ns. The OSS cl	harges current	ly contained in	this rate exhibit	are the Bel	South "regi	onal" service o	ordering charg	jes. CLEC ma	y elect eithe
the sta	ite specific Commission ordered rates for the service ordering ch OSS - Electronic Service Order Charge, Per Local Service	arges, c	T	may elect the region	nal service of	dering charge, h	owever, CLEC	can not obtain	a mixture of th	e two regardles	SS IT CLEC F	as a interco	nnection cont	ract establishe	ed in each of the	he 9 states.
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	000						
	OSS - Manual Service Order Charge, Per Local Service Request	 	†		10000	 	- 0.00	0.00	0.50						 	
	(LSR) - Resale Only		!	1	SOMAN	1	19.99	0.00	19.99	0.00			l			ì
ODUF/EODUF	SERVICES	\vdash	1					0.0							 	
OPTIO	ONAL DAILY USAGE FILE (ODUF)				·								·		 	·
	ODUF: Recording, per message	Τ	T	T	T	0.0000117	~					Γ		T		
	ODUF: Message Processing, per message	$\overline{}$	1			0.004641								1		
	ODUF: Message Processing, per Magnetic Tape provisioned		1	·	1	48.45									·	
	ODUF: Data Transmission (CONNECT:DIRECT), per message		†			0.00010568					· · · · · · ·	<u> </u>			<u> </u>	1
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				•	*								·——		
	EODUF: Message Processing, per message	Τ	\top		T	0 250015			T		T .					
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)	 	+													
		1	1		 	9 2 3 3 3 3										i
00000	Selective Bouting Per Unique Line Class Code Per Bequest Per	\vdash	┿┈┈		1	5 2500 15										
0222011120	Selective Routing Per Unique Line Class Code Per Request Per Switch		†			2.500.15	82 25	82 25								
	Switch	SOFT	WARE			220001	82.25	82.25								
	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	SOFT	WARE			3 2 3 3 3 3	82.25	82.25								
	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of DA Custom Branded Announcement	SOFT	WARE			2 2 3 3 3 3										
	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per	SOFT	WARE			3 2 3 3 3 7 3	3,000.00	3.000.00								
DIRECTORY	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN	SOFT	WARE			3 200070										
DIRECTORY	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFT WARE	SOFT	WARE			3.2000	3,000.00	3.000.00								
DIRECTORY	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order)	SOFT	WARE			32000	3,000.00	3.000.00								
DIRECTORY /	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per Switch per OCN Loading of DA per Switch per OCN Loading of DA per Switch per OCN					32000	3,000.00 1,170.00 420.00	3.000.00 1,170.00 420.00								
DIRECTORY /	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS					323000	3,000.00 1,170.00 420.00 16.00	3.000.00 1,170.00 420.00 16.00								
DIRECTORY /	Switch ASSIST ANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement	SOFT				3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3,000.00 1,170.00 420.00	3.000.00 1,170.00 420.00								
DIRECTORY /	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFT WARE Loading of DA per OCN (1 OCN per Order) Loading of DA per switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement	SOFT				9.5001	3,000.00 1,170.00 420.00 16.00	3.000.00 1,170.00 420.00 16.00 7,000.00								
DIRECTORY /	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/NAV per OCN	SOFT				y 50000	3,000.00 1,170.00 420.00 16.00 7,000.00	3.000.00 1,170.00 420.00 16.00								
DIRECTORY /	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per	SOFT				y. 50001	3,000.00 1,170.00 420.00 16.00 7,000.00	3.000 00 1,170 00 420 00 16.00 7,000 00								
DIRECTORY A	Switch ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN: Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/NAV per OCN	SOFT				y.5000	3,000.00 1,170.00 420.00 16.00 7,000.00	3.000.00 1,170.00 420.00 16.00 7,000.00								

ESALE DISCOUNTS & RATES - Mississippi				·								Att: 1 Exh: D			
		1 1		1							Svc Order	Incremental		Incremental	
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge
	1	1 .								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc	ļ.		RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order v
		1 1			ļ							Electronic-	Electronic-	Electronic-	Electron
		1 1		1							l .	1st	Add'1	Disc 1st	Disc Ad
		L		<u> </u>	ļ										
	 			├	Rec	Nonrec		Nonrecurring					Rates(\$)		
					l	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
ESALE APPLICABLE DISCOUNTS	 	1													
Residence %	 -	1		+	15.75				 	 	!				
Business %	 -	+		+	15.75					├					
CSAs %	 	+			15.75						 				
PERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	} ─	 		 -	15.75					 	 	-			
CHATIONS SOFT ON STOTEMS (033) - NEGONAL HATES	ь.	لــــا			L				·	L		1	·	1	1
the state specific Commission ordered rates for the service ordering of	harges, o	or CLEC	may elect the region	nal service or	dering charge, h	owever, CLEC	can not obtain	a mixture of t	e two regardle	ss if CLEC I	nas a interco	nnection conf	ract establish	ed in each of t	the 9 sta
OSS - Electronic Service Order Charge, Per Local Service	1			1		1				Î		l			1
Request (LSR) - Resale Only	1			SOMEC		3 50	0.00	3.50	0.00	ļ	 	ļ	ļ	 	
OSS - Manual Service Order Charge, Per Local Service Request	İ				1						1			1	
(LSR) - Resale Only	+			SOMAN		19.99	0.00	19,99	0.00	 	 		ļ		
DUF/EODUF SERVICES OPTIONAL DAILY USAGE FILE (ODUF)	ــــــــــــــــــــــــــــــــــــــ	1							<u> </u>	<u> </u>	<u>. </u>	L	<u> </u>	<u> </u>	ــــــــــــــــــــــــــــــــــــــ
ODUF: Recording, per message					0.0000063					т			γ		
ODUF: Message Processing, per message	+				0.0000063			 		 			 		+
ODUF: Message Processing, per Magnetic Tape provisioned	+	+-		 	49.04							 		 	+
ODUF: Data Transmission (CONNECT:DIRECT), per message	 	+		+	0.00010669				+	+	 	 	 	 	+
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)			L		0.00010003	L		L		1	<u> </u>			1	
EODUF: Message Processing, per message	1	T			0.250424			r — —	T	T	7	7	ľ	T	т
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	+	+			0.200.21					 	 	 	 		
Selective Routing Per Unique Line Class Code Per Request Per		+		~+	 					1	 	 	 	 	····
Switch				ł		85.19	85.19	14.19	14.19	.		i	j		1
IRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	S SOFT	WARE		1	 			1		t	 	1	 	 	1
Recording of DA Custom Branded Announcement	7	T				3.000.00	3.000.00		·	· · · · · · · · · · · · · · · · · · ·				T	1
Loading of DA Custom Branded Anouncement per Switch per	-	+			1	0,000.00			 	·	†		1		
OCN	1				1	1,170.00	1,170.00			1	1				
RECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	 				<u> </u>	,			1	 	1	1	1		
Loading of DA per OCN (1 OCN per Order)		1		<u> </u>		420.00	420.00		1		1			T	
Loading of DA per Switch per OCN	1	1	· · · · · · · · · · · · · · · · · · ·			16.00	16.00					I	l i		
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SSOFT	NARE								1	T	1			
Recording of Custom Branded OA Announcement			l.,———			7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV pe	er	1			1							1			
OCN	i	1	l			500.00	500.00					1	<u> </u>		
Loading of OA Custom Branded Announcement per Switch per	T								1			_	1	1	
OCN	<u> </u>				<u> </u>	1,170.00	1,170.00	<u> </u>		<u> </u>	<u> </u>	1	1	ــــــــــ	
DPERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE										1			1		+
						1,200.00	1,200.00								

Version: 4Q06 Std ICA 11/30/06

HESALE DISC	OUNTS & RATES - North Carolina												Att: 1 Exh: D			
ATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			-	 	 	 	Nonrec	uning	Nonrecurring	Disconnect		1	000	Rates(\$)		
					 	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ABLE DISCOUNTS	L														
	esidence %	L	1			21 50										
	usiness %		<u> </u>		I	17.60										
	SAS % JPPORT SYSTEMS (OSS) - "REGIONAL RATES"		 			17 60										
		L	<u> </u>						1		<u> </u>	<u> </u>	L	l	L	<u></u>
the state s) CLEC should contact its contract negotiator if it prefers the " specific Commission ordered rates for the service ordering ch	state sp arges, c	oecific" or CLEC	OSS charges as ord C may elect the regio	lered by the S nal service o	State Commissio rdering charge, I	ns, The OSS c nowever, CLEC	harges current can not obtain	ly contained in a mixture of the	this rate exhibit a two recardle:	are the Bel	South "regi	onal" service :	ordering charç ract establish	jes. CLEC ma ed in each of t	ry elect either he 9 states
) jo	ISS - Electronic Service Order Charge, Per Local Service	T	1		7				I		T	T	T	1	1	1
	lequest (LSR) - Resale Only	١.	1		SOMEC		3.50	0.00	3.50	0.00	1	1				
Ó	SS - Manual Service Order Charge, Per Local Service Request		1								t		†		T	
(_	SR) - Resale Only	l	1.	1 _	SOMAN		19.99	0.00	19.99	0.00	i	1				
ODUF/EODUF SE			Ι												1	
	AL DAILY USAGE FILE (ODUF)															
	DUF: Recording, per message		1.			0.0000174					1					T
	DUF: Message Processing, per message					0.001647										
	DUF: Message Processing, per Magnetic Tape provisioned		<u> </u>			35.91								L		
	DUF: Data Transmission (CONNECT:DIRECT), per message	<u> </u>	<u> </u>	1		0.00011029										
	ED OPTIONAL DAILY USAGE FILE (EODUF)															
	ODUF: Message Processing, per message		1			0.131005										
	L ROUTING USING LINE CLASS CODES (SCR-LCC)	L			1						1	1]	
	elective Routing Per Unique Line Class Code Per Request Per		1		T						1				T	
	witch	L		L		1 .	188.59								l	
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE		I											
	Recording of DA Custom Branded Announcement	L	1				3,000.00	3.000.00					L			
	oading of DA Custom Branded Anouncement per Switch per	ļ										I				
	OCN	└ ─	ļ	Ļ	<u> </u>	 	1,170.00	1,170.00	ļ	 		_		<u> </u>	 	
	SISTANCE UNBRANDING VIB OLNS SOFTWARE	├	 			<u> </u>			ļ		ļ	↓		ļ		
	oading of DA per OCN (1 OCN per Order)	├ ─	+	 			420.00	420.00		 	 	 	ļ	 	 	
	oading of DA per Switch per OCN		1,000				16.00	16.00	 	 		 	 	 	 	
	ISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	VAHE				7,000 55	7.000.00	 	 	 	 		 	 	+
L L 18	Recording of Custom Branded OA Announcement	⊢ —	+	 		·	7,000.00	7,000.00	 	 			 	 	 	
	.oading of Custom Branded OA Announcement per shelf/NAV per OCN		ļ				500.00	500.00			ļ	<u> </u>			1	<u> </u>
										1	1	1	1	1	1	1
L	DCN Deading of OA Custom Branded Announcement per Switch per DCN		T				1,170 00	1,170.00	d							
O	oading of OA Custom Branded Announcement per Switch per					-	1,170 00	1,170.00			 	-				

Version: 4Q06 Std ICA 11/30/06

IESALE D	SCOUNTS & RATES - South Carolina												Att: 1 Exh; D			
			1 .									Svc Order	Incremental	Incremental	Incremental	Increment
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			İ		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		l	l		1						1		Electronic-	Electronic-	Electronic-	Electronic
			1		1								1st	Add'l	Disc 1st	Disc Add
		<u> </u>	↓	ļ <u>.</u>		<u></u>										
		—	├			Rec	Nonrec		Nonrecurring		ļ			Rates(\$)		
	· · · · · · · · · · · · · · · · · · ·	ļ	+			ļ	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FSAIF ADD	LICABLE DISCOUNTS	├											,			ļ
COMCE AFF	Residence %	 				 			ļ			L				
	Business %	├		 		14.80			ļ		↓		<u> </u>		<u> </u>	
	CSAs %	├	┼			14.80					 			L		
DEBATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	 				8.98			ļ		<u> </u>		L			
FERALIONS	SUPPORT STSTEMS (USS) - REGIONAL HATES	<u> </u>	Ц	<u> </u>		ــــــــــــــــــــــــــــــــــــــ			<u> </u>	L	<u> </u>		L	i		<u> </u>
NOTE	: (1) CLEC should contact its sections assets as it is section at			000												
1,5012	: (1) CLEC should contact its contract negotiator if it prefers the	State 8	респіс	USS charges as o	rdered by the S	tate Commissio	ns. The OSS c	harges current	ly contained in	this rate exhibi	t are the Bel	South "regi	onal" service	ordering charg	ges. CLEC ma	y elect eitl
the st	ate specific Commission ordered rates for the service ordering ch OSS - Electronic Service Order Charge, Per Local Service	arges,	OF CITE	may elect the reg	ional service of	rdering charge, t	owever, CLEC	can not obtain	a mixture of th	e two regardle	SS I CLEC I	as a interco	nnection conf	ract establish	ed in each of t	he 9 states
	Request (LSR) - Resale Only	l									1	1		i	1	
	OSS - Manual Service Order Charge, Per Local Service Request	-	+		SOMEC		3.50	0.00	3.50	0.00	ļ				ļ <u> </u>	
į	(LSR) - Resale Only								ŀ		1			1		
DUEFORUE	SERVICES	 	┿—		SOMAN		19.99	0.00	19.99	0.00	ļ			<u> </u>	<u> </u>	<u> </u>
	DNAL DAILY USAGE FILE (ODUF)	<u> </u>	Щ.,	L		<u> </u>			<u> </u>		1	<u> </u>		L	<u> </u>	1
OPTI	ODUF: Recording, per message	,	-							,					,	
	ODUF: Recording, per message ODUF: Message Processing, per message	—	₩			0.0000216				L		ļ		ļ		ļ
		├ -	 -			0.004704			<u> </u>						<u> </u>	
	ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message	├	 			48.87			<u> </u>		 		<u> </u>	<u> </u>	<u> </u>	
ENUC	NCED OPTIONAL DAILY USAGE FILE (EODUF)	ـــــــ		L		0.00010863			L	L		L	<u> </u>	<u> </u>	<u> </u>	J
ENHA						1			,	,		г		,	,	
EL FOTRIF (EODUF: Message Processing, per message	↓	 			0.258301				<u></u>	 			Ļ	 	
ELECTIVE (ALL ROUTING USING LINE CLASS CODES (SCR-LCC)	} -	₽	 		 						ļ	ļ		<u> </u>	
1	Selective Routing Per Unique Line Class Code Per Request Per	1	1			1					1		1			ı
	Switch	ل					84.89	84.89	14.14	14,14		_	ļ	ļ		
HECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIB OLNS	SOFT	WARE	ļ								ļ	ļ			 _
	Recording of DA Custom Branded Announcement	 	 	ļ <u>-</u>			3,000.00	3,000.00				 	 			
i	Loading of DA Custom Branded Anouncement per Switch per		1							Į.	1		1			i
	OCN ASSISTANCE UNBRANDING VIA OLNS SOFTWARE						1,170.00	1,170.00		}					}	}
DIRECTORY		₩	+	ļ						⊢		<u> </u>		 	 	+
	Loading of DA per OCN (1 OCN per Order)	 	+			+	420.00	420.00		 		 	_	 	 	+
	Loading of DA per Switch per OCN		4405	 		+	16.00	16.00	 	 	+	├	 	 	 	+
PERATOR.	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VII OLNS	SOFT	WAHE	 		+	7.000	7.005	ļ	 			 		 	+
	Recording of Custom Branded OA Announcement	 -	+	 		 	7,000.00	7,000.00	 	 	+	 			+	+
1	Loading of Custom Branded OA Announcement per shelf/NAV per	ተ	Į.	l	l l			F05	1	Į.	1	\	1	1	1	1
	OCN	+-		ļ			500.00	500.00		ļ	+	 	 	 		+
l	Loading of OA Custom Branded Announcement per Switch per	1	1				l	l .	1	1	1		1	1		1
	OCN	4	—	 			1,170.00	1,170.00		ļ	+	├	ļ	 		+
PERATOR	ASSISTANCE UNBRANDING via OLNS SOFTWARE						<u> </u>					Ļ		 		+
- 1	Loading of OA per OCN (Regional)	1	1	1		1	1,200.00	1,200.00	l							

Page 8 of 9

HESALE DI	SCOUNTS & RATES - Tennessee	,	,										Att: 1 Exh: D			
					i						Svc Order		Incremental	Incremental	Incremental	Incrementa
		Į .			į	ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1								Élec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			1		1							,	Electronic-	Electronic-	Electronic-	Electronic
			1										1st	Add'I	Disc 1st	Disc Add
			<u> </u>												5.50 15.	0.000 ,7000
 			 		 	Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	<u> </u>		├ ──		 		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ESALE APPL	LICABLE DISCOUNTS	 	+-		 					L		 		} -	 	
	Residence %	† <u>-</u>	† · · · ·		1	16.00									+	
	Business %	 	 		 	16.00									+	
	CSAs %	1	 		 	16.00					 				+	+
PERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1		1	1					·	 		 	+	┾
							······									
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the "	state s	pecific"	OSS charges as ord	dered by the S	tate Commissio	ns. The OSS c	harges current	ly contained in t	his rate exhibit	are the Bel	South "regi	onal" service (ordering char	ges. CLEC ma	y elect eith
the sta	ste specific Commission ordered rates for the service ordering ch	arges,	or CLEC	may elect the region	mal service o	dering charge, I	nawever, CLEC	can not obtain	a mixture of th	e two regardle	S H CLEC	as a interco	nnection cont	ract establish	ed in each of t	he 9 states.
1	OSS - Electronic Service Order Charge, Per Local Service	1													T	T
	Request (LSR) - Resale Only	<u> </u>			SOMEC		3.50	0.00	3.50	0.00						I
- 1	OSS - Manual Service Order Charge, Per Local Service Request	l	1			1									T	1
	(LSR) - Resale Only	1	<u> </u>		SOMAN		19.99	0.00	19.99	0.00					l	f
OUF/EODUF		<u> </u>	<u> </u>	!		<u> </u>									I	
ОРТЮ	DNAL DAILY USAGE FILE (ODUF)		,		,											
	ODUF: Recording, per message	<u> </u>	↓			0.0000044						<u> </u>		<u> </u>	<u> </u>	<u> </u>
	ODUF: Message Processing, per message	-		ļ		0.002446										
	ODUF: Message Processing, per Magnetic Tape provisioned	├ ──	· I · · · ·			35.54			<u> </u>			l			J	ļ
	ODUF: Data Transmission (CONNECT:DIRECT), per message	ــــــــــــــــــــــــــــــــــــــ		l	J	0.0000339			L		l	1	<u> </u>	i	ᆚ	
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		_			·				,	,	•	,	,		
FI FOTRIF O	EODUF: Message Processing, per message	 	+			0.229779						.		ļ	Ļ	
PELECTIVE	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)	—										l		ļ		
	Selective Routing Per Unique Line Class Code Per Request Per	1	1						ŀ		i	1		1	Ī.	
	Switch	<u></u>			<u> </u>		179.60	179.60				↓		ļ		
HECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE					<u> </u>	}		\	 	!			
	Recording of DA Custom Branded Announcement	—		ļ	 	ļ	3,000.00			ļ	 	ļ		Ļ		
	Loading of DA Custom Branded Anouncement per Switch per	1	1		1				1		1	•		i	i	
1	OCN			ļ		ļ	1,170.00				 	ļ	ļ			├
JINEC LORY /	ASSISTANCE UNBRANDING VIZ OLNS SOFTWARE	\leftarrow	+	ļ	+		400.00	400.00						 	 	+
	Loading of DA per OCN (1 OCN per Order)	+-	+		+	 	420.00	420.00	-		├	 	 	 		
ODED I TOO	Loading of DA per Switch per OCN ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	1	VADE.	 	+	 	16.00	16.00	 	<u> </u>				 	+	+
JEHAI UR A	Recording of Custom Branded OA Announcement	SUFT	MAHE	 	+	 	7,000.00	7,000.00	 	 	 	 		 	+	+
	Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per	. 	+	 	 	 	1,000.00	7,000.00	 			 	 	 	+	+
	IL DAGINO DI CUSIOM BITANDEC CA ANNOUNCEMENT DEI SNET/NAV DEI	1	1	1		1	500.00	500.00	1	I		ł	1	1		1
						L	300.00	300.00				 	 	+		+
	OCN	 	+							3			1	1	1	
	OCN Loading of OA Custom Branded Announcement per Switch per	 		<u> </u>			1 170 00	1 170 00							ļ	
DEBATOR	OCN						1,170.00	1,170.00							-	ļ

Version: 4006 Std ICA 11/30/06

Attachment 2

Network Elements and Other Services

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1	Introduction	
	Loops	
3	Line Splitting	33
4	Unbundled Network Element Combinations	36
5	Dedicated Transport and Dark Fiber Transport	39
6	Automatic Location Identification/Data Management System (ALI/DMS).	47
7	White Pages Listings	50
Rat	es	Exhibit A
Rat	es	Exhibit B

Version: 4Q06 Standard ICA

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 Except as set forth in Exhibit 1 hereto, this Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to dPi for dPi's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to dPi (Other Services). Additionally, the provision of a particular Network Element or Other Service may require dPi to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If dPi purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- In some cases, Commissions have ordered BellSouth to separate its disconnect costs and its installation costs into two separate nonrecurring charges.

 Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by BellSouth, regardless of whether or not a disconnect order is issued by dPi.

 Disconnect charges are set forth in the rate exhibit of this Attachment. dPi may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- dPi shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to dPi pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to dPi pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is

Version: 4Q06 Standard ICA

rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from dPi. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between dPi and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, dPi may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that dPi has in place any Arrangements after the Effective Date of this Agreement, BellSouth will identify such Arrangements and provide dPi with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by dPi within such thirty (30) day period, BellSouth will charge the applicable switch-as-is charge set forth in Exhibit A. If dPi fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s), and shall charge dPi all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, BellSouth shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, BellSouth shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which dPi failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.2 shall be subject to the applicable switch-as-is charges set forth in Exhibit A. If an equivalent service is set forth in Exhibit 1, BellSouth shall transition to such

Version: 4006 Standard ICA

service. Otherwise, BellSouth shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists and no equivalent service is set forth in Exhibit 1, BellSouth shall disconnect such facility or Arrangement. The applicable recurring 271 rate, resale or tariffed charge shall apply to each circuit as of March 11, 2006.

- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which dPi failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by BellSouth, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If dPi fails to dispute BellSouth's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.
- Notwithstanding the foregoing, for the state of Louisiana, BellSouth will provide 1.7.5 dPi with written notice identifying the specific Arrangements which must be converted or disconnected. dPi shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other BellSouth services shall be subject to nonrecurring charges associated with that conversion. If dPi disputes BellSouth's identification of Arrangements to be disconnected or converted, dPi shall send written notice of its dispute within thirty (30) days of BellSouth's notice. BellSouth shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If dPi does not dispute BellSouth's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth services subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth services as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.
- 1.8 BellSouth's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the BellSouth Interconnection Web site designates those wire centers that, in accordance with state Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1 and

Version: 4Q06 Standard ICA

above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. BellSouth's List of Unimpaired Wire Centers in Kentucky and Tennessee (BellSouth's List of Unimpaired Wire Centers), also located on the BellSouth Interconnection Web site, are those wire centers that BellSouth proposed met the FCC's established criteria for non-impairment as of March 11. 2005 but have not yet been approved by these respective Commissions. The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers shall be subject to modification and/or the addition of wire centers without amendment to this Agreement upon subsequent orders from state Commissions in the respective generic dockets establishing the wire centers that as of March 11, 2005, were unimpaired. Notification of such modification, addition or deletion of wire centers shall be made via BellSouth's Carrier Notification process on BellSouth's Interconnection Web site. Upon the Effective Date of this Agreement, dPi may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers. In those wire centers set forth on BellSouth's List of Unimpaired Wire Centers, dPi may place new orders for high capacity Loops and high capacity Dedicated Transport pursuant to Section 1.8.1 (self-certification) until such wire centers are approved by the Commissions. To the extent dPi placed orders after March 10, 2005 for high capacity Loops or high capacity Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, as amended as specified above, within thirty (30) days after the Effective Date of this Agreement, or in the case of additions to the Master List of Unimpaired Wire Centers, within thirty (30) days after the notice of such addition, dPi shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those noncompliant circuits to be disconnected or converted to the equivalent BellSouth tariffed service or, in the state of Georgia, to the equivalent 271 service set forth in Exhibit 1. BellSouth shall bill dPi the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent BellSouth tariffed service or 271 service in the state of Georgia from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent BellSouth tariffed service. If dPi fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, BellSouth will identify such circuits and convert them to the equivalent BellSouth tariffed service, and charge dPi applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the circuit is transitioned to the equivalent BellSouth tariffed service. To the extent there is no equivalent BellSouth tariffed service for the de-listed UNE circuit, BellSouth will disconnect the circuit and bill dPi full disconnect charges.

Version: 4Q06 Standard ICA

- 1.8.1 Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, dPi shall undertake a reasonably diligent inquiry to determine whether dPi is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, dPi self-certifies that to the best of dPi's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or BellSouth's List of Unimpaired Wire Centers, BellSouth shall process the request in reliance upon dPi's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill dPi the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, dPi shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- 1.8.2 In the event that (1) BellSouth designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the BellSouth Interconnection Web site, or BellSouth's List of Unimpaired Wire Centers, (2) as a result of such designation, dPi converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) dPi otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of dPi consistent with the applicable ordering processes as reflected in the Guides located on BellSouth's Interconnection Web site no later than sixty (60) days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, BellSouth shall refund to dPi the difference between the rate paid by dPi for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale

Version: 4Q06 Standard ICA

services, if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.9 dPi may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from dPi, BellSouth shall perform the RNM.
- 1.10.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, BellSouth shall perform RNM at no additional charge, provided however, for any RNM performed by BellSouth for which costs are not recovered through existing rates, BellSouth can seek resolution from the Commission.

1.11 Commingling of Services

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that dPi has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. dPi must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

Version: 4006 Standard ICA

- 1.11.3 Except for the state of Georgia, notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act.
- 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates, rates set forth in a separate agreement between the Parties, or in the state of Georgia only, in accordance with the rates set forth in Exhibit 1 of this Attachment, as applicable.
- 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, dPi should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to dPi's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with dPi's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

Version: 4Q06 Standard ICA

1.13.4 <u>Testing/Trouble Reporting</u>

- dPi will be responsible for testing and isolating troubles on Network Elements. dPi must test and isolate trouble to the BellSouth network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, dPi will be required to provide the results of the dPi test which indicate a problem on the BellSouth network.
- Once dPi has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail customers.
- 1.13.4.3 If dPi reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge dPi a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff. Section 13.3.1.
- In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by dPi (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill dPi for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by BellSouth. dPi shall purchase the

Version: 4006 Standard ICA

entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to dPi on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, BellSouth shall make available DS1 and DS3 Loops in any wire center where BellSouth is required to provide such Loop facilities. In the states of North Carolina and South Carolina, BellSouth shall make available DS1 Loops in any wire center where BellSouth is required to provide such Loop facilities.
- 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by dPi. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders

Version: 4Q06 Standard ICA

in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will apply.

- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant.

 BellSouth shall provide dPi access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). BellSouth is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 BellSouth shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 <u>DS1 and DS3 Loop Requirements</u>
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.
- 2.1.4.3 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:
- 2.1.4.3.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005.
- 2.1.4.5 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.6 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.

Version: 4006 Standard ICA

- 2.1.4.7 <u>Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods</u>
- 2.1.4.7.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures set forth in applicable Commission orders.
- dPi shall have thirty (30) business days to dispute the additional wire centers listed on Bellsouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 2.1.4.7.2.1 For purposes of Section 2.1.4.7 above, BellSouth shall make available DS1 and DS3 Loops that were in service for dPi in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.7.2.2 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.7.2.3 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, dPi shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 2.1.4.7.2.3.2 If dPi fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify dPi's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 1. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the

Version: 4Q06 Standard ICA

full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to dPi in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the customer's location. If dPi wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), dPi may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), dPi shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date. This applies to all conversions from one provider to another provider as well as Service Rearrangements as set forth in Section 2.1.12. Where dPi dial-tone is not available on the conversion date the Loop will not be cut over and the Loop order will be returned to dPi for rescheduling.

Version: 4Q06 Standard ICA

- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and dPi to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to dPi's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows dPi to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate dPi's specific conversion time request. However, BellSouth reserves the right to negotiate with dPi a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. dPi may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If dPi specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

Version: 4Q06 Standard ICA

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, dPi must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.10 CLEC to CLEC Conversions for Unbundled Loops

2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by dPi when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in dPi's Agreement before requesting a conversion.

Version: 4Q06 Standard ICA

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to dPi pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.11 Bulk Migration

- 2.1.11.1 BellSouth will make available to dPi a Bulk Migration process pursuant to which dPi may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should dPi request migration for two (2) or more EATNs containing fifteen (15) or more circuits, dPi must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.1.12 <u>Unbundled Loop (DS1 and below) Service Rearrangements</u>
- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- 2.1.12.2 An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows dPi to change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.
- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows dPi to move the Loop facility assignment from a collocation arrangement to

Version: 4006 Standard ICA

a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.

- 2.1.12.4 For Unbundled Loop Service Rearrangements, BellSouth shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.1.13 EEL to Loop Retermination
- 2.1.13.1 dPi may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the end-user's Serving Wire Center (EU SWC).
- 2.1.13.2 This process is available when the existing Loop portion of the EEL will be reused and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- 2.1.13.3 BellSouth shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. dPi shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
- 2.1.13.4 The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if dPi elects not to utilize the EEL to Loop Retermination process, dPi must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, dPi will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
- 2.1.13.5 The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:

Version: 4Q06 Standard ICA

- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that dPi will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by dPi, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. dPi may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that dPi may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to dPi. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow dPi to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

Version: 4006 Standard ICA

2.3 Unbundled Digital Loops 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service. 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein: 2.3.2.1 2-wire Unbundled ISDN Digital Loop; 2-wire Unbundled ADSL Compatible Loop; 2.3.2.2 2-wire Unbundled HDSL Compatible Loop; 2.3.2.3 4-wire Unbundled HDSL Compatible Loop; 2.3.2.4 4-wire Unbundled DS1 Digital Loop; 2.3.2.5 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below; 2.3.2.6 2.3.2.7 DS3 Loop; or 2.3.2.8 STS-1 Loop. 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to 2.3.3 industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. dPi will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

Version: 4006 Standard ICA

- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of BellSouth's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to dPi at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of BellSouth's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.

Version: 4006 Standard ICA

- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

 LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- dPi may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by dPi.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by dPi to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap

Version: 4Q06 Standard ICA

between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, dPi can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that dPi may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by dPi to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 dPi may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification. BellSouth

Version: 4Q06 Standard ICA

shall provide Line Conditioning on Loops, as requested by dPi, even in instances where BellSouth does not provide advanced services to the end user on that Loop.

- 2.5.2 BellSouth will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. BellSouth will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the BellSouth central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.
- 2.5.3 For any copper loop being ordered by dPi which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from dPi, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to dPi. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 dPi may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If dPi requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. dPi will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 dPi shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that dPi desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for dPi, dPi will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by dPi is available at the location for which the ULM was requested, dPi will have the option to change the Loop facility to the

Version: 4006 Standard ICA

qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, dPi will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where dPi has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the customer and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to dPi. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for dPi (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.2.1 If no alternate facility is available, and upon request from dPi, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. dPi will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit dPi to connect dPi's Loop facilities to the customer's customer premises wiring through the BellSouth NID or at any other technically feasible point.

Version: 4006 Standard ICA

2.7.3 Access to NID

- dPi may access the customer's premises wiring by any of the following means and dPi shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow dPi to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 dPi may request BellSouth to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be dPi's responsibility to ensure there is no safety hazard, and dPi will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 dPi shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 dPi shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

Version: 4Q06 Standard ICA

- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with dPi to develop specific procedures to establish the most
 effective means of implementing this section if the procedures set forth herein do
 not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to dPi's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. dPi may request BellSouth to do additional work to the NID on a time and material basis. When dPi deploys its own local loops in a multiple-line termination device, dPi shall specify the quantity of NID connections that it requires within such device.
- 2.8 Subloop Distribution Elements.
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein.
- 2.8.2 Unbundled Subloop Distribution
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.

Version: 4Q06 Standard ICA

- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If dPi requests a UCSL and it is not available, dPi may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from dPi, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for dPi's use on this cross-connect panel. dPi will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, dPi shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. dPi's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by dPi is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet dPi's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.
- 2.8.2.7 The site set-up must be completed before dPi can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice dPi's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

Version: 4006 Standard ICA

- 2.8.2.8 Once the site set-up is complete, dPi will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when dPi requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by dPi for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and dPi does own or control such wiring, dPi will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to dPi.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate dPi for each pair activated commensurate to the price specified in dPi's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site

Version: 4006 Standard ICA

visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

Version: 4006 Standard ICA

- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to dPi LMU information with respect to Loops that are required to be unbundled under this Agreement so that dPi can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment dPi intends to install and the services dPi wishes to provide. LMU is a preordering transaction, distinct from dPi ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide dPi LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to dPi as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

Version: 4006 Standard ICA

- 2.9.1.5 dPi may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by dPi and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee dPi's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by dPi or the customer, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. dPi is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify dPi, according to the applicable network disclosure requirements. It will be dPi's responsibility to move any service it may provide over such facilities to alternative facilities. If dPi fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

- dPi may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site. After obtaining the Loop information from the mechanized LMU process, if dPi needs further Loop information in order to determine Loop service capability, dPi may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. dPi will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, dPi does not reserve facilities upon an initial LMUSI, dPi's placement of an order for an advanced data

Version: 4Q06 Standard ICA

service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

- 2.9.2.3 Where dPi has reserved multiple Loop facilities on a single reservation, dPi may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to dPi, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by dPi.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. BellSouth will provide Line Splitting over a Loop (UNE-L) purchased by dPi pursuant to this Agreement.
- 3.2 <u>Line Splitting UNE-L.</u> In the event dPi provides its own switching or obtains switching from a third party, dPi may engage in line splitting arrangements with another CLEC using a splitter, provided by dPi, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.

3.4 Provisioning Line Splitting – UNE-L

- 3.4.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When dPi owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.4.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- To order Line Splitting utilizing UNE-L on a particular Loop, dPi must have a DSLAM collocated in the central office that serves the customer of such Loop.
- 3.4.4 dPi may purchase, install and maintain central office POTS splitters in its collocation arrangements. dPi may use such splitters for access to its customers

Version: 4Q06 Standard ICA

and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.5 Maintenance – Line Splitting – UNE-L

- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
- 3.5.2 dPi shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.
- 3.5.3 For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:
- 3.5.3.1 PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to dPi by BellSouth if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that BellSouth is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of BellSouth's gross negligence or willful misconduct.
- 3.5.3.2 BellSouth will indemnify, defend and hold harmless dPi from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not dPi brought against dPi to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of BellSouth's gross negligence or willful misconduct.
- 3.5.3.3 PROVIDED, HOWEVER, that BellSouth shall have no obligation to indemnify dPi under this section unless dPi provides BellSouth with prompt written notice of any such Claim; dPi permits BellSouth to assume and control the defense to such action, with counsel chosen by BellSouth; and BellSouth does not enter into any settlement or compromise of such Claim.
- 3.5.3.4 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to BellSouth by dPi if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that dPi is not entitled to be indemnified for such Claims, Losses and Costs because the Claims, Losses and Costs did not arises as a result of BellSouth's gross negligence or willful misconduct.

Version: 4Q06 Standard ICA

- 3.5.3.5 Definitions:
- 3.5.3.5.1 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that BellSouth or dPi in good faith believes might lead to the institution of any such action, suit or proceeding.
- 3.5.3.5.2 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
- 3.5.3.5.3 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
- 3.6 <u>Line Splitting Loop and Port for the states of Georgia and North Carolina only</u>
- 3.6.1 To the extent dPi is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by BellSouth pursuant to Section 271, BellSouth will permit dPi to utilize Line Splitting. BellSouth shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement.
- dPi shall provide BellSouth with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where dPi will not provide voice and data services.
- 3.6.3 Provisioning Line Splitting and Splitter Space Loop and Port
- 3.6.3.1 The Data LEC, Voice CLEC, or a third party may provide the splitter. When dPi or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.
- An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.
- 3.6.4 <u>CLEC Provided Splitter Line Splitting Loop and Port</u>
- 3.6.4.1 dPi or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. dPi or its authorized agent may use such

Version: 4006 Standard ICA

splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.

- 3.6.4.2 Any splitters installed by dPi or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. dPi or its authorized agent may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.6.5 Maintenance Line Splitting Loop and Port
- 3.6.5.1 BellSouth will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by dPi are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by dPi are not already combined by BellSouth in the location requested by dPi but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by dPi are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent dPi requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such

Version: 4Q06 Standard ICA

Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of dPi.
- 4.3 <u>Enhanced Extended Links (EELs)</u>
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide dPi with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, dPi thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. BellSouth shall have the right to audit dPi's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. dPi must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 dPi has received state certification to provide local voice service in the area being served:

Version: 4006 Standard ICA

- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which dPi will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, dPi will have at least one (1) active DS1 local service interconnection trunk over which dPi will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit dPi's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, BellSouth will send a Notice of Audit to dPi. Such Notice of Audit will be delivered to dPi no less than thirty (30) days prior to the date upon which BellSouth seeks to commence an audit.
- 4.3.4.3.1 Such Notice of Audit to dPi shall state BellSouth's concern that dPi is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. BellSouth is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. BellSouth may select the independent auditor without the prior approval of dPi or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded.

Version: 4006 Standard ICA

- 4.3.4.3.2 For the state of Alabama, dPi may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving BellSouth's Notice of Audit.
- 4.3.4.3.3 For the state of Louisiana, BellSouth's notice to dPi shall include a listing of the circuits for which BellSouth alleges noncompliance, including all supporting documentation and a list of three auditors from which dPi may choose one to conduct the audit.
- 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding dPi's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether dPi complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- 4.3.4.5 To the extent the independent auditor's report concludes that dPi failed to comply with the service eligibility criteria, dPi must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that dPi did not comply in any material respect with the service eligibility criteria, dPi shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that dPi did comply in all material respects with the service eligibility criteria, BellSouth will reimburse dPi for its reasonable and demonstrable costs associated with the audit. dPi will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.
- 4.3.4.5.1 For the state of Alabama, dPi will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor.
- 4.3.4.6 In the event dPi converts special access services to Network Elements, dPi shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire

Version: 4Q06 Standard ICA

centers or switches owned by BellSouth and switches owned by dPi, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to dPi. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.

- 5.2 DS1 and DS3 Dedicated Transport Requirements
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.1 and 5.2.2.2 above as of March 11, 2005.
- 5.2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required between that wire center and any other wire center exceeding these same thresholds.
- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List. BellSouth will follow any notification procedures set forth in applicable Commission orders.

Version: 4Q06 Standard ICA

- dPi shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.2.2.6.3 For purposes of Section 5.2.2.6 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that were in service for dPi in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, dPi shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.2.2.6.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.2.2.6.6.1 If dPi fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify dPi's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 1. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in BellSouth's tariffs.
- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is

Version: 4Q06 Standard ICA

converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

- 5.2.3 BellSouth shall:
- 5.2.4 Provide dPi exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, dPi to connect Dedicated Transport to equipment designated by dPi, including but not limited to, dPi's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, dPi to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to dPi.
- Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- dPi may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "X"). Transmission paths between the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

Version: 4006 Standard ICA

5.6	Technical Requirements
5.6.1	BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
5.6.2	BellSouth shall offer the following interface transmission rates for Dedicated Transport:
5.6.2.1	DS0 Equivalent;
5.6.2.2	DS1;
5.6.2.3	DS3;
5.6.2.4	STS-1; and
5.6.2.5	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
5.6.3	BellSouth shall design Dedicated Transport according to its network infrastructure. dPi shall specify the termination points for Dedicated Transport.
5.6.4	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
5.6.4.1	Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
5.6.4.2	BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
5.6.4.3	BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
5.7	Unbundled Channelization (Multiplexing)
5.7.1	To the extent dPi is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a

Version: 4Q06 Standard ICA

multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, dPi may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, dPi's channelization equipment must adhere strictly to form and protocol standards. dPi must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.8 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
- 5.8.1 Dark Fiber Transport Requirements
- 5.8.1.1 For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.8.1.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.8.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.8.1.3 The Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.

Version: 4Q06 Standard ICA

- 5.8.1.4 Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.8.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
 Periods
- 5.8.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures in applicable Commission orders.
- dPi shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.8.1.5.3 For purposes of Section 5.8.1.5 above, BellSouth shall make available Dark Fiber Transport that was in service for dPi in a wire center on the Subsequent Wire Center List as of the thirtieth (30) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, dPi shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If dPi fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify dPi's remaining Subsequent Embedded Base, if any, and will transition such circuits to

Version: 4Q06 Standard ICA

the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service set forth in Exhibit 1.

- 5.8.1.5.6.2 In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

5.9 Rearrangements

- 5.9.1 A request to move a working dPi Dedicated Transport circuit or a Combination including Dedicated Transport from one connecting facility assignment (CFA) to another CFA in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable Rearrangement rates for the Change in CFA are set forth in Exhibit A.
- 5.9.2 A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different BellSouth Central Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply.
- 5.9.3 Upon request of dPi, BellSouth shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and dPi may request OCTS for such orders.
- 5.9.4 BellSouth shall accept a LOA between dPi and another carrier that will allow dPi, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer.

Version: 4Q06 Standard ICA

6 Automatic Location Identification/Data Management System (ALI/DMS) 6.1 911 and E911 Databases 6.1.1 BellSouth shall provide dPi with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f). 6.1.2 The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. dPi will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below. 6.2 Technical Requirements 6.2.1 BellSouth's 911 database vendor shall provide dPi the capability of providing updates to the ALI/DMS database through a specified electronic interface. dPi shall contact BellSouth's 911 database vendor directly to request interface. dPi shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of dPi and BellSouth shall not be liable for the transactions between dPi and BellSouth's 911 database vendor. 6.2.2 It is dPi's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site. 6.2.3 dPi shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site. 6.2.4 Stranded Unlocks are defined as end user records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to dPi, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for dPi to assume responsibility for such records. 6.2.4.1 Based upon end user record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to dPi that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. dPi shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to dPi

Version: 4006 Standard ICA

within two (2) months following the date of the Stranded Unlock report provided by BellSouth. dPi shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of dPi's records.

- 6.3 <u>911 PBX Locate Service</u>®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows dPi to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the dPi PBX 911 end user station telephone number for the 911 call that is placed by the end user.
- dPi may order either the database capability or the transport component as desired or dPi may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> dPi's end user or dPi's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by dPi pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- dPi's end user, or dPi's end user DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of dPi to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. dPi should not submit telephone number updates for specific PBX station telephone numbers that are submitted by dPi's end user, or dPi's end user DMA under the terms of 911 PBX Locate product.
- dPi must provision all PBX station numbers in the same LATA as the E911 tandem.
- dPi agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by dPi's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by dPi or others, or for any infringement or invasion of the right of privacy of any person or

Version: 4006 Standard ICA

persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. dPi is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to dPi's end user or DMA pursuant to these terms. Specifically, dPi's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- dPi may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for dPi's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires dPi to order a CAMA type dedicated trunk from dPi's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the dPi's end user premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. dPi is responsible for connectivity between the end user's PBX and dPi's switch or POP location. dPi will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a dPi purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). dPi is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. dPi will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.

Version: 4Q06 Standard ICA

- 6.3.9.1 Testing and maintenance shall be provided by dPi pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by dPi pursuant to the terms and conditions set forth in Attachment 3.

7 White Pages Listings

- 7.1 BellSouth shall provide dPi and its customers access to white pages directory listings under the following terms:
- 7.1.1 Listings. dPi shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include dPi residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between dPi and BellSouth customers. dPi shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> dPi will be required to provide to BellSouth the names, addresses and telephone numbers of all dPi customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 7.1.3 Inclusion of dPi Customers in Directory Assistance Database. BellSouth will include and maintain dPi customer listings in BellSouth's DA databases. dPi shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford dPi's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as dPi provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to dPi one (1) basic White Pages directory listing per dPi customer at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial

Version: 4006 Standard ICA

LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.

- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to dPi customer at no charge or as specified in a separate agreement between dPi and BellSouth's agent.
- 7.3 Procedures for submitting dPi Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 dPi authorizes BellSouth to release all dPi SLI provided to BellSouth by dPi to qualifying third parties. Such dPi SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to dPi for BellSouth's receipt of dPi SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of dPi's SLI, or costs on an ongoing basis to administer the release of dPi SLI, dPi shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of dPi's SLI, dPi will be notified. If dPi does not wish to pay its proportionate share of these reasonable costs, dPi may instruct BellSouth that it does not wish to release its SLI to independent publishers, and dPi shall amend this Agreement accordingly. dPi will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by dPi under this Agreement. dPi shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate dPi listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to dPi any complaints received by BellSouth relating to the accuracy or quality of dPi listings.

Version: 4Q06 Standard ICA

7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: 4Q06 Standard ICA

Georgia 271 Requirements

- 1. This Exhibit sets forth terms and conditions for de-listed network elements that BellSouth is required to offer pursuant to the Georgia Public Service Commission's Order in Docket No. 19341-U ("Order") to dPi for dPi's provision of Telecommunications Services in accordance with its obligations under Section 271 of the Act ("271").
- To the extent DS1 and/or DS3 Loops, DS1 and/or DS3 Dedicated
 Transport and Multiplexing are unavailable as a UNE pursuant to this
 Agreement, these services will be made available by BellSouth pursuant to
 Section 271 of the Act on the same terms and conditions set forth
 elsewhere in the Agreement, except as otherwise provided in this Exhibit
 1, and at the rates set forth in Exhibit B to this Agreement.
 Notwithstanding the foregoing, the Parties agree that those provisions
 applicable to DS1 and DS3 Loops or DS1 and DS3 transport provided
 pursuant to Section 251 of the Act relating to transition of Embedded Base
 circuits, limitations on the number of circuits available at a particular
 location or Building, and limitations relating to use for mobile and long
 distance service shall not apply to the equivalent services available
 pursuant to this Exhibit 1.
- 1.2 For information regarding Ordering Guidelines and Processes for 271 elements in the state of Georgia, dPi should refer to the Guides section of BellSouth's Interconnection Web site.
- 2. 271 Dark Fiber Loops, 271 DS1 and DS3 Entrance Facilities, and 271 Dark Fiber Transport Facilities are unavailable pursuant to this Agreement and, but are available at the rates, terms, and conditions set forth in the applicable BellSouth tariff.
- 2.1 Under no circumstance shall BellSouth be required to (1) combine 271 elements with other 271 elements offered pursuant to this Exhibit, or (2) 271 elements combined with tariffed services or other wholesale services provided by BellSouth. Additionally, BellSouth shall not be required to commingle or combine 271 elements offered pursuant to this Exhibit with tariffed services. Further, under no circumstance shall BellSouth be required to convert 271 elements offered pursuant to this Agreement to equivalent tariffed services, or to convert tariffed services to 271 elements offered pursuant to this Agreement.

Version: 4Q06 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 2 of 6

3. <u>Line Sharing</u>

- 3.1 General. Line Sharing is defined as the process by which dPi provides digital subscriber line service ("xDSL") over the same copper Loop that BellSouth uses to provide retail voice service, with BellSouth using the low frequency portion of the Loop and dPi using the high frequency spectrum (as defined below) of the Loop.
- 3.2 Line Sharing arrangements in service as of October 1, 2003 will be billed at the rates set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.3 For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004 the rates will be as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.4 For Line Sharing arrangements placed on or after October 2, 2004 (whether under this Agreement only, or under this Agreement and a prior Agreement), the rates will be the full copper loop rate as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.5 As of October 2, 2006, the rates for Line Sharing arrangements shall be as set forth in Exhibit B to this Amendment.
- The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow dPi the ability to provide xDSL data services to the End User for which BellSouth provides voice services.
- 3.7 The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. dPi shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the abovementioned document.

Version: 4Q06 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 3 of 6

- 3.8 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, lowpass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and TI .601.
- 3.9 BellSouth will provide Loop Modification to dPi on an existing Loop for Line Sharing in accordance with procedures as specified in Attachment 2 of this Agreement. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If dPi requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, dPi shall pay for the Loop to be restored to its original state.
- 3.10 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and dPi desires to continue providing xDSL service on such Loop, dPi or the new voice provider, or both, shall be required to purchase a full stand-alone Loop. In those cases in which BellSouth no longer provides voice service to the End User and dPi purchases the full stand-alone Loop, dPi may elect the type of Loop it will purchase. dPi will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U. In the event dPi purchases a voice grade Loop, dPi acknowledges that such Loop may not remain xDSL compatible.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.12 <u>Provisioning of Line Sharing and Splitter Space.</u> BellSouth will provide dPi with access to the High Frequency Spectrum as follows:
- 3.12.1 To order High Frequency Spectrum on a particular Loop, dPi must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- dPi may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of dPi's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.

Version: 4006 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 4 of 6

- 3.12.3 Once a splitter is installed on behalf of dPi in a central office in which dPi is located, dPi shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and dPi shall pay the electronic or manual ordering charges, as set forth in Exhibit A of Attachment 2 of the Agreement, as applicable when dPi orders High Frequency Spectrum for End User service.
- Once BellSouth has placed cross-connects on behalf of dPi to provide dPi access to the High Frequency Spectrum and chooses to rearrange its splitter or CLEC pairs, dPi may order the rearrangement of its splitter or cable pairs via "Subsequent Activity". Subsequent Activity is any rearrangement of dPi's cable pairs or splitter ports after BellSouth has placed cross-connection to provide dPi access to the High Frequency Spectrum. BellSouth shall bill and dPi shall pay the Subsequent Activity charges as set forth in Exhibit B of this Amendment.
- 3.13 BellSouth Provided Splitter Line Sharing. BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide dPi access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to dPi's xDSL equipment in dPi's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide dPi with a carrier notification letter, informing dPi of change. dPi shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports.
- 3.14 BellSouth will install the splitter in (i) a common area close to dPi's collocation area, if possible; or (ii) in a BellSouth relay rack as close to dPi's DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for dPi on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified dPi DS0 at such time that a dPi End User's service is established.
- 3.15 CLEC Provided Splitter Line Sharing. dPi may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. dPi may use such splitters to provide xDSL services to its End Users using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

Version: 4Q06 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 5 of 6

- 3.16 Any splitters installed by dPi in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. dPi may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.17 Ordering Line Sharing. dPi shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.18 BellSouth's Local Ordering Handbook (LOH) will provide dPi the LSR format to be used when ordering disconnections of the High Frequency Spectrum or Subsequent Activity.
- 3.19 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site.
- 3.20 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for dPi's data.
- 3.21 BellSouth will provide dPi access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and dPi shall pay the rates for such services, as described in Exhibit B of this Amendment.
- Maintenance and Repair Line Sharing. dPi shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. dPi may test from the collocation space, the Termination Point, or the NID. BellSouth will be responsible for repairing voice services and the physical line between the NID at the End User's premises and the Termination Point. dPi will be responsible for repairing its data services. Each Party will be responsible for maintaining its own equipment.
- dPi shall inform its End Users to direct data problems to dPi, unless both voice and data services are impaired, in which event dPi should direct the End Users to contact BellSouth. Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.24 If dPi reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, or BellSouth isolates the trouble to the physical collocation arrangement belonging to dPi, BellSouth will charge dPi for any dispatching and testing (both inside and

Version: 4Q06 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 6 of 6

outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit B of this Amendment.

Version: 4Q06 Standard ICA

DIABOIANCED I	NETWORK ELEMENTS - Alabama			· · · · · · · · · · · · · · · · · · ·									Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
			├—			Rec	Nonre		Nonrecurring			1 223222		Rates(\$)		
		<u> </u>	 			 	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
The "Zone"	shown in the sections for stand-alone loops or loops as pa	rt of a ce	ombina	tion refers to Geograp	hically Deav	eraged UNE Zo	nes. To view (eographically I	Deaveraged UN	E Zone Design	ations by Co	entral Office	refer to intern	et Website:	l	<u> </u>
hirthawww	r.interconnection.beisoutn.com/become_a_clec/ntm/interco	nnection	n.htm			•				- C			10.01 10 111011	iot Website.		
PERATIONS SUP	PPORT SYSTEMS (OSS) - "REGIONAL RATES"	L	L_									L	1			
NOTE: (1)	CLEC should contact its contract negotiator if it prefers the	etate er	orific"	OSS champs as ords	rad butba C	tat- Cia-i-	Th- 000									
Condition and	actronically at present per the LOH, the listed SOMEC rate in when it submits an LSR to BellSouth.	this cate	gory r	eflects the charge that	would be b	illed to a CLEC	once electronic	ordering capal	oilities come on	line for that ele	ment. Othe	rwise, the n	nanual ordering	g charge, SOI	IAN, will be ap	plied to a
OLCOS UM	S - Electronic Service Order Charge, Per Local Service								,			γ·······				
Red	quest (LSR) - UNE Only	l	Į		SOMEC		3.50	0.00	3.50	0.00	,	1	ļ	1	ļ	ļ
os	SS - Manual Service Order Charge, Per Local Service Request		T-			 	5.50	0.00	5.50	0.00	 	 	 -	 	 	
	SR) - UNE Only		Щ.		SOMAN		15.66	0.00	1.97	0.00		L	l		l	
NOTE: TH	TE ADVANCEMENT CHARGE be Expedite charge will be maintained commensurate with	PCourt-	- FCC	No 1 Tariff Cast		I										
1,012.11	A EXPOSITE AND A WIND DE LIMINGUE COMMENSASORS WITH THE	South	S FUC	UAL, UEANL, UCL.	из аррисарі	e.			ı	,		т	 	·		
				UEF, UDF, UEQ,						1		1]	ĺ
			1	UDL, UENTW, UDN,			:								ļ	
			1	UEA, UHL, ULC,		[Į	Į		ļ	[Į.	Į.	ļ
1 1		1]	USL, U1T12, U1T48, U1TD1, U1TD3,												
1 1		l	1	U1TDX, U1TO3.											ļ	
		1		U1TS1, U1TVX,						İ					l	1
		1	1	UC1BC, UC1BL,						ļ			į.		l	1
		i	1	UC1CC, UC1CL,									}			1
				UC1DC, UC1DL, UC1EC, UC1EL,												
			l	UC1FC, UC1FL,										l	l	
))		ì	1	UC1GC, UC1GL,	1]]	ì			l	i	1	
				UC1HC, UC1HL,						1		l		ļ	1	
				UDL12, UDL48, UDLO3, UDLSX,					İ			1			1	
				UE3, ULD12,					1						1	1
				ULD48, ULDD1,					l	1				1	1	ł
				ULDD3, ULDDX,					1							1
				ULDO3, ULDS1,								1				l
1 1		i	1	ULDVX, UNC1X, UNC3X, UNCDX,		1]	Ì	1		Ì	1	Ĭ	1	1	ì
				UNCNX, UNCSX,										1	ļ	
				UNCVX, UNLD1,										1		
			ł	UNLD3, UXTD1,								}			ł	
			Ì	UXTD3, UXTS1,										ł		
				U1TUC, U1TUD, U1TUB, U1TUA,						į	1	1		1		
LIN	NE Expedite Charge per Circuit or Line Assignable USOC, per			NTCVG, NTCUD,						į	İ	1		1		İ
Da	ау	ł	1	NTCD1	SDASP	}	200.00	1			١.	ì	1	i _	1.	
RDER MODIFICA						I										
	der Modification Charge (OMC)	-	↓			 	35.13	0.00					ļ		ļ	
	rder Modification Additional Dispatch Charge (OMCAD)	 	+	 		 	150.00	0 00	0.00	0.00	 	+	 	 	 	
	NALOG VOICE GRADE LOOP		-			·	·	·	·							
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58		17.56								
	Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ	2	UEANL	UEAL2	21.05	37.81	17.56				<u> </u>	L	ļ	ļ	├
	Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81 37.81	17.56 17.56					 		 	
	Wire Analog Voice Grade Loop - Service Level 1- Zone 1 Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 	 	UEANL	UEASL	21.05	37.81	17.56				 	 	t	 	
2-V	Wire Analog Voice Grade Loop - Service Level 1- Zone 3	上 ̄	3	UEANL	UEASL	34.34	37.81	17.56	23.49							
	ng Loop at End User Premise		ļ	UEANL	URETL		8.93	0.88								
	op Testing - Basic 1st Half Hour	 	₩	UEANL UEANL	URET1	 	34.16	0.00		ļ		}	<u> </u>	 	ļ	
	op Testing - Basic Additional Half Hour anual Order Coordination for UVL-SL1s (per loop)	 	+	UEANL.	URETA		19.85 8.15	19.85 8.15			 	 	 	 	}	
	rder Coordination for Specified Conversion Time for UVL-SL1	 	 			 	0.13	0.13		†	 	1	 	 		
		,	1	UEANL	OCOSL	1	18.09	ı	1	1	1	•	1	1	İ	1

	ED NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1 st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
 	· · · · · · · · · · · · · · · · · · ·	-	\vdash		+	Rec	Nonrec		Nonrecurring			· · · · · · · · · · · · · · · · · · ·		Rates(\$)		
	Unbundled Non-Design Voice Loop, billing for BST providing make		 				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	up (Engineering Information - E.I.)			UEANL	UEANM		13.44		l							l
	Unbundled Loop Service Rearrangement, change in loop facility.				1				·			 			 	
	per circuit	L	<u></u>	UEANL	UREWO	l	15.78	8.94	23.49	5.30						l
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		37.81	17.56	23.49	5.30	-	 	 			
2-WID	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1 E Unbundled COPPER LOOP	L	<u> </u>	UEANL	UREPM		8.15	8.15						·		
2-1711	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	_		UEQ	1											
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 	1 2	UEQ	UEQ2X	11.20	34.14	15.10		4.15					L	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X UEQ2X	13.27 15.07	34.14 34.14	15.10	21.25	4.15		ļ				
	Tag Loop at End User Premise		├~~	UEQ	URETL	15.07	8.93	15.10 0.88		4.15		-	ļ	.	ļ	ļ
	Loop Testing - Basic 1st Half Hour		 	UEQ	URET1		34.16	0.00			 					
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85				 				<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		\Box									 				
	Designed (per loop)			UEQ	USBMC		8.15	8 15				1		1	ł	l
-	Unburdled Copper Loop - Non-Designed, billing for BST providing															
	make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,			UEQ	UEQMU		13.44		ļ., <u>.</u>			<u> </u>				<u> </u>
, ,	per circuit	Į.	1	uro	\\	1			[
	Bulk Migration, per 2 Wire UCL-ND	<u> </u>	├ ──	UEQ	UREWO		14.27	7.43	21.25	4.15						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		34.14	15.10	21.25	4.15		ļ				
UNBUNDLED	EXCHANGE ACCESS LOOP	 -	}	02.0	UNEPM		8.15	8.15				ļ		ļ		
	E ANALOG VOICE GRADE LOOP			L					اا			Ц	<u> </u>	J	L	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Г		T							·	T			
1	Ground Start Signaling - Zone 1	1	۱ ،	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44			1			ĺ
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			·				33.00	77.27	7.44	 -	 	 	··		
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44			İ			1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Γ														
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44			1			l
į	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l _												
	Battery Signaling - Zone 1		 1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	ì	i .	l	1				1 . 1		}]	1	1		1
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		ļ	ļ	L		
i	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	l	ļ		i		l
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		 		ULAILE	30.14	00.00	33.00	47.24	7.44	 	ł	 	 		
	DS0)			UEA	URESL		5.59	5.59	{			1				l
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per		T -					0.00				 	 			
	DS0)		ļ	ŲĘA	URESP		5.59	5.59						İ	ļ	l
	Unbundled Loop Service Rearrangement, change in loop facility,		1													
	per circuit		l	UEA	UREWO		87.72	36.36				i .		l		l
	Loop Tagging - Service Level 2 (SL2)		L	UEA	URETL		11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2		<u> </u>	UEA	UREPN		88.00	55.00	ļ					L		
4 14/15	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2 E ANALOG VOICE GRADE LOOP	L	L	UEA	UREPM		0.00	0.00	l		<u> </u>			L	L	L
4-44114	4-Wire Analog Voice Grade Loop - Zone 1	1	1 .	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50			T		Γ.	
	4-Wire Analog Voice Grade Loop - Zone 1	 		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	 		 		 	
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	131.97	94.51		14.50		 		 		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		⊢Ť	102.1	JULIAL T	50.02	101.57	34.31	33.14	14.50		 	 	 -		
	DS0)			UEA	URESL		5.59	5.59	1		1					l
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per								<u> </u>		1				1	
	DS0)	ļ	1	UEA	URESP		5.59	5.59	i		L		<u></u>			
	Unbundled Loop Service Rearrangement, change in loop facility,				1	1										1
G 18/m	per circuit E ISDN DIGITAL GRADE LOOP	Щ.	Ь	UEA	UREWO		87.72	36.36			L	L	<u> </u>		L	
Z-WIFI	2-Wire ISDN Digital Grade Loop - Zone 1			ludn	U1L2X	21.88	117.24	79.77						,		
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	 		UDN	U1L2X U1L2X	32.85			52.88	10.54	 				ļ	
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.55	117.24 117.24	79.77 79.77	52.88 52.88	10.54 10.54	 	 	ļ	 		
	Unbundled Loop Service Rearrangement, change in loop facility,		۲,	00.1	12,12	40.33	117.24	19.77	32.88	10.54		 	 	 		t
1	per circuit)	1	UDN	UREWO]	91.63	44.16						1		1
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE I	OOP				300	11.10	·			L		<u> </u>	<u> </u>	
	2 Wire Unbundled ADSL Loop including manual service inquiry &		1	T	γ				I "" I			T	1		1	
- 1	facility reservation - Zone 1	Ì	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44	I	l	l			1

	ED NETWORK ELEMENTS - Alabama	,											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'l
		┼──				Rec	Nonrec First	arring Add'l	Nonrecurring				OSS	Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-				FWSC	Add I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2	L	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						1
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X							1				
	2 Wire Unbundled ADSL Loop without manual service inquiry &	┼──		UAL	UALZX	_14.30	110 00	68.00	47.24	7.44	ļ					
	facility reservation - Zone 1		_1	UAL	UAL2W	11.01	90 00	57 00	47.24	7.44	ļ					(
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 2															
	2 Wire Unbundled ADSL Loop without manual service inquiry &	₩-	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	facility reservator - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	Unbundled Loop Service Rearrangement, change in loop facility.	1				12.00	30.00	37.00	47.24	7.44	 			ļ		
2-WIE	PET HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	1	<u></u>	UAL	UREWO		86.20	40.40								1
	2 Wire Unbundled HDSL Loop including manual service inquiry &	I IBLE CO	JOP													
	facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47 24	7.44				ŀ		
	2 Wire Unbundled HDSL Loop including manual service inquiry &				9	9.74	710.00	08.00	47.24	7.44	 	 		· · · · · · · · · · · · · · · · · · ·		
	facility reservation - Zone 2	↓	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	ĺ					Ì
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	luu av											
	2 Wire Unbundled HDSL Loop without manual service inquiry and	+	-3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44	ļ	L				
	facility reservation - Zone 1	1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44					1	İ
	2 Wire Unbundled HDSL Loop without manual service inquiry and							000	77.27		 			 		·
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and	 	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						L
	facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	.7.0.							
	Unbundled Loop Service Rearrangement, change in loop facility,	 	۲Ť	0.12	ONE	11.441	90.00	57.00	47.24	7,44		<u> </u>				
	per circuit			UHL	UREWO		86.14	40.40								
4-WIF	TE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	"	1	UHL	UHL4X	13.95	148.36	68.00	51.70							
	4-Wire Unbundled HDSL Loop including manual service inquiry and	,	<u> </u>	0.12	O'IL4X	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	148.36	68.00	31.70	9.73						
	facility reservation - Zone 2	ļ	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						1
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1		l												
	4-Wire Unbundled HDSL Loop without manual service inquiry and	+	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73	ļ					
i	facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	İ	İ		İ		l
	4-Wire Unbundled HDSL Loop without manual service inquiry and									5,10				·		
	facility reservation - Zone 2	└	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	15.25	94.00	57.00		0.70						1
	Unbundled Loop Service Rearrangement, change in loop facility,	 	٠,	Oric .	UnL4W	15.25	94.00	57.00	51.70	9.73	 			 		
	per circuit	<u> </u>		UHL	UREWO		86.14	40.40								1
4-WIF	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		1	USL	USLXX	82.55 154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	314.52	252.47 252.47	157.54 157.54	44.70 44.70	11.71						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	 	Ť	002	TOOLAX	314.32	232.47	137.34	44.70		 	-		 		
	DS1)	L		USL	URESL		5.59	5.59								1
·	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		5.59	5.59			<u> </u>					
	per circuit			USL	UREWO		101.09	43.05			1					1
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				JOHETTO 1		101.00		·	·	·	L		l	L	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	26.09	126.27	88.80	59.14	14.50	1					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	₩-	1 2	UDL UDL	UDL2X	35.95 37.88	126.27	88.80	59.14	14.50						ļ
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	 		UDL	UDL2X UDL4X	37.88 26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		-				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	 		UDL	UDL4X	35.95	126.27	88.80	59.14	14.50		 				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	Ι	3	UDL	UDL4X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	₩-		UDL UDL	UDL9X	35.95 37.88	126.27	88.80	59.14	14.50				L		-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+		UDL	UDL19	26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		 			 	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	+		UDL	UDL19	35.95	126.27	88.80	59.14	14.50						

UNBU	MALE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
	1											Svc Order	Svc Order		Incremental	Incremental	Incremental
						ł	l					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				l		Ì	ļ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	1		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1									por con	por com	Electronic-	Electronic-	Electronic-	Electronic-
						1								1st	Add'I	Disc 1st	Disc Add'l
				L		i						1		184	Addi	UISC 181	DISC AUG I
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	·
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	37.88	126 27	88.80	59.14	14.50	00	00.00.0		JOINAN	JOMEN	30114
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88 80	59.14	14.50	 				 	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50	 		 -	 		
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80		14.50	 					 -
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	Ι	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50			 	 -		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50			 	·		
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14 50			 			
1		Switch-As-Is Conversion rate per UNE Loop, single LSR, (per				1	-		00.00	33.14	14 30						
		DS0)		1	UDL	URESL		5.59	5.59	l				İ			
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1			 	3.33	3.39	 		 		ļ			
		DS0)		ł	UDL	URESP	1 1	e en	5.50					1	ļ		
		Unbundled Loop Service Rearrangement, change in loop facility.	\vdash	t		Uncor	 	5.59	5.59	 			 	 			L
i i		per circuit	1	1	UDL	UREWO] 1	ا	40.77	1	I	1	l	1			
	2-WIRF	Unbundled COPPER LOOP	Ь	1	Joor	TOUEARO	ــــــــــــــــــــــــــــــــــــــ	102.13	49.75	L	<u> </u>	<u> </u>	L	1	L	L	L
		2-Wire Unbundled Copper Loop-Designed including manual	T							·		,		·	,		
l		service inquiry & facility reservation - Zone 1		١.	UCL	UCLPB						1					
		2-Wire Unbundled Copper Loop-Designed including manual	├	-	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44	<u> </u>			L	L	
												i					
		service inqury & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44	L					<u> </u>
.	1	2 Wire Unbundled Copper Loop-Designed including manual service	1			l	1					ŀ					
		inquiry & facility reservation - Zone 3	↓	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44	L.,					
1	1	2-Wire Unburdled Copper Loop-Designed without manual service	1	ì		1	1	ì		1	1	1				i	T
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91 46	54.30	47.24	7.44	l		I			
1		2-Wire Unbundled Copper Loop-Designed without manual service		1								I		1			1
		inquiry and facility reservation - Zone 2	ļ	2	UCL	UCLPW	12.73	91.46	54 30	47.24	7.44	l		ł			
		2-Wire Unbundled Copper Loop-Designed without manual service		1	1	1											
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91 46	54 30	47.24	7.44	L		ł			l
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8 15					T			T
		Unbundled Loop Service Rearrangement, change in loop facility,	ŀ	1		T											
		per circuit			UCL	UREWO	1	97.23	42.48		l			l		L	1
		COPPER LOOP															
		4-Wire Copper Loop-Designed including manual service inquiry	1	1													
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		<u> </u>			İ	
		4-Wire Copper Loop-Designed including manual service inquiry		1		1					1		1	1			
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73				1 _		
		4-Wire Copper Loop-Designed including manual service inquiry	T]	1						
1 1		and facility reservation - Zone 3	1	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73	1]		1	i	
		4-Wire Copper Loop-Designed without manual service inquiry and															
l ,		facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73	į	Į.	Į.	į.	Į.	Į.
		4-Wire Copper Loop-Designed without manual service inquiry and	1									T	T				
	i	facility reservation - Zone 2	1	2	lucL	UCL4W	20.76	114.21	67.05	51.70	9.73	i	1	1	1	1	I
	1	4-Wire Copper Loop-Designed without manual service inquiry and	1	\top	1		1	-		T	1		T	T	1	1	T
	ſ	facility reservation - Zone 3	1	3	luct	UCL4W	28.21	114.21	67.05	51.70	9.73	1	1	1	I	1	1
\vdash		Order Coordination for Unbundled Copper Loops (per loop)	 	Ť	UCL	UCLMC	1	8.15	8.15		1	 	1	 	1	1	
	 	Unbundled Loop Service Rearrangement, change in loop facility.	†—	+	† 	- 15 5 5 J	 	0.75		1	 	 	1		 	1	1
l i	1	per circuit	1	1	UCL	UREWO		97.23	42.48	i	1			1		1	
⊢─┤		por oncor	+	+	UEA, UDN, UAL,	10.12110		31.23	42.40	 	 	+	†	 	+	 	
	l	Order Coordination for Specified Compressor Time (part CD)	1	1	UHL, UDL, USL	ocosl		18.90	l	l	Į.	Į.		Į.		1	1
├	Dacini	Order Coordination for Specified Conversion Time (per LSR)		1	Jone, OUL, USE	TOCOSE	.4	18.90	·			Ц	<u> </u>	٠			
 		ngements		_							····						,
	l	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1			lunger:				1		1	1	1			
	 	SL2	+	-	UEA	UREEL	 	87.72	36.36	 	 	 	 	 	+	+	
			1		i		1					1					1
	—	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	4	UEA	UREEL	 	87.72	36.36	ļ	+	 	├		 	 	
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop	-	↓	UDN	UREEL	J	91.63	44.16	ļ	 	 	 	_	 		
				İ								Į.					1
		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		102.13	49.75	L	 	<u> </u>	 	_	<u> </u>		
		EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	1		USL	UREEL		101.09	43.05	ļ					ļ <u> </u>	 	
		MMINGLING	1	1	<u></u>				l	J	.l	<u> </u>	<u> </u>	1	J	J	
	2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING	_,	-,					,		,			,			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	i -	1	1	1		1	I	1	i	1			1	ŀ
	L	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44	<u> </u>		<u> </u>	L	<u> </u>	ļ
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1				1		1	1		1	1				1
	<u></u>	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44				ļ		J
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									1	1	1	1			1
	1	Ground Start Signaling - Zone 3	1	l 3	NTCVG	UEAL2	36.14	98.00	55.00	47.24	7.44	. L	Į.	l	t	Į.	Į.

	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremer Charge
TEGORY	RATE ELEMENTS	Interim	Zone	ecs	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order v Electron Disc Ad
		<u> </u>	<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	·	
	2 Miles Apple Mails Co. de La co.					nec _	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	1		1	}										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	<u>'</u>	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44	L		l			
-	Battery Signaling - Zone 2	1	,	NTCVG	UEAR2	22.85				_						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		WICVG	UEAR2	22.85	88.00	55.00	47.24	7.44	ļ				L	ļ
	Battery Signaling - Zone 3	1	3	NTCVG	UEAR2	36.14	88.00	55 00	47.24	7,44					1	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				 		50:00		77.24	7.44	 	<u> </u>				
	DS0)			NTCVG	URESL		5.59	5.59							1	1
- 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per IDS0)	1			1											†
	Unbundled Loop Service Rearrangement, change in loop facility,			NTCVG	URESP		5.59	5.59								
	per circuit	[NTCVG	UREWO	I							}			
	Loop Tagging - Service Level 2 (SL2)	 		NTCVG	URETL		87.72 11.21	36 36			ļ	<u> </u>	ļ	ļ		
4-WIRI	ANALOG VOICE GRADE LOOP - COMMINGLING	·	<u></u>	Interes	JONE IL		11.21	1.10	L		L	L	L		L	<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	25.34	131.97	94.51	59 14	14 50						т
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	38.58	131.97	94.51	59.14	14.50					 	
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50		<u> </u>				
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1														-
	DS0)	 	<u> </u>	NTCVG	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)															
+-	Unbundled Loop Service Rearrangement, change in loop facility,	 	-	NTCVG	URESP		5.59	5.59			ļ <u>.</u>				<u> </u>	
	per circuit			NTCVG	UREWO		87.72	20.20					i	1	!	i
4-WIRI	E DS1 DIGITAL LOOP - COMMINGLING	1	1	INICAG	TOREWO I		87.72	36.36	L		<u></u>	L	L	<u> </u>	1	<u> </u>
	4-Wire DS1 Digital Loop - Zone 1	1	1	NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71	ι			,	·	τ
	4-Wire DS1 Digital Loop - Zone 2	1	2		USLXX	154.18	252.47	157.54	44.70	11.71	 			 	+	
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	314.52	252.47	157.54		11.71	 	i —				†
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	Ĭ									<u> </u>		i	1		
	DS1)		<u> </u>	NTCD1	URESL		5.59	5.59							1	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet. (per		l		1	1										
	DS1)		├	NTCD1	URESP		5.59	5.59			ļ		ļ			↓ —
i	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		1	NTCD1	UREWO		101.09	43.05				ļ				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	<u></u>		IMICOL	TOHEWO		101.09	43.05	L	L	1	L		<u> </u>	L	ــــــــــــــــــــــــــــــــــــــ
1	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u>'</u>	1	NTCUD	UDL2X	26.09	126.27	88.80	59.14	14.50		T		T	Γ	T
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	\vdash		NTCUD	UDL2X	35.95	126.27	88.80		14.50		 			 	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	37.88	126.27	88.80	59.14	14.50				1		
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	26.09	126.27	88 80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	NTCUD	UDL4X	35.95	126.27	88 80	59.14	14.50						L
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	ļ	3	NTCUD	UDL4X	37.88	126.27	88.80		14.50		<u> </u>			ļ	
$-\!$	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+	1 2	NTCUD	UDL9X	26.09	126.27	88.80		14.50			 	 	 	├ ──
	4 Wire Unbundled Digital Loop 9 6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	+		NTCUD	UDL9X UDL9X	35.95 37.88	126.27 126.27	88.80 88.80		14.50			 	 	<u> </u>	+
+-	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+		NTCUD	UDL9X UDL19	26.09	126.27	88.80		14.50		 	 	 	 	+-
+	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1		NTCUD	UDL19	35.95	126.27	88.80		14.50		 -	 		-	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		NTCUD	UDL19	37.88	126.27	88.80		14.50			Ì	 	1	†
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		NTCUD	UDL56	26.09	126.27	88.80		14.50			1	†	T	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50			I	l		Ι
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1		NTCUD	UDL56	37.88	126.27	88 80		14.50			L		L	_
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 	1_1_	NTCUD	UDL64	26.09	126.27	88.80		14.50		 	ļ		 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	2	NTCUD	UDL64	35.95 37.88	126.27	88.80		14.50		 	 	 	 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	+	3	NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50	 	 	 	 	 	+
	DS0)	1		NTCUD	URESL		5.59	5.59		I		Į .	1	1		1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	 	177.000	UNLUE		3.39	<u></u>	 	 	 	 	 	† · · · · ·	 	
	(DS0)	1	i	NTCUD	URESP		5.59	5.59	1	į .			1	1	Į.	1
-	Unbundled Loop Service Rearrangement, change in loop facility.	1	1	1	T			1		l	<u> </u>	<u> </u>				1
	per circuit		<u>L</u>	NTCUD	UREWO		102.13	49.75						<u> </u>	L	
$\neg \neg$		1		NTCVG, NTCUD,												
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	locosl		18.90							1	1	1

ONRO	NDLE	D NETWORK ELEMENTS - Alabama												,			
CATEGO		PATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR		Att: 2 Exh; A Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				 				Nonre	urring	Nonragueria	Disconnect						
							Rec	First	AddT	First	Add'I	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
					UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,										og man	SUMMI	SUMAI
1			1	1	UNCDX, UNCSX,												
		Maintenance of Service Charge, Basic Time, per half hour Maintenance of Service Charge, Overtime, per half hour			UNCVX. ULS UDC, UEA, UDL, UDN, USE, UAL, UHL UCL, NTCVG, NTCUD, NTCDI, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNC5X, UNCYX, ULS UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1,	MVVOT		90.00	55.00								
LOOP M	ODIFIC	Maintenance of Service Charge. Premium, per half hour ATION Unburdled Loop Modification, Removal of Load Coils - 2 Wire			U1TD1, U1TD3. U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3. ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX,	MVVPT		100.00	75.00								
		pair less than or equal to 18k ft. per Unbundled Loop				ULM2L		0.00	0.00								
,		Unbundled Loop Modification Removal of Load Coils - 4 Wire less		I							 	 					
+		than or equal to 18K ft, per Unbundled Loop	<u> </u>	 	UHL, UCL, UEA	ULM4L		0.00	0.00								
SUB-LO	i	Unbundled Loop Modification Removal of Bindged Tap Removal. per unbundled loop			UAL, UHL, UCL, UEQ, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
	Sub-Loc	p Distribution	*		'	·				·	l				L		
		Sub-Loop - Per Cross Box Location - GLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		244.42		_			[· · · ·]				~-
	\neg							244.42			 	 					<u>-</u>
į.		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		ı	UEANL, UEF	USBSB	1	22.64		l	1	1	ı 1				
\rightarrow	1	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.45			1						

DIABOIADE	ED NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Diac 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
		 	 			Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$)		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	†	 				- reat	A00	FWSt	AGGT	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 1	L	<u>l</u> ,	UEANL	USBN2	11.21	65 80	30.96	45.25	6.70						
i	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1													
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	├ ──	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70	L					<u>. </u>
ì	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96								
		†	† –	DEANE	USBINZ	16.86	65.80	30.96	45.25	6.70				 	 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		8.15	8.15					l	}		l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															†
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1-1-	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07					l	
- 1	Zone 2	ļ	2	UEANL	USBN4											
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	 	+-	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07			ļ	ļ	 	
	Zone 3	1	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		İ				
			Ť			- JE 3/	7 3.03	44,19	49.71	9.07	 	 		 	+	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L	Ц_	UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ļ	 	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						1
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC	{	8.15		1		1)	\			1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	┼	UEANL	USBR4	5.16	59.25	8.15 24.41		9.07		 -			 	
		\vdash	+	OCANC.	000/14	3.16	39.23	24.41	49.71	9.07	 	 	·			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	l i	8.15	8.15	Ī	İ]	i	1		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00							 	
	Loop Testing - Basic Additional Half Hour	I		UEANL	URETA		19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1 1	UEF	UCS2X	6.22	65.80	30.96		6.70				1		ļ
-+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	.	3	UEF UEF	UCS2X UCS2X	8.76 11.27	65.80 65.80	30.96		6.70				<u> </u>		
	2 Wife Copper Orlowided Sub-Loop Distribution - Zone 3	 	-3	UEF	UCSZX	11.27	65.80	30.96	45.25	6.70	 			ļ	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ł		UEF	USBMC		8.15	8.15	}	ł	i	l		1	1	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.11	79.03	44.19		9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19		9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07			1		1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15						1		
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	 	+	OEF	USBMC.		0.13	8.13	 		 	 	 	 	+	+
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88				Ì		1		
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour	<u> </u>		UEF	URETA		19.85	19 85		l	L			<u> </u>	I,	
Unbu	Unbundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		т							г	γ					
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10			1	l				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	†	1	† 	155			3.70	1	t	 	 	 	1		1
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		175.78	5.10	<u> </u>		<u> </u>	<u> </u>	L			
	Unbundled Loop Modification, Removal of Bridge Tap, per	1							1	I				}		
	unbundled loop	1		UEF	ULMBT		278.20	6.11	L	J	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	L			ــــــــــــــــــــــــــــــــــــــ
Unbu	Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		т —	UENTW	UENPP	0.40	30.01		· · · · · · · · · · · · · · · · · · ·				,		, .	Т
Netw	ork Interface Device (NID)	1	٠ـ	TOC:4144	TOEINER	0.40	30.01	<u> </u>		1		·	·	1		
,,,,,,,,,	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38						T		I
	Network Interface Device (NID) - 1-6 lines		I	UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W	-	4	UENTW	UNDC2		5.87	5.87				ļ	ļ	 		+
INE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	+	+-	UENTW	UNDC4	 	5.87	5.87	 			 	 		 	+
JNE OF REK				UAL. UCL, UDC, UDL, UDN, UEA, UHL. UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate	ļ	+	NTCD1, USL	UNECN	0.00	0.00				<u> </u>	}	 	 	 	+
	Unbundled DS1 Loop - Superframe Format Option - no rate	 	+	USL, NTCD1	CCOSF	 	0.00		 		 	 	ļ	 	 	+
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									1
	NID - Dispatch and Service Order for NID installation	1	\top	UENTW	UNDBX	0.00	0.00							1		
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		1	T	1	1	1	Τ		1

UNBUN	IDLE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
					ļ		Rec	Nonrec		Nonrecurring					Rates(\$)	-	
LOOP MA	AKE-UF	P	<u> </u>	+	 		·	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Makeup - Preordering Without Reservation, per working or		+	 	 	+						Ļ				ļ
		spare facility queried (Manual).		1	имк	UMKLW		20 00	20.00					1			1
-		Loop Makeup - Preordering With Reservation, per spare facility		 -	OWIN	DIVINLA		20 00	20.00			<u> </u>	<u> </u>			<u> </u>	
LI		queried (Manual).		1	UMK	UMKLP		21.00	21.00					1			1
		Loop MakeupWith or Without Reservation, per working or spare		 	·			21.00	21.00					 			
		facility gueried (Mechanized)			UMK	UMKMQ	1 :	0.59	0.59								1
LINE SPL						1											<u> </u>
E	ND US	SER ORDERING-CENTRAL OFFICE BASED											·				
	—-	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61										
├ ~~┼		Line Splitting - per line activation BST owned - physical		.	UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
	I ON	Line Splitting - per line activation BST owned - virtual SER ORDERING - REMOTE SITE LINE SPLITTING	Ь		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83	<u> </u>			1	l	<u> </u>
		IDLED EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	r	Τ	T	1											
L_1]	Zone 1		1 1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		[}		1	1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1			1	u1.01	17.55	25:40	5.50			 			
	1	Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30			}		l	1
1 1	- 1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										†		 			<u> </u>
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30	ì	ì	1	ì	1	1
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				Τ								1			
		Zone 2	ļ	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1.	l	1						T					
—		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30	ļ. <u>.</u>		<u> </u>		ļ	
1 1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.	HEBER WEBER		2.21							ł			
		Zone 3 CAL COLLOCATION	Ь.	3	UEPSR UEPSB	UEABS	34,34	37.81	17.56	23.49	5.30	ــــــــــــــــــــــــــــــــــــــ	L	L	L	L	
		Physical Collocation-2 Wire Cross Connects (Loop) for Line	Г	T	T								·			7	
1 1		Splitting	1	1	UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44	ì	1	1	Ì	1	1
V	VIRTUA	AL COLLOCATION								0.00	<u> </u>	<u> </u>	·			J	
				Τ								1		1	T	Γ΄	T
LL		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44			1		l	L
		DEDICATED TRANSPORT	<u> </u>		l	I					L	<u> </u>					
II	NTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	, .		1									,		· · · · · · · · · · · · · · · · · · ·	
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838					ļ	 	ļ		 	
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat - per mile	 	+	U1TVX U1TVX	U1TV2	21.13 0.008838	40.54	27.41	16.74	6.90	 				 	
		Interoffice Chairner - 2-vive voice Grade Nev Bat per time	 	+	01147	IIC3XX	0.008836				} -	 	}	}	 		+
		Interoffice Channel - 2-Wire VG. Rev Bat Facility Termination	1	1	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90				1		1
		Interoffice Channel - 4-Wire Voice Grade - per mile	 	┪	U1TVX	1L5XX	0.008838	10.01			0.00		 	 	 		
			-	1						· · · · · · · · · · · · · · · · · · ·		1			<u> </u>	<u> </u>	1
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination	L		U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90				L		
		Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.008838								<u> </u>		
		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - 64 kbps - per mile	<u> </u>		U1TDX	1L5XX	0.008838							<u>L</u>		ļ	
\vdash		Interoffice Channel - 64 ldps - Facility Termination	}	1	VITDX	U1TD6	15,12	40.54	27.41	16.74	6.90	<u> </u>	 	<u> </u>	ļ	ļ	
		Interoffice Channel - DS1 - per mile		╄	U1TD1	1L5XX	0.18							<u> </u>		ļ	
		Interoffice Channel - DS1 - Facility Termination	 	+	U1TD1 U1TD3	U1TF1 1L5XX	60.16	89.27	81.81	16.35	14.44		 	 	 	 	
\vdash		Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination	 	+	U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46	 	 	 	 	 	
\vdash		Interoffice Channel - STS-1 - per mile	 	t	U1TS1	1L5XX	4.09	2,0,73		50.20	33.40	 	 	 	 	 	1
<u> </u>		Interoffice Channel - STS-1 - Facility Termination		† · · ·	U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46	1	1	 	†	1	
	JNBUN	IDLED DARK FIBER - Stand Alone or in Combination															
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per											1	[1	
1		Route Mile Or Fraction Thereof	<u> </u>	1	UDF, UDFCX	1L5DF	22.34					<u> </u>	ļ		L	<u> </u>	
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1		1		l				1		1	1	1	
الم يوريل		Route Mile Or Fraction Thereof	ـــــ	+	UDF, UDFCX	UDF14	 	639.09	137.87	317.06	197.66		 		 	 	
		Y UNBUNDLED LOCAL LOOP TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	Ь.	-			ــــــــــــــــــــــــــــــــــــــ	L	L	L	L	↓	1		1	L	
├ ── ├		DS3 Unbundled Local Loop - per mile		1	UE3	1L5ND	8.38			ı	· · · · · ·			τ	T	T	Т
		DS3 Unbundled Local Loop - Facility Termination	\vdash	+	UE3	UE3PX	308.08	451.52	263.94	119.49	83.58	 	 	 	 	 	+
			+	+	UDLSX	1L5ND	8.38		200.54	1,3,43	00.50		 	 		 	
 		STS-1Unbundled Local Loop - per mile	1					ı							1		

MBUNDLED ME	TWORK ELEMENTS - Alabama												Att: 2 Exh: A			
								···			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order v
													1st	Add'l	Disc 1st	Disc Ad
						Rec	Norrec	urring	Nonrecurring	Disconnect	 	L	oss	Rates(\$)	L	ــــــــــــــــــــــــــــــــــــــ
						nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
HANCED EXTEND		<u> </u>	L													
	ents Used in Combinations															
	VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44			I			
	VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	VG Loop (SL2) in Combination - Zone 3	 	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Analog Voice Grade Loop in Combination - Zone 1	<u> </u>	1-	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Analog Voice Grade Loop in Combination - Zone 2	—-	2_	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50			L	L	L	<u> </u>
	Analog Voice Grade Loop in Combination - Zone 3	├	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50				ļ	<u> </u>	
	SISDN Loop in Combination - Zone 1 SISDN Loop in Combination - Zone 2		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54					ļ	
		├ ──	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54				 	J	
	SISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54			ļ <u>.</u>			
	2 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			ļ	 	 	
	e 56Kbps Digital Grade Loop in Combination - Zone 2 e 56Kbps Digital Grade Loop in Combination - Zone 3	- -	3	UNCDX	UDL56 UDL56	35.95	126.27	88.80	59 14	14.50	 		 	 	 	+
		 	1			37.88	126.27	88.80	59.14	14.50	 		 	 	 	+
	e 64Kbps Digital Grade Loop in Combination - Zone 1	 		UNCDX	UDL64	26.09 35.95	126.27	88.80	59.14	14.50 14.50					 	+
4-VVIII 4-VVII	e 64Kbps Digital Grade Loop in Combination - Zone 2 e 64Kbps Digital Grade Loop in Combination - Zone 3	+		UNCDX	UDL64		126.27	88.80	59.14				 	 	 	+
	BS1 Digital Loop in Combination - Zone 3	 	3	UNC1X	UDL64 USLXX	37.88 82.55	126.27 252.47	88.80 157.54	59.14 44.70	14.50			 	 	 -	+
	e DS1 Digital Loop in Combination - Zone 2	├	2	UNCIX	USLXX	154.18		157.54	44.70		 	 	 		 	┼──
	e DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71 11.71			 	 		+
	ocal Loop in combination - per mile	┼	 -3	UNC3X	1L5ND	8.38	252.47	157.54	44.70	11./1		 	 	 		+
	ocal Loop in combination - Facility Termination		┼	UNC3X	UE3PX	308.08	451.52	263.94	119.49	83.58	 	 	 	 		+
	Local Loop in combination - per mile	—	┼──	UNCSX	1L5ND	8.38	451.52	203.94	119.49	63.58	 	 			 	+
	Local Loop in combination - Facility Termination	├ -	├	UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58				 -	}	+
	ffice Channel in combination - 2-wire VG - per mile	┼	+	UNCVX	1L5XX	0.008838	451.52	203.94	119.49	03.30		 		 	· · · · · · · · · · · · · · · · · · ·	+
	ffice Channel in combination - 2-wire VG - Facility	 	 	UNCVA	ILSAA	0.008636				 	 	├			 	+
Termin		1	1	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90			1	i	ì	1
	ffice Channel in combination - 4-wire VG - per mile	┼	 	UNCVX	1L5XX	0.008838	40.34	27.41	10.74	6.90		 	 	 		+
	ffice Channel in combination - 4-wire VG - Facility	} —	}	GIACAY	IILSAA	0.008838						 	 	 	+	+
	nation		1	UNCVX	U1TV4	18.73	40.54	27 41	16.74	6.90			1			ļ
	ffice Channel in combination - 4-wire 56 kbps - per mile	 	 	UNCDX	1L5XX	0.008838	40.34	2741	10.74	0.30		 	 	 	 	+
	ffice Channel in combination - 4-wire 56 kbps - Facility	\leftarrow	 	ONCOX	1123^^	0.000036			 			 	 	 	+	1
Termi			1	UNCDX	U1TD5	15.12	40.54	27 41	16.74	6.90	Į.		1	ļ	1	1
	ffice Channel in combination - 4-wire 64 kbps - per mile	+	 	UNCDX	1L5XX	0.008838	40.34	2/41	10.74	0.30	 	 	 	 	+	+
	ffice Channel in combination - 4-wire 64 kbps - Facility	 	+	UNCOX	TLSAA	0.000030			 		 -	 		 		+
	nation	1		UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90	1		Ì			
	ffice Channel in combination - DS1 - per mile		+	UNC1X	1L5XX	0.18		27.77	10.74		 	 	 	+	 	1
	ffice Channel in combination - DS1 Facility Termination	+-	 	UNC1X	UITFI	60.16	89.27	81.81	16.35	14,44		1	1	†	 	+
	ffice Channel in combination - DS3 - per mile	 	+	UNC3X	1L5XX	4.09			10.00		 	 		1	 	1
	ffice Channel in combination - DS3 - Facility Termination	+-	+	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46	 	 	 		 	+
	ffice Channel in combination - STS-1 - per mile	+	+	UNCSX	1L5XX	4.09	2.0.70				 	†	 		1 -	
	ffice Channel in combination - STS-1 Facility Termination	\vdash	+	UNCSX	UITFS	701.37	278.75	162.76	60.20	58.46		1				\top
DITIONAL NETWO		 	1		1				1			1	1			
	ures & Functions:								•							
T T		T		U1TD1,	1	T			1	T	T		1		ľ	
Clear	Channel Capability Extended Frame Option - per DS1	1 1		ULDD1,UNC1X	CCOEF		0.00				1		1			
1	THE PARTY OF THE P	1	1	U1TD1,	T						Τ		1			
Clear	Ghannel Capability Super FrameOption - per DS1	1 1	1	ULDD1,UNC1X	CCOSF	1	0.00		1	1	l	l _	1	1	1	1
	Channel Capability (SF/ESF) Option - Subsequent Activity -	1	T	ULDD1, U1TD1.	1	1	T		1	1		T	1			
per D		1 1		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741	-		i	J		
				U1TD3, ULDD3.								T		T	1	
	Parity Option - Subsequent Activity - per DS3	<u>L</u> i	<u></u>	UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00			L		J	
	OS0 Channel System		1	UNC1X	MO1	107 19	91.04	62.57	10.54	9.79					<u> </u>	1
D\$3/I	DS1Channel System			UNC3X, UNC5X	MQ3	176.20	178.14	93.97	33.26	31.83					<u> </u>	<u> </u>
	Grade COCI in combination			UNCVX	1D1VG	0.56	6.58	4.72						ļ	ļ	
				I						1					1	
Voice	Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	<u> </u>	1	UEA	1D1VG	0.56	6.58	4.72		L	<u></u>	L	L	L	1	1
Voice	Grade COCI - for connection to a channelized DS1 Local	1	Ι		T								1		1	1
	nel in the same SWC as collocation	<u> </u>		U1TUC	1D1VG	0.56	6.58	4.72					<u> </u>			
	DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	2.41	6.58	4.72								1
OCU-	DP COCI (2.4-64ldbs) - for Unbundled Digital Loop			UDL	1D1DD	2.41	6.58	4.72					1			
ocu-	DP COCI (2.4-64ldbs) - for connection to a channelized DS1	1											1		1	
Local	Channel in the same SWC as collocation	<u>L</u> _	1	U1TUD	10100	2.41	6.58	4.72		1				1		1
	ISDN COCI (BRITE) in combination	1	1	UNCNX	UC1CA	1,19	6.58	4.72		1	1	T	I			Т

	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
											Svc Order	Syc Order	Incremental	Incremental	Incremental	Increment
			1 1		{ I											
		1	ll		i I						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Į.	ł		1 !						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)								
				200	0000			1121 23(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		ı	l i		1 !								Electronic-	Electronic-	Electronic-	Electronic
		l	[l i								1st	Add'l	Disc 1st	Disse Add
		l			1 (i .	190	1	1 000 151	0.00
			-		 		Nonrec		Nonrecurring D	Vincon-net			000	Rates(\$)		
		 				Rec -	Nonrec						088	Hates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	1.19	6.58	4.72								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1		1													
}	Local Channel in the same SWC as collocation	1		U1TUB	UCICA	4.40			1				l			1
		-				1.19	6.58	4.72								
	DS1 COCI in combination			UNC1X	UC1D1	13.47	6.58	4.72					i		l	
	DS1 COCI - for Stand Alone Local Channel		[]	ULDD1	UC1D1	13,47	6.58	4.72								
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.47	6.58	4.72								
	DS1 COCI - for DS1 Local Loop	+		USL, NTCD1												
				USL, NTCD1	UC1D1	13.47	6.58	4.72								
- 1	DS1 COCI - for connection to a channelized DS1 Local Channel in	1										}]
l	the same SWC as collocation	i	1 '	U1TUA	UC1D1	13.47	6.58	4.72			l	1	i	1	1	ı
		+	+	UNCVX, UNCDX,	100.01	10.47	0.00	7.72						+		
Į.		1	1		ł I		1	I	1		l	i	1	1	1	j
ı	1	1	I	UNC1X, UNC3X,			I		ļ		l	l	(1	1	1
1	1	1	1	UNCSX, UDFCX,	1	1	1	1	ì		I	I	1	i	I	}
ì	1	1	1	XDH1X, HFQC6,	1		I	I			I	I	1	1	I	Ì
		1	1	XDD2X, XDV6X,	i		I				I	I	1		1	1
- 1	1	1	1		1	I	ļ				I	Į.	I	1	l	Į.
- 1		I	I	XDDFX, XDD4X,	l						1	1	1	}	1	I
- 1	Wholesale - UNE, Switch-As-Is Conversion Charge	1	1	HFRST, UNCNX	UNCCC	I	5.59	5.59	I		1	1	1	1	1	1
-	and the control of th	+	+		13:10:00		3,33	3.59					 	 		+
1	1	1	I	U1TVX, U1TDX,	1	1	i		ı		1	1	1	1	i	1
	Unbundled Misc Rate Element, SNE SA1, Single Network Element	1	I	U1TD1, U1TD3,	1	1			1		l	Į.	Į.	1	1	1
1	Switch As Is Non-recurring Charge, per circuit (LSR)	1 1	1	U1TS1, UDF, UE3	URESL	1	5.59	5.59			1		1			1
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	<u>-</u>	+	U1TVX, U1TDX.	0		0.00	0.00								 -
f	Unbundled MISC Hate Element, SINE SAL, Single Network Element	1			1	l f			1		1	1	1			1
- 1	Switch As Is Non-recurring Charge, incremental charge per circuit		1	U1TD1, U1TD3.	1						1	1	1		l	l
- 1	on a spreadsheet	Li	1	U1TS1, UDF, UE3	URESP	1 1	5.59	5.59	1		1	ì	1	1	1	1
4	s to DCS - Customer Reconfiguration (FlexServ)	-			10-10-											
Acces														·		
1	Customer Reconfiguration Eslablishment	1.	1	L	I	1	1.48		1.84		1	1 .	l	<u> </u>	L	L
	DS1 DCS Termination with DS0 Switching	T	T		Γ	29.46	25.55	19.66	16.63	13.38	1			7	1	
	DS1 DCS Termination with DS1 Switching	1	1		1	9.94	18.47	12.58	12.21	8.96						
		+	+		+		25.55		16.63	13.38		 	 		+	+
	DS3 DCS Termination with DS1 Switching					105.16	25.55	19.66	16.63	13.38	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ			J	
Node	(SynchroNet)															
	Node per month		$\overline{}$	UNCDX	UNCNT	15.77					T		T			1
Sancia					10.10.11	.5.77			lI		<u> </u>	4				
Service	e Rearrangements	_		LINEWY LINESY	1				/			4	I			
Service			_	U1TVX, U1TDX,	1	1 3.77						<u> </u>	T			
Service		T	T	UITUC, UITUD,	1							<u> </u>				
Service		T	T	UITUC, UITUD,	10.10.1	.3.77										
Service	e Rearrangements	Ī		U1TUC, U1TUD, U1TUB, ULDVX,		.5.77										
Service	e Rearrangements NRC - Change in Facility Assignment per circuit Service			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,		.5.77										
Service	e Rearrangements			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD	.377	101.09	43.05								
Servic	e Rearrangements NRC - Change in Facility Assignment per circuit Service			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X		.377	101.09	43.05								
Service	e Rearrangements NRC - Change in Facility Assignment per circuit Service	_		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX,		1377	101.09	43.05								
Servic	e Rearrangements NRC - Change in Facility Assignment per circuit Service			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,		3.77	101.09	43.05								
Servic	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX.			101.09	43.05								
Service	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,			101.09	43.05								
Servic	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD	3.77										
Service	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	-		UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD											
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	-		UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCIX UITVX, UITDX, UITUD, UITUB, ULDVX, ULDDX, UNCIX, UNCIX, UNCIX, UNCIX, UNCIX	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UTTUE, UTTUD, UTTUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTVX, UTTDX, UTTUB, ULDVX, ULDDX, UNCY, UNCDX, UNCTX, UNCDX, UNCTX, UNCYX, UNCDX, UNCYX, UNCDX,	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UTTUC, UTTUD, UTTUB, ULDDX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UTTDX, UTTUB, ULDDX, UNCOX, UNCDX, UNCDX, UNCDX, UNCOX, UN	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UTTUE, UTTUD, UTTUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTVX, UTTDX, UTTUB, ULDVX, ULDDX, UNCY, UNCDX, UNCTX, UNCDX, UNCTX, UNCYX, UNCDX, UNCYX, UNCDX,	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUE, UTTUE, ULTVU, ULDDX, UNCDX, UNCDX, UNCOX, UNCOX, UTTUE, UTTUE, UTTUE, ULDDX, UNCOX, UNCDX, UNCOX, UN	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUE, UTTUD, UTTUB, ULDX, UNEDX, UNEDX, UNCYX, UNCDX, UNCTX, UTTUB, ULDVX, ULDBX, UNCDX, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UNCDX, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UNCDX, UNCDX, UTD1, UTD3, UTD3, UTD1, UTD3, UTD3, UTD3, UTD1, UTD3, UTD3, UNCDX, UNCDX, UTD1, UTD3,	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCOX, UNCOX, UNCOX, UTTUE, UTTUE, UTTUE, ULDX, ULDDX, UNCOX, UNC	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	-		UITUE, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCTX, UITUB, ULDVX, UITUB, ULDVX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCDX, UNCTX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UTTDX, UITD3, UITD3, UITD3, UITD3, UITD4, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UNTOX, UNTOX, UITUX, UITUX, UNTOX, UNTOX, UITUX, UITUX, UNCAN, UITUX, UITUX, UNCAN, UITUX, UITUX, UITUX, UNCAN, UITUX, UITUX, UITUX, UNCAN, UN	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUE, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCTX, UITUB, ULDVX, UITUB, ULDVX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCDX, UNCTX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UTTDX, UITD3, UITD3, UITD3, UITD3, UITD4, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UITUX, UNTOX, UNTOX, UITUX, UITUX, UNTOX, UNTOX, UITUX, UITUX, UNCAN, UITUX, UITUX, UNCAN, UITUX, UITUX, UITUX, UNCAN, UITUX, UITUX, UITUX, UNCAN, UN	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUE, UITUD, UITUB, ULDX, UNCDX, UNCDX, UNCTX, UITUB, ULDYX, UITUB, ULDYX, ULDBX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUB, UTDA, UTDA, UTDA, UTDA, UTTUB, UTTUB, ULDYX, UITUB, ULDYX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UNCDX, UNCDX, UITUB, ULDXX, UITUB, ULDXX, UNCDX, UNCDX, UTTUB, ULDXX, UNCDX, UNCDX, UTTUB, ULDXX, UNCDX,	URETD		3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UTTUE, UTTUE, ULTUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTOB, UTTS1, UTTOB, UTTS1, UTTUE, ULTOB, ULTOX, ULTUE, ULDOX, ULUE, ULDO3, ULDO3, ULDO3, ULDO3, UNCDX, ULTUE, ULDO3, ULDO3, ULDO3, ULDO3, UNCDX, ULDO3, ULDO3, UNCDX, ULDO3, UNCDX, ULDO3, UNCDX, UNCDX, ULDO3, ULDO3, UNCDX, UNCDX, UNCDX, ULDO3, ULDO3, ULDO3, UNCDX, UNC	URETD URETB OCOSR		3.16 18.93	3.16 18.93								
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G	1		UITUE, UITUD, UITUB, ULDX, UNCDX, UNCDX, UNCTX, UITUB, ULDYX, UITUB, ULDYX, ULDBX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUB, UTDA, UTDA, UTDA, UTDA, UTTUB, UTTUB, ULDYX, UITUB, ULDYX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UITUB, ULDXX, UNCDX, UNCDX, UITUB, ULDXX, UITUB, ULDXX, UNCDX, UNCDX, UTTUB, ULDXX, UNCDX, UNCDX, UTTUB, ULDXX, UNCDX,	URETD	0.00	3.16	3.16	0.00	0.00						
) MMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G	1		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCYX, UNCDX, UNCTX, UTTUE, ULTUX, ULDDX, ULDDX, UNCTX, ULDDS, ULDD3, ULDD3, ULDD3, ULDD3, UNCDX, UNCTX, UN	URETD URETB OCOSR	0.00	3.16 18.93	3.16 18.93		0.00						
) MMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingling Authorization mingled (UNE part of single bandwidth circuit)			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCYX, UNCDX, UNCTX, UTTUE, ULTUX, ULDDX, ULDDX, UNCTX, ULDDS, ULDD3, ULDD3, ULDD3, ULDD3, UNCDX, UNCTX, UN	URETD URETB OCOSR	0.00	3.16 18.93	3.16 18.93		0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Comminging Authorization ningled (UNE part of single bandwidth circuit) Comminging Authorization	1		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCOX, UNCOX, UTTUE, UTTUE, UTTUE, UTTUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, ULDOX, ULDUX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX, UNCOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX, UN	URETD URETB OCOSR CMGAU	0.00	3.16 18.93	3.16 18 93 0.00		0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled (UNE part of single bandwidth circuit) Commingled (UNE part of single bandwidth circuit) Commingled Ogical COCI Commingled Digital COCI	1		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UNCDX, UNCTX, UNCDX, UNCTX, UNCDX, UNCTX, UNCDX, UNCTX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, ULDO3, ULDD1, ULDD3, ULDS3, ULDS1	URETB OCOSR CMGAU	0.00 0.56 1.19	3.16 18.93 0.00 6.58 6.58	3.16 18.93 0.00 4.72 4.72		0.00						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled (UNE part of single bandwidth circuit) Commingled (UNE part of single bandwidth circuit) Commingled Ogical COCI Commingled Digital COCI	1		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCOX, UNCOX, UTTUE, UTTUE, UTTUE, UTTUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, UTTOI, ULDOX, ULDUX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX, UNCOX, ULDOX, ULDOX, ULDOX, ULDOX, ULDOX, UNCOX, UN	URETD URETB OCOSR CMGAU 101VG 1D1DD UC1CA	0.00 0.56 1.19 2.41	3.16 18.93 0.00 6.58 6.58 6.58	3.16 18.93 0.00 4.72 4.72 4.72								
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement (added to CFA per circuit if project management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingling Authorization ningled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN CCCI	-		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCYX, UNCDX, UNCTX, UTTUE, ULTUY, ULDDX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, ULDDS, ULDS, ULDS, ULDD3, ULDD3, ULDS1	URETD URETB OCOSR CMGAU 101VG 1D1DD UC1CA	0.00 0.56 1.19 2.41	3.16 18.93 0.00 6.58 6.58 6.58	3.16 18.93 0.00 4.72 4.72		0.00						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled VG CCCI Commingled ISDN CCCI Commingled ISDN CCCI Commingled 2-wire VG Interoffice Channel	-		UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTUE, ULTUE, UTTUE, UTTUE, ULDVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTD3, UTTS1, UTTUE, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, UL	URETB OCOSR CMGAU 101VG 101DD UCICA USTV2	0.00 0.56 1.19 2.41 21.13	3.16 18.93 0.00 6.58 6.58 40.54	3.16 18.93 0.00 4.72 4.72 4.72 27.41	16.74	6.90						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled Quite part of single bandwidth circuit) Commingled Visit COCI Commingled Usit COCI Commingled ISDN COCI Commingled SiDN COCI Commingled Cover VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, ULDO3, ULDO1, ULDO3, ULDO1, ULDO3, VDUEXX, XDUEXX,	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UCICA UITV2	0.00 0.56 1.19 2.41 21.13 18.73	3.16 18.93 0.00 6.58 6.58 4.054	3.16 18.93 0.00 4.72 4.72 27.41 27.41	16.74 16.74	6.90						
) MMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled Quite part of single bandwidth circuit) Commingled Visit COCI Commingled Usit COCI Commingled ISDN COCI Commingled SiDN COCI Commingled Cover VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTUE, ULTUE, UTTUE, UTTUE, ULDVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTD3, UTTS1, UTTUE, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, UL	URETD URETB OCOSR CMGAU 1D1VG 1D1DD 1CG1CA 1CHTV2 1UTTV4 1UTTV5	0.00 0.56 1.19 2.41 21.13 18.73 15.12	3,16 18,93 0,00 6,58 6,58 6,58 40,54 40,54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QINE part of single bandwidth circuit) Commingled VG COCI Commingled VG COCI Commingled ISDN COCI Commingled 1-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCOX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UT	URETD URETB OCOSR CMGAU 1D1VG 1D1DD 1CG1CA 1CHTV2 1UTTV4 1UTTV5	0.00 0.56 1.19 2.41 21.13 18.73 15.12	3,16 18,93 0,00 6,58 6,58 6,58 40,54 40,54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled Quite part of single bandwidth circuit) Commingled Visit COCI Commingled Usit COCI Commingled ISDN COCI Commingled SiDN COCI Commingled Cover VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UITUE, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UITUX, UITUD, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCIX, UNCYX, UNCIX, UNCYX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UITUB, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDDI, ULDD3, ULDSI XDV6X	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UCICA UITV2	0.00 0.56 1.19 2.41 21.13 18.73	3.16 18.93 0.00 6.58 6.58 4.054	3.16 18.93 0.00 4.72 4.72 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QINE part of single bandwidth circuit) Commingled VG COCI Commingled VG COCI Commingled ISDN COCI Commingled 1-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCYX, UNCDX, UNCTX, UTTUE, ULTUY, ULDDX, ULDDX, ULDDX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCTX, UNCDX, UNCTX, UNCDX, UNCTX, UNCTX, UNCTX, UNCTX, UTTUE, UTTUE, ULTUE, ULDUS, ULDT, ULDD3, ULDS1, ULDVX, ULDD1, ULDD3, ULDS1, ULDS1, ULDD3, ULDS1, VDVX, VVX, V	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TD5 U1TD6	0.00 0.56 1.19 2.41 21.13 18.73 15.12 15.12	3,16 18,93 0,00 6,58 6,58 6,58 40,54 40,54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled QUNE part of single bandwidth circuit) Commingled VGCOC1 Commingled Ugital COC1 Commingled SDN COC1 Commingled Source VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel Commingled 56kbps Interoffice Channel Commingled 56kbps Interoffice Channel			UITUE, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UITUX, UITUD, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCIX, UNCYX, UNCIX, UNCYX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UITUB, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDDI, ULDD3, ULDSI XDV6X	URETD URETB OCOSR CMGAU 1D1VG 1D1DD 1CG1CA 1CHTV2 1UTTV4 1UTTV5	0.00 0.56 1.19 2.41 21.13 18.73 15.12	3,16 18,93 0,00 6,58 6,58 6,58 40,54 40,54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled Quite part of single bandwidth circuit) Commingled VG COC1 Commingled Selvice Interoffice Channel Commingled 5-Wite VG Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel			UTTUE, UTTUE, ULTVUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTD3, UTTS1, UTTD3, UTTS1, UTTD3, UTTS1, UTTD4, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, U	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA UT1V2 U1TV4 U1TD5 U1TD6	0.00 0.56 1.19 2.41 21.13 18.73 15.12 15.12	0.00 6.58 6.58 40.54 40.54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QUE part of single bandwidth circuit) Commingled VG COCI Commingled UNE part of single bandwidth circuit) Commingled Jogital COCI Commingled Jowie VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 2-wire Local Loop Zone 1			UTTUE, UTTUE, ULDVX, ULDDX, UNCDX, UNCDX, UNCTX, UTTUE, ULTUE, UTTUE, UTTUE, UTTUE, ULDDX, UNCDX, UTTUE, UTTD3, UTTD3, UTTD3, UTTD4, UTTD5, UT	URETB OCOSR CMGAU 1D1VG 1D1DD UCICA U1TV4 U1TDS U1TV4 U1TDS U1TV4 U1TDS U1TV4 U1TDS	0.00 0.56 1.19 2.41 21.13 18.73 15.12 15.12 0.00838 14.38	3.16 18.93 0.00 6.58 6.58 6.58 40.54 40.54 40.54	3 16 18 93 0 00 4 72 4 72 27 41 27 41 27 41 27 41	16.74 16.74 16.74 16.74	6.96 6.96 6.96 6.97	0					
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled Quite part of single bandwidth circuit) Commingled VG COC1 Commingled Selvice Interoffice Channel Commingled 5-Wite VG Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel Commingled 5-Selvice Interoffice Channel		2	UTTUE, UTTUE, ULTVUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTUE, UTTUE, UTTUE, UTTUE, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUE, UTTD3, UTTS1, UTTD3, UTTS1, UTTD3, UTTS1, UTTD4, ULDVX, UTTUE, ULDVX, UTTUE, ULDVX, U	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA UT1V2 U1TV4 U1TD5 U1TD6	0.00 0.56 1.19 2.41 21.13 18.73 15.12 15.12	0.00 6.58 6.58 40.54 40.54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74 16.74 47.24	6.90 6.90 6.90						

		T									Т	n order.	oisein	moo s t	Rates displaying an "I" in Interim column are interim as a result o	Note:
														1		
						•									£ #	A 692
															BX LOCATE TRANSPORT COMPONENT	d 116
т									99.51		DS8d6	9PBDC	Ĭ		Service Order Charge	
	- 1									££.181	PPBMR	9PBDC			PBX Locate Service Support per CLEC (Monthit)	
									932.60		9PBPC	9PBDC			Change Company (Service Provider) ID	
										20.0	MMB99	9PBDC			Per Telephone Mumber (Monthly)	
									pp.181		NT896	9PBDC	$\neg \neg$		Changes to TN Range or Customer Profile	
									1,813.00		09PBEU	9PBDC			Service Establishment per CLEC per End User Account	
···															BX LOCATE DAYABASE CAPABILITY	d 116
															3TA	1 PBX LOC
						7/ Z61	268.93	303.20	61 869						LNP Service Provisioning with Point Code Establishment	
							11.51		12.52				i		LMP Service Establishment Manual	
										LST000.0	T				LNP Charge Per query	
															Wice	IP Query Se
						00.0	00.0	00.0	00.0	00.0	CMGSP	XDH1X' HEOC9			SPA to Commingled Conversion Tracking	
						00.0	00.0	00.0	00.0	00.0	CMGUN	XDH1X' HEOCG			UNE to Commingled Conversion Tracking	
1						99 761	317.06	137.87	60.668	···	UDF14	HEODL			Strands, Per Route Mile Or Fraction Thereof	
		I									[]				Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	
		***								22.34	ม _ี นราย	HEODE			Strands, Per Route Mile Or Fraction Thereof	
i	\ \	Y	1	ì	1				}	Ì]				Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	l l
										60.₽	XXSTI	HERST			Commingled STS-1Interoffice Channel Mileage	
						98'46	60.20	162.76	27.87S	46,107	SATIU	HERST			Commingled STS-1Interoffice Channel	
										60.4	XXSTI	HEOCE			Commingled DS3 Interoffice Channel Mileage	
1						97.85	02.09	162.76	27.87S	SS: E07	EATTU	HEOC6		- -	Commingled DS3 Interoffice Channel	
						£8.1£	33.26	46.56	P1.871	176.20	MO3	HEOC6		<u> </u>	Commingled DS3/DS1 Channel System	
						82.68	64.611	763.94	ZS.122	319.83	ISTON	HFRST		 1	Commingled STS-1 Local Loop	
										86.8	DNSJI	HEOCE, HERST			Comminded DS3/STS-1 Local Loop Mileage	
						83.68	64.611	263.94	451.52	80.80£	UE3PX	HEOC6			Солтпоред DS3 Local Loop	
						17.11	07.44	157.54	Z52.47	314.52	NSLXX	XDH1X	3	1	Commingled DS1 Local Loop Zone 3	
						17.11	07.44	ÞS.721	252.47	81.421	NSLXX	XDH1X		\vdash	Commingled DS1 Local Loop Zone 2	
						17.11	07.44	PS.731	75.25.47	S2.58	NSLXX	XDH1X			Commingled DS1 Local Loop Zone 1	
						64.6	10.54	62.57	10.16	61.701	MOI	XIHIX		-	Commingled DS 1/DS0 Channel System	
										81.0	XXS71	XDHIX		1	Commingled DS1 Interoffice Channel Mileage	
						44.44	16.35	18.18	75.68	91.09	TTFT	XIHOX		 	Commingled DS1 Interoffice Channel	
								4.72	89.9	74.E1	ncibi	XDHIX		1	Commingled DS1 COCI	
						10.54	88.52	77.67	117.24	38.85	U1L2X	XDD4X		!	Commingled ISDN Local Loop Zone 3	
						10.54	98.58	TT.9T	117.24	38.55	XZTIO	XDD4X		 	Commingled ISDN Local Loop Zone 2	
						10.54	98.52	77.6Y	117.24	21.88	UILZX	XDD4X	-		Commingled ISDN Local Loop Zone 1	
						14.50	Þ1 69	08.88	126.27	88.75	UDL64	XDD4X		-	Commingled 64kbps Local Loop Zone 3	
						14.50	Þ1 69	08.88	126.27	36.85	UDL64	XDD4X		┼	Commingled 64kbps Local Loop Zone 2	
						14.50	pt 69	08.88	126.27	56.09	npre¢	XDDAX		 	Commingled 64kbps Local Loop Zone 1	$-\!\!\!\!+\!\!\!\!-$
						14.50	p1 69	08.88	12.921	88.75	99700	XDD4X		├	Commingled 56kbps Local Loop Zone 3	
						05.41	p1.68	08.88	126.27	36.85	95700	XDD4X		 	Commingled 56kbps Local Loop Zone 2	-+-
						14.50	p1.62	08.88	126.27	56.09	9STGN	XDD4X		 	Commingled 56kbps Local Loop Zone 1	-+
						14.50	p1.65	15.06	79.151	50.09	UEAL4	XDV6X		 - -	Commingled 4-wire Local Loop Zone 3	-+
						05.41	Þ1.6S	15.46	79.151	38.58	UEAL4	XDV6X		-	Commingled 4-wire Local Loop Zone 2	
	·					14 20	Þ1.65	15.49	76.151	\$5,34	UEAL4	XDV6X			Commingled 4-wire Local Loop Zone 1	
NAMOS	NAMOS	NAMOS	NAMOS	NAMOS	SOMEC	I.ppy	1811-1	I-PPA	1847	 	7 17 313		 `	 	t ago T goo Head I arisin belorimmo)	
اب	ل_ت_تننـــــا	Rates(5)		للتحتنيب			Винповиом		Nonrec	ЭөН						
bbA seiG	Disc 1st	I.PPV	1e î							<u> </u>			-			
Manual Svo Order vs.	Manual Svc Order vs.	Manual Svc Order va. Electronic-	Manuel Svc Order vs.	Manually per LSR	Fiber Fibrary Fibrary			(\$)S∃TAR			neoc	BCS	euo <u>z</u>	minetini	STEEMENTS	YRGORY
- egned	Charge -	- agnad -	- egnerio		bettimdu2											
Incrementa	Incremental	Incremental	Incremental	Svc Order	Svc Order	L					1		1			
			Att: 2 Exh: A													

JNBUN	DLE	NETWORK ELEMENTS - Florida												Att; 2 Exh: A			
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
	-+		ļ	ļ. —			Rec		curring	Nonrecurring					Rates(\$)		L
			 	 			 	First	Add 1	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
[7]	he "Zo	ne" shown in the sections for stand-alone loops or loops as par	rt of a c	ombina	tion refers to Geograp	hically Deav	eraged UNE Zo	nes. To view (Seographically	Deaveraged UN	E Zone Design	ations by Co	entral Office	refer to inter	ot Websito:	L	L
		ww.interconnection.bellsouth.com/become_a_clec/html/interco UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnectio	ı.htm		· ·					ao no bosigii	unons by o	mai Onice,	TOTAL TO HITCH	et wouste.		
		······································	<u> </u>	L													
N	OTE: (CLEC should contact its contract negotiator if it prefers the specific Commission ordered rates for the service ordering ch	"state sp	ecific"	OSS charges as orde	red by the S	itate Commissio	ne The OSS	harnos ourrent	by contained in	this mts sublici	D . I	· · · · · · · · · · · · · · · · · · ·				
tr	e state	specific Commission ordered rates for the service ordering ch 2) Any element that can be ordered electronically will be billed.	arges, c	r CLEC	may elect the region	al service or	rdering charge, I	nowever, CLE	can not obtain	a mixture of th	e two recardie	sare me bei	south regit	onal" service (ordering charg	es. CLEC mar	ly elect eithe
N	OTE: (Any element that can be ordered electronically will be billed electronically at present per the LOH, the listed SOMEC rate in	accordi	ig to th	e SOMEC rate listed i	n this catego	ory. Please refe	to BellSouth's	Local Ordering	Handbook (LC	H) to determin	e # a produc	t can be ord	ered electron	cally. For tho	se elements th	nat cannot b
		electronically at present per the LOH, the listed SOMEC rate in oill when it submits an LSR to BellSouth.	this cate	gory re	illects the charge that	t would be b	illed to a CLEC	once electronic	ordering capal	ilities come on	-line for that ele	ment. Othe	rwise, the m	anual orderin	g charge, SOA	IAN, will be ap	oplied to a
		OSS - Electronic Service Order Charge, Per Local Service		Г			T				ı						
$-\!\!+$		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00					!	1
- 1	ľ	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only											i — —				
JNE SEP		DATE ADVANCEMENT CHARGE	├			SOMAN	·	11.90	0.00	1.83	0.00						
N	OTE:	The Expedite charge will be maintained commensurate with Be	ISouth'	s FCC	No.1 Tariff, Section 5	as applicabl	le.		L		L		L		L		l
- 1					UAL, UEANL, UCL,		1				I						
Į.	1		ļ		UEF, UDF, UEQ.				ļ		1	ļ	\		ļ	,	ļ
	- 1			Į	UDL, UENTW, UDN, UEA, UHL, ULC,						Ì				Ì		ļ
	- 1				USL, U1T12, U1T48,						l			ŀ	}		
				1	U1TD1, U1TD3,				!		1				ļ		1
	1				U1TDX, U1TO3,								}		1		
					U1TS1, U1TVX,								1				
- 1	- [UC1BC, UC1BL, UC1CC, UC1CL,										!	i	
	- 1				UC1DC, UC1DL.]								
					UC1EC, UC1EL.							1			ļ		
i					UC1FC, UC1FL,							1			1		
	1		İ		UC1GC, UC1GL,		1			1					ì		
					UC1HC, UC1HL, UDL12, UDL48,	ĺ			l	Į	l	l		Į.	Į	Į	Į
1	1		1	1	UDLO3, UDLSX.												
i	-		1		UE3, ULD12,									!			
					ULD48, ULDD1.												
ļ					ULDD3, ULDDX, ULDO3, ULDS1.						1					İ	
ı					ULDVX, UNC1X.		İ							l	i		
1			1		UNC3X, UNCDX,									1		İ	
					UNCNX, UNCSX,						1				1		İ
				i	UNCVX, UNLD1,			ŀ	ļ			ļ		Î	1		
					UNLD3, UXTD1, UXTD3, UXTS1,	i	1			1		İ	1				
			1	1	U1TUC, U1TUD,	l]		1	1				
ļ				1	U1TUB,	l		[1		l	1	1	Į.	1	Į.	Į.
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per	1	1	U1TUA,NTCVG,	00.00						1					
OBDER		Day CATION CHARGE	+	+-	NTCUD, NTCD1	SDASP		200.00	 	 	 		-	 	 	 	+
T		Order Modification Charge (OMC)	 	+	 	 	 	26.21	0.00	0.00	0.00	 	 	 	 	 	
		Order Modification Additional Dispatch Charge (OMCAD)		<u> </u>	1			150.00	0.00	0.00						İ	
		XCHANGE ACCESS LOOP		1.	L	1		l	I	L		I				L	
- 2		ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	т	1 1	UEANL	UEAL2	10.69	49.57	22.83	25.00	7						т
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	+	2	UEANL	UEAL2	15.20		22.83			 	-	 	 		+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62		 	 	—	 	 	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
$-\!\!+$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 	2	UEANL	UEASL	15.20	49 57	22.83	25.62	6.57	<u> </u>	ļ				
\rightarrow		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	 	3	UEANL UEANL	UEASL	26.97	49.57 8.93	22.83		6.57	 	 	 	 	 	
		Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1	+	77.09	0.00		 	 	 	 		 	+
1			+	1		URETA		33.12			+		+	 	+	— ——	
_		Loop Testing - Basic Additional Half Hour			UEANL	UHETA		33.12	33.12			I	1	1	i _		
\equiv		Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		9.00									

Version: 4Q06 Std ICA 01/05/07

	VULL	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGO	PY	RATE ELEMENTS	Interim	Zone	BC\$	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
		······································	├				Rec	Nonre		Nonrecurring					Rates(\$)		
		Unbundled Non-Design Voice Loop, billing for BST providing make						First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		up (Engineering Information - E.I.)	ĺ	ĺ	UEANL	UEANM						i					
		Unbundled Loop Service Rearrangement, change in loop facility,		-	UEAINL	UEANM	l	13.49	·			ļ					
- 1		per circuit	l	l	UEANL	UREWO											
		Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN	I	15.78 49.57	8.94	25.62	6.57				ļ		
		Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM	 	9.00	22.83 9.00	25.62	6.57			L			
2	-WIRE	Unbundled COPPER LOOP			190,410	TOTAL IN	<u> </u>	9.00	9.00			L		<u> </u>	l	l	<u> </u>
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	IUEQ2X	7.69	44.98	20.90	24.88	6.45	r					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
\rightarrow		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
		Tag Loop at End User Premise			UEQ	URETL		8.93	0.88	24.00	0.43	 					
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00	-				<u> </u>	 	 	
-+		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95			 				 	
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-												<u> </u>			
+		Designed (per loop)	<u> </u>	↓	UEQ	USBMC	<u> </u>	9.00	9.00					l	l		1
İ		Unbundled Copper Loop - Non-Design, billing for BST providing	1								***			ľ			
-+		make-up (Engineering Information - E.I.)			UEQ	UEQMU	ļ	13.49						L.		1	1
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		l.,	L	ı T										· · · · · · · · · · · · · · · · · · ·
		Bulk Migration, per 2 Wire UCL-ND		├	UEQ	UREWO		14.27	7.43	24.88	6.45			L		l	
				├	UEQ	UREPN		44.98	20.90	24.88	6.45						
DUMP	V ED E	Bulk Migration Order Coordination, per 2 Wire UCL-ND XCHANGE ACCESS LOOP	ļ	 	UEQ	UREPM		9.00	9.00			L.					
		ANALOG VOICE GRADE LOOP	Ь	<u> L</u>	L	<u> </u>	L										
	Z-WIHE					,	·	~									
		Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		١		l	l										
-+		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1_1_	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01	ļ					
		Ground Start Signaling - Zone 2		ا ا	UEA		li			1							
\dashv		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01					l	ļ
		Ground Start Signaking - Zone 3		3	UEA	UEAL2	30.87	405.75				t	1		ļ	1	
-+		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01	<u> </u>					
		Battery Signaling - Zone 1	l	١,	UEA	UEAR2	12.24	405.75	20.47	60 50		1					
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	 `	OEA .	UEARZ	12.24	135.75	82.47	63.53	12.01					ļ	
- 1		Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	l					
	-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	┼	 		ULANZ	17.40	133.73	02.47	03.53	12.01	 	-				
- 1		Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	t	<u> </u>		<u> </u>	1	105.75	UE.41	00.00	12.01	+					
- 1		DS0)		1	UEA	URESL		8.98	8.98					1			
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	1					0.00			<u> </u>		 		 	1
ļ		DS0)			UEA	URESP		8.98	8.98								1
		Unbundled Loop Service Rearrangement, change in loop facility.	1			1	1										
		per circuit	1		UEA	UREWO		87.71	36.35			1	!				
		Loop Tagging - Service Level 2 (SL2)	$\overline{}$		UEA	URETL		11.21	1.10				·				1
		Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		135.75	82.47			1				1	
		Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00			1					1
4	4-WIRE	ANALOG VOICE GRADE LOOP												•			
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56		I				
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15	67.08	15.56		[
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56	I					
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1														
_		DS0)		<u> </u>	UEA	URESL		8.98	8.98			1				L	
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1		l	L								1			
		DS0)	—	↓	UEA	URESP		8.98	8.98			_		ļ		ļ	
		Unbundled Loop Service Rearrangement, change in loop facility,	1	[l	Librino	1	o= -:				1	1	1	1		1
	WIE	per circuit ISDN DIGITAL GRADE LOOP		Ц	UEA	UREWO		87.71	36.35	L		L	L			L	ــــــــــــــــــــــــــــــــــــــ
	c-wiHE			1 1	LIDN	U1L2X	1000	117.00	94.41					,			
		2 Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	19.28 27.40	147.69	94.41	62.23	10.71 10.71			 	 		
		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	 		UDN	U1L2X	48.62	147.69 147.69	94.41	62.23 62.23	10.71			ļ	 	 	
+		Unbundled Loop Service Rearrangement, change in loop facility,	 	+ -	OUN .	10104	46.62	147.09	94.41	62.23	10.71	 		 	 	 	
- !		per circuit		1	UDN	UREWO		91.61	44.15								I
	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TRIF	OOP	10011	TOUCARO	·	31.01	44.15		L		L	J	L	<u> </u>	<u> —</u>
		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	T	1	1	T							Υ	T	T	$\overline{}$
- {		facility reservation - Zone 1	1	I .	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63	1	1		1		1

	DLED NETWORK ELEMENTS - Florida	_,											Att: 2 Exh: A			
CATEGORY	Y RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		+	┼─	 	- 	Rec		curring	Nonrecurring				oss	Rates(S)		
	2 Wire Unbundled ADSL Loop including manual service inquiry 8						First	Add'I	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
ı	facility reservation - Zone 3	٠	3	UAL							·					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	 3 -	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	facility reservator - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12	1					
	Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		T					71.12	00.04	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	+-	5	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12								
	Unbundled Loop Service Rearrangement, change in loop facility.		<u> </u>			20.54	124.03	71.12	60.64	9.12						
2.WI	per circuit VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP		<u>L</u> .	UAL	UREWO		86.19	40 39	1		1					ĺ
	2 Wire Unbundled HDSL Loop including manual service inquiry 8	ATIBLE LO	OOP													
	facility reservation - Zone 1	1	1	UHL	UHL2X	7.22	159.09		75.05							
	2 Wire Unbundled HDSL Loop including manual service inquiry 8		_		O I I E A	1.22	159.09	113,41	75.05	15.63						<u></u>
	facility reservation - Zone 2	┵	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63	ļ					i
	2 Wire Unbundled HDSL Loop including manual service inquiry 8 facility reservation - Zone 3	·	3	UHL												
	2 Wire Unbundled HDSL Loop without manual service inquiry an	, 	3-	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry an	1					104.40	80.09	60.64	9.12						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry an		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
-	facility reservation - Zone 3	'	3	UHL												
	Unbundled Loop Service Rearrangement, change in loop facility,		- ۲	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	per circuit		<u> </u>	UHL	UREWO]	86.12	40.39								
4-WI	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP 4 Wire Unbundled HDSL Loop including manual service inquiry a	ATIBLE LO	OOP						·		·			1		
	facility reservation - Zone 1		١,	UHL	UHL4X	10.86	400.04			i						
	4-Wire Unbundled HDSL Loop including manual service inquiry a	nd	 -	0110	UHL4X	10.86	193.31	138.98	77.15	12.61						
	facility reservation - Zone 2	1	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						i
	4-Wire Unbundled HDSL Loop including manual service inquiry a facility reservation - Zone 3	nd	١.	[1											
	4-Wire Unbundled HDSL Loop without manual service inquiry and	, -	-3-	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	i					100.02	113.47	02.74	11.22						
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	.+	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	facility reservation - Zone 3	']	3	UHL	UHL4W	27.39	168.62	115.47	60.74	44.00						
	Unbundled Loop Service Rearrangement, change in loop facility,		Ľ	0.12	OHL44V	27.39	168.62	115.47	62.74	11.22						
	per circuit			UHL	UREWO		86.12	40.39	ļ							
4-WI	IRE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1				1											
	4-Wire DS1 Digital Loop - Zone 1	+		USL USL	USLXX	70.74 100.54	313.75	181.48		13.53						
	4-Wire DS1 Digital Loop - Zone 3	 	3		USLXX	178.39	313.75 313.75	181.48 181.48		13.53 13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					170.00	010.75	101.40	01.22	13.33						
	DS1)			USL	URESL		8.98	8.98								
İ	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URESP					<u>. </u>					-	
	Unbundled Loop Service Rearrangement, change in loop facility.		-	USL	UHESP		8.98	8.98								
	per circuit			USL	UREWO	İ	101.07	43.04						1		
4-WI	IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP											—			1	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		UDL	UDL2X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+	3		UDL2X UDL2X	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1		UDL4X	22.20	161.56	108.85	67.08 67.08	15.56 15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2		UDL4X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+	3		UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+	2		UDL9X UDL9X	22.20 31.56	161.56 161.56	108.85 108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3		UDL9X	55.99	161.56	108.85	67.08 67.08	15.56 15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						

Version: 4Q06 Std ICA 01/05/07
Page 14 of 103

UNBUNDL	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			-			Rec	Nonrec		Nonrecurring			2277		Rates(\$)		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 	3	UDL	UDL19	55.99	First 161.56	Add'I 108.85	First 67.08	Add'l 15.56	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56				}	}i	
	14 Wire Unbundled Digital Loop 56 Khps - Zone 2			UDL	UDL56	31.56	161 56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	55.99	161.56	108.85	67 08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64 UDL64	31.56 55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		٠,	000	UDL64	55.99	161.56	108.85	67.08	15.56						 _
	DS0)			UDL	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit													 		
2-WIE	RE Unbundled COPPER LOOP	Ь	Ц	UDL	UREWO	ــــــــــــــــــــــــــــــــــــــ	102.11	49.74	L		L		L		L	L
- 12	2-Wire Unbundled Copper Loop-Designed including manual	Ι				,			· · · · · · · · · · · · · · · · · · ·					T		
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63				1		1
	2-Wire Unbundled Copper Loop-Designed including manual				1				70.00	10.00						
	service inquiry & facility reservation - Zone 2 2 Wire Unburdled Copper Loop-Designed including manual service	ļ	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						<u></u>
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1			UCL	UCLPW	8.30										
	2-Wire Unbundled Copper Loop-Designed without manual service	<u> </u>	_				123.81	70.09	60.64	9.12				 		
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service	_	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12	ļ					
	inquiry and facility reservation - Zone 3	 	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		<u> </u>				<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UCLMC		9.00	9.00								
4-WIF	RE COPPER LOOP		_			·			L		L	·		·		<u> </u>
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		,	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry		,	UCL												
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry	 	2		UCL4S	16.81	177.87	132.76	77.15	17.73		 -		· · · · · · · · · · · · · · · · · · ·		
	and facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and		3_	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		<u> </u>		<u> </u>		
	facility reservation - Zone 1	L	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11,22						
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and							'								
	facility reservation - Zone 3		3_	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22				 		
	Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Rearrangement, change in loop facility,	├	\vdash	UCL	UCLMC	 	9.00	9.00			ļ	ļ				
	per circuit		<u>L</u> .	UCL	UREWO		97.21	42.47								
				UEA, UDN, UAL.	0000		20.0-]	
Restr	Order Coordination for Specified Conversion Time (per LSR) rangements	<u> </u>	Щ.	UHL, UDL,USL	ocost		23.02			L	<u> </u>			L	l	
near	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	Г	Г	<u> </u>	T							· · · ·		<u> </u>	T	Ι
i	SL2	<u> </u>	 	UEA	UREEL	 	87.71	36.35	ļ	ļ	 -	 	ļ	ļ	ļ	
<u> </u>	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	ļ	<u></u>	UEA	UREEL		87.71	36.35			<u> </u>	<u> </u>		<u> </u>		
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	ÜREEL		91.61	44.15						 		
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	i	Ì	UDL	UREEL	1	102.11	49.74]		1					
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.07	43.04								
UNE LOOP C	OMMINGLING									L			L			
2-WIF	RE ANALOG VOICE GRADE LOOP - COMMINGLING			r	т										· · · · · · · · · · · · · · · · · · ·	т
, I	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	l	١,	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01	Į	ļ			l	Į.
\L_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>													

	D NETWORK ELEMENTS - Florida	,											Att: 2 Exh: A			
ATEGORY	PATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 		 	 		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	30.87	135.75	82 47	63.53	12.01	ì	ľ	1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						100.70		90.50		 					
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12 01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		NICVG	UEAH2	17.40	135.75	82.47	63.53	12.01			<u> </u>			
	Battery Signaling - Zone 3	1	3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01			1			
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T									 					
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet. (per	<u> </u>	├	NTCVG	URESL		8.98	8.98	L							
	DS0)		ł	NTCVG	URESP		8.98	8.98	ł		1					
	Unbundled Loop Service Rearrangement, change in loop facility.	_	──	THE COURT	UNESF		8.98	8.98			 					
	per circuit	1	<u> </u>	NTCVG	UREWO		87 71	36.35			1]			
	Loop Tagging - Service Level 2 (SL2)	Ĺ.,.	Ц.,.	NTCVG	URETL		11 21	1.10							~	
4-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	Tier. 1											
	4-Wire Analog Voice Grade Loop - Zone 2	+	2	NTCVG	UEAL4 UEAL4	18.89 26.84	167.86 167.86	115 15 115.15	67.08 67.08	15.56			ļ			
	4-Wire Analog Voice Grade Loop - Zone 3	 	3	NTCVG	UEAL4	47 62	167.86	115.15	67.08	15.56 15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per	1	1		OLAL4	- 47 02	107.00	113.13	67.06	15.50						
	DS0)	<u> </u>		NTCVG	URESL		8.98	8.98			1			ĺ		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per									· — —						
	DS0)	_	<u> </u>	NTCVG	URESP		8.98	8.98	L							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG	UREWO		87.71			ļ				·		
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING	٠	1	INTOVG	IOHEWO		87./1	36.35	L	L	J				L	L
	4-Wire DS1 Digital Loop - Zone 1	Т	1	NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53			1			
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	100.54	313.75	181.48		13.53			· · · · · ·	·		
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	178.39	313.75	181.48		13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
 -	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	₩	NTCD1	URESL		8.98	8.98		<u> </u>	 					
	DS1)	1		NTCD1	URESP		8.98	8.98			1		i			ĺ
	Unbundled Loop Service Rearrangement, change in loop facility,	 	 		JOINES!		0.50	8.90	 	 -	 					
	per circuit			NTCD1	UREWO		101.07	43.04								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	<u> </u>	,													
	3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	 		NTCUD	UDL2X	22.20	161.56	108.85								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	 		NTCUD	UDL2X UDL2X	31.56 55.99	161.56 161.56	108.85 108.85								<u> </u>
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	+		NTCUD	UDL4X	22.20	161.56	108.85		15.56 15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	 		NTCUD	UDL4X	31,56	161.56	108.85		15.56			 			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1		NTCUD	UDL9X	22.20	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	 		NTCUD	UDL9X	31.56	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	┼	3	NTCUD	UDL9X UDL19	55.99	161.56	108.85		15.56		<u> </u>				L
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	 	•	NTCUD	UDL19	22.20 31.56	161.56 161.56	108.85 108.85		15.56 15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		NTCUD	UDL19	55.99	161.56	108.85	67.08	15.56			 			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	$\overline{}$		NTCUD	UDL56	22.20	161.56	108.85		15.56			 			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1.		NTCUD	UDL56	31.56	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļi.		NTCUD	UDL56	55.99	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 	1	NTCUD	UDL64	22.20	161.56	108.85		15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 		NTCUD NTCUD	UDL64 UDL64	31.56 55.99	161.56 161.56	108.85 108.85		15.56 15.56			 			
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	 	۲		- ODEO	55.99	101.50	100.85	67.08	13.56	 	 	 	 		
	DS0)	1	1	NTCUD	URESL		8.98	8.98]		1]				İ
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		8.98	8.98					<u> </u>			
	Unbundled Loop Service Rearrangement, change in loop facility,	 	1	1	1		5.56	3.00		 	 		· · · · · ·			
	per circuit	<u>L</u>	\perp	NTCUD	UREWO		102.11	49.74				<u></u>	<u> </u>			l
			l	NTCVG, NTCUD.							1	· · · · · ·				i
1	Order Coordination for Specified Conversion Time (per LSR)	1	1	NTCD1	OCOSL		23.02	l	1	t	1	I	1	1	1	I

ATTEMPT NATE BLENKTS NAME AND DOS USOS PRATESO) RATE BLENKTS NAME AND DOS USOS PRATESO) RATE BLENKTS NAME AND DOS USOS PRATESO) RATE BLENKTS NAME AND DOS USOS PRATESO) RATE BLENKTS NAME AND DOS USOS PRATESO PROBLEM TO SHOW THE SHOW T	ONBONDE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
Discription Discription	CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC						Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Section Sect			 				Rec	Nonre	urring					oss		L	<u> </u>
DOT LIST, UNITY DOTS DOT			 		UDC UEA UDI			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Maritemarca of Service Charge, Basic Time, per half hour OSC URL UPL, UPL, UPL, UPL, UPL, UPL, UPL, UPL					UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1. U1TD3. U1TDX. U1TS1. U1TVX. UDF. UDFCX. UDLSX, UE3. ULDD1, ULDD3. ULDDX, ULDS1. ULDVX, UNC1X. UNC3X.												
DOC UEA LUCK DOP USE LUCK DOP		Maintenance of Service Charge, Basic Time, per ball hour				l	l								1	i	
UON USL UAL UNITO UNITO UNITO UNITO UNITO UNITO UNITO UNITO UNITO UNITO		The same of dervice charge, basic fine, per han nour	┼	-	UNCVX, ULS	MVVBT		80.00	55.00								
UHL UCL NTCOT, NTCUB,		Maintenance of Service Charge, Overtime, per half hour			UDN. USL, UAL, UHL. UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, UTTS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNCTX, UNCSX, UNCDX, UNCSX, UNCDX, ULS	MVVOT		90.00	65.00					-			
Unburdled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unburdled Loop Unburdled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unburdled Loop Unburdled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unburdled Loop Unburdled Loop Modification Removal of Bridged Tap Removal, Unburdled Loop Undurdled Loop Undurdled Loop Unburdled Loop Modification Removal of Bridged Tap Removal, Undurdled Loop Un	LOOP MODIFIC	Maintenance of Service Charge, Premium, per half hour			UDN. USL. UAL. UHL. UCL. NTCVG, NTCUD. NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TDX, UDF, UDFCX, UDLSX, ULG3, ULDD1, ULDD3, ULDDX, ULDD1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCDX, UNCSX,	муурт		100.00	75.00								
Urbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Urbundled Loop Urbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Urbundled Loop Urbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Urbundled Loop Urbundled Loop Modification Removal of Bindged Tap Removal, Urbundled Loop Urbundled Loop Modification Removal of Bindged Tap Removal, UEANL, UEPSR	LOOP MODIFIC	ATION			HAL TIME LICE		ļ									-	
Itan or equal to 18K ft, per Unbundled Loop		pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L		0.00	0.00								
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEC, ULS, UEA, UEANL, UEPSR, UEPSR,		Unbundled Loop Modification Removal of Load Coils - 4 Wire less	3		HILL LICE LIES												
Urbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, UENB ULMBT 10.52 10.52		production for it, per onbuilded £00p	+	 		ULM4L	 	0.00	0.00	 	 	ļ			 		
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- UEANL, UEF USBSA 487.23 UEANL, UEF USBSA 487.23 UEANL, UEF USBSB 6.25 Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	SIIB I CORE	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		i I	UEQ, ULS, UEA, UEANL, UEPSR,	ULMBT		10.52	10.52								
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF USBSA 487.23 Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB 6.25 Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up UEANL USBSC 169.25		op Distribution	1	ш			<u> </u>			L		L				L	
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up UEANL USBSC 169.25		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL, UEF	USBSA		487.23									
Sel-Up UEANL USBSC 169.25		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - Ct FC Feeder Facility	_		UEANL, UEF	USBSB		6.25									
			-		UEANL	USBSC		169.25							ļ		

ONBONDE	ED NETWORK ELEMENTS - Florida	,											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	 	 	 			Rec	Nonrec		Nonrecurring					Rates(\$)		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	 	 		ļ	·	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	ļ	1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	ļ	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Zone 3	ļ	3	UEANL.	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	↓	<u> </u>	UEANL	USBMC	<u> </u>	9 00	9.00	- 							
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	ļ	1	UEANL	USBN4	7.37	68.83	30 42	49.71	6.60						
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71				1			1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		 	 			
	20.00	 	1-3-	DEANL	USBIN4	18.58	58 83	30.42	49.71	6.60	 -	ļ	 			+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		9 00	9.00			1					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26			T****	<u> </u>		
	Order Consideration to Machine Hard Co. 1													1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	+	┼	UEANL UEANL	USBMC USBR4	9.37	9.00 55.91	9.00	49.71	6.60	 			ļ	ļ	
} 	Sub-coop 4-varie miliabation (Network Cable (NC)	+	┼	DEANL	USBH4	9.37	55.91	1/51	49./1	6.60	├─	 			 	+
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	1 1	9.00	9.00			ì	1	1	}		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09	0.00		·			†	 		+
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12	33.12								
 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	5.15	60.19	21.78	47.50							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	┼ ──		UEF	UCS2X	7.31 12.98	60.19	21.78	47.50			ļ	ļ		ļ	
	2 Wile Copper Orlowide Staticoop Distribution - Zone 3	+	+-3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					 	+
[[Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	}	UEF	USBMC	1	9.00	9.00	}	1	1	1	1	l l	1	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60	1		 	† — — — ·	<u> </u>	+
	4 Wire Copper Unbundled Sub-Loop Distribution · Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		Ĭ				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	ļ	UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	1	i	UEF, UEANL	URETL		8.93	0.88					Į.	1	1	l l
 	Loop Testing - Basic 1st Half Hour	1	+	UEF	URET1	1	48.65	0.00	 -	 		 	 	+	 	+
	Loop Testing - Basic Additional Half Hour		1	UEF	URETA	1	23.95	23.95		1		1	1	1		$\overline{}$
Unbu	indled Sub-Loop Modification												· · · · · ·			
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load										i	1				1
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load	+		UEF	ULM2X		10.11	10 11	ļ	 	ļ	+	 	 	 	+
	Coil/Equip Removal per 4-W PR	<u> </u>	ļ	UEF	ULM4X	ļ	10.11	10.11			ļ			 	ļ	
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		15 58	15.58		<u></u>	<u> </u>	<u></u>	<u></u>	<u></u>	<u> </u>	
Unbu	Indled Network Terminating Wire (UNTW)			LUCATIVA .	IUENPP		18.02						,			
Notur	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		Ь	UENTW	TOENPP	0.4572	18.02	·				Ц	Ц			ــــــــــــــــــــــــــــــــــــــ
IAGIW	Network Interface Device (NID) - 1-2 lines	T	T	UENTW	UND12		71.49	48.87		т	1	T	T	Т	Τ	\top
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07		1	<u> </u>			1		
	Network Interface Device Cross Connect - 2 W		-	UENTW	UNDC2		7 63	7.63						1		
1	Network Interface Device Cross Connect - 4W	↓	-	UENTW	UNDC4	·	7 63	7.63	ļ	ļ		ļ			_	
UNE OTHER	PROVISIONING ONLY - NO RATE			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,	UNECN		0.00									
 	Unbundled Contact Name, Provisioning Only - no rate		+	NTCD1, USL USL, NTCD1	CCOSF	0.00	0.00		 	 	+	 	 	+	+	+
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no rate	+		USL NTCD1	CCOEF	1	0.00			 	 	 			 	†
				JUSE, NICUI	JUCUEF		. 0.00	1					1			
	NID - Dispatch and Service Order for NID installation	+	$\overline{}$	UENTW	UNDBX	0.00	0.00					 				

UNBUN	DLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
			Ι									Svc Order	Svc Order	Incremental	incremental	Incremental	Incremental
	- 1					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGOR	. l	DATE CLERENTS	l	_	}	1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	"'	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
						1						por 2011	por con	Electronic-	Electronic-	Electronic-	Electronic-
	- 1													1st	Add'I	Disc 1st	Disc Add'I
				-													1 000 700
						- 	Rec	Nonrec First		Nonrecurring					Rates(\$)		
LOOP MA	KE-U		†			 		- FIRST	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Makeup - Preordering Without Reservation, per working or	<u> </u>	1		 						 				 	
—		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17					1		1 '	i
		Loop Makeup - Preordering With Reservation, per spare facility				1			32.17			 				 	
├		queried (Manual).	<u> </u>		UMK	UMKLP		55.07	55.07							('	i
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)										 					
LINE SPLI	ITTIN	Pacinty queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784					1		('	į.
		SER ORDERING-CENTRAL OFFICE BASED	l .	L	L	J											<u> </u>
- I		Line Splitting - per line activation DLEC owned splitter	r	Т	UEPSR UEPSB	luproc	0.001										
		Line Splitting - per line activation BST owned - physical	 	- -	UEPSR UEPSB	UREOS	0.61 0.61										
		Line Splitting - per line activation BST owned - virtual	 		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61	ļ				ļ'	
		SER ORDERING - REMOTE SITE LINE SPLITTING			,	TOUTERA	1.134	29.68	21.28	19.57	9.61		L	J	<u> </u>	L	
UI	NBUN	IDLED EXCHANGE ACCESS LOOP					·										
2-	WIRE	ANALOG VOICE GRADE LOOP								· · · · · ·							
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					T
		Zone 1	L	1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57	1		1		1 '	I
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1												t
\vdash		Zone 1	 	1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57					'	i
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		l		1								1		<u> </u>	
		Zone 2	ļ	2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57					· '	1
1		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	1	١.													
\vdash		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	├	2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57	ļ <u> </u>		L			L
1 1		Zone 3	ļ	3	UEPSR UEPSB	UEALS	70.00	40.57				1			i		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	1-3	UEFSH UEFSB	UEALS	26.97	49.57	22.83	25.62	6.57			 		 '	 _
1		Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57			Į	İ		
P'	HYSIC	CAL COLLOCATION	٠		100,01100	TOENCO	20.37	45.37	22.03	23.02	0.57		L		L	L	
		Physical Collocation-2 Wire Cross Connects (Loop) for Line	T	1								T			T		1
		Splitting	L		UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58			Ì	ļ	!	1
V	IRTU	AL COLLOCATION											·	<u> </u>	·	·	***************************************
1			-	T		1							1				T
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		L	UEPSR UEPSB	VEILS	0.0502	11 57	11.57	0.00	0.00	<u> </u>	1		<u>L</u> .		. I
		DEDICATED TRANSPORT	<u> </u>	<u> </u>		L				L		I	l				I
100	HEHO	OFFICE CHANNEL - DEDICATED TRANSPORT		,	In comment	T.,						·					
		Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination		├	U1TVX	1L5XX U1TV2	0.0091	47.35	31.78		7.03	ļ		<u> </u>		 	
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	 	-	U1TVX	1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03				 	 	ļ
 		Interoffice Channel - 4-Wire Voice Grade - per mile	+	 	U1TVX	1L5XX	0.0091					 -		 	 	├ ──	
-		mile one or ensure + + + + or or change - the time	 	 	1911170	1127	0.0031					 	 	 	 		+
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03	1		1	1	1	
		Interoffice Channel - 56 kbps - per mile	 	t	UITDX	1L5XX	0.0091	47.03	31.78	10.31	7.03	 	 	 	 		
		Interoffice Channel - 56 kbps - Facility Termination	i	T	UITDX	U1TD5	18 44	47.35	31.78	18.31	7.03		· · · · ·	 			
		Interoffice Channel - 64 kbps - per mile			UITDX	1L5XX	0.0091					1	1	1	1	1	T
		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	1		1	1		
		Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1856						L	1	1		
\vdash		Interoffice Channel - DS1 - Facility Termination	L		U1TD1	U1TF1	88 44	105.54	98.47	21.47	19.05						
—		Interoffice Channel - DS3 - per mile	ļ	<u> </u>	U1TD3	1L5XX	3.87									ļ	
\vdash		Interoffice Channel - DS3 - Facility Termination	!	↓	U1TD3	U1TF3	1,071.00	335 46	219.28	72.03	70.56	ļ	ļ		 		
		Interoffice Channel - STS-1 - per mile		+	U1TS1 U1TS1	1L5XX	3.87	005 :0	040			├ ──			 		
 	NRII	Interoffice Channel - STS-1 - Facility Termination IDLED DARK FIBER - Stand Alone or In Combination	<u> </u>	1	101101	UITFS	1,056.00	335.46	219.28	72.03	70.56	1	L	1			
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per										т	r	т	т		
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	26.85					1	1	1			1
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		t	100.00	1-555	20.03					 	 	 	 	 	+
		Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		751.34	193.88			1	1	I		1	1
		Y UNBUNDLED LOCAL LOOP					<u> </u>					i	 				1
D	S-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone					·						•		•		
		DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.92							L			
1 1		DS3 Unbundled Local Loop - Facility Termination	1	L	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
\rightarrow		STS-1Unbundled Local Loop - per mile	<u> </u>	L	UDLSX	1L5ND	10.92										
					UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						1
		STS-1 Unbundled Local Loop - Facility Termination			ODESX	ODCS	420.00	330.37	343.01	100.10	90.64			<u> </u>		Ļ	
		STS-1 Unbundled Local Loop - Facility Termination (TENDED LINK (EELs) tk Elements Used in Combinations			ODESX	ODEST	420.00	530.37	343.01	139.13	96.84		<u> </u>	<u> </u>	<u> </u>	<u> </u>	

JUBOUDE	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manuel Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
	 					Rec	Nonrec		Nonrecurring		L			Rates(\$)		
	2-Wire VG Loop (SL2) in Combination - Zone 1			10000		·	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop (SL2) in Combination - Zone 2	┼		UNCVX	UEAL2	12.24	127.59	60.54	48.00	6.31			ļ			
	2-Wire VG Loop (SL2) in Combination - Zone 3	 	3	UNCVX	UEAL2	17.40 30.87	127.59 127.59	60.54 60.54	48.00 48.00	6.31	!					
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	 	1 7	UNCVX	UEAL4	18.89	127.59	60.54	48.00	6.31		 -				
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.54	48.00	6.31	· · · · · · ·			· · · · · ·		
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.54	48.00	6.31		<u> </u>		i		
	2-Wire ISDN Loop in Combination - Zone 3	ļ	3	UNCNX	U1L2X	48.62	127.59	60.54	48.00	6.31			I			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	↓	1	UNCDX	UDL56	22.20	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	├ -	2_	UNCDX	UDL56	31.56	127.59	60.54	48.00	6.31	L				L	<u> </u>
-+	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	 	3	UNCDX	UDL56	55.99	127.59	60.54	48.00	6.31			 			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	╁──	1 2	UNCDX	UDL64 UDL64	22.20 31.56	127.59 127.59	60.54 60.54	48.00 48.00	6.31 6.31	├ ──			ļ	 	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	+	3	UNCDX	UDL64	31.56 55.99	127.59	60.54	48.00	6.31	 	 			 	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1 1	UNC1X	USLXX	70.74	217 75	121.62	51.44	14.45	 					
- $+$ $-$	4-Wire DS1 Digital Loop in Combination - Zone 2	†	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	 			 	 	
	4-Wire DS1 Digital Loop in Combination - Zone 3	T	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14,45		 	 	 		
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.92				_			 			
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	386.88	244.42	154.73	67.10	26.27						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.92										
	STS-1 Local Loop in combination - Facility Termination	.		UNCSX	UDLS1	426.60	244.42	154.73	67.10	26.27						
	Interoffice Channel in combination - 2-wire VG - per mile	↓	 	UNCVX	1L5XX	0.0091										
	Interoffice Channel in combination - 2-wire VG - Facility	1	1									1		1		
	Termination Interoffice Channel in combination - 4-wire VG - per mile	 	┼	UNCVX	U1TV2	25.32 0.0091	94.70	52.59	45.28	18.03						 -
	Interoffice Channel in combination - 4-wire VG - per mile	 	┿	UNCVX	1L5XX	0.0091					 	├				
	Termination	1	1	IUNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03	ì	}	1	1	ì	1
-+	Interoffice Channel in combination - 4-wire 56 kbps - per mile	+	1-	UNCDX	1L5XX	0.0091	04.10	32.33	40.20	10.00	 		 	 	 	·
	Interoffice Channel in combination - 4-wire 56 kbps · Facility			1		1								 	1	
	Termination	L		UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03						<u></u>
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0091										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	1	1		1								1		1	1
	Termination	<u> </u>		UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03	 	ļ				
	Interoffice Channel in combination - DS1 - per mile		-	UNC1X	1L5XX	0.1856	174.46	100.10	45.04	17.95			 	 	 	
	Interoffice Channel in combination - DS1 Facility Termination Interoffice Channel in combination - DS3 - per mile		+	UNC1X UNC3X	U1TF1 1L5XX	88.44 3.87	1/4.46	122.46	45.61	17.95		ļ	 		 	
	Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination	+	+	UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81	 	 	 			
	Interoffice Channel in combination - STS-1 - per mile	+	 	UNCSX	1L5XX	3.87	320.00	130.20	30.00	70.01	 	 			<u> </u>	
	Interoffice Channel in combination - STS-1 Facility Termination	+ -	+	UNCSX	UITFS	1,056.00	320.00	138.20	38.60	18.81	-		† 			
DDIT IONAL	NETWORK ELEMENTS	 		 					1		T					
	onal Features & Functions:															
			1	UITDI.	7							l .		i	1	1
	Clear Channel Capability Extended Frame Option - per DS1	1	↓	ULDD1,UNC1X	CCOEF	J	0.00		L			└			 	₩
			1	U1TD1,	1	1								1		
	Clear Channel Capability Super FrameOption - per DS1	 		ULDD1,UNC1X	CCOSF	 	0.00				 	 			 	
1	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	Ί,	l	ULDD1, U1TD1, UNC1X, USL	NRCCC	(184.92	23.82	2.07	0.80		1	1	}	1	-
-+	per DS1	++	+	U1TD3, ULDD3,	INNCCC	 	164.92	23.82	2.07	0.80	+	 	 	 	 	
	C-bit Parity Option - Subsequent Activity - per DS3	1 .	}	UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00	1	1	I		I	1
	DS1/DS0 Channel System	1	+	UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		†	1	1		
-+	DS3/DS1Channel System	1		UNC3X, UNCSX	MQ3	211.19	115.60	56.54	12.16	4.26	I					
	Voice Grade COCI in combination		\perp	UNCVX	1D1VG	1.38	6 71	4.84								
			T										1	1	1	1
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		₩	UEA	1D1VG	1.38	6.71	4.84	0.00	0.00	 	——	 	+	 	+
1	Voice Grade COCI - for connection to a channelized DS1 Local	1	1] . <u>.</u> .					.1	1	1	1	1	1
	Channel in the same SWC as collocation	 	+	UITUC	1D1VG	1.38	6.71	4.84	0.00	0.00			 	+	 	
	OCU-DP COCI (2.4-64kbs) in combination OCU-DP COCI (2.4-64kbs) - for Urbundled Digital Loop	+	+	UNCDX	1D1DD	2 10	6.71	4.84		0.00		 	 	 	 	+
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	+	+-	JODE	10.00	2.10	0.71	4.84	0.00		 	 	 	† ·- ·	 	
	Local Channel in the same SWC as collocation			U1TUD	10100	2.10	6.71	4.84	0.00	0.00			I		1	1
-+	2-wire ISDN COCI (BRITE) in combination	1	+-	UNCNX	UC1CA	3.66	6.71	4.84	0.00	0.00		1	T	1	1	
-+	2-wire ISDN COCI (BRITE) - for a Local Loop	+	+	UDN	UC1CA	3.56	6.71	4 84				1	T	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
					L						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
- 1		l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
- 1		i			l						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	i		RATES(\$)							Order vs.	Order vs
			}	1	"""	1					per LSR	per LSR	Order vs.	Order vs.		
- 1		l	I		l	1							Electronic-	Electronic-	Electronic-	Electronic
- 1		I			l								1st	Add'I	Disc 1st	Disc Add
		 	1		 		Nonrec	umina -	Nonrecurring	Disconnect		L	1	Detec(¢)	L	
		+	 			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1		 			+		A00 I	- FRBL	AGG 1	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
1 1	Local Channel in the same SWC as collocation	l	Į I	BUTTUB	UCICA	3.66	6.71	4.84	0.00	0.00		Į.	\	1	1	1
	DS1 COCI in combination	 	+	UNC1X	UC1D1	13.76	6.71	4.84		0.00	<u> </u>				 	ļ —
	DS1 COCI - for Stand Alone Local Channel	+	 	ULDD1	UC1D1	13.76		4.84	0.00				 	ļ	ļ	
	DS1 COCI - for Stand Alone Interoffice Channel	-		U1TD1	UC1D1	13.76	6.71		0.00	0.00						
	DS1 COCI - for DS1 Local Loop		+				6.71	4.84	0.00	0.00	<u> </u>	ļ				Ļ
	DS1 COCI - for connection to a channelized DS1 Local Channel in	1	+	USL, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	the same SWC as collocation	'}									1	ļ	1	ł		
	the same SWC as collocation	+		U1TUA	UC1D1	13.76	6.71	4.84	0.00	0.00					L	<u> </u>
l i		1	1	UNCVX, UNCDX,	ĺ	1 1	- 1					ĺ	i			1
l i		1	1	UNC1X, UNC3X,		1						l	1		1	
- 1 1		1	1	UNCSX. UDFCX,								l			l	
- 1 1		l	1	XDH1X, HFQC6,								l		1	1	
		}	1	XDD2X. XDV6X,	I	1 1	I			l	l	l	1	1	1	}
} }		1	1	XDDFX, XDD4X,	1]]	1			l				1		i
	Wholesale - UNE, Switch-As-Is Conversion Charge		<u> </u>	HFRST, UNCNX	UNCCC		8.98	8.98	L				L			
				U1TVX, U1TDX,												1
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	1	U1TD1, U1TD3.	1	1	-			l	1		1	1		
	Switch As Is Non-recurring Charge, per circuit (LSR)		1	U1TS1, UDF, UE3	URESL	1 l	8.98	8.98					L	İ	1	
	Unburdled Misc Rate Element, SNE SAI, Single Network Element	1		U1TVX, U1TDX,								1				
1	Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,	1	1	i							İ	1	
	on a spreadsheet			U1TS1, UDF, UE3	URESP		8.98	8.98		ŀ	1		1			
Access	to DCS - Customer Reconfiguration (FlexServ)										-	-	·			-
	Customer Reconfiguration Establishment	Υ	7		T		1.63		1.63	1	<u> </u>		Τ	1	T	
	DS1 DCS Termination with DS0 Switching	 -	+			27.39	32.89	23.58	16.96	12.77		1	 	+	 	
	DS1 DCS Termination with DS1 Switching	_	1			11.70	25.07	15.76	13.05	8.86			 	 	 	1
	DS3 DCS Termination with DS1 Switching	+	+			146.81	32.89	23.58	16.96	12.77			 -	1	 	1
	SynchroNet)					140.01	32.03	20.50	10.30				-	<u> </u>		-
	Node per month	3	Т	UNCDX	UNCNT	16.35					r		1	T	T	
	Rearrangements			IOHODA	10110111	10.00			L				·		L	<u> </u>
100,7,00			Т	U1TVX, U1TDX,	T								T		T	1
- 1		1		UITUC, UITUD,		1 1			l			1		1		1
- 1		1	i	U1TUB, ULDVX,		l i			l				1	1		1
1	NRC - Change in Facility Assignment per circuit Service	1		ULDDX, UNCVX,									1	1		1
		1.		UNCDX, UNC1X	URETD		101.07	43.04					ł	1		ļ
	Rearrangement	+ '		U1TVX, U1TDX,	URETU		101.07	43.04					 		-	+
1		1		U1TUC, U1TUD.		1						1	1		1	i
		1				1 1						1	i			
		1	1	U1TUB, ULDVX,	1	1 1		}	1	1	1	1	1	ì	1	1
1	NRC - Change in Facility Assignment per circuit Project	1.	1	ULDDX, UNCVX,					İ		i	1	1	1	1	
	Management (added to CFA per circuit if project managed)	1	—	UNCDX, UNC1X	URETB		3.67	3.67					 			
1_	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X, UNC3X	OCOSA		18.90	18.90			 	 	-	 	+	+
OMMINGLING		\bot			<u> </u>											
		1		UNCVX, UNCDX,					I	1	1	1		1	1	1
		1	1	UNC1X. UNC3X,				1	1	1	1	1		1	1	1
	1	1	1	UNCSX, U1TD1,		1 1		1	1		!	1	1	1	1	1
		1	1	U1TD3, U1TS1,	1					I				1	1	1
		1	1	UE3, UDLSX.	I			1	1	I	1	1	1	1	1	i
		1	1	U1TVX, U1TDX,	1				}	1	ļ			1	1	
				U1TUB, ULDVX,	į					1	l			1		
				ULDD1, ULDD3.	i				l	į	{	1	Į.	1	Į	1
1	Commingling Authorization	1	ì	ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00	Ì			1	l	
Commi	ingled (UNE part of single bandwidth circuit)															
	Commingled VG COCI	T	7	XDV2X	1D1VG	1.38	6.71								1	
	Commingled Digital COCI	1	1	XDV6X	1D1DD	2.10	6.71			0.00	T	T				
	Commingled ISDN COCI		1	XDD4X	UC1CA	3.66	6.71									
	Commingled 2-wire VG Interoffice Channel	+	+	XDV2X	U1TV2	25.32	94.70	52.59		18.03		T	1			
	Commingled 4-wire VG Interoffice Channel	1	1-	XDV6X	U1TV4	22.58	94.70	52.59		18.03						
	Commingled 56kbps Interoffice Channel	+	+	XDD4X	U1TD5	18.44	94.70			18.03		1		1	T	
-	Commingled 64kbps Interoffice Channel	+	+	XDD4X	U1TD6	18,44	94.70	52.59		18.03		1	1	1	1	
	Comminged Ortopa misionico Ortaniei	+	+	XDV2X, XDV6X,	1	10.44	33.70	52.55	1	1	T	1	1	1	1	
	Commingled VG/DS0 Interoffice Channel Mileage	1	1	XDD4X	1L5XX	0.0091		I	1	1				1		1
		+	1	XDV2X	UEAL2	12.24	127.59	60.54	48.00	6.31	 	 	 	+	+	
	Commingled 2-wire Local Loop Zone 1	+			UEAL2	17.40	127.59	60.54			 	 	 	+	+	+
\longrightarrow	Commingled 2-wire Local Loop Zone 2		2			30.87	127.59	60.54				+	+		+	+
i	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1	+		XDV2X XDV6X	UEAL2 UEAL4	18.89	127.59	60.54				+	+		+	+

MOUNDLEL	NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			├ —			Rec -	Nonrecu		Nonrecurring					Rates(S)		
- ,	Communicated Assistant and Communication Com	+	⊢		ļ		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	26.84	127.59	60.54	48.00							
	Commingled 4-Wile Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	+		XDV6X XDD4X	UEAL4	47.62	127.59	60.54	48.00		L					
	Commingled 56kbps Local Loop Zone 2	- 	1		UDL56	22.20	127.59	60.54	48.00							
	Commingled 56kbps Local Loop Zone 3		2	XDD4X	UDL56	31.56	127.59	60.54	48.00							
			3	XDD4X	UDL56	55.99	127.59	60.54	48.00							
	Commingled 64kbps Local Loop Zone 1	-	1	XDD4X	UDL64	22.20	127.59	60.54	48.00							
	Commingled 64kbps Local Loop Zone 2	↓ —	2	XDD4X	UDL64	31.56	127.59	60.54	48.00					[T	
	Commingled 64kbps Local Loop Zone 3	+	3_	XDD4X	UDL64	55.99	127.59	60.54	48.00						I	
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	19.28	127.59	60.54	48.00		L		l			
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	27.40	127.59	60.54	48.00							
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.62	127.59	60.54	48.00							
	Commingled DS1 COCI		<u> </u>	XDH1X	UC1D1	13.76	6.71	4.84	0.00	0.00	1				1	
	Commingled DS1 Interoffice Channel		<u> </u>	XDH1X	U1TF1	88.44	174.46	122.46	45.61	17.95						1
	Commingled DS1 Interoffice Channel Mileage		L	XDH1X	1L5XX	0.1856				1	1					
	Commingled DS1/DS0 Channel System		L	XDH1X	MQ1	146.77	57.28	14,74	1.50	1.34	T					1
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45	T					
	Commingled DS1 Local Loop Zone 2			XDH1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	178.39	217.75	121.62	51.44	14.45	1				f —	
	Commingled DS3 Local Loop			HFQC6	UE3PX	386.88	244.42	154.73	67.10	26.27	1					
	Commingled DS3/STS-1 Local Loop Mileage		Т	HFQC6, HFRST	1L5ND	10.92									T	1
	Commingled STS-1 Local Loop		T	HFRST	UDL\$1	426.60	244.42	154.73	67.10	26.27			 	· · · · ·	1	-
	Commingled DS3/DS1 Channel System		\vdash	HFQC6	моз	211.19	115.60	56.54	12.16						· · · · ·	
	Commingled DS3 Interoffice Channel	7		HFQC6	U1TF3	1,071.00	320.00	138.20	38.60					 	1	1
	Commingled DS3 Interoffice Channel Mileage	-	1	HFQC6	1L5XX	3.87			00.00	10.01	 		 	 	 	
	Commingled STS-1Interoffice Channel		 	HFRST	U1TFS	1.056.00	320.00	138.20	38.60	18.81			 	 	 	+
	Commingled STS-1Interoffice Channel Mileage		 	HFRST	1L5XX	3.87	320.00	130.20	30.00	10.07			 		 	+
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		 		TOAK.	3.07			 	 	 	 	 	 	 	+
	Strands, Per Route Mile Or Fraction Thereof			HEODL	1L5DF	26.85				1			ì			
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		+	INCOOL	10301	20.03						 		 	 	
	Strands, Per Route Mile Or Fraction Thereof	1	į.	HEODL	UDF14	\ \	751.34	193.88	\	1	ì	1	1	ì	1	1
	UNE to Commingled Conversion Tracking	 -	+	XDH1X, HFQC6	CMGUN	0.00			0.00		 	 	 	 	+	+
							0.00	0.00					ļ	ļ	 	+
	SPA to Commingled Conversion Tracking		-	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	 	<u> </u>	ļ	ļ	<u> </u>	——
VP Query Serv			 									↓	_	<u> </u>	 	
	LNP Charge Per query	4		ļ <u>.</u>		0.000852							↓	ļ		
	LNP Service Establishment Manual	 -	↓			I	13.83	13.83	12.71		<u> </u>	.	<u> </u>	 	 	
	LNP Service Provisioning with Point Code Establishment		1				655.50	334.88	297.03	218.40	<u> </u>		↓	<u> </u>	 	
11 PBX LOCA			1	<u> </u>		l			L		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	X LOCATE DATABASE CAPABILITY					,				.,						
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU	L	1.820 00			<u> </u>	<u> </u>		<u> </u>	<u> </u>	ļ	∔——
	Changes to TN Range or Customer Profile			9PBDC	9PBTN	L	182.14		ļ	1		 	↓			+
	Per Telephone Number (Monthly)			9PBDC	9РВММ	0.07			ļ	 	ļ	 	<u> </u>	<u> </u>	_	+
	Change Company (Service Provider) ID		1	9PBDC	9PBPC		534.66				↓	1	<u> </u>	 	4	
	PBX Locate Service Support per CLEC (Monthit)			9PBDC	9PBMR	178.80				<u> </u>	ļ				<u> </u>	
	Service Order Charge			9PBDC	9PBSC		11.90			J		L	1	<u> </u>	L	
911 PB	X LOCATE TRANSPORT COMPONENT															
See Att	3														,	
			1		1					1		1	1	1	1	
41.4. 5	ates displaying an "I" in Interim column are interim as a result	of a Com	minalo	oorder	-T								1		1	1

ABOMOFE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		ļ				Rec	Nonrec		Nonrecurring					Rates(\$)	·	
			-		 	 	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zo	one" shown in the sections for stand-alone loops or loops as pa	rt of a co	ombinat	tion refers to Geograp	phically Deav	eraged UNE Zo	nes. To view G	eographically (Deaveraged UN	E Zone Design	ations by Co	entral Office.	refer to intern	et Website:	<u> </u>	
lumbasa.	ww.interconnection.bellsouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnectio	n.htm													
			Ь			L				f		L				
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the "	state sp	ecific"	OSS charges as orde	ered by the S	itate Commissio	ns. The OSS c	harges current	v contained in	this rate exhibi	are the Bei	South "reak	nnal" service d	merina cham	nes CLEC ma	ev elect eit
	(2) Any element that can be ordered electronically will be billed a electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to PallSouth.															
CLECs	bill when it submits an LSR to BellSouth.	and Can	agory re	mece the charge tha	a ea anno w	med to a CLEC	once electronic	ordering capat	oilities come on	-line for that ek	ment. Othe	rwise, the m	nanual orderin	g charge, SO	MAN, will be a	pplied to a
	OSS - Electronic Service Order Charge, Per Local Service					T		······································		1	·····	Т"	Γ		T	т—
	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request	-	 		SOMEC	 	3.50	0.00	3.50	0.00	ļ					<u> </u>
	(LSR) - UNE Only				SOMAN		11.71	0.00	6.13	0.00						
	OSS - Electronic Service Order Charge, Per Local Service	 	t		GOWINIA	 	11.71	0.00	6.13	0.00	 	 		ļ <u></u>	 	+
	Request (LSR) - UNE Only Per First 1000 Orders Per Month	<u> </u>	<u> </u>	ssoss	SOMGA	0.00							l			}
	DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	170	- 500	1 10 2 2 2 2	L	1										
MOTE:	The Expedite charge will be maintained commensurate with Be	i South	SFCC	No.1 Tann, Section 5	as applicable	ie.										
				UEF, UDC, UDF, UDF, UDD, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TD1, U1T03, U1T03, U1T04, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16L, UC16L, UC16L, UC16L, UC16L, UDL03, UDL5X, UE3, ULD12, ULD48, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNC3X, UNC3X, UNC4X, UNC4X, UNC5X												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per iDay			U1TUA,NTCVG, NTCUD, NTCD1	SDASP		200.00			İ						
DER MODIF	CATION CHARGE	t^{-}			557.0						T		<u> </u>			
	Order Modification Charge (OMC)						26.21	0.00					L'			
D111151 F= -	Order Modification Additional Dispatch Charge (OMCAD)	+	+				150.00	0.00	0.00	0.00	4	+	 		+	
	EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP			L			·	<u> </u>	1,,,	1	ــــــــــــــــــــــــــــــــــــــ	Ь		J		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.08	39.98	9.98	5.61	1.72	1	Ι	Τ			I
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.43	39.98	9.98	5.61	1.72				I		
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2	35.09	39.98	9.98					L			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	↓	1	UEANL	UEASL	12.08	39.98	9.98				ļ			 	
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	+	2	UEANL	UEASL	17.43 35.09	39.98 39.98	9.98 9.98				-	 	 	+	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	 	3	UEANL	URETL	35.09	8.92	0.88		1 1.79	+	+	+	 	+	+
	Loop Testing - Basic 1st Half Hour	+-	+-	UEANL	URET1	+	26.64	0.00		 	 	 	+	 		+

Page 23 of 103

CHOCHUL	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
		 	+ +			Rec	Nonrect		Nonrecurring		1			Rates(\$)		
	Manual Order Coordiantion for UVL-SL1s (per loop)	 	+	UEANL	UEAMC		First 18.90	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1	_	1	GEARL	DEAMC	-	18.90	18.90	5.61	1.72		ļ	ļ <u>.</u>			
	(per LSR)			UEANL	ocost 1		57.73				İ				l	
	Unbundled Non-Design Voice Loop, billing for BST providing make	-												i		·
	up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,	—	1	UEANL	UEANM		7.29	7.29							L	<u> </u>
	per circuit			UEANL	UREWO		15.75	0.00	5.04	4 ===						
	Bulk Migration, per 2 Wire Voice Loop-SL1	 	 	UEANL	UREPN		39.98	8.92 9.98	5.61 5.61	1.72 1.72	 		·	ļ	ļ	
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		L^{-1}	UEANL	UREPM		18.90	18.90	3.01	1.72	 		 			
2-WIF	RE UNBUNDLED COPPER LOOP - NON-DESIGNED	,											<u> </u>	·	·	·
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	╀	1 1	UEQ	UEQ2X	11.02	44.69	22.40								
 	2 Wire Unbundled Copper Loop Non-Designed- Zone 2 2 Wire Unbundled Copper Loop Non-Designed-Zone 3	┼	3	UEQ UEQ	UEQ2X	12.72	44.69	22.40			<u> </u>					
	Tag Loop at End User Premise	 	+	UEQ	UEQ2X URETL	20.22	44 69 8.92	22.40 0.88			 					
	Loop Testing - Basic 1st Half Hour	1	+-1	UEQ	URET1		26.64	0.00			 	-	 	 		
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		15.15	15.15								
i l	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1									T					
 	Designed (per loop) Unbundled Copper Loop - Non-Design, billing for BST providing	₩-	╁┷┤	UEQ	USBMC		18.90	18.90	 		ļ	ļ	<u> </u>	ļ	ļ	<u> </u>
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.29	7.00						1	ł	
l	Unbundled Loop Service Rearrangement, change in loop facility.	 	+	UEQ	DEGMO		7.29	7.29			 		 	 	 	
	per circuit	1		UEQ	UREWO		14.25	7.42			1					
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		44.69	22.40				 	· · · · · · · · ·			
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	 		UEQ	UREPM		18.90	18.90								
	EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP	Ь	لـــــــــــــــــــــــــــــــــــــ		ــــــــــــــــــــــــــــــــــــــ	L1					Ľ		I	1		L
2-141	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T T									т		·		т
! !	Ground Start Signaling - Zone 1	1	1 1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86	1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	1		1 35.3				10.00	7.00	 -	· · · · ·			 	
ļ	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86	<u> </u>				l	
\ \	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1.1		1	1					1		i			
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	3	UEA	UEAL2	36.33	79.78	24.62	18.90	7 86	 		ļ	ļ <u>. </u>	 	
1 1	Battery Signaling - Zone 1	1	1, 1	UEA	UEAR2	13.32	79.78	24.62	18.90	7.86						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1 -	1		O E , IE	10.02	70.10		1	7.50	+	-	 		·	†
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86				l		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												1			
	Battery Signaling - Zone 3	 -	3	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86		 		ļ	ļ	
1 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	1		UEA	URESL		6.54	6.54					ļ	1		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	+	UEA	UMESE	 	0.34	0.54				 		 	 	
1 1	DSO)	1	1	UEA	URESP	1 1	6 54	6.54	ì	1	Ì	1	1	ì	1	Ì
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1 1													
	per circuit		أحسا	UEA	UREWO		87.72	36.36		<u> </u>	<u> </u>	1				
	Loop Tagging · Service Level 2 (SL2)		4	UEA	URETL		79.78	1.10]	 	 	 	
} -	Bulk Migration, per 2 Wire Voice Loop-SL2 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	+	4	UEA	UREPM		0.00	24.62 0.00		 	 	 	+	 	 	+
4-WI	RE ANALOG VOICE GRADE LOOP	٠	-4	<u> </u>	1 UNLFW		0.00	0.00	L	1				<u> </u>		
1 1 1 1 1 1	4-Wire Analog Voice Grade Loop - Zone 1	Τ	1	UEA	UEAL4	21.04	92.92	28.14	19.50	8.12	1	1	1	1	Τ	Τ
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	24.49	92.92	28.14				1				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	33.40	92.92	28.14	19.50	8.12		ļ	<u> </u>			ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1	1254	Hoce	1	654		1			1	1	1	1	1
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	+-	UEA	URESL	 	6.54	6.54	-	-	 	+	+	 	+	+
	DS0)	1		UEA	URESP		6.54	6.54	1					1	1	
	Unbundled Loop Service Rearrangement, change in loop facility,	1			1		5.54	<u> </u>	 	†	1	†	1	1	T	
LL	per circuit			UEA	UREWO	L	87.72	36.36	1	l	L	1	I	1	<u></u>	<u> </u>
2-WI	RE ISDN DIGITAL GRADE LOOP									γ					,	
	2-Wire ISDN Digital Grade Loop - Zone 1	+	1	UDN	U1L2X	21.89	180.06	35.25		6.97		 	 			+
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	+	3	UDN	U1L2X U1L2X	25.27 40.17	180.06 180.06	35.25 35.25		6.97		 	+	 	+	+
	Unbundled Loop Service Rearrangement, change in loop facility,	+	+	JUN	1.01124	40.17	100.06	35.25	10.23	0.97	 	+	+	 	+	+
1 1	loer circuit	1	1	UDN	UREWO	1	120.98	33.04	1	1	1	}	1	1	1	1
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP			•			*	•		•	•	· · · · · · · · · · · · · · · · · · ·		

	D NETWORK ELEMENTS - Georgia	т—										j	Att: 2 Exh: A			
ATEGORY	RATÉ ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order va. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Charge Manual S Order vo Electroni Disc Add
		┼──	\vdash	_	 	Rec	Nonrec		Nonrecurring				oss	Rates(S)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1			 		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						ł
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2							<u> </u>	0.00	0.00	 					
	2 Wire Unbundled ADSt. Loop including manual service inquiry &	┼	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						ĺ
	facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00							
	2 Wire Unbundled ADSL Loop without manual service inquiry &				G, Nazir	20.02	44.03	31.33	0.00	0.00	 					
- - -	facility reservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00	1					ĺ
1	facility reservation - Zone 2		2	UAL												
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	-	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	<u> </u>			ļ		I
	facility reservator - Zone 3	L	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						1
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit									0.00						
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TELET	208	UAL	UREWO		44.69	29.29	<u> </u>							1
	2 Wire Unbundled HDSL Loop including manual service inquiry &	T					····		,							
	facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1														
	2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00	<u> </u>					l
	facility reservation - Zone 3	1	3	UHL	UHL2X	14,48	44.69	31.55	0.00							
	2 Wire Unbundled HDSL Loop without manual service inquiry and				07,122	14.46	44.09	31.55	0.00	0.00	 			ļ		
	facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2													
	2 Wire Unbundled HDSL Loop without manual service inquiry and	┼		UHL	UHL2W	9.09	44.69	31.55	0.00	0.00	ļ					
	facility reservation - Zone 3]	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00		ļ				1
- 1	Unbundled Loop Service Rearrangement, change in loop facility,								<u> </u>	0.50	 					
4-WIDE	Per circuit HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	10151		UHL	UREWO		44.69	31.55	L		<u> </u>					<u> </u>
14.44	4 Wire Unbundled HDSL Loop including manual service inquiry and	il Commercial	I		1											
L	facility reservation - Zone 1	ļ	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00	ļ					1
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1									 					
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
1	facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00					ì	1
	4-Wire Unbundled HDSL Loop without manual service inquiry and		Ť	- OF-IE	GIILAX	13.07	44.03	31.33	0.00	0.00				 		
	facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						1
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2													
	4-Wire Unbundled HDSL Loop without manual service inquiry and	+	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00				ļ		
	facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00					1	1
	Unbundled Loop Service Rearrangement, change in loop facility.	T									<u> </u>					
4-WIDE	per circuit DS1 DIGITAL LOOP	Ц	i:	UHL	UREWO		44.69	31.55	L	L	L			<u> </u>	l	<u> </u>
4-1111	4-Wire DS1 Digital Loop - Zone 1	T	1	USL	USLXX	49.41	211.72	72.42	38.20	7.19	т					
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	52.55	211.72	72.42	38.20	7.19						· · · · · ·
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	68.40	211.72	72.42	38.20	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			uei												
_	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 		USL	URESL		6.54	6.54			 					
	DS1)			USL	URESP		6.54	6.54			1					l
	Unbundled Loop Service Rearrangement, change in loop facility,				1				<u> </u>		1			ļ		
-	per circuit 271 - 4-Wire DS1 Digital Loop - Zone 1	├	 	USL	UREWO		100.91	42.97	ļ	ļ	 _					
	271 - 4-Wire DS1 Digital Loop - Zone 2	+	2	USL	271UC 271UC	85.97 81.27	211.72 211.72	72.42 72.42	38.20 38.20	7.19 7.19						
	271 - 4-Wire DS1 Digital Loop - Zone 3	 	3	USL	271UC	128.28	211.72	72.42	38.20	7.19				 		·
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				*						-	·		L	L	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	ÜDL	UDL2X	25.81	196 47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	UDL	UDL2X UDL2X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	+	1	UDL	UDL2X UDL4X	42.38 25.81	196.47 196.47	36.96 36.96		7.19 7.19						 -
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	UDL	UDL4X	31.54	196.47	36.96		7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1	3	UDL	UDL4X	42.38	196.47	36.96		7.19				· · · · · · · · · · · · · · · · · · ·	 	

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(S) Sv. Order Sv. Order Submitted Submitted Charge -	UNBUND	DLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh; A			
AT SCATE OFFI AT SELEMENTS AND STATE BLEMEN													Svc Order	Svc Order		Incremental	Incremental	Incremental
ASSOCIATION PARTE ELEMENTS Movement Move					1 1	ļ							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
March Marc	CATEGOR	.	DATE EL CHENTO	l	1_ 1								Élec	Manually	Manual Svc			Manual Svc
	CALEGOR	''	HATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			perLSR					Order vs.
A				ŀ	1 1								l '	-		Electronic-		Electronic-
March Marc					1 1													Disc Add'l
A Wint Controll (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)					 								<u> </u>					
1. Wiles Universided Depti Large (1 Sept. 2 Cerc)				 	1-1			Rec						······································				
Was introducing page 160g # 160g # 100g #			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	 	 , 	LIDI	LIDLAY	25.01					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 Minus Internation Company Langua 1 Minus 1 Min			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	†														
A Was Introduced Copyright 10 1			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3												 			
A Wate Internetical College 100 20 20 20 20 20 20 2		1	4 Wire Unbundled Digital 19.2 Kbps - Zone 1												 	· · · · · · · · · · · · · · · · · · ·		
A Vitro Universide Diputal long 54 Rights - Cont 1 U.S. U.D.Line 25 A 1967 7.19 1.00 7.19 1.00 1							UDL19									 		1
A Wate Districted Organ Long Marga, 20x2 2 UPL, UDLS 314 1967 398 1969 719			4 Wire Unbundled Digital 19.2 Kbps - Zone 3				UDL19	42.38	196.47	36.96	18.80	7.19						
A Vitro Unconded Digital Logo is rings. Zono 3			4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ														
4 West Described Digital Long & Right, 2 Zinc 1 1 U.D.			4 Wire Unbundled Digital Loop 56 Kbps - Zone 2															
A Wine Unstanded Diguel Loop 6 Editors - Johns 2 A Wine Unstanded Diguel Loop 6 Editors - Johns 2 A Wine Unstanded Diguel Loop 6 Editors - Johns 2 A Wine Unstanded Diguel Loop 6 Editors - Johns 2 A Wine Unstanded Diguel Loop 6 Editors - Johns 2 A Wine Unstanded Copy 1 Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Editors - Johns 2 A Wine Unstanded Copy 6 Diguel Ed			4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	├														
A West Debugsted Depart Robot (See Spreadment (part See See See See See See See See See Se		- 1	4 Wire Unburded Digital Loop 64 Kbps - Zone 1	-														
Settle-Ask of Convention rate per UNE Loop, Single LSR, per UDL URES 6.54 6.	-+			 												<u> </u>		
DS0 Seric-Ax-is, Connection falls per UNE Loop, Spreadhealt, for UDL URESIA 6.54 6.54				1	+ "	UUL	UUL64	42.38	196.47	36.96	18.80	7.19					 	}
Switch As-6 Common read per INRE Loop. Spreadment, per LODE URES 6.54 6.54				1		UDL	URESI		654	S EA]	1	I			I	Į.]
DSD				 	1		UNGOL	 	0.34	5.54	-	 	 		 	 	 	
UPD-particle Logo Service Rearrangement, Charge in loop facility, particle Logo Control Cont			DS0)]	UDL	URESP		6.54	6.54						i	l	1
Det occurs					\Box						 	 	 			 	 	
2-WWE Unburded Copper Loop Designed including nameal 1				1		UDL	UREWO		101.95	49.66	Ĭ		[
Service regary A facility reservation - Zone 1	2-V	NIRE	Unbundled COPPER LOOP					·						L			<u></u>	
2-Wire Unburded Copper Loop Designed including manual service service regard A facility reservation. Zone 3 2 UCL											T T	<u> </u>					l	
Service Incurso A Tacilley reservation - Zone 2 2 UCL UCLPB 13.88 44.69 31.55 0.00 0					1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00	1	1	ł	1	1	ነ '
2 VMR Undervided Copper Loop Despred including manual service inquiry and facility reservation. Zone 3																		
Imaginy & Lackly reservation - Zone 3 3 UCL UCLPB 2207 44.69 31.55 0.00 0.00 0.00	<u> </u>			L	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00		ļ				
2/Wer Urburded Copper Loop Designed whout manual service inquiry and facility reservation. Zone 1 1 UCL UCLPW 13.88 44.69 31.55 0.00				9	1 1			1										
Imaging and facility reservation - Zone 1					3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00			ļ			
2-Wire Unbruchded Copper Loop Designed without markul service inquiry and facility reservation - Zone 2 2 UCL UCLPW 13.88 44.69 31.55 0.00					١. ١								}				i	1
Iniquary and facility reservation - Zone 2 2 UCL UCLPW 13.88 44.69 31.55 0.00 0.00				}	- '- -	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						ļ
2-Wire Unsuréed Copper Loop-Designed without manual service in gruy and facility reservation - Zone 1 UCL UCLEW UCL UCL UCL UCL UCL UCL UCL UCL UCL UCL					1 , 1	LICI	LICI DIA	12.00	44.00	04.55	0.00							1
Imagery and facility reservation - Zone 3 3 UCL UCLPW 22 07 44.69 31.55 0.00	 			+		UCL	UCLFW	13.00	44.09	31.55	0.00	0.00	 				 	
Order Coordination for Unbrushed Copper Loops (per loop) UCL UCLMC 18.90 18.90					1 3	uci	LICIDW	22.07	44.60	21.55	0.00	0.00		Ì		į.	Į.	1
Unturded Loop Service Rearrangement, change in boop facility, per cricuit Preparation Preparat				 	 			22.07				0.00	 		 		 	
A-Wire Copper Loop Designed including manual service inquiry and facility reservation. Zone 1 UCL UCL4S 16.65 44.69 31.55 0.00 0.00				1	1		U U U	 	- 10.00	10.00	 				† 		 	
4-Wine Copper Loop Designed including markal service inquiry 1	1				1 1	UCL	UREWO	l f	44.69	31.55	į.			Ì				1
and facility reservation - Zone 1	4-1	WIRE	COPPER LOOP					·				·						
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 2 UCL UCL4S 19 22 44 69 31 55 0.00 0																		
and facility reservation - Zone 2				L	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00		l		<u> </u>		
## AWire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		i		Į į											ļ			
and facility reservation - Zone 3				 	1 2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00	ļ		 		<u> </u>	
A-Wire Copper Loop-Designed without manual service inquiry and lacility reservation - Zone 1				1	1			I					1	ŀ		1		
Section Sect				+	3	UCL	UCL4S_	30.55	44.69	31.55	0.00	0.00	 			 	 	
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 2 UCL UCL4W 19.22 44.69 31.55 0.00 0.00				1	1.	l IC	1101 441	ا ا	44.00	34.5-		1		İ				
Facility reservation - Zone 2 2 UCL UCLAW 19.22 44.69 31.55 0.00 0.00	\vdash			+	+ '-	UUL	UCL4W_	16.65	44.69	31.55	0.00	0.00	 	 	 		 	+
4-Wire Copper Loop-Designed without manual service inqury and facility reservation - Zone 3 3 UCL UCL4W 30.55 44.69 31.55 0.00 0.00				1	1 ,	uci	LICLAW	19 22	44.60	31.55	0.00	0.00	1	1		1	1	
Facility reservation - Zone 3	 -			+	1		OCL444	19.22	44.03	31.33	0.00	0.00	 		 	 	 	
Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Rearrangement, change in loop facility. per circuit Uncluded Loop Service Rearrangement, change in loop facility. per circuit Uncluded Loop Service Rearrangement, change in loop facility. UCL UREWO 44.69 31.55 UEA, UDN, UAL, UHL, UDL, USL OCOSL 57.73 Rearrangements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-SL2 EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 2 Wire Inbundled Voice Loop UDN UREEL 120.98 33.02 EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop UDN UREEL 101.95 49.66 EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop USL UREEL 100.91 42.97 UNE LOOP COMMANGUNG	}			l	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00	Į.	(ļ	l	1	1
Unbundled Loop Service Rearrangement, change in loop facility, per circuit Order Coordination for Specified Conversion Time (per LSR) UEA, UDN, UAL, UHL, UDL, USL OCOSL FRearrangements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop SL2 UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop UDN UREEL 120.98 33.02 EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop UDL UREEL 101.95 49.66 EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop USL UREEL 100.91 42.97	\vdash			1	1-							T		t	1	 	1	1
DCL UREWO 44.69 31.55				1	1		<u></u>	1					1		1	1	1	1
Order Coordination for Specified Conversion Time (per LSR) Rearrangements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop SL2 UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop UEA UREEL 79.85 24.65 EEL to UNE-L Retermination, per 2 Wire Inbundled Voice Loop UDN UREEL 120.98 33.02 EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop UDN UREEL 10.09.66 EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop UDL UREEL 10.09.66 UNE-L Retermination, per 4 Wire Unbundled DS1 Loop USL UREEL 10.09.1 42.97 UNE LOOP COMMANGLING				1		UCL	UREWO]	44.69	31.55			1		I		1	1
Order Coordination for Specified Conversion Time (per LSR)					T			T			T		T		1	1	T	T T
Rearrangements						UHL, UDL, USL	OCOSL	L	57,73					L			L	<u> </u>
SL2	Re	arrar		,														
EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		-7			1			ł										1
EEL to UNE-L Retermination, per 2 Wire Unrobundled Digital Loop	$oxed{oxed}$		SL2	ļ.,		UEA	UREEL	Ļ	79.85	24.65	L			<u> </u>	 	Ļ	_	↓
EEL to UNE-L Retermination, per 2 Wire ISDN Loop	i i -	7	1	1	1 "			1 7			1		}	1		I		1
EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital Loop UDL UREEL 101.95 49.66 EEL to UNE-L Retermination, per 4 Wire Unmbundled DS1 Loop USL UREEL 100.91 42.97 UNE LOOP COMMENGUNG	<u> </u>			 	4						<u> </u>		 	 		ļ		
EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop USL UREEL 100.91 42.97 UNE LOOP COMMINGLING	$\vdash \vdash$		EEL to UNE-L Hetermination, per 2 Wire ISDN Loop	 	-	UDN	UHEEL	 	120.98	33.02					 		 	
EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop USL UREEL 100.91 42.97 UNE LOOP COMMENGLING			EST ALLBUS C Determination and Allege Cleaning (C. 1917)	.l	1	LID!	UDEC:	[]	101.05	40.00	1	1	l		1		i	
UNE LOOP COMMINGLING	 			4	1			 			 	 	 		 	 	 	+
	LINELCOF	D CC		+-	+	USL	UHEEL	 	100.91	42.97	 	 	 		 -	 	 	+
				т.	٠	L				·	<u> </u>			<u> </u>			·	

ONBONDER	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
		T									Svc Order	Svc Order		Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	1	1			1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
					i l						percon	percan	Electronic-	Electronic-	Electronic-	Electronic
					}											
					1 1								1st	Add'l	Disc 1st	Disc Add'l
							Nonre	cumina	Nonrecurring	Disconnect			OSS	Rates(\$)		·
		1			 	Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			·	1			71,-21	 	 		30.00		301121	- 00111711	JOHAN
1	Ground Start Signaling - Zone 1]	1 1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86	1			•	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				· ·				10.00	1	 		 			···
l	Ground Start Signaling - Zone 2	1	2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			1				10.55	7.00	 					
	Ground Start Signaling - Zone 3	1	3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86	1	1			ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										 		 			
	Battery Signaling - Zone 1	1	1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86	1				(
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	18.66	79.78	24.62	18.90	7.86	Į.					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			1				1	1	1					· · · · · ·
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86			i			ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T			1	- 55.00			.3.30	7.00			 	 		
1	DS0)	1	1 1	NTCVG	URESL	1	6.54	6.54	i	1				i		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	 		J., LOL		0.34	0.54	 	 -			 	 	 	
I	DS0)		1	NTCVG	URESP		6.54	6.54					1	1	ĺ	1
	Unbundled Loop Service Rearrangement, change in loop facility,	+	 		Unicar		0.34	0.54	 	 	 		 	ļ	ļ. .	
1	per circuit	1	1 1	NTCVG	UREWO		87.72	36.36	I	1				I		1
	Loop Tagging - Service Level 2 (SL2)	+	+ +	NTCVG	URETL		11.19		 	}	 		 	ļ		
A-WIR	E ANALOG VOICE GRADE LOOP	Ь	11	NICVG	UNEIL		11.19	1.10	L		l	l		l	L	L
4-171	4-Wire Analog Voice Grade Loop - Zone 1		1 1	NTCVG	License						,		,		,	,
		+			UEAL4	21.04	92.92	28.14					ļ			
	4-Wire Analog Voice Grade Loop - Zone 2	 	.2	NTCVG	UEAL4	24.49	92.92	28.14		8.12			ļ			
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12	ļ		<u> </u>			ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1											1			1
	DS0)	-		NTCVG	URESL		6.54	6.54		·			<u> </u>			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	i			1								1			i
	DS0)			NTCVG	URESP		6.54	6.54		<u> </u>	ļ		ļ			ļ
	Unbundled Loop Service Rearrangement, change in loop facility,	1			I						l .	j		1	l	
	per circuit			NTCVG	UREWO		87.72	36.36	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>	L	<u> </u>
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING								·							,
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	49.41	211.72	72.42								ļ
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	52.55	211.72	72.42							L	
	4-Wire DS1 Digital Loop - Zone 3	<u> </u>	3	NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19						ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1		i l			!	1	1						
	DS1)	 	↓	NTCD1	URESL		6.54	6.54	L							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1 1		1			ł	ł	1			1	1	-	
	DS1)	J		NTCD1	URESP		6.54	6.54	1	<u> </u>	<u> </u>		1		<u> </u>	ļ <u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility.		1 1						i	1	l .				1	
	per circuit			NTCD1	UREWO		100.91	42.97		L	t	L]		
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	3														
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		\Box	NTCUD	UDL2X	25.81	196.47	36.96		7.19		1		[
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19			L			
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	42.38	196.47	36.96								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	25.81	196.47	36.96	18.80						I	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	31.54	196.47	36.96					1			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1	3	NTCUD	UDL4X	42.38	196.47	36.96					T			1
1	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	1 1	NTCUD	UDL9X	25.81	196.47	36.96					T	1		
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	1	2	NTCUD	UDL9X	31.54	196.47	36.96			1		l		 	1
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	NTCUD	UDL9X	42.38	196.47	36.96			1-		1	1	1	· · · · · · · · · · · · · · · · · · ·
t t		+	1 1	NTCUD	UDL19	25.81	196.47	36.96			 	•	1		1	1
							196.47	36.96			† · · · · ·		 	 		1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1				UDI 19	31.54							+			T
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2	ļ	2	NTCUD	UDL19 UDL19	31.54 42.38			18 80] / 19			1	1	į.	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3		2	NTCUD NTCUD	UDL19	42.38	196.47	36.96					 			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		2 3 1	NTCUD NTCUD NTCUD	UDL19 UDL56	42.38 25.81	196.47 196.47	36.96 36.96	18.80	7.19			-			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2 3 1 2	NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56	42.38 25.81 31.54	196.47 196.47 196.47	36.96 36.96 36.96	18.80 18.80	7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		2 3 1 2 3	NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56	42.38 25.81 31.54 42.38	196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96	18.80 18.80 18.80	7.19 7.19 7.19						
	4 Wire Unburdled Digital 19.2 Kbps - Zone 1 4 Wire Unburdled Digital 19.2 Kbps - Zone 2 4 Wire Unburdled Digital 19.2 Kbps - Zone 3 4 Wire Unburdled Digital 19.2 Kbps - Zone 3 4 Wire Unburdled Digital Loop 56 Kbps - Zone 1 4 Wire Unburdled Digital Loop 56 Kbps - Zone 3 4 Wire Unburdled Digital Loop 56 Kbps - Zone 3		2 3 1 2 3	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64	42.38 25.81 31.54 42.38 25.81	196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 54 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2 3 1 2 3 1 2	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64 UDL64	42.38 25.81 31.54 42.38 25.81 31.54	196.47 196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2 3 1 2 3	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64	42.38 25.81 31.54 42.38 25.81	196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-lis Conversion rate per UNE Loop, Single LSR. (per		2 3 1 2 3 1 2	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64	42.38 25.81 31.54 42.38 25.81 31.54	196.47 196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSo)		2 3 1 2 3 1 2	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64 UDL64	42.38 25.81 31.54 42.38 25.81 31.54	196.47 196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 54 Kbps - Zone 1 4 Wire Unbundled Digital Loop 54 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 5 Witch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO) 6 Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per		2 3 1 2 3 1 2	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64 UDL64 URESL	42.38 25.81 31.54 42.38 25.81 31.54	196.47 196.47 196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSo)		2 3 1 2 3 1 2	NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD NTCUD	UDL19 UDL56 UDL56 UDL56 UDL64 UDL64 UDL64	42.38 25.81 31.54 42.38 25.81 31.54	196.47 196.47 196.47 196.47 196.47 196.47	36.96 36.96 36.96 36.96 36.96 36.96	18.80 18.80 18.80 18.80	7.19 7.19 7.19 7.19 7.19						

Maintenar	TWORK ELEMENTS - Georgia RATE ELEMENTS Coordination for Specified Conversion Time (per LSR) ERVICE	Interim Z	UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCUT, UTIO1, UTIO1, UTIO1, UTIO1	USOC	Rec	Nonrec First	RATES(S)	Nonrecurring		Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.	Charge -
Order Coo Order Coo Maintena Maintena Maintena	Coordination for Specified Conversion Time (per LSR)	Interim Z	UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCUT, UTIO1, UTIO1, UTIO1, UTIO1		Rec		curring	Nonrecurring		Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.	Charge - Manual Svc	Charge - Manual Svo
Order Coc Nd-to-End Testing AINTENANCE OF SERV Maintena	Coordination for Specified Conversion Time (per LSR)	Interim 2	UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCUT, UTIO1, UTIO1, UTIO1, UTIO1		Rec		curring	Nonrecurring		Elec	Manually	Manual Svc Order vs. Electronic-	Manual Svc Order vs.	Manual Svc	Manual Sv
Order Coo Order Coo Maintena Maintena Maintena	Coordination for Specified Conversion Time (per LSR)	Interim Z	UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCUT, UTIO1, UTIO1, UTIO1, UTIO1		Rec		curring	Nonrecurring				Order vs. Electronic-	Order vs.		
Maintena Maintena			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCUT, UTIO1, UTIO1, UTIO1, UTIO1		Rec		curring	Nonrecurring		perLSR	perLSH	Electronic-			
Maintena Maintena Maintena			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL	Rec			Nonrecurring			۱ ۱				
Maintena Maintena Maintena			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL	Rec			Nonrecurring		1 1	٠.			Electronic-	Electronic-
Maintena Maintena Maintena Maintena			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL	Rec			Nonrecurring			, ,	1st	Add'I	Disc 1st	Disc Add'l
Maintena Maintena Maintena			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL	Rec				Discoppect			000	Rates(\$)	ــــــــــــــــــــــــــــــــــــــ	<u> </u>
Maintena Maintena Maintena			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL		1		First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Maintenar Maintenar Maintenar			UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3.	OCOSL				 	7001	JOINE	JOMAIN	SUMAIN	SUMAIN	SOMAN	SUMAN
Maintena: Maintena	ERVICE		UDC. UEA. UDL. UDN. USL. UAL. UHL. UCL, NTCVG. NTCUD, NTCD1. U1TD1, U1TD3.			57.73			1		ι '	1	i '	1 '	1
Maintena: Maintena: Maintena:	ERVICE		UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3,	-		- 31.10		ļ		 		 	 	 	
Maintena: Maintena			UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3,	T	 	 	•	ļ		 			 	 	
Maintena: Maintena			UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3,		 	+		 		+				 	
Maintena: Maintena			UHL, UCL, NTCVG. NTCUD, NTCD1. U1TD1, U1TD3,		1				l	1	1		1	1	l .
Maintena: Maintena			NTCUD, NTCD1, U1TD1, U1TD3,		1				1	1 '	i	1	1		
Maintena: Maintena			U1TD1, U1TD3,	İ					į	1	ł				ì
Maintena: Maintena					1				1	'	ı	1	1		
Maintena: Maintena			U1TDX, U1TS1.	1	1				l	,	i	1	1	l	
Maintena: Maintena			U1TVX, UDF,	ł	(1	1	1 /	1		-		Ì
Maintena: Maintena			UDFCX. UDLSX.		1				1	1	1				
Maintena: Maintena			UE3, ULDD1,		ł				1	1 /	ĺ		ĺ		
Maintena: Maintena		1 1	ULDD3, ULDDX,		1	1			1	1	1		į	l .	
Maintena: Maintena		1 1	ULDS1, ULDVX,		1				1	1 '	1	ł	l	i	
Maintena		1 1	UNC1X, UNC3X.		1		•		1	1 '	1		i	i	
Maintena:		1 1	UNCDX, UNCSX.		1				i	'	1				
Maintena: Maintena	enance of Service Charge, Basic Time, per half hour	1 1	UNCVX, ULS	MVVBT	i	80.00	55.00		1	'	1	Į			1
Maintena	200 000 000 000 000 000 000 000		UDC, UEA, UDL,	1010001		80.00	35.00		 	 		 	 	 	ļ
Maintena			UDN, USL, UAL,						1	1		1			1
Maintena			UHL, UCL, NTCVG,							1		1			l
Maintena			NTCUD, NTCD1,	1						1		1		1	1
Maintena			U1TD1, U1TD3.	1	i	1		1		1 '	ł		1		1
Maintena		i l	U1TDX, U1TS1,	i		1				1 '	j .		!		
Maintena		i l	U1TVX, UDF.	i	1	1		1		1 '	1		1		
Maintena			UDFCX, UDLSX,			1	i			1	1	1			
Maintena			UE3, ULDD1,		İ	1				1	1	i .			1
Maintena		1 1			}			ļ	1	1	1	1		i	i
Maintena			ULDD3, ULDDX, ULDS1, ULDVX,	1	1			1	l l	1	1			ł	1
Maintena				1		1		1		1	1			•	
Maintena		1 1	UNC1X, UNC3X.	1]		ŀ	1		1	1		1		i
Maintena	70 : 0: 0 : 1	1 1	UNCDX, UNCSX,		1					1	1			1	
LOOP MODIFICATION	enance of Service Charge, Overtime, per half hour		UNCVX, ULS	MVVOT		90.00	65.00)				_		 	
Maintena		1 1	UDC, UEA, UDL,										ì		1
Maintena LOOP MODIFICATION		1 1	UDN, USL. UAL.		1					İ		}			
Maintena		1 1	UHL, UCL, NTCVG.	•						1					t
Maintena LOOP MODIFICATION		1 1	NTCUD, NTCD1,				1	1		1					1
LOOP MODIFICATION			U1TD1, U1TD3,	t		1				1	1		1		1
Maintena			U1TDX, U1T\$1.	1	1	1	!	1		1	ļ		1	1	1
Maintena LOOP MODIFICATION		1 1	U1TVX, UDF,	i	1	i	1	i		1	1			1	1
Maintena LOOP MODIFICATION			UDFCX, UDLSX,	1	1	i		1		1			1	i	1
Maintena			UE3, ULDD1,	1	ļ			1		ł			1	1	1
Maintena			ULDD3, ULDDX,	1	1			1				1	1	1	i
Maintena			ULDS1, ULDVX,	1				1				1	1	1	1
Maintena			UNC1X, UNC3X,	1	1			1	1			1	1	1	į
LOOP MODIFICATION			UNCDX, UNCSX,	1	1			1	1			i	1	1	1
LOOP MODIFICATION	tenance of Service Charge, Premium, per half hour		UNCVX, ULS	MVVPT	1	100.00	75.0								
	N							1				1			1
1 1 1			UAL, UHL, UCL,	1						1		1		1	1
			UEQ. ULS, UEA,	1				1	1	1		1	i	1	1
Unbundle			UEANL, UEPSR,	1				1	1	1		1	i	1	1
	ndled Loop Modification, Removal of Load Coils - 2 Wire		UEPSB	ULM2L	<u> </u>	29.97	1			_L		1			
		ss		1						T				1	
	ndled Loop Modification, Removal of Load Coils - 2 Wire	1)	UHL, UCL, UEA	ULM4L	<u> </u>	68.11		_L	<u>i</u>						
	ndled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft. per Unbundled Loop		UAL, UHL, UCL,	1						1				1	
	ndled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft. per Unbundled Loop Indled Loop Modification Removal of Load Coils - 4 Wire le	+ +	UEQ, ULS, UEA,	j	1			1	1	1	1		1	1	1
Unbundi∈	ndled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft. per Unbundled Loop Indled Loop Modification Removal of Load Coils - 4 Wire le		UEANL, UEPSR,	1		1		1	1	1		1	1	1	1
	ndled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft. per Unbundled Loop Indled Loop Modification Removal of Load Coils - 4 Wire le	ı.	UEPSB	ULMBT		17.91		1		1		1	1	1	1
SUB-LOOPS	ndled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft. per Unbundled Loop ndled Loop Modification Removal of Load Coils - 4 Wire le or equal to 18K ft, per Unbundled Loop	l,		I					T	T					
Sub-Loop Distrib	ndled Loop Modification, Removal of Load Colls - 2 Wire ess than or equal to 18k ft, per Unbundled Loop ndled Loop Modification Removal of Load Colls - 4 Wire le or equal to 18k ft, per Unbundled Loop ndled Loop Modification Removal of Bridged Tap Remova	ı.													
Sub-Loo	indled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft, per Unbundled Loop indled Loop Modification Removal of Load Coils - 4 Wire le or equal to 18k ft, per Unbundled Loop indled Loop Modification Removal of Bridged Tap Removal inbundled Loop	11		.,								T	T	T	
Up	indled Loop Modification, Removal of Load Coils - 2 Wire ess than or equal to 18k ft, per Unbundled Loop indled Loop Modification Removal of Load Coils - 4 Wire le or equal to 18k ft, per Unbundled Loop indled Loop Modification Removal of Bridged Tap Removal inbundled Loop	11		1	1	1	1	1		1	1			1	1
	ndled Loop Modification, Removal of Load Coils - 2 Wire sess than or equal to 18k ft, per Unbundled Loop modification Removal of Load Coils - 4 Wire leaded to 18k ft, per Unbundled Loop or equal to 18k ft, per Unbundled Loop andled Loop Modification Removal of Bridged Tap Removal Inbundled Loop	11	UEANL. UEF	USBSA		255.51						F		1	1

	DLED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGOR	Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
	· · · · · · · · · · · · · · · · · · ·	+	- 		 	Rec	Nonre		Nonrecurring					Rates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	 	 - 				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up		1 1	UEANL	USBSC		174.92						1		·	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Se				10000		174.52									ļ
	Up			UEANL	USBSD		51.56		1				ĺ		1	
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working an Spare Loop Activation	d								·		i	·			
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working an	_		UEANL	USBRC	3 71	28.43	3.85	2.20	0.01						
	Spare Loop Activation	٩		UEANL	USBRD	7.00										
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	+		UEANL	USBHU	7.90	31.04	4.79	2.27	0.01	ļ					<u> </u>
	Zone 1		1	UEANL	USBN2	7.45	28.43	3 85	2.20	0.01		•				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	T			1			200	2.20	0.07		 				
	Zone 2	.	2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01	l	1				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3															
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	+	3	UEANL	USBN2	21.46	28 43	3.85	2.20	0.01	L				i	
	Zone 1	1	1 , 1	UEANL	USBN4											
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	+	- 	OEANL	USBINA	6.91	31 04	4.79	2.27	0.01	 					
	Zone 2	1	2	UEANL	USBN4	10.98	31.04	4.79	2.27	0.01			ŀ			
. 1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop									0.01		 			 	ļ
	Zone 3		3	UEANL	USBN4	20.32	31.04	4.79	2.27	0.01			l		İ	1
1	0-40		1 1	_												
-+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC		18.90	18 90							<u> </u>	
	Sub-Loop 2-Wire Intrabuliding Network Cable (INC)		 	UEANL	USBR2	3.71	28.43	3.85	2 20	0.01						
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.90								ļ	
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	+	1	UEANL	USBR4	7.90	31.04	18.90 4.79	2.27	0.01						
	**************************************	\vdash			000111	7.50	01.04		2.21	0.01	1	 	-		 	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.L	1 1	UEANL	USBMC		18.90	18.90	}		ļ	1				
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		26.64	0.00								<u> </u>
	Loop Testing - Basic Additional Half Hour	4		UEANL	URETA		15.15	15.15								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.88	28.43	3.85	2.20							L
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		2	UEF	UCS2X UCS2X	8.32	28.43	3.85	2.20							<u> </u>
	2 Wife Copper Chool cled Stab-2000 Distribution - Zone 3	+	1 3	UEF	00324	10.26	28.43	3.85	2.20	0.01			 			
ı	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.90	18.90								ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.55	31.04	4.79	2.27	0.01					 	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	7.12	31.04	4.79	2.27	0.01			1			1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	10.26	31.04	4.79	2.27	0.01						
	Codes Consideration to University Code Language		1												I	' '
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop tagging Service Level 1, Unbundled Copper Loop, Non-	+-	 	UEF	USBMC		18.90	18.90				·				
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour	 		UEF	URET1		26.64	0.00	-						 	
	Loop Testing - Basic Additional Half Hour	-		UEF	URETA		15.15	15.15							 	
Un	bundled Sub-Loop Modification									•						
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1 1						1							
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00							L	1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR	1		UEF	ULM4X]	0.00				1					1
	Unbundled Loop Modification, Removal of bridge Tap, per	+	 	UCT	ULM4X		0.00	0.00	 	 	 				 	
1	unbundled loop			UEF	ULMBT		0.00	0.00	[1					
Uni	bundled Network Terminating Wire (UNTW)	•	•	:- 			U.30					·	-	<u> </u>		
	Unbundled Network Terminating Wire (UNTW) per Pair		<u></u> I	UENTW	UENPP	0.5325	25.10	12.27		I	1.	l	T		Γ.	F
Net	twork Interface Device (NID)				_											
——	Network Interface Device (NID) - 1-2 lines	+	1	UENTW	UND12		32.82	20.67								
-+	Network Interface Device (NID) - 1-6 lines	+	 	UENTW	UND16		55.97	43.82			<u> </u>				ļ	ļ
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	+	 	UENTW	UNDC2 UNDC4		2.45	2.45	 	ļ		 		ļ	ļ	
	R, PROVISIONING ONLY - NO RATE	+	1	DENTW	UNDC4		2.45	2.45		L	L				-	

UNBUND	LE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	,	RATE ELEMENTS	loterim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	\dashv			+			Rec	Nonrec		Nonrecurring					Rates(\$)		
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF,			First	Add ⁻ l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UEO, UENTW, NTCVG, NTCUD, NTCD1, USL,	UNECN	0.00	0.00									
	-	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no	Ь	—	USL, NTCD1	CCOSF		0.00							T		
		rate			USL, NTCD1	CCOEF		0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00					 	 	 		
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAK			\													1	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility		-	UMK	UMKLW		15.18	15.18								
		queried (Manual).			UMK	UMKLP		19.83	19.83								
		Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.823	0.823								
LINE SPLIT		G		†		0,		0.023	0.023				 	 	 		
EN	D US	SER ORDERING-CENTRAL OFFICE BASED				•				<u> </u>							
├		Line Splitting - per line activation DLEC owned splitter	1	1	UEPSR UEPSB	UREOS	0.61			[I	
		Line Splitting - per line activation BST owned - physical	↓		UEPSR UEPSB	UREBP	0.0197	34.43	22.35	10.38	7.34						
EN	n III	Line Splitting - per line activation BST owned - virtual	J		UEPSR UEPSB	UREBV	0.0188	34.43	22.35	10.38	7.34	<u> </u>		1]	<u> </u>
EN	יט ט	SER ORDERING - REMOTE SITE LINE SPLITTING Remote Site Shared Loop Line Activation for End Users - CLEC	т—	T	,					r		γ	γ			·	
		Owned Splitter Remote Site Shared Loop - Subsequent Activity - CLEC Owned	-		UEPSR UEPSB	URERS	0.61	57.13	23.12	7,11	7,11						
		Splitter	1	L	UEPSR UEPSB	URERA	<u> </u>	54.10	21.46					1	1	•	}
		NDLED EXCHANGE ACCESS LOOP															
2-W	VIRE	ANALOG VOICE GRADE LOOP				·										r	
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Spitting - CLEC Owned Splitter - Zone 1 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		1	UEPSR UEPSB	UEARS	6.52	28.45	3.85	2.20	0.01					ļ	ļ
		Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSA UEPSB	UEARS	10.18	28.46	3.85	2.20	0.01	ļ	ļ		<u> </u>		<u> </u>
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	19.51	28.46	3.85	2.20	0.01						
UN	E Lo	oop Rates for Line Splitting (In Ga. PSC ordered the line splitting	g loop (
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1 1	11	UEPSR UEPSB		10.98	10.04	7.35	1.37	1.28			1		1	
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	+	1	UEPSR UEPSB	UEABS	10.98	10.04	7.35	1.37	1.28			+		-	
+-		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	+	2	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	16.30 16.30	10.04	7.35 7.35	1.37	1.28		 		+	+	
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	+ +	3	UEPSR UEPSB	UEALS	34.73	10.04	7.35	1.37	1.28		 	 	 	 	
	_	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	L	3	UEPSR UEPSB	UEABS	34.73	10.04	7.35		1.28						
PH	YSK	CAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line		 -	T					Τ	· · · · · · ·	T		1	T	Τ	T
		Splitting			UEPSR UEPSB	PE1LS	0.0202	0.00	0.00	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>
VIE	יט דר	AL COLLOCATION	т			т				Γ		1			T	1	
LIN	IF S	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	<u>.</u>	<u> </u>	UEPSR UEPSB	VE1LS	0.0192	0.00	0.00	0.00	0.00	<u> </u>	<u> </u>	1	1	<u> </u>	L
		The Line Sharing monthly recurring rates for all installations co	omplete	d on or	after October 02, 200	3 shall be bilk	ed as follows:		I	Υ		I					
SP	UT1	TERS-CENTRAL OFFICE BASED										,				·	
		Line Sharing Splitter, per System 96 Line Capacity	1		ULS	ULSDA	117.18	243.66	0.00		0.00		 	 		 	
\vdash		Line Sharing Splitter, per System 24 Line Capacity	 	+	ULS	ULSDB ULSD8	29.30 9.77	243.66 243.66	0.00		0.00		+	 	 	 	+
-		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activator-	+	+			9.77			i		T	1	 	 	 	
		deactivation (per LSOD)	1	—	ULS	ULSDG		72.34	0.00	68.76	0.00	\		}			
LINE SHAP		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	٠		L	J		L	l	ــــــــــــــــــــــــــــــــــــــ	 .	<u> </u>	·				
I EN	in 0	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter)	1	7	ULS	ULSDC	0.61	10.51	7.70	7,00	4.20	т		T		Τ	Τ
		Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter)	+-	+	ULS	ULSDT	6.50	24.53	0.00		0.00		 	+	 	1	+
\vdash		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter	1	1	ULS	ULSDS	3.00	48.91				1		1			

DIABONDLED HE	TWORK ELEMENTS - Georgia												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
			1 1								Submitted		Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)								
				555	0300			HATE3(3)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order v
					-							!	Electronic-	Electronic-	Electronic-	Electroni
ì												1	1st	Add'I	Disc 1st	Disc Add
												<u> </u>	<u> </u>	l	<u> </u>	<u> </u>
			1			Rec	Nonrec		Nonrecurring I		L		OSS	Rates(\$)		
11110			├				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Line Sr	haring - per Subsequent Activity per Line		l i				ŀ									
Hearra	ingement(BST Owned Splitter	L	↓ ↓	ULS	ULSCS		36.23	13.23	16.94	1.69	l	ì		1		
Line Sr	haring - per Line Activation (DLEC owned Splitter)	<u> </u>		ULS	ULSCC	L	29.88	16.28	12.08	7.34				1	 	†
	haring - per Line Activation (DLEC owned Splitter)		ــــــــــــــــــــــــــــــــــــــ	ULS	ULSCT		29.88	16.28	12.08	7.34	1	 		·		-
	HIGH FREQUENCY SPECTRUM											·				
SPLITTERS-R																
	te Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	31.64	90.65		64.74		Γ-	Γ	γ	T	T	т
Remote	te Site Line Share Line Activationfor End User Served at										 	 -		 		+
RS, BS	ST Splitter	l	1 1	ULS	ULSRT		43.54	17.2B	6.82	3.82	İ	l		1	Į.	Į.
	te Site Line Share Cable Pair Activation CLEC Owned at RS		1		OCS.T.	 	43.34	17.20	0.02	3.82		 	 	<u> </u>	ļ	↓
	eactivation	l		ULS	ULSTG	;	75.02		47.17		{	1	1	1	1	1
	ENANCE		╁──┤	UL3	ULSIG	 	/5.02		47,17		-	<u> </u>	ļ <u>.</u> .		ļ	
	puble Found - per 1/2 hour increments - Basic	├──	 		_	├					<u> </u>		 _	ļ	ļ	
	puble Found - per 1/2 hour increments - Basic		}		 	├	80.00	0.00			ļ	<u> </u>	<u> </u>			
		⊢	 		ļ	ļ	120.00	0.00	I							
	ouble Found - per 1/2 hour increments - Premium	<u> </u>	↓		ļ		160.00	0.00								
NBUNDLED DEDICA	TEU THANSPORT	L	لــــــــــــــــــــــــــــــــــــــ			L							1	L		T
	CHANNEL - DEDICATED TRANSPORT															
	fice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0059						T	1		1	
Interoff	fice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	13.15	48.41	19.46	16.56	4.99	 			 	 	+
Interoff	fice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0059							 	 	 	
			1								 	\vdash		 	 	
Interoff	fice Channel - 2-Wire VG Rev Bat Facility Termination	l	1 1	U1TVX	U1TR2	13.15	48.41	19.46	16 56	4.99	1		1		1	
Interoff	fice Channel - 4-Wire Voice Grade - per mile		1 -1	U1TVX	1L5XX	0.0059		10.40				 	 	 		+
			+			0.0000					 		 -	 		+
interoff	fice Channel - 4- Wire Voice Grade - Facility Termination	l		U1TVX	U1TV4	11.01	48.41	19.46	16.56	4.99	1			1	l .	
	fice Channel - 56 kbps - per mile		++	UITDX	1L5XX	0.0059	46.41	19.46	10.50	4.99		 	 	ļ		
	fice Channel - 56 kbps - Facility Termination		1-1	UITDX	U1TD5	8.00	48,41		16.56		<u> </u>	 		 		+
		⊢-					48.41	19.46	16.56	4.99	<u> </u>	ļ	ļ <u> </u>	<u> </u>		
	fice Channel - 64 lops - per mile			U1TDX	1L5XX	0.0059						<u> </u>	ļ	<u> </u>		4
	fice Channel - 64 kbps - Facility Termination		\vdash	U1TDX	U1TD6	8.00	48.41	19.46	16.56	4.99	<u> </u>		<u> </u>	<u> </u>		
	fice Channel - DS1 - per mile		1	U1TD1	1L5XX	0.1199					L	L			L	
Interof	fice Channel - DS1 - Facility Termination	<u> </u>		U1TD1	U1TF1	34.93	110.92	80 20	31.33	21.71	<u> </u>					
Interof	fice Channel - DS3 - per mile	<u> </u>		U1TD3	1L5XX	2 63										
Interof	fice Channel - DS3 - Facility Termination	<u> </u>		U1TD3	U1TF3	349.42	320.16	86.24	66 71	52.76	<u> </u>			1	<u> </u>	
	flice Channel - STS-1 - per mile			U1TS1	1L5XX	2.63					1		1			
	fice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	366.43	320.16	86.24	66.71	52 76	1					
UNBUNDLED	DARK FIBER															
Dark F	iber - Interoffice Transport, Per Four Fiber Strands, Per	Τ	T		Т						T	T	T	1		1
Route	Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.17			i l		1			i	1	
Dark F	iber - Interoffice Transport, Per Four Fiber Strands, Per	1	-			i					 	1	 	1	*	1
	Mile Or Fraction Thereof	ł		UDF, UDFCX	UDF14	}	1,774.79	89.66	73.57	18.69	}	1		1	İ	
	BUNDLED LOCAL LOOP		+	001,0010x	00.14	† 		00.00	10.01		 	1 		 	 	
	INBUNDLED LOCAL LOOP - Stand Alone	ــــــــــــــــــــــــــــــــــــــ		·	<u>. </u>	· · · · · · · · · · · · · · · · · · ·			<u> </u>	· · · · · · · · · · · · · · · · · · ·	ــــــــــــــــــــــــــــــــــــــ	1	1	1		
	John John John John John John John John	1	T	UE3	1L5ND	11.40	T				Т	T	T	T	T	7
		 	-			258.44	1,751.51	131.77	112 80	75.81	 	+	+	 	 	+
	Inbundled Local Loop - Facility Termination	+	₩-	UE3	UE3PX		1,/51.51	131.//	112 80	/5.81	├ ─	+	+	+	+	+
	Unbundled Local Loop - per mile	ļ	-	UDLSX	1L5ND	11.40				ļ		+	 	 	 	+
	Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	349.42	1,751.51	131.77	112.80	75.81			ļ		 	
NHANCED EXTEND		⊥				1			<u></u>	L		<u> </u>	<u>}</u>	L	J	
Network Elem	nents Used in Combinations															
2-Wire	e VG Loop (SL2) in Combination - Zone 1		1 _	UNCVX	UEAL2	13.32	195.75	36.35		6.86						
2-Wire	VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.66	195.75	36.35	18.40	6.86			1			
	e VG Loop (SL2) in Combination - Zone 3	I	3	UNCVX	UEAL2	36.33	195.75	36.35	18.40	6.86			1			
	e Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	21.04	195.75	36.35	18.40	6.86						
	e Analog Voice Grade Loop in Combination - Zone 2	1	2	UNCVX	UEAL4	24.49	195.75	36.35	18.40	6.86						
	e Analog Voice Grade Loop in Combination - Zone 3	T	3	UNCVX	UEAL4	33.40	195.75	36.35	18.40	6.86		1				
	e ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	22.73	195.75	36.35		6.86	1	1			1	1
	e ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	29.11	195.75	36.35		6.86			1	1	1	T
	e ISDN Loop in Combination - Zone 3	 	3	UNCNX	U1L2X	46.42	195.75	36.35		6.86		1	 	1		1
	e 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	25.81	195.75	36.35		6.86		1	+	1	 	+
		+	_	UNCDX	UDL56	31.54	195.75	36.35		6.86		+	+	+	 	+
	e 56Kbps Digital Grade Loop in Combination · Zone 2		2						18.40			 	+	+	- 	+
	s 56Kbps Digital Grade Loop in Combination - Zone 3	├	3	UNCDX	UDL56	42.38	195.75	36.35		6.86		 	 		+	+
4-Wire	64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1_1_	UNCDX	UDL64	25.81	195.75	36.35		6.86			 	1		+
4-Wire	e 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.54	195.75	36.35	18.40	6.86					 	-
4-Wire	e 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNÇDX	UDL64	42.38	195.75	36.35		6.86					1	
	e DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	49.41	209.25	70.37	37.87	6.86	1		}			1

UNBUNDLE	D NETWORK ELEMENTS - Georgia										-		Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	 	-	├			Rec	Nonrec		Nonrecurring					Rates(\$)		
	A Wire DC4 Digital Langue Combined 7						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		2	UNC1X	USLXX	52.55	209.25	70.37	37.87	6.86					L	
	DS3 Local Loop in combination - zone 3		3	UNC1X	USLXX	68.40	209.25	70.37	37.87	6.86			ļ			
	DS3 Local Loop in combination - Per mile	1		UNC3X UNC3X	1L5ND UE3PX	11.40			ļ							
 	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	258.44	1,259.23	628.22	41.49	20.74						
F	STS-1 Local Loop in combination - Facility Termination	╌		UNÇSX	UDLS1	11.40 349.42	1,259.23	628.22	41,49				ļ		<u> </u>	ļ
<u> </u>	Interoffice Channel in combination - 2-wire VG - per mile		 	UNCVX	1L5XX	0.0059	1,259.23	628.22	41.49	20.74		<u> </u>				
<u> </u>	Interoffice Channel in combination - 2-wire VG - Facility	 	-	ONCVA	ILSAA	0.0059			 				 			
1 1	Termination			UNCVX	U1TV2	13.15	66.47	33.57	43.38	27.57					1	ı
	Interoffice Channel in combination - 4-wire VG - per mile		 	UNCVX	1L5XX	0.0059	- 00.47	33.37	43.36	21.51						
	Interoffice Channel in combination - 4-wire VG - Facility	1							 			· · · · · · · · ·	i	 	 	
	Termination	<u></u>	1	UNCVX	U1TV4	10.78	66.47	33.57	43.38	27.57				1	1	1
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0059			1	2	 		 	 	1	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	I									· · · · · ·				1	
	Termination	L		UNCDX	U1TD5	8.00	66.47	33.57	43.38	27.57	L	L	<u></u>	L	l	L
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	Ļ	.	UNCDX	1L5XX	0.0059					I					
	Interoffice Channel in combination - 4-wire 64 kbps - Facility		1						· · ·							
	Termination	ļ	ļ	UNCDX	U1TD6	8.00	66.47	33.57	43.38	27.57	<u> </u>				\	1
	Interoffice Channel in combination - DS1 - per mile	├	 	UNC1X	1L5XX	0.1199			ļ		 			L		
	Interoffice Channel in combination - DS1 Facility Termination	├ ──	-	UNC1X	UITFI	34.93	87.67	45.69	43.76	27.95			ļ			
	Interoffice Channel in combination - DS3 - per mile		 	UNC3X	1L5XX	2.63	205.50		10.00							
	Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile		├ ──	UNC3X UNCSX	U1TF3	349.42 2.63	325.59	76.99	49.51	32.85			<u> </u>	 		
	Interoffice Channel in combination - STS-1 - per mile	╁	 	UNCSX	UITES	366.43	325 59	76.99	49.51	32.85			+	 	 	
ADDITIONAL A	NETWORK ELEMENTS	 	├ ─	UNCSX	UIIFS	366.43	325 59	/6.99	49.51	32.85	 	 -	 	 	ļ	
	al Features & Functions:	Ъ		L	L	لــــــا	·		·		<u> </u>	-		<u> </u>	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ
- Johnson	T data ou a vanctiona.	T		U1TD1.	1	I			1		Г	T	T	г	1	Г
j	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00				l .	1		1		
		_	 	U1TD1,					<u> </u>		 	· · · · · · · · · · · · · · · · · · ·	1	· · · · · · · · · · · · · · · · · · ·	1	
1 1	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00				ł	1			1	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -		_	ULDD1, U1TD1.					1							
1 1	per DS1	1	1	UNC1X, USL	NRCCC	\ '	184.62	23.78	2.03	0.79	1	1	1	i	1	<u> </u>
				U1TD3, ULDD3,	T								1			
L!	C-bit Panty Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3	L	218.74	7.66	0.7591	0.00		L		L		
	DS1/DS0 Channel System			UNC1X	MQ1	71.23	86.01	0.00		0.00			ļ	<u> </u>		↓
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	124.39	0.00	0.00		0.00		ļ		L	ļ	
	Voice Grade COCI in combination	↓	—	UNCVX	1D1VG	0.479	27.30	2.90	16.85	1.04	_	ļ		ļ		
	L	Į.	l								1	1	1	ţ	1	1
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	ऻ—	-	UEA	1D1VG	0.479	27.30	2.90	16.85	1.04	 				 	-
	Voice Grade COCI - for connection to a channelized DS1 Local	1	1	LISTUC	1D1VG	0.479	27.20	2.90	16.85	1.04	1				1	
 	Channel in the same SWC as collocation OCU-DP COCI (2.4-64kbs) in combination	1	+-	U1TUC	1D10G	1.02	27.30 27.30	2.90		1.04	 	 	+	+	 	
\vdash	OCU-DP COCI (2.4-64lbs) in combination OCU-DP COCI (2.4-64lbs) - for Unbundled Digital Loop	+	+	UNCDX	1D1DD	1.02	27.30	2.90		1.04		 	+	 	 	
 	OCU-DP COCI (2.4-64kbs) - for Connection to a channelized DS1	+	+-	1 000	10100	1.02	27.30	2.90	10.03	1.04	 	†	 	 	1	1
	Local Channel in the same SWC as collocation			UITUD	1D1DD	1.02	27.30	2.90	16.85	1.04				I	1	
 	2-wire ISDN COCI (BRITE) in combination	+	+	UNCNX	UC1CA	1.70	27.30	2.90		1.04	1	1	<u> </u>		1	T
	2-wire ISDN COCI (BRITE) - for a Local Loop	 	+	UDN	UC1CA	1.70	27 30	2.90		1.04		†	1			
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	1	-						1							
1 1	Local Channel in the same SWC as collocation	1	L	U1TUB	UC1CA	1.70	27.30	2.90		1.04		<u> </u>		<u></u>	1	
	DS1 COCI in combination			UNC1X	UC1D1	7.50	27.30	2.90		1.04						ļ
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	7.50	27.30	2.90		1.04				 		
	DS1 COCI - for Stand Alone Interoffice Channel	L		U1TD1	UC1D1	7.50	27.30	2.90		1.04		ļ	 	 	 	
	DS1 COCI - for DS1 Local Loop	 	₩	USL, NTCD1	UC1D1	7.50	27.30	2.90	16.85	1.04	L		 	ļ	 	
	DS1 COCI - for connection to a channelized DS1 Local Channel in	'	1	1147114	l ucini	7.50		0.00	1000	l	}	1	1		1	ì
 	the same SWC as collocation	+	+-	U1TUA	UC1D1	7.50	27.30	2.90	16.85	1.04	 	 	+		+	-
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
1 1	Wholesale - UNE. Switch-As-Is Conversion Charge		Ι.	HFRST, UNCNX	UNCCC	L	5.69	5.69	6.60	6.60		L		<u>L</u>	1	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>				Rec	Nonrec		Nonrecurring					Rates(S)		
	-		├					First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX, U1TD1, U1TD3,		1										
		Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element	<u> </u>	 	U1TS1, UDF, UE3 U1TVX, U1TDX,	URESL		5 69	5.69	6.60	6.60		,				
	1	Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,												
		on a spreadsheet to DCS - Customer Reconfiguration (FlexServ)		<u> </u>	U1TS1, UDF, UE3	URESP	l	5.69	5.69	6.60	6.60		L	L	L	L	L
		Customer Reconfiguration Establishment		1—				1.40		1.63			r		· · · · · · · · · · · · · · · · · · ·	,	
		DS1 DCS Termination with DS0 Switching		 			20.08	24.87	18.91	15.02	11,94						
		DS1 DCS Termination with DS1 Switching		 			7.24	18.16	12.19	11.13	8.05	 		 		 	
		DS3 DCS Termination with DS1 Switching		1			128.34	24.87	18.91	15.02	11.94	 	 				
		ynchroNet)								·	· · · · · · · · · · · · · · · · · · ·		·		·		
L		Node per month			UNCDX	UNCNT	13.98							L		1	
\Box	Service	Rearrangements															
		NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,												
		Rearrangement	 	 	UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,	URETD		100,91	42.97			 -					<u> </u>
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.68	3.68								
COMMI		NRC - Order Coordination Specific Time - Dedicated Transport	 '	1	UNC1X, UNC3X	OCOSR		18.89	18.89	ļ				ļ			
					UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
	1	Commingling Authorization	J		ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00	⊥	L	<u></u>	L	L	<u> </u>
	Commir	ngled (UNE part of single bandwidth circuit and interfaces)			V5.15.	1D1VG				16.85	1.04		,	,			
\vdash		Commingled VG COCI Commingled Digital COCI	+	+	XDV2X XDV6X	1D10G	0.479	27.30 27.30	2.90 2.90	16.85	1.04		 	 	 	 	
<u> </u>		Commingled ISDN COCI	 	+	XDD4X	UCICA	1,70	27.30	2.90	16.85	1.04			 	 		
	_	Commingled 2-wire VG Interoffice Channel	+	+	XDV2X	U1TV2	13.15	66.47	33.57	43.38	27.57			·			1
		Commingled 4-wire VG Interoffice Channel		1	XDV6X	U1TV4	10.78	66.47	33.57	43.38	27.57		····	<u> </u>			
		Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	8.00	66.47	33.57	43.38	27 57						
		Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	8.00	66.47	33.57	43.38	27.57						
		Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.0059									1	
		Commingled 2-wire Local Loop Zone 1	+-	+	XDV2X	UEAL2	13.32	195.75	36.35	18.40	6.86	 		†	 	 	·
		Commingled 2-wire Local Loop Zone 2	+	2	XDV2X	UEAL2	18.66	195.75	36.35		6.86			1			1
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	36.33	195.75	36.35		6.86	1				I	
		Commingled 4-wire Local Loop Zone 1		1.1	XDV6X	UEAL4	21.04	195.75	36.35	18.40	6.86	1	I				
		Commingled 4-wire Local Loop Zone 2	I	2	XDV6X	UEAL4	24.49	195.75	36.35		6.86					<u> </u>	
		Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	33,40	195.75	36.35		6.86				ļ	_	1
		Commingled 56kbps Local Loop Zone 1	\perp	1	XDD4X	UDL56	25.81	195.75	36.35		6.86		 		ļ	-	
L		Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	31.54	195.75	36.35		6.86		 	├	ļ	 	+
		Commingled 56kbps Local Loop Zone 3	+	3	XDD4X XDD4X	UDL56 UDL64	42.38 25.81	195.75 195.75	36.35 36.35		6.86		 	 	 	 	+
		Commingled 64kbps Local Loop Zone 1		1				195.75	36.35				 				
		Commingled 64kbps Local Loop Zone 2 Commingled 64kbps Local Loop Zone 3	+	3	XDD4X XDD4X	UDL64 UDL64	31.54 42.38	195.75	36.35				 	 	 	 	+
		Commingled ISDN Local Loop Zone 1	+	1	XDD4X	U1L2X	22.73	195.75	36.35			 	 	t	t	 	1
		Commingled ISDN Local Loop Zone 2	1	2	XDD4X	U112X	29.11	195.75	36.35				-	 	 	1	1
		Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3	+	3	XDD4X	U1L2X	46.42	195.75				1	 	1	1	1	
			+	╅	XDHIX	UC1D1	7.50	27.30	2.90		1.04		 		1	†	1
																	,
		Commingled DS1 COCI Commingled DS1 Interoffice Channel	+	+	XDH1X	U1TF1	34.93	87.67	45.69		27.95						
		Commingled DS1 Interoffice Channel Commingled DS1 Interoffice Channel Commingled DS1 Interoffice Channel Mileage		1=						43.76	27.95						<u> </u>

חמאחמאחר	ED NETWORK ELEMENTS - Georgia									· ·			Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Increments Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring			·		Rates(\$)	L	
	Commingled DS1 Local Loop Zone 1	┼	-	XDH1X	USLXX		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled DS1 Local Loop Zone 1	+	2	XDH1X XDH1X	USLXX	49.41 52.55	209.25 209.25	70.37 70.37	37.87	6.86			<u></u>			
	Commingled DS1 Local Loop Zone 3	+	3	XDH1X	USLXX	68.40	209.25	70.37	37.87 37.87	6.86 6.86						
	Commingled DS3 Local Loop	1	1	HFQC6	UE3PX	258.44	1,751.51	131.77	112.80	75.81				 		
	Commingled DS3/STS-1 Local Loop Mileage	1 -		HFQC6. HFRST	1L5ND	11.40				73.01			-			
_	Commingled STS-1 Local Loop	\bot		HFRST	UDLS1	349.42	1,751.51	131.77	112.80	75.81						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	124.39	0.00	0.00	0.00	0.00						
	Commingled DS3 Interoffice Channel	┦		HFQC6	U1TF3	349.42	325.59	76.99	49.51	32.85						
	Commingled DS3 Interoffice Channel Mileage Commingled STS-1Interoffice Channel	┼		HFQC6 HFRST	1L5XX	2.63										
	Commingled STS-1Interoffice Channel Mileage	+	 	HFRST	U1TFS 1L5XX	366.43	325.59	76.99	49.51	32.85						
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	+	+-	nrnai	ILSAA	2.63					 					
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.17	!				i	1		1		1
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1-	\vdash			24.1/					 	 	 		 	
	Strands, Per Route Mile Or Fraction Thereof		1	HEQDL	UDF14		1,774.79	89.66	73.57	18.69	1			1		1
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00			1			1
	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00				†		1
271 DS1 LOC			L													
4-W1	RE DS1 DIGITAL LOOP - COMMINGLING	-	 											L		
	4-Wire DS1 Digital Loop - Zone 1		1-1	271CX	271UC	85.97	211.72	72.42	38.20	7.19					ļ	
	4-Wire DS1 Digital Loop - Zone 2		3	271CX	271UC	81.27	211.72	72.42	38.20	7.19	└		<u> </u>	L		
	4-Wire DS1 Digital Loop - Zone 3 Central Office Interface Channel	+	13	271CX 271CX	271UC	128.28	211.72	72.42	38.20	7 19	<u> </u>	<u> </u>	ļ	ļ		
	Switch As Is conversion - single LSR	+	 	271CX	271UK URESL	9.50 6.54	27.30 6.54	2.90	16.85	1.04	 -		 	├ ──		
	Switch As Is conversion - Spreadsheet	+-	+	271CX	URESP	6.54	6.54				 -	 	+	 	 	
	Extended Superframe	+		271CX	CCOEF	0.54	0.00		·	· · · · · · · · · · · · · · · · · · ·	 	}	}	}	 	
	Superframe	+	+	271CX	CCOSF		0.00				 	 				†
	Order Coordination Time Specific		1	271CX	OCOSL	25.00					1	†	1			1
	Contact Name			271CX	UNECN		0.00				l"					I
LNP Query S			L.,											L		
	LNP Charge Per query		—		ļ	0 0008034					<u> </u>	ļ				<u> </u>
	LNP Service Establishment Manual		├		-		12.49		11.09					<u> </u>		
911 PBX LO	LNP Service Provisioning with Point Code Establishment	 -	├ ──		ļ	ļ	574.87	293.68	251.47	184.91					 	
	PBX LOCATE DATABASE CAPABILITY		٠	·	L	L			1	L	٠	<u> </u>				.1
1311	Service Establishment per CLEC per End User Account		_	9PBDC	9PBEU		1,825.00		T	· · · · · · · · · · · · · · · · · · ·	Υ	T	T	T	T	T
	Changes to TN Range or Customer Profile		1	9PBDC	9PBTN		182.67					 		 	—	1
	Per Telephone Number (Monthly)		1	9PBDC	9PBMM	0.07				<u> </u>	1	<u> </u>		<u> </u>		
	Change Company (Service Provider) ID		1	9PBDC	9PBPC		536.23		ſ		1					
	PBX Locate Service Support per CLEC (Monthit)		\Box	9PBDC	9PBMR	176.96					<u> </u>			L		
	Service Order Charge			9PBDC	9PBSC	L	11.73		<u> </u>	<u> </u>	<u></u>		<u></u>	<u> </u>		
	PBX LOCATE TRANSPORT COMPONENT															
	Att 3								· · · ·		т	T		т		
GA 271	00 1 5 To To To To To To To To To To To To To		┿	U1TD1	271UA	44.04	110.92	80.20	31.33	21.71	+	 -	 		+	+
	DS1 Interoffice Channel Facility Termination (271 standalone) DS1 Interoffice Channel per mile (271 standalone)		+	U1TD1	1L5UB	0.1417	110.32	60.20	31.33	21.71	+	 	ļ	 		+
	DS3 Interoffice Channel Facility Termination (271 standalone)	+	+	U1TD3	271NA	440.53	320.16	86.24	66.71	52.76	+	· 	+	 		+
	DS3 Interoffice Channel per mile (271 standalone)		+	U1TD3	1L5NB	3.11	SEC.10		1	-	+	 	<u> </u>	1	1	1
	DS3 Local Loop Facility Termination (271 standalone)	+	+	UE3	271NC	323.53	1,751.51	131.77	112.80	75.81		 	1	 		1
	DS3 Local Loop per mile (271 standalone)	+		UE3	1L5NG	13.47			T	1			i i			1
	DS1 Interoffice Channel Facility Termination (271 part		+	 	1							<u> </u>		1		1
	combination)			UNC1X	271UA	44.04	110.92	80.20	31.33	21.71		<u> </u>		L		
	DS1 Interoffice Channel per mile (271 part in combination)			UNC1X	1L5UB	0.1417			ļ	1				∔	 	
	DS3 Interoffice Channel Facility Termination (271 part in				L						. I		I	1	1	1
	combination)	-	+	UNC3X	271NA	440.53	320.16	86.24	66.71	52.76	'\	+	+	+	+	+
	DS3 Interoffice Channel per mile (271 part in combination)		+	UNC3X	1L5NB 271BS	3.11 157.48	0.00	0.00	0.00	0.00	+	+	+	+	+	+
	DS3/DS1 Channel System (271 part in combination)	+	+	UNC3X UNC3X	271BS	323.53	1,751.51	131.77		75.81		+	+	+	 	+
	DS3 Local Loop Facility Termination (271 part in combination) DS3 Local Loop per mile (271 part in combination)	+	+	UNC3X	1L5NG	13.47	1,731.31	131.77	112.80	13.8	+	1	†	+	+	+
	DS1 Local Loop per mile (271 part in combination) DS1 Local Loop in combination (271 part in combination)		+	UNC1X	271UC	85.97	209.25	70.37	37.87	6.86	3	 	1	1	1	$\overline{}$
	DS1 Local Loop in combination (271 part in combination)			UNCIX	271UC	81.27	209.25	70.37		6.86		 	 	 	1	
 	OS1 Local Loop in combination (271 part in combination)	+-		UNC1X	271UC	128.28	209.25	70.37		6.86				1		T
	DS1 COCI (271 part in combination)		1	UNC1X	271UK	9.50	27.30	2.90		1.04		I				
			$\overline{}$	1	1				T	Γ	1	Т	T		1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Submitted	Svc Order Submitted	Incremental Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
 						Rec	Nonre	curring	Nonrecurring	Disconnect	İ		OSS	Rates(\$)	L	
Note: R	lates displaying an "i" in interim column are interim as a result of	a Comr	nission	order.			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN

PERATIONS	RATE ELEMENTS										Cyn Orden	Svc Order	Att: 2 Exh; A	Incremental	Incremental	
PERATIONS		Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
PERATIONS						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
PERATIONS	Zana" abana in Abana in Abana in Abana in Abana in Abana in Abana in Abana in Abana in Abana in Abana in Abana														SUMMIT	SUMAN
PERATIONS	Zone" shown in the sections for stand-alone loops or loops as par www.interconnection.bellsouth.com/become_a_clec/html/intercor	nt of a co	ombina ombina	tion refers to Geograp	hically Deav	eraged UNE Zo	nes. To view (ieographically i	Deaveraged UN	IE Zone Design	ations by Ce	entral Office.	refer to intern	et Website:		-
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Inection	1.11111			r		·		· · · · · · · · · · · · · · · · · · ·		r				
	40.00		-						<u> </u>		<u> </u>	L	L	L	L	
the sta	: (1) CLEC should contact its contract negotiator if it prefers the "	state sp	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS c	harges current	ly contained in	this rate exhibit	are the Bell	South "regi	onal" service (ordering charg	es, CLEC ma	y elect eith
NOTE:	: (2) Any element that can be ordered electronically will be billed a	arges, o	a to th	a SOMEC rate listed in	al service or	dering charge, i	to BallSouth's	can not obtain	a mixture of the	e two regardle	ss if CLEC h	as a interco	nnection cont	ract establishe	d in each of t	he 9 states
Orderec	ed electronically at present per the EOH, the listed SOMEC rate in t	this cate	gory re	flects the charge that	would be bi	lled to a CLEC	once electronic	ordering capat	ollities come on	line for that ele	ement. Othe	rwise. the m	rereo erectron nanual orderio	cary. For the a charge, SOM	se elements tr IAN. will be at	at cannot i
CLECs	s on when a submits an CSH to Beasouth.										_					p
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only	l			SOMEC		2.50									
	OSS - Manual Service Order Charge, Per Local Service Request		 -		JUNEC		3.50	0.00	3.50	0.00				ļ		
	(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00	1		1	1		Ì
NE SERVICE	E DATE ADVANCEMENT CHARGE		L													
NOTE:	The Expedite charge will be maintained commensurate with Be	MSouth'	s FCC	UAL, UEANL, UCL.	as applicable	9.			·	,		r	·			
		1		UEF, UDF, UEQ,					ĺ						}	
ľ		1		UDL, UENTW, UDN.											İ	
		l		UEA, UHL, ULC.												
}		1		USL, U1T12, U1T48, U1TD1, U1TD3,							ľ					
-		1		U1TDX, U1TO3,												
}		1		U1TS1, U1TVX,												
		1		UC1BC, UC1BL,									l	Į	l	l
ì		}	1	UC1CC, UC1CL.		}			1					l	l	
		l		UC1DC, UC1DL, UC1EC, UC1EL,					ŀ		!		ĺ		l	
		1		UC1FC, UC1FL,		ł					1					
		1		UC1GC, UC1GL,							ĺ					
		1		UC1HC, UC1HL,		1			ļ.						ļ	
1				UDL12, UDL48.		1			i]	i		
		ŀ		UDLO3, UDLSX, UE3, ULD12,		}				i						
1				ULD48, ULDD1,]			l	i			į.		i	1
ı			ļ	ULDD3, ULDDX,]										
		t	ļ	ULDO3, ULDS1,		į l			1	Į.	ļ		Į.	ļ	,	1
			İ	ULDVX, UNC1X, UNC3X, UNCDX,		-										
		1		UNCNX, UNCSX,						i	1					
		1		UNCVX, UNLD1,												
				UNLD3, UXTD1, UXTD3, UXTS1,					İ		ł					
		1		U1TUC, U1TUD,							ł					
		ł		U1TUB.												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUA,NTCVG.												İ
DDED MODI	Day		<u> </u>	NTCUD, NTCD1	SDASP	ļ	200.00				ļ					ļ <u></u>
AUER MODIF	Order Modification Charge (OMC)						33.37	0.00	0.00	0.00	 	ļ				
	Order Modification Additional Dispatch Charge (OMCAD)	t -	 		 -		150.00	0.00		0.00			 		}	
	EXCHANGE ACCESS LOOP				L								 			1
2-WIRE	E ANALOG VOICE GRADE LOOP		T	locare -	L											
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	├-		UEANL UEANL	UEAL2 UEAL2	10.56 15.34	46.66 46.66	22.57 22.57		7.65 7.65		ļ	ļ		ļ	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57		7.65		 		ļ	 	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57		7.65		1		1	 	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEASL	15.34	46.66	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3		UEASL	31.11	46.66	22.57		7.65		ļ				
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	 	+	UEANL UEANL	URETL URET1	 	8.93 46.88	0.88		 -	 		 		 	+
-	Loop Testing - Basic Additional Half Hour	t -	 	UEANL	URETA	—	24.16	24.16		 	 	 	 	 	 	
	Manual Order Coordination for UVL-SL1s (per loop)		T	UEANL	UEAMC		9.00	9.00				<u> </u>		 		1
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1	UEANL	OCOSL		23.01	23.01			1		1			T

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
											Svc Order	Svc Order	incremental	Incremental	Incremental	Incremental
			l								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	ļ								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	į		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l	1								pa. 2011	po. com	Electronic-	Electronic-	Electronic-	Electronic-
			j		1								1st	Add'i	Disc 1st	Disc Add'!
					1						!		1361	Add:	Distrist	Dist Agu i
	<u> </u>		1			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		·
			Ι				First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make	•												1		
	up (Engineering Information - E.I.)		<u> </u>	UEANL	UEANM	i	13.49	13.49					1	1	1	
ŀ	Unbundled Loop Service Rearrangement, change in loop facility.	1	}		1	''								· · · · · · · · · · · · · · · · · · ·		
	per circuit		1	UEANL	UREWO		15.78	8.94	26.65	7.65				ł		
	Bulk Migration, per 2 Wire Voice Loop-SL1	L	1	UEANL	UREPN		46.66	22.57	26.65	7.65	1					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		<u></u>	UEANL	UREPM		9.00	9.00								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		1			T	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	L	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Tag Loop at End User Premise			UEQ	URETL		8.93	0.88			1					
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		46.88	0.00							T	
	Loop Testing - Basic Additional Half Hour	<u> </u>	1	UEQ	URETA		24.16	24.16								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	1		1											
	Designed (per loop)	ļ	1	UEQ	USBMC	<u> </u>	9.00	9.00		!	l	L_		<u> </u>	l	L
	Unbundled Copper Loop - Non-Design, billing for BST providing	1			1							I				
	make-up (Engineering Information - E.I.)	1	L	UEQ	UEQMU	ļl	13.49	13.49		L		l	L		I	
l	Unbundled Loop Service Rearrangement, change in loop facility,				1											
	per circuit			UEQ	UREWO		14.27	7.43	25.64	6.65		l				
	Bulk Migration, per 2 Wire UCL-ND	1	1	UEQ	UREPN		44.97	20.89	25.64	6.65						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		9.00	9.00								
	EXCHANGE ACCESS LOOP		1								1					
2-WIRE	ANALOG VOICE GRADE LOOP			-7.												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T	1										1			
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1								T					
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88	1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1				,		I							
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				l		ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	I				1			[Ţ	
	Battery Signaling - Zone 1	1] 1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											1				
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				!	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1											1			
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	33 22	134.89	81.87	73.65	14.88	L	1			L	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per								1			1				
	DS0)	1		UEA	URESL		24.96	3.52	<u></u>		L					ļ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1			i I					j			1	1	
	DS0)	<u> </u>	1	UEA	URESP		26.44	5 01	<u></u>	l		<u> </u>	 _	↓		<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,		1		1						1				1	1
L	per circuit		1	UEA	UREWO	11	87.72	36.36		1				.	<u> </u>	J
	Loop Tagging - Service Level 2 (SL2)	4	1	UEA	URETL		11.21	1.10		<u> </u>			<u> </u>	ļ	L	
	Bulk Migration, per 2 Wire Voice Loop-SL2		_	UEA	UREPN	ļ	134.89	81.87		ļ	ļ	Ļ	1	ļ		
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		J	UEA	UREPM		0.00	0.00	<u> </u>	1	<u> </u>	L	<u> </u>	1	L	1
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	29.26	164.11	112.36					l	1		<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34 25	164.11	112.36								
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66			1	L	L	1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per												1			1
	DS0)	1		UEA	URESL_	!	24.96	3.52		<u> </u>	l		1		L	1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1		1						1			1	1	[1
<u> </u>	DS0)	1	1_	UEA	URESP	<u> </u>	26.44	5.01	<u></u>	L	Ь	L		<u> </u>	L	
	Unbundled Loop Service Rearrangement, change in loop facility,														1	1
L	per circuit			UEA	UREWO		87.72	36.36	L	<u></u>	L					1
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	18.44	146.77	95.02				L			<u> </u>	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38							
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
	Unbundled Loop Service Rearrangement, change in loop facility,		1												1	
L l	per circuit	1	1_	UDN	UREWO		91.63	44.16	1	l	L	<u> </u>	l	<u> </u>	L	1
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1		1		1			1		T	T	1	1	1	1
			1 1	UAL	UAL2X	10.82	141.98	79.73	69.02	11,47						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky	,	,										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
	<u> </u>	 	+—		+	Rec	Nonrec		Nonrecurring					Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &	 -					First	Addʻl	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.17		3				
,	2 Wire Unbundled ADSL Loop including manual service inquiry &	T -	T		1	17.73	141,30	79.73	69.02	11.47						
	facility reservation - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	facility reservator - Zone 1		١,	UAL												
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	 '-	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	facility reservaton - Zone 2	<u></u>	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3		Ι						03.03	11.54						
	Unbundled Loop Service Rearrangement, change in loop facility,	 	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	per circuit	ŀ		UAL	UREWO	ļ .	86.20	40.40								
2-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	OOP		19.1.2.1.0		00.20	40.40						l		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1						1							
	2 Wire Unbundled HDSL Loop including manual service inquiry &	+	┼-	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	facility reservation - Zone 2	1	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
1	2 Wire Unbundled HDSL Loop including manual service inquiry &							- 00.23	- 05.05	11.34						
	facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Ifacility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09							
_,	2 Wire Unbundled HDSL Loop without manual service inquiry and	†	Ϊ́	U.I.	UNLZW	8.75	130.74	/8.56	69.09	11.54						
	[facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		1													
	Unbundled Loop Service Rearrangement, change in loop facility,	 	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	per circuit	L		UHL	UREWO		86.14	40.40				ļ				
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT		OOP												ь	<u> </u>
1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	١,	UHL	UHL4X	12.05	405.75									
	4-Wire Unbundled HDSL Loop including manual service inquiry and		 ' -	UTIL	UnL4X	13.95	185.75	123.50	74.95	14.69						
	facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69					- 1	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	l											
	4-Wire Unbundled HDSL Loop without manual service inquiry and	 	3	UNC	UHL4X	16.98	185.75	123.50	74.95	14.69						
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1														
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	!	2	UHL	UHL4W	15.68	164 95	114.04	77.32	15.80			_,			
	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		j				
	Unbundled Loop Service Rearrangement, change in loop facility,	—				70.00			77.52	13.00						
	per circuit E DS1 DIGITAL LOOP	<u> </u>	<u> </u>	UHL	UREWO	L	86.14	40.40	j							
4-WIHE	4-Wire DS1 Digital Loop - Zone 1		1	lust	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	114.10	306.69	174.44	65.83	14.55				<u> </u>		
		1		USL	USLXX	297.76	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3	-														
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			lici.	upre:											
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			USL	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URESL		24.96 26.44	3.52 5.01								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		26.44	5.01							-	
4.WIDE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Urbundled Loop Service Rearrangement, change in loop facility, per circuit															
4-WiRe	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility, per circuit 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	USL	URESP	27.59	26.44 101.09	5.01 43.04	78 91	18 66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Urbundled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 56 OR 64 KBPS DKITAL GRADE LOOP 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 2		2	USL UDL UDL	URESP	27.59 32.48	26.44	5.01	78.91 78.91	18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Urbundled Loop Service Rearrangement, change in loop facility, per circuit 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 3		3	USL USL UDL UDL UDL	URESP UREWO UDL2X UDL2X UDL2X UDL2X	32.48 36.37	26.44 101.09 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06	78.91 78.91	18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		3	USL UDL UDL UDL UDL UDL	URESP UREWO UDL2X UDL2X UDL2X UDL2X UDL2X UDL4X	32.48 36.37 27.59	26.44 101.09 157.81 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06 106.06	78.91 78.91 78.91	18.66 18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Urbundled Loop Service Rearrangement, change in loop facility, per circuit 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Urbundled Digital Loop 2.4 Kbps - Zone 3		2 3 1 2	USL USL UDL UDL UDL UDL UDL	URESP UREWO UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X	32.48 36.37 27.59 32.48	26.44 101.09 157.81 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06 106.06 106.06	78.91 78.91 78.91 78.91	18.66 18.66 18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 56 OR 64 KBPS DKITTAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		2 3 1 2 3	USL UDL UDL UDL UDL UDL UDL UDL UDL UDL UD	URESP UREWO UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X UDL4X UDL4X UDL9X	32.48 36.37 27.59	26.44 101.09 157.81 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06 106.06	78.91 78.91 78.91	18.66 18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		2 3 1 2 3 1 2	USL UDL UDL UDL UDL UDL UDL UDL UDL UDL UD	URESP UREWO UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X UDL4X UDL4X UDL4X UDL9X	32.48 36.37 27.59 32.48 36.37 27.59 32.48	26.44 101.09 157.81 157.81 157.81 157.81 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06 106.06 106.06 106.06 106.06	78.91 78.91 78.91 78.91 78.91 78.91 78.91	18.66 18.66 18.66 18.66 18.66 18.66						
4-WIRE	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1) Unbundled Loop Service Rearrangement, change in loop facility, per circuit E 19.2, 56 OR 64 KBPS DKITTAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		2 3 1 2 3 1 2 3	USL UDL UDL UDL UDL UDL UDL UDL UDL UDL UD	URESP UREWO UDL2X UDL2X UDL2X UDL2X UDL4X UDL4X UDL4X UDL4X UDL9X	32.48 36.37 27.59 32.48 36.37 27.59	26.44 101.09 157.81 157.81 157.81 157.81 157.81 157.81	5.01 43.04 106.06 106.06 106.06 106.06 106.06 106.06	78.91 78.91 78.91 78.91 78.91 78.91	18.66 18.66 18.66 18.66 18.66						

	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	⊞ cs	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremente Charge - Manual Sv Order vs. Electronic Disc Add'
					 		Nonrec	urring	Nonrecurring	Disconnect						
						Rec	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	Rates(\$)		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	36.37	157.81	106.06	78.91	18.66	SUMEL	SUMAN	SUMAN	SOMAN	SOMAN	SOMAN
-+-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL,	UDL56	32.48	157.81	106.06	78.91	18.66	+					
-+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
-+-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
-+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	(DS0)	1														
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 	UDL	URESL		24.96	3.52								l
l	(DS0)	1		UDL	URESP	1 1	26.44		}							
	Unbundled Loop Service Rearrangement, change in loop facility.			000	UNESP		26.44	5.01								
	per circuit			UDL	UREWO		102.13	49.75	1		l					1
2-WIRE	Unbundled COPPER LOOP				10.12.110		102.13	49.75		L			L			<u> </u>
į	2-Wire Unbundled Copper Loop-Designed including manual															
\longrightarrow	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		1				1
-	2-Wire Unbundled Copper Loop-Designed including manual								03.03	11.54	 					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						1
ĺ	2 Wire Unbundled Copper Loop-Designed including manual service				1				20130							
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54					ł	i
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		!			ł	ĺ
- 1	2-Wire Unbundled Copper Loop-Designed without manual service	l	}		{											
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						i
i	inquiry and facility reservation - Zone 3		_			1 1										
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						L
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		-	UCL	UCLMC	ļ	9.00	9.00								
- 1	Des)	1 .		UCL	LIBENIO	1										
4-WIRE	COPPER LOOP	Ц		JOCK	UREWO		97.23	42.48			<u> </u>	L				L
	4-Wire Copper Loop-Designed including manual service inquiry					r									,	
	and facility reservation - Zone 1	l	1	UCL	UCL4S	16.92	170.31	108.06	74.05							l .
	4-Wire Copper Loop-Designed including manual service inquiry	-		CCL	DUL43	16.92	170.31	108.06	74.95	14.69				<u> </u>		
- 1	and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						i
	4-Wire Copper Loop-Designed including manual service inquiry				00240	17.50	170.31	100.00	74.93	14.69						
1	and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69				1	1	i
	4-Wire Copper Loop-Designed without manual service inquiry and								74.33	14.03						
	facility reservation - Zone 1		1	UCL.	UCL4W	16.92	149.52	97.33	74.95	14.69	l					i
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 2	<u></u>	2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						1
1	4-Wire Copper Loop-Designed without manual service inquiry and)]										
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						i
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
i	Unbundled Loop Service Rearrangement, change in loop facility, per circuit							_								
$-\!\!+\!\!-$	per circuit		_	UCL	UREWO	<u> </u>	97.23	42.48								
ſ	Order Coordination for Specified Conversion Time (per LSR)	f		UEA, UDN, UAL, UHL, UDL, USL	OCOSL	[[23.01		[[([[i
Rearra	ngements		Ь.	JUNE, ODE, USE	OCOSE	ــــــــــــــــــــــــــــــــــــــ	23.01		L					L	L	
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-															
- 1	ISL2]		UEA	UREEL	1 1	87.72	36.36			ł					i
			-	OLA .	ONLEC		07.72	30.36				-				
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL	1	87.72	36.36						i		1
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL	 	91.63	44.16								
-					1		000									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL	1 1	102.13	49.75	}		1			1	}	1
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.09	43.04								
NE LOOP CO																
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													1]	
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88	L			}		L
-+-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				i	Į f	I								!!!	4
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signating - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88						

IBUNDL	D NETWORK ELEMENTS - Kentucky	_											Att: 2 Exh; A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
-	 	 				Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	┼	-		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88				ł	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			1	12.07	154.05	01.67	75.03	14.00				 		
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88	l		1	Į	Ļ	Į
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		١.	MT 01/0	I I											1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	-	3	NTCVG	UEAR2	33.22	134.89	81 87	73.65	14.88						L
	DS0)	1		NTCVG	URESL	İ	24.96	3.52]			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	 	777.0	UNESE		24.96	3.92						ļ	ļ	
	DS0)			NTCVG	URESP		26.44	5.01					j			1
1	Unbundled Loop Service Rearrangement, change in loop facility.	1												· · · · · · · · · · · · · · · · · · ·	·	—
	per circuit		_	NTCVG	UREWO		87.72	36.36								1
4-WIB	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP - COMMINGLING	<u> </u>	Ц.	NTCVG	URETL		11.21	1,10			L					
4-17.0	4-Wire Analog Voice Grade Loop - Zone 1	T	l i	NTCVG	UEAL4	29.26	164,11	112.36	78.91	18.66			γ	,	,	·
	4-Wire Analog Voice Grade Loop - Zone 2	 	2		UEAL4	34.25	164.11	112.36	78.91	18.66	 	 			 	
	4-Wire Analog Voice Grade Loop - Zone 3	1		NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66			·		<u> </u>	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per		1		1					10.00				 	 	
	DS0)	<u> </u>		NTCVG	URESL		24.96	3.52					1	l		
-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				1											†
	DS0)	↓		NTCVG	URESP		26.44	5.01					<u> </u>	L		<u> </u>
- 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG		1			į į				i			1
4-WIE	E DS1 DIGITAL LOOP - COMMINGLING	ــــــــــــــــــــــــــــــــــــــ	1	INICAG	UREWO		87.72	36.36			L		L	L	<u> </u>	1
7.17.	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	TUSLXX T	86.47	306.69	174,44	65.83	14.55	T					
1	4-Wire DS1 Digital Loop - Zone 2	 	2	NTCD1	USLXX	114.10	306.69	174.44	65.83	14.55	 			 	 	┼
	4-Wire DS1 Digital Loop - Zone 3	1		NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55			 	 	 	
	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per				1						 	t		·	· · · · · · · · · · · · · · · · · · ·	
	DS1)	1		NTCD1	URESL		24.96	3.52			l		1 .	i		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		l													
	DS1)	 	├	NTCD1	URESP		26.44	5.01			ļ	ļ			<u></u>	Ļ
1	Unbundled Loop Service Rearrangement, change in loop facility,	1	1	NTCD1]		404.00				1					
4 MOP	per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	Щ.	٠.	INICOI	UREWO		101.09	43.04		l		L	i	<u> </u>	J	L
4-4415	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		Τ 1	NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66	т			T	т	1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66	 		 		 	-
\neg	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	36.37	157.81	106.06		18.66			†	 	 	1
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66	 	· · · · ·	 		1	
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66					<u> </u>	ļ
<u> </u>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	 	1	NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.66			ļ	 		
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+-	3	NTCUD	UDL9X UDL9X	32.48 36.37	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66		 	 			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+		NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66			 	-	 	
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	+		NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66		· · · · · · · · · · · · · · · · · · ·	 	 	 	+
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+		NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66		 		1	 	
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66					<u> </u>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66		 	 	 	 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66		 	 	 	 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	+	3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66		<u> </u>	 	+	 	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		1	NTCUD	URESL		24.96	3.52	1	I	1	1	1			1
+	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	+	1000	UNLUL		24.30	3.32		 	 	 	 	 	+	+ -
	DS0)		1	NTCUD	URESP		26.44	5.01					İ		<u> </u>	L .
-+-	Unbundled Loop Service Rearrangement, change in loop facility,	1	1	1	1							1	1		1	
			1	INTCUD	UREWO		102.13	49.75]	l	İ	<u> </u>	1	L	<u> </u>	4
	per circuit															
	Order Coordination for Specified Conversion Time (per LSR)	1	1	NTCVG, NTCUD, NTCD1	OCOSL		23.01					1	i	ì	1	ì

UNBUNDE	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh; A		·	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec	urring	Nonrecurring	Disconnect	 	:ـــــــــــــــــــــــــــــــــــــ	088	Rates(\$)		L
	 	⊢ —		UDC, UEA, UDL.		Nec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDN. USL. UAL. UHL. UCL. NTCVG, NTCUD, NTCD1, U1TD1. U1TD3, U1TDX. U1TS1, U1TVX. UDF, UDFCX. UDLSX, UE3. ULDD1, ULDD3, ULDDX, ULDSX, ULDDX, ULDSX,												
ı			1	UNC1X, UNC3X,	Ì											
	Maintenance of Service Charge, Basic Time, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVBT		80.00	55.00								
	Maintenance of Service Charge, Overtime, per half hour			IDDC. UEA. UDL. UDN. USL. UAL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3. U1TDX. U1TD3. U1TDX. U1TD1. U1TVX. UDF. ULDD3. ULDDX. ULDD3. ULDDX. ULDD3. ULDDX. ULDD3. ULDDX. UNCDX. UNCSX. UNCDX. UNCSX. UNCDX. UNCSX. UNCDX. UNCSX. UNCDX. UTD3. UNCDX. UTD4. UNCDX. UTD4. UTD4. UTCD1. UTD7. U1TD3. U1TDX. U1TD5. UTD7. UDFF. UDFCX. UDLSX. UCS3. ULDD1. ULDD3. ULDDX. ULDD3. ULDDX. ULDD3. ULDDX. ULDD3. ULDDX. ULDD3. ULDDX. UNC1X. UNCSX.	MVVOT		90.00	65 00								
	Maintenance of Service Charge, Premium, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
LOOP MODIFI	CATION	L	ļ													
	Urbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,				·								
SUB-LOOPS	per unbundied loop	 	├	UEPSB	ULMBT	 	10.47	10.47		 	1					
	oop Distribution			·	·	·	<u> </u>			L		·				'
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		-	UEANL, UEF	USBSB		12.50	12.50			ļ		···-··			
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		<u> </u>	UEANL	USBSC		80.87	80.87			 					

ONBONDER	D NETWORK ELEMENTS - Kentucky												Att; 2 Exh: A			
			Γ								Svc Order	Svc Order	Incremental	Incremental	incremental	Incrementa
		ļ														1
					ł						Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	7	BCS		ì					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
DATE GOTT	NATE CLEMENTS	KMELIII	Zone	BUS	usoc			RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
						i							Electronic-	Electronic-	Electronic-	Electronic
	1					ļ.						!	ist	Add'l	Disc 1st	Disc Add'l
	<u> </u>		L			L					1		'*		2.00 .00	0.00
					l		Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates(\$)		
			Γ			Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		T-							7,001	1 JOHNEO	SOMAN	3011414	JOWAN	SUMAN	SUMAN
	Zone 1	1	1 1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90			ļ			1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		+		000:12		03:03	33.03	35.61	7.90	+		 	 		
	Zone 2	1	1 2	UEANL	USBN2	9 06	05.00		l	i			1		i	1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	 	+	DEANL	USBINZ	906	85.03	39.05	59.81	7.90	ļ	<u> </u>	ļ			
1	Zone 3	ļ		11.5.44.0		1			\	ł	1	Ì	1	ì	1	1
	20.6.3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90	<u> </u>		1			<u>t</u>
l I	Out Countries to Hot that Countries to		i		l	1				1						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	9.00	9.00	L	!	1		1			-
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	ĺ	1	i		1					1			 		
	Zone 1	L	1	UEANL	USBN4	8 14	102.31	56.32	65.24	10.88	1					1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -]	Γ'''								1		 			
]	Zone 2	ł	2	UEANL	USBN4	8.63	102 31	56.32	65.24	10.88	.1		1			1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	1	† 	-	1		30.02	05.24	10.00	' 	 			 	
	Zone 3	1	3	UEANL	USBN4	25 60	102.31	56.32	CE 24	10.00		1	1	1	i	1
	 	+	+~Ŭ	OE-MYL	USBIV4	23 60	102.31	50.32	65.24	10.88		 	 	<u> </u>		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	LICANII	LICENIC				I		1	1		1		1
 	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	₩	+	UEANL	USBMC	 	9.00	9.00	 				<u> </u>	<u> </u>	<u> </u>	
	Page-rood S-Avise missonialità Mesmoux Capie (IMC)	 	+	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90	4	ļ	1	L		ļ
	la a mar a sur mare	1	1		1				1		1					1
 	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ـــــ	└	UEANL	USBMC	L	9.00	9.00		<u> </u>		<u> </u>	L	L		<u> </u>
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
		" "	Γ									1				
l I _	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	i i	9.00	9.00		l	Į.	ł	Į.	Į.	t	
	Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		46.88	0.00	 	 		 	·		 	+
	Loop Testing - Basic Additional Half Hour	1	 	UEANL	URETA	†	24.16				+		 		 	
· · · · · · · · · · · · · · · · · · ·	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	+	UEF	UCS2X	5.45	85 03	39.05		7.90	.+		+			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 	2	UEF		7.06							ļ	ļ	ļ. ——	
		 			UCS2X		85.03	39.05	59.81				 -	 	 	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	┼	3	UEF	UCS2X	9.67	85 03	39.05	59.81	7.90		ļ <u></u>	<u> </u>		ļ	
ļ ļ	1	1	1	1	1	1 1		ì	1	1	1	I	1	1	1	
L	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	_	UEF	USBMC		9.00	9.00	L			<u> </u>				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	7.09	102.31	56.32	65.24			<u> </u>	1	1	<u> </u>	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.66	102.31	56.32	65.24	10.88	3	1_	Τ			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88	T	· · · · · · · · · · · · · · · · · · ·	T			
				1						1	 		T			
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC	1 1	9.00	9.00	1	1	1	Ĭ	1)	1	1
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	+	+		1000	1				1	 	 	1			
1 1	Designed and Distribution Subloops	1	1	UEF. UEANL	URETL	1 1	8.93	0.88	1	1			İ			
		+	+	UEF		 		0.00	 	 		 			+	+
	Loop Testing - Basic 1st Half Hour	-	+		URET1		46.88			 		+		├ ──	 	
	Loop Testing - Basic Additional Half Hour	т		UEF	URETA	<u>ا </u>	24.16	24.16	J	٠		<u> </u>		<u> </u>		ــــــــــــــــــــــــــــــــــــــ
Unbur	ndled Sub-Loop Modification					····					 -		,			
1 1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	1	1			1				!		1	1			1
L L	Coil/Equip Removal per 2-W PR	1		UEF	ULM2X		5.23	5.23				1			1	
1	Unbundled Sub-loop Modification - 4-W Copper Dist Load	1	1	I	1						1	1	1	1	1	1
1 1	Coil/Equip Removal per 4-W PR		1_	UEF	ULM4X		5.23	5.23	L	<u></u>			1		L	1
	Unbundled Loop Modification, Removal of Bridge Tap, per		Т		I — —	1				1		1			1	1
ı l	unbundled loop	1	1	UEF	ULMBT	1	7.97	7.97	ı	1	1	ì	i	ì	1	1
Uphur	ndled Network Terminating Wire (UNTW)	-		*		·			•		•	•				
- Onbai		1		UENTW	UENPP	0.53	23.51	23.51	,			1	T		T	T
1 11.	Unbundled Network Terminating Wire (UNTW) per Pair	Ь		TOCH I AA	TOE!ALL	1 0.55	23.31	23.31				1				
Netwo	ork Interface Device (NID)	т —		LIENTAL	Tribinata		70.50	49.47		1	-T		т	T	T	
 	Network Interface Device (NID) - 1-2 lines	+	+	UENTW	UND12	 	73.53		 	 	 -	+	 	+	+	+
	Network Interface Device (NID) - 1-6 lines	+	+	UENTW	UND16	 _	115.96	91.91	+	\	+		+	 		
	Network Interface Device Cross Connect - 2 W	4	┸—	UENTW	UNDC2	4	8.56			 		 	 	_	 	+
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4	I	8.56	8.56	 		 _			 	 	
UNE OTHER,	PROVISIONING ONLY - NO RATE	1			<u> </u>				<u> </u>							<u> </u>
			Τ.	UAL, UCL, UDC,									1		1	1
l i		1		UDL. UDN. UEA.							1		1			1
l i		1	l	UHL, UEANL, UEF,	Į	1 1		(1	1	1	1	}	1	\	1
1 1		1	1	UEQ, UENTW,	1	1 1		1	}	1	i	1	1	1	1	1
1 1		1	1	NTCVG, NTCUD,	1	1		1	i	1	I	1	1	I	1	1
1 1	Unbundled Contact Name, Provisioning Only - no rate	1	1	NTCD1, USL	UNECN	0.00	0.00	1	1	1	1	1	1	1	1	1
		+	+	USL, NTCD1	CCOSF	1	0.00		 	+	+	+	+	+	+	
	Unbundled DS1 Loop - Superframe Format Option - no rate	+	+	JOSE, NI COI	JULUST .		0.00	 	 		+	+	+	+	 	+
[Unbundled DS1 Loop - Expanded Superframe Format option - no	1	1				_	l	Į.	ı		1	1	1	ļ	1
	rale	1		USL, NTCD1	CCOEF		0.00		 			 _		 	 	
1	NID - Dispatch and Service Order for NID installation	ш"		UENTW	UNDBX	0.00	0.00			L			1			
1 1				UENTW	UENCE	0.00	0.00				1					

ONBO	VULL	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
			 	├─		 		None			n:		L		1		
		· · · · · · · · · · · · · · · · · · ·		┼		∤	Rec	Nonrec		Nonrecurring		20150			Rates(\$)		
LOOP N	IAKE-UI		 	 				FESI	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Makeup - Preordering Without Reservation, per working or				†	———					 	}	 			
		spare facility queried (Manual).	L	L .	UMK	UMKLW		23.40	23.40				į		ŀ		
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		I													
	-	Loop MakeupWith or Without Reservation, per working or spare			имк	UMKLP	 	24.85	24.85							L	
		facility queried (Mechanized)			UMK	имкмо		0.67	0.67								
LINE SF							1	0.07	0.07			 	 	 		 	
	END US	SER ORDERING-CENTRAL OFFICE BASED											·	<u> </u>			
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	—-	₩	UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical		+	UEPSR UEPSB UEPSR UEPSB	UREBY	0.61 0.61	37.02 37.02	21.20	21.10	9.87				ļ <u>.</u>	ļ	
	END US	SER ORDERING - REMOTE SITE LINE SPLITTING		•	DE. ON DEL 3B	TOUCDA	0.61	37.02	21.20	21.10	9.87	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	<u> </u>	L		
		Remote Site Shared Loop Line Activation for End Users - CLEC					· · · · ·			<u> </u>		Т	1		1	T	Γ
		Owned Splitter	<u> </u>	↓	UEPSR UEPSB	URERS	0.61	56.73	22.96	7.20	7.20				l		L
		Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter			UEPSR UEPSB	URERA	1 7	50]					
		DLED EXCHANGE ACCESS LOOP	١	1	UEPSH UEPSB	UHEHA	١١	53 73	21.31	L	L		<u> </u>	L		L	т
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Ϊ			1						T	T		T	T	1
		Zone 1	ļ	1 1	UEPSR UEPSB	UEALS	10.56	46 66	22.57	26.65	7.65		<u>L</u> .		İ		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		١.	HEBSB HEBSB	LIEADE											
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	ł	 -	UEPSR UEPSB	UEABS	10.56	46 66	22 57	26.65	7.65	<u> </u>	 	.			
		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	· · · · · ·	T-		100	1		LE S.	20.03	7.03	 	 		 	 -	
		Zone 2	L .	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65	<u> </u>	<u> </u>				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.		I								1			
 		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	3	UEPSA UEPSB	UEALS	31.11	46.66	22.57	26 65	7.65	ļ	 			ļ	
1		Zone 3	l	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65	1	ì	1	ì	ì	1
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	†	 -		1022	9,,,,,		22.57	2,0.00	7.55	 		1	 	 	
		Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	6.34	85.03	39.05	59.81	7.90			l	1		<u> </u>
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-													1	1	
_		Line Splitting - CLEC Owned Splitter - Zone 2 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	 -	2	UEPSR UEPSB	UEARS	9.06	85.03	39.05	59.81	7.90			ļ	ļ		
		Line Splitting - CLEC Owned Splitter - Zone 3		1 3	UEPSR UEPSB	UEARS	14.82	85.03	39.05	59.81	7.90			}			1
	PHYSIC	CAL COLLOCATION	-		102.01.02.00	JOEANG	14.02	- 00.00	35.03	33.01	7.90			·	. L	<u> </u>	
		Physical Collocation-2 Wire Cross Connects (Loop) for Line	T								1	T	Ϊ	1	1		T
		Splitting	<u> </u>		UEPSR UEPSB	PEILS	0.0333	24.68	23.68	12.14	10.95	<u></u>	L	<u> </u>	<u> </u>	L	<u> </u>
igwdap	VIRTU	AL COLLOCATION	_														
		 Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VEILS	0.0309	24.68	23.68	12.14	10.95		İ				
UNBUN	DLED (DEDICATED TRANSPORT			1	1.2.2	1		2300								
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile	_	ļ	U1TVX	1L5XX	0.01						ļ		ļ		
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	 	+-	UITVX	U1TV2	29.11	47.34	31.78	22.77	8.75		 			+	
<u> </u>		Interornice Charmer - 2-vvire voice drade Nev Bat per mile	 	+	0111/	1123/4	0.01				 	 	 		†		
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination		1	U1TVX	U1TR2	29.11	47.34	31 78	22.77	8.75					l	
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.01										
i		l]	1	Luza		05.	47		ng							1
 -		Interoffice Channel - 4- Wire Voice Grade - Facility Termination Interoffice Channel - 56 kbps - per mile	+	╁	U1TVX U1TDX	U1TV4 1L5XX	25.86 0.0115	47.34	31.78	22.77	8.75		 	 	+	 	+
 		Interoffice Channel - 56 kbps - Facility Termination	 	+	U1TDX	U1TD5	20.97	47.34	31.78	22.77	8.75	 	 	 	 	 	
\vdash		Interoffice Channel - 64 kbps - per mile	t	1	UITDX	1L5XX	0.0115		*****			 	1				1
		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.34	31.78	22.77	8.75				I		
		Interoffice Channel - DS1 - per mile			UITDI	1L5XX	0.23				L	1	L				ļ
<u> </u>	ļ	Interoffice Channel - DS1 - Facility Termination	-	 - -	U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49	L	 				
 		Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination	 	+	U1TD3 U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75	 	 		 	 	+
		Interoffice Channel - STS-1 - per mile	 	+	UITSI	1L5XX	4.97	333.40	213.24	69.37	01.15	 	 	+	+	+	†
 		Interoffice Channel - STS-1 - Facility Termination		 	UITSI	UITES	1,149.51	335.40	219.24	89.57	87.75	<u> </u>	1	 			
	IINBIIN	IDLED DARK FIBER															

ONBONDER	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	incremental	Incremental
			l								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		İ	l		ı						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				ļ.		1						P 0. 20	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
	L	i											1 181	AGG 1	Disc 1st	DISC AUU1
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(S)	•	
						1 Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per					1							1			
	Route Mile Or Fraction Thereof		1	UDF, UDFCX	1L5DF	30.74										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per					1								1	t	
	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	UDF14]	732.53	192.67	377.27	241.67			į .			1
	TY UNBUNDLED LOCAL LOOP		T									i		 		
DS-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone														•	
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.25					T-:	l	T	· · · ·	[T
	DS3 Unburdled Local Loop - Facility Termination		$\overline{}$	UE3	UE3PX	308.31	551.38	338.08	173.00	120.42			t		1	
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	9.25							 			
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42					1	
	XTENDED LINK (EELs)				1								 		i	
Netwo	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	1	UNCVX	UEAL2	12 67	125.22	60.48	59.69	7.84	T			l	r	T
	2-Wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7 84		T	1	1		
	2-Wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		·	 		1	t
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84			1	1		T
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48		7.84			 	 	· · · · ·	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84			 	 	1	
	2-Wire ISDN Loop in Combination - Zone 1	1		UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84			 	 		
	2-Wire ISDN Loop in Combination - Zone 2	 		UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	 				 	
 	2-Wire ISDN Loop in Combination - Zone 3	t	3	UNCNX	บาเ2X	42 87	125.22	60.48	59.69	7.84				 	 	+
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 -	1 -	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			 	 	 	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	 	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		 		 	 	+
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	 	3		UDL56	36.37	125.22	60.48	59.69	7.84		 		-	 	+
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		 		 		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	 	1 2	UNCDX	UDL64	32 48	125.22	60.48	59.69	7.84		 	 	-	 	+
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	 	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					-	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	 	 		+	 	+
	4-Wire DS1 Digital Loop in Combination - Zone 1	+	2	UNC1X	USLXX	114 10	210.70	114.60		17.97				 	 	+
\	4-Wire DS1 Digital Loop in Combination - Zone 2	+		UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			 	 	 	
		-	+ 3-	UNC3X	1L5ND	9.25	210.70	714.00	03.90	17.37	 	 	 	+	 	
 	DS3 Local Loop in combination - per mile	∤	┼	UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67	┼		+	 	 	+
	DS3 Local Loop in combination - Facility Termination	+	1	UNCSX	1L5ND	9.25	237.36	147.09	63.43	32.07	 	-	+	+		
	STS-1 Local Loop in combination - per mile	┿	┼	UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		 	+	 	 	+
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile	+	+	UNCVX	1L5XX	0.01	237.36	147.09	63.43	32.07	 	ļ	 -	 	+	
	Interoffice Channel in combination - 2-wire VG - Facility	+	 	DIVOVA	10377	0.01			-		 	 	+	 		
1 1	Termination		1	UNCVX	U1TV2	23 95	98.09	53 67	56.31	22.42				1	1	1
	Interoffice Channel in combination - 4-wire VG - per mile	┼	1-	UNCVX	1L5XX	0.01	90.09	33 67	30.31	22.42	 	 		+		+
	Interoffice Channel in combination - 4-wire VG - Facility	+	 	ONCVA	1155	0.01			 		}	 	├ ──	1		1
1 1		1	1	UNCVX	U1TV4	21 28	98.09	53.67	56.31	22.42		1			ł	
	Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile	+	┼	UNCDX	1L5XX	0 01	30.03	33.07	30.01	22.42	 	 		+	 	
		+	+	UNCDX	ILSAA	001			 		 	 	+	+	 	
1	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		1				1
	Termination	+	+		1L5XX	0.01	90.09	33.07	50.31	42.42	+	 	+	1	 	†
}	Interoffice Channel in combination - 4-wire 64 kbps - per mile	+-	+	UNCDX	1,574	V.U1			 	 	+	 	+	+	 	+
1 1	Interoffice Channel in combination - 4-wire 64 kbps - Facility	1	1	LINCOV	U1TD6	1	00.00	53.67	56.31	22.42	.1	1			1	1
<u> </u>	Termination	+		UNCDX		17.25	98.09	53.67	56.31	22.42	 	 	+	+	+	+
	Interoffice Channel in combination - DS1 - per mile	├	1	UNC1X	1L5XX	0.19					+	+			+	+
	Interoffice Channel in combination - DS1 Facility Termination	+	+	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		 	+	 	+	+
	Interoffice Channel in combination - DS3 - per mile	-	+-	UNC3X	1L5XX	4.09			l			 	+	1		+
L	Interoffice Channel in combination - DS3 - Facility Termination		\vdash	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	4	 	 	 	 	+
	Interoffice Channel in combination - STS-1 - per mile	↓ —		UNCSX	1L5XX	4.09	ļ	L	 				\leftarrow	+	 	-
	Interoffice Channel in combination - STS-1 Facility Termination	—	+	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	'		1	 	+	+
	NETWORK ELEMENTS]	1	J			1	L	L	L	ــــــــــــــــــــــــــــــــــــــ	L	1			
Option	nal Features & Functions:			····			,			,	·		-			
1 1		ł	1	U1TD1,	L	(Į .				į.	Ţ	1	1
	Clear Channel Capability Extended Frame Option - per DS1	1 1	1	ULDD1.UNC1X	CCOEF		0.00	0.00	0.00	0.00	4				 	
		1		טודטו,					1		1		1	1	1	1
	Clear Channel Capability Super FrameOption - per DS1	1 1	1	ULDD1,UNC1X	CCOSF	ļ	0.00	0.00	0.00	0.00	Ц	ļ		 	4	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1, U1TD1,		1					I	1	1			1
	per DS1	1 1	1_	UNC1X, USL	NRCCC	ļ	184.91	23.82	1.99	0.78	<u> </u>			↓		4
				U1TD3, ULDD3.							[1				
1 _1	C-bit Parity Option - Subsequent Activity - per DS3		L	UE3, UNC3X	NRCC3	1	205.70	7.20	0.6924	0.00				1	<u> </u>	
	DS1/DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					L	1
-	DS3/DS1Channel System	1	T	UNC3X, UNCSX	МОЗ	158.20	115.48	56.53	15.12	5.30					1	

RATE ELEMENTS Interim Zone BCS USOC RATES(S) Submitted Elec Manually Manual Svc Order vs. Electronic- 1st Disc Add'l Disc Add Dis	UNBUNULE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
Mac Display COU. International Mac Display COU. International	ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual St Order vs Electroni Disc Add
Vive Grace CCCI Investigation United Control C				├			Rec								Rates(\$)		
National Cold 1977 1813 1977 1813 1977 1813 1977 1813 1977 1813 1977 1813 1977		Voice Grade, COCL in combination	-				 			First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Vote Seat COCC 10 corrections in a character DSI social		Voice drade COOT in combination	├		UNCVX	IDIVG	0.6228	6.71	4.84			<u> </u>		L			
Wash Code (COC) - the convention is converted to 51 story		Voice Grade COCL for 2W SL2 & 4W Voice Goods Levelle				1	1				!						
Course n No Lans SIX 2 or Sections Course			 	 	UEA	1D1VG	0.6228	6.71	4.84	ļ		<u> </u>					l
DOLIGH COLD FLASSight or comprehens DAGON DOLIG 150 F1 F1 F3 F3 F3 F3 F3 F3			i	1			1				1						
Colic Pro Colic Colic		OCH DR COCI /2.4 64lbm) in combination	 	├						L			L		L	l	
DOLL OF COC 24 448 DOL CONTROLOR IS 9 SURVINES OF SURVINES O		OCULDE COCI (2.4-64kps) in compination		├								<u></u>					
Doct Charmel in the same SMC as coloration Unit D DOD 1.32 671 4.84		OCULDE COCI (2.4-64kbs) - for Unburided Digital Loop	-	┼	UDL	10100	1.32	6.71	4.84								
2-was (SOR COO) ERRITS in contengation DICKA 2-84 0-71 4-84		Local Channel in the same SWC as collection	l	1			1				i		1				
2 aus 80 (ACC) 00 RTES; for a Local Loop. UCH. 258 8.71 4.64			 	┼						ļ <u></u>	ļ						<u> </u>
2-wes SDR (COLD (SRITE) - for connection to a drawnested SST Votable V				┼		UCICA										<u> </u>	
Could Charrel of the same SWC as collectation U1118		2-wire ISDN COCI (BRITE) - for connection to a channelized DC1	 	┼~~	UUIN .	JULICA	2.84	6.71	4.84	ļ	 	ļ	ļ		Ļ		
SSI COCK in combination MARCIX	1	Local Channel in the same SWC as collocation	ì	1	LITTUR	LICICA	11	1		}	1	1]	1	Į.	1	1
Bis COCC for Stant Abour Local Chemen SCO.DD UCC10 11-90 6-71 4-84			 	+						ļ 	 	ļ	<u> </u>			 	↓
Sist COC - for Strategy Sist COC - for Strategy Sist Property Sist P			┈	┼						ļ		 	ļ			ļ	↓
DST COCI - for DE Local Loop DST Local Chammel in DST Local Ch		DS1 COCI - for Stand Alone Interoffice Channel	 	+-						ļ	 					 	├ ──
DST COCK - For convection is a characterized DST Local Channel in the same SWC as colocation		DS1 COCI - for DS1 Local Loop	 	+				6./1		ļ	 	 	 			 	
the same SWC as colocation			-	┼	OGE, NICODI	100:01	11.80	0.71	4.84					 		 	
UNCXX UNCX	1	the same SWC as collocation	1	1	LUTUA	UCIDI	11 90	671	4.04	1	l	1	l	1		i	1
Wilcolesia: UNE, Susch As-Is Conversion Charge			 	┿		100101	11.60		4 64		 	 -		 	 		
Urburded Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR) Urburded Misc Rate Element, SNE SAI, Single Network Element Urburded Misc Rate Element, SNE SAI, Single Network Element Urbur, Urbu	:				UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
Urburded Misc Rate Element, SNE SAI, Single Network Element Urbur, U		Wholesale - UNE, Switch-As-Is Conversion Charge		ì	HFRST, UNCNX	UNCCC	1	8.98	8.98			1					1
Switch As Is Non-recurring Charge, per circuit (LSP) UTFSL, UDF, UE3 UTFSL, UDF, UE5 UTFSL, UDF, UDF, UDF, UDF, UDF, UDF, UDF, UDF					U1TVX, U1TDX,	1						 		 		1	
Switch As Is Non-recurring Charge, per circuit (LSP) UTFSL, UDF, UE3 UTFSL, UDF, UE5 UTFSL, UDF, UDF, UDF, UDF, UDF, UDF, UDF, UDF		Unbundled Misc Rate Element, SNE SAI, Single Network Element	4	1	U1TD1, U1TD3,		1				ľ	1		1			1
Switch As is Non-recurring Charge, incremental charge per circust on a geneadsheet UTTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS UTS1, UDF, UBS1, UBS2, UBS		Switch As Is Non-recurring Charge, per circuit (LSR)	į		U1TS1, UDF, UE3	URESL	1	36.80	16.10		j	1		1	Į	Į.	Į.
On a spreadsheft			-	$\overline{}$		1						1					
Access to DCS - Customer Reconfiguration (FlexServ)	1		1				1 1						l	1		}	1
Customer Reconfiguration Establishment 1.63 2.03			<u>i</u> i		U1TS1, UDF, UE3	URESP	J	1.49	1.49	l			1		<u> </u>	l	<u> </u>
DST LOCS termination with DSI Switching 25.69 32.88 23.58 21.09 15.88	Acces																
DST DCS Termanation with DST Switching								1.63		2.03						1	
DS3 DCS Termination with DS1 Swinching			L														
Node (SymptrnNet)																	II
Node per morth							154.20	32.88	23.58	21.09	15.88	L			I		L
Service Rearrangements	Node (
UiTVX, UITDB, UITUB, ULDVX, UILDB, UITUB, ULDVX, UILDB, UITUB, ULDVX, UILDB, UITUB, ULDVX, UILDB, UITUB, UITVB, UITUB, UITVB, UIDBT,				1	UNCDX	UNCNT							L			<u> </u>	<u> </u>
NRC - Charge in Facility Assignment per circuit Service 1 Unitude Unitud	Servic	e Rearrangements										,				,	
NRC - Change in Facility Assignment per circuit Service UITUB, UIDVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNTUB, UITVX, UTTUB, UITVX, UTTUB, UITVB	ı		1			1				1		1		1	1	1	
NRC - Change in Facility Assignment per circuit Service 1 ULDDX, UNCDX URETD 101 09 43 04	ı		1			1				1	1	1	i	1	1	1	
Rearrangement	i		1	1		Į.	1 [1		1	}	1	1	1	
U1TVX_U1TDX, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, ULDVX, ULDDX, UNCDX, U	l		1 .	1								1	1	1	1	1	
NRC - Change in Facility Assignment per circuit Project ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, UNCOX,		Hearrangement	 !-	+		URETD	- 	101.09	43.04	Ļ			——	 		 	+
NRC - Change in Facility Assignment per circuit Project ULIDIX, UNCVX, ULIDIX, UNCVX, ULIDIX, UNCVX, ULIDIX, UNCVX, UNCDX, UNCIX, UTIDI, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, UTIDI, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, ULIDIX, UTIDIX, ULIDIX,				1						l	1	l	l	l	l .		1
NRC - Change in Facility Assignment per circuit Project ULDDX, UNCVX, UNCDX UN	: i		1	1		1	1]	1				i		i
Management (added to CFA per circuit if project managed) UNCDX, UNCIX URETB 3.67 3.67 3.67	l	NOO OL THE FEBRUARY AND A SECOND ASSESSMENT	1	1		1	1			1		1	1	1	1	1	1
NRC - Order Coordination Specific Time - Dedicated Transport			١.			UDCTO		2.67		1	1			1	1	1	
Commingled (UNE part of single bandwidth circuit) Commingled (VIC East of Single bandwidth circuit) Commingled (VIC Commingled (VIC COMMINGLE) VID VIC COMMINGLE VID VID VID VID VID VID VID VID VID VID			+	├			+			 	 	+		1	 	+	+
UNCVX. UNCDX. UNCDX. UNCDX. UNCDX. UNCSX. UNCSX. UNCSX. UTDI. UTTD3. UTTD3. USS. UTTVX. UTTDX. UTTDX. UTTDX. UTTDX. UTTDX. UTTDX. ULDD1. ULDD3. ULDD1. ULDD3. ULDD1. ULDD3. ULDS1 CMGAU 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	COMMISSION		 '-	+	UNCTA, UNC3X	UCUSH	 	18.87	18.87	 	 		+	 	 	+	+
UNC1X, UNC3X, UNC5X, UNC5X, UNC5X, U1TO1, UNC50, U1TD1, ULTD3, U1TS1, UE3, UDLSX, U1TXX, U1TXX, U1TXX, U1TXX, U1TXX, U1TXX, U1TXB, ULDYX, ULDD1, ULDD3, ULDD1, ULDD3, ULDS1 CMGAU 0.00 0.00 0.00 0.00 0.00	COMMINGLING	<u> </u>	 	+	LINCVY LINCOV	+				 	 	+	 	 	+	 	+
Comminging Authorization ULDS1 CMGAU 0.00 0.00 0.00 0.00 0.00 Comminging (UNE part of single bandwidth circuit) Comminging (UNE part of single bandwidth circuit) Comminging (VG COC) XDV2X 1D1VG 0.6228 6.71 4.84					UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX.												
Commingled (UNE part of single bandwidth circuit) Commingled VG COC1 XDV2X 1D1VG 0.6228 6.71 4.84		Commission Authorization	1	1		CMGALL	1 000	0.00	0.00	0.00	0.00	, I	1	1			1
Commingled VG COC1 XDV2X 1D1VG 0.6228 6.71 4.84	Comm			٠.	TOLDOI	TOMONO	1 000]	0.00	0.00	3.00	0.00	<u>′</u>					
	— Comm		1	1	XDV2X	IDIVG	0.6228	6.71	4 R4	Τ΄.		Т	· ·	1	T	T	Т
			 	 		10100					 	1	· · · · ·	1	1	1	

MRUMDER	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	·	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN COCI		<u> </u>	XDD4X	UC1CA	2.84	6.71	4.84								
	Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			XDV2X	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Commingled 56kbps Interoffice Channel		 	XDV6X	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Commingled 64kbps Interoffice Channel		├	XDD4X XDD4X	U1TD5	20.97	98.09	53.67	56.31	22.42						
	Continuing and Granter	+	 	XDV2X, XDV6X,	U1TD6	17.25	98.09	53.67	56.31	22.42					L	ļ
	Commingled VG/DS0 Interoffice Channel Mileage		i	XDD4X	1L5XX	0.01	1				1	1				
	Commingled 2-wire Local Loop Zone 1	—	1 1	XDV2X	UEAL2	12.67	125.22	60.48	50.50	7.84	ļ			 	ļ	
-	Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	17.45	125.22	60.48	59.69 59.69	7.84	 				ļ	
	Commingled 2-wire Local Loop Zone 3	1	3		UEAL2	33.22	125.22	60.48	59.69	7.84	 		 	}	}	
	Commingled 4-wire Local Loop Zone 1	1	1	XDV6X	UEAL4	29.26	125.22	60.48	59.69	7.84	 -	 	 		 	+
	Commirgled 4-wire Local Loop Zone 2	1	_2	XDV6X	UEAL4	34.25	125.22	60.48	59.69	7.84	1	 	 		 	+
	Commingled 4-wire Local Loop Zone 3	\Box	3	XDV6X	UEAL4	85.06	125.22	60.48	59.69	7.84		t		 		
	Commingled 56kbps Local Loop Zone 1	\mathbb{T}	1	XDD4X	UDL56	27.59	125.22	60.48	59.69	7.84					 	
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	32.48	125.22	60.48	59.69	7.84					1	
	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	36.37	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	27.59	125.22	60.48	59.69	7.84						T
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	32.48	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	36.37	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	18.44	125.22	60.48	59.69	7.84					L	
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	25.08	125.22	60.48	59.69	7.84		ļ		ļ	J	ļ
+	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	42.87	125.22	60.48	59.69	7.84	 	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Commingled DS1 COCI Commingled DS1 Interoffice Channel		-	XDH1X XDH1X	UC1D1 U1TF1	11.80	6.71	4.84				ļ <u></u>		ļ	 	
	Comminged DS1 Interoffice Channel Mileage	+	 	XDH1X	1L5XX	79.02 0.19	181.24	123.53	56.72	22.32	 			 	 	
	Comminged DS1/DS0 Channel System		 	XDH1X	MQ1	113.33	57.26	14.74	1.86	1.67	}	 	 	 	 	+
	Commingled DS1 Local Loop Zone 1	+	1-;-	XDH1X	USLXX	86.47	210.70	114.60	63.96			 		 	 	
	Commingled DS1 Local Loop Zone 2	+	2	XDH1X	USLXX	114 10	210.70	114.60	63.96			 				
	Commingled DS1 Local Loop Zone 3	+	3	XDH1X	USLXX	297.76	210.70	114.60	63.96			 	 	-	}	
	Commingled DS3 Local Loop	†	1	HFQC6	UE3PX	308.31	2.0.10	774.00			 		 		+	+
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	9.25					 	 			 	+
	Commingled STS-1 Local Loop	-	1	HFRST	UDLS1	320.51	237.36	147.69	83.43	32.67	_			1	 	1
	Commingled DS3/DS1 Channel System		1	HFQC6	MQ3	158.20	115.48	56.53	15.12	5.30	1			1		1
	Commingled DS3 Interoffice Channel		1	HFQC6	U1TF3	966.89	350.56	141.58	48.00	23.39		1	1			
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09						1				
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09								<u> </u>	1	
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber				1								1			
	Strands, Per Route Mile Or Fraction Thereof		J	HEODL	1L5DF	30.74			ļ		 			ļ	ļ	4
Į	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber								1			-		1		ì
	Strands, Per Route Mile Or Fraction Thereof		├	HEQDL	UDF14	<u> </u>	732.53	192.67	377.27			}	 	}		
	UNE to Commingled Conversion Tracking	-	┼	XDH1X HFQC6	CMGUN	0.00	0.00	0.00	0.00			 	├	 		+
1.	SPA to Commingled Conversion Tracking		 	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	'	 	+	 	 	+
NP Query Se	LNP Charge Per query		╁			0.0008695					 	1	 	 		+
	LNP Service Establishment Manual	-	 	 	+	0.000693	13.82	13.82	12.71	12.71	 	 	+	 	 	+
	LNP Service Provisioning with Point Code Establishment	+	-	 	 -		953.27	487.00	431.95			1	<u> </u>		 	\dagger
1 PBX LOC		1	+		+		5552.				1	1	 	1	<u> </u>	1
	BX LOCATE DATABASE CAPABILITY					·				·	'					
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU	I	1,814.00						1			
	Changes to TN Range or Customer Profile	T		9PBDC	9PBTN		181.57									
	Per Telephone Number (Monthly)	\perp		9PBDC	9РВММ	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		533.00				1		L		1	
	PBX Locate Service Support per CLEC (Montht)			9PBDC	9PBMR	179.88				1	1	1		·	 	+
	Service Order Charge		ل	9PBDC	9PBSC	L	7.86	L		1		ــــــــــــــــــــــــــــــــــــــ				
	BX LOCATE TRANSPORT COMPONENT															
See A	MT 3		_			,				т		т				
	1	1	1	1	1	1			1		1	1	1	1	1	

	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
		 				Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC			Rates(\$)		· · · ·
The "7	(one" shown in the costing for the delication of	L											SOMAN	SOMAN	SOMAN	SOMAN
http://	Zone" shown in the sections for stand-alone loops or loops as pa www.interconnection.bellsouth.com/become_a_clec/html/interco	rt of a co	ombina o bt	tion refers to Geograp	ohically Deav	eraged UNE Zo	nes. To view (eographically (Deaveraged UN	E Zone Design	ations by Co	ntral Office,	refer to intern	et Website:		٠
PERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1	1			r										
NOTE	(1) CLEC should see to the				·——						L					<u> </u>
the sta	: (1) CLEC should contact its contract negotiator if it prefers the ate specific Commission ordered rates for the service ordering of	'state sp	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS o	harges current	y contained in t	his rate exhibit	are the Bell	South "regio	nal" service o	ordering charg	es. CLEC mar	y elect eith
NOTE	: (2) Any element that can be ordered electronically will be billed	accomir	a to th	a SOMEC mta listed i	n this cotton	dering charge, i	OWEVER, CLEC	can not obtain	a mixture of th	e two regardle:	BS # CLEC h	as a interco	nnection cont	ract establishe	d in each of th	he 9 states.
ordere	ed electronically at present per the LOH, the listed SOMEC rate in	this cate	gory r	eflects the charge that	would be bi	illed to a CLEC	once electronic	ordering capat	rilities come on-	n) to determin line for that ele	eπaproduc ment. Othe	t can be ord rwise the m	ered electroni anual orderio	cally. For thos	se elements th	at cannot I
CLEC	s bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service												ondui ordanii	y change, son	Min, Will De ap	npileu to a
	Request (LSR) - UNE Only		1		SOMEC	l	3.50	0.00]
	OSS - Manual Service Order Charge, Per Local Service Request		 		SOMEC		3.50	0.00	3.50	0.00						
VE CERVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE	Ļ			SOMAN		15.20	0.00	15.20	0.00						
NOTE	: The Expedite charge will be maintained commensurate with Be	BC audhi	- FCC	No 4 To 10 Control		L										-
	The Expedite strange with be individually continuented at the with be	Jusouth	T	UAL, UEANL, UCL.	as applicable). 										
				UEF. UDF, UEQ.												
İ				UDL. UENTW, UDN,		i										
				UEA, UHL, ULC,		!										
		1		USL, U1T12, U1T48, U1TD1, U1TD3,		i					ļ					
-				U1TDX, U1TO3,			:									
				U1TS1, U1TVX,							i					
				UC1BC, UC1BL,	1											
1				UC1CC, UC1CL,							İ					
1				UC1DC, UC1DL, UC1EC, UC1EL,												
		1		UC1FC, UC1FL,												
				UC1GC, UC1GL,										ĺ		
		1		UC1HC, UC1HL,												
				UDL12, UDL48, UDLO3, UDLSX.												
				UE3, ULD12,												ļ
1		ļ		ULD48, ULDD1,												İ
- 1				ULDD3, ULDDX,							i					
			İ	ULDO3, ULDS1, ULDVX, UNC1X.												
			1	UNC3X, UNCDX,												
			1	UNCNX, UNCSX,												
				UNCVX, UNLD1,				i								
				UNLD3, UXTD1, UXTD3, UXTS1,	<u> </u>											
ļ				UITUC, UITUD.							1					
- 1			1	U1TUB,											ŀ	
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG.					;							
RDER MODE	Day FICATION CHARGE	 	+	NTCUD, NTCD1	SDASP	 	200.00				ļ					ļ
	Order Modification Charge (OMC)	 	1	· · · · · · · · · · · · · · · · · · ·	-	 	26.21	0.00	0.00	0.00	 					
	Order Modification Additional Dispatch Charge (OMCAD)	1					150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP	<u>L</u>									l					
2-WIR	E ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1-1-	UEANL	UEAL2	12.90	36.54	16 87								1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	2	UEANL	UEAL2	23.33	36.54	16.87			 			ļ		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	48 43	36.54	16 87								
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1				UEASL	12 90	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 			UEASL	23.33	36.54	16.87								
	Tag Loop at End User Premise	\vdash	+ 3		UEASL URETL	48.43	36.54 8.92	16.87 0.88			 					
	Loop Testing - Basic 1st Half Hour	†	 		URET1	 	33.17	0.00								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		19.28	19.28								L
	Manual Order Coordination for UVL-SL1s (per loop)	1	1	UEANL	UEAMC		7.92	7.92			1					
	Order Coordination for Specified Conversion Time for UVL-SL1	 	-	02.012	O E MINIO		7.02	7.92								

ONBONDE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
		I			1						Svc Order	Svc Order	Incremental	incremental	Incremental	incremental
]			1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
]				ŀ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
		1	i l								l		1st	Addi	Disc 1st	Disc Add'i
			<u> </u>		1						1		'*	~~~	Date is	Disc Audi
		L			T	D-4	Nonred	urring	Nonrecurring	Disconnect	1		oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make				1					1	1	1				T
	up (Engineering Information - E.i.)	l	1	UEANL	UEANM	f	13.04	13.04	ŧ		-		Į	į.	į.	l
	Unbundled Loop Service Rearrangement, change in loop facility,								· · · · · · · · · · · · · · · · · · ·	 	· · · · · · ·					
L.	per circuit	I.	1	UEANL	UREWO	1 1	15.75	8.93	1		1				1]
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL.	UREPN		36.54	16.87	1	 				 	 	——
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM	1	7.92	7.92	<u> </u>	 		· · · · · · · · · · · · · · · · · · ·				<u> </u>
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	12.40	35.27	15.60	T*		1		1	1	T T	T
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	14 32	35.27	15.60		†	 					†———
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	16.87	35.27	15.60								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		i — — —	1	1				 	+				 	
	Premise	1	Į.	UEQ	URETL	1 1	8.92	0.88		1	1		1			
	Loop Testing - Basic 1st Half Hour	1	 	UEQ	URET1	 	33.17	0.00	 	 		 	 	 	 	
	Loop Testing - Basic Additional Half Hour	 	1-	UEQ	URETA	 	19.28	19 28	 	 	+	 	 		 	
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	t -		TOTAL CONTRACTOR	 	13.20	1326	 	 	+	 		-	 	
	Designed (per loop)	1	1	UEQ	USBMC		7.92	7.92	1	1	I		1	1	1	
	Unbundled Copper Loop - Non-Design, billing for BST providing	+	+	 	- JOSOWIC	+	1.32	7.32	 	 	+	 	 	 	 	
l	make-up (Engineering Information - E.I.)	1	1	UEQ	NEOWO	1	12.04	13.04	1	1	1	}	1	1	i	1
	Unbundled Loop Service Rearrangement, change in loop facility,	₩-	+-	0.0	DECIMO	 	13.04	13.04	 	· 	+		+	 	 	
- 1			1	uro	UDEWO		1400	7.40		1	ŀ		1	1		1
	per circuit	┼	+	UEQ	UREWO	 	14.25	7.42		 		 	 	 	ļ	
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN	 	35.27	15.60		 		 			 	
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	├	╂	UEQ	UREPM	 	7.92	7.92				 			 	
	EXCHANGE ACCESS LOOP	ــــــــــــــــــــــــــــــــــــــ										L	<u> </u>	<u> </u>		<u> </u>
2-WIR	E ANALOG VOICE GRADE LOOP			,								,				-,
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		1					1			i			i
	Ground Start Signaling - Zone 1	—	1	UEA	UEAL2	14.93	102.10	65.72		<u> </u>				1	<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1 }			1	1		Į.	1	1	1	1
	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	25.35	102.10	65.72	l						ļ	
l l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		1	1 1				1			J	1		i
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				<u> </u>	<u> </u>			
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1											1	1		1
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72					·	1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse							[T			ŀ
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				1	J		<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse										7		1			
	Battery Signaling - Zone 3	L	3	UEA	UEAR2	50.46	102.10	65.72	1					1		
	Switch-As-Is Conversion rate per UNE Loop. Single LSR. (per											1				
	DS0)	1	. 1	UEA	URESL	1	24.98	3.52	1	1		1	1			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per												T			1
ļ	DS0)	1	1	UEA	URESP		26.47	5.01	1	1	1		1 _		1	1
	Unbundled Loop Service Rearrangement, change in loop facility,	$\overline{}$	T-	1	1	1			1							
	per circuit	1	1	UEA	UREWO	1	87.59	36.30	1	1	1	1	1	1	1	1
	Loop Tagging - Service Level 2 (SL2)	\top	 	UEA	URETL	1	11.20			1		1	1	T		T
+-	Bulk Migration, per 2 Wire Voice Loop-SL2	+	+	UEA	UREPN	1	102.10			1		 	1	1	T	7
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	+	+	UEA	UREPM	+	0.00			1		+		1	1	T
4 14/15	RE ANALOG VOICE GRADE LOOP		٠	,	TOTAL IN	ــــــــــــــــــــــــــــــــــــــ	0.00	0.00	· · · · · · · · · · · · · · · · · · ·					'		
4-WIH		T	Т т	IUEA	UEAL4	30.81	127.40	91.02				1	T	T	Т	T
	4-Wire Analog Voice Grade Loop - Zone 1	+	1 2	UEA	UEAL4	38.32	127.40				+	+	+	+		+
 	4-Wire Analog Voice Grade Loop - Zone 2	+	3	UEA	UEAL4	60.39	127.40			· †	+	+	 	+	+	
	4-Wire Analog Voice Grade Loop - Zone 3	+	+-3	UEA	UEAL4	60.39	127.40	91.02	`			 	+	 	+	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			luc.	LIBES!		34.00	3.52	, [1	-	1		i	1	1
L	DS0)	+-	+	UEA	URESL		24.98	3.52		+			 	 	+	+
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	l	Į.		Lupres	1 1	00.1-		. }	1	- }	i	1	1	1	1
	DS0)	+	+	UEA	URESP	 	26.47	5.01	 	+		 	+	+		+
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1		Lupeuro	1			, i	1	1	i		1	1	1
<u> </u>	per circuit			UEA	UREWO		87.59	36.30	/1			<u> </u>				
2-WIR	IE ISDN DIGITAL GRADE LOOP	_		lunu	lust are	7 20.5		T		1						
	2-Wire ISDN Digital Grade Loop - Zone 1	₩		UDN	U1L2X	22.09	113.34	76.96		 		+	 	+	+	
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96				 -	+	+	 	+
	2-Wire ISDN Digital Grade Loop - Zone 3	→—	3	UDN	U1L2X	65.18	113.34	76.96	· 			_	 		_	
1	Unbundled Loop Service Rearrangement, change in loop facility,	1		L	I]	.1	Ī	1		1	1	1	1
	per circuit			UDN	UREWO		91.49	44.09	·T			L		ــــــــــــــــــــــــــــــــــــــ		
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP					·	·-							
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	1	1	1]	· _	ì	1	1	1				1	1
1	facility reservation - Zone 1	L	11	UAL	UAL2X	12.29	117 08	68.36	3					1		

ATECHY RATE ELEMENTS Means BOY RATE SCHOOL RATE SCH				Att: 2 Exh: A												RK ELEMENTS - Louisiana	BUNDLED
## ART ELLMENTS ## ART	mental Increment	Incrementa	Incremental		Svc Order	Svc Order						T					1
### APT ELEMENTS ### Zer ## DECS												1		- 1	()		
NEW Control PATE ELEMENTS Seame 2005 USC PATE Seame															()		
West Description Process Description									D. 7 FO(6)					_	l!		
Time Processing Processin					per LSR	perLSR			HA! E5(\$)			USOC	BC\$	Zone	intenm	HATE ELEMENTS	EGORY
Part Description ADS, Loop requiring manufactures requiry &		Electronic	Electronic-	Electronic-								i .			1 1		
Print Usuanded CDL Logis Cutting relating named services regary & 2 UNL ULIZY 11709 0.93 km 1.1709 0.93 km 2.1709 0	c 1st Disc Add	Disc 1st	Add'l	1st											1		i
Print Usuanded CDL Logis Cutting relating named services regary & 2 UNL ULIZY 11709 0.93 km 1.1709 0.93 km 2.1709 0		<u> </u>		L													
Twen Uncarded ADS, Log in producting growned amount agrees requiry 2 UML											Bec						
Interformation	MAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'I	First	Hec						
2 West Uncontrol ACRES 100																	
Limitary reservations, 2009 3 July July 1776 60.96 9 1776 1776 60.96 9 1776 1776 60.96 9 1776						L			68.36	117.08	14.09	UAL2X	AL	2 (
2 View Uncontact ADDE Loop without marked service requiry & 1																ndled ADSL Loop including manual service inquiry &	
Pacify reservation. 2016 1			1		İ	1			68.36	117.08	15.75	UAL2X	AL.	3 1		ration - Zone 3	i!
2 WAY LUCKANDER DELL Copy without manual service regary 6 2 UAL UAL		1														ndled ADSL Loop without manual service inquiry &	
The contracted ADEL Logo without manual service repairy A 2 UAL UALZW 15.72 92.83 56.02						Ĺ			56.02	92.83	12.29	UAL2W	AL	1 1			
2 West Described ADCL Loop efforts remarkal service regary 6 1 UAL																	
Testiley reterminates					L				56.02	92.83	14.09	UAL2W	AL	2 1		raton - Zone 2	
Unbachded Loop Service Reparamegement, charge in Roop Looking, per critical Company of the Com		T		l								1				ndled ADSL Loop without manual service inquiry &	
Description Process			<u> </u>	İ					56.02	92.83	15.75	UAL2W	AL	3 1		vaton - Zone 3	1 1
2 2 2 2 2 2 2 2 2 2												1				pop Service Rearrangement, change in loop facility.	
2 West Unbranched FOSE, Loop including marked service requity & 1 Lief.									40.34	86.07	}	UREWO	AL	1 10			i l
Teachy reservation: Zone 1 1 UHL														OOP	FIBLE LO	ATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	2-WIRE
Table Tabl						T					T	T					
2 Wine Unbounded POSE, Loop including manual service requiry & 2 UHL, UHL2X 11.57 125.00 76.77									76.77	125.50	979	UHL2X	HL	1 1	ļ		
Society reservation - Zone 2 2 UHL		Γ										1			$\overline{}$		
2 Wire Unbursted HDSL Log including marked service requiry 6 3 OHL UH-LZX 12.74 125.50 79.77				1			_	I	76.77	125.50	11.52	UHL2X	HL	2	1		
Tacity reservation - Zone 3				1											1		
2 Vivis Uncurded HOSL Loop without manual service inquity and 1 Unit. Unit. Unit. Unit. Unit. Unit. Vivis Vivi		1		1	1		l	ł	76.77	125.50	12.74	UHL2X	HL	3			
facility reservation - Zone 1					1										$\overline{}$		
2 Vive Urburded HDSL Loop without markal service inquity and leafly reservation. Page 1 1 152 10124 64 43 10124 10124 64 43 10124		l	l		1	1			64.43	101.24	9.79	UHL2W	HL	1 1	1		
Sealing reservation - Zone 2 UHL			1			1						1		-	+-		
2 Wire Urburded HDSL Loop without manual service many and politically representation. Zone 3 Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded Loop Service Rearrangement, charge in loop Toolky. Urburded HDSL Loop Industry manual service inquiry and a claim the service inquiry and service in	- 1	1		l	1	1			64.43	101 24	11 52	LIHI 2W	HI.	1 2	1		- 1 - 1
Tacility reservation - Zone 3 3 UHL UHL2W 12.74 101.24 64.43 UHL2W		+	1	 	 	1	-		31110			107.12.17		 	+		
Uniterested Logs Service Rearrangement, change in loop facility, per circust Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uniterest Unit, Uni	1	1		1	ı	ļ	i	1	64.43	101.24	12.74	LIHL 2W	ILI	1 2 1	l		1 1
Der Cricul UPL UREWO		+	 	 	 	1			1	101.24	12.74	- Oritziii		1	+		
A Wire Price (1971 AT E DIGIT AL SUBSCREEF LUNE (1981), COMPATELE LOOP	I		1	1	}	1		i	40.34	86.00	1	LIDEWO	ıuı	l I	1	toop service Hearrangement, change in bop racinty	- {
A Wire Unburded HOSL Loop including manual service inquiry and facility reservation - Zone 1					1	1	J		1 40.04	00.00	1	JOHEWO	mc		TIDLE	ATE DICITAL CURCORER LINE (HDCL) COM	4 WIDE
Tackly reservation - Zone 1		T	T	T		1		Т			1			T 1			4-WIRE
A-Wire Unburkded HOSL Loop Including marval service inquiry and facility reservation. 2		1		1		1		1	104 54	153.26	16.24	LIBITAY	ıuı	1 , 1	1		
Sality reservation - Zone 2		1	+	 		- 	-	+	104.54	135.20	10.24	- JOHL4X	/nc	+			
4-Wire Unburded HDSL Loop including manual service inquiry and facility reservation. Zone 3	1		1	İ	1	1	1	1	104.54	153.26	16.65	luui av	ш	1 , 1	1		l
Tacility reservation - Zone 3				 		_	1	+	104.54	133.20	10.03	UHL4X)nL	-	_		
A Wire Unit United FOSE Loop without manual service inquiry and facility reservation. Zone 1 UHL	1	1			1	1	i	i	104.54	152.26	17.24	LILLI AV	14.44	1 . 1	3		
Specially reservation - Zone 1			-	+	·	+		 	104.54	153.20	17.34	UHL4X	ML	3	+		
4-Wire Urburded HDSL Loop without manual service inquiry and facility reservation. 2 one 2 2 UHL UHL4W 16.65 129.00 92.20		ĺ	1		1	ì			02.20	120.00	1			1 .			
Inacity reservation - Zone 2		+	+	+	+			<u>'</u>	92.20	129.00	16.24	UHL4W	JHL	1			
A-Wire Discheded HDSL Loop without manual service inquiry and facility reservation - Zone 3 UHL	- 1	1	1	Į.	1			J	00.00					١			
Tacility reservation - Zone 3		+	+	+	 	+	 	'	92.20	129.00	16.65	UHL4W	JHL	2	+		
Uniter U	1	1	1	1	1		1	.1				1		1	}	undled HDSL Loop without manual service inquiry a	
Description Description		+-	+	-				 	92.20	129.00	17.34	UHL4W	JHL	3		rvation - Zone 3	.
#Wire DST Digital Loop - Zone 1	i i				1			.1			1	1		1		oop Service Rearrangement, change in loop facility	
4-Wire DS1 Digital Loop - Zone 1						_l		<u> </u>	40.34	86 00	1	UREWO	JHL				1
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 194 96 245 16 152 98 4		7		-T				т	T							AL LOOP	4-WIRE
4-Wire DST Digital Loop - Zone 3 3 USL USLXX 491.94 245.16 152.98 Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per DS1) USL URESL 24.98 3.52 Switch-As-Is Conversion rate per UNE Loop. Spreadsheet, (per DS1) Usl URESP 26.47 5.01 Unbundled Loop Service Rearrangement, change in loop facility, per circuit USL URESP 26.47 5.01 UREWO 10.93 42.98 4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 1 UDL UDL2X 30.99 121.86 85.48 4 1 URESP 27.00 1 UDL2X 30.99 121.86 85.48 4 UDL2X 30.99 121.86 85.48 4 UDL2X 30.99 121.86 8		+	+		+		ļ										
A-Wire DS1 Digital Loop - Zone 3 3 USL USLX 491.94 245.16 152.98												USLXX	JSL	2	\top		
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)				+	_		<u> </u>	3	152.98	245.16	491.94	USLXX	JSL	3			
DS1 USL URESL 24.98 3.52 USL URESP 26.47 5.01 URESP 26.47 5.01 URESP USL USL URESP USL USL URESP USL USL URESP USL US		1	1	1	1	1	1								\top	s Conversion rate per UNE Loop, Single LSR, (per	
Switch-As-is Conversion rate per UNE Loop. Spreadsheet. (per DS1)		+					1	2	3.52	24.98		URESL	JSL	.1	1		
USL UREWO 100.93 42.98 UREWO 100.9				1		1								1		s Conversion rate per UNE Loop, Spreadsheet, (pe	
Urburdled Loop Service Rearrangement, change in loop facility. per circuit 4-WIRE 192, 56 OR 64 KBPS DKITAL GRADE LOOP 4-WIRE 192, 56 OR 64 KBPS DKITAL GRADE LOOP 4-WIRE Urburdled Digital Loop 2.4 Kbps - Zone 1 1 UDL UDL2X 36 78 121.86 85.48			+	 					5.01	26.47		URESP	USL				1
Decision Decision		1	1	ł	1	1									$\overline{}$	oon Service Rearrangement, change in loop facility	
4-WIRE 19.2, 36 0ft 64 KBPS DIGITAL GRADE LOOP 4 Wire Urbundled Digital Loop 2 4 Kbps - Zone 1 1 UDL UDL2X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 2 4 Kbps - Zone 2 2 UDL UDL2X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 2 4 Kbps - Zone 3 3 UDL, UDL2X 38 92 121 86 85 48 4 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 3 1 UDL UDL4X 30 99 121 86 85 48 4 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 3 3 UDL UDL4X 38 92 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL4X 38 92 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 1 1 UDL UDL9X 30 99 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 2 2 UDL UDL9X 30 99 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 2 2 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 2 2 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 2 2 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 2 2 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL9X 36 78 121 86 85 48 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 1 1 UDL UDL9X 36 99 121 86 85 48 4 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 1 1 UDL UDL9X 36 99 121 86 85 48 4 4 4 Wire Urbundled Digital Loop 9 8 Kbps - Zone 1 1								3	42.98	100.93		UREWO	USL	1	1	Loop Dorrigo House goment of the gome work forms	
4 Wire Unburded Digital Loop 2 4 Ktps - Zone 1 1 UDL UDL2X 30:99 121:86 85:48 4 Wire Unburded Digital Loop 2 4 Ktps - Zone 2 2 UDL UDL2X 36:78 121:86 85:48 4 Wire Unburded Digital Loop 4 8 Ktps - Zone 3 3 UDL UDL4X 30:99 121:86 85:48 4 Wire Unburded Digital Loop 4 8 Ktps - Zone 1 1 UDL UDL4X 30:99 121:86 85:48 4 Wire Unburded Digital Loop 4 8 Ktps - Zone 2 2 UDL UDL4X 36:78 121:86 85:48 4 Wire Unburded Digital Loop 4 8 Ktps - Zone 3 3 UDL UDL4X 36:78 121:86 85:48 4 Wire Unburded Digital Loop 4 8 Ktps - Zone 3 3 UDL UDL4X 36:78 121:86 85:48 4 UDL4X 36:78 121:86 85:48 4 Wire Unburded Digital Loop 9 6 Ktps - Zone 3 3 UDL UDL4X 38:92 121:86 85:48 4 UDL4X 36:78 121:											-					64 KRPS DIGITAL GRADE LOOP	4.WIDE
4 Wire Urbundled Digital Loop 2 4 Kbps - Zone 2 2 UDL UDL2X 36.78 121.86 85.48 4 Wire Urbundled Digital Loop 2 4 Kbps - Zone 3 3 UDL UDL2X 38.92 121.86 85.48 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 1 1 UDL UDL4X 30.99 121.86 85.48 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36.78 121.86 85.48 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36.78 121.86 85.48 4 Wire Urbundled Digital Loop 4 8 Kbps - Zone 3 3 UDL UDL4X 36.78 121.86 85.48 4 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL4X 38.92 121.86 85.48 4 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL4X 36.78 121.86 85.48 4 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 30.99 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 36.78 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wirbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86								3	85.48	121.86	30.99	UDL2X	UDL	Tī	1	undled Digital Loon 2 4 Khos - Zone 1	4-4414
4 Wire Unburdled Digital Loop 2 4 Kbps - Zone 3 3 UDL UDL2X 38.92 121.86 85.48 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 1 1 UDL UDL4X 30.99 121.86 85.48 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36.78 121.86 85.48 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 2 3 3 UDL UDL4X 38.92 121.86 85.48 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 3 3 UDL UDL4X 38.92 121.86 85.48 4 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121															+		
4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 1 1 UDL UDL4X 30.99 121.86 85.48 4 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36.78 121.86 85.48 4 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 3 3 UDL UDL4X 38.92 121.86 85.48 4 4 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 4 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 4 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL															+		
4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 2 2 UDL UDL4X 36.78 121.86 85.48 4 Wire Unburdled Digital Loop 4 8 Kbps - Zone 3 3 UDL UDL4X 38.92 121.86 85.48 4 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL4X 38.92 121.86 85.48 4 UDL4W Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 4 UDL4W UDL9X															-		
4 Wire Unburdled Digital Loop 9 8 Kbps - Zone 3 3 UDL UDL4X 38.92 121.86 85.48 4 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 3 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 38.92 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9 30.99 121.86 85.48 5 Wire Unburdled Digital Loop 9 6 Kbps - Zone 9 Wire Unburdled Digital Loop 9 6 Kbps - Zone 9 Wire UDL9 9 Wire Unburdled Digital Loop 9 6 Kbps - Zone 9 Wire Unburdl							1								+		_
4 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL9X 30.99 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 1 1 UDL UDL19 30.99 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL9X 38.92 121.86 85.48 5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL9X 38.92 121.86 85.48					T		1								+		
5 Wire Urbundled Digital Loop 9 6 Kbps - Zone 2 2 UDL UDL9X 36.78 121.86 85.48 5 6 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 6 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 3 UDL UDL9X 38.92 121.86 85.48 5 6 Wire Urbundled Digital Loop 9 6 Kbps - Zone 3 1 UDL UDL9X 38.99 121.86 85.48 5 6					1	$\overline{}$	1										
5 Wire Urbundled Digital Loop 9.6 Kbps - Zone 3			1		1	1									+-		
6 Wire Unburdled Dirital 19 2 Khos - Zone 1 1 UDL UDL19 30.99 121.86 85.48															+-		
						_	+										
4 Wire Unburdled Digital 19 2 Kbps - Zone 2 2 UDL UDL19 36.78 121.86 85.48			-	1	 		+										

	ED NETWORK ELEMENTS - Louisiana	·											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge • Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring D	Disconnect	† · · · · ·		oss	Rates(\$)		
		<u> </u>	└				First	Add'l	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	┼		UDL	UDL56	30.99	121.86	85.48	-,							
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	┼		UDL	UDL56 UDL56	36.78 38.92	121.86 121.86	85.48 85.48			+	ļ				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		 -; -	UDL	UDL64	30.99	121.86	85.48 85.48			 	ļ				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	2	UDL	UDL64	36.78	121.86	85.48			 	 				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	UDL	UDL64	38.92	121.86	85.48			 	 	-			
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per										†					
	DS0)	↓	ļ	UDL	URESL		24.98	3.52			J	L				1
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)								-		T					
		-	├	UDL	URESP		26.47	5.01				<u> </u>				ļ
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		UDL	UREWO		101.97	49.67	i			1				
2-W#	RE Unbundled COPPER LOOP	1	·	1000	IONEMO		101.97	49.67	L		<u> </u>	<u> </u>	l		L	J
	2-Wire Unbundled Copper Loop-Designed including manual	T -	т	1	T	r		1				r				T
Ì	service inquiry & facility reservation - Zone 1	į	1	lucu	UCLPB	12.29	116,18	67.46	1							
	2-Wire Unbundled Copper Loop-Designed including manual	1	i		1											
	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	14.09	116.18	67.46			1					
1	2 Wire Unbundled Copper Loop-Designed including manual service	e	1													
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								l
1	2-Wire Unbundled Copper Loop-Designed without manual service		١													J
-+-	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service	_	1	UCL	UCLPW	12.29	91.92	55 12			_		ļ			ļ
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	01.00	55.40	1							Ì
-+	2-Wire Unbundled Copper Loop-Designed without manual service	+	+-	I OCL	OCLPW	14.09	91.92	55.12				ļ	ļ			
	inquiry and facility reservation - Zone 3	ŀ	3	UCL	UCLPW	15.75	91.92	55.12			1					
	Order Coordination for Unbundled Copper Loops (per loop)	+	 ~ ~	UCL	UCLMC	19.73	7.92	7.92	····		+					
	Unbundled Loop Service Rearrangement, change in loop facility,		1		1						1	 				
	per circuit	1	i	UCL	UREWO	j l	91.92	42.47]				i		ŀ	
4-Wif	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry					1										
	and facility reservation - Zone 1	_	1-1	UCL	UCL4S	22.27	139.69	90.96								├
. 1	4-Wire Copper Loop-Designed including manual service inquiry		2	ucı	11101.40	1000	400.00	20.00						İ	1	
	and facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry	+-	 -	UCL	UCL4S	18.95	139.69	90.96				-				
. 1	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96			İ			ĺ	İ	
	4-Wire Copper Loop-Designed without manual service inquiry and	+	 -	-	1000-0	10.55	103.03	30.30				 				
ļ	facility reservation - Zone 1		1 1	UCL	UCL4W	22.27	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry and		i –		1											<u> </u>
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63						L	<u> </u>	
. 1	4-Wire Copper Loop-Designed without manual service inquiry and		1			1									ľ	i
	facility reservation - Zone 3	+	3	UCL	UCL4W	10.99	115.43	78.63				ļ		<u> </u>		
	Order Coordination for Unbundled Copper Loops (per loop)	+	 	UCL	UCLMC	 	7.92	7.92				ļ	 		 	
. 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UREWO	1	91.92	42.47							1	
	per circuit	+	 	UEA, UDN, UAL.	JOHEWO	 	51.52	42.47	 			 			 	
.	Order Coordination for Specified Conversion Time (per LSR)		1	UHL, UDL, USL	OCOSL		17.56							1	†	
Rear	rangements			,,	1	<u> </u>			·					±		
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1		1	T	T		T	[T		I '		T .	
	SL2			UEA	UREEL		87.59	36.30								ļ
		1			l	1										
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	+	├	UEA	UREEL	ļ	87.59	36.30				 				
-+	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	+	+	UDN	UREEL		91.49	44.09	 		+	 			 	
.	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		1	UDL	UREEL	j	101.97	49.67	[1	1	I	I	1	1
-+	EEL to UNE-L Retermination, per 4 Wire Unburdled DS1 Loop EEL to UNE-L Retermination, per 4 Wire Unburdled DS1 Loop	+	+	USL	UREEL	 	100.93	42.98	 		+	 	 	 	 	
UNE LOOP (COMMINGLING	+	 	1002	- UNILLE			12.00					†			†
	RE ANALOG VOICE GRADE LOOP - COMMINGLING			'				•			<i></i>		<u> </u>	•	·	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T	T	T	T				l I		T	T	T	i		
. 1	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.93	102.10	65.72	l				1	L		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	T-											1		
		1														
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	25.35	102.10	65.72				ļ	<u></u>			

NRONDEE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	┼	┼─~	 	 		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Battery Signaling - Zone 1	1	1	NTCVG	UEAR2	14.93	102.10	65.72			 	\			l	ነ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	—	1	100	2.0.05		03.72	·				·		ļ	
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	50.46	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 	NTCVG	URESL		24.98	3.52								L
l	IDS0)	Į.	Į.	NTCVG	URESP	ļ	26.47	5.01			ļ		1		1	l
	Unbundled Loop Service Rearrangement, change in loop facility,	+	†		TONESF		20.47	5.01							ļ	
	per circuit		1	NTCVG	UREWO		87.59	36.30								i
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP	,	,												·	·
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	 	1 1	NTCVG	UEAL4	30.81	127.40	91.02	0.00	0.00						
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	-	2	NTCVG	UEAL4	38.32	127.40	91.02	0.00	0.00						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	┿┈	1 3	NTCVG	UEAL4	60.39	127.40	91.02	0.00	0.00						-
	DS0)			NTCVG	URESL	1	24.98	3.52]
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	 	NICVG	UNESL		24.98	3.52							ļ	
1	DS0)		1	NTCVG	URESP	i	26.47	5.01								1
	Unbundled Loop Service Rearrangement, change in loop facility,	 	—		10.1501		20.47	3.01								
	per circuit		1	NTCVG	UREWO 1		87.59	36.30								
4-WIRE	DS1 DIGITAL LOOP							~							·	
	4-Wire DS1 Digital Loop - Zone 1	1	1	NTCD1	USLXX	85.70	245.16	152.98								1
	4-Wire DS1 Digital Loop - Zone 2	┺——	2	NTCD1	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	491.94	245.16	152.98								
1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per IDS1)	1		NTCD1	URESL		24.98	0.50							ł	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	1	NICDI	UHESL		24.98	3.52								
	IDS1)			NTCD1	URESP		26.47	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,	 	1		1011201			J.U.								
	per circuit			NTCD1	UREWO		100.93	42.98				[1
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u>. </u>		NTCUD	UDL2X	30.99	121.86	85.48								1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 	2	NTCUD	UDL2X	36.78	121.86	85.48			 _				ļ	ļ
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	+		NTCUD	UDL2X UDL4X	38.92 30.99	121.86 121.86	85.48							 	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	+		NTCUD	UDL4X	36.78	121.86	85.48 85.48			 					+-
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		NTCUD	UDL4X	38.92	121.86	85.48		 	 		 			
\neg	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1-		NTCUD	UDL9X	30.99	121.86	85.48			 					
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	\top		NTCUD	UDL9X	36.78	121.86	85.48			·	<u> </u>				1
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	38.92	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	30.99	121.86	85.48			L					<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	-	2	NTCUD	UDL19	36.78	121.86	85.48		ļ	L			<u> </u>	ļ	—
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	1		NTCUD	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+-	1 2	NTCUD	UDL56 UDL56	30.99 36.78	121.86 121.86	85.48 85.48	-		 	 	 		 	+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+	3	NTCUD	UDL56	38.92	121.86	85.48 85.48			 	 			 	
\dashv	4 Wire Unburded Digital Loop 64 Kbps - Zone 1	+	1 1	NTCUD	UDL64	30.99	121.86	85.48			 	 	 	 	 	
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	† ····	2	NTCUD	UDL64	36.78	121.86	85.48		 	 				<u> </u>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	38.92	121.86	85.48	· ·							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per	1									I					
1	DS0)		<u> </u>	NTCUD	URESL		24.98	3.52		L		L			L	L
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		26.47	5.01								
								<u> </u>				 		 		
					1	l l			Į.	L	l .	Į.	l .	!	i.	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCUD	UREWO		101.97	49.67		L			L			<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,		-	NTCUD NTCVG, NTCUD, NTCD1	UREWO		101.97 17.56	49.67	-	<u> </u>	 	-				

	ED NETWORK ELEMENTS - Louisiana	г											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone BC	s	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manualty per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
		 	- 			Rec	Nonrec	urring	Nonrecurring				oss	Rates(S)	·	<u> </u>
		1	UDC. UEA.	UDI			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Maintenance of Service Charge, Basic Time, per half hour		UDN, USL, UHL, UCL, NTCUD, N' U1TD1, U1 U1TDX, U1 U1TDX, U1 USFCX, UC ULD3, UL UNC1X, UB UNCDX, UI UNCYX, UI UNCXX,	UAL, NTCVG, CCD1, TD3, TS1, F, NLSX, 1, DDX, DVX, ICGX, ICGX, ICGX, WUDL, UAL, UAL, UTCVG, CCD1, TD3, TS1, F,	VVBT		80.00	55.00								
	Maintenance of Service Charge, Overtime, per half hour		UE3, ULDD ULDD3, UL ULDS1, UL UNC1X, UN UNCDX, UI UNCVX, UL UDC, UEA,	1, DDX, DVX, IC3X, ICSX, S M¹	vvot		90.00	65.00								
OOP MODIFI	Maintenance of Service Charge, Premium, per half hour CATION		UDN, USL, UHL, UCL, NTCUD, N1 U1TD1, U1 U1TDX, U1 U1TYX, UB UDFCX, UC UE3, ULDD ULDD3, UL ULDS1, UL UNCDX, UI UNCDX, UI UNCOX, UI UNCVX, UI	NTCVG. CD1, FD3, TS1. FF, NLSX. 1, DDX, DVX, ICSX. ICSX. S M	VVPT		100.00	75.00								
			UAL, UHL.								 i	-				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop		UEQ, ULS, UEANL, UE UEPSB	PSR.	LM2L		0.00	0.00								
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, UCL,	IEA	LM4L		0.00	0.00				-				
	Unburdled Loop Modification Removal of Bridged Tap Removal. per urburdled loop		UAL, UHL, UEQ. ULS, UEANL, UE UEPSB	JCL, UEA, PSR.	LMBT		12.15	12.15								
UB-LOOPS	pop Distribution	LI														
Sub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1									γ					
	Up		UEANL, UE	F US	SBSA		144.09	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UE	F US	SBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	us	SBSC		86.16	86.16								
ĺ	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	l i	UEANL	[]	SBSD		27.13	27.13		I						

UNBUN	ULE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
]	1			1					Svc Order	Svc Order	Incremental	Incremental		Incrementa
			l			į						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1.		į.		1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sve
ATEGO	нү	RATE ELEMENTS	Interim	Zone	BCS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			ļ	Į.		ļ	}							Electronic-	Electronic-	Electronic-	Electronic-
			1	1			1							1st	Add'l	Disc 1st	Disc Add'i
			↓	<u> </u>										'*		Disc rac	Disc Add I
 ∔				<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
			1		1.] "" [First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										·					
		Zone 1	l] 1	UEANL	USBN2	7.57	63.89	30.06					ì	ļ		
1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2		. 2	UEANL	USBN2	12.75	63 89	30.06					ł		1	
1 1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -									t						· · · · ·
	<u> </u>	Zone 3	1	3	UEANL	USBN2	21 45	63.89	30 06	}	1	ì		ì		1	ì
		i -												<u> </u>		·	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop												T			
		Zone 1		1	UEANL	USBN4	11.76	76.75	42.92						ł		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1							1						†
		Zone 2	L	2	UEANL	USBN4	16.84	76.75	42.92	l	İ	1					
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				I				1		1					1
igspace		Zone 3	L.,	3	UEANL	USBN4	19.27	76.75	42.92	1		1			1		
-[1			1	1			1				t		t	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC]	7.92	7.92	ł	1	1				1	1
$\Box \Box$		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65							 	1
			1				T				1	1		1	 	 	1
ـــــــــــــــــــــــــــــــــــــــ		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	L	UEANL	usвмc	1	7.92	7.92	1	1	1				1	1
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	T		UEANL	USBR4	6.58	57.54	23.71						 	 -	†
			—	1		· · · · · · · · · · · · · · · · · · ·	 			 	 	 		 	 	 	
1 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	1	7.92	7.92							1	1
		Loop Testing - Basic 1st Half Hour	 -	 	UEANL	URET1	 	33.17	0.00	 	 	+				 	
		Loop Testing - Basic Additional Half Hour	 	 	UEANL	URETA	 	19.28	19.28			+	ļ	 	 -	 	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1 1	UEF	UCS2X	6.26	63.89	30.06		 -			 	 	 	
1		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+	2		UCS2X	10.07	63.89	30.06		 	+		 	 	 	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF	UCS2X	12.70	63.89	30.06		 			 	ļ	 	
		E TITO COPPER CITED GOOD COD ECOP DISTRIBUTION ZONE O	+	+-	001	00327	12.70	63.69	30.00	 	 	+		}		 	
1 1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92					1			1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+	1-;-	UEF	UCS4X	8.03				 	+	 	ļ	ļ	<u> </u>	
		4 Wire Copper Unburdled Sub-Loop Distribution - Zone 2	+	<u> </u>	UEF	UCS4X	10.71	76.75	42.92		ļ		ļ	 	ļ	ļ	
+		4 Wire Copper Orbo ded Sub-Loop Distribution - Zone 2	+					76.75	42 92				ļ	}	ļ		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		1-3-	UEF	UCS4X	6.08	76.75	42.92		↓			 	ļ	-	ļ
1 1		la constant many	1		luee .		1				1	1		{	1	!	ì
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	+	-	UEF	USBMC	 	7.92	7.92		 			<u> </u>	ļ		
1 1		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-					1				l					1	
-		Designed and Distribution Subloops		+	UEF, UEANL	URETL	 	8.92	0.88		<u> </u>				ļ		
		Loop Testing - Basic 1st Half Hour			UEF	URET1	 	33.17	0.00		Ļ		<u> </u>		ļ	ļ	
J		Loop Testing - Basic Additional Half Hour	ــــــــــــــــــــــــــــــــــــــ		UEF	URETA	J	19.28	19.28	L	<u> </u>		l	l	<u> </u>	L	J
بإلل	Jnbun	dled Sub-Loop Modification	.,			,	.,							,		,	
1 !		Unbundled Sub-Loop Modification - 2-W Copper Dist Load			i		1 1										
		Coil/Equip Removal per 2-W PR		1	UEF	ULM2X	<u> </u>	0.00	0.00	1			Ļ	ļ	ļ	ļ	
1 1		Unbundled Sub-loop Modification - 4-W Copper Dist Load	1			1				1	1		Ì		1	1	1
		Coil/Equip Removal per 4-W PR	_	1	UEF	ULM4X		0.00	0.00	1	1		L	ļ	ļ	<u> </u>	
1		Unbundled Loop Modification, Removal of Bridge Tap, per	1	1	1	\	1 -1		_	1	1	1	i	1	1	1	ì
$\perp \perp \perp$		unbundled loop	L		UEF	ULMBT		224.55	4.29	L	<u> </u>		<u> </u>	L	L	<u> </u>	
	Jnbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								1
1	vetw o	rk Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
\Box		Network Interface Device (NID) - 1-6 lines	1_		UENTW	UND16		62.86	48.43						I		
-		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73		I						
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73	1.						L	
	HER. F	PROVISIONING ONLY - NO RATE	1	1								1	I				
UNE OTH		T	1	1	UAL, UCL, UDC,	1						1		1			1
UNE OTI				1	UDL. UDN, UEA,				1	1	1	-		l	1	1	1
UNE OT			1				1		{	i		1	I			1	1
UNE OT	,				UHL, UEANL, UEF.												
UNE OTI									}	1		1					į.
UNE OT					UEQ, UENTW,							ļ					
UNE OT		Unbundled Contact Name Provisioning Only - no rate			UEQ, UENTW, NTCVG, NTCUD,	UNECN	0.00	0.00									
UNE OT		Unbundled Contact Name, Provisioning Only - no rate Unbundled DSTLoop - Superframe Format Oolton - no rate			UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00			<u> </u>				ļ		
UNE OTI		Unbundled DS1 Loop - Superframe Format Option - no rate			UEQ, UENTW, NTCVG, NTCUD,	UNECN CCOSF	0.00	0.00									
UNE OTI		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no			UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL USL, NTCD1	CCOSF	0.00	0.00									
UNE OTI		Unbundled DS1 Loop - Superframe Format Option - no rate			UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL		0.00										

ONBUI	NDEF	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
LOOP M	AVE		<u> </u>	<u> </u>			Nec	First	Add¹l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
COOP MI	AKE-U		↓	↓—													
- 1		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		ļ			i I										
-+		Loop Makeup - Preordering With Reservation, per spare facility	+	┼	UMK	UMKLW		23 29	23.29			<u> </u>					
- 1		queried (Manual).		1	UMK	UMKLP											
		Loop MakeupWith or Without Reservation, per working or spare	 	1	UWK	UMKLP	 	24.70	24.70				ļ				ļ
		facility queried (Mechanized)		}	lumk	UMKMQ		0.19	0.19					1			1
LINE SP	LITTIN		+	 		- CANACANICA	 	0.19	0.19			 					
	END US	SER ORDERING-CENTRAL OFFICE BASED			·						L	L	<u> </u>	·	L	L	
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61				T	Γ	Γ	T		Γ	T
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	17.97	10.29				·	·	-		
——— <u> </u>		Line Splitting - per line activation BST owned - virtual	L		UEPSR UEPSB	UREBV	_0.61	17.97	10.29								
	END US	SER ORDERING - REMOTE SITE LINE SPLITTING				- ₁											
. 1		Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter		1	LIEBON LIEBON	URERS											
		Remote Site Shared Loop - Subsequent Activity - CLEC Owned	+	+	UEPSR UEPSB	UHERS	0.61	56.83	23.00	7.19	7.19	 	ļ			<u> </u>	
		Splitter	1	1	UEPSR UEPSB	URERA		53.82	21.35	1		1		1	1		1
	UNBUN	IDLED EXCHANGE ACCESS LOOP	—		JOET STE GET 30	JOHENA	ـــــا	33.62	21.35	L	l	L		L	l	l	
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	T	T	T	7				I	1			r	 		T
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0 00	1	Ì		ŀ	ì	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					† · · · · · · · · · · · · · · · · · · ·
		Zone 1	<u> </u>	1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00	1	1		!		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
		Zone 2	—-	2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00		.	<u> </u>		<u> </u>	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		١.,	UEDOD UEDOD							1					
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+-	-	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00	ļ. ——	ļ	ļ	 	-	
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00	1	1				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 -	+	OCT SHOEF 3B	ULALS	46.43	36.54	10.67	0.00	0.00	 	-	 	 		
		Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00		ł				
\Box		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	—	1		1	<u> </u>								-	-	
		Line Splitting - CLEC Owned Splitter - Zone 1	<u> </u>	1	UEPSR UEPSB	UEARS	7.57	63.89	30.06	0.00	0.00	İ	L			l	
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	T									1	1	1		[
L		Line Splitting - CLEC Owned Splitter - Zone 2	1	2	UEPSR UEPSB	UEARS	12.75	63.89	30.06	0.00	0.00					ļ	
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		١.		1				1			ł				1
	DUDYOU	Line Splitting - CLEC Owned Splitter - Zone 3 CAL COLLOCATION	ــــــــــــــــــــــــــــــــــــــ	3	UEPSR UEPSB	UEARS	21.45	63.89	30.06	0.00	0.00	1	ــــــــــــــــــــــــــــــــــــــ	L	ļ		
-	PHYSI			1							····			, .	T		T
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	1		UEPSR UEPSB	PE1LS	0.0318	11,94	11.46	0.00	0.00			ŀ			1
	VIRTII	AL COLLOCATION		ч	TOET SIT OUT SE	I CILO	0.0310	11.54	11.40	0.00	0.00		<u> </u>	·		L	
\vdash		T	T -	Ţ	Τ	T	1			T	T	T	1	1	T		T
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		Т.	UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00	<u></u>	<u></u>	<u></u>			
		DEDICATED TRANSPORT											L			L	
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT								·						,	
		Interoffice Channel - 2-Wire Voice Grade - per mile	—		U1TVX	1L5XX	0.013			<u> </u>	Ļ		ļ			ļ	
└		Interoffice Channel - 2-Wire Voice Grade - Facility Termination	↓	-	UITVX	U1TV2	22.60	39.36	26.62	 	ļ			 	-	 	
\vdash		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		+	U1TVX	1L5XX	0.013			ļ	 	 	├		<u> </u>	 	+
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	1		U1TVX	U1TR2	22.60	39.36	26.62					1	1	1	1
		Interoffice Channel - 4-Wire Voice Grade - per mile	+-	+	UITVX	1L5XX	0.013	39.36	20.02		 	 	 	 	 	 	1
		THE PERSON OF THE PERSON OF THE	+	 			3.3.3		t			†	———	1	1	1	1
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination		1	U1TVX	U1TV4	19.81	39.36	26.62		l			1	L	l	
		Interoffice Channel - 56 kbps - per mile			UTDX	1L5XX	0.013						1				
		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.36	26.62					<u> </u>		ļ	4
		Interoffice Channel - 64 kbps - per mile	4	_	U1TDX	1L5XX	0.013		L	ļ	ļ	 	4	L		<u> </u>	+
		Interoffice Channel - 64 kbps - Facility Termination	┦—		U1TDX	U1TD6	15.61	39.36	26.62		↓	 	 		 	 	+
	L	Interoffice Channel - DS1 - per mile		+-	U1TD1	1L5XX	0.2652			ļ	 		 		 	 	+
		Interoffice Channel - DS1 - Facility Termination	1	1	U1TD1	U1TF1	70.47	86.69	79.44		 	 	+		 	 	+
			_		LINTER												
		Interoffice Channel - DS3 - per mile		-	U1TD3	1L5XX	6.04	270.00	160 05	 	 		 	+		 	
		Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	850.45	270.69	158.05							ļ	
		Interoffice Channel - DS3 - per mile						270.69 270.69									

OMBONDEF	NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			-
		Π		· · · · · · · · · · · · · · · · · · ·	T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1	l		1						Submitted					
		1	l		1							Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	1-4i	7	200							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ALEGORI	HATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	i	!						1		Electronic-	Electronic-	Electronic-	Electronic
											1	İ	1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>			_1	L								7.00	5.00	D-00 7-00.
						Rec	Nonrec	uming	Nonrecurring	Disconnect	i		oss	Rates(\$)		
						1 Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 [0	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1		T	1		7.55			1	- COMPAN				00
]]:	Route Mile Or Fraction Thereof	1		UDF, UDFCX	1L5DF	25.28					1	1				
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	-	 		1						 			· · · · · · · · · · · · · · · · · · ·		
l li	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	UDF14	1 1	620.60	133.88					1	İ		1
HIGH CAPACITY	Y UNBUNDLED LOCAL LOOP	1	 	001, 001 0X	1001.14	 	020.00	133.00			 		 	L		ļ
ns-yst	S-1 UNBUNDLED LOCAL LOOP - Stand Alone	ــــــــــــــــــــــــــــــــــــــ	Щ.	·		ــــــــــــــــــــــــــــــــــــــ			<u>i</u>		L	L	l	<u> </u>	L	<u> </u>
55.0.01	DS3 Hebraded Local Local par mile			hico	1-1-51-15				,		,	,		·		
	DS3 Unbundled Local Loop - per mile	 	├	UE3	1L5ND	10.04							L			<u> </u>
	DS3 Unbundled Local Loop - Facility Termination		<u> </u>	UE3	UE3PX	362.34	438.46	256.30			1	L	Γ			
	STS-1Unbundled Local Loop - per mile		<u> </u>	UDLSX	1L5ND	10.04										
!	STS-1 Unbundled Local Loop - Facility Termination	1		UDLSX	UDL\$1	374.56	438.46	256.30								
NHANCED EX	TENDED LINK (EELs)		1								·			-		
Network	Elements Used in Combinations										•	·			·	
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	1 1	UNCVX	UEAL2	14.93	94.21	45.09	,		T-~	<u> </u>	Γ	T		
	2-Wire VG Loop (SL2) in Combination - Zone 2	†	2	UNCVX	UEAL2	25.35	94.21	45.09	 		 	† -	 	 		
	2-Wire VG Loop (SL2) in Combination - Zone 3	 	3	UNCVX	UEAL2	50.46	94.21	45.09	 		 	 	 	 -	 	+
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	+	1								 -		 	 	 	
		+		UNCVX	UEAL4	30.81	94.21	45.09			 	 	L	 		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	+	2	UNCVX	UEAL4	38.32	94 21	45.09			1	<u> </u>	L	ļ	ļ	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	3	UNCVX	UEAL4	60.39	94.21	45.09			L	ļ				
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09					1	L		
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09					T			
	2-Wire ISDN Loop in Combination - Zone 3	Ţ	3	UNÇNX	U1L2X	65.18	94.21	45.09								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09					 			1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	7	UNCDX	UDL56	36.78	94.21	45.09			+	 	 	 		+
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	+		UNCDX	UDL56	38.92	94.21	45.09			 -	 		 	 	
		+									 	 	 	 		+
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09	ļ		-	├	ļ	}	<u> </u>	+
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL64	36.78	94.21	45.09			<u> </u>		ļ			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	38.92	94.21	45.09			ļ	ļ		<u> </u>		
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				L	1		l	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89					1			
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	DS3 Local Loop in combination - per mile	1		UNC3X	1L5ND	10.04					1	· · ·	 			1
		+	+	UNC3X	UE3PX	362.34	188.45	125.51			 	+	+			1
	DS3 Local Loop in combination - Facility Termination	-	+				100.43	123.31			 	 	 			+
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.04					 	-	 	ļ	 	+
	STS-1 Local Loop in combination - Facility Termination	1	_	UNCSX	UDLS1	374.56	188.45	125 51			ļ		↓	 		+
	Interoffice Channel in combination - 2-wire VG - per mile		<u> </u>	UNCVX	1L5XX	0.013			ļ				<u> </u>	ļ		
	Interoffice Channel in combination - 2-wire VG - Facility		1													
	Termination	1	1	UNCVX	UITV2	22.60	72.60	41.75	1	l	1	1	1	}	1	1
	Interoffice Channel in combination - 4-wire VG - per mile		1	UNCVX	1L5XX	0 013			T							
-	Interoffice Channel in combination - 4-wire VG - Facility		1	<u> </u>		·			1		1	1	1	T'		T
1 1	Termination	1	j	UNCVX	U1TV4	19.81	72.60	41.75		į		1	i	1	1	1
		+	+		1L5XX	0.013	72.00				+			 		1
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	+	+	UNCDX	11277	0.013		 	 	-	+	+	 	 	+	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1	L					l .		1	i		1	1	1
	Termination		+	UNCDX	U1TD5	15.61	72.60	41.75	 	ļ	+	 	 	+	+	+
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.013		L	ļ	L	ļ	 	4			+
	Interoffice Channel in combination - 4-wire 64 kbps - Facility			I	1				1	I	1	1	1	1	1	ŀ
	Termination	1	1	UNCDX	U1TD6	15.61	72.60	41 75	1	I	L	1	1		L	
	Interoffice Channel in combination - DS1 - per mile	+	1	UNC1X	1L5XX	0.2652		l	1	T	1	1	1			
	Interoffice Channel in combination - DS1 Facility Termination	+	1	UNC1X	U1TF1	70.47	143.58	103.88	i .		1	1	1	T	T	
			 	UNC3X	1L5XX	6.04	1-0.50	1.00.00	t		 	1	 	 	 	1
	Interoffice Channel in combination - DS3 - per mile	+-	→			850.45	206.52	121.16	 	 	+	+	+	+	 	+
	Interoffice Channel in combination - DS3 - Facility Termination	+	1	UNC3X	U1TF3		296.68	121.16	 		+	+	+	+	+	+
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	6.04			 		+	 	 	+	 	+
	Interoffice Channel in combination - STS-1 Facility Termination		ا ــــــــــــــــــــــــــــــــــــ	UNCSX	U1TF\$	830.19	296.68	121.16			+	+	 	+	+	+
ADDITIONAL N	ETWORK ELEMENTS		L_	1				L	L	<u> </u>	1	.L	<u> 1 </u>		┸	
	il Features & Functions:															-
				U1TD1,		1		1					1	1	1	ł
	Clear Channel Capability Extended Frame Option - per DS1	1 +	1	ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00	1.	L	l	L	L	1
		+	1	U1TD1,	1	 		<u> </u>	1		1	T	Т	T	1	
	Clear Channel Conshills Canar FrameOntion per DS1	1 .	1	ULDD1,UNC1X	CCOSF	1 1	0.00	0.00	0.00	0.00	H	1	1	1	1	i
-+-	Clear Channel Capability Super FrameOption - per DS1	+ -	+-		100031	+	0.00	J.00	1	0.00	+	+	1	 		1
,] [Clear Channel Capability (SF/ESF) Option - Subsequent Activity	1 .	1	ULDD1, U1TD1,	Luncas			1	1		.	1	I	1	1	ı
	per DS1	\perp	1	UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77	+	 	+	 	+	+
		ì	1	U1TD3, ULDD3,	ì	1 1		1	1	1	1	1	1	1	1	ļ
	C-bit Parity Option - Subsequent Activity - per DS3	\perp		UE3, UNC3X	NRCC3	L	218.78	7.66		0.00	1					┷
	DS1/DS0 Channel System	T	1	UNC1X	MQ1	105.09	59.97	12.96				1	1			
	DS3/DS1Channel System	1	1	UNC3X, UNCSX	MQ3	201.48	107.05	48.07	1	T	1	1	T			

ONBONDE	ED NETWORK ELEMENTS - Louisiana	,											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
	· 	 	├			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(S)		
	Voice Grade COCI in combination	┼	├	UNCVX	10010		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		 	 	OIVCVX	1D1VG	0.6497	5.91	4.26			ļ					
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	i		UEA	1D1VG	0.6497	5.91	4 26						l		1
	Voice Grade COCI - for connection to a channelized DS1 Local	1			1.5.10	0.0437	3.91	4 20		 	 				 	— —
	Channel in the same SWC as collocation	<u> </u>	1	UITUC	1D1VG	0.6497	5.91	4 26	1	ì	j	1	ì	1	1	ì
	OCU-DP COCI (2.4-64kbs) in combination	ļ		UNCDX	1D1DD	1.38	5.91	4.26			 			···		
 	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	↓	 	UDL	1D1DD	1.38	5.91	4.26			T		· · · · · · · · · · · · · · · · · · ·			
	Local Channel in the same SWC as collocation															
	2-wire ISDN COCI (BRITE) in combination	┼	-	U1TUD	1D1DD UC1CA	1.38	5.91	4.26								L
	2-wire ISDN COCI (BRITE) - for a Local Loop	 	┼──	UDN	UC1CA	2.96 2.96	6.39 6.39	4.58 4.58		ļ	 					L
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	 	 	33.1	100.02	2.90	0.39	4.36			├					
	Local Channel in the same SWC as collocation	L_	l	UITUB	UC1CA	2.96	6.39	4.58		l	1				1	1
	DS1 COCI in combination			UNC1X	UC1D1	11.78	5.91	4.26			 				 	
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	11.78	5.91	4.26							 	h
\vdash	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	11.78	5.91	4.26			1				ļ	
	DS1 COCI - for DS1 Local Loop	ļ	-	USL, NTCD1	UC1D1	11.78	5.91	4.26								
l I	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation	4	1		l											
	the same SWC as conocation		├	UNCVX, UNCDX,	UC1D1	11.78	5.91	4.26		ļ	<u> </u>		Ĺ			
				UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,				:								
	Wholesale - UNE, Switch-As-Is Conversion Charge		<u> </u>	HFRST, UNCNX	UNCCC	l }	5.43	5.43		İ	1		1	1	1	İ
			1	U1TVX, U1TDX,							1					
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	l	U1TD1, U1TD3,						1			}			1
	Switch As Is Non-recurring Charge, per circuit (LSR)	- '	 -	U1TS1, UDF, UE3	URESL		36.83	16.12			L			L	L	L
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, incremental charge per circuit	1	l	U1TVX, U1TDX, U1TD1, U1TD3,									1			1
	on a spreadsheet		1	U1TS1, UDF, UE3	URESP		1.49	1.49		1	l	[Į	Į	l	į .
Acce	ss to DCS - Customer Reconfiguration (FlexServ)	1 ,	1	101131, 00F, 0E3	JUNESP	L	1.49	1.49		L		l	L		J	
1.000	Customer Reconfiguration Establishment	1	т	T	·	1	1.43			T					,	
	DS1 DCS Termination with DS0 Switching	1	†	· · · · · ·		19.58	24.81	19.09					 	 	 	
	DS1 DCS Termination with DS1 Switching	1			1	10.95	17.93	12.22		 		†		 	<u> </u>	
	DS3 DCS Termination with DS1 Switching					149.41	24.81	19.09					T -	 		
Node	(SynchroNet)															
<u> </u>	Node per month	<u>i </u>		UNCDX	UNCNT	15.43				L.,,,					<u> </u>	
Servi	ce Rearrangements		,	U1TVX, U1TDX.	,					·		,		,		
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.93	42.98								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X												
 	NRC - Order Coordination Specific Time - Dedicated Transport	 	+-	UNC1X, UNC3X	URETB OCOSR	<u> </u>	3.67 18.85	3.67 18.85		 	 			 	 	
COMMINGLIN		 '	+-	UNUSA .	Jocoba	 	10.05	18.05			 -	 	 	 	 	
				UNCVX. UNCOX. UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX. U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,	CHCALL	0.00	0.00	0.00								
ı i	Commingling Authorization	1	ــــــــــــــــــــــــــــــــــــــ	ULDS1	CMGAU	0.00	0.00	0.00		L	ــــــــــــــــــــــــــــــــــــــ	L.,	1	Ļ	ــــــــــــــــــــــــــــــــــــــ	L
																
Com	mingled (UNE part of single bandwidth circuit) [Commingled VG COC!	Ţ		XDV2X	1D1VG	0.6497	5.91	4.26							· · · · · · · · · · · · · · · · · · ·	

Version: 4Q06 Std ICA 01/05/07 Page 56 of 103

NUBUNDLED V	NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
		↓			1	Rec	Nonrec			Disconnect				Rates(\$)		
Cor	mmingled ISDN COCI	-	ļ	XDD4X			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	mmingled 35th COCI	 	┝~	XDV2X	UC1CA U1TV2	2.96 22.60	6.39	4.58				ļ				
	mmingled 4-wire VG Interoffice Channel	 	 	XDV6X	U1TV4	19.81	72.60 72.60	41.75 41.75	 	<u> </u>		ļ				
	mmingled 56kbps Interoffice Channel	†	 	XDD4X	U1TD5	15.61	72.60	41.75		 	-					
Cor	mmingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.61	72.60	41.75	 	 	 				 	
Cor	mmingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.013					1		·			
	mmingled 2-wire Local Loop Zone 1		_ 1	XDV2X	UEAL2	14.93	94.21	45.09		 	1	†				
	mmingled 2-wire Local Loop Zone 2	1	2	XDV2X	UEAL2	25.35	94.21	45.09		T			i		· · · · · · · · · · · · · · · · · · ·	
	mmingled 2-wire Local Loop Zone 3	 -	3	XDV2X	UEAL2	50.46	94.21	45.09								
	mmingled 4-wire Local Loop Zone 1	-	1	XDV6X	UEAL4	30.81	94.21	45.09	L							
	mmingled 4-wire Local Loop Zone 2 mmingled 4-wire Local Loop Zone 3	 	3	XDV6X	UEAL4	38.32	94.21	45.09	 	 	-	\	!		\	
	mmingled 4-wire Local Loop Zone 3	+	1	XDV6X XDD4X	UEAL4 UDL56	60.39 30.99	94.21 94.21	45.09 45.09		 		 	ļ	ļ	 	
	mmingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	36.78	94.21	45.09		- -		 				
	mmingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	38.92	94.21	45.09	 	+		 	 		 	
Coi	mmingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	30.99	94.21	45.09	 	1	+		 	 	 	
	mmingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	36.78	94.21	45.09		1	 		· -			
	mmingled 64kbps Local Loop Zone 3			XDD4X	UDL64	38.92	94.21	45.09					i			
	mmingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	22.09	94.21	45.09								
Cor	mmingled ISON Local Loop Zone 2		2	XDD4X	U1L2X	35.28	94.21	45.09								
	mmingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	65.18	94.21	45.09	L			<u> </u>				<u> </u>
	mmingled DS1 COCI immingled DS1 Interoffice Channel	+		XDH1X XDH1X	UC1D1 U1TF1	70.47	5.91 143.58	4.26		 			ļ			
	mmingled DS1 Interoffice Channel Mileage	+	├	XDH1X	1L5XX	0.2652	143.58	103.88	ļ							
	mmingled DS1/DS0 Channel System	+	 	XDH1X	MQ1	105.09	59.97	12.96	 	- 	+	·			ļ	
	mmingled DS1 Local Loop Zone 1	· · · · ·	1	XDH1X	USLXX	85.70	169.22	100.89	 		+	·				
Coi	mmingled DS1 Local Loop Zone 2	1	_ 2	XDH1X	USLXX	194.96	169.22	100.89	1							
	mmingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	491.94	169.22	100.89								
	mmingled DS3 Local Loop			HFQC6	UE3PX	362.34	188.45	125.51	L						L	
	mmingled DS3/STS-1 Local Loop Mileage		ـــــ	HFQC6, HFRST	1L5ND	10.04			ļ			ļ				
	mmingled STS-1 Local Loop mmingled DS3/DS1 Channel System	┼	├—	HFRST	UDLS1	374.56	188 45	125.51	ļ	 		 				
	immingled DS3/DS1 Charmel System	-	├	HFQC6	MQ3 U1TF3	201.48 850.45	107.05 296.68	48.07 121.16	 			 				
	Immingled DS3 Interoffice Channel Mileage	 	├──	HFQC6	1L5XX	6.04	290.00	121.10		+	 	-				
	mmingled STS-1Interoffice Channel	1-		HERST	UITES	830.19	296.68	121.16		 	1	 				
	mmingled STS-1Interoffice Channel Mileage	T	\vdash	HFRST	1L5XX	6 04			·	ļ		 	·		-	
	immingled Dark Fiber - Interoffice Transport, Per Four Fiber				T						T					
	ands, Per Route Mile Or Fraction Thereof		L	HEODL	1L5DF	25.28						<u> </u>	ļ			L
	immingled Dark Fiber - Interoffice Transport, Per Four Fiber		ŀ							1		1		1		
	rands. Per Route Mile Or Fraction Thereof			HEODL XDH1X, HFQC6	UDF14 CMGUN	0.00	620.60	133.88	0.00	0.0	. 	 			ļ	
	IE to Commingled Conversion Tracking A to Commingled Conversion Tracking	+	₩	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00			ļ	 		 	
NP Query Service		 	 	AUNIX, Bruce	CMGSP	0.00	0.00	0.00	0.00	0.0		 	 	 	 	
	P Charge Per query	+	 		 	0 0008559			 	 			1			
	P Service Establishment Manual			 			12.16		 		1	T	1			
	P Service Provisioning with Point Code Establishment						576.33	294 43	1							
11 PBX LOCATE									Ι						L	<u> </u>
	OCATE DATABASE CAPABILITY		,	··										·		,
	rvice Establishment per CLEC per End User Account	+		9PBDC	9PBEU	 	1,819.00		 	 	+			 	 	
	langes to TN Range or Customer Profile			9PBDC	9PBTN 9PBMM	0.07	181.99		_	———		├	 	 	 	
	r Telephone Number (Monthly)	+	\vdash	9PBDC		0.07	534.22		 	+		 	 	 	 	
	lange Company (Service Provider) ID IX Locate Service Support per CLEC (Monthit)	+	-	9PBDC 9PBDC	9PBPC 9PBMR	178.58	534.22		 	+		+	 	 	 	\vdash
	ervice Order Charge	+	 	9PBDC	9PBSC	170.30	15.20		 	 	+	 	 			
	OCATE TRANSPORT COMPONENT	1		1- 550	15. 550	·	.3.20					•	•	·		
See Att 3																
		L							l						L	
Note: Rate:	s displaying an "I" in interim column are interim as a result o	of a Com	mission	order.		L								L	L	L

NRUNDLE	D NETWORK ELEMENTS - Mississippi		,										Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		 	-			Rec	Nonrec First	aurring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	COMM		Rates(\$)		
		—										SOMAN		SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as pa	int of a co	ombina	tion refers to Geograp	hically Dear	eraged UNE Zor	nes. To view C	eographically I	Deaveraged UN	E Zone Design	ations by Co	entral Office	, refer to interr	et Website:	L	·
mapan	vww.interconnection.belisouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnection	n.htm	Τ		· · · · · · · · · · · · · · · · · · ·										
Enalidits	SUFFORT STSTEMS (USS) - HEGIONAL HATES	.1	Ц	L	L	ــــــــــــــــــــــــــــــــــــــ			l	l	L					
NOTE	(1) CLEC should contact its contract negotiator if it prefers the	"state sp	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS c	harges current	ly contained in	this rate exhibi	are the Rei	South "mai	onal" sonvice	omlarina chara	CI EC ma	u alaat aith
CLEC	d electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to BellSouth.	this cate	gory	enects the charge tha	would be b	illed to a CLEC o	nce electronic	ordering capal	olities come on	-line for that ele	ment. Othe	rwise, the n	nanual orderin	g charge, SON	MAN, will be a	oplied to a
	OSS - Electronic Service Order Charge, Per Local Service	1	Г	T	l				I				1	T	<u> </u>	, <u>.</u>
	Request (LSR) - UNE Only	ļ	 		SOMEC		3.50	0.00	3.50	0.00		L				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	1			SOMAN								1	l		
	DATE ADVANCEMENT CHARGE	+	\vdash	 		 	15.75	0.00	1.97	0.00			-	ļ	ļ	
	The Expedite charge will be maintained commensurate with Be	ellSouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.			!	L	L	·	1	L	L	·
ļ		1		UAL, UEANL, UCL,						l	,	T	1	I	Ι	T
				UEF, UDF, UEQ, UDL, UENTW, UDN,		1				ļ	1				İ	
			Ì	UEA, UHL, ULC,	!	1 1					i			Ì		
				USL, U1T12, U1T48,						}						}
				U1TD1, U1TD3,]					{			Ì			1
		1		U1TDX, U1TO3,		i			1			1		1		
		1		U1TS1, U1TVX,		1			1			1	İ			1
	İ	1		UC1BC, UC1BL, UC1CC, UC1CL,							ļ	1		į.		
1			1	UC1DC, UC1DL.		1										
	1	1		UC1EC, UC1EL,	1				1	l			1			1
		1		UC1FC, UC1FL,		i			1					1	1	1
				UC1GC, UC1GL.		1					1				l	
			1	UC1HC, UC1HL, UDL12, UDL48.		i					1					
			1	UDLO3, UDLSX,												
		1		UE3. ULD12.	į								1		1	1
			1	ULD48, ULDD1.							1			ļ	1	
			1	ULDD3, ULDDX,				ŀ	İ					į	i	
1				ULDO3, ULDS1. ULDVX, UNC1X.											ļ	1
				UNC3X, UNCDX.				1						ļ		
1				UNCNX, UNCSX,					1							
				UNCVX, UNLD1,							1			ļ		
		1		UNLD3, UXTD1, UXTD3, UXTS1,				i	İ			1				
			1	UITUC, UITUD,												1
				U1TUB.	1								1]		1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,	}					1			1	1		1
DEB WAS	Day FICATION CHARGE		┦—	NTCUD, NTCD1	SDASP	 	200.00				+	-		 	 	
DEN MOUI	Order Modification Charge (OMC)	+	+		 	+	26.21	0.00	0.00	0.00	 	+	+	 	 	1
	Order Modification Additional Dispatch Charge (OMCAD)	 	Т .		 	 	150 00	0.00					1			
	EXCHANGE ACCESS LOOP		I		I	L						1	1			
2-WIR	E ANALOG VOICE GRADE LOOP	· · · · · ·		UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		1		т		T "
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	+ -		UEANL	UEAL2	16.87	37.92					+	 	 	+	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 		UEANL	UEAL2	25.68	37.92			5.25		1	<u> </u>		T	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55		5.25		T				ļ
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	02/11/4	UEASL	12.03	37.92	17.55		5.25		ļ	1	<u> </u>	 	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	+	3		UEASL	16.87 25.68	37.92 37.92	17.55 17.55		5.25 5.25		 	+	 	+	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	+	4		UEASL	43.85	37.92	17.55				 	 	<u> </u>	 	
	Tag Loop at End User Premise	+-	Ť	UEANL	URETL	1	8.92	0.88		J.E.	1				1	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00		Ĺ						ļ
	Loop Testing - Basic Additional Half Hour	J	4	UEANL	URETA	1	19.97	19.97			-	ļ		1	<u> </u>	
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	1	8.20	8.20	L	L		1	1		1	

Version: 4Q06 Std ICA 01/05/07

	D NETWORK ELEMENTS - Mississippi				· · · · · · · · · · · · · · · · · · ·								Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	·		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			†				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
					1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18 19	18 19								
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13 51	13.51								
	Unbundled Loop Service Rearrangement, change in loop facility,		1													
	per circuit Bulk Migration, per 2 Wire Voice Loop-\$L1		├	UEANL UEANL	UREWO	 	15.75	8.92	23.48	5.25						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	 	┼	UEANL	UREPM		37.92 8.20	17.55	23 48	5.25						
2-WIRI	E Unbundled COPPER LOOP		1	DEANC	TONETM		8,20	8.20		L	 -		l	L	L	
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T	1 1	UEO	UEQ2X	11.01	36.53	16.16	22.66	4.42			г			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEO	UEQ2X	11.51	36.53	16.16	22.66	4.42				 	 	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42			·			
	Tag Loop at End User Premise			UEQ	URETL		8.92	0.88						1	1	1
	Loop Testing - Basic 1st Half Hour			UEO	URET1		34.36	0.00			1					1
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97			1					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		8 20	8.20								
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		<u> </u>	UEQ	UEOMU		13.51	13.51								
1	Unbundled Loop Service Rearrangement, change in loop facility,					l i						"				
	per circuit	ļ		UEQ	UREWO		14.24	7.42	22.66	4.42	L			<u> </u>	L	
	Bulk Migration, per 2 Wire UCL-ND		 	UEQ	UREPN	 	36.53	16.16	22.66	4.42						ļ
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	ļ		UEO	UREPM	ļļ	8.20	8.20						L		<u> </u>
	EXCHANGE ACCESS LOOP	Ь	ـــــــــــــــــــــــــــــــــــ	l		1 <u> </u>		L	<u> </u>	<u> </u>	<u>. </u>	l	<u> </u>	l	<u> </u>	1
2-WIH	E ANALOG VOICE GRADE LOOP	_	т—			,					,		,	,		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37	ļ		ļ			<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	ļ	2	UÉA	UEAL2	18.75	105.96	68.28	52.82	10.37	ļ					<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37	ļ					<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	<u> </u>	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37					-	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	ļ	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37	ļ					ļ
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	ļ					ļ
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	_	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		_	UEA	URESL	ļ	25.01	3.53			ļ				<u> </u>	_
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	<u> </u>		UEA	URESP		26.50	5.02		ļ						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		<u> </u>	UEA	UREWO		87.56	36 29			ļ <u> </u>		ļ	<u> </u>	ļ	
	Loop Tagging - Service Level 2 (SL2)	1	1	UEA	URETL	}	11.19	1.10		1	 	}	 	 	 	+
	Bulk Migration, per 2 Wire Voice Loop-SL2	+		UEA	UREPN		105.96	68.28			-	 	 	 	+	+
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	ــــــــــــــــــــــــــــــــــــــ	٠	UEA	UREPM		0.00	0.00	1	 _	1	·		1		
4-WIH	RE ANALOG VOICE GRADE LOOP	т—	7 1	TUEA	UEAL4	27.47	132.27	94.59	60.68	14.64		T	T	T	т	1
	4-Wire Analog Voice Grade Loop - Zone 1	+	1 2	UEA	UEAL4	38.26	132.27	94.59				 	 	 	+	+
-+-	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	50.03	132.27	94.59				 	†	1	1	T
-+-	4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	50.03	132.27	94.59					 		1	1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	1	Ť	UEA	URESL	55.00	25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	 		UEA	URESP		26.50	5.02			1		1			
	Urbundled Loop Service Rearrangement, change in loop facility, per circuit	1	1	UEA	UREWO	1	87.56	36.29	1						1	
	per circuit RE ISDN DIGITAL GRADE LOOP	-1		IOEA	IOHEMO		07.30	30.29				·		· 		
O MILE																

ONBUN	NULEI	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A		***************************************	
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add1	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring I				OSS	Rates(\$)	·	
		2-Wire ISDN Digital Grade Loop - Zone 2	 	2	UDN	U1L2X	27.59	First 117.61	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92 79.92	52.82 52.82	10.37 10.37		ļ	ļ			
ļ		2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92	52.82	10.37					 	
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1							54.02	10.57					 	
1 2		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TERIFI	OOB	UDN	UREWO	L.,, l	91.46	44.07							1	
		2 Wire Unbundled ADSL Loop including manual service inquiry &	T	1		Т		—					·				
\vdash		facility reservation - Zone 1	L	1	UAL	UAL2X	11.11	121 27	70.81	50.38	7.93			ļ			Į
		2 Wire Unbundled ADSL Loop including manual service inquiry &									7,50					 	
— —		facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry &		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93					1	1
		facility reservation - Zone 3		3	UAL	UAL2X	11.74										
		2 Wire Unbundled ADSL Loop including manual service inquiry &	T	<u> </u>		JALEA	11.74	121.27	70.81	50.38	7.93	 	<u> </u>			<u> </u>	
		facility reservation - Zone 4	L	4	UAL	UAL2X	12 69	121.27	70.81	50.38	7.93						
1 1		2 Wire Unbundled ADSL Loop without manual service inquiry &	[00.00	7.00	 		 		 	
		facility reservation - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11,11	96.15	58.03	50.38	7.93	<u> </u>		l		1	
		facility reservation - Zone 2		2	UAL	UAL2W	11.47	20.45			_						
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1		-	UMLZVV	11.47	96.15	58.03	50 38	7.93			ļ		ļ	
		facility reservation - Zone 3	<u>L</u> .	3	UAL	UAL2W	11,74	96.15	58.03	50.38	7.93	ľ		Į			
		2 Wire Unbundled ADSL Loop without manual service inquiry &								- 00.00				 		· · · ·	
 +		facility reservaton - Zone 4	_	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93					ļ	
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit		1	UAL	UREWO	1										
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE L	DOP	IOAL	TOHEWO	<u> </u>	86.04	40 33	LI		L	ł	<u> </u>		<u> </u>	<u> </u>
		2 Wire Unbundled HDSL Loop including manual service inquiry &	1			T	1								r		Υ
ļļ.		facility reservation - Zone 1	L	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93			1	i	1	1
1 1		2 Wire Unbundled HDSL Loop including manual service inquiry &		_ '												 	†
		facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &	├	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						ļ
1		facility reservation - Zone 3	1	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93	ļ	1			i	
		2 Wire Unbundled HDSL Loop including manual service inquiry &	-	<u> </u>		101.62	3.87	125.50	79.32	50.36	7.93			 	 	 	
\sqcup		facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93	1					
1 1		2 Wire Unbundled HDSL Loop without manual service inquiry and											1			<u> </u>	T
		facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and	├	1 1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93	<u> </u>					
		facility reservation - Zone 2		,	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93			1			
		2 Wire Unbundled HDSL Loop without manual service inquiry and	 	<u> </u>	0.12	07.02.77	3.22	104.60	80.74	30.38	7.93	<u> </u>		 	 	 	├──
		facility reservation - Zone 3	L	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		ļ				
1 1		2 Wire Unbundled HDSL Loop without manual service inquiry and														1	
		facility reservation - Zone 4 Unbundled Loop Service Rearrangement, change in loop facility,	-	4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93	<u> </u>	ļ	<u> </u>		<u> </u>	
		per circuit	1		UHL	UREWO		85.98	40.33							ŀ	
4	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP	15.5	10	1	00.00		·			·	·		<u>'</u>	
		4 Wire Unbundled HDSL Loop including manual service inquiry and	i										T	T	1	T	T
\vdash		facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						
1 1		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	13.43	158.74	100.00	55.70	40.00			İ			1
\vdash	-	4-Wire Unbundled HDSL Loop including manual service inquiry and	,	 -	Unc	UHL4X	13.43	158.74	108.28	56.72	10.68	 	 	 	· · · · · · · · · · · · · · · · · · ·	 	+
		facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68					ł	1
		4-Wire Unbundled HDSL Loop including manual service inquiry and	1									· · · · ·		1	1	1	1
\vdash		facility reservation - Zone 4	<u> </u>	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68	L			<u> </u>		ļ
1		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	-	١,	UHL	11111 4147	10.70	400.00	05.50	50.70				1	1	1	
 	-	Tacility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and	 	+-	Unic	UHL4W	13.78	133.62	95.50	56.72	10.68	 			-	 	
		facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
		4-Wire Unbundled HDSL Loop without manual service inquiry and	}									1	1	1	1	1	T
		facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	<u> </u>				ļ	
		4-Wire Unbundled HDSL Loop without manual service inquiry and	1	4	UHL			100.00	05.50		46.00						
\vdash		facility reservation - Zone 4 Unbundled Loop Service Rearrangement, change in loop facility,	+	14	Unit	UHL4W	14.46	133.62	95.50	56.72	10.68	 	 	-	 	 	
1		per circuit		1	UHL	UREWO		85.98	40.33								
		DS1 DIGITAL LOOP							_								
1		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07						1

Version: 4006 Std ICA 01/05/07

4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 1 inquiry & fa 2 Wire Urbu 2 inquiry & fa 3 Vire VIrbu 2 inquiry & fa 4 VIrbunded VIrbun			1										Att: 2 Exh: A			
4-Wire DS1 4-Wire DS1 5-Wire DS1 Switch-As-Is DS1) Switch-As-Is DS1) Unbundled I per circuit 4-Wire IS2 4-Wire IS3 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 5-Wire Unbu 6-Wire Unbu 1-Wire Unbu											Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
4-Wire DS1 4-Wire DS1 5-Wire DS1 Switch-As-Is DS1) Switch-As-Is DS1) Unbundled I per circuit 4-Wire IS2 4-Wire IS3 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 5-Wire Unbu 6-Wire Unbu 1-Wire Unbu																
4-Wire DS1 4-Wire DS1 5-Wire DS1 Switch-As-Is DS1) Switch-As-Is DS1) Unbundled I per circuit 4-Wire IS2 4-Wire IS3 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 5-Wire Unbu 6-Wire Unbu 1-Wire Unbu											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
4-Wire DS1 4-Wire DS1 5-Wire DS1 Switch-As-Is DS1) Switch-As-Is DS1) Unbundled I per circuit 4-Wire IS2 4-Wire IS3 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 4-Wire Unbu 5-Wire Unbu 6-Wire Unbu 1-Wire Unbu	RATE ELEMENTS	l	l_		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 1 inquiry & fa 2 Wire Urbu 2 inquiry & fa 3 Vire VIrbu 2 inquiry & fa 4 VIrbunded VIrbun	HATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 1 inquiry & fa 2 Wire Urbu 2 inquiry & fa 3 Vire VIrbu 2 inquiry & fa 4 VIrbunded VIrbun					1						po. 2011	per corr				
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 1 inquiry & fa 2 Wire Urbu 2 inquiry & fa 3 Vire VIrbu 2 inquiry & fa 4 VIrbunded VIrbun					1								Electronic-	Electronic-	Electronic-	Electronic
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 8 Wire Urbu 9 Wire Urbu 9 Switch As-I 9 DS0) Urbundied I 9 Wire Urbu 9 Service inqu 1 Wire Urbu 1 Inquiry & Ia 2 Wire Urbu 1 Inquiry & Inquiry					ì								1st	Add'i	Disc 1st	Disc Add
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 8 Wire Urbu 9 Wire Urbu 9 Switch As-I 9 DS0) Urbundied I 9 Wire Urbu 9 Service inqu 1 Wire Urbu 1 Inquiry & Ia 2 Wire Urbu 1 Inquiry & Inquiry		}	·		 	l										
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 8 Wire Urbu 9 Wire Urbu 9 Switch As-I 9 DS0) Urbundied I 9 Wire Urbu 9 Service inqu 1 Wire Urbu 1 Inquiry & Ia 2 Wire Urbu 1 Inquiry & Inquiry		—	<u> </u>			Rec	Nonrec		Nonrecurring I					Rates(\$)		
4-Wire DS1 4-Wire DS1 5-witch As-Is- DS1) Switch As-Is- DS1) Urbunded L per circuit 4-WIRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 3 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 7 Wire Urbu 8 Wire Urbu 9 Wire Urbu 9 Switch As-I 9 DS0) Urbundied I 9 Wire Urbu 9 Service inqu 1 Wire Urbu 1 Inquiry & Ia 2 Wire Urbu 1 Inquiry & Inquiry	D04 D 34 U 37 D	├	-			L	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Switch-As-Is DS1) Switch-As-Is DS1) Switch-As-Is DS1) Urbundled I per circutt 4-WiRE 19-2, 56 OR 4 Wire Urbu A Wire Urbu Switch-As-I DS0) Urbundled I per circuit 2-Wire Urbu Service inqu 2-Wire Urbu inquiry & fa 2-Wire Urbu	re DS1 Digital Loop - Zone 2	 		USL	USLXX	129.38	253.93	158.45	46.10	12.07						
Switch-As-Is DS1) Switch-As-Is DS1) Unbunded I per circuit 4-WIRE 19.2, 56 OR 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 6 Wire Unbu 1 Wire Unbu 9 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 7 Wire Unbu 8 Wire Unbu 9 Wire Unbu 9 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Wire Unbu 4 S1 Digital Loop - Zone 3	-		USL	USLXX	206.74	253.93	158.45	46.10	12.07	_						
DS1) Switch-As-Is DS1) Urbunded L per circuit 4-WiRE 19.2, 56 OR 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 15 Wire Urbu 16 Wire Urbu 17 Wire Urbu 18 Wire Urbu 19 Wire Urbu 19 Wire Urbu 19 Wire Urbu 10 Wire Urbu 10 Wire Urbu 10 Wire Urbu 11 Wire Urbu 12 Wire Urbu 13 Wire Urbu 14 Wire Urbu 14 Wire Urbu 15 Wire Urbu 16 Wire Urbu 17 Wire Urbu 18 Wire Urbu 19 Wire Urbu 19 Wire Urbu 19 Wire Urbu 10 Service inqu 10 Wire Urbu 10 Service inqu 10 Wire Urbu 10 Service inquiry & Ia 10 Wire Urbu 10 Service inquiry & Ia 10 Wire Urbu 10 Service inquiry & Ia 10 Wire Urbu 10 Service inquiry & Ia 10 Wire Urbu 10 Service inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Wire Urbu 10 Service Inquiry & Ia 10 Vire Wire Urbu 10 Service Inquiry & Ia 10 Vire Wire Urbu 10 Service Inquiry & Ia 10 Vire Wire Urbu 10 Service Inquiry & Ia 10 Vire Wire Urbu 10 Service Inquiry & Ia 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Urbu 10 Vire Wire Wire Wire Wire Wire Wire Wire W	re DS1 Digital Loop - Zone 4	<u> </u>	4	USL	USLXX	458.46	253.93	158.45	46.10	12.07						
Switch-As-Is DS1) Unbundled I per circust 4-WIRE 19-2, 56 OR 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 6 Wire Unbu 6 Wire Unbu 9 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Service inqu 2 Wire Unb 1 Inquiry & fa 2 Wire Unbu	th-As-Is Conversion rate per UNE Loop, Single LSR, (per]	l													
DS1) Unbundled IL per circuit 4-WIRE 19.2, 56 OR 4 Wire Unbundled IL Wire Unbundled			<u>. </u>	USL	URESL	1 1	25.01	3.53	1		1 1		'		Ì	}
DS1) Unbundled IL per circuit 4-WIRE 19.2, 56 OR 4 Wire Unbundled IL Wire Unbundled	ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per														 	
Jer circut 4-WIRE 19.2, 56 OF 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 6 Wire Urbu 6 Wire Urbu 7 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 7 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 2 Wire Urbu 3 Service inqu 4 Wire Urbu)	1		USL	URESP		26.50	5.02								[
Jer circut 4-WIRE 19.2, 56 OF 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 6 Wire Urbu 6 Wire Urbu 7 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 4 Wire Urbu 5 Wire Urbu 6 Wire Urbu 6 Wire Urbu 7 Wire Urbu 6 Wire Urbu 7 Wire Urbu 9 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 1 Wire Urbu 2 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Wire Urbu 2 Wire Urbu 1 Service inqu 2 Wire Urbu 2 Wire Urbu 3 Service inqu 4 Wire Urbu	indled Loop Service Rearrangement, change in loop facility.	1			- U			3.02								 -
4-WIRE 19.2, 56 OR 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 6 Wire Unbu 6 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Unbu 5 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 4 Wire Unbu 5 Wire Unbu 5 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 5 Wire Unbu 5 Wire Unbu 5 Wire Unbu 6 Wire Unbu 6 Wire Unbu 6 Wire Unbu 7 Wire Unbu 8 Wire Unbu 9 Wire Unbu 9 Wire Unbu 9 Service inqu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 re Wire Wire Wire Wire Wire						1							t			
4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 6 Wire Unbu 7 Wire Unbu 6 Wire Unbu 1 Wire Unbu 9 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 1 Wire Unbu 2 Wire Unbu 3 Wire Unbu 4 Wire Unbu 4 Wire Unbu 5 Wire Unbu 6 Wire Unbu 7 Wire Unbu 8 Wire Unbu 9 Wire Unbu 9 Wire Unbu 1 Wire Unbu 1 Wire Unbu 1 Wire Unbu 2 Wire Unbu 5 Switch-As-1 5 DS0) Unbundled I 5 Per Circuit 2 Wire Unbu 5 Service inqu 2 Wire Unbu 6 Service inqu 2 Wire Unbu 6 Service inquiry & 4 7 Wire Unbu 6 Inquiry & 5 Inquire & 5 Inqu		┸		USL	UREWO	L	100.90	42.96								
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 5 Wire Unbi 6 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 6 Wire Unbi 6 Wire Unbi 7 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Characteria Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 6 Company Unbi 7 Wire Unbi 7 Wire Unbi 8 Service Inqu 1 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 3 Normal Wire Unbi 4 Wire Unbi	56 OR 64 KBPS DIGITAL GRADE LOOP															
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 5 Wire Unbi 6 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 6 Wire Unbi 6 Wire Unbi 7 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Characteria Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 1 Wire Unbi 5 Switch-As-I DS0) Company Unbi 6 Company Unbi 7 Wire Unbi 7 Wire Unbi 8 Service Inqu 1 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 1 Normal Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 3 Normal Wire Unbi 4 Wire Unbi	re Unbundled Digital Loop 2.4 Kbps-Zone 1		1	UDL	UDL2X	27.44	126.53	88.85	60.68	14.64					· · · · · · · · · · · · · · · · · · ·	· · · · · ·
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 2 Wire Unbi 3 Wire Unbi 4 Wire Unbi 5 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Wire Unbi 6 Wire Unbi 1 Wire Unbi 7 Wire Unbi 8 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Service inqu 1 Wire Unbi 1 Wire Unbi 9 Service inqu 1 Wire Unbi 1 Nigury & 1 Service inquiry & 1 Service inquiry & 1 Service Unbi 1 Nigury & 2 Service Unbi 1 Nigury & 1 Service Unbi 1	re Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	34.55	126.53	88.85	60.68	14.64	h		 -		 	
A Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 6 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 6 Wire Unbit 7 Wire Unbit 9 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 2 Wire Unbit 2 Wire Unbit 2 Wire Unbit 3 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 9 Wire Unbit 9 Wire Unbit 9 Wire Unbit 9 Wire Unbit 9 Wire Unbit 9 Wire Unbit 9 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2	re Unbundled Digital Loop 2.4 Kbps - Zone 3	1		UDL	UDL2X	40.76	126.53	88.85							 	+
4 Wire Urbi 4 Wire Urbi A Wire Urbi A Wire Urbi A Wire Urbi 5 Wire Urbi 5 Wire Urbi 6 Wire Urbi 7 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 5 Wire Urbi 6 Wire Urbi 9 Wire Urbi 9 Wire Urbi 1 Wire Urbi 1 Wire Urbi 1 Wire Urbi 1 Wire Urbi 2 Wire Urbi 5 Wire Urbi 9 Wire Urbi 1 Wire Urbi 1 Wire Urbi 1 Wire Urbi 2 Wire Urbi 2 Wire Urbi 2 Wire Urbi 2 Wire Urbi 5 Switch-As-I DS0) Crbunded I DS0) Urbunded I DS0 Urbunded I DS0 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 2 Wire Urbi Service inqu 3 Wire Urbi Service inqu 4 Wire Urbi Service inqu 5 Wire Urbi Service inqu 6 Wire Urbi Service inqu 7 Wire Urbi Service inqu 8 da 7 Wire Urbi Service Inquiry & fa 7 Wire Urbi Service Inquiry & fa 7 Wire Urbi Service Inquiry & Fa 7 Wire Urbi Service Inquiry & Servi	re Unbundled Digital Loop 2.4 Kbps - Zone 4	 		UDL	UDL2X				60.68	14.64	ļ		ļ		<u> </u>	
4 Wire Urbin A Wire Urbin A Wire Urbin A Wire Urbin 5 Wire Urbin 6 Wire Urbin 6 Wire Urbin 14 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 4 Wire Urbin 5 Wire Urbin 4 Wire Urbin 6 Wire Urbin 7 Wire Urbin 9 Wire Urbin 9 Wire Urbin 1 Wire Urbin 1 Wire Urbin 1 Wire Urbin 1 Wire Urbin 2 Wire Urbin 1 Wire Urbin 2 Wire Urbin 2 Wire Urbin 5 Switch-As-I DS0) Urbunded I per circuit 2 Wire Urbin Service inqu 2 Wire Urbin Service inqu 2 Wire Urbin Service inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbin Inquiry & Ia 2 Wire Urbinquiry & Ia 3 Vir & Vir	re Urbundled Digital Loop & 9 Phys. 7	+				32.25	126.53	88.85	60.68	14.64			L		L	
4 Wire Unbi A Wire Unbi 5 Wire Unbi 5 Wire Unbi 6 Wire Unbi 7 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 6 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Switch-As-1 DS0) Switch-As-1 DS0) Unbundled Iper circuit 2-Wire Unbi service inqu 2 - Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 - Wire Unbi inquiry & fa 3 - Wire Unbi inquiry & fa 4 - Wi	re Unbundled Digital Loop 4.8 Kbps - Zone 1		1	UDL	UDL4X	27.44	126.53	88.85	60.68	14.64					L	1
4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 7 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 6 Wire Unbit 7 Wire Unbit 9 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 3 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 7 Wire Unbit 7 Wire Unbit 8 Wire Wire Wire Wire Wire Wire Wire Wire	re Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	34.55	126.53	88.85	60.68	14.64			I			Ι
4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 7 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 6 Wire Unbit 7 Wire Unbit 9 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 2 Wire Unbit 1 Wire Unbit 2 Wire Unbit 3 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 4 Wire Unbit 5 Wire Unbit 6 Wire Unbit 7 Wire Unbit 7 Wire Unbit 8 Wire Wire Wire Wire Wire Wire Wire Wire	re Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	40.76	126.53	88.85	60.68	14.64	l				 	
4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 2 Wire Unbi 3 Wire Unbi 4 Wire Unbi 5 Witch-As-I DS0) Urbundled I per circuit 2 Wire Unb service inqu 2 Wire Unb service inqu 2 Wire Unb service inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb	re Unbundled Digital Loop 4.8 Kbps - Zone 4	1		UDL	UDL4X	32.25	126.53	88.85	60.68	14.64						
5 Wire Unbi 6 Wire Unbi 7 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 6 Wire Unbi 7 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 4 Wire Unbi 4 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Unburdled Iper circuit 2 Wire Unbi 5 Service inqu 2 Wire Unbi 1 Inquiry & 1a 2 Wire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Unbi 2 Vire Vire Vire Vire Vire Vire Vire Vire	re Unbundled Digital Loop 9.6 Kbps - Zone 1	† 		UDL	UDL9X	27.44	126.53	88.85			-		 	<u> </u>	 	+
6 Wire Unbi 7 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 4 Wire Unbi 6 Wire Unbi 9 Wire Unbi 9 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Service inqu 10 Wire Unbi 10 Service inqu 11 Wire Unbi 10 Service inquiry & 16 11 Wire Unbi 10 Wire Wire Unbi 10 Wire Wire Unbi 10 Wire Wire Wire Wire Wire Wire Wire Wire		-							60.68	14.64						
7 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 5 Wire Urbi 4 Wire Urbi 4 Wire Urbi 5 Wire Urbi 6 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 1 Wire Urbi 9 Wire Urbi 1 Wire Urbi 1 Wire Urbi 2 Wire Urbi 2 Wire Urbi 2 Wire Urbi 2 Wire Urbi 5 Service inqu 2 Wire Urbi 5 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 2 Wire Urbi 1 Service inqu 3 Wire Urbi 1 Service inqu 4 Wire Urbi 1 Service inqu 5 Wire Urbi 1 Service inqu 6 Wire Urbi 1 Service inqu 7 Wire Urbi 1 Service inqu 8 Service inqu 9 Wire Urbi 1 Service inqu 9 W	re Unbundled Digital Loop 9.6 Kbps - Zone 2	 		UDL	UDL9X	34.55	126.53	88.85	60.68	14.64			L			.1
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 4 Wire Unbi 6 Wire Unbi 9 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 1 Wire Unbi 2 Wire Unbi 2 Wire Unbi 5 Switch-As-I DS0) Unbundled I per circuit 2 Wire Unbi service inqu 2 Wire Unbi service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi inquiry & fa 2 Wire Unbi	re Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	40.76	126.53	88.85	60.68	14.64					T	
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 7 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Service inqu 2 Wire Unbi 9 Service inqu 1 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service Inquiry & 4 & 2 Wire Unbi 1 Service Unbi 2 Service Unbi 1 Service Unbi 1 Service Unbi 1 Service Unbi 1 Service Unbi 2 Service Unbi 2 Service Unbi 3 Service Unbi 3 Service Unbi 4 Service Unbi 4 Service Unbi 5 Service Unbi 6 Service Unbi 6 Service Unbi 7 Service Unbi 7 Service Unbi 8 Service Unbi 8 Service Unbi 9 Serv	re Unbundled Digital Loop 9.6 Kbps - Zone 4		4	UDL	UDL9X	32.25	126.53	88.85	60.68	14.64			T		· · · · · · · · · · · · · · · · · · ·	1
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 7 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Wire Unbi 9 Service inqu 2 Wire Unbi 9 Service inqu 1 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service inquiry & 4 & 2 Wire Unbi 1 Service Inquiry & 4 & 2 Wire Unbi 1 Service Unbi 2 Service Unbi 1 Service Unbi 1 Service Unbi 1 Service Unbi 1 Service Unbi 2 Service Unbi 2 Service Unbi 3 Service Unbi 3 Service Unbi 4 Service Unbi 4 Service Unbi 5 Service Unbi 6 Service Unbi 6 Service Unbi 7 Service Unbi 7 Service Unbi 8 Service Unbi 8 Service Unbi 9 Serv	re Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	27,44	126.53	88.85	60.68	14.64					 	
4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 4 Wire Urbi 5 Wire Urbi 5 Wire Urbi 6 Wire Urbi 7 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 9 Wire Urbi 10 Wire Wirbi 10 Wirei Wirbi 10 Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirbi 10 Wirei Wirbi 10 Wirei Wirbi 10 Wirbi	re Unbundled Digital 19.2 Kbps - Zone 2	1		UDL	UDL19	34.55	126.53	88.85	60.68	14.64						+
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Wire Unbi 4 Wire Unbi 5 Wire Unbi 6 Wire Unbi 9 Wire Unbi 9 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Wire Unbi 10 Service inqu 10 Wire Unbi 10 Service inqu 11 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service inqu 12 Wire Unbi 10 Service Inquiry & Ia 12 Wire Unbi 10 Service Unbi 10 S	re Unbundled Digital 19.2 Kbps - Zone 3	 		UDL												
4 Wire Unby 4 Wire Unby 4 Wire Unby 4 Wire Unby 4 Wire Unby 4 Wire Unby 4 Wire Unby 4 Wire Unby 5 Witch-As-1 DS0) Unbundled I per circuit 2-Wire Unby 2-Wire Unb service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry and	te Unburdled Digital 19.2 Kbps - 20re 3	+			UDL19	40.76	126.53	88.85	60.6B	14.64					<u> </u>	
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Witch-As-I DS0) Switch-As-I DS0) Unbundled I per circuit 2-Wire Unb service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry and 2 Wire Unb	re Unbundled Digital 19.2 Kbps - Zone 4	-		UDL	UDL19	32.25	126.53	88.85	60.68	14.64				L	<u> </u>	
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 Witch As-1 DS0) Switch As-1 DS0) Unbundled 1 per circuit 2-Wire Unbi service inqu 2 Wire Unb service inqu 2 Wire Unb service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry and 2-Wire Unb	re Unbundled Digital Loop 56 Kbps - Zone 1	4		UDL	UDL56	27.44	126.53	88.85	60.68	14.64					L '	
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 6 Witch As-I DS0) Switch As-I DS0) Unbundled I per circuit 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb inquiry and	re Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 6 Witch As-I DS0) Switch As-I DS0) Unbundled I per circuit 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb inquiry and	re Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64	 		-		†******	
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 4 Wire Unbi 5 witch As-I DS0) Switch As-I DS0) Urbundled I per circuit 2-Wire Unb service inqu 2 Wire Unb service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry and	re Unbundled Digital Loop 56 Kbps - Zone 4	 	4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64	 					+
4 Wire Unbi 4 Wire Unbi 4 Wire Unbi Switch-As-I DS0) Switch-As-I DS0) Unbundled Per circuit 2-Wire Unbi Service inqu 2-Wire Unb Service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb	re Unbundled Digital Loop 64 Kbps - Zone 1	+	11	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						+
4 Wire Unb 4 Wire Unb 5 witch As-1 DS0) Switch As-1 DS0) Unburdled I per circuit 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	re Unbundled Digital Loop 64 Kbps - Zone 2	+		UDL							└─ ─				ļ	
4 Wire Unb. Switch-As-I DS0) Switch-As-I DS0) Unbundled I per circuit 2-Wire Unbundled 2-Wire Unb service inqu 2-Wire Unb service inqu 2-Wire Unb inquiry & Ia 2-Wire Unb inquiry & Ia 2-Wire Unb inquiry & Ia 2-Wire Unb inquiry and 2-Wire Unb		+			UDL64	34.55	126.53	88.85	60.68	14.64			<u> </u>		<u> </u>	
Switch-As-I DS0) Switch-As-I DS0) Unbundled I per circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & Ta 2-Wire Unb	re Unbundled Digital Loop 64 Kbps - Zone 3	_		UDL	UDL64	40.76	126.53	88.85	60.68	14.64					L	
DS0) Switch-As-I- DS0) Urbundled Iper circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	re Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64				1	T	1
Switch-As-I DS0) Urroundled per circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2-Wire Unb inquiry & Ta 2-Wire Unb	ch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
Switch-As-I DS0) Urroundled per circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2-Wire Unb inquiry & Ta 2-Wire Unb			1	UDL	URESL	{ I	25.01	3.53			1	i		i	į.	1
US0) Urbundled I per circuit 2-WiRE Urbundled 2-Wire Urb service inqu 2-Wire Urb service inqu 2-Wire Urb inquiry & fa 2-Wire Urb inquiry & fa 2-Wire Urb inquiry & fa 2-Wire Urb inquiry and 2-Wire Urb	ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 		0		23.01	0.50			 					+
Unbundled I per circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb			i .	UDL	URESP	i I	00.50							İ	ĺ	1
per circuit 2-WiRE Unbundled 2-Wire Unb service inqu 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & va 2-Wire Unb inquiry & va 2-Wire Unb		 -	-	UDL	UHESP		26.50	5.02							Ļ	
2-WIRE Unbundled 2-Wire Unb service ingu 2-Wire Unb service ingu 2-Wire Unb inguiry & fa 2-Wire Unb inguiry & fa 2-Wire Unb inguiry & fa 2-Wire Unb inguiry and 2-Wire Unb	undled Loop Service Rearrangement, change in loop facility.	1	1	1	1	1 1			i i)	1	1				
2-Wire Unb service inqu 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	circuit		i	UDL	UREWO		101.94	49.66				l	1			
2-Wire Unb service inqu 2-Wire Unb service inqu 2-Wire Unb inquiry & fa 2-Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	undled COPPER LOOP															-
service inqu 2-Wire Urb service inqu 2 Wire Urb inqury & fa 2 Wire Urb inqury & fa 2 Wire Urb inqury & fa 2-Wire Urb inqury and 2-Wire Urb	ire Unbundled Copper Loop-Designed including manual	Т	T						1		T				T	T
2-Wire Unb service inqu 2 Wire Unb inquiry & 1a 2 Wire Unb inquiry & 1a 2-Wire Unb inquiry and 2-Wire Unb	ice inquiry & facility reservation - Zone 1	1	,	UCL	UCLPB	11,11	120 34	69.87	50.38	7.93	1	I	1		1	1
service inqu 2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2 Wire Unb inquiry and inquiry and 2-Wire Unb		+	+ - '-		10000	 - ''''	140 34	03.67	30.30	7.93					 	+
2 Wire Unb inquiry & fa 2 Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	ire Unbundled Copper Loop-Designed including manual	1	1 .	l		1	400		ii		1	I	1		1	1
inquiry & fa 2 Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	ice inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11,47	120.34	69.87	50.38	7.93	└	Ļ	ļ			+
inquiry & fa 2 Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	ire Unbundled Copper Loop-Designed including manual service	:e	1	1		1	1	l		I	1	I	ì	1	1	1
2 Wire Unb inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	iry & facility reservation - Zone 3	1	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93	l	l	L	l	I	<u> </u>
inquiry & fa 2-Wire Unb inquiry and 2-Wire Unb	ire Unbundled Copper Loop-Designed including manual service	e	1		T	 	I			Ι						T
2-Wire Unb inquiry and 2-Wire Unb	iny & facility reservation - Zone 4	-1	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93	ł	1	1		1	1
inquiry and 2-Wire Unb		+	+		3000	.2.05			30.36	7.33	 		 	 		+
2-Wire Unb	ire Unbundled Copper Loop-Designed without manual service	1	Ι.	Luci			05.04			l	1	i		1	I	1
	ry and facility reservation - Zone 1	→	₩.	UCL	UCLPW	11,11	95.21	57.09	50.38	7.93			ļ <u>.</u>		 	+
	ire Unbundled Copper Loop-Designed without manual service	1	l	l	l	Į .	Į į	1		!	1	1	}	1	1	1
	iry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93			<u> </u>	L	<u> </u>	
2-Wire Unb	ire Unbundled Copper Loop-Designed without manual service		1									1				
	iry and facility reservation - Zone 3	1	3	luct	UCLPW	11,74	95.21	57.09	50.38	7.93	I	ľ	l	1	1	1
	ire Unbundled Copper Loop-Designed without manual service	+	+ -	 	+	1	<u> </u>	31.33	30.50	1	 	 	 		1	1
		1	4	UCL	UCLPW	10.00	05.01	67.00	5000	1	I	l	f		i	1
	iry and facility reservation - Zone 4		+ 4			12.69	95.21	57.09	50.38	7.93	 	ļ	 		 	+
	er Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		8.20	8.20		ļ	 			<u> </u>	 	+
	undled Loop Service Rearrangement, change in loop facility.	l -	1						1		1		1	1	1	1
per circuit	circuit	1	1	UCL	UREWO		95.21	42.40		ĺ	1	1	I	1		1
4-WIRE COPPER L			•													·
	PPERIOD															
4-Wire Cop and facility	PPER LOOP ire Copper Loop-Designed including manual service inquiry					T		r						-		

ONDONDE	NETWORK ELEMENTS - Mississippi	,											Att: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
	 	├			 	Rec		curring	Nonrecurring				oss	Rates(\$)		
	4-Wire Copper Loop-Designed including manual service inquiry		├				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72							
	4-Wire Copper Loop-Designed including manual service inquiry	T	† <u> </u>		100270	10.04	144.00	94.22	30.72	10.68						····
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						ĺ
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4	1	١.													
	4-Wire Copper Loop-Designed without manual service inquiry and	 	 -⁴-	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68	L					
	facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81,44	56.72	10.68						l
	4-Wire Copper Loop-Designed without manual service inquiry and		<u> </u>		1		113.50	07,344	30.72	10.08						
	facility reservation - Zone 2	ļ	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						l
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W											
	4-Wire Copper Loop-Designed without manual service inquiry and	 	1 3	000	UCL4VV	21.33	119.56	81,44	56.72	10.68						
	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81,44	56.72	10.68					İ	l
	Order Coordination for Unbundled Copper Loops (per loop)	_		UCL	UCLMC		8.20	8,20								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	l	1	UCI	UREWO		25.04	40								
		 	<u> </u>	UEA, UDN, UAL,	- JUNEWO		95.21	42.40								
	Order Coordination for Specified Conversion Time (per LSR)	1	<u></u>	UHL UDL, USL	OCOSL	1	18.19		·	1	i '				ì	1
Rearra	ingements												·			
Ì	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA												
	SIZ .	1	 	UEA	UREEL		87.56	36.29								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.56	36.29								l
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.46	44.07			 					
- 1	EST to LANE I Determined to the state of the		ļ											_		
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		-	UDL	UREEL		101.94 100.90	49.66 42.96								ļ
	DMMINGLING		<u> </u>	000	ONELL		100.90	42.90	·							
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING		-					·			L					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						ļ
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	†	 		102.12	1,0.10	103.30		32.02	10.57						
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37			<u></u>			<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	NTCVG	UEAL2	45.72	105.00								Ì	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	┼	+-	NICVG	UEAL2	45.72	105.96	68.28	52.82	10.37	 -					
	Battery Signaling - Zone 1	L.,	1	NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	T	Ī							1						
	Battery Signaling - Zone 2	 -	2	NTCVG	UEAR2	18.75	105.96	68 28	52.82	10.37						<u> </u>
- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	1	3	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	Ť		O E A A A	27.55	103:30	00.28	32.02	10.37			-			
	Battery Signaling - Zone 4	1	4	NTCVG	UEAR2	45.72	105 96	68 28	52.82	10.37	l					ĺ
	Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per				l											
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	 	NTCVG	URESL		25 01	3.53				<u> </u>				
1	DS0)	i		NTCVG	URESP		26.50	5.02		i						
	Unbundled Loop Service Rearrangement, change in loop facility,		1												-	
	per circuit	₩.	↓	NTCVG	UREWO		87.56	36.29	ļ <u> </u>	ļ			<u> </u>			<u> </u>
-	Loop Tagging - Service Level 2 (SL2)	+	+	NTCVG NTCVG	URETL	ļ	11.19	1.10	 				 		<u> </u>	
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING					L	·	·		<u> </u>		L	L	L	L	<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4	1		NTCVG NTCVG	UEAL4 UEAL4	50.03 50.03	132.27	94.59	60.68	14.64	<u> </u>					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	\vdash	+-4	INICAG	UEAL4	50.03	132.27	94.59	60.68	14.64					 	
1	DS0)		1	NTCVG	URESL		25.01	3.53					1			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	ľ	T						1	<u> </u>	†				 	·
- 1	DS0)	<u></u>	L	NTCVG	URESP	L	26.50	5.02	L	<u> </u>			l		1	

NBUND	LEDN	IETWORK ELEMENTS - Mississippi		_										Att: 2 Exh: A			
ATEGORY		RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
	-		_				Rec	Nonrec		Nonrecurring					Hates(\$)		
	Unb	oundled Loop Service Rearrangement, change in loop facility,		 		ļl		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per	circuit			NTCVG	UREWO		87.56	36.29								
4-WI		1 DIGITAL LOOP								·		·	اا		1		l - · · · · · · · · · · · · · · · · · · ·
	\4-W	/ire DS1 Digital Loop - Zone 1			NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						T
	4-W	/ire DS1 Digital Loop - Zone 2	<u> </u>		NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						
 -		/ire DS1 Digital Loop - Zone 3 /ire DS1 Digital Loop - Zone 4	 		NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07						
		rice US1 Digital Goop - Zone 4 tch-As-Is Conversion rate per UNE Loop, Single LSR, (per	 -	4	NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07	ļ					ļ
	DS	1)	L		NTCD1	URESL		25.01	3.53								1
	Swi	tch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	\		NTCD1	URESP		26.50	5.02								
		oundled Loop Service Rearrangement, change in loop facility,	├─┈		WICDI	URESP		26.50	5.02							l	
	per	circuit	<u> </u>		NTCD1	UREWO		100.90	42.96				_		1	l	
4-WI		2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		/ire Unbundled Digital Loop 2.4 Kbps-Zone 1	 		NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64						
-+-		/ire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64	<u> </u>	ļ		<u> </u>		
		Vire Unbundled Digital Loop 2.4 Kbps - Zone 3 Vire Unbundled Digital Loop 2.4 Kbps - Zone 4	 		NTCUD NTCUD	UDL2X UDL2X	40.76 32.25	126.53	88.85	60.68	14.64				 	ļ	
		/ire Unbundled Digital Loop 4.8 Kbps - Zone 1	 	1	NTCUD	UDL4X	27.44	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	 	_		 -		
		/ire Unbundled Digital Loop 4.8 Kbps - Zone 2	+-	2	NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64	 			 	 	
		/ire Unbundled Digital Loop 4.8 Kbps - Zone 3	 		NTCUD	UDL4X	40.76	126.53	88.85		14.64		 				
		/ire Unbundled Digital Loop 4.8 Kbps - Zone 4			NTCUD	UDL4X	32.25	126.53	88.85		14.64				 	·	
		Vire Unbundled Digital Loop 9.6 Kbps - Zone 1	1		NTCUD	UDL9X	27.44	126.53	88.85		14.64				1		
		Vire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	34.55	126.53	88.85		14.64				 		
	6 W	Vire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	40.76	126.53	88.85	60.68	14.64						
		Vire Unbundled Digital Loop 9.6 Kbps - Zone 4	Ι	4	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64						
		Vire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64						
		/ire Unbundled Digital 19.2 Kbps - Zone 2	<u> </u>		NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64	Ļ	ļ			ļ	<u> </u>
		Vire Unbundled Digital 19.2 Kbps - Zone 3	 	3	NTCUD	UDL19	40.76	126.53	88.85	60.68	14.64						
		Vire Unbundled Digital 19.2 Kbps - Zone 4	↓		NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64				 	ļ <u>.</u>	
		Vire Unbundled Digital Loop 56 Kbps - Zone 1 Vire Unbundled Digital Loop 56 Kbps - Zone 2	┼─		NTCUD NTCUD	UDL56 UDL56	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64						
		Vire Unbundled Digital Loop 56 Kbps - Zone 3	-		NTCUD	UDL56	40.76	126.53	88.85		14.64						├ ──
		Vire Unbundled Digital Loop 56 Kbps - Zone 4	+-	4	NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64				 		
		Vire Unbundled Digital Loop 64 Kbps - Zone 1	\vdash	1	NTCUD	UDL64	27.44	126.53	88.85		14.64				· · · · · · · · · · · · · · · · · · ·		t
		Vire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64						
		Vire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	40.76	126.53	88 85		14.64						
		Vire Unbundled Digital Loop 64 Kbps - Zone 4	1	4	NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64						ļ
	Sw DS	itch-As-Is Conversion rate per UNE Loop, Single LSR. (per n)		İ	NTCUD	URESL		25.01	3.53			-					
	Sw	itch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per													1		
\rightarrow	DS	0) bundled Loop Service Rearrangement, change in loop facility,	├ ─	├	NTCUD	URESP		26.50	5.02	 					ļ	 	+
		circuit	<u> </u>		NTCUD	UREWO		101.94	49.66			ļ					ļ
	Orr	der Coordination for Specified Conversion Time (per LSR)		1	NTCVG, NTCUD, NTCD1	ocost		18.19							İ		1
AINTENAN		SERVICE	-	 	-	1					·	<u> </u>			 		
					UDC. UEA. UDL. UDN. USL, UAL. UHL. UCL, NTCUG, NTCUG, NTCUJ, NTCD1, U1TD1, U1TD3, U1TD3, U1TD3, U1TDX, UDSX, UE3, ULDD1, ULDD3, ULDDX, UNCSX, UNCSX, UNCSX, UNCSX, UNCYX, ULS	MVVBT		80.00	55.00								

ONBO	NDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A	···		
CATEGO)RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>	ļ			Rec		urring	Nonrecurring					Rates(\$)		•
				-	UDC, UEA, UDL.			First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UDN. USL. UAL, UHL. UCL. NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNCSX, UN												
		Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS	MVVOT		90.00	65.00								1
					UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,			3000	03.00								
		Maintenance of Service Charge, Premium, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00									ł
LOOP M	ODIFIC	ATION	 	-	ONCVA, ULS	MVVPI		100.00	75.00							ļ	
		Urbundied Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Urbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA											l	
SUB-LO		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L ULMBT		32.57 32.59	32.57 32.59								
		op Distribution			<u></u>	<u> </u>	·			l			L		l	L	L
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				T .				I		T				I	T
\vdash		Up	 		UEANL, UEF	USBSA	 	259.69		ļ		-			<u> </u>	ļ	ļ <u>-</u>
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		<u> </u>	UEANL, UEF	USBSB		22.77									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	,		UEANL	USBŞC		178.47									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	1		UEANL	USBSD		56.39				1					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71	1					†
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71	1				 	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31,14		6.71	T					
					1		-5.20				5.71	<u> </u>				 	<u> </u>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	_	-	UEANL	USBMC		8.20	8.20					-			ļ
		Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						

	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
		-				Rec	Nonrec		Nonrecurring					Rates(\$)		
	C. L	<u> </u>	!				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop Zone 3	ļ	3	UEANL	USBN4	_16.73	79.49	44 45	51.27	9.35						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		<u> </u>	†			70.73	79.49	44.43	31.27	9.33	 	·		 		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ		UEANL	USBMC		8.20	8.20								
 -	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	├	 	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						Ţ
- 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.20	8.20		1	1	i	1			i
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair															
	Loop Testing - Basic 1st Half Hour	 	-	UEANL	USBMC		8.20	8.20			ļ					ļ
	Loop Testing - Basic 1st Hair Hour	 	+	UEANL UEANL	URET1 URETA		34.36 19.97	0.00 19.97	 			<u> </u>	 			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS2X	6.06	19.97 66.18	19.97 31 14	45.36	6,71						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS2X	7.09	66.18	31.14	45.36 45.36	6.71	·	 		 	 	+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 		UEF	UC52X	8.16	66.18	31.14	45.36	6.71				<u> </u>	 	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	 		UEF	UCS2X	9.90	66.18	31.14	45.36	6.71				 		
		 	 -	<u> </u>	OUGEN	0.50	00:10	31.14	45.50	0.71	 		 -	 	 	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20	,			ì			ļ	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1.	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35	1			1		†
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	14.00	79 49	44.45	51.27	9.35						1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		8.20	8.20								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1	1							 	····	· · · · · · · · · · · · · · · · · · ·	1	 	 	
	Designed and Distribution Subloops	1	İ	UEF, UEANL	URETL		8.92	0.88		1			1	1	1	
	Loop Testing - Basic 1st Half Hour		1	UEF	URET1		34.36	0.00						1		1
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbun	dled Sub-Loop Modification	,	,	· · · · · · · · · · · · · · · · · · ·							,					
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13	1							
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop	1		UEF	ULMBT		279.81	6.15			1					
I to burn	ded Network Terminating Wire (UNTW)		1	JUEF	TOTWEL	<u> </u>	2/9.61	0.15	1	1	1	1	1	1		
Unbai	Unbundled Network Terminating Wire (UNTW) per Pair	1	7	UENTW	UENPP	0.3366	30.55		T		1	T	γ		7	Т"
Netwo	ork Interface Device (NID)		٠	100.1111	102.00	0.0300	1	L				٠	<u> </u>	,	-	
	Network Interface Device (NID) - 1-2 lines	I	T	UENTW	UND12		43.84	28.90		1	1	T	T	Τ	T	T
	Network Interface Device (NID) - 1-6 lines	1	1	UENTW	UND16		65.30	50.36			 			1		1
	Network Interface Device Cross Connect - 2 W	1	1	UENTW	UNDC2		5.94	5.94	1		1	1				T
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		5.94	5.94								
JNE OTHER,	PROVISIONING ONLY - NO RATE												L			
	Library of Control Name Constitution in Control			UAL, UCL. UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,	MINECAN	0.00	0.00									
-+-	Unbundled Contact Name, Provisioning Only - no rate	+	+	NTCD1, USL USL, NTCD1	CCOSF	0.00	0.00		 	 	 	 	 	 	+	+
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no	+	+	USE, NICUI	CCOSP	 	0.00		 	 	 	 	+	 	 	1
	rate	1		USL, NTCD1	CCOEF	I	0.00	l		L	L	L			l	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		L							
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
OOP MAKE-	JP Loop Makeup - Preordering Without Reservation, per working or	 				<u> </u>						 	-			+
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility	ļ	 	имк	UMKLW	 	24.12	24.12		ļ	-	-	 	 		+
	queried (Manual).	 	.	UMK	UMKLP		25.58	25.58		ļ	<u> </u>					-
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	1	1	UMK	имкма	1	0.6652	0.6652	1	1	1	i	1	I	1	1

TEGORY													Att: 2 Exh: A			
TEGORY											Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
TEGORY		1	1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
TEGORY						i					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
	RATE ELEMENTS	Interim	Zone	BCS	USOÇ	Į.		RATES(\$)			per LSR	per LSR				
								20(4)			perLSH	per LSH	Order vs.	Order vs.	Order vs.	Order vs
			1			i							Electronic-	Electronic-	Electronic-	Electroni
					į								1st	Add'i	Disc 1st	Disc Add
					1	1	Nonrec	urring	Nonrecurring	Disconnect			000	Rates(\$)	L	
						Hec	First	Add'l	First	Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMA
END U	SER ORDERING-CENTRAL OFFICE BASED							Add 1		AGG !	SOMEC	SOMMAN	SUMAN	SUMAN	SUMAN	SUMA
	Line Splitting - per line activation DLEC owned splitter	Υ	i	UEPSR UEPSB	UREOS	0.61			 -							
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93					ļ	
	Line Splitting - per line activation BST owned - virtual	<u> </u>		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
END U	SER ORDERING - REMOTE SITE LINE SPLITTING				10.1201	0.01	10.02	10,001	10.04	4.93	لـــــــــا		L	L	L	
	Remote Site Shared Loop Line Activation for End Users - CLEC				1				т							
	Owned Splitter			UEPSR UEPSB	URERS	0.61	56.96	23.05	7.19	7.19			l		!	1
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned	1			1	0.01	30.30	23.03	7.13	7.19			ļ	 		
	Splitter			UEPSR UEPSB	URERA		53.94	21.40							1	1
UNBUI	NDLED EXCHANGE ACCESS LOOP						33.34	21.401			L		L	L		Ь
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				T								· · · · ·		T	
	Zone 1	1	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				1		31.52	17.55	20.40	3.25			 		 	
	Zone 1	l	1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	E 20			1	l	l	1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	 		150	12.03	31.92	17.33	23.48	5.25				_		+
.	Zone 2	1	2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25				ĺ	l	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 		32.00	020	10.87	31.92	17.33	23.48	5.25			 			+
	Zone 2	1	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25	\	1	1	1	ì	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	<u> </u>	DEF GIT DEF OB	OCADS .	10.67	37.92	17.33	23.40	5.25						
i	Zone 3	1	3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	22.40				ł			1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	 	02. 01. 02. 30	ULALS	25.00	37.92	17.55	23.48	5.25			ļ			
1	Zone 3	1	3	UEPSR UEPSB	UEABS	25.68	27.00	47.55					1		ļ	i
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+		UEFSH UEFSB	UEABS	25.68	37.92	17.55	23.48	5.25		 	ļ		ļ	↓
	Zone 4	1	4	UEPSR UEPSB										1	i	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	4	UEPSH UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25			ļ		<u> </u>	
-	Zone 4	1	١.,	LICOCO LICOCO									Į		l	1
			4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25			ļ			<u> </u>
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	1	Ι.		1		i		j					1		
	Line Splitting - CLEC Owned Splitter - Zone 1	 	1	UEPSR UEPSB	UEARS	7.15	66.18	31,14	45.36	6.71					<u> </u>	<u> </u>
1	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	1			1							1				1
$-\!\!\!\!\!-\!\!\!\!\!\!-$	Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	9.51	66.18	31.14	45.36	6.71						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	1	ļ.		1	1	1				1		1	F		1
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	12.45	66.18	31.14	45.36	6.71			L		ļ.,.	<u>i</u>
ł	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-														1	
	Line Splitting - CLEC Owned Splitter - Zone 4		4	UEPSR UEPSB	UEARS	18.26	66.18	31.14	45.36	6.71	1					1
PHYSI	CAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	T	T								1			T	I	T
	Splitting	1	1	UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
VIRTU	AL COLLOCATION												•			
	T	7	Ī		T	7							1	1	Τ	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	<u> </u>	1	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45			1	1		1
BUNDLED	DEDICATED TRANSPORT	T			1	T						I	T		T	1
	OFFICE CHANNEL - DEDICATED TRANSPORT						• • • • • • • • • • • • • • • • • • • •						·			
1	Interoffice Channel - 2-Wire Voice Grade - per mile	1 "	Ţ	U1TVX	1L5XX	0.0098						T	I		1	
\rightarrow	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	† · · · · ·	1	U1TVX	U1TV2	22.52	40.77	27.57	17.26	7,11		t	† · · · · · · · ·	 	·	1
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	1	1	UITVX	1L5XX	0.0098	1				 	t	1	 	1	1
$\overline{}$	13 Grando E 17110 TORGO GRADE FIGT BUIL POR FINE	-	1	 	1.200	0.0030			 			 	t	 	t	1
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	1	1	UITVX	U1TR2	22.52	40.77	27.57	17.26	7,11	1	1	1	1	1	
	Interoffice Channel - 4-Wire Voice Grade - per mile	t -	 	UITVX	1L5XX	0.0098	40.77		17.20	· · · · · · · · · · · · · · · · · · ·	 	 	t	 	1	
+-	THE VOICE CHARGE PER THE	+	+		1,500	0.0036	_		-	 	 	 	 	 	 	+
1	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	1	1	U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11	1	1	i	1	1	1
-	Interoffice Channel - 56 kbps - per mile		+	U1TDX	1L5XX	0.0098	40.77	21.37	17.20	/····		 	 	+	+	+
$-\!$	Interoffice Channel - 56 kbps - Facility Termination	+	+	U1TDX	U1TD5		40.77	27.57	17.26	7.11	 		 	 	1	+
-+-		+	+	UITDX	1L5XX	15.68	40.77	21.51	17.26	/.11	 	 	 	 	+	+
$-\!\!\!\!\!+\!\!\!\!\!-$	Interoffice Channel - 64 kbps - per mile	+	+	UITDX	U1TD6	15.68	40.77	27.52	17.00	7.11	 	 	 		 	+
-	Interoffice Channel - 64 kbps - Facility Termination	+	+				40.77	27.57	17.26	7.11		 	 	 	+	+
	Interoffice Channel - DS1 - per mile	+	├	U1TD1	1L5XX	0.201	50		45.55	4/		 	+	 	 	
-	Interoffice Channel - DS1 - Facility Termination	+	 	U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90			 		 	+
$-\!\!\!\!+\!\!\!\!-$	Interoffice Channel - DS3 - per mile	 	 	U1TD3	1L5XX	4.76	 			ļ <u>. </u>		ļ	 	 	 	+
$-\!\!+\!\!-\!\!\!-$	Interoffice Channel - DS3 - Facility Termination	+	 	U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29	 	-		ļ	 	+
	Interoffice Channel - STS-1 - per mile		ļ	U1T\$1	1L5XX	4.76	ļ. <u></u>		ļ	<u> </u>	<u> </u>	ļ <u>.</u>		 	ļ	
	Interoffice Channel - STS-1 - Facility Termination	1	1	U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29	<u></u>		J		1	ل ــــــــــــــــــــــــــــــــــــ
UNBU	NDLED DARK FIBER								,							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	28.27			I	l	1	1		1	1	1

	D NETWORK ELEMENTS - Mississippi		,										Att: 2 Exh: A			,
					-	j					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ALEGORI	HATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		1			ĺ								Electronic-	Electronic-	Electronic-	Electroni
		1											1st	Add'l	Disc 1st	Disc Add
r						· · · · · · · · · · · · · · · · · · ·							L			<u> </u>
			 -			Rec -	Nonrec		Nonrecurring					Rates(\$)		
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per					 	First	Add 1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	UDF14	1		:								Ì
IGH CAPACIT	Y UNBUNDLED LOCAL LOOP	 	 	OUF, OUFCX	UDF 14	 	642.79	138.67	326.97	203.85						L
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	<u> </u>	Ц	L		1			l	i	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>	
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	44.00				r						
	DS3 Unbundled Local Loop - Facility Termination	 	-	UE3	UE3PX	11 20	45.1.5			<u> </u>	<u> </u>					
	STS-1Unbundled Local Loop - per mile		├	UDLSX		326.15	454.13	265.47	123.23	86.19			ļ			<u> </u>
	STS-1 Unbundled Local Loop - Facility Termination	+	 	UDLSX	1L5ND	11.20	151.10				<u> </u>					L
	(TENDED LINK (EELs)	+	 	ODLSX	UDLS1	338.55	454.13	265.47	123.23	86.19			<u> </u>			
	k Elements Used in Combinations	ــــــــــــــــــــــــــــــــــــــ		L					I	L	!	L	L	L	<u> </u>	L
	2-Wire VG Loop (SL2) in Combination - Zone 1	_	T .	UNCVX	UEAL2	10.00	105.00			r						,
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	13.89	105.96	68.28	52 82	10 37						ـــــــ
	2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	18.75 27.55	105.96	68.28	52.82	10.37		ļ	<u> </u>	ļ	 	ļ
	2-Wire VG Loop (SL2) in Combination - Zone 4	+		UNCVX	UEAL2		105.96	68.28	52.82	10.37	-	 		ļ	Ļ	
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	 	++	UNCVX	UEAL2	45.72 27.47	105.96	68.28	52.82	10.37		ļ		ļ <u>.</u>	L	 _ _ _ _ _ _
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	+	2	UNCVX	UEAL4		132.27	94.59	60.68	14.64		<u> </u>	 	<u> </u>	ļ	ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	+		UNCVX	UEAL4	38.26 50.03	132.27	94.59	60.68	14.64					 	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	+-					132.27	94.59			<u> </u>		<u> </u>			↓
	2-Wire ISDN Loop in Combination - Zone 1	+			UEAL4	50.03	132 27	94.59	60.68	14.64	<u> </u>			ļ		↓
 -	2-Wire ISDN Loop in Combination - Zone 2	+		UNCNX	U1L2X	21.01	117.61	79 92	52.82	10.37		<u> </u>			ļ	
 -	2-Wire ISDN Loop in Combination - Zone 3				U1L2X	27.59	117.61	79.92	52.82	10.37	ļ		ļ			
	2-Wire ISDN Loop in Combination - Zone 3	+		UNCNX	U1L2X	37.34	117.61	79 92	52.82	10.37		<u></u>	ļ			
		+	1	UNCNX	U1L2X	59.18	117 61	79.92	52.82	10.37		ļ		<u> </u>		↓
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	<u> </u>	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	ļ					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	 -	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64					<u></u>	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	l				1	1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	↓	4	UNCDX	UDL56	32.25	126.53	88.85	60.68			ļ	1			1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		L		l		ļ
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL64	34.55	126 53	88.85	60.68	14.64		<u> </u>			L	<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	+	3	UNCDX	UDL64	40.76	126 53	88.85			Ļ			i		<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68		<u> </u>			L		<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45					1			
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	ļ <u>.</u>	<u> </u>				<u> </u>
	DS3 Local Loop in combination - per mile		<u> </u>	UNC3X	1L5ND	11.20			<u> </u>			ļ	<u> </u>			<u> </u>
	DS3 Local Loop in combination - Facility Termination		ļ	UNC3X	UE3PX	326.15	454.13	265.47	123.23	86.19					<u> </u>	
	STS-1 Local Loop in combination - per mile		ــــــ	UNCSX	1L5ND	11.20					L					
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	338.55	454.13	265.47	123.23	86.19			1			
	Interoffice Channel in combination - 2-wire VG - per mile		<u> </u>	UNCVX	1L5XX	0.0088				L	ļ <u>.</u>		1			
	Interoffice Channel in combination - 2-wire VG - Facility				1	1 1			1		1	ł		1		
	Termination		.	UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11	<u> </u>				L	
	Interoffice Channel in combination - 4-wire VG - per mile		<u> </u>	UNCVX	1L5XX	0.0088		L	L	ļ	ļ	ļ		ļ	_	
i	Interoffice Channel in combination - 4-wire VG - Facility	1	1	1	- [1 1		l	1	Ì				l	1	i
	Termination	\bot	1	UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11	ļ	L	1	<u> </u>	ļ	+
	Interoffice Channel in combination - 4-wire 56 kbps - per mile		1	UNCDX	1L5XX	0.0088			ļ	<u> </u>	<u> </u>			1		
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1		1				1	1		1		1	1	
	Termination			UNCDX	U1TD5	14.14	40.77	27.57	17.26	7.11				ļ	L	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0088			1					ļ		4
	Interoffice Channel in combination - 4-wire 64 kbps - Facility										1		1			1
	Termination	1		UNCDX	U1TD6	14,14	40.77	27.57	17.26	7.11	L	<u></u>		L		1
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1813		l					1			
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90			1			
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.29			L			L	1		L	
	Interoffice Channel in combination - DS3 - Facility Termination	I		UNC3X	U1TF3	579.12	280.37	163.70	62.08	60.29			1		L	
	Interoffice Channel in combination - STS-1 - per mile	1	I	UNCSX	1L5XX	4.29										
	Interoffice Channel in combination - STS-1 Facility Termination	T	Т	UNCSX	UITFS	581.21	280.37	163 70	62.08	60.29					1.	1
DOITIONAL N	IETWORK ELEMENTS		T	1	1			I								
	al Features & Functions:			······································		·····	•									
1	T	T	T	U1TD1,				I				T	1	1		T
	Clear Channel Capability Extended Frame Option - per DS1	1	1	ULDD1,UNC1X	CCOEF	1	0.00	0.00	0.00	0.00	1	1		İ	1	\perp
$\overline{}$		1	1 -	U1TD1.		1			†	1	1	1		1	1	1
	Clear Channel Capability Super FrameOption - per DS1	1 1	1	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00	1	1	I	1	1	1
 -	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	+	1	ULDD1, U1TD1.		 	0.00	1	1	1	 	 	1	 	1	1
l	per DS1	1 .	1	UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76	1	1	i	i	1	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
			Ι			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		·
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Į.		1	1	U1TD3, ULDD3,	1						1					
	C-bit Parity Option - Subsequent Activity - per DS3	┵┷	ļ	UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00	i		ļ			
	DS1/DS0 Channel System	_		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	DS3/DS1Channel System Voice Grade COCI in combination	 	1	UNC3X, UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	voice Grade COCI in combination	├		UNCVX	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	<u> </u>	<u> </u>	UEA	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		1		l											
	OCU-DP COCI (2.4-64kbs) in combination	 	 	U1TUC	1D1VG	0.5737	6.62	4.74			ļ					
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	 -	-	UNCDX	1D1DD	1.22	6.62	4.74								ļ
-+-	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	 	 	UDL	1D100	1.22	6.62	4.74		ļ	 	 _			ļ	
	Local Channel in the same SWC as collocation		1	UITUD	10100	1.22	6.62	4.74			l	l	l	l	(l
	2-wire ISDN COCI (BRITE) in combination	}	 	UNCNX	UC1CA	2.62	6.62	4.74	 	ļ		 	ļ		 	
	2-wire ISDN COCI (BRITE) - for a Local Loop	+	+	UDN	UC1CA	2.62	6.62	4.74		 	 	<u> </u>	 			
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	 	†	100.1	- CONCA	2.02	0.62	4.74			 			 	 	
	Local Channel in the same SWC as collocation	1	1	UITUB	UC1CA	2.62	6.62	4.74		1			1		I	1
	DS1 COCI in combination	1	1	UNCIX	UC1D1	12.96	6.62	4.74			-				 	
	DS1 COCI - for Stand Alone Local Channel	 	 	ULDD1	UC1D1	12.96	6.62	4.74					-		+	
	DS1 COCI - for Stand Alone Interoffice Channel	+-	 	U1TD1	UC1D1	12.96	6.62	4.74		 	 		 	 		
	DS1 COCI - for DS1 Local Loop	†	 	USL, NTCD1	UC1D1	12.96	6.62	4.74		 					 	
	DS1 COCI - for connection to a channelized DS1 Local Channel in	1	-	1-35,55.	155.51	12.33	0.02			 	 	 	 		 	
	the same SWC as collocation		1	U1TUA	UC1D1	12.96	6.62	4.74							1	
	Wholesale - UNE, Switch As-Is Conversion Charge			UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNGCÇ		5 63	5.63								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR)	١,		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		36.87	16.14								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3			1.49	1.49								
Acce	ss to DCS - Customer Reconfiguration (FlexServ)	•														
	Customer Reconfiguration Establishment						1.49		1.90							
	DS1 DCS Termination with DS0 Switching					20.81	25.69	19.77	17.15	13.79						<u> </u>
	DS1 DCS Termination with DS1 Switching					10.73	18.57	12.65	12.60	9.24		L	ļ	ļ	Ļ	
	DS3 DCS Termination with DS1 Switching					145 05	25.69	19.77	17.15	13.79	1	<u> </u>	<u> </u>		<u></u>	<u> </u>
Node	(SynchroNet)														,	
	Node per month			UNCDX	UNCNT	1		<u> </u>	l	L	<u> </u>	L	<u></u>	L	<u></u>	<u> </u>
Serv	ice Rearrangements		_		 	·		r				,	1	· · · · · · · · · · · · · · · · · · ·	,	γ
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		U1TVX, U1TDX, UEA, UDL. U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.90	42.96								
				U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX,												
	NRC - Change in Facility Assignment per circuit Project	Ι.	Į.		LUDETD	1	0.00		ł	\$		1		}	1	
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	++		UNC1X UNC1X, UNC3X	URETB OCOSR		3.68 18.87	3.68 18.87			 			ļ		

JNBUNDLED NETWORK ELEMENTS - Mississ	<u>. L. L</u>			т						1		Att: 2 Exh: A		,	
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
		┼—	ļ <u> </u>		Rec	Nonrec		Nonrecurring					Rates(\$)		
		 	UNCVX, UNCDX,			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Commingling Authorization			UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,	CMGAU											
Commingled (UNE part of single bandwidth circuit)		——	JOEDST	CMGAU	0.00	0.00	0.00	0.00	0.00	L	L	L	l		L
Commingled VG COCI	·····································	Т	XDV2X, NTCVG	1D1VG	0.5737	6.62	4.74			γ					
Commingled Digital COCI		1	XDV6X, NTCUD	1D1DD	1.22	6.62	4.74			 		 	<u> </u>		
Commingled ISDN COCI			XDD4X	UC1CA	2.62	6.62	4.74				<u> </u>			<u> </u>	
Commingled 2-wire VG Interoffice Channel		1	XDV2X	U1TV2	22.52	40.77	27.57	17.26	7.11					L	
Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel		+-	XDV6X XDD4X	U1TV4	19.79	40.77	27.57	17.26	7,11						
Commingled 64kbps Interoffice Channel		+	XDD4X	U1TD5 U1TD6	15.68 15.68	40.77 40.77	27.57 27.57	17.26 17.26	7.11 7.11		ļ	ļ			
		1	XDV2X, XDV6X,	31100	13.00	40.77	21.51	17.26	7.11		 	 			
Commingled VG/DS0 Interoffice Channel Mile	age		XDD4X	1L5XX	0.0088						[i	
Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	13.89	105.96	68.28	52.82	10.37						
Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	18.75	105.96	68.28	52.82	10.37						
Commingled 2-wire Local Loop Zone 3 Commingled 2-wire Local Loop Zone 4			XDV2X	UEAL2 UEAL2	27.55 45.72	105.96	68.28	52.82	10.37	ļ					
Commingled 4-wire Local Loop Zone 1		+	XDV6X	UEAL4	27.47	105.96 132.27	68.28 94.59	52.82 60.68	10.37 14.64			}	ļ		
Commingled 4-wire Local Loop Zone 2	· 	2	XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64		-			 	
Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
Commingled 4-wire Local Loop Zone 4		4	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64	l					
Commingled 56kbps Local Loop Zone 1		1 1	XDD4X	UDL56	27.44	126.53	88.85	60.68	14.64					<u> </u>	
Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 3			XDD4X XDD4X	UDL56 UDL56	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64		ļ	 	ļ	ļ	
Commingled 56kbps Local Loop Zone 4	***************************************		XDD4X	UDL56	32.25	126.53	88.85	60.68	14.64	 				 	┼──
Commingled 64kbps Local Loop Zone 1	***************************************		XDD4X	UDL64	27 44	126.53	88.85	60.68	14.64					 	
Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	34.55	126.53	88.85	60.68	14.64				 	 	
Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	40.76	126.53	88.85	60.68	14.64						
Commingled 64kbps Local Loop Zone 4 Commingled ISDN Local Loop Zone 1			XDD4X XDD4X	UDL64 U1L2X	32.25 21.01	126.53 117.61	88.85 79.92	60.68 52.82	14.64	<u> </u>					
Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	27.59	117.61	79.92	52.82	10.37 10.37						
Commingled ISDN Local Loop Zone 3			XDD4X	U1L2X	37.34	117.61	79.92	52.82	10.37					 	
Commingled ISDN Local Loop Zone 4		4	XDD4X	U1L2X	59.18	117.61	79.92	52.82	10.37						
Commingled DS1 COCI		1	XDH1X, NTCD1	UC1D1	12.96	6.62	4.74								
Commingled DS1 Interoffice Channel		+	XDH1X	U1TF1	57.33	89.79	82 28	16.86	14.90						
Commingled DS1 Interoffice Channel Mileage Commingled DS1/DS0 Channel System		+	XDH1X XDH1X	MQ1	0.1813 102.85	91.57	62.94	10.87	10.10	 			 	 	
Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	79.08	253.93	158.45	46.10			 		-		
Commingled DS1 Local Loop Zone 2			XDH1X	USLXX	129 38	253.93	158.45	46.10		<u>† </u>				<u> </u>	
Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	206.74	253.93	158.45	46.10	12.07						
Commingled DS1 Local Loop Zone 4		4	XDH1X	USLXX	458.46	253.93	158.45	46.10	12.07	L				ļ	=
Commingled DS3 Local Loop Commingled DS3/STS-1 Local Loop Mileage		+	HFQC6, HFRST	UE3PX 1L5ND	326.15 11.20	454.13	265.47	123.23	86.19	ļ					—
Commingled DSJS1S-1 Local Loop Mileage Commingled STS-1 Local Loop		┼	HEAST	UDLS1	338.55	454.13	265.47	123.23	86.19	├	 		-	 	
Commingled DS3/DS1 Channel System		1	HFQC6	MQ3	170.63	179.17	94.52	34.30	32.82	 	 	 			
Commingled DS3 Interoffice Channel		$ldsymbol{\Box}$	HFQC6	U1TF3	641.90	280.37	163.70	62.08	60.29		L				
Commingled DS3 Interoffice Channel Mileage		1	HFQC6	1L5XX	4.29					1				L	
Commingled STS-1Interoffice Channel Commingled STS-1Interoffice Channel Mileag		+-	HFRST HFRST	U1TFS 1L5XX	644.21	280.37	163.70	62.08	60.29	ļ	 	ļ	 	<u> </u>	
Commingled STS-Timeroffice Channel Mileag		+	nrasi	TIP2VY	4 29			 	ļ	 	 			 	
Strands, Per Route Mile Or Fraction Thereof	,		HEQDL	1L5DF	28.27										ļ
Commingled Dark Fiber - Interoffice Transpor	, Per Four Fiber	1	-		1 20.27		-				t			 	t
Strands, Per Route Mile Or Fraction Thereof		-	HEODL	UDF14	ļ <u></u>	642.79	138.67	326.97	203.85	ļ		ļ	L	<u> </u>	
UNE to Commingled Conversion Tracking SPA to Commingled Conversion Tracking		+-	XDH1X, HFQC6 XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	<u> </u>		ļ		 	
NP Query Service		+-	ADMIA, HEUCE	LOWIGS P	0.00	0.00	0.00	0.00	0.00	 		 	 	 	
LNP Charge Per query		+	-	+	0.0008477				 	 		 	 	 	
LNP Service Establishment Manual		+	†	+	5.5500417	12.59	12.59	11.58	11.58	 		 	 	 	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
T						Rec	Nonrec	urring	Nonrecurring [Disconnect	†		oss	Rates(\$)		
						1 Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89						
911 PBX LOCA	TE		L													
911 PB	X LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,822.00									
	Changes to TN Range or Customer Profile		I	9PBDC	9PBTN	I	182.29									L
	Per Telephone Number (Monthly)			9PBDC	9РВММ	0.07					I					
	Change Company (Service Provider) ID			9PBDC	9PBPC		535.11						L	l		<u> </u>
	PBX Locate Service Support per CLEC (Monthlt)		1	9PBDC	9PBMR	178.43					1			i		
	Service Order Charge			9PBDC	9PBSC		15.75						1			
911 PB	X LOCATE TRANSPORT COMPONENT															
See Att	3															
				I							1		1	1	l	
Note: F	Rates displaying an "I" in Interim column are interim as a result	of a Com	mission	order.		1							1		L	

ROWNER	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
rEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electron Disc Adi
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
			1			1	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The "Z	one" shown in the sections for stand-alone loops or loops as pa	t of a c	ombinat	tion refers to Geograp	hically Dear	Arraned LINE 70	nes To view C	anaranhia lhu	Donueraged LIN	E Your Design	etions bu Co	ntral Office			L	<u> </u>
http://	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm		mouny Dear	conged one zo	iloa. TO FROM C	andiahincan i	Deaverageu ON	ic zone cesign	ations by Ci	antrai Office,	reter to interi	HEL WEDSKE:		
ERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		T						r					T		
									· · · · · · · · · · · · · · · · · · ·	·				·		
NOTE ordere	: (1) CLEC should contact its contract negotiator if it prefers the ite specific Commission ordered rates for the service ordering ch : (2) Any element that can be ordered electronically will be billed delectronically at present per the LOH, the listed SOMEC rate in s bill when it submits an LSR to BellSouth.	arges, d accordi	or CLEC	may elect the region e SOMEC rate listed i	al service o	rdering charge, l orv. Please refer	to BellSouth's	can not obtain	a mixture of the	e two regardle:	s If CLEC I	as a interco	nnection cont	ract establish	ed in each of t	he 9 stat
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00				[
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						<u> </u>
	DATE ADVANCEMENT CHARGE						13.20	0.00	13.20	V.50	 	1	<u> </u>	 	 	t
NOTE	The Expedite charge will be maintained commensurate with Bo	South	s FCC	No.1 Tariff, Section 5	as applicab	le.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, UTT43, UTT01, UTT03, UTT03, UTT01, UTT03, UTT01, UTT03, UTT01, UTT03, UTT01, UTT03, UTT01, UTT04, UC10C, UC10L, UC10C, UC10L, UC10C, UC10L, UC16L, UC16L, UC16L, UC16L, UC16L, UDL03, UDL03, UDL03, ULD12, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, UNCD3, UNC0X,												
EDER MOD	Day	+	+	NTCUD, NTCD1	SDASP	 	200.00	 	 	 	 	+		 	 	1
-DEN MOD	Order Modification Charge (OMC)	†	+-		1	 	26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						0.00									
	EXCHANGE ACCESS LOOP			L	L		L	L	L	L			L	1	.L	
2-WIF	E ANALOG VOICE GRADE LOOP	, -	T 1	UEANL	UEAL2	10.82	36.54	16.87	т	T	т	7				T
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	+		UEANL	UEAL2	16.21	36.54	16.87		 	+	 	 	1	+	+
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEAL2	24.08		16.87		T	1					1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.82	36.54	16.87		T		Ţ				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.21	36 54			ļ <u> </u>	4		L			-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	24.08					├	1	-	 	 -	+
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	+	+	UEANL	URETL		8.93			 	 	1	 	+	+	+
		1	+	UEANL	URETA	 	19.28			1	 	+		+	 	1
- 																
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop)	+	+	UEANL	UEAMC	· · · · · · · · · · ·	7.92									

	ED NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		 	 			Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
	Unbundled Non-Design Voice Loop, billing for BST providing make				- 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	up (Engineering Information - E.I.)			UEANL	UEANM	!	13.04	13.04			1					
	Unbundled Loop Service Rearrangement, change in loop facility,		$\overline{}$		102		13.04	13.04		 						
	per circut		l	UEANL	UREWO		15.74	8.92								
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL.	UREPN		36.54	16.87		 	+					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		7 92	7 92		 	 					
2-WIR	E Unbundled COPPER LOOP													L		
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	L		UEQ	UEQ2X	10.93	35.27	15.60		1			· · · · · · · · · · · · · · · · · · ·			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	12.75	35.27	15.60		1	·					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEO	UEO5X	13.92	35.27	15 60								
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		-	UEQ	URETL		8.93	0.88								
-+	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour		<u> </u>	UEO	URET1		33.17	0.00								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	 		UEQ	URETA		19.28	19.28								
1	Designed (per loop)]		UEQ	Liente	l	[1					1
	Unbundled Copper Loop - Non-Design, billing for BST providing	\vdash	 	DEU	USBMC		7.92	7 92		 	 		L			L
	make-up (Engineering Information - E.I.)	l		UEQ	UEQMU	l	,,,,,	10.01		1	1		l			
	Unbundled Loop Service Rearrangement, change in loop facility,	 	 	-	DECIVIO		13.04	13.04		 	+	<u> </u>	ļ	ļ		
	per circuit			UEQ	UREWO		14.23	7.41		1			ļ			1
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		35.27	15.60					 			 -
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	7.92		 			ļ			
BUNDLED	EXCHANGE ACCESS LOOP		1		1			1,32	-	 	 		 	 		├
2-WIR	E ANALOG VOICE GRADE LOOP												<u> </u>		L	ــــــــــــــــــــــــــــــــــــــ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T		I					r	1		r	1	1		
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.96	102.10	65.72					İ	l		
- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1		l			
	Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	17.36	102.10	65.72					1			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									1	 			t		
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	25.23	102.10	65.72			-	ŀ	1		ŀ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse] -							1				l		
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.96	102.10	65.72					1			
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse]	i									}	I			
	Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	17.36	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	25.23	102.10	65.72		<u> </u>				L		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		}		l					1			1			1 -
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL		25.03	3.53								
	DS0)		I	UEA	URESP					į.			1			
	Unbundled Loop Service Rearrangement, change in loop facility,		\vdash	UEA	UMESP		26.52	5.02		ļ				.		
	per circuit		1	UEA	UREWO	i	87.49	20.00		1						
-+	Loop Tagging - Service Level 2 (SL2)	 	 	UEA	URETL		11.20	36.26 1.10		+	+	ļ	 	ļ	ļ	+
	Bulk Migration, per 2 Wire Voice Loop-SL2	 		UEA	UREPN		102.10	65.72	 	+	 					+-
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		_	UEA	UREPM		0.00	0.00	·	 	+					
4-WIR	E ANALOG VOICE GRADE LOOP			100.11	10.10.10		0.00	0.00	L		-1	L	1	L	l	
	4-Wire Analog Voice Grade Loop - Zone 1	· · · · ·	1	UEA	UEAL4	19.52	127.40	91.02	· · · · · · · · · · · · · · · · · · ·	1		r	1	1	Τ	Т
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	24.74	127.40	91.02	-	 	+			 		+
1	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	46.11	127.40	91.02			+	 		 		+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1	-				31.52		 -				 		
	DS0)		1	UEA	URESL		25.03	3.53		I			1			
	Switch-As-Is Conversion rate per UNE Loop. Spreadsheet, (per									1	1	<u> </u>	<u> </u>	 	 	t
	DS0)	L		UEA	URESP		26.52	5.02		1			1		ļ	1
	Unbundled Loop Service Rearrangement, change in loop facility.										T		1			
	per circuit			UEA	UREWO		87.49	36.26	L	<u> </u>					l	
2-WIR	E ISDN DIGITAL GRADE LOOP															
-	2-Wire ISDN Digital Grade Loop - Zone 1	├─		UDN	U1L2X	19.78	113.34	76.96								
-+-	2-Wire ISDN Digital Grade Loop - Zone 2	├		UDN	U1L2X	26.16	113.34	76.96	L	1	ļ	L				1
+	Wire ISDN Digital Grade Loop - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,	 	3	UDN	U1L2X	35.37	113.34	76.96	ļ	ļ			ļ	L		1
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	l	1	UDN	UREWO	İ				1	1	1	l	1	l	1
2.WID	Deficient Defi	TIBLE	OOB	IOOM	IOHEMO		91.39	44.04	L	1		L	L	Ц	L	1
Z-14 IP4	2 Wire Unbundled ADSL Loop including manual service inquiry &	, IDLE L	1000	 					r··					·		
	facility reservation - Zone 1	l		UAL	UAL2X	10 14	117.08	68.36				l	1			

ONBON	ULEL	NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
	1		1									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	- 1		ļ			l l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGOR	l		1			l l	1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGOR	HY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
				1		L						por corr	per Lorr	Electronic-	Electronic-	Electronic-	Electronic
												1		1st	Add'l	Disc 1st	Disc Add'l
		- · · · · · · · · · · · · · · · · · · ·					1					1		/ ***	AUG 1	Unit ist	DISC AGG
							Rec	Nonrec	urring	Nonrecurring	Disconnect	† <u>-</u>		OSS	Rates(\$)		•
			1				nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l l	- 1	2 Wire Unbundled ADSL Loop including manual service inquiry &										1					
$-\!$		facility reservation - Zone 2		2	UAL	UAL2X	11.59	117.08	68.36		1			ł .		ļ	1
- 1		2 Wire Unbundled ADSL Loop including manual service inquiry &															†
\rightarrow		facility reservation - Zone 3		3	UAL	UAL2X	12.28	117.08	68.36			1	i		1	:	
	i	2 Wire Unbundled ADSL Loop without manual service inquiry &		I								 	-		1	<u> </u>	†
		facility reservator - Zone 1		1	UAL	UAL2W	10.14	92.83	56 02							i	ļ
	l	2 Wire Unbundled ADSL Loop without manual service inquiry &	1							***		· · · · · · ·		t			
\rightarrow		facility reservaton - Zone 2	1	2	UAL	UAL2W	11.59	92.83	56.02		1					1	
		2 Wire Unbundled ADSL Loop without manual service inquiry &									T				 		1
		facility reservaton - Zone 3		3	UAL	UAL2W	12.28	92.83	56.02			1			i		
		Unbundled Loop Service Rearrangement, change in loop facility,	-	ľ									1				
		per circuit		1	UAL	UREWO	L	78.06	32.38			1	i			ł	
2-	WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP								·		•	•	٠	•
l I		2 Wire Unbundled HDSL Loop including manual service inquiry &		[1	T		T	T	Τ
		facility reservation - Zone 1		1.	UHL	UHL2X	7.95	125.50	76 77		1	.1				ĺ	
1 1		2 Wire Unbundled HDSL Loop including manual service inquiry &		1								1		1			
$\vdash \vdash$		facility reservation - Zone 2		2	UHL	UHL2X	9.15	125.50	76 77		1	1	1	1	1	l	1
1 1		2 Wire Unbundled HDSL Loop including manual service inquiry &	1								T		 	1		 	
\vdash		facility reservation - Zone 3		3	UHL	UHL2X	9.53	125.50	76.77				i			1	
1		2 Wire Unbundled HDSL Loop without manual service inquiry and		1							1	1	 -		 		
\perp		facility reservation - Zone 1		1	UHL	UHL2W	7.95	101 24	64.43						ĺ		
1		2 Wire Unbundled HDSL Loop without manual service inquiry and									1	1	†	f T	· -	 	
\sqcup		facility reservation - Zone 2		2	UHL	UHL2W	9.15	101 24	64.43	ļ				1			
l i		2 Wire Unbundled HDSL Loop without manual service inquiry and											1	1	1	l	1
		facility reservation - Zone 3	<u> L.</u> .	3	UHL	UHL2W	9.53	101.24	64.43	1	1]		i		1	1
		Unbundled Loop Service Rearrangement, change in loop facility,													1		1
		per circuit]	1	UHL	UREWO	1	78.00	32.38			1	ł		1		Í
4-		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP								•	•		· · · · · · · · · · · · · · · · · · ·	·	-
		4 Wire Unbundled HDSL Loop including manual service inquiry an	d	1							T					1	
		facility reservation - Zone 1		1	UHL	UHL4X	11.01	153.26	104.54			ì	İ	1	Į.		
		4-Wire Unbundled HDSL Loop including manual service inquiry an	d	1	1												
		facility reservation - Zone 2		2	UHL	UHL4X	12.20	153.26	104.54	ļ	1	1		j			
		4-Wire Unbundled HDSL Loop including manual service inquiry an	d	T									1				
1 1		facility reservation - Zone 3		3	UHL	UHL4X	13.49	153 26	104.54	Į.		1	1				
		4-Wire Unbundled HDSL Loop without manual service inquiry and		T									1	1	1		1
		facility reservation - Zone 1	1	1	UHL	UHL4W	11 01	129.00	92.20			1				1	
		4-Wire Unbundled HDSL Loop without manual service inquiry and															1
		facility reservation - Zone 2	1	2	UHL	UHL4W	12.20	129.00	92.20					1		ļ	1
		4-Wire Unbundled HDSL Loop without manual service inquiry and	7	T												T	
		facility reservation - Zone 3	1	3	UHL	UHL4W	13.49	129.00	92.20	1					1	i	i
		Unbundled Loop Service Rearrangement, change in loop facility,	1			1			-	· · · · · · · · · · · · · · · · · · ·	1	1	1			1-	
		per circuit	i	1	UHL	UREWO		78.00	32.38			1	ì		1		1
4	-WIRE	DS1 DIGITAL LOOP			•	7.				•							
		4-Wire DS1 Digital Loop - Zone 1	T	1	USL	USLXX	63.62	245.16	152.98		1		T				T
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	104.40	245.16	152.98				Ţ,		1		
		4-Wire DS1 Digital Loop - Zone 3			USL	UŞLXX	210.22	245.16			L						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1								1	7		1 '	1	Ι	T
1		DS1)	1	1	USL	URESL		25.03	3 53	ŀ	1	ŀ	l	1	1	L	L
-		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	\top	1	 					1	1	1			1	<u> </u>	T
		DS1)	1	1	USL	URESP		26.52	5.02	I	1			1		1	
		Unbundled Loop Service Rearrangement, change in loop facility.	1	1	1		1		1	1		1		1			
		per circuit	1	1	USL	UREWO		100.82	42.93	1	1			1		l	
4	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP										· · · · · · · · · · · · · · · · · · ·					
r t		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	\top	1	UDL	UDL2X	21.98	121 86	85.48	T	1			1	T		
	-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	27.58	121.86	85.48		II.						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	UDL	UDL2X	43.08	121.86	85.48		T				1		
				17	UDL	UDL4X	21.98	121.86	85.48		1	1		1 " "			
			1				27.58	121.86		1	1	1	1	 	1	 	1
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	+	2	UDL	UDL4X	27.36							1	1	l .	
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	-	2							1	 	 		 	╁	1
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	43.08	121.86	85.48		1		 			<u> </u>	
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		3	UDL	UDL4X UDL9X	43.08 21.98	121.86 121.86	85.48 85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2 3 1 2	UDL UDL UDL	UDL4X UDL9X UDL9X	43.08 21.98 27.58	121.86 121.86 121.86	85.48 85.48 85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		3	UDL	UDL4X UDL9X	43.08 21.98	121.86 121.86	85.48 85.48								

TIVECTOLL	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		<u> </u>		.	i	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19	43.08	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56 UDL56	21.98	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	27.58 43.08	121.86	85.48								⊢
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 -		UDL	UDL64	21.98	121.86 121.86	85.48 85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	_		UDL	UDL64	27.58	121.86	85.48			 					-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	43.08	121.86	85.48			 					· · · · ·
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				-		121.00				 					
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<u> </u>	├	UDL	URESL		25.03	3.53								
	DS0)		ļ	UDL	URESP		26.52	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UDL	UDTWO			.0.00			1		1	ļ		ĺ
2-WIDE	Unbundled COPPER LOOP	Щ.	ь	IODE	UREWO	L	101.86	49.62	<u> </u>	L		L.,	l	<u> </u>		L
2-111112	2-Wire Unbundled Copper Loop-Designed including manual	т-	Τ		т	 									r*	
	service inquiry & facility reservation - Zone 1	<u></u>	1	UCL	UCLPB	10.14	116.18	67 46			ļ					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.59	116.18	67.46	,							
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.28	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed without manual service	 	1								 					
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service		_	UCL	UCLPW	10.14	91.92	55 12		ļ	 		·	<u> </u>		
-	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	11.59	91.92	55.12			 					
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPW	12.28	91.92 7.92	55.12 7.92		ļ			ļ			<u> </u>
	Unburidled Loop Service Rearrangement, change in loop facility, per circuit		\vdash	UCL	1			34.45								
4 WIDE	COPPER LOOP	ــــــــــــــــــــــــــــــــــــــ	<u>. </u>	IOCL	UREWO		89.06	34.45	l	i	ــــــــــــــــــــــــــــــــــــــ	L	·	L	L	
4-11116	4-Wire Copper Loop including manual service inquiry and facility		$\overline{}$		T										r	1
	reservation - Zone 1		1.	ucı	UCL4S	13.10	139.69	90.96								ļ
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	15.17	139.69	90.96								
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	17.03	139.69	90.96								
1	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	13.10	115.43	78.63								
\neg	4-Wire Copper Loop without manual service inquiry and facility		\vdash			1			·							
_	reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility	├-	2	UCL	UCL4W	15.17	115.43	78.63	ļ	 	+		 	 		
	reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4W UCLMC	17.03	115.43 7.92	78.63 7.92		ļ	 		ļ	ļ		<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility.		1	UCL		<u> </u>					 			<u> </u>		
\rightarrow	per circuit	 	\vdash	UEA, UDN, UAL.	UREWO	-	89.06	34.45	····		 				1	-
	Order Coordination for Specified Conversion Time (per LSR)	ļ	ــــــــــــــــــــــــــــــــــــــ	UHL, UDL, USL	OCOSL	L	17.56	L	L	<u> </u>	⊥	L	l		L	┸
Rearra	ngements			,		<u></u>	,		,	γ						т
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- \$L2		1	UEA	UREEL		87.49	36.26			l					
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		T	UEA	UREEL		87.49	36.26								
	EEL to UNE-L Retermination, per 2 Wire Cross dead voice Loop			UDN	UREEL		91.39	44.04					İ		ļ	!
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	L		UDL	UREEL		101.86	49.62				L	<u> </u>			
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.82	42.93								4
NE LOOP CO		1					1						1	L	l	
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING	,											· · · · · · · · · · · · · · · · · · ·		r	,
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	11.96	102.10	65.72					1		<u></u>	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.36	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	<u> </u>	<u> </u>	NTCVG	UEAL2	25.23	102.10	65.72		1			1			1

NBUN	DLEI	NETWORK ELEMENTS - North Carolina												Att: 2 Exh; A			
TEGOF	IY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring	Disconnect	·		oss	Rates(\$)		
			<u> </u>				Nec .	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	I	١.													
-+		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	<u> </u>	NTCVG	UEAR2	11.96	102.10	65.72				<u> </u>				
	1	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.36	102.10	65.72		1	}	}	1			ł
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1					 	 					
		Battery Signaling - Zone 3	<u> </u>	3	NTCVG	UEAR2	25.23	102.10	65.72							_	
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		25.03	3.53		1						
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	†	†		UNESE		23.03	3.33		 	+		 			
		DS0)			NTCVG	URESP	1	26.52	5.02			1]			ļ
_		Unbundled Loop Service Rearrangement, change in loop facility,										1		· -			
		per circuit	-		NTCVG	UREWO		87.49	36.26					1	·		
- 14	WIDE	Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP -COMMINGLING	<u></u>		NTCVG	URETL		11.20	1.10								
		4-Wire Analog Voice Grade Loop - Zone 1		т.	NTCVG	UEAL4	10.50	402.40				·					
-		4-Wire Analog Voice Grade Loop - Zone 2	 		NTCVG	UEAL4	19.52 24.74	127.40 127.40	91.02 91.02						 		<u> </u>
_	-	4-Wire Analog Voice Grade Loop - Zone 3	 		NTCVG	UEAL4	46.11	127.40	91.02		 	- -	 -				
_		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	 		1557.57	10		37.02		 	- 	 				
{		DS0)		1	NTCVG	URESL		25.03	3.53			ļ			i		
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
_		OS0)	 	↓	NTCVG	URESP		26.52	5.02	<u></u> .	ļ	1					ļ
		Unbundled Loop Service Rearrangement, change in loop facility,	i									1			1		
- 1		per circuit DS1 DIGITAL LOOP	1	┸	NTCVG	UREWO	لــــــا	87.49	36.26	L		J	ــــــــــــــــــــــــــــــــــــــ	L	L	L	ــــــــــــــــــــــــــــــــــــــ
- *	*****	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	TUSLXX	63.62	245.16	152.98		1		τ	 	т—	·	т
		4-Wire DS1 Digital Loop - Zone 2	1-		NTCD1	USLXX	104.40	245.16	152.98		 	+	 				 -
		4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	210.22	245.16	152.98			1	 				
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1								1					
\bot		DS1)		↓	NTCD1	URESL		25.03	3.53		<u> </u>			ļ			
ì		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	1	1	NTCD1	URESP		26.52	5.02			1	1				
		Unbundled Loop Service Rearrangement, change in loop facility.	+	+	NICOI	UNESP		20.52	5.02	ł			 		 -		
- 1		per circuit	1		NTCD1	UREWO		100.82	42.93			1	1			ļ	
4-		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP								L				1		· · · · · · · · · · · · · · · · · · ·	
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	21.98	121.86	85.48				1	I	l		
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	27.58	121.86	85.48				I				
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	↓		NTCUD	UDL2X	43.08	121.86	85.48		<u> </u>						ļ
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	NTCUD	UDL4X	21.98	121.86	85.48		 	+	 -				
-+		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+	3	NTCUD NTCUD	UDL4X UDL4X	27.58 43.08	121.86 121.86	85.48 85.48		 		 	· · · · · · · · · · · · · · · · · · ·	 		
-+		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+	1 1	NTCUD	UDL9X	21.98	121.86	85.48		 	- 	 	 			<u> </u>
		5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+	1-2	NTCUD	UDLax	27.58	121.86	85.48		 	 	 	†	· · · · · ·	<u> </u>	 -
- †		6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	NTCUD	UDL9X	43.08	121.86	85.48		T	1		T	<u> </u>		
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	21.98	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	27.58	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3	1	3		UDL19	43.08	121.86	85.48		 	+		ļ		ļ	├ ──
_+		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1 1	NTCUD	UDL56	21.98	121.86	85.48		 			 	 	ļ	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	+	3		UDL56 UDL56	27.58 43.08	121.86 121.86	85.48 85.48		 	+	+	 	 	 	
-+		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+	1	NTCUD	UDL56	21.98	121.86	85.48 85.48		 	+	+	+		 	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	2		UDL64	27.58	121.86	85.48		+	 	 		 	 	
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		NTCUD	UDL64	43.08	121.86	85.48		 	+		 	 		\vdash
	•	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1						Ι	1			I	T	I	[
		DS0)	1	1	NTCUD	UREŞL	<u> </u>	25.03	3.53	L	ļ	1	1	<u> </u>	L	ļ	↓ —
Ţ		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		26.52	5.02								}
		Unbundled Loop Service Rearrangement, change in loop facility,	+	+			 	20.32	3.02	 	 		 	 	 	 	
		per circuit		1	NTCUD	UREWO		101.86	49.62	l	1		<u> </u>	L			L
_		Order Coordination for Specified Conversion Time (per LSR)		1	NTCVG, NTCUD, NTCD1	OCOSL		17.56		T	1					1	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	lriterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
·		 	├—	ļ		Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
		 	┼─-	UDC, UEA, UDL,			First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UULD1, ULDVX,												
		j		UNC1X, UNC3X, UNCDX, UNCSX,						1		1				
	Maintenance of Service Charge, Basic Time, per half hour	L		UNCVX, ULS	MVVBT		80.00	55.00								'
				IDDC, UEA, UDL, UDN, USL, UAL, UDHL, UGL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD1, U1TD1, U1TD1, U1TD1, UDFCX, UDLSX, ULDD1, ULDD3, ULDVX, UNCD1, UNCSX, UN												
	Maintenance of Service Charge, Overtime, per half hour				мууот		90.00	65.00		1						1
LOOP MODIFI	Maintenance of Service Charge, Premium, per half hour CATION			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UNC1X, UNC3X, UNCYX, UNCSX, UNCVX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
			1	UAL, UHL, UCL.		1					1	† 				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS. UEA. UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS. UEQ	ULM2G		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	;	1		T	 			 	†	 	 		 		
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire	┼	 	UHL, UCL. UEA	ULM4L	 	0 00	0.00	ļ	↓	<u> </u>					
	pair greater than 18k ft			UCL	ULM4G		0.00	0.00		1						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL. UEQ, ULS, UEA. UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
SUB-LOOPS	oop Distribution	<u> </u>	1	J		l	L		L	<u> </u>	1		L	1	L	L
SUD-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		144.09					<u> </u>				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		10.99	10.99								

O.I.D O.IID C.	D NETWORK ELEMENTS - North Carolina			, <u></u>									Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect			oss	Flates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	 	 		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up	ļ		UEANL	USBSC		86.16		1							
] [Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	1		UEANL	USBSD											
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	╁	 	DEANE	05850		27.13	27.13	 -	-	 					
 	Zone 1		1	UEANL	USBN2	6.70	63.89	30.06	İ							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2					1	1					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		-	DEAINE	USBN2	9.93	63.89	30.06	 	ļ	 					
l	Zone 3	<u> </u>	3	UEANL	USBN2	12.79	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL		_					1					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	1		UEANL	USBMC		7.92	7.92	 		 					ļ
	Zone 1		1	UEANL	USBN4	10.81	76.75	42.92								
1 1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2															· · · · · · · · · · · · · · · · · · ·
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	 -	2	UEANL	USBN4	14.16	76.75	42.92	ļ	 	 					
	Zone 3		3	UEANL	USBN4	24.67	76.75	42.92								
	0-10								T	†	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		ļ	UEANL UEANL	USBMC USBR2		7.92	7.92								
	as easy 2 the milestern return of the (mo)	 	_	DEANL	OSBHS	2.34	51.48	17.65	 	 	 			ļ		
ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u></u>	UEANL	USBMC		7.92	7.92		Ì						1
 	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.18	57.54	23.71			1. "					
1 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC	İ	7.00	7.00								
Service	o Order charges will apply only once per sub-loop	-		OCANE	LO3BWIC		7.92	7.92		<u> </u>	<u> </u>				L	<u> </u>
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00			T					I
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 -	.	UEANL UEF	URETA UCS2X	5.43	19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS2X	8.04	63.89 63.89	30.06 30.06		 	 			ļ		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.79	63.89	30.06		 	+					
	Order Consultantian to History Mad S. b. L.			UEE							1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	USBMC UCS4X	6.34	7.92 76.75	7.92 42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	9.62	76.75	42.92		 	 					
<u> </u>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.04	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OEr .	USBMC		7.92	7.92	 	+	 			 		
	Designed and Distribution Subloops	L		UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF UEF	URET1		33.17	0.00								
Unbun	dled Sub-Loop Modification	ــــــــــــــــــــــــــــــــــــــ		loes .	URETA		19.28	19.28	L	٠ـــــــــــــــــــــــــــــــــــــ		L		L	l	L
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load					···		•	T	Τ	1				l	
	Col/Equip Removal per 2-W PR	<u> </u>	<u> </u>	UEF	ULM2X		0.00	0.00	1	 	ļ		ļ	<u> </u>		ļ
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00			1					
	Unbundled Loop Modification, Removal of Bridge Tap, per		t —		35.00-1		0.00	0.00	<u> </u>	 	+			 	 	
<u> </u>	unbundled loop		L	UEF	ULMBT		224.55	4.29		<u> </u>						
Unbun	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	051	44 70 1	1470				·				
Netwo	rk Interface Device (NID)	L	L	DEMINA	JUENPP	0.51	14.72	14.72	L	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	l	L	<u> </u>	L	L
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69			I					
	Network Interface Device (NID) - 1-6 lines	-		UENTW	UND16		127.93	98.21			Ţ. <u> </u>					
 	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	 	├	UENTW UENTW	UNDC2 UNDC4		5.73 5.73	5.73 5.73			+					ļ
UNE OTHER,	PROVISIONING ONLY - NO RATE				0.1004		5.73	3.73	 	+	+					
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0 00	0.00									

OUDDINDLED NE	TWORK ELEMENTS - North Carolina											-	Att: 2 Exh: A			
		l _			1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					i						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BÇS	USOC	1		RATES(S)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		į			1						por com	PO. CO.1	Electronic-	Electronic-	Electronic-	Electron
			ł													
			1		1	ļ					İ		1st	Add'l	Disc 1st	Disc Add
			1			· · · · · · · · · · · · · · · · · · ·	Nonrec	urring	Nonrecurring	Disconnect	 	<u> </u>	Occ	Datas(E)	<u> </u>	
		 	 		+	Rec	First	Add'l	First	Add'l	SOMEC		SOMAN	Rates(\$)		1 200000
Unbun	dled DS1 Loop - Superframe Format Option - no rate		 	USL, NTCD1	CCOSF		0.00	AUG I	FRSt	Add I	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMA
	dled DS1 Loop - Expanded Superframe Format option - no		 	002,141001	00001	 	0.00									₩
rate	died oo r coop - Expanded dependante r dintal option - no	1		USL, NTCD1	CCOEF	1 1							Į.	1		
	Dispatch and Service Order for NID installation					·	0.00					·	<u> </u>	<u> </u>	1	1
INIU-	Disparch and Service Order for MiD Installation		├	UENTW	UNDBX	0.00	0.00				<u> </u>					
OOP MAKE-UP	V Circuit Establishment, Provisioning Only - No Rate	├	 	UENTW	UENCE	0.00	0.00				<u> </u>					
		_									<u> </u>		L			
	Makeup - Preordering Without Reservation, per working or	ļ.	1		ł	1					1	1				
	facility queried (Manual).		<u> </u>	UMK	UMKLW	L	23.29	23.29				Ĺ		1		l
Loop	Makeup - Preordering With Reservation, per spare facility		1			1 1										
	d (Manual)	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	UMK	UMKLP	L	24.70	24.70			L		l	1.		1
	MakeupWith or Without Reservation, per working or spare		1									<u> </u>	T	ļ ————	I	
	queried (Mechanized)		<u> </u>	UMK	UMKMQ	1	0.19	0 19		1	1	(1	1	1	1
NE SPLITTING			1		1						1			1		$\overline{}$
END USER O	RDERING-CENTRAL OFFICE BASED											<u> </u>				
	plitting - per line activation DLEC owned splitter	1	_	UEPSR UEPSB	UREOS	0.61	15.53	7 79		r	T	γ	1	· · · · · · · · · · · · · · · · · · ·	1	
	plitting - per line activation BST owned - physical	1	T	UEPSR UEPSB	UREBP	0.6409	17.97	10.29			 	 	 	 	 	+-
	plitting - per line activation BST owned - virtual	1	-	UEPSR UEPSB	UREBV	0.6325	17.87	10.29					 	 	 	+
END USER O	RDERING - REMOTE SITE LINE SPLITTING			,	10	0.0023	17.07	10.29	·					·	L	——
	EXCHANGE ACCESS LOOP															
	OG VOICE GRADE LOOP															
			_		-,	,										
	Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1	l	1	1 1			l		1			1	ŀ	
Zone		╄		UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00					<u> </u>	
	Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		1		1 1							T			I
Zone	1	<u>L</u> .	1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00	1			1	l .	
2 Wire	Analog Voice Grade Loop- Service Level 1-Line Splitting-	1														
Zone	2		2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00			1	1	Į.	
2 Wire	Analog Voice Grade Loop- Service Level 1-Line Splitting-															
Zone			2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00						
	Analog Voice Grade Loop-Service Level 1-Line Splitting-		 ~~	02.002.00	5250	1	00:54			0.00	 	 	-	 		+
Zone		1	3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00	ì	ì	1	1	İ	1
	e Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 -	OLF SH OLF SB	ULALS	24.00	30.34	10.87	0.00	0.00	 	 	 	+	 	+
			3	UEPSR UEPSB	UEABS	04.00	00.54	46.07					1			
Zone		ــــــــــــــــــــــــــــــــــــــ	1 3	JUEPSH UEPSB	JUEABS	24.08	36.54	16.87	0.00	0.00	ــــــــــــــــــــــــــــــــــــــ	L		<u> </u>	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ
	OLLOCATION											·			· · · · · · · · · · · · · · · · · · ·	
Physi	cal Collocation-2 Wire Cross Connects (Loop) for Line		i	ł <u>.</u>	1	1 . 1				ļ			1	1	1	
Splitti		<u>ــــ</u>	ــــــــــــــــــــــــــــــــــــــ	UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00	<u></u>	<u> </u>	<u> </u>	L	1	
VIRTUAL CO	LLOCATION			,											,	
			1			1			ì	i		1	1	1	1	
Virtua	I Collocation-2 Wire Cross Connects (Loop) for Line Splitting	<u> </u>	<u>ا</u>	UEPSR UEPSB	VEILS	0.0287	33.96	32.08	0.00	0.00	·	!	ł	1	1	
NBUNDLED DEDIC.	ATED TRANSPORT				7]	T	i	T	I		T
INTEROFFICI	E CHANNEL - DEDICATED TRANSPORT															
Intero	ffice Channel - 2-Wire Voice Grade - per mile	T	T	U1TVX	1L5XX	0.0095			Υ	1	Т-	ĭ .	T	1	1	\Box
	ffice Channel - 2-Wire Voice Grade - Facility Termination	1	1	U1TVX	U1TV2	12.12	39.36	26.62	1	1	 	 	1	1	1	\top
	ffice Channel - 2-Wire Voice Grade Rev Bat per mile	+	+	U1TVX	1L5XX	0.0095	22.50			1	 	†	1	1	1	
- Intero		+	+	1		0.0000			 		+	 	+	 	1	1
latara	ffice Channel - 2-Wire VG Rev Bat Facility Termination	1	1	U1TVX	U1TR2	12.12	39.36	26.62			1	Ì		1	1	1
		+	+-		1L5XX		39.30	20.02	 	 	+	 	+	 	+	+
Intero	ffice Channel - 4-Wire Voice Grade - per mile	 		U1TVX	TILOXX	0.0095					 	 	+	 	 	+
1 1		1	1	L	1	1				I	1	1		ì	1	1
	ffice Channel - 4- Wire Voice Grade - Facility Termination	-	-	U1TVX	U1TV4	10.19	39.36	26.62					₽	 		
	ffice Channel - 56 kbps - per mile		1	UITDX	1L5XX	0.0095					ļ		<u> </u>	1	 	
	ffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	7.47	39.37	26.62					1			
Intero	ffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0095			L							
Intero	ffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	7.47	39.37	26.62	L							
Intero	ffice Channel - DS1 - per mile		T	U1TD1	1L5XX	0.1938					T		T			T
	ffice Channel - DS1 - Facility Termination	1	1	U1TD1	U1TF1	31.06	86.69	79.44		T	1	T	T	T		T
	ffice Channel - DS3 - per mile	1	1	U1TD3	1L5XX	4.44			· · · · · ·		1	T	1	1	1	T
	ffice Channel - DS3 - Facility Termination	1	1	U1TD3	U1TF3	329.91	270.69	158.05	 	 	1	 	†	1		1
	ffice Channel - STS-1 - per mile	+	+-	UITSI	1L5XX	4.44	2,0.03	.55.05		 	+	 	+	 	 	+
	office Channel - STS-1 - per mile Iffice Channel - STS-1 - Facility Termination	┿	+	U1TS1	UITES	339.20	270.69	158.05	 	 	+	 		 	+	+
		+-	+	101151	101115	339.20	270.69	158.05	ļ	 	 	+	 		 	+
	BUNDLED LOCAL LOOP		┸	1			L	L	L	I	1		1	J	1	
	JNBUNDLED LOCAL LOOP - Stand Alone				1											
	Unbundled Local Loop - per mile	4		UE3	1L5ND	12.95		L	<u> </u>	L		<u> </u>	<u> </u>	<u> </u>		4
	Unbundled Local Loop - Facility Termination			UE3	UE3PX	229.90	438.46	256.30								
STS-	1Unbundled Local Loop - per mile			UDLSX	1L5ND	12.95						L				
	1 Unbundled Local Loop - Facility Termination		7	UDLSX	UDLS1	257.82	438.46	256.30	r		7	T			(

NRONDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
					1						,	, a	Electronic-	Electronic-	Electronic-	Electronic
		1											1st	Add'I	Disc 1st	Disc Add
							_								5.55 .5.	-200
			· · ·			Rec	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates(\$)		
					I	L nec	First	Add'l	First	1'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	IDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1				1									T	
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.77									ľ	1
ļ	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	l													
	Route Mile Or Fraction Thereof	<u> </u>	<u> </u>	UDF, UDFCX	UDF14	Li	620.60	133.88					ļ	1	ļ	1
	(TENDED LINK (EELs)	ᆚ		L	1											
Networ	k Elements Used in Combinations															
	2-Wire VG Loop (\$L2) in Combination - Zone 1			UNCVX	UEAL2	11.96	385.26	72.08			I					
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08			1					Ι
	2-Wire VG Loop (SL2) in Combination - Zone 3	↓	3	UNCVX	UEAL2	25.23	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1-1-	UNCVX	UEAL4	19.52	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	1	2	UNCVX	UEAL4	24.74	385.26	72.08							l	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	46.11	385.26	72.08								
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.78	385.26	72.08			L		l			
	2-Wire ISDN Loop in Combination - Zone 2	<u> </u>		UNCNX	U1L2X	26.16	385.26	72.08								
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	35.37	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	21.98	385.26	72.08						L		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.08	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.98	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08							1	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.08	385.26	72.08			T					
	4-Wire DS1 Digital Loop in Combination - Zone 1		1-1	UNC1X	USLXX	63.62	412.03	139.55			T					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	104.40	412.03	139.55						I		
	4-Wire DS1 Digital Loop in Combination - Zone 3	T	3	UNC1X	USLXX	210.22	412.03	139.55								
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	12.95										
	DS3 Local Loop in combination - Facility Termination		T^{T}	UNC3X	UE3PX	229.90	3.073.55	1,245.84			1	1		1		
	STS-1 Local Loop in combination - per mile		T	UNCSX	1L5ND	12.95										T
	STS-1 Local Loop in combination - Facility Termination		1	UNCSX	UDLS1	257.82	3,073.55	1,245.84			1	1				
	Interoffice Channel in combination - 2-wire VG - per mile	1	\vdash	UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 2-wire VG - Facility	1	T			1					-					
ì	Termination		1	UNCVX	U1TV2	12.12	131.81	78.34								
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0095		•				Ī.				
	Interoffice Channel in combination - 4-wire VG - Facility		-								1				1	T
	Termination	1		UNCVX	U1TV4	10.19	131.81	78.34	1		1	1		1	1	1
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	1		UNCDX	1L5XX	0.0095					1	1			T	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	_	1		1										T	T
1	Termination	1		UNCDX	U1TD5	7.47	131.81	78.34	i		ł				1	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	1	_	UNCDX	1L5XX	0.0095		1				T	T	1	1	I
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	+	1	1 - 1 - 1 - 1	1	1					 	1	†	1	1	1
1	Termination		1	UNCDX	U1TD6	7.47	131.81	78.34	[]		1	l	1	Į.	Į.	1
	Interoffice Channel in combination - DS1 - per mile	1	+-	UNCIX	1L5XX	0.1938		1			1	T	1	1	T	T
	Interoffice Channel in combination - DS1 Facility Termination	+	+-	UNC1X	U1TF1	31.06	234.02	162.52				1	1	1	1	T
	Interoffice Channel in combination - DS3 - per mile	+	+	UNC3X	1L5XX	4.44	237.02				$\overline{}$	1	T	1	1	T
	Interoffice Channel in combination - DS3 - Facility Termination	+	+-	UNC3X	U1TF3	329.91	802.81	146.02	<u> </u>		1	1	1	·	1	
-+-	Interoffice Channel in combination - STS-1 - per mile	+	+	UNCSX	1L5XX	4.44		T	1			1	 		1	T
	Interoffice Channel in combination - STS-1 Facility Termination	+	+-	UNCSX	U1TFS	339.20	802.81	146.02	_	l	+		1	1	1	T
DDITIONAL S	NETWORK ELEMENTS	+	+	5.1004	151775	333.20	552.51	1.40.02	 	t	+	1	 	 	1	T
	al Features & Functions:	т.					L	·	ь			•		•	•	
Ортюп	arrestures & runctions:	T	т-	U1TD1.	1						T	1		T	1	T
1	Clear Channel Conshility Extended France Cation - par DC1	١.	1	ULDD1,UNC1X	CCOEF		0.00	1		ļ	1	1	1	1	1	1
	Clear Channel Capability Extended Frame Option - per DS1		+-	U1TD1,	TOODER.	1	- 0.00	 	 	 	+	 	 	1	1	1
	Glass Channel Canability Super Face Control Canability Super Face Control Cont	1 .	1	ULDD1.UNC1X	CCOSF		0.00	l	1	I	1	1	1	1		1
	Clear Channel Capability Super FrameOption - per DS1 Clear Channel Capability (SF/ESF) Option - Subsequent Activity	. 	+	ULDD1, U1TD1.	10000		3.00	 	 	 	+	†	 	 	-	
		1 .	1	UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78	₈ 1	1		1		}
	per DS1	+-	+-	U1TD3, ULDD3,	INDOCC	+	104.76	23.80	1.99	0.70		 	 	 		+
1	SAN BURN CONTRACTOR STATE OF THE SAN BEEN	1 .	ł		NRCC3		218.92	7.66	0.7576	0.00	ا ا	1	1	1	1	1
	C-bit Parity Option - Subsequent Activity - per DS3	+-'-	+	UE3, UNC3X UNC1X	MQ1	70.84	170.57	7.66	0./3/6	0.00		+	+	- 	+	+
-+-	DS1/DS0 Channel System		+	UNC3X, UNCSX	MQ3	84.32	0.00	+	 	 	+	+	1	 	+	1
	DS3/DS1Channel System	+	-	UNCVX	1D1VG	0.4329	54.14	17.51	 	 	+	+		+	+	+
	Voice Grade COCI in combination			UNCVX	IDIVG	0.4329	54.14	17.51	├	 	+	+	 	+	+	+
1	L	1	1	luca	1.000			1		l	1	1	1	1	1	
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local	 	↓ —	UEA	1D1VG	0.4329	6.39	4.58	 	 		+		+	+	+
	Notice Conductors for compacting to a shape fixed DC1 Local	1	1	1		1	3	1	1	I	1	1	1	1	1	1

	ED NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
-			T		T	T					Svc Order	Syc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	1			Ì					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	ţ		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1			1	1					percan	DELLOH				
		1		}	į.						Ì		Electronic-	Electronic-	Electronic-	Electronic-
					ļ								151	Add'l	Disc 1st	Disc Add'l
			-		†		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		l
					1	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D10D	0.9199	54.14	17.51		1100			- 00.00.00	COMPAN	- COMPAN	00
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	1D1DD	0.9199	6.39	4.58								
ı	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1				1						† 					
	Local Channel in the same SWC as collocation	1		U1TUD	1D1DD	0.9199	6.39	4 58		ļ			ł			l
	2-wire ISDN COCI (BRITE) in combination		1	UNCNX	UC1CA	1.53	54.14	17.51			 					· · · · · ·
	2-wire ISDN COCI (BRITE) - for a Local Loop		1	UDN	UC1ÇA	1.53	6.39	4.58					 			
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1			l	1		- 5.00				 					
1	Local Channel in the same SWC as collocation]	итив	UC1CA	1.53	6.39	4 58			Ī	l		ŀ		i
	DS1 COCI in combination		+	UNC1X	UC1D1	8.43	54.14	17.51			 		 -			
	DS1 COCI - for Stand Alone Local Channel	 	+-	ULDD1	UC1D1	8 43	6.39	4.58			 		 		 	
	DS1 CQCI - for Stand Alone Interoffice Channel	 	┼	U1TD1	UC1D1	8.43	6.39	4.58		 	 		ļ		ļ	
	DS1 COCI - for DS1 Local Loop	\vdash	+	USL, NTCD1	UC1D1	8 43	6 39	4.58		 	 	ļ			ļ	
	DS1 COCI - for connection to a channelized DS1 Local Channel in	+	+	CC2. 141 CD1	100101	043	6 39	4 58								
ì	the same SWC as collocation	i	ì	U1TUA	UC1D1	1	1			1	1		1		1	ŀ
	10.0 SSILID OTTO BS CONCERNO!	+	+	UNCVX, UNCDX,	JUCIUI	8.43	6.39	4 58		 	 	<u> </u>		L	ļ	<u> </u>
1		1	1		1	1 I	ŀ				1		1	l		
		1		UNC1X, UNC3X.	l		1									
İ		1		UNCSX, UDFCX,		1	- 1			ŀ	İ					1
1		1		XDH1X, HFQC6.	1	1 1					ŀ	1			1	
l		1	Į.	XDD2X, XDV6X.	1	1	1			\	1	1	1	ì	ነ	ì
			ł	XDDFX, XDD4X,	1						1			l		
	Wholesale - UNE, Switch-As-Is Conversion Charge		1	HFRST, UNCNX	UNCCC		5.43	5.43				l		!	ļ	
				U1TVX, U1TDX,		1										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element		1	U1TD1, U1TD3,							i	i			,	
i i	Switch As Is Non-recurring Charge, per circuit (LSR)		1	U1TS1, UDF, UE3	URESL	1	36.90	16.15			1	l		1	1	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element		 	U1TVX, U1TDX,	0		- 50.50	10.15		 						
i i	Switch As Is Non-recurring Charge, incremental charge per circuit	Ì	1	U1TD1, U1TD3,		ì l				ĺ			ļ		l	
- 1	on a spreadsheet	1	i	U1TS1, UDF, UE3	URESP	1 1	1.49	4 40		Ì			1			
Acces	ss to DCS - Customer Reconfiguration (FlexServ)	ــــــــــــــــــــــــــــــــــــــ		101131, UDF, UE3	JUHESP	lL	1.49	1.49		<u> </u>		L	L	L	L	J
Acces	Customer Reconfiguration (Pleasery)				,		1.43	7.56					,			
	DS1 DCS Termination with DS0 Switching	┼─						1.43			 					
	DST DCS Termination with DS0 Switching					21.64	24.81	19.09						ļ		
	DS1 DCS Termination with DS1 Switching	—	-	\	 	7.32	17.93	12.22		 	 	<u> </u>	<u> </u>			<u> </u>
	DS3 DCS Termination with DS1 Switching	ــــــــــــــــــــــــــــــــــــــ	┸		1	136.07	24.81	19.09		ļ	<u> </u>	L	l		l,	
Node	(SynchroNet)									·					·	
	Node per month	┸		UNCDX	UNCNT	16.00				l	1	L			<u>L</u>	L
Servi	ice Rearrangements					·										
- 1																
		1		U1TVX, U1TDX,						i		i				
		Į.		UITUC, UITUD.	1								ļ			
	NRC - Change in Facility Assignment per circuit Service			UITUC, UITUD.												
				U1TUC, U1TUD, U1TUB, ULDVX,	URETO		100.B2	42 93								
	NRC - Change in Facility Assignment per circuit Service Rearrangement	1		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETO		100.82	42.93								
		1		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX,	URETO		100.82	42.93								
		1		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,	URETO		100.82	42.93								
	Rearrangement	1		UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCTX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX,	URETO		100.82	42.93								
	Rearrangement NRC - Change in Facility Assignment per circuit Project			UITUC UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCX, UNTUX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX,												
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCOX, UNCTX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX	URETB		3.18	3.18								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	-		UITUC UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCX, UNTUX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX,												
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDDX, UNCVX, UNCDX, UNC1X UITUX, UITDX, UITUD, UITUD, UITUB, ULDDX, UNCDX, UNCDX, UNCDX, UNC3X	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCVX, UNCDX, UNCTX UITVX, UITUD, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCTX UNCYX, UNCOX, UNCVX, UNCOX, UNCVX, UNCOX,	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUC, UTTUD, UTTUB, ULDDX, UNCVX, UNCDX, UNC1X UTTUX, UTTDX, UTTUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, UNCDX, UNC1X, UNC	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCVX, UNCDX, UNCTX UITVX, UITUD, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCTX UNCYX, UNCOX, UNCVX, UNCOX, UNCVX, UNCOX,	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UUCDX, UNCOX, UNCDX, UNCOX, UITUX, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTDO,	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCOX, UITUB, ULDVX, UITUB, ULDVX, ULDDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UITD1, UITD3, UITD1, UITD3, UITD1, UITD3, UITD1, UITD3, UITD1, UITD3, UI	URETB		3.18	3.18								
OMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUE, UTTUD, UTTUB, ULDVX, UNCDX, UNCOX, UNCOX, UNCOX, UTTUD, UTTUD, UTTUB, ULDVX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTD1, UTTD3, UTTS1, UTS1, UDS3, UDLSX,	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCIX UITVX, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCX, UITDI, UITUB, UITDI, UITUB, UITUT, UITUB, UITUT, UITUB, UITUT,	URETB		3.18	3.18								
COMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UNCOX, UITUB, ULDVX, UNCOX, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UN	URETB		3.18	3.18								
COMMINGLIN	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UTTUE, UTTUD, UTTUB, ULDVX, UNCDX, UNCOX, UNCOX, UTTUD, UTTUD, UTTUD, UTTUD, ULDOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTUB, ULDOX, UTTUB, UTTUB, UTTUB, UTTUB, UTTUB, UTTUB, UTTUB, UTTUB, ULDOX, UTUBO, ULDODA, UUDODA,	URETB OCOSR	000	3.18 18.89	3.18 18.89								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRC Comminging Authorization	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UNCOX, UITUB, ULDVX, UNCOX, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UITUB, ULDVX, UITUB, ULDVX, UNCOX, UN	URETB	0.00	3.18	3.18								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Comminging Authorization mingled (UNE part of single bandwidth circuit)	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCTX, UITUX, UITDX, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCTX, UNCDX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UTUB, UTUB, ULDYX, UTUB, ULDVX, ULDD1, ULDD3, ULDD1,	URETB		3.18 18.99	3.18								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRG Comminging Authorization mingled (UNE part of single bandwidth circuit) Comminged VG COCI	1		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UITUR, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTOI, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDO3, ULDO3, ULDO3, ULDO3,	URETB OCOSR CMGAU	0.4329	3.18 18.99 0.00	3.18 18.89 0.00								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization mingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Urgital COCI	1		UITUC. UITUD. UITUB. ULDVX. UUCDX. UNCYX. UNCDX. UNCYX. UITUD. UITUD. UITUB. ULDVX. ULDDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCIX. UNCX. UNCDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UITDI. UITUB. ULDVX. UITUB. ULDVX. UITUB. ULDVX. ULDDI. ULDD3. ULDST	URETB OCOSR CMGAU	0.4329	3.18 18.89 0.00 54.14 54.14	3.18 18.89 0.00 17.51								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Comminging Authorization mingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI	1		UTTUE, UTTUD, UTTUB, ULDVX, UNCDX, UNCOX, UNCOX, UNCOX, UTTUD, UTTUD, UTTUD, UTTUD, ULDDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTO,	URETB OCOSR CMGAU	0.4329 0.9199 1.53	3.18 18.99 0.00 54.14 54.14	3.18 18.89 0.00 17.51 17.51								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRG Commingling Authorization mingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled Digital COCI Commingled 2-wire VG Interoffice Channel Facility Termination	ı		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UITUD, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTO1, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDDA, UL	CMGAU 1D1VG 1010D UC1CA	0.4329 0.9199 1.53 12.12	3.18 18.99 0.00 54.14 54.14 54.14 131.81	0.00 17.51 17.51 17.51 78.34								
COMMINGUIN	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Comminging Authorization mingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI	ı		UTTUE, UTTUD, UTTUB, ULDVX, UNCDX, UNCOX, UNCOX, UNCOX, UTTUD, UTTUD, UTTUD, UTTUD, ULDDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTO,	URETB OCOSR CMGAU	0.4329 0.9199 1.53	3.18 18.99 0.00 54.14 54.14	3.18 18.89 0.00 17.51 17.51								
	Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRG Commingling Authorization mingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled Digital COCI Commingled 2-wire VG Interoffice Channel Facility Termination	ı		UITUC, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UITUD, UITUD, UITUB, ULDVX, UNCDX, UNCOX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTO1, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDDA, UL	CMGAU 1D1VG 1010D UC1CA	0.4329 0.9199 1.53 12.12	3.18 18.99 0.00 54.14 54.14 54.14 131.81	0.00 17.51 17.51 17.51 78.34								

ONDONDEE	D NETWORK ELEMENTS - North Carolina			,									Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
		<u> </u>				Rec		curring	Nonrecurrin					Rates(\$)		
				XDV2X, XDV6X.	 		First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled VG/DS0 Interoffice Channel per mile			XDD4X	1L5XX	0.0095		1		1	ì	1	ì		1	
	Commingled 2-wire Local Loop Zone 1	+	1	XDV2X	UEAL2	11.96	385.26	72.08		 		 				
	Commingled 2-wire Local Loop Zone 2	+	2	XDV2X	UEAL2	17.36	385.26	72.08		+	+				 	
	Commingled 2-wire Local Loop Zone 3	1	3	XDV2X	UEAL2	25.23	385.26	72.08		 	+	 			 	
	Commingled 4-wire Local Loop Zone 1	1	1	XDV6X	UEAL4	19.52	385 26	72.08		 		 			 	
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	24.74	385.26	72.08		 			 		 	
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	46.11	385.26			 		 			 	
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	21.98	385.26	72.08		†	1	 	 			
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	27.58	385.26	72.08		1		·	·			t
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	43.08	385.26	72.08	L	1	I		I	 -		T
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	21.98	385.26	72.08		1					1	
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	27.58	385.26	72.08				Ι	T			
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	43.08	385.26	72.08								
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.78	385.26	72.08								
\ -	Commingled ISDN Local Loop Zone 2	↓		XDD4X	U1L2X	26.16	385.26	72.08				L				
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	35.37	385.26	72.08								
	Commingled DS1 COCI	—	 	XDH1X	UC1D1	8.43	54,14	17.51				L				
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	U1TF1	31.06	234.02	162 52		<u> </u>		ļ			L	
	Commingled DS1 Interoffice Channel per mile	 	<u> </u>	XDH1X	1L5XX	0.1938						<u> </u>	}		<u> </u>	
 	Commingled DS1/DS0 Channel System		<u> </u>	XDH1X	MQ1	70.84	170.57		↓				ļ			
+-	Commingled DS1 Local Loop Zone 1	+	 ' -	XDH1X	USLXX	63.62	412.03	139.55	ļ			ļ	Ļ <u> </u>			
·	Commingled DS1 Local Loop Zone 2	 	3	XDH1X	USLXX	104.40	412 03	139.55		 			 	ļ		
	Commingled DS1 Local Loop Zone 3 Commingled DS3 Local Loop Facility Termination	 -	1 3	XDH1X	USLXX	210.22	412.03	139.55	<u> </u>				ļ		 	
	Commingled DS3/STS-1 Local Loop per mile	 	├	HFQC6, HFRST	1L5ND	229.90 12.95	3.073.55	1,245.84				}	 -		 	
	Commingled BSS-1 Local Loop Facility Termination			HFRST	UDLS1	257.82	3.073.55	1.245.84	 	·		 	-	 	 	+
 	Commingled DS3/DS1 Channel System	+-	 	HFQC6	MQ3	84 32	3,073.55	1.243.84	 			 	 			
	Commingled DS3 Interoffice Channel Facility Termination		 	HFQC6	U1TF3	329.91	802.81	146.02		+	 	 	 	 	 	
	Commingled DS3 Interoffice Channel per mile		 	HFQC6	1L5XX	4.44	002.01	140.02		 		 	 		1	+
	Commingled STS-1Interoffice Channel Facility Termination	-	 	HFRST	UITES	339.20	802.81	146.02	 	 		 	 	 	1	+
	Commingled STS-1Interoffice Channel per mile		1	HFRST	1L5XX	4.44		ļ		·		1			 	
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		1					T	 							T
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.77			1		!					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1	1												1	
1 1	Strands, Per Route Mile Or Fraction Thereof	.]	1.	HEODL	UDF14	L	620.60	133.88	L					ļ	<u> </u>	
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0 00	0.00	0.00			Ю					
	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.0	ю					
LNP Query Ser	rvice														L	
	LNP Charge Per query		L	I	1	0.0007579						L				
	LNP Service Establishment Manual						12 16						<u> </u>			 _
	LNP Service Provisioning with Point Code Establishment			ļ.,		L	576.33	294.43		-ļ				Ļ	 	
911 PBX LOCA		.1	<u></u>					L	<u> </u>	<u></u>				<u> </u>	ــــــــــــــــــــــــــــــــــــــ	
911 PE	BX LOCATE DATABASE CAPABILITY					,		,								
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU	ļ	1,823.00		<u> </u>			4			 	
L	Changes to TN Range or Customer Profile		 	9PBDC	9PBTN	ļ	182.45				_	 	 		 	+
	Per Telephone Number (Monthly)		↓	9PBDC	9РВММ	0.07		_	 			 	 	 	+	+
	Change Company (Service Provider) ID	_1	ـــــ	9PBDC	9PBPC	 	535.57	 	 			 		 	 	+
	PBX Locate Service Support per CLEC (Monthit)		├	9PBDC	9PBMR	165 63		 	 	+		1	 		 	
	Service Order Charge		ــــــــــــــــــــــــــــــــــــــ	9PBDC	9PBSC	ــــــــــــــــــــــــــــــــــــــ	15.20	<u> </u>				<u> </u>			٠	ــــــــــــــــــــــــــــــــــــــ
	BX LOCATE TRANSPORT COMPONENT															
See At	13		т-			, 						T	1		· · · · · · · · · · · · · · · · · · ·	
 	I .	1	1	1	l	1		1	t	1	1		. 1	1		

UNBU	NDL É	D NETWORK ELEMENTS - South Carolina															
0.400	TOLL	O NETWORK ELEMENTS - South Carolina					T					100.1		Att: 2 Exh: A			r
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			├──	 			 	Nonro	curring	Nonrecurring	Discourant	ļ		L	<u> </u>	L	<u> </u>
							Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Yh - "7		L													GOMPAT	- COMPAN
l	http://w	one" shown in the sections for stand-alone loops or loops as pai ww.interconnection.bellsouth.com/become_a_clec/html/interco	rt of a co	ombinal	tion refers to Geograp	hically Deav	eraged UNE Zor	nes. To view (Seographically	Deaveraged UN	IE Zone Design	ations by Co	entral Office,	refer to inten	net Website:		
OPERA	TIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	HITECTIO	I.num			Υ		·								
			Ь				<u> </u>		L	L	<u> </u>	I	L	L	ļ <u>.</u>	i	
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the "	state sp	ecific"	OSS charges as orde	red by the S	itate Commission	ns. The OSS o	harges current	ly contained in	this rate exhibi	t are the Bel	South "region	onal" service	ordering charg	es. CLEC ma	y elect either
		e specific Commission ordered rates for the service ordering ch (2) Any element that can be ordered electronically will be billed															
	10.00.00	coordinately at present per the LOTI, the itsted SOMEC rate it	this cate	gory re	flects the charge that	would be b	illed to a CLEC o	nce electronic	ordering canal	j Handbook (Lt silities come on	Jin) to determin Hine for that ek	erraproduc ement Othe	t can be ord	lered electron	ically. For the	se elements th	at cannot be
	CLECS	uni when it submits an LSN to belisouth.										J.110-111 O 1110			y charge, con	w 00 ap	,pied to a
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				COMCC		2.50									
	 	OSS - Manual Service Order Charge, Per Local Service Request	 	 		SOMEC	1	3.50	0.00	3.50	0.00	 			 	 	
L	<u> </u>	(LSR) - UNE Only	<u>L</u>	<u> </u>		SOMAN		15.69	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE		L													
	NOTE:	The Expedite charge will be maintained commensurate with Be	eliSouth.	S FCC	UAL, UEANL, UCL.	as applicabl	le.									·	
	ļ				UEF, UDF, UEQ,						1						
ļ	1				UDL, UENTW, UDN.												
{	1		l .	١	UEA, UHL, ULC,	}	1		ì	1	1	Ì	1	1	1	1	1
i					USL, U1T12, U1T48,		1							l			ĺ
1					U1TD1, U1TD3, U1TDX, U1TO3,		1								ļ		1
	ł		1		U1TS1, U1TVX,	}							1	Į.	1		Ĩ
	1				UC1BC, UC1BL.					1			-				
	1				UC1CC, UC1CL,					i	1				1		
ļ	i				UC1DC, UC1DL, UC1EC, UC1EL,					1			İ	i	1	1	1
					UC1FC, UC1FL,	1			İ	Ì							
İ	ļ		i		UC1GC, UC1GL,		1		l	1	ļ	1	ĺ	l	1	l	1
1	1		1	1	UC1HC, UC1HL,	1]			1	ŀ						
	İ		1		UDL12, UDL48,				ł		l .						
İ	l				UDLO3, UDLSX, UE3, ULD12,					1	ŀ				į.		
					ULD48, ULDD1,						ŀ						
	1				ULDD3. ULDDX,												
ļ	1		1		ULDO3, ULDS1,										l .		
İ	ŀ		1		ULDVX, UNC1X,										l	į.	
			1		UNC3X, UNCDX, UNCNX, UNCSX.							j		1			
l	1		į.	Į.	UNCVX, UNLD1,	ļ	1		l .		Į.	į	Į.	ļ	1	1	
1	1		1		UNLD3, UXTD1,							ľ		ł		i	
	İ			1	UXTD3, UXTS1,						1			1)
			1	l	U1TUC, U1TUD. U1TUB,						i			İ		1	1
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,						1						
L	L	Day		<u> </u>	NTCUD, NTCD1	SDASP		200 00			ļ. <u> </u>		L		ļ		
ORDER	MODIF	ICATION CHARGE	ļ	<u> </u>			1			ļ	ļ	<u> </u>	<u> </u>			ļ	
	1	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	+	\vdash	 	 	+	26.21 150.00	0.00				 	 		 	+
UNBU	NOLED I	EXCHANGE ACCESS LOOP		1		L			0.00		1	1					1
	2-WIRE	ANALOG VOICE GRADE LOOP	,				,						,				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 		UEANL UEANL	UEAL2 UEAL2	14 94 21.39	37.92 37.92	17.62 17.62				 	 	1	 	+
	 	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 -		UEANL	UEAL2	21.39	37.92	17.62				 	 	+	+	+
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 		UEANL	UEASL	14.94	37.92									
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23 56	5.32		<u> </u>				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL	UEASL	26.72	37.92			5.32	4	ļ		1	 	
	 	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	 	├	UEANL UEANL	URETL URET1	+	8.95 34.23			 	 	 	 	 	 	+
	 	Loop Testing - Basic 1st Half Hour	+	 	UEANL	URETA	+	19.90			+	 	 	 	1	 	†
	\perp	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17							1		
		Order Coordination for Specified Conversion Time for UVL-SL1										1					
L	ь	(per LSR)	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	UEANL	ocost		18 13	18.13	1			J		1	ــــــــــــــــــــــــــــــــــــــ	

Version: 4Q06 Std ICA 01/05/07

OHOOHDEL	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
											Svc Order		Incremental	Incremental	Incremental	Incrementa
		İ	1 1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	1		1						Elec					
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			4.00	Manually	Manual Syc	Manual Svc	Manual Svc	Manual Sy
	THE ELEMENTS		20176	BC3	0300			HAI C5(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l			1								Electronic-	Electronic-	Electronic-	Electronic-
						1							1st	Add'l	Disc 1st	Disc Add'l
		L			1									~~~	02013	Diac Aug 1
					 		Nonrec	urring	Nonrecurring	Disconnect			000	Rates(\$)		.
						Rec -										
	Unburdled Non-Design Voice Loop, billing for BST providing make						First	l'bbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	or but ded Non-besign voice Loop, bining for BST providing make	1				1	1				l .					1
	up (Engineering Information - E.I.)			UEANL	UEANM	1	13.47	13.47								1
	Unbundled Loop Service Rearrangement, change in loop facility,	1														
	per circuit	1		UEANL	UREWO	1 1	15 81	8.96	23.56	5.32	i					
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		37.92	17.62	23.56	5.32						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	_	† — 	UEANL	UREPM					5.32						<u> </u>
0.14000	Unbundled COPPER LOOP	<u> </u>	┸	DEANL	TOHERM		8.17	8.17	<u> </u>		L					L
2-WINE			·													
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	L.	1	UEO	UEQ2X	12.94	36.40	16.10	22.66	4.42						$\overline{}$
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	Ι	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42			 			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť	00.0	ULGEN	13.02	30.40	16.10	22.00	4.42	-					
1		1	l	l	I	1 1					1		ļ	İ	i	1
	Premise	-		UEQ	URETL		8.95	0.88	L		L	L	1	L.	L	1
	Loop Testing - Basic 1st Half Hour			UEQ	URETI		34.23	0.00					1			1
	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		19.90	19.90			1					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	1		13		.5.50	15.50					 			
1		I	1	luco	Luceuro				I	l	1	I	}	I	I	İ
	Designed (per loop)	 		UEQ	USBMC		8.17	8.17							L	1
- 1	Unbundled Copper Loop - Non-Design billing for BST providing	Ι -	1	1									1		1	
	make-up (Engineering Information - E.I.)	I	1	UEQ	UEQMU	1	13.47	13.47	I	1	1	I		1		1
	Unbundled Loop Service Rearrangement, change in loop facility.	1	$\overline{}$		T						1	<u> </u>	 	t	· · · · · · · · · · · · · · · · · · ·	
ı	per circuit	I	1	UEQ	LIBEWO		44.00	-			I	l		1	1	
			ļ		UREWO		14.30	7.45	22.66	4.42						
	Bulk Migration, per 2 Wire UCL-ND		1	UEQ	UREPN		36.40	16.10	22.66	4.42	<u> </u>	1				
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		Τ	UEQ	UREPM		8.17	8.17								
JNBUNDLED I	EXCHANGE ACCESS LOOP		1							 				· · · ·		
	ANALOG VOICE GRADE LOOP	1	_							1		L	1	L		Ь.
2-1717			_							,						
!	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		1	1				l	I	l	1			
	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	I	l	1		1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													1		1
	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61	1	ł	I		1	1
			-	UEA	UEALZ	23.13	105.98	06.43	53.05	10.61					 	_
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			1	1 1				1	i	i	1		1	1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61	1	L .		1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	T	$\overline{}$							T	1		1			
1	Battery Signaling - Zone 1	1	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61	1		1	1		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<u> </u>		- CENTRE	1							 			
1		1	_			20.40	405.00	60.40		40.04	1		i			1
	Battery Signaling - Zone 2	-	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1					ĺ	1	1	1				1	1
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61	1			1	1	1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		_								1	T		T	1	T
	DSO)	1		UEA	URESL	1	24.88	3.51	i	1	1	ļ	1	1	ł	1
-		+	+		JULE OF	+	24.00	3.51		 	 	1	 	+	 	
	Switch-As-Is Conversion rate per UNE Loop. Spreadsheet, (per	1	1	l	L				1	1	1	1	I	1	I	I
	DS0)			UEA	URESP	1	26.37	4.99					ļ	ļ		+
	Unbundled Loop Service Rearrangement, change in loop facility,		1												I	I
	per circuit	1	1	UEA	UREWO		87.90	36.44	1	1	1	I			L.	l
		 	+	UEA	URETL	 	11.24	1.10		· · · · ·			1	Γ	T	1
	Loop Tagging - Service Level 2 (SL2)	+	+			+	11.24			 	+		 	+		1
	Bulk Migration, per 2 Wire Voice Loop-SL2	-	\leftarrow	UEA	UREPN	+	105.98	68.43		 	+		+	 	+	+
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0 00	1	<u> </u>	1		<u> </u>			
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	1	Ti	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61	T				1	
				UEA	UEAL4	43.89	132.38	94.83					1			1
	4-Wire Analog Voice Grade Loop - Zone 2	+										+	 	+	+	
	4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		 	 	1	+	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1			1			I	1	I	1	1	1	1		1
	DS0)	1	1	UEA	URESL		24.88	3.51	1			1				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1			1				!		1	1			1
				LIEA	URESP	1	26.27	4.99	1	ł	I		1			1
	DS0)	+	+-	UEA	UHESP	_	26.37	4.99	+		+	+	·	+	 	
	Unbundled Loop Service Rearrangement, change in loop facility.	1	1	1		1	l	I	I	I	1	I	1	l	1	1
	per circuit	1	1	UEA	UREWO		87 90	36 44	L	L		1				
2-WIDI	E ISDN DIGITAL GRADE LOOP		_			-										
2-44144		т	7-1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		1	I	1	1	
	2-Wire ISDN Digital Grade Loop - Zone 1	+	+									 	+	1	1	1
	2-Wire ISDN Digital Grade Loop - Zone 2	-		UDN	U1L2X	32.76	117.5B	80.03				 	 	+	+	+
	2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		1		L		
	Unbundled Loop Service Rearrangement, change in loop facility,	1										1		1		
	per circuit	1	1	UDN	UREWO	1	91.82	44.25	1	1		1	1	1	1	1
·				100M	IOHEMO	1	31.02	44.23								
	por circuit															
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP										· · · · · · · · · · · · · · · · · · ·			
2-WIR	2 Wire Unburdled ADSL Loop including manual service inquiry &	ATIBLE	LOOP	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93	1	Τ	Ţ			1

CHECINDE	ED NETWORK ELEMENTS - South Carolina		···										Att: 2 Exh: A			
											Svc Order	Svc Order	incremental	Incremental	Incremental	Incrementa
		ł	1								Submitted		Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1			1			` '			per corr	percan	Electronic-	Electronic-	Electronic-	Electronic
		1											1st	Add'i		
		1									1		131	AGG 1	Disc 1st	Disc Add'l
					1		Nonrec	uming	Nonrecurring	Disconnect			220	Rates(\$)	L	
		I				Rec	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1											30	JOMAN	JOHAN	304174
	facility reservation - Zone 2	i	_ 2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93	1			l	1	
ľ	2 Wire Unbundled ADSL Loop including manual service inquiry &									1.00	† · · · · · · · · · · · · · · · · · · ·	 				
	facility reservation - Zone 3	1.	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
ŀ	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	T							7.50	 		 	 		
	facility reservation - Zone 1	<u> </u>	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93	1				i	
	2 Wire Unbundled ADSL Loop without manual service inquiry &										 	!		 		
	facility reservaton - Zone 2	1	2	UAL	UAL2W	13.71	95.81	57 82	50.37	7.93	1	l			ļ	
ļ	2 Wire Unbundled ADSL Loop without manual service inquiry &								<u> </u>					 		
	facility reservator - Zone 3		3	UAL	UAL2W	14 14	95.81	57.82	50.37	7.93						
- 1	Unbundled Loop Service Rearrangement, change in loop facility.											·	†	 		
	per circuit	L	1	UAL	UREWO		86.38	40.48								
2-WiF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP							'	·					<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry &				T					T	7	r	1			1
	facility reservation - Zone 1	<u></u>	1	UHL	UHL2X	9 58	129.52	79.24	50.37	7.93		1	1	I		1
	2 Wire Unbundled HDSL Loop including manual service inquiry &				1	1			30.57	7.33	 	 	 	+	 	+
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	1		1		1	1
	2 Wire Unbundled HDSL Loop including manual service inquiry &		Î			1		.5.24	50.57	7.93	 	 	 			
L	facility reservation - Zone 3		3	UHL	UHL2X	11,40	129.52	79 24	50.37	7.93	1	1	1	1	1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and		† ·			1		1324	30.37	7.55			 		ļ	+
l	facility reservation - Zone 1	1	1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93	1	i		l .		
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	1	-	0	3.30	104.43	00.30	30.37	7.93	 		 	 	<u> </u>	
	facility reservation - Zone 2	1	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93	ì					1
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	+		0116244	10.52	104,49	66.50	30.37	7.93				ļ		
i	facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93			1			
	Unbundled Loop Service Rearrangement, change in loop facility.	+	† <u> </u>		01.0211	11,40	104.49	00.50	30.37	7.93	 		ļ	 		
- 1	per circuit			UHL	UREWO		86.32	40.48							ľ	1
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	10	10.12.110	L	00.32	40.40	1	1		1	ــــــ	<u> </u>	L	ــــــــــــــــــــــــــــــــــــــ
	4 Wire Unbundled HDSL Loop including manual service inquiry and		T	· · · · · · · · · · · · · · · · · · ·		11			1		1			1		γ
i	facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38			1	i		1
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1	+-	-		10.02	130.10	107.03	33.12	10.30	+	 	 			
	facility reservation - Zone 2	1	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38				1	ļ	1
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1	╅	0.1.0	1011241	14.50	130.10	107.03	33.12	10.30	+	 				+
	facility reservation - Zone 3		1 3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		1		1		
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	 ~			10.01	100:10	107.00	33.72	10.00	1	 	 	 	 	+
	facility reservation - Zone 1	1	1 1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38	. I					1
	4-Wire Unbundled HDSL Loop without manual service inquiry and	+	+		0112411	10.02	100.14	33.10	33.12	10.30	+		 		 	
	facility reservation - Zone 2	ļ	1 2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38	.l		[ì	i
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	+-	1	10	71.00			35.12	10.00	1		 	-	 	+
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38	.l		1		1	1
	Unbundled Loop Service Rearrangement, change in loop facility,	+	+		0.75411	10.04		33.10	33.12	10.50	\		 	 	 	+
l	per circuit	1	1	UHL	UREWO		86.32	40.48		1	1		1	1		1
4.WI	RE DS1 DIGITAL LOOP	'	4	1= 15	10.12110	1	00.32	40.46	·	·	٠	·		·		
	4-Wire DS1 Digital Loop - Zone 1	1	1-1	lust	USLXX	79.51	253.03	157.89	44.80	11.73			Τ		1	Т
	4-Wire DS1 Digital Loop - Zone 1	+-		USL	USLXX	136.00	253.03	157.89				 	 	 	+	+
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	229.15	253.03	157.89				 	 	1	+	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	+	USL	TOSEA.	223.13	233.03	137.89	44.80	11./3	' 	 	 	+	 	+
	DS1)		1	USL	URESL		24.88	3.51	1	1	1	1	1	1		1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+	+	IOSL .	UNESL	 	24.88	3.51	 	 	+	 	1	 	 	+
I	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	1	1	USL	URESP		26.37	4.99	1	ļ		1	1	1	1	1
			+	030	UNESP	 	20.37	4.99		 	+	 	 	 	 	+
1	Unbundled Loop Service Rearrangement, change in loop facility.		1	USL	UREWO		101.30	43.13	1	1	1		1	I		1
4.1	per circuit RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ــــــــــــــــــــــــــــــــــــــ	т	loor	TOHEMO		101.30	43.13		1	٠	L	٠	٠	٠	
4-WI			1 .	UDL	UDL2X	29.93	126.66	89.12	59.35	14.61				1	T	Т
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		UDL	UDL2X	33.99	126.66	89.12	59.35			 	+	+	+	+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	+	+	UDL	UDL2X	33.99	126.66	89.12	59.35			 	 	 	+	+
	4 Wire Unbundled Digital Loop 2.4 Kops - Zone3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1		UDL	UDL4X	29.93	126.66		59.35			 	 	+	 	+
-	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	+		UDL	UDL4X	33.99	126.66	89.12 89.12	59.35			ļ	 	 	 	+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		UDL	UDL4X UDL4X	33.99	126.66	89.12 89.12	59.35			 	 	 	 	+
		+	1	UDL	UDL4X UDL9X	29.93	126.66	89.12 89.12	59.35			 	 	 	 	+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+										 	 	+	 	+
-	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+			UDL9X	33.99	126.66	89.12	59.35			 	 	 	 	+
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+	1 3	UDL	UDL9X	34.74	126.66	89.12	59.35	14.61			+	+	 	+
			1 1	TODL	UDL19	29.93	126.66	89.12	59.35	14.61	1	1	j	1	1	i
	4 Wire Unburdled Digital 19.2 Kbps - Zone 2			UDL	UDL19	33.99	126.66	89.12	59.35					1		-

MOUNDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
		1			I						Svc Order		Incremental	Incremental	Incremental	Increment
											Submitted					
													Charge -	Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
					0000			DATE 3(3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		ļ			1						1		Electronic-	Electronic-	Electronic-	Electronic
		1									1		1st	Add'l	Disc 1st	Disc Add
																L
		├				Rec	Nonrec		Nonrecurring					Rates(\$)		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	<u> </u>			4	i	First	Add'I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
+	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 		UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	├─-		UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Orounded Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<u> </u>		UDL	UDL64	29.93	126.66	89.12	59.35	14.61	1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61		-				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61	 					
ł	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				T				33.00					 		├ ──
	DS0)	ĺ	1	UDL	URESL		24.88	3.51							ļ	1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	<u> </u>		1011200		24.00	3.31			 	 				
i	DS0)	1		UDL	URESP		26.37	4.00			ł				ŀ	1
	Unbundled Loop Service Rearrangement, change in loop facility.	t	 		Jones	 	26.37	4 99				-		ļ	ļ	
	per circuit	1	I	UDL	UREWO								1	1		1
2-WID	E Unbundled COPPER LOOP	 		IODE	IOHEMO		102.34	49.85	<u></u>			L		L		
2-1110				·		····			···							
1	2-Wire Unbundled Copper Loop-Designed including manual	1	Ι.		1	1										
	service inquiry & facility reservation - Zone 1	1	1 1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	1		i			1
	2-Wire Unbundled Copper Loop-Designed including manual	1			1								T			\vdash
	service inquiry & facility reservation - Zone 2	L	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93	1	ļ	l			1
	2 Wire Unbundled Copper Loop-Designed including manual service		1									l	 			
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	14.14	119.91	69.62	50 37	7.93	į				l	
	2-Wire Unbundled Copper Loop-Designed without manual service	1	1		1900.0	74.14	113.31	03.02		7.93	}					
	inquiry and facility reservation - Zone 1		١,	UCL	UCLPW	12.19	94.87	56.89	50.07	7.00	ı	ł			1	
	2-Wire Unbundled Copper Loop-Designed without manual service	† 	┿┷	1000	OCE W	12.19	94.67	36.89	50.37	7.93	{	<u> </u>				
1	inquiry and facility reservation - Zone 2		2	UCL											1	
				UCL	UCLPW	13.71	94.87	56.89	50.37	7.93					l	
ļ	2-Wire Unbundled Copper Loop-Designed without manual service		ł								l .					
	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		l			ŀ	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
1	Unbundled Loop Service Rearrangement, change in loop facility.															1
1	per circuit		į	UCL	UREWO		94.87	42.57					ł		1	1
4-WIR	E COPPER LOOP										-	·			<u> </u>	
	4-Wire Copper Loop-Designed including manual service inquiry			T					1		T					T
1	and facility reservation - Zone 1		1	lucu	UCL4S	19.64	144 17	93.88	55.12	10.38		ļ			}	
	4-Wire Copper Loop-Designed including manual service inquiry	 			100240	13.04	144 17	33.00	33.1Z	10.36	 	 				
	and facility reservation - Zone 2	1	2	UCL	UCL4S	20.00	144.17	00.00	55.40	40.00						
		├		UCL	UCL45	20.90	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry	i	1 _								1					
\longrightarrow	and facility reservation - Zone 3	 	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38			<u> </u>			1
- 1	4-Wire Copper Loop-Designed without manual service inquiry and		1			1					1		1		1	
	facility reservation - Zone 1	<u> </u>	1_1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		ļ		1	1	1
ı	4-Wire Copper Loop-Designed without manual service inquiry and	I										1		T		T
	facility reservation - Zone 2	1	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38	Į.	1	I			
	4-Wire Copper Loop-Designed without manual service inquiry and	1	Ι	T		T					1	i e		· ·		1
1	facility reservation - Zone 3	1	3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38	1	I	I			1
	Order Coordination for Unbundled Copper Loops (per loop)	1	 	UCL	UCLMC	1.5.54	8.17	8.17	33.12	10.30	 	 	 			
	Unbundled Loop Service Rearrangement, change in loop facility,	1	 	T	- COLIVIC	 	0.17	0.17	 		+		 	1		
1			1	luci	LUDEWO		04.07	40.57				I	i	1		1
	per circuit	-	 	UCL	UREWO		94.87	42.57			.		-	_		
1	la carrier de la constante de		l l	UEA, UDN, UAL.	l]		1	1	1	1	1	1
	Order Coordination for Specified Conversion Time (per LSR)	L	┖	UHL, UDL, USL	OCOSL	L	18.13			L	L	L	L	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	<u></u>
Rearra	angements			g												
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1	1	i							1	1	1	1	I	1
	SL2		<u></u>	UEA	UREEL		87.90	36.44			1	l	1.	I		1
		1	T					·						1		
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	1	UEA	UREEL		87.90	36.44	1	l	1	1	}	1	1	1
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	1	1	UDN	UREEL		91.82	44.25			 	 	1			1
		 	 	 	-1	 	502	44.23	 		 	 	 	 	 -	
1	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	1	1	UDL	UREEL	1	102.34	49.85	1		1	I	1	1		1
-		+	+	USL	UREEL	 					 	 	 	 	 	+
IE I OOR O	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop DMMINGLING	+	+	USL .	UNEEL	-	101.30	43.13	 		 	 		 	 	+
		Ц.		1		<u> </u>				L		L	L	1	L	
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING					,						,				,
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		1	!						l		j	1	1
	Ground Start Signaling - Zone 1		1.1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61				<u> </u>		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		[1										1
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61]		1	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Γ		T								1	1	1	1	
1	Ground Start Signaling - Zone 3	1	3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61	l l	1	1	1	1	ì

DOMBE	ED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
												Svc Order	Incremental	incremental	incremental	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ad
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	Ļ			1											
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 -	1	NTCVG	UEAR2	16.68	105 98	68.43	53.05	10.61						<u> </u>
1	Battery Signaling - Zone 2		,	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61			Ì			1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		Micvo	ULARZ	23.13	105.96	08.43	33.05	10.61			 -			
	Battery Signaling - Zone 3	1.	_3	NTCVG	UEAR2	28.46	105.98	68.43	53 05	10.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
+-	DS0)	<u> </u>	!	NTCVG	URESL		24.88	3.51								
- 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	1	1	NTCVG	URESP		26.37	4 99		1	`		1			1
	Unbundled Loop Service Rearrangement, change in loop facility,	†	-	WICVG	UNESP		20.37	4 99			 				<u> </u>	
	per circuit			NTCVG	UREWO		87.90	36.44		1						1
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.24	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP	,														
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		NTCVG NTCVG	UEAL4 UEAL4	32.59 43.89	132.38	94.83	59.35	14.61						-
-	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	43.89	132.38 132.38	94.83 94.83	59.35 59.35	14.61			ļ			
_	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	 		OLAL4	45.56	132.30	34,03	39.33	14.01	 	L	 			
	(DS0)		1	NTCVG	URESL		24.88	3.51		1			1			1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	T													†
	DS0)		L	NTCVG	URESP		26.37	4.99		<u> </u>	l				<u> </u>	
	Unbundled Loop Service Rearrangement, change in loop facility.	İ													1	ļ
A WID	per circuit IE DS1 DIGITAL LOOP - COMMINGLING	<u> </u>	L	NTCVG	UREWO	L1	87.90	36.44	L	1	L	L	L	<u> </u>	L	1
4-111	4-Wire DS1 Digital Loop - Zone 1	Τ	1	NTCD1	USLXX	79.51	253.03	157 89	44.80	11.73	· ·			r	 	Υ
	4-Wire DS1 Digital Loop - Zone 2	 		NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73			 -	 	 	+
	4-Wire DS1 Digital Loop - Zone 3	 		NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73					-	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	†			1						1		t			
	DS1)		L	NTCD1	URESL		24.88	3.51		1			l			↓
ļ	Switch-As-Is Conversion rate per UNE Loop. Spreadsheet. (per			1	1	l I						·				
	DS1) Unbundled Loop Service Rearrangement, change in loop facility.	-	├—	NTCD1	URESP		26 37	4.99	ļ	 		L	 			
ļ	per circuit			NTCD1	UREWO		101.30	43.13						1	l	
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		MICDI	TONEWO	L	101.30	43.13	1	1	1	L	l			
· · · · · ·	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		Τ 1	NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61	T .					Т
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	33.99	126.66	89.12	59.35	14.61	1					1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61						
	4 Wire Urbundled Digital Loop 4.8 Kbps -Zone 1			NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	33.99	126.66	89.12	59.35	14.61					ļ	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9 6 Kbps - Zone 1	+		NTCUD	UDL4X UDL9X	34.74 29.93	126.66 126.66	89.12 89.12	59.35 59.35	14.61		 			 	+
+	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1		NTCUD	UDL9X	33.99	126.66	89.12	59.35	14.61		├──	 	 	 -	+
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	+	3	NTCUD	UDL9X	34.74	126.66	89.12	59.35	14.61		 	t		 	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	T	1.1	NTCUD	UDL19	29.93	126.66	89.12		14.61						1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	33.99	126 66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	34.74	126.66	89 12	59.35							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61		L	L		ļ <u> </u>	
\rightarrow	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+	2	NTCUD	UDL56	33.99	126.66	89.12	59.35				<u> </u>	ļ	 	
	4 Wire Urbundled Digital Loop 56 Kbps - Zone 3 4 Wire Urbundled Digital Loop 64 Kbps - Zone 1	1-	3	NTCUD	UDL56 UDL64	34.74 29.93	126.66 126.66	89.12 89.12					 	<u> </u>	 	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+	1 2	NTCUD	UDL64	33.99	126.66	89.12 89.12				 	 	 	 	+
\neg	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		NTCUD	UDL64	34.74	126.66	89.12					 	 		+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	T						1	T			T		T	T
	DS0)	+	 	NTCUD	URESL	ļI	24.88	3.51	!	 	ļ		ļ			↓
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet. (per DS0)			NTCUD	URESP		26.37	4.99	[1				1
\neg	Unbundled Loop Service Rearrangement, change in loop facility,	1	1					i			1	Ι	\	1		T
	per circuit	<u> </u>	1	NTCUD	UREWO		102.34	49.85	ļ			L	ļ	<u> </u>	L	+
	Order Coordination for Societied Communical Time (act 1 CD)			NTCVG, NTCUD. NTCD1	OCOSL		18.13									
l l	Order Coordination for Specified Conversion Time (per LSR) CE OF SERVICE	1	1	INTODI	JUCUSL		18.13	Į.	1	1	1	1	1	l	I	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		-	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'
		┞				Rec	Nonrec		Nonrecurring					Rates(\$)		
		├		UDC. UEA, UDL,		 	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,												
1 1				UNCDX, UNCSX,		ļ										
	Maintenance of Service Charge, Basic Time, per half hour	 	<u> </u>	UNCVX, ULS	MVVBT		80.00	55.00			<u></u>					
	Maintenance of Service Charge, Overtime, per half hour				MVVOT		90 00	65 00								
	Maintenance of Service Charge, Premium, per half hour			UDC. UEA, UDL. UDN. USL. UAL. UHL. UCL. NTCVG, NTCUD. NTCD1, U1TD1, U1TD3, U1TDX, U1TD3, U1TDX, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UNCDX, ULDVX, UNCDX, UNCSX, UNCOX, UNCSX, UNCOX, UNCSX, UNCOX, ULSS	MVVPT		100.00	75.00								
LOOP MODIF	CATION	-														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		32.46	32.46			İ	1				
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
	.l .oop Distribution	٠		J	1				1	·	٠	·	L		L	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		241.42	241.42								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	-		UEANL, UEF	USBSB		22.69	22.69			ļ					
 	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	_	-	UEANL	USBSC	-	177.84	177.84			<u> </u>					
LL	Up	<u> </u>	<u> L</u>	UEANL	USBSD		55.58	55.58	L	<u> </u>	<u> </u>			<u> </u>	L	l

	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
					T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
		1			0000			HAT ES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
		1			1								1st	Add'l	Disc 1st	Disc Add
		 			 		Nonre	curring	Nonrecurring	Disconnect	ļ	L	000	D-4(0)	L	
					†***	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
!	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1									-	00	- COMPAN	Commit		JOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	 	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71			1.			
	Zone 2	1	2													
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	┼──	 	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71				.		
	Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35							
		1	<u> </u>	-	CODINE	14.73	05.94	31.03	45.35	6.71						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC] }	8.17	8.17			ł		l			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1		1		- J	0.17							 	ļ
	Zone 1	L	1	UEANL	USBN4	14,11	79.21	44.29	49.82	9.09			l			
ı I	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -								10.02	0.00			 	 	 	
	Zone 2	<u> </u>	2	UEANL	USBN4	19.40	79.21	44 29	49.82	9.09			l			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1								†					
	Zone 3	 	3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		L.	l			
.	Order Coordination for Unbundled Sub Loops, page 15 1	1		UEANL		1					I		1		I	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	+	 	UEANL	USBMC	ļ	8.17	8.17							L	
	Sub-Loop 2-wire Intrabulding Network Cable (INC)	 	├	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
i l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC											
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	┼──	 	UEANL	USBR4	5.36	8.17 59.38	8.17 24 47	49.82					ļ	ļ	ļ
		 	1	OCANC	03014	3.36	39.36	24 47	49.82	9.09				ļ		
<i>i</i> 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ĺ	1	UEANL	USBMC		8.17	8.17			Ì	l				
	Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		34.23	0.00					·		 	
	Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		19.90	19.90			 	 		 	 	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7 11	65.94	31.03	45.35	6.71	 		·	 	 	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
ı————	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71	1			 		
i 1											1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	1	UEF	USBMC		8.17	8.17						I.		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7 85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	14.17	79.21	44.29	49.82	9.09	L					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ			1										
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	 		UEF	USBMC		8.17	8 17							. .	1
1 1	Designed and Distribution Subloops	1		UEF, UEANL	URETL		8.95	0.88								1
	Loop Testing - Basic 1st Half Hour	 	 	UEF	URET1		34.23	0.00			 		 			
	Loop Testing - Basic Additional Half Hour	1	t	UEF	URETA	1	19.90	19.90		-	 		 	 	ļ	
Unbun	dled Sub-Loop Modification	٠		100	10.12.11	·	13.30	15.50	·		1	·		1	<u> </u>	1
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	1	T		1		··-	Γ.			I		r	T		T
	Coil/Equip Removal per 2-W PR		ł	UEF	ULM2X	1 1	176.17	5.11								1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		1	İ	1						İ			 	 	
	Coil/Equip Removal per 4-W PR		L	UEF	ULM4X		176.17	5.11						ļ		1
1 1	Unbundled Loop Modification, Removal of Bridge Tap, per	i	1													
\longrightarrow	unbundled loop			UEF	ULMBT		278.82	6.13					1	1	1	
	dled Network Terminating Wire (UNTW)			,												
	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.3303	30.20	30.20]		I	
Netwo	rk Interface Device (NID)			UENTW	T	· · · · · · · · · · · · · · · · · · ·						· · · · · · · · · · · · · · · · · · ·		,		
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	 	┼	UENTW	UND12		43.68	28.79						ļ	ļ	ļ
	Network Interface Device Cross Connect - 2 W	+	+	UENTW	UND16 UNDC2	-	64 42	49.53				ļ			ļ	
	Network Interface Device Cross Connect - 2 VV	+	┼	UENTW	UNDC4		5.92 5.92	5.92 5.92				ļ		 		
UNE OTHER	PROVISIONING ONLY - NO RATE	+	┼	OCIVI VV	IONOC4		5.92	5.92			 		 	ļ	ļ	
1	TO TION OF THE TOTAL OF THE TOT		+	UAL, UCL, UDC.	 							-		 	ļ.	+
		1	1	UDL, UDN, UEA,								1		ŀ	1	
I			1	UHL, UEANL, UEF,								l		i		
		1	1	UEQ. UENTW,				ļ				ļ.		1	i	
		1	1	NTCVG. NTCUD.	1							ĺ			1	1
	Unbundled Contact Name, Provisioning Only - no rate	L	L	NTCD1, USL	UNECN	0.00	0.00					l				1
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF		0.00				† 	ļ				T
					1								 	,	 	
	Unbundled DS1 Loop - Expanded Superframe Format option - no	1			1]			}			l .		1		
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate NID - Dispatch and Service Order for NID installation		<u> </u>	USL, NTCD1 UENTW	CCOEF	0.00	0.00									

UNBUNUL	ED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
		ļ									Svc Order	Svc Order	incremental	Incremental	Incremental	Incrementa
		1	1			l						Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	DATE SI SASSATO	l	_		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ALEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1										po. 20	Electronic-	Electronic-	Electronic-	Flectronic
		1	1			1							1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>									Į.	,	~~~	Disc 1st	DISC AUG I
	<u> </u>	L			1.	Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
		<u> </u>] nec [First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OOP MAKE-															- OOMAN	COMPLY
I	Loop Makeup - Preordering Without Reservation, per working or										 		 			
	spare facility queried (Manual).	1		UMK	UMKLW	1	24.04	24.04		1	1	Ì		1	i	
	Loop Makeup - Preordering With Reservation, per spare facility											· · · · ·	 	 		
	queried (Manual).		L	UMK	UMKLP		25.49	25.49	1		1			ļ		
i	Loop MakeupWith or Without Reservation, per working or spare									· · · · · · · · ·			 			
	facility queried (Mechanized)		L	UMK	UMKMQ		0.34	0.34								
INE SPLITTI		L				1					 					
END	USER ORDERING-CENTRAL OFFICE BASED									ــــــ		·	1	L	<u> </u>	<u>. </u>
	Line Splitting - per line activation DLEC owned splitter		T	UEPSR UEPSB	UREOS	0.61			T	r	T	T		r		·
	Line Splitting - per line activation BST owned - physical	1		UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85	 	 	 	 -		ļ
	Line Splitting - per line activation BST owned - virtual	T - "	1	UEPSR UEPSB	UREBV	0.61	37.09	21.24					ļ <u>.</u>			ļ
	USER ORDERING - REMOTE SITE LINE SPLITTING		-		·		57.03	21.24	20.07	9.85	<u> </u>	<u> </u>	<u> </u>	L	l	<u> </u>
UNBU	JNDLED EXCHANGE ACCESS LOOP															
	RE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	Т	T	1	7					· · · · · ·					· · · · · ·	
	Zone 1	1	1 1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56		1	1	1			1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	 		JULIALO	14.94	31.92	17.62	23.56	5.32	├					ļ
ì	Zone 1	1	١,	UEPSR UEPSB	UEABS	14.94	37.92	47.00	02.50]	1	ł	1	1	1	1
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	 	 	CE. GIT OLI 3B	TARABO -	14.94	37.92	17.62	23.56	5.32	ļ		 		ļ	
	Zone 2	ļ	2	UEPSR UEPSB							1					
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	+	 	UEFSH UEFSB	UEALS	21.39	37.92	17.62	23.56	5.32			<u> </u>			<u> </u>
	Zone 2	1	2	HEDGE HEDGE									Į.		ł	1
		├	1-2-	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32			1		L	1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1 _							l						
	Zone 3	 -	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32	ļ					
ļ.	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	1	١.						ì		1	1		1	l	
51176		1	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	1	<u> </u>				
PHTS	SICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		1		1	1									I	
	Splitting	ــــــــــــــــــــــــــــــــــــــ		UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45	1		<u> </u>		<u> </u>	
VIRT	UAL COLLOCATION	.,														
l l	<u> </u>		1		1				1	i				1	1	1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	4		UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45	1					}
	DEDICATED TRANSPORT	J	١	1	_L											
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0167			l	L						
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		1				
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0167						I				1
			i							1			1]		1
	Interoffice Channel - 2-Wire VG. Rev Bat Facility Termination		1	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91	1	ļ	1	1		!
	Interoffice Channel - 4-Wire Voice Grade - per mile		1	U1TVX	1L5XX	0.0167				T	T	1		1		
			1						1		T	1	1			1
1	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	1		U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91	1	1	1	1		1
	Interoffice Channel - 56 kbps - per mile	1		U1TDX	1L5XX	0.0167			1	1	1		1	1		1
	Interoffice Channel - 56 kbps - Facility Termination	T	T	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91	1	T		1	T	
	Interoffice Channel - 64 kbps - per mile	1	1	U1TDX	1L5XX	0.0167			T	1	1	1	1	1	 	1
	Interoffice Channel - 64 kbps - Facility Termination	1	+	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91	 	 		1	·	1
	Interoffice Channel - DS1 - per mile	1	1	U1TD1	1L5XX	0.3415			1	1	1	-	1	1	-	1
	Interoffice Channel - DS1 - Facility Termination	1	1	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48	†	 	 	1	 	1
	Interoffice Channel - DS3 - per mile	1	—	U1TD3	1L5XX	8.02		2 7.00	1 3.00	1	 		1	1		1
	Interoffice Channel - DS3 - Facility Termination	1	1	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59	1	1		1		1
	Interoffice Channel - STS-1 - per mile	1	-	UITSI	1L5XX	8.02	2.0.07	1.00.12	1 00.00	1	1		1	 	 	1
-+	Interoffice Channel - STS-1 - Facility Termination	+-	1	U1TS1	UITES	880.55	279.37	163.12	60.33	58.59	 	1	 	 	 	1
LINE	UNDLED DARK FIBER			1	101.10	, 000.33	213.31	195.12	1 00.33	, 50.55				·		
- JO.VB	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		т —		1					1	T	1	1		Γ	1
	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	36.41		1	1	1		ł	1	1	1	ŀ
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	+	+	1001,00100	1:000	1 30.41			 	 	 	 	+	 	 	+
l		1	1	UDF, UDFCX	UDF14	1	640.51	138.17	317.76	198.11	1	1	1	1	1	ŀ
ICH CARAC	Route Mile Or Fraction Thereof	+	+	OUF, OUFCA	TOUT 14	 	040.51	135.17	317.76	198.11	+	 	+	 	 	
		Ь	ــــــــــــــــــــــــــــــــــــــ	1	1	ــــــــــــــــــــــــــــــــــــــ	L	L	L	1	1		1		L.——	
DS-3/	/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone		, .	hiro	Ter exec	1			·	·			Ţ	,		
	DS3 Unbundled Local Loop - per mile	↓	1	UE3	1L5ND	12.26				 	 	 		 	 	
	DS3 Unbundled Local Loop - Facility Termination	+	1	UE3	UE3PX	306 36	452.52	264.53	119.75	83.77		<u> </u>		 	ļ	
	STS-1Unbundled Local Loop - per mile	-	1	UDLSX	1L5ND	12.26		ļ	ļ	L	ļ		1	l	L	ļ <u>.</u>
	STS-1 Unbundled Local Loop - Facility Termination	1	1	UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77	1		1	1	1	1

DINDUNDER	D NETWORK ELEMENTS - South Carolina		,										Att: 2 Exh: A			
i											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
						1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	1		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	1			1					percan	per can				
		ì	1		}	i					1		Electronic-	Electronic-	Electronic-	Electronic
			1										1st	Add'i	Disc 1st	Disc Add
		+	1		 	 	Nana		Manager	5 :	ļ			2 (2)		<u>. </u>
		+	 		 	Rec	Nonrec		Nonrecurring					Rates(\$)		
NUANCEDEV	TENDED LINK (EELs)						First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ــــــــــــــــــــــــــــــــــــــ		L	<u> </u>	ll					1		L	l	<u> </u>	
Networ	k Elements Used in Combinations		,													
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCAX	UEAL2	16.68	105.98	68.43	53.05	10.61					[
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	1					
	2-Wire VG Loop (SL2) in Combination - Zone 3	I	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61			 	1		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61	1					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	_	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						1
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61				 		
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	 			 	 	
	2-Wire ISDN Loop in Combination - Zone 2	 		UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	 		 	 	 	
	2-Wire ISDN Loop in Combination - Zone 3	+		UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	 					
		↓	1-1										ļ			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61			ļ			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	+		UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61			L			ļ
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		L				<u> </u>
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61			[
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	1		1	1	1	1
	4-Wire DS1 Digital Loop in Combination - Zone 1	T	1	UNC1X	USLXX	79.51	253.03	157.89	44.80	11.73	T		1	· · · · · · · · · · · · · · · · · · ·		
_	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	136.00	253.03	157.89	44.80	11.73	 	<u> </u>	 	† · · · ·	1	1
	4-Wire DS1 Digital Loop in Combination - Zone 3	+	3	UNC1X	USLXX	229.15	253.03	157.89	44.80	11.73	 				 	
+	DS3 Local Loop in combination - per mile	+-	+	UNC3X	1L5ND	12.26	233.03	137.69	44.60	11.73			 	 		+
	DS3 Local Loop in combination - Facility Termination	 	+				450.50	004.50	140.75		 -		ļ	 		
				UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77	 	L	J	ļ <u></u> -		
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	12.26				<u> </u>						
	STS-1 Local Loop in combination - Facility Termination	-		UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		L	L			
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0167							I			
	Interoffice Channel in combination - 2-wire VG - Facility		T		1											
- 1	Termination	1		UNCVX	U1TV2	24.30	40.63	27.47	16.77	6.91	1			1		
	Interoffice Channel in combination - 4-wire VG - per mile	1		UNCVX	1L5XX	0.0167				t	t		 	.		1
	Interoffice Channel in combination - 4-wire VG - Facility	 	1		1	1					 		 	 		
	Termination	i		UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91			1			
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	+		UNCDX	1L5XX	0.0167	40.00	27.47	10.77	0.31	+	 	+	+		+
		+	+	UNCUX	ILDAN	0.0107			 			ļ				+
	Interoffice Channel in combination - 4-wire 56 kbps - Facility				I				l				1			1
	Termination			UNCDX	U1TD5	16.76	40.63	27.47	16.77	6.91		ļ <u>.</u> .			· 	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0167						Ļ <u> </u>	<u> </u>			↓
1	Interoffice Channel in combination - 4-wire 64 kbps - Facility	1	1	!	1							1		1	1	1
	Termination		<u> </u>	UNCDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel in combination - DS1 - per mile		T	UNC1X	1L5XX	0.3415			T							1
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel in combination - DS3 - per mile		1	UNC3X	1L5XX	8.02		ĺ							1	T
	Interoffice Channel in combination - DS3 - Facility Termination		+	UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59	1	1				T
	Interoffice Channel in combination - STS-1 - per mile	 -		UNCSX	1L5XX	8.02	270:07	1.55			1	t —	+	———	 	1
	Interoffice Channel in combination - STS-1 Facility Termination	┿~		UNCSX	UITES	880.55	279.37	163.12	60.33	58.59	. 	 	+	 		+
!	Interoffice Channel in combination - 515-1 Facility Termination	+	+	UNCSX	UIIFS	860.33	219.31	103.12	00.33	30.30	<u>'</u>	 	+	 		-
DOITIONAL N	IETWORK ELEMENTS			I				l	L	L	·					
Option	al Features & Functions:			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, , , , , , , , , , , , , , , , , , , 				T			.,	·,		
1		1	1	U1TD1,						1	1			1	1	1
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	L	L	L		 			+	+
				U1TD1,		[Į.	1	1	1	1	l .	1
1	Clear Channel Capability Super FrameOption - per DS1	1 1	1	ULDD1.UNC1X	CCOSF	L	0.00		1	L	1	1	.1			
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity	-	1	ULDD1, U1TD1,						1		1	1		1	1
i	per DS1	1 1	1	UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78	3	1		L		
	T	+	+-	U1TD3, ULDD3,	1				T	1	1	ļ		1	1	
1	C-bit Parity Option - Subsequent Activity - per DS3	Ι.	1	UE3, UNC3X	NRCC3	1	219.58	7.69	0.737	0.00)	1	1	1	1	1
		+	+-	UNC1X	MQ1	107.57	91.24	62.71				†	+	 	1	1
	DS1/DS0 Channel System	+	+	UNC3X, UNCSX	MQ3	107.57	178.54	94.18				 	+	+	1	1
	DS3/DS1Channel System		+-							31.90	-	+	+	+	+	+
	Voice Grade COCI in combination		4	UNCVX	1D1VG	0.56	6.59	4.73	+	 	┥——	 	+	+		+
		1	1	1	1	1	ł	1	1	1	1	1		1	1	1
ı	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	_L		UEA	1D1VG	0.56	6.59	4.73	<u> </u>			1				
	Voice Grade COCI - for connection to a channelized DS1 Local		1							1	1		1	1	1	1
- 1	Channel in the same SWC as collocation	1	1	UITUC	1D1VG	0.56	6.59	4.73	4	1	1	1		1		
	OCU-DP COCt (2.4-64kbs) in combination	+	+	UNCDX	1D10D	1.19	6.59	4.73		t	T	-	T	T		T
		+	+	UDL	1D1DD	1,19	6.59	4.73		 	 	†	+	1		T
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	. +	+	JUDE	יטוטו	1.19	0.59	4./3	+	 -	+	1	+	+	+	+
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS	'	1			1	٠		.1	1	1	1	1	1	1	1
	Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	1.19	6.59	4.73				+	+	+	+	+
	2-wire ISDN COCI (BRITE) in combination		1 -	UNCNX	UC1CA	2.56	6.59	4.73	1	I	1	1	1	1	1	1

	ED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
		Ι	1			Τ					Svc Order	Svc Order	Incremental	incremental	Incremental	Increment
		1	1		1	i .					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	l		1											
ATEGORY	RATE ELEMENTS		l	500		1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
AT EGON 1	THAT E ELEMENTS	intenit	Zone	BCS	USOC			RATES(S)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
		1	1	1	1								Electronic-	Electronic-	Electronic-	Electronic
	\$	1	1		1	1							1st	Add'I	Disc 1st	Disc Add
		<u> </u>	1		1	1						ļ			2.00 .0.	
						2	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			1			Rec	First	Addil	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - for a Local Loop		 	UDN	UC1CA	2 56	6.59	4.73		700	JOHNEC	30,000	SOME	3011171	JOHAN	SUMAN
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	 	† 		00.0x	2 30	0.53	4.73			 					
1	Local Channel in the same SWC as collocation	ļ		U1TUB	UC1CA					1		1	Į.			
-	DS1 COCI in combination	+	 	UNC1X		2.56	6.59	4.73			1				<u> </u>	L
 +		+	-		UC1D1	8 64	6.59	4.73		L	 	<u> </u>	L			
	DS1 COCI - for Stand Alone Local Channel		 	ULDD1	UC1D1	8.64	6.59	4.73		<u></u>	1	l				
	DS1 COCI - for Stand Alone Interoffice Channel	<u> </u>	1	U1TD1	UC1D1	8 64	6.59	4.73								
	DS1 COCI - for DS1 Local Loop	L	1	USL, NTCD1	UC1D1	8.64	6.59	4 73								
1	DS1 COCI - for connection to a channelized DS1 Local Channel in	1														
	the same SWC as collocation	!	1	U1TUA	UC1D1	8.64	6.59	4.73	-		1					
			1	UNCVX, UNCDX.	100.00	1		4.70				 	 	 	 	
		1	1	UNC1X, UNC3X,	i	i i				l		Į.		1	i	
l		1	1	UNGSX, UDFGX.	ł					1	1	ł		ł	į.	l
1		1	1		1	1 1)	1	1	1	1	1		1
		1		XDH1X, HFQC6.	1	1 !				į.	i	4			1	1
		1	1	XDD2X, XDV6X,	1				l	t	1	l	1	1	1	l
		1		XDDFX, XDD4X,	1	1						1		1	1	
	Wholesale - UNE, Switch-As-Is Conversion Charge	1	1	HFRST, UNCNX	UNCCC	1	5.61	5.61		1	1	1	1	1	1	l
		\top	1	U1TVX, U1TDX.	1					 	 	1	t	 	 	
ı	Unbundled Misc Rate Element, SNE SAI, Single Network Element	-1	1	UITDI, UITD3.	1	1				l		1	ŀ		1	
- 1	Switch As Is Non-recurring Charge, per circuit (LSR)	1	1	U1TS1, UDF, UE3	URESL	1	40.27	10.50		i	Į.	ĺ	1	1	1	l
			+		URESL		40.27	13.52			1			l		L
- 1	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1		U1TVX, U1TDX,	1	1 1			}		1	ł	l	1	{	l
1	Switch As Is Non-recurring Charge, incremental charge per circuit	1	1	U1TD1, U1TD3.	1	1 1]]	1	1		1	1	1
!	on a spreadsheet	ļ		U1TS1, UDF, UE3	URESP	1 !	23.80	12,11	Ì		1			ŀ	l	1
Acces	ss to DCS - Customer Reconfiguration (FlexServ)								·		•					
1	Customer Reconfiguration Establishment	1	Τ			7	1.48		1.85		1	1	·		T	
	DS1 DCS Termination with DS0 Switching	╅──	 -			27.96	25.60	19.70	16.67	13,41	 	 	 			
	DS1 DCS Termination with DS1 Switching		+		ļ								ļ		ļ	ļ
		 	-	 		12.67	18.51	12.61	12.24	8.98		ļ			 	ļ
	DS3 DCS Termination with DS1 Switching		٠	<u> </u>	1	176.51	25.60	19.70	16.67	13.41	1	L			L	L
Node	(SynchroNet)															
	Node per month	1		UNCDX	UNCNT	14.55										T .
				UNOUN	TOIACIA!	14.55			l .	·	1.	·	1	·	<u> </u>	1
Servi	ce Rearrangements		1	TOTAGOX	TOIGCIAL	14.55			L	<u> </u>	4	·	<u>.</u>		<u> </u>	L
Servi	ce Rearrangements		1		TONCIVI	14.55			l	· · · · · · · · · · · · · · · · · · ·	1 T	\	1	<u> </u>	T	T
Servi	ce Rearrangements	T		U1TVX, U1TDX,	JOIGIAN	14.55			<u> </u>	<u> </u>	<u>. </u>	\	<u> </u>	<u> </u>		<u> </u>
Servi	ce Rearrangements			U1TVX, U1TDX, U1TUC, U1TUD,	JONEW	14.55		-		\	<u> </u>					
Servi		<u> </u>		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX.	JONEON	14.55										
Servi	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,		14.55										
Servi				U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD	14.55	101.30	43.13								
Servi	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X		14.55	101.30	43.13								
Servi	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, U1TVX, U1TDX, U1TVX, U1TUD,		14.55	101.30	43.13								
Servi	NRC - Change in Facility Assignment per circuit Service			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X		14.55	101.30	43.13								
Servi	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, U1TVX, U1TDX, U1TVX, U1TUD,		14.55	101.30	43.13								
Servi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project			U1TVX, U1TDX, U1TUD, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X, U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD	14.55										
Servi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UITVX, UITDX, UITUD, UITUD, UITUB, ULDVX, UNCDX, UNCVX, UNCDX, UNCTX, UITUD, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		U1TVX, U1TDX, U1TUD, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X, U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD	14.55										
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UITVX, UITDX, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, UITVX, UITDX, UITVX, UITDX, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, UNCDX, UNCX, UNCIX, UNC3X	URETD	14.53	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUC, UITUB, ULDVX, ULDVX, UNCDX, UNCIX, UITUX, UITUX, UITUX, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCOX, UN	URETD	14.53	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUC, UITUC, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX, UITUC, UITUC, UITUC, UITUC, UITUC, UITUC, UNCDX, UNCDX, UNCIX, UNCIX, UNCIX, UNCIX, UNCOX,	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUC, UITUB, ULDVX, ULDVX, UNCDX, UNCIX, UITUX, UITUX, UITUX, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCOX, UN	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, UITUD, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UITUD, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCIX, UNCDX, UNCX, UTTDI,	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUB, ULDVX, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UITUX, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCOX, UNCYX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTCOX, UNCOX, UTCOX, UNCOX, UT	URETD	14.53	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUC, UITUC, UITUC, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCY, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCIX, UNCIX, UNCOX, UNC	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUD, UITUB, ULDVX, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUD, UITUB, ULDVX, ULDDX, UNCDX, UTDI, UTDI, UTDI, UTDI, UTTDI, UTTDI, UTTDI, UTTDI,	URETD	14.53	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUB, ULDVX, UITUB, ULDVX, UNCDX, UNCTX, UITUB, ULDVX, UITUB, UITUB, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUB, UITD3, UITD3, UITD3, UITD5, UITUB, ULDVX, UITUB, UL	URETD	14.55	3,66	3.66								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX. UITDX. UITUE. ULDVX. UITUE. ULDVX. UILDDX. UNCVX. UNCDX. UNCVX. UNCDX. UNCIX. UITVX. UITDX. UITUE. ULDVX. UITUE. ULDVX. UNCDX. UNCVX. UNCDX. UNCVX. UNCDX. UNCXX. UNCXX. UNCDX. UNCXX. UNCXX. UNCXX. UITVX. UITVX. UITDI. UITDI. UITDI. UITUB. ULDXX. UITVX. UITDX. UITVX. UITDX. UITUB. ULDX. UITUB. ULDDX. ULDDI. ULDDI.	URETD URETB		3.66 18.90	3.66 18.90								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX, UITDX, UITUB, ULDVX, UITUB, ULDVX, UNCDX, UNCTX, UITUB, ULDVX, UITUB, UITUB, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUB, UITD3, UITD3, UITD3, UITD5, UITUB, ULDVX, UITUB, UL	URETD	0.00	3.66 18.90	3.66		0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UITVX. UITDX. UITUE. ULDVX. UITUE. ULDVX. UILDDX. UNCVX. UNCDX. UNCVX. UNCDX. UNCIX. UITVX. UITDX. UITUE. ULDVX. UITUE. ULDVX. UNCDX. UNCVX. UNCDX. UNCVX. UNCDX. UNCXX. UNCXX. UNCDX. UNCXX. UNCXX. UNCXX. UITVX. UITVX. UITDI. UITDI. UITDI. UITUB. ULDXX. UITVX. UITDX. UITVX. UITDX. UITUB. ULDX. UITUB. ULDDX. ULDDI. ULDDI.	URETD URETB		3.66 18.90	3.66 18.90		0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingling Authorization mingled (UNE part of single bandwidth circuit)	1		UITVX, UITDX, UITUC, UITUG, UITUG, UITUG, UITUG, UITUG, UITUG, UITUG, UITUG, UNCDX, UNCDX, UNCDX, UITUG, UITUG, UITUG, ULDX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITGI, UIT	URETB OCOSR	0.00	3.66	3.66 18.90	0.00	0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingling Authorization Immigled (UNE part of single bandwidth circuit) Commingled (UNE part of single bandwidth circuit)	1		UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, UITUD, ULDVX, ULDDX, UNCDX, UITDI, UITUD, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDD3, ULDD3, ULDD3, UITUB, UIDD3, ULDD3, UITUB, UIDD3, UITUS, UITUB, ULDD3, ULDD3, UITUB, UIDD3, UITUB, UIDD3, UITUD, UITUD, UIDD3, UITUD, UITUB, ULDD3, ULDD3, UITUD, UITUB, ULDD3, ULDD3, ULDD3, ULDDX	URETB OCOSR CMGAU	0.00	3.66 18.90 0.00	3.66 18.90 0.00	0.00	0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization Imaged (UNE part of single bandwidth circuit) Commingled VigCOCI Commingled VigCOCI Commingled Digital COCI	1		UITVX, UITDX, UITUB, ULDVX, ULDX, UNCDX, UNCIX, UNCIX, UITUB, ULDVX, UNCDX, UNCIX, UITUB, ULDVX, ULDX, UNCIX, UITDI, UITDI, UITDI, UITDI, UITDI, UITDI, UITDI, ULDX, UITUB, ULDVX, ULDBI, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, UNCIX, UNCIX, ULDDI, ULDS, UNCIX, UNCIX, ULDDI, ULDS, ULDS, UNCIX, UNCIX, ULDS, UNCIX, UNCIX, ULDS, ULDS, UNCIX, UNCIX, UNCIX, ULDS, ULDS, UNCIX,	URETD URETB OCOSR CMGAU 1D1VG 1010D	0.00 0.56 1.19	3.66 18.90 0.00 6.59 6.59	3.66 18.90 0.00 4.73 4.73	0.00	0.00						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled QUNE part of single bandwidth circuit) Commingled USD COCI Commingled Digital COCI Commingled ISDN COCI			UITVX, UITDX, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, UNCDX, UNCYX, UITUB, ULDVX, ULDDX, ULDX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UTD1, UTD3, UITD1, UTD1, UTD1, UTD1, UTD1, UTD1, UTD1, UTD1, UITD3, ULDVX, ULDD1, ULDD3, ULDD1, ULDD3, ULDD1, VXDV2X XDV6X X	URETD URETB OCOSR CMGAU ID1VG ID1VG UC1CA	0.00 0.56 1 19 2.56	3,66 18.90 0.00 6.59 6.59 6.59	3.66 18.90 0.00 4.73 4.73	0.00							
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled USIDI COCI Commingled ISDN COCI Commingled ISDN COCI Commingled Swire VG Interrettice Channel Facility Termination			UITVX, UITDX, UITUD, UITUB, ULDVX, UITUD, UITUB, ULDVX, UNCDX, UITDI, UITUB, ULDX, UITUB, ULDVX, ULDDI, ULDD3, ULDD1, ULDD3, ULDD3, UNCDX	URETD URETB OCOSR CMGAU IDIVG IDIDD UCICA UTIVE	0.00 0.56 1.19 2.56 24.30	3.66 18.90 0.00 6.59 6.59 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47	0.00	6.9						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled Quite part of single bandwidth circuit) Commingled UNE part of single bandwidth circuit) Commingled Digital COCI Commingled Digital COCI Commingled Digital COCI Commingled 2-wire VG Interroffice Channel Facility Termination Commingled 4-wire VG Interroffice Channel Facility Termination			UITVX, UITDX, UITUB, UITUB, ULDVX, UNCDX, UNCIX, UNCDX, UNCIX, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDVX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTDB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDX, ULDB1, ULDS1	URETD URETB OCOSR CMGAU 1D1VG 101DD UC1CA UITV2	0.00 0.56 1.19 2.56 24.30 21.29	3.66 18.90 0.00 6.59 6.59 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	6.9						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled USIDI COCI Commingled ISDN COCI Commingled ISDN COCI Commingled Swire VG Interrettice Channel Facility Termination	1		UITVX, UITDX, UITUD, UITUB, ULDVX, UITUD, UITUB, ULDVX, UNCDX, UITDI, UITUB, ULDX, UITUB, ULDVX, ULDDI, ULDD3, ULDD1, ULDD3, ULDD3, UNCDX	URETD URETB OCOSR CMGAU IDIVG IDIDD UCICA UTIVE	0.00 0.56 1.19 2.56 24.30	3.66 18.90 0.00 6.59 6.59 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47	0.00 16.77 16.77	6.9 6.9 6.9						
DMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled Quite part of single bandwidth circuit) Commingled USD CCCI Commingled ISDN CCCI Commingled ISDN CCCI Commingled Selvips Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination			UITVX, UITDX, UITUB, UITUB, ULDVX, UNCDX, UNCIX, UNCDX, UNCIX, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDVX, UNCDX, UNCDX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTDB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, UITUB, ULDX, ULDB1, ULDS1	URETD URETB OCOSR CMGAU 1D1VG 101DD UC1CA UITV2	0.00 0.56 1.19 2.56 24.30 21.29	3.66 18.90 0.00 6.59 6.59 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	6.9 6.9 6.9						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled Quite part of single bandwidth circuit) Commingled UNE part of single bandwidth circuit) Commingled Digital COCI Commingled Digital COCI Commingled Digital COCI Commingled 2-wire VG Interroffice Channel Facility Termination Commingled 4-wire VG Interroffice Channel Facility Termination	1		UTTVX, UTTDX, UTTUD, UTTUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUD, UTTUB, ULDVX, UTTUB, ULDVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTTUB, UTTVA, UTTDX, UTTVB, ULDVX, ULDB1, ULDVX, ULDB1, ULDVX, ULDB1, ULDVX, VDDB4, VDVBX, VD	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA UC1CA UC1TV2 U1TV4 U1TV5	0.00 0.56 1.19 2.256 24.30 21.29	3,66 18.90 0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	6.9 6.9 6.9						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled Quite part of single bandwidth circuit) Commingled UNE part of single bandwidth circuit) Commingled SiDN COCI Commingled Digital COCI Commingled 100 COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled Skbps Interoffice Channel Facility Termination			UITVX, UITDX, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, UNCDX, UNCVX, UITUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UTTD1, UITD3, UTTD1, UTTDX, UTTDX, UTTDX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X X	URETD URETB OCOSR CMGAU IDIVG IDIDD UCICA UITV2 UITDS UITDS	0.00 0.56 1.19 2.56 24.30 21.29 16.76	3,66 18.90 0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	6.9 6.9 6.9						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled QuNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled 1SDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination	1 1		UITVX, UITDX, UITUD, UITUB, ULDVX, UITUB, ULDVX, ULDDX, UNCDX, UITDI, UITUB, ULDUX, UITUB, ULDVX, UITUB, ULDVX, ULDDI, ULDD3, ULDS1 XDV2X XDV6X	URETD URETB OCOSR CMGAU IDIVG IDIDD UC1CA UC1CA UC1TV2 U1TV4 U1TD5 U1TD6 IL5XX	0.00 0.56 1.19 2.56 24.30 21.29 16.76 16.76	0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47 27.47	0.00 16.77 16.77 16.77	6.9 6.9 6.9						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingent (added to CFA per circuit if project managed) Comminged Quite Transport Comminged UNE part of single bandwidth circuit) Comminged Digital COCI Comminged Digital COCI Comminged SetNey VG Interoffice Channel Facility Termination Comminged 4-wire VG Interoffice Channel Facility Termination Comminged SetNeys Interoffice Channel Facility Termination Comminged SetNeys Interoffice Channel Facility Termination Comminged SetNeys Interoffice Channel Facility Termination Comminged SetNeys Interoffice Channel Facility Termination		1	UITVX, UITDX, UITUD, UITUB, ULDVX, ULDVX, UNCDX, UNCTX, UITUD, UITUB, ULDVX, UNCDX, UITUB, UITUB, UITUB, UITUB, UITUB, ULDVX, ULDDI, ULDDI, ULDS, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, UNCDA, UNCDA, ULDDI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, UNCDA, UNC	URETD URETB OCOSR CMGAU IDIVG IDIDD UCICA UITV2 UITV4 UITDS UITDB UITVA UITDB	0.00 0.56 1.19 2.56 24.30 21.29 16.76 16.76 0.0167	0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 27.47 27.47 27.47 27.47	0.00 16.77 16.77 16.77 16.77	6.9 6.9 6.9 6.9						
OMMINGLIN	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport IG Commingled QuNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled 1SDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination		1 2	UITVX, UITDX, UITUD, UITUB, ULDVX, UITUB, ULDVX, ULDDX, UNCDX, UITDI, UITUB, ULDUX, UITUB, ULDVX, UITUB, ULDVX, ULDDI, ULDD3, ULDS1 XDV2X XDV6X	URETD URETB OCOSR CMGAU IDIVG IDIDD UC1CA UC1CA UC1TV2 U1TV4 U1TD5 U1TD6 IL5XX	0.00 0.56 1.19 2.56 24.30 21.29 16.76 16.76	0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47 27.47	0.00 16.77 16.77 16.77 16.77	6.9 6.9 6.9 6.9 10.6						

IBUNDLED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
BUNDLED HE I WORK ELEMENTS - SOUTH CAROLINA										Svc Order	Svc Order	Incremental	Incremental	Incremental	
	J	1		1					1		Submitted	Charge -	Charge -	Charge -	Charge
<u> </u>	1	}		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
	1 .	l		l l			DATERIES					Order vs.	Order vs.	Order vs.	Order v
EGORY RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR				Electron
	1	l		1 1					1	'	1	Electronic-	Electronic-	Electronic-	
	1	1	1	1 1								1st	Add'i	Disc 1st	Disc Add
				Li							L	L	2(2)	L	
					Rec	Nonreci		Nonrecurring I					Rates(\$)	SOMAN	SOMAN
						First	Add'l	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMMI
Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	32.59	132.38	94.83	59.35	14.61						
Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	43.89	132.38	94.83	59.35	14.61	ļ		ļ		ļ	1
Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	43.38	132.38	94.83	59.35	14.61					 	
Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	29.93	126.66	89.12	59.35	14.61		 		ļ	 	+
Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	33.99	126.66	89.12	59.35	14.61		ļ		ļ		
Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	34.74	126.66	89.12	59.35	14.61						
Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	29.93	126 66	89.12	59.35	14.61						 -
Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	33 99	126.66	89.12	59.35	14.61						+
Commingled 64kbps Local Loop Zone 3	-		XDD4X	UDL64	34.74	126.66	89.12	59.35	14.61				L		
Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	25.21	117.58	80.03	53.05	10.61				ļ	J	
Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	32.76	117.58	80.03	53.05	10.61					ļ	
	 -		XDD4X	U1L2X	37.70	117.58	80.03	53.05	10.61	1	L			 	
Commingled ISDN Local Loop Zone 3		+~	XDH1X	UC1D1	8.64	6.59	4.73								
Commingled DS1 COCI	-	+	XDH1X	U1TF1	77.14	89.47	81.99	16.39	14.48						
Commingled DS1 Interoffice Channel Facility Termination		+	XDH1X	1L5XX	0.3415										
Commingled DS1 Interoffice Channel per mile		+	XDH1X	MQ1	107.57	91 24	62.71	10.56	9.81				T		
Commingled DS1/DS0 Channel System		+	XDH1X	USLXX	79.51	253.03	157.89	44.80	11.73	1					
Commingled DS1 Local Loop Zone 1		+ +	XDH1X	USLXX	136.00	253.03	157.89	44.80	11.73	1					
Commingled DS1 Local Loop Zone 2		2			229.15	253.03	157.89	44.80	11.73				1		
Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	306.36	452.52	264.53	119 75	83.77	1				T	
Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	12.26	452.52	204.55	113.13	- 00:11	 	1		1		
Commingled DS3/STS-1 Local Loop per mile		 	HFQC6, HFRST	1L5ND		452 52	264.53	119.75	83.77	+	1	-			
Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	313.49		94.18	33.33	31.90		+	-		1	1
Commingled DS3/DS1 Channel System			HFQC6	MQ3	144.02	178.54	163 12	60.33	58.59		 	 	1		
Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163 12	60.33	30.33	+			 		
Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02			00.00	58.59	+	+			-	
Commingled STS-1Interoffice Channel Faculty Termination			HFRST	U1TFS	880.55	279 37	163.12	60.33	58.59			+	+	+	
Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	8.02					 	+			-	
Commingled Dark Fiber - Interoffice Transport, Per Four Fiber					i i			1	1	1		1	1		1
Strands, Per Route Mile Or Fraction Thereof		- !	HEQDL	1L5DF	36.41				 			+	 	+	-
Commingled Dark Fiber - Interoffice Transport, Per Four Fiber										. 1	ł	1	1	1	1
Strands, Per Route Mile Or Fraction Thereof		1	HEQDL	UDF14		640.51	13B.17	317.76	198.11						-
UNE to Commingled Conversion Tracking		1	XDH1X. HFQC6	CMGUN	0.00	0.00	0.00		0.00		+		+	+	-
SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	·					
		-													
NP Query Service					0.0008837				<u> </u>						
LNP Charge Per query LNP Service Establishment Manual						25.09	25.09	23.07	23.07						_
LNP Service Establishment Manual		+	-			594.82	303.88	269.53	198.18	3					
LNP Service Provisioning with Point Code Establishment		+	 		+					1					
11 PBX LOCATE															
911 PBX LOCATE DATABASE CAPABILITY		$\overline{}$	9PBDC	9PBEU		1,813.00				T	T				
Service Establishment per CLEC per End User Account		-		9PBTN		181.40				1					
Changes to TN Range or Customer Profile	——		9PBDC	9PBMM	0.07	107.40	 	 							
Per Telephone Number (Monthly)		-+	9PBDC	9PBMM 9PBPC	0.07	532.48	 		<u> </u>	1					
Change Company (Service Provider) ID			9PBDC		181.29			+	1						
PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	161.29	15.69		+	-						
Service Order Charge		Щ.	9PBDC	9PBSC		15.69				-					
911 PBX LOCATE TRANSPORT COMPONENT															
See Att 3															
		\perp							+	+	 				
Note: Rates displaying an "I" in Interim column are interim as a resi	ult of a Co	mmissi	on order.	1	1	L	1				~				

		NETWORK ELEMENTS - Tennessee			·									Att: 2 Exh: A			
ATEGORY	Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electroni Disc Add
							Rec	Nonrecurring		Nonrecurring	Disconnect		L	oss	Rates(\$)	<u> </u>	
	-+						1,,,,,,	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMA
The	e "Zoi	ne" shown in the sections for stand-alone loops or loops as par	toface	mbina	ion refers to Geogram	hically Don	orneed LINE 7	L Tandani	<u> </u>	<u>L</u>	<u> </u>	<u>بـــــــ</u>	l				
			nnection	n.htm	roidis to deograp	niceny deav	relayed ONE 20	ones. To view t	seographically	Deaveraged UI	NE Zone Design	ations by C	entral Office,	, refer to interr	net Website:		
PERATIO	NS S	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"					T		T			Т	Γ				
NO	TF· (1) CLEC should contact its contact as a section of the section of						•				<u> </u>				l	L
the	state	 CLEC should contact its contract negotiator if it prefers the " especific Commission ordered rates for the service ordering ch. 	state sp	HECHIC"	OSS charges as orde	red by the S	tate Commissio	ons. The OSS	harges current	tly contained in	this rate exhibi	t are the Bel	South "region	onal" service o	ordering charg	es. CLEC ma	y elect alt
NO.)TE: (Any element that can be ordered electronically will be billed a	ccordir	a to the	e SOMEC rate listed in	this catego	Disease mite	to Dalle Abia	can not obtain	a mixture of tr	ie two regardie	SS IT CLEC I	as a interco	nnection cont	ract establishe	ed in each of the	ne 9 state
			this cate	gory re	flects the charge that	would be b	illed to a CLEC	once electronic	ordering capa	bilities come on	-line for that ek	e ii a produc ment Othe	rwise the m	lerea electron	cally. For tho:	se elements th	at canno
													· · · · · · · · · · · · · · · · · · ·	ianida ordenii	g charge, 30h	oni, win be ap	ipieu io a
	1	OSS - Manual Service Order Charge, Per Element - UNE Only OSS - Electronic Service Order Charge, Per Local Service	Plea	se see	applicable rate eleme	nt for SOMA	N charge**			,	· · · · · · · · · · · · · · · · · · ·						
		Request (LSR) - UNE Only				SOMEC		3 50	0.00	3.50	0.00						
		DATE ADVANCEMENT CHARGE					1	3 30	0.00	3.50	0.00	 			 	 	
NO.	TE:	The Expedite charge will be maintained commensurate with Be	llSouth'	s FCC I	No.1 Tariff, Section 5	as applicabl	ė.	· 		L	1	L	<u> </u>	L	·	<u> </u>	<u> </u>
	ł				UAL, UEANL, UCL.									· · · · · · · · ·	1	I	
1	1				UEF, UDF, UEQ, UDL. UENTW, UDN,										1		
	- 1			İ	UEA, UHL, ULC.		!									ŀ	
					USL, U1T12, U1T48,												
ľ					U1TD1, U1TD3.		1									i	
- 1					U1TDX, U1TO3,		İ										
					U1TS1, U1TVX, UC1BC, UC1BL.							i .					
- 1					UC1CC, UC1CL.		1		l								
					UC1DC, UC1DL,												
ĺ	- 1				UC1EC, UC1EL,							1					
	- 1		1	İ	UC1FC, UC1FL.							ľ					ĺ
- 1	ł				UC1GC, UC1GL. UC1HC, UC1HL.		1										}
ľ	- 1				UDL12, UDL48,		ļ										ļ
- 1					UDLO3, UDLSX,		[1			ĺ			1
					UE3, ULD12,		1							1			İ
ļ					ULD48, ULDD1,		Ì		ŀ					ĺ			ĺ
ŀ	1				ULDD3, ULDDX, ULDO3, ULDS1,											1	1
	- 1				ULDVX, UNC1X,						1			ĺ	i	1	
- 1	-		l		UNC3X, UNCDX,		ŀ				1			<u> </u>	l		
İ	- 1		i		UNCNX, UNCSX,												
İ	- 1				UNCVX, UNLD1. UNLD3, UXTD1,		ļ					ļ			1		
				1	UXTD3, UXTS1,		1	Ì							1		
i	- 1			İ	U1TUC, U1TUD,							l	1				
-	l.			1	U1TUB,						1		1				
- 1		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA,NTCVG,	CDACD	ļ	000.00			1	l	1				
RDER MO		CATION CHARGE		 	NTCUD, NTCD1	SDASP	 	200.00	 	ļ	 	 	1	 			
	1	Order Modification Charge (OMC)					 	26.21	0.00	0.00	0.00	 	-	ļ	 	 	
		Order Modification Additional Dispatch Charge (OMCAD)						150.00			0.00						L
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP						1		l	L		L	L			
2-W		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		r i	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41	т	· · · · · · · · · · · · · · · · · · ·	20.05	1055	12.22	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL	UEAL2	17.59							20.35		13.32 13.32	1.
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.37	31.99			1.41		ļ	20.35	10.54	13.32	1
-		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1	UEANL	UEASL	11.74	31.99	20.02	10.65	1,41		ľ	20.35	10.54	13.32	1.
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL	UEASL	17.59		20.02		1.41			20.35		13.32	1
		Z-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	ļ	3	UEANL UEANL	UEASL URETL	29.37	31.99 8.95	20.02		1.41	 		20.35	10.54	13.32	1
-		Loop Testing - Basic 1st Half Hour		 	UEANL	URET1	 	57.67	0.88		 	 	 		 	 	
		Loop Testing - Basic Additional Half Hour		\vdash	UEANL	URETA	 	37.44	37.44		 	 	<u> </u>	 	· · · · · · · · · · · · · · · · · · ·	 	
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	<u> </u>	36.52	36.52				<u> </u>				
		Order Coordination for Specified Conversion Time for UVL-SL1													· · · · · · · · · · · · · · · · · · ·		
1	- 10	(per LSR)	l	l	UEANL	OCOSL	1	34.29	I	1	1	1	I	ı	ì	ı	ı

Version: 4Q06 Std ICA 01/05/07

TEGORY	RATE ELEMENTS										Svc Order	Svc Order	Att: 2 Exh: A Incremental	Incremental	Incremental	
+-		Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring I					Rates(\$)		
İ	Hehrediad Non Decige Voice Loop hillies for BCT and idian						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)		1						[1
	Unbundled Loop Service Rearrangement, change in loop facility,	-	 	UEANL	UEANM		25.33	25.33								
i	per circuit		ł	UEANL	UREWO		15.80									İ
	Bulk Migration, per 2 Wire Voice Loop-SL1		t	UEANL	UREPN		31 99	8.95 20.02	10.65 10.65	1,41			20.35	10.54	13.32	13.3
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		t —	UEANL	UREPM		36.52	36.52	10.03	1,41	 					
2-WIRE	Unbundled COPPER LOOP				10		00.52	30.52			<u> </u>		1	<u> </u>	L	<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEO	UEQ2X	11,74	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.:
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
$-\!$	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	<u> </u>		UEQ	URETL		8.95	0.88								
-+-	Loop Testing - Basic 1st Hair Hour		-	UEO	URET1 URETA		57.67	0.00					ļ		ļ	
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	_	 	UEU	UHETA		37.44	37.44	 			ļ				<u> </u>
1	Designed (per loop)		i	UEQ	USBMC		36 52	36.52								Ì
	Unbundled Copper Loop - Non-Design, billing for BST providing		 	OEG.	OSBING.		36.52	30.32	 				 		-	
	make-up (Engineering Information - E.I.)	ł		UEQ	UEQMU		25.33	25.33]			ļ	20.35	10.54	13.32	13.
	Unbundled Loop Service Rearrangement, change in loop facility.		1								-		20.00	10.04	10.01	
	per circuit		1	UEQ	UREWO		14 29	7.44	10.65	1,41	ŀ	i	20.35	10.54	13.32	13.
	Bulk Migration, per 2 Wire UCL-ND		1	UÈQ	UREPN		31.99	20.02	10.65	1,41	1.					
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		<u> </u>	UEQ	UREPM		36.52	36.52								
	EXCHANGE ACCESS LOOP	L	<u> </u>	<u> </u>			l		<u> </u>							
2-WIRE	E ANALOG VOICE GRADE LOOP										γ 					
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	!	١.													
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 !-	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64	ļ		20.35	10.54	13.32	13
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64		1	20.35	10.54	40.00	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-		UEA	UEALZ	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
İ	Ground Start Signaling - Zone 3	ł	3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	1		00.0.	15,00	-0.00	20.70	11.01	 			10.04	10.02	
	Battery Signaling - Zone 1		1	UEA	UEAR2	14 74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	i									1				1	T
	Battery Signaling - Zone 2	L	2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1 1								i			
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	1	1	115.4					1			l				l
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	┼	UEA	URESL		23.42	3.30			 		20.35	10.54	13.32	13
	DS01		1	UEA	URESP		24.82	4.70			į					
	Unbundled Loop Service Rearrangement, change in loop facility.		1	000	UNESI		24.02	4.70			 				 	
1	per circuit		-	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10			1		-			
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		75.06	48.20								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00								
4-WIRE	E ANALOG VOICE GRADE LOOP		,		· · · · · · · · · · · · · · · · · · ·											
	4-Wire Analog Voice Grade Loop - Zone 1	Ь		UEA	UEAL4	21.98	122.76	85.57		39.16			20.35	10.54		
	4-Wire Analog Voice Grade Loop - Zone 2	ļ		UEA	UEAL4	32.93	122.76	85.57		39.16			20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16	ļ		20.35	10.54	13.32	13
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	Ì	ļ	UEA	URESL		22.42	2.00			ł		20.25	10.54	13.32	13
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	├	+	UEA	UNESL		23.42	3.30	1		 	 	20.35	10.54	13.32	 '
-	DS0)		1	UEA	URESP		24.82	4.70							1	
\rightarrow	Unbundled Loop Service Rearrangement, change in loop facility.	 	+	OEN .	0.120		24.02	4.70				 	 		 	
1	per circuit	İ		UEA	UREWO		75.06	36.41				ł	20.35	10.54	13.32	13
2-WIRI	E ISDN DIGITAL GRADE LOOP			*					•		•					
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.77	142.76	88.88	76.35	39.16]	20.35	10.54	13.32	1 1
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88.88		39.16			20.35	10.54	13.32	1
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	Unbundled Loop Service Rearrangement, change in loop facility.	1												1		1
	per circuit	<u></u>	1	UDN	UREWO		91.77	44.22	J	L <u> </u>	1	L	20.35	10.54	13.32	1:
2-WIRI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	LOOP								,	,	· · · · · · · · · ·			-
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	I	١,	UAL	UAL2X	12.30	156.95	64.54	89,64	16.93	1	1	20.35	10.54	13.32	1:

MBUNDLE	D NETWORK ELEMENTS - Tennessee	· · · · ·			T							Svc Order	Att: 2 Exh: A Incremental	Incremental	Incremental	Increment
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs Electronic Disc Add
		—	-		 	Rec	Nonrecurring		Nonrecurring					Rates(\$)	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry &		+		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
	facility reservation - Zone 2		١,	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93	1	1	20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop including manual service inquiry &	 	+	07.0	UNLEX	10.43	100.55	04.54	03.04	10.50	 		20.05	10.54	10.02	1
ı	facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	1;
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1													
	facility reservator - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1											
	facility reservator - Zone 2	-	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48	-		20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 3	i	3	UAL	UAL2W	20.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	1:
	Unbundled Loop Service Rearrangement, change in loop facility.	-	1 3	UAL	UALZVV	30.77	89.40	35.91	72.02	11.46		-	20.35	10.54	13.32	
	per circuit	1		UAL	UREWO		31.99	20.02		i	1	1	20.35	10.54	13.32	1
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	1075	TONETTO	·	31.33	20.02					20.00	10.54	10.02	
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	T	T	1								T	1	1	
	facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93	1		20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2	1	2	UHL	UHL2X	14,44	158 94	65.20	89.64	16.93	-	ļ	20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop including manual service inquiry &		1 -		l						.1		05.55		13.32	1
	facility reservation - Zone 3	 	3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93	-		20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48	.		20.35	10.54	13.32	1
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and	 -	+ '-	UHL	UHLZW	9.64	89.40	35.91	72.02	11.40	· 		20.33	10.54	13.52	
1	facility reservation - Zone 2	1	2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48	d	i	20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and	+	+	OTIL	10110211	19.99	03.40	33.31	72.02	——·	1			10.00		1
1	facility reservation - Zone 3	1	3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48	3	1	20.35	10.54	13.32	1
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1										T		1	
	per circuit	}	_	UHL	UREWO		31.99	20.02				<u> </u>	20.35	10.54	13.32	!!
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP													T
	4 Wire Unbundled HDSL Loop including manual service inquiry and	ᅦ	Ι.	l		12.40	169.62	75.89	39.73	19.53	,		20.35	10.54	13.32	2 1
	facility reservation - Zone 1		1-1-	UHL	UHL4X	12.40	169.62	/5.69	39.73	19.5	' 		20.55	10.5	70.02	1
	4-Wire Unbundled HDSL Loop including manual service inquiry and	ᅦ	1 2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53	3	1	20.35	10.54	13.32	2 1
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry an	d	-	UNL	TOTIL TAX	10.50	103.02	15.55	500		1	1	1			1
	facility reservation - Zone 3	٦	3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.50	3		20.35	10.54	13.32	2 1
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.9	7		20.35	10.54	13.32	2 1
	4-Wire Unbundled HDSL Loop without manual service inquiry and									40.0	. l	1	20.35	10.54	13.32	2 1
	facility reservation - Zone 2		2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.9		+	20.3	7 10.5	10.02	+
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	1 3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.9	7		20.35	10.54	13.32	2
	facility reservation - Zone 3	+	1 3	UHL	UAL4VV	31.03	100.03	40.00	1	1	1	_	T		1	1
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		31.99	20.02			1		20.35	10.54	13.32	2
4-WIF	RE DS1 DIGITAL LOOP			12:3			1					,			· · · · · · · · · · · · · · · · · · ·	
	4-Wire DS1 Digital Loop - Zone 1	T	1	USL	USLXX	51.38		219.72					18.98			
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	76.98		219.72					18.9			
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	128.54	313.08	219.72	96.86	40.4	5	+	18.9	6.4	11.5	'
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1					23.42	3.30	J		1		1	1		
	DS1)		_	USL	URESL		23.42	3.30	<u>'</u>	+	+	+	+			_
- 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	URESP	1	24.82	4.70	,						}	
	DS1) Unbundled Loop Service Rearrangement, change in loop facility.	+	+-	USL	UNEST	+	24.02	4.70								T
	per circuit	1	- 1	USL	UREWO		130.47	40 11	l				20.3	5 10.5	13.3	2
4-WII	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			1-1-2				•								
- 1.11	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	27.68		141.38							-	+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	41.47		141.38				+	+	+	+	+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	69.24 27.68		141.38					+		+	-
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X UDL4X	41.47		141.38				-			1	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	+		UDL	UDL4X	69.24		141.38				_				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+		UDL	UDL9X	27.68		141.38	90.70	44.1	8					
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+		UDL	UDL9X	41.47		141.38	90.70	44.1						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1		UDL	UDL9X	69.24	207.01	141.38							1	+
-+	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	27.68		141.38					20.3			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	41.47	7 207.01	141.38	90.70	44.1	8		20.3	5 10.5	+1 13.3	

************	DLED	NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGOR	łΥ	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring I	Disconnect			oss	Rates(\$)		<u> </u>
-+		Wire Unbundled Digital 19.2 Kbps - Zone 3		<u> </u>	. In	ļ		First	Add [*] l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+		Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	- 2	Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56 UDL56	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	- 4	Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDL	UDL56	41.47 69.24	207.01 207.01	141.38 141.38	90.70	44.18	ļ		20.35	10.54	13.32	13.32
	- 4	4 Wire Unbundled Digital Loop 64 Khns - Zone 1	 		UDL	UDL64	27.68	207.01	141.38	90.70 90.70	44.18			20.35	10.54		
	L.	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL	UDL64	41.47	207.01	141.38	90.70	44.18 44.18			20.35	10.54 10.54		
	(4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	69.24	207.01	141.38	90.70	44.18	 		20.35 20.35	10.54		
	-	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1			- 00.2.	207.01	1	30.70	44.10			20.35	10.54	13.32	13.3
	- !	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UDL	URESL		23.42	3.30					20.35	10.54	13.32	13.3
	[DS0)	<u> </u>		UDL	URESP		24.82	4.70								
	ľ	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		UDL	UREWO		102.28	49.82			-					
2-		Unbundled COPPER LOOP			1000	IONEWO	<u> </u>	102.28	49.62	L		L	L	20.35	10.54	13.32	13.3
		2-Wire Unbundled Copper Loop-Designed including manual	T		I		г			· · · · · ·		T					
		service inquiry & facility reservation - Zone 1		1_	UÇL	UCLPB	11.74	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
		2-Wire Unbundled Copper Loop-Designed including manual			F:			97.50	10.02	70.03	1.41	 		20.33	10.54	13.32	13.34
$\perp \perp$		service inquiry & facility reservation - Zone 2	L	2	UCL	UCLPB	17 59	31,99	20.02	10.65	3.41	ļ	Į.	20.35	10.54	13.32	13.30
j		2 Wire Unbundled Copper Loop-Designed including manual service													 		1 3 3
		inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service	├	3_	UCL	UCLPB	29.37	31.99	20.02	10.65	1,41		ļ	20.35	10.54	13.32	13.3
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2-Wire Unbundled Copper Loop-Designed without manual service		<u> </u>		1		000	20.02	19.05				20.33	10.54	70.02	13.3
		inquiry and facility reservation - Zone 3	L	3_	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41	1	ł	20.35	10.54	13.32	13.3
		Order Coordination for Unbundled Copper Loops (per loop)	L."		UCL	UCLMC		36.52	36.52			-		7			1
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4.		COPPER LOOP	٠		1000	10.12.110	<u> </u>	01.53	20.02	·		·	<u> </u>	20.33	10.34	10.02	13.5
		4-Wire Copper Loop-Designed including manual service inquiry	T	$\overline{}$		Τ	T	1		T		T	T	T	Τ	T	T
		and facility reservation - Zone 1		1 1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16	·		20.35	10.54	13.32	13.3
		4-Wire Copper Loop-Designed including manual service inquiry		1		1	Ţ					T			Γ		
\vdash		and facility reservation - Zone 2	ļ	2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16	L		20.35	10.54	13.32	13.3
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
		4-Wire Copper Loop-Designed without manual service inquiry and	† -													1	1
		facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and	┼	1-1-	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16	 	-	20.35	10.54	13.32	13.3
		facility reservation - Zone 2		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16	<u> </u>		20.35	10.54	13.32	13.3
	ľ	4-Wire Copper Loop-Designed without manual service inquiry and		ĺ .						ii		1			1		
		facility reservation - Zone 3		3_	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16	↓		20.35	10.54	13.32	13.3
		Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Rearrangement, change in loop facility,	 	—	UCL	UCLMC	 	36.52	36.52			├	 	 	 	 	
		per circuit			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
			1	1	UEA, UDN, UAL.		1					T					
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL	L	34.29		<u> </u>	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>	L	
R.		gements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	т						·			т	,	·			,
		SL2			UEA	UREEL		75.06	36.41				ì			i	
			 	 	1024	ONCLE	 	73.00	30.41			 		 	+	 	
		EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	1	UEA	UREEL	i	75.06	36.41					1	1		
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop	1		UDN	UREEL		91.77	44.22			†		 	 	1	1
				T	Ĭ		T							1		1	1
		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	1	Ь.	UDL	UREEL	ļ	102.28	49.82			<u> </u>	ļ			 	
1115		EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	ļ	₩-	USL	UREEL	ļ	130.47	40.11			ļ			 	 	
		MINGLING		J	L		⊥			L		<u></u>	L	1	<u> </u>	1	<u> </u>
		ANALOG VOICE GRADE LOOP - COMMINGLING 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			γ		T			,		Τ		····		T	T
1		Ground Start Signaling - Zone 1		1_1_	NTCVG	UEAL2	14,74	75.06	48.20	28.70	17.64	<u> </u>			<u> </u>		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	T								Ι		1	T		
 		Ground Start Signaling - Zone 2	1	1 2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17 64	1		1	1	1	1

ON DOINDEED IN	ETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Ad
		├	 		 	Rec	Nonrecurring		Nonrecurring					Rates(\$)		
2 M/ir	re Analog Voice Grade Loop - Service Level 2 w/Reverse	├	├ ─-				First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ery Signaling - Zone 1	1	Ι,	NTCVG	UEAR2	44.74	75.00	40.00					1			1
	re Analog Voice Grade Loop - Service Level 2 w/Reverse	├	 ' -	NICVG	UEAH2	14.74	75.06	48.20	28.70	17.64						
	ery Signaling - Zone 2		1 2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64		i			i	1
	re Analog Voice Grade Loop - Service Level 2 w/Reverse		 -		1027112	22.00	73.00	40.20	20.70	17.04						
Batte	ery Signaling - Zone 3	<u> </u>	3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64						1
	ch-As-Is Conversion rate per UNE Loop, Single LSR, (per		T													!
DS0)			 	NTCVG	URESL		23.42	3.30								
DS0)	ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	1	NTCVG	\				1	i		1				i
	Indled Loop Service Rearrangement, change in loop facility.			NICVG	URESP		24.82	4.70	 							
	circuit			NTCVG	UREWO		75.06	36.41					1			
	Tagging - Service Level 2 (SL2)	 -	 	NTCVG	URETL		11.23	1.10	 							
4-WIRE ANA	LOG VOICE GRADE LOOP			·	15.15.2					<u> </u>					·	·
	re Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16		T				
	re Analog Voice Grade Loop - Zone 2	<u> </u>	2	NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						
	re Analog Voice Grade Loop - Zone 3	-	3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16						
DS0)	ch-As-Is Conversion rate per UNE Loop, Single LSR, (per			NTCVG												
	Ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	┼──	-	NICVG	URESL		23.42	3.30			 		ļ. <u></u>		<u> </u>	ļ
DS0)			i .	NTCVG	URESP		24.82	4.70		ĺ						
	andled Loop Service Rearrangement, change in loop facility.	 	1		1011207		24.02	9.70			 	 				
	sircuit		1	NTCVG	UREWO		75.06	36.41			1			i		
4-WIRE DS1	DIGITAL LOOP - COMMINGLING									·				·		-
	re DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45	T		Τ΄ -	T	T	
	re DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	76 98	313.08	219.72	96.86	40.45			T			
	re DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	128.54	313.08	219.72	96.86	40.45						
	ch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1		1				}	1	1	1	1	1	}	1
DS1)		 	┿	NTCD1	URESL		23.42	3.30	 		<u> </u>	ļ		<u> </u>		+
DS1)	ch-As-Is Conversion rate per UNE Loop, Spreadsheet. (per			NTCD1	URESP		24.82	4.70	İ		Ì	1			ł	Į.
	/ undled Loop Service Rearrangement, change in loop facility,	 	+	NICOI	UNESF		24.02	4.70			 			 	 	+
	circuit	1		NTCD1	UREWO		130.47	40.11						1		1
	, 56 OR 64 KBPS DIGITAL GRADE LOOP		•	1	1011011				<u> </u>	·		٠			·	
4 Wii	ire Unbundled Digital Loop 2.4 Kbps - Zone 1	T		NTCUD	UDL2X	27.68	207.01	141.38	90.70	44.18						1
	ire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	41.47	207.01	141.38								
	ire Unbundled Digital Loop 2.4 Kbps - Zone3	↓		NTCUD	UDL2X	69.24	207.01	141.38							ļ	1
	ire Unbundled Digital Loop 4.8 Kbps -Zone 1	.		NTCUD	UDL4X	27.68		141.38				ļ		<u> </u>	ļ	-
	ire Unbundled Digital Loop 4.8 Kbps - Zone 2	\vdash		NTCUD	UDL4X	41 47		141.38						 	 	+
	ire Unbundled Digital Loop 4.8 Kbps - Zone 3 ire Unbundled Digital Loop 9.6 Kbps - Zone 1	 		NTCUD	UDL4X UDL9X	69.24 27.68	207.01	141.38 141.38				 	 	 	 	+
	ire Unbundled Digital Loop 9.6 Kbps - Zone 2	1		NTCUD	UDL9X	41.47		141.38			 	 	 			1
	ire Unbundled Digital Loop 9.6 Kbps - Zone 3	 		NTCUD	UDL9X	69.24	207.01	141.38								
4 Wi	ire Unbundled Digital 19.2 Kbps - Zone 1	\Box	1	NTCUD	UDL19	27.68	207.01	141.38	90.70							
	ire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	41 47	207.01	141.38								
	ire Unbundled Digital 19.2 Kbps - Zone 3	1		NTCUD	UDL19	69.24	207.01	141.38				ļ	ļ	 	ļ	+
	ire Unbundled Digital Loop 56 Kbps - Zone 1	\vdash	1	NTCUD	UDL56	27.68	207.01	141.38				 		 	 	
	ire Unbundled Digital Loop 56 Kbps - Zone 2	+-	2	NTCUD	UDL56 UDL56	41.47 69.24	207.01 207.01	141.38 141.38				 	+			+
4 WI	ire Unbundled Digital Loop 56 Kbps - Zone 3 ire Unbundled Digital Loop 64 Kbps - Zone 1	 -	1	NTCUD	UDL56	27.68	207.01	141.38				 	 	 	 	1
4 Wi	ire Unbundled Digital Loop 64 Kbps - Zone 2	+-	2	NTCUD	UDL64	41.47		141.38				 	 	 	 	
	ire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	NTCUD	UDL64	69.24	207.01	141.38				1				1
	ch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1						1		1	1	1	T		T
080)	<u> </u>		NTCUD	URESL		23.42	3.30	1				1		<u> </u>	1
	ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
DS0		 		NTCUD	URESP		24.82	4.70		 	 	1	 		 	+
	undled Loop Service Rearrangement, change in loop facility,		1	NTOUR	Lincoln				1			1				
per c	circuit	+	+	NTCUD NTCVG, NTCUD.	UREWO		102.28	49.82	 	 -	 	 	 	+	 	+
	er Coordination for Specified Conversion Time (per LSR)		1	NTCVG, NTCUD.	ocosu		34.29		1	1		l	1	l	1	Į
AINTENANCE OF			4-	141001	ocost	· · · · · · · · · · · · · · · · · · ·	34.29		 	 	+	 		 	·	+

NARAN	ANTE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Svo Order vs. Electronic Disc Add'
			┼	 			 	Nonrecurring		Nonrecurring	Disconnect	 	L	000	Rates(\$)	L	L
			 		 		Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1,								1		00		
					U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX,												
		Maintenance of Service Charge, Basic Time, per half hour			ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVBT		80 00	55.00								
					UDC. UEA, UDL. UDN, USL. UAL. UHL, UCL, NTCVG, NTCUD, NTCD1,					,							
ļ					U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1,					}							
		Maintenance of Service Charge, Overtime, per half hour			ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVOT		90.00	65.00								
		•			UDC. UEA. UDL. UDN. USL. UAL. UHL, UCL. NTCVG. NTCUD, NTCD1, U1TD1, U1TD3, U1TDX. U1TS1, U1TVX. UDF, UDFCX, UDLSX. UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX,												
		1			UNC1X, UNC3X,												
		Maintanana of Sonia Chara Paratira			UNCDX, UNCSX,	MAGGE		100.00	70.00								
LOOP M	ODIEN	Maintenance of Service Charge, Premium, per half hour	+	+-	UNCVX, ULS	MVVPT	 	100.00	75.00	' 	+	+	 	 	 	 	
		e Order charges will only apply once per Loop									·				*		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
		pair less than or equal to 18k ft, per Unbundled Loop		+	UEPSB	ULM2L	 	65.40	65.40			+	 		 	 	
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		65.40	65.40	, [1		
		Unbundled Loop Modification Removal of Bridged Tap Removal.			UAL, UHL, UCL, UEQ. ULS, UEA, UEANL, UEPSR.				37.73								
		per unbundled loop		1	UEPSB	ULMBT		65.44	65.44	<u></u>	1		<u> </u>				<u> </u>
SUB-LO			Ι				1								L		L
	Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I	Τ	UEANL, UEF	USBSA	T	517.25	517.25	,	T	1		20.35	10.54	13.32	13
\neg				1			1					1	1	The state of the s			1
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	+	┼	UEANL, UEF	USBSB	-	42.68 313.01	42.68 313.01		-			20.35		1	
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set	1-		UEANL	USBSD		108.06	108.06			I		20.35			

ONBONDLE	D NETWORK ELEMENTS - Tennessee						•						Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			 	<u> </u>		Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	 	 	· · · · · · · · · · · · · · · · · · ·	ļ		First	Add'i	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Statewide		i	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	1054	40.00	40.00
									73.14	30.03			20.35	10.54	13.32	13.32
 	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	!	 -	UEANL	USBMC		36.52	36.52	11]			l	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN4						i		1			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+ '-	DEANE	USBIN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
<u> </u>	Zone 2	L_	2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55		ŀ	20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						1,000	01.20	74.00	11.55			20.35	10.54	13.32	13.32
	Zone 3	ļ	3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL		}										
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	+	UEANL	USBMC USBR2	1.35	36.52 94.56	36.52 29.35						L		
		 	† · · · ·	OCA-III	OSBNZ	1.33	94.36	29.35	 				20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	[36 52	36 52]					ļ		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	ļ	UEANL	USBR4	2.26	116.14	37.10			İ		20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL										l		
	Loop Testing - Basic 1st Half Hour		 	UEANL	USBMC URET1		36.52 57.67	36.52								<u> </u>
	Loop Testing - Basic Additional Half Hour	 -	+-	UEANL	URETA		37.44	0.00 37.44	 			ļ	 	ļ		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-		UEF	UC\$2X	6.99	81.40	25.75	70.82	9.55			20.35			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	!	3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMÇ		20.50	20.52	l				ļ			
l	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 	1	UEF	UCS4X	5.85	36.52 81.74	36.52 26.08	74.08	11.55	ł		20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UËF	UCS4X	14.63	81.74	26.08	74.08	11.55	1		20.35			
	Order Coordination for Unburdled Sub-Loops, per sub-loop pair			UEF	USBMC		36 52	36.52								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	1		UEF, UEANL	URETL	l	0.05	0.00	1		ļ			l		
	Loop Testing - Basic 1st Half Hour	1	+	UEF DEANE	URET1	-	8.95 57.67	0.88	·		 	 		 	 	+
	Loop Testing - Basic Additional Half Hour	1		UEF	URETA	 	37.44	37.44	· · · · · · · · · · · · · · · · · · ·	-						
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1										i		1	
 	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load	 	+	UEF	ULM2X		335 36	7.82								
	Coil/Equip Removal per 4-W PR	į	1	UEF	ULM4X		335.36	7.82							1	
 	Unbundled Loop Modification, Removal of Bridge Tap, per	1	1	-							<u> </u>	 			· · · · · · · · · · · · · · · · · · ·	+
l	unbundled loop	<u></u>	<u> </u>	UEF	ULMBT		528.48	9.74			<u> </u>	1			<u> </u>	<u> </u>
Unbun	dled Network Terminating Wire (UNTW)		1	I	In all threads				,		·			,		T
Netwo	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID)	Ц	٠	UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814	L	L	20.35	10.54	13.32	13.32
1.00	Network Interface Device (NID) - 1-2 lines		T	UENTW	UND12	Γ	63.46	31.06	0.6391	0.6391	1		20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16	 	63.46	31.06	0.6522	0.6522	!		20.35			
	Network Interface Device Cross Connect - 2 W	L		UENTW	UNDC2		8.75	8.75					20.35	10.54	13.32	13.32
1	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		8.75	8.75					20.35	10.54	13.32	13.32
ONE OTHER,	PROVISIONING ONLY - NO RATE			UAL, UCL. UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW.												
	L			NTCVG, NTCUD.		1	1									
 	Unbundled Contact Name, Provisioning Only - no rate	-	 	NTCD1, USL	UNECN	0.00	0.00				<u> </u>	ļ	ļ	-	ļ	
 	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no rate	 	+	USL, NTCD1	CCOSF		0.00				 			 	 	1
 	NID - Dispatch and Service Order for NID installation	+	+	UENTW	UNDBX	0.00	0.00			-	 	 	 	 	 	
	UNTW Circuit Establishment, Provisioning Only - No Rate	 	†	UENTW	UENCE	0.00					 	 		 	 	
LOOP MAKE-L	jP	Ι.	1						1				İ			
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		1	UMK	UMKLW		0.76	0.76					20.35	10.54	13.32	13.3

CNBOND	/LEL	NETWORK ELEMENTS - Tennessee		·										Att: 2 Exh: A			
CATEGOR	Y	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	-			├			Rec	Nonrecurring		Nonrecurring			T		Rates(\$)		
	c	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP	<u> </u>	First 0.76	Add'I 0.76	First	Add'l	SOMEC	SOMAN	SOMAN 20.35	SOMAN 10.54	SOMAN 13.32	SOMAN 13.32
	f	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			имк	UMKMQ		0.76	0.76					20.35	10.54	13.32	13.32
LINE SPLIT		ER ORDERING-CENTRAL OFFICE BASED	1	ــــــــــــــــــــــــــــــــــــــ	L	L	J			L	l	J	L	<u> </u>	L		<u> </u>
		Line Splitting - per line activation DLEC owned splitter	т —		UEPSR UEPSB	UREOS	0.61			τ	Υ						
	i	Line Splitting - per line activation BST owned - physical	 	 	UEPSR UEPSB	UREBP	0.61	48.96	21 39	35.06	10.79	 	 	20.35	10.54	13.32	13.32
		Line Splitting - per line activation BST owned - virtual	1.		UEPSR UEPSB	UREBV	0.61		21.39					20.35			
EN		ER ORDERING - REMOTE SITE LINE SPLITTING	·														
		Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter			UEPSR UEPSB	URERS	0.61	53.40	04.04					0.00	0.00	0.00	
		Splitter Splitter			UEPSR UEPSB	URERA	0.61	50.57	20.06	6.70	6.70			0.00	0.00	0.00	
UN		DLED EXCHANGE ACCESS LOOP		<u> </u>	100.011.021.00	TOTILLIA		30.57	20.00	L	<u> </u>		·	0.00	0.00	0.00	1 0.00
2-V		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	!	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1_1_	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41		ļ	20.35	10.54	13.32	13.32
		Z white Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.32
		Zone 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	-	2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41		-	20.35	10.54	13.32	13.32
-		Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 -	3	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.32
PH		Zone 3 AL COLLOCATION	<u> </u>	3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41	<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
		Physical Collocation-2 Wire Cross Connects (Loop) for Line	T	\top		T	T			1	T -	1		<u> </u>	T	T	$\overline{}$
		Splitting	\		UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66	1	1	0.00	0.00	0.00	0.00
Vii		LCOLLOCATION	Т	т	1		7				T	T	Γ	1	1	т	Ţ
	ED D	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting EDICATED TRANSPORT	-	<u> </u>	UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
IN		OFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone			Tuesto.	Lucasos		,				,					
	\dashv	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination	┼—	+-	U1TVX U1TVX	1L5XX U1TV2	0.0174		17,37	27.96	3.51	+	 	20.35	21.09	9.80	10.54
		Interoffice Channel - 2-Wire Voice Grade Rev Bat - per mile			U1TVX	1L5XX	0.0174		77.57	27.50	3.31			20.00	21.00		1
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	<u> </u>	<u> </u>	U1TVX	U1TR2	18.58		17.37	27.96	3.51	ļ	ļ	20.35	21.09	9.80	10.54
		Interoffice Channel - 4-Wire Voice Grade - per mile	+	+	U1TVX	1L5XX	0.0174			 	 	 	 	 	1		+
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination Interoffice Channel - 56 kbps - per mile		—	U1TVX	U1TV4	24.09 0.0174		26.02	30.78	13.07	'	├ ──	15.08	15.08	9.80	10.54
		Interoffice Channel - 56 kbps - Facility Termination	+	+	U1TDX	U1TD5	17.98		17.37	27.96	3.51		 	20.35	21.09	9.80	10.54
 		Interoffice Channel - 64 ktops - per mile	1	 	U1TDX	1L5XX	0.0174			1							
		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98		17.37	27.96	3.51			20.35	21.09	9.80	10.54
		Interoffice Channel - DS1 - per mile	+	 	U1TD1	1L5XX	0 3562			·	ļ		1 -	00.00	21.09	9.80) 10.54
\vdash		Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile	+-		U1TD1 U1TD3	U1TF1 1L5XX	77.86		76.27	19.55	14.99	'	+	20.35	21.09	9.80	10.54
 	\dashv	Interoffice Channel - US3 - per mile Interoffice Channel - DS3 - Facility Termination	+	+	U1TD3	U1TF3	848.99		176.56	109.04	105.91	 	1	36.84	36.84	19.01	19.0
		Interoffice Channel - STS-1 - per mile		\pm	U1TS1	1L5XX	2.34					T					
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91	<u>' </u>		36.84	36.84	19.01	1 19.0
UN		IDLED DARK FIBER - Stand Alone or in Combination		_			-т		·····	·	·r ·		 	1	,		
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof	ļ		UDF, UDFCX	1L5DF	28.74		ļ		ļ		ļ			 	
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof	<u> </u>	_	UDF, UDFCX	UDF14		1,121 00	153.19	580.26	357.17	<u>- </u>		ļ	ļ		
		Y UNBUNDLED LOCAL LOOP			J		ш	.1	L		1	ــــــــــــــــــــــــــــــــــــــ				ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ
IDS		TS-1 UNBUNDLED LOCAL LOOP - Stand Alone DS3 Unbundled Local Loop - per mile	т —		TUE3	1L5ND	9.19	· · · · · · · · · · · · · · · · · · ·	Т		T	T	Т		1	T	Т
+		DS3 Unbundled Local Loop - Facility Termination	+	+	UE3	UE3PX	374.24		304.50	234.83	3 170.16	6	 	36.84	36.84	19.01	1 19.0
		STS-1Unbundled Local Loop - per mile		-+	UDLSX	1L5ND	9.19		 	1							7

AND UNDEED IVE	TWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring	 .	Nonrecurring	Disconnect			oss	Rates(S)		1
_ 							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	389.35	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.6
NHANCED EXTEND		L	L			L	!		L		L					
	nents Used in Combinations			Contractor Contractor	6:											
2-VVII	e VG Loop (SL2) in Combination - Zone 1	├	1 -	UNCVX	UEAL2	14,74	108.76	35.47		10.86			31.26			
2.4411	e VG Loop (SL2) in Combination - Zone 2 e VG Loop (SL2) in Combination - Zone 3		2	UNCVX	UEAL2	22.08	108.76	35.47		10.86			31.26	10.42		
	e Analog Voice Grade Loop in Combination - Zone 1	 	3	UNCVX	UEAL2	36.87	108.76	35.47		10.86			31.26	10.42	<u> </u>	
	e Analog Voice Grade Loop in Combination - Zone 1	 	2	UNCVX	UEAL4	21.98	108.76	35.47		10.86			31.26	10.42		
	e Analog Voice Grade Loop in Combination - Zone 3	{	3	UNCVX	UEAL4 UEAL4	32.93	108.76	35.47		10.86			31.26	10.42		
	e ISDN Loop in Combination - Zone 1	 	1	UNCNX	U1L2X	54.99	108.76	35.47	72.94	10.86			31.26	10.42	ļ	ļ
	e ISDN Loop in Combination - Zone 2	 	2	UNCNX	U1L2X	19.77 29.63	108.76 108.76	35.47	72.94	10.86	ļ		31.26	10.42		
	e ISDN Loop in Combination - Zone 3	1	3	UNCNX	U1L2X	49.47		35.47	72.94 72.94	10.86			31.26	10.42	ļ	
	e 56Kbps Digital Grade Loop in Combination - Zone 1	 	1	UNCDX	UDL56	27.68		35.47 35.47		10.86	 -	├	31.26 20.35		13.32	
	e 56Kbps Digital Grade Loop in Combination - Zone 2	†	2	UNCDX	UDL56	41.47		35.47		10.86			20.35		13.32	+
	e 56Kbps Digital Grade Loop in Combination - Zone 3	\vdash		UNCDX	UDL56	69.24		35.47		10.86			20.35			
	e 64Kbps Digital Grade Loop in Combination - Zone 1	 	1 1	UNCDX	UDL64	27.68		35.47		10.86	 		20.35		13.32	
4-Wir	e 64Kbps Digital Grade Loop in Combination - Zone 2	 -		UNCDX	UDL64	41.47		35.47		10.86	 	 	20.35		13.32	
4-Wir	e 64Kbps Digital Grade Loop in Combination - Zone 3	†		UNCDX	UDL64	69.24		35.47		10.86	 		20.35		13.32	
	e DS1 Digital Loop in Combination - Zone 1	 -		UNC1X	USLXX	51.38		161.74		24.88	 		18.98			
4-Wir	e DS1 Digital Loop in Combination - Zone 2	 		UNCTX	USLXX	76.98		161.74		24.88			18.98		11.95	
4-Wir	e DS1 Digital Loop in Combination - Zone 3	 		UNC1X	USLXX	128.54		161.74		24.88			18.98			┼──
	Local Loop in combination - per mile	 	 	UNC3X	1L5ND	9.19		101.74	75.07	24.00	 		10.30	0.43	11.33	-
	Local Loop in combination - Facility Termination	†	 	UNC3X	UE3PX	374.24		628.84	106.78	45.24	 	-	36.84	36.84	19.01	1
	1 Local Loop in combination - per mile	 	 	UNCSX	1L5ND	9,19		020.04	100.75	45.24	 		30.64	30.64	19.01	 -
	1 Local Loop in combination - Facility Termination	 	+	UNCSX	UDL\$1	389.35		628.84	79.87	24.88	 		36.84	36.84	19.01	1
	office Channel in combination - 2-wire VG - per mile	1		UNCVX	1L5XX	0.0174		020.04	75.07	24.00	 	 	30.04	50.04	13.01	+
	office Channel in combination - 2-wire VG - Facility	+	+	0.1017	- LOAA		 		 	 	 	 	 	 		+
	ination	1		UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00	. 1	i	20.35	21.09	9.80	11
	ffice Channel in combination - 4-wire VG - per mile	t	+	UNCVX	1L5XX	0.0174		44.00	1	31.00	 		1	+	0.00	
	office Channel in combination - 4-wire VG - Facility	† 	 	0	LOAK	0.0.74	 	i	+	 	 	 	† 	 	· · · · · ·	
	ination	1	ļ	UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00	, l	1	15.08	15.08	8.66	
	ffice Channel in combination - 4-wire 56 kbps - per mile	+	+	UNCDX	1L5XX	0.0174		17.00	+	1		 	1	-		-
	office Channel in combination - 4-wire 56 kbps - Facility	 	 	DIVOUX.	TIESAX.	0.0174			+		1	 		-	 	1
	ination		1	UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00		1	20.35	21.09	9.80	1
	ffice Channel in combination - 4-wire 64 kbps - per mile	+	1	UNCDX	1L5XX	0.0174			00,02		1	 			T	1
	office Channel in combination - 4-wire 64 kbps - Facility	 	1	0.100	T CONTRACT	0.011			 	 	1		+	 	<u> </u>	t
	ination	1	1	UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00	, I		20.35	21.09	9.80	1
	office Channel in combination - DS1 - per mile	t	t	UNC1X	1L5XX	0.3562		t	T		1	· · · · · ·			1	
	office Channel in combination - DS1 Facility Termination	+	1	UNC1X	U1TF1	77.86		113.12	70.07	30.90			20.35	21.09	9.80	1
	office Channel in combination - DS3 - per mile	 	1	UNC3X	1L5XX	2.34									1	
	office Channel in combination - DS3 - Facility Termination	1	+	UNC3X	U1TF3	848.99	482.01	153.81	64.43	35.43	3		36.84	36.84	19.01	1
	office Channel in combination - STS-1 - per mile		 	UNCSX	1L5XX	2.34		1	1	T	7					
	office Channel in combination - STS-1 Facility Termination	1		UNCSX	UITES	849.30	482.01	153.81	64.43	35.43	3		36.84	36.84	19.01	
DOITIONAL NETW		1							T			1			<u> </u>	
	tures & Functions:															
				U1TD1,			T		1				1			
Clea	r Channel Capability Extended Frame Option - per DS1	1 1	1	ULDD1,UNC1X	CCOEF	1	0.00	0.00	0.00	0.00	1	1	1	 		+
	······································		1	U1TD1,					1			1	1	1		1
Clea	r Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00)	<u> </u>			↓	
Clea	r Channel Capability (SF/ESF) Option - Subsequent Activity -	.		ULDD1, U1TD1,			1			ĺ	1	1				
per 0	O\$1	1	_ L	UNC1X, USL	NRCCC _	l .	185.16	23.86	2.03	0.79	9					
				U1TD3, ULDD3,			1	-	1	1	1	1	1	1		1
C-bit	Parity Option - Subsequent Activity - per DS3	<u>i</u> .	L	UE3. UNC3X	NRCC3		219.46				4			 	 	
	/DS0 Channel System			UNC1X	MQ1	80.77						 				
	/DS1Charinel System			UNC3X, UNCSX	MQ3	222.98				6.77	4	↓	20.35	9.80	11.49	<u>, </u>
Voic	e Grade COCI in combination			UNCVX	1D1VG	1.82	5.70	4.42	?	 			-	+	 	+
							1	1	Į.	1	ı	1	1	1	1	
Voic	e Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	1.82	5.70	4.42	?			·			 	
Voic	e Grade COCI - for connection to a channelized DS1 Local	1	1	1	1		1	İ	1	1	1	1	1	1	1	
	nnel in the same SWC as collocation			UTTUC	1D1VG	1.82					1					
ocu	I-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	0.9					J		20.35	9.80	11.49	,
	I-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	1D1DD	0.9	5.70	4.42	2		1	↓	+		+	
	I-DP COCI (2.4-64kbs) - for connection to a channelized DS1		1			1	1	1	i	1	i	1		1	1	1
	I Channel in the same SWC as collocation	1	l	UITUD	10100	0.9	5.70	4.42	2	1	1	1 .	.1	i	1	

UNBUN	NDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
												Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'i
			 -				Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		2-wire ISDN COCI (BRITE) in combination	├ ─	ļ	UNCNX			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - for a Local Loop	├		UDN	UC1CA	17.58	5.70	4.42	 				20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - for connection to a channelized DS1		 	UDN	UCICA	17.58	5.70	4.42								
1		Local Channel in the same SWC as collocation	1	1 '	LIATUD.]]								1	
		DS1 COCI in combination		-	U1TUB	UC1CA	17.58	5.70	4.42			I					
+				-	UNC1X	UC1D1	17.58	5 70	4.42					20.35	9.80	11.49	1.18
		DS1 COCI - for Stand Alone Local Channel	├	├	ULDD1	UC1D1	17.58	5.70	4.42								
-		DS1 COCI - for Stand Alone Interoffice Channel		ļ	U1TD1	UC1D1	17.58	5.70	4.42								
		DS1 COCI - for DS1 Local Loop	L	ļ	USL. NTCD1	UC1D1	17.58	5.70	4.42								
		DS1 COCI - for connection to a channelized DS1 Local Channel in	i	l		[1		1
		the same SWC as collocation	<u> </u>		U1TUA	UC1D1	17.58	5.70	4.42		ļ	ł					
			1		UNCVX, UNCDX,	Ĭ											
				1	UNC1X, UNC3X,	!		1		l		1				1	
				1	UNCSX, UDFCX,	i						1					
1 1			1	1	XDH1X, HFQC6,	i						!					
			1	1	XDD2X, XDV6X,		ļ	1		Ì		1					
1 1			1	1	XDDFX, XDD4X,	1	1	1 1			ì	ì		1	ì	1	1
1 1		Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST, UNCNX	UNCCC		52.73	24.62	9.12	9.12	1			Į.		
			 		U1TVX, U1TDX,	1		 		J.,,	J	1		 		 	
ļļ		Unbundled Misc Rate Element, SNE SAI, Single Network Element	1		U1TD1, U1TD3.		1	1				ì				I	
1 1		Switch As Is Non-recurring Charge, per circuit (LSR)			U1TS1, UDF, UE3	URESL	1	34.53	15.11					1	ŀ	I	
\vdash		Unbundled Misc Rate Element, SNE SAI, Single Network Element	+- -	+	UITVX, UITDX,	UNESE	 	34.53	13.11					 	 	 -	
1 1			1	1	U1TD1, U1TD3,			1		1	l	l	l	1	Į.	Į.	į.
1 1		Switch As Is Non-recurring Charge, incremental charge per circuit	1 .	1			1	11			1		l	l		1	1
		on a spreadsheet		1	U1TS1, UDF, UE3	URESP	J	1.40	1 40	L	J	ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>	1		
	Access	to DCS - Customer Reconfiguration (FlexServ)	-,				· · · · · · · · · · · · · · · · · · ·	······			,					,	
-		Customer Reconfiguration Establishment	 	_		ļ		2.78		3.32				ļ	ļ		
-		DS1 DCS Termination with DS0 Switching	<u> </u>				23.35	41 14	34.25	29.94			<u> </u>	<u> </u>	l		
		DS1 DCS Termination with DS1 Switching		<u> </u>		1	13,45		20.90		16.12		L	L	l	ļ	<u> </u>
	_	DS3 DCS Termination with DS1 Switching		Ш		<u> </u>	150.88	41.14	34.25	29.94	24.08	<u> </u>	<u> </u>	L			
	Node (SynchroNet)															
		Node per month	T	1	UNCDX	UNCNT	17,11					1	I			L	
	Service	e Rearrangements															
			Ţ		U1TVX, U1TDX,		1	1		1				T		1	
			1		UTTUC, UTTUD,							i	Į.				
1 1					U1TUB, ULDVX,												
1 1	l	NRC - Change in Facility Assignment per circuit Service	1	1	ULDDX, UNCVX,	ì	ì	1		ì	1	-1	1	1	1	1	1
1 1	i	Rearrangement	1	i	UNCDX, UNC1X	URETD		130.47	40.11		1			1			
				+-	U1TVX, U1TDX,	† · · · · ·	 				1						
				t	UITUC, UITUD,						1			{			
		1			U1TUB, ULDVX.						i					1	
1	ŀ	NRC - Change in Facility Assignment per circuit Project	1	j.		L		1			l	1	ł			1	
				ł		1	1	1 1						1	l		1
			Ι,		ULDDX, UNCVX,	LIDETD		344	3.44		l	1	ļ				ļ
—		Management (added to CFA per circuit if project managed)	1		UNCDX, UNC1X	URETB	<u> </u>	3.44	3.44		-	ļ					ļ
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1			URETB OCOSR		3.44 18.93	3.44 18.93								
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	+		UNCDX, UNC1X UNC1X, UNC3X												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X,												
COMMIN	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC3X UNC1X, UNC3X UNCYX, UNCDX, UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC3X UNC1X, UNC3X UNCYX, UNCDX, UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDLSX,												
COMMI	NGLING	Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, U1DUS,	OCOSR	0.00	18.93	18.93		0.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Committing the Coordination Specific Time - Dedicated Transport Committing the Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNCDX, UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TUB, ULDVX,		0.00	18.93			0.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit)	1		UNCDX, UNC1X UNC1X, UNC3X UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDD1, ULDD3,	OCOSR	0.00	18.93	0.00	0.00	0.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization Ingled (UNE part of single bandwidth circuit) Commingled VG COC	1		UNCDX. UNC1X. UNC1X, UNC3X. UNC1X, UNCDX. UNC1X, UNC3X, UNC1X, UTD1, U1TD3, U1T51, U1TD3, U1T51, U1TUB, ULDVX, U1TVX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 ULDS1 XDV2X	CMGAU	1.82	0.00	0.00	0.00	0.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization Ingled (UNE part of single bandwidth circuit) Comminged US COCI Comminged Digital COCI			UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC3X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TVX, U1TDA, ULDD1, ULDD3, ULDS1 ULDS1 XDV2X XDV6X	CMGAU 1D1VG 1D1DD	1.82	0.00 5.70 5.70	0.00 4.42 4.42	0.00	0.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled Digital COCI Commingled ISDN COCI	1		UNCDX. UNC1X. UNC1X. UNC3X. UNCYX. UNCDX. UNC1X. UNC3X. UNC1X. UNC3X. UNC1X. U1TD1. U1TD3. U1T151. U1TU3. U1SX. U1TUX. U1TUX. U1TUX. U1TUX. U1TUB. ULDD3. ULDD1. ULDD3. ULDS1 XDV2X XDV6X.	CMGAU 1D1VG 1D1DD UC1CA	1.82 0.91 17.58	0.00 5.70 5.70	0.000 4.42 4.42	0.00							
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ingled (UNE part of single bandwidth circuit) Comminged VG COCI Comminged Digital COCI Comminged 15DN COCI Comminged 2-were VG interoffice Channel Facility Termination	1		UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNC3X UNC1X, UNC3X, UNC3X, UTD1, U1TD3, U1T51, UE3, UDL5X, U1TVX, U1TDA, U1TVB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDV6X XDD4X XDV2X	CMGAU 1D1VG 1D1DD UC1CA U1TV2	1.82 0.91 17.58 18.58	0.00 5.70 5.70 5.70 7.983	0.00 4.42 4.42 44.08	0.00	31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ingled (UNE part of single bandwidth circuit) Comminged Digital COCI Comminged Digital COCI Comminged ISDN COCI Comminged 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	1		UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNCX, UNC3X, UNC	CMGAU 1D1VG 1D1DD UC1CA U11V2 U11V4	1.82 0.91 17.58 18.58 24.09	0.00 5.70 5.70 5.70 79.83	0.00 4.42 4.42 4.40 4.40	0.00 69.32 69.32	31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled Digital COCI Commingled ISDN COCI Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled Sibbps Interoffice Channel Facility Termination	1		UNCDX. UNC1X. UNC1X, UNC3X. UNC1X, UNCDX, UNC1X, UNC3X, UNC1X, UTD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TU3, U1TDX, U1TU4, U1TDX, U1TU5, ULDD3, ULDD1, ULDD3 ULDS1 XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X	CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TU5	1.82 0.91 17.58 18.58 24.09	0.00 5.70 5.70 5.70 79.83 79.83	0.00 0.00 4.42 4.42 4.40 44.08 44.08	69 32 69 32 69 32	31.00 31.00 31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ingled (UNE part of single bandwidth circuit) Comminged Digital COCI Comminged Digital COCI Comminged ISDN COCI Comminged 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	1		UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, U1TVX, U1TDX, U1TVX, U1TD4, ULDVX, ULDD1, ULDD3, ULDD3 ULDS1 XDV2X XDV6X	CMGAU 1D1VG 1D1DD UC1CA U11V2 U11V4	1.82 0.91 17.58 18.58 24.09	0.00 5.70 5.70 5.70 79.83 79.83	0.00 4.42 4.42 4.40 4.40	69.33 69.33 69.33	31.00 31.00 31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled ISBN COCI Commingled ISBN COCI Commingled 1-wer VG Interoffice Channel Facility Termination Commingled 4-wer VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 66kbps Interoffice Channel Facility Termination	1		UNCDX, UNC1X UNC1X, UNC3X UNCYX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD4, U1TUX, U1TDX, U1TUX, U1TDX, U1DD1, ULDD3, ULDD1 IXDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XD04X XD04X XD04X XD04X XDV6X, XD	CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TDS U1TDS	1.82 0.91 17.58 18.58 24.09 17.98	0 00 5 70 5 70 5 70 7 9 83 7 9 83 7 9 83	0.00 0.00 4.42 4.42 4.40 44.08 44.08	69 32 69 32 69 32	31.00 31.00 31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled Digital COCI Commingled ISDN COCI Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled Sibbps Interoffice Channel Facility Termination			UNCDX. UNC1X UNC1X, UNC3X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1T51, U1TUB, ULDVX, U1TVX, U1TDX, U1TVX, U1TDX, ULDD1, ULDD3, ULDS1 VLDD1, ULDD3, ULDS1 XDV2X XDV6X XDV6X XDV	CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TV5 U1TD6	1.82 0.91 17.58 18.58 24.09 17.98 17.98	0.00 5.70 5.70 5.70 79.83 79.83 79.83	0.00 4.42 4.42 4.42 4.40 4.408	69.32 69.32 69.32 69.33	31.00 31.00 31.00						
		Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled ISBN COCI Commingled ISBN COCI Commingled 1-wer VG Interoffice Channel Facility Termination Commingled 4-wer VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 66kbps Interoffice Channel Facility Termination			UNCDX, UNC1X UNC1X, UNC3X UNCYX, UNCDX, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD4, U1TUX, U1TDX, U1TUX, U1TDX, U1DD1, ULDD3, ULDD1 IXDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XD04X XD04X XD04X XD04X XDV6X, XD	CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TDS U1TDS	1.82 0.91 17.58 18.58 24.09 17.98	0.00 5.70 5.70 5.70 79.83 79.83 79.83	0.00 4.42 4.42 4.42 4.40 44.08 45.00 46.00 47.00 48.00	0 00 69 32 69 32 69 32 72 94	31.00 31.00 31.00 31.00						

MOUNTE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh; A			
					T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		İ										Submitted	Charge -	Charge -	Charge -	Charge -
		1	ì		1											
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
		"""		003	0300			HATES(3)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs
											1		Electronic-	Electronic-	Electronic-	Electronic
											1		1st	Add'i	Disc 1st	Disc Add
		┼	├		+		N				[L	L	<u></u>	·	ــــــــــــــــــــــــــــــــــــــ
	 	+-	├		ļ	Rec	Nonrecurring		Nonrecurring			T-2		Rates(\$)	T	
	Commingled 2-wire Local Loop Zone 3	+		XDV2X	UEAL2		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 2-wire Edgal Loop Zone 3					36.87	108.76	35.47	72.94	10.86		ļ				
				XDV6X	UEAL4	21.98	108.76	35.47	72.94	10.86	ļ	ļ				<u> </u>
	Commingled 4-wire Local Loop Zone 2	——		XDV6X	UEAL4	32.93	108.76	35.47	72.94	10.86				l	L	L
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	54.99	108.76	35.47	72.94	10.86	1	1				
 -	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	27.68	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 2	 .		XDD4X	UDL56	41,47	108.76	35 47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	69.24	108.76	35 47	72.94	10.86		I				
!	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	27.68	108.76	35.47	72.94	10.86]					
	Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	41.47	108.76	35.47	72.94	10.86	1	1	1			
l	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	69.24	108.76	35.47	72.94	10.86	1	1				Τ
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	19.77	108.76	35.47	72.94	10.86	1				T	
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	29.63	108.76	35.47	72.94	10.86	T****	T			†*****	1
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	49,47	108.76	35.47	72.94	10.86		 				+
	Commingled DS1 COCI			XDH1X	UC1D1	17.58	5.70	4.42			 	 			 	
	Commingled DS1 Interoffice Channel Facility Termination	 	1	XDH1X	U1TF1	77.86	171,24	113.12	70.07	30.90	}	} -	}		 	+
	Commingled DS1 Interoffice Channel per mile	+	 	XDH1X	1L5XX	0.3562		110.12	70.07	30.30	 	-	 	 	 	+
1	Commingled DS1/DS0 channelSystem	+		XDH1X	MQ1	80.77	105.76	14.48	3.04	2.74	 	 		 		+
	Commingled DS1 Local Loop Zone 1	+	1	XDH1X	USLXX	51.38	228.40	161.74	79.87	24.88		 		 		+
	Commingled DS1 Local Loop Zone 2	+		XDH1X	USLXX	76.98	228.40	161.74	79.87	24.88		 		 	 	+
	Commingled DS1 Local Loop Zone 3	+		XDH1X	USLXX	128.54	228.40	161.74	79.87	24.88			 	├		+
	Comminged DS1 Local Loop Facility Termination		 -	HFQC6	UE3PX						+	 	-			+
				HFQC6, HFRST	1L5ND	374.24	1,260.47	628.84	106.78	45.24		 			ļ	
 -	Commingled DS3/STS-1 Local Loop per mile			HERST	UDLS1	9.19	L				 	 	ļ		ļ	↓ ——
	Commingled STS-1 Local Loop Facility Termination					389.35	1,260.47	628.84	79.87	24.88	 	 			 	+
	Commingled DS3/DS1 channelSystem		├ ──	HFQC6	MQ3	222.98	156.02	49.41	17.12	6.77	 	├		ļ		+
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	848.99	482.01	153.81	64.43	35.43	\	.	 	<u> </u>	ļ	
	Commingled DS3 Interoffice Channel per mile		↓	HFQC6	1L5XX	2.34					 	<u> </u>	ļ		ļ	
	Commingled STS-1Interoffice Channel Facility Termination		<u> </u>	HFRST	U1TFS	849.30	482.01	153.81	64.43	35.43	<u> </u>	ļ			i	
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	2.34					ļ <u>.</u>	1			ļ	1
i	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	i	1		1		1				1	1		!		1
	Strands, Per Route Mile Or Fraction Thereof		<u> </u>	HEODL	1L5DF	28.74					<u> </u>	.1			1	1
-1	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1									1				1	1
	Strands. Per Route Mile Or Fraction Thereof		L	HEODL	UDF14	1	1,121.00	153.19	580.26	357.17	<u> </u>		1			<u> </u>
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00				[
	SPA to Commingled Conversion Tracking		T	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00		T		1		
P Query Se	rvice	T		1								1	1			
т-	LNP Charge Per query		1		· · · · · · ·	0.0009277						1	1		1	
	LNP Service Establishment Manual		1				23.60	13.83	23.60	12.71		1	1		1	
	LNP Service Provisioning with Point Code Establishment		+	 			1,119.00	571.71	1,119.00	571,71		+	 			1
1 PBX LOC			† ·	 		 	1,170.00			1		+			†··	+
	BX LOCATE DATABASE CAPABILITY		٠	<u> </u>		٠										
13117	Service Establishment per CLEC per End User Account		1	I9PBDC	19PBEU		1,706.00					τ		·	7	T
\dashv		+	 	9PBDC	9PBTN	 	170.69			 	+	+	1	+	+	+
	Changes to TN Range or Customer Profile	+-	 				170.69			 	+	+	 	 	+	+
	Per Telephone Number (Monthly)	+	+	9PBDC	9РВММ	0.07	504.55			 	+	+	 		+	+
	Change Company (Service Provider) ID	-		9PBDC	9PBPC	 _	501.06				+	+	 		+	+
	PBX Locate Service Support per CLEC (Monthlt)		ļ	9PBDC	9PBMR	191.92				ļ	 	_	<u> </u>	 	 	+
	Service Order Charge		1	9PBDC	9PBSC		23.20			L		<u> </u>	1	J.,		1
	BX LOCATE TRANSPORT COMPONENT					· · · - · · · · · · · · · · · · · · ·										
See A	tt 3													· · · · · · · · · · · · · · · · · · ·		
			1			1					1	1	1	1	1	1

NRONDLED	NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (S)			1	Svc Order Submitted Manually per LSR		Incremental Charge -	Charge -	Charge -
					 		Name		Near-worls	g Disconnect			000	Rates (\$)		
			-			Rec	First	curring Add'i	First	Add'I	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
		-			+		FIISL	Addi	FIRSL	Addi	SOWIEC	SUMAN	SUMAN	SOMAN	SOWAN	JOMAN
NBUNDLED E	XCHANGE ACCESS LOOP		 		- 						 					
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP							-	-					
	2 Wire Unbundled HDSL Loop including manual service inquiry		T						1		1					
	& facility reservation - Zone 1		1	UHL	UHL2X	10.05		1			1	•				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	11.70	_	l			1				L	
	2 Wire Unbundled HDSL Loop including manual service inquiry							Ι			T	1				
	& facility reservation - Zone 3		3	UHL	UHL2X	13.16										ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry											1				
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05		ļ	 	<u> </u>					-	
	2 Wire Unbundled HDSL Loop without manual service inquiry		-					1	1			1			l	1
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70		-				-	 	ļ	 	+
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	13.16		1			1	i		1	1	
	and facility reservation - Zone 3 HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLÉ		UHL	UHLZW	13.16				 	+		 		1	
	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	1000	 	+			 	 	+			+	·	+	+
1 1	and facility reservation - Zone 1	1	1	UHL	UHL4X	16.04					1		1		1	1
	4-Wire Unbundled HDSL Loop including manual service inquiry			0.16	Ones	10.04			· · · · · · · · · · · · · · · · · · ·	 	+		· · · · · · · · · · · · · · · · · · ·			
	and facility reservation - Zone 2	1	2	UHL	UHL4X	17.89				ļ	1		ļ .			1
	4-Wire Unbundled HDSL Loop including manual service inquiry		+-	10.12	- JOHETA			 	+	1	-				1	
	and facility reservation - Zone 3	ļ	3	UHL	UHL4X	17,54		1			1		1			1
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	 	, , , , , , , , , , , , , , , , , , ,	UNIC4X	11.54					1	1	1		1	
	and facility reservation - Zone 1	1	1 1	UHL	UHL4W	16.04		1				1		1		
	4-Wire Unbundled HDSL Loop without manual service inquiry		 		- Diletti	10.01				1			1			T
	and facility reservation - Zone 2	1	2	UHL	UHL4W	17.89				1	1	1	1			1
	4-Wire Unbundled HDSL Loop without manual service inquiry	\vdash	 		10.000					1			1			
	and facility reservation - Zone 3	1	3	UHL	UHL4W	17.54			1	1	!					
4-WIRE	DS1 DIGITAL LOOP		 	0.12	10112111			+	-			1				
	4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	94.93		 	1			1				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31							1			
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	361.70					1					
IGH CAPACIT	TY UNBUNDLED LOCAL LOOP		+ -	1000	1002781							1	1			
Tarren Aur	High Capacity Unbundled Local Loop - DS3 - Per Mile per	+	+					1		1				1		T
	month			UE3	1L5ND	9.64								1	1	
	High Capacity Unbundled Local Loop - DS3 - Facility		+													
1	Termination per month		1	UE3	UE3PX	308.98		!						<u> </u>		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1	1													ĺ
1	month		1.	UDLSX	1L5ND	9.64		1.		_L						-
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	367.80						1			+	
INBUNDLED I	DEDICATED TRANSPORT											-				+-
	OFFICE CHANNEL - DEDICATED TRANSPORT									1			1	ļ		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per											1		1		
	month			U1TD1	1L5XX	0.21						1				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1									1		1		
	Termination			U1TD1	U1TF1	69.18										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	T											1	1	
1	month			U1TD3	1L5XX	4.70		1						_		
	Interoffice Channel - Dedicated Transport - DS3 - Facility										1	i	1	1		1
1	Termination per month	L		U1TD3	U1TF3	809.05									-	+-
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per												1	1		
ļ	month	<u>L</u> _		U1T\$1	1L5XX	4.70						1	_			+
	Interoffice Channel - Dedicated Transport - STS-1 - Facility													1		1
l	Termination			U1TS1	U1TFS	806.58							1			
UNBU	NDLED DARK FIBER - Stand Alone or in Combination															
1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			1												1
1	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	25.69						1				\bot
	XTENDED LINK (EELs)	1	_			1								1		1

LIMBII	NDLE	D NETWORK ELEMENTS - Alabama															
UNBU	NDLE	NETWORK ELEMENTS - Alabama													t: 2 Exh. B		
			i									Submitted	Submitted	Charge -	Charge -	Charge -	Incremental Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
l			111	1		1						po. 20	po. 2011	Electronic-	Electronic-	Electronic-	
						İ						i		1st	Add'I	Disc 1st	Disc Add'l
L——							Rec	Nonre	curring	Nonrecurrin	g Disconnect	——		oss	Rates (\$)		
			L	<u> </u>				First	Addʻl	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>	NOTE:	The monthly recurring and non-recurring charges below will	apply a	ind the	Switch-As-Is Char	ge will not ap	ply for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Networ	k Elements.	<u> </u>			1	1
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ring charges below	will apply for	UNE combination	ons provision	ed as ' Current	lly Combined	Network Eleme	ints.					1
	EXIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTE	ROFFICE TRANSPO	DRT	<u> </u>										1
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	94.93										
	L	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	177.31			T						1	
		4-Wire DS1 Digital Loop in Combination - Zone 3	l	3	UNC1X	USLXX	361.70		Ţ								1
1	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1												· · · · · · · · · · · · · · · · · · ·	
L		per month		ł	UNC1X	1L5XX	0.21										}
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	UITEI	60.40									ļ	
 	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DEELCE		UIIFI	69.18				 	ļ			ļ		
	LAILI	DS3 Local Loop in combination - per mile per month	INTER	OFFICE	UNC3X	41.51.5	 		 	 	ļ <u> </u>			Ļ	L		
		D33 Cocar Coop in combination - per mile per month	}	╁	UNUSX	1L5ND	9.54			ļ		 	<u> </u>	ļ	L		
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70		·		†	 	 	 			1
		Interoffice Transport - Dedicated - DS3 combination - Facility								ļ	 	ļ		1		1-7	
L	Į	Termination per month		1	UNC3X	U1TF3	809.05			1	l	1	l	1	Į	l	1
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN	EROF	FICE TRANSPORT		1		†			 		 		 	
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	9.54		 	1		 		<u> </u>	 	 	+
		STS-1 Local Loop in combination - Facility Termination per	1	1	1		1		1	1	<u> </u>	 		 	 	†	+
1		month		1	UNCSX	UDLS1	367.80		1	1	1			1	1		1
		Interoffice Transport - Dedicated - STS-1 combination - per mile		1-	†·*		†		 		<u> </u>	<u> </u>		 		 	+
	{	per month	ļ	1	UNCSX	1L5XX	4.70		}	}		ł	1	1	}	1	1
	T	Interoffice Transport - Dedicated - STS-1 combination - Facility	T	1	1	1	1		†··	 	<u> </u>	†	†	1	1	 	1
	}	Termination per month	1	1	UNCSX	UITES	806.58			1	1	I	1	1	İ	1	

ONDONDEE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh, B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (S)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incrementai Charge - Manuai Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
			┼──		+	Rec	First	curring Add'l	Nonrecurrin First	g Disconnect		001444		Rates (\$)		
		 	 	 			Filst	Addi	rirst	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP				 			 		 						
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		 				 	· 						
i	2 Wire Unbundled HDSL Loop including manual service inquiry		T						1	 						
	& facility reservation - Zone 1		1_1_	UHL	UHL2X	8.30		1	ł							
	2 Wire Unbundled HDSL Loop including manual service inquiry		Į.													
	& lacility reservation - Zone 2	ļ	2	UHL	UHL2X	11.80					<u> </u>	L				
1 1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	l	3	UHL	UHL2X	20.94			1							1
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	1-3-	Unic	UHLZX	20.94		 	 	 						
	and facility reservation - Zone 1	1	1	UHL	UHL2W	8.30			1	1						
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	+	-	JOHNEZ II	0.00				 	+	 				
<u></u>	and facility reservation - Zone 2	1	2	UHL	UHL2W	11.80				1	İ	1				
	2 Wire Unbundled HDSL Loop without manual service inquiry		T					 	<u> </u>	 						
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	20.94	_		i							1
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
1 1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	Į.	١.	.				1		1	1			1		
	4-Wire Unbundled HDSL Loop including manual service inquiry		1-	UHL	UHL4X	12.49			ļ		-		 -	ļ		
1 1	and facility reservation - Zone 2	i	2	UHL	UHL4X	17.76		1							1	
	4-Wire Unbundled HDSL Loop including manual service inquiry	├	1	OTILE .	UriL4X	17.76		 	 	 	·+···	ļ	ļ	ļ	ļ	
1	and facility reservation - Zone 3	l	3	UHL	UHL4X	31.50					ļ					ł
	4-Wire Unbundled HDSL Loop without manual service inquiry		1					 -			+	 		 		
	and facility reservation - Zone 1		1_	UHL	UHL4W	12.49				1	į	1				ľ
	4-Wire Unbundled HDSL Loop without manual service inquiry		T									† · · · · · ·				
ļ	and facility reservation - Zone 2		2	UHL	UHL4W	17.76					J				<u> </u>	ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3			UHL								i				ŀ
4.WID	E DS1 DIGITAL LOOP	├	3	UHL	UHL4W	31.50						ļ	ļ	ļ	\ <u>-</u>	
1-1-11-11	4-Wire DS1 Digital Loop - Zone 1	 	+ ,	USL	USLXX	81.35			 	 			 			
	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	115.62		 	 	+		 -	·	 		
	4-Wire DS1 Digital Loop - Zone 3	1		USL	USLXX	205.15			 	 			<u> </u>			\vdash
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP							 		1	·	†	1	† — · · · ·		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1													
	month		<u> </u>	UE3	1L5ND	12.56		L	L						1	<u> </u>
1	High Capacity Unbundled Local Loop - DS3 - Facility		1		1			1							1	
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		├	UE3	UE3PX	444.91		ļ	 		 		<u> </u>		-	
1 1	Imonth	ŀ	1	UDLSX	:L5ND	12.56				4					l	
	High Capacity Unbundled Local Loop - STS-1 - Facility	 	+	ODLOX	TESIND	12.30			 	 		 		ļ	 	
	Termination per month	-		UDLSX	UDLS1	490.59				1				Ì		
	DEDICATED TRANSPORT	1	1		1	 				1			<u> </u>	· · · · · · · · · · · · · · · · · · ·	 	
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT]														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per]														
<u> </u>	month	ļ	 	UTTD1	1L5XX	0.21		<u> </u>				1				<u> </u>
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	j	UITDI	UITEI	10171										
 	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		+	וטווטו	UTIFI	101.71								ļ. 		
	month			U1TD3	1L5XX	4.45										1
 	Interoffice Channel - Dedicated Transport - DS3 - Facility	\vdash	+-	1000	- LUAA	 		 -	 	+	+	 		 	 	+
1	Termination per month	1	1	UITO3	U1TF3	1231.65		Į.	1	1		1		1		1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1					1		1				1		
	month	L		U1TS1	1L5XX	4.45			L					1	L	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1								1			
ļ	Termination	-		U1TS1	UITFS	1214.40			 			ļ	ļ	Ļ	 	
UNBU	INDLED DARK FIBER - Stand Alone or in Combination Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	-	 			 		ļ						ļ		
1 1	Route Mile Or Fraction Thereof			UDF. UDFCX	:L5DF	30.88			1			1	1			
1======================================	EXTENDED LINK (EELs)	+	 	OUTCA	·LJUF	30.88		+	 	+	+	 	 	 	 	+

UNB	INDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B	· · · · · · · · · · · · · · · · · · ·	
							·					I Company	100			Incremental	11
ì			1									1	1				
ļ					1							1		Charge -	Charge -	Charge -	Charge -
CATE	COBY	RATE ELEMENTS	Interi	Zone	BCS	USOC						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	30/11	NATE ELEMENTS	m	Zone	865	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				1	1	1								Electronic-	Electronic-	Electronic-	Electronic-
				Į.										1st	Add'l	Disc 1st	Disc Add'l
	1	 	\vdash		 	+		Nonre	curring	Nonrecurrin	g Disconnect	 	J	OSS	Rates (S)	L	
				T			Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Chare	e will not app	oly for UNE com	binations pro	visioned as ' (Ordinarily Com	hined' Networ	k Flormente	00			00	Commit
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ing charges below	will apply for	UNE combination	ns provision	ed as ' Curren	ly Combined	Network Fleme	ente			 	 	
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPO	RT			1	1	T Ziona	1	 			·	
		4-Wire DS1 Digital Loop in Combination - Zone 1			TUNC1X	USLXX	81.35				 		 	 	 	 	
Γ	1	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62				+	 	 	 	 	 	
	1	4-Wire DS1 Digital Loop in Combination - Zone 3	†	3	UNC1X	USLXX	205.15				}	 	 	}		 	}
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	 			100000	1			 	 	 	 			 	
	1	per month	1		UNCIX	1L5XX	0.21			1	1	1		1	ļ		1
_	1	Interoffice Transport - Dedicated - DS1 combination - Facility	 	+		1.207.5	V.E.				 	↓ -	 			 	+
1	1	Termination per month	1		UNC1X	UITEI	101.71				ł				ł	1	1
	EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE					 	 	 	+	+			 	
	1	DS3 Local Loop in combination - per mile per month	1	1	UNC3X	1L5ND	12.56				 	 			 	 	+
	_		 	+		1720110	12.00					1	┪───	}	}	 	
1	1	DS3 Local Loop in combination - Facility Termination per month		ļ	UNC3X	UE3PX	444.91										ļ
	\top	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	4.45		———			 	 	 	 	 	-
	1	Interoffice Transport - Dedicated - DS3 combination - Facility	†	†	1	+	†		 	 	 	+	+	 	 	 	+
	1	Termination per month			UNC3X	U1TF3	1231.65			ļ						1	1
_	EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF		-	100.100		 	 		 	 	 	 		+
		ISTS-1 Local Loop in combination - per mile per month	1	T	TUNCSX	1L5ND	12.56			 		+	+	 	 	 	
	1	STS-1 Local Loop in combination - Facility Termination per	†	1	1	+	1		 	 	 	 -	 	 	+	 	+
		month	1	1	UNCSX	UDLS1	490.59			1	1	1	}	1			
1		Interoffice Transport - Dedicated - STS-1 combination - per mile	†	 	1		130.00		 	 	 	+	 	 		 	+
		per month	1	1	UNCSX	1L5XX	4.45				1	1	1	1	1		
	+	Interoffice Transport - Dedigated - STS-1 combination - Facility	 	+	15501	- 1.20,01	1.7.7		 	+	 	+	+	 	 	+	+
		Termination per month	1		UNCSX	UITES	1214.40		(1	1	1	1	ì			
Щ_		Tremination per month		ــــــــــــــــــــــــــــــــــــــ	TOMOGY	JULIFS	1214.40		<u> </u>	<u> </u>	<u> </u>						

UNBUI	NDLE	NETWORK ELEMENTS - Georgia												Attachmen	t; 2 Exh. B		
						1			-	-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l	1		1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	Usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	••••		m									per Lon	per Lan		Electronic-	Electronic-	Electronic-
			l			1						1		Electronic-			
			ļ			1 1								1st	Add'i	Disc 1st	Disc Add'l
						 		Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						 	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
						 		71100	A001	11131	Addi	Joined		- COMINITO			
LINBLIN	INI EN E	XCHANGE ACCESS LOOP	 	+-		+								 		+	
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	LOOP		+			 							+	+
	2 11111	2 Wire Unbundled HDSL Loop including manual service inquiry	T	T		 						+				1	
		& facility reservation - Zone 1	1 1	Ι,	UHL	UHL2X	9.06					1	i			1	
		2 Wire Unbundled HDSL Loop including manual service inquiry	 -	+	O.I.C	UNILEX	3.00					 					
		& facility reservation - Zone 2		2	UHL	UHL2X	10.45					1					i
		2 Wire Unbundled HDSL Loop including manual service inquiry	 	+	UNL	Unicex	10.43		-			-		-			
		& facility reservation - Zone 3	1	3	UHL	UHL2X	16.65				1					i	1
			 ' 	 -3	UnL	UNLZX	16.651					 				 	
		2 Wire Unbundled HDSL Loop without manual service inquiry	Ι.	Ι.			0.00				į	1	1	i	1		
		and facility reservation - Zone 1	 	1-	UHL	UHL2W	9.06										
\ \	,	2 Wire Unbundled HDSL Loop without manual service inquiry	١.	1 -	l	l					1		1	1			
	<u> </u>	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	10.45									ļ	
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	l						1	1		1			1
		and facility reservation - Zone 3	1	3	UHL	UHL2W	16.65		ļ				ļ		-	ļ	
	4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP											<u></u>		
	1	4 Wire Unbundled HDSL Loop including manual service inquiry	1	1							1		1	1	1	1	1
L.		and facility reservation - Zone 1	1	1	UHL	UHL4X	11.95										<u> </u>
		4-Wire Unbundled HDSL Loop including manual service inquiry													1		1
		and facility reservation - Zone 2	1	2	UHL	UHL4X	13.80					1					
		4-Wire Unbundled HDSL Loop including manual service inquiry	\vdash	1										T		1	
		and facility reservation - Zone 3	1 .	3	UHL	UHL4X	21.93		1				i	1			
-		4-Wire Unbundled HDSL Loop without manual service inquiry	1	1 ~		1	-		1		·	1	1		1	1	1
1	1	and facility reservation - Zone 1	1 ,	1 1	UHL	UHL4W	11.95						1	1	1		
<u> </u>	-	4-Wire Unbundled HDSL Loop without manual service inquiry	+	+-	10112	- CITETO			-	1			1		T***		
	1		1 .	2	UHL	UHL4W	13.80					1					
	ļ	and facility reservation - Zone 2	+-		IONL	UHL4VV	13.60		+			+	1			-	
1	1	4-Wire Unbundled HDSL Loop without manual service inquiry	1 .	1		UHL4W	21.93					1		1	1		
	L	and facility reservation - Zone 3	+-	3	UHL	UHL4W	21.93		 -	ļ	 		 	 	+	· · · · · · · · · · · · · · · · · · ·	
	4-WIR	E DS1 DIGITAL LOOP	-	-		1101304	55.00						1	+	+		
	!	4-Wire DS1 Digital Loop - Zone 1	4	1	USL	USLXX	56.82		ļ	ļ			+	+	+		
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	60.43						+		+		
		4-Wire DS1 Digital Loop - Zone 3	_	3	USL	USLXX	78.66		 		 		+		+	-	
HIGH C	CAPACI	TY UNBUNDLED LOCAL LOOP											+		+		+
	T	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1			1	1		1	1	1)	1		1	1	İ
	1	month			UE3	1L5ND	13,11			1	ļ		 	+	+	+	
	1	High Capacity Unbundled Local Loop - DS3 - Facility					1				1	1	1	1	1	1	
	1	Termination per month			UE3	UE3PX	297.21			ļ							
	1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	T									1	1		1		1
1	1	month		1	UDLSX	1L5ND	13.11										+
	+	High Capacity Unbundled Local Loop - STS-1 - Facility		1								1		1			1
	1	Termination per month			UDLSX	UDLS1	401.83										+
UNBIR	NDI ED	DEDICATED TRANSPORT		_		1					J						
		ROFFICE CHANNEL - DEDICATED TRANSPORT	1	1-	1								1				
\vdash	HAIR	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-	-							1				1		1
		month	1		UITDI	1L5XX	0.1379	·[l	1	1		l		1		
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	+	10	1	1			1			T T				
1				1	U1TD1	U1TF1	40.17	4		1	1	1		_1			
		Termination Interoflice Channel - Dedicated Transport - DS3 - Per Mile per	+	-	10.101		1										
			1		U1TD3	1L5XX	3.02			1		1		1	l		
	-	month	+		101103	TESTA	+		1						T		
1	1	Interoffice Channel - Dedicated Transport - DS3 - Facility			UITD3	U1TF3	401.83		1	1	1	i		1	1	1	
	1	Termination per month			101103	U11F3	401.83	1	+	 	1		+		+		
	1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile pe	"		Lure.	11 500	2.00								1	1	!
L	L	month	-	\bot	U1TS1	1L5XX	3.02					 	+	+			$\overline{}$
		Interoffice Channel - Dedicated Transport - STS-1 - Facility			l			1		1	1			1	1	1	
L		Termination	\bot		U1TS1	U1TFS	421.39	<u> </u>	-		+		+	+	+	 	-
ENHA	NCED E	XTENDED LINK (EELs)						<u> </u>	1	1	1.	1.51	+		 	+	+
	NOTE	: The monthly recurring and non-recurring charges below wil	II apply	and th	e Switch-As-Is Cha	rge will not ap	ply for UNE co	mbinations p	rovisioned as '	Ordinarily Con	nbined' Netwo	ork Elements	+				+
	NOTE	: The monthly recurring and the Switch-As-Is Charge and not	t the no	n-recui	ring charges below	will apply for	r UNE combinat	ions provisio	ned as 'Curren	tly Combined	Network Eler	nents.	+	-			+
-	1	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA	TED DS	S1 INTE	ROFFICE TRANSP	ORT		L		1				_l			——

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (S)		, , , , , , , , , , , , , , , , , , , ,		Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
II						Rec	Nonre	curring	Nonrecurrin	g Disconnect	T .		oss	Rates (S)		
				ļ <u> </u>			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
I	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	56.82						1				
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	60.43				T						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66		L								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1379										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	40.17					<u> </u>	ļ				
EX	TENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE		0.11	10.17		 	 		+					
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.11					 			<u> </u>		
	DS3 Local Loop in combination - Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	UE3PX 1L5XX	297.21 3.02										
	Interoffice Transport - Dedicated - DS3 - Fer Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month	 	 	UNC3X	U1TF3	401.83			 	-	-					
EX	TENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S	TS-1 INT	FROF			107.00		 				† ·	 -	 	 	
1	STS-1 Local Loop in combination - per mile per month	T	T	UNCSX	1L5ND	13.11		 	-		+	†	 	 	1	1
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.02										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITFS	421.39										

DINDUNDLE	D NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
											Svc Order	Svc Order			Incremental	Increments
											Submitted			Charge -	Charge -	Charge -
		1-41														
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually			Manual Svc	
		m	201.0	003	0300			NATES (3)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		j		i							1	·	Electronic-	Electronic-	Electronic-	Electronic-
		1	Ì		1						i					
			L										1st	Add'l	Disc 1st	Disc Add'I
			1				Nonre	curring	Monracussia	g Disconnect				Rates (\$)		ــــــــــــــــــــــــــــــــــــــ
					 	Rec	First	Add'l	First		COLLEG	SOMAN				
			 		+		riiat	Add I	F1/8L	Add'I	SUMIEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED	EXCHANGE ACCESS LOOP		 		 					 _	<u> </u>			<u> </u>		
		<u> </u>							<u> </u>	L			L.			
2-WIHI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP			<u> </u>										
	2 Wire Unbundled HDSL Loop including manual service inquiry		ļ	1												
	& facility reservation - Zone 1	l	1	JUHL	UHL2X	10.06				ł		1				
	2 Wire Unbundled HDSL Loop including manual service inquiry										 		 			
	& facility reservation - Zone 2	ŀ	2	UHL	UHL2X	10.99						i	}			1
	2 Wire Unbundled HDSL Loop including manual service inquiry	 	┝┶	O.,	TOTAL TOTAL	10.33				 			ļ			
i	& facility reservation - Zone 3			UHL	1			ľ	1	i	1		i			
			3	UHL	UHL2X	12.20										1
ŀ	2 Wire Unbundled HDSL Loop without manual service inquiry		1							1						
	and facility reservation - Zone 1	<u></u>	1	UHL	UHL2W	10.06		}	1	1	1	}	1	1		1
į.	2 Wire Unbundled HDSL Loop without manual service inquiry		1		1					· · · · · · · · · · · · · · · · · · ·						
	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.99		I			1		I	1		1
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	l	† 	10.00		t	+	 	+		 	 		
	and facility reservation - Zone 3	1	3	UHL	UHL2W	12.20					1					1
4-WID	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		V	U. ILZVV	12.20			+	 	ļ					
4-17171	4 Wire Unbundled HDSL Loop including manual service inquiry	TIDLE	LOUP					 	 		 		 _			
i		l	l .	1												
	and facility reservation - Zone 1	L	1	UHL	UHL4X	16.04			」							1.
1	4-Wire Unbundled HDSL Loop including manual service inquiry	Į	Į .						T	T				1		
1	and facility reservation - Zone 2	1	2	UHL	UHL4X	18.03			ĺ							
	4-Wire Unbundled HDSL Loop including manual service inquiry		1						 	 	 		†·	 		
ı	and facility reservation - Zone 3	į.	3	UHL	UHL4X	19.53			İ							ł
	4-Wire Unbundled HDSL Loop without manual service inquiry		 		O. ILTX			 		·				 		
	and facility reservation - Zone 1		1	l.,,,,							1					Ì
			1	UHL	UHL4W	16.04		 								L
- 1	4-Wire Unbundled HDSL Loop without manual service inquiry	ł	1					ļ				i				
	and facility reservation - Zone 2		2	UHL	UHL4W	18.03		j		ì	1		ł			
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ì								1				1		
ì	and facility reservation - Zone 3	1	3	luhl	UHL4W	19.53				i		ł	İ		ļ	
4-WIR	E DS1 DIGITAL LOOP		—		† <u> </u>			-	 	 	 			 		
	4-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	99,44			 	 	 	 				
	4-Wire DS1 Digital Loop - Zone 2	 	2	USL	USLXX	131.22		 	+	 	+			 		
	4-Wire DS1 Digital Loop - Zone 3									 	 		ļ			
			3	USL	USLXX	342.42		ļ	ļ	ļ		L	l			
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP		<u> </u>					<u> </u>			<u> </u>		<u> </u>	L		L
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1	}							1					
1	month	1	1	UE3	1L5ND	10.64		1	1	l		1		l	ļ	
	High Capacity Unbundled Local Loop - DS3 - Facility				T					 	1		 			
i	Termination per month		1	UE3	UE3PX	354.56		i			1	1				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 	+					 	· 	 	 		 	 		
1	month		1	UDLSX	1L5ND	10.64			1	1	1	1	1	1	I	1
		 	+	UULOA	I COIND	10.64		_			+		 	 		
1	High Capacity Unbundled Local Loop - STS-1 - Facility		1	l	l					1	1		1	1	I	
	Termination per month	L		UDLSX	UDLS1	368.59		L		<u> </u>	1	L			L	J
	DEDICATED TRANSPORT				T											
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		T			1			T	1			[1	1	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	 	†	T		1	 		1	 	1	1	 	1
	month	1	1	U1TD1	1L5XX	0.26		1	1	1	1	I	1	1	I	1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	+	0.101	TEGAX	0.20		 		+			 			+
- 1		1	Ì	U1TD1		110.45			1					I	t	
	Termination	+	├	01101	U1TF1	110.45		 	1	 		— —	 	 		
ı	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	l	1	_		1		1	1				1	I
	month	1	L	U1TD3	1L5XX	5.72		ļ	<u> </u>	1		L	<u> </u>	<u> </u>		<u> </u>
I	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1						1		1				1	1
	Termination per month	L	1	U1TD3	U1TF3	1351.42		1	1	1	Į.	l	l		I	1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		1	1			1	1	1	1	1	1	1		1
ĺ	month	1	1	U1TS1	1L5XX	5.72		1	1	1	1	1	1	ł	1	1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	 	+	 	+ ====	J.72		 	 	 	 -	 	 	 		
	Termination	1	1	U1TS1	U1TFS	1321.94		1	J	1	1	1	1	1	1	1
UNION	NDLED DARK FIBER	+	+	101101	401168	1321.94		 	·		 		 	ļ	 	
		-	 					 		<u> </u>	 _		 	ļ	ļ	↓
- 1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1	i	1			1	Ī	1	1				1	
	Route Mile Or Fraction Thereof		<u> </u>	UDF, UDFCX	1L5DF	35.35		<u></u> _		L		1 .	1		L	L
ENILLANDED F	XTENDED LINK (EELs)	1		1	1			I		T	1		1	Ι	T	T

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky													t: 2 Exh. B		
		THE THE PERSON OF THE PERSON O	Г				r					1	1				
				1										Incremental			
1				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	OBY		Interi	1_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OHY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1				1								1		Electronic-	Electronic-	Electronic-	Electronic-
1			į .	Į.		1						1	1	1st	Add'I	Disc 1st	Disc Add'i
		<u> </u>		┼			<u> </u>	None	curring	I No.	g Disconnect	<u> </u>	<u>. </u>		D-4 (6)		
			 	+	 		Rec -	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	annly a	nd the	Switch Ac le Char	go will not one	dy for LINE and		Nuo i	THS.	Adu t	- Flores	SOMAN	SUMAN	SUMAN	SOWIAN	SUMAN
	NOTE	The monthly recurring and the Switch-As-Is Charge and not t	the non	-recur	ing charges helow	will apply for	INE combine	on provide	visioned as (Junarily Com	Omed NetWork	k ciements.	 		 	 	
	FYTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DO	INTER	OFFICE TRANSPO	Will apply for	ONE COMBINATIO	ns provision	ed as Curren	ily Combined	Network Eleme	ents.	ļ				
<u> </u>	CATCH	4-Wire DS1 Digital Loop in Combination - Zone 1	ED 031		UNC1X	USLXX	99.44		ļ		ļ <u> </u>						
	 	4-Wire DS1 Digital Loop in Combination - Zone 2			UNCIX	USLXX	131.22				 	·	ļ	<u> </u>			
		4-Wire DS1 Digital Loop in Combination - Zone 3	 		UNC1X	USLXX					ļ	<u> </u>					
—	-	Interoffice Transport - Dedicated - DS1 combination - Per Mile	+	+-3	UNCIX	USLAX	342.42			 	↓	ļ <u> </u>	ļ				
		per month			UNC1X							1	1	1		ł	
<u> </u>	}	Interoffice Transport - Dedicated - DS1 combination - Facility	 	⊹	UNCIX	1L5XX	0.22		L	ļ	ļ	 _	Ļ	ļ			<u> </u>
	1		1						ŀ	Ì	i	1	İ	l		ŀ	
— —	FVYEN	Termination per month	11.77	<u> </u>	UNC1X	U1TF1	90.87		<u> </u>	ļ	1					!	
 	EXIE	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DEFICE			-		L								
		DS3 Local Loop in combination - per mile per month	ļ		UNC3X	1L5ND	10.64			ļ	ļ <u> </u>		J			L	
1	l				l		1			1	1	ĺ		1			i
<u> </u>		DS3 Local Loop in combination - Facility Termination per month	 	╀	UNC3X	UE3PX	354.56			ļ							ļ <u>.</u>
	<u> </u>	Interoffice Transport - Dedicated - DS3 - Per Mile per month	ļ	↓	UNC3X	1L5XX	4.70		L	<u> </u>	<u> </u>				L		
1	ļ	Interoffice Transport - Dedicated - DS3 combination - Facility				İ	1 1		l	l	1	Į.	Į.	ļ	1	1	1
		Termination per month	.ii	⊥	UNC3X	U1TF3	1111.92		<u> </u>	l	<u> </u>		<u> </u>				
	EXTE	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	rs-1 INT	EROF					1								<u> </u>
L		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.64										
		STS-1 Local Loop in combination - Facility Termination per											1				
_	L	month	i	1	UNCSX	UDLS1	368.59		1	1	I	1	1	1		l	
		Interoffice Transport - Dedicated - STS-1 combination - per mile									<u> </u>						
1	l	per month		1	UNCSX	1L5XX	4.70		1	1	1	1	1	}	l .	1	ì
		Interoffice Transport - Dedicated - STS-1 combination - Facility		1													1
	1	Termination per month	1	İ	UNCSX	UTES	1087.66		1			1	ľ	1	1		1

UNBU	INDLE	NETWORK ELEMENTS - Louisiana													Attachmen	t: 2 Exh. B		
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	ı	BCS	USOC			RATES (S)				Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
}								Rec		curring		g Disconnect				Rates (\$)		
<u> </u>	 		 				4		First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	NDLED !	XCHANGE ACCESS LOOP					 					 	 				ļ	
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP						·			 					
İ		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL		UHL2X	11.26										
1		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL		UHL2X							l				
	<u> </u>	2 Wire Unbundled HDSL Loop including manual service inquiry						13.25			 		 					
	 	& facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL		UHL2X	14.65										
		and facility reservation - Zone 1		1	UHL		UHL2W	11.26										
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL		UHL2W	13.25			1		1					
	\vdash	2 Wire Unbundled HDSL Loop without manual service inquiry	 				UNLZW	13.23			 	 	 					
		and facility reservation - Zone 3		3	UHL		UHL2W	14.65			<u> </u>							L
<u> </u>	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP			1			<u> </u>	ļ		ļ					
	ļ	and facility reservation - Zone 1		1	UHL		UHL4X	18.68							<u> </u>			
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL		UHL4X	19.15										
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL		UHL4X						_		<u> </u>			
	 	4-Wire Unbundled HDSL Loop without manual service inquiry		3			UHL4X	19.94					 		 		 	ļ
	-	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL		UHL4W	18.68					 		ļ			ļ
L	ļ	and facility reservation - Zone 2	L	2	UHL.		UHL4W	19.15										
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL		UHL4W	19.94										
	4-WIR	DS1 DIGITAL LOOP																
	—	4-Wire DS1 Digital Loop - Zone 1	ļ		USL		USLXX	98.56				L						
	ļ	4-Wire DS1 Digital Loop - Zone 2			USL		USLXX	224.20			ļ						ļ	<u> </u>
HIGH C	CAPACI	4-Wire DS1 Digital Loop - Zone 3 TY UNBUNDLED LOCAL LOOP	 	3	USL		USLXX	565.73				 			 		 	
riidii C	TAFACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	 				 			 	+	}		 	 -	}	 	
	<u> </u>	month			UE3		1L5ND	11.55										
L		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3		UE3PX	416.69										
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX		1L5ND	11.55										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month				- · ·	UDLS1			-		1						
LINRI	NDLED	DEDICATED TRANSPORT		\vdash	UDLSX		JUULST	430.74			 	 		 	↓	 	 	
314001		OFFICE CHANNEL - DEDICATED TRANSPORT	\vdash	 	 		+			 		 	+	 		 	 	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 				11 5 7 7	0.00			1	1	†		 			
	 	Interoffice Channel - Dedicated Tranport - DS1 - Facility	<u> </u>	 	UITDI		1L5XX	0.30		 	-		 	 				1
	-	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			UITDI		U1TF1	81.04				-	1	 			-	
ļ	-	month	<u> </u>	ļ	U1TD3		1L5XX	6.95			J		ļ	ļ	ļ	ļ		<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3		U1TF3	978.02										
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1		1L5XX	6.95										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility		1								1		1	 	——		
	LINBIII	Termination NDLED DARK FIBER	 	 	U1TS1		UITFS	954.72		 		1	+	 	 		 -	+
-	JIVBUI	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	†	t						-	-	 		 				
ENHA	NCED E	Route Mile Or Fraction Thereof KTENDED LINK (EELs)	 	 	UDF. UI	DFCX	1L5DF	29.07						ļ	ļ			
CIAUMI	TOED E	VIEWDED CHAY (CECS)	J	J	ــــــــــــــــــــــــــــــــــــــ			L		1			ــــــــــــــــــــــــــــــــــــــ	┸	ــــــــــــــــــــــــــــــــــــــ	L	1	ــــــــــــــــــــــــــــــــــــــ

UND	MULE	D NETWORK ELEMENTS - Louisiana		,		·								Attachmer	t: 2 Exh. B		
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
	↓ ~—						Rec	Nonre	curring	Nonrecurrin	g Disconnect	<u> </u>	٠	OSS	Rates (\$)	L	
	NOTE.		<u> </u>	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ap	ply for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Network	Elements.		1		1	
	11016.	The monthly recording and the Switch-As-is Charge and not t	ne non-	recum	ng charges below t	vill anniv for	UNE combination	ons provision	ed as ' Curren	tly Combined	Network Eleme	nts.				i	
	ICA / EF	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT 4-Wire DS1 Digital Loop in Combination - Zone 1	ED DS1	INTER	OFFICE TRANSPO	RT	<u> </u>										T
			—		UNC1X	USLXX	98.56			1						T	1
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	224.20								1	·	
	 	4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	565.73									T	+
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	1		UNC1X	1L5XX	0.30										1
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	81.04				1	 			 	 	
	EXTEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FEICE	TRANSPORT		81.04		ļ	-	ļ	 	ļ			L	
		DS3 Local Loop in combination - per mile per month	1		TUNC3X	1L5ND	11.55		ļ		 	 	 			ļ	↓
		DS3 Local Loop in combination - Facility Termination per month		1-	UNC3X	UE3PX	416.69									 	1
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5XX	6.95					 	 			 	+
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	978.02	•	 	· · · · · · · · · · · · · · · · · · ·			 		·		
	EXTEN	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT	1			1	 	 	 	 	 	 -		+
		STS-1 Local Loop in combination - per mile per month		T	UNCSX	1L5ND	11.55		1	†	 -	1	 	 	 	 	+
		STS-1 Local Loop in combination - Facility Termination per			UNCSX	UDLS1	430.74				<u> </u>				-		
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month	1		UNCSX	1L5XX	6.95										
	<u> </u>	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITFS	954.72										

INBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurrin	g Disconnect				Rates (\$)		
						1,60		Add'l		Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP															
2-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													l
	2 Wire Unbundled HDSL Loop including manual service inquiry	1									1					
	& facility reservation - Zone 1	1	1	UHL	UHL2X	10.06				L	1					
	2 Wire Unbundled HDSL Loop including manual service inquiry								T							
	& facility reservation - Zone 2		2	UHŁ	UHL2X	10.60										
	2 Wire Unbundled HDSL Loop including manual service inquiry									1	1	I				
	& facility reservation - Zone 3	L	3	UHL	UHL2X	11.35				.1		L				
	2 Wire Unbundled HDSL Loop including manual service inquiry		Ι													
	& facility reservation - Zone 4	L	4	UHL	UHL2X	12.03				<u></u>						<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry											I				1
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	10.06										-
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	L	2	UHL	UHL2W	10.60					1				<u> </u>	-
	2 Wire Unbundled HDSL Loop without manual service inquiry											1				
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35						1		<u> </u>		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1														
1	and facility reservation - Zone 4		4	UHL	UHL2W	12.03						1	l			
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP								1					
	4 Wire Unbundled HDSL Loop including manual service inquiry		Τ									T				
	and facility reservation - Zone 1	1	1	UHL	UHL4X	15.85										
	4-Wire Unbundled HDSL Loop including manual service inquiry	1							1		T					
	and facility reservation - Zone 2	1	2	UHL	UHL4X	15.44			1							
-	4-Wire Unbundled HDSL Loop including manual service inquiry											1			1	T
- 1	and facility reservation - Zone 3	1	3	UHL	UHL4X	17.93						ŀ				1
	4-Wire Unbundled HDSL Loop including manual service inquiry		 						1			1				1
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63		i		i	1	1				
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	+			1						T	T			
	and facility reservation - Zone 1	1	١,	UHL	UHL4W	15.85				1	1	1				
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	1-			1										
İ	and facility reservation - Zone 2		2	UHL	UHL4W	15.44		İ			1		1			
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	-			1						1	T			
1	and facility reservation - Zone 3	1	3	UHL	UHL4W	17.93				1						
	4-Wire Unbundled HDSL Loop without manual service inquiry	+-	+	-	-											
	and facility reservation - Zone 4		1 4	UHL	UHL4W	16.63		l .	-							
4 14/15	RE DS1 DIGITAL LOOP	+-	- - 	02												
4-771	4-Wire DS1 Digital Loop - Zone 1	+	1	USL	USLXX	118.62										
	4-Wire DS1 Digital Loop - Zone 2	+		USL	USLXX	148.79										
	4-Wire DS1 Digital Loop - Zone 3	+-	3	USL	USLXX	237.75										
	4-Wire DS1 Digital Loop - Zone 4	+		USL	USLXX	527.23										
HCH CABAC	CITY UNBUNDLED LOCAL LOOP	+	+	1002												
IIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per											1			i	1
1	month	1		UE3	1L5ND	12.88			ļ							
-	High Capacity Unbundled Local Loop - DS3 - Facility	+	+-	1				1								1
	Termination per month	1	1	UE3	UE3PX	375.07	l	i	1			1				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	+	_	1	12-0: 11	1			1	1		T				1
1	month	1		UDLSX	1L5ND	12.88			1		1					
	High Capacity Unbundled Local Loop - STS-1 - Facility	+	+	1000	12000	1 2.55		1	- 					T		
	Termination per month		1	UDLSX	UDLS1	389.33		1		_1						
MIDLINDI EF	DEDICATED TRANSPORT	+	+					1								
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	+-	_			-										
INTE	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	+				1		1							1	
	month			UTDI	1L5XX	0.23		1	1			1				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+-	+	1	1.537.57	1		1								
1	Termination		1	וסדוט	U1TF1	65.93		!		1						
l l			1	100.	10											1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per							1		!	1			1		1

	D NETWORK ELEMENTS - Mississippi													t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonrecu	rring	Nonrecurring	Disconnect	 		OSS	Rates (\$)		
	1					Nec		Add'l		Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility								i		1	-			001117111	JOHN
	Termination per month		<u> </u>	U1TD3	U1TF3	738.18			1				}		!	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	l	1								 -					+
	month		<u> </u>	U1TS1	1L5XX	5.47							1			
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	l								 		·			
	Termination	<u> </u>		U1TS1	U1TFS	740.84								1		i
	IDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per										 			 		
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	32.51								Ì	1	i
	KTENDED LINK (EELs)		T		1				 		 					
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Chard	e will not app	oly for UNE combi	inations provi	sioned as ' (Irdinarily Com	ined' Networ	k Elements					
11016.	the monthly recurring and the Switch-As-is Charge and not i	ne non	-recum	ing charges below i	will apply for	UNE combination	s provisioner	as ' Current	ly Combined' !	Jetwork Elem	nte					
EXIEN	IDED 4-WIRE DST DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT		- Providence	40 00110111	i combined i	Telwork Clerk	1118.		 		-	
	4-Wire DS1 Digital Loop in Combination - Zone 1	T	1	UNC1X	IUSLXX	90.94										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79					 		 			
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75			 -			·				
	4-wire DS1 Digital Looal Loop in Combination - Zone 4			UNC1X	USLXX	527.23								ļ		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		+		1002,00	527.20			 		 	 		-		
	per month	1	1	UNC1X	1L5XX	0.23	1						l			
	Interoffice Transport - Dedicated - DS1 combination - Facility		+		T-COAA	0.23			 	 				ļ		
	Termination per month	1	1	UNC1X	UITFI	59.48	- 1							Į.	i	
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	EFICE	TRANSPORT	101111	35.40			 							
	DS3 Local Loop in combination - per mile per month	1	7	TUNC3X	1L5ND	12.88			 					ļ		
	po mo por moral	 	+	GIOOX	163140	12.00						ļ		<u> </u>		↓
1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.07	i								1	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	 	UNC3X	1L5XX	5.47										
	Interoffice Transport - Dedicated - DS3 combination - Facility	-	 	UNCSX	ILSAA	5.47			ļ		↓					
	Termination per month		i	UNC3X										1	i	1
	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 1917	FRAFE		U1TF3	738.18						l		L		
	STS-1 Local Loop in combination - per mile per month	3-1 1141	EHUFF													
	STS-1 Local Loop in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per		-	UNCSX	1L5ND	12.88			ļ		_			L		1
	month			L THOON	l		1					i	1		1	
	Interoffice Transport - Dedicated - STS-1 combination - per mile	ļ	₩	UNCSX	UDLS1	389.33					 	ļ				<u> </u>
			1		1	_ 1	1		1				1			
	per month	<u> </u>	<u> </u>	UNCSX	1L5XX	5.47							ļ	L		<u> </u>
	Interoffice Transport - Dedicated - STS-1 combination - Facility	ĺ	1			1	ı			1				1		
1	Termination per month	1	1	UNCSX	U1TFS	740.84			1	l	1	I	I	1	I	1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												A 44 1:	A D Fort F		·
	The state of the s	T				r					10 0			t: 2 Exh. B		
	ľ	ì	Ì	}								Svc Order			Incremental	
]	i		1	1						Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	į								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES (S)			nerISB	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m				1					hei rau	bei rau				
\		ì	ì	Ì	1]							Electronic-	1	Electronic-	
			1	Į.		1							ist	Add'l	Disc 1st	Disc Add
		 	+	 		· · · · · · · · · · · · · · · · · · ·	M	curring	T 81	Diam		J		1 (2)	<u> </u>	<u> </u>
·		+	 	 		Rec -				g Disconnect				Rates (\$)		
		↓	_	 			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1	<u> </u>					L	l'	L					
	EXCHANGE ACCESS LOOP	1	i _		1				1		T					
[4-WII	RE DS1 DIGITAL LOOP	1	Γ.					1		 	1					
	4-Wire DS1 Digital Loop - Zone 1	T	1	USL	USLXX	73.16			 	 	 					
	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	120.06		 		 	 			 		
 	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	241.75			 				 	 	 -	
HICH CADA			1_3	USL	JUSEAN	241.75		L	 	<u> </u>	ļ		L			
MIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	 	└			ļ <u>.</u>			L					<u> </u>		<u> </u>
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	i	1										T		1	1
L	month	1	1	UE3	1L5ND	14.89			1				ŀ		1	j
	High Capacity Unbundled Local Loop - DS3 - Facility		T					1		†		·	·		 	·
ì	Termination per month	1	1	UE3	UE3PX	264.38		į		i	1					l
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	+	 	1000	1000 X	207.50				ļ			ļ	 	 	ļ
i i			ł		1	il		1			1				1	
l	month		<u> </u>	UDLSX	1L5ND	14.89					<u></u>		l	<u></u>		
	High Capacity Unbundled Local Loop - STS-1 - Facility		1		l	l		ļ		1	1		· · · · · · · · · · · · · · · · · · ·	1		1
1 1	Termination per month	1	1	UDLSX	UDLS1	296.49		1						i		
UNBUNDLE	DEDICATED TRANSPORT	· · · · · ·	-		 			 		 			 	 		
	ROFFICE CHANNEL - DEDICATED TRANSPORT	+	 	 				 	·		+	 	 	 		
111111111111111111111111111111111111111		┿	+			 				·	- 		L	 		ļ
1 1	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	ĺ				1	į	i	Į.	Į	ļ		l .	,
L	month	i	ì	UITDI	1L5XX	0.2229		1			1		ľ	İ		
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			T									1			
1 !	Termination	1	}	U1TD1	U1TF1	35.87		ì	1	1				ì		
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	 -	-	101111	35.67		 -		 			 	 		
1 1		ļ	1	l		i i			1			1				i
i	month	.		U1TD3	1L5XX	5.11		1		1		1	l	<u> </u>	ļ	
1	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	1									T i		1	
1 1	Termination per month		1	U1TD3	U1TF3	379,40		1	1		i					ł
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		† — — — — — — — — — — — — — — — — — — —												
	month			UITSI	1L5XX	5.11					i	i		J		
I		 	+	101131	1123//	J. [1]						 		}	\ 	}
1	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	1	1				1						1	
	Termination			U1TS1	UITES	390.08			1						1	1
UNB	UNDLED DARK FIBER		1	T					1	 			T			
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	+			t			 	 		†			 	
	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	28.49		Į.		1	ļ.	\	!	1	1	1
5111441055		}	├	ODF, ODFCX	ILSUF	28.49		 	+							
	EXTENDED LINK (EELs)	1	┸			<u> </u>		J								<u> </u>
INOT	E: The monthly recurring and non-recurring charges below will	apply a	ind the	Switch-As-Is Char	ge will not ap	ply for UNE com	binations pr	ovisioned as '	Ordinarily Con	nbined' Netwo	rk Elements.			1		
NOT	E: The monthly recurring and the Switch-As-Is Charge and not	the non	-recuri	ring charges below	will apply for	UNE combination	ons provision	ned as 'Curren	tly Combined'	Network Elem	ents.					I
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	TED DS1	INTE	ROFFICE TRANSPO	RT				T		1				T	T
	4-Wire DS1 Digital Loop in Combination - Zone 1	T	1	TUNC1X	TUSLXX	73.16		 		 	1	<u> </u>	 	†	1	
 	4-Wire DS1 Digital Loop in Combination - Zone 2	+	1 2	UNC1X	USLXX	120.06		+	 	+	 		 	 	+	
II		+						<u> </u>		_	 		 -	 	 	
L	4-Wire DS1 Digital Loop in Combination - Zone 3	 	3	UNC1X	USLXX	241.75		 		 		 -	↓	 		ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1	1				1	1		1	1	1	l	l	l
1 1	per month	1	1	UNC1X	1L5XX	0.2229		1	ì	ì	1	1	1	}		
	Interoffice Transport - Dedicated - DS1 combination - Facility	T	 	1		1		T	T	1		T	f	T	1	T
	Termination per month		i	UNC1X	UITEI	35.72					i	1	1		!	
					UTTET .	33.72		<u> </u>	 			 	 	 		
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	UPFICE			 				-		 	 	ļ	 	
	DS3 Local Loop in combination - per mile per month	1		UNC3X	1L5ND	14.89						1	<u> </u>	<u> </u>		-
		1	1			1								1		1
	DS3 Local Loop in combination - Facility Termination per month	1	1	UNC3X	UE3PX	264.38		1	1	+	I	1	i	1		1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	5.11				1				1		
	Interoffice Transport - Dedicated - DS3 combination - Facility	+	+		1	 		 		+	+	 	 			_
	Termination per month	l	l	UNC3X	U1TF3	370.01		1	1	1	1	1	1	}	ì	1
					U11F3	379.40		· 				 	1	 		+
LEXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S	TS-1 IN	EROF					J	1			1	<u> </u>	J		
	STS-1 Local Loop in combination - per mile per month	\perp	.1	UNCSX	1L5ND	14.89		.l	1				1			
	STS-1 Local Loop in combination - Facility Termination per		T	1					T	T		T	T	1		1
1	month	1	1	UNCSX	UDLS1	390.08		1	1	Į.	1	1	Į.	1	1	1
	Interoffice Transport - Dedicated - STS-1 combination - per mile	+	+	1211000	10000,	350.06		+			+	+	+	·	+	+
1 1		1	1	l	1L5XX	5,11		1	1	1	i	1	1	1	1	1
																{
	per month		—	UNCSX	ILDXX	5.11							ļ		- -	
	per month Interoffice Transport - Dedicated - STS-1 combination - Facility	┿┈	╁╌	UNCSX	UITES	5.11		 		 -	+	 			†	

UNBUNDLED NETWORK ELEMENTS - South Carolina													Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	Rec	First	curring		g Disconnect				Rates (\$)		T 12 20 20 20 20 20 20 20 20 20 20 20 20 20
	<u> </u>		 				First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLE	EXCHANGE ACCESS LOOP				 				 	 						
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		··					+		}			h	
	2 Wire Unbundled HDSL Loop including manual service inquiry		1		 			+		· · · · · · · · · · · · · · · · · · ·	 	 				
	& facility reservation - Zone 1		1	UHL	UHL2X	11.02						1				ĺ
	2 Wire Unbundled HDSL Loop including manual service inquiry			l						+		 			 	t
	& facility reservation - Zone 2	1	2	UHL	UHL2X	12.56									ł	1
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	13.11				j						ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry									1	T	1				
\ -	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL2W	11.02		1	.]	ì	1	ļ			ŀ	
	2 Wire Unbundled HDSL Loop without manual service inquiry		1							1						
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	12.56		<u> </u>	1	L						<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry	l						1			1					
4 300	and facility reservation - Zone 3 RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	3	UHL	UHL2W	13.11						ļ			ļ	
4-701	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP					ļ		ļ		ļ <u>.</u>				ļ
1 1	and facility reservation - Zone 1			UHL	UHL4X	18.42					į	1				Į.
	4-Wire Unbundled HDSL Loop including manual service inquiry	 	 '	IONL	UHL4X	18.42				 						
1 1	and facility reservation - Zone 2	l	2	UHL	UHL4X	16.48										ì
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UPLAX	10.46		 	 			 				
	and facility reservation - Zone 3		3	UHL	UHL4X	19.37		1	i	1		1	Ì			
 	4-Wire Unbundled HDSL Loop without manual service inquiry	 	+	01.2	IO:1L4A	19.37			 	+		 			 	
1 1	and facility reservation - Zone 1	1	1	UHL	UHL4W	18.42					-				l	
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	1	-	10.1.2.11				 	+	+	 			 	
	and facility reservation - Zone 2	1	2	UHL	UHL4W	16.48				1		1	1		1	
	4-Wire Unbundled HDSL Loop without manual service inquiry	1	 	 	1	10.0		1	 	-	+				1	· · · · · · · · · · · · · · · · · · ·
	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.37					-		1	ļ		
4-WI	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	91.44										
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	156.40										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	263.52										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP								.1							l
	High Capacity Unbundled Local Loop - DS3 - Per Mile per							T								1
	month		<u> </u>	UE3	1L5ND	14.10		<u> </u>	<u> </u>	1				<u> </u>	\	1
f I	High Capacity Unbundled Local Loop - DS3 - Facility		-		1	1				1				1		-
	Termination per month		ـــــــ	UE3	UE3PX	352.31		ļ	1	<u> </u>		ļ		ļ	ļ	
1 1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1	1					1					i		
<u> </u>	month	-	Ļ	UDLSX	1L5ND	14.10			 		4	ļ	ļ	 	 	
	High Capacity Unbundled Local Loop - STS-1 - Facility		1					1								
	Termination per month		 	UDLSX	UDLS1	360.51		 				 			ļ	
	D DEDICATED TRANSPORT	 	 	ļ								_	ļ		 	
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	ļ	}					-	-		-}	}	 	}	 	}
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		U1TD1	1L5XX	0.39			1			ŀ		1		1
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	 	101101	ILSAA	0.39		+	+				 	 		+
	Termination]	U1TD1	UITFI	88.71				1	1	1				
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	 	-	101101	-101111	00.71		 	 		- 	 		 		†
	month		1	U1TD3	1L5XX	9.22			1						1	Ì
	Interoffice Channel - Dedicated Transport - DS3 - Facility	†	 	07.00	1.23/3/			+	1			 		1	1	
	Termination per month	[l	U1TD3	U1TF3	1012.75		l	Į	Į.			1	1		1
1	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	t	†		1	1 2.14		 	1	T	 	 		1		1
1 1	month	1		UITSI	1L5XX	9.22					1	1				1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	† · ·	1			1		1	1	1 7	1			1		Τ΄
i I	Termination	1		U1TS1	U1TFS	1012.63	l				1			I	ļ	
UNB	UNDLED DARK FIBER	1	 -	 	1			 	· · · · · · · · · · · · · · · · · · ·							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	I			1		1	T	1		1	T	1		T
1	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	41.87		1	1	1	1		_	<u> </u>		l
ENHANCED	EXTENDED LINK (EELs)	1				1	_	T	1		1 -	1		1		T

IRONDLE	D NETWORK ELEMENTS - South Carolina			r									Attachmen	t; 2 Exh. B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		,	RATES (\$)			Submitted Elec	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Nonrecurring		Nonrecurrin	g Disconnect		L	OSS Rates (\$)		L	
						Rec	First	Add I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE com	binations pro	visioned as ' (ordinarily Con	bined Network	k Elements.					
	The monthly recurring and the Switch-As-is Charge and not t															
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER	OFFICE TRANSPO	RT apply 101	ONE COMBINATION	nis provision	ed as Current	ly Combined	Network Eleme	mis.					
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	TUSLXX	104.50			 	 	 					 -
	4-Wire DS1 Digital Loop in Combination - Zone 2	 		UNC1X	USLXX	178.74				 	 					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17				 	 	 		 		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1		10000			 		 	 					
	per month			UNC1X	1L5XX	0.31				ŀ	1	İ				
	Interoffice Transport - Dedicated - DS1 combination - Facility															
EVE	Termination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	88.71					.			L		!
EXIEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	DFFICE		 	 					L					
	DS3 Local Loop in combination - per mile per month	 	 	UNC3X	1L5ND	14.10										ļ
	DS3 Local Loop in combination - Facility Termination per month	<u>L</u> .		UNC3X	UE3PX	352.31										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	ļ	<u> </u>	UNC3X	1L5XX	9.22						Г <u>_</u>				L
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1012.75										
EXTEN	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	'S-1 INT	EROFF	ICE TRANSPORT												Ţ
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	14.10										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	360.51										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	9.22										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	1012.63			 		İ					

MBOMDEED IN	ETWORK ELEMENTS - Tennessee						_						Attachmen	t: 2 Exh. B		
1											Svc Order	Svc Order	Incremental		incremental	Increment
												Submitted	i			
Į				1										Charge -	Charge -	Charge - Manual Svc
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			DATES (8)			Elec	Manually	Manual Svc		Manual Svc	
	HATE CCCMENTS	m	Zone	BC3	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	1	
			1										Electronic-		Electronic-	Electronic
		l	1								1	ļ	1st	Add'i	Disc 1st	Disc Add'
		1					Nonrecurring		T Name	g Disconnect	 	L		- (4)	L	
						Rec					 			Rates (\$)		
	· · · · · · · · · · · · · · · · · · ·		-				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ļ	↓										-			
NRONDLED EXC	HANGE ACCESS LOOP									1						
2-WIRE HIC	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP												1	
2 W	Vire Unbundled HDSL Loop including manual service inquiry		T			h				 	· 				}	
8 fa	acility reservation - Zone 1		1	UHL	UHL2X	11.09										1
	Vire Unbundled HDSL Loop including manual service inquiry	 	+		- OTTLEX	11.03				 				<u> </u>		
	acility reservation - Zone 2	ļ			l	i								l	1	Ī
		L	2	UHL	UHL2X	16.61				L						
	Vire Unbundled HDSL Loop including manual service inquiry	1	1							1	1					T
	acility reservation - Zone 3		3	UHL	UHL2X	27.74					1					1
12 W	Vire Unbundled HDSL Loop without manual service inquiry		 							 	+		 		 	
	d facility reservation - Zone 1	1	1	UHL	UHL2W	11.00					1	1			ľ	1
	Vire Unbundled HDSL Loop without manual service inquiry	1	┿	J. IL	UNLZVV	11.09					 		}		·	
Z V	the chountred FDSL coop without manual service inquiry	1	1	l	l	İ				1	1	1		ĺ		
	d facility reservation - Zone 2		2	UHL	UHL2W	16.61				L			<u> </u>	L		<u></u>
	Vire Unbundled HDSL Loop without manual service inquiry	1	1	1							1					
	d facility reservation - Zone 3	1	3	UHL	UHL2W	27.74				1	ļ	1	1	ĺ	1	
4-WIRE HIG	GH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP			-			+	 			 			+
	Vire Unbundled HDSL Loop including manual service inquiry	1	T						 	 			 		 	
	d facility reservation - Zone 1		1	l				i	1	1			i			i
			+	UHL	UHL4X	14.26										1
	Wire Unbundled HDSL Loop including manual service inquiry	1			1				1	Ī					1	
and	d facility reservation - Zone 2	1	2	UHL	UHL4X	21.37		ł	1	1						
	Wire Unbundled HDSL Loop including manual service inquiry		 	 								 	 	·	 	
	d facility reservation - Zone 3	1	3	UHL	UHL4X	35.68	j		İ			1]		
		·	 3 -	UnL	UnL4X	35.08	ļ					Ļ	ļ		 	
	Wire Unbundled HDSL Loop without manual service inquiry	1												-	1	1
	d facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	14.26	<u></u> .		1	L .	1		1			1
4-V	Wire Unbundled HDSL Loop without manual service inquiry	1	1								1	1	1			T
land	d facility reservation - Zone 2	1	2	UHL	UHL4W	21.37		!			1	1	•			1
	Wire Unbundled HDSL Loop without manual service inquiry	 	+ -	0.12	0	2				+	+	 				+
	d facility reservation - Zone 3	1	3			05.50		1			1	l .	1			Į.
		1	3	UHL	UHL4W	35.68		ļ				L				
	S1 DIGITAL LOOP	1	<u> </u>				<u> </u>					<u> </u>	<u> </u>			
4.7	Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	59.09								l	1	
4-V	Wire DS1 Digital Loop - Zone 2		2	USL.	USLXX	88.53						Γ				
4-V	Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	147.82			***						1'	1
	UNBUNDLED LOCAL LOOP	 	†	† · · · · · · · · · · · · · · · · · · ·									1		1	1
	gh Capacity Unbundled Local Loop - DS3 - Per Mile per	+	+			 					+	+	·	 	 	+
		1		1150	LU SAUD	10.57		1	1					l .		
	onth			UE3	1L5ND	10.57		L						<u> </u>	ļ	
	gh Capacity Unbundled Local Loop - DS3 - Facility	1	1			1		1			1	1	1	1		I.
	rmination per month	1	1	UE3	UE3PX	430.38	Į.		1	1		l		l	1	
	gh Capacity Unbundled Local Loop - STS-1 - Per Mile per	1		Γ			T	1			1	T	1	1		1
	onth	1	1	UDLSX	1L5ND	10.57	1		1	1	1	1	1	1		1
	gh Capacity Unbundled Local Loop - STS-1 - Facility	-	+	10000		10.57	 	+	+	+	+	 	+	 	 	+
				LIDLOY	luoi o									}		1
Te	rmination per month	1	ļ	UDLSX	UDLS1	447.75						_	. 	ļ		
	DICATED TRANSPORT	1	1		1			l								
INTEROFF	ICE CHANNEL - DEDICATED TRANSPORT			!							1	1	1	1		1
	eroffice Channel - Dedicated Channel - DS1 - Per Mile per		1	1			· · · · · ·				 				1	
	onth	1	1	וסדוט	1L5XX	0.40963	,l	į	Į.	[1	1	1	1	1	1
		+	+	101101	ILJAA.	0.40303	 	├			+	 	+	+	_	+
	leroffice Channel - Dedicated Tranport - DS1 - Facility)			i			i .	
	ermination		1	UTD1	U1TF1	89.54						<u> </u>				
Int	teroffice Channel - Dedicated Transport - DS3 - Per Mile per		ł	i	1				ł		1	1	i		i	
l lmc	onth		1	U1TD3	1L5XX	2.69	1		1	1	1	1		1 .	L	
	teroffice Channel - Dedicated Transport - DS3 - Facility	1	+	 		T	1	1	···	T	1			T	1	T
		1		U1TD3	U1TF3	976.34	1	1	1	1	1	1	1	1	1	1
	ermination per month	+	+	01103	UTIF3	9/6.34	-	 		+	+	 			+	+
	teroffice Channel - Dedicated Transport - STS-1 - Per Mile per							1	1	1	1	}	1	i	1	
mo	onth	\perp	1.	U1TS1	1L5XX	2.69	<u> </u>					L	1			
Int	teroffice Channel - Dedicated Transport - STS-1 - Facility	T												1		1
	ermination	1		UITSI	U1TFS	976.70	,l	1		1	1	1	1	1	1	1
		+	+	+5,15,		1	 	 		+	+	+	 	 	1	+
	ED DARK FIBER - Stand Alone or in Combination	∔	 	 			 	ļ		+	+	 	 	 	+	+
	ark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1	1	- 1	i	1	1	ı	1	1	1	1	1	1	1
] Ro	oute Mile Or Fraction Thereof	1	1	UDF, UDFCX	1L5DF	33.05	1	1	1	L		1	<u> </u>	L		
	ENDED LINK (EELs) AND THEIR COMPONETS	1	1				1		T		-1"		1	T		

		D NETWORK ELEMENTS - Tennessee		т	,		1								t: 2 Exh. B		
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
	 -							Nonrecurring		Nonrecurrin	g Disconnect	<u> </u>	L	066	Rates (S)	I	J
	NOTE.	The months.	<u></u>				Rec		Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-Assis Charge and not the	apply a	nd the	Switch-As-Is Char	ge will not app	oly for UNE cor	nbinations prov	isioned as '	Ordinarily Com			- OOMAN	JOHIAN	JOMAN	SOWAN	SUMAN
							UNE combinat	ons provisione	as Curren	tly Combined'	Network Eleme	ents.	 				
	EXIE	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT 4-Wire DS1 Digital Loop in Combination - Zone 1	ED DS1	HALE	OFFICE THANSPO	ואנ	L			1		T	 			 	
	 	4-Wire DS1 Digital Loop in Combination - Zone 1	L		UNC1X	USLXX	59.09				<u> </u>		 		 	 	
_	+			2	UNC1X	USLXX	88.53			 	· -	 		 			
	╁	4-Wire DS1 Digital Loop in Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	147.82					 	 		 	 	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.40963			1		ļ ——·				† — <u> </u>	-
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X							· · · · · · · · · · · · · · · · · · ·					
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT	U1TF1	89.54				<u> </u>				İ	1	i
		DS3 Local Loop in combination - per mile per month	INTERC		UNC3X	1L5ND	10.57										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	430.38										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69			·		 	ļ	ļ <u>.</u>			
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			TINC3X	U1TF3	976.34			 			ļ				
1	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	FROFF	ICE TRANSPORT	01113	370.34			ļ	 	-					
		STS-1 Local Loop in combination - per mile per month	Ţ . W.	T	UNCSX	1L5ND	10.57				ļ			ļ		ļ	
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	447.75								-	 	
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.69		· ······								
L		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITFS	976.70			-							

Attachment 3

Network Interconnection

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1	General	
•		
2	Definitions: (For the purpose of this Attachment)	3
3	Network Interconnection	5
4	Interconnection Trunk Group Architectures	7
5	Network Design And Management For Interconnection	13
6	Forecasting for Trunk Provisioning	14
7	Local Dialing Parity	16
8	Interconnection Compensation	16
9	Ordering Charges	22
10	Basic 911 and E911 Interconnection	22
11	SS7 Network Interconnection	23
Rat	es	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sur	pergroup Architecture	Exhibit E

Version: 4Q06 Standard ICA

NETWORK INTERCONNECTION

I	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	Definitions: (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	Automatic Number Identification (ANI) corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	BellSouth Trunk Group is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by dPi.
2.4	911 Service is as described in this Attachment.
2.5	Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c).
2.7	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG TM Routing Guide (LERG).
2.9	Dedicated Interoffice Facility is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
2.10	End Office Switching is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

Version: 4Q06 Standard ICA

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 Final Trunk Group is defined as the last choice trunk group between two (2) switches for which there is no alternate route. 2.13 Integrated Services Digital Network User Part (ISUP) is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 Interconnection Point (IP) is the physical telecommunications equipment interface that interconnects the networks of BellSouth and dPi for the exchange of telecommunications traffic between the Parties. 2.15 IntraLATA Toll Traffic is as defined in this Attachment. 2.16 **ISP-Bound Traffic** is as defined in this Attachment. 2.17 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in this Attachment. 2.19 Public Safety Answering Point (PSAP) is the answering location for 911 calls. 2.20 Selective Routing (SR) is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 Serving Wire Center (SWC) is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on dPi's network that is switched and/or

Version: 4Q06 Standard ICA

11/30/06

BellSouth and delivered to dPi's network.

transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by

3 Network Interconnection

- This Attachment pertains only to the provision of network interconnection where dPi owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds eight point nine (8.9) million minutes per month for three (3) consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and

Version: 4Q06 Standard ICA

ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.

- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- Fiber Meet. Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if dPi elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, dPi and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, dPi's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the dPi Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.3 Upon verbal request by dPi, BellSouth shall allow dPi access to the fusion splice point for the Fiber Meet point for maintenance purposes on dPi's side of the Fiber Meet point.
- 3.4.4 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this

Version: 4Q06 Standard ICA

Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

4 Interconnection Trunk Group Architectures

- 4.1 BellSouth and dPi shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- dPi shall establish an interconnection trunk group(s) to at least one (1) BellSouth access tandem within the LATA for the delivery of dPi's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent dPi desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which dPi has established interconnection trunk groups, dPi shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, dPi shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where dPi has homed (i.e., assigned) its NPA/NXXs. dPi shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. dPi shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on dPi's NXX access tandem homing arrangement as specified by dPi in the LERG.
- Any dPi interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to dPi from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require dPi to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and dPi are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.

Version: 4Q06 Standard ICA

- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. dPi shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- In cases where dPi is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and dPi's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. dPi shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.
- 4.10.2 <u>BellSouth Access Tandem Interconnection.</u> BellSouth Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:

Version: 4Q06 Standard ICA

- Basic Architecture. In the basic architecture, dPi's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between dPi and BellSouth Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between dPi and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which dPi desires to exchange traffic. This trunk group also carries dPi originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to dPi. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for dPi-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth end users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for dPi end users. A two-way trunk group provides Intratandem Access for dPi's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between dPi and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which dPi exchanges traffic. This trunk group also carries dPi originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to dPi. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.
- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between dPi and BellSouth. In addition, a separate two-way transit trunk group must be established for dPi's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between dPi and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which dPi exchanges traffic. This trunk group also carries dPi originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to dPi. However, where dPi is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA

Version: 4006 Standard ICA

Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and dPi's Transit Traffic are exchanged on a single two-way trunk group between dPi and BellSouth to provide Intratandem Access to dPi. This trunk group carries Transit Traffic between dPi and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which dPi desires to exchange traffic. This trunk group also carries dPi originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to dPi. However, where dPi is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.2.5 <u>Multiple Tandem Access (MTA) Interconnection</u>

4.10.2.5.1 Where dPi does not choose access tandem interconnection at every BellSouth Access Tandem within a LATA, dPi must utilize BellSouth's MTA interconnection. To utilize MTA dPi must establish an interconnection trunk group(s) at a minimum of one (1) BellSouth Access Tandem within each LATA as required. BellSouth will route dPi's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. dPi must also establish an interconnection trunk group(s) at all BellSouth Access Tandems where dPi NXXs are homed as described in Section 4.2.1 above. If dPi does not have NXXs homed at any particular BellSouth Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth Access Tandem, dPi can order MTA in each BellSouth Access Tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate dPi's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to end users served through those BellSouth Access Tandems where dPi does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

4.10.2.5.2 dPi may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to dPi will be delivered to and from IXCs based on dPi's NXX access tandem homing arrangement as specified by dPi in the LERG.

Version: 4Q06 Standard ICA

- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent dPi does not purchase MTA in a LATA served by multiple Access Tandems, dPi must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent dPi routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, dPi shall pay BellSouth the associated MTA charges.

4.10.3 Local Tandem Interconnection

- 4.10.3.1 Local Tandem Interconnection arrangement allows dPi to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of dPi-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth End Offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.3.2 When a specified local calling area is served by more than one (1) BellSouth local tandem, dPi must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, dPi may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. dPi may deliver Local Traffic and ISP-Bound Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where dPi does not choose to establish an interconnection trunk group(s). It is dPi's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to dPi's codes. Likewise, dPi shall obtain its routing information from the LERG.
- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, dPi must also establish an interconnection trunk group(s) to BellSouth Access Tandems within the LATA on which dPi has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of BellSouth's GSST).
- 4.10.3.4 BellSouth's provisioning of Local Tandem Interconnection assumes that dPi has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

Version: 4Q06 Standard ICA

- 4.10.4 <u>Direct End Office-to-End Office Interconnection</u>
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between dPi and BellSouth.
- 4.10.4.2.2 <u>Traffic Volume.</u> To the extent either Party has the capability to measure the amount of traffic between dPi's switch and a BellSouth End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement.</u> The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 Transit Traffic Trunk Group
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by dPi to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. dPi shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.
- 4.10.5.2 Toll Free Traffic
- 4.10.5.2.1 If dPi chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all dPi originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

Version: 4Q06 Standard ICA

- dPi may choose to perform its own Toll Free database queries from its switch. In such cases, dPi will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, dPi will route the post-query local or IntraLATA converted ten (10)-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, dPi will route the post-query local or intraLATA converted ten (10)-digit local number to BellSouth over the Transit Traffic Trunk Group and dPi shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, dPi will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to dPi's network but that are connected to BellSouth's Access Tandem.
- 4.10.5.2.3 All post-query Toll Free calls for which dPi performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth Access Tandem within the LATA.

5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where dPi chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the dPi switch and the BellSouth STP. BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- 5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

Version: 4Q06 Standard ICA

6 Forecasting for Trunk Provisioning

- 6.1 Within six (6) months after execution of this Agreement, dPi shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of dPi's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- 6.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, dPi-to-BellSouth one-way trunks (dPi Trunks), BellSouth-to-dPi one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for dPi location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, dPi shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. dPi shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.
- The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

6.4 Trunk Utilization

6.4.1 For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and dPi shall monitor traffic on each BellSouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth

Version: 4Q06 Standard ICA

Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, BellSouth may disconnect any under-utilized BellSouth Final Trunk Groups and dPi shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- BellSouth's CISC will notify dPi of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated dPi interface. dPi will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which dPi expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with dPi to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to dPi. The due date of these orders will be four (4) weeks after dPi was first notified in writing of the underutilization of the trunk groups.
- 6.4.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.4 For the two-way trunk groups, BellSouth and dPi shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. BellSouth will request the disconnection of any under-utilized two-way trunk(s) and dPi shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 6.4.4.1 BellSouth's CISC will notify dPi of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated dPi interface. dPi will provide concurrence with the disconnection in seven (7) business days or

Version: 4Q06 Standard ICA

will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which dPi expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with dPi to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, dPi will issue disconnect orders to BellSouth. The due date of these orders will be four (4) weeks after dPi was first notified in writing of the under-utilization of the trunk groups.

To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7 Local Dialing Parity

7.1 BellSouth and dPi shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating Telecommunications Services that require dialing to route a call.

8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates from one Party's customer located in one exchange and terminates to the other Party's customer in either the same exchange, or other local calling area associated with the originating calling party's exchange as defined and specified in Section A3 of BellSouth's GSST.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

Version: 4Q06 Standard ICA

- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call. If dPi delivers Switched Access Traffic to BellSouth for termination in violation of this Section, BellSouth shall charge dPi terminating switched access charges as set forth in BellSouth's Intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate. Additionally, such delivery of traffic shall constitute improper use of BellSouth facilities as set forth in Section 1.5.2 of Attachment 7 of this Agreement.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's customer's presubscribed interexchange carrier or if one (1) Party's customer uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.
- 8.1.7 If dPi assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to dPi customer physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a dPi customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, dPi agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to dPi at BellSouth's FCC No. 1 Tariff rates.
- 8.2 If dPi does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole dPi NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. BellSouth shall make

Version: 4Q06 Standard ICA

appropriate billing adjustments if dPi can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.

8.3 Jurisdictional Reporting

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. The application of the PIU will determine the respective interstate traffic percentages to be billed at BellSouth's FCC No. 1 Tariff rates. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's intrastate Access Services Tariff will apply to dPi. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local traffic and facilities. The intrastate toll traffic shall be billed at BellSouth's intrastate Access Services Tariff rates. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where BellSouth has message recording technology that identifies the jurisdiction of

Version: 4Q06 Standard ICA

traffic terminated as defined in this Agreement, such information shall, at BellSouth's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by dPi. In the event that BellSouth opts to utilize its own data to determine jurisdictional reporting factors, BellSouth shall notify dPi at least fifteen (15) days prior to the beginning of the calendar quarter in which BellSouth will begin to utilize its own data.

- 8.3.5 Audits. On thirty (30) days written notice, dPi must provide BellSouth the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. dPi shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by dPi. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by BellSouth. The audited factor (PLF, PLU and/or PIU) shall be adjusted based upon the audit results and shall apply to the usage for the audited period through the time period when the audit is completed, to the usage for the quarter prior to the audit period, and to the usage for the two (2) quarters following the completion of the audit. If, as a result of an audit, dPi is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, dPi shall reimburse BellSouth for the cost of the audit.
- 8.4 <u>Compensation for IntraLATA 8XX Traffic.</u> dPi shall pay the appropriate switched access charges set forth in the BellSouth's intrastate Access Services tariff and/or BellSouth's FCC No. 1 Tariff. dPi will pay BellSouth the database query charge as set forth in the applicable BellSouth intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. dPi will be responsible for any applicable Common Channel Signaling (SS7) charges.
- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.
- 8.4.2 <u>8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD).</u> BellSouth's provision of 8XX TFD to dPi requires interconnection from dPi to BellSouth's 8XX Signal Channel Point. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. dPi shall establish SS7 interconnection at the BellSouth LSTPs serving the BellSouth 8XX Signal Channel Points that dPi desires to query. The terms and conditions for 8XX TFD are set out in the appropriate BellSouth Access Services Tariff.

Version: 4Q06 Standard ICA

8.5 Mutual Provision of Switched Access Service

- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method or method of originating or terminating the call, a call that originates in one LATA and terminates in another LATA (i.e., the end-toend points of the call) or a call in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth end user chooses dPi as their presubscribed interexchange carrier, or if a BellSouth end user uses dPi as an interexchange carrier on a 101XXXX basis, BellSouth will charge dPi the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- When dPi's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by dPi as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish Meet Point Billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 8.5.4.1 In cases where dPi has a unique hosted Revenue Accounting Office (RAO) code and dPi's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to dPi, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As

Version: 4Q06 Standard ICA

business requirements change, data reporting requirements may be modified as necessary.

- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 dPi shall not deliver switched access traffic to BellSouth for termination over any trunks and facilities other than dPi ordered switched access trunks and facilities.

8.6 Transit Traffic

- 8.6.1 BellSouth shall provide tandem switching and transport services for dPi's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between dPi and Wireless Type 1 third parties or Wireless Type 2A third parties that do not engage in Meet Point Billing with BellSouth shall not be treated as Transit Traffic from a routing or billing perspective until such time as such traffic is identifiable as Transit Traffic.
- 8.6.2 The delivery of traffic that transits the BellSouth network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that dPi is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to dPi. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, dPi shall reimburse BellSouth for such charges or costs.
- 8.7 For purposes of intercarrier compensation, BellSouth will not be responsible for any compensation associated with the exchange of traffic between dPi and a CLEC utilizing BellSouth switching. Where technically feasible, BellSouth will use commercially reasonable efforts to provide records to dPi to identify those CLECs utilizing BellSouth switching with whom dPi has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between dPi and the CLEC utilizing BellSouth switching.
- 8.7.1 dPi is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of traffic with a CLEC utilizing BellSouth switching. BellSouth will not be liable for any compensation to

Version: 4006 Standard ICA

the terminating carrier or to dPi. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of such traffic, dPi shall reimburse BellSouth for all such charges or costs.

dPi shall send all IntraLATA toll traffic to be terminated by an independent telephone company to the End User's IntraLATA toll provider and shall not send such traffic to BellSouth as Transit Traffic. IntraLATA toll traffic shall be any traffic that originates outside of the terminating independent telephone company's local calling area.

9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to dPi a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. dPi will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. dPi will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, dPi will be required to begin using E911 procedures.
- 10.3 E911 Interconnection. dPi shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (one point five forty-four (1.544) Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, dPi shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. dPi will be required to provide BellSouth daily updates to the E911 database. dPi will be required to forward 911 calls to the appropriate E911 tandem along with ANI

Version: 4006 Standard ICA

based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, dPi will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. dPi shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- Trunks and facilities for 911 Interconnection may be ordered by dPi from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

- 11.1 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to dPi's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.
- Signaling Call Information. BellSouth and dPi will send and receive ten (10) digits for Local Traffic. Additionally, BellSouth and dPi will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including all proper translations for routing between networks and any information necessary for billing.
- SS7 Network Interconnection is the interconnection of dPi LSTP switches or dPi local or tandem switching systems with BellSouth STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, dPi local or tandem switching systems, and other third party switching systems directly connected to the BellSouth SS7 network.

Version: 4Q06 Standard ICA

- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and dPi or other third party switching systems with A-link access to the BellSouth SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a dPi local switching system and a BellSouth or other third party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the dPi LSTP switches and BellSouth or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a dPi local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of dPi LSTPs and shall not include SCCP Subsystem Management of the destination.
- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.
- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect dPi or dPi-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.4.1 A-link interface from dPi local or tandem switching systems; and


Version: 4Q06 Standard ICA

- 11.4.2 B-link interface from dPi STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- BellSouth shall set message screening parameters to accept messages from dPi local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the dPi switching system has a valid signaling relationship.
- Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party for ISUP CCS7 signaling messages associated with Local Traffic. The portion of ISUP CCS7 signaling messages utilized for Local Traffic, which is subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. All other CCS7 signaling messages associated with Local Traffic will be billed at the rates set forth in Exhibit A. In addition, CCS7 facility charges, including charges for signaling ports and signaling links, utilized for Local Traffic will be billed at the rates set forth in Exhibit A. CCS7 signaling messages, signaling ports, and signaling links associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Version: 4Q06 Standard ICA

Basic Architecture


Exhibit B



Version: 4Q(11/30/06

One-Way Architecture


Exhibit C



Version: 4Q(11/30/06

Two-Way Architecture


Exhibit D



Version: 4Q0 11/30/06

Supergroup Architecture

Exhibit E



Version: 4Q06 Standard ICA

LOCAL	LINTE	RCONNECTION - Alabama															
		7,000,000										0		Att: 3 Exh: A			
			1										Svc Order	Incremental		incremental	Incrementa
	i		ļ									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	YAC	RATE ELEMENTS	Interim	Zone	BCS	usoc	Į		RATES(S)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
			ì	1		****			11,11 20(0)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	-			ŀ								1		Electronic- 1st	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
			<u></u>	<u>i </u>								l		151	Addi	DISC 18t	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
			ļ	L			Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NITEDO		<u> </u>	L.													
LUCAL	NOTE:	ONNECTION (CALL TRANSPORT AND TERMINATION)	L	<u> </u>	Ļ	L	L										
	TANDE	"bk" beside a rate indicates that the Parties have agreed to bill a M SWITCHING	and keep	o tor the	at element pursuant t	o the terms a	nd conditions in	Attachment 3.									
		Tandem Switching Function Per MOU					In consequent I										
		Multiple Tandem Switching, per MOU (applies to intial tandem	 -	 		+	0.0004980bk										
		only)	ł				0.000498										
		Tandem Intermediary Charge, per MOU*			 		0.0015										
	*This c	harge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or into	erconnection	charges.					L	<u> </u>	l	L		ــــــــــــــــــــــــــــــــــــــ
	TRUNK	CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12								Υ
		Installation Trunk Side Service - per DS0	ļ		OHD	TPP9X		21.56	8.12								
		Dedicated End Office Trunk Port Service-per DS0**	 	<u> </u>	OHD	TDEOP	0.00									l	
		Dedicated End Office Trunk Port Service-per DS1** Dedicated Tandem Trunk Port Service-per DS0**	 	ـ	OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1**	₩	├ ─	OHD	TDWOP	0.00										
			1	1000	OH1 OH1MS	TDW1P	0.00				<u> </u>						
	COMMO	rate element is recovered on a per MOU basis and is included in ON TRANSPORT (Shared)	meen	UTICE	ownening and Tane	em switchin	g, per MOU rate	elements									
 i		Common Transport - Per Mile, Per MOU			Т		0.0000023bk				т				т		
		Common Transport - Facilities Termination Per MQU	+			+	0.0003224bk					ļ		 			
LOÇAL		ONNECTION (DEDICATED TRANSPORT)	 	 		 	0.00032240K				 	 		 -	 		
-	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	•	·					·		·		L			L	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	Т.	T	1	T			T	T				T		T
		Per Mile per month	1	.]	ОНМ	1L5NF	0.008838			}		ļ	1		1	İ	
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		T							† - -						
 		Facility Termination per month		ļ	ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90			l	1.	L	l
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1	1		1								Ĭ			1
├		month		↓	ОНМ	1L5NK	0.008838				<u> </u>			<u> </u>			
i I		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		1	ОНМ		اء. ۔ . ا					Į		Į		Į.	Į.
 		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	-	₩-	ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90	 	-	 	 		
1		month	1		ОНМ	1L5NK	0.008838		ŀ			1		1			ļ
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	† 		0.111	TESIVIC	0.008636					├		 	 		+
		Termination per month	1		ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90	1		1			1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1		1	1				0.50	 	 	1	 	·	+
		month			OH1, OH1MS	1L5NL	0.18				ł			1	1		1
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	-		T											1
\vdash		Termination per month		1	OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44		ļ			1	
1 1		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		i						ļ	1						
		month			OH3, OH3MS	1L5NM	4.09								 		
		Interoffice Channel - Dedicated Transport - DS3 - Facility		1	0.10 0.10110						1		1		1		
	LOCAL	Termination per month CHANNEL - DEDICATED TRANSPORT	4		онз, онзмѕ	1L5NM	703.52	278.75	162.76	60.20	58.46	Ь	<u> </u>			J	ــــــــــــــــــــــــــــــــــــــ
 	LUCAL	Local Channel - Dedicated - 2-Wire Voice Grade per month	т	т	ОНМ	TEFV2	13.97	193,10	33,17	36.64	3.20		1		T	T	т
\vdash	 	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	OHM	TEFV4	14.93	193.10	33.60				 	$\vdash \lnot \lnot$	+	 	+
	 	Local Channel - Dedicated - DS1 per month	 	+	OH1	TEFHG	35.76	177.47	153.72				†	 	 	 	+
			t	1	 	1	1		1	1	1	 	—	1	1	1	1
) [ì	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОНЗ	TEFHJ	416 54	451.52	263.94	119.49	83.58]	1		1	
	LOCAL	INTERCONNECTION MID-SPAN MEET															
		Local Channel - Dedicated - DS1 per month		i .	OH1MS	TEFHG	0.00	0.00		T		T					T
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00			1				1		
	MULTIF	PLEXERS			T	1										,	
\vdash	 	Channelization - DS1 to DS0 Channel System	+	+	OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54			 			 	
	 	DS3 to DS1 Channel System per month	+	+	OH3, OH3MS	SATNS	166.13	178.14			31.63	-	ļ		 	ļ	
		DS3 Interface Unit (DS1 COCI) per month	dielo *	1	OH1, OH1MS	SATCO	12.70	6.58	4.72	1				٠		1	
	Notes: -ING (CC	If no rate is identified in the contract, the rates, terms, and con-	uicions 10	or the s	pecinic service of fur	PULIFOR WITE DE	as secronn m ap	pikrapie BeltSt	ALLO COSTOTI.								
		"bk" beside a rate indicates that the parties have agreed to bill a	and keer	forth	t element cursusent	o the terms >	nd conditions in	Attachment 2	1		1	ــــــــــــــــــــــــــــــــــــــ	<u> </u>			4	
\vdash		CCS7 Signating Termination, Per STP Port	voel	- 101 1112	UDB	PT8SX	130.83	rate of interest 3.	,			T	1		т	T	т-
		CCS7 Signaling Usage, Per TCAP Message	+	\dagger	† ***	1.100	0.0000569			 	1	 	 	 	_	1	+
		CCS7 Signaling Connection. Per DS1 level link (A link)	1	1	UDB	TPP6A	15.46	35.53	35.53	16.44	16.44	 	 	1	1	1	
1 1		+	+	1	UDB	TPP9A	15.46	35.53	35.53					1	1	1	1
		CCS7 Signaling Connection, Per DS3 level link (A link)	1	t													
		CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also know	n	1-	UDB	трр6В	13.40	03:30			T		<u> </u>		† 	†	

Page 1 of 18 Version: 4Q06 Std ICA 11/30/06

	ERCONNECTION - Alabama					,							Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	·
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known		 -	<u> </u>	<u> </u>		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	as D link)			UDB	TPP9B	15.46	35.53	35.53	15.44	16.44						- 00111211
	CCS7 Signaling Usage, Per ISUP Message		L			0.0000142bk			10.44	10.44		ļ			 '	
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33bk					 -				ļ'	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	25.53		·				
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.16				35.57	 					
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream					15.46	35.53	35.53	16.44	16.44						
	signaling		L	UDB	TPP9X	15.46	35.53	35.53	16.44	16.44	í	l			, ,	i

LOCAL INT	ERCONNECTION - Florida				_			-					Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		t	 -		 		Nonrec	umina	Nonrecurring	Disconnect		L	088	Rates(\$)		<u> </u>
					1	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1		144			- Aug I	JOINEC	JOHIAN	SUMAIN	SUMAIN	SUMAN	SUMAN
OCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)										 					
NOTE:	"bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for the	at element pursuant t	to the terms a	nd conditions in	Attachment 3.									
IANUE	M SWITCHING Tandem Switching Function Per MOU		т	r	т		,,									
	Multiple Tandem Switching, per MOU (applies to intial tandem	 		 		0.0006019bk		 -		ļ						
	only)					0.0006019										l
	Tandem Intermediary Charge, per MOU*		1			0.0015				 						
* This c	charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or into	erconnection	charges.	·		·	I		····	·	<u> </u>		
TRUNK	CHARGE															
	Installation Trunk Side Service - per DS0	 -		OHD	TPP6X		21.73	8.19								Ĭ
	Installation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0**			OHD	TPP9X		21.73	8.19								
	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**	—-	 	OHD OHIMS	TDEOP TDE1P	0.00				ļ	ļ	ļ				ļ
-+-	Dedicated Tandem Trunk Port Service-per DS0**	 	 	OHDOHIMS	TDWOP	0.00			ļ	 	 	<u> </u>			ļ	
	Dedicated Tandem Trunk Port Service-per DS1**		_	OH1 OH1MS	TDWIP	0.00					 					┼──
** This	rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tanc	em Switchin	g, per MOU rate	elements			l			·	·	L	
COMM	ON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU					0.0000035bk			I .				Γ	ſ	Γ	T
	Common Transport - Facilities Termination Per MOU					0.0004372bk										<u> </u>
CAL INTER	CONNECTION (DEDICATED TRANSPORT)	L	L	l		L										
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	ļ]]												
	Per Mile per month	L	L	ОНМ	1L5NF	0.0091										<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	l	l	L								1				1
	Facility Termination per month	 -		ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03	ļ		l			J
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0091			1		1					
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	 	 	OHM	ILDINK	0.0091			ļ						 -	
1	Termination per month		ł	ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	1	·		1.23.111	10.44	47.00	31.75	10.51	7.03	 					
	month	f		ОНМ	1L5NK	0.0091				ľ	Į		l			Ì
1-	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	Γ									<u> </u>		i			
	Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03	l					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per												1			
	month	-	ļ	OH1, OH1MS	1L5NL	0.1856			1		<u> </u>	<u> </u>				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	l	i												i	
	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	₩-		OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05	ļ					
	month	1		OH3, OH3MS	1L5NM	3.87				1			i			
	Interoffice Channel - Dedicated Transport - DS3 - Facility	├		Ons, Onswis	ILESIAM	3.87					├ ──		ļ	 		
- 1	Termination per month	ł	ì	онз, онзмѕ	1L5NM	1,071.00	335.46	219.28	72.03	70.56	1		1	}	1	
LOCAL	CHANNEL - DEDICATED TRANSPORT			10.10. 0.10.110	1.231411	1,071.00	300.40	213.20	72.03	70.30	L	<u> </u>	J	L	I	ــــــ
	Local Channel - Dedicated - 2-Wire Voice Grade per month	Γ		ОНМ	TEFV2	19.66	265.84	46.97	37.63	4.00	Τ		T	T	T	
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	20.45	266.54	47.67	44.22	5.33	 					
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30		<u> </u>		t	 		1
		1	Ī						T	r	1					T
	Local Channel - Dedicated - DS3 Facility Termination per month	<u>L</u>		ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84	l	L	1		L	
LOCAL	INTERCONNECTION MID-SPAN MEET		,			,										
	Local Channel - Dedicated - DS1 per month	↓		OH1MS	TEFHG	0.00	0.00									
9 20 11 70	Local Channel - Dedicated - DS3 per month	Щ.	Ц	OH3MS	TEFHJ	0.00	0.00		L	L	L	L	L	L	L	
MULTI		т—-	_	Tour Outre	lo e True					,	,	,				
	Channelization - DS1 to DS0 Channel System DS3 to DS1 Channel System per month	 	├	OH1, OH1MS OH3, OH3MS	SATN1 SATNS	146.77 211.19	101.42 199.28	71.62								+
	DS3 Interface Unit (DS1 COCI) per month	 	 -	OH1, OH1MS	SATCO	13.76	199.28	118.64 7.08		39.07	 			 	 	+
Notes:	If no rate is identified in the contract, the rates, terms, and cond	litions fo	r the =		ction will be s		ndicable Bell's	rith tariff	L,	L	L	<u> </u>	L	L		
GNALING (C	CS7)	1	1				P.AUDE DEIISO	Section of the sectio	г	1	τ		· · · · · · · · · · · · · · · · · · ·			T
	"bk" beside a rate indicates that the parties have agreed to bill a	nd keep	for tha	t element pursuant to	o the terms a	nd conditions in	Attachment 3	<u> </u>			L			·	l	
	CCS7 Signaling Termination, Per STP Port	1	I	UDB	PT8SX	135.05			I	1	Τ	T	1		T	T
	CCS7 Signaling Usage, Per TCAP Message					0 0000607				T			 	 	 	1
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31	1			1	· · · · · · · · · · · · · · · · · · ·	1
	CCS7 Signaling Connection. Per DS3 level link (A link)			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known	1	1		1	1						[Γ.
	as D link)	1	i	UD8	TPP6B	17.93	43.57	43.57	18.31	18.31	1	I	I	1	1	1

LOCAL INT	ERCONNECTION - Florida		·										Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
			<u> </u>			Rec	Nonrec	urring	Nonrecurring !	Disconnect		•	OSS	Rates(\$)		
 	CCC7 Signature Councilian Bandon Bandon Harris		ļ			1100	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message		1			0.0000152bk	43.37	43.37	10.31	18.31						
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694 32bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	JOSTOLDA	46 03	46.03	46.03	46.03						ļ
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		10.00	40.03	40.03	40.03		 -				
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	43.57	18.31	10.04		 -				
	CCS7 Signaling Connection. Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB_	TPP9X	17.93	43.57	43.57	18.31	18.31						

70AL III	TERCONNECTION - Georgia												Att: 3 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					1							Submitted				
		l			1								Charge -	Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc			DATEO(E)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
	TOTAL ECEMENTS	1111011111	Zone	805	USUC			RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order v
	\	1	1		1)							Electronic-	Electronic-	Electronic-	Electroni
			i I										tst	Add'l	Disc 1st	Disc Add
	 	 		<u> </u>							l	_				
						Rec	Nonred	urring	Nonrecurring	Disconnect			ÖSS	Rates(S)		
		L				100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1											1
CAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)	1	1											 	<u> </u>	
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bill a	and keer	for the	at element nursuant t	to the terms	nd conditions in	Attachment 3				ـــــ		·		L	<u> </u>
TAN	DEM SWITCHING			Total participation (to the terms u	na conditions ii	Attachment 3.									
	Tandem Switching Function Per MOU	т	,		T	0 0004186bk								,		
-+-	Multiple Tandem Switching, per MOU (applies to initial tandem	├ ──	}		}	U (XXX41866X			ļ		L					ļ
		i			1				İ							
	only)	↓	L		I	0 0004186								1		
	Tandem Intermediary Charge, per MOU*				L	0.0015										
* Thi	is charge is applicable only to transit traffic and is applied in additio	n to app	licable	switching and/or inte	erconnection	charges.										
TRU	INK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.53	8 11			1			T	T	
	Installation Trunk Side Service - per DS0	T	T	OHD	TPP9X		21.53	8.11			 		 	 		
	Dedicated End Office Trunk Port Service-per DS0**	\vdash	$\overline{}$	OHD	TDEOP	0.00	27.33	0.17			 		 			
	Dedicated End Office Trunk Port Service-per DS1**	+	t	OH1 OH1MS	TDE1P	0.00				 		ļ	 	 		
	Dedicated Tandem Trunk Port Service-per DS0**	-	 	OHD	TDWOP					 		ļ _	 		ļ	
-+-		-	 			0 00		<u> </u>				ļ			L	
- 	Dedicated Tandem Trunk Port Service-per DS1**	4	<u></u>	OH1 OH1MS	TDW1P	0 00			I	L	J	L	L			1
Th	his rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	lem Switchin	g, per MOU rate	elements									
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU	·	1		1	0.0000028bk										
	Common Transport - Facilities Termination Per MOU	\Box				0.0001955bk				···				 		1
CAL INTE	RCONNECTION (DEDICATED TRANSPORT)		$\overline{}$										 	 		
	EROFFICE CHANNEL - DEDICATED TRANSPORT			·						<u> </u>			<u></u>	<u> </u>		ــــــــــــــــــــــــــــــــــــــ
—- 	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		т—	T								r				
	Per Mile per month	1	1	ОНМ					ì	ì	1	ì	ł	1	i	1
_+-		├		UHM	1L5NF	0.0059				L						L
i	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		1									1	''	1	1
	Facility Termination per month	L		ОНМ	1L5NF	13.15	48.41	19.46	16.56	4.99	ł	l	ł	1		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per		1								1					1
l l	month	1	Į.	OHM	1LSNK	0.0059			\	\	1	1	ĭ	1	ì	1
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		 	1						 	 		 		
	Termination per month	ĺ		ОНМ	1L5NK	8 00	48.41	19.46	16.56	4.99	1				İ	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	+	 		TESTAN	000	40.41	19.40	10.50	4.33	 	·	 			+
ı				онм							1	1		1		
	month	\leftarrow	٠	ОНМ	1L5NK	0.0059	L		 	<u> </u>	 -	<u> </u>	 	<u> </u>		
1	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1	1		1			i	ĺ		1			l	}	1
	Termination per month	<u></u>	1	ОНМ	1L5NK	8.00	48.41	19.46	16.56	4.99	I		l			l
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	Т	1								1		1			T
- 1	month	1	1	OH1, OH1MS	1L5NL	0.1199	}				1	ł		1	ł	
_1	Interoffice Channel - Dedicated Tranport - DS1 - Facility		 		1						┼──			 		+
1	Termination per month	1	1	OH1, OH1MS	1L5NL	34.93	110.92	80.20	31.33	21.71	1		1			i .
		+	 	15.11, OTT 1M3	1,50,45	34.93	110.92	80.20	31.33	4		 	 		 	+
- 1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	0.10	L	l	1	I	1	1	1	1	}	1	1	l
-	month	↓ —	+	OH3, OH3MS	1L5NM	2.63	l			 	 			 	<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Facility		l	l	l	l	Į.	ļ	1	1	1	{	1	1	l .	1
	Termination per month	<u></u>		OH3. OH3MS	1L5NM	349.42	320.16	85.24	66.71	52.76	<u> </u>	L	L	<u></u>		
LOC	CAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month		T	ОНМ	TEFV2	7.91	120.95	53.24	46.35	13.35	1	Ţ	T	1	Г	T
	Local Channel - Dedicated - 4-Wire Voice Grade per month	-	 	OHM	TEFV4	8.90		54.38			1	 	 	 	-	
 -	Local Channel - Dedicated - QS1 per month	+	+	OH1	TEFHG	22.82	149.31	111.09			+	 	 	 	 	+
	Local Onalizer - Dedicated - Q3 i per month	+	+	 	TEFNO	62.02	149.31	111.09	40.32	20.08	'	 	+	 	+	+
- 1	L	1	1		İ	l	l	l		1	1	1	1	1	1	1
	Local Channel - Dedicated - DS3 Facility Termination per month	ᆚ	<u> </u>	ОНЗ	TEFHJ	150.05	444.58	145.04	112.80	75.81	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ		<u></u>	<u> </u>	
LOC	CAL INTERCONNECTION MID-SPAN MEET															
	Local Channel - Dedicated - DS1 per month			OHIMS	TEFHG	0.00	0.00			L						<u> </u>
	Local Channel - Dedicated - DS3 per month	1	1	OH3MS	TEFHJ	0.00	0.00		1		T	1			I	T
MUI	LTIPLEXERS															
-	Channelization - DS1 to DS0 Channel System	T	Т	OH1, OH1MS	SATN1	71.23	105.57	41.545	23.73	4.19	T	Τ	T	T	1	Τ
	DS3 to DS1 Channel System per month	+	+	OH3, OH3MS	SATNS	124.39	224.255	71.76		31.035		 	 	+	 	
	DS3 Interface Unit (DS1 COCI) per month	+	+	OH1. OH1MS	SATCO	7.50	15.79	11.375	6.60			 	+	+	 	+
			1						6.60	<u> </u>	<u>'——</u>		1		1	1
	es: If no rate is identified in the contract, the rates, terms, and con-	utions fo	or the s	pecific service or fun	iction will be	as set forth in a	ppiicable BellSo	uth tariff.	,	,	.,		.,			
NALING				<u> </u>	J	L	L		<u> </u>	<u> </u>	1		<u> </u>		L	
NOT	TE: "bk" beside a rate indicates that the parties have agreed to bill a	ind keep	for the	t element pursuant t	o the terms a	nd conditions in	Attachment 3.									
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	T		UDB	TPP6A	8.93	34.74	34.74	16.90	16.90					l	T_
\neg	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	T	1	UDB	TPP9A	8.93	34.74	34,74	16.90			1	1	 		T
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	+	1	UDB	TPP6B	8.93	34.74	34.74	16.90	16.90		 	 	+	 	+
		+-	+	UDB	TPP9B	8.93	34.74	34.74	16.90	16.90			 	 		+
									1 1640	1 1690	, ,		r	1		ł
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	+-	+-					34.74	10.00	10.00						+
	CCS7 Signaling Connection, Per Shitops Facility B-Link US3 CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per Call Setup Message			UDB	PT8SX	111.30 .0000134bk		54.74	10.00	10.50						

LOCAL INTI	ERCONNECTION - Georgia												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring (Disconnect		·	oss	Rates(\$)		
	000000	└	L				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message	<u> </u>				0.0000536										
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)		L			.0000134bk					<u>-</u> -					
L	CCS7 Signaling Usage Surrogate, per link		1	UDB	STU56	921.93bk									·	
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			NDB	CCAPO		28.12	28 12	33 29	33.29						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream						20.10		33 23	50.23			·			
	signaling	L		UDB	TPP6X	8.93	34 74	34.74	16.90	16.90	l		1	1	!	1 !
1 1	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	трр9х	8.93	34.74	34 74	16 90	16.90						

JUCAL IN	NTERCONNECTION - Kentucky												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		 			 	 -	Nonre	curring	Nonrecurring	Disconnect			088	Rates(\$)		L
						Rec	First	Add'I	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0041 117	TROOMING TO THE TRANSPORT OF THE TRANSPO	<u> </u>									00	COMPAN	30111211	3011121	SOMAIT	SUMAN
NO.	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	<u> </u>	Ļ													
TAI	TE: "bk" beside a rate Indicates that the Parties have agreed to bill:	and kee	p for th	at element pursuant t	to the terms a	and conditions in	Attachment 3.							.	·	·
	Tandem Switching Function Per MOU					1		···								
	Multiple Tandem Switching, per MOU (applies to intial tandem	 	┼		 	0 0006772bk										
	only)			1		0.0000770			1							
	Tandem Intermediary Charge, per MOU*		+		 	0.0006772					 					L
17.	his charge is applicable only to transit traffic and is applied in addition	n to an	dicable	switching and/or inte	erroppection	charmes		l	L			L	<u> </u>	l		<u> </u>
TRI	UNK CHARGE			Controllery Control Into	arconnection.	charges.										
	Installation Trunk Side Service - per DS0	T	\Box	OHD	TPP6X	T	21.58	8 13			т					
	Installation Trunk Side Service - per DS0		Γ	OHD	TPP9X	1	21.58	8.13			 			 		
 	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					 	 	 			
	Dedicated End Office Trunk Port Service per DS1**		\bot	OH1 OH1MS	TDE1P	0.00						——	1			
	Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDWOP	0.00							1			l
	Dedicated Tandem Trunk Port Service-per DS1**	l	<u> </u>	OH1 OH1MS	TDW1P	0.00										
000	his rate element is recovered on a per MOU basis and is included in MMON TRANSPORT (Shared)	the En	a Office	Switching and Tanc	tem Switchin	g, per MOU rate	elements									
	Common Transport - Per Mile, Per MOU					10 000000000000000000000000000000000000										
-+	Common Transport - Fer Mile, Per MOU Common Transport - Facilities Termination Per MOU	 	 	 		0.0000030bk										
OCAL INT	ERCONNECTION (DEDICATED TRANSPORT)	 	┼	 		0.0007466bk					L					
	EROFFICE CHANNEL - DEDICATED TRANSPORT	1 .	ــــــــــــــــــــــــــــــــــــــ	L				L	l			L	L	l		
 "!!!	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		т		т~~	,			·			·	,	,	,	,
	Per Mile per month	<u> </u>		ОНМ	1L5NF	0 01										_
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	<u> </u>		ОНМ	1L5NF	29.11	47.34	31 78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per				I						1					1
	month	 		ОНМ	1L5NK	0.0115					1	1		1 .		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	20 97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		T	ОНМ	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						47.35	31.78	22.11	8.75						
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	+	OH1, OH1MS	1L5NL	0.23						ļ	ļ			
	Termination per month		_	OH1, OH1MS	1L5NL	96 04	105.52	98.46	23.09	20.49			`			
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	<u> </u>		онз, онзмѕ	1L5NM	4.97										
i	Interoffice Channel - Dedicated Transport - DS3 - Facility	1		0.10									1			
	Termination per month CAL CHANNEL - DEDICATED TRANSPORT	L	1	OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75	L	<u> </u>	L		L	L
	Local Channel - Dedicated - 2-Wire Voice Grade per month	т —	7	ОНМ	TEFV2	18 57	265.78	46.96	46.79	4.98		·	,		T	,
	Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month	+	+	ОНМ	TEFV4	19.86	265.78 266.48	46.96	46.79 47.54	4.98 5.73		 		 		
	Local Channel - Dedicated - 4-Wire Voice Grade per month	+	+	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07		 	 	 	 	
	Local Channel - Dedicated - DS3 Facility Termination per month	 	T	ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42			 		 	
	CAL INTERCONNECTION MID-SPAN MEET		ــــــــــــــــــــــــــــــــــــــ	IONS	I ELUN	5/6.05	551.38	1 338.08	1/3.00	120.42		ــــــــــــــــــــــــــــــــــــــ	L	L	L	Ц.,
	Local Channel - Dedicated - DS1 per month	1	т	OH1MS	TEFHG	0.00	0.00	r				<u> </u>	1			
-	Local Channel - Dedicated - DS3 per month	 	+	OH3MS	TEFHJ	0.00		 	 	-	 	 	 		 	
MU	LTIPLEXERS	٠	·		,	, 0.00	0.50	·	·	٠		<u> </u>			L	·
	Channelization - DS1 to DS0 Channel System	1	Т	OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	Τ	T	T	T	1	T
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59			1		1	1
		1		OH1, OH1MS	SATCO	11.80	10.07	7.08			L	L				
	DS3 Interface Unit (DS1 COCI) per month			44	cetion will be	as set forth in ar	plicable BellSo	outh tariff.								
Note	es: If no rate is identified in the contract, the rates, terms, and cond	litions fe	or the s	pecific service or fun	CHOIL WIN DE											
SIGNALING	es: If no rate is identified in the contract, the rates, terms, and cont (CCS7)	T	$\overline{}$	1]		<u> </u>		<u> </u>	<u> </u>				<u> </u>	<u> </u>
GNALING	ies: If no rate is identified in the contract, the rates, terms, and cont i (CCS7) TE:"bk" beside a rate indicates that the parties have agreed to bill a	T	$\overline{}$	at element pursuant to	o the terms a	nd conditions in		l	l	L	L		L	L	L	<u> </u>
GNALING	es: if no rate is identified in the contract, the rates, terms, and cond (CCS7) TE: "bk" beside a rate indicates that the parties have agreed to bill a CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	T	$\overline{}$	at element pursuant to	o the terms a	nd conditions in	43.56			22.45			I			
SIGNALING	tes: if no rate is identified in the contract, the rates, terms, and cond (CCS7) TE: 'bk' beside a rate indicates that the parties have agreed to bill a CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	T	$\overline{}$	at element pursuant to UDB UDB	o the terms a TPP6A TPP9A	nd conditions in 20.71 20.71	43.56 43.56	43.56	22.45	22.45						
SIGNALING	tes: If no rate is identified in the contract, the rates, terms, and contract, the rates, terms, and contract, the parties have agreed to bill a CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	T	$\overline{}$	at element pursuant to UDB UDB UDB	o the terms a TPP6A TPP9A TPP6B	nd conditions in 20.71 20.71 20.71	43.56 43.56 43.56	43.56 43.56	22.45 22.45	22.45 22.45						
SIGNALING	tes: if no rate is identified in the contract, the rates, terms, and cond (CCS7) TE: 'bk' beside a rate indicates that the parties have agreed to bill a CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	T	$\overline{}$	at element pursuant to UDB UDB	o the terms a TPP6A TPP9A	nd conditions in 20.71 20.71	43.56 43.56	43.56	22.45	22.45						

LOCAL IN	ERCONNECTION - Kentucky			~									Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Submitted		Charge -	Incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Charge -
———	<u> </u>		L.			Rec	Nonrec	urring	Nonrecurring [Disconnect	l		oss	Rates(\$)		
	00070					LI	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message	 	-			0.0000656					1					
	CCS7 Signaling Usage, Per ISUP Message	└				0.0000164bk					1					
J	CCS7 Signaling Usage Surrogate, per link per LATA		<u> </u>	UDB	STU56	751.08bk								l		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	трр6х	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream											<u> </u>				
LL.	signaling		1	UDB	TPP9X	20.71	43.56	43.56	22.45	22.45	1	1	ĺ	l .	l	1

OOAL INT	ERCONNECTION - Louisiana												Att: 3 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
			l								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	l		RATES(\$)								
	:				0000	ŀ					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		Į.	l								1		Electronic-	Electronic-	Electronic-	Electronic
						1							1st	Add'l	Disc 1st	Disc Add
	† 	┼	├			·					 _		Li		L	
						Rec		urring	Nonrecurring					Rates(\$)		
							First	Add I	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTER			Ь—							L						
JCAL IN I ERC	CONNECTION (CALL TRANSPORT AND TERMINATION)	<u> </u>	L			il										
NOTE:	"bk" beside a rate indicates that the Parties have agreed to bill	and keep	tor the	it element pursuant to	the terms a	nd conditions in	Attachment 3.									
TANDE	EM SWITCHING															
	Tandem Switching Function Per MOU	<u> </u>	L			0.0005507bk										T
1	Multiple Tandem Switching, per MOU (applies to intial tandem		T								1					
_	only)	İ		•		0.0005507		ĺ	ł	1	i	ĺ				
	Tandem Intermediary Charge, per MOU*	1	1			0.0015				 	 		i — — —		 	
* This	charge is applicable only to transit traffic and is applied in addition	n to apr	licable	switching and/or inte	rconnection				L				L			ــــــــــــــــــــــــــــــــــــــ
TRUNK	K CHARGE					unargeo.										
	Installation Trunk Side Service - per DS0		т	OHD	TPP6X		21.64	8.15					r			
	Installation Trunk Side Service - per DS0	+	 		TPP9X	 	21.64	8.15	 -	 	+					
	Dedicated End Office Trunk Port Service-per DS0**	 	+		TDEOP		∠1.64	8.15		 	 		 		<u> </u>	
	Dedicated End Office Trunk Port Service-per DS0*	 				0.00		ļ		 	 	ļ	 			
			 	OH1 OH1MS	TDE1P	0.00					↓	<u> </u>			L	
	Dedicated Tandem Trunk Port Service-per DS0**	 	↓ ——	OHD	TDWOP	0.00				ļ	-					
	Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00		L	L	L			<u> </u>			
** This	rate element is recovered on a per MOU basis and is included in	the En	d Office	Switching and Tand	em Switchin	g, per MOU rate	elements									
СОММ	ON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU		1			0.0000032bk					1					
	Common Transport - Facilities Termination Per MOU		Γ.			0.0003748bk				 	1		†			1
CAL INTER	CONNECTION (DEDICATED TRANSPORT)										1		t		 	1
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT									•	'					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		T	T									T			1
1	Per Mile per month			ОНМ	1L5NF	0.013		1			1					1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	+		10000	0.013			 		+					+
	Facility Termination per month		1	ОНМ	1L5NF	22.60	20.00	00.00			1	İ				1
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per		+	Orivi	ILSIVE	22.60	39.36	26.62			 				ļ	
			1	la					1		1	1		1	ĺ	1
	month	<u> </u>	↓	ОНМ	1L5NK	0.013		<u> </u>	ļ	ļ					L	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		1					l	1	i						1
	Termination per month		↓_	ОНМ	1L5NK	15.61	39.37	26.62		<u> </u>	_L				L	<u> </u>
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per		1											Ī		
i	month	l	1	ОНМ	1L5NK	0.013	ĺ		1		1	l .		1	Į	1
	Interoffice Channel - Dedicated Transport - 64 ldps - Facility		T													T
	Termination per month		1	ОНМ	1L5NK	15.61	39.37	26.62			1	1		1		1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	1			 				 	1	1	1			1
ı	month		Į.	OH1, OH1MS	1L5NL	0.2652		1			ì	1				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	+	+		TOTAL	0.2002			 	 	+	 	 		 	+
	Termination per month		1	OH1, OH1MS	1L5NL	70.47	86.69	79.44	İ	1		ŀ				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	+	O OH ING	LOIVE	70.47	00.09	/ 9.44		 	+	 	 	 		+-
1	month	1	1	OUR OURIE	l.,		l		1	1]		1	İ	
		 	+	OH3. OH3MS	1L5NM	6.04	 	 	 	 	 		 	ļ	├ ──	+
- 1	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	1		·			1	1	1	1	1	1	1	1	1
	Termination per month	1		OH3, OH3MS	1L5NM	850.45	270.69	158 05	<u> </u>	L		1		L	<u> </u>	
LOCA	L CHANNEL - DEDICATED TRANSPORT	,														
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	1	ОНМ	TEFV2	18.32	187.51	32.21	L			L				1
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	19.41	187.94	32.63								
	Local Channel - Dedicated - DS1 per month	T	I	OH1	TEFHG	39.18	172.34	149.27				L				
	T	T	T					T			T					1
1	Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОНЗ	TEFHJ	469.44	438.46	256 30	1	1	1	1	1	1	1	1
LOCAL	LINTERCONNECTION MID-SPAN MEET	•	-	•	<u> </u>				•						•	
1227	Local Channel - Dedicated - DS1 per month	T	T	OH1MS	TEFHG	0.00	0.00	T	7	T	T	T	T	T	T	T
-	Local Channel - Dedicated - DS3 per month	+	+-	OH3MS	TEFHJ	0.00			 	 	 	 	 	· · · · · · · · · · · · · · · · · · ·	 	
MI II TO	PLEXERS		 -	10.10.10	1	0.00	0.00		·	4				·		
I MOLI	Channelization - DS1 to DS0 Channel System	т —	T	OH1, OH1MS	SATN1	105.09	88.41	60.76		T		 				т
	DS3 to DS1 Channel System per month	+	+	OH3, OH3MS	SATINS	201 48				+	+	 			 	+
	DS3 Interface Unit (DS1 COCI) per month	+	+	OH1, OH1MS	SATCO	11.78				+		 	 	 	 	+
No.	Managed on the last cool per month	ditions *	1							ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ				٠	ــــــــــــــــــــــــــــــــــــــ
[NOTES:	If no rate is identified in the contract, the rates, terms, and con-	unions to	or the s	pecinic service or fun	TON WILLDE	as set forth in a	ppiicable BellSe	outn tarm.				т	1		1	η
GNALING (C	US/)	1	<u> </u>	!	ــــــــــــــــــــــــــــــــــــــ		L	┸	<u> </u>	1	ــــــــــــــــــــــــــــــــــــــ	L		L		┸
NOTE	"bk" beside a rate indicates that the parties have agreed to bill a	nd keep	for the							·					,	
	CCS7 Signaling Termination, Per STP Port	1	┸	UDB	PT8SX	147 60	L		I	l	.1	ļ	1	ļ	1	
	CCS7 Signaling Usage, Per TCAP Message					0 000064					1					
	CCS7 Signaling Connection, Per DS1 level link (A link)	\perp		UDB	TPP6A	15.77	34 50	34.50				1			1	
	CCS7 Signaling Connection. Per DS3 level link (A link)	1	1	UDB	TPP9A	15.77	34.50			T	1	1	1	1	1	T
	CCS7 Signating Connection, Per DS1 level link (B link) (also know	n	+-		1	1	1	1	 	 	1	1	 	 	1	1
į.																

Version 4Q06 Std ICA 11/30/06

LOCAL INT	ERCONNECTION - Louisiana												Att: 3 Exh: A			
CATEGORY	PATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incremental Charge - Manual Svc Order va. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(S)		
					1] nec [First	Add't	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.77	34.50	34 50								
	CCS7 Signaling Usage, Per ISUP Message		1		T	0.000016bk										
	CCS7 Signaling Usage Surrogate, per link per LATA		$\overline{}$	UDB	STU56	732.1bk					1		†	<u> </u>		1
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28 17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	ТРР9Х	15.77	34.50	34 50								

	ERCONNECTION - Mississippi												Att: 3 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 	 -			Rec	Nonre		Nonrecurring	Disconnect	T		oss	Rates(\$)	L	ــــــــــــــــــــــــــــــــــــــ
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)					 										1 00,111,11
NOTE	: "bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for the	at element pursuant	to the terms a	nd conditions in	Attachment 2			L	<u> </u>					
1 AND	Tandem Switching Function Per MOU					a conditions in	Attachment 3.									
\dashv	Multiple Tandem Switching, per MOU (applies to intial tandem		<u> </u>			0.0005379bk										
	onty)														·	⊢ —
	Tandem Intermediary Charge, per MOU*	 	_		4	0.0005379					1					
' This	charge is applicable only to transit traffic and is applied in additio	n to ann	licable	av kabia d/- i-t	<u> </u>	0.0015										
TRUN	10110102	i to app	iicacie	swacning and/or inc	erconnection	charges.									·	
	Installation Trunk Side Service - per DS0			OHD	TPP6X		04.50									
	Installation Trunk Side Service - per DS0			OHD	TPP9X	ļ	21.58 21.58	8 13 8 13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	21.56	8 13								
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
** This	Dedicated Tandem Trunk Port Service-per DS1**	ل با		OH1 OH1MS	TDW1P	0.00										
COMM	rate element is recovered on a per MOU basis and is included in ON TRANSPORT (Shared)	the End	Office	Switching and Tand	em Switching	, per MOU rate	elements							L		Ь
	Common Transport - Per Mile, Per MOU				,					······						
	Common Transport - Facilities Termination Per MOU					0.0000026bk										
CAL INTER	CONNECTION (DEDICATED TRANSPORT)		-		 -	0.0004541bk										
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT				<u> </u>					,						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				 _											
_	Per Mile per month			ОНМ	1L5NF	0.0098			1							
ł	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				1.05111	0.0096										<u>L</u>
	IFacility Termination per month			ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11			}	1		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month							27.57	17.20	7.11						ļ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	0.0098			1		ĺ	1		1		1
1	Termination per month	ĺ														
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	-		ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11	1			i		1
	month			ОНМ	1L5NK											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			O 1141	ILDIAK	0.0098										1
	1 ermination per month	ĺ	i	ОНМ	1L5NK	15.68	40.78	27.57								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			· · · · · · · · · · · · · · · · · · ·	LOTT	13.00	40.78	27.57	17.26	7.11						
	month			OH1, OH1MS	1L5NL	0.201	ŀ		l		ľ			ŀ		
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															——
- +	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14 90				i		ĺ .
	month Dedicated Transport - DS3 - Per Mile per	- 1	- [+				
	Interoffice Channel - Dedicated Transport - DS3 - Facility			онз. онзмѕ	1L5NM	4.76							I			1
	Termination per month			онз. онзмѕ	1L5NM	544.00										
LOCAL	CHANNEL - DEDICATED TRANSPORT			O113, O113W3	T LCSININI	641.90	280.37	163.70	62.08	60.29						i
	Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	14 91	194.22	33.36	37.79		—					
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	15.99	194.66	33.80	38.27	3.30 3.78						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
	Level Character Destinated and Description							.54.01	60.33	15.74						
LOCAL	Local Channel - Dedicated - DS3 Facility Termination per month INTERCONNECTION MID-SPAN MEET	1		<u>ОН3</u>	TEFHJ	413.87	454.13	264.47	123.23	86.19]	ı
LOCAL	Local Channel - Dedicated - DS1 per month		,							90.10					1	
	Local Channel - Dedicated - DS3 per month			OH1MS	TEFHG	0.00	0.00							Т		
MULTIF	PLEXERS			SMEHC	TEFHJ	0.00	0.00									
	Channelization - DS1 to DS0 Channel System T		Ta	OH1, OH1MS	SATN1	102 85	A									
	DS3 to DS1 Channel System per month			DH3. OH3MS	SATNS	170.63	91.57 179.17	62.94	10.87	10.10	-					
1	DS3 Interface Unit (DS1 COCI) per month			2114 0114140				94.52	34.30	32.82						
Notes:	If no rate is identified in the contract, the rates, terms, and condit	ons for	the spe	cific service or func	tion will be as	set forth in and	licable BallSon	th tariff		1				T		
										— т				 -		
NOTE:	bk beside a rate indicates that the parties have agreed to bill an CCS7 Signaling Termination, Per STP Port	d keep fo	or that	element pursuant to	the terms and	conditions in A	ttachment 3.		L							
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message	 -↓		JDB	PT8SX	132.21										
	CCS7 Signaling Osage, Per TCAP Message CCS7 Signaling Connection, Per DS1 level link (A link)			IDO .		0.0000597									——	
	CCS7 Signaling Connection, Per DS3 level link (A link)			NDB NDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS1 level link (8 link) (also known)	-		100	TPP9A	16.55	35.74	35.74	16.53	16.53						
	as D link)	- 1		JOB				- 1								

LOCAL INT	RCONNECTION - Mississippi															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Submitted	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
						Rec	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates(\$)		
 	CCS7 Signaling Connection, Per DS3 level link (B link) (also known		├			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	as D link)			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message					0.0000149bk		33,74	10.33	16.53				<u> </u>		
	CCS7 Signaling Usage Surrogate, per link per LATA		T	UDB	STU56	683.55bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.18	29.18	35.78	35.78						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		7	UDB	CCAPD		20.10	23.10	33.76	33.76			 -			
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream					10.33		33.74	10.53	10.53						
<u></u>	signaling			UDB	TPP9X	16.55	35.74	35.74	16.53	16.53		l		1	Î	ı

	TERCONNECTION - North Carolina												Att: 3 Exh: A			
		\	1 1		1						Svc Order		Incremental	incremental	incremental	
		1				•					Submitted		Charge -	Charge -	Charge -	Charge -
TEGORY	DATE ELEMENTO	l	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
EGORT	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1										,	Electronic-	Electronic-	Electronic-	Electronic
			1		1								1st	Add'i	Disc 1st	Disc Add'
	<u> </u>	1	—								1 1				2.00 .0.	1
	<u> </u>	Ļ				Rec	Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates(\$)		
		<u> </u>	_			nec .	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<u> </u>													
OCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)	<u> </u>	<u> </u>													
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bill a	and keep	for the	st element pursuant te	o the terms a	nd conditions in	Attachment 3.				·	•				·
TAN	DEMISWITCHING															
	Tandem Switching Function Per MOU					0.0004788bk							r			Γ
ļ	Multiple Tandem Switching, per MOU (applies to intial tandem															
	(only)		1		<u> </u>	0.0004788	1			1	1	Ì	1)	Ì
	Tandem Intermediary Charge, per MOU*	L				0.0015							· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
* Thi	s charge is applicable only to transit traffic and is applied in addition	on to app	dicable	switching and/or inte	rconnection	charges.										
TRU	NK CHARGE															
	Installation Trunk Side Service - per DS0	L	L	OHD	TPP6X		21.55	8.12				1				T
	Installation Trunk Side Service - per DS0		<u> </u>	OHD	TPP9X		21.55	8.12								
	Dedicated End Office Trunk Port Service-per DS0**	1	ļ	OHD	TDEOP	0.00						I				
	Dedicated End Office Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDE1P	0.00				I	1	1	I _			
	Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDWOP	0.00					\perp		L		I	
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>		OH1 OH1MS	TDW1P	0.00					T					
** TI	is rate element is recovered on a per MOU basis and is included in	the En	d Office	Switching and Tand	em Switchin	g, per MOU rate	elements									
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU		1		I	0 0000023bk									l	
	Common Transport - Facilities Termination Per MOU	1				0.0001676bk										
	RCONNECTION (DEDICATED TRANSPORT)	I			T						1					
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1		T					1	1	T	1	T		
	Per Mile per month	.1	<u>L</u> .	OHM	1L5NF	0.0095					1		į			1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month		1	ОНМ	1L5NF	12.12	39.36	26.62		1	1		1			1
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			1	 							 	1			
- 1	month		1	ОНМ	1L5NK	0.0095				1	1		1	Į.	l	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	+-				-						 				1
1	Termination per month			ОНМ	1L5NK	7.47	39.37	26.62				l		1		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per		1							·					 	1
	month			ОНМ	1L5NK	0.0095			1		ļ	1		ŀ		1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		\vdash			-									<u> </u>	
	Termination per month		1	ОНМ	1L5NK	7.47	39 37	26.62				i				1
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		†		1	<u> </u>				·			<u> </u>			
ł	month			OH1, OH1MS	1L5NL	0.1938			1	I	Į.	Į.	Į.	ļ	Į.	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		 		1				 	 		1	 	·		1
- 1	Termination per month		1	OH1, OH1MS	1L5NL	31.19	86.69	79.44	İ		į.				1	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	+	0111.0111110	1.23146	31.15	00.03	75.44	 	 			 	<u> </u>	 	
	month	1	1	онз, онзмѕ	1L5NM	4.44			1		1	1	1	1	[1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	+	+	0.13, 0.10410	1.23,400	7.4"			· · · · · ·	1	+	 	 	 		
	Termination per month	1	1	онз, онзмѕ	1L5NM	329.91	270.69	158.05	1	1	1	1	1	1		1
LOC	AL CHANNEL - DEDICATED TRANSPORT			10. 10, 01 101110	1.201414	J23.31	2,70.03	,50.05	<u> </u>	'				<u>. </u>	·	
100	Local Channel - Dedicated - 2-Wire Voice Grade per month	т—	1	Тонм	TEFV2	6.29	187.51	32.21	·	T	· · · · · · · · · · · · · · · · · · ·	т	T	T	T	T
	Local Channel - Dedicated - 2-Wire Voice Grade per month	+	+	OHM	TEFV4	7.08	187.94	32.63		† 	+	+	 	 	1	
+	Local Channel - Dedicated - 4-Wire Voice Grade per month	+	+	OH1	TEFHG	22.13	172.34	149.27		+		+	 	 	 	
	Local Griannel - Dedicated - Do i per month		+	J	FEFFIC	22.13	172.34	143.21	 	 	+	 	 	+	 	+
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	82.89	438.46	256.30	1	1	1	1		ŀ	1	1
100				10113	LIEFFIN	1 02.89	430.46	230.30		4		4				4
LUC	AL INTERCONNECTION MID-SPAN MEET Local Channel - Dedicated - DS1 per month	$\overline{}$		OH1MS	TEFHG	0.00	0.00	_	Υ				1	T		т
-+		+-	 	OH3MS	TEFHJ	0.00	0.00		 	 		 	 	 	 	+
	Local Channel - Dedicated - DS3 per month TIPLEXERS			TOLISMS	FLELLIA	1. 0.00	0.00							ь		+
MUL		т—	-	OH1, OH1MS	SATN1	146.69	197.78	140.06		T		$\overline{}$	т	1	Т	Т
-+	Channelization - DS1 to DS0 Channel System	+-	+	OH3, OH3MS	SATNS	233.10	403.97	234.40		+	+	 	+	 	 	+
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month	+-	+	OH1, OH1MS	SATCO	16.07	13.09	9.38		+	+	 	 	 	 	+
		ditions *	or the -						1			·			<u> </u>	
	es: If no rate is identified in the contract, the rates, terms, and con-	GIGORS T	or the s	pecinic service or fun	CHOR WILLDE	as secronn in ap	piicabie BellSo	un am.						7		Т
IGNALING		<u> </u>	1	4 - 1 4		1	144t- :-		ــــــــــــــــــــــــــــــــــــــ			Ц		11		٠
INOT	E:"bk" beside a rate indicates that the parties have agreed to bill	and keep	or thu										η			т
	CCS7 Signaling Connection, Per DS1 level link (A link)	+	+	UDB	TPP6A	8.13	34.50	34.50		+	+	 	+	-	 	+
	CCS7 Signaling Connection. Per DS3 level link (A link)	+-	+	UDB	TPP9A	8.13	34.50	34.50	ļ	ļ		-	 		 	+
į	CCS7 Signaling Connection, Per DS1 level link (B link) (also know	m)	1	L	L	1		l	1	1	1		1]	1	1
1		1	1	UDB	TPP6B	8.13	34.50	34.50	1	1	1	1	i	1	1	
	as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also know	+	+	+=====	1		01.00			·						

LOCAL INT	RCONNECTION - North Carolina												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec Nonrecurring Nonrecurring Disconnect											
						nec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Termination, Per STP Port	<u> </u>		UDB	PT8SX	108.19					T			1		
	CCS7 Signaling Usage, Per ISUP Message					0.0000094bk					1	1				
	CCS7 Signaling Usage, Per TCAP Message					0.0000374					1			T		
	CCS7 Signaling Usage Surrogate, per link per LATA]		UDB	STU56	644.04bk								·		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		55.77	55.77			T .					
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	8.13	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	трр9х	8.13	34.50	34.50								

Version: 4Q06 Std ICA 11/30/06

Page 14 of 18

CCCS 274 of 421

LOC	AL INT	RCONNECTION - South Carolina			<u>-</u>												
		CHOOMICO HON - South Carolina					,					Cue Outes		Att: 3 Exh: A	T		
1			1	1 1		1						Svc Order		Incremental	1		
						ļ.	ŀ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
-					300	0300			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.			
						Į.	ł							Electronic-	Electronic-	Electronic-	Electronic-
Ì														1st	Add'I	Disc 1st	Disc Add'l
						 	 1	Nonre	urring	Nonrecurring	Disconnect		L	066	Rates(\$)	L	
	1		-	 		 	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\overline{}$	1			†		1	1			1 4 6		301110	30111	JOHNAIN	SOMA	JUNIAN	30mAt
LOCA	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	 	1			 					 -					
	NOTE:	"bk" beside a rate indicates that the Parties have agreed to bill a	nd keer	for the	t element pursuant t	o the terms a	and conditions in	Attachment 3		·	·	٠	<u> </u>		L	J	
	TANDE	M SWITCHING															
	T	Tandem Switching Function Per MOU	T	1		1	0.0007360bk					· · · · ·			T	1	
		Multiple Tandem Switching, per MOU (applies to intial tandem													<u> </u>	·	
l	1	anly)	ļ	ļ	ļ	(0.000736		1	\	\$	l l	\		1	1	
		Tandem Intermediary Charge, per MOU*				1	0.0015									1	
	* This	harge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	rconnection	charges.						·	·		1	
	TRUNK	CHARGE												~~~~			
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16						T T	I	
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	1	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00							1	I		1
	ļ	Dedicated Tandem Trunk Port Service-per DS0**	L	<u> </u>	OHD	TDWOP	0.00			L						L	
L	1	Dedicated Tandem Trunk Port Service-per DS1**		L	OH1 OH1MS	TDW1P	0.00			L	<u> </u>	L		L		<u> </u>	
L	" This	rate element is recovered on a per MOU basis and is included in	the En	d Office	Switching and Tanc	lem Switchin	g, per MOU rate	elements									
<u></u>	COMM	ON TRANSPORT (Shared)	T			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		,	·			,		-		
<u></u>	+	Common Transport - Per Mile, Per MOU	↓	 	ļ		0.0000045bk					ļ	ļ	ļ	ļ	 	
100:	1	Common Transport - Facilities Termination Per MOU		4	 	 	0.0004095bk			l	 		L		L		
LOCA		CONNECTION (DEDICATED TRANSPORT)	Ь		L		11		L	L	L	L	L	L	<u> </u>	1	<u> </u>
├ ─	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		,			· · · · · · · · · · · · · · · · · · ·				,	r	,	,	,		,
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		i							i				1	1	
	┼	Per Mile per month	├ ─	{	ОНМ	1L5NF	0.0167					 -	 	ļ	↓	 	
!	1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	0]]					1	
	+	Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	 -	+	ОНМ	1L5NF	24.30	40.63	27.47	16.77	6.91	ļ	 		 	 	
		month			ОНМ	1L5NK	0.0167										
	+	Interoffice Channel - Dedicated Transport - 56 ldps - Facility		 	UHM	ILSNK	0.0167		ļ	 	 	 -		 -	↓	ļ	
1	1	Termination per month	1	1	ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91	1	f .		1		
	+	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	+	+	Ornw	ILSINK	10.76	40.03	27.47	10.77	0.91	 		 	+	 	+
	1	month			ОНМ	1L5NK	0.0167		1			i	1		1		
	+	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-	 	10	1.00111	0.0.07			 		 	 	 	 		
	1	Termination per month	1		ОНМ	1L5NK	16.76	40.63	27,47	16.77	6.91	1		1		1	
	+	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	†		1:20:11	1			<u> </u>	0.01	 		<u> </u>		 	
	1	month	1		OH1, OH1MS	1L5NL	0.3415				Į	1	l	l	1	1	Į.
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1					 	 	——						
1	1	Termination per month	1		OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48			į.		1	1
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	T^{-}	T													
1_		month	1	1	онз, онзмѕ	1L5NM	8.02		L		L	<u> </u>	L	1			L
		Interoffice Channel - Dedicated Transport - DS3 - Facility				T				I	1		I	1		1	
L.		Termination per month	<u></u>		OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59		L		<u></u>	<u> </u>	
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	15 33	193.53	33.24								<u> </u>
		Local Channel - Dedicated - 4-Wire Voice Grade per month		\bot	ОНМ	TEFV4	16.54	193.97	33 68					1			
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30	<u> </u>				 	
1			1	1						1		1		i	1	1	
L		Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>	1	ОН3	TEFHJ	446.00	452.52	264.53	119.75	83.77	L		1	L		┸
L_	LOCAL	INTERCONNECTION MID-SPAN MEET								,	,	·		,			
		Local Channel - Dedicated - DS1 per month		-	OH1MS	TEFHG	0.00	0.00		Ļ	1	L		 	1		 -
L	1	Local Channel - Dedicated - DS3 per month	1	1	OH3MS	TEFHJ	0.00	0.00	1	J	1	1		1	<u> </u>		ــــــــــــــــــــــــــــــــــــــ
L	MULTI	PLEXERS				1		,			,						
L	+	Channelization - DS1 to DS0 Channel System	+-		OH1, OH1MS	SATN1	107.57	91.24						 	1	 	+
<u> </u>	 	DS3 to DS1 Channel System per month	\bot	+-	OH3, OH3MS	SATNS	144.02	178.54	94 18		31.90	+	 	 	1	 	+
├ ─	1	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	8.64	6.59					ــــــــــــــــــــــــــــــــــــــ	1	1		
01011		If no rate is identified in the contract, the rates, terms, and con-	unions f	or the s	pecific service or fur	ICTION WILL DE	as set forth in ac	pricable BellS	outh tariff.		Τ			1		T	7
SIGN	ALING (C	CS7) "bk" beside a rate indicates that the parties have agreed to bill a	l and kass	1 600 00	t alamant museur	a the terms :	and condition - !-	Attachmer: 2	L		٠	1	<u> </u>				
-	MOTE	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	ing keet	J .or the	UDB	TPP6A	16.93	35.61	35.61	16.48	16.48	T		т	т		7
-		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	+	+	UDB	TPP9A	16.93	35.61	35.61				 	+	+	+	+
	+	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	+	+	UDB	TPP68	16.93	35.61	35.61				 	+	+	+	+
-	+	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1 CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	+-	+	UDB	TPP9B	16.93	35.61					 	1	+	+	+
-	+	CCS7 Signaling Connection, Far Sorops Facility B-Clink USS CCS7 Signaling Termination, Per STP Port	+	+	UDB	PT8SX	163.49	33.81	33.81	10.40	10.40	 	 	1	 	+	
\vdash	+	CCS7 Signaling Vernination, Per STP Port	+-	 	1000	1000	0.0000692		 	 	 	 	 	 	+	1	
		1000 orgraming usage, ner ruch message				<u> </u>	0.0000092	<u> </u>				1					

Version: 4Q06 Std ICA 11/30/06

LOCAL INT	ERCONNECTION - South Carolina												Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring Disconnect				oss	Rates(\$)	·	
	2007.0		<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per ISUP Message	1			1	0.0000173bk					1					
	CCS7 Signaling Usage Surrogate, per fink per LATA			UDB	STU56	791.37bk										
1	CCS7 Signating Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD	1	29.08	29.08	35.65	35.65						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	16.93	35.61	35.61	16.48	16.48				<u> </u>		
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	16.93	35.61	35.61	16.48	16.48						

AFFECORY RATE RLAMPITS Weeting Zoon BCS BCS BCS BCS BCS BCS BCS BC										Att: 3 Exh: A			
## ATTEMPS APPLICATION OF TRANSPORT AND TERMINATORY APPLICATION								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
## CATE CATE CATE Market Market Zero Dec Co. D								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Cold TRIFFCONDCTON COLD TRIFFCONDCTON	1 1			Elec	Manually		Manual Svc	Manual Svc	Manual Syc				
Column C	USOC	USOC	RATES(S)						perLSR	Order vs.	Order vs.	Order vs.	Order vs.
March Marc	1 1	Y							ì			Electronic-	Electronic-
Color		ŀ										Disc 1st	Disc Add'l
Column Temporal Column C								<u> </u>		1			
Control Cont	Bec Bec		Rec							OSS			
DOCE The basis is an in infection that the Parlies between growing to that entering programs to the parlies between the pa	 			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Windle Service and in excisors that the Parkets have agreed to bit and relevant product to the permanent continuous at Attachment's						ļ						<u> </u>	
Access with Chiefs			<u> </u>	L	l	l	<u> </u>	<u></u>	L	L		1	<u> </u>
Supplies Society of Extended Society of Extended Society of Modification of International Control Society of International Control C	to the terms and condition	he terms ar	nd conditions in	n Attachment 3	<u></u>								
Mulgist Transmit Sections, per MCOL (applies to institution)	· · · · · · · · · · · · · · · · · · ·			,				·	,	,	···		,
Comparison	0.000977		0.0009778bk			 	<u> </u>	 	 	<u> </u>	ļ		<u> </u>
Transference Provided Provi				i		l		į	ļ	Į.	ļ .	1	1
**This charge is applicable unit of transit further and is applied in addition to applicable with charge and/or interconnection charges.					 	 	 		 			ļ	
Transc CAMDE		onnection o			<u> </u>		 _	<u> </u>		ــــــــــــــــــــــــــــــــــــــ	J	J	L
Installation Trush Bids Sprinze pp (150)	terconnection charges.	Office Light	снагдез.							·			
Installation First Nation Sect	TPP6X	PP6X T	1	21.50	F 00			т	1	7	T		Υ
Oedicated En Office Tray Fort Sensora per DSD** OHD TEX** Decide OHD							 	 	 	 		 	
Decidate Ex Office Traft Port Source por DSP*			0.00	£1.39	3.09	 	 	+	 -	 	 	+	
Decidented Transform Transform Form Form Service per DSG1** Online TOWOP O. 00				1	 		 	 	 	 	 	+	
Decision Trace First Service per ISST**					 	 	 	 	 	 	 	 	
COMMON TRANSPORT (Shared)					 	 	 	 	1	 	 		
COMMON TRANSPORT (Shared)				elements	·			·					
Convent Transport - Feet Mai, Per MOU 0,000096684 0,000097108 0,													
Content Transport - Facilities Transport Content C	0.000006		0.0000064bk	1	T	1	T	Т		1	T	T	1
COCAL WETROCHECT ON (EDCATED TRANSPORT)				1	 	†	 	T		1	† -	 	
MITEROFFICE CHAMBEL - DEDICATED TRANSPORT MITEROFFICE CHAMBEL													
Pet Mile per morth Dedicated Transport - 2-Wire Voice Grade Pacity Termishon per morth Dedicated Transport - 56 Mps - per mile per													
Interellical Charmel - Dedicated Transport - Sk Kips - per mile per morth Dedicated Transport - Sk Kips - per mile per morth Dedicated Transport - Sk Kips - per mile per morth Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Sk Kips - Pacifix Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS1 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport - DS3 - Pacifix Dedicated Transport								1	1				
Facility Termination per month	1L5NF 0.0	L5NF	0.0174				<u></u>	<u></u>					
Interoffice Charmel - Dedicated Transport - 56 ktps - per mile per morth ILSNK 17.98 55.39 17.37 27.96 3.51			1	l	1		1	1		1			1
month	1L5NF 1	L5NF	18.58	55.39	17.37	27.96	3.51				<u> </u>		
Intereffice Charmel - Decicated Transport - 56 ktps - Facility Child 1L5NK 17.98 55.39 17.37 27.96 3.51					1			1		1	1		
Termination per month Interesting Charges Decidated Transport - 64 kbps - per mile per OHM ILSMK 0.0174	1L5NK 0.0	L5NK	0.0174	<u> </u>		L	L		<u> </u>		L		
Interoffice Charmet - Dedicated Transport - 64 kbps - per mile per month ILSNK 0.0174	1 1		1	1	1	1	1	1			1		i
Interoffice Charvel - Decicated Transport - 64 kgps - Facility CHM	1L5NK 1	L5NK	17.98	55.39	17.37	27.96	3.51	+	 		ļ	<u> </u>	
Interoffice Charmer - Dedicated Transport - 64 Mpc - Facility Termination per morth OHM 1LSNK 17.98 5.5.39 17.37 27.96 3.51			1 1	1						ŀ			1
Temination per month	TILSNK 0.0	L5NK	0.0174	 	 		 	+	+	 			
Interestical Charmel - Desicated Charmel - DS1 - Per Mile per	I FAUL	LENIZ				, , , , , , , , ,		. 1	1	1	1	I	1
month	ILSNK 1	LSNK	17.98	55.39	17.37	27.96	3.51	 	 	+	 		
Interditice Charnel - Dedicated Trapport - DS3 - Facility	ILEAN C		0.2500	1		1	1			1		Į	l
Termination per month	PLSINE U.S	LOIVL	0.3562		 		 		 	 	+	 	+
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	11 5 11 5	LSNR	77.00	112.00	76.07	1000				1	1	1	1
month	15345	CO.4F	,,,86	112.40	16.27	19.55	14.95	'\ ~	+	+	+	 	
Interoffice Charwel - Dedicated Transport - DS3 - Facility	III SNM	ISNM	224	l	l	l	1	Į.	1	ļ	1	1	1
Termination per month	+			 	+	 	 	+	+	+	 	 	1
LOCAL CHANNEL - DEDICATED TRANSPORT	1L5NM 84	L5NM	848 99	395 29	176 56	109 04	105.91	1	1	1	1	1	1
Local Channel - Dedicated - 2-Wire Voice Grade per month	1												
Local Channel - Dedicated - 4-Wire Voice Grade per month	TEFV2	EFV2	15.29	199.33	24.16	54.81	4.80		7	T	T	Т —	I
Local Channel - Dedicated - DS1 per month									1		1		
Local Chamel - Dedicated - DS3 Facility Termination per month		EFHG									1		1
Local Charnel - Dedicated - DS1 per month				1	T	T	T	$\overline{}$		T	T		\
Local Channel - Dedicated - DSI per month	TEFHJ	EFHJ	611.30	595.37	304.50	215.82	151.15	<u> </u>		<u> </u>	1		
Local Channel - Dedicated - DS1 per month													
Local Channel - Dedicated - DS3 per month											I		
MULTIPLEXERS Channel System OHT, OHTMS SATN1 80.77 141.87 77.11 14.51 13.46 OBJ to DSI Channel System per month OH3, OH3MS SATNS 222.98 308.03 108.47 44.47 42.62 OBJ to DSI Channel System per month OH3, OH3MS SATNS 222.98 308.03 108.47 44.47 42.62 OBJ to DSI Channel System per month OH1, OHTMS SATCO 17.58 6.07 4.66 OBJ to DSI Interface Unit (IOST COCI) per month OH1, OHTMS SATCO 17.58 6.07 4.66 OBJ to DSI Interface Unit (IOST COCI) per month OH1, OHTMS SATCO 17.58 6.07 4.66 OBJ to DSI Interface Unit (IOST COCI) per month OH1, OHTMS SATCO IOST SIN INTERFACE UNIT (IOST COCI) per month OH3, OHTMS SATCO IOST SIN INTERFACE UNIT (IOST COCI) per month OH3, OHTMS SATCO IOST SIN INTERFACE UNIT (IOST COCI) per month OH3, OHTMS SATCO IOST SIN INTERFACE UNIT (IOST COCI) per month OH3, OHTMS OHTMS	TEFHJ	EFHJ	0.00	0.00)								
DS3 to DS1 Channel System per month													
DS3 Interface Unit (DS1 COCI) per month											ļ		ļ
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth fariff.							42.6	2		<u> </u>			
SIGNALING (CCS7) NOTE: "bit' beside a rate indicates that the parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3. CCS7 Signaling Termination, Per STP Port						<u>51</u>			L				<u> </u>
NOTE: "bk' beside a rate indicates that the parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3. CCS7 Signaling Termination, Per STP Port UDB PTBSX 138.41	unction will be as set forti	on will be a	as set forth in ap	pplicable BellS	outh fariff.		-,					,	
CCS7 Signaling Termination, Per STP Port UDB	ل		أحسيل		ــــــــــــــــــــــــــــــــــــــ		1		J	_ _	<u> </u>		
CCS7 Signaling Usage, Per TCAP Message					·					-,			
CCS7 Signaling Connection, Per DS1 level link (A link) UDB TPP6A 17.84 130.84 130.84 20.35 0.00 0.		188X					 			 		 	
CCS7 Signaling Connection, Per DS3 level link (A link) UDB TPP9A 17.84 130.84 130.84 20.35 0.00 0						4		+	 				ļ
CCS7 Signaling Connection, Per DS1 level link (B link) (also known							+	+					
	TPP9A	PP9A	17.84	130.84	130.84	•	 			20.35	0.00	0.00	0.0
	T0000		1	.1		.1	1	1	1	1	.]	0.00	0.0

Version: 4Q06 Std ICA 11/30/06

				·	Т								Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES(\$)				Svc Order Submitted Elec per LSR	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -	
	· · · · · · · · · · · · · · · · · · ·					Rec	Nonrecurring		Nonrecurring	Disconnect	-	ــــــــــــــــــــــــــــــــــــــ	088	Rates(\$)		L
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known		-		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	as D link)			UDB	TPP9B	17,84	130.84	130.84								
	CCS7 Signaling Usage, Per ISUP Message					0.0000373bk		100.04		 	 		20.35	0.00	0.00	0.00
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.3bk					 		ļ <u>.</u>			
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		404 77			 	 					
	CCS7 Signaling Connection, Switched access service, interface				OUALO	 	121.77	121.77		<u> </u>			20.35	0.00	0.00	0.00
	groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.84	130.84	130.84								
í	CCS7 Signaling Connection, Switched access service, interface				1	17 64	130.64	130.84		ļ	ļ	L	20.35	0.00	0.00	0.00
	groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	ТРР9Х											
				300	TIPPAX	17 84	130.84	130.84		1	1	l i	20.35	0.00	0.00	0.00

Attachment 4

BellSouth Collocation

Version: 4Q06 Standard ICA

Table of Contents

1.	Scope of Attachment	
1.	•	
2	Optional Reports	6
3	Collocation Options	7
4	Occupancy	12
5	Use of Collocation Space	1 4
6	Ordering and Preparation of Collocation Space	21
7	Construction and Provisioning	25
8	Rates and Charges	31
9	Insurance	43
10	Mechanics Lien	4 4
11	Inspections	4 4
12	Security and Safety Requirements	45
13	Destruction of Collocation Space	47
14	Eminent Domain	48
15	Nonexclusivity	48
Env	vironmental & Safety Principles	Exhibit A
Rat	tes	Exhibit B
Ten	unessee Regulatory Authority (TRA) Offered Language and Rates	Exhibit C

Version: 4Q06 Standard ICA

BELLSOUTH COLLOCATION

1. Scope of Attachment

1.1 BellSouth Premises

- 1.1.1 The rates, terms and conditions contained within this Attachment shall only apply when dPi is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment includes BellSouth Central Offices, and Remote Terminals (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. Where not specified, the language in this Attachment applies to both Central Office and Remote Site Collocation.
- 1.1.2 Third Party Property. If the BellSouth Premises, or the property on which it is located, is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies dPi that BellSouth's agreement with a third party does not grant BellSouth the ability to provide access and use rights to others, upon dPi's request, BellSouth will use commercially reasonable efforts to obtain the owner's consent and to otherwise secure such rights for dPi. dPi agrees to reimburse BellSouth for all costs incurred by BellSouth in obtaining such rights for dPi. In cases where a third party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, is unable to secure such access and use rights for dPi, dPi shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with dPi in obtaining such permission.

1.2 Right to Occupy

- 1.2.1 BellSouth shall offer to dPi collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow dPi to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by dPi and agreed to by BellSouth (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- In all states other than Florida, the size specified by dPi may contemplate a request for space sufficient to accommodate dPi's growth within a twenty-four (24) month period.

Version: 4006 Standard ICA

- 1.2.2.2 In the state of Florida, the size specified by dPi may contemplate a request for space sufficient to accommodate dPi's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall assign dPi Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate dPi's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially increase dPi's cost or materially delay dPi's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service dPi wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

1.4 <u>Transfer of Collocation Space</u>

- dPi shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the BellSouth Premises is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) dPi has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with dPi's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.2 The responsibilities of dPi shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and dPi.
- 1.4.3 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.

Version: 4Q06 Standard ICA

1.5 Space Reclamation

- 1.5.1 In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. dPi will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 BellSouth may reclaim unused Collocation Space when a BellSouth Premises is at, or near, space exhaustion and dPi cannot demonstrate that dPi will utilize the Collocation Space in the time frames set forth below in Section 1.5.3. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to dPi requesting that dPi release non-utilized Collocation Space to BellSouth, when one hundred percent (100%) of the Collocation Space in dPi's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from BellSouth, dPi shall either: (1) return the non-utilized Collocation Space to BellSouth in which case dPi shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date dPi accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, dPi shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning BellSouth's claim of space exhaust, or near exhaust, or dPi's refusal to return requested Collocation Space should be resolved by BellSouth and dPi pursuant to the dispute resolution language contained in the General Terms and Conditions.
- 1.6 <u>Use of Space</u>. dPi may only place in the Collocation Space equipment necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to dPi may not be used for any purposes other than as specifically described herein, including, but not limited to office space or a place of reporting for dPi's employees or certified suppliers.
- 1.7 <u>Rates and Charges.</u> dPi agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial

Version: 4Q06 Standard ICA

Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.

1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2 Optional Reports

- 2.1 Space Availability Report. Upon request from dPi and at dPi's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by dPi.
- 2.1.1 The request from dPi for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the LERG, and the CLLI code for the BellSouth Premises requested. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request.
- 2.1.3 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth Region, shall be negotiated between the Parties.
- 2.2 Remote Terminal Information. Upon request, BellSouth will provide dPi with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information within thirty (30) days of a dPi request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; and (ii) the information will only be provided for each serving wire center designated by dPi, up to a maximum of thirty (30) wire centers per dPi request per month per state. BellSouth will bill the nonrecurring charge pursuant to the rates in Exhibit B at the time BellSouth sends the CD.

Version: 4006 Standard ICA

3 Collocation Options

Cageless Collocation. BellSouth shall allow dPi to collocate dPi's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow dPi to have direct access to dPi's equipment and facilities in accordance with Section 5.1.2 below. BellSouth shall make cageless collocation available in single bay increments. Except where dPi's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, dPi must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

3.2 <u>Caged Collocation</u>

- 3.2.1 BellSouth will make caged Collocation Space in Central Offices available in fifty (50) square foot increments. At dPi's option and expense, dPi will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, dPi and dPi's BellSouth Certified Supplier must comply with the more stringent local building code requirements. dPi's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at dPi's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for dPi's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. dPi's BellSouth Certified Supplier shall bill dPi directly for all work performed for dPi. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by dPi's BellSouth Certified Supplier. dPi must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access dPi's locked enclosure prior to notifying dPi at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to dPi's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for dPi.
- 3.2.2 In the event dPi's BellSouth Certified Supplier will construct the collocation arrangement enclosure, BellSouth may elect to review dPi's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify dPi of its desire to conduct this review in BellSouth's Application Response, as defined herein, to dPi's Initial Application. If dPi's Initial Application does not indicate its desire to construct its own enclosure and dPi subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then dPi will

Version: 4Q06 Standard ICA

resubmit its Initial Application, indicating its desire to construct its own enclosure. If dPi subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, dPi will submit a Subsequent Application, as defined in Section 6.2 below. If BellSouth elects to review dPi's plans and specifications, then BellSouth will provide notification to dPi within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of dPi's plans and specifications. Regardless of whether or not BellSouth elects to review dPi's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to dPi's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of dPi's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of dPi's caged Collocation Space, BellSouth shall require dPi, at dPi's expense, to remove or correct any structure that does not meet dPi's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

3.3 Shared Caged Collocation

- dPi may allow other telecommunications carriers to share dPi's caged Collocation Space, pursuant to the terms and conditions agreed to by dPi (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to dPi. BellSouth shall be notified in writing by dPi upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by dPi that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and dPi. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and dPi.
- dPi, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide dPi with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, dPi shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's ACNA.

Version: 4Q06 Standard ICA

A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.

- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 dPi shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of dPi's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation
- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by dPi or dPi's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, dPi shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.2 If dPi requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, dPi must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, dPi and dPi's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. dPi's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. dPi's BellSouth Certified Supplier shall bill dPi directly for all work performed for dPi to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay such charges imposed by dPi's BellSouth Certified Supplier. dPi must provide the local BellSouth contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access dPi's locked enclosure prior to notifying dPi at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

Version: 4Q06 Standard ICA

- 3.4.3 dPi must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review dPi's plans and specifications prior to the construction of an Adjacent Arrangement to ensure dPi's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from dPi for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to dPi's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of dPi's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of dPi's Adjacent Arrangement, BellSouth shall require dPi, at dPi's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.
- 3.4.4 dPi shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At dPi's option and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at dPi's request and expense, BellSouth will provide Direct Current (DC) power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes. and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. dPi will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. dPi's BellSouth Certified Supplier shall be responsible, at dPi's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

3.5 Direct Connect

3.5.1 BellSouth will permit dPi to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth Premises (Direct Connect). dPi shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by dPi. A Direct Connect shall

Version: 4Q06 Standard ICA

utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by dPi to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where dPi's physical/virtual Collocation Spaces are contiguous in the central office, dPi will have the option of using dPi's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. dPi will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. dPi may not self-provision a Direct Connect on any BellSouth distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. dPi is solely responsible for ensuring the integrity of the signal.

- 3.5.2 To place an order for a Direct Connect, dPi must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to dPi.
- 3.6 <u>Co-Carrier Cross Connect (CCXC)</u>
- 3.6.1 A CCXC is a cross connection between dPi and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit dPi to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to dPi upon dPi's request for the CCXC. dPi is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- dPi must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by dPi. Such crossconnections to other collocated telecommunications carriers may be made using either electrical or optical facilities. dPi shall be responsible for providing a LOA, with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by dPi to provision the CCXC to the other collocated telecommunications carrier. In those instances

Version: 4Q06 Standard ICA

where dPi's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, dPi may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. dPi shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. dPi shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. dPi is solely responsible for ensuring the integrity of the signal.

3.6.3 To place an order for a CCXC, dPi must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to dPi.

4 Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify dPi in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. dPi will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from dPi's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If dPi completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of dPi's acceptance of the Collocation Space (Space Acceptance Date). In the event dPi fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by dPi on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If dPi decides to occupy the Collocation Space prior to the Space Ready Date, the date dPi executes the Agreement for Customer Access and Acceptance to Unfinished Collocation Space is the date that will be deemed the Space Acceptance Date and billing will begin from that date.

Version: 4006 Standard ICA

- 4.4 Equipment Installation. dPi shall notify BellSouth in writing that its collocation equipment installation is complete. dPi's collocation equipment installation is complete when dPi's equipment is connected to BellSouth's network for the purpose of provisioning Telecommunication Services to dPi's customers.

 BellSouth may refuse to accept any orders for cross-connects until it has received such notice from dPi.
- 4.5 Termination of Occupancy.
- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, dPi may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that dPi and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that dPi signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth and dPi jointly conduct an inspection, confirming that dPi has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B.
- 4.5.2 Upon termination of occupancy, dPi, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by dPi from the Collocation Space. dPi shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of dPi's Guest(s), unless dPi's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to dPi's Termination Date.
- dPi shall continue the payment of all monthly recurring charges to BellSouth until the date dPi, and if applicable dPi's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If dPi or dPi's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of dPi or dPi's Guest(s), in any manner that BellSouth deems fit, at dPi's expense and with no liability whatsoever for dPi's property or dPi's Guest(s) property.
- 4.5.4 Upon termination of dPi's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. dPi shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by dPi, with the exception of ordinary wear and tear,

Version: 4Q06 Standard ICA

unless otherwise agreed to by the Parties. dPi's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. dPi shall be responsible for the cost of removing any dPi constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5 Use of Collocation Space

5.1 Equipment Type

- 5.1.1 BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: for Central Offices Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1 and for Remote Sites Criteria Level 3 requirements as outlined in the Telcordia Special report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on dPi's failure to comply with this Section.
- 5.1.3.1 To the extent dPi wishes to place equipment in its collocation that does not meet the standards set forth in 5.1.3, dPi may request in writing, pursuant to the Notices

Version: 4Q06 Standard ICA

section of the General Terms & Conditions, a waiver to such standards. BellSouth may provide a waiver in its sole discretion.

- 5.1.4 At a Remote Site, all dPi equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.2 Terminations. dPi shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by dPi, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event dPi submits an application for terminations that will exceed the total capacity of the collocated equipment, dPi will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- Security Interest in Equipment. Commencing with the most current calendar quarter after the Effective Date of this Agreement, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, dPi will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34th Floor, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 <u>No Marketing.</u> dPi shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- Equipment Identification. dPi shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of dPi's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify dPi's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities.

Version: 4Q06 Standard ICA

- 5.6.1 dPi may elect to place dPi-owned or dPi leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault for Central Offices, which is physically accessible by both Parties. For Central Offices, dPi will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. dPi will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to dPi's equipment in dPi's Collocation Space. In the event dPi utilizes a non-metallic, riser-type entrance facility, a splice will not be required. For Remote Terminals dPi will provide and place copper cable through conduit from the Remote Site Collocation Space to the feeder distribution interface. Such copper cable must be of sufficient length to reach the splice location for splicing by BellSouth. dPi must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. dPi is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of dPi's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.2 <u>Central Office Microwave Transmission Facilities.</u> At dPi's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.3 Central Office Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, BellSouth shall permit dPi to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where dPi demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which dPi's Collocation Space is located. In Florida, dPi must have approval by the Commission before it submits a request for copper entrance facilities. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.
- 5.7 <u>Dual Entrance Facilities at a Central Office.</u> BellSouth will provide at least two (2) interconnection points at each Central Office where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by dPi for dual entrance facilities to its physical Collocation Space, BellSouth shall provide dPi with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to dPi's Collocation Space. The location of the serving

Version: 4Q06 Standard ICA

manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to dPi in the Application Response.

5.8 Shared Use

- dPi may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to dPi's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. dPi must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the dPi-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If dPi desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from dPi authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on dPi's entrance facility.

5.9 Demarcation Point

- 5.9.1 In Tennessee, if dPi elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- BellSouth will designate the point(s) of demarcation between dPi's equipment and/or network facilities and BellSouth's network facilities. For 2-wire and 4-wire connections, the demarcation point shall be a common block on the BellSouth designated conventional distribution frame. dPi shall be responsible for providing the common block and cabling and dPi's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. For DS1, DS3, STS1, and optical terminations, BellSouth shall designate, provide, and install demarcation point hardware on a per arrangement basis. dPi shall be responsible for providing, and dPi's BellSouth Certified Supplier shall be responsible for installing any necessary cabling and properly labeling/stenciling the demarcation point hardware for terminations identified in Section 7 below.
- 5.9.3 dPi or its agent must install, maintain and operate the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.10 Equipment and Facilities. dPi, or if required by this Attachment, dPi's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the

Version: 4006 Standard ICA

equipment and network facilities used by dPi, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. dPi and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

- 5.11 BellSouth's Access to Collocation Space
- 5.11.1 From time to time, BellSouth may require access to dPi's Collocation Space. BellSouth retains the right to access dPi's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to dPi at least forty-eight (48) hours before access to dPi's Collocation Space is required. dPi may elect to be present whenever BellSouth performs work in the dPi's Collocation Space. The Parties agree that dPi will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, BellSouth will provide oral notice of entry as soon as reasonably practicable after such entry.
- 5.11.3 dPi must provide the local BellSouth Central Office Building Contact with two
 (2) Access Devices that will allow BellSouth entry into any enclosed and locked
 Collocation Space including, but not limited to, an Adjacent Arrangement,
 pursuant to the requirements contained in this Section.
- 5.12 dPi's Access
- 5.12.1 Pursuant to Section 12 below, dPi shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. dPi agrees to provide the name, date of birth and either the social security number or driver's license number of each employee, supplier or agent of dPi or dPi's Guest(s) with dPi's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by dPi and returned to BellSouth Access Management within fifteen (15) days of dPi's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. dPi agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of dPi's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with dPi ends, upon the termination of this Agreement, or

Version: 4Q06 Standard ICA

upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. dPi shall pay all applicable charges associated with lost or stolen Access Devices.

- 5.12.2 dPi must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date dPi desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, dPi may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event dPi desires access to its designated Collocation Space after the first accompanied free visit and dPi's access request form(s) has not been approved by BellSouth or dPi has not yet submitted an access request form to BellSouth, dPi shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at dPi's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. dPi must request that escorted access be provided by BellSouth to dPi's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever dPi or its approved agent or supplier requires access to the entrance manhole.
- 5.13 Lost or Stolen Access Devices. dPi shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of dPi's employees, suppliers, agents or Guest(s) to return an Access Device(s), dPi shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.14 <u>Interference or Impairment</u>
- 5.14.1 Notwithstanding any other provisions of this Attachment, dPi shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; (3) compromises the privacy of any communications routed through the BellSouth Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of dPi violates the provisions of this paragraph, BellSouth shall provide written notice to dPi, which shall direct dPi to cure the violation within forty-eight (48) hours of dPi's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.

Version: 4Q06 Standard ICA

- Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if dPi fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to dPi's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to dPi prior to the taking of such action and BellSouth shall have no liability to dPi for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and dPi fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to dPi or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by dPi is significantly degrading the performance of other advanced services or traditional voice band services, dPi shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.15 Personalty and Its Removal. Facilities and equipment placed by dPi in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by dPi at any time. Any damage caused to the Collocation Space by dPi's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by dPi at its sole expense. If dPi decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and dPi's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill dPi the Administrative Only Application Fee associated with the type of removal activity performed by dPi, as set forth in Exhibit B. This nonrecurring fee will be billed

Version: 4Q06 Standard ICA

on the date that BellSouth provides an Application Response to dPi.

- Alterations. Under no condition shall dPi or any person acting on behalf of dPi make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by dPi. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by BellSouth on the date that BellSouth provides dPi with an Application Response.
- 5.17 <u>Central Office Janitorial Service.</u> dPi shall be responsible for the general upkeep of its Collocation Space. dPi shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premisesspecific basis.
- 5.18 <u>Upkeep of Remote Collocation Space.</u> dPi shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. dPi shall be responsible for removing any of dPi's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6 Ordering and Preparation of Collocation Space

- Initial Application. For dPi's or dPi's Guest's(s') initial equipment placement, dPi shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by dPi for Central Office or Remote Site Collocation, as applicable, and will be billed by BellSouth on the date BellSouth provides dPi with an Application Response.
- 6.1.1 For Remote Site Collocation, a request for additional space at a later date will require the submission of an Initial Application. The installation of additional shelves/equipment within an existing bay does not require an Initial Application.
- Subsequent Application. In the event dPi or dPi's Guest(s) desires to modify its use of the Collocation Space in a Central Office after a BFFO, dPi shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on

Version: 4Q06 Standard ICA

the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by dPi in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.2.1 Subsequent Application Fees. The application fee paid by dPi for an Alteration in a Central Office shall be dependent upon the level of assessment needed to provide a complete Application Response for the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, the addition, exchange or removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth which require no additional space, power or terminations to be provided to dPi's collocation arrangement), and a virtual-tophysical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when dPi submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Central Office or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Central Office. In Florida and Tennessee, the Power Reconfiguration Only Application Fee will apply when dPi submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to dPi's physical Collocation Space in a Central Office. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides dPi with an Application Response.
- 6.3 Space Preferences. If dPi has previously requested and received a Space Availability Report for the BellSouth Premises, dPi may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate dPi's space preference(s), dPi may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides dPi with an Application Response.

Version: 4Q06 Standard ICA

6.4 Space Availability Notification

- 6.4.1 For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when dPi's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.
- If the amount of space requested is not available, BellSouth will notify dPi of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by dPi or space that is configured differently, no application fee will apply. If dPi decides to accept the available space, dPi must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When dPi resubmits its application to accept the available space, BellSouth will bill dPi the appropriate application fee.
- 6.5 <u>Denial of Application.</u> If BellSouth notifies dPi that no space is available (Denial of Application), BellSouth will not assess an application fee to dPi. After notifying dPi that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow dPi, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit dPi to inspect any floor plans or diagrams that BellSouth provides to the Commission.

6.7 Waiting List

- 6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- 6.7.2 In Florida, on a first-come, first-serve basis, which is governed by the date of

Version: 4Q06 Standard ICA

receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.

- 6.7.3 When physical Collocation Space becomes available, dPi must submit an updated, complete and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If dPi has originally requested caged Collocation Space and cageless Collocation Space becomes available, dPi may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that dPi wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- dPi may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If dPi does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove dPi from the waiting list. Upon request, BellSouth will advise dPi as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Web site, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Web site that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.
- 6.9 <u>Application Response</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes

Version: 4006 Standard ICA

sufficient information to enable dPi to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable dPi to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When dPi submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- 6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide application after BellSouth has provided the Application Response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of dPi or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals.

 BellSouth will charge dPi the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2 above.

6.11 Bona Fide Firm Order

- 6.11.1 dPi shall indicate its intent to proceed with a Collocation Space request in a
 BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be
 received by BellSouth no later than thirty (30) days after BellSouth's Application
 Response to dPi's Bona Fide application or dPi's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of dPi's BFFO. BellSouth will acknowledge the receipt of dPi's BFFO within seven (7) days of receipt, so that dPi will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7 Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been

Version: 4006 Standard ICA

completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by dPi. If additional space has been requested by dPi, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and dPi cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 Records Only Change. When dPi adds equipment, that was originally included on dPi's Initial Application or a Subsequent Application, and the installation of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.1.4 For Central Offices in the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to dPi, when dPi requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 below as an "Augment". Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the

Version: 4Q06 Standard ICA

appropriate application fee associated with the type of Augment requested by dPi. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to dPi.

- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48 Volt (-48V) DC Power
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
 - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. All requests for additional Physical Collocation Space (caged or cageless) are included in this category.
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.

Version: 4Q06 Standard ICA

- 7.1.4.6 If dPi submits an Augment that includes two (2) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2 or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If dPi submits an Augment that includes three (3) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.1.4.8 If dPi submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by dPi and BellSouth. If dPi and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.1.4.4 and Section 7.1.4.5 above, would apply based on whether the Augment is for dPi's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If dPi requests multiple items from different Augment categories, BellSouth will bill dPi the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to dPi at the time BellSouth provides dPi with the Application Response. dPi will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.
- 7.2 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and dPi will commence within a maximum of twenty (20) days from BellSouth's receipt of a

Version: 4Q06 Standard ICA

- BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Central Office Circuit Facility Assignments</u>
- 7.4.1 Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to dPi prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which dPi has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to dPi prior to the Provisioning Interval for those BellSouth Premises in which dPi has physical Collocation Space with a POT bay provided by dPi or virtual Collocation Space, until dPi has provided BellSouth with the following information:
- 7.4.1.1 For physical Central Office Collocation Space with a dPi-provided POT bay, dPi shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.4.1.2 For virtual Central Office Collocation Space, dPi shall provide BellSouth with a complete layout of dPi's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by dPi's BellSouth Certified Supplier.
- 7.4.2 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from dPi. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.4.3 BellSouth will bill dPi a nonrecurring charge, as set forth in Exhibit B, each time dPi requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to dPi.
- 7.5 <u>Use of BellSouth Certified Supplier.</u> dPi shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. dPi, if a BellSouth Certified Supplier or dPi's BellSouth Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, dPi must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide

Version: 4Q06 Standard ICA

dPi with a list of BellSouth Certified Suppliers, upon request. dPi, if a BellSouth Certified Supplier, or dPi's BellSouth Certified Supplier(s) shall be responsible for installing dPi's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and dPi upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by dPi, the BellSouth Certified Supplier shall bill dPi directly for all work performed for dPi pursuant to this Attachment. BellSouth shall have no liability for nor responsibility to pay, such charges imposed by dPi's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to dPi or any supplier proposed by dPi and will not unreasonably withhold certification. All work performed by or for dPi shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. dPi shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service dPi's Collocation Space. Upon request, BellSouth will provide dPi with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by dPi. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.7 Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at a BellSouth Central Office due to technical reasons or space limitations and physical Collocation Space has subsequently become available, dPi may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Central Office requested by dPi, such information will be provided to dPi in BellSouth's written denial of physical Collocation Space. dPi must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.7.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.8 Virtual to Physical Conversion (In-Place)
- 7.8.1 Virtual collocation arrangements in Central Offices may be converted to "in-place" physical caged collocation arrangements if the potential conversion

Version: 4Q06 Standard ICA

meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill dPi an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to dPi.

- 7.8.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.8.1 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, dPi cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if dPi cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, dPi will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of dPi up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if dPi cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill dPi for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> dPi, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8 Rates and Charges

- 8.1 Rates. dPi agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if dPi elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should dPi elect to transition to the TRA Option after the execution of this

Version: 4Q06 Standard ICA

Agreement, dPi shall notify BellSouth in writing sixty (60) days prior to the implementation of this election.

- 8.2 <u>Application Fees.</u> BellSouth shall assess any nonrecurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to dPi or on dPi's next scheduled monthly billing statement.
- 8.3 Recurring Charges
- 8.3.1 If dPi has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event dPi fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If dPi occupies the space prior to the Space Ready Date, the date dPi occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in dPi's next billing cycle and will include any prorated charges for the period from dPi's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3.2 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by dPi on dPi's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.3 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any dPi collocation arrangement, to verify that the total number of fused amps of power capacity installed by dPi's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by dPi on dPi's Initial Application and all Subsequent Applications. If BellSouth determines that dPi's BellSouth Certified Supplier has installed more DC capacity than dPi requested on its Initial Application and all Subsequent Applications, BellSouth shall notify dPi in writing of such discrepancy and shall assess dPi for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3.1 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth shall also revise dPi's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- 8.4 Nonrecurring Charges. Unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to dPi or on dPi's next scheduled monthly billing statement, if dPi's current month's billing cycle has

Version: 4Q06 Standard ICA

already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of dPi's BFFO or on dPi's next scheduled monthly billing statement.

- In some cases, Commissions have ordered BellSouth to separate its disconnect costs and its installation costs into two separate nonrecurring charges.

 Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by BellSouth, regardless of whether or not a disconnect order is issued by dPi.

 Disconnect charges are set forth in Exhibit B of this Attachment.
- 8.6 Central Office Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, dPi shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of dPi's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- 8.7 Central Office Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to dPi's Collocation Space for the operation of dPi's equipment. For caged physical Collocation Space, dPi shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, dPi shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth) x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event dPi's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, dPi shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

Version: 4Q06 Standard ICA

8.8 Remote Site Bay Space. In a Remote Site, the bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power dPi's equipment. dPi shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Site Collocation Space in conventional Remote Site bay lineups where feasible.

8.9 Power

- 8.9.1 In a Central Office BellSouth shall make available -48V DC power for dPi's Collocation Space at a BellSouth BDFB. When obtaining DC power from a BellSouth BDFB, dPi's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by dPi's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by dPi on dPi's Initial Application and any Subsequent Applications. dPi is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in dPi's Collocation Space. The BellSouth Certified Supplier contracted by dPi must provide BellSouth with a copy of the engineering power specifications prior to the day on which dPi's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and dPi's Collocation Space. dPi shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable dPi's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within dPi's Collocation Space, power cable feeds and terminations of the power cabling. dPi and dPi's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.
- 8.9.1.1 At a Remote Site, BellSouth shall make available -48V DC power for dPi's Remote Collocation Space at a BDFB within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced in Section 8.7 above. If the power requirements for dPi's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.
- In Florida Central Offices only, subject to technical feasibility, commercial availability and safety limitations, BellSouth will permit dPi to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, dPi may request that BellSouth provision DC power of seventy (70) amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a two hundred twenty-five (225) amp circuit breaker.

Version: 4Q06 Standard ICA

- 8.9.3 BellSouth will revise dPi's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when dPi submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If dPi's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, dPi's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. dPi's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.
- 8.9.4 BellSouth will revise dPi's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from dPi, certifying the completion of the power reduction work, including the removal of any associated power cabling by dPi's BellSouth Certified Supplier. Notwithstanding the foregoing, if dPi's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by dPi's BellSouth Certified Supplier and dPi shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.
- 8.9.5 If dPi requests an increase or a reduction in the amount of power that BellSouth is currently providing in a Central Office, dPi must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to dPi's Subsequent Application.
- 8.9.5.1 In Central Offices in Alabama and Louisiana, if dPi has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, dPi must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no Simple Augment Application Fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, dPi will submit a Subsequent Application and the appropriate Simple Augment Application Fee will apply.
- 8.9.6 If dPi elects to install its own DC Power Plant, BellSouth shall provide AC power to feed dPi's DC Power Plant. Charges for AC power will be assessed on a per

Version: 4Q06 Standard ICA

breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by dPi's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. dPi's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At dPi's option, dPi may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.

- 8.9.7 dPi shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within dPi's arrangement and terminations of cable within the Collocation Space.
- 8.9.8 <u>Fused Amp Power.</u> In all states, except as otherwise set forth in this Agreement, BellSouth shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following:

For power provisioned from a BDFB. The number of fused amps requested by dPi on its collocation application for power that is being provisioned from a BellSouth BDFB will be multiplied by the DC power fused amp rate set forth in Exhibit B. A minimum of ten (10) fused amps is required.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B.

8.9.9 Florida Power Usage Option

8.9.9.1 In Central Offices in Florida only, dPi may request that -48 DC power provisioned by BellSouth to dPi's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If dPi desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by dPi to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power dPi requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on dPi's Initial Application or Subsequent Application. BellSouth shall allow dPi at dPi's option, to order a power feed that

Version: 4Q06 Standard ICA

is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by dPi. BellSouth is not required to build its central office power infrastructure to meet dPi's forecasted DC power demand. dPi must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement dPi converts to the FL Option or for any new collocation arrangements dPi establishes under the FL Option.

- 8.9.9.2 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of dPi's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by dPi's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by dPi for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust dPi's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.
- 8.9.9.3 BellSouth shall assess dPi a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. dPi shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by dPi. The requested change in DC power usage will be reflected in dPi's next scheduled monthly billing cycle.
- 8.9.10 Tennessee Caged Collocation Power Usage Metering Option. In Central Offices in Tennessee only, dPi may request that DC power provisioned by BellSouth to dPi's caged Collocation Space be assessed pursuant to the orders entered by the Tennessee Regulatory Authority in Dockets 97-01262, 99-00430, and 00-00544 for Collocation for Tennessee. By electing the TRA Option, dPi accepts the TRA rates, terms and conditions of Exhibit C in their entirety in conjunction with the other terms and conditions of Attachment 4.
- 8.9.11 Georgia Caged Collocation Power Usage Metering Option. In Georgia, dPi may request that DC power provisioned by BellSouth to dPi's Collocation Space be assessed pursuant to Georgia Public Service Commission Order Docket No. 14361-U ("Order"). BellSouth will assess dPi for -48V DC power using the actual number of load Amps measured. The power circuits may be fed from either a BellSouth BDFB or dPi's BDFB. These recurring power charges will be assessed by BellSouth on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3.
- 8.9.11.1 Upon dPi's election of the power metering option dPi will convert existing caged collocation arrangements to the power metering rate structure. The recurring

Version: 4Q06 Standard ICA

power charges that are contained Exhibit B of this Attachment will be assessed on the Space Ready Date associated with the Subsequent Application submitted by dPi to convert an existing caged collocation arrangement to the metered power rates.

- 8.9.11.2 Pursuant to the Order, dPi shall provide a Fluke Model 189 AC/DC multimeter and Fluke Model i410 clamp-on ammeter probe for each central office where they have requested metered power. One copy of the FlukeView software must also be provided for each Fluke 189 multimeter, and each copy must comply with Fluke copyrights.
- 8.9.11.3 dPi may, at its sole cost and expense, install its own meters on its BDFB(s) located in its own caged Collocation Space(s) and notify BellSouth of the option of using such meters for the purposes of measuring dPi's actual power usage. In such case, BellSouth, or its BellSouth Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed on dPi's own BDFB(s) or via the aforementioned Fluke 189 multimeter equipped with a Fluke i410 clamp-on ammeter probe.
- 8.9.11.4 BellSouth, at its sole option and at its own cost, may choose to purchase, install, and use its own ammeter measurement device. The usage reading for the option elected by BellSouth shall be used for purposes of calculating the DC power usage billing.
- 8.9.11.5 BellSouth, or its BellSouth Certified Supplier, will perform all metering activities, to measure the actual power usage being drawn by dPi's collocation equipment on both the A and B power feeds. The charge will be the sum of both the A and B power feeds and will be based upon either an instantaneous reading or busy hour average current reading, depending on the capabilities of the ammeter measurement device.
- 8.9.11.6 If BellSouth, or its BellSouth Certified Supplier, requires access to dPi's caged Collocation Space(s) for purposes of measuring the power usage, BellSouth or its BellSouth Certified Supplier shall provide dPi with a minimum of forty-eight (48) hours (two business days) notice that access is required. dPi shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to dPi's caged Collocation Space(s). Once the date and time of access to dPi's caged Collocation Space(s) has been agreed upon, dPi and BellSouth, or its BellSouth Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of three (3) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. Once a mutually agreed upon date and time are established and dPi does not provide minimum of three (3) hours notice, BellSouth's Certified Supplier will only remain at the site for thirty (30) minutes. After thirty (30) minutes the appointment will be considered missed by dPi.
- 8.9.11.7 If dPi fails to provide access to its caged Collocation Space(s) or fails to provide BellSouth, or its BellSouth Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then dPi shall pay the nonrecurring

Version: 4006 Standard ICA

"Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure dPi's power usage for such caged Collocation Space(s). dPi and the BellSouth Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.

8.9.11.8 For each new caged collocation arrangement, dPi shall indicate on dPi's Initial Application that they are electing to have metered power. For each location that dPi wishes to convert to metered power dPi will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is dPi's certification that dPi is opting to convert this caged collocation arrangement to metered power and will permit BellSouth, or the BellSouth Certified Supplier, to measure its actual power usage on all power feeds.

- 8.9.11.9 BellSouth will bill dPi a Power Reconfiguration Only Application Fee, as set forth in Exhibit B of this Attachment, on the date that BellSouth provides an Application Response to each Subsequent Application submitted by dPi converting its caged collocation arrangements to the metered power rates. BellSouth shall then arrange for the measurement of dPi's actual power usage on each power feed (each A and B power feed) once each quarter at each of dPi's caged collocation arrangements for which dPi has submitted an Initial or Subsequent Application electing metered power.
- 8.9.11.10 Based upon the actual power usage measurement taken by BellSouth or the BellSouth Certified Supplier, BellSouth shall assess dPi for power usage for the following quarter based upon dPi's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of –48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the rate for Load Amps either with a BellSouth BDFB or with dPi BDFB as set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring power usage charge that will be billed to dPi for the following three (3) months or until the next power usage measurement is taken, whichever is later.
- 8.9.11.11 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If dPi requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then dPi will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If BellSouth requests a power usage reading be taken in this instance, then dPi will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater,

Version: 4Q06 Standard ICA

the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate dPi's AC usage charge for the next three (3) months.

- 8.9.11.12 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of dPi's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties agree to perform a joint investigation. If dPi's BDFB meter is found to be in error, then dPi agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is substantiated, BellSouth shall adjust dPi's billing retroactive to the beginning of the quarter for which the last meter reading was taken.
- 8.9.11.13 When dPi submits the appropriate Initial or Subsequent Application for a specific caged collocation arrangement in a particular BellSouth Premises, BellSouth will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of dPi to submit a BFFO. After BellSouth receives the BFFO from dPi, the Initial or Subsequent Application will be completed by BellSouth within the provisioning intervals contained in Section 7 above and dPi will be notified of the Space Ready Date or when the appropriate record and database changes have been made by BellSouth to reflect dPi's conversion to the metered power rates (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular BellSouth Premises to the metered power rates).
- 8.9.11.14 BellSouth will not permit dPi to elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect metered power and there are no other changes requested, billing for the recurring charges associated with metered power will begin upon the Space Ready Date. If dPi occupies the space prior to the Space Ready Date, for Initial Application requests only, the date dPi occupies the space will be deemed the new Space Acceptance Date and billing for metered power will begin on that date. When dPi moves to metered power the number of fused amps of DC Power requested by dPi on its Initial or Subsequent Application will be used for calculating the number of amps to be billed until such time as BellSouth or its BellSouth Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of dPi's power usage for the requested caged Collocation Space. As soon as this reading has been taken, BellSouth will adjust dPi's billing accordingly to reflect the actual metered usage back to the Space

Version: 4Q06 Standard ICA

Acceptance Date. BellSouth will also use this reading for billing purposes until the next quarterly meter reading is performed by BellSouth or its BellSouth Certified Supplier.

- dPi agrees to submit a Subsequent Application to notify BellSouth when dPi has removed or installed telecommunications equipment in dPi's physical Collocation Space to ensure that dPi's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in dPi's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 8.9.11.16 BellSouth will bill dPi a monthly recurring charge per caged Collocation Space for each arrangement that dPi has converted to metered power or for new caged Collocation Spaces under the election of metered power. This "Meter Reading" monthly recurring rate element will be assessed per circuit for each circuit read by BellSouth or its BellSouth Certified Supplier, at the rates set forth in Exhibit B.
- 8.9.12 In Alabama and Louisiana, dPi has the option to purchase power directly from an electric utility company. Under such option, dPi is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by dPi. dPi's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If dPi currently has power supplied by BellSouth, dPi may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by dPi in provisioning said power will be billed by BellSouth on an ICB basis.
- 8.9.13 In South Carolina, dPi has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, dPi is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by dPi. dPi's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as BellSouth is required to comply with these codes. dPi must submit an application to BellSouth for the appropriate amount of Collocation Space that dPi requires in order to install this type of power

Version: 4006 Standard ICA

arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of dPi's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. dPi shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these requirements from the Commission for the BellSouth Premises requested. dPi would have the option to order its power needs directly from BellSouth.

- 8.10 <u>Central Office Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of dPi's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be assessed according to the rates set forth in Exhibit B.
- 8.11 Central Office Cable Records. Cable Records charges apply for work activities required to build or remove existing cable records assigned to dPi in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of dPi's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of dPi's BFFO. All charges will be assessed the rates set forth in Exhibit B.
- 8.12 Security Escort. After dPi has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to dPi's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when dPi's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and dPi shall pay for such half-hour charges in the event dPi's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.13 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific

Version: 4Q06 Standard ICA

collocation service or function identified in this Attachment.

9 Insurance

- 9.1 dPi shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A.
- 9.2 dPi shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of dPi's real and personal property situated on or within a BellSouth Premises.
- 9.2.4 dPi may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to dPi, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by dPi shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of dPi's property has been removed from BellSouth's Premises, whichever period is longer. If dPi fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from dPi.
- dPi shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. dPi shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from dPi's insurance company. dPi shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

Version: 4Q06 Standard ICA

BellSouth Telecommunications, Inc. Attn: Risk Management Office – Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, GA 30375

- 9.6 dPi must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self Insurance. If dPi's net worth exceeds five hundred million dollars (\$500,000,000), dPi may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. dPi shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to dPi in the event that self-insurance status is not granted to dPi. If BellSouth approves dPi for self-insurance, dPi shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of dPi's corporate officers. The ability to self-insure shall continue so long as dPi meets all of the requirements of this Section. If dPi subsequently no longer satisfies the requirements of this Section, dPi is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to dPi to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or dPi), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11 Inspections

11.1 BellSouth may conduct an inspection of dPi's equipment and facilities in dPi's

Version: 4Q06 Standard ICA

Collocation Space(s) prior to the activation of facilities and/or services between dPi's equipment and equipment of BellSouth. BellSouth may conduct an inspection if dPi adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide dPi with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

12 Security and Safety Requirements

- Unless otherwise specified, dPi will be required, at its own expense, to conduct a statewide investigation of criminal history records for each dPi employee hired in the past five (5) years being considered for work on a BellSouth Premises, for the states/counties where the dPi employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. dPi shall not be required to perform this investigation if an affiliated company of dPi has performed an investigation of the dPi employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if dPi has performed a pre-employment statewide investigation of criminal history records of the dPi employee for the states/counties where the dPi employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- dPi will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- dPi shall provide its employees and agents with picture identification, which must be worn and visible at all times while in dPi's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and dPi's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of dPi not possessing identification issued by dPi or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. dPi shall hold BellSouth harmless for any damages resulting from such removal of dPi's personnel from a BellSouth Premises. dPi shall be solely responsible for ensuring that any Guest(s) of dPi is in compliance with all subsections of this Section.
- dPi shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. dPi shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of dPi's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event dPi chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, dPi may, in the

Version: 4Q06 Standard ICA

alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- dPi shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- dPi shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each dPi employee or agent hired by dPi within the last five (5) years, who requires access to a BellSouth Premises to perform work in dPi Collocation Space(s), dPi shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, dPi will disclose the nature of the convictions to BellSouth at that time. In the alternative, dPi may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other dPi employees requiring access to a BellSouth Premises pursuant to this Attachment, dPi shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, dPi shall promptly remove from the BellSouth Premises any employee of dPi that BellSouth does not wish to grant access to a BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or 2) prior to the initiation of an investigation if an employee of dPi is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.
- Security Violations. BellSouth reserves the right to interview dPi's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to dPi's Security representative of such interview. dPi and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving dPi's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill dPi for all reasonable costs

Version: 4Q06 Standard ICA

associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that dPi's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill dPi for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of dPi's employees, agents, suppliers, or Guests and where dPi agrees, in good faith, with the results of such investigation. dPi shall notify BellSouth in writing immediately in the event that dPi discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. dPi shall hold BellSouth harmless for any damages resulting from such removal of dPi's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13 Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for dPi's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for dPi's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to dPi, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. dPi may,

Version: 4Q06 Standard ICA

at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If dPi's acceleration of the project increases the cost of the project, then those additional charges will be incurred at dPi's expense. Where allowed and where practical, dPi may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, dPi shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for dPi's permitted use, until such Collocation Space is fully repaired and restored and dPi's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where dPi has placed an Adjacent Arrangement pursuant to Section 3.4 above, dPi shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and dPi shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15 Nonexclusivity

dPi understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 4Q06 Standard ICA

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. General Principles

- Compliance with Applicable Law. BellSouth and dPi agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and dPi shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. dPi should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for dPi to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. dPi will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 below lists the Environmental categories where BellSouth practices should be followed by dPi when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the dPi space with proper notification. BellSouth reserves the right to stop any dPi work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by dPi are owned by and considered the property of dPi. dPi will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior

Version: 4006 Standard ICA

written BellSouth approval, no substantial new safety or environmental hazards can be created by dPi or different hazardous materials used by dPi at a BellSouth Premises. dPi must demonstrate adequate emergency response capabilities for the materials used by dPi or remaining at a BellSouth Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by dPi to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and dPi will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and dPi will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, dPi must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and dPi shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

2. Categories for Consideration of Environmental Issues

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, dPi agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. dPi further agrees to cooperate with BellSouth to ensure that dPi's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by dPi, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from dPi's BellSouth Regional Contract Manager (RCM).

Environmental Categories	Environmental Issues	Addressed By The Following Documentation
--------------------------	----------------------	--

Version: 4006 Standard ICA

	disposal must conform to all applicable federal, state and	Related Matters)-BST Supply Chain Services
Other maintenance work Janitorial service	Protection of BST employees and equipment All waste removal and	29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard) Procurement Manager (CRES
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450
Maintanana	Pollution liability insurance EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Transportation of hazardous material	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	applicable local, state and federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Emergency response Contract labor/outsourcing for services with environmental	Hazmat/waste release/spill fire safety emergency Compliance with all	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises) Std T&C 450
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	applicable local, state & federal laws and regulations Pollution liability insurance	Fact Sheet Series 17000 Std T&C 660-3
Disposal of hazardous	Compliance with all	Std T&C 450

Version: 4Q06 Standard ICA 11/30/06

	local regulations	
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger.</u> Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the

Version: 4Q06 Standard ICA

environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S - Environmental/Safety

EVET – Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> – BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 4Q06 Standard ICA

COLLO	DCATI	ON - Alabama												Att: 4 Exh: B			
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)		, <u>,</u> .	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sve Order vs. Electronic
			ļ _	ļ .			<u> </u>			,				1st	Add'l	Disc 1st	Disc Add'l
			 -	 			Rec	Nonrec First	urring Add'l	Nonrecurring First		CONTRA	00441		Rates(\$)		
]			<u> </u>			 	rust	Augi	FIISC	Add'I	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LOCATION										T					
	Applicat	Physical Collocation - Initial Application Fee		T	loi o	lae a											
		Physical Collocation - Subsequent Application Fee	 	┼	CLO	PE1BA PE1CA		1,879.48 1,566.60		0.51		└					
		Physical Collocation - Co-Carner Cross Connects/Direct Connect,	1	1	020	FEICA	 	1,306.60		0.51		 	 _				
		Application Fee, per application	L		CLO	PE1DT		584.22					ļ			•	1
		Physical Collocation Administrative Only - Application Fee Physical Collocation - Application Cost, Simple Augment	├	-	CLO	PE1BL		742 15									
		Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment	 	 	CLO	PE1KS PE1KM		594.41		1.21		<u> </u>					
		Physical Collocation - Application Cost, Intermediate Augment	+	1	Cro	PE1K1	 	833.47 1,058.00		1.21		 -					
		Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ	1	2,410.00		1.21		 				ļ	
		Preparation								1 	·				·	l	
		Physical Collocation - Floor Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50	₩.	+—	CLO	PE1PJ	3.22			ļ <u> </u>							
		Physical Collocation - Space Enclosure, welded wire, first 50 square feet Physical Collocation - Space enclosure, welded wire, first 100	<u> </u>		CLO	PE18X	140.99										
		Square feet Physical Collocation - Space enclosure, welded wire, each	ļ	ļ	сьо	PE18W	156.33					ļ					<u> </u>
		additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per		ļ	сго	PE1CW_	15.34			ļ							<u> </u>
		square ft.	<u> </u>	<u> </u>	cro	PE1SK	1.96					<u> </u>				1	
		Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
		Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	88.86										
		Physical Collocation - Space Preparation - Firm Order Processing		ļ	CLO	PE1SJ	ļ	600.71									
		Physical Collocation - Space Availability Report, per Central Office Requested	<u> </u>		Cro	PE1SR		1,075.17									<u> </u>
	Power	Physical Collocation - Power, -48V DC Power - per Fused Amp				T	· · · · · · · · · · · · · · · · · · ·			т		T	т——			т	
		Requested			CLO	PE1PL	7.83				ļ						
		Physical Collocation - Power, 120V AC Power, Single Phase, per	1							T					1		
		Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per		-	CLO	PE1FB	4.91			 		1		<u> </u>	 		+
		Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	\vdash	 	CLO	PE1FD	9.84			 	 	 		 			+
	-	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per	+	+-	Cro	PE1FE	14.74				 	<u> </u>	-	 			
	C	Breaker Amp Connects (Cross Connects, Co-Carrier Cross Connects, and Po	1	٠	CLO	PE1FG	34.06		L	1	l	<u></u>	L	<u> </u>	<u> </u>		
	Cross	connects (cross connects, co-carrier cross connects, and PC	ons)	T	UEANLUEQ. UNCNX. UEA. UCL,	T	T		Γ	T	1	T		T	Τ	T	Τ
					UAL, UHL, UDN,			_									
		Physical Collocation - 2-wire cross-connect, loop, provisioning	+-	+	UNCVX UEA, UHL, UNCVX,	PE1P2	0.03	12.30	11.80	6.03	5.44	+	ļ	+	 		+
		Physical Collocation - 4-wire cross-connect, loop, provisioning	1	<u> </u>	UNCDX, UCL, UDL	PE1P4	0.05	12.39	11.87	6.39	5.73	3		.	ļ		_
					WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
		Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, UEPEX, UEPDX	PE1P1	1 11	22.03	15.93	6.40	5.79	,	<u></u>				
					UE3, U1TD3. UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
	L	Physical Collocation - DS3 Cross-Connect, provisioning		<u>L</u>	UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92	<u> </u>	1	1		J	

COLLOCAT	ION - Alabama												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add't
						Rec	Nonrec		Nonrecurring			·		Rates(\$)		
		<u> </u>		CLO, ULDO3.	 		First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Filber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12,	PE1F2	2.81	20 89	15.20	7.38	5.92						
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	4.99	25.55	19.86	9.71	0.05						
			 	OBI, OBI OX	1-11-	4.99	23.33	19.00	9.71	8.25		 	 	 		-
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect- Fiber Cable Support Structure, per linear foot, per Cable	<u></u>	<u> </u>	CLO	PE1ES	0.0011									<u> </u>	
1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			1									ļ		1	
	Copper Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0 0016									1	
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.03	12.30	11.80	5.00							
	Physical Collocation 4-Wire Cross Connect. Port	1	+	UEPEX, UEPDD	PE1R4	0.05	12.39	11.87	6.03	5.44 5.73		 	 	 		
Securi	ty						_:2:00		0.03	3.70	L	L		·		 -
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16 93	10.73							<u> </u>	
	Physical Collocation - Security Escort for Overtime - outside of		T								 	† <u>-</u>		 		†
. [normally scheduled working hours on a scheduled work day, per	1	ļ	i	ļ	!			!		ļ.	ļ	l .	1	}	1
	half hour		+	CLO	PE1OT		22 05	13 86						<u> </u>	L	ļ
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98								
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	45.70		70.50								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
					1	1						1	İ			1
	Physical Collocation-Security Access System-Administrative	1		CLO	DE		7.70								1	1
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	╁	+-	CLO	PE1AA		7.79				 		 	 	 	-
	Stolen Card, per Card			CLO	PETAR		22.78				1					
	Physical Collocation - Security Access - Initial Key, per Key	—	1	CLO	PETAK		13.10						1			i
	Physical Collocation - Security Access - Key, Replace Lost or	1	T	1			1				T		1			
CFA	Stolen Key, per Key	<u> </u>		Cro	PE1AL	<u>L</u> .	13.10	L	l	<u> </u>		L	1		1	<u> </u>
CFA	Physical Collocation - CFA Information Resend Request, per	1	7		1				T .		т———		1	T	Т	7
]	premises, per arrangement, per request			CLO	PE1C9		77.56		1			1.				
Cable	Records - Note: The rates in the First & Additional columns will a	actually	be bille			respectively										
	Physical Collocation - Cable Records, per request			CLO	PE1CR	L	I 759.29	S 488 11	133.00				ļ	 	 	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each	ļ	<u> </u>	сго	PE1CD		326.92		189.12		<u> </u>			<u> </u>	ļ <u>-</u>	
	100 pair	1	-	CLO	PE1CO		4.81		5.90	1						
	Physical Collocation, Gable Records, DS1, per T1 TIE		1	CLO	PE1C1	I	2.25		2.76				1			
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66			<u> </u>		.		
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)	Į.	1	CLO	PE1CB	ļ	84.49	[77.13	1	1	1		1	1	
 	Physical Collocation, Gable Records, CAT5/RJ45	 	+	CLO	PE1C5	 	2.25		2.76		+	 	 	 	 	+
Virtua	I to Physical	'		<u> </u>				•								
	Physical Collocation - Virtual to Physical Collocation Relocation. per Voice Grade Circuit			cro	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00		1							
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation. per DS3 Circuit			CLO	PE1B3	I	52.00				T					

COLL	OCAT	ION - Alabama												Att: 4 Exh: B			
			T				1					Svc Order	Svc Order	Incremental	Incremental	incremental	Incremental
			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
ATEG	OBV	RATE ELEMENTS		-			j					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Syc
AIEG	UHT	HATE ELEMENTS	Interim	Zone	BCS	usoc	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			l			ļ	1							Electronic-	Electronic-	Electronic-	Electronic-
							1							1st	Add'I	Disc 1st	Disc Add'l
		·	├														
	 					<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
		Physical Collocation - Virtual to Physical Collocation In-Place, Per	 			 		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Voice Grade Circuit	1		CLO	PE1BR								ļ	, '	1	
		Physical Collocation Virtual to Physical Collocation In-Place, Per	 	├ ─	CLO	PEIBH	 	22.44				<u> </u>			·		
	1	DSO Circuit	1	1	CLO	PE18P	1 1							l	['	·	
	1-	Physical Collocation - Virtual to Physical Collocation In-Place, Per	1-	-	0.0	PEIBP	 	22.44				<u> </u>			 		
		DS1 Circuit	į	1	CLO	PE1BS	1 1	32.62				İ			í '	1 '	
		Physical Collocation - Virtual to Physical Collocation In-Place, per	 	+	000	1 2 103	 	32.02				 			 	 '	
	1	DS3 Circuit	f	1	CLO	PE1BE	1 1	32.62							1		
	Entrand	ce Cable	٠			1. 2.02	 -	32.02		<u> </u>	L						
		Physical Collocation - Fiber Cable Installation, Pricing, non-		T		T	1				T					г —	
		recurring charge, per Entrance Cable	!	1	CLO	PE1BD	i	859.71		22.49	ĺ	1			1 '	1	
		Physical Collocation - Fiber Cable Support Structure, per Entrance	\vdash			1	1										
	Ц.	Cable		<u> </u>	Cro	PE1PM	17,11				1	1		I	1	1	
			I	1										1			
	L	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.87			l			l	(1	
VIRTU		OCATION															I
	Applica																· · · · · · · · · · · · · · · · · · ·
	L	Virtual Collocation - Application Fee		1	AMTFS	EAF		1,205.26		0.51							
	1	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	1														
		Application Fee, per application			AMTFS	VE1CA		584.22				<u> </u>			<u> </u>	1	
	ļ	Virtual Collocation Administrative Only - Application Fee	<u></u>	<u> </u>	AMTFS	VE1AF		742.15						l		<u> </u>	
	Space	Preparation		_													
	l	Virtual Collocation - Floor Space, per sq. ft.	<u> </u>		AMTFS	ESPVX	3.22			l	l	<u> </u>	<u> </u>	L		<u> </u>	L
	Power		,	_		T						,					
	ļ	Virtual Collocation - Power, per fused amp	<u> </u>		AMTES	ESPAX	7.83			L	L	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	L	<u> </u>		l
	Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	nts)		LUCANI CICA LIDA						,		· · · · · · · · · · · · · · · · · · ·	r			
	1		1		UEANL, UEA, UDN,		1 1				1				İ		
	1		1	1	UAL, UHL, UCL, UEQ, UNCVX,	1	1 1			ì	1	ì	ì	1	ì	1	1
	ł	Virtual Collegation 2 wire cross connect loop provisioning	1		UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44			ļ			
	 	Virtual Collocation - 2-wire cross-connect, loop, provisioning	+	+-	UEA, UHL, UCL,	UEAC2	0.03	12.30	11.80	6.03	3.44		 	 	 	+	
			1		UDL. UNCVX.								!			i	
		Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.05	12 39	11.87	6.39	5.73			ļ			
	1		†	 	ULR, UXTD1,	102:107				0.00			 			 	1
ı	Į.		{	1	UNC1X, ULDD1,	1	1 1			}	1	ì	ì	ì	ì	1	1
					U1TD1, USLEL,						1		i			1	l
	1	Virtual collocation - Special Access & UNE, cross-connect per	i	1	UNLD1, USL,		1				1						}
		DS1			UEPEX, UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79	1	l .				
	1		1		USL, UE3, U1TD3.							1	1				L
			1	1		1						-		 		-	
					UXTS1, UXTD3,	1										 	
i					UXTS1, UXTD3, UNC3X, UNCSX,				1								
					UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1,												
		Virtual collocation - Special Access & UNE, cross-connect per			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,												
		Virtual collocation - Special Access & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1,	CND3X	14.16	20 89	15.20	7.38	5.92						_
					UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	14.16	20.89	15.20		5.92						_
					UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	14.16	20 89	15.20		5.92						_
					UXTS1, UXTD3, UNG3X, UNCSX, ULD03, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12,	CND3X	14.16	20 89	15.20		5.92					_	
		DS3			UXTS1, UXTD3, UNG3X, UNGSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3.					7.38							
					UXTS1, UXTD3, UNG3X, UNCSX, ULD03, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12,		14.16 2.84	20 89 20.89	15.20 15.20								
		DS3			UXTS1, UXTD3, UNG3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF					7.38							
		DS3			UXT51, UXT03, UNG3X, UNC5X, UNCD3, U1T51, ULD51, U015X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD03, ULD12, ULD48, UDF, UDL12, UDL03, UDL12, UDL03, UDL12, UDL03, UDL012, UDL03, UND					7.38							
		DS3			UXT51, UXTD3, UNC3X, UNC3X, UNCSX, UNCD3, U1T51, ULD51, UT51, ULD51, UNLD3, XDEST UDL12, UDL03, ULT148, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, UJT148, UJT12, UJT148, UJT12, UJT148, UJT148, UJT148, UJT12, UJT148, UJT					7.38							
		DS3 Virtual Collocation - 2-Fiber Cross Connects			UXT51, UXTD3, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD03, ULD03, U1T48, U1T12, U1T048, U1T12, U1T03, ULD03, U1T48, U1T12, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03,	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		DS3			UXT51, UXTD3, UNC3X, UNC3X, UNCSX, UNCD3, U1T51, ULD51, UT51, ULD51, UNLD3, XDEST UDL12, UDL03, ULT148, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, UJT148, UJT12, UJT148, UJT12, UJT148, UJT148, UJT148, UJT12, UJT148, UJT	F CNC2F				7.38	5.92						
		OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			UXT51, UXTD3, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD03, ULD03, U1T48, U1T12, U1T048, U1T12, U1T03, ULD03, U1T48, U1T12, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03,	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect -			UXT51, UXT03, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDE5T UDL12, UDL03, ULT03, ULD03, ULD12, ULD48, UDF UT102, ULD48, UDF UT103, ULD03, ULT02, ULD48, UDF UT103, ULD03, ULT03, ULD03, ULD03, ULD12, ULD48, UDF	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			UXT51, UXTD3, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD03, ULD03, U1T48, U1T12, U1T048, U1T12, U1T03, ULD03, U1T48, U1T12, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03,	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			UXT51, UXT03, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDE5T UDL12, UDL03, ULT03, ULD03, ULD12, ULD48, UDF UT102, ULD48, UDF UT103, ULD03, ULT02, ULD48, UDF UT103, ULD03, ULT03, ULD03, ULD03, ULD12, ULD48, UDF	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carner Cross Connects/Direct Connect -			UXT51, UXT03, UNC3X, UNC3X, UNC5X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDE5T UDL12, UDL03, ULT03, ULD03, ULD12, ULD48, UDF UT102, ULD48, UDF UT103, ULD03, ULT02, ULD48, UDF UT103, ULD03, ULT03, ULD03, ULD03, ULD12, ULD48, UDF	F CNC2F	2.84	20.89	15 20	7.38 7.38	5.92						
		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			UXT51, UXT03, UNC3X, UNC3X, UNC9X, UND03, U1T51, ULD51, UDL5X, UNLD3, XDEST UDL12, UDL03, ULT03, ULD03, ULD12, ULD48, UDF UDL12, ULD48, UDF UT103, ULD03, ULT048, UT12, ULD03, ULT048, UDF UNT03, ULD03, ULD03, ULD12, ULD48, UDF AMTFS	F CNC2F F CNC4F VE1CB	2.84	20.89	15 20	7.38 7.38	5.92						
-		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carner Cross Connects/Direct Connect -			UXTS1, UXTD3, UNC3X, UNC3X, UNCSX, UNCD3, U1TS1, ULDS1, UTS1, ULDS1, UNLD3, UNLD3, UNT48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, ULD12, UDL03, ULD12, UDL03, ULD12, ULD48, UDF AMTFS	F CNC2F F CNC4F VE1CB	2.84	20.89	15 20	7.38 7.38	5.92						
		Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carner Cross Connects/Direct Connect -			UXTS1, UXTD3, UNC3X, UNC3X, UNC3X, UNCD3, U1TS1, ULDS1, UTS1, ULDS1, UNLD3, UNLD3, UT148, UT172, U1T03, ULD03, ULD12, ULD48, UDF12, ULD48, UDF12, ULD48, UDF12, ULD48, UDF14, ULD12, ULD12, ULD48, UDF14, ULD12, ULD	F CNC2F F CNC4F VE1CB	2.84	20.89	15 20	7.38 7.38	8.2						

COLLOCA	ATION - Alabama												Att: 4 Exh: B			
				T	T		··				Sup Order	Svc Order	Incremental	Incremental	Incremental	Increment
		ì	Ì]	1						Submitted					
				1										Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc			DATECON			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
	NATE ELEMENTS	irite in	Zone	803	USUC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		!	1		1						i	i	Electronic-	Electronic-	Electronic-	Electroni
			1		1								1st	Add'l	Disc 1st	Disc Add
		├	ļ		1						<u> </u>					1
			ـــــــ	ļ		Rec	Nonrec	urring	Nonrecurring	Disconnect	[OSS	Rates(\$)		
			<u> </u>			l uec L	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CFA												·	•		L	
	Virtual Collocation - CFA Information Resend Request, per	1	T	T							I .		1	r		
	Premises, per Arrangement, per request		1	AMTFS	VE1QR		77.56						l			
Cab	le Records - Note: The rates in the First & Additional columns will a	ctually b	e bille	d as "Initial I" & "Sub	sequent S" re	spectively								·		
	Virtual Collocation Cable Records - per request		T	AMTES	VE1BA		759.29	S 488.11	133.00				1			T
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1		1									 			
	record	Į	t	AMTFS	VE1BB	l {	326.92		189.12		1	ļ.	1		1	1
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100		1		1	·	00.00		100.12							
i	pair			AMTES	VE1BC	l 1	4.81		5.90		i	i		i		1
	Virtual Collocation Cable Records - DS1, per T1TIE	+	 	AMTES									 			
	Virtual Collocation Cable Records - DS3, per T3TIE	┿	+	AMTES	VE1BD		2.25		2.76				ļ	 	ļ	
	Virtual Collocation Cable Records - DS3, per 1311E Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	+	+	AMILA	VE1BE	 	7.88		9.66		<u> </u>			ļ	L	
1			1				l				1					1
	records	├	1-	AMTFS	VE18F	<u> </u>	84 49		77.13		1		<u></u>			
	Virtual Collocation Cable Records - CAT 5/RJ45	<u> </u>	1	AMTES	VE1B5	L1	2.25		2.76					L		1
Sec	urity		, .													
1	Virtual collocation - Security escort, basic time, normally scheduled	1	1		1											
	work hours			AMTFS	SPTBX	<u>. </u>	16 93	10.73	L		1.	ļ	1	1	l	1
1	Virtual collocation - Security escort, overtime, outside of normally	1	1											T	I	1
. [scheduled work hours on a normal working day		1	AMTFS	SPTOX		22.05	13.86								1
	Virtual collocation - Security escort, premium time, outside of a	T		1									 			
1	scheduled work day	į	i .	AMTFS	SPTPX	1	27.17	16.98				ł		ł	ł	i
Mair	ntenance			1	101 17 A	·		10.30	L		<u> </u>	<u> </u>	٠	٠	1	
	Virtual collocation - Maintenance in CO - Basic, per half hour		т	AMTES	CTRLX		27.02	10.72	Y		T		 	,		
	Virtual conocation - Infanticretice in CO - Dasic, per hair rod	 	┼	AMIFS	CINEX	 	27.93	10.73	ļ		 		 		ļ.———	
1	Virtual collocation - Maintenance in CO - Overtime, per half hour		1	AMTFS	SPTOM		00.47	40.00				1			!	1
	Vinual colocation - Maintenance in CO - Overline, per nair hour	-		AMTES.	SPIOM	 	36.47	13.86	ļ					L		₩
	No alemana A Comment of the Comment	i	1			i (1	1		1	1	i
	Virtual collocation - Maintenance in CO - Premium per half hour		ــــــــــــــــــــــــــــــــــــــ	AMTFS	SPTPM	L	45.02	16.98	l		L	L	L	L	L	
Enti	rance Cable	,		1		,								·		,
	Virtual Collocation - Cable Installation Charge, per cable	├	↓	AMTES	ESPCX	1	859.71		22.49		<u> </u>	<u></u>		ļ		
	Virtual Collocation - Cable Support Structure, per cable	↓	 	AMTFS	ESPSX	14.97			L		ļ <u> </u>			ļ <u> </u>		
	ION IN THE REMOTE SITE			<u> </u>		1			L		L				L	<u>i </u>
Phy	sical Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee	1	<u> </u>	CLORS	PE1RA		307.70	L,	168.22				L			1
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										1
		1	I		T					-			1			1
	Physical Collocation in the Remote Site - Security Access - Key	l		CLORS	PE1RD		13.10		l		Į.	ļ		l .		ł
	Physical Collocation in the Remote Site - Space Availability Repor	t		T					T							T
í	per Premises Requested	1		CLORS	PE1SR		115.87			ļ	!			l .		1
	Physical Collocation in the Remote Site - Remote Site CLLI Code										Ť		1	T		1
	Request, per CLLI Code Requested	1		CLORS	PE1RE		37.56		1	!					Į.	1
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	+	1	CLORS	PE1RR		233.38				 			 		+
	Power, DC Power Provisioning (Alabama Only ICB Rate)	+	+	† 	+	 	200.00		 		 	 	† ·····	 	 	
	Physical Collocation - Security Escort for Basic Time - normally	+	+	 	+	 			 		 		 			
- 1	scheduled work, per half hour	1	1	CLORS	PE1BT	1	16.93	10.73	1		1	1	1	1	}	1
	Physical Collocation - Security Escort for Overtime - outside of	+	+	CLUNG	TE:01		16.93	10.73	 	 	 		+	 	 	+
j		İ		1	1						1		1		1	1
- 1	normally scheduled working hours on a scheduled work day, per	i	1	CI COS	lar.c-				[1		1		i	1
	half hour		+	CLORS	PE1OT		22 05	13.86	ļ		 	 	 	 		+
	Physical Collocation - Security Escort for Premium Time - outside	1	1	1						l	i	1	1	1	1	1
	of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98	1.,	I	<u> </u>		L	1	<u> </u>	<u> </u>
Adj	acent Remote Site Collocation									· · · · · · · · · · · · · · · · · · ·	,		·	,	·	
	Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1AU		755.62	755.62	1	l	1	<u> </u>	J		<u> </u>	1
														1		
L	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134			J			L	L	1	l	1
		1												1		1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PEIRS	6.27			l				<u>L</u>	L		1
NO	TE: If Security Escort and/or Add'l Engineering Fees become neces	sary for	adjace	ent remote site colloc	ation, the Par	ties will negotiat	e appropriate ra	ates.								
Virt	ual Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee	1	1	VE1RS	VE1RB		307.70	307.70	168.22	168.22	1		1	1	T	T
		1		1	1						T		· · · · · ·	1	T	1
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	1	1	VE1RS	VE1RC	201.42			1	1	i	1	1	{	1	1
-	Virtual Collocation in the Remote Site - Space Availability Report	 	1	+	1.2	201.72			 		 		+	1	 	+
	per Premises requested	Į	1	VE1RS	VETRR		115.87	115.87	1	ł	1	İ	1	1	{	1
-	Virtual Collocation in the Remote Site - Remote Site CLLI Code	+	+	TEING	1,511111		113.67	113.07	 		 	 	 	 	 	+
- 1	Request, per CLLI Code Requested	1	1	VE1RS	VE1RL	1	37.56	37.56	1	l	1	1	1	1	1	ì
							37.56				1					1

COLLOCA	TION - Alabama	,	,										Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates(\$)	·	
AD INCENT	COLLOCATION	ļ	<u> </u>			1,190	First	Add 1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENIC	Adjacent Collocation - Space Charge per Sq. Ft.	 	-	0.010		ļl								L.		
 	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	₩	├ ─		PE1JA	0.14										
} 	Adjacent Conocation - Electrical Facility Charge per Linear Ft.	 		CLOAC	PE1JC	5.41			ļ							
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.02	12.30	11.80	6.03	5.44						
ļ	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL.UDL,UCL	PE1JF	0.04	12.39	11.87	6.39	5.73		· · · · ·		 	†	
	Adjacent Collocation - DS1 Cross-Connects				PE1JG	1.03	22.03	15.93	6.40	5.79	 	i		 	· · · · · · · · · · · · · · · · · · ·	
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.95	20.89	15.20	7.38	5 92				 		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.36	20.89	15.20		5.92	†	 		 	 	
	Adjacent Collocation - 4-Fiber Cross-Connect	Ι		CLOAC	PE1JK	4.52	25.55	19.86		8.25		 		 	 	
	Adjacent Collocation - Application Fee	1		CLOAC	PE1JB	1	1.576.69		0.51		†	 	 			+
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	9.84								1		
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	14,74						1				<u> </u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	34.06								1		
	Adjacent Collocation - DC power provisioning (Alabama Only Mandate ICB)															
	Note: ICB means Individual Case Basis								t -	1	1	1		1	t	1

CATEGOR														Att: 4 Exh: B			
	PY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	-	····	<u> </u>			ļ	Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
			-	├──		 	 	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCATION															
	pplicati	on Physical Collocation - Initial Application Fee		_	CLO	PE1BA		2,785.00		1							
		Physical Collocation - Subsequent Application Fee	<u> </u>		CLO	PE1GA	 	2,785.00		1 20							
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect.															
-+		Application Fee, per application Physical Collocation - Power Reconfiguration Only, Application		├	CLO	PE1DT	 	564 81				<u> </u>				ļ	
	F	ee			CLO	PE1PR		409.50		1 [Į .		1
		Physical Collocation Administrative Only - Application Fee		L	CLO	PE1BL		760.91		1.20					1		
		reparation Physical Collocation - Floor Space, per sq feet		_	CLO	PETPJ	5.28			T		T				,	т
		Physical Collocation - Space Enclosure, welded wire, first 50	<u> </u>	1 -			3.20								 	 	
 		square feet	ļ	├	CLO	PE1BX	171.12					<u> </u>					
		Physical Collocation - Space enclosure, welded wire, first 100 square feet	l		cro	PE1BW	189 73										
		Physical Collocation - Space enclosure, welded wire, each	_		,		1					†					-
		additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per		ļ	CLO	PE1CW	18.61					<u> </u>					<u> </u>
		equare ft.	l	1	cro	PE1SK	2.38			Į į		ļ	ļ		ļ	l	1
		Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO												
		Physical Collocation - Space Preparation - Common Systems	 -	\vdash	CLO	PE1SL	2.50								 		
 		Modifications-Caged, per cage			CLO	PE1SM	84.93										ļ
1	ı,	Physical Collocation - Space Preparation - Firm Order Processing			CLO	05461		227.55									
		Physical Collocation - Space Availability Report, per Central Office	-		CLO	PE1SJ	 	287 36				 			 		├
		Requested	<u> </u>	L	CLO	PE1SR	<u> </u>	572.66									
P	ower	Physical Collocation - Power, -48V DC Power - per Fused Amp	,							· · · · · · · · · · · · · · · · · · ·							
		Requested	1	1	CLO	PE1PL	7.80			1 1		1	1				l
		Physical Collocation - Power, 120V AC Power, Single Phase, per				1				1		<u> </u>					† · · · · · · · · · · · · · · · · · · ·
├		Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per	-	—	CLO	PE1FB	5.26			ļi		<u> </u>					
1 1		Priysical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	1		CLO	PE1FD	10.53										
		Physical Collocation - Power, 120V AC Power, Three Phase, per		\vdash		1				1		1					1
		Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per	<u>. </u>	 	cro	PE1FE	15.80			 		ļ. ——	<u> </u>		 		ļ
i		Prysical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	36.47					1					
		Physical Collocation - Power - DC power, per Used Amp	<u> </u>		CLO	PE1FN	10.69					<u> </u>			l		
F	ross C	onnects (Cross Connects, Co-Carrier Cross Connects, and Po-	rts)	_	UEANL,UEQ,UNCN					T			1	Г	r		1
(I	- 1				X. UEA, UCL, UAL,											1	
		Physical Collocation - 2-wire cross-connect, loop, provisioning	↓	 	UHL, UDN, UNCVX		0.0208	7.32	5.37	4.58	2.71		ļ	<u> </u>	ļ	ļ	<u> </u>
1	l	Physical Collocation - 4-wire cross-connect, loop, provisioning		}	UEA, UHL, UNCVX, UNCDX, UCL, UDL		0.0416	8.00	5.75	5.00	2.69		į				
		Trystea Conceator - Time cross-connect, bob, provisioning		 	WDS1L, WDS1S.	FE IF 4	0.0410	0.00	3.73	3.00	2.09				 		
	1		ļ		UXTD1, ULDD1,					1					ļ		-
1				1	USLEL, UNLD1, U1TD1, UNC1X,										ŀ		
					UEPSR, UEPSB,								İ		Ì	1	
1	Ì	n		1	UEPSE, UEPSP,		1		Ì				Ì	Ì	}		
		Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, UEPEX, UEPDX	PE1P1	0 3786	7.88	6.25	1.35	0.9899	.]	1				
 			1	T	UE3, U1TD3,	+	0 37 00	7.00	0.23	1.33	0.3033	 			t		
				İ	UXTD3, UXTS1,												
	ŀ			1	UNC3X, UNCSX, ULDD3, U1TS1,												
()	ı				ULDS1, UNLD3,		}			1							
					UEPEX, UEPDX,												
	Į,	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	4.16	32.40	31.03	11.15	10.98	1]		l

COLLOCA	TION - Florida												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	tncremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
					+	Rec -	Nonrec First	Add'l	Nonrecurring First		2015			Rates(\$)		
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,	PE1F2	1.71	28.26	25.85	13.78	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 4-Fiber Cross-Connect			U1T12, U1T48, UDLO3, UDL12,												
	Physical Colocation - 4-Piper Cross-Connect	├	<u> </u>	UDF, UDFCX	PE1F4	3.34	37.92	35.51	18.20	15.44						i
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			сго	PE1ES	0.0008	*****									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			cro	PE1DS	0.0012										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSR, UEPSP. UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0208	7.32	5.37	4.58	2.71						
	Physical Collocation 4-Wire Cross Connect, Port	1		UEPEX, UEPDD	PE1R4	0.0208	8 00	5.75		2.69		 	 	 	 	
Secu								5.75	3.00	- 2.03		·	L		l	L
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44 63	28.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			cro	PE1PT		55.62	35.73						1	<u> </u>	
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PEIAY	0.0101	33.02	33.73			 					
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		38.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA		8 84									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR	1	28.78		1				i	1		
	Physical Collocation - Security Access - Initial Key, per Key	1	┼	CLO	PETAK	 	28.78		-		 	ļ		}	 	├
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PEIAL		23.28		 					<u> </u>		
CFA				1 	1		20.20		1	l	·	· · · · ·	'	'		
Cable	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Records - Note: The rates in the First & Additional columns will a	ctually	be bille	CLO	PE1C9	respectively	79.52								I	
1	Physical Collocation - Cable Records, per request	1	1	CLO	PE1CR	1	1515.00	S 973.64	256.35		T	T		I	T	Τ
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		646.84		362.41							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.11		10.80							
	Physical Collocation, Cable Records, DS1, per T1 TIE	 	 —	CLO	PE1C1	 	4.52		5.35		1					
- -	Physical Collocation. Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)	<u> </u>		CLO	PE1C3		15.81		18.73			<u> </u>	<u> </u>	-	 	
	Physical Collocation, Cable Records, CAT5/RJ45	 	+	CLO	PE1CB PE1C5	 	169.96 4.52		149.97 5.35		ļ	 	ļ	 		
Virtu	st to Physical Physical Colocation - Virtual to Physical Colocation Relocation,	L	1	1000	TFE TOS	1 1	4.32		3.33	I			1	.L	T	T
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	 		CLO	PE1BV		33.00		ļ		ļ	ļ	-			
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	ļ		сго	PE1BO		33.00				<u> </u>			-	ļ	ļ
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	-	ļ	CLO	PE1B1		52.00				 	ļ		-		<u> </u>
	per DS3 Circuit	<u> </u>	<u> </u>	CLO	PE1B3		52.00		L		1	<u> </u>	<u> </u>	L	<u> </u>	<u> </u>

	ION - Florida					·							Att: 4 Exh: B			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		ł]								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
TECORY	DATE SI SUSTA		l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	ì		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
			} !								pc. 2011	per corr	Electronic-	Electronic-	Electronic-	Electronic
											}		1st	Add'l	Disc 1st	Disc Add
		<u> </u>										İ	'*'	, ~40.	Diacist	Disc Add
		ļ	ļ.,			Rec	Nonre		Nonrecurring	Disconnect			OSS	Rates(\$)		•
	DS						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Physical Collocation - Virtual to Physical Collocation In-Place, Per		1	ļ	l .	1 1					[1				1
	Voice Grade Circuit	↓	 -	CLO	PE1BR		22.51				i		ł.	1	i	
1	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	1	1			1							T		1	
		₩	↓	CLO	PE1BP		22.51		<u> </u>		1	!				1
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit					1 1					·					
	Physical Collocation - Virtual to Physical Collocation In-Place, per	ļ	 	Cro	PE1BS		32.73				<u> </u>	1	1.		ļ	1
1	DS3 Circuit	1				1			1		1	I			1	
Entrop	ice Cable	ــــــــــــــــــــــــــــــــــــــ		CLO	PE1BE	L	32.73			<u>L_</u> .	L_				l	
Littaii	Physical Collocation - Fiber Cable Support Structure, per Entrance	, 	T	· · · · · · ·		,										-
	Cable	1	i						1		1				Γ	
	Physical Collocation - Fiber Entrance Cable per Cable (CO	 	├	CLO	PE1PM	5.19					L				L	1
1	manhole to vault splice)	1	1			i				1					1	I
	markore to value spikie)	+	-	CLO	PE1EC	 	994.12		43.84	1	<u> </u>			L		
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	1	1	la. a		1										
RTUAL COL	LOCATION Proper Entrance Cable Installation, per Fiber	├		CLO	PE1ED		7.43		L	Ļ <u>.</u>			L			
Applie	ation	٠	١	<u> </u>		<u></u>			<u>L</u>	J	<u>i</u>	1				
Applic	Virtual Collocation - Application Fee	· -	т —	AMTES	EAF	,			····							
 -	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	+		AMIFS	EAF	 	1,241.00		1.20		ļ					
	Application Fee, per application	1		AMTFS	VE1CA							ļ				Į
	Virtual Collocation Administrative Only - Application Fee	 -	ļ.—	AMTES	VE1CA VE1AF		564 81			<u> </u>		1		<u> </u>		1
Space	Preparation			IAM IFS	VETAF		760.91		1.20	<u> </u>	1	<u> </u>	L	<u>l</u>	l	J
- Jopass	Virtual Collocation - Floor Space, per sq. ft.	T	т—	AMTFS	ESPVX	5.28					~···			,		
Power	Transcar Conoccurion Trada opace, per sq. n.	1		IMMITES	ESPVA	5.28		l	l	Щ.	<u> </u>	L	1		J	J
- 0	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	0.05									,	
	Virtual Collocation - Power, DC power, per Used Amp	 	+		VE1PF	6.95 10.69				 			4			<u> </u>
Cmee	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	-t-\		IAMITES	VEIPE	10.69		L	l	L	ᆚ	l	J	L	<u> </u>	<u> </u>
0,038	Commetta (Cross Commetts, Co-Carrier Cross Commetts, and Fo	T	1	UEANL, UEA, UDN.		1			1			,			T	
1			1	UAL, UHL, UCL.	ļ	i .			1	1	1	ŀ				
				UEQ, UNCVX,		1		1	ŀ		ı		1	1		
ļ	Virtual Collocation - 2-wire cross-connect, loop, provisioning	1		UNCDX, UNCNX	UEAC2	0.0201	7.00				1		1			1
	Virtual Collocation - 2-wire cross-connect. bop. provisioning	+	+	UEA, UHL, UCL.	UEAC2	0.0201	7.32	5.37	4 58	2.71			ļ			·
		1	i	UDL. UNCVX.							1		i			1
- 1	Virtual Coilocation - 4-wire cross-connect, loop, provisioning	1		UNCDX	UEAC4	0 0403	8.00		5.00	200	.1	Ì				i
	Tirida Collocation 4 wife closs-connect, bog. provisioning	+	+	ULR, UXTD1.	OEAC4	0 0403	8.00	5.75	3.00	2.69	' -	 	 		 	+
1			1	UNC1X, ULDD1.		1 1			1		1			l	İ	
				U1TD1, USLEL,	1	1					1	1		į	ì	
	Virtual collocation - Special Access & UNE, cross-connect per			UNLD1, USL,		1]			ł	i	i			
1	DS1			UEPEX, UEPDX	CNCIV	0.2705	7.00	5.00	1 25	0.001	ĺ		1			
-	1001	+	+	USL, UE3, U1TD3,	CNC1X	0 3786	7 88	6.26	1.35	0.9915	 	 	+	+	+	+
1		1	[UXTS1, UXTD3,	l	1		l	1	1	1	1		1]
-		1		UNC3X, UNCSX.	i			1	1	1	1	1		1	1	ł
		1	1	ULDD3, U1TS1,	l	1		1	1	ł	1	1		1	1	1
	Virtual collegation - Special Access & UNE cross-correct per	1	1	ULDS1, UDLSX,	l	1		1	1		1			l	1	
	Virtual collocation - Special Access & UNE, cross-connect per DS3	1	i	UNLD3, XDEST	CND3X	4 16	32.40	31.03	11.15	10.98	. 1			1	1	
	1000	1	+	ONLUG, ADEOI	CINDOX	4 16	32.40	31.03	U.75	10.98	+	 	+	+	—	+
		T		1	1	1		1			1	1		1	1	
			1	HDL13 HDLO3				1	1	1	1	1	1	1	1	1
				UDL12, UDLO3,		1 1			1	1				I	1	
				U1T48, U1T12,												
	Virtual Callocation - 2-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3,	CNC3E	1 75	20.00	25.05	10 70	11.0						
	Virtual Collocation - 2-Fiber Cross Connects			U1T48, U1T12,	CNC2F	1.75	28 26	25.85	13.78	11.01						ļ
	Virtual Collocation - 2-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.75	28 26	25.85	13.78	11.01						
	Virtual Collocation - 2-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF UDL12, UDLO3,	CNC2F	1.75	28 26	25.85	13.78	11.01						
	Virtual Collocation - 2-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12.	CNC2F	1.75	28 26	25.85	13.78	11.01						
				U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03,												
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12.		1.75	28 26 37.92	25.85 35.51	13.78 18.20							
	Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03,												
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F	3.50										
	Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03,												
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F	3.50										
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, ULD12, UDL03, UD1748, UT112, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F VE1CB	3.50										
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carner Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			U1T48, U1T12, U1T03, ULD03, ULD142, ULD48, UDF UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTES	CNC4F	3.50										
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03, ULD12, UDL03, UD1748, UT112, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F VE1CB	3.50										

	ATION - Florida															
				· · · · · · · · · · · · · · · · · · ·			~						Att: 4 Exh: B			
			į .		1						Svc Order		Incremental	Incremental	Incremental	incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
					1			• • •			per con	porcon				
		1	\ '		1	ł					1		Electronic-	Electronic-	Electronic-	Electronic-
		1			Į.	1							1st	Add'l	Disc 1st	Disc Add'l
	······································	├	 		<u> </u>	ļ										
		↓	↓			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
					1	nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Port		$\overline{}$	UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69						
CFA					1	1	0.00	0.75	3.00	2.03	L				L	
	Virtual Collocation - CFA Information Resend Request, per		т—	· · · · · · · · · · · · · · · · · · ·							·					
	Premises, per Arrangement, per request				1		!				ļ		1		ļ	
	Triemises, per Arrangement, per request	<u> </u>		AMTFS	VE1OR		79.52								ł	
Cabie	le Records - Note: The rates in the First & Additional columns will a	ctually i	oe billed	as "Initial I" & "Sub	sequent S" re	espectively										
	Virtual Collocation Cable Records - per request		Ţ	AMTES	VE1BA		1 1515.00	S 973.64	256.35							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable					·			200.00							
- 1	record			AMTES	VE1BB					Į.						!
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100	+	┿	AIVITES	VEIBB	+	646.84		362.41					<u> </u>		
						1								i		
	pair			AMTES	VE1BC	•	9.11		10.80		i			!		
	Virtual Collocation Cable Records - DS1, per T1TIE	-		AMTES	VE1BD		4.52		5.35							
	Virtual Collocation Cable Records - DS3, per T3TIE	1	1	AMTES	VE1BE	 	15.81		18.73							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	+	+		1.2.100	 	13.81		18.73					 	ļ	ļ
ı		ł]			1	l	l			l	l	l
	records			AMTFS	VE1BF		169.96		149.97		<u></u>			L	L	l
	Virtual Collocation Cable Records - CAT 5/RJ45		\perp	AMTFS	VE1B5		4.52		5.35	I				l	1	
Secu	unity												<u> </u>	·	٠	·
	Virtual collocation - Security escort, basic time, normally scheduled	1	Τ	T		 			r		γ					
1		1	1	ALITEO	ODTD.								l			
	work hours		 	AMTFS	SPTBX	<u> </u>	33.65	22.05			 _		L	<u> </u>	L	L
- 1	Virtual collocation - Security escort, overtime, outside of normally	1	1							I						
ı	scheduled work hours on a normal working day		1	AMTFS	SPTOX		44.63	28.89								ŀ
	Virtual collocation - Security escort, premium time, outside of a	_			1	 			 		 					
	scheduled work day	i	i	AMTES	SPTPX	1										ŀ
10.5				JAMILES	SPIPA		55.62	35.73		L	<u> </u>		<u> </u>			L
Main	ntenance															
	Virtual collocation - Maintenance in CO - Basic, per half hour	! _	1	AMTFS	CTRLX		54.05	22.05		1						
			T			1			<u> </u>				t			
1	Virtual collocation - Maintenance in CO - Overtime, per half hour	1	ì	AMTES	SPTOM	1	72 18	28.89	1	1	1				i	
	Thick colocation in amenated in 60 * Overline, per rain 108	+	+-	A.H.I.S	3F TOW		72 10	20.09						 		
1		Í	1	Į.		1				i			ł			
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.31	35.73			1		1			
Entra	rance Cable															
	Virtual Collocation - Cable Installation Charge, per cable	1	1	AMTES	ESPCX		1,473.00		43.84	1	1			T		
	Virtual Collocation - Cable Support Structure, per cable	+	+	AMTES	ESPSX	4.54	1,110100			 	 			 		
COLLOCATA	ION IN THE REMOTE SITE	+	+	AWITS	COFOX	4.54			ļ				ļ <u> </u>	 		
			ــــــــــــــــــــــــــــــــــــــ	<u> </u>	ــــــــــــــــــــــــــــــــــــــ				1	<u> </u>	<u>i</u>	L.,,,,,	<u> </u>	<u> </u>		L
Phys	sical Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		C+0.00		270.35	1					1	
			. 1 .			ì	612.23							1		
- 1		┼──	+		PEIRB	154.59	612.23		1	1	l l			-	<u> </u>	
	Cabinet Space in the Remote Site per Bay/ Rack	-	<u> </u>	CLORS	PE1RB	154.59	612.23		 	-						
	Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS		154.59										
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key				PE1RB PE1RD	154.59	23.28									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor	n		CLORS	PE1RD	154.59	23.28									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	l .		CLORS		154.59										
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested	l .		CLORS	PE1RD	154.59	23.28									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Reguested Physical Collocation in the Remote Site - Remote Site CLLI Code	l .		CLORS CLORS	PE1RD PE1SR	154.59	23.28									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested	l .		CLORS CLORS CLORS	PE1RD PE1SR PE1RE	154.59	23.28 223.91 73.39									
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	l .		CLORS CLORS	PE1RD PE1SR	154.59	23.28									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally	l .		CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	154.59	23.28 223.91 73.39 208.02									
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour	l .		CLORS CLORS CLORS	PE1RD PE1SR PE1RE	154.59	23.28 223.91 73.39	22.05								
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour	l .		CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	154.59	23.28 223.91 73.39 208.02	22.05								
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of	l .		CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	154.59	23.28 223.91 73.39 208.02	22.05								
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per	l .		CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT	154.59	23.28 223.91 73.39 208.02 33.65									
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	154.59	23.28 223.91 73.39 208.02	22.05								
	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CULI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled Work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside Physical Collocation - Security Escort for Premium Time - outside			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT	154.59	23.28 223.91 73.39 208.02 33.65	28.89								
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT	154.59	23.28 223.91 73.39 208.02 33.65									
Adia	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT	154.59	23.28 223.91 73.39 208.02 33.65	28.89								
Adja	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT	154.59	23.28 223.91 73.39 206.02 33.65 44.63	28.89	<u> </u>							
Adja	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT	154.59	23.28 223.91 73.39 208.02 33.65	28.89	<u> </u>							
Adja	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site Adjacent Collocation-Application Fee			CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT		23.28 223.91 73.39 206.02 33.65 44.63	28.89	<u> </u>							
Adja	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT	0.134	23.28 223.91 73.39 206.02 33.65 44.63	28.89	<u> </u>							
Adja	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site Adjacent Collocation-Application Fee			CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT	0.134	23.28 223.91 73.39 206.02 33.65 44.63	28.89	<u> </u>							
Adja	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour accent Remote Site Collocation Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT		23.28 223.91 73.39 206.02 33.65 44.63	28.89	<u> </u>							
	Cabinet Space in the Remote Site per Bayl Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp	,	Adiace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1RU PE1RU PE1RI PE1RS	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62	28 89 35.73 755.62	<u> </u>							
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour seent Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: #Security Escort and/or Add* Engineering Fees become neces	,	adjace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1RU PE1RU PE1RI PE1RS	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62	28 89 35.73 755.62	<u> </u>							
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'I Engineering Fees become neces ual Remote Site Collocation	,	adjace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Painter	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour seent Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: #Security Escort and/or Add* Engineering Fees become neces	,	adjace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1RU PE1RU PE1RI PE1RS	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62	28 89 35.73 755.62	<u> </u>							
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'I Engineering Fees become neces ual Remote Site Collocation	,	adjace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Painter	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: if Security Escort and/or Add'l Engineering Fees become neces ual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee	,	adjace	CLORS CLORS	PE1RD PE1SR PE1RE PE1RE PE1RT PE1OT PE1PT PE1RU PE1RS ation, the Pai	0.134 6.27 rties will negotie	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add¹ Engineering Fees become neces ual Remote Site Collocation in the Remote Site - Application Fee	,	adjace	CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Painter	0.134	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become neces ual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	,	adjace	CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RU PE1RS ation, the Pai	0.134 6.27 rties will negotie	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: if Security Escort and/or Add'i Engineering Fees become neces ual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested	,	adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RE PE1RT PE1OT PE1PT PE1RU PE1RS ation, the Pai	0.134 6.27 rties will negotie	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								
NOT	Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repor per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become neces ual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	,	adjace	CLORS CLORS	PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RU PE1RS ation, the Pai	0.134 6.27 rties will negotie	23.28 223.91 73.39 208.02 33.65 44.63 55.62 755.62	28 89 35.73 755.62								

COLLOCAT	ION - Florida												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			L			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	L	
						1 Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENT C			L.		1						T		· · · · · · · · · · · · · · · · · · ·	<u> </u>		1
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1666					l				h	1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		L	CLOAC	PE1JC	4.62										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL. UAL, UHL, UDN	PE1JE	0.0194	7.32	5.37	4.58	2,71						
	Adjacent Collocation - 4-Wire Cross-Connects	Γ		UEA,UHL.UDL.UCL	PE1JF	0.0388	8.00	5.75	5.00	2.69						
	Adjacent Collocation - DS1 Cross-Connects				PE1JG	0.3708	7.88	6.26	1.35	0.9915			1			
	Adjacent Collocation - DS3 Cross-Connects				PE1JH	4.14	32.40	31.03	11.15	10.98	<u> </u>		<u> </u>	t		t
	Adjacent Collocation - 2-Fiber Cross-Connect	Ĭ	1	CLOAC	PE1JJ	1.70	28.26	25.85	13.78	11.01						
	Adjacent Collocation - 4-Fiber Cross-Connect		Ι	CLOAC	PE1JK	3.33	37.92	35.51	18.20	15.44						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2.763.00		1.02				1	1	1	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.26										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.53										
	Adjacent Collocation - 120V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.80										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.47										
	Adjacent Collocation - Cable Support Structure per Entrance Cable	<u>L</u>		CLOAC	PE1JP	5.19										

OLLUCAI	ION - Georgia												Att: 4 Exh: B			
ATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
	†						First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL CO	LLOCATION								 							
Applic	ation					L			<u>. </u>		1			L		
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,284 72		0.59		T					
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,084.41		0.59							
İ	Physical Collocation - Co-Carrier Cross Connects/Direct Connect.															
	Application Fee, per application			CLO	PE1DT		583.18									
	Physical Colocation Administrative Only - Application Fee Physical Colocation - Application Cost, Simple Augment		_	CLO	PE1BL	ļ	740.83		ļ							
	Physical Colocation - Application Cost, Simple Augment Physical Colocation - Application Cost, Minor Augment			Cro	PE1KS PE1KM		594.05		1.21		<u> </u>					
	Physical Collocation - Application Cost, Intermediate Augment	$\overline{}$		Cro	PE1K1		832.95 1,057.00		1.21		 					
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ	 	2,408.00		1.21 1.21		 			<u> </u>		
Space	Preparation		L	0.0	I-CIKS	L	2,400,00		1.21		<u> </u>			L	<u> </u>	
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.71	 1		1							
	Physical Collocation - Space Enclosure, welded wire, first 50								<u> </u>		 					
	square feet		L	CLO	PE1BX	144.71			(!					1		
	Physical Collocation - Space enclosure, welded wire, first 100										1					
	square feet			CLO	PE1BW	167.00			<u></u>					l	L	
	Physical Collocation - Space enclosure, welded wire, each	!	i		1											
	additional 50 square feet		ļ	Cro	PE1CW	16.38					L					
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLŌ	PE1SK	2.10										
_	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.27										
	Physical Collocation - Space Preparation - Common Systems					 				·	·					
	Modifications-Caged, per cage		<u> </u>	CLO	PE1SM	77.24								L		
						[]										
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		140.96							ļ		
i i	Physical Collocation - Space Availability Report, per Central Office	\	1	a. a	1	ì ì) 1]			1		}
Powe	Requested	L—		cro	PE1SR	Ll	248.50		L	L.,	1	Ļ		L	L	L
1000	Physical Collocation - Power, -48V DC Power - per Fused Amp				1						т			T	·	
}	Requested			CLO	PE1PL	4.84										
	Physical Collocation - Power, 120V AC Power, Single Phase, per								 							· · ·
	Breaker Amp			cró	PE1FB	5.16	į				1			Į.	ļ	,
1	Physical Collocation - Power, 240V AC Power, Single Phase, per				1						1					
	Breaker Amp			CLO	PE1FD	10.34					<u> </u>				L	
	Physical Collocation - Power, 120V AC Power, Three Phase, per			l	L		i				ł			l	1	
	Breaker Amp			CLO	PE1FE	15.50				ļ. <u></u>					ļ <u>.</u>	
i	Physical Collocation - Power, 277V AC Power, Three Phase, per		1	CLO	PE1FG				1					1	1	1
-	Breaker Amp Physical Collocation - Power - DC power using a CLEC BDFB, per		 	ULU	PEIFG	35.79			 		+				 	
	Used Amp	l		CLO	PE1PW	6.45									1	1
	Physical Collocation - Power, -48V DC Power using a CLEC	 	 		1 - 11 17				+		+	···		 	 	
	BDFB - per Fused Amp Requested	l		CLO	PE1PX	4.31									1	l
	Physical Collocation-Physical Meter Reading Expense			CLO	PE1FL	5 00										
	Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FN	7.24			L							
	Physical Collocation-Additional Meter Reading Trip Charge, per				1						T					
	Central Office per Occurrence	Ļ	<u> </u>	CLO	PE1FM	L	15.00		L,	L		L	<u> </u>	L	ــــــــــــــــــــــــــــــــــــــ	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	ts)	,		,	,					т					
1			ļ	UEANLUEO, UNCNX, UEA, UCL.	1						1					
				UAL, UHL, UDN,	!				1							
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0202									l	
 -	James South Comment, Supp. provisioning	 	 	UEA, UHL, UNCVX,	T :: -	0.0202			 	 	†	 				
	Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0.0403				1		j				
				WDS1L, WDS1S. UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical			USL. UEPEX.	1	1			1	ľ					l	l

COLLOC	ATIO	N - Georgia												Att: 4 Exh: B			
CATEGORY		RATE ELEMENTS	knterim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
 -	-		 	├	····	 	Rec	Nonrec		Nonrecurring		COME	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	-+-		 	i – –	UE3, U1TD3.			First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Pt	hysical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP	PE1P3	4.15										
	Pł	hysical Collocation - 2-Fiber Cross-Connect			CLO. ULDO3. ULD12. ULD48, U1TO3, U1T12, U1T48. UDLO3, UDL12. UDF	PE1F2	1.76										
	Př	nysical Colocation - 4-Fiber Cross-Connect			ULDO3. ULD12, ULD48. U1TO3, U1T12, U1T48, UDLO3. UDL12. UDF, UDFCX	PE1F4	3.38										
		hysical Collocation - Co-Carner Cross Connects/Direct Connect ber Cable Support Structure, per linear foot, per cable.			CLO_	PE1ES	0.001										
		hysical Collocation - Co-Carner Cross Connect/Direct Connect - opper/Coax Cable Support Structure, per lingar foot, per cable			CLO UEPSR, UEPSP.	PE1DS	0.0015							ļ			
		hysical Collocation 2-Wire Cross Connect. Port hysical Collocation 4-Wire Cross Connect. Port			UEPSK, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0202 0.0403										
100	curity	nysical Collocation 4-vviie Cross Connect, Fort			JUEPEX. UEPUU	Inc int	0.0403			L		_1	ــــــــــــــــــــــــــــــــــــــ	4	L	<u> </u>	
	PI	hysical Collocation - Security Escort for Basic Time - normally cheduled work, per half hour			CLO	PE1BT		16.51	10.82								
	nc ha	hysical Collocation - Security Escort for Overtime - outside of ormally scheduled working hours on a scheduled work day, per alf hour			CLO	PE1OT		21.90	14.17								
	of	hysical Collocation - Security Escort for Premium Time - outside f scheduled work day, per half hour			сго	PE1PT		27.29	17.53			<u> </u>	<u> </u>				
	ре	hysical Collocation - Security Access System - Security System er Central Office, per Sq. Ft.		<u> </u>	сго	PE1AY	0.011										
	A	hysical Collocation -Security Access System - New Card ctivation, per Card Activation (First), per State		<u> </u>	CLO	PE1A1		21.98									
		hysical Collocation - Security Access System - New Access Card leactivation, per Card	1		Cro	PE1A4		8.72	8.72								
	c	thysical Collocation-Security Access System-Administrative thange, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.37									
		hysical Collocation - Security Access System - Replace Lost or			CLO	PE1AR		16.99									}
 		Itolen Card, per Card hysical Collocation - Security Access - Initial Key, per Key	 	+	CLO	PETAK	 	13.19		 			 	 	 	 	1
	P	thysical Collocation - Security Access - Key, Replace Lost or stolen Key, per Key			CLO	PE1AL		13.19				1					
CF	-A																
	P	hysical Collocation - CFA Information Resend Request, per remises, per arrangement, per request			cro	PE1C9		77.42									
Ca		cords - Note: The rates in the First & Additional columns will	actually	be bille			respectively		0 (7-1-						1		
	P	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable	+		cro	PE1CR	 		S 477.59	125.63	 	+	\vdash	 		 	1
	P	ecord (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each	 	+	CLO	PE1CD		317 29		177.60			 	 	 	 	
	1	00 pair	+		CLO	PE1CO	 	4.47		5.29	 	-		 	 	 	+
	Р	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	1	#	CLO	PE1C1 PE1C3		2.22 7.76		2.62 9.18			<u> </u>		<u> </u>		
1 1	P	Physical Collocation - Cable Records, Fiber Cable, per cable ecord (maximum 99 records)		1	CLO	PE1CB		83 37		73.49		1		1			

COLLUCA	TION - Georgia	,	,	,									Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		<u> </u>	↓			Rec	Nonre		Nonrecurring				OSS	Rates(\$)		
Virtua	I to Physical	<u> </u>	1	l		1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,			г						 	,	Υ		····		
l l	per Voice Grade Circuit			CLO	PE1BV		33.00		1					1	İ	
	Physical Collocation - Virtual to Physical Collocation Relocation,		1	-	1	·	33.00									
	per DSO Circuit			CLO	PE1BO	ŀ	33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,										1	<u> </u>		 		
 	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	 	-	CLO	PE1B1		52.00									
	per DS3 Circuit	į.	ì	CLO	DE 102							1				
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	 	+	CLO	PE1B3	 	52.00		 			<u> </u>		_	<u> </u>	
	Voice Grade Circuit	1	ļ	cro	PE1BR	1 1	22.59				1				1	
	Physical Collocation Virtual to Physical Collocation In-Place, Per	1							+		 	 		-		
	DSO Circuit	<u> </u>	_	CLO	PE18P		22.59							1	İ	
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit															
	Physical Collocation - Virtual to Physical Collocation In-Place, per	├	· 	CLO	PE1BS		32.85							<u> </u>	ļ	
	DS3 Circuit			CLO	PE1BE		32 85									
Entra	nce Cable		ч——	ĮOLO	FEIDE	ــــــــــــــــــــــــــــــــــــــ	32 83			L		L	L	l	L	L
	Physical Collocation - Fiber Cable Installation, Pricing, non-		T		T			r	7		7		r			
	recurring charge, per Entrance Cable	1		CLO	PE1BD		736.20		21.49							ļ
	Physical Collocation - Fiber Cable Support Structure, per Entrance					i						 				
	Cable	1		CLO	PE1PM	7.37									ļ	•
	Physical Collocation, Entrance Cable Support Structure, Copper.		1													
	per each 100 pairs or fraction thereof (CO Manhole to Collocation		1	l	L							1			1	ŀ
}	Space) Physical Collocation, Entrance Cable Installation, Copper, per	├ ──	-	CLO	PETEE	0.2686					 					
}	Cable (CO Manhole to Collocation Space)			Cro	PE1EF		754.41		21.49		1	ì		1		
	date (de martie le doncemen apace)	 	+	020	FEIER		754.41		21.49			 		 		ļ
	Physical Collocation, Entrance Cable Installation, Copper, per each	1			1				i		-		!			
	100 pairs or fraction thereof (CO Manhole to Collocation Space)	ļ	1	CLO	PE1EG		9.11						1			
			1						<u> </u>	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	†·		
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	1		CLO	PE1ED		3.90				. L	l				
VIRTUAL CO										L						
Applie			1	1	1				-,	·						
\vdash	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	 		AMTFS	EAF	 	608.92		0.59					 		
	Application Fee, per application		1	AMTES	VE1CA	!	583.18	1								
	Virtual Collocation Administrative Only - Application Fee	 	1	AMTES	VE1AF		609.52				 	 		 		
Space	e Preparation	'			1		000.02		<u> </u>	•	· · · · · · · · · · · · · · · · · · ·			<u> </u>	•	·
	Virtual Collocation - Floor Space, per sq. ft.	L.		AMTFS	ESPVX	4,71						1				
Powe																
	Virtual Collocation - Power, per fused amp	<u> L</u>	J	AMTES	ESPAX	4.84	l	l		l			i	<u> </u>	L.,	l
Cross	s Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)	-	hierri ver ver		,						,	·		,	
]		UEANL, UEA, UDN, UAL, UHL, UCL,	'	1	1	l		1	1	1	I			
	1	1	1	UEQ, UNCVX.	i	1			1	1				1	1	
	Virtual Collocation - 2-wire cross-connect, loop, provisioning		1	UNCDX, UNCNX	UEAC2	0.0192				1		1		1	1	
	The state of the s	1	T	UEA, UHL, UCL.	155	5.5752				 	 	1	†- 	 		
	†		1	UDL, UNCVX,		1					1	1		1		
LL	Virtual Collocation - 4-wire cross-connect, loop, provisioning		1	UNCDX	UEAC4	0.0385		L		L		<u> </u>				
	1	_	1	ULR, UXTD1,												
1			1	UNC1X, ULDD1,	1	1		I		1	1	1	I			1
1	Virtual collegation Consist Access & LINE cross			U1TD1, USLEL,	1	1		I	l		1		I	1		1
1 1	Virtual collocation - Special Access & UNE, cross-connect per DS1	-		UNLD1, USL. UEPEX, UEPDX	CNC1X	0.3807				1				1	1	
 	1001	+	+	USL. UE3, U1TD3,	UNUIX	0.3807			+	 	+	 	 		 	
		1	1	UXTS1, UXTD3,	1	1	l	I]	1	1	I	1		1
		1	1	UNC3X, UNCSX.	1	1		I			1		I	1		1
		1	1	ULDD3, U1TS1,	1	1		I		1	1	1	I	1		1
	Virtual collocation - Special Access & UNE, cross-connect per		1	ULDS1, UDLSX,	1	1	1	1		İ	1	1	I		}	1
	DS3	1	1	UNLD3, XDEST	CND3X	4 15	1	1	1	1	1	3	1	t	1	1

OLLOC	ATION - Georgia								· · · · · · · · · · · · · · · · · · ·				Att: 4 Exh: B			
ATEGORY	Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		-	-			Rec	Nonrec		Nonrecurring				oss	Rates(\$)	·	
		 -	├				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Filber Cross Connects			UDL12, UDLO3. U1T48, U1T12, U1TO3, ULDO3. ULD12, ULD48, UDF	CNC2F	1.76										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12. UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12. ULD48. UDF	CNC4F	3.53										
											 					
-	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect Fiber Cable Support Structure, per linear foot, per cable		_	AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable		<u> </u>	AMTFS	VE1CD	0.0015										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2								-12.0			
	Virtual Collocation 4-Wire Cross Connect, Port	 	 		VE1R2	0.0192 0.0385										
CF4			1	Journal Dev CX		0.0303 1	1				<u> </u>	L		L,	1	L
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.42							<u> </u>		
Cab	ble Records - Note: The rates in the First & Additional columns will a	ctually b	e billed	as "Initial I" & "Subs	equent S" re	spectively								<u> </u>		
∤	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable		-	AMTFS	VE1BA		742.92	S 477.59	125.63							
	virtual Collocation Cable Records - VG/DS0 Cable, per cable Virtual Collocation Cable Records - VG/DS0 Cable, per each 100			AMTFS	VE18B		317 29		177.60		ļ		. ,			ļ
	pair	L	ļ	AMTES	VE1BC		4,47		5 29						1	
	Virtual Collocation Cable Records - DS1, per T1TIE		ļ	AMTFS	VE1BD		2.22		2.62							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records		-	AMTFS AMTFS	VE1BE VE1BF		7.76 83.37		9.18 73.49							
	Virtual Collocation Cable Records - CAT 5/RJ45	-	+	AMTES	VE1B5		2.22		2.62		┼		· · · · · · · · · · · · · · · · · · ·		 	
Sec	curity					·			2.02			·	<u> </u>	1	٠	
	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.51	10.82								
_	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTFS	SPTOX		21.90	14,17								
	Virtual collocation - Security escort, premium time, outside of a scheduled work day	<u> </u>	<u> </u>	AMTFS	SPTPX		27.29	17.53								
Maii	Virtual collocation - Maintenance in CO - Basic, per half hour	1		AMTES	CTRLX		26.52	10.82				r				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		35.41	14.17			 					
	Virtual collocation - Maintenance in CO - Premium per half hour		-	AMTFS	SPTPM		44.30	17.53			 					
Ent	trance Cable					·					·			•		
	Virtual Collocation - Cable Installation Charge, per cable		I	AMTFS	ESPCX		736.20		21.49		T				L	
	Virtual Collocation - Cable Support Structure, per cable	├		AMTFS	ESPSX	7.74					 				<u> </u>	
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EE	0.235										
	Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)			AMTFS	VE1EF	52.55	754.41		21.49							
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.11									
	TION IN THE REMOTE SITE		L			L					L	L				
Phy	Physical Collocation Physical Collocation in the Remote Site - Application Fee		г	CLORS	PEIRA		200 0- 1									
-	Cabinet Space in the Remote Site - Application Fee	 	 	CLORS	PE1RB	148.11	300.31		132.49	· · · · · ·	 	ļ			 	
	Physical Collocation in the Remote Site - Security Access - Key	<u> </u>	ļ	CLORS	PE1RD	1-10.11	13.19				<u> </u>					

COLL	OCAT	ON - Georgia												Att: 4 Exh: B			
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						L	Rec	Nonrec		Nonrecurring					Rates(\$)		
			↓	↓			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested		<u> </u>	CLORS	PE1SR		109.83									
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested	1	ì	CLORS	DE 4DE	1 1)		ì	1	1					
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	+	+	CLORS	PE1RE PE1RR	 	36.00				- -					ļ. <u></u>
_	-	Physical Collocation - Security Escort for Basic Time - normally		┼	CLURS	PETHH	 	116.71				 					
		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of	<u> </u>	<u> </u>	CLORS	PE1BT		16.51	10.82		ļ <u>.</u>	ļ					
		normally scheduled working hours on a scheduled work day, per		1							l						
	1	half hour	1		CLORS	PE1OT	1 1	21.90	14.17	ì	1	1]	1	1]]
		Physical Collocation - Security Escort for Premium Time - outside	 	+	CLONS	FEIOI_	 	21.90	14.17			+	 				
	1	of scheduled work day, per half hour	1	1	CLORS	PE1PT	1	27.29	17.53				1		l		Į.
	Adjace	nt Remote Site Collocation			12.25,10	1. 5., ,	·	21.23		L	·			l	L		<u> </u>
		Remote Site-Adjacent Collocation-Application Fee	$\overline{}$	T	CLORS	PE1RU	T	755.62	755.62		T	Τ		T	T	ſ` <u></u>	Γ
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134					1			1		
						1	1				 	†	 	 		<u> </u>	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27				-						
		If Security Escort and/or Add'l Engineering Fees become neces	sary for	adjace	nt remote site colloca	tion, the Par	ties will negotiate	appropriate ra	ites.								
	Virtual	Remote Site Collocation		·	,								~				
	-	Virtual Collocation in the Remote Site - Application Fee	 	∔	VE1RS	VE1RB		300.31		132.49					ļ		
	1	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	1	ì	VE1RS	VE1BC	148.11	Ì		1	1	1		1			
	 	Virtual Collocation in the Remote Site - Space Availability Report	 	+	VEINS	VEINC.	148.11			 	 -				 		
	1	per Premises requested		1	VEIRS	VE1RR		109.83					i				
	-	Virtual Collocation in the Remote Site · Remote Site CLLI Code	+	+	140.110	VEINI	1	103.03			 	 	 	 		 	+
		Request, per CLLI Code Requested	1		VE1RS	VE1RL	i	36.00		İ				ſ			
DJAC	ENT CO	DLLOCATION	1	1	† 		1				 		 	 			
		Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PEIJA	0 1725							1	 		
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4 12			1	1	T				I	
					UEANL,UEO,UEA,U												
	├	Adjacent Collocation - 2-Wire Cross-Connects	₩-		CL, UAL, UHL, UDN		0.0176			<u> </u>	 		L	<u> </u>	ļ	ļ	
	├	Adjacent Collocation - 4-Wire Cross-Connects		+	UEA.UHL.UDL.UCL		0.0353			 	 		-			ļ	
	}	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects	┪	+	USL UE3	PE1JG PE1JH	0 3686			├			 				-
	├	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	+	+	CLOAC	PEIJJ	1.69			 			 		 -	ļ	
	 	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	+	+	CLOAC	PE1JJ PE1JK	3.31			 	 		 	 	 	 	+
	 	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	+	+	CLOAC	PE1JR PE1JB	3.31	1,380.83		0.50	 	+	+	 	 	 	+
	 	Adjacent Collocation - Application Fee Adjacent Collocation - 120V. Single Phase Standby Power Rate	+	+	100000	, E 100	 	1.000.83		3.30	 	—	 	 	 	 	1
		per AC Breaker Amp			CLOAC	PEIJL	5.16				l	1	į.	1	ļ		1
		Adjacent Collocation - 240V, Single Phase Standby Power Rate logr AC Breaker Amp			CLOAC	PEIJM	10.34										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	†	1	CLOAC	PE1JN	15.50				T	1					
	<u> </u>	Adjacent Collocation - 277V, Three Phase Standby Power Rate oer AC Breaker Amo		\top	CLOAC	PEIJO	35.79					 	l				
	 	Adjacent Collocation - 240V, Three Phase Standby Power Rate	1	1	1-3	1				 		1	1	 - - - 	<u> </u>	 	1
	i	per AC Breaker Amp			CLOAC	PE1JD	35.79			l	1		1	L	L	1	

COLLOCAT	ION - Kentucky		,										Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	<u></u>		Ц.			Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	·	
	 		—				First	Add'1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	L OCATION		 			 						L				
Applic			Ь	<u> </u>		<u> </u>			<u> </u>	L	<u> </u>	<u> </u>	L		L	
	Physical Collocation - Initial Application Fee			CLO	PE1BA		3,773.54		1.01	т	1					
	Physical Collocation - Subsequent Application Fee	\vdash		cuo	PE1CA	<u> </u>	3,145.35		1.01	 	 					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect.					<u> </u>										
 	Application Fee, per application	<u> </u>	L	CLO	PE1DT	L	584.20		1		<u></u> .	<u> </u>			l	l
	Physical Collocation Administrative Only - Application Fee	<u> </u>	₩	CLO	PE1BL		742.12									
	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment	├		CLO	PE1KS		594 98		1.21		ļ					<u> </u>
 	Physical Collocation - Application Cost, Intermediate Augment	 	 -	CLO	PE1KM PE1K1	 	834.26 1.059.00		1.21		 					Į
 	Physical Colocation - Application Cost - Major Augment	 	 	CLO	PE1KJ	 - 	2.412.00		1.21		 	 				
Space	Preparation			1000	CINO		2.412.00		1	L	-L	L	L	L	l	1
	Physical Collocation - Floor Space, per sq feet	L:-		CLO	PE1PJ	7.99			1	· · · · · · · · · · · · · · · · · · ·	T				Γ	
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet			CLO	PE1BX	166.83										
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.14										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.		<u> </u>	CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage		<u> </u>	CLO	PE1SM	110.57			ļ		<u> </u>					
	Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office		<u> </u>	CLO	PE1SJ		1,206.07									
Power	Requested	L	<u> </u>	сго	PE1SR		2,158.67			l	<u> </u>	L		<u></u>		<u> </u>
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp					гт			т						τ	τ
1	Requested	ì	1	CLO	PE1PL	8.06			1		}	Ì]		
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			cro	PE1FB	5.44					<u> </u>					
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	 	 	СГО	PE1FD	10.88					†		 -			1
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp	 	\vdash	CLO	PEIFE							 			 	
	Physical Collocation - Power, 277V AC Power, Three Phase, per	 	1			16.32			1	 	 	 	 			
<u></u>	Breaker Amp	۰.	┸	CLO	PE1FG	37 68			l	<u>L </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		UEANLUEO.		,			· · · · · · · · · · · · · · · · · · ·			г	1			
				UNCNX, UEA, UCL, UAL, UHL, UDN,												
<u> </u>	Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UNCVX	PE1P2	0.0333	24.68	23.68	12.14	10 95	; {	1	}	1	}	
	Physical Collocation - 4-wire cross-connect, loop, provisioning		Ī	UEA, UHL, UNCVX.	PE1P4	0.0665	24.88	23.82	T							
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPS8,												
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	ļ		UEPSE, UEPSP, USL, UEPEX, UEPDX UE3, U1TD3,	PE1P1	1.48	44 23	31.98	12.81	11.57	7	-				<u> </u>
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP	PE1P3	18.89	41 93	30.51	14.75	11.80						

COLLOCAT	ION - Kentucky									······			Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring (oss	Rates(S)		
		├		CLO, ULDO3.			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD03, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12,	PE1F2	3.75	41.93	30.51	14.76	11.84						
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51 29	39.87	19,41	16.49	ł			ł	l	
		1	T		1						 					
	Physical Colocation - Co-Carrier Cross Connects/Direct Connect Fiber Cable Support Structure, per linear foot, per cable.	<u> </u>		CLO	PE1ES	0.0012			ļ		ļ					ļ
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				Į											
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0018			1 1		1	1				
	Physical Code artis a Miss Cons Course Rus			UEPSR, UEPSP. UEPSE, UEPSB,												
$\overline{}$	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0333	24.68 24.88	23.68	12.14	10.95 11.46			-			<u> </u>
Securi		٠	٠	IDEFEX, DEFUU	ILC INA	0.0003 [24.88]	23.82	12.77	11.46	<u> </u>	L	·	·	J	
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort for Overtime - outside of	1														
	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside	-	<u> </u>	CLO	PE1OT		44.26	27.81			<u> </u>					
	of scheduled work day, per half hour	1		CLO	PE1PT		54.54	34.09					i			į.
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	76.10	V.I.V.	0.00								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	<u> </u>	-	CLO	PE1A1	0.058	55.79				ļ					<u> </u>
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	ļ		CLO	PE1AA		15.64									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PEIAR		45.74						1			
	Physical Collocation - Security Access - Initial Key, per Key	+	+	CLO	PETAK		26.29		 			 		}	}	
	Physical Collocation - Security Access - Key, Replace Lost or	+	 		7		20.20	-	+					· · · · · · · · · · · · · · · · · · ·	·	
	Stolen Key, per Key	J	<u> </u>	Cro	PE1AL	L	26.29		<u> </u>		<u> </u>	L		<u> </u>	L	L
CFA		_		T					 -							
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9] 1	77.55		†			1		1		l
Cable	Records - Note: The rates in the First & Additional columns will:	actually	be bille			respectively	77.33	<u> </u>	1		1	1	·	1		1
	Physical Collocation - Cable Records, per request		<u> </u>	CLO	PEICH		1 1524.45	S 980.01	267.02							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.37		379.70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair	i	I	CLO	PE1CO	ļ l	9.65		11,84			1			1	1
	Physical Collocation, Cable Records, DS1, per T1 TIE	+	+	CLO	PE1C1	 	4.52		5.54		 	 	 	· · · · · · · · · · · · · · · · · · ·	 	
·	Physical Collocation, Cable Records, DS3, per T3 TIE	1	+	CLO	PE1C3		15.81		19.39		-	 	1	1	<u> </u>	
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.63		154.85							
<u> </u>	Physical Collocation, Cable Records,CAT5/RJ45		ــــــــــــــــــــــــــــــــــــــ	CLO	PE1C5		4.52		5.54	L	1	<u> </u>	L	<u> </u>	<u></u>	
Virtual	to Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00				Τ	T	T	<u> </u>		
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit	1		CLO	PE1BO		33.00									1
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE181		52.00				<u> </u>		1			
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52 00		Ţ	-						

COLLO	CALL	ON - Kentucky								-		-		Att: 4 Exh: B			
ATEGO	PRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
			₩	Ļ			Rec	Nonrec		Nonrecurring					Rates(S)		
-	-+	Physical Collocation - Virtual to Physical Collocation In-Place, Per	₩					First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Colocation Virtual to Physical Colocation In-Place, Per Physical Colocation Virtual to Physical Collocation In-Place, Per	<u> </u>	<u> </u>	CLO	PE1BR		22.49									ļ <u>.</u>
		DSO Circuit	ļ		сго	PE1BP		22 49									
		Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit		ļ	сго	PE1BS		32.71									
		Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	<u> </u>		CLO	PEIBE		32.71									
E		e Cable	·														
		Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		1,729.11		45.16							
		Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	19.86										
		Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7 75									
VIRTUA	L COLL	OCATION															
/	Applica				·												
		Virtual Collocation - Application Fee		4	AMTES	EAF		2,419.86		1.01							
I		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	1			l											
		Application Fee, per application	<u> </u>		AMTFS	VE1CA	<u> </u>	584.20					L	l			1
—		Virtual Collocation Administrative Only - Application Fee	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	AMTES	VE1AF		742.12		L	L	l	<u> </u>	1	l	<u> </u>	J
		Preparation		,			,				, ————						,
		Virtual Collocation - Floor Space, per sq. ft		١	AMTES	ESPVX	7.99		L	L	L		L	1	<u> </u>	J	
	Power	Virtual Collocation - Power, per fused amp	1	1	AMTES	ESPAX	8.06							,	T		,
 ,		Connects (Cross Connects, Co-Carrier Cross Connects, and Po		т.	JAMILES	ESPAX	8.00			L	L	ــــــــــــــــــــــــــــــــــــــ		<u> </u>	L		J
	CIUSS	Connects (Cross Connects, Co-Carner Cross Connects, and Fo	1112	1	UEANL, UEA, UDN,		T			·		T	r	,	т		1
		Virtual Collocation - 2-wire cross-connect, loop, provisioning	_	ļ	UAL, UHL. UCL. UEQ, UNCVX. UNCDX, UNCNX UEA, UHL, UCL.	UEAC2	0.0309	24.68	23.68	12.14	10.95						
		Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46						
		Virtual collocation · Special Access & UNE, cross-connect per OS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3,	CNC1X	1.48	44.23	31.98	12.81	11.57						
		Virtual collocation · Special Access & UNE, cross-connect per IOS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	18.89	41.93	30.51	14.75	11.83	3					
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30 51	14.76	11.84						
					UDL12. UDLO3. U1T48, U1T12, U1TO3. ULDO3,												
		Virtual Collocation - 4-Fiber Cross Connects	 	\bot	ULD12, ULD48, UDI	FICNC4F	7.59	51 29	39.87	19.41	16.49	·	 	_			
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0 0012										<u> </u>
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable	1		AMTFS	VE1CD	0.0018										
		Coppenious Cause Support Situature, per imagin 1001, per cable	+	+-	UEPSX, UEPSB. UEPSE, UEPSP.	VEIGO	0.0018				 	1	 		 		
		Virtual Collocation 2-Wire Cross Connect, Port		ł	UEPSR, UEP2C	VE1R2	0 0309	24 68	23.68	12.14	10.95	, l					

	/UAII	ON - Kentucky	,											Att: 4 Exh: B			
]											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
	ĺ			1		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
							1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
TEGO	RY	RATE ELEMENTS	Interim	Zone	BÇS	USOC			RATES(\$)								Manual S
	- 1		l				ľ					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
	1		l	1								1		Electronic-	Electronic-	Electronic-	Electronic
						1						1		1st	Add'I	Disc 1st	Disc Add
							 -								L	L	l
				† 			Rec	Nonrec		Nonrecurring		<u> </u>			Rates(\$)		
	FA	· · · · · · · · · · · · · · · · · · ·		<u> </u>	L		اا	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
~ 	~~	Virtual Collegation CEA Information Beauty B		_			· · · · · · · · · · · · · · · · · · ·										
- 1		Virtual Collocation - CFA Information Resend Request, per	l			i	1			1		T					I
		Premises, per Arrangement, per request	L		AMTFS	VE1QR		77.55									1
— IC	able H	ecords - Note: The rates in the First & Additional columns will a	ctually	be billed	f as "Initial I" & "Su	bsequent S" re	espectively				·		٠	·			L
		Virtual Collocation Cable Records - per request	1		AMTFS	VE1BA		I 1524.45	S 980.01	267.02				r `			
- 1		Virtual Collocation Cable Records - VG/DS0 Cable, per cable]	1	1							 					
		record	į	1	AMTES	VE18B		656.37		379.70							1
		Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		1			†	030.07		3/3.70	 				ļ		
		pair		1	AMTFS	VE1BC		9.65		11.84		}			1	İ	
		Virtual Collocation Cable Records -DS1, per T1TIE		+	AMTFS	VE1BD						- 			<u> </u>		
		Virtual Collocation Cable Records - DS3, per T3TIE	 	+	AMTES	VE1BE	 	4.52		5.54	L	 	ļ				
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		+	- WHITE	ACIBE		15.81		19.39	Ļ	1			L		L
1		records	1			1				1	l	1					
\rightarrow			Н—	+	AMTES	VE1BF		169 63		154.85		L	l	1	!	1	l
		Virtual Collocation Cable Records - CAT 5/RJ45	Щ.		AMTES	VE1B5	L	4.52		5.54	l	1					T
S	Security														• • • • • • • • • • • • • • • • • • • •		
- 1		Virtual collocation - Security escort, basic time, normally scheduled				1				1	Γ		I			· · · · · · · · · · · · · · · · · · ·	
		work hours	L	1	AMTES	SPTBX		33.98	21.53	1	l	1	l	i	l		
		Virtual collocation - Security escort, overtime, outside of normally	I			<u> </u>		55.56	21.50		· · · · · · · · · · · · · · · · · · ·	 	 	l			\vdash
		scheduled work hours on a normal working day	1	1	AMTFS	SPTOX	1	44.26	27.81	I	1	1	l	1	l	1	l
		Virtual collocation - Security escort, premium time, outside of a	1	1-			†	44.20	27.01	 	 	+		 			
1		scheduled work day	1	j	AMTES	SPTPX	1							1			ì
- In	Mainten			٠	AWIFS	SPIPA	<u> </u>	54.54	34.09	<u> </u>	l	<u> </u>	L	l			
 "	MENICE!	Virtual collocation - Maintenance in CO - Basic, per half hour			T		·										
-+		Virtual Collocation - Mainterlance III CO - Basic, per nail hour	ļ	+	AMTES	CTRLX	 	56.07	21.53	<u> </u>			L				
			1							1			1	i -			
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73 23	27.81			1	1		l	Į	
			1	1										i .	· · · · · · · · · · · · · · · · · · ·		
		Virtual collocation - Maintenance in CO - Premium per half hour	l .		AMTFS	SPTPM		90.39	34.09			1		ĺ	!		
E	Entranc	ce Cable													·	··· · · · · · · · · · · · · · · · · ·	
- 1		Virtual Collocation - Cable Installation Charge, per cable	T		AMTES	ESPCX		1,729.11		45.16			r		Γ	Γ	Т
\neg		Virtual Collocation - Cable Support Structure, per cable	1	1	AMTFS	ESPSX	17.38				 						
LLOC	ATION	IN THE REMOTE SITE	1							 	 		 			-	
		al Remote Site Collocation	<u> </u>		·				L		I	4	L	·	Ц	L	
-+		Physical Collocation in the Remote Site - Application Fee	1	1	CLORS	DE1BA	1	C17 70		220.00			1	1		·	
		Physical Collocation in the Remote Site - Application Fee	<u> </u>	\blacksquare	CLORS	PETRA	010.67	617.78		338.89		Τ					
- 1		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack			CLORS CLORS	PE1RA PE1RB	219.67	617.78		338.89							
		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS	PE1RB	219.67			338.89							
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key					219.67	617.78		338.89							
		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report	1		CLORS	PE1RB PE1RD	219.67	26.29		338.89							
·		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1RB	219.67			338.89							
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code			CLORS	PE1RB PE1RD	219.67	26.29		338.89							
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code			CLORS	PE1RB PE1RD	219.67	26.29		338.89							
		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request. per CLLI Code Requested			CLORS CLORS CLORS	PE1RB PE1RD PE1SR	219.67	26.29 232.64 75.40		338.89							
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Repon per Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Requested to Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE	219.67	26 29 232 64		338.89							
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request. per CLU Code Request. per CLU Code Request. Der CLU Code Request. Der CLU Code Request. Der CLU Code Request. Der CLU Code Request. Der CLU Code Request. Der CLU Code Request. Der COMPAGE Site DLEC Data (BRSDD), per Compact Disk, per COPhysical Colocation - Security Escort for Basic Time - normally			CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	219.67	26 29 232 64 75 40 233 42	21.52								
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Request per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escont for Basic Time - normally scheduled work, per half hour			CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE	219.67	26.29 232.64 75.40	21.53								
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Repon per Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Request. per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of			CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	219.67	26 29 232 64 75 40 233 42	21 53								
		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. Der CLI Code Request. Per CLI Code Request Der CLI Code Request. Per CLI Code Request. Per CLI Code Request. Per CLI Code Request. Per CLI Code Request. Per CO Physical Collocation - Security Escont for Basic Time - normally scheduled work per half hour Physical Collocation - Security Escont for Overtime - outside of normally scheduled working hours on a scheduled work day, per			CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1RR	219.67	26 29 232 64 75 40 233 42 33 98									
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Requested Colocation in the Remote Site - Remote Site CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS CLORS CLORS CLORS	PE1RD PE1SR PE1RE PE1RR	219.67	26 29 232 64 75 40 233 42	21 53								
		Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Repon per Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Request. per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside Physical Colocation - Security Escort for Premium Time - outside Physical Colocation - Security Escort for Premium Time - outside			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1RR PE1RR	219.67	26 29 232 64 75 40 233 42 33 98 44.26	27.81								
		Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escont for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escont for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escont for Premium Time - outside of scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1RR	219.67	26 29 232 64 75 40 233 42 33 98									
	Adjace	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request. Per CLU Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour This colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RB PE1BT PE1OT PE1PT	219.67	26 29 232 64 75 40 233 42 33 98 44.26 54.54	27.81 34.09								
	Adjace	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escont for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escont for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escont for Premium Time - outside of scheduled work day, per half hour			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1RR PE1RR	219.67	26 29 232 64 75 40 233 42 33 98 44.26	27.81 34.09								
	Adjace	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request. Per CLU Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour This colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RB PE1BT PE1OT PE1PT	219.67	26 29 232 64 75 40 233 42 33 98 44.26 54.54	27.81 34.09								
	Adjace	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Physical Colocation in the Remote Site - Space Availability Report Physical Colocation in the Remote Site - Remote Site CLU Code Request per CLU Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site Collocation - Application Fee			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RB PE1BT PE1OT PE1PT PE1RU		26 29 232 64 75 40 233 42 33 98 44.26 54.54	27.81 34.09								
	Adjace	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request. Per CLU Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour This colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation			CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RB PE1BT PE1OT PE1PT	219.67	26 29 232 64 75 40 233 42 33 98 44.26 54.54	27.81 34.09								
4	Adjace	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site - CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per CLLI Code Request. per COPhysical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour It Remote Site Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation - Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RB PE1RT PE1BT PE1OT PE1RU PE1RT	0.134	26 29 232 64 75 40 233 42 33 98 44.26 54.54	27.81 34.09								
	Adjace	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation Remote Site Collocation Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS CLORS CLORS CLORS CLORS	PEIRB PEIRD PEISR PEIRE PEIRB PEIBT PEIDT PEIRU PEIRT	0.134	26 29 232 64 75 40 233 42 33 98 44 26 54 54	27.81 34.09 755.62								
	Adjace	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Semote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled work of the Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp # Security Escort and/or Add1 Engineering Fees become neces		adjace	CLORS CLORS CLORS CLORS CLORS	PEIRB PEIRD PEISR PEIRE PEIRB PEIBT PEIDT PEIRU PEIRT	0.134	26 29 232 64 75 40 233 42 33 98 44 26 54 54	27.81 34.09 755.62								
	Adjace NOTE:	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report Premises Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Requested Physical Colocation in the Remote Site - Remote Site CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled work day normally scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour In Remote Site Collocation Remote Site Collocation Remote Site-Adjacent Colocation - Real Estate, per square foot Remote Site-Adjacent Colocation - AC Power, per breaker amp If Security Escort and/or Add* Engineering Fees become neces Remote Site Collocation - Add* Engineering Fees become neces Remote Site Collocation - Add* Engineering Fees become neces Remote Site Collocation - Remote Site Collocation - Remote Site Collocation - Remote Site		adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RT PE1OT PE1PT PE1RU PE1RT PE1RS PE1RS pe1RS pe1RS pe1RS pe1RS	0.134	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62	27.81 34.09 755.62								
	Adjace NOTE:	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Semote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled work of the Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp # Security Escort and/or Add1 Engineering Fees become neces		r adjace	CLORS CLORS CLORS CLORS CLORS	PEIRB PEIRD PEISR PEIRE PEIRB PEIBT PEIDT PEIRU PEIRT	0.134	26 29 232 64 75 40 233 42 33 98 44 26 54 54	27.81 34.09 755.62								
	Adjace NOTE:	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repon per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Semote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add1 Engineering Fees become neces Remote Site Collocation in the Remote Site - Application Fee		adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RE PE1RT PE1OT PE1PT PE1RU PE1RT PE1RS exation, the Par	0.134 6.27 ties will negotial	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62	27.81 34.09 755.62								
1	Adjace NOTE:	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site Adjacent Colocation-Application Fee Remote Site-Adjacent Colocation - Real Estate, per square foot Remote Site-Adjacent Colocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become neces Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space		adjace	CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RT PE1OT PE1PT PE1RU PE1RT PE1RS PE1RS pe1RS pe1RS pe1RS pe1RS	0.134	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62	27.81 34.09 755.62								
	Adjace NOTE:	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Repon per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Semote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add1 Engineering Fees become neces Remote Site Collocation in the Remote Site - Application Fee		adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RE PE1RT PE1OT PE1PT PE1RU PE1RT PE1RS exation, the Par	0.134 6.27 ties will negotial	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62	27.81 34.09 755.62								
	Adjace NOTE:	Physical Colocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Security Access - Key Physical Colocation in the Remote Site - Space Availability Report per Premises Requested Physical Colocation in the Remote Site - Remote Site CLU Code Request Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour nt Remote Site Collocation Remote Site Adjacent Colocation-Application Fee Remote Site-Adjacent Colocation - Real Estate, per square foot Remote Site-Adjacent Colocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become neces Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space		adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RE PE1RT PE1OT PE1PT PE1RU PE1RT PE1RS exation, the Par	0.134 6.27 ties will negotial	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62 • appropriate r 617.78	27.81 34.09 755.62								
	Adjace NOTE:	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escont for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escont for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escont for Premium Time - outside of scheduled work day, per half hour Themote Site Collocation - Security Escont for Premium Time - outside of scheduled work day, per half hour Remote Site Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested		radjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS coation, the Par VE1RB	0.134 6.27 ties will negotial	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62	27.81 34.09 755.62								
	Adjace: NOTE: Virtual	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour It Remote Site Collocation Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become neces Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report		adjace	CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS	PE1RB PE1RD PE1SR PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS coation, the Par VE1RB	0.134 6.27 ties will negotial	26 29 232 64 75 40 233 42 33 98 44.26 54.54 755 62 • appropriate r 617.78	27.81 34.09 755.62								

COLLOCAT	ION - Kentucky												Att: 4 Exh: B			1
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			T			Rec	Nonrec	urring	Nonrecurring I	Disconnect	 		OSS	Rates(\$)		
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.	I		CLOAC	PEIJA	0.0173									(, , , , , , , , , , , , , , , , , , ,
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		Ľ	CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0258	24.68	23.68	12.14	10.95		,				
	Adjacent Collocation - 4-Wire Cross-Connects	1	+	UEA.UHL.UDL.UCL		0.0515	24.88	23.82		11 46		1			 	
	Adjacent Collocation - DS1 Cross-Connects	 	1		PE1JG	1.37	44.23	31.98	12.81	11.57		1		 	1	
	Adjacent Collocation - DS3 Cross-Connects	T	1	UE3	PE1JH	18.61	41 93	30.51	14.75	11.83					T	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.15	41 93	30.51	14.76	11.84	T	1			1	
	Adjacent Collocation - 4-Fiber Cross-Connect		Γ	CLOAC	PEIJK	6.02	51.29	39.87	19.41	16.49						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50					I				
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	}		CLOAC	PE1JL	5.44							l			
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.88										
	Adjacem Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	T		CLOAC	PE1JN	16.32										
	Adjacent Collocation - 277V. Three Phase Standby Power Rate per AC Breaker Amp	<u> </u>		CLOAC	PE1JO	37.68										

COLLOCA	TION - Louisiana				*								Att: 4 Exh:			
CATEGORY		Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	 					Rec	Nonrec First	urring Add'l	Nonrecurring		001150	SOMAN		Rates(S) SOMAN	SOMAN	SOMAN
			-			 	First	A001	First	Add'l	SOMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
PHYSICAL C	OLLOCATION					 					 		 			
	cation												<u></u>			
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24				1		r			
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,533.41									
\	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			CLO	05.07	1			1	ì		S				1
 	Application Fee, per application Physical Collocation Administrative Only - Application Fee		 	CLO	PE1DT PE1BL	 	583.30 741.97					_			 	
	Physical Collocation - Application Cost, Simple Augment			Cro	PEIKS	 	596.35		1.22		┼	 	 			
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22		 		 			
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22				1			
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,418.00		1.22	Ĺ						
Space	e Preparation		···	loi o	25.51									,		
 	Physical Collocation - Floor Space, per sq feet	-	├	cro	PE1PJ	5.30					 		 	<u> </u>		
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet		<u> </u>	CLO	PE1BX	166.40					<u> </u>			ļ	ļ	<u> </u>
	Physical Collocation - Space enclosure, welded wire, first 100 square feet Physical Collocation - Space enclosure, welded wire, each	ļ	<u> </u>	cro	PE1BW	184.50			<u> </u>				ļ		ļ	ļ
	additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per		ļ	CLO	PE1CW	18.10					ļ		ļ		ļ	ļ
	square ft. Physical Collocation - Space Preparation. Common Systems			CLO	PE1SK	2 31				<u> </u>	ļ					ļ
	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems		_	CLO	PE1SL	2.70					ļ				ļ	<u> </u>
 	Modifications-Caged, per cage		<u> </u>	cro	PE1SM	91 60	- ,				ļ		 		<u> </u>	ļ
	Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office		-	cro	PE1SJ	<u> </u>	583.33		ļ			 	ļ	-	}	ļ
Pow	Requested	L	<u></u>	CLO	PE1SR	<u> </u>	1,044.07			<u> </u>	1	<u> </u>	L	1]	<u> </u>
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	8 32					T					
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			cro	PE1FB	5.45	-				Ţ					
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			Cro	PE1FD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	37.80										
Cros	s Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)			,							·				T
	Observation Continues and the continues are interested as			UEANL.UEQ. UNCNX, UEA. UCL. UAL. UHL, UDN. UNCVX	PE1P2	0.0318	11.94	11.46								
 	Physical Collocation - 2-wire cross-connect, loop, provisioning		1	UEA, UHL, UNCVX, UNCDX, UCL, UDL	1	0.0636	12.04	11.53		1		1				
	Physical Collocation - 4-wire cross-connect. loop, provisioning Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UTD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX UE3, U1TD3,	PE1P1	1 04	21 39									
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	13.21	20.28	14 76	5							

COLLOCAT	ION - Louisiana												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrec		Nonrecurring					Rates(S)		
				CLO, ULDO3,	 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.62	20.28	14.76								
ŀ	Dharing O. Harris and F. Francisco	1		UDLO3, UDL12.	L	1 1							ĺ			ı
	Physical Collocation - 4-Fiber Cross-Connect	—-	├	UDF, UDFCX	PE1F4	4.65	24.81	19.29	 	 		L				
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			cro	PE1ES	0.001						ļ				
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				i								ļ			
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP, UEPSE, UEPSB,	PE1DS	0.0015				 	-			 	<u> </u>	-
	Physical Collocation 2-Wire Cross Connect. Port			UEPSX, UEP2C	PE1R2	0.0318	11,94	11.46			1		ļ.			
	Physical Collocation 4-Wire Cross Connect, Port	 	1	UEPEX, UEPDD	PE1R4	0.0636	12.04	11.53		+	 	 				
Securit	ly				1	0,0000						·	L		L	·
	Physical Colocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Colocation - Security Escort for Overtime - outside of			cro	PE1BT		16.44	10.42								
	normally scheduled working hours on a scheduled work day, per half hour			сго	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System	ļ		сьо	PE1PT		26.38	16.49				L				ļ
	per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card	ļ		CLO	PE1AY	0.0224					<u> </u>					
	Activation, per Card Activation (First), per State	-		cro	PE1A1	0 0579	27.50		_		ļ					ļ
	Physical Collocation Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	-		CLO	PE1AA		7.74									
	Stolen Card, per Card			cro	PEIAR		22 64		1	1	į.	1	1	ļ	1	1
	Physical Collocation - Security Access - Initial Key, per Key	L		CLO	PE1AK		13.01				1.	T .				
1	Physical Collocation - Security Access - Key, Replace Lost or									1		"				
	Stolen Key, per Key	J	ــــــــــــــــــــــــــــــــــــــ	Cro	PE1AL		13.01		1		ᆚ	L	ļ	L	l	
CFA	Physical Collocation - CFA Information Resend Request, per	Т	1							т		т		T	т	г
ĺ	premises, per arrangement, per request	1	1	CLO	PE1C9		77 43			1	1	1				1
Cable	Records									•				A	·	
	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable	ļ	-	CLO	PE1CU	10.97										
	record Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1	 	Cro	PE1CE PE1CT	5.29			<u> </u>	1	†		 	 	t	
	Recurring Collocation Cable Records - DS1, per T1TIE	+	+	CLO	PE1C2	0.04			 	+	+	+	 	 	 	
	Recurring Collocation Cable Records - DS3, per T3TIE	1	+-	CLO	PE1C4	0.13			 	 	+	 	 	 	 	
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37										
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C6	0.04									L	
Virtual	to Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit	Ι		CLO	PE1BV		33.00			<u> </u>	Τ				T	
	Physical Collocation - Virtual to Physical Collocation Relocation,	+	+	1920	I-EIDV	 	33.00		 	 	+	 	 		+	
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation.	-	├	CLO	PE1BO		33.00			ļ	-					
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation.	-	┼	CLO	PE1B1	-	52.00		 	 	-		 		 	
	per DS3 Circuit	<u> </u>		СГО	PE1B3		52 00		<u> </u>	1		<u> </u>		L		

COLLOCAT	TION - Louisiana									-			Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'i
		<u> </u>	 			Rec	Nonrec		Nonrecurring					Rates(\$)		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	├	┼			-	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per	<u> </u>	<u> </u>	CLO	PE1BR		22 52									
	DSO Circuit	<u> </u>		CLO	PE1BP		22.52			<u></u>						
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit	1		CLO	PE1BS		32.74								L	
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			сьо	PE1BE		32.74									
Entrar	nce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		841.54									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	18.31										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.88									
VIRTUAL COL	LLOCATION															
Applic	ation															
	Virtual Collocation - Application Fee		+	AMTFS	EAF	 	1,770.40			<u> </u>	ļ					
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application	1	1	AMTFS	VE1CA		583.30		1			1				1
	Virtual Collocation Administrative Only - Application Fee		 	AMTES	VE1CA VE1AF	 	583.30 741.97			 	 	 			 	+
Space	e Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.30			I			L		Ľ		Ι
Powe			_	1	lean.	1			·				,		т	
Cross	Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and Po	1		AMTES	ESPAX	8.32	L		<u> </u>	ــــــــــــــــــــــــــــــــــــــ				L	<u> </u>	┸
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								
	Virtual Collocation - 4-wire cross-connect. loop, provisioning			UEA, UHL, UCL, UDL, UNCVX, UNCOX	UEAC4	0.0591	12 04	11.53		<u> </u>						
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL. UEPEX, UEPDX	CNC1X	1.04	21 39	15.47								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3. UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	13.21	20.28	14.76								
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDI		2.65	20.29	14.76								
	Virtual Collocation - 4-Filber Cross Connects			UDL12. UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12. ULD48, UDI	F CNC4F	5.31	24.81	19.29								
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0015				ļ. —		ļ				
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port		1	UEPSE, UEPSP, UEPSR, UEP2C UEPDD, UEPEX	VE1R2 VE1R4	0 0296 0.0591	11.94	11.46 11.53		1			<u> </u>		<u> </u>	

COLLOCAT	ON - Louisiana												Att: 4 Exh: B			
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1 1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
TEGORY	DATE ELEMENTO	l	_ [Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
LEGOHT	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
			j		1						1 '	. ·	Electronic-	Electronic-	Electronic-	Electroni
	<u>'</u>	i i	ì		1]					1		1st	Add'l	Disc 1st	Disc Add
	·				 	<u> </u>								L	L	<u> </u>
		-				Rec	Nonrec		Nonrecurring					Rates(\$)		
CFA	<u> </u>					لــــــــــــــــــــــــــــــــــــــ	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 017	Virtual Collocation - CFA Information Resend Request, per										·				·····	
[Premises, per Arrangement, per request			AMTFS	VE1QR		77.43				[Į.	ļ
Cable F	Records			Alwin 3	IVEIGH	11	11.43		L	<u> </u>		L		L	L	<u> </u>
	Virtual Collocation Cable Records - per request(LA only)			AMTES	VE1BG	10.97				т	1				·	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1			1.00	10.57				 	+				 	
	record(LA only)		ŀ	AMTFS	VE1BH	5.29					1				ĺ	
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100															
	pair(LA only)	ll		AMTFS	VE1BJ	0.08				l	1					1
	Virtual Collocation Cable Records - DS1, per T1TIE(LA only)			AMTFS	VE1BK	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE(LA only)			AMTES	VE1BL	0.13										
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		- 1													
	records(LA only)			AMTES	VE1BM	1.37				<u> </u>						
C	Virtual Collocation Cable Records - CAT 5/RJ45 (LA only)	ــــــــــــــــــــــــــــــــــــــ	i	AMTFS	VE1B6	0.04			L	l	1			L	<u> </u>	<u> </u>
Securit		,			~	, , , , , , , , , , , , , , , , , , , 			,	,						
1	Virtual collocation - Security escort, basic time, normally scheduled work hours	1	Ì	AMTFS	SPTBX		40	10.10		l	1			1	1	1
	Virtual collocation - Security escort, overtime, outside of normally	 +		AWITS	PALIBY	 	16,44	10.42		···	+	ļ	<u> </u>	ļ	 	+
	scheduled work hours on a normal working day		ì	AMTES	SPTOX		21.41	13.45	1	ŀ	1					
	Virtual collocation - Security escort, premium time, outside of a	 		AWITS	13FTOX	 	21.41	13.45	 		 -	-				
1	scheduled work day	1		AMTES	SPTPX		26.38	16.49						ļ .	l	1
Mainter		L		AWITS	JOFTEX	١	20.30	10.49	·	٠		L			·	ــــــــــــــــــــــــــــــــــــــ
	Virtual collocation - Maintenance in CO - Basic, per half hour	r T		AMTES	CTRLX		27.12	10.42	 		1	г				т
	The state of the s	 		/	- 01110	ļ	21.12	10.42		+					 	
	Virtual collocation - Maintenance in CO - Overtime, per half hour		- 1	AMTES	SPTOM		35.42	13.45	1	l	1			}		
						 				 					 	
1	Virtual collocation - Maintenance in CO - Premium per half hour		- 1	AMTES	SPTPM		43.72	16.49			1			l	ł	i
Entran	ce Cable									·	1	L				
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		841.54									T
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	16.02					···					
	NIN THE REMOTE SITE															
Physic	al Remote Site Collocation	,														
	Physical Collocation in the Remote Site - Application Fee	↓		CLORS	PE1RA		298.80					<u> </u>			ļ	
	Cabinet Space in the Remote Site per Bay/ Rack	├ ──┼		CLORS	PE1RB	225.39					-	ļ			ļ	
ì	Branch of Colombia to the Branch Charles and Advance of			CLORS	PE1RD					1	1		l			1
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report	 		CLORS	PETRO	 	13 01			 	- 					+
1	per Premises Requested	4		CLORS	PE1SR		112.52				1					
	Physical Collocation in the Remote Site - Remote Site CLU Code	 		CLORS	PEISH		112.52			 	 					
	Request, per CLLI Code Requested			CLORS	PE1RE		36.47		ļ							
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	├─ ─┼		CLORS	PEIRR		233.21		 	 	 	 		 		+
- - -	Physical Collocation - Security Escort for Basic Time - normally	1 1		02010	1	}	LOGILY		 			 			 	+
	scheduled work, per half hour			CLORS	PE1BT	1	16.44	10.42	1		1		1		1	
	Physical Collocation - Security Escort for Overtime - outside of	1				1					 	 			† -	1
	normally scheduled working hours on a scheduled work day, per				I						1		ļ		1	
	half hour			CLORS	PE1OT	}	21.41	13.45					1			
	Physical Collocation - Security Escort for Premium Time - outside	1			1							 			1	1
\	of scheduled work day, per half hour	1 1		CLORS	PE1PT		26.38	16.49]	1	1.]_			I	
Adjace	nt Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
					1									1		
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134			L			L			<u> </u>	
-		1 1	Ì						1	1			l	1		l
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	لبل		CLORS	PEIRS	6.27	٠	ــــــــــــــــــــــــــــــــــــــ	1			L			┸	ــــــــــــــــــــــــــــــــــــــ
	If Security Escort and/or Add'l Engineering Fees become neces	sary for a	djaçer	tt remote site colloc	ation, the Par	ries will negotiat	e appropriate r	ates								
Virtual	Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee			VE1RS	VETRB		298.80	r		·				__	т	7
	Virtual Collocation in the hemote Site - Application ree	+		VEIDO	- TAE IND	-	298.80		 	+	+	 	 		 	+
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	225 39				1	1		ł	I	1	1
	Virtual Collocation in the Remote Site - Per Bay/Hack of Space Virtual Collocation in the Remote Site - Space Availability Report	+			TE INC	223.39			 	1	 	 		t	 	+
1	per Premises requested	1	'	VE1RS	VE1RR		112.52	1	1	1	1	Ì	i	1		
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	 			1,5,,,,,					1		 	 	-	 	1
- 1	Request, per CLLI Code Requested			VE1RS	VETRL		36.47		1	1	1	1	I		1	1
	DLLOCATION				+	-			+	+		+	 			+

COLLOCAT	FION - Louisiana												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring Disconnect		1	·	OSS	Rates(\$)	·	
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.		1		PE1JA	0.0552					T					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	—	<u> </u>	CLOAC	PE1JC	5.61							Ĭ			
	Adjacent Collocation - 2-Wire Cross-Connects	<u> </u>		UEANL,UEQ.UEA.U CL. UAL, UHL, UDN	PE1JE	0 0245	11.94	11.46	_							
	Adjacent Collocation - 4-Wire Cross-Connects	L	1.	UEA.UHL.UDL,UCL	PE1JF	0.0491	12.04	11.53			T					
l	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.9605	21.39	15.47			1		t			1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.01	20 28	14.76			$\overline{}$					
	Adjacent Collocation - 2-Fiber Cross-Connect		I	CLOAC	PE1JJ	2.20	20.28	14.76		 	1		 		 	1
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	4.21	24.81	19.29			1		1			
LL	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB	1	1,543.20						1	1	1	1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CI,OAC	PE1JL	5.45										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.92										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JQ	37.80										

ATEGORY	ON - Mississippi		$\overline{}$										Att: 4 Exh: B			
ATEGORY						1					Svc Order	Syn Order	incremental	Incremental	Incremental	Incrementa
	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order va Electronic Disc Add
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
						 	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL COL	LOCATION	 	 			 										
Applica			1		ـــــ	L			L		لـــــــــــــــــــــــــــــــــــــ		<u> </u>	L		<u> </u>
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38				 -					
	Physical Collocation - Subsequent Application Fee				PE1CA	 	1,575.69									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,						-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Application Fee, per application	L		CLO	PEIDT		583.13									ļ
	Physical Collocation Administrative Only - Application Fee	<u> </u>		CLO	PE1BL		740.76						·			
	Physical Collocation - Application Cost, Simple Augment	<u> </u>			PE1KS		597.34		1.22							
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment	-		CLO	PE1KM	L	837.57		1.22							
	Physical Collocation - Application Cost - Major Augment	├			PE1K1		1,063.00		1.22							
Space	Preparation	1	L	CLO	PE1KJ	LI.	2,422.00		1.22		L	L	L	L	L	L
	Physical Colocation - Floor Space, per sq feet			CLO	PE1PJ	5.74			 							
	Physical Collocation - Space Enclosure, welded wire, first 50	1	†										 			
	square feet Physical Collocation - Space enclosure, welded wire, first 100			CLO	PE1BX	165.23										
	square feet Physical Collocation - Space enclosure, welded wire, each	<u> </u>		CLO	PE1BW	183 20								ļ		
	additional 50 square feet Physical Collocation - Space Preparation - C.O. Modification per	ļ		cro	PE1CW	17.97								ļ		
	square ft Physical Collocation - Space Preparation, Common Systems	<u> </u>	 -	CLO	PE1SK	2.30					ļ					
	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems			CLO	PE1SL	2.52						ļ		<u></u>		
	Modifications-Caged, per cage	-		CLO	PE1SM	85.67					ļ	ļ.———	ļ			
	Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office		-	CLO	PE1SJ		604.19				ļ. —					
	Requested	L		CLO	PE1SR	<u> </u>	1,081.40	L	L		L	L	L	L	L	
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp	· · · · · ·	_									·				
	Physical Collocation - Power, 120V AC Power, Single Phase, per	<u> </u>	_	cro	PE1PL	7.33							<u> </u>			
	Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Physical Collocation - Power, 240V AC Power, Single Phase, per	ļ	<u> </u>	CLO	PE1FB	5.29							ļ			
	Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Physical Collocation - Power, 120V AC Power, Three Phase, per	<u> </u>	ļ.,	CLO	PE1FD	10.58			ļ							
	Physical Colocation - Power, 120V AC Power, Three Phase, per Physical Colocation - Power, 277V AC Power, Three Phase, per	ļ _	 	cro	PE1FE	15.87					ļ					<u> </u>
	Breaker Amp		ĺ	CLO	PE1FG	36 65			1					1	ł	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		····						•			•	•		
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL		0.0576	12.47	11.94		5.91			ļ			
			ł	WDS1L, WDS1S. UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP.		0.0070	12-47	34	0.03							
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning		-	USL, UEPEX, UEPDX UE3, U1TD3,	PE1P1	1.14	22.16	16.02	6.60	5.97	ļ	ļ		<u> </u>		<u> </u>
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSE, UEPSB, UEPSE, UEPSP	PE1P3	14.49	21.01	15.29	7.61	6,10				1		

OLLOCAT	ION - Mississippi												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		L	 		-	Rec	Nonrec		Nonrecurring					Rates(\$)		
			 -	CLO, ULDO3.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	2.87	21.01	15.29	7.61	6.10						
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50						
			_		-		20.70			0.50	 					<u> </u>
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure. per linear foot, per cable.		_	сго	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			CLO	PE1DS	0 0015										
	Copperiodax Cable Support Situatore, per mear 1001, per Cable	 	+	UEPSH, UEPSP,	FE IDS	0 0013					 					
			1	UEPSE, UEPSB,								i				l
	Physical Colocation 2-Wire Cross Connect. Port	 	-	UEPSX, UEP2C	PE1R2	0.0288	12 37	11.87	6.04	5.45		15.75	ļ	<u> </u>		ļ
Securi	Physical Collocation 4-Wire Cross Connect, Port		1	UEPEX, UEPDD	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75	l	L		L
300011	Physical Collocation - Security Escort for Basic Time - normally		T	T	T	ТТ			Υ		Т	Т	1	Γ	Γ	T
	scheduled work, per half hour	1		CLO	PE18T]	17.02	10.79					1			
	Physical Collocation - Security Escort for Overtime - outside of	1			T											
	normally scheduled working hours on a scheduled work day, per	1		0.0	25.07								-			
	half hour Physical Collocation - Security Escort for Premium Time - outside	+	+	CLO	PE1OT	 	22 17	13.94		 	 		 			
	of scheduled work day, per half hour			CLO	PE1PT	{	27.32	17.08	1	1	1			}	1	
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State			cro	PE1A1	0 0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.84									
	Stolen Card, per Card		1	CLO	PE1AR		22.91			l						
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	0544					ļ			1		1	
CFA	Stolen Key, per Key	1	٠	ICLO	PE1AL		13.17					J	1		L	L
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77,41									
Cable	Records - Note: The rates in the First & Additional columns will a	actually	be bille		ubsequent S"	respectively			100 ==							
	Physical Colocation - Cable Records, per request Physical Colocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	\vdash	+	CLO	PE1CR		1 763.69 328.81	\$ 490.94	133.77		1	-				
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		\top	CLO	PE1CO		4.84		5.93		1					
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.27		2.78							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.92		9.72							
	Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1CB		84.98		77.58							1
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45	+	+	CLO	PE1CB	-	2.27		2.78	 	+	+	 	 	 	
Virtua	to Physical			1500	1. 2.00	-	2.27	·	2.70		•	• • • • • • • • • • • • • • • • • • • •	·		•	
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation.			CI O	DETEC		00.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit	 	+	CLO	PE1BO PE1B1		33.00 52.00				 				 	
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit	1		CLO	PE1B3	1	52.00			 	1	1	<u> </u>			1

OLLOCAT	ON - Mississippi					,							Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre		Nonrecurring		L			Rates(\$)		
		ļ	 			1100	First	Add I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			сго	PE1BR		22.54									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	ļ		сго	PE1BP		22.54				L					
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit	ļ <u>-</u>		сго	PE1BS		32.78				<u> </u>					
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	<u></u> .		сго	PE1BE		32.78									
Entrand	e Cable		,													
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			cro	PE1BD		926.27		22.62							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17 42										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3 89									
RTUAL COLL	OCATION				1						1			1		
Applica																
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	-	-	AMTFS	EAF		1.212.25		0.51						[
	Application Fee, per application Virtual Collocation Administrative Only - Application Fee	 		AMTFS AMTFS	VE1CA VE1AF	ļ	583.13 740.76				ļ				<u> </u>	
Space	Preparation Virtual Collocation - Floor Space, per sq. ft.	<u> </u>		AMTES	ESPVX	5.74		L	1			I		L		
Power	Tvirtual Collocation - Floor Space, per sq. it.		<u> </u>	AMIFS	IESPVX	5.74	L	L			ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	L	1	L	L
7 0 11 01	Virtual Collocation - Power, per fused amp	1	т—	AMTES	ESPAX	7.33			,	т—	г	,			T	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	-+e)	Ь	AMITS	ESFAX	/		<u> </u>	1			ــــــــــــــــــــــــــــــــــــــ		·	L	<u> </u>
	Virtual Collection - 2-wire cross-connect, bop, provisioning			UEANL, UEA. UDN. UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX,	UEAC2	0.0268	12.37	11.87	6.04							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1			UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.0536	12 47 22.16	11 94								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	14.49	21 01	15.29	7.61	6.10						
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	- CNC2F	2.91	21 01	15.29	7.61	6.10						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12. U1TO3, ULDO3, ULD12, ULD48. UDF	F CNC4F	5.82	25.70	19.97	10.01	8.50						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per finear foot, per cable			AMTFS	VE1CB	0.001						ļ <u> </u>				
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable	<u> </u>		AMTFS UEPSX, UEPSB,	VE1CD	0.0015					ļ					
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0 0268	12 37	11.87								
	Virtual Collocation 4-Wire Cross Connect, Port		1	UEPDD, UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.9		1	I	1		1

COLL	CATIC	DN - Mississippi											-	Att: 4 Exh: B			
							-					Svc Order	Svc Order	incremental	Incremental	Incremental	incremental
		Į.	ŀ		i	Į.						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
]			1								Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEG	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				1	1		i) pc. co	per con	Electronic-	Electronic-	Electronic-	Electronic-
	l						1							1st	Add'I	Disc 1st	Disc Add'l
														150	7001	Diac rat	Olac Addi
\rightarrow				ļ			Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
	CFA		L	<u> </u>	l			First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1		Virtual Collocation - CFA Information Resend Request, per		_	1												
		Premises, per Arrangement, per request	ĺ	1	AMTES	VE1OR	! i	77,41			1	1			}	İ	
	Cable Re	cords - Note: The rates in the First & Additional columns will a	ctually l	be biller	d as "Initial I" & "Srd	begauent S" m	enectively	77.41		L	L		L	l	<u> </u>	L	L
	\	/irtual Collocation Cable Records - per request	T T	I	AMTES	VE1BA	l I	763.69	S 490.94	133.77			Т				
	V	/irtual Collocation Cable Records - VG/DS0 Cable, per cable					<u> </u>	. 700.00	0 430.34	133.77		+	 				
	r	ecord		1	AMTFS	VE1BB		328.81		190.22		j	İ		İ	•	1
	V	/irtual Collocation Cable Records - VG/DS0 Cable, per each 100		1								 					
		pair	l	.1	AMTFS	VE1BC	l i	4.84		5.93	Į.	1	Į.	ļ		ļ	\
	\	/irtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78			1				ļ
		/irtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
ı		/inual Collocation Cable Records - Fiber Cable, per 99 fiber											1		1		
		ecords	<u> </u>	_	AMTFS	VE1BF		84.98		77.58	L						
	Security	Virtual Collocation Cable Records - CAT 5/RJ45	L	┸	AMTFS	VE185	<u> </u>	2.27		2.78	L		L			L	
		/irtual collocation - Security escort, basic time, normally scheduled	т								,	- 	· · · · ·		·		,
		virtual collocation - Security escon, basic time, normally scheduled work hours	1	1	AMTES	CDTDV		47.00		ĺ	1					İ	ì
		Virtual collocation - Security escort, overtime, outside of normally		 	AMILES	SPTBX	 	17.02	10.79	 	}	+	 	 	·		
1		scheduled work hours on a normal working day	ļ	Ĭ	AMTFS	SPTOX		22.17	13.94		i		İ	i			
_		Virtual collocation - Security escort, premium time, outside of a	 	+	A.W.113	31 102	 	22.17	13.94	 		+	 				
i		scheduled work day	ŀ		AMTFS	SPTPX		27.32	17.08		ļ		1			ì	1
	Maintena			•	<u> </u>				1,.00	·	·		<u> </u>		1	L	·
		Virtual collocation - Maintenance in CO - Basic, per half hour	Ι	T	AMTES	CTRLX		28.09	10.79	Γ				1		Ţ	
				T						1							
	\	Virtual collocation - Maintenance in CO - Overtime, per half hour		1	AMTES	SPTOM		36.69	13.94	l .		4	1		.		1
					l						1					ľ	
		Virtual collocation - Maintenance in CO - Premium per half hour	L	<u> </u>	AMTES	SPTPM	J	45.28	17.08	L	<u> </u>	<u> </u>	1	L	L		1
	Entrance				7	1				·	,	· · · · · · · · · · · · · · · · · · ·	.,			· · · · · · · · · · · · · · · · · · ·	
-		Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable		┼	AMTFS AMTFS	ESPCX ESPSX	15.24	926.27		22.62			 			ļ	
COLLO	CATION	IN THE REMOTE SITE	 	┼	AIWITES	ESTSX	13.24				 	 -	 			 	-
		Remote Site Collocation			·		ــــــــــــــــــــــــــــــــــــــ				·		1	L		L	1
		Physical Collocation in the Remote Site - Application Fee		1	CLORS	PEIRA	[]	309.48		168.63		T	1		1	T	T
	(Cabinet Space in the Remote Site per Bay/ Rack	1		CLORS	PE1RB	210.05				1		1		1	1	
				T													1
		Physical Collocation in the Remote Site - Security Access - Key	<u> </u>	1	CLORS	PE1RD		13.17					1		<u> </u>	L	
		Physical Collocation in the Remote Site - Space Availability Report	4	T								1				1	
		per Premises Requested		1	CLORS	PE1SR		116.54		L				L		<u> </u>	
- 1		Physical Collocation in the Remote Site - Remote Site CLLI Code			1		l i					1			İ		
		Request, per CLLI Code Requested	—	↓	CLORS	PE1RE		37 77		<u> </u>					ļ	ļ	
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	-		CLORS	PE1RR	ļ	233.14					 	 		 	
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLORS	PE1BT		17.02	10.79		1						
		scheduled work, per nair nour Physical Collocation - Security Escort for Overtime - outside of	 	+	CLORS	PEIBI		17.02	10.79	 	 		+		-	 	+
		normally scheduled working hours on a scheduled work day, per	1	İ					l			1					
		half hour	Į	ł	CLORS	PE1OT		22.17	13.94			1	j	ł			
		Physical Collocation - Security Escort for Premium Time - outside	 -	+	QCO110			22	10.54	<u> </u>			 			†	+
		of scheduled work day, per half hour	i	ŀ	CLORS	PE1PT		27.32	17.08						i		
		t Remote Site Collocation			1000.00								•		· 		
		Remote Site-Adjacent Collocation-Application Fee	Υ		CLORS	PE1RU		755.62	755.62		T	T				1	
			T -	1										T			
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134			ļ			1		ļ	 	
			1			1					1					1	1
	1100-1	Remote Site-Adjacent Collocation - AC Power, per breaker amp	ــــــــــــــــــــــــــــــــــــــ		CLORS	PE1RS	6.27	L	L	L	<u> </u>		<u> </u>	L	L	<u> </u>	
		Security Escort and/or Add'l Engineering Fees become necess	sary for	adjace	int remote site collo	cation, the Par	ties will negotiat	e appropriate r	ates.								
		lemote Site Collocation Virtual Collocation in the Remote Site - Application Fee			TVE1RS	VE1RB		309.48	T	168.63			τ	1	τ	τ	T
		Alumai Collocation in the Hemote 2ite - Application Fee	 	+	INE INS	VEIND	 	309.46		100.03	 	+	+	+	 	†	+
			1	1	VE1RS	VE1RC	210.05		1					1			1
		Virtual Collocation in the Remote City. Per Bay/Dack of Cases							1	Ł	1		i	1		1	
		Virtual Collocation in the Remote Site - Per Bay/Rack of Space	┼	+	VEIRO	1.511.0	-						1				1
		Virtual Collocation in the Remote Site - Space Availability Report						116 54									
	,	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		116.54									
		Virtual Collocation in the Remote Site - Space Availability Report						116.54 37.77									

COLLOCAT	ION - Mississippi	,											Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
					_	Rec	Nonrec	urring	Nonrecurring I	Disconnect			OSS	Rates(\$)		
						l nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.				PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		↓	CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects	1		UEA,UHL.UDL.UCL		0.0446	12.47	11.94	6.59	5.91	 	 				
	Adjacent Collocation - DS1 Cross-Connects	T			PE1JG	1.05	22.16	16.02	6.60	5.97	 	 				· · · · · · · · · · · · · · · · · · ·
	Adjacent Collocation - DS3 Cross-Connects		Т	UE3	PE1JH	14.27	21.01	15.29	7.61	6.10	†					
	Adjacent Collocation - 2-Fiber Cross-Connect		1	CLOAC	PE1JJ	2.42	21.01	15.29	7,61	6.10						·
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50	 					
	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB		1,585.83				1	T				·
	Adjacent Collocation - 120V. Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC_	PE1JM	10.58										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.65										

COLLC	CATI	ON - North Carolina		·										Att: 4 Exh: B			
			Г	T			T					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	i		ļ				1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				Ì								,		Electronic-	Electronic-	Electronic-	Electronic-
1	1		1	ì)		1					1	ĺ	1st	Add'l	Disc 1st	Disc Add'l
			L	<u> </u>											~~~	Date 1at	Disc Add ,
\vdash			L				Rec	Nonre	urring	Nonrecurring	Disconnect	1		OSS	Rates(S)		*****
	1		I	1			T Her [First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\perp												T					1
		LOCATION					1 -				† 					 	
L/	Applicat	tion								·	····			·			
L		Physical Collocation - Initial Application Fee		L.	CLO	PE1BA		2,322.00				T	[- · · · · · ·	I	1		T
		Physical Collocation - Subsequent Application Fee		T	CLO	PE1CA		2,311.00			-	 					
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect.		T			1					 		l		t	t
		Application Fee, per application	I _	1	CLO	PE1DT		317.20			1		Ì		l		1
		Physical Collocation Administrative Only - Application Fee			CLO	PE18L		741,44								<u> </u>	1
		Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS	T	269.83		1.15	1					_	1
		Physical Collocation - Application Cost, Minor Augment	1	1	CLO	PE1KM	 	493.40		1.15		 	 	• • • • • • • • • • • • • • • • • • • •	 	 	
		Physical Collocation - Application Cost, Intermediate Augment	1		CLO	PE1K1		1,012.00		1.15					t	 	
		Physical Collocation - Application Cost - Major Augment	 	T		PE1KJ	 	2,343.00	~	1.15		+	 	 	 	 	+
	Space F	Preparation			·		•	2,0-0.00		1,10			l	٠	J 		
		Physical Collocation - Floor Space, per sq feet	T	Т	CLO	PE1PJ	2.69			1							
\vdash		Physical Collocation - Space Enclosure, welded wire, first 50	1	_	† 	 	+			 	 	+		 	 	 	†
1 1	[square teet	1	1	Cro	PE1BX	1 1	534.44			}	1	!	1	ļ.	1	1
	T	Physical Collocation - Space enclosure, welded wire, first 100		+	† 		 	334.44		 		+		 	 	+	
1	!	square feet	1	1	CLO	PE18W	1	559.81		I	1	1			1	1	}
-	-	Physical Collocation - Space enclosure, welded wire, each	+	+	1000	F L TOVV	 	339.61				 		 		 	 -
1 1	ŀ	additional 50 square feet	1	1	сьо	PE1CW		25.07		1	1	1	1		1	1	1
		Physical Collocation - Space Preparation - C.O. Modification per	-	+	CLO.	PEICW	·	25.37		 	— ——		ļ	 		 	ļ
1 1	i	square ft.		1	CLO	05.00						ì	j		j	ļ	
\longrightarrow			+	+	CLU	PE1SK	2.42			 	ļ	-}	 		 	<u> </u>	ļ
1	l	Physical Collocation - Space Preparation, Common Systems		1)		1		1	1		
\vdash	├ ──	Modifications-Cageless, per square foot			CLO	PE1SL	2.88				 		<u> </u>				
1 1	ļ	Physical Collocation - Space Preparation - Common Systems	1	1	i	l	1		1	}	1	ł ·	{	1	1	1	Y
		Modifications-Caged, per cage	↓	+	CLO	PE1SM	97.98										4
1 1		L	i		l	!					1	1				1	
\perp	.	Physical Collocation - Space Preparation - Firm Order Processing		.	CLO	PE1SJ		1,196.00			<u></u>		<u></u>	L		<u> </u>	
1 1		Physical Collocation - Space Availability Report, per Central Office	•	1													
		Requested	1		CLO	PE1SR		2,140.00			L		L			.l	<u> </u>
	Power																
		Physical Collocation - Power, -48V DC Power - per Fused Amp	1						I					I			1
1	L	Requested		1	CLO	PE1PL	7.65					1	1	1	1	_	
		Physical Collocation - Power, 120V AC Power, Single Phase, per		1	1	T							T				1
1 1	1	Breaker Amp	1	1	Cro	PE1FB	5.50	}	1	1	ì	1	ì	1	1	1	1
		Physical Collocation - Power, 240V AC Power, Single Phase, per	1												1		
	l	Breaker Amp		1	CLO	PE1FD	11.01		1	1				1		1	
		Physical Collocation - Power, 120V AC Power, Three Phase, per	1								1						
1 !	ļ	Breaker Amp			CLO	PE1FE	16.51										1
		Physical Collocation - Power, 277V AC Power, Three Phase, per		1		 				1	1	T-	1	 		_	
1 1	l	Breaker Amp	1	1	CLO	PE1FG	38.12				1	i	1		İ	1	1
\vdash	Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)							· · · · · · · · · · · · · · · · · · ·		•	• • • • • • • • • • • • • • • • • • • •				
	1		7	T	UEANL,UEQ.		T		T		1					T	T
1 1	1		1	1	UNCNX, UEA, UCL,	1	1	1	!	1	1	1	1	1	l	l	l
1 3	1	1	1	1	UAL, UHL, UDN.	1	1	1	1	1	1			1	1		1
1 1	l	Physical Collocation - 2-wire cross-connect, loop, provisioning	1	1	UNCVX	PE1P2	0.0309	19.77	14.95	1	1	1		1	1	1	1
\vdash	t	The construction of the co	+	+	UEA, UHL, UNCVX.		5.5505	1 .3.,,	1	 	1	1	1	1		1	1
1 1	1	Physical Collocation - 4-wire cross-connect, loop, provisioning	l	1	UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05		1	1		1	1	1	1
\vdash	 	Typical conceditor: 4 wife cross-connect, wop, provisioning	+	1	WDS1L, WDS1S.	1	3.0010	1 .3.33	.5.05	+			 	1		1	1
1 1	1		1	1	UXTD1, ULDD1.				1	1	1			1	1		1
1 1	1	1	1	1	USLEL, UNLD1,			1	1	1	1	1		1	1	1	1
1)	1			1				[1			1			1		1
\perp $^{\prime}$	1			1	U1TD1, UNC1X.		1	1		1		1			1		1
1 1	i			1	UEPSR, UEPSB,		1	[1	Į	l	1	1	l	Į.	Į.	1
1 1	ì	la	1	1	UEPSE, UEPSP,	1	1		1			1		1	1	i	
1 1	1	Physical Collocation -DS1 Cross-Connect for Physical	1		USL, UEPEX,	DE 42:	1		20.00	. [1	1	1	l .	1	1	i
ļ	ļ	Collocation, previsioning		+	UEPDX	PE1P1	1 38	39.15	23.20	4			 	 	+		+
1 /	1		1	1	UE3, U1TD3,	1			1			1		1	1	1	1
1 1	1		1	1	UXTD3. UXTS1,		1		1		1	1	1	1	1	1	1
1 /	1		1		UNC3X, UNCSX.	1	1		1	1	1	1	1	1	1	1	1
1 1			1	1	ULDD3, U1TS1,	1	1		1			1		1	1	1	ı
4 7		!	1		ULDS1, UNLD3.	1	1		1		1	1	1	1	1	1	1
1 1		i .	1		UEPEX, UEPDX,	1	1		1	1	1	1		1	1	1	1
	1																
			ı	- [UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	17 62	38.25	21.94	Į.		Į.	l	1			1

COLLOCA	TION - North Carolina												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
 	 	+	₩-	ļ		Rec	Nonrec		Nonrecurring t					Rates(\$)		
	 	1	+	CLO, ULDO3.	+	 	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Colocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3,	PE1F2	3,50	38 25	21.94								
	Physical Collocation - 4-Fiber Cross-Connect			U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	6.20	43.96	26.17								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect Fiber Cable Support Structure, per linear foot, per cable			CLO	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0 0041										
	Physical Collocation 2-Wire Cross Connect. Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0309	19.77	14.95					26.94	12.76		
Secu	Physical Collocation 4-Wire Cross Connect, Port	L	1	UEPEX, UEPDD	PE1R4	0.0618	19.95	15.05					26.94	12.76		
3600	Physical Collocation - Security Escort for Basic Time - normally	т—													T	
	scheduled work, per half hour	<u> </u>	<u> </u>	CLO	PE1BT	1 1	33.68	21.34			1					1
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27 57								
	Physical Collocation - Security Escort for Premium Time - outside		1								1	T	T			1
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.	1-	╁	Cro	PE1PT PE1AY	0.0135	54.06	33.80			 		 		<u> </u>	
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0622	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	1		CLO	PE1AR		15.00				1			1]	
	Physical Collocation - Security Access - Initial Key, per Key	 	+	CFO	PETAK	 	15.00		ļ			 		-		
	Physical Collocation - Security Access - Key, Replace Lost or	1				1										T
	Stolen Key, per Key	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	cro	PE1AL	<u> </u>	15 00	l	l		<u> </u>	<u> </u>		<u> </u>		
CFA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request	Ι		CLO	PE1C9		77.48									
Cab	e Records - Note: The rates in the First & Additional columns will Physical Collocation - Cable Records, per request	actually	De Dille	CLO	PE1CH	respectively	1458.00	S 937.29	245.00	245.00	Τ	1	т	1	T	Т —
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PEICD		622.69	622.69	346.35	346.35						
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1CO PE1C1		8.77 4.35	8.77 4.35	10.32	10.32			ļ		ļ <u>.</u>	
 	Physical Collocation, Cable Records, US1, per 11 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	+	- 	CLO	PE1C3	 -	15.22	15.22	17.90	17.90			 	 	 	
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		163.61	163.61	143.32	143.32	T					
	Physical Collocation, Cable Records.CAT5/RJ45			CLO	PE1C5	L	2.27	L	2.78	L	<u> </u>	<u> </u>	<u> </u>	1	<u> </u>	
Virtu	Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit	T-		CLO	PE1BV	T	33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit	1		CLO	PE1BO	1	33.00					T				
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit		1	CLO	PE1BO		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			cro	PE1B3		52.00	1								

COLLOCA	TION - North Carolina		,	·									Att: 4 Exh: B			-
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY		İ	_			1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1			}								Electronic-	Electronic-	Electronic-	Electronic-
		1	1	ì	ì	ì					ì	1	1st	Add'l	Disc 1st	Disc Add'l
					L						1		1	1	0.50 /50	0.00
	 		<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	·
	<u> </u>					nec _	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
i	Physical Collocation - Virtual to Physical Collocation In-Place, Per		1								T		ļ			
	Voice Grade Circuit		1	CLO	PE1BR		69.51	20.45								
l	Physical Collocation Virtual to Physical Collocation In Place, Per		-								1					
	DSO Circuit	<u> </u>	<u> </u>	CLO	PE1BP		69.51	20.45		1						j
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	1	1								1		t ———			
	DS1 Circuit			CLO	PE1BS	l _ l	78.93	29.87	ļ	1	Į.	ļ	Į.		l .	ļ.
1	Physical Collocation - Virtual to Physical Collocation In-Place, per	ì	1								1		 			
	DS3 Circuit	<u> </u>		CLO	PE1BE	1 1	75.11	26 04	i	ł						
Entra	nce Cable								•——			·				·
	Physical Collocation - Fiber Cable Installation, Pricing, non-		1						T	1	T	I				
	recurring charge, per Entrance Cable	L	1	CLO	PE18D		1,233.00					l				
	Physical Collocation - Fiber Cable Support Structure, per Entrance								T	1	1		1	 	 	
	Cable	L	L	CLO	PE1PM	20.57			I	1	1		1	I	1	i
		1	1								 	 	† · · · · · · · · · · · · · · · · · · ·	 	 	
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	1		CLO	PE1ED	1 I	7.79			1	1		1			l
VIRTUAL COL	LLOCATION	1	L	· · · · · · · · · · · · · · · · · · ·		, 			1	1	 		1	 	 	
Applic				•						·	٠ـــــــــــــــــــــــــــــــــــــ			' -	٠	' -
	Virtual Collocation - Application Fee	1	1	AMTES	EAF		1,195.00			T	1		T		Γ	
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,			† — — — — — — — — — — — — — — — — — — —		 	1,100,00			 	 	 	·	 	 	
	Application Fee, per application	1	1	AMTES	VE1CA		317.20			1		1	İ			
	Virtual Collocation Administrative Only - Application Fee	1	1	AMTFS	VE1AF		741.44		 		 		 	 		·
Space	e Preparation				1-2		7.1		ــــــــــــــــــــــــــــــــــــــ		ــــــــــــــــــــــــــــــــــــــ	L	J	L	L	1
	Virtual Collocation - Floor Space, per sq. ft.	T-7	T	AMTES	ESPVX	2 69				1	T				Υ	1
Powe		٠			1.0. 17.				1		ــــــــــــــــــــــــــــــــــــــ	L		·		·
	Virtual Collocation - Power, per fused amp	T ,	T	AMTES	ESPAX	7.65				T					·	
Cross	s Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orta)		1	150, 111	1.00			·		 -	·		·	·	1
		T	1	UEANL, UEA, UDN.					T		· · · · · · · ·	Γ			r	
		1		UAL. UHL. UCL.					ł	1		1	i		}	
l		1	1	UEQ. UNCVX	1	1			1	1	1	i	1	1	1	}
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	1	1	UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95	l		1		1		1	
	The State of the S	+	+	UEA, UHL, UCL.	ULAU2	0.0225	15.77	14.95	 	 	 	· · · · · · · · · · · · · · · · · · ·	+	 	 	
			1	UDL, UNCVX.					1	1	1	1	1	1		1
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	1	1	UNCDX	UEAC4	0.0449	19.95	15 05		1	1	1	1	1	1	
 	- The conceases The cross-connect, loop, provisioning	+	+	ULR, UXTD1,	UEAU4	0.0449	19.95	15 05	 	 	+	 	 	 	 	
			1	UNC1X, ULDD1,		1			l		l	1	l	l		l
1	1	I	1	U1TD1, USLEL.	1				1	1	1	1	1	!	1	1
	Virtual collection, Consid Assess 9 1945, areas some	i	1						1	1	1	1			1	
	Virtual collocation - Special Access & UNE, cross-connect per	1	1	UNLD1, USL,	CNICAN			**		1	1			1	1	1
	DS1	+	+	UEPEX, UEPDX	CNC1X	0.4195	39.15	23.20	 	 	 		 	 	 	
		1	1	USL, UE3, U1TD3.		1			1	1	1			1	l .	1
		1	1	UXTS1, UXTD3,	1	1			1	1	1		1	I	I	1
		1	1	UNC3X, UNCSX,	1	1				1	1	1	1	1	i	1
	L	1	1	ULDD3, U1TS1.	1				1	1		1	1	1	1	1
	Virtual collocation - Special Access & UNE, cross-connect per	1	1	ULDS1, UDLSX,						1			1	1	1	1
	DS3	1	4	UNLD3, XDEST	CND3X	4.41	38.25	21.94		ļ	ļ	ļ		1		ļ
	1	1	1		1			_]	1	1		1	1	1	1
		1		UDL12, UDLO3.	1		[1	1	1	1	1	1	1	1	1
			1	U1T48, U1T12,	1				j	1	1		1	1	1	1
		1		1	1			1	1	1	1	1	1	i	1	1
			-	U1TO3, ULDO3,				21.94	1	L	į	1		1	1	L
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94								
	Virtual Collocation - 2-Fiber Cross Connects	-	-	ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94			—	†			į	
	Virtual Collocation - 2-Fiber Cross Connects	-	-	ULD12, ULD48, UDF UDL12, UDLO3.	CNC2F	1.96	38.25	21.94								
	Virtual Collocation - 2-Fiber Cross Connects		-	ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94								
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF UDL12, UDLO3.	CNC2F	1.96	38.25	21.94								
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12,		3.93	38.25	26.17								
				ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3.												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3.												
	Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F	3.93										
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3.												
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Filber Cable Support Structure, per linear (oot, per cable			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC4F	3.93										·
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			ULD12, ULD48, UDF UDL12, UDLO3, U1148, U1112, U1103, ULD03, ULD12, ULD48, UDF	CNC4F VE1CB	3.93										
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Filber Cable Support Structure, per linear (oot, per cable			ULD12, ULD48, UDF UDL12, UDLO3. U1T48, U1T12, U1T03, ULD03. ULD12, ULD48, UDF AMTES	CNC4F	3.93										
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS AMTFS UEPSX, UEPS8,	CNC4F VE1CB	3.93										
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS WEPSX, UEPSB, UEPSP,	VE1CD	3 93 0.0028 0.0041	43.96	26.17								
	Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			ULD12, ULD48, UDF UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF AMTFS AMTFS UEPSX, UEPS8,	CNC4F VE1CB	3.93		26.17								

Version: 4Q06 Std ICA 11/30/06

Page 33 of 45

	ON - North Carolina												Att: 4 Exh: B			
i											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increm
\ \		1	-		1						Submitted	Submitted	Charge -	Charge -	Charge -	Char
											Elec	Manuaily	Manual Svc	Manual Svc	Manual Svc	Manual
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR				
		1									PerLSH	perLSH	Order vs.	Order vs.	Order vs.	Order
			- 1		1								Electronic-	Electronic-	Electronic-	Electro
		l i	- 1										1st	Add'l	Disc 1st	Disc A
											1		i	į		
					1		Nonrec	urring	Nonrecurring I	Disconnect			OSS	Rates(\$)		
1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOM
CFA						·			7 11 05		JOHNEC	3010411	30 MAIN	SOMAN	SOMAN	3000
	/irtual Collocation - CFA Information Resend Request, per		~~~											, ,, , , , , , , , , , , , , , , , , ,		
	Premises, per Arrangement, per request			AMTES					1		l i		Į.	Į.	Į.	1
	remises, per Arrangement, per request	لييا	لب	AM115	VE1OR		77.48				L					
Cable Rec	cords - Note: The rates in the First & Additional columns will a	ctually be	e billed	as "Initial I" & "Su	ibsequent S" res	spectively										
	/irtual Collocation Cable Records - per request	L. I		AMTFS	VE1BA		1458.00	S 937.29	245.00	245.00						Τ
	/irtual Collocation Cable Records - VG/DS0 Cable, per cable														 	
re	ecord	1		AMTFS	VE188		622.69	622.69	346.35	346.35	1			1		
V	/irtual Collocation Cable Records - VG/DS0 Cable, per each 100				172,00		022.03	022.03	340.33	340.33			ļ			-
	pair	i i			1	i i			1							1
				AMTFS	VE1BC		8.77	8.77	10.32	10.32						i i
	/irtual Collocation Cable Records - DS1, per T1TIE	L.		AMTFS	VE1BD		4.35	4.35	5.11	5.11						
V	/inual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.22	15.22	17.90	17.90					· · · · · · · · · · · · · · · · · · ·	
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	$\overline{}$	-		 									 	 	1
	ecords			AMTES	VE1BF		163.61	163.61	143.32	143.32	į l		1	l	1	1
											 _	L	ļ	L		↓
	Virtual Collocation Cable Records - CAT 5/RJ45	└┈┈┤	لـــــا	AMTES	VE1B5	Li	4.35	4.35	5.11	5.11	L			<u></u>		<u></u>
Security																
] [v	Virtual collocation - Security escort, basic time, normally scheduled	T							1				I			1
	work hours	l l		AMTFS	SPTBX	l l	33.68	21.34			I i		I	l	1	ŧ
	/irtual collocation - Security escort, overtime, outside of normally	I					00.00		 		 		 			+
	scheduled work hours on a normal working day	1 1		AMTFS	COTOY]]	l]		1		I	l	1	I	I	}
		\longrightarrow		AMIFS	SPTOX		43.87	27.57								
	Virtual collocation - Security escort, premium time, outside of a												1			
	scheduled work day	L l		AMTFS	SPTPX]	54.06	33.80	l I							1
Maintenar	ince								·							
īv	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.03	21.22			ι					1
+-+	That co-codes mander of common participations	 		AWITTO	CIRCA		32.03	21.22				ļ	 		ļ. ——-	+
l I		1							i		į	1	l			
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		69.48	27 81			i	!	l	ļ.	Į.	
1 1															1	
l v	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM	!	86 94	34.40	i l		i			İ	1	
Entrance						·	99.51						ч	<u> </u>		
	Virtual Collocation - Cable Installation Charge, per cable			AMTES	Teopov	,									·	
<u></u>	Virtual Collocation - Cable Installation Charge, per cable	-			ESPCX		1,233 00		L							1
	Virtual Collocation - Cable Support Structure, per cable	├		AMTFS	ESPSX	13.28						L			L	1
	IN THE REMOTE SITE			L		<u> </u>			1 1			i				
Physical I	Remote Site Collocation															
Р	Physical Collocation in the Remote Site - Application Fee	[· · · · · · · · · · · · · · · · · · ·		CLORS	PE1RA		589 38		258.38		T	1	}	<u> </u>		1
	Cabinet Space in the Remote Site per Bay/ Rack	1		CLORS	PE1RB	218.07									 	+
- - `	Cabit of Opade in the Heriotic One per day Halon	 		020110	1.000	210.07							 	 		
₋													1			
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		15.00		1		L				L	.1
l P	Physical Collocation in the Remote Site - Space Availability Report										[T
l lo	per Premises Requested	i 1)	CLORS	PE1SR	i I	215.55		1 [l	1	l .	į.	1	1
	Physical Collocation in the Remote Site - Remote Site CLLI Code	 			 		2 10 100		 		 		 	 		+
	Request, per CLLI Code Requested	1 1	1	la one	PE1RE				1		1	i	1	1	1	1
				CLORS			70.65		↓		L	<u> </u>	<u> </u>	 		
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	lacksquare	L	CLORS	PE1RR		232.94						L	L		
	Physical Collocation - Security Escort for Basic Time - normally										Ι					
l s	scheduled work, per half hour			CLORS	PEIBT	(33.68	21.34	Į Į		1	!	1	l .	1	1
	Physical Collocation - Security Escort for Overtime - outside of	 	$\overline{}$			 			 		 	 	 	 	t	+
			i	1					(I		1	Į.	i	1	1	1
	normally scheduled working hours on a scheduled work day, per		!	l	I	, ,			1 1		1	l	i	1	1	1
	half hour			CLORS	PE10T		43.87	27.57	l		L	L	L	l		
	Physical Collocation - Security Escort for Premium Time - outside	1 7			1						1		1	1	1	
0	of scheduled work day, per half hour	!!		CLORS	PE1PT	ł l	54 06	33.80	į į			ł	\	1	1	1
Adjacent	t Remote Site Collocation	,——,					<u> </u>				<u> — </u>	·				·• · · · · · · · · · · · · · · · · · ·
In	Remote Site-Adjacent Collocation-Application Fee			CLORS	IDE (DI)		755.00	755.00					,			_
	nemote oite-Aujacent Collocation-Application Fee		├	ULURS	PE1RU	 	755.62	755.62	ļ		ļ			L	 	
				ļ	1	[1		∤		1	I	1	1	1	1
R	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134					1	l	L	L	L :	L
			T								1	1	· · · · · ·	1	1	1
al (Remote Site-Adjacent Collocation - AC Power, per breaker amp	1 1	l	CLORS	PEIRS	6.27	1				1	ł	1	1	j.	1
	Security Escort and/or Add'l Engineering Fees become neces	nany for	-discs				n appropriate ::	oton.					'			1
Winter C	- Coconny about and/or Audit anglineering rees become neces	oary for E	aujacei		count, the Part	ws was negotiat	e appropriate n	1168.								
	emote Site Collocation			,	. ,			· 								
	Virtual Collocation in the Remote Site - Application Fee		<u> </u>	VE1RS	VE1AB		589.38		258.38						1	1
											T		1	T		Ι
j lo	Virtual Collocation in the Remote Site - Per Bay/Rack of Space) i	ĺ	VEIRS	VE1RC	218.07			1 !		1	I	1	1	1	1
				72.110	1451110	210.07			 		 		 		+	+
	Virtual Collocation in the Remote Site - Space Availability Report	j	l	L	1	l j			1		1	i	1	Î	I	1
	per Premises requested		<u> </u>	VE1RS	VE1RR		215.55		<u> </u>		L		L	L	<u></u>	L
	Virtual Collocation in the Remote Site - Remote Site CLLI Code								1		T	I — —				
	Request, per CLLI Code Requested		1	VE1RS	VE1RL	1	70.65		ı l		ļ		1	l .	1	1
											1					

ATEGORY	ION - North Carolina RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)							Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	uming	Nonrecurring	Disconnect			OSS	Rates(\$)		
			Т			Hec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555					T			1		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5 78						T'		1		
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DSI Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			UEANLUEO.UEA.U CL. UAL. UHL, UDN UEA.UHL.UDL.UCL USL UE3 CLOAC CLOAC CLOAC	PE1JE	0.0239 0.0477 1.28 17.35 2.94 5.62	19.77 19.95 39.15 38.25 38.25 43.96 2.266.00	14.95 15.05 23.20 21.94 21.94 26.17	0.5842							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate		ļ	CLOAC	PE1JL_	5.50										
	per AC Breaker Amp			CLOAC	PE1JM	11.01	_									
	Adjacent Collocation - 120V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJO	38.12										

$\overline{}$	ION - South Carolina												Att: 4 Exh: B			
			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			1		!						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	
	1	1	1]		(-/			percan	percan	Electronic-	Electronic-	Electronic-	Order vs.
	1				ŀ						1		1st	Add'i	Disc 1st	
					}						1		181	Addi	DISC 18t	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect	 	<u> </u>	220	Rates(\$)	·	ــــــــــــــــــــــــــــــــــــــ
						Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
										1,000		00.11.7.1		Johnan	00000	1 3000
HYSICAL CO	LLOCATION		1							f	 					
Applica	ation				·	·						<u> </u>	L		٠	
	Physical Collocation - Initial Application Fee		Τ	CLO	PE1BA		1,883.67		0.51	 	1		····	· · · · · · · · · · · · · · · · · · ·	T	T
	Physical Collocation - Subsequent Application Fee				PE1CA		1,570.10		0.51		 		· · · · · · · · · · · · · · · · · · ·		 	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,		1							 	†				·	
	Application Fee, per application	l		CLO	PE1DT	· I	584.42					ļ	ì	•	ł	
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66			·					1	
	Physical Collocation - Application Cost, Simple Augment		-	CLO	PE1KS		594.27		1.21		 				 	
	Physical Collocation - Application Cost, Minor Augment		1	CLO	PE1KM	·	833.26		1.21						 	
***	Physical Collocation - Application Cost, Intermediate Augment		1	CLO	PE1K1		1,058.00		1.21			 		 	 	
	Physical Colocation - Application Cost - Major Augment		—	CLO	PE1KJ		2.409.00		1.21		 				 	
	Preparation						205.00			<u> </u>		L	٠	·	·	ــــــــــــــــــــــــــــــــــــــ
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.95				1		·	T	1		
	Physical Collocation - Space Enclosure, welded wire, first 50		_		1	0.33					 					+
	square feet	l	1	CLO	PE1BX	197.69				1	1	1	1	1	1	I
	Physical Collocation - Space enclosure, welded wire, first 100		 		1 5.50	137.09				 	 	 	 		 	+
- 1	square feet			CLO	PE1BW	219.19					1	1		i	1	1
	Physical Collocation - Space enclosure, welded wire, each		+		1-5.15**	213.13			 	 	+	 -	 		 	+
1	additional 50 square feet			CLO	PE1CW	21.50				1	1			i		
	Physical Collocation - Space Preparation - C.O. Modification per			CLO	PEICW	21.30										
1	square ft.	1	1	СГО	PE1SK	2.75			1	1		1	ì	1	ì	ì
	Physical Collocation - Space Preparation, Common Systems	├		CLO	PEISK	2.75							ļ	ļ <u>.</u>	ļ	
1	Modifications-Cageless, per square foot		1	cro	DE 401											1
	Physical Collocation - Space Preparation - Common Systems		—	CEO	PE1SL	3.24				 	<u> </u>				ļ	
ı			1	0.0	DE 4011						1	1		ł	l	1
	Modifications-Caged, per cage	—	₩-	CLO	PE1SM	110.16			ļ		 					
	Physical Callagation Court Properties City Order Properties		1	CL O	05401	1				1	1	l			1	1
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		602.05									
i	Physical Collocation - Space Availability Report, per Central Office		1								1				1	1
	Requested	<u> </u>	1	cro	PE1SR	11	1,077.57	L 	<u> </u>	<u> 1 </u>	1	1	<u> 1</u>	L	L	
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp												,	···	· · · · · · · · · · · · · · · · · · ·	
i		1								1		1		1	[
-	Requested P 400/440 P	ļ	4	CLO	PE1PL	9.19				 	↓			 _		+
	Physical Collocation - Power, 120V AC Power, Single Phase, per	ł		CLO	05450				1	i	}	i		1	1	
	Breaker Amp	├	+	CLO	PE1FB	5.67					ļ			 	 	
	Physical Collocation - Power, 240V AC Power, Single Phase, per			CLO	DE 150					i	İ	1		1	ı	
	Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	├──	 	CLO	PE1FD	11.36				ļ	 	 			ļ	+
- 1				0.0					Į	l	[Į	į.	1	Į.
	Breaker Amp	 	 	CLO	PE1FE	17.03				<u> </u>			.	L		
+	Physical Collocation - Power, 277V AC Power, Three Phase, per										1			ĺ		
	Breaker Amp	ـــبــــ		CLO	PE1FG	39.33			L			l		<u></u>	<u> </u>	
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		li in the same	γ···	· · · · · · · · · · · · · · · · · · ·			,		-,		·			
- 1		1		UEANLUEQ.	1			l	1				1		1	1
		1		UNCNX, UEA, UCL.	1	1			1		1				1	1
-	L	1		UAL, UHL, UDN,						.1			1]	1	1
	Physical Collocation - 2-wire cross-connect, loop, provisioning	 	 	UNCVX	PE1P2	0.0341	12.32	11 83	6.04	5.45	4		↓		 	+
		Į.	1	UEA, UHL, UNCVX,	lan			1		.1		1	1	1	1	1
\longrightarrow	Physical Collocation - 4-wire cross-connect, loop, provisioning	ļ	\perp	UNCDX, UCL, UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74	<u> </u>	ļ	1	ļ	1	
		1		WDS1L, WDS1S,	1	1		1	1	1	1		1	1	1	1
ĺ				UXTD1, ULDD1,							1		1			1
				USLEL, UNLD1,								ŀ		i		1
l				U1TD1, UNC1X,		1 !							}			1
				UEPSR, UEPSB,		1 1		1				l.	1			1
		1		UEPSE, UEPSP.	1			1		1	1	1	1	1	1	1
	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,	1				1	1	i			1	1	
	Collocation, provisioning	<u> </u>		UEPDX	PE1P1	1.12	22.08	15 96	6.42	5.80		<u> </u>		<u> </u>	1	1
				UE3, U1TD3,	1				1		1		1			
1		1		UXTD3, UXTS1,				l	1	1	i	[1	1	1	1
1		1	1	UNC3X, UNCSX,	1			1	1	1			1	1	1	
i		1		ULDD3, U1TS1,	1	j j		1	1	1	1		1	1	1	1
- 1		1	1	ULDS1, UNLD3,				l	1	1		[1
		1	1	UEPEX, UEPDX,	i	1 1		1			1	1	1	1	1	
		t	1	UEPSR, UEPSB,	1	1				1	1	1	1	1	1	
				UEPSE, UEPSP	PE1P3											

COLLOC	CATI	ON - South Carolina												Att: 4 Exh: B			
ATEGOR	IY .	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Diac Add'i
-			 	 		 	Rec	Nonrec		Nonrecurring					Rates(S)		·
 -	-				CLO III DOD			First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO. ULDO3. ULD12, ULD48, U1TO3. U1T12, U1T48, UDLO3. UDL12, UDF ULDO3. ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	PE1F2	2.82	20.94	15.23	7.40	5.93						
	1	Physical Collocation - 4-Fiber Cross-Connect	ì	ì	UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8.26	i	1	1		1	į.
	$\neg \neg$			 	001,02102	1. 5.11.7	3.01	23.01	19.90	9.73	8.20	 					
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.		<u> </u>	CLO	PE1ES	0.001										
	1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	l	1		1	1	Ì				1		i			
		Copper/Coax Cable Support Structure, per linear foot, per cable.	<u> </u>	<u></u>	CLO	PE1DS	0.0015							ļ			
	l		1	1	UEPSR, UEPSP,		1					Ī					
	ļ	Discourse Conference B Million Conserve Conserve B	ļ	1	UEPSE, UEPSB.		1									ļ	1
		Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port	 	—	UEPSX, UEP2C	PE1R2	0.0341	12.32	11.83	6.04	5.45	ļ	15.69			<u> </u>	
1	curity		ı	1	UEPEX, UEPDD	PE1R4	0.0682	12.42	11.90	6.40	5.74	ــــــــــــــــــــــــــــــــــــــ	15.69	L	L	<u> </u>	⊥
- 1°	-	Physical Collocation - Security Escort for Basic Time - normally	,	т—-	1		т —					T					
		scheduled work, per half hour			cro	PE18T		16.96	10.75								l
		Physical Collocation - Security Escort for Overtime - outside of	1	1		_											
		normally scheduled working hours on a scheduled work day, per		1			1			1		İ		ļ	i		
		half hour	<u> </u>		CLO	PE1OT	L i	22.10	13.89			1				ļ <u></u>	
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour		1	CLO	PE1PT		27.23	17.02								
		Physical Collocation - Security Access System, Security System, per Central Office	· · · · ·	1				27.20	17.02							 	
+		Physical Collocation -Security Access System - New Card	-	·	CLO	PE1AX	74 72			ļ				\			
		Activation, per Card Activation (First), per State	1		CLO	PE1A1	0.0601	27.85							ļ		i
		recevation, per data retivation (i way, per diata	+-	+-		TEIG!	0.0001	27.03				 	1	 	 		+
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81									
		Physical Collocation - Security Access System - Replace Lost or	1									T					T
		Stolen Card, per Card			CLO	PE1AR		22.83									
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13				Ι			l		
1		Physical Collocation - Security Access - Key, Replace Lost or				1						1					1
<u> </u>		Stolen Key, per Key	<u> </u>		cro	PE1AL		13.13	L	<u></u>			L	<u> </u>	L	J	1
CI	FA	Physical Collocation - CFA Information Resend Request, per	т	T	Τ	 _	· · · · · · · · · · · · · · · · · · ·		1	T		1	I	T	Γ	1	T
		premises, per arrangement, per request			CLO	PE1C9	1	77.71	L		l	<u></u>	1	l	L	1	
C	able F	lecords - Note: The rates in the First & Additional columns will a	actually	be bille		ubsequent S'	respectively						,		,	- 	·
		Physical Collocation - Cable Records, per request	-		CLO	PEICR	-	760.98	S 489.20	133.29			<u> </u>			 	+
		Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			сго	PE1CD		327.65		189.54		<u> </u>				ļ	
		Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82		5.91					L		
		Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.26		2.77			T			I	
		Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.90		9.68							
		Physical Collocation - Cable Records, Fiber Cable, per cable			1.					1	1]					_
		record (maximum 99 records)	_	—	CLO	PE1CB		84.68	ļ	77.30	ļ	 		 		 	4
-		Physical Collocation. Cable Records, CAT5/RJ45			CLO	PE1C5	1	2.26	L	2.77	L		1		L	ــــــــــــــــــــــــــــــــــــــ	<u> </u>
V	irtual 1	to Physical			,							·			r		
		Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE18V		33.00			L	L					<u> </u>
		Physical Collocation - Virtual to Physical Collocation Relocation,		T	GI O	05400		20.00				T					
-		per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	†	+	CLO	PE1BO		33.00	 			 	 	 	†	 	1
		per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	 	+	CLO	PE1B1		52.00		ļ		 	ļ	<u> </u>		 	-
		per DS3 Circuit	1	1	CLO	PE183	1	52.00	1	1	ì	1	1	1	1	1	1

	ION - South Carolina	,	,										Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
					<u> </u>	Bas	Nonre	curring	Nonrecurring	Disconnect		·	OSS	Rates(\$)		
						Rec	First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		22.43									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit		<u></u>	CLO	PE1BP		22.43									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit	ļ	L	сго	PE1BS		32.61									
Ester	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			сго	PEIBE		32.61						L			
Entrai	Physical Collocation - Fiber Cable Installation, Pricing, non-	, 														
	recurring charge, per Entrance Cable	<u> </u>	<u> </u>	CLO	PE18D		794.22		22.54							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable	1	<u> </u>	CLO	PE1PM	21.33										
UDTUAL CO.	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	<u> </u>		cro	PE1ED		3.87									
IA TUAL COL	LOCATION	1		L	1					L	1					
Applic	Virtual Collocation - Application Fee	т	Т	AMTES	EAF		1,207.95					····				
- -	Virtual Collocation - Co-Carner Cross Connects/Direct Connect,	+	+-	AWITE	CAF	 	1,207.95		0.51	 	+			 		
ļ	Application Fee, per application			AMTFS	VE1CA	1	584.42	ł	i				Ì			
	Virtual Collocation Administrative Only - Application Fee	+	+-	AMTES	VEIAF	+	743.66				 	 	 -	 	 	ļ
Space	Preparation	٠	1	(Alviii G	IVEINE		143.00	1	1	L	┸	1	L		L	L
1-5:30	Virtual Collocation - Floor Space, per sq. ft	Τ	T	AMTES	ESPVX	3.95			T		T		т	T		
Powe	r				[=0: +^	1 3.93		·	L	1	ــــــــــــــــــــــــــــــــــــــ	1	<u> </u>	ــــــــــــــــــــــــــــــــــــــ		
	Virtual Collocation - Power, per fused amp	Т	T	AMTES	ESPAX	9.19		I	T	T	Т	Г	1		1	Γ
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)	·	· · · · · · · · · · · · · · · · · · ·	1-0	5.13		·	L	<u> </u>	1		·L	·		L
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.0317	12.32	11.83	6.04	5.45	;					
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX,	WE104	0 0634	12.42		6.40	5.74						
	Tribal College of Tribal College College of Tribal College	-							0.40	3,7						
	Virtual collocation - Special Access & UNE cross-connect per DS	1		UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL. UEPEX, UEPDX	UEAC4			11.90	6.42	5.80						
	Virtual collocation - Special Access & UNE cross-connect per DS	1		ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLE, UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3, UXC3X, UNCSX, ULDD3, U1TS1, ULDD3, U1TS1, UULDS1, UDLSX,	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation · Special Access & UNE, cross-connect per DS3	11		ULR, UXTD1, UNG1X, ULDD1, U1TD1, USLEL, UNLD1, USLE, UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTO3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,	CNC1X CND3X	1.12	22.08 20.94	15.96 15.23	7 39	5.93	3					
	Virtual collocation - Special Access & UNE, cross-connect per	1		ULR_UXTD1, UNCUX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USL UEPEX, UEPDX USL. UES, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, UTS1, UNLD3, XDEST UNL174, UDL03, U1T48, UT12,	CNC1X CND3X	1.12	22.08	15.96 15.23		5.93	3					
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects	1		ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UES, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, UNC5X, UNCD3, U1TS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULT48, UD112, UDL03, ULT48, UTT12, U1TO3, ULDO3, U1T48, UTT12, U1TO3, ULDO3, ULT48, UTT12, U1TO3, ULDO3, ULDO3, ULT48, UTT12, U1TO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UTT48, ULT053, ULDO3,	CNC1X CND3X F CNC2F	1.12	22.08 20.94	15.96 15.23	7 39	5.90	3					
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect	1		ULR_UXTD1, UNG1X, ULDD1, UNG1X, ULDD1, UNTD1, USLEL. UNLD1, USLE. USLEDES, UFPDX USC. UES, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, UTS1, ULD12, ULD48, UTS1, UD12, ULD48, UD12, UTT03, ULD03, ULT48, UTS12, UTT03, ULD03, ULT12, ULD48, UD12, UTT03, ULD03, ULD12, ULD48, UD12, UTT03, ULD03, ULD12, ULD48, UD12, UTT03, ULD03, ULD12, ULD48, UD12, UTD12, ULD48, UD12, UTD12, ULD48, UD12, ULD12, ULD48, UD13, ULD12, ULD48, UD	CNC1X CND3X F CNC2F	1.12 14.21 2.86	22.08 20.94 20.94	15.96 15.23	7 39	5.90	3					
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable	1		ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UES, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, UNC5X, UNCD3, U1TS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, UTS1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULT48, UD112, UDL03, ULT48, UTT12, U1TO3, ULDO3, U1T48, UTT12, U1TO3, ULDO3, ULT48, UTT12, U1TO3, ULDO3, ULDO3, ULT48, UTT12, U1TO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, ULDO3, UTT48, ULT053, ULDO3,	CNC1X CND3X F CNC2F	14.21	22.08 20.94 20.94	15.96 15.23	7 39	5.90	3					
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect			ULR_UXTD1, UNC1X, ULDD1, U1TD1, USLEL. UNLD1, USLEL. UNLD1, USLEL. UNLD1, USLEVEPEX, USPPX USL UE3, U1TD3, UXTS1, UXTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, U1T03, ULD04, UD14, UD12, ULD48, UD14, UD12, ULD48, UD14, AMTFS AMTFS	CNC1X CND3X F CNC2F	1.12 14.21 2.86	22.08 20.94 20.94	15.96 15.23	7 39	5.90	3					
	Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per Inear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -	1		ULR_UXTD1, UNC1X, ULDD1, UNC1X, ULDD1, UNTD1, USLEL. UNLD1, USLEL. UNLD1, USER, USEPEX, USEPDX USL UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, UNLD3, UNCSX, UNLD3, UNCSX, UNLD3, UDLSY, UNLD3, ULDSY, UNLD3, ULDSY, UNLD3, ULDSY, UNLD3, ULDSY, UNTO3, ULDO3, U1T03, ULD03, U1T04, ULD48, UD1 UDL12, UDL03, U1T03, ULD48, UD1 AMTFS	CNC1X CND3X F CNC2F F CNC4F VE1CB	1.12 14.21 2.86 5.71	22.08 20.94 20.94	15.96 15.23 15.23	7 39	5.90						

, JELU	CATION - South Carolina											_	Att: 4 Exh: B			
ATEGOR	Y RATE ELEMENTS	Interior	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge • Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
-		╁	┼			Rec	Nonrec First	Add'I	Nonrecurring		60150			Rates(\$)		
CF.	'A			L		L	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - CFA Information Resend Request, per	T									T		r			·
	Premises, per Arrangement, per request		1	AMTFS	VE1OR	1 1	77.71						Ì			
Ca	ble Records - Note: The rates in the First & Additional columns will	ectually	be bille	d as "Initial I" & "Su	bsequent S" re	enectively	77.71		ــــــــــــــــــــــــــــــــــــــ			┕	L	L	L	l
	Virtual Collocation Cable Records - per request	T T	1	AMTES	VE1BA	Spectively	760.98	S 489.20	133.29				,			
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1	 			 	700.30	3 403.20	133.29				 			
1	record	1		AMTFS	VE1BB		327.65		189.54					1		
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		 			· · · · · · · · · · · · · · · · · · ·	327.03		185.54				 			
	pair		1	AMTES	VE1BC		4.82		5.91				İ			
	Virtual Collocation Cable Records - DS1, per T1TIE		_	AMTES	VE1BD	 	2.26		2.77		+		 			
	Virtual Collocation Cable Records - DS3, per T3TIE	1	 	AMTES	VÉ1BE	 	7 90		9.68				 			
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		1—		1	 	- 30		3.00				 			
}	records			AMTES	VE1BF		84.68		77.30		1				l	
	Virtual Collocation Cable Records - CAT 5/RJ45	T	 -	AMTES	VE185	 	2.26		2.77		+		ļ		 	
Se	curity			· ·····	1.0.00	·	2.26		2.11		- 	 -	1	l	L	L
	Virtual collocation - Security escort, basic time, normally scheduled	3	т—	T							1	r	1			
	work hours	1	1	AMTES	SPTBX		16 96	10.75			1	l	1]	1
\neg	Virtual collocation - Security escort, overtime, outside of normally	†	+-	 	31,104	 	10 96	10.75	 		+	 	ļ		 	+
	scheduled work hours on a normal working day	1	1	AMTES	SPTOX		22 10	13.89			1	!	1]	1
	Virtual collocation - Security escort, premium time, outside of a	+	+	AMITIS	GF TOX	 	22 10	13.89					ļ			ļ
ļ	scheduled work day	l	1	AMTES	SPTPX	l l	87.00	47.00	Į.	l		l .	1	Į.	ļ.	l .
Ma	sintenance		٠	IAMITES	ISPIPA	ا. ــــا	27.23	17.02	L	L	J	L	L	i	L	L
Ind	Virtual collocation - Maintenance in CO - Basic, per half hour	_	$\overline{}$	AMTES	CTRLX		07.00	10.75						r		
-	Virtual colocation - Wallitenance in CO - Basic, per half hour	+	+	AMIFS	CIHLX		27.99	10.75						ļ <u> </u>		
	Vistoria sollocotica. Adeistanas in CO. Occasion and the last	1		AMTES	007011											
	Virtual collocation - Maintenance in CO - Overtime, per half hour		+	AMTES	SPTOM	ļ	36.56	13 89					ļ			
	Vistorio elle estima del como con in CO. Donni de la Mini-	1	1	AMTES					ł				1			
-	Virtual collocation - Maintenance in CO - Premium per half hour		ᆚ	AMIES	SPTPM	L	45 12	17.02	l	L		<u> </u>	<u> </u>	L		
En	strance Cable			TTTT	F-222	,										
-	Virtual Collocation - Cable Installation Charge, per cable	 	+	AMTFS	ESPCX		794.22		22.54			<u> </u>				
(1000	Virtual Collocation - Cable Support Structure, per cable	+	┼—	AMTFS	ESPSX	18.66						<u> </u>	ļ	ļ		<u> </u>
	TION IN THE REMOTE SITE		ــــــــــــــــــــــــــــــــــــــ	L		اــــــا		L	L	l		<u> </u>	J	L	l	Щ.,
Ph	nysical Remote Site Collocation	,	_	10.000		· · · · · · · · · · · · · · · · · · ·		,	·	,			·		,	
	Physical Collocation in the Remote Site - Application Fee	+	 -	CLORS	PE1RA		308.38		168.60			 	ļ			
	Cabinet Space in the Remote Site per Bay/ Rack		┼	CLORS	PE1RB	246.44							_		L	ļ
		ł	1		I									Ī		ĺ
	Physical Collocation in the Remote Site - Security Access - Key		↓	CLORS	PE1RD		13.13		ļ				L	ļ		——
	Physical Collocation in the Remote Site - Space Availability Report	n	1									1		<u>t</u>	l	i
	per Premises Requested		┺	CLORS	PE1SR	L	116.13			<u> </u>		1	<u> </u>	!	1	<u> </u>
	Physical Collocation in the Remote Site - Remote Site CLLI Code	١	i					!	İ	i	1	}		1	į.	
	Request, per CLLI Code Requested			CLORS	PEIRE		37.64					L	L			
	Remote Site OLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRA		234.50	L					<u> </u>			
- 1	Physical Collocation - Security Escort for Basic Time - normally		1						1	1	1	1		1		1
	scheduled work, per half hour			CLORS	PE1BT	<u> </u>	16 96	10.75	L	L			L	L		
T	Physical Collocation - Security Escort for Overtime - outside of		1		1			1	1		1					1
1	normally scheduled working hours on a scheduled work day, per	1	1	1		j		l	1	I	1	1	!	1		1
L	half hour			CLORS	PE1OT		22.10	13.89				L	L	L	L	
	Physical Collocation - Security Escort for Premium Time - outside	. }	1							1			T	1		1
	of scheduled work day, per half hour		L	CLORS	PE1PT		27.23	17.02			1	L	1		<u> </u>	Ш
Ad	ljacent Remote Site Collocation						755.62	755.62	T			T	T			
Ad	Jacent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee	т	T	CLORS	PEIRU	1 1							1	· · · · · · · · · · · · · · · · · · ·		1
Ad	djacent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee	-	-	CLORS	PEIRU	 	733.02								1	1
Ad	Remote Site-Adjacent Collocation-Application Fee	}	-		PE1RU PE1RT	0.134	735.62								1	
Ad				CLORS		0.134	733.02				 	ļ	 	 		
Ad	Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot					0.134	733.02				 	<u> </u>	<u> </u>			
	Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp	ssary for	adjace	CLORS	PE1RT PE1RS	6.27		ates.								
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or Add/1 Engineering Fees become neces	ssary for	adjace	CLORS	PE1RT PE1RS	6.27		ates.								
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or Add'l Engineering Fees become necestual Remote Site Collocation	ssary for	adjace	CLORS CLORS	PE1RT PE1RS pcation, the Par	6.27	e appropriate r	ates.	337.19							
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or Add/1 Engineering Fees become neces	ssary for	adjace	CLORS	PE1RT PE1RS	6.27		ates.	337.19							
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or Add/1 Engineering Fees become necestrual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee	ssary for	adjace	CLORS CLORS Int remote site colle	PE1RT PE1RS cation, the Par	6.27 ties will negotist	e appropriate r	ates.	337.19							
NC	Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or Add'l Engineering Fees become neces rtual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space	ssary for	adjace	CLORS CLORS	PE1RT PE1RS pcation, the Par	6.27	e appropriate r	ates.	337.19							
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or AddT Engineering Fees become necestrual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	ssary for	adjace	CLORS CLORS ont remote site collections VE1RS VE1RS	PE1RT PE1RS coation, the Par VE1RB VE1RC	6.27 ties will negotist	e appropriate r 616 76	ates.	337.19							
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp DTE: If Security Escort and/or AddT Engineering Fees become necestrual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested	ssary for	adjace	CLORS CLORS Int remote site colle	PE1RT PE1RS cation, the Par	6.27 ties will negotist	e appropriate r	ates.	337.19							
NC	Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp OTE: If Security Escort and/or AddT Engineering Fees become necestrual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	ssary for	adjace	CLORS CLORS ont remote site collections VE1RS VE1RS	PE1RT PE1RS coation, the Par VE1RB VE1RC	6.27 ties will negotist	e appropriate r 616 76	ates.	337.19							

COLLOCAT	ION - South Carolina												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				I		Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.	1		CLOAC	PE1JA	0.0939					T .					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL.UEQ,UEA.U CL. UAL, UHL, UDN		0.0264	12.32	11.83	6.04	5.45						_
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1JF	0.0527	12.42	11.90	6.40	5.74		1				
	Adjacent Collocation - DS1 Cross-Connects	1		USL	PE1JG	1.03	22.08	15 96	6.42	5.80	1					
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93		1				1
	Adjacent Collocation - 2-Fiber Cross-Connect		1	CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect	1.		CLOAC	PE1JK	4 53	25.61	19 90	9.73	8.26	1				_	
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20						· · · · ·			
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	39.33										

	OCAI	ION - Tennessee												Att: 4 Exh: B			
CATEGORY		RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
	├─-			1			Rec	Nonrecurring		Nonrecurrin	g Disconnect	1		OSS	Rates(S)	l	L
			 	+		 		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSI	CAL CO	LLOCATION	 	++		 			<u> </u>	<u> </u>							
	Applica	ation				<u> </u>	l	Ļ	L	.L		<u> </u>					
_		Physical Collocation - Initial Application Fee	Υ	T	CLO	PE1BA		1,285.98		т	_T	·	,				
		Physical Collocation - Subsequent Application Fee	 		CLO	PE1CA		1,085.48		ļ			ļ				
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect.		1-1	- Caro	I LIOA		1,085.48		-	+	-	ļ				
	<u> </u>	Application Fee, per application	ł		CLO	PE1DT	ľ	585.09									
	1	Physical Collocation - Power Reconfiguration Only, Application	1	1				363.03		 	 			<u> </u>	ļ <u>.</u>		
	 	Fee	i		CLO	PE1PR		400.10					1	1		i	ŀ
	 	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25		 	 	+	 	ļ	ļ		
	Space	Preparation					·				 -		 _	L	<u> </u>	L	L
	 	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.94			T		7	γ			г	
	i	Physical Collocation - Space Enclosure, welded wire, first 50							<u> </u>			+	 	···-			
		square feet	L		CLO	PE1BX	197.09							l		İ	İ
		Physical Collocation - Space enclosure, welded wire, first 100		1 1							+		 				
	 	square feet			CLO	PE18W	218.53			1	1			i		1	İ
		Physical Collocation - Space enclosure, welded wire, each	1										 	 -	 		
		additional 50 square feet	!		CLO	PE1CW	21,44						ļ	i			l
	1	Physical Collocation - Space Preparation - C.O. Modification per								f			 		 		
	 	square ft.		1	CLO	PE1SK	2.74					1					l
		Physical Collocation - Space Preparation, Common Systems	1	1 1						1	1	1	1	· · · · · · · · · · · · · · · · · · ·	 		
	+	Modifications-Cageless, per square foot	1	-	CLO	PE1\$L	2.95			ļ	1			1			1
	ľ	Physical Collocation - Space Preparation - Common Systems	1			İ										<u> </u>	
	 	Modifications-Caged, per cage	 	4	CLO	PE1SM	100.14					1	١		}		İ
		0.00	1	1 1						1				i			
	+	Physical Collocation - Space Preparation - Firm Order Processing	<u> </u>		CLO	PE1SJ		1,204.00		L		1	1		l	1	l
		Physical Collocation - Space Availability Report, per Central Office Requested	1 .				į l								1	l	j
	Power		<u> </u>		CLO	PE1SR	L	2.027.00	l	l						1	1
	TOWE	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	1	Requested	1		CLO	DE 401					1						1
	 	Physical Collocation - Power, 120V AC Power, Single Phase, per	 	+	CLO	PE1PL	8.87			ļ		ļ	L		L		L
		Breaker Amp	i		CLO	PE1FB					1		ł		1	Į.	İ
	+	Physical Collocation - Power, 240V AC Power, Single Phase, per	├		CLO	PEIFB	5.60										<u> </u>
	1	Breaker Amp		1 1	CLO	PE1FD	11.22										İ
		Physical Collocation - Power, 120V AC Power, Three Phase, per		+	CLO	FEIFU	11.22										ļ
	ļ	Breaker Amp	i		CLO	PE1FE	16.82			1]			1	ĺ
		Physical Collocation - Power, 277V AC Power, Three Phase, per	 	+	000	I'CITE	10.02			 	_			.	ļ		
		Breaker Amp		1 1	CLO	PE1FG	38.84				1		ł			}	ĺ
	Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)	٠	000	J. C.I. G	30.04			····	٠		ــــــــــــــــــــــــــــــــــــــ	l	J		<u> </u>
			Τ,		UEANLUEQ.	T				T		т					
	İ				UNCNX, UEA, UCL,	İ										i	ĺ
	ł	1			UAL. UHL. UDN.	1					1		ł	1		!	İ
		Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.033	33.82	31.92		1					1	İ
	T	1			UEA, UHL, UNCVX,		0.000	03.02	51.52	 	 	+	 	 			
		Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL		0.066	33.94	31.95	1							l
			†	1 1	WDS1L, WDS1S.		0.000	55.54	31.30	·	+	+	 				
	1				UXTD1, ULDD1,					ŀ		1		}			1
					USLEL, UNLD1,							f					l
					U1TD1, UNC1X,					Ì	1	1					l
			1		UEPSR, UEPSB,						1	1	i		l		1
	1		1		UEPSE, UEPSP,							1			Ī		1
	1	Physical Collocation -DS1 Cross-Connect for Physical		1 1	USL, UEPEX.				ľ		1	1		!	1		1
	L	Collocation, provisioning			UEPDX	PE1P1	1.51	53.27	40.16								1
					UE3, U1TD3,					1	T	1	· · · · ·				
			ł		UXTD3, UXTS1,												1
			1		UNC3X, UNCSX,					1	1	1			[1
			ł	1 1	ULDD3, U1TS1,					1		1			1		1
	1		1		ULDS1, UNLD3,						İ	1			1		1
	l				UEPEX, UEPDX,		[1			l		1
					UEPSR, UEPSB,	ŧ i				1		1	l .		l		ĺ
	<u> </u>	Physical Collocation - DS3 Cross-Connect, provisioning		l	UEPSE, UEPSP	PE1P3	19.26	52.37	38.89	1		1			I		1

COLLOCAT	ION - Tennessee												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Svi Order vs. Electronic Disc Add'i
		├ ──	+	 	 	Rec	Nonrecurring		Nonrecurring				oss	Rates(\$)		
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Filber Cross-Connect	ļ		U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	15.64	41.56	29.82	12.96	10.34	ļ		2.69	2.69	1.56	1.5
				ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	<u> </u>		UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.5
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect Fiber Cable Support Structure, per linear foot, per cable			сго	PE1ES	0.0013										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0019				 						
	Physical Collocation 2-Wire Cross Connect. Port			UEPSE, UEPSB. UEPSX, UEP2C	PE1R2	0.033		31.92					20.35	10.54	13.32	1.4
Securi	Physical Collocation 4-Wire Cross Connect, Port		١	UEPEX, UEPDD	PE1R4	0.066	33.94	31.95	L	L	L		20.35	10.54	13.32	1.4
Secur	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour	T	T	CLO	PE1BT		33.91	21.49		<u> </u>			T			1
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per															
	half hour Physical Collocation - Security Escort for Premium Time - outside	├		CLO	PE1OT		44.17	27.76				ļ	 			
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System	-	-	CLO	PE1PT		54.42	34.02	ļ			-				
	per Central Office	 -	↓	cro	PE1AX	55.99			<u> </u>				L	ļ		
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	ļ		cro	PE1A1	0.059	55 67	······································			ļ					
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA		15.61							<u></u>		<u> </u>
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card		j	CLO	PE1AR		45.64									İ
	Physical Collocation - Security Access - Initial Key, per Key		+	CLO	PE1AK		26.24		 	 	 	 			 	<u> </u>
	Physical Collocation - Security Access - Key, Replace Lost or		T						T							
CFA	Stolen Key, per Key	ــــــــــــــــــــــــــــــــــــــ		cro	PE1AL	<u> </u>	26.24		L	L	L	Ш	<u> </u>	L		
Cable	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Records			CLO	PE1C9		77.67									
Cable	Physical Collocation - Cable Records, per request	T	\top	CLO	PE1CR	T	1,711.00	Γ	T	1	Τ	T	T	T	T	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			cro	PE1CD		925.06									
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE	ļ	_	CLO	PE1CO PE1C1		18.05 8.45						<u> </u>			ļ
-	Physical Collocation, Cable Records, DS1, per T1 TE	+-	 	Cro	PE1C3		29.57	 	 	 	 	t —	 	 	<u> </u>	
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			cro	PE1CB		279.42									
Vii.	Physical Collocation, Cable Records.CAT5 RJ45	1	<u> </u>	Cro	PE1C5	Ш	8 45	<u> </u>		<u> </u>	<u> </u>	Ц	1	<u> </u>		1
Virtua	I to Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit		I	CLO	PE1BV_	<u> </u>	33 00			<u> </u>	T		T			
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation.	-		СГО	PE1B1	-	52.00		ļ		<u> </u>			<u> </u>		
1	per DS3 Circuit	1		CLO	PE1B3		52.00		1	1	1		1			İ

	ION - Tennessee												Att: 4 Exh; B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc	Charge -
									N	Di-	percan	perLSR	Electronic- 1st	Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'i
		 -	 		 -	Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		21.11		7.1131			COMMIT	JOHNAN	- SOME	JUNIAN	JOHAN
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per	<u> </u>		CLO	PE1BP		21.11									
	DS1 Circuit	<u> </u>]	CLO	PE1BS	Ì	30.69				1	1		ļ		
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		30.69									
Entran	Telegraph Collegation Siber Coble Sancot Structure Service	,							,							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable Physical Collocation - Fiber Entrance Cable per Cable (CO)	<u> </u>	<u> </u>	cro	PE1PM	19.80										
	manhole to vault splice)	 	 	CLO	PE1EC	ļ	1,071.00		43.10			ļ	ļ		ļ <u>. </u>	
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	1	<u> </u>	CLO	PE1ED		7.29								<u> </u>	
IRTUAL COL		⊥	<u> </u>	L		I			L		L		I			
Applic	Virtual Collocation - Application Fee	T		AMTFS	TEAF		2,633.00	·			г		2.07	2.81	0.67	1.4
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	T	1				2,033.00		 		 		2.07	2.81	0.07	1.4
	Application Fee, per application	-	↓	AMTES	VE1CA		585.09		ļ <u>-</u>		ļ		ļ	L	L	ļ
Spece	Virtual Collocation Administrative Only - Application Fee	1	Ц	AMTES	VE1AF		743 25		<u> </u>	L	L	L	L	L	L	L
	Virtual Collocation - Floor Space, per sq. ft.		1	AMTES	ESPVX	3.91			I		L			L		
Powe				AMTES	I=aa									·-		
Cross	Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and Po	-tel	ــــــــــــــــــــــــــــــــــــــ	IAMIFS	ESPAX	6.79	J		L	L	<u> </u>	<u> </u>	<u> </u>		ــــــــــــــــــــــــــــــــــــــ	·
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN. UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.4
	1			JUEA, UHL, UCL.	1	i	1		1	l .	1	1				i
		1	1	UEA, UHL, UCL, UDL, UNÇVX,						ļ						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning		-	UDL, UNCVX. UNCDX ULR, UXTD1,	UEAC4	0.57	11.81	10.04	10.44	8.67	,		2.07	2.81	0.67	1,
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1			UDL, UNCVX. UNCDX ULR, UXTD1, UNC1X, ULDD1. U1TD1, USLEL, UNLD1, USL. UEPEX, UEPDX	UEAC4	0.57		10.04 17.76					2.07		0.67	
	Virtual collocation - Special Access & UNE, cross-connect per			UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL.					10.46	8.75	;		2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per	3		UDL, UNCVX, UNCDX UIR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1,			32.22		10.46	8.75	;			2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS3	3		UDL, UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPDX USL, UE, UXTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULD3, UTTS1, ULDS1, UDLSX, UNLD3, UTTS1, ULDS1, UDLS3, UTTS1, ULDS1, UDLS3, UTTS1, UTTS1, UTTS1, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, UL	CNC1X CND3X	1.32	32 22 29 97	17.76 16.30	10.46	8.76	,		2.07	2.81	0.67	1,4
	Virtual collocation - Special Access & UNE, cross-connect per DS1	3		UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS, UDLSX, UNLD3, XDEST UDL12, UDLO3, UT148, U1T12,	CNC1X CND3X	1.32	32 22 29 97	17.76	10.46	8.76	,		2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS3	3		UDL, UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPDX USL, UE, UXTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULD3, UTTS1, ULDS1, UDLSX, UNLD3, UTTS1, ULDS1, UDLS3, UTTS1, ULDS1, UDLS3, UTTS1, UTTS1, UTTS1, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, ULDS3, UTTS1, ULDS3, UL	CNC1X CND3X	1.32	32 22 29 97	17.76 16.30	10.46	8.75			2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS3	3		UDL, UNCVX, UNCDX, UNCDX ULD, UNCDX ULD, UNCDX, ULDD1, UNCI, UNTO1, USLE, UNLD1, USLE, UNCOX,	CNC1X CND3X F CNC2F	1.32	32 22 29 97 41 56	17.76 16.30	10.46 12.03 12.96	8.75 8.91			2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS2 Virtual Collocation - 2-Fiber Cross Connects	3		UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, UTD1, USLE, UNLD1, USL, UEPDX USL, USL, UTD3, UTD3, UTS1, ULD3, UTD3, ULD3, ULD3, UTD4, UD12, UD12, UD13, ULD3, UTD12, ULD3, UTD12, ULD3, UTD12, ULD3, UTD12, ULD3, UTD12, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD48, UD UDL12, ULD48, UD UDL12, ULD48, UD UDL12, ULD48, UD UDL12, ULD48, UD UDL12, ULD49, UD148, UTD148, UTD15, ULD03,	CNC1X CND3X F CNC2F	12.32	32 22 29 97 41 56 50 53	17.76 16.30 29.82	10.46 12.03 12.96	8.75			2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS2 Virtual Collocation - 2-Filber Cross Connects Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Filber Cable Support Structure, per knear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Connects Connects Connects Connects Connects Connect - Connects Connects Connects Connect - Connects Connects Connects Connect - Connects Connects Connects Connect - Connects Connects Connect - Connects Connects Connect - Connects Connects Connects Connect - Connects Connect - Connect - Connects Connec	33		UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULD1, UXTD1, USLEL, UNLD1, USLEL, UNLD1, USLEDX USL, USL, USL, USTD3, UNTD3, UNC3X, UNCSX, UNCSX, UND3, VD151, ULD3, UND15, UDL12, UDL03, UT148, UT112, UT103, ULD03, ULD12, ULD48, UD	CNC1X CND3X F CNC2F	12.32	32 22 29 97 41 56 50 53	17.76 16.30 29.82	10.46 12.03 12.96	8.75			2.07	2.81	0.67	1.
	Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Acess & UNE, cross-connect per DS2 Virtual Collocation - 2-Filber Cross Connects Virtual Collocation - 4-Filber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Filber Cable Support Structure, per linear foot, per cable	3 3		UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEDX USL, USL, USL, USTD3, UNC3X, UNCSX, UNCSX, ULD3, ULD3, VDL03, UDS, USL, USL, USLD3, UT54, ULD51, UDL03, ULD12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UDL12, ULD48, UD	CNC1X CND3X F CNC2F F CNC4F VE1CB	1.32 12.32 3.03 6.06	32.22 29.97 41.56	17.76 16.30 29.82	12.03 12.96	8.99 10.3-	1		2.07	2.81	0.67	1.4

	ION - Tennessee												Att: 4 Exh: B			
TEGORY	RATE ELEMENTS	Interim	n Zone	BCS	USOC				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.			
			ļ.,_			Rec	Nonrecurring			g Disconnect			oss	Rates(\$)	L	·
CFA	<u> </u>	L	<u> </u>	<u> </u>			First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
W1.71	Virtual Collocation - CFA Information Resend Request, per		$\overline{}$													
	Premises, per Arrangement, per request	1		AMTFS	VETOR		77.67			1					ļ	1
Cable	Records				11273		77.07				1	L			L	l
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,711.00			Τ	T					Γ
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		1								<u> </u>	l				
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100			AMTFS	VE1BB		925.06				<u> </u>					
	pair		1	AMTFS	VE1BC											
	Virtual Collocation Cable Records - DS1, per T1TIE		 	AMTES	VE1BD		18.05 8.45			 	ļ	ļ			ļ	
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.57			 						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber								-	-	 					
	records Virtual Collocation Cable Records - CAT 5/RJ45	ļ	<u> </u>	AMTES	VE1BF		279.42					L				
Securi	Tympai concedium cable necords - CA 1 5/HJ45	Щ.	1	AMTFS	VE1B5	L	8.45				L					
30000	Virtual collocation - Security escort, basic time, normally scheduled	_	Т	r			r			7					· · · · · · · · · · · · · · · · · · ·	
	work hours		1	AMTFS	SPTBX		33.15	20 44		1	1	1	2.07	0.01		l .
	Virtual collocation - Security escort, overtime, outside of normally		—	1		-	33.13	20 44		+	 		2.07	2.81	0.67	1
	scheduled work hours on a normal working day		<u> </u>	AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	١ ،
l	Virtual collocation - Security escort, premium time, outside of a										1	·			0.07	
Majata	scheduled work day	l	<u>L</u>	AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67] 1
Iwairite	Virtual collocation - Maintenance in CO - Basic, per half hour		1	AMTES	lorn, v				,							
	Virtual Collocation - Maintenance In Co - Basic, per half hour			AMIFS	CTRLX		30.64						2.07	2.81	0.67	
	Virtual collocation - Maintenance in CO - Overtime, per half hour	ļ <u>.</u>		AMTES	SPTOM		35.77						2.07	2.81	0.67	1
	Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTES	SPTPM		40.00		Į.		-					1
Entrar	nce Cable	1	٠	JAMIFS.	SPIPM		40.90		I		1		2.07	2.81	0.67	<u> </u>
	Virtual Collocation - Cable Installation Charge, per cable	Ι	T	AMTES	ESPCX		1,749.00		1	T	1	T	2.07	2.81	0.67	T 1
	Virtual Collocation - Cable Support Structure, per cable		1.	AMTES	ESPSX	17.87				· · · · · · · · · · · · · · · · · · ·		 	2.07	2.0,	0.07	
	N IN THE REMOTE SITE	L										L				T
Physi	cal Remote Site Collocation			107.000										,		
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack	 	 	CLORS	PE1RA PE1RB	220.41	580.20		312.7			ļ			ļ	ļ
	Cabinet Opace in the Hemole Site per Day) Hack	 	+	CLONS	PEIND	220.41	-				 					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PETRD	ŀ	24 69			-						
	Physical Collocation in the Remote Site - Space Availability Report	t	 	† 						1	 	 			 	
	per Premises Requested		1	CLORS	PE1SR		218.49				İ		ļ			
	Physical Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested		+	CLORS	PE1RE		70.81					ļ	ļ		ļ	ļ
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally	 	+	CLORS	PE1RR		234 15			 					ļ	
1	scheduled work, per half hour			CLORS	PE1BT		33.91	21.49					1			
1				1-2-0.10	1. 2.01	L	الد.ون	21.49		+	+	 	 		 	
			T										I	ľ	ı	1
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per			1								1				
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside			1												
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLORS CLORS	PE1OT PE1PT		44.17 54.42	27.76 34.02								
Adjac	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation			CLORS	PE1PT		54.42	34.02								
Adjac	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			1												
Adjac	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation			CLORS	PE1PT	0.134	54.42 755.62	34.02								
Adjac	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS CLORS	PE1PT PE1RU PE1RT		54.42 755.62	34.02								
	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site Collocation - Remote Site Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp	sary for	adiace	CLORS CLORS CLORS	PE1RU PE1RT PE1RS	6.27	54.42 755.62	34.02 755.62								
NOTE	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot	sary for	adjace	CLORS CLORS CLORS	PE1RU PE1RT PE1RS	6.27	54.42 755.62	34.02 755.62								
NOTE	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site Adjacent Colocation - Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Colocation - AC Power, per breaker amp :: # Security Escort and/or Add1 Engineering Fees become neces:	sary for	adjace	CLORS CLORS CLORS	PE1RU PE1RT PE1RS	6.27	54.42 755.62	34.02 755.62	312.7	6						
NOTE	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site Adjacent Colocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp : if Security Escort and/or Add'l Engineering Fees become neces: I Remote Site Collocation - It is security Escort and/or Add'l Engineering Fees become neces: I Remote Site Collocation - It is Remote Site - Application Fee	sary for	adjace	CLORS CLORS CLORS CLORS ref remote site colic	PE1PT PE1RU PE1RT PE1RS peation, the Part VE1RB	6.27 ies will negotia	54.42 755.62 Ite appropriate ra	34.02 755.62	312.70	5						
NOTE	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - RC Power, per breaker amp :: If Security Escort and/or Add'l Engineering Fees become neces: I Remote Site Collocation in the Remote Site - Application Fee	sary for	adjace	CLORS CLORS CLORS CLORS Intermediate collections	PE1PT PE1RU PE1RT PE1RS exation, the Part	6.27	54.42 755.62 Ite appropriate ra	34.02 755.62	312.7	5						
NOTE	Physical Colocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Colocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site Adjacent Colocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp : if Security Escort and/or Add'l Engineering Fees become neces: I Remote Site Collocation - It is security Escort and/or Add'l Engineering Fees become neces: I Remote Site Collocation - It is Remote Site - Application Fee	sary for	adjace	CLORS CLORS CLORS CLORS ref remote site colic	PE1PT PE1RU PE1RT PE1RS peation, the Part VE1RB	6.27 ies will negotia	54.42 755.62 te appropriate rs	34.02 755.62	312.7	5						
NOTE	Physical Colocation - Security Escort for Overtime - outside of normaly scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation - Remote Site - Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp if Security Escort and/or Add't Engineering Fees become neces! Remote Site Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	sary for	adjace	CLORS CLORS CLORS CLORS OLORS Intromote site colle VE1RS	PE1PT PE1RU PE1RT PE1RS PE1RS PCATION, the Part VE1RB	6.27 ies will negotia	54.42 755.62 Ite appropriate ra	34.02 755.62	312.70	5						

COLLOCAT	ION - Tennessee												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			-	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		T					Nonrecurring		Nonrecurring I	Disconnect	1	·	oss	Rates(S)	·	
					·	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656						T				
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		T	CLOAC	PEIJC	5.53							1			
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - 551 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			UEANL.UEQ.UEA.U CL, UAL, UHL, UDN UEA.UHL.UDL.UCL USL UE3 CLOAC CLOAC		0.34 0.33 1.70 19.03 3.49 6.50	11.12 11.30 28.39 26.23 26.23 29.75	10 18 10 31 16.88 15.51 15.51	11.33 11.62 11.65 13.40 13.41 17.60	10.23 10.44 10.54 10.77 10.78			1.77 1.77 1.77 1.77 1.77 1.77	1.77 1.77 1.77 1.77 1.77 1.77	1.12 1.12 1.12 1.12 1.12 1.12	1.12 1.12 1.12 1.12
	Adjacent Collocation - Application Fee		$\overline{}$	CLOAC	PE1JB	- 0.00	2.973.00	- 10,02	0.95				0.00	0.00		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amo			CLOAC	PE1JL PE1JM	5.81										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1JN	17.45										
 	per AC Breaker Amp	ļ	├-	CLOAC	PE1JO	40.30					 	<u> </u>	ļ	ļ <u></u>		
Note:	Rates displaying an "I" in Interim column are interim as a result	of a Com	missio	n order.							1		1		<u> </u>	

Attachment 5

Access to Numbers and Number Portability

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5

Version: 4Q06 Standard ICA

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where dPi is utilizing its own switch, dPi shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- 1.2 Where BellSouth provides resold services to dPi, BellSouth will provide dPi with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. dPi acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. dPi may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to dPi) telephone numbers per rate center if the following conditions are met:
- dPi must: (1) indicate that all of the intermediate numbers currently held by dPi in each rate center where dPi will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where dPi will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by dPi in the rate center where dPi is requesting telephone numbers has reached at least seventy-five percent (75%).
- The above information will be provided by dPi by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where dPi will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by dPi to customers by the total number of intermediate numbers held by dPi in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling dPi's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy dPi's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the

Version: 4Q06 Standard ICA

numbering request is denied by the national administrator) to satisfy dPi's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by dPi for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 dPi agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- dPi acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that dPi cancel all or a portion of its unassigned intermediate numbers. dPi's consent to BellSouth's request shall not be unreasonably withheld.

2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 N-1 Query. The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. Customers of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, customers of each Party may port reserved numbers that the customer has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's customer may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and

Version: 4Q06 Standard ICA

dPi shall permit customers who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the customer.
- 2.11 BellSouth and dPi will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- 2.12 Where dPi utilizes BellSouth's LNP Query Service, BellSouth shall bill and dPi shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, dPi shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on BellSouth's Interconnection Web site under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

Version: 4Q06 Standard ICA

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	3
2.	Access to Operations Support Systems	3
3.	Miscellaneous	8

Version: 4Q06 Standard ICA

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

BellSouth shall provide to dPi nondiscriminatory access to its OSS and the necessary information contained therein in order that dPi can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.

BellSouth shall provide dPi with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of dPi and other CLECs in the aggregate.

2. Access to Operations Support Systems

- 2.1 BellSouth shall provide to dPi nondiscriminatory access to its OSS and the necessary information contained therein in order that dPi can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of dPi to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for dPi's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 dPi agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

2.2 <u>Pre-Ordering</u>

- 2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that dPi can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.2.2 BellSouth shall provide to dPi electronic access to customer service record information in accordance with the applicable performance intervals referenced in

Version: 4Q06 Standard ICA

Attachment 9. If electronic access is not available, BellSouth shall provide to dPi such information within twenty-four (24) hours. dPi shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. dPi shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, dPi shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. dPi shall provide to BellSouth such customer service records within twenty-four (24) hours of a valid request, exclusive of Saturdays, Sundays and holidays.

2.2.3 The Parties agree not to view, copy, or otherwise obtain access to the other Party's customer record information about any of the other Party's customers without that customer's permission. dPi will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit dPi's access to customer record information. If BellSouth has reason to believe, through its audit or by any other means, that dPi is accessing customer record information without having obtained the proper customer authorization, BellSouth upon reasonable notice to dPi may take corrective action, including but not limited to suspending or terminating dPi's access to BellSouth's pre-ordering and ordering OSS, and the provisioning of pending and existing services.

2.3 Ordering

- 2.3.1 BellSouth will make available to dPi electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- dPi shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill dPi an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill dPi a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.
- 2.3.2.1 dPi may submit an LSR to request that a customer's service be temporarily suspended, denied, or restored. Alternatively, dPi may submit a list of such

Version: 4Q06 Standard ICA

customers if dPi provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.

- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 2.3.2.4 BellSouth shall return a Firm Order Confirmation (FOC) or LSR clarification in accordance with the applicable performance intervals referenced in Attachment 9. dPi shall provide to BellSouth a FOC within twenty-four (24) hours of the receipt from BellSouth of a complete and accurate LSR, exclusive of Saturdays, Sundays and holidays. dPi shall provide to BellSouth an LSR clarification within twenty-four (24) hours of the receipt from BellSouth of an incomplete and inaccurate LSR, exclusive of Saturdays, Sundays and holidays.

2.4 <u>Provisioning</u>

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent dPi requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of dPi, BellSouth will not assess dPi additional charges beyond the rates and charges specified in this Agreement.
- 2.4.2 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by dPi (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill dPi for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 <u>Cancellation Charges.</u> If dPi cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess

Version: 4006 Standard ICA

cancellation charges if dPi fails to respond within nine (9) business days to a Missed Appointment order notification.

- 2.4.3.1 Notwithstanding the foregoing, if dPi places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where dPi places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, dPi may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should dPi elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 2.4.4 Service Date Advancement Charges (Expedites). For Service Date Advancement requests by dPi, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges are as set forth in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If dPi modifies an order after being sent a FOC from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by dPi in accordance with Exhibit A of Attachment 2.
- 2.5 Maintenance and Repair
- 2.5.1 BellSouth will make available to dPi electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and dPi agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.
- 2.5.2 If dPi reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge dPi a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth will assess the

Version: 4006 Standard ICA

Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.

- 2.5.2.1 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by dPi (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill dPi for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 If dPi reports a trouble on a resold service and no trouble is found in BellSouth's network, BellSouth will charge dPi a Trouble Determination Charge or a Trouble Location Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth will assess the Trouble Determination Charge or Trouble Location Charge from the applicable BellSouth tariff.
- 2.5.3.1 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by dPi (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill dPi for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the Trouble Determination Charge or Trouble Location Charge from the applicable BellSouth tariff.
- 2.6 <u>Billing.</u> BellSouth will provide dPi nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 <u>Change Management.</u> The Parties agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. The Parties agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to dPi at BellSouth's Interconnection Web site.
- 2.8 Rates. Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means

Version: 4Q06 Standard ICA

other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

3. Miscellaneous

- Pending Orders. To the extent that dPi submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to dPi for clarification. dPi shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If dPi does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and dPi shall be required to submit a new LSR, with a new PON.
- 3.2 Single Point of Contact. dPi will be the single point of contact with BellSouth for ordering activity for network elements and other services used by dPi to provide services to its customers, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected customer, dPi and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of customer authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by dPi to provide service to that customer and may reuse such network elements or facilities to enable such other carrier to provide service to the customer. BellSouth will notify dPi that such a request has been processed but will not be required to notify dPi in advance of such processing.
- 3.2.1 Neither Party shall prevent or delay a customer from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 <u>Use of Facilities.</u> When a customer of dPi elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to dPi, regardless whether those facilities are provided as Network Elements or as part of a resold service, and regardless of whether the end user served with such facilities has paid all charges to dPi or has been denied service for nonpayment or otherwise. BellSouth will notify dPi that such a request has been processed after the disconnect order has been completed.
- 3.3 <u>Contact Numbers.</u> The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services

Version: 4Q06 Standard ICA

shall be staffed twenty-four (24) hours per day, seven (7) days per week. BellSouth will close trouble tickets after making a reasonable effort to contact dPi for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact dPi to request additional information or to request authorization for additional work deemed necessary by BellSouth.

- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining customer billing account and other customer information required under subscription requirements.
- When dPi's customer, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the customer the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to dPi, which has the billing relationship with that customer, and dPi may pass such charge to the customer.

Version: 4Q06 Standard ICA

Attachment 7

Billing

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	9
3.	Non-Intercompany Settlements	10

Version: 4Q06 Standard ICA

BILLING

1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to DPI under this Agreement. BellSouth will use its best efforts to format bills in CABS Billing Output Specification (CBOS) standard format. BellSouth's billing format may change in accordance with applicable industry standards; provided, however, that BellSouth may, in some instances, not apply CBOS standard format for certain types of billing for certain products and services. Billing in a format other than CBOS shall not be the basis of any DPI dispute or withholding of payment.
- 1.1.1 For any service(s) BellSouth receives from DPI, DPI shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of DPI's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill DPI in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual customer account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill DPI, and DPI will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, EUCL charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for DPI as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts and Subsequent State Certifications.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, DPI will provide the appropriate BellSouth Local Contract Manager responsible for new CLEC

Version: 4Q06 Standard ICA

activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide Telecommunications Services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, DPI may not order services under a new account and/or subsequent state certification, established in accordance with this Section until thirty (30) days after all information specified in this Section is received from DPI.

- 1.2.1 ACNAs. DPI shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by DPI to order services pursuant to this Agreement and will not be shared by DPI with another entity.
- 1.2.2 Company Identifiers. If DPI needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when DPI has already been conducting business utilizing those Company Identifiers, DPI shall follow the Mergers and Acquisitions Process as described on BellSouth's Interconnection Web site, and shall be subject to separately negotiated rates, terms and conditions.
- Tax Exemption. It is the responsibility of DPI to provide BellSouth with a 1.2.3 properly completed tax exemption certificate in the current version of the form customarily used by BellSouth and at intervals required by the appropriate taxing authorities or reasonably requested by BellSouth. A tax exemption certificate must be supplied for each individual DPI entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to DPI will not include those taxes or fees from which DPI is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and DPI shall pay all applicable taxes and fees. In the event that DPI believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to DPI its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from DPI and at DPI's sole expense, pursue such refund claim on behalf of DPI, provided that DPI promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim; and, provided further, that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to DPI or to deduct any such outstanding costs and expenses from any amounts owed by BellSouth to DPI if no refund is

Version: 4Q06 Standard ICA

obtained. DPI shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by DPI to its customers.

- 1.3 Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, DPI shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding DPI's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding DPI's credit and financial condition, BellSouth reserves the right to require DPI to provide BellSouth with a suitable form of security deposit for DPI's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or DPI's gross monthly billing has increased by 20%, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in DPI's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an irrevocable letter of credit (BellSouth form), surety bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by DPI and accepted by BellSouth. Any such security deposit shall in no way release DPI from its obligation to make complete and timely payments of its bill(s). If BellSouth requires DPI to provide a security deposit, DPI shall provide such security deposit prior to the inauguration of service or within thirty (30) days of BellSouth's request, as applicable. Security deposit request notices will be sent to DPI via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing for services pursuant to this Agreement. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if DPI has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either DPI or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, DPI and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event DPI fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to DPI may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to DPI's

Version: 4Q06 Standard ICA

final bill for its account(s). If no bill is rendered to DPI, BellSouth shall, nevertheless, apply any security deposit to DPI's outstanding balance.

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by DPI as security under this Agreement, DPI shall renew such letter of credit or provide BellSouth with evidence that DPI has obtained a suitable replacement for the letter of credit. If DPI fails to comply with the foregoing, BellSouth shall thereafter be authorized, in its sole discretion, to draw down the full amount of such letter of credit and utilize the cash proceeds as security for DPI accounts(s). If DPI provides a security deposit or additional security deposit in the form of a surety bond as required herein, DPI shall renew the surety bond or provide BellSouth with evidence that DPI has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If DPI fails to comply with the foregoing, BellSouth shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for DPI's account(s). If the credit rating of any bonding company that has provided DPI with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to DPI that DPI must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If DPI fails to comply with the foregoing, BellSouth shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for DPI's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized, in its sole discretion, to draw down the full amount of any letter of credit or take action on any surety bond provided by DPI as security hereunder if DPI defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein and apply the cash proceeds to any outstanding balance on DPI's accounts and utilize any remaining cash proceeds as security for DPI's account(s).
- Payment Responsibility. Payment of all charges will be the responsibility of DPI. DPI shall pay invoices by **check or by** utilizing wire transfer services or automatic clearing house services. DPI shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between DPI and DPI's customer.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, **not** including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to DPI's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth

Version: 4Q06 Standard ICA

does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth above, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, DPI may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to DPI.</u> The procedures for discontinuing service to DPI are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's customers.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by DPI of the rules and regulations of BellSouth's tariffs.

Version: 4006 Standard ICA

- Suspension. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or **thirty** (30) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to DPI that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance</u>. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to DPI if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.4.1 below.
- 1.5.4.1 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) DPI has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
 - (1) BellSouth has sent the subject bill(s) to DPI within seven (7) business days of the bill date(s), verifiable by records maintained by BellSouth:

Version: 4Q06 Standard ICA

- i. in paper or CDROM form via the United States Postal Service (USPS), or
- ii. in magnetic tape form via overnight delivery, or
- iii. via electronic transmission; or
- (2) BellSouth has sent the subject bill(s) to DPI, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.4.2 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.4.3 DPI is solely responsible for notifying the customer of the Discontinuance of service. If, within seven (7) days after DPI's services have been Discontinued, DPI pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for DPI.
- 1.5.5 <u>Termination.</u> If within seven (7) days after DPI's service has been Discontinued and DPI has failed to pay all past due charges as described above, then DPI's service will be Terminated.

2. Billing Disputes

- 2.1 DPI shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within eight (8) business days of BellSouth's denial, or partial denial, of the billing dispute, if DPI is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by DPI by such sixtieth (60th) day, DPI must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth within twelve (12) months of the submission of such dispute. DPI agrees to not submit billing disputes for amounts billed more than twelve (12) months prior to submission of a billing dispute filed for amounts billed. The billing dispute must be clearly explained by DPI and supported by written documentation, which clearly shows the basis for disputing charges. Disputes that are not clearly explained or those that do not provide complete information may be rejected by

Version: 4Q06 Standard ICA

BellSouth. Claims by DPI for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of DPI, any credits and interest due to DPI as a result therof shall be applied to DPI's account by BellSouth upon resolution of the billing dispute.

3. Non-InterCompany Settlements

- 3.1 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the Centralized Message Distribution System (CMDS) Data Center (Direct Participant) and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center.
- The Non-InterCompany Settlements (NICS) is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- In association with message distribution service, BellSouth will provide DPI with associated intercompany settlements reports as appropriate.
- Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.

3.5 <u>Intercompany Settlements Messages</u>

- 3.5.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by DPI as a facilities based provider of local exchange Telecommunications Services.
- 3.5.2 BellSouth will receive the monthly NICS reports from Telcordia on behalf of DPI and will distribute copies of these reports to DPI on a monthly basis.
- 3.5.3 Through NICS, BellSouth will collect the revenue earned by DPI within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of DPI. BellSouth will remit the revenue billed by DPI within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to DPI via a CABS miscellaneous bill on a monthly basis in arrears.

Version: 4Q06 Standard ICA

3.5.4 BellSouth and DPI agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

Version: 4Q06 Standard ICA

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version: 4Q06 Standard ICA

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 4Q06 Standard ICA

Attachment 9 Service Quality Measurements

Version: 4Q06 Standard ICA

SERVICE QUALITY MEASUREMENTS

Upon a particular Commission's issuance of an order pertaining to Service Quality Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Service Quality Measurements as of the date specified by the Commission. Service Quality Measurements that have been ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

Version: 4Q06 Standard ICA

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENT	<u>S</u>		PAGE
1.0	Purpo	ose		2
2.0	Single Point of Contact			2
3.0	Identifying the Problem			2
	3.1	Site Co		3
	3.2	Enviro	onmental Concerns	4
4.0	The Emergency Control Center (ECC)			4
5.0	Recovery Procedures			5
	5.1 ČLEC Outage			5
	5.2			5
			Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3 Combined Outage (CLEC and BellSouth Equipment)		7	
6.0	T1 Identification Procedures			7
7.0	Acronyms			8

Version: 4Q06 Standard ICA

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available on BellSouth's Interconnection Services Web site. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 4Q06 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 4Q06 Standard ICA

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 4Q06 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 4Q06 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database prior to the emergency.

5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

5.2.3 Loss of a CO with Tandem Functions

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 4Q06 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 4Q06 Standard ICA

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 4Q06 Standard ICA

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on BellSouth's Interconnection Web site by clicking on the link "Relief Information" in the special alert box located on the Web page. Additionally, information concerning Mechanized Disaster Reports can also be found by clicking on the link "Click here for information concerning Disaster Recovery Reports" on the Hurricane Relief page.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 4Q06 Standard ICA

Attachment 11

Bona Fide Request and New Business Request Process

Version: 4Q06 Standard ICA

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. Bona Fide Request

- 1.1 The Parties agree that dPi is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when dPi makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by dPi and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include dPi's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to dPi's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from dPi at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to dPi by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to,

Version: 4Q06 Standard ICA

request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a New Business Request (NBR) or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet dPi's requested date.

1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify dPi within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If dPi accepts the complex request evaluation fee proposed by BellSouth, dPi shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to dPi by providing a preliminary analysis, consistent with Section 1.4 above.

dPi may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If dPi cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs

Version: 4Q06 Standard ICA

included in the fee that have not been incurred as of the date of cancellation.

- dPi will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If dPi fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of dPi's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of dPi's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of dPi's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 dPi shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- Unless dPi agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If dPi believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.
- Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

Version: 4Q06 Standard ICA

- dPi also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by dPi to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by dPi and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to dPi's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from dPi at any time during the processing of the NBR.
- If the preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to dPi by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet dPi's requested date.
- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify dPi

Version: 4Q06 Standard ICA

within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If dPi accepts the complex request evaluation fee amount proposed by BellSouth, dPi shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.

- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to dPi by providing a preliminary analysis of such Requested NBR Services.
- dPi may cancel an NBR at any time. If dPi cancels the request more than ten (10) business days after submitting it, dPi shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 dPi will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If dPi fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- 2.11 BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of dPi's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of dPi's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- dPi shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit dPi's account for the difference.

Version: 4Q06 Standard ICA

2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.

Version: 4Q06 Standard ICA