

00 JAN -3 10 7:59
07073 9-WS

**NOTICE OF APPLICATION FOR TRANSFER
OF WATER AND WASTEWATER SYSTEMS
OF FAIRWAYS/MT. PLYMOUTH, LTD., A
NON-JURISDICTIONAL UTILITY, TO
AQUA UTILITIES FLORIDA, INC. AND FOR
AMENDMENT OF AQUA UTILITIES FLORIDA, INC.'S
WATER AND WASTEWATER CERTIFICATES**

Notice is hereby given on the 2nd day of January, 2008, pursuant to Section 367.071, Florida Statutes, of the Application for Approval of Transfer of the Water and Wastewater Systems of Fairways/Mt. Plymouth, Ltd. in Lake County, Florida to Aqua Utilities Florida, Inc., ("AUF") and Amendment of AUF's Certificate Nos. 106-W and 120-S. AUF does not propose to change rates pursuant to this Application. The Fairways/Mt. Plymouth water and wastewater systems provide service to the following described territory in Lake County, Florida:

LEGAL DESCRIPTION:

FAIRWAYS AT MT. PLYMOUTH, PHASES 1, 2, 3 AND 4, DESCRIBED TOGETHER AS ONE PARCEL:
THAT PART OF SECTION 32, TOWNSHIP 19 SOUTH, RANGE 28 EAST, IN LAKE COUNTY,
FLORIDA, BOUNDED AND DESCRIBED AS FOLLOWS:

BEGIN AT THE SOUTHWEST CORNER OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32, TOWNSHIP 19 SOUTH, RANGE 28 EAST, RUN N.00°40'11"W. ALONG THE WEST LINE OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 332.39 FEET TO A POINT ON THE SOUTH LINE OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.89°51'49"W. ALONG THE SOUTH LINE OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 25.00 FEET; THENCE N.21°20'54"W., 353.98 FEET TO A POINT ON THE WEST LINE OF THE EAST 150 FEET OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32, SAID POINT ALSO BEING ON THE NORTH LINE OF THE SOUTH 330 FEET OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.89°57'19"W. ALONG THE NORTH LINE OF THE SOUTH 330 FEET OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 740.97 FEET, TO A POINT ON THE EAST LINE OF THE WEST 438 FEET OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE N.00°33'20"W. ALONG THE EAST LINE OF THE WEST 438 FEET OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 180.01 FEET TO A POINT ON THE NORTH LINE OF THE SOUTH 510 FEET OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.89°57'19"W. ALONG THE NORTH LINE OF THE SOUTH 510 FEET OF THE NORTH 3/4 OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 413.02 FEET TO THE EAST LINE OF RAINEY ROAD; THENCE N.00°33'20"W. ALONG SAID EAST LINE OF RAINEY ROAD, 485.27 FEET TO A POINT ON THE NORTH LINE OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE N.89°51'44"E. ALONG THE NORTH LINE OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 1,011.26 FEET; THENCE N.00°34'43"W. ALONG THE SOUTHERLY EXTENSION OF THE EAST RIGHT-OF-WAY LINE OF SEAFORTH DRIVE AND ALONG THE EAST RIGHT-OF-WAY LINE OF SEAFORTH DRIVE 823.30 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF ADAIR AVENUE; THENCE N.85°38'22"E. ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF ADAIR AVENUE, A DISTANCE OF 290.68 FEET TO A POINT ON THE WEST LINE OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.00°40'11"E. ALONG THE WEST LINE OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32, A DISTANCE OF 15.29 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE; THENCE N.82°48'24"E. ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE, 255.44 FEET TO THE

DOCUMENT NUMBER - DATE

00045 JAN-3 8

FPSC-COMMISSION CLERK

BEGINNING OF A CURVE CONCAVED NORTHWESTERLY AND HAVING A RADIUS OF 156.72 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE AND SAID SOUTHERLY AND SOUTHEASTERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE THROUGH A CENTRAL ANGLE OF 65°00'50" AN ARC LENGTH OF 177.83 FEET TO THE END OF SAID CURVE; THENCE N.17°47'34"E. ALONG THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE, 148.60 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY OF TROON AVENUE; THENCE N.73°55'32"E. ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE OF TROON AVENUE, 501.38 FEET; THENCE LEAVING SAID SOUTHERLY RIGHT-OF-WAY LINE RUN S.01°52'34"W., 129.61 FEET; THENCE S.16°14'30"W., 84.57 FEET; THENCE S.23°39'53"W., 232.34 FEET; THENCE S.03°10'14"W., 47.84 FEET; THENCE S.11°31'57"E., 360.00 FEET; THENCE S.14°18'04"E., 58.20 FEET; THENCE S.20°58'53"E., 55.62 FEET; THENCE S.30°00'18"E., 55.62 FEET; THENCE S.36°37'12"E., 57.22 FEET; THENCE S.39°25'00"E., 420.29 FEET; THENCE S.50°35'00"W., 120.39 FEET TO A POINT ON A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 375.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 10°42'19" AN ARC LENGTH OF 70.07 FEET, SAID CURVE HAVING A CHORD BEARING AND DISTANCE OF S.31°26'46"E., 69.96 FEET; THENCE LEAVING SAID CURVE RUN N.59°24'28"E., 67.97 FEET TO THE BEGINNING OF A CURVE CONCAVED NORTHWESTERLY AND HAVING A RADIUS OF 375.00 FEET; THENCE NORTHEASTERLY AND NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 57°19'40" AN ARC LENGTH OF 375.21 FEET TO THE END OF SAID CURVE; THENCE N.02°04'48"E., 151.77 FEET TO THE BEGINNING OF A CURVE CONCAVED SOUTHEASTERLY AND HAVING A RADIUS OF 35.00 FEET; THENCE NORTHEASTERLY AND EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 74°44'33" AN ARC LENGTH OF 45.66 FEET TO THE END OF SAID CURVE AND THE BEGINNING OF A CURVE CONCAVED NORTHWESTERLY AND HAVING A RADIUS OF 60.00 FEET; THENCE EASTERLY, NORTHEASTERLY AND NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 99°50'58" AN ARC LENGTH OF 104.56 FEET; THENCE S.42°37'47"E., 20.30 FEET TO A POINT ON THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF MUSSELBURG PLACE; THENCE N.45°02'25"E. ALONG THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF MUSSELBURG PLACE, 25.02 FEET TO THE CENTERLINE OF GLENCO AVENUE (CLOSED); THENCE S.42°37'47"E. ALONG SAID CENTERLINE OF GLENCO AVENUE, 306.61 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD C-435, SAID POINT BEING ON A CURVE CONCAVED EASTERLY AND HAVING A RADIUS OF 329.36 FEET; THENCE SOUTHWESTERLY, SOUTHERLY AND SOUTHEASTERLY ALONG THE ARC OF SAID CURVE AND SAID WESTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD C-435 THROUGH A CENTRAL ANGLE OF 46°08'55" AN ARC LENGTH OF 265.28 FEET, SAID CURVE HAVING A CHORD BEARING AND DISTANCE OF S.05°40'53"E., 258.17 FEET TO THE END OF SAID CURVE; THENCE S.28°45'20"E. ALONG SAID WESTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD C-435, A DISTANCE OF 66.39 FEET TO A POINT ON THE SOUTH LINE OF THE NORTH 170 FEET OF THE SOUTHWEST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 32; THENCE S.89°51'49"W. ALONG THE SOUTH LINE OF THE NORTH 170 FEET OF THE SOUTHWEST 1/4 OF THE SOUTHEAST 1/4, A DISTANCE OF 438.25 FEET TO A POINT ON THE EAST LINE OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.00°50'18"E. ALONG THE EAST LINE OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 1157.92 FEET TO THE SOUTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32; THENCE S.89°47'30"W. ALONG THE SOUTH LINE OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 1331.52 FEET TO THE POINT OF BEGINNING.

LESS THE FOLLOWING DESCRIBED PARCEL:

COMMENCE AT THE SOUTHWEST CORNER OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32, TOWNSHIP 19 SOUTH, RANGE 28 EAST, IN LAKE COUNTY, FLORIDA, RUN N.00°40'11"W. ALONG THE WEST LINE OF THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4, AND ALONG THE WEST LINE OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 32, A DISTANCE OF 1826.61 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE; THENCE N.82°48'24"E. ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF DUBSDREAD DRIVE, A DISTANCE OF 169.12 FEET; THENCE S.07°07'47"E., 183.50 FEET TO THE POINT OF BEGINNING OF THIS DESCRIPTION; FROM SAID POINT OF BEGINNING RUN N.82°52'13"E., 25.79 FEET; THENCE S.11°31'57"E., 374.36 FEET; THENCE S.10°56'33"E., 63.11 FEET;

THENCE S.13°20'23"E., 66.72 FEET; THENCE S.20°06'51"E., 66.89 FEET; THENCE S.24°10'24"E., 65.78 FEET; THENCE S.25°59'34"E., 57.95 FEET; THENCE S.21°25'16"E., 56.70 FEET; THENCE S.16°26'53"E., 56.70 FEET; THENCE S.11°28'31"E., 56.70 FEET; THENCE S.06°30'09"E., 56.70 FEET; THENCE S.0°23'56"E., 117.45 FEET; THENCE S.03°02'14"E., 66.53 FEET; THENCE S.07°02'25"E., 65.70 FEET; THENCE S.11°10'43"E., 71.00 FEET; THENCE S.12°55'51"E., 118.01 FEET; THENCE S.09°24'37"E., 116.32 FEET; THENCE S.07°32'32"E., 58.19 FEET; THENCE S.02°13'44"E., 33.00 FEET; THENCE N.52°40'02"W., 460.75 FEET; THENCE N.80°28'08"W., 33.31 FEET; THENCE N.02°24'20"W., 104.27 FEET; THENCE N.38°35'48"W., 151.33 FEET; THENCE N.0°40'11"W., 348.69 FEET; THENCE N.0°34'43"W., 430.18 FEET; THENCE N.22°25'36"W., 84.17 FEET; THENCE N.61°30'53"W., 47.65 FEET; THENCE N.07°09'41"W., 123.90 FEET; THENCE N.82°52'13"E., 107.52 FEET TO THE POINT OF BEGINNING.

Any objections to the Application must be made in writing and filed with the Office of Commission Clerk, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, with a copy to Kenneth A. Hoffman, Esq., Rutledge, Ecenia, Purnell & Hoffman, P.A., P. O. Box 551, Tallahassee, Florida 32302 within 30 days from the date of this Notice. The objection must state the grounds for the objection with particularity.

Aqua Utilities Florida, Inc.
1100 Thomas Avenue
Leesburg, Florida 34748