

RECEIVED-FPSC

08 JUN -5 AM 9: 31

COMMISSION
CLERK



Marion Utilities, Inc.

710 NE 30TH AVE. OCALA, FLORIDA 34470
(352) 622-1171

08 JUN 2008 10:17:33

May 22, 2008

Florida Public Service Commission
2540 Shumard Oak Blvd
Tallahassee, FL 32399

080000

ATTN: Commission Clerk and Administrative Service

Enclosed are copies of our 2007 Consumer Confidence Reports that have been prepared and distributed in accordance with Rule 62-550.840 FAC.

Sincerely,

Tim E. Thompson, President
Marion Utilities, Inc.

DOCUMENT NUMBER-DATE

04785 JUN-5 g

FPSC-COMMISSION CLERK

Pine Ridge Estates 2007 Annual Drinking Water Quality Report - PWS #3421018

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2006 the department of Environmental Protection s performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. There is one potential source of contamination identified for this system with a high susceptibility level. "The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our wells.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water.. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is now known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

DOCUMENT NUMBER-DATE

04785 JUN-5 08

FPSC-COMMISSION CLERK

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|---|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 5/2006 | No | 0.68 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 5/2006 | No | .0056 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 5/2006 | No | 2.2 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 5/2006 | No | 0.054 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing and solder |
| Mercury (Inorganic) (ppb) | 5/2006 | No | 0.050 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 1.56 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Sodium (ppm) | 5/2006 | No | 13 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of sampling (Mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No. Of sampling Sites Exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 7/2005 | No | 1.3 | 0 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 7/2005 | No | 0.37 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For Bromate, Chloramines, or Chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 2.2 | 1.3 3.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 8/2006 | N | 2.11 | N/A | N/A | MCL = 80 | By Product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Cedar Hills 2007 Annual Drinking Water Quality Report - PWS #3420162

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridian Aquifer. Our water is chlorinated for disinfection purposes.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. There are two potential sources of contamination identified for this system with a low susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website as www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is not known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sampling (Mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|----------------------------|-------------------|-----------------------------|--|------|-------------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 5/2006 | No | 2.7 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 5/2006 | No | .0064 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 5/2006 | No | 1.8 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 5/2006 | No | 0.84 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Nitrate (as Nitrogen) (ppm) | 6/2007 | No | 1.55 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) (ppm) | 5/2006 | No | 1.2 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 5/2006 | No | 8.8 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of sampling | AL Violation Y/N | 90 th Percentile | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|--------|--|
| Lead (tap water) (ppb) | 7/2005 | No | 2.7 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 7/2005 | No | 0.72 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectant and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.5 | 0.3 1.8 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM5 (total trihalomethanes) (ppb) | 8/2006 | N | 0.38 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Fore Acres 2007 Annual Drinking Water Quality Report - PWS #3420608

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or they can be obtained from Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 5/2006 | No | 2.0 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 5/2006 | No | 0.0030 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Lead (point of entry) (ppb) | 5/2006 | No | 0.60 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing and solder |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 0.68 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 5/2006 | No | 0.46 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 5/2006 | No | 9.9 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |

Lead and Copper (Tap Water)

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites Exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
|-------------------------------------|-----------------------------|------------------|------------------------------------|--|------|-----------------|--|
| Lead (tap water) (ppb) | 10/2006 | No | 7.0 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 10/2006 | No | 1.0 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring location, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (Mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG Or MRDLG | MCL Or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.6 | 0.4 1.3 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM (Total trihalomethanes) (ppb) | 8/2006 | N | 7.70 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Golden Holiday 2007 Annual Drinking Water Quality Report - PWS #3420456

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. There are three potential sources of contamination identified for this system, two with a low susceptibility level and one with a high susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our wells.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply. ---

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|----------------------------|-------------------|------------------------------------|--|------|-------------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 8/2006 | No | 1.1 | 0.00070 - 0.0011 | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 8/2006 | No | 0.0052 | 0.0034 - 0.0052 | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 8/2006 | No | 1.9 | 0.0013 - 0.0019 | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 8/2006 | No | 1.8 | 0.00026 - 0.0018 | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing and solder |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.65 | 1.06 - 1.77 | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Subselenium (ppb) | 8/2006 | No | 0.46 | 0.00044 - 0.00046 | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 8/2006 | No | 10 | 9.0 - 10.0 | N/A | 160 | Salt water intrusion, leaching from soil |
| Contaminant and Unit of Measurement | Date of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination. |

Lead and Copper Tap Water

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 7/2005 | No | 12 | 1 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 7/2005 | No | 0.59 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution system Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 1 2 | N | 0.7 0.8 | 0.3 - 1.3 0.5 - 1.1 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 8/2006 1 2 | N | 4.35 4.78 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

In March of 2006, the Department of Environmental Regulation did not receive our monthly operating report for our water plants. We sent them a copy but were still charged with a violation. This violation would not have created any health effects. It was a matter of paperwork.

Ft King Forest 2007 Annual Drinking Water Quality Report - PWS #3420419

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. There is one potential source of contamination identified for this system with a low susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|---|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 9/2006 | No | 0.62 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 9/2006 | No | 3.6 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Cadmium (ppb) | 9/2006 | No | 0.35 | N/A | 5 | 5 | Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints |
| Chromium (ppb) | 9/2006 | No | 2.1 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 9/2006 | No | 0.22 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing and solder |
| Mercury (inorganic) (ppb) | 9/2006 | No | 0.69 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.44 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 9/2006 | No | 0.33 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 9/2006 | No | 12 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |
| Lead and Copper Tap Water | | | | | | | |
| Lead (tap water) (ppb) | 7/2005 | No | 11 | 1 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 7/2005 | No | .64 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of Sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 1 | 0.5 3.3 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |

| | | | | | | | |
|------------------------------------|--------|---|------|-----|-----|----------|---|
| TTHM (Total trihalomethanes) (ppb) | 8/2006 | N | 1.34 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |
|------------------------------------|--------|---|------|-----|-----|----------|---|

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Hi-Cliff Estates 2007 Annual Drinking Water Quality Report - PWS #3420533

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our wells (or surface water intakes). There is one potential source of contamination identified for this system with a low susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our wells.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts y weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|----------------------------|-------------------|-----------------------------|--|------|-----------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 5/2006 | No | 1.3 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 5/2006 | No | 0.0059 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 5/2006 | No | 2.0 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Nickel (ppb) | 5/2006 | No | 2.2 | N/A | N/A | 100 | Pollution from mining and refining operations. Natural occurrence in soil |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.73 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 5/2006 | No | 0.44 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 5/2006 | No | 18 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Thallium (ppb) | 5/2006 | No | 0.20 | N/A | 0.5 | 2 | Leaching from ore-processing sites; discharge from electronics, glass, and drug factories --- |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile | No. of Sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |

Lead and Copper Tap Water

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 7/2005 | No | 6.6 | 1 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 7/2005 | No | 0.88 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2006 2007 | N | 0.4 | 0.2 1.6 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM (Total trihalomethanes) (ppb) | 8/2006 | N | 2.17 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

Secondary Contaminants

| | | | | | | | |
|------|--------|---|-----|-----|-----|---|------------------------------|
| Odor | 5/2006 | Y | 4.0 | N/A | N/A | 3 | Naturally occurring organics |
|------|--------|---|-----|-----|-----|---|------------------------------|

As you can see by the table, our system had one violations. Re-checks for odor met MCL requirements. We have learned through our monitoring and testing that some contaminates have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Rainbow Lakes Estates - FWS#6424083
2007 Annual Drinking Water Quality Report

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2004 the Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or they can be obtained from Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------------|----------------------|----------------|------------------|------|-----|--|
| Inorganic Contaminants | | | | | | | |
| Lead (point of entry) (ppb) | 5/2006 | No | 0.1 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder. |
| Nitrate (as Nitrogen)(ppm) | 4/2007 | No | 1.08 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Sodium (ppm) | 5/2006 | No | 1.4 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |

Synthetic Organic Contaminants including Pesticides and Herbicides

| | | | | | | | |
|----------------------------------|--------|----|---|-----|---|---|--|
| Di(2-ethylhexyl) phthalate (ppb) | 5/2003 | No | 1 | N/A | 0 | 6 | Discharge from rubber and chemical factories |
|----------------------------------|--------|----|---|-----|---|---|--|

Lead and Copper (Tap Water)

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No of sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
|-------------------------------------|-----------------------------|------------------|------------------------------------|---------------------------------------|------|-----------------|--|
| Lead (tap water) (ppb) | 9/2005 | No | 3.7 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | .059 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL or MRDL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 2.6 | 0.6 2.6 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM (Total trihalomethanes) (ppb) | 9/2006 | N | 0.58 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Stone Oaks Estates 2007 Annual Drinking Water Quality Report - PWS #3421283

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or the can be obtained from Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfect level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range Of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-----------------|---|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 9/2006 | No | 0.87 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 9/2006 | No | 0.0028 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 9/2006 | No | 1.7 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 9/2006 | No | 0.49 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder. |
| Mercury (Inorganic) (ppb) | 9/2006 | No | 0.42 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 4.59 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 9/2006 | No | 0.34 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 9/2006 | No | 17 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |
| Contaminant and Unit of Measurement | Dates of sampling | AL Violation Y/N | 90 th Percentile Result | No. Of sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 9/2005 | No | 3.1 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 0.53 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly or monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution system Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (Mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 1.2 | 0.8 1.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM (Total trihalomethanes) (ppb) | 7/2006 | N | 1.05 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Ponderosa 2007 Annual Drinking Water Quality Report - PWS #3424808

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our wells.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

The Department of Environmental Protection has performed a Source Water assessment on our system and search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (Idse): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants..

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|

Radiological Contaminants

| | | | | | | | |
|---------------------|---------|----|-----|-----|---|----|-----------------------------|
| Gross Alpha (pCi/l) | 11/2003 | No | 1.2 | N/A | 0 | 15 | Erosion of natural deposits |
|---------------------|---------|----|-----|-----|---|----|-----------------------------|

Inorganic Contaminants

| Arsenic (ppb) | 9/2006 | No | 0.34 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
|-------------------------------------|-----------------------------|------------------|------------------------------------|--|------|-----------------|---|
| Barium (ppm) | 9/2006 | No | 0.014 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Lead (point of entry) (ppb) | 9/2006 | No | 0.17 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Mercury (inorganic) (ppb) | 9/2006 | No | 0.53 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Sodium (ppm) | 9/2006 | No | 14 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No. Of sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 5/2006 | No | 2.8 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| | 8/2006 | No | 2.9 | 0 | | | |
| Copper (tap water) (ppm) | 6/2006 | No | 0.14 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| | 8/2006 | No | 0.08 | | | | |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 3.1 | 1.7 3.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THM (Total trihalomethanes) (ppb) | 7/2006 | N | 4.99 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Buckskin Estates

2007 Annual Drinking Water Quality Report - PWS #3420124

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected to risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a onetime study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 9/2006 | No | 1.1 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 9/2006 | No | 0.0054 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits. |
| Mercury (inorganic) (ppb) | 9/2006 | No | .062 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Sodium (ppm) | 9/2006 | No | 20 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |
| Lead and Copper (Tap Water) | | | | | | | |
| Lead (tap water) (ppb) | 9/2005 | No | 1.4 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water)(ppm) | 9/2005 | No | 0.038 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations. Including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of Sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range Of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|--------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.6 | 0.2 1.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| Haloacetic Acids (five) (HAA5) (ppb) | 8/2006 | N | 2.78 | N/A | N/A | MCL = 60 | By-product of drinking water disinfection |
| TTHM (Total trihalomethanes) (ppb) | 8/2006 | N | 20.00 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Libra Oaks-PWS#6424590
2007 Annual Drinking Water Quality Report

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is ground water from one well. The well draws from the Floridan Aquifer. Our water is chlorinated for disinfection purposes. *This report shows our water quality results and what they mean.*

In 2004 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or they can be obtained from Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

This report shows our water quality results and what they mean.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) *Inorganic contaminants*, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- (C) *Pesticides and herbicides*, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) *Organic chemical contaminants*, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) *Radioactive contaminants*, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities routinely monitors for contaminants in your drinking water according to Federal and State laws, rules, and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1st to December 31st 2007. *As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year.* Some of our data [e.g., for organic contaminants], though representative, is more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In the table below you will find terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non -Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sampling | MCL/AL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|------------------|----------------------|----------------|------------------|------|-----|--------------------------------|
|-------------------------------------|------------------|----------------------|----------------|------------------|------|-----|--------------------------------|

Inorganic Contaminants

| | | | | | | | |
|-----------------------------|--------|---|------|-----|-----|-----|--|
| Arsenic (ppb) | 3/2006 | N | 0.2 | N/A | N/A | .01 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 3/2006 | N | .010 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 3/2006 | N | 1.6 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits. |
| Lead (point of entry) (ppb) | 3/2006 | N | 0.1 | N/A | N/A | 15 | Residue from man-made pollution such as auto emission and paint; lead pipe, casing, and solder. |
| Nitrate (As Nitrogen) (ppm) | 4/2007 | N | 2.10 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 3/2006 | N | 0.2 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines. |
| Sodium (ppm) | 3/2006 | N | 17 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |

Volatile Organic Contaminants

| | | | | | | | |
|---------------|--------|---|------|-----|----|----|---|
| Xylenes (ppm) | 3/2006 | N | 0.36 | N/A | 10 | 10 | Discharge from petroleum factories; discharge from chemical factories |
|---------------|--------|---|------|-----|----|----|---|

LEAD AND COPPER (TAP WATER)

| Contaminant and Unit of Measurement | Dates of Sampling (Mo./Yr.) | AL Violation Y/N | Range of results | 90 th Percentil Result | No. of sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
|-------------------------------------|-----------------------------|------------------|------------------|-----------------------------------|--|------|-----------------|---|
| Lead (tap water) (ppb) | 5/2006 8/2006 | N N | 0.2 1.3 | 1.3 .00015 | 0 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; |
| Copper (tap water) (ppm) | 5/2006 8/2006 | N N | .0012 .083 | .083 .0012 | 0 0 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits; |

SECONDARY CONTAMINANTS

| Contaminant and Unit of Measurement | Dates of Sampling | MCL Violation Y/N | Highest | Range of Results | MCLG | MCL | Likely source of Contamination |
|-------------------------------------|------------------------------------|-------------------|---------|------------------|------|-----------|---------------------------------------|
| Sulfate | 2/2007, 5/2007, | Y | 265 | 221-265 | N/A | 250 | natural occurrence from soil leaching |
| Total Dissolved Solids (ppm) | 2/2007, 5/2007, 8/2007, 11/2007 | Y | 639 | 575-639 | No | 500* * | Natural occurrence from soil leaching |

RADIOLOGICAL

| | | | | | | | |
|---------------------|--------|---|-----|-----|-----|----|--------------------|
| Gross Alpha (pCi/l) | 3/2003 | N | 3.1 | N/A | N/A | 15 | Erosion of natural |
|---------------------|--------|---|-----|-----|-----|----|--------------------|

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine the level detected is the highest running annual average (RAA) computed quarterly or monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of results is the range of individual sample results (lowest to highest for all monitoring location, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of Sampling (Mo./Yr.) | MCL or MRDL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12 2007 | N | 1.4 | 0.4 1.4 | MRDLG | MRDL = 4.0 | Water additive used to control microbes |

| | | | | | | | |
|--------------------------------------|--------|---|------|-----|-----|----------|---|
| Haloacetic Acids (five) (HAA5) (ppb) | 9/2006 | N | 1.75 | N/A | N/A | MCL = 60 | By-product of drinking water disinfection |
| TTHM (Total trihalomethanes) (ppb) | 9/2006 | N | 6.50 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

We have learned through our monitoring and testing that some contaminants have been detected. You may have noted that we exceeded the MCL for total dissolved solids and sulfates. Total dissolved solids normally cause cloudy water and calcium deposits on dishes and silverware. People that are not used to drinking water with sulfates present may experience stomach upset or diarrhea for a short period of time.

****Note:** TDS may be greater than 500, if no other MCL is exceeded.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352)622-1171. We want our valued customers to be informed about their water utility.

International Villas

2007 Annual Drinking Water Quality Report - PWS #6424589

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridian Aquifer. Our water is chlorinated for disinfection purposes.

In 2004 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our well. There are four potential sources of contamination identified for this system with high susceptibility levels. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson (352)622-1171. Our sampling program shows no contamination to our well.

This report shows our water quality results and what they mean.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" meant not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant in drinking water below which there is no known or expected to risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------|-------------------|----------------|------------------|------|-----|--------------------------------|
| Radiological Contaminants | | | | | | | |
| Gross Alpha (pCi/l) | 3/2003 | No | 3.4 | N/A | N/A | 15 | Erosion of natural deposits |

| Contaminant and Unit of Measurement | Date of sampling (Mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|----------------------------|-------------------|-----------------------------|--|------|-------------------|---|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 3/2006 | No | 0.2 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 3/2006 | No | .018 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Fluoride (ppm) | 3/2006 | No | .039 | N/A | 4 | 4.0 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factors |
| Lead (point of entry) (ppb) | 3/2006 | No | 0.3 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Sodium (ppm) | 3/2006 | No | 22 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of sampling | AL Violation Y/N | 90 th Percentile | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|--------|--|
| Lead (tap water) (ppb) | 9/2005 | No | 0.3 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 0.51 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA), computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly, or quarterly averages of all samples collected if the system is monitoring quarterly or if the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL or MRDL violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 2.5 | 0.3 2.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| Haloacetic Acids (five) (HAA5) (ppb) | 9/ 2006 | N | 5.75 | N/A | N/A | MCL = 60 | By-product of drinking water disinfection |
| TTHM (total trihalomethanes) (ppb) | 9/2006 | N | 22.30 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

Secondary Contaminants

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Highest Result | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|---------------------------------|-------------------|----------------|------------------|------|-------|---------------------------------------|
| Sulfate (ppm) | 2/2007, 5/2007, 8/2007, 11/2007 | Y | 534 | 503-534 | N/A | 250 | Natural occurrence from soil leaching |
| Total Dissolved Solids (ppm) | 2/2007, 5/2007, 8/2007, 11/2007 | Y | 1060 | 996 - 1060 | N/A | 500** | Natural occurrence from soil leaching |

We have learned through our monitoring and testing that some contaminants have been detected. You may have noted that we exceeded the MCL for total dissolved solids and sulfates. Total dissolved solids normally cause cloudy water and calcium deposits on dishes and silverware. People that are not used to drinking water with sulfates present may experience stomach upset or diarrhea for a short period of time. The levels continue to exceed the MCL and quarterly monitoring is being done to see if there are any changes in the levels. The City of Ocala has been contacted as a possible source of drinking water. Meanwhile, we are flushing the distribution system on a more frequent basis to help alleviate the problem.

**TDS may be greater than 500, if no other MCL is exceeded.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Greenfields/Indian Pines

2007 Annual Drinking Water Quality Report - PWS #3425006

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources or contamination in the vicinity of our well. There is one potential source of contamination identified for this system with a high susceptibility level. The assessment results are available on the FDEP Source Water Assessment and Protection Program website as www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: the highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|--|
| Radiological Contaminants | | | | | | | |
| Combined Radium (pCi/l) | 12/2003 | No | 0.8 | N/A | 0 | 5 | Erosion of natural deposits |
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 10/2006 | No | 5.9 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 10/2006 | No | 0.0042 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 10/2006 | No | 1.8 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 10/2006 | No | 0.15 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.10 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 10/2006 | No | 0.54 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 10/2006 | No | 12 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |
| Lead and Copper (Tap Water) | | | | | | | |
| Lead (tap water) (ppb) | 9/2005 | No | 3.1 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 0.43 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.8 | 0.5 2.3 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 8/2006 | N | 0.94 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Sherri Oaks

2007 Annual Drinking Water Quality Report - PWS #3424637

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------------|----------------------|----------------|-------|------|-----|--------------------------------|
|-------------------------------------|-------------------------|----------------------|----------------|-------|------|-----|--------------------------------|

Inorganic Contaminants

| | | | | | | | |
|-----------------------------|--------|----|--------|-----|-----|-----|--|
| Arsenic (ppb) | 9/2006 | No | 1.4 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 9/2006 | No | 0.0031 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Lead (point of entry) (ppb) | 9/2006 | No | 0.10 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Mercury (inorganic)(ppb) | 9/2006 | No | .063 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland. |
| Sodium (ppm) | 9/2006 | No | 8.3 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |

| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |
|-------------------------------------|-------------------|------------------|------------------------------------|--|------|-------------------|--------------------------------|
|-------------------------------------|-------------------|------------------|------------------------------------|--|------|-------------------|--------------------------------|

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 8/2007 | No | N/D | 0 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 8/2007 | No | 0.30 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine the level detected is the highest running annual average (RAA) computed quarterly or monthly averages of all samples collected. For haloacetic acids or THM, the level detected is the highest RAA computed quarterly or quarterly averages of all samples collected if the system is monitoring quarterly or if the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of results is the range of individual sample results (lowest to highest for all monitoring location, including Initial Distribution system Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|--------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1-12, 2007 | N | 1.1 | 0.2 2.4 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| Haloacetic Acids (five) (HAA5) (ppb) | 8/2006 | N | 14.48 | N/A | N/A | MRDL = 60 | By-product of drinking water disinfection |
| THM (Total trihalomethanes) (ppb) | 8/2006 | N | 31.42 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

In May of 2007 our monthly operating report failed to reach the DEP on time. This violation had no impact on the quality of water our customers received and posed no health risk to the public

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Oak Creek Caverns 2007 Annual Drinking Water Quality Report - PWS #3424638

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|

Radiological Contaminants

| | | | | | | | |
|---------------------|---------|----|-----|-----|---|----|-----------------------------|
| Gross Alpha (pCi/l) | 12/2003 | No | 1.1 | N/A | 0 | 15 | Erosion of natural deposits |
|---------------------|---------|----|-----|-----|---|----|-----------------------------|

Inorganic Contaminants

| Arsenic (ppb) | 10/2006 | No | 0.60 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
|-------------------------------------|-----------------------------|------------------|------------------------------------|--|------|-----------------|---|
| Barium (ppm) | 10/2006 | No | 0.0062 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 10/2006 | No | 2.1 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposit |
| Lead (point of entry) (ppb) | 10/2006 | No | 0.41 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Mercury (Inorganic) (ppb) | 10/2006 | No | 0.94 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.17 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 10/2006 | No | 0.31 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 10/2006 | No | 10 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No. Of sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 8/2005 | No | 4.1 | 0 | 0 | 15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 8/2005 | No | 0.46 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Highest Result | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--------------------------------|

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 1.2 | 0.9 1.5 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| THMS (total trihalomethanes) (ppb) | 9/2006 | N | 1.04 | N/A | N/A | MRDL = 4.0 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

McAteer Acres

2007 Annual Drinking Water Quality Report - PWS #3424643

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|---|
| Radiological Contaminants | | | | | | | |
| Gross Alpha (pCi/l) | 12/2003 | No | 1.0 | N/A | 0 | 15 | Erosion of natural deposits |
| Combined Radium (pCi/l) | 12/2003 | No | 1.8 | N/A | 0 | 5 | Erosion of natural deposits |
| Inorganic Contaminants | | | | | | | |
| Antimony (ppb) | 10/2006 | No | 0.99 | N/A | 6 | 6 | Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder |
| Arsenic (ppb) | 10/2006 | No | 2.7 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 10/2006 | No | 0.0024 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 10/2006 | No | 3.1 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Lead (point of entry) (ppb) | 10/2006 | No | 0.48 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Mercury (inorganic) (ppb) | 10/2006 | No | 0.85 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.07 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 10/2006 | No | 1.6 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 10/2006 | No | 11 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |
| Thallium (ppb) | 10/2006 | No | 0.15 | N/A | 0.5 | 2 | Leaching from ore-processing sites; discharge from electronics, glass, and drug factories |
| Contaminant and Unit of Measurement | Dates of sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|-----|---|-----|-----|--|
| Lead (tap water) (ppb) | 9/2005 | No | 2.5 | 0 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 1.1 | 1 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of results if the range of individual sample results (lowest to highest) for all monitoring locations. Including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 1.0 | 0.6 1.3 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |

| | | | | | | | |
|------------------------------------|--------|---|------|-----|-----|----------|---|
| TTHM (Total trihalomethanes) (ppb) | 9/2006 | N | 1.64 | N/A | N/A | MCL = 80 | By-Product of drinking water disinfection |
|------------------------------------|--------|---|------|-----|-----|----------|---|

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Woods & Meadows-PWS#6424632
2007 Annual Drinking Water Quality Report

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2004 The Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------------|----------------------|----------------|------------------|------|-----|---|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 4/2006 | No | 0.3 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes. |
| Lead (point of entry) (ppb) | 4/2006 | No | 0.3 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 1.49 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 4/2006 | No | 0.4 | N/A | 10 | 10 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines. |
| Sodium (ppm) | 4/2006 | No | 1.4 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |

Lead and Copper (Tap Water)

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Violation Y/N | 90 th Percentile Result | No. of Sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
|-------------------------------------|-----------------------------|------------------|------------------------------------|--|------|-----------------|--|
| Lead (tap water) (ppb) | 8/2005 | No | 2.3 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 8/2005 | No | .86 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, Chloramines, or chlorine the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitored quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL or MRDL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12 2007 | No | 0.7 | 0.5 0.7 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 9/2006 | No | 3.97 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Spruce Creek North-PWS #6424652
2007 Annual Drinking Water Quality Report

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2004 The Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution system Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their state T DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected to risk to health. MRDLGs do not reflect the benefits of the use of disinfectant to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|----------------------|------------------------------------|--|------|-----------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 4/2005 | No | 0.5 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 4/2005 | No | .0049 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 4/2005 | No | 2.2 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits. |
| Lead (point of entry) (ppb) | 4/2005 | No | .1 | N/A | N/A | 15 | Residue from man-made pollution such as auto emission and paint; lead pipe, casing, and solder. |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 1.86 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Sodium (ppm) | 4/2005 | No | 5.7 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |
| Lead and Copper (Tap Water) | | | | | | | |
| Contaminant and Unit of Measurement | Dates of sampling (Mo./Yr.) | AL Violation Y/N | 90 th Percentile Result | No. of Sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
| Lead (tap water) (ppb) | 8/2005 | No | 4.0 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 8/2005 | No | .80 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine the level detected is the highest running annual average (RAA), computed quarterly or monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of sampling (Mo./Yr.) | MCL or MRDL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppb) | 1 - 12 2007 | No | 1.2 | 0.6 1.2 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) | 9/2006 | No | 1.76 | N/A | N/A | MCL= 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Deer Creek -PWS#6424653 2007 Annual Drinking Water Quality Report

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

In 2004 the Department of Environmental Protection performed a Source Water Assessment on our system and a search of the data sources indicated no potential sources of contamination near our wells. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp. Our sampling program shows no contamination to our well.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------------|----------------------|----------------|-------|------|-----|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 4/2006 | No | 0.4 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 4/2006 | No | .0048 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits. |
| Chromium (ppb) | 4/2006 | No | 1.8 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits. |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 2.32 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 4/2006 | No | 0.2 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines. |
| Sodium (ppm) | 4/2006 | No | 6.9 | N/A | N/A | 160 | Salt water intrusion, leaching from soil. |

Lead and Copper (Tap Water)

| Contaminant and Unit of Measurement | Dates of sampling (Mo./Yr.) | AL Violation Y/N | 90 th Percentile Result | No. of Sampling sites exceeding the AL | MCLG | AL Action Level | Likely Source of Contamination |
|-------------------------------------|-----------------------------|------------------|------------------------------------|--|------|-----------------|--|
| Lead (tap water) (ppb) | 8/2005 | No | 1.1 | 0 | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| Copper (tap water) (ppm) | 8/2005 | No | .37 | 0 | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines or chlorine the level detected is the highest running annual average (RAA), computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM, the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results if the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Disinfectant or Contaminant and Unit of Measurement | Dates of Sampling (mo./yr.) | MCL or MRDL violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|---|-----------------------------|---------------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12 2007 | No | 0.8 | 0.5 0.8 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 9/2006 | No | 1.59 | N/A | N/A | MCL = 80 | By product of drinking water disinfection |

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Turning Pointe 2007 Annual Drinking Water Quality Report - PWS #3424841

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.il.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits or the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Date of sample analysis | MCL/AL Violation Y/N | Level Detected | Range | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-------------------------|----------------------|------------------------------------|--|------|-------------------|--|
| Inorganic Contaminants | | | | | | | |
| Arsenic (ppb) | 10/2006 | No | 0.54 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 10/2006 | No | 0.0021 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 10/2006 | No | 3.8 | N/A | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Cyanide (ppb) | 10/2006 | No | 3.0 | N/A | 200 | 200 | Discharge from steel/metal factories; discharge from plastic and fertilizer factories |
| Lead (point of entry) (ppb) | 10/2006 | No | 0.29 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 1.75 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 10/2006 | No | 0.44 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 10/2006 | No | 7.5 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 9/2005 | No | 1.6 | 0 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 0.58 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or TTHM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.8 | 0.4 2.0 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |
| TTHM (Total trihalomethanes) (ppb) | 8/2006 | N | 1.89 | N/A | N/A | MCL = 80 | By-product of drinking water disinfection |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.

Windgate Estates

2007 Annual Drinking Water Quality Report - PWS #3421576

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a dependable supply of drinking water. Our water source is groundwater and our well(s) draw from the Floridan Aquifer. Our water is chlorinated for disinfection purposes.

We're pleased to report that our drinking water meets federal and state requirements.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In 2006 the Department of Environmental Protection performed a Source Water Assessment on our system and search of the data sources indicated no potential sources of contamination near our well. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp or you can contact Tim Thompson at (352)622-1171. Our sampling program shows no contamination to our well.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, and residential uses.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Marion Utilities Inc. routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2007. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. All water analysis is the most recent sampling in accordance with the Safe Drinking Water Act.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

Non-Applicable (n/a) - does not apply.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part by weight of analyte to 1 billion parts by weight of the water sample.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level or (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Initial Distribution System Evaluation (IDSE): An important part of the Stage 2 disinfection Byproducts rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system location with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The highest level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS TABLE

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|------------------------------------|--|------|-------------------|---|
| Inorganic Contaminants | | | | | | | |
| Antimony (ppb) | 9/2006 | No | 0.15 | N/A | 6 | 6 | Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder |
| Arsenic (ppb) | 9/2006 | No | 1.6 | N/A | N/A | 10 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| Barium (ppm) | 9/2006 | No | 0.0038 | N/A | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Chromium (ppb) | 9/2006 | No | 0.83 | N/A | 100 | 100 | Discharge from steel and pulp mills erosion of natural deposits |
| Lead (point of entry) (ppb) | 9/2006 | No | 0.19 | N/A | N/A | 15 | Residue from man-made pollution such as auto emissions and paint; lead pipe, casing, and solder |
| Mercury (inorganic) (ppb) | 9/2006 | No | 0.54 | N/A | 2 | 2 | Erosion of natural deposits; discharge from refineries and factories; runoff from landfills; runoff from cropland |
| Nitrate (as Nitrogen) (ppm) | 4/2007 | No | 0.88 | N/A | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Selenium (ppb) | 9/2006 | No | 1.3 | N/A | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| Sodium (ppm) | 9/2006 | No | 8.0 | N/A | N/A | 160 | Salt water intrusion, leaching from soil |
| Contaminant and Unit of Measurement | Dates of Sampling | AL Violation Y/N | 90 th Percentile Result | No. of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination |

Lead and Copper (Tap Water)

| | | | | | | | |
|--------------------------|--------|----|------|---|-----|-----|--|
| Lead (tap water) (ppb) | 9/2005 | No | 2.1 | 1 | 0 | 15 | Corrosion of household plumbing systems; erosion of natural deposits |
| Copper (tap water) (ppm) | 9/2005 | No | 0.18 | 0 | 1.3 | 1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

Stage 1 Disinfectants and Disinfection By-Products

For bromate, chloramines, or chlorine, the level detected is the highest running annual average (RAA) computed quarterly of monthly averages of all samples collected. For haloacetic acids or THM the level detected is the highest RAA computed quarterly of quarterly averages of all samples collected if the system is monitoring quarterly or is the average of all samples taken during the year if the system monitors less frequently than quarterly. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations, including Initial Distribution System Evaluation (IDSE) results as well as Stage 1 compliance results.

| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Chlorine (ppm) | 1 - 12, 2007 | N | 0.7 | 0.2 1.3 | MRDLG = 4 | MRDL = 4.0 | Water additive used to control microbes |

As you can see by the table, our system had no MCL violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. These improvements are sometimes reflected as rate structure adjustments. Thank you for understanding.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800 426-4791)

If you have any questions about this report or concerning your water utility, please contact Tim Thompson at (352) 622-1171. We want our valued customers to be informed about their water utility.