

LAW OFFICES
ROSE, SUNDBSTROM & BENTLEY, LLP
2548 BLAIRSTONE PINES DRIVE
TALLAHASSEE, FLORIDA 32301

FREDERICK L. ASCHAUER, JR.
CHRIS H. BENTLEY, P.A.
ROBERT C. BRANNAN
F. MARSHALL DETERDING
JOHN R. JENKINS, P.A.
KYLE L. KEMPER
STEVEN T. MINDLIN, P.A.
CHASITY H. O'STEEN
DAREN L. SHIPPY
WILLIAM E. SUNDBSTROM, P.A.
DIANE D. TREMOR, P.A.
JOHN L. WHARTON
ROBERT M. C. ROSE (1924-2006)

(850) 877-6555
FAX (850) 656-4029
www.rsbatorneys.com

REPLY TO CENTRAL FLORIDA OFFICE

CENTRAL FLORIDA OFFICE
SANLANDO CENTER
2180 W. STATE ROAD 434, SUITE 2118
LONGWOOD, FLORIDA 32779
(407) 830-6331
FAX (407) 830-8522

MARTIN S. FRIEDMAN, P.A.
BRIAN J. STREET

CHRISTIAN W. MARCELLI, OF COUNSEL
(LICENSED IN NEW YORK ONLY)

September 24, 2008

HAND DELIVERY

Ann Cole, Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399

RE: O & S Water Company, Inc.
Application to Supplement Tariff
Our File No.: 35012.07


WU538

Dear Ms. Cole:

Pursuant to Commission Rule 25-9.004, Florida Administrative Code, enclosed are the original and three (3) copies of O & S Water Company, Inc.'s Application to Supplement Tariff with Original Sheet No. 16.1.

Should you have any questions regarding this Application, please do not hesitate to contact me.

Very truly yours,



CHRISTIAN W. MARCELLI
Of Counsel

COM _____
ECR 1
GCL 1 CWM/tlc
OPC Enclosures
RCP _____
SSC cc: Mr. Jack Olsen (w/enclosures)
SGA M:\1 ALTAMONTE\O&S WATER CO\BACKFLOW PREVENTION DEVICE TARIFF APPLICATION\PSC Clerk 01 (File Application).ltr.doc
ADM _____
CLK 1

086606-WU
RECEIVED-FPSC
08 SEP 24 AM 11:05
COMMISSION CLERK

DOCUMENT NUMBER-DATE

08983 SEP 24 08

FPSC-COMMISSION CLERK

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

IN RE: Application of
O&S WATER COMPANY INC.,
To Supplement Tariff

Docket No. 080606

APPLICATION TO SUPPLEMENT TARIFF

O&S WATER COMPANY INC. ("Applicant"), by and through its undersigned attorneys, and pursuant to Section 367.091(3), Florida Statutes, and Rule 25-9.004, Florida Administrative Code ("F.A.C."), files this Application to amend its water tariff to implement the Florida Department of Environmental Protection's requirement under Rule 62-555.360, F.A.C., that backflow prevention devices be tested on an annual basis:

(1) The exact name of the Applicant and the address of its principal business office is:

O&S Water Company Inc.
P.O. Box 422364
Kissimmee, FL 34742-2364

(2) The name and address of the person authorized to receive notices and communications in respect to this application is:

Martin S. Friedman, Esquire
Christian W. Marcelli, Esquire
Rose, Sundstrom & Bentley, LLP
Sanlando Center
2180 W. State Road 434, Suite 2118
Longwood, FL 32779
Telephone: (407)830-6331
Facsimile: (407)830-8522
mfriedman@rsbattorneys.com
cmarcelli@rsbattorneys.com

DOCUMENT NUMBER-DATE

08983 SEP 24 8


FPSC-COMMISSION CLERK

(3) Pursuant to Rule 62-555.360, F.A.C., the Florida Department of Environmental Protection requires that all backflow prevention devices, as defined therein, be inspected on an annual basis. This supplemental tariff sheet is necessary to describe that requirement as it pertains to the Applicant and its customers.

(4) Attached as Exhibit "A" to this Application are the original and three (3) copies of the Original Sheet No. 16.1 reflecting the rules and regulations of the Florida Department of Environmental Protection and Rule 62-555.360.

Respectfully submitted on this 24th day of
September, 2008, by:

ROSE, SUNDSTROM & BENTLEY, LLP
Sanlando Center
2180 W. State Road 434, Suite 2118
Longwood, Florida 32779
Telephone: (407)830-6331
Facsimile: (407)830-8522
mfriedman@rsbattorneys.com

By: 

MARTIN S. FRIEDMAN
For the Firm

EXHIBIT "A"

TARIFFS

(Original & 3 Copies of Tariffs in Original Application)

BACKFLOW PREVENTION DEVICE ANNUAL TESTING REQUIREMENT

Pursuant to Rule 62-555.360, Florida Administrative Code, the Florida Department of Environmental Protection requires that all backflow prevention devices be inspected at least once every twelve (12) months by a backflow prevention assembly tester possessing a valid Certification recognized by the American Water Works Association.

In compliance with the Department of Environmental Protection's mandate, the Company requires that all customers with backflow prevention devices arrange for an inspection of such devices, at the customers expense, by a certified backflow prevention assembly tester.

If the results of such test are satisfactory, the results shall be documented by the licensed tester and submitted, by the customer, to the Company in a timely fashion. If the test discloses that the device is not functioning satisfactorily, the customer must, at the customer's expense, arrange for the necessary repairs to be made and the assembly retested by a certified tester. The customer will then submit the satisfactory results to the Company annually.

Satisfactory results of such a test must be submitted within one year of the previous test results. If the customer does not arrange for backflow prevention device testing or does not forward copy of the satisfactory results to the Company, service will be subject to disconnection upon five (5) working days notice to the customer.

EFFECTIVE DATE _____

TYPE OF FILING - Tariff

Jack Olsen
ISSUING OFFICER

President
TITLE

BACKFLOW PREVENTION DEVICE ANNUAL TESTING REQUIREMENT

Pursuant to Rule 62-555.360, Florida Administrative Code, the Florida Department of Environmental Protection requires that all backflow prevention devices be inspected at least once every twelve (12) months by a backflow prevention assembly tester possessing a valid Certification recognized by the American Water Works Association.

In compliance with the Department of Environmental Protection's mandate, the Company requires that all customers with backflow prevention devices arrange for an inspection of such devices, at the customers expense, by a certified backflow prevention assembly tester.

If the results of such test are satisfactory, the results shall be documented by the licensed tester and submitted, by the customer, to the Company in a timely fashion. If the test discloses that the device is not functioning satisfactorily, the customer must, at the customer's expense, arrange for the necessary repairs to be made and the assembly retested by a certified tester. The customer will then submit the satisfactory results to the Company annually.

Satisfactory results of such a test must be submitted within one year of the previous test results. If the customer does not arrange for backflow prevention device testing or does not forward copy of the satisfactory results to the Company, service will be subject to disconnection upon five (5) working days notice to the customer.

EFFECTIVE DATE _____

TYPE OF FILING - Tariff

Jack Olsen
ISSUING OFFICER

President
TITLE

BACKFLOW PREVENTION DEVICE ANNUAL TESTING REQUIREMENT

Pursuant to Rule 62-555.360, Florida Administrative Code, the Florida Department of Environmental Protection requires that all backflow prevention devices be inspected at least once every twelve (12) months by a backflow prevention assembly tester possessing a valid Certification recognized by the American Water Works Association.

In compliance with the Department of Environmental Protection's mandate, the Company requires that all customers with backflow prevention devices arrange for an inspection of such devices, at the customers expense, by a certified backflow prevention assembly tester.

If the results of such test are satisfactory, the results shall be documented by the licensed tester and submitted, by the customer, to the Company in a timely fashion. If the test discloses that the device is not functioning satisfactorily, the customer must, at the customer's expense, arrange for the necessary repairs to be made and the assembly retested by a certified tester. The customer will then submit the satisfactory results to the Company annually.

Satisfactory results of such a test must be submitted within one year of the previous test results. If the customer does not arrange for backflow prevention device testing or does not forward copy of the satisfactory results to the Company, service will be subject to disconnection upon five (5) working days notice to the customer.

EFFECTIVE DATE _____

TYPE OF FILING - Tariff

Jack Olsen
ISSUING OFFICER

President
TITLE

BACKFLOW PREVENTION DEVICE ANNUAL TESTING REQUIREMENT

Pursuant to Rule 62-555.360, Florida Administrative Code, the Florida Department of Environmental Protection requires that all backflow prevention devices be inspected at least once every twelve (12) months by a backflow prevention assembly tester possessing a valid Certification recognized by the American Water Works Association.

In compliance with the Department of Environmental Protection's mandate, the Company requires that all customers with backflow prevention devices arrange for an inspection of such devices, at the customers expense, by a certified backflow prevention assembly tester.

If the results of such test are satisfactory, the results shall be documented by the licensed tester and submitted, by the customer, to the Company in a timely fashion. If the test discloses that the device is not functioning satisfactorily, the customer must, at the customer's expense, arrange for the necessary repairs to be made and the assembly retested by a certified tester. The customer will then submit the satisfactory results to the Company annually.

Satisfactory results of such a test must be submitted within one year of the previous test results. If the customer does not arrange for backflow prevention device testing or does not forward copy of the satisfactory results to the Company, service will be subject to disconnection upon five (5) working days notice to the customer.

EFFECTIVE DATE _____

TYPE OF FILING - Tariff

Jack Olsen
ISSUING OFFICER

President
TITLE