

**JAMES L. ADE, P.L.**  
 ATTORNEY AT LAW  
 841 PRUDENTIAL DRIVE - SUITE 1400  
 JACKSONVILLE, FLORIDA 32207  
 (904) 858-0123  
 FACSIMILE (904) 858-0124  
 JLA@JAXBUSINESSLAW.COM

RECEIVED-FPSC  
 08 DEC -5 PM 1:29  
 COMMISSION  
 CLERK

December 4, 2008

Ms. Ann Cole, Commission Clerk  
 Florida Public Service Commission  
 2540 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-0850

Dear Ms. Cole:

In connection with the Application of Placid Lakes Utilities, Inc. ("Applicant") for Increased Water Rates in Highlands County ("Application"), Docket No. 080353-WU, enclosed please find a Memorandum of Responses To Letter of Deficiencies together with the original and 15 copies of the response to each of the deficiencies listed in the letter dated November 14, 2008, to me from Mr. Timothy Devlin. Also enclosed please find Instructions For Inserting Responses Into The Minimum Filing Requirements.

I trust that the enclosed Memorandum of Response To Letter of Deficiencies, copies of the Responses and the Instructions For Inserting The Responses Into The Minimum Filing Requirements will completely address each of the Deficiencies and allow you to insert the Responses into the previously filed Minimum Filing Requirements. If, however, you have any questions or need any additional information concerning this matter please do not hesitate to contact me.

Sincerely,

*James L. Ade*  
 James L. Ade

COM \_\_\_\_\_  
 ECR \_\_\_\_\_  
 GCL 2 JLA/lefr  
 OPC 1 Enclosures  
 RCF \_\_\_\_\_  
 SSC cc: Mr. Marshall Willis w/out enc.  
 SGA \_\_\_\_\_ Ms. Peggy Ann Brewer w/ copy of enclosure  
 ADM \_\_\_\_\_ Mr. John Guastella w/ copy of enclosure  
 CLK \_\_\_\_\_ Mr. Gary White w/ copy of enclosure

98 00 00 00-000 00

DOCUMENT NUMBER DATE  
 11288 DEC-5 08  
 FPSC-COMMISSION CLERK

**APPLICATION OF PLACID LAKES UTILITIES, INC.**  
**FOR INCREASED WATER RATES IN HIGHLANDS COUNTY**

**DOCKET NO. 080353-WU**

**MEMORANDUM OF RESPONSES TO LETTER OF DEFICIENCIES**

---

- Deficiency #1      No formal contracts or agreements have been executed between the Utility and Lake Placid Holding Corp.
- Deficiency #2      No land has been acquired by the Utility or recorded on the Utility's books since rate base was last established. A copy of the deed to the Utility's land was furnished to the field auditor by Ms. Peggy Ann Brewer during the field audit.
- Deficiency #3      The original and fifteen (15) tabs for Volumes 1, 3, 4 and 5 are enclosed with this Memorandum of Response to Letter of Deficiencies ("Response") as follows:
- Volume I. Tabs for Schedules A – D in accordance with Table of Contents for Volume I – Rate Base Schedules.
- Volume II. No Tabs required. Only Billing Analysis included in Volume II.
- Volume III. Tabs for Schedules A – G in accordance with the Table of Contents for Volume III – Engineering Information.
- Volume IV. Tabs for Schedules A – J in accordance with the Table of Contents for Volume IV – Supporting Work Papers.
- Volume V. Tabs for Volume 5 and tabs for Schedules A – E in accordance with the Table of Contents for Volume V – Additional Engineering Information.
- Deficiency #4      Revised Schedules A-18 and A-19 are enclosed with this Response.
- Deficiency #5      Revised Schedule A-4 which reconciles Annual Plant Additions and Balances in Schedule A-4 to the annual reports, is enclosed with this Response.

DOCUMENT NUMBER-DATE

11288 DEC-5 88

FPSC-COMMISSION CLEAR

- Deficiency #6 Revised Schedule B-7 which provides an explanation for the legal expense increase is enclosed with this Response.
- Deficiency #7 The two public fire protection meters listed in the Utility's billing information (as shown within Schedule E-13, Volume II of the MFRs) represent two meters installed at the Fire Department facilities and are not fire protection meters, as erroneously categorized by the Utility. These meters provide "normal" water service to garage and restroom facilities and are properly included as general service meters on all other Section E Rate Schedules.
- The public authority meter listed in the Utility's billing information (as shown within Schedule E-13, Volume II of the MFRs) represents a meter installed at the Home Owners Association park and it is not providing water to a public authority meter, as erroneously categorized by the Utility. This meter provides "normal" water service to the park facilities and is properly included as a general service meter on all other Section E Rate Schedules.
- Deficiency #8 Schedule E-2 properly categorizes the service provided to the Fire Department and the Home Owners Association park as general service customers. These customers are misidentified in the Utility's billing records. *(See the explanation provided under Deficiency #7.)*
- Deficiency #9 There are no approved tariff rates necessary. *(See the explanation provided under Deficiency #7.)*
- Deficiency #10 Annualized bills are derived by multiplying the number of year-end customers from Schedule E-13 (Volume II, page 2) by twelve monthly bills. The annualized consumption is based on the average consumption per bill from Schedule E-2, page 2 (the 2007 historical billing analysis) applied to the number of annualized bills.
- Deficiency #11 Schedule E-3, page 1 reflects the projected 2008 pro forma bills and Schedule E-2, pages 1 and 2 reflect the base year 2007 billing information. The residential customer billing information reflecting different periods of time will likely not match. Schedule E-3, page 2 reflects the base year customers and bills.
- Deficiency #12 The same explanation as the Response to Deficiency #11 applies to general service customers.

- Deficiency #13      There are no public fire protection or public authority customers. *(See the explanation provided under the Response to Deficiency #7.)*
- Deficiency #14      The number of customers match when “public fire protection” and “public authority” customers on Schedule E-13 are properly added to the general service customer group. *(See the explanation provided under the Response to Deficiency #7.)*
- Deficiency #15      See the explanations provided under the Responses to Deficiencies #13 and #14.
- Deficiency #16      The customer information provided on Schedule E-12 is correct. *(See the explanation provided under the Response to Deficiency #7.)*
- Deficiency #17      See the explanations provided under the Response to Deficiency #9.
- Deficiency #18      See the explanations provided under the Response to Deficiency #10.
- Deficiency #19      The projected customer and billing information is provided in Volume IV on Work Paper 9 of the MFRs.
- Deficiency #20      A list of chemicals used for water treatment as required by Rule 25-30.440(2) is enclosed. The Florida Public Service Commission (“FPSC”) does not regulate the Utility’s wastewater operations.
- Deficiency #21      The most recent chemical analysis for the water system as required by Rule 25-30.440(3) is enclosed.
- Deficiency #22      The monthly operating reports for the water plant for 2008 as required by Rule 25-30.440(4) are enclosed.
- Deficiency #23      The most recent sanitary survey for the water plant as required by Rule 25-30.440(5) is enclosed. The FPSC does not regulate the Utility’s wastewater operations.
- Deficiency #24      There have been no health department or DEP Notices of Violations, Consent Orders, Letters of Notice or Warning Notices issued to the Utility within the last five years.
- Deficiency #25      A list of all field employees and the other information required by Rule 25-30.440(8) is enclosed.

**Placid Lakes Utilities, Inc.  
RATE BASE SCHEDULES**

**Volume I  
TABLE OF CONTENTS**

<u>SECTION TITLE</u>	<u>SCHEDULE LETTER</u>
Rate Base Schedules	A
Operating Income Schedules	B
Tax Schedules	C
Capital Schedules	D

**Schedule of Water Plant in Service  
Annual Balances Subsequent to Last Established Rate Base**

**Florida Public Service Commission**

Placid Lakes Utilities, Inc.  
Docket No. 080353-WS  
Test Year Ending 12/31/08

Schedule: A-4 *Revised*  
Page: 1 of 1  
Preparer: Guastella Associates

Description: Provide the annual balance of the original cost of plant in service for water and sewer separately, for all years since either rate base was last established by this Commission; or the date of inception of utility service if rate base has not been established previously by this Commission; and yearly additions, retirements, and adjustments by dollar amount up to the end of the test year. Provide an additional page if necessary. If a projected test year is used, include the projected annual additions and/or retirements specifically identifying those amounts.

Line No.	Description	Water Per Books	Adjusted Balance
1	12/31/99 Balance	\$1,861,086	
2	Commission Approved Average Balance		\$1,802,837
3	Reverse Adjustment for Average Balance		24,781
4	Reverse Pro Forma Adjustment		(11,865)
5	2000 Additions	<i>Revision</i> 63,689	63,689
6	2000 Retirements	0	0
7	Adjust for Unauthorized Interest Booked	(45,333)	
8	12/31/00 Balance	1,879,442	1,879,442
9	2001 Additions	<i>Revision</i> 52,003	52,003
10	2001 Retirements	0	0
11	12/31/01 Balance	1,931,444	1,931,444
12	2002 Additions	34,432	34,432
13	2002 Retirements	(15,684)	(15,684)
14	12/31/02 Balance	1,950,193	1,950,193
15	2003 Additions	170,376	170,376
16	2003 Retirements	(22,580)	(22,580)
17	12/31/03 Balance	2,097,989	2,097,989
18	2004 Additions	207,369	207,369
19	2004 Retirements	(28,866)	(28,866)
20	12/31/04 Balance	2,276,493	2,276,493
21	2005 Additions	164,098	164,098
22	2005 Retirements	(10,045)	(10,045)
23	12/31/05 Balance	2,430,546	2,430,546
24	2006 Additions	164,996	164,996
25	2006 Retirements	(51)	(51)
26	12/31/06 Balance	2,595,491	2,595,491
27	2007 Additions to Date	75,709	75,709
28	2007 Retirements to Date	(1,734)	(1,734)
29	12/31/07 Balance	\$2,669,466	\$2,669,466
30	2008 Additions	187,453	187,453
31	2008 Retirements	(15,508)	(15,508)
32	12/31/08 Balance	<u>\$2,841,411</u>	<u>\$2,841,411</u>

Supporting Schedules: A-5

**Comparative Balance Sheet - Assets**

**Florida Public Service Commission**

**Placid Lakes Utilities, Inc.**  
 Docket No. 080353-WS  
 Test Year Ending 12/31/08  
 Historical [X] Projected [X]

Schedule: A-18 *Revised*  
 Page: 1 of 1  
 Preparer: Guastella Associates

Description: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown

Line No.	(1) Assets	(2) Test Year 12/31/08	(3) Base Year 12/31/07	(4) Prior Year 12/31/06
	Utility Plant in Service	\$2,841,412	\$2,669,466	\$2,595,492
	Construction Work in Progress			
	Other Util. Plant Adjmts (Net, Sewer Plant)	10,002	12,224	14,446
	<b>GROSS UTILITY PLANT</b>	<b>2,851,414</b>	<b>2,681,690</b>	<b>2,609,938</b>
	Less: Accumulated Depreciation	1,146,644	1,064,711	984,030
	<b>NET UTILITY PLANT</b>	<b>1,704,770</b>	<b>1,616,979</b>	<b>1,625,908</b>
	Cash	55,915	55,915	35,440
	Accts. Receivable - Customers	56,868	57,282	58,173
	Notes/Accts. Rec - Associated Cos.			
	Accts. Receivable - Other			
	Allowance for Bad Debts			
	Materials & Supplies	58,150	58,150	51,744
	Misc. Current and Accrued Assets	6,758	6,758	9,693
	<b>TOTAL CURRENT ASSETS</b>	<b>177,691</b>	<b>178,105</b>	<b>155,050</b>
	Unamortized Debt Discounts & Exp.			
	Prelim. Survey & Investigation Charges			
	Clearing Accounts			
	Deferred Rate Case Expense	134,650	33,448	0
	Other Misc. Deferred Debits			
	Accum. Deferred Income Taxes			
	<b>TOTAL DEFERRED DEBITS</b>	<b>134,650</b>	<b>33,448</b>	<b>0</b>
	<b>TOTAL ASSETS</b>	<b>\$2,017,111</b>	<b>\$1,828,532</b>	<b>\$1,780,958</b>

**Comparative Balance Sheet - Assets**

**Florida Public Service Commission**

**Placid Lakes Utilities, Inc.**  
 Docket No. 080353-WS  
 Test Year Ending 12/31/08  
 Historical [X] Projected [X]

Schedule: A-19 *Revised*  
 Page: 1 of 1  
 Preparer: Guastella Associates

Description: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown

Line No.	(1) Assets Equity Capital & Liabilities	(2) Test Year 12/31/08	(3) Base Year 12/31/07	(4) Prior Year 12/31/06
	Common Stock Issued	\$500	\$500	\$500
	Preferred Stock Issued			
	Additional Paid In Capital	1,342,285	1,342,285	1,342,285
	Retained Earnings	(1,848,628)	(1,778,080)	(1,672,844)
	Other Equity Capital			
	<b>TOTAL EQUITY CAPITAL</b>	<b>(505,843)</b>	<b>(435,295)</b>	<b>(330,059)</b>
	Bonds			
	Reacquired Bonds			
	Advances from Associated Cos.	1,250,887	1,035,922	969,686
	Other Long-Term Debt	0	2,585	6,032
	<b>TOTAL LONG-TERM DEBT</b>	<b>1,250,887</b>	<b>1,038,507</b>	<b>975,718</b>
	Accounts Payable	13,501	13,501	4,612
	Notes Payable			
	Notes/Accts. Payable - Assoc. Cos.	123,381	52,833	25,000
	Customer Deposits	8,633	16,796	13,364
	Accrued Taxes	7,217	7,217	0
	Accrued Interest	70,629	58,291	26,486
	Accrued Dividends			
	Misc. Current & Accrued Liabilities			
	<b>TOTAL CURRENT &amp; ACCRUED LIAB.</b>	<b>223,361</b>	<b>148,638</b>	<b>69,462</b>
	Advances for Construction	133,071	132,116	135,019
	Other Deferred Credits			
	Accum. Deferred ITCs			
	Operating Reserves			
	<b>TOTAL DEFERRED CREDITS</b>	<b>133,071</b>	<b>132,116</b>	<b>135,019</b>
	Contributions in Aid of Construction	1,670,446	1,648,731	1,585,807
	Less: Accum. Amortization of CIAC	754,810	704,165	654,989
	Accumulated Deferred Income Taxes	0	0	0
	<b>TOTAL EQUITY CAPITAL &amp; LIABILITIES</b>	<b>\$2,017,111</b>	<b>\$1,828,532</b>	<b>\$1,780,958</b>



Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Placid Lakes Utilities, Inc.  
 Docket No. 080353-WS  
 Test Year Ending 12/31/08

Schedule: B-7 *Revised*  
 Page: 1 of 1  
 Preparer: Guastella Associates

Description: Complete the following comparison of the applicant's current and prior test year O & M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior Test Year 12/31/99	(3) Current TY 12/31/07	(4) \$ Difference	(5) % Difference
1	601 - Salaries & Wages - Employees	\$99,895	\$158,978	\$59,083	59.1%
2	603 - Salaries & Wages - Officers	30,000	30,000	0	
3	604 - Employee Pension & Benefits	20,082	54,234	34,152	170.1%
4	615 - Purchased Power	10,247	17,458	7,211	70.4%
5	618 - Chemicals	13,304	11,406	(1,898)	-14.3%
6	620 - Materials & Supplies	13,083	20,847	7,764	59.3%
7	631 - Contract Services - Enginneering		0	0	
8	632 - Contract Services - Accounting	4,000	0	(4,000)	
9	633 - Contract Services - Legal	238	2,108	1,870	785.7%
10	634 - Contract Services - Mgmt Fees	33,750	31,500	(2,250)	-6.7%
11	635 - Contract Services - Testing	2,036	1,728	(308)	-15.1%
12	636 - Contract Services - Operations	0	60,085	60,085	
13	641 - Rental of Building / Real Property	10,731	17,669	6,938	64.7%
14	650 - Transportation Expense	2,782	6,689	3,907	140.4%
15	656 - Insurance - Vehicles	0	3,178	3,178	
16	657 - Insurance - General Liability	0	11,626	11,626	
17	658 - Insurance - Workman's Comp	4,679	5,720	1,041	22.2%
18	666 - Regulatory Expense - Rate Case Exp	38,574	0	(38,574)	-100.0%
19	667 - Regulatory Commission Expense	361	0	(361)	
20	670 - Bad Debt Expense	0	0	0	
21	675 - Miscellaneous Expense	20,348	22,875	2,527	12.4%
22	TOTAL	\$304,110	\$456,099	\$151,989	50.0%
23	Total Customers (ERCs)	1,519	2,017	498	32.8%
24	Consumer Price Index - U	166.6	207.3	40.7	24.5%
25	Growth Plus Inflation				65.2%
26	Growth Plus Inflation=Growth + Inflation + (Growth x Inflation).				

Explanations:

Property values, insurance, electricity and petroleum related costs have escalated at greater than inflationary rates.

Salaries & Wages - The number of employees has increased subsequent to the last rate case.

Benefits - The increase is primarily due to the cost of health insurance benefits.

Transportation - The increase reflects the cost escalation related to gasoline prices.

Legal - The increase is disproportionate and insignificant based on the level of expense. (*Revision*)

**Placid Lakes Utilities, Inc.**  
**ENGINEERING INFORMATION**

**Volume III**  
**TABLE OF CONTENTS**

<u>SECTION TITLE</u>	<u>SCHEDULE LETTER</u>
Used and Useful Analysis – Mains	A
Chemicals Used in Water Treatment and Analyses	B
Monthly Operating Reports	C
Permits	D
List of Employees	E
List of Company Vehicles	F
Customer Complaint Logs	G

**Placid Lakes Utilities, Inc.  
SUPPORTING WORK PAPERS**

**Volume IV  
TABLE OF CONTENTS**

<u>WORK PAPER NUMBERS AND TITLE</u>	<u>SCHEDULE LETTER</u>
Work Paper 1- Revenue Requirement Calculation Permanent Rates	A
Work Paper 2 - Revenue Requirement Calculation Interim Rates	B
Work Paper 3 - Rate Development Schedule Schedule Year Ended: 12/31/2008	C
Work Paper 4 - Employee Wage Schedule Schedule Year Ended: 12/31/2007	D
Work Paper 5 - Employee Wage Summary Schedule Year Ended: 12/31/2007	E
Work Paper 6 - Employee Wage Report Schedule Year Ended: 12/31/2007	F
Work Paper 7 - Calculation of Maximum Day Based on Hours Between Meter Readings	G
Work Paper 8 - Line Extensions Advances for Construction (Acct 252)	H
Work Paper 9 - Comparative Billing Data	I
Work Paper 10 - Calculation of ERC's Based on Meter Equivalentents	J

**Placid Lakes Utilities, Inc.**  
**ADDITIONAL ENGINEERING INFORMATION**

**Volume V**  
**TABLE OF CONTENTS**

<u>SECTION TITLE</u>	<u>SCHEDULE LETTER</u>
List of Chemicals Used for Water Treatment	A
Most Recent Chemical Analysis for Water System	B
2008 Monthly Operating Reports for Water Plant	C
Most Recent Sanitary Survey for Water Plant	D
List of All Field Employees and Other Information	E


Rule 25-30.440(2), F.A.C.

CHEMICALS USED													
CHLORINE	2006				2007				2008				
	QUANTITY LBS	\$AMOUNT	UNIT PRICE	DOSAGE RATE	QUANTITY LBS	\$AMOUNT	UNIT PRICE	DOSAGE RATE	QUANTITY LBS	\$AMOUNT	UNIT PRICE	DOSAGE RATE	
JAN	750	\$ 565.88	\$ 0.76	750	1050	\$ 791.06	\$ 0.76	575	750	\$ 571.83	\$ 0.77	705	
FEB	800	\$ 454.88	\$ 0.76	750				575	750	\$ 571.83	\$ 0.77	705	
MAR	600	\$ 454.88	\$ 0.76	750	750	\$ 568.54	\$ 0.76	575				705	
MAR	800	\$ 454.88	\$ 0.76		800	\$ 455.83	\$ 0.76						
APR	750	\$ 568.04	\$ 0.76	750	750	\$ 568.34	\$ 0.76	575	1050	\$ 797.23	\$ 0.76	705	
MAY	800	\$ 458.84	\$ 0.77	750				575	750	\$ 728.93	\$ 0.97	705	
JUNE	900	\$ 679.88	\$ 0.76	750	750	\$ 568.83	\$ 0.76	575	750	\$ 729.21	\$ 0.98	705	
JUNE	800	\$ 457.88	\$ 0.77		750	\$ 568.83	\$ 0.76						
JULY	800	\$ 457.88	\$ 0.77	750	750	\$ 568.83	\$ 0.76	575	750	\$ 729.83	\$ 0.98	705	
AUG	750	\$ 568.18	\$ 0.76	750				575	750	\$ 729.83	\$ 0.98	705	
SEPT	750	\$ 846.81	\$ 0.87	750	750	\$ 568.83	\$ 0.76	575	750	\$ 728.13	\$ 0.97	705	
OCT	750	\$ 568.18	\$ 0.76	750	750	\$ 569.13	\$ 0.76	575	750	\$ 728.13	\$ 0.97	705	
NOV	750	\$ 568.18	\$ 0.76	750				575					
DEC				750				575					
	9000	\$6,900.77	\$ 0.77	9000	6900	\$5,226.02	\$ 0.76	6900	7050	\$6,312.55	\$ 0.90	7050	



# SHORT Environmental Laboratories, Inc.

10405 U.S. 27 S Sebring, FL 33876 (863) 655-4022  
800 833-4022 Shortlab@strato.net fax: (863) 655-5820



## Report Cover Page

Client: **Placid Lakes Utilities, Inc.**  
Address: **410 Washington Blvd., NW**

City, St. Zip: **Lake Placid, FL 33852**  
Attention: **Pam Brewer**

Report #: **2008040090**  
Report Date: **4/12/2008**

Project: **DWTP**  
**Primary Inorganics, Secondaries, VOCs, SOCs, Radiologicals**

Sample date: **March 10, 2008**  
Sample #'s: **306187**

This report package includes the following contents and attachments:

Commonly used Qualifiers with explanations:

Item	Pages	Qualifier	Explanation
Cover Page:	1		
Report of Analysis: DW Original	7	U	Compound was analyzed for but not detected.
Attachments: Chain of Custody	1	J	Result is between the PQL and the MDL.
Sampler cert	1	Q	Sample was analyzed out of holding time.
		J	Estimated value; value may not be accurate.

Total Pages: 10

The results contained in this report meet all requirements of the NELAC standards. All results are representative of the sample as collected. Direct all questions to the signatory below at the phone number above.

Respectfully Submitted,

  
David W. Murto  
Laboratory Director

This report is for the exclusive and private use of the client listed above and recipients designated by the client. If reproduced in whole or in part by authorized recipients, this cover sheet should accompany any such copies.



**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

**PUBLIC WATER SYSTEM INFORMATION ( to be completed by sampler - Please type or print legibly )**

System Name: PLACID LAKES UTILITY INC FWS I.D. #: 6280223

System Type (check one):     Community     NonTransient Noncommunity     Transient NonCommunity

Address: 410 Washington Blvd. NW

City: Lake Placid State: Florida ZIP Code: 33852

Phone: (863) 465-0345 Fax #: (863) 465-1313

E-Mail Address: \_\_\_\_\_

**SAMPLE INFORMATION (to be completed by sampler)**

Sample Number: 306187 Location Code (if Known): \_\_\_\_\_

Sample Date: 3/10/2008 Sample Time: 1130 AM PM (circle one)

Sample Location (be specific): Point of Entry Hydro Tank # 1

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): 1.5 g/L Field pH 7.3

**Sample Type (Check Only One)**

**Reason(s) for Sample ( Check all that apply)**

- |  |  |  |
|--|--|--|
| <input type="checkbox"/> Distribution                                | <input checked="" type="checkbox"/> Routine Compliance (with 62-550) | <input type="checkbox"/> Quarterly ( Which One? )                  |
| <input checked="" type="checkbox"/> Entry Point (to Distribution)    | <input type="checkbox"/> Confirmation of MCL Exceedance*             | <input type="checkbox"/> Special (not for compliance with 62-550.) |
| <input type="checkbox"/> Plant Tap (not for compliance with 62.550.) | <input type="checkbox"/> Composite Multiple Sites**                  | <input type="checkbox"/> Violation Resolution                      |
| <input type="checkbox"/> Raw (at well intake)                        | <input type="checkbox"/> Clearance (permitting)                      | <input type="checkbox"/> Replacement (of invalidated Sample)       |
| <input type="checkbox"/> Max. Residence Time                         | <input type="checkbox"/> Other: _____                                |  |
| <input type="checkbox"/> Ave. Residence Time                         | Sampling Procedure Used or other Comments: _____                     |  |
| <input type="checkbox"/> Near First Customer                         |  |  |

\*See 62-550.500(6) for requirements and restrictions.

NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

\*\* See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Nathan Brewer

Sampler's Phone #: (863) 441-1090 Sampler's Fax: (863) 465-1313

Sampler's E-Mail Address: NDBrewer@cmlb.org@mail.com

**CERTIFICATION (to be completed by sampler)**

I, Nathan Brewer Operator  
(Print Name) (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: \_\_\_\_\_ Date: 3/10/2008



**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

**LABORATORY CERTIFICATION INFORMATION** (to be completed by lab - Please type or print legibly)  
ATTACH CURRENT DOH ANALYTE SHEET\*

Lab Name: Short Environmental Laboratories Florida Certification #: E85458  
 Address: 10405 US Highway 27 South Certification Expiration Date: 06/30/08  
Sebring, FL 33876 Phone #: (863) 655-4022

ANALYSIS INFORMATION (to be completed by lab) Date Sample(s) Received: 3/10/2008  
 PWS ID (From Page 1): 6280223 Sample Number (From Page 1): 306187  
 Lab Assigned Report Number or Job ID: 306187

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C. (Check all that apply):

- |   |   |   |  |
|---|---|---|--|
| <b>Inorganics</b>                           | <b>Synthetic Organics</b>                             | <b>Volatile Organics</b>                          | <b>Disinfection Byproducts</b>             |
| <input type="checkbox"/> All 17             | <input type="checkbox"/> All 30                       | <input checked="" type="checkbox"/> All 21        | <input type="checkbox"/> Trihalomethanes   |
| <input checked="" type="checkbox"/> Partial | <input checked="" type="checkbox"/> All Except Dioxin | <input type="checkbox"/> Partial                  | <input type="checkbox"/> Haloacetic Acid   |
| <input checked="" type="checkbox"/> Nitrate | <input type="checkbox"/> Partial                      |   | <input type="checkbox"/> Bromate           |
| <input checked="" type="checkbox"/> Nitrite | <input type="checkbox"/> Dioxin Only                  | <b>Radionuclides</b>                              | <input type="checkbox"/> Chlorite          |
| <input type="checkbox"/> Asbestos Only      |   | <input checked="" type="checkbox"/> Single Sample |  |
|   |   | <input type="checkbox"/> Qtrly Composite**        | <b>Secondaries</b>                         |
|   | <input type="checkbox"/> Lead & Copper                |   | <input checked="" type="checkbox"/> All 14 |
|   |   |   | <input type="checkbox"/> Partial           |

Were any analyses subcontracted?  Yes  No

If yes, please provide DOH certification Numbers: E 84129 (Orgs), E 83033 (Rads)  
 ATTACH DOH ANALYTE SHEET FOR EACH SUBCONTRACTED LAB\*

**CERTIFICATION**

I, David W. Murto, Laboratory Director  
 (Print Name) (Print Title)

do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Signature: David W. Murto Date: 4/12/2008

\* Failure to provide a valid and current Florida DOH lab certification number and a current Analyte Sheet for the attached analysis results will result in rejection of the report, possible enforcement against the public water system for failure to sample, and may result in notification of the DOH Bureau of Laboratory Services.  
 \*\* Please provide radiological sample dates & locations for each quarter.

**COMPLIANCE DETERMINATION** (to be completed by DEP or DOH)

Sample Collection Info Satisfactory:  Yes  No Sample Analysis Info Satisfactory:  Yes  No

- |   |   |
|---|---|
| <input type="checkbox"/> Replacement Sample(s) Requested (circle or highlight group(s) above)   | <input type="checkbox"/> Revised Report Requested |
| <input type="checkbox"/> Additional Monitoring Required (circle or highlight group(s) above)    | (circle or highlight group(s) above)              |
| Reason(s): <input type="checkbox"/> MCL(s) Exceeded <input type="checkbox"/> Detection(s)       | <input type="checkbox"/> Incomplete Report        |
| <input type="checkbox"/> Missing Analyte Sheet <input type="checkbox"/> Location Unsatisfactory | <input type="checkbox"/> Analysis Unsatisfactory  |
| <input type="checkbox"/> Other: _____   |   |

Person Notified: \_\_\_\_\_ Date Notified: \_\_\_\_\_

Comments: \_\_\_\_\_

Date Reviewed: \_\_\_\_\_ DEP/DOH Reviewing Official: \_\_\_\_\_

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

Inorganic Contaminants

Report Number/Job ID: 306187

62-550.310(1)

PWS ID (from page 1): 6280223

Contam ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Certification #
1040	Nitrate (as N)	10	mg/L	0.07	I	EPA 353.2	0.02	3/19/2008	1436	E85458
1041	Nitrite (as N)	1	mg/L	0.01	U	EPA 353.2	0.01	3/11/2008	1439	E85458
1005	Arsenic	0.01	mg/L	0.002	U	SM 3113 B	0.002	3/31/2008	0842	E85458
1010	Barium	2	mg/L	0.037		EPA 200.7	0.002	3/19/2008	1036	E85458
1015	Cadmium	0.005	mg/L	0.001	U	EPA 200.7	0.001	3/19/2008	1036	E85458
1020	Chromium	0.10	mg/L	0.001	U	EPA 200.7	0.001	3/19/2008	1036	E85458
1024	Cyanide	0.20	mg/L	0.005	U	EPA 335.4	0.005	3/24/2008	0758	E85458
1025	Fluoride	4.0	mg/L	0.16		SM4500F-C	0.05	3/28/2008	1513	E85458
1030	Lead	0.015	mg/L	0.001	U	SM 3113 B	0.001	3/18/2008	1318	E85458
1035	Mercury	0.002	mg/L	0.0002	U	EPA 245.1	0.0002	3/20/2008	1230	E85458
1036	Nickel	0.10	mg/L	0.002	U	EPA 200.7	0.002	3/19/2008	1036	E85458
1045	Selenium	0.05	mg/L	0.005	U	SM 3113 B	0.005	3/28/2008	1014	E85458
1052	Sodium	160	mg/L	7.21		EPA 200.7	0.05	3/25/2008	1130	E85458
1074	Antimony	0.006	mg/L	0.003	U	SM 3113 B	0.003	3/27/2008	0839	E85458
1075	Beryllium	0.004	mg/L	0.0005	U	EPA 200.7	0.0005	3/19/2008	1036	E85458
1085	Thallium	0.002	mg/L	0.001	U	EPA 200.9	0.001	3/17/2008	1004	E85458
1094	Asbestos	7 MFL	MFL							

All results meet the requirements of NELAC.

\*Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, 7, are unacceptable for compliance with 62.550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

Reporting Format 62-550.730

Effective January 1995, Revised January 2004

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

Secondary Contaminants

Report Number/Job ID: 306187

62-550.320

PWS ID (From Page 1): 6280223

Contam ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Certification#
1002	Aluminum	0.20	mg/L	0.02	U	EPA 200.7	0.02	3/19/2008	1036	E85458
1017	Chloride	250	mg/L	17.		EPA 325.3	0.5	3/14/2008	1415	E85458
1022	Copper	1	mg/L	0.002	U	EPA 200.7	0.002	3/19/2008	1036	E85458
1025	Fluoride	2.00	mg/L	0.16		SM450F-C	0.05	3/28/2008	1513	E85458
1028	Iron	0.30	mg/L	0.084		EPA 200.7	0.005	3/19/2008	1036	E85458
1032	Manganese	0.05	mg/L	0.0025		EPA 200.7	0.0005	3/19/2008	1036	E85458
1050	Silver	0.10	mg/L	0.001	U	EPA 200.7	0.001	3/19/2008	1036	E85458
1055	Sulfate	250	mg/L	1.0	U	EPA 375.4	1.	3/17/2008	0822	E85458
1095	Zinc	5	mg/L	0.004	U	EPA 200.7	0.004	3/19/2008	1036	E85458
1905	Color	15	CU	5.		SM 2120 B	1.	3/11/2008	0827	E85458
1920	Odor	3	TON	1.		SM 2150 B	1.	3/11/2008	0827	E85458
1925	pH (field pH from page 1)	6.5 - 8.5	SU	6.94		EPA 150.1	0.1	3/11/2008	0827	E85458
1930	Total Dissolved Solids	500	mg/L	138.		SM 2540 C	10.	3/14/2008	0831	E85458
2905	Foaming Agents	0.50	mg/L	0.02	U	SM 5540 C	0.02	3/12/2008	0958	E85458

All results meet the requirements of NELAC.

\*Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?  
\*, are unacceptable for compliance with 62.550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

Reporting Format 62-550.730

Effective January 1995, Revised January 2004.

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

Volatile Organics

Report Number/Job ID: 306187

62-550.310(4)(a)

PWS ID (from page 1): 6280223

Contam ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Certification #
2378	1,2,4-Trichlorobenzene	70	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2380	cis-1,2-Dichloroethylene	70	ug/L	0.2	U	EPA 502.2	0.2	0.50	3/14/2008	0850	E84129
2955	Xylenes (total)	10,000	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2964	Dichloromethane	5	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2968	o-Dichlorobenzene	600	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2969	para-Dichlorobenzene	75	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2976	Vinyl Chloride	1	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2977	1,1-Dichloroethylene	7	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2979	trans-1,2-Dichloroethylene	100	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2980	1,2-Dichloroethane	3	ug/L	0.2	U	EPA 502.2	0.2	0.50	3/14/2008	0850	E84129
2981	1,1,1-Trichloroethane	200	ug/L	0.3	U	EPA 502.2	0.3	0.50	3/14/2008	0850	E84129
2982	Carbon tetrachloride	3	ug/L	0.3	U	EPA 502.2	0.3	0.50	3/14/2008	0850	E84129
2983	1,2-Dichloropropane	5	ug/L	0.3	U	EPA 502.2	0.3	0.50	3/14/2008	0850	E84129
2984	Trichloroethylene	3	ug/L	0.2	U	EPA 502.2	0.2	0.50	3/14/2008	0850	E84129
2985	1,1,2-Trichloroethane	5	ug/L	0.3	U	EPA 502.2	0.3	0.50	3/14/2008	0850	E84129
2987	Tetrachloroethylene	3	ug/L	0.2	U	EPA 502.2	0.2	0.50	3/14/2008	0850	E84129
2989	Monochlorobenzene	100	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2990	Benzene	1	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2991	Toluene	1,000	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2992	Ethylbenzene	700	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129
2996	Styrene	100	ug/L	0.5	U	EPA 502.2	0.5	0.50	3/14/2008	0850	E84129

All results meet the requirements of NELAC.

\* Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with a A, F, H, N, O, T, Z, ?\*, are unacceptable for compliance with 62-550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples during the same monitoring period.

Reporting Format 62-550730

Effective January 1995, Revised January 2004

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

Synthetic Organics

Report Number/Job ID: 306187

62-550.310(4)(b)

PWS ID (From Page 1): 6280223

Contam ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier*	Analytical Method	Lab MDL	RDL	Extraction Date	Analysis Date	Analysis Time	DOH Lab Certification#
2005	Endrin	2	ug/L	0.1	U	EPA 525.2	0.1	0.01	3/18/2008	3/18/2008	1636	E84129
2010	Lindane	0.20	ug/L	0.06	U	EPA 525.2	0.06	0.02	3/18/2008	3/18/2008	1636	E84129
2015	Methoxychlor	40	ug/L	0.05	U	EPA 525.2	0.05	0.10	3/18/2008	3/18/2008	1636	E84129
2020	Toxaphene	3	ug/L	0.5	U	EPA 508.1	0.5	1	3/18/2008	3/20/2008	2103	E84129
2031	Dalapon	200	ug/L	1.	U	EPA 515.3	1.	1	3/17/2008	3/18/2008	0118	E84129
2032	Diquat	20	ug/L	1.	U	EPA 549.2	1.	0.4	3/14/2008	3/17/2008	2009	E84129
2033	Endothall	100	ug/L	20.	U	EPA 548.1	20.	9	3/12/2008	3/13/2008	2216	E84129
2034	Glyphosate	700	ug/L	10.	U	EPA 547	10.	6		3/13/2008	1706	E84129
2035	Di(2-ethylhexyl)adipate	400	ug/L	0.3	U	EPA 525.2	0.3	0.6	3/18/2008	3/18/2008	1636	E84129
2036	Oxamyl (Vydate)	200	ug/L	0.5	U	EPA 531.1	0.5	2		3/13/2008	0040	E84129
2037	Simazine	4	ug/L	0.07	U	EPA 525.2	0.07	0.07	3/18/2008	3/18/2008	1636	E84129
2039	Di(2-ethylhexyl)phthalate	6	ug/L	1.	U	EPA 525.2	1.	0.6	3/18/2008	3/18/2008	1636	E84129
2040	Picloram	500	ug/L	0.75	U	EPA 515.3	0.75	0.1	3/17/2008	3/18/2008	0118	E84129
2041	Dinoseb	7	ug/L	0.5	U	EPA 515.3	0.5	0.2	3/17/2008	3/18/2008	0118	E84129
2042	Hexachlorocyclopentadiene	50	ug/L	0.2	U	EPA 525.2	0.2	0.1	3/18/2008	3/18/2008	1636	E84129
2046	Carbofuran	40	ug/L	0.5	U	EPA 531.1	0.5	0.9		3/13/2008	0040	E84129
2050	Atrazine	3	ug/L	0.06	U	EPA 525.2	0.06	0.1	3/18/2008	3/18/2008	1636	E84129
2051	Alachlor	2	ug/L	0.2	U	EPA 525.2	0.2	0.2	3/18/2008	3/18/2008	1636	E84129
2063	2,3,7,8-TCDD (Dioxin)	0.03	ng/L			EPA 1613B	0.0028	0.005				
2065	Heptachlor	0.40	ug/L	0.08	U	EPA 525.2	0.08	0.04	3/18/2008	3/18/2008	1636	E84129
2067	Heptachlor Epoxide	0.20	ug/L	0.1	U	EPA 525.2	0.1	0.02	3/18/2008	3/18/2008	1636	E84129
2105	2,4-D	70	ug/L	1.	U	EPA 515.3	1.	0.1	3/17/2008	3/18/2008	0118	E84129
2110	2,4,5-TP (Silvex)	50	ug/L	0.25	U	EPA 515.3	0.25	0.2	3/17/2008	3/18/2008	0118	E84129
2274	Hexachlorobenzene	1	ug/L	0.05	U	EPA 525.2	0.05	0.1	3/18/2008	3/18/2008	1636	E84129
2306	Benzo(a)pyrene	0.20	ug/L	0.1	U	EPA 525.2	0.1	0.02	3/18/2008	3/18/2008	1636	E84129
2326	Pentachlorophenol	1	ug/L	0.1	U	EPA 515.3	0.1	0.04	3/17/2008	3/18/2008	0118	E84129
2383	Polychlorinated biphenyls (PCBS)	0.50	ug/L	0.2	U	EPA 508.1	0.2	0.1	3/18/2008	3/20/2008	2103	E84129
2931	Dibromochloropropane	0.20	ug/L	0.005	U	EPA 504.1	0.005	0.02	3/13/2008	3/13/2008	2016	E84129
2946	Ethylene Dibromide (EDB)	0.02	ug/L	0.005	U	EPA 504.1	0.005	0.01	3/13/2008	3/13/2008	2016	E84129
2959	Chlordane	2	ug/L	0.05	U	EPA 508.1	0.05	0.2	3/18/2008	3/20/2008	2103	E84129

All results meet the requirements of NELAC unless otherwise noted.

\* Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, ?, \*, are unacceptable for compliance with 62-550. Results qualified with J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

Reporting Format 62-550.730

Effective January 1995, Revised January 2004

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

Radionuclides

Report Number / Job ID: 306187

62-550.310(6)

PWS ID (From Page 1): 6280223

Contam ID	Contaminant Name	MCL	Units	Analysis Results	Qualifier*	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Certification #
4000	Gross Alpha (Excl Uranium)	15**	pCi/L	1.8		900.0 - 908.0	1.1	3	0.9	3/27/2008	1642	E83033
4002	Gross Alpha (Incl Uranium)	***	pCi/L	1.8		EPA 900.0	1.1	1	0.9	3/27/2008	1642	E83033
4006	Combined Uranium	****	pCi/L			EPA 908.0		0.667				E83033
	(U-234, U-235, & U-238)	30	ug/L					1				E83033
4020	Radium - 226			1.4		EPA 903.1	0.2	1	0.2	3/31/2008	1145	E83033
4030	Radium - 228	5	pCi/L	0.8	U	EPA Ra-05	0.8	1	0.5	3/31/2008	1215	E83033

\*\* If the results exceed 5 pCi/L, a measurement for radium-226 is required.

\*\*\* If the results exceed 5 pCi/L, a measurement for radium-226 is required. If the results exceed 15 pCi/L, measurements for radium-226 and uranium are required.

\*\*\*\* If uranium (U) is reported as a measurement of activity (pCi/L) it will be converted to a mass measurement (ug/L) by multiplying the result by 1.5.

All results meet the requirements of NELAC, except as noted.

\*Results must be reported with appropriate qualifiers in accordance with Florida Administrative Code Rule 62-160, Table 1. Results qualified with A, F, H, N, O, T, Z, Z\*, are unacceptable for compliance with 62.550. Results qualified with a J, Q, R, or Y must be accompanied by written justification and will be evaluated on a case by case basis. To avoid a monitoring violation, unacceptable results must be replaced with acceptable results from samples collected during the same monitoring period.

Reporting Format 62-550.730

Effective January 1995, Revised January 2004

**Florida Department of Environmental Protection  
Safe Drinking Water Program Laboratory Reporting Format**

**PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler - Please type or print legibly)**

System Name: Placid LAKES Utilities PWS-I.D.#: 6280223  
 System Type (check one):  Community ( ) NonTransient Noncommunity ( ) Transient NonCommunity  
 Address: 410 Washington Blvd N.W.  
 City: Lake Placid State: Florida ZIP Code: 33852  
 Phone: 863-465-0345 Fax #: 863-465-1313  
 E-Mail Address: NDBREWER@embacqmail.com

**SAMPLE INFORMATION (to be completed by sampler)**

Sample Number: \_\_\_\_\_ Location Code(if known): \_\_\_\_\_  
 Sample Date: 3-10-08 Sample Time: 11:30  AM  PM (circle one)  
 Sample Location (be specific): POE hydro tank # 1  
 Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): 1.5 mg/L Field pH: 7.3

**Sample Type (Check Only One)**

- Distribution
- Entry Point (to Distribution)
- Plant Tap(not for compliance with 62-550.)
- Raw (at well intake)
- Max. Residence Time
- Ave. Residence Time
- Near First Customer

**Reason(s) for Sample (Check all that apply)**

- Routine Compliance (with 62-550)
- Confirmation of MCL Exceedance\*
- Composite Multiple Sites\*\*
- Clearance (permitting)
- Other: \_\_\_\_\_
- Quarterly ( Which One?) \_\_\_\_\_
- Special(not for compliance with 62-550.)
- Violation Resolution
- Replacement (of Invalidated Sample)

Sampling Procedure Used or other Comments: \_\_\_\_\_

\*See 62-550.500(6) for requirements and restrictions.  
 NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

\*\* See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: NATHAN BREWER  
 Sampler's Phone #: 863-441-1090 Sampler's Fax: 863-465-1313  
 Sampler's E-Mail Address: NDBrewer@embacqmail.com

**CERTIFICATION (to be completed by sampler)**

I, NATHAN BREWER Operator  
 (Print Name) (Print Title)  
 do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.  
 Signature: [Signature] Date: 3-10-08

**SHORT ENVIRONMENTAL LABORATORIES**  
**10405 US 27 S**  
**SEBRING, FL 33876**  
**(863) 655-4022 (800) 833-4022**  
**FAX: (863) 655-5820**

LABORATORY ANALYSES					
INORGANICS	SECONDARIES	SYNTHETIC ORGANICS	VOCS	OTHER	
				g-Alpha, Ba-226/228, Uranium 5/12/08	

**SAMPLER'S NAME:** PLEASE PRINT: NATHAN BREWER      **CLIENT NAME:** Placid lakes Utilities      411

**SAMPLER'S SIGNATURE:** *[Signature]*      **PROJECT:** 62-550  
Plant Effluent sum      NOTED  
DWTP OK RW

FIELD ID#	SAMPLE ID	DATE	TIME	SAMP TYPE	GRAB	LABORATORY ID#	# OF CONT	# OF 8-17-08						
	<u>Point of Entry</u> <del>Plant Effluent</del> <u>sum</u> <u>3-24</u>	<u>3-10-08</u>	<u>11:30 AM</u>	<u>SW</u> <u>DW</u>	X	<u>306187</u>	24	X	X	X	X	X		
				<u>OK</u> <u>RW</u>										

**COMMENTS:**  
 SOME CONTAINERS MAY BE PRESERVED.  
 PLEASE READ ALL CONTAINER LABELS FOR CAUTION NOTICES.

**SAMPLER ICED TO:** 5.6 C  
**NUTRIENT CONTAINERS PRESERVED (HNO4)**  
**METALS CONTAINERS PRESERVED (HNO)**  
**OTHER:** \_\_\_\_\_

YES	NO
✓	

SAMPLE QTY:	RELINQUISHED BY:	ACCEPTED BY:	DATE:	TIME:
24	<i>[Signature]</i>	<i>[Signature]</i>	1420	3-10-08

71521 ✓

TIME	
DEPARTED LAB	
ARRIVED SITE	
DEPARTED SITE	
ARRIVED LAB	





## Monthly Operation Report for PWSs Treating Raw Ground Water or Purchased Finished Water

See page 4 for instructions.

I. General Information for the Month/Year of: January 2008

**A. Public Water System (PWS) Information**

PWS Name: <u>Placid Lakes Utilities</u>		PWS Identification Number: <u>5280223</u>	
PWS Type: <input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive
Number of Service Connections at End of Month: <u>1800</u>		Total Population Served at End of Month: <u>3600</u>	
PWS Owner: <u>Placid Lakes Utilities</u>			
Contact Person: <u>Pam Brewer</u>		Contact Person's Title: <u>Manager</u>	
Contact Person's Mailing Address: <u>410 Washington Blvd NW</u>		City: <u>Lake Placid</u>	State: <u>Florida</u> Zip Code: <u>33852</u>
Contact Person's Telephone Number: <u>863-465-0345</u>		Contact Person's Fax Number:	
Contact Person's E-Mail Address:			

**B. Water Treatment Plant Information**

Plant Name: <u>Placid Lakes Utilities</u>		Plant Telephone Number:		
Plant Address:		City: <u>Lake Placid</u>	State: <u>Florida</u> Zip Code: <u>33852</u>	
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water		<input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day: <u>1,104,000</u>				
Plant Category (per subsection 62-699.310(4), F.A.C.): <u>V</u>		Plant Class (per subsection 62-699.310(4), F.A.C.): <u>D</u>		
Licensed Operators:	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	<u>Daniel Holmes</u>	<u>C</u>	<u>4335</u>	<u>3</u>
Other Operators	<u>Otto Krucker</u>	<u>C</u>	<u>7790</u>	<u>*</u>
	<u>Chris Gilbert</u>	<u>C</u>	<u>13107</u>	<u>*</u>
	<u>Darald Pugh</u>	<u>C</u>	<u>2261</u>	<u>*</u>
	<u>* As Needed</u>			

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates, and (2) if applicable, appropriate treatment processed performance records. Furthermore, I agree to retain these additional operations records at the plant site for at least 10 years and to make them available for review upon request.

Daniel Holmes      2/5/08      Daniel Holmes      C  
 4335

**Monthly Operation Report for PWSs Treating Raw Ground Water or Purchased Finished Water**

PWS Identification Number: 5280223				Plant Name: Placid Lakes Utilities									
III. Daily Data for the Month/Year of:				JANUARY 2008									
Means of Achieving Four-Log Virus Inactivation/Removal: *				<input type="checkbox"/> Free Chlorine <input type="checkbox"/> Chlorine Dioxide <input type="checkbox"/> Ozone <input type="checkbox"/> Combined Chlorine (Chloramines)									
Ultraviolet Radiation				Other (Describe):									
Type of Disinfectant Residual Maintained in Distribution System:				<input type="checkbox"/> Free Chlorine <input type="checkbox"/> Combined Chlorine (Chloramines) <input type="checkbox"/> Chlorine Dioxide									
				CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if applicable*									
Days of Month	Days Plant Staffed Or Visited By Oper.	Hours Plant In Oper.	Net quantity Of finished Water Produced, gal	CT Calculations					UV Dose		Lowest residual disinfectant concentration at remote point in distribution system, mg/L	Emergency or abnormal operating conditions, repair or maintenance work that involves taking water system equipment out of operation.	
				Peak Flow Rate, gpd	Lowest residual disinfectant Concentration (C) Before or at First customer During peak Flow, mg/L	Disinfectant Contact time (T) At C Measurement Point during Peak flow, Minutes	Lowest CT Provided Before or At first Customer During Peak flow, mg-min/L	Temp Of Water, C	PH of Water, If appl.	Minimum CT req. mg-min/L			Lowest operating UV dose, mW-sec/cm <sup>2</sup>
1	X	24	278000		1.2							.9	
2	X	24	116000		1.3							1.0	
3	X	24	300000		.9							.6	
4	X	24	186000		1.9							1.6	
5	X	24	315000		1.0							.7	
6	X	24	279000		2.2							1.8	
7	X	24	260000		.6							.5	
8	X	24	332000		1.7							1.4	
9	X	24	185000		2.2							1.8	
10	X	24	179000		.9							.6	
11	X	24	278000		2.1							1.7	
12	X	24	321000		1.3							1.0	
13	X	24	274000		1.8							1.5	
14	X	24	319000		1.6							1.3	
15	X	24	225000		1.5							1.2	
16	X	24	192000		.8							.5	
17	X	24	253000		2.0							1.7	
18	X	24	279000		1.6							1.3	
19	X	24	167000		.9							.6	
20	X	24	328000		2.0							1.7	
21	X	24	158000		1.0							.7	
22	X	24	325000		2.2							1.7	
23	X	24	273000		1.6							1.3	
24	X	24	233000		1.5							1.2	
25	X	24	365000		1.6							1.3	
26	X	24	246000		1.0							.7	
27	X	24	208000		1.2							.9	
28	X	24	330000		.5							.5	
29	X	24	280000		1.2							1.0	
30	X	24	243000		1.4							1.1	
31	X	24	204000		2.1							1.7	
Total			7871000										
Average			253900										
Maximum			332000										



## Monthly Operation Report for PWSs Treating Raw Ground Water or Purchased Finished Water

See page 4 for instructions.

**I. General Information for the Month/Year of:** FEBRUARY 2008

**A. Public Water System (PWS) Information**

PWS Name: Placid Lakes Utilities		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive
Number of Service Connections at End of Month: 1800		Total Population Served at End of Month: 3600	
PWS Owner: Placid Lakes Utilities			
Contact Person: Pam Brewer		Contact Person's Title: Manager	
Contact Person's Mailing Address: 410 Washington Blvd NW		City: Lake Placid	State: Florida
Contact Person's Telephone Number: 863-465-0345		Zip Code: 33852	
Contact Person's Fax Number:			
Contact Person's E-Mail Address:			

**B. Water Treatment Plant Information**

Plant Name: Placid Lakes Utilities		Plant Telephone Number:	
Plant Address:		City: Lake Placid	State: Florida
		Zip Code: 33852	
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water		<input type="checkbox"/> Purchased Finished Water	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 1,104,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): D	

Licensed Operators:	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Daniel Holmes	C	4335	3
Other Operators	Otto Krucker	C	7790	*
	Chris Gilbert	C	13107	*
	Darald Pugh	C	2261	*
* As Needed				

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment processed performance records. Furthermore, I agree to retain these additional operations records at the plant site for at least 10 years and to make them available for review upon request.

<i>Daniel M. Holmes</i>	3/5/08 Daniel Holmes	C-4335
Signature and Date	Printed or Typed Name	License Number

**Monthly Operation Report for PWSs Treating Raw Ground Water or Purchased Finished Water**

PWS Identification Number: 5280223				Plant Name: Placid Lakes Utilities									
III. Daily Data for the Month/Year of:				February 2008									
Means of Achieving Four-Log Virus Inactivation/Removal: *				Free Chlorine    Chlorine Dioxide    Ozone    Combined Chlorine (Chloramines) Ultraviolet Radiation    Other (Describe):									
Type of Disinfectant Residual Maintained in Distribution System:				Free Chlorine    Combined Chlorine (Chloramines)    Chlorine Dioxide									
				CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if applicable*									
Days of Month	Days Plant Staffed Or Visited By Oper.	Hours Plant In Oper.	Net quantity Of finished Water Produced, gal	CT Calculations					UV Dose		Lowest residual disinfectant concentration at remote point in distribution system, mg/L	Emergency or abnormal operating conditions, repair or maintenance work that involves taking water system component out of operation.	
				Peak Flow Rate, gpd	Lowest residual disinfectant concentration (C) Before or at First customer During peak Flow, mg/L	Disinfectant Contact time (T) At C Measurement Point during Peak flow, Minutes	Lowest CT Provided Before or At first Customer During Peak flow, mg-min/L	Temp Of Water, C	PH of Water, If appl.	Minimum CT req. mg-min/L			Lowest operating UV dose, mW-sec/cm2
1	X	24	328000		1.0							.7	
2	X	24	259000		.7							.5	
3	X	24	310000		1.7							1.4	
4	X	24	268000		.5							.5	
5	X	24	322000		1.6							1.3	
6	X	24	330000		.8							.5	
7	X	24	199000		1.0							.7	
8	X	24	244000		1.6							1.3	
9	X	24	213000		1.8							1.5	
10	X	24	390000		2.2							1.9	
11	X	24	243000		1.9							1.6	
12	X	24	232000		2.0							1.7	
13	X	24	243000		1.6							1.3	
14	X	24	196000		2.2							1.9	
15	X	24	233000		2.0							1.7	
16	X	24	290000		2.2							1.9	
17	X	24	329000		2.0							1.7	
18	X	24	289000		2.2							1.9	
19	X	24	279000		2.2							1.9	
20	X	24	207000		1.9							1.6	
21	X	24	297000		2.1							1.7	
22	X	24	174000		2.2							1.8	
23	X	24	326000		2.2							1.8	
24	X	24	279000		2.2							1.8	
25	X	24	243000		2.2							1.9	
26	X	24	314000		.9							.7	
27	X	24	186000		.7							.5	
28	X	24	219000		1.3							1.0	
29	X	24	243000		1.5							1.2	
30													
31													
Total			7689000										
Average			265138										
Maximum			390000										



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

General Information for the Month Year: **March 2008**

### A. Public Water System (PWS) Information

PWS Name: <b>Placid Lakes Utilities, Inc.</b>		PWS Identification Number: <b>5280223</b>	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: <b>1,925</b>		Total Population Served at End of Month: <b>3,272</b>	
PWS Owner: <b>Placid Lakes Utilities, Inc.</b>			
Contact Person: <b>Nathan Brewer</b>		Contact Person's Title: <b>Operator</b>	
Contact Person's Mailing Address: <b>410 Washington Blvd Nw</b>		City: <b>Lake Placid</b>	State: <b>Fl</b> Zip Code: <b>33852</b>
Contact Person's Telephone Number: <b>863-441-1090</b>		Contact Person's Fax Number: <b>863-465-1313</b>	
Contact Person's E-Mail Address: <b>plcomu@embarqmail.com</b>			

### B. Water Treatment Plant Information

Plant Name: <b>Placid Lakes Utilities, Inc.</b>		Plant Telephone Number: <b>863-465-2427</b>	
Plant Address: <b>410 Washington Blvd Nw</b>		City: <b>Lake Placid</b>	State: <b>Fl</b> Zip Code: <b>33852</b>
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:			
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):	

Nathan Brewer	C	14995	7

### C. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. I agree to provide these records upon request to the DEP under the PWS Water Audit Act, Chapter 62, Part 555, at a cost not to exceed \$100 per hour.

*Nathan Brewer*  
 Signature and Date Nathan Brewer Printed or Typed Name C14995 License Number

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223

Plant Name: Placid Lakes Utilities, Inc.

III. Data for the Month of **March 2008**

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

X	24	222,000	377	1.70		25.00	7.30			1.40	
X	24	286,000	344	1.30		25.00	7.30			1.00	
X	24	308,000	330	1.10		25.00	7.30			0.80	
X	24	240,000	293	0.50		25.00	7.30			0.50	
X	24	276,000	270	1.70		25.00	7.30			1.40	
X	24	234,000	253	0.60		25.00	7.30			0.50	
X	24	251,000	274	2.00		25.00	7.30			1.70	
X	24	263,000	312	1.70		25.00	7.30			1.40	
X	24	239,000	293	0.70		25.00	7.30			0.50	
X	24	287,000	264	1.50		25.00	7.30			1.20	
X	24	231,000	210	0.80		25.00	7.30			0.50	
X	24	264,000	201	0.90		25.00	7.30			0.60	
X	24	229,000	267	0.50		25.00	7.30			0.50	
X	24	282,000	153	0.50		25.00	7.30			0.50	
X	24	165,000	361	0.50		25.00	7.30			0.50	
X	24	241,000	245	0.50		25.00	7.30			0.50	
X	24	209,000	306	1.50		25.00	7.30			1.20	
X	24	292,000	272	0.50		25.00	7.30			0.50	
X	24	294,000	130	1.40		25.00	7.30			1.20	
X	24	299,000	151	0.60		25.00	7.30			0.50	
X	24	253,000	266	1.00		25.00	7.30			0.70	
X	24	215,000	327	0.60		25.00	7.30			0.50	
X	24	333,000	269	1.10		25.00	7.30			0.80	
X	24	220,000	197	0.50		25.00	7.30			0.50	
X	24	213,000	217	1.60		25.00	7.30			1.30	
X	24	301,000	196	1.40		25.00	7.30			1.10	
X	24	271,000	325	0.50		25.00	7.30			0.50	
X	24	271,000	165	0.90		25.00	7.30			0.60	
X	24	248,000	348	0.50		25.00	7.30			0.50	
X	24	325,000	301	0.90		25.00	7.30			0.60	
X	24	218,000	276	0.50		25.00	7.30			0.50	
		8,084,000									
		260,774									
		341,000									

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

**I. General Information for the Month Year of:** April 2008

**A. Public Water System (PWS) Information**

PWS Name: Placid Lakes Utilities, Inc.		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 1,927		Total Population Served at End of Month: 3,276	
PWS Owner: Placid Lakes Utilities, Inc.			
Contact Person: Nathan Brewer		Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090		Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embargo.com			

**B. Water Treatment Plant Information**

Plant Name: Placid Lakes Utilities, Inc.		Plant Telephone Number: 863-465-2427	
Plant Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:			
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):	

Nathan Brewer	C	14995	7

**II. Certification by Lead Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records.

Signature and Date	Nathan Brewer Printed or Typed Name	C14995 License Number
--------------------	--	--------------------------

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223 Plant Name: Placid Lakes Utilities, Inc.

III. Daily Data for the Month Year of: **April 2008**

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

X	24	302,000	243	1.40			25.00	7.30				1.10	
X	24	220,000	274	0.50			25.00	7.30				0.50	
X	24	268,000	262	1.60			25.00	7.30				1.30	
X	24	248,000	218	1.80			25.00	7.30				1.50	
X	24	201,000	287	1.40			25.00	7.30				1.10	
X	24	312,000	229	2.00			25.00	7.30				1.70	
X	24	249,000	186	1.10			25.00	7.30				0.80	
X	24	232,000	138	2.10			25.00	7.30				1.80	
X	24	247,000	206	1.90			25.00	7.30				1.60	
X	24	256,000	128	1.00			25.00	7.30				0.70	
X	24	255,000	249	1.60			25.00	7.30				0.70	
X	24	254,000	387	0.50			25.00	7.30				0.50	
X	24	388,000	300	0.50			25.00	7.30				0.50	
X	24	280,000	130	0.70			25.00	7.30				0.50	
X	24	176,000	247	1.30			25.00	7.30				1.00	
X	24	311,000	179	1.60			25.00	7.30				0.70	
X	24	265,000	263	0.60			25.00	7.30				0.50	
X	24	357,000	187	1.00			25.00	7.30				0.70	
X	24	196,000	392	1.10			25.00	7.30				1.30	
X	24	308,000	315	0.90			25.00	7.30				0.60	
X	24	423,000	226	1.80			25.00	7.30				1.50	
X	24	220,000	282	0.80			25.00	7.30				0.50	
X	24	300,000	302	1.90			25.00	7.30				1.60	
X	24	292,000	251	1.00			25.00	7.30				0.70	
X	24	264,000	296	0.60			25.00	7.30				0.50	
X	24	310,000	396	1.30			25.00	7.30				1.00	
X	24	379,000	309	0.50			25.00	7.30				0.50	
X	24	347,000	211	1.70			25.00	7.30				1.40	
X	24	272,000	240	0.70			25.00	7.30				0.50	
X	24	325,000	202	1.40			25.00	7.30				1.10	
		8,457,000											
		281,900											
		423,000											

\* Refer to the instructions for this report to determine which plants must provide this information.





# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

**I. General Information for the Month Year of:** May 2008

**A. Public Water System (PWS) Information**

PWS Name: Placid Lakes Utilities, Inc. PWS Identification Number: 5280223

PWS Type:  Community  Non-Transient Non-Community  Transient Non-Community  Consecutive

Number of Service Connections at End of Month: 1,928 Total Population Served at End of Month: 3,278

PWS Owner: Placid Lakes Utilities, Inc.

Contact Person: Nathan Brewer Contact Person's Title: Operator

Contact Person's Mailing Address: 410 Washington Blvd Nw City: Lake Placid State: Fl Zip Code: 33852

Contact Person's Telephone Number: 863-441-1090 Contact Person's Fax Number: 863-465-1313

Contact Person's E-Mail Address: plcomm@embarqmail.com

**B. Water Treatment Plant Information**

Plant Name: Placid Lakes Utilities, Inc. Plant Telephone Number: 863-465-2427

Plant Address: 410 Washington Blvd Nw City: Lake Placid State: Fl Zip Code: 33852

Type of Water Treated by Plant:  Raw Ground Water  Purchased Finished Water

Permitted Maximum Day Operating Capacity of Plant, gallons per day:

Plant Category (per subsection 62-699.310(4), F.A.C.): \_\_\_\_\_ Plant Class (per subsection 62-699.310(4), F.A.C.): \_\_\_\_\_

Nathan Brewer	C	14995	7

**II. Certification by Lead Plant Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-355.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records.

Signature and Date \_\_\_\_\_ Printed or Typed Name Nathan Brewer License Number C14995

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223

Plant Name: Placid Lakes Utilities, Inc.

III. Data Due in the Month of **May 2008**

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

X	24	345,000	211	2.10		25.00	7.30				1.80
X	24	270,000	424	1.60		25.00	7.30				1.30
X	24	397,000	342	2.20		25.00	7.30				1.90
X	24	352,000	369	1.20		25.00	7.30				0.90
X	24	296,000	156	2.10		25.00	7.30				1.80
X	24	271,000	199	0.50		25.00	7.30				0.50
X	24	325,000	284	1.00		25.00	7.30				0.70
X	24	302,000	210	1.10		25.00	7.30				0.80
X	24	270,000	242	0.80		25.00	7.30				0.50
X	24	342,000	383	1.50		25.00	7.30				1.20
X	24	339,000	288	0.50		25.00	7.30				0.50
X	24	339,000	224	2.20		25.00	7.30				1.90
X	24	308,000	192	1.10		25.00	7.30				0.80
X	24	320,000	250	1.90		25.00	7.30				1.60
X	24	337,000	235	1.70		25.00	7.30				1.40
X	24	363,000	245	0.60		25.00	7.30				0.50
X	24	248,000	344	1.70		25.00	7.30				1.40
X	24	443,000	406	0.50		25.00	7.30				0.50
X	24	280,000	216	1.30		25.00	7.30				1.00
X	24	356,000	203	0.50		25.00	7.30				0.50
X	24	210,000	292	1.60		25.00	7.30				1.30
X	24	280,000	276	0.60		25.00	7.30				0.50
X	24	240,000	229	1.20		25.00	7.30				0.90
X	24	294,000	297	2.10		25.00	7.30				1.80
X	24	457,000	410	1.80		25.00	7.30				1.50
X	24	286,000	390	2.20		25.00	7.30				1.90
X	24	407,000	318	1.60		25.00	7.30				1.30
X	24	344,000	272	0.80		25.00	7.30				0.50
X	24	283,000	311	1.00		25.00	7.30				0.70
X	24	307,000	213	0.50		25.00	7.30				0.50
X	24	301,000	459	1.50		25.00	7.30				1.20
		9,912,000									
		319,741									
		457,000									

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

**I. General Information for the Month/Year of:** June 2008

**A. Public Water System (PWS) Information**

PWS Name: Placid Lakes Utilities, Inc.		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 1,928		Total Population Served at End of Month: 3,278	
PWS Owner: Placid Lakes Utilities, Inc.			
Contact Person: Nathan Brewer		Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090		Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embargo.com			

**B. Water Treatment Plant Information**

Plant Name: Placid Lakes Utilities, Inc.		Plant Telephone Number: 863-465-2427	
Plant Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:			
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):	
Nathan Brewer	C	14995	7

**II. Certification by Licensed Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

	Nathan Brewer	CI4995
Signature and Date	Printed or Typed Name	License Number

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223

Plant Name: Placid Lakes Utilities, Inc.

111 Date: June 2008

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of Month	Plant "X"	Volume (Gallons)	Chlorine (lbs)	Chlorine Dioxide (lbs)	Ozone (lbs)	Combined Chlorine (lbs)	Free Chlorine (lbs)	Chlorine Dioxide (lbs)	Ozone (lbs)	Combined Chlorine (lbs)	Free Chlorine (lbs)	Chlorine Dioxide (lbs)	Ozone (lbs)	Combined Chlorine (lbs)
X	24	388,000	335	0.50			25.00	7.30						0.50
X	24	241,000	236	1.50			25.00	7.30						1.20
X	24	308,000	214	1.00			25.00	7.30						0.70
X	24	321,000	286	0.90			25.00	7.30						0.60
X	24	304,000	207	1.60			25.00	7.30						1.30
X	24	304,000	277	1.40			25.00	7.30						1.10
X	24	308,000	348	1.80			25.00	7.30						1.50
X	24	397,000	310	1.40			25.00	7.30						1.10
X	24	311,000	297	0.70			25.00	7.30						0.50
X	24	234,000	211	1.00			25.00	7.30						0.70
X	24	283,000	232	1.20			25.00	7.30						0.90
X	24	233,000	243	1.20			25.00	7.30						1.00
X	24	259,000	208	0.60			25.00	7.30						0.50
X	24	185,000	344	0.90			25.00	7.30						0.60
X	24	356,000	245	1.20			25.00	7.30						0.90
X	24	198,000	220	1.80			25.00	7.30						1.50
X	24	265,000	284	0.80			25.00	7.30						0.50
X	24	226,000	266	2.20			25.00	7.30						1.80
X	24	283,000	192	1.30			25.00	7.30						1.00
X	24	294,000	280	2.20			25.00	7.30						1.90
X	24	340,000	364	1.50			25.00	7.30						1.20
X	24	331,000	339	1.70			25.00	7.30						1.40
X	24	262,000	322	0.60			25.00	7.30						0.50
X	24	410,000	190	0.50			25.00	7.30						0.50
X	24	302,000	266	0.90			25.00	7.30						0.60
X	24	246,000	253	0.50			25.00	7.30						0.50
X	24	390,000	259	2.00			25.00	7.30						1.70
X	24	311,000	389	1.80			25.00	7.30						1.50
X	24	419,000	325	1.50			25.00	7.30						1.20
X	24	223,000	274	2.20			25.00	7.30						1.90

8,832,000  
294,400  
419,000

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

General Information for this Monthly Report: July 2008			
<b>A. Public Water System (PWS) Information</b>			
PWS Name: Placid Lakes Utilities, Inc.		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 1,929		Total Population Served at End of Month: 3,279	
PWS Owner: Placid Lakes Utilities, Inc.			
Contact Person: Nathan Brewer		Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL    Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090		Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embarqmail.com			
<b>B. Water Treatment Plant Information</b>			
Plant Name: Placid Lakes Utilities, Inc.		Plant Telephone Number: 863-465-2427	
Plant Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL    Zip Code: 33852
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:			
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):	
Nathan Brewer	C	14995	1

**C. Certification of Lead/Chief Operator**  
 I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner or the PWS owner's representative, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Nathan Brewer Printed or Typed Name	C14995 License Number
--------------------	--	--------------------------

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

RWS Identification Number: 5280223      Plant Name: Placid Lakes Utilities, Inc.

III Daily Data for the Month of: **July 2008**

Means of Achieving Four-Log Virus Inactivation/Removal: \*     Free Chlorine     Chlorine Dioxide     Ozone     Combined Chlorine (Chloramines)  
 Ultraviolet Radiation     Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:     Free Chlorine     Combined Chlorine (Chloramines)     Chlorine Dioxide



X	24	324,000	278	2.20		25.00	7.30			1.90
X	24	358,000	233	0.70		25.00	7.30			0.50
X	24	291,000	254	1.00		25.00	7.30			0.70
X	24	285,000	323	0.50		25.00	7.30			0.50
X	24	399,000	248	0.50		25.00	7.30			0.50
X	24	398,000	356	0.90		25.00	7.30			0.60
X	24	266,000	309	0.50		25.00	7.30			0.50
X	24	341,000	280	0.50		25.00	7.30			0.50
X	24	309,000	279	1.20		25.00	7.30			1.00
X	24	335,000	210	1.70		25.00	7.30			1.40
X	24	219,000	277	1.70		25.00	7.30			1.40
X	24	328,000	315	2.20		25.00	7.30			2.00
X	24	315,000	311	2.20		25.00	7.30			1.90
X	24	349,000	214	0.90		25.00	7.30			0.60
X	24	274,000	201	2.20		25.00	7.30			1.90
X	24	252,000	182	2.20		25.00	7.30			1.90
X	24	323,000	281	0.70		25.00	7.30			0.50
X	24	253,000	263	1.40		25.00	7.30			1.10
X	24	328,000	404	0.50		25.00	7.30			0.50
X	24	532,000	318	0.70		25.00	7.30			0.50
X	24	184,000	236	1.00		25.00	7.30			0.70
X	24	432,000	356	1.20		25.00	7.30			0.90
X	24	328,000	201	1.00		25.00	7.30			0.70
X	24	234,000	214	2.20		25.00	7.30			1.90
X	24	384,000	280	1.60		25.00	7.30			1.30
X	24	445,000	302	1.50		25.00	7.30			1.20
X	24	358,000	299	0.50		25.00	7.30			0.50
X	24	310,000	294	1.30		25.00	7.30			1.00
X	24	341,000	240	1.20		25.00	7.30			0.90
X	24	344,000	355	0.70		25.00	7.30			0.50
X	24	340,000	236	2.00		25.00	7.30			1.70

10,181,000  
 328,419  
 532,000

\* Refer to the instructions for this report to determine which plants must provide this information.



# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

<b>I. General Information for the Month Year of</b> August 2008			
<b>A. Public Water System (PWS) Information</b>			
PWS Name: Placid Lakes Utilities, Inc.		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 1,930		Total Population Served at End of Month: 3,281	
RWS Owner: Placid Lakes Utilities, Inc.			
Contact Person: Nathan Brewer		Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090		Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embarqmail.com			
<b>B. Water Treatment Plant Information</b>			
Plant Name: Placid Lakes Utilities, Inc.		Plant Telephone Number: 863-465-2427	
Plant Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:			
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):	
Nathan Brewer	C	14995	7

**II. Certification by Licensed Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates, and (2) if applicable, appropriate treatment process performance records. ~~I understand that I am to provide these additional operations records to the PWS owner as the PWS owner can retain them, together with copies of this report, at a convenient location for at least two years.~~

Signature and Date	Nathan Brewer	C14995
	Printed or Typed Name	License Number

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223      Plant Name: Placid Lakes Utilities, Inc.

Month: August 2008

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine     Chlorine Dioxide     Ozone     Combined Chlorine (Chloramines)  
 Ultraviolet Radiation     Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine     Combined Chlorine (Chloramines)     Chlorine Dioxide



X	24	344,000	283	1.30		25.00	7.30				1.00
X	24	354,000	318	2.20		25.00	7.30				1.90
X	24	438,000	335	2.20		25.00	7.30				1.90
X	24	319,000	384	2.20		25.00	7.30				1.90
X	24	347,000	356	0.50		25.00	7.30				0.50
X	24	380,000	332	2.00		25.00	7.30				1.70
X	24	412,000	264	0.90		25.00	7.30				0.70
X	24	460,000	306	1.20		25.00	7.30				0.90
X	24	190,000	377	0.70		25.00	7.30				0.50
X	24	485,000	347	0.90		25.00	7.30				0.60
X	24	282,000	354	1.40		25.00	7.30				1.10
X	24	379,000	352	2.20		25.00	7.30				1.90
X	24	427,000	213	1.70		25.00	7.30				1.40
X	24	295,000	218	2.10		25.00	7.30				1.20
X	24	378,000	327	2.20		25.00	7.30				1.90
X	24	309,000	379	2.20		25.00	7.30				1.90
X	24	385,000	354	0.50		25.00	7.30				0.50
X	24	393,000	255	0.90		25.00	7.30				0.50
X	24	244,000	164	1.70		25.00	7.30				1.70
X	24	402,000	315	1.60		25.00	7.30				1.30
X	24	361,000	238	0.50		25.00	7.30				0.50
X	24	287,000	262	2.20		25.00	7.30				1.90
X	24	322,000	400	2.20		25.00	7.30				1.90
X	24	466,000	340	1.70		25.00	7.30				1.70
X	24	317,000	205	1.30		25.00	7.30				1.00
X	24	331,000	213	1.90		25.00	7.10				1.60
X	24	433,000	272	0.60		25.00	7.30				0.50
X	24	273,000	207	1.50		25.00	7.30				1.20
X	24	400,000	240	1.00		25.00	7.30				0.70
X	24	355,000	396	1.30		25.00	7.30				1.00
X	24	453,000	301	0.70		25.00	7.30				0.50
		11,221,000									
		361,967									
		485,000									

\* Refer to the instructions for this report to determine which plants must provide this information.





# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

**I. General Information for the Month Year of:** September 2008

**A. Public Water System (PWS) Information**

PWS Name: Placid Lakes Utilities, Inc.		PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 1,930		Total Population Served at End of Month: 3,281	
PWS Owner: Placid Lakes Utilities, Inc.			
Contact Person: Nathan Brewer		Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090		Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embarqmail.com			

**B. Water Treatment Plant Information**

Plant Name: Placid Lakes Utilities, Inc.		Plant Telephone Number: 863-465-2427		
Plant Address: 410 Washington Blvd Nw		City: Lake Placid	State: FL Zip Code: 33852	
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day:				
Plant Category (per subsection 62-699.310(4), F.A.C.):		Plant Class (per subsection 62-699.310(4), F.A.C.):		
Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Nathan Brewer	C	14995	7
Other Operators:				

**II. Certification by Lead/Chief Operator**

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Nathan Brewer Printed or Typed Name	C14995 License Number
--------------------	--	--------------------------

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223      Plant Name: Placid Lakes Utilities, Inc.

III. Daily Data for the Month Year of **September 2008**

Means of Achieving Four-Log Virus Inactivation/Removal: \*  Free Chlorine     Chlorine Dioxide     Ozone     Combined Chlorine (Chloramines)  
 Ultraviolet Radiation     Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine     Combined Chlorine (Chloramines)     Chlorine Dioxide

CT Calculations or UV Dose to Demonstrate Four-Log Virus Inactivation, if Applicable\*

Day of Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Treated Water Produced, gal	CT Calculations						UV Dose		Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Below or at First Consumer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C, minutes	Lowest CT Provided Before or at First Consumer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>		
1	X	24	452,000	333	1.20			25.00	7.30			1.00	
2	X	24	214,000	294	2.20			25.00	7.30			1.90	
3	X	24	347,000	237	2.20			25.00	7.30			1.90	
4	X	24	390,000	229	1.90			25.00	7.30			1.60	
5	X	24	340,000	197	1.80			25.00	7.30			1.50	
6	X	24	232,000	362	2.00			25.00	7.30			1.50	
7	X	24	385,000	253	0.70			25.00	7.30			0.50	
8	X	24	468,000	229	0.90			25.00	7.30			0.60	
9	X	24	254,000	350	1.00			25.00	7.30			0.70	
10	X	24	391,000	205	1.40			25.00	7.30			1.10	
11	X	24	317,000	280	2.20			25.00	7.30			1.90	
12	X	24	302,000	290	2.20			25.00	7.30			1.90	
13	X	24	396,000	367	2.20			25.00	7.30			1.90	
14	X	24	438,000	412	1.90			25.00	7.30			1.60	
15	X	24	346,000	283	2.00			25.00	7.30			1.70	
16	X	24	399,000	322	1.50			25.00	7.30			1.20	
17	X	24	330,000	276	0.90			25.00	7.30			0.60	
18	X	24	446,000	188	0.70			25.00	7.30			0.50	
19	X	24	291,000	298	2.00			25.00	7.30			1.70	
20	X	24	385,000	321	2.00			25.00	7.30			1.70	
21	X	24	371,000	320	2.00			25.00	7.30			1.70	
22	X	24	357,000	313	2.20			25.00	7.30			1.80	
23	X	24	396,000	307	2.20			25.00	7.30			1.80	
24	X	24	343,000	266	1.70			25.00	7.30			1.50	
25	X	24	353,000	273	1.40			25.00	7.30			1.10	
26	X	24	366,000	300	1.30			25.00	7.30			1.00	
27	X	24	263,000	162	0.60			25.00	7.30			0.50	
28	X	24	530,000	372	0.60			25.00	7.30			0.50	
29	X	24	338,000	243	0.50			25.00	7.30			0.50	
30	X	24	316,000	336	0.50			25.00	7.30			0.50	
31													
<b>Total</b>			10,756,000										
<b>Average</b>													
<b>Minimum</b>			530,000										

\* Refer to the instructions for this report to determine which plants must provide this information.



## MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

<b>I. General Information for the Month Year: 1 October 2008</b>				
<b>A. Public Water System (PWS) Information</b>				
PWS Name: Placid Lakes Utilities, Inc.			PWS Identification Number: 5280223	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive				
Number of Service Connections at End of Month: 1,932			Total Population Served at End of Month: 3,284	
PWS Owner: Placid Lakes Utilities, Inc.				
Contact Person: Nathan Brewer			Contact Person's Title: Operator	
Contact Person's Mailing Address: 410 Washington Blvd Nw			City: Lake Placid	State: FL Zip Code: 33852
Contact Person's Telephone Number: 863-441-1090			Contact Person's Fax Number: 863-465-1313	
Contact Person's E-Mail Address: plcomm@embarqmail.com				
<b>B. Water Treatment Plant Information</b>				
Plant Name: Placid Lakes Utilities, Inc.			Plant Telephone Number: 863-465-2427	
Plant Address: 410 Washington Blvd Nw			City: Lake Placid	State: FL Zip Code: 33852
Type of Water Treated by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day:				
Plant Category (per subsection 62-699.310(4), F.A.C.):			Plant Class (per subsection 62-699.310(4), F.A.C.):	
Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Nathan Brewer	C	14995	7
Other Operators:				

**II. Certification by Lead/Chief Operator**  
 I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Nathan Brewer Printed or Typed Name	C14995 License Number
--------------------	--	--------------------------

# MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 5280223 Plant Name: Placid Lakes Utilities, Inc.


III. Daily Data for the Month Year: **October 2008**

Means of Achieving Four-Log Virus Inactivation/Removal:  Free Chlorine  Chlorine Dioxide  Ozone  Combined Chlorine (Chloramines)  
 Ultraviolet Radiation  Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System:  Free Chlorine  Combined Chlorine (Chloramines)  Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations						UV Dose				
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm <sup>2</sup>	Minimum UV Dose Required, mW-sec/cm <sup>2</sup>	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	
1	X	24	321,000	364	1.40			25.00	7.30				1.10	
2	X	24	383,000	193	1.60			25.00	7.30				1.30	
3	X	24	224,000	187	1.70			25.00	7.30				1.40	
4	X	24	225,000	281	1.90			25.00	7.30				1.60	
5	X	24	156,000	250	1.40			25.00	7.30				1.10	
6	X	24	245,000	198	1.10			25.00	7.30				0.90	
7	X	24	234,000	194	1.50			25.00	7.30				1.20	
8	X	24	275,000	111	1.00			25.00	7.30				0.70	
9	X	24	190,000	235	0.50			25.00	7.30				0.50	
10	X	24	196,000	240	0.70			25.00	7.30				0.50	
11	X	24	277,000	292	1.70			25.00	7.30				1.40	
12	X	24	234,000	216	0.90			25.00	7.30				0.60	
13	X	24	234,000	200	1.00			25.00	7.30				0.70	
14	X	24	253,000	198	1.50			25.00	7.30				1.30	
15	X	24	220,000	274	1.50			25.00	7.30				1.20	
16	X	24	285,000	134	1.70			25.00	7.30				1.40	
17	X	24	174,000	217	1.70			25.00	7.30				1.40	
18	X	24	259,000	348	1.80			25.00	7.30				1.50	
19	X	24	292,000	323	1.20			25.00	7.30				0.90	
20	X	24	190,000	244	2.00			25.00	7.30				1.70	
21	X	24	235,000	260	2.10			25.00	7.30				1.80	
22	X	24	265,000	205	2.00			25.00	7.30				1.70	
23	X	24	250,000	182	2.00			25.00	7.30				1.70	
24	X	24	188,000	203	1.30			25.00	7.30				1.00	
25	X	24	212,000	283	1.20			25.00	7.30				0.90	
26	X	24	315,000	262	0.70			25.00	7.30				0.50	
27	X	24	251,000	170	2.10			25.00	7.30				1.80	
28	X	24	189,000	118	2.20			25.00	7.30				1.90	
29	X	24	203,000	274	2.00			25.00	7.30				1.70	
30	X	24	263,000	161	2.10			25.00	7.30				1.80	
31	X	24	234,000	205	2.20			25.00	7.30				1.90	
Total			7,472,000											
Average			241,032											
Maximum			383,000											

\* Refer to the instructions for this report to determine which plants must provide this information.



# Florida Department of Environmental Protection

South District  
P.O. Box 2549  
Fort Myers, FL 33902-2549

Charlie Crist  
Governor

Jeff Kottkamp  
Lt. Governor

Michael W. Sole  
Secretary

March 11, 2008

Ms. Pam Brewer, Secretary-Treasurer  
Lake Placid Holding Company  
410 Washington Blvd., NW  
Lake Placid, Florida 33852

Re: Highlands County - PW  
Placid Lakes Utilities WTP  
PWS I.D. Number: 6280223  
Compliance Inspection Report

Dear Ms. Brewer:

Enclosed is your copy of the recently completed Compliance Inspection Report for the referenced public drinking water system.

The deficiencies listed in the Report may in violation of Rule 62-555, F.A.C. Please correct the deficiencies as soon as possible and notify the Department in writing postmarked no later than April 28, 2008 indicating which deficiencies have been corrected. For those deficiencies that have not been corrected, indicate how and on what schedule the system will address the deficiencies noted in the report.


Comments and a recommendation are included in the Report. Recommendations are not requirements of State law. They are provided as guidelines towards optimizing water treatment plant operation.

If you have any questions, please contact me at the letterhead address, call 239-332-6975, extension 119 or e-mail me at [Raymond.Kenney@dep.state.fl.us](mailto:Raymond.Kenney@dep.state.fl.us). Please include the system name and PWS I.D. number with all correspondence.

*"More Protection, Less Process"*  
[www.dep.state.fl.us](http://www.dep.state.fl.us)

Ms. Pam Brewer  
Page 2  
March 11, 2008

Sincerely,

  
Raymond W. Kenney  
Engineering Specialist II

RWK  
Enclosure  
cc: Nathan Brewer (w/enc)

**WATER TREATMENT PLANT COMPLIANCE INSPECTION REPORT**

Plant Name: **Placid Lakes Utilities** County: **Highlands** PWS: **6280223**  
Address: **410 Washington Blvd NW** Contact: **Pam Brewer, Sec - Treasurer**  
**Lake Placid, Fl 33852** Phone: **(863) 465-0345**  
Owner Name: **Lake Placid Holding Company** Contact: **Nathan Brewer, Operator**  
Owner Address: **410 Washington Blvd NW** Phone: **(863) 441-1090**  
**Lake Placid, Fl 33852**

This Inspection Date: **Mar 05, 2008** Last C.I. Date: **Jan 23, 2007**  
Last Sanitary Survey Date: **Feb 08, 2006**  
PWS Type: **Community**  
Service Area Characteristics: **Town**  
No. of Service Connections: **1500**  
Served Population: **3600**

**OPERATION AND MAINTENANCE**

Certified Operator: **Yes**  
Required Coverage: **5 visits/week and one visit each weekend for a total of 0.6 hour/week**  
Operator & Certification Class-Number: **Nathan Brewer C 14995**  
O&M Log: **Yes** Condition of Plant? **Good**

**WELLS**

Number of Wells: **3 (#1 @ Plant; #2 @ Washington Blvd NW & Jupiter; #3 @ Jefferson & Lake Groves)**  
Florida ID No. **#1 - AAH 9129; #2 - AAH9128; #3 - AAH9127**  
Check Valve: **Yes**  
Fence/Housing: **Yes**  
Sanitary Hazards: **No**  
Auxiliary Power: **Yes**  
Tested Weekly? **Yes**

**DESIGN CAPACITY 1.104MGD**  
**STORAGE CAPACITY 0.345 MG**

**CHLORINATION**

Chlorinator Type: **Gas**  
Cl<sub>2</sub> Residual:  
Plant: **1.7 mg/l Free**  
Remote: **0.2 mg/l Free**  
Location: **Blow off at Anna Maria Way NE**  
Gas Cylinder Scale: **Yes**  
Gas Cylinder Chained: **Yes**  
Adequate Air-pak: **Yes**  
Adequate Ventilation: **Yes**  
Dual Chlorination: **Yes**  
Auto-switchover: **Yes**  
Alarm: **Yes**

2. The revised Cross Connection Control plan, dated April 2007, was received by the Department on April 27, 2007. This plan needs further revision before it can be approved.

Section II A – the rule covering Cross Connection is 62-555.360 F.A.C. The revision to the rule on August 28, 2003 mandates that the plan be implemented.

Section II B – the March 20, 1996 HRS refers to a residence that does not have auxiliary water on the premise.

The plan must address the issue of auxiliary water at a premise. The system must perform a hazard analysis on residential service connections if there is auxiliary water on the premise. To assist in determining if there is an auxiliary water source (e.g. well) at a premise the system may need to check records at the Highlands County Health Department. AWWA Manual M14 states that an approved backflow prevention device shall be installed at the service connection to any premise where there is an auxiliary water supply, even if there is no connection between the auxiliary water and the potable water system. Auxiliary water on a premise of any type (commercial or residential) can present a hazard to the community water system. An auxiliary water system is a piping system supplied by water from a source other than the community water system serving the premises, such as a lake or private well. Surface water from lakes, rivers, ponds and streams that would constitute a health or high hazard requires an air gap separation or a reduced backflow preventer at the service connection. Ground water from wells or springs which would constitute a non health or low hazard requires a double check valve assembly or a reduced backflow preventer at the service connection with the determination being made by the water supplier.

#### COMMENTS:

1. 62-699 F.A.C. was revised effective October 15, 2007. This changed the operator coverage for the system. The system is now a Category V Class C facility. The facility now requires staffing by Class C or higher operator: 5 visits/week and one visit each weekend for a total of 0.6 hour/week.

2. The system is reporting 1800 service connections and a population of 3600 on the MOR. The service connection number is questionable. The January 2007 MOR indicated 1925 service connections. The system should be able to indicate from its records a more accurate number of service connections (population) and report them monthly on the MOR.

3. The system is to sample for lead and copper this year during the monitoring period June through September.

#### RECOMMENDATIONS:

1. Install automatic blow off devices on dead end mains to ensure that there is always a minimum residual of 0.2 in the distribution system. The blow off at Anna Maria Way NE was 0.2 mg/l

Inspector: Raymond W. Kenney Raymond W. Kenney Eng Specialist II Date 3/11/2008

Approved By: Mark Chameski Mark Chameski Env. Supervisor II Date 3/11/2008





# Placid Lakes Utilities, Inc.

A DIVISION OF LAKE PLACID HOLDING CO.

410 Washington Blvd. NW  
Lake Placid, Florida 33852

March 28, 2008

Office: (863) 465-0345  
Water Plant: (863) 465-2427  
Fax: (863) 465-1313

Raymond W. Kenney, Engineering Specialist II  
Florida Department of Environmental Protection  
South District  
PO Box 2549  
Fort Myers, FL 33902-2549

RE: Highlands County - PW  
Placid Lakes Utilities WTP  
PWS ID #: 6280223  
Compliance Inspection Report

Dear Mr. Kenney:

In response to the deficiencies in your report dated 03/05/2008:

1. Lead and Copper Sampling has been revised and the form is enclosed with this letter. In addition, a new map with the correct names of the streets is enclosed marked with the twenty sampling sites, the ten optional sites and the Water Quality Parameter Sampling site.
2. The Cross Connection Control plan dated April 2007 has been revised to correct the rule number reference in Section II A. Section II B has been revised to reflect the AWWA Manual M14 and the revision was approved at the Board of Director's Meeting held March 28, 2008.


In response to comment number 2, the utility now has a full time operator who will be filling in the correct number of service connections on the monthly operating reports beginning on the March 2008 report.

In addition, the utility has ordered parts to install the automatic blow off device at Anna Maria Way NE and will add the request for funds to do all dead end mains in the current rate case before the Florida Public Service Commission.

If you have any questions or need further information, please contact me at the letterhead address, call 863-465-0345 or e-mail me at [pbrewer@embarqmail.com](mailto:pbrewer@embarqmail.com).

Sincerely,

Pam Brewer  
Vice President/Secretary



# Florida Department of Environmental Protection

South District  
P.O. Box 2549  
Fort Myers, FL 33902-2549

Charlie Crist  
Governor

Jeff Kotkamp  
Lt. Governor

Michael W. Sole  
Secretary

August 6, 2008

Ms. Pam Brewer, Secretary-Treasurer  
Lake Placid Holding Company  
410 Washington Blvd., NW  
Lake Placid, Florida 33852

Re: Highlands County - PW/LC  
Placid Lakes Utilities WTP  
PWS I.D. Number: 6280223  
Triennial Monitoring for Lead and Copper

Dear Ms. Brewer:

The Department of Environmental Protection has reviewed the lead and copper sample results for the referenced public water system, received by the Department on July 28, 2008 for the monitoring period June through September 2008.

Since the water system did not exceed the action level for lead and copper during this reduced monitoring period, continue the triennial reduced monitoring program, with the minimum number of samples remaining at ten (10) for a population of 501 to 3,300.

The water system must conduct its next triennial sampling during the months of June through September 2011, and report the results to the Department of Environmental Protection no later than October 10, 2011. The time for sample analysis/reporting should be taken into account so that the Department of Environmental Protection receives the results by October 10, 2011.

*"More Protection, Less Process"*  
[www.dep.state.fl.us](http://www.dep.state.fl.us)


Ms. Pam Brewer

Page 2

August 6, 2008

We appreciate your cooperation in maintaining compliance with the Lead and Copper Rule. Should you have any questions, please call me at (239) 332-6975, extension 119 or e-mail me at [Raymond.Kerney@dep.state.fl.us](mailto:Raymond.Kerney@dep.state.fl.us).


Sincerely,

  
Raymond W. Kerney  
Engineering Specialist II

RWK

cc: Nathan Brewer

*"More Protection, Less Process"*  
[www.dep.state.fl.us](http://www.dep.state.fl.us)



# Florida Department of Environmental Protection

South District  
P.O. Box 2549  
Fort Myers, FL 33902-2549

Charlie Crist  
Governor

Jeff Kottkamp  
Lt. Governor

Michael W. Sole  
Secretary

April 29, 2008


Ms. Pam Brewer, Secretary-Treasurer  
Lake Placid Holding Company  
410 Washington Blvd., NW  
Lake Placid, Florida 33852

Re: Highlands County - PW/LC  
Placid Lakes Utilities WTP  
PWS I.D. Number: 6280223  
Lead and Copper Sampling Plan Approval

Dear Ms. Brewer:


The Department received the revised Lead and Copper Sampling Plan for the system on April 2, 2008. The Department has reviewed the plan and has found the plan to meet the requirements of the Lead and Copper Rule.

Sincerely,

  
Raymond W. Kenney  
Engineering Specialist II

RWK  
cc: Nathan Brewer

*"More Protection, Less Process"*  
[www.dep.state.fl.us](http://www.dep.state.fl.us)



# PLACID LAKES



© MAPSource, St. Petersburg, FL 1-800-202-7123

Scale in Miles

STUAF  
HI

PLACID RIDGE EST.  
CLINTON ST  
JAMES ST  
VIA

PLACID

16

21

PLACID LAKES AIRSTRIP

Easement

Drainage

JACK MARRS AIRSTRIP



# PWS SAMPLING PLAN FOR LEAD AND COPPER TAP SAMPLES AND WATER QUALITY PARAMETERS

See page 6 for instructions.

<b>I. General Information</b>			
Public Water System (PWS) Name: <u>Placid Lakes Utilities, Inc</u>			
PWS Identification Number: <u>6280223</u>		PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community	
PWS Size: <input checked="" type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large		Total Population Served:	
Population Interval: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input checked="" type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G			
PWS Owner: <u>Lake Placid Holding Company</u>			
Contact Person: <u>Nathan Brewer</u>		Contact Person's Title: <u>Operator</u>	
Contact Person's Mailing Address: <u>410 Washington Boulevard NW</u>			
City: <u>Lake Placid</u>		State: <u>FL</u>	Zip Code: <u>33852</u>
Contact Person's Telephone Number: <u>863-441-1090</u>		Contact Person's Fax Number: <u>863-465-1313</u>	
Contact Person's E-Mail Address: <u>ndbrewer@embargo.com</u>			

\* The minimum number of tap sample sites for lead and copper (LC) and water quality parameter (WQP) distribution system sample sites is based on a system's population interval, which is selected from the table below. For the purposes of this form, the population served is the sum of the number of permanent residents and the number of additional non-transient persons to whom the system is available, such as school children, office and commercial employees, and seasonal residents.

Total Population Served	Population Interval	LC Sites	WQP Sites
greater than 100,000	A	100	25
50,001 to 100,000	B	60	10
10,001 to 50,000	C	60	10
3,301 to 10,000	D	40	3
501 to 3,300	E	20	2
101 to 500	F	10	1
less than 101	G	5	1

## II. Records Review

Locate and review existing plans, drawings, and reports of the water system and also those kept by county or municipal building departments or code enforcement offices to identify available sampling sites and the total number of lead service lines in the distribution system.

### A. Identification of Interior Plumbing Material Types

Identify single-family and multiple-family residences and buildings that have interior plumbing containing lead pipe, copper pipe with lead solder installed after December 31, 1982, or copper pipe with lead solder installed before January 1, 1983; and identify structures with brass faucets and those with point-of-entry or point-of-use devices.

Required sources of review (check after review):

- Plumbing or building codes.
- Plumbing or building permits.
- Contacts within the building department, municipal clerk's office, or State regulatory agencies for historical documentation of the service area development.
- Review of drinking water sampling results, such as those from lead testing in schools.

Optional sources of review (check those utilized):

- Interviews with building inspectors.
- Survey of service area plumbers about when and where lead solder was used from 1983 to the present.
- Survey of residents in the sections of the service area where lead pipe and/or copper pipe with lead solder is suspected to exist.
- Interview of local contractors and developers.

# PWS SAMPLING PLAN FOR LEAD AND COPPER TAP SAMPLES AND WATER QUALITY PARAMETERS

PWS Identification Number: 6208223

## B. Identification of Lead Service Lines and Components with Lead Content

Identify the number and location of lead service lines and identify the location of water distribution system components that contain lead.

Required sources of review (check after review):

- Distribution system maps and record drawings.
- Information collected on the presence of lead and copper as required under 40 CFR 141.42, Special Monitoring for Corrosivity Characteristics.
- Capital improvement plans or master plans for distribution system development.
- Current and historical standard operating procedures or operation and maintenance manuals for the type of materials used to install service connections.
- Utility records, including meter installation records, customer complaint investigations, and other historical documents, that indicate or confirm the location of lead service connections.
- Drinking water sampling results that indicate that a structure is susceptible to lead in drinking water.

Optional sources of review (check those utilized):

- Interviews with utility employees familiar with past construction practices.
- Service line sampling where lead service lines are suspected to exist but their presence is not otherwise confirmed.
- Review of permit files.
- A community survey.
- Interview of local pipe suppliers, contractors, and developers.

## III. Materials Survey

Fill out the following Materials Survey Summary Table to summarize the results of the records review performed under Part II of this form to identify a sampling pool of lead and copper tap sampling sites.

Materials Survey Summary		Type of Structure Being Served		
		SFRs	MFRs	BLDGs
		Number of Service Connections		
<b>A. Interior Plumbing Material Sites</b>				
Lead Pipe		0	0	0
Copper Pipe With Lead Solder Installed After 1982		500		
Copper Pipe With Lead Solder Installed Before 1983		600		
Brass Faucets		500		
Point-of-Use or Point-of-Entry Treatment Devices		Water Softener		
Lead-Lined Water Coolers		0		
Other Lead Plumbing Components		0		
<b>B. Lead Service Line Sites</b>				
Total Initial Number of Lines that Are Entirely Lead and Subject to Replacement		0		
Partial Lead Lines	Goosenecks	0		
	Pigtails	0		
<b>C. Lead Distribution System Component Sites</b>				
Service Connections Within 100 feet of Distribution System Components Containing Lead		0		
<b>D. Total No. of Service Connections to Available Sampling Sites</b>		0		
<b>E. Total Number of Service Connections in Distribution System</b>		0		

**PWS SAMPLING PLAN FOR LEAD AND COPPER TAP SAMPLES AND WATER QUALITY PARAMETERS**

PWS Identification Number: **6208223**

**A. Lead and Copper Tap Sampling Plan**

After completing the Materials Survey, develop a Lead and Copper Tap Sampling Plan by establishing a pool of potential sampling sites. Each plan must include at least the number of sites as shown in the table in the footnote under Part I of this form. It is recommended that a system establish a sampling pool equal to 150 percent of the minimum number required to be sampled to secure a list of optional sites that can be sampled as replacement sites or as additional samples. List all identified sampling sites in the table below. Use additional copies of the table below as necessary.

ID	Tier	Type	Location	Contact Person		LSL Y/N	Home Plumbing Material	Field Verified Y/N	Site Status S/O	Training Status Y/N
				Name	Phone					
1	1	SFR	163 Mango Rd. NE	W. Peacock	465-6125	N	PB1	Y	S	Y
2	1	SFR	472 Humphrey Ave.	D. Allen	464-0831	N	PB1	Y	S	Y
3	1	SFR	110 Walker Ave. NE	M. Arceo	465-7860	N	PB1	Y	S	Y
4	1	SFR	410 Grissom Rd. NW	K. Sneider	699-0843	N	PB1	Y	S	Y
5	1	SFR	249 Sheppard Rd. NW	M. Snyder	Non-Pub	N	PB1	Y	S	Y
6	1	SFR	112 E Canal Way	M. Roberts	464-0225	N	PB1	Y	S	Y
7	1	SFR	254 Baltimore Way NE	C. Branson	465-5912	N	PB1	Y	S	Y
8	1	SFR	250 Baltimore Way NE	C. Guess	Non-Pub	N	PB1	Y	S	Y
9	1	SFR	346 Chicago Way NE	B. Lee	239-340-3755	N	PB1	Y	S	Y
10	1	SFR	110 Truman Ave. NE	A. Hussmann	465-4916	N	PB1	Y	S	Y
11	1	SFR	569 Kemper Ave.	L. Kitterman	465-9557	N	PB1	Y	S	Y
12	1	SFR	101 Roosevelt Ave. NE	P. Storti	465-1054	N	PB1	Y	S	Y
13	1	SFR	321 Roosevelt Ave. NE	R. Clouse	465-6177	N	PB1	Y	S	Y
14	1	SFR	134 Cumquat Rd. NW	J. Torres	465-7735	N	PB1	Y	S	Y
15	1	SFR	250 Cumquat Rd. NW	J. Webb	317-398-7951	N	PB1	Y	S	Y
16	1	SFR	107 Ellison Ave.	C. Payne	699-2891	N	PB1	Y	S	Y
17	1	SFR	1758 Washington Blvd. NW	J. Sullivan	465-7939	N	PB1	Y	S	Y
18	1	SFR	1532 Washington Blvd. NW	L. Webber	465-2988	N	PB1	Y	S	Y
19	1	SFR	100 Buccaneer St. NW	P. Skidmore	699-2382	N	PB1	Y	S	Y
20	1	SFR	139 Bimini St. NE	P. Doyle	465-1457	N	PB1	Y	S	Y

Total Tier 1 Sites:	Total Selected Sampling Sites with Lead Service Lines:
Total Tier 2 Sites:	Percentage of Sampling Sites with Lead Service Lines: %
Total Tier 3 Sites:	
Total Tier 4 Sites:	



### PWS SAMPLING PLAN FOR LEAD AND COPPER TAP SAMPLES AND WATER QUALITY PARAMETERS

PWS Identification Number: 6280223

#### Lead and Copper Tap Sampling Plan

After completing the Materials Survey, develop a Lead and Copper Tap Sampling Plan by establishing a pool of potential sampling sites. Each plan must include at least the number of sites as shown in the table in the footnote under Part I of this form. It is recommended that a system establish a sampling pool equal to 150 percent of the minimum number required to be sampled to secure a list of optional sites that can be sampled as replacement sites or as additional samples. List all identified sampling sites in the table below. Use additional copies of the table below as necessary.

ID	Tier	Type	Location	Contact Person		LSL Y/N	Home Plumbing Material	Field Verified Y/N	Site Status S/O	Training Status Y/N
				Name	Phone					
21	1	SFR	114 Citrus Rd. NE	C. Pate	699-5657	N	PB1	Y	S	Y
22	1	SFR	106 Loguot Rd. NE	R. Nevarez	Non-Pub	N	PB1	Y	S	Y
23	1	SFR	932 Catfish Creek Rd.	N. Swavola	239-595-4899N	N	PB1	Y	S	Y
24	1	SFR	370 Sheppard Rd. NW	J. Eisinger	406-750-0777N	N	PB1	Y	S	Y
25	1	SFR	109 E Cananl Way	D. Stratton	465-0797	N	PB1	Y	S	Y
26	1	SFR	1640 Washington Blvd. NW	J. Tracy	465-3230	N	PB1	Y	S	Y
27	1	SFR	130 Loguot Rd NE	T. Crow	854-520-4050N	N	PB1	Y	S	Y
28	1	SFR	109 Sheppard Rd. NW	F. Wierda	465-4696	N	PB1	Y	S	Y
29	1	SFR	1530 Washington Blvd. NW	J. Hall	465-4874	N	PB1	Y	S	Y
30	1	SFR	367 Carole Rd. NW	D. Gutierrez	465-0079	N	PB1	Y	S	Y

Total Tier 1 Sites:	Total Selected Sampling Sites with Lead Service Lines:
Total Tier 2 Sites:	Percentage of Sampling Sites with Lead Service Lines:    %
Total Tier 3 Sites:	
Total Tier 4 Sites:	



**PWS SAMPLING PLAN FOR LEAD AND COPPER TAP SAMPLES AND WATER QUALITY PARAMETERS**

PWS Identification Number: 6200223

**VI Certification**

**A. Site Selection Criteria**

Whenever possible, lead and copper tap sample plans must include tier 1 sites exclusively. Explain the selection of other than tier 1 sites; and if sites were changed from one monitoring period to another, explain why the sites were changed (attach additional pages if necessary). N/A All Tier 1

**B. Lead Service Line Sites**

When lead service line sites are identified, they must comprise at least 50 percent of the selected samples. Explain why the percentage of lead service line sites is not at least 50 percent of the required number of sampling sites (attach additional pages if necessary). There are none

**C. Water Quality Parameter Sampling Plan**

If any WQP distribution system sampling sites are not also microbiological sampling sites, explain how the selected WQP distribution system sampling sites represent water quality throughout the distribution system based on the distribution of population, the different sources of water and treatment methods, and an even distribution of sampling throughout the six-month sampling period (attach additional sheets as necessary). N/A

I am duly authorized to sign this form on behalf of the PWS identified in Part I of this form. I certify that the information provided on this form is true and accurate to the best of my knowledge and belief. I certify that the information listed and checked in Part II of this form was used to perform the materials survey in order to identify the total number of lead service lines in the PWS and to establish the sampling pool and sampling plans. I also certify that the number of lead service lines reported in Part III of this form is the total known number of lead service lines in the PWS and that the selected sampling sites in Part IV of this form are the highest risk sites available.

  
Signature and Date

Nathan Brewer  
Printed or Typed Name

Operator  
Title

PLACID LAKES UTILITIES, INC.				
FIELD EMPLOYEES				
NAME	DUTIES/ RESPONSIBILITIES	CERTIFICATES	ALLOCATION	
Nathan Brewer	Licensed Operator/ Supervisor	DW0014995 WW0014987 Hazardous Materials Operations/OSHA Level II MOT Underground Utility License		COPY OF TIME SHEET AND WORKSHEET ARE ATTACHED. Hours are kept and billed according the employees hourly rate. Worksheet gives job description for employee Correct account # for bookkeeper
William T Powers, Jr.	Assistant Supervisor Inventory control Valve Locate/Exercise Meter Reading, Meter Installation, General labor	WW0015264 Hazardous Materials Operations/OSHA Level II FW&PCOA Systems Operators Course Distribution Manager Level III		
James D. Reed	General Labor, Meter Reading Meter Install Valve Exercise	Hazardous Materials Operations/OSHA Level II FW&PCOA Systems Operators Course Distribution Manager Level III		
Brandon Jones	General Labor, Meter Reading Meter Install Valve Exercise			

TIMESHEET / WORKSHEET  
 PLACID LAKES UTILITIES, INC.

ACCT#	JOB DESCRIPTION	THURSDAY	FRIDAY	SATURDAY	SUNDAY	MONDAY	TUESDAY	WEDNESDAY
601.1	Daily Water Plant Readings							
601.1	Nathan / Vacation, Holiday, Sick							
601.2	Emergency Maint. / Plant							
601.2	Annual Tank Maintenance							
601.3	Daily Water Plant Tests							
601.3	Monthly Water Samples							
601.3	Monthly Water Operating Report							
601.3	DEP Visits							
601.3	Billy / Vacation, Holiday, Sick							
601.4	Emergency Maint. / Treatment							
601.5	Locates							
601.5	Flushing Lines							
601.5	Emergency Locates							
601.5	Valve Exercising							
601.6	Vehicle Maint. / Trucks							
601.6	Barn Maintenance							
601.6	Emergency Maint. / Distribution							
601.6	Water Line Break							
	Pick up Supplies / What For							
601.7	Customer Work Orders							
601.7	Emergency Customer Orders							
601.7	Monthly Meter Reading							
601.7	Vehicle Maint. / Golf Cart							
601.7	Fold & Stuff Envelopes / PSC Notices							
601.7	Brandon / Vacation, Holiday, Sick							
601.7	JD / Vacation, Holiday, Sick							
601.8	CEU Classes							
601.8	OSHA / Post if not specific							
601.8	PSC Meetings							
333.4 / 334.4	New meter services							
334.4	Meter Replacements							
334.4	Meter & Access Assembly							
331.4	Office / call locates, paperwork							
331.4	Meet w/County - Line Extensions							
331.4	Install Pipe under driveways							

