

LAW OFFICES  
**ROSE, SUNDBSTROM & BENTLEY, LLP**  
2548 BLAIRSTONE PINES DRIVE  
TALLAHASSEE, FLORIDA 32301

100126-WS

FREDERICK L. ASCHAUER, JR.  
CHRIS H. BENTLEY, P.A.  
ROBERT C. BRANNAN  
F. MARSHALL DETERDING  
JOHN R. JENKINS, P.A.  
KYLE L. KEMPER  
STEVEN T. MINDLIN, P.A.  
CHASITY H. O'STEEN  
WILLIAM E. SUNDBSTROM, P.A.  
DIANE D. TREMOR, P.A.  
JOHN L. WHARTON  
  
ROBERT M. C. ROSE (1924-2006)

(850) 877-6555  
FAX (850) 656-4029  
www.rsbattoorneys.com

CENTRAL FLORIDA OFFICE  
SANLANDO CENTER  
2180 W. STATE ROAD 434, SUITE 2118  
LONGWOOD, FLORIDA 32779  
(407) 830-6331  
FAX (407) 830-8522

REPLY TO CENTRAL FLORIDA OFFICE

MARTIN S. FRIEDMAN, P.A.  
BRIDGET M. GRIMSLEY  
CHRISTIAN W. MARCELLI  
BRIAN J. STREET

March 15, 2010

HAND DELIVERY

Chairman Nancy Argenziano  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399-0850

Re: C.F.A.T. H2O, Inc.  
General Rate Increase Application  
Our File No. 44096.01

RECEIVED  
FLORIDA PUBLIC SERVICE  
COMMISSION  
DIVISION OF  
ECONOMIC REGULATION  
10 MAR 15 AM 5:50

Dear Chairman Argenziano:

This letter, pursuant to Rule 25-30.430, Florida Administrative Code, requests approval of a test year for C.F.A.T. H2O, Inc. (the "Company"). The Company intends to submit an application for general rate relief to the Florida Public Service Commission for its water and wastewater systems. The Company intends to submit the minimum filing requirements ("MFRs") on or before September 30, 2010.

The Company's last rate proceeding was in Docket No. 870212-WS, utilizing a test year ending December 31, 1986, which culminated in Order No. 18312, issued October 19, 1987. Rate base was last established as of December 31, 1991, in Docket No. 921260-WS by Order No. PSC-93-0900-FOF-WS, issued June 14, 1993.

The Company requests an historic test year ending December 31, 2009. The requested test year is representative of a normal full year of operation.

COM \_\_\_\_\_ The Company has made no major changes to plant and equipment for its water and  
APA wastewater systems in the last eighteen (18) months. Within that same period of time, there  
ECR have been no major changes in operational methods.

GCL \_\_\_\_\_ The Company does not propose to include any major pro forma plant additions, or  
RAD expenses.

SSC \_\_\_\_\_

ADM \_\_\_\_\_

OPC \_\_\_\_\_

CLK None

DOCUMENT NUMBER-DATE


01816 MAR 15 09

FPSC-COMMISSION CLERK

Pursuant to Section 367.081(8), Florida Statutes, the Company requests that the Commission process this petition for rate relief using the proposed agency action procedure. The Company also will request interim rates based on the historic test year.

Should you or members of the Staff have any questions regarding this request, please do not hesitate to contact me.

Very truly yours,



MARTIN S. FRIEDMAN  
For the Firm

MSF/mp

cc: Mr. Charles de Menzes (via email)  
Mr. Don Clayton (via email)  
Ms. Cheryl Bulecza-Banks, Division of Economic Regulation  
Mr. Bart Fletcher, Division of Economic Regulation

m:\1 altamonte\cfat h2o (44096)\01 12-31-09 ty rate case\psc chair 01 (test year letter).doc