

RECEIVED  
MAR 22 2010

1. For each Request for Proposal (RFP) for coal issued in 2009 by Tampa Electric Company (TECO), list the bids received. Include the supplier, tonnage bid, coal quality, and delivered price information, as well as the method and route of delivery.

A. Bids Received from 2009 Coal RFP  
Gen 2010-01

Supplier	Tonnage	Quality	Delivered Price (\$/MMBtu)	Delivery Method
Drummond	350,000	Low Sulfur		Ocean
Coaltrade	180,000	Low Sulfur		River/Gulf/Truck
Oxbow Mining	350,000	Low Sulfur		River/Gulf/Truck
Blue Creek	50,000	Low Sulfur		Ocean
CMC	200,000	Low Sulfur		Ocean
Glencore	240,000	Low Sulfur		Ocean
Coalsales	350,000	Low Sulfur		River/Gulf/Truck
Coalsales	350,000	Low Sulfur		Rail/Truck
CMC (DM)	200,000	Low Sulfur		Ocean
Glencore	225,000	Low Sulfur		Ocean

COM \_\_\_  
APA \_\_\_  
ECR   /    
GCL \_\_\_  
RAD \_\_\_  
SSC \_\_\_  
ADM \_\_\_  
OPC \_\_\_  
CLK \_\_\_

3. List the tonnage, delivered price, coal quality, and vendor information for all spot coal purchased by TECO in 2009.

A. 2009 Spot Coal Purchases

Contract Name	Tonnage	Delivered Price	Btu/lb	Ash %	Sulfur %	Moisture %
Knight Hawk	83,762		11,119	8.751	2.722	13.31
Glencore	32,907		10,709	9.920	0.750	11.77
Ken American Coal	172,101		11,754	8.274	2.644	11.69
American Coal	300,857		11,866	8.052	2.474	11.03
Coalsales	250,144		10,952	8.753	2.934	14.13
Resource Sales	160,301		11,664	10.393	2.838	9.89
Phoenix	28,854		11,238	10.533	3.432	11.67
American Coal	18,048		11,977	7.997	2.467	10.94


- 5. For each RFP for natural gas issued in 2009 by TECO, list the bids received. Include the supplier, volume bid, and delivered price information, as well as the primary pipeline delivered by.
  
- A. Tampa Electric issued an RFP on February 16, 2009 for supply beginning April 1, 2009 through March 31, 2011.

**Natural Gas RFP Responses**

Supplier Name	Volume/day	Location	Nymex Offer	Index Offer	Gas Daily			
Anadarko Energy Svc	5,118	FGT Zone 1	[REDACTED]	[REDACTED]	[REDACTED]			
Anadarko Energy Svc	5,118	FGT Zone 2						
Anadarko Energy Svc	5,118	FGT Zone 2						
Apache Corporation	Up to 7,500	FGT Zone 1						
Apache Corporation	Up to 7,500	FGT Zone 1						
Apache Corporation	Up to 5,000	SONAT Zone 0						
Apache Corporation	Up to 5,000	SONAT Zone 0						
Atmos Energy	10,000	FGT Zone 1 or 2						
BG Energy Merchants	20,000	FGT Zone 3						
BG Energy Merchants	20,000	FGT Market						
BG Energy Merchants	3,810	SONAT SESH						
BG Energy Merchants	2,295	SONAT SESH						
BG Energy Merchants	3,958	SONAT SESH						
BG Energy Merchants	25,675	FGT Zone 1						
BG Energy Merchants	25,675	FGT Zone 1						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	20,000	SESH						
BP Energy Co.	10,000	FGT Zone 2						
BP Energy Co.	10,000	FGT Zone 2						
BP Energy Co.	10,000	FGT Zone 2						
BP Energy Co.	10,000	FGT Zone 2						
BP Energy Co.	30,000	FGT Zone 3						
BP Energy Co.	50,000	FGT Zone 3						
BP Energy Co.	30,000	FGT Zone 3						
BP Energy Co.	30,000	FGT Zone 3						
BP Energy Co.	30,000	FGT Zone 3						

TAMPA ELECTRIC COMPANY  
DOCKET NO. 100001-EI  
STAFF'S FIRST SET OF  
INTERROGATORIES  
INTERROGATORY NO. 5  
PAGE 2 OF 6  
FILED: MARCH 22, 2010

BP Energy Co.	50,000	FGT Zone 3
BP Energy Co.	30,000	FGT Zone 3
BP Energy Co.	30,000	FGT Zone 3
BP Energy Co.	10,391	SONAT
BP Energy Co.	5,000	SONAT SESH
BP Energy Co.	5,000	SONAT SESH
BP Energy Co.	5,000	SONAT SESH
BP Energy Co.	5,000	SONAT SESH
BP Energy Co.	4,000	SONAT SESH
BP Energy Co.	4,000	SONAT SESH
BP Energy Co.	4,000	SONAT SESH
BP Energy Co.	4,000	SONAT SESH
BP Energy Co.	10,000	SONAT
BP Energy Co.	10,000	SONAT
BP Energy Co.	10,000	SONAT
BP Energy Co.	10,000	SONAT
BP Energy Co.	2,671	SONAT
BP Energy Co.	8,500	FGT Zone 1
BP Energy Co.	8,500	FGT Zone 1
BP Energy Co.	10,000	FGT Zone 3
BP Energy Co.	10,000	FGT Zone 3
BP Energy Co.	10,000	FGT Zone 3
Cambridge Energy LLC	5,000	SONAT Zone 0
Cambridge Energy LLC	5,000	FGT Zone 3
CenterPoint Energy		
CenterPoint Energy		
Chesapeake	6,265	SESH
Chevron	50,000	FGT Zone 3
Chevron	50,000	FGT Zone 3
Chevron	3,000	FGT Zone 3
Chevron	3,000	FGT Zone 1
Chevron	9,000	FGT Zone 1
Chevron	3,000	FGT Zone 1
Chevron	2,000	FGT Zone 2
Chevron	20,000	SESH
Chevron	20,000	SESH
Chevron	2,000	SESH
Chevron	2,000	SESH
Chevron	5,000	SONAT
Chevron	5,000	SONAT
Chevron	2,000	SONAT Zone 0
Chevron	6,000	Gulfstream
Chevron	6,000	Gulfstream
Chevron	2,000	FGT Zone 3
Chevron	2,000	Gulfstream
Chevron	2,000	Gulfstream
Chevron	20,000	Gulfstream
Chevron	20,000	Gulfstream
Chevron	2,000	Gulfstream




TAMPA ELECTRIC COMPANY  
DOCKET NO. 100001-EI  
STAFF'S FIRST SET OF  
INTERROGATORIES  
INTERROGATORY NO. 5  
PAGE 3 OF 6  
FILED: MARCH 22, 2010

Chevron	2,000	Gulfstream
Chevron	2,000	FGT Zone 1
Chevron	4,000	FGT Zone 2
Chevron	3,000	FGT Zone 2
Chevron	9,000	FGT Zone 2
Chevron	3,000	FGT Zone 2
Chevron	3,000	FGT Zone 1
Chevron	4,000	FGT Zone 2
Chevron	3,000	FGT Zone 2
Chevron	9,000	FGT Zone 3
Chevron	3,000	FGT Zone 3
Chevron	7,000	SONAT
Chevron	7,000	SONAT
Chevron	2,000	SONAT
Chevron	10,000	FGT Zone 3
Chevron	10,000	FGT Zone 3
Chevron	7,000	FGT Zone 3
Chevron	5,000	FGT Zone 3
Chevron	10,000	FGT Zone 3
Chevron	10,000	FGT Zone 3
Chevron	7,000	FGT Zone 3
Chevron	7,000	FGT Zone 3
Chevron	5,000	SONAT
Cokinis	5,000	SONAT
Cokinis	5,000	SONAT
Cokinis	2,000	SONAT
Cokinis	3,000	SONAT
Cokinis	4,000	SONAT
Cokinis	3,000	SONAT
Cokinis	5,000	SONAT
ConocoPhillips	10,000	FGT Zone 2
ConocoPhillips	20,000	FGT Zone 2
ConocoPhillips	10,000	SESH
ConocoPhillips	11,000	FGT Zone 2
ConocoPhillips	7,500	FGT Zone 1
ConocoPhillips	1,190	SONAT
ConocoPhillips	3,810	SONAT
ConocoPhillips	10,000	SONAT Zone 0
ConocoPhillips	15,000	FGT Zone 3
ConocoPhillips	10,000	FGT Zone 3
ConocoPhillips	20,000	SONAT Zone 0
ConocoPhillips	20,000	SONAT Zone 0
Cross Timbers Energy	Up to 20,000	SESH
Crosstex Energy	Up to 3,249	FGT Zone 1
Crosstex Energy	Up to 5,300	FGT Zone 1
Crosstex Energy	5,300	FGT Zone 1
Crosstex Energy	Up to 5,300	FGT Zone 1
Crosstex Energy	Up to 5,300	FGT Zone 1
Crosstex Energy	Up to 3,249	FGT Zone 1




TAMPA ELECTRIC COMPANY  
DOCKET NO. 100001-EI  
STAFF'S FIRST SET OF  
INTERROGATORIES  
INTERROGATORY NO. 5  
PAGE 4 OF 6  
FILED: MARCH 22, 2010

Crosstex Energy	Up to 5,300	FGT Zone 1
Devon	Up to 20,000	SESH
Devon	3,958	SESH
Devon	TECOVol	FGT Zone 3
Devon	PGSVol	FGT Zone 3
Enbridge	Up to 7,000	FGT Zone1
Enbridge	Up to 7,000	FGT Zone 1
Enbridge	PGSVol	FGT Zone 3
Enbridge	Up to 5,000	SONAT
Enbridge	Up to 5,000	SONAT
Enjet	TEC/PGSVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Gavilon	TECOVol	FGT Zone 2
Iberdrola		SONAT
iberdrola	Up to 20,000	FGT Zone 1
Iberdrola	Up to 20,000	FGT Zone 1
Iberdrola	Up to 20,000	FGT Zone 2
Iberdrola	Up to 20,000	FGT Zone 3
Macquaire	Up to 5,000	SONAT
Macquaire	Up to 5,000	SONAT
Macquaire	Up to 5,000	SONAT
Macquaire	Up to 5,000	SONAT
Macquaire	Up to 2,000	SONAT
Macquaire	Up to 2,000	SONAT
Macquaire	Up to 10,000	FGT Zone 3
Macquaire	Up to 20,000	FGT Zone 3
Macquaire	Up to 10,000	FGT Zone 3
Macquaire	Up to 7,000	SONAT
Macquaire	Up to 7,000	SONAT
Macquaire	Up to 3,000	SONAT
Macquaire	Up to 20,000	FGT Zone 3
Macquaire	Up to 20,000	FGT Zone 3
Macquaire	Up to 20,000	FGT Zone 3
Macquaire	Up to 5,000	SONAT
Macquaire	Up to 2,000	SONAT
Macquaire	Up to 10,000	FGT Zone 3
Macquaire	Up to 10,000	FGT Zone 3
Macquaire	Up to 10,000	FGT Zone 3



TAMPA ELECTRIC COMPANY  
DOCKET NO. 100001-EI  
STAFF'S FIRST SET OF  
INTERROGATORIES  
INTERROGATORY NO. 5  
PAGE 5 OF 6  
FILED: MARCH 22, 2010

Macquaire	Up to 10,000	FGT Zone 3
NFM	Up to 2,000	FGT Zone 2
NFM	Up to 4,000	FGT Zone 2
NFM	Up to 5,000	FGT Zone 2
NFM	Up to 5,000	FGT Zone 2
NFM	PGSVol	FGT Zone 3
NFM	PGSVol	FGT Zone 3
NFM	PGSVol	FGT Zone 3
NFM	PGSVol	FGT Zone 3
NFM	TEC/PGSVol	FGT Zone 3
NJR	TEC/PGSVol	FGT Zone 2
NJR	TEC/PGSVol	FGT Zone 1
NJR	TEC/PGSVol	FGT Zone 3
NJR	TEC/PGSVol	FGT Zone 1
NJR	TEC/PGSVol	FGT Zone 2
NJR	TEC/PGSVol	FGT Zone 1
NJR	TEC/PGSVol	FGT Zone 2
NJR	TEC/PGSVol	FGT Zone 1
NJR	TEC/PGSVol	FGT Zone 3
Noble	5,000	FGT Zone 3
Noble	15,000	FGT Zone 3
Oneok	Up to 10,000	FGT Zone 2
Oneok	Up to 10,000	FGT Zone 2
Oneok	Up to 10,000	FGT Zone 2
Oneok	Up to 10,000	FGT Zone 2
Oneok	Up to 10,000	FGT Zone 3
Oneok	Up to 10,000	FGT Zone 3
Oneok	Up to 10,000	FGT Zone 2
Oneok	Up to 10,000	FGT Zone 2
Samson	20,000	SESH
Samson	20,000	SESH
Samson	20,000	SESH
Shell	30,000	FGT/Gulfstream
Shell	20,000	FGT/Gulfstream
Shell	20,000	SESH
Shell	6,253	SONAT Zone 1
Shell	15,000	SONAT Zone 0
Shell	20,000	FGT/Gulfstream
Tenaska	5,000	FGT Zone 2
Tenaska	5,000	SESH
Tenaska	PGSVol	FGT Zone 3
Tenaska	PGSVol	FGT Zone 3



TAMPA ELECTRIC COMPANY  
DOCKET NO. 100001-EI  
STAFF'S FIRST SET OF  
INTERROGATORIES  
INTERROGATORY NO. 5  
PAGE 6 OF 6  
FILED: MARCH 22, 2010

Tenaska	PGSVol	FGT Zone 3
Tenaska	10,000	Gulfstream
Tenaska	Up to 20,000	FGT Zone 3
Tenaska	Up to 5,000	FGT Zone 3
Tenaska	Up to 10,000	FGT Zone 3
Williams	20,000	FGT Zone 3
Williams	20,000	FGT Zone 3

---

