

RECEIVED--FPSC

11 JUN -9 AM 7:09

21 West Church Street
Jacksonville, Florida 32202-3139

11 JUN -9 AM 8:41

June 8, 2011

COMMISSION
CLERK

Ann Cole
Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399-0850



**Re: Docket No. 110000-OT - Undocketed Filings - 2012 FEECA
Report Data Collection**

ELECTRIC

WATER

SEWER

Dear Ms. Cole:

Enclosed is JEA's corrected response to staff's first data request along with five copies. The achieved values in Table B for "Summer Peak MW Reduction" & "GWh energy reduction" were incorrectly transposed. Sorry for the confusion.

If you have any questions, please do not hesitate to contact me at (904) 665-6764.

Sincerely,

Richard J. Vento
Director of Corporate Data Integration

Encl: Docket 110000-OT, Response to Staff's First Data Request - corrected

cc: Kent O. Mathis
Donald P. Wucker

- COM _____
- APA _____
- ECR 5
- GCL _____
- RAD _____
- SSC _____
- ADM _____
- OPC _____
- CLK _____

DOCUMENT NUMBER-DATE

03978 JUN -9 =

FPSC-COMMISSION CLERK

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: 2012 FEECA Report Data Collection (JEA).

DOCKET NO. 110000-OT

DATED (Original): JUNE 3, 2011

DATED (Corrected): JUNE 8, 2011

JEA'S CORRECTED RESPONSE TO STAFF'S FIRST DATA REQUEST (NOS. 1-2)

JEA, hereby responds to Staff's First Data Request (Nos. 1-2).

RESPONSES

1. Please provide two tables comparing the cumulative demand and energy savings achieved against the cumulative goals for the six year period 2005 - 2010. All savings reported should be "at the generator."

a. For Table A, use the goals established in 2004 for all six years.

b. For Table B, use the goals established in 2004 for years 2005-2009 and the goals established in 2009 for year 2010.

Response (Corrected June 8, 2011):

Please see the following tables (A & B), which presents the requested information.

Table A
Cumulative Savings Achieved vs. Cumulative Goals (2004 goals)

Year	Winter Peak MW Reduction			Summer Peak MW Reduction			GWh Energy Reduction		
	Achieved	Goal	% Variance	Achieved	Goal	% Variance	Achieved	Goal	% Variance
2005	1.2	0	---	1.6	0	---	4.6	0	---
2006	2.4	0	---	4.4	0	---	18.0	0	---
2007	2.6	0	---	4.3	0	---	31.0	0	---
2008	5.7	0	---	7.4	0	---	62.1	0	---
2009	9.7	0	---	12.6	0	---	96.2	0	---
2010	13.7	0	---	15.8	0	---	123.1	0	---

DOCUMENT NUMBER-DATE

03978 JUN-9 =

FPSC-COMMISSION CLERK

Table B
Cumulative Savings Achieved vs. Cumulative Goals (2004 goals, 2009 goals for 2010)

Year	Winter Peak MW Reduction			Summer Peak MW Reduction			GWh Energy Reduction		
	Achieved	Goal	% Variance	Achieved	Goal	% Variance	Achieved	Goal	% Variance
2005	1.2	0	---	1.6	0	---	4.6	0	---
2006	2.4	0	---	4.4	0	---	18.0	0	---
2007	2.6	0	---	4.3	0	---	31.0	0	---
2008	5.7	0	---	7.4	0	---	62.1	0	---
2009	9.7	0	---	12.6	0	---	96.2	0	---
2010	13.7	1.4	882%	15.8	1.8	775%	123.1	15.5	694%

2. If your utility had any active solar renewable programs in 2010, please complete the following table for each program. Please add rows as necessary to provide other pertinent information that may be helpful to staff in determining whether these programs have been successful.

Response:

JEA's solar water heating program is not a "solar renewable program"; it is filed as an energy efficiency measure. The savings resulting from this program are included in the preceding Tables A & B.