

Tracy W. Hatch General Attorney AT&T Florida 150 South Monroe Street Suite 400 Tallahassee, FL 32301

T: (850) 577-5508 th9467@att.com

CORMISSION

October 16, 2012

Ann Cole, Commission Clerk Office of the Commission Clerk Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

## Re: Docket No. <u>20261-TL</u> Petition for Expedited Review of Growth Code Denial by the Number Pooling Administrator for the Jacksonville exchange (San Marco)

Dear Ms. Cole:

Enclosed is an original and seven copies of BellSouth Telecommunications, LLC d/b/a AT&T Florida's Petition for Expedited Review of Growth Code Denial, which we ask that you file in the captioned *new* docket.

A copy of this letter is enclosed. Please mark it to indicate that the original was filed and return the copy to me. Copies have been served to the parties shown on the attached Certificate of Service.

Sincerely. Tracy W. Hatch

cc: All Parties of Record Gregory R. Follensbee Suzanne L. Montgomery

COM \_\_\_\_\_ AFD \_\_\_\_\_ APA \_\_\_\_\_ ECO \_\_\_\_\_ ENG \_\_\_\_ GCL 2 IDM \_\_\_\_\_ TEL 5 CLK \_\_\_\_\_

DOCUMENT NUMBER-DATE 07055 OCT 16 º FPSC-COMMISSION CLERK



### CERTIFICATE OF SERVICE Petition for Expedited Review of Growth Code Denial by the Number Pooling Administrator for the Jacksonville exchange (San Marco)

I HEREBY CERTIFY that a true and correct copy of the foregoing was served via

First Class U.S. Mail this 16th day of October, 2012 to the following:

Staff Counsel Florida Public Service Commission Division of Legal Services 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

NANPA

Thomas Foley NPA Relief Planner 820 Riverbend Blvd. Longwood, Florida 32779-2327 Tel. No.: (407) 389-8929 Fax. No.: (407) 682-1108 thomas.foley@neustar.com

Tracy W. Hatch

### **BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION**

In re: Petition for Expedited Review of Growth ) Code Denials by the Number Pooling Administrator) for the Jacksonville exchange (San Marco)

Docket No.

Filed: October 16, 2012

### PETITION FOR EXPEDITED REVIEW OF CODE DENIAL

)

BellSouth Telecommunications, Inc. d/b/a AT&T Florida ("AT&T Florida"), pursuant to 47 C.F.R. § 52.15(g)(iv), Federal Communications Commission ("FCC") Order FCC 00-104, and Florida Public Service Commission ("Commission") Order No. PSC-01-1873-PCO-TL, petitions the Commission to review the Pooling Administrator's ("NeuStar") denial of AT&T Florida's requests for additional numbering resources in the Jacksonville exchange. In support of this petition, AT&T Florida states:

### PARTIES

1. AT&T Florida is a limited liability company corporation organized and formed under the laws of the State of Georgia and an incumbent local exchange company ("ILEC") authorized to provide local exchange telecommunications service and intraLATA toll telecommunications service in the State of Florida.

2. Neustar is an independent non-governmental entity, which is responsible for administering and managing the numbering resources for requests in Non-Pooling situations.

### JURISDICTION

3. The Commission has jurisdiction of this matter pursuant to Industry Numbering Committees (INC) Number Pooling Guidelines Sections 3.7 and 12(c). This

> DOCUMENT NUMBER-DATE 07055 OCT I6 ≌ FPSC-COMMISSION CLERK

provision provides that a carrier may challenge NeuStar's decision to deny numbering resources to the appropriate regulatory authority.

### **BACKGROUND AND REQUEST FOR RELIEF**

4. The Jacksonville exchange consists of eighteen (18) switching entities that utilize numbering resources: Arlington (JCVLFLARDS0), Atlantic (JCBHFLABRS0), Avenues (MNDRFLAVDS0), Beachwood (JCVLFLBWDS0), Clay Street (JCVLFLCLDS0), Ft. Caroline (JCVLFLFCDS0), Ft. George (FTGRFLMARS0), International Airport (JCVLFLIARS0), Lake Forest (JCVLFLLFDS0), Loretto (MNDRFLLODS0), Normandy (JCVLFLNODS0), Oceanway (JCVLFLOWDS0), Riverside (JCVLFLRV38E), San Jose (JCVLFLSJ73E), San Marco (JCVLFLSMDS0), San Pablo (JCBHFLSPRS0), Southpoint (JCVLFLJTRSA), Wesconnett and (JCVLFLWCDS0).

5. On October 11, 2012, AT&T Florida requested additional numbering resources from NeuStar for the San Marco (JCVLFLSMDS0) switch. See Attachment 1. Specifically, AT&T Florida requested a single number block of 1,000 numbers to meet the request of a specific customer. Due to the customer's dialing patterns, the customer needs a specific block in the format of NPA NX4-0,6,7,8,9; NPA NX5-X; or NPA NX6-1,2,7,8,9. Since none of these combinations are available in the numbering pool, AT&T will need to request a full NXX code be opened to meet this request. The remaining 9 blocks will be used for the Jacksonville pool.

6. At the time of the code request, the Jacksonville exchange had a MTE of 17.22 and a utilization of 59.15%, while the MTE for the San Marco (JCVLFLSMDS0) switch was -40.65 with a utilization of 86%.

7. On October 11, 2012, NeuStar's automated number request system denied AT&T Florida's request for additional numbering resources because AT&T Florida had not met the utilization based criteria, notwithstanding the fact that AT&T Florida is unable to provide the numbering resources requested by the specific customer. <u>See</u> Attachment 1. Pursuant to Commission Order No. PSC-01-1973-PCO-TL, attached to this Petition is the MTE and utilization rate for each switch in the Jacksonville exchange and the customers contact information. <u>See</u> Attachment 2.

8. As discussed above, both the FCC Order and the INC guidelines provide that state regulatory authorities have the power and authority to review NeuStar's decision to deny a request for numbering resources. <u>See</u> INC Number Pooling Guidelines Sections 3.7 and 12(c).

9. Under its current procedures, NeuStar looks at the number of MTE and utilization for the entire rate center without exception, regardless of the reason for the request, customer impact or public interest impact. The current process is arbitrary and results in (1) decisions contrary to the public interest and welfare of consumers in Florida; and (2) decisions that do not necessarily promote the efficient use of telephone numbers.

10. AT&T Florida requests that the Commission reverse NeuStar's decision to withhold numbering resources from AT&T Florida on the following grounds:

(a) NeuStar's denial of numbering resources to AT&T Florida interferes with AT&T Florida's ability to serve its customers in Florida, and specifically interferes with AT&T Florida's ability to serve its customer identified in Attachment 2.

(b) The MTE at the rate center level requirement is discriminatory against the incumbent LEC, since the ILEC is typically the only local service provider with multiple

3

switches in a rate center. The ILEC deploys multiple switches in a rate center in order to meet customer demand for telephone service. The new FCC rules for obtaining numbering resources both penalizes and discriminates against the ILECs for deploying multiple switches. AT&T Florida believes that it is patently unfair to require that the ILEC only get six (6) MTE in all the switches it has deployed in a rate center, when the CLECs, which have recently entered the local service market, have to meet the MTE requirement in only the single switch that they have deployed to serve their customers in a single rate center or even multiple rate centers.

(c) As a result of NeuStar's denial of AT&T Florida's request for additional numbering resources, AT&T Florida will be unable to provide telecommunications services to its customers as required under Florida law.

WHEREFORE, AT&T Florida requests:

1. The Commission review the decision of NeuStar to deny AT&T Florida's request for additional numbering resources for the Jacksonville exchange; and

2. The Commission direct NeuStar to provide the requested numbering resources for the Jacksonville exchange as discussed above.

Respectfully submitted this 16th day of October 2012.

AT&T FLORIDA

Suzanne L. Montgomery Authorized House Counsel No. 94116 Tracy W. Hatch c/o Gregory R. Follensbee 150 South Monroe Street Suite 400 Tallahassee, Florida 32301 (305) 347-5558

## Arrachmenr 1 Page 1 of 5

# REDACTED

TBPAG Attachment 1 - March 19, 2007

Thousands-Block Application Form - Part 1A

Tracking Number:

904-JACKSONVL-FL-577981 Full NXX: Pool Replenishment

Type of Application:

Disconnect

### **GENERAL APPLICATION INFORMATION**

### **1.1 Contact Information:**

Block Applicar	<u>1t:</u>
Company Name:	BELLSOUTH TELECOMM INC DBA SOUTHERN BELL TEL & TEL
Headquarters Address:	500 Broad St SE
City, State, Zip:	
Contact Name	
Contact Address:	
City,State,Zip:	
Phone:	FAX: E-mail: @att.com
Pooling Admin	nistrator: <sup>11</sup>
Contact Name:	Dara Flowers
Contact Address:	1800 Sutter St
City,State,Zip:	Concord .CA.94520
Phone:	925-363-8730 FAX: 925-363-7697
E-mail: dara.	liowers@neustar.biz

**1.2 General Information:** 

Check one : No LRN needed X LRN needed iii

Parent Company's OCN

Page 2 of 5

NPA: <u>904</u> LATA: <u>452</u> OCN: <sup>iv</sup> <u>9417</u> Number of Thousands-Blocks Requested : <u>1</u>	REDICTED
Switching Identification(Switch Entity/POI) : <u>JCVLFLSMDS0</u>	,
City or Wire Center Name :	Rate Center: <sup>vi</sup> JACKSONVL

Rate Center Sub Zone:\_\_\_\_

1.3 Dates:

Date of Application: <sup>vii</sup>	Requested Block Effective Date:
10/11/2012	viii <u>11/15/2012</u>

Description of the selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

Request Expedited Treatment? (See Section 8.6) Yes X No Expedited Explanation: REOUEST EXPEDITED DATE TO MEET CUSTOMER NEEDS

### 1.4 Type of Service Provider Requesting the Thousands-Block :

- a) Type of Service Provider : <u>Incumbent Local Exchange Carrier (ILEC)</u> (LEC, IXC, CMRS, Other)
- b) Primary type of service Blocks to be used for : Wireline

d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if any <u>REOUEST ABOVE</u>

e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping(the remainder of the blocks will be given to the pool) <u>N/A</u>

### 1.5 Type of Request:

Initial block for rate center : Yes \_\_\_\_\_ If Yes , attach evidence of authorization and proof of capability to provide service within 60 days. Growth block for rate center : Yes \_\_\_\_\_ If Yes , attach months to exhaust worksheet

## 2

file://C:\Users\sg7766\AppData\Local\Microsoft\Windows\Temporary Internet Files\Con... 10/11/2012

### Part1A

### Part1A

## REDALTED

By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.

Type of change(Mark all that apply)

□ OCN:Intra-company <sup>ix</sup> □ Switching Id □ Part 1B

□ OCN:Inter-company × □ Effective Date

Change block : Yes \_\_\_\_\_ If Yes , list NPA-NXX-X \_\_\_\_\_

### 1.6 Block Return :

a) Is this block Contaminated Yes \_\_\_\_\_ No \_\_\_\_\_

b) If Yes how many TNs are NOT available for assignment :\_\_\_\_\_

c) Have all new Intra SP ports been completed in the NPAC Yes \_\_\_\_\_ No \_\_\_\_

d) Has this block been protected from further assignment Yes \_\_\_\_\_ No \_\_\_\_\_

Disconnect block : Yes \_\_\_\_\_\_ If Yes , list NPA-NXX-X \_\_\_\_\_\_

Remarks:

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines(ATIS-0300066) available on the ATIS web site (http://www.atis.org/inc) or by contacting inc@atis.org as of the date of this application.

Signature of Block Applicant

Sr. Specialist Title Date

### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator s name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local

## 3

Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based

provider <sup>xi</sup>. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied. The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

### Foot Notes :

<sup>1</sup>Identify the type of change(s) in Section 1.5.

<sup>ii</sup> The Pool Administrator is available to assist in completing these forms.

<sup>iii</sup> A CO Code application will also need to be submitted to the PA.

<sup>iv</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>v</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

vi Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be

Ц

provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block (s) is/will be active in the network prior to the effective date of the block(s).

<sup>ix</sup> Select if you are the current Block Holder.

\* Select if you are not the current Block Holder

<sup>xi</sup> Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc. Code Part1A

# REDACTED

## Central Office Code (NXX) Assignment Request Part 1 December 9, 2005

Tracking Number:	904-JACKSONVL-F	<u>L-577981</u>			
	Full NXX: Pool Replenishment				
Type of Application:	<b>New</b>	Change Delete			
1.0 GENERAL	INFORMATION				
1.1 Contact Info	rmation:				
Code Applicant:	•				
Company/Entity Name:	BELLSOUTH TELE	COMM INC DBA SOUTH	IERN BELL TEL & TEL		
Headquarters Address:					
City, State, Zip:					
Contact Name:					
Contact ;					
Address:					
City,State,Zip:			an and the Antonia and		
Phone:	mail:	FAX: <b>feet</b>	E-		
Code Administr	ator: <sup>2</sup>				
Name:	Michael Ortega				
Address:	46000 Center Oal	<u>. Plaza</u>			
City,State,Zip:	Sterling VA 20166				
Phone:	<u>571-434-5348</u>	.FAX: <u>571-</u>	434-		
Fuone:	3/1-434-3340	<u>5502</u>			
		TA: 452 OCI			
1.2 NPA: 904	<u>9417</u> P <u>9400</u>	arent Company's OCN	(s)		
Switching Identification(Switch Entity/POI) <sup>5</sup> JCYLFLSMDS0					
Locality/City/W	fire Center:		Rate Center: <sup>6</sup> JACKSONVL		
Homing Tanden AT&T	n Operating Co: <sup>7</sup>	Tandem Homing CLLI <sup>8</sup> : <u>JCVLFLSM01T</u>			

6

1.3 <u>Dates:</u> Date of Application: <u>10/11/2012</u>

Request Effective Date: 9 10 \_\_\_\_\_\_11/15/2012\_\_\_

☑ By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

 Request Expedited Treatment? Yes X No

 Expedited Explanation:

 CUSTOMER NEEDS

1.4 a) Type of company/entity requesting the code: <u>Incumbent Local</u> <u>Exchange Carrier (ILEC)</u> (LEC, IC, CMRS, Other)

b) Types of service: <u>Wireline</u> (e.g., Cellular - Type 2)

c) Code Assignment Preference (Optional)

d) Codes that are undesirable, if any \_\_\_\_\_ REOUEST ABOVE

e) Type of change(Mark <u>all</u> that apply)

□ OCN-Intra-company <sup>11</sup> □ Switching Id □ Rate Center □ Tandem Homing CLLI

 $\square$  OCN-Inter-company <sup>12</sup>  $\square$  Effective Date  $\square$  LATA  $\square$  Extend Reservation

1.5 Type of Request (Initial, growth, etc.) Growth

If an initial code, attach(1) evidence of certification and (2) proof of ability to place code in service within 60 days. If a growth code, attach months to exhaust worksheet.

Pooling Indicator: <sup>13</sup>  $\square$  Yes  $\square$  No

1.6 NPA Jeopardy Criteria Apply: 🗌 Yes 🗍 No

1.7 Code request for new service (Explain):

7

1.8 It is the code applicant's responsibility to arrange input of Part 2 information into BIRRDS. The 45-calendar day nationwide minimum interval cutover for BIRRDS will not begin until input into BIRRDS has been completed.

Comments:

I hereby certify that the above information requesting an NXX code is true and accurate to the best of my knowledge and that this application has been prepared in accordance with Central Office Code (NXX) Assignment Guidelines posted to the ATIS Web Site (http://www.atis.org/atis/clc/inc/incdocs.htm) as of the date of this application: <sup>14</sup>

Signature of Code Applicant

Sr. <u>Specialist</u> 10/11/2012 Title Date

<sup>1</sup> Identify type and reason for change(s) in Section 1.4(e).

 $^{2}$  A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.

 $^{3}$  The NXX field is required for any code request in which there is a change or the NXX is being returned.

<sup>4</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (800-228-8597) to be assigned a Company Code (s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the Telcordia <sup>TM</sup> Routing Administration (TRA) on 732-699-6700.

<sup>5</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character Telcordia <sup>TM</sup> COMMON LANGUAGE CLLI <sup>TM</sup> Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc.)

<sup>6</sup> Rate Center name must be a tariffed Rate Center associated with toll billing.

<sup>7</sup> Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.

<sup>8</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.

## 8

MTE Block	RE	Page 2 of 3	
Previous 6 months <sup>3</sup>			
F. Forecast - Next 12 months <sup>4</sup>			
G. Average	Monthly Forecast (Sum of months 1-6	o (Part F above) divided by	(6)
H. Months to Exhaust <sup>5</sup> =	Numbers Available for Assignmer Customers(A)	<u>it to</u>	
	Average Monthly Forecast(G)		
	Block Requested	Available Numbers	<u>Months To Exhaust</u> 17.221
I. Utilization <sup>6</sup> =	Assigned Numbers(B) - Excluded Nu (D)	<u>unbers</u> X 100 = <u>59.145</u>	
	Total Numbering Resources(C)-Exc Numbers(D)	luded	

Explanation:		_	

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received =10,000).

<sup>3</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>4</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>5</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>6</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

## 9

<sup>9</sup> Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines.

<sup>10</sup> Requests for code assignment shall not be made more than six months prior to the requested effective date.


<sup>11</sup> Select if you are the current Code Holder

<sup>12</sup> Select if you are not the current Code Holder

<sup>13</sup> The Applicant will indicate "YES" if the NXX being requested will be used for thousands-block number pooling and will leave this field blank if it is not.

<sup>14</sup> An incomplete form may result in delays in processing this request.

MTE Block		RED	DACTED	)	Page 1 of 3
			ERTIFICATION V ling Growth Block	VORK SHEET - 7	fay 16, 2008 IN Level <sup>1</sup>
Tracking Number: <u>9</u> Date: <u>10/11/2012</u>	04-JACKSON OCN: <u>9417</u>	Company Nar	ne: <u>BELLSOUTH</u> BELL TEL & TE		IC DBA
Rate Center: JACKS	SONVL				
List all Codes NPA(	s)-NXX(s) and	Blocks NPA(s)-	NXX-X(s):		
Name of Block App	licant	Signature:			
Title:Sr. Specialist	Te	elephone No.:		FAX No.:	
E-mail:	<u>t.com</u>				
A. Available Numb	ers				
B. Assigned Numbe	rs:				
C. Total Numbering	Resources				
D. Quantity of num from the Utilization		n the past 90 day	vs (increments of 1,	000 or 10,000) an	d excluded
List Excluded Code(s) or Block(s):					
Month #1	Month Month #2 #3	n Month Month N #4 #5	Month Month Mont #6    #7    #8		Aonth Month #11 #12
E. Growth Hereit					
file://C:\Users\sg7766	\AppData\Loci	al\Microsoft\Wir	I dows\Temporary I	nternet Files\Con.	10/11/2012



Explanation: \_\_\_\_\_

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received =10,000).

<sup>3</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>4</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>5</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>6</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

## 12

Page 3 of 3

## Pooling Administration System

## REDACTED

Page 1 of 1

Pooling Administration System							
• Sign Out							
_	Time : 10/11/2012 12:50:06 PM EDT						
曲 記 Requests 由 聞 CO/NXX Code	Months to Exhaust and Utilization Certification Worksheet - TN Level(Continued) <sup>1</sup>						
<sup>1</sup> Requests ⊕g∰Withdraw Pending Requests ⊕g∰Confirm	Your Utilization calculates to 59.145%. The FCC required the utilization of <b>75.000%.</b> You have requested more blocks than you will exhaust in six months.						
Resources In Service Bervice Blocks	Select One Option and Submit						
Defendence Submit Forecast	Return to the Months To Exhaust Form						
Search Forms	Need to request a State Waiver						
Reports	Received a State Waiver						
Be Suser Profile							
	Submit, J. Gancel						
neustar	Question? Email us © 1997-2012 Neustar, Inc. Legal Notice						
	)//						

Tracking Number:							1	rbpag Att '		19, 2007 00066.at1
		The	ousands-Bk	ock Apj Part 1A		orm			A110-00	
Type of Application (check	one):	New	X		Change[i]		. 1	Disconnect		
		GENE	RAL APPLI	CATIO	N INFORM	ATION				
1.1 Contact Information:										
Block Applicant:				•						
Company Name:							·		_	
Headquarters Address:				City			State		_ Zip _	
Contact Name:				011		-	Ohnda		-71-	
Contact Address: Phone:	<u>, , , , , , , , , , , , , , , , , , , </u>	-		City	Case		State		_ Zip _	
E-Mail:					Fax	·····				
Pooling Administratoriiii:										
Contact Name:							_			
Contact Address:				City			State		_ Zip _	
Phone: E-Mail:			<b>5</b> -1		Fax		•			
1.2 General Information										
Check one;	No LRN nee	ded	<u> </u>	RN ne	eded[iii]					
NPA:	904	LATA:	JCVL (	OCN[iv]	: 9417		Parent	Company's		9400
Number of Thousands-Block	Requested:		1			-			-	
Switch Identification (Switc			JCVLFLSN	IDS0		ire Center N				
Rate Center[vi]:	JACKSONV				Rate Cen	ter Sub Zon	<b>e</b> :			
1.3 Dates										
Date of Application <sup>[vii]</sup> :			1	Reques	ted Block E	Effective Dat	elviii):	ASAP		
Request Expedited Treatm	ent?	Yes		No	X					
(See Section 8.6)			<del></del>			-				
1.4 Type of Service Provid	er Requesting	, the Tho	usands-Block	:						
a) Type of Service Provider:	-	LEC	_ (	(LEC, I	XC, CMRS	, Other)				
b) Primary type of service Blo			Wireline							
c) Thousands-Block(s) (										
d) Thousands-Block(s) (	•			-						
e) If requesting a code for LR (the remainder of the blocks v				ou will l	be keeping				_	

1.5 Type of Request Initial block for rate center:	Yes		(If Yes attach evidence of authorization and proof of capability to provide Service within 60 days)
Growth block for rate center:	Yes	X	If Yes, attach months to exhaust worksheet
Change block:	Yes		If Yes, indicate NPA-NXX-X, type of and reason for change:
Disconnect block: Remarks:	Yes		If Yes, list NPA-NXX-X
I hereby certify that the above	information	n requesting a	n NXX-X block is true and accurate to the best of my knowledge and that this
application has been prepared	in accordar	nee with the T	housands-Block (NXX-X) Pooling Administration Guidelines ATIS-0300066.

Signature of Block Applicant Title Date

Instructions for filling out each Section of the Part 1A form:

.

Section 1.1	Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail. Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN)are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia™ LERG™ Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia™ Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub
Section 1.2	zone, homing tandem and CLLIO tandem of the facilities based provider[bk]. Explanations of these terms may be found in the footnotes.
	The date the Service Provider completes the application should be entered in this section, as well as the
Section 1.3	Effective Date of the requested thousands-block.
Section 1.4	Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.
	Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering
Section 1.5	resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

### ATIS-0300066.ap3 - Appendix 3

#### August 6, 2001

### MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET - TN Level [1] (Thousands-Block Number Pooling Growth Block Request)

	Date: Rate Center;	July 17,2012	OCN: _	917	_Company Ni	ame: _								
	List all Codes NPA(s)-NXXs ( NPA(s)-NXX-X(s):	and Blocks												
•	Name of Block Applicant: Title: E-Mail:		1	<b>elep</b> hone	Signature:			FAX No.						
 ( 	<ul> <li>A. Available Numbers:</li> <li>B. Assigned Numbers:</li> <li>C. Total Numbering Resource</li> <li>D. Quantity of numbers activ</li> <li>List excluded Code(s) or Bloce</li> </ul>	aled in the past 90 days a	nd excluded	from the	Utilization cal	culation:								
Ţ	E. Growth History - Previous	Month #1 6 months[2]	Month #2	Month #3	Month #4	Month #5	Month #6	Month #7	Month #8	Month #9	Month #10	Month #11	Month #12	
1	F. Forecast - Next 12 months	s[3]												
(	G. Average Monthly Forecast (Sum of months #1-6 (Part F above) divided by 6):													
١	H. Months to Exhaust[4]		Numb		e for Assignment i e Monthly Forece		A)			<b>*</b> .				
I	. Utilization[5]				ers (B) — Exclude sources (C) — Exc				• 100	• .	59.14			
E	Explanation:								, ,					

[1] A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

[2] Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

[3] Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

[4] To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).

[5] Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

۰.

Foot Notes:

[I] Identify type of and reason for change(s) in Section 1.5.

[ii] The Pool Administrator is available to assist in completing these forms.

[iii] A CO Code application will also need to be submitted to the PA

[iv] Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524–1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

[v] This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI™ code of the switch /POi.

[vi] Rate Center name must be a tariffed Rate Center.

vii Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

[vill] Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the PSTN prior to the effective date of the block(s).

[ix] Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.



TBPAG Att 1 - March 19, 2007 ATIS-0300066.at1

Thousands-Block Application Form Part 1B

. ....

NPAC BLOCK HOLDER DATA

Submit one form per thousands-block request.

Activation Request:		Intra SP Block Porting Request:
	 10	
Modification Request:		For information Only:

### Section A:

If request is for Activation, the thousands-block applicant is to provide all data except Block Range, Block Effective Date and LERG Assignee/donating switch information; the PA will fill in those three fields. For a Modification or Intra SP Block Porting Request, the requestor is to provide all information.

Pooling Administrator Name	······································						
Address City, State, ZIP Phone E-Mail				FAX			
Block Applicant Company Name							
Contact Name Address City, State, ZIP							
Phone E-Mail				FAX	•		
Service Provider NPAC SOA SPID LRN	94	-		-			
Block (1K) Range Block Effective (MM/DD/YYYY)		ī		- 1			
is Block being allocated back to the	LERG Assig	jnee on th	e donating	switch?	YES	 NO	<u> </u>
If "Yes," do not send Part 1B to the	NPAC. If "No	o," forward	Part 1B to	the NPAC.			
NPAC Activate Block Range	YES	x	NO		-		

Section B:

Block Applicant to provide this data ONLY If NPAC Activate Block Range is marked "YES." For Intra SP Block Porting the Block Holder should reflect the routing information of the switch the block is being transferred to6.

Class DPC7	252	-	34	-	150
Class SSN8	000		124	•	
LIDB DPC9	243	-	252	-	253
LIDB SSN10	000			•	
CNAM DPC11	243	-	252	-	5
CNAM SSN12	000				
ISVM DPC13	252	-	34	-	150
isvm 68n14	000			•	
WSMSC DPC15	N/A				
WSMSC SSN16	N/A				
SOA Origination17	N/A				

Section C: To be filled out by the SP for intra SP Block Porting.

# REDACTED

.

٠

To be compl New LRN:	leted if using 3.0 or higher. 	-			
Do you want	t the BCD record updated?	YE8	NO		
Section D: NPAC is to A Is complete a Block Holder.	ctivate/Modify/Port the Block (1K), as Ind the data in this section inserted, N	indicated on this IPAC sends a coj	form. When the B by of the complete	Block (1K) Active Ind form to the Po	ation / Modification / Po poling Administrator and
	lequest Complete lete Date (MM/DD/YYYY) Complete Time (HH/MM)	YES	NO		
NPAC Perso	nnel performing change		•		
	r sent Completed Form; lete Date (MM/DD/YYYY)	YES	NO		
	<b>Mailed Time (HH/MM) Contact Name</b>		•		
	ninistrator sent Completed Form: lete Date (MM/DD/YYYY)	YES	NO		
	Mailed Time (HH/MM) Contact Name		• 		
Remarks:					
Notes:					
1)	The requesting Block Applicant s when submitting PART 1 of the II Part 1B form is to be completed f	NC Thousands-B	lock Applicant for	m to the Pooling	
2)	The Pooling Administrator will ins to the regional NPAC at the same requesting Block Applicant.				
3)	Pre-Block Activation:				
-,	If the Block Holder is requesting a applicable data in Section B of th a) form to the NPAC for processing	is form and send			
4}	Post- Block Activation: If Block H of this form should be completed the information on to the NPAC. I to the Pooling Administrator and	and send to the i Upon completion	Pooling Administr	ator. The Poolin	g Administrator will sen

.

#### Foot Notes:

The Service Provider ID of the block holder. The SPID must be a valid SPID in the NPAC system. If your company does not have a SPID, please call the NPAC at 1-888-NPAC-HEL(P) for assistance.

2 A Location Routing Number is a 10-digit number, in the format NPA-NXX-XXXX, that uniquely identifies a switch or point of interconnection (POI). The NPA-NXX portion of the LRN is used to route calls to numbers that have been ported.

3 The Pooling Administrator will insert Block Information. The Block will consist of NPA-NXX and the first digk of the 1K block.

4 The Pooling Administrator will insert Block Effective Date. See section 9.2.4 of the Thousands-Block (NOX-X) Number Pooling Administration Guidelines for specifics on effective date. This is the earliest date that the NPAC will broadcest the Block information to all Local SMSs.

5 If "YES" is marked the NPAC will activate the block range. If "NO" is marked it will be the responsibility of the SP to activate the block range.

8 NANC 191

Whenever a DPC value is specified, an SSN value likewise must be provided (and vice versa).

The three-digit values used for the first three-digit portion of the DPC must be between 001 and 255 and the three-digit values used for the next two three-digit portions of the DPC must be between 000 and 255.

**NANC 291** 

The SSN value must be 000; no other value is accepted.

7 Customer Local Area Signaling Services Destination Point Code for 10-digit GTT for CLASS features for the 1K block.

8 Customer Local Area Signaling Services Subsystem Number for the 1K block.

9 Line information Database Destination Point Code for 10-digit GTT for LIDB features for the 1K block.

10 Line information Database Subsystem Number for the 1K block.

11 Ceiling Name Delivery Destination Point Code for 10-digit GTT for CNAM features for the 1K block.

12 Calling Name Delivery Subsystem Number for the 1K block.

13 Inter-Switch Voice Mail Destination Point Code for 10-digit GTT for ISVM features for the 1K Block

14 Inter-Switch Voice Mail Services Subsystem Number for the 1K block. .

15 Wireless Short Message Service Center Destination Point Code for 10-digit GTT for WSMSC features. This field is only required if the service provider supports WSMSC data.

16 Wireless Short Message Service Center Subsystem Number for the 1K block. This field is only required if the service provider supports WSMSC data. 17 The SOA Origination Field must be populated with "No" if the NPAC Activate Block Range is marked "Yes" which specifies that the block applicant will not activate their own block range.

## GREER, STAN L

From:
Sent:
To:
Cc:
Subject:

dara.flowers@neustar.biz Thursday, October 11, 2012 12:52 PM

PA\_Part3@neustar.biz PAS - Pooling Administrator's Response/Confirmation for Tracking Number: 904-JACKSONVL-FL-577981

# Pooling Administration System

Dated 11-October-2012

.

November 21, 2003 ATIS-0300068.at3			Attachment 3
	oling Administrator's I TBPAG	Response/Confirmation Part 3	
Tracking Number :	904-JACKSONVI FL-577981		
Date of Application:	10/11/2012	Effective Date:	
Date of Receipt:	10/11/2012	Date of Response:	10/11/2012
Service Provider Name:	BELLSOUTH TE	LECOMM INC DBA SOU	THERN BELL TEL
(Telcordia <sup>™</sup> LERG <sup>™</sup> Routing Guide ) OCN:	9417		
NPAC SOA SPID :			
Pooling Administrator Co Dara Flowers			925-363-8730
Signature of Pooling Admin		hone:	820-303-0730
Dara Flowers		EX:	925-363-7697
Name (print)			
Email:	<u>d</u>	ara.flowers@neustar.blz	
NPA-NXX or NPA- NXX-X :		Block A	ssigned:
		Block Re	served :
		Block Re Expiration	Bate :
		Block/Co Modified :	
		Block/Cr	vde

1

er:

Block Contaminated(Yes or No) :

If Yes, enter the number of TNs contaminated :

Switch Identification(Switch Entity/POI): 1

Rate Center:

Rate Center Sub Zone:

	 - 660	 	 _	

JCVLFLSMDS0

JACKSONVL

X Form Complete, request denied.

Explanation:

DR-57: You do not meet the MTE and/or Utilization requirements, therefore this request for a new code is denied. You may proceed with requesting a State Waiver from the appropriate state commission using this Part 3 denial. If you are in disagreement with the disposition of this request, please refer to the Thousands'Block Number (NXX-X) Pooling Administration Guidelines for the appeals process.

Request withdrawn.


Explanation:

Assignment activity suspended by the administrator.

Explanation:

### Remarks:

<sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification code of the switching entity/POI shown on the Part 1A form (Telcordia, LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc.)



## REDACTED Jacksonville Utilization Summary Report

Exchange	Central Office	Wire Center CLLI	Blocks	Average Growth	Available TNs	MTE	Util
Jacksonville	Arlington	JCVLFLARDS0	101				
Jacksonville	Atlantic	JCBHFLABRS0	20				
Jacksonville	Avenues	MNDRFLAVDS0	50				
Jacksonville	Beachwood	JCVLFLBWDS0	145				
Jacksonville	Clay Street	JCVLFLCLDS0	291				
Jacksonville	Ft. Caroline	JCVLFLFCDS0	34				
Jacksonville	Ft. George	FTGRFLMARS0	5				
Jacksonville	Int, Airport	JCVLFLIARS0	11				
Jacksonville	Lake Forest	JCVLFLLFDS0	52				
Jacksonville	Loretto	MNDRFLLODS0	83				
Jacksonville	Normandy	JCVLFLNODS0	63				
Jacksonville	Oceanway	JCVLFLOWDS0	38				
Jacksonville	Riverside	JCVLFLRV38E	60				
Jacksonville	San Jose	JCVLFLSJ73E	127				
Jacksonville	San Marco	JCVLFLSMDS0	133				
Jacksonville	San Pablo	JCBHFLSPRS0	48			<u></u>	
Jacksonville	Southpoint	JCVLFLJTRSA	70				
Jacksonville	Wesconnett	JCVLFLWCD\$0	106				

#### **Customer Contact Information**

### 1