FILED MAY 15, 2014 **DOCUMENT NO. 02286-14 FPSC - COMMISSION CLERK**

State of Florida



Public Serbice Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE:

May 15, 2014

TO:

Carlotta S. Stauffer, Commission Clerk, Office of Commission Clerk

FROM:

Michael A. Springer, Public Utilities Supervisor, Division of Accounting & Finance

RE:

Docket No. 130172 -WS - Application for approval of transfer of certain water and

ARCHINGS ON B. 10 wastewater facilities and Certificate Nos. 501-W and 435-S of Aqua Utilities

Florida, Inc. to Sunny Hills Utility Company in Washington County.

Please include the attached documents into the docket file referenced above.

Sunny Hills Utility Company Audit Report 13-199-1-1

Water Rate Base	Utility Balance Adjustment Audit Balance	\$ 9,504
Plant in Service	\$ 4,071,798 \$ 4,071,798	Annual Amount (x12)
Land	\$ 10,779 \$ 10,779	\$ 114,048
Accuulated Depreciation	\$ (1,621,469) \$ (9,504) \$ (1,630,973)	
CIAC	\$ (692,445) \$ (692,445)	
Accumulated Amortization - CIAC	\$ 174,457 \$ 1,286 \$ 175,743	
	\$ 1,943,120 \$ (8,218) \$ 1,934,902	
	Depreciation Remaining Life	
	Expense of Assets	
Plant in Service	\$ 4,071,798	
Accumulated Depreciation	\$ (1,630,973)	
Accumulated Depreciation	\$ 2,440,825 \$ 114,048 4.67 21.40 years	
- 15	2,440,825	
Check figure:	2,440,625	One month Depreciation - Audit Finding 1
	Littly D. L Adjustus et Audit Delange	\$ 2,396
Wastewater Rate Base	Utility Balance Adjustment Audit Balance	Annual Amount (x12)
Plant in Service	\$ 758,635 \$ 758,635	
Land	\$ 4,483 \$ 4,483	\$ 28,752
Accuulated Depreciation	\$ (621,796) \$ (2,396) \$ (624,192)	
CIAC	\$ (6,977) \$ (6,977)	
Accumulated Amortization - CIAC	\$ 2,426 \$ 18 \$ 2,444	
	\$ 136,771 \$ (2,378) \$ 134,393	
	Depreciation Remaining Life	
	Expense of Assets	
Plant in Service	\$ 758,635	
Accumulated Depreciation	\$ (624,192)	
	\$ 134,443 \$ 28,752 21.39 4.68 years	
Check figure:	134,443	

One month Depreciation - Audit Finding 1