FILED MAY 23, 2014 **DOCUMENT NO. 02494-14 FPSC - COMMISSION CLERK**



Maria J. Moncada Principal Attorney Florida Power & Light Company 700 Universe Boulevard Juno Beach, FL 33408-0420 (561) 304-5795 (561) 691-7135 (Facsimile) Email: Maria.Moncada@fpl.com

May 23, 2014

Ms. Carlotta S. Stauffer Commission Clerk Florida Public Service Commission Betty Easley Conference Center 2540 Shumard Oak Boulevard, Room 110 Tallahassee, FL 32399-0850

> Re: Docket No. 130223-EI

> > FPL's Request for Confidential Classification

Dear Ms. Stauffer:

FPL has determined that a few items identified in its Request for Confidential Classification for of certain documents produced in response to OPC's First Request for Production (filed May 12, 2014) were incorrectly designated as confidential. Accordingly, FPL encloses for filing:

- Exhibit A: Corrected pages bates nos. 888, 891 and 1205. These corrected pages are intended to replace the corresponding bates numbered pages included in Exhibit A to the May 12, 2014 filing.
- Exhibit B: (two copies): Corrected pages bates nos. 888, 891 and 1205. These corrected pages are intended to replace the corresponding bates numbered pages included in Exhibit B to the May 12, 2014 filing.
- Exhibit C: A revised justification table that is intended to replace the Exhibit C filed on May 12, 2014.

Please contact me if you or your Staff has any questions regarding this filing. COM AFD Sincerely, APA ECO) ENG Maria J. Moncada GCL IDM Enclosures cc: parties of records w/out enclosures CLK

Florida Power & Light Company

EXHIBIT A

CONFIDENTIAL

REDACTED

EXHIBIT B

REDACTED

- I To: 'barbara.leary@fpl.com'
- Z Subject: Mailing quote
- 3 Hi Barbara,
- 4 I went over the specs for your job/mailing with estimating and I estimated based on the higher quantity of 40K.



- 6 40K
- 7 Letter w/ variable
- § 4/0 process with perforation
- 4 8.5 x 14
- o 60# offset
- " Envelope
- /Z #10 window
- 13 #9 BRE
- Postage is additional: Presorted first class (\$.34 \$.39 p/p)
- Let me know if you have any questions or if you need to make an adjustment in the specs.
- 16 Thank you
- 17 Jessica Meneses
- (Y Manager of Inventoried Items
- 7 Fulfillment Division | Original Impressions
- 20 12901 SW 89th Court. Bay 1
- 21 Miami, Fl. 33176
- 22 P 305 254 2100 | F 305 971-4666 | T 888 853 8644
- 23 <image002.png>

- / Yes, thank you very much, Jessica. One question: what would the cost be if we did certified, return receipt requested?
- From: Jessica Meneses [jmeneses@originalimpressions.com]
- 3 Sent: Monday, September 16, 2013 12:21 PM
- Y To: Leary, Barbara
 Cc: Henry Herrera
- 6 Subject: RE: Mailing quote
- 7 <image001.gif>
- & Hi Barbara,
- 9 I'm just following up to make sure you received my email with the pricing for the mailing we spoke about last week. Let me know if you have any
- to questions.
- 11 Thank you
- /2 Jessica Meneses
- Manager of Client Inventoried Items
- /y Fulfillment Division | Original Impressions
- 15 12901 SW 89th Court. Bay 1
- / Miami, Fl. 33176
- 7 P 305 254 2100 | F 305 971-4666 | T 888 853 8644
- 18 From: Jessica Meneses
- 74 Sent: Thursday, September 12, 2013 12:39 PM
- 20 To: 'barbara.leary@fpl.com'
- 21 Subject: Mailing quote
- ZZ Hi Barbara,
- 23 I went over the specs for your job/mailing with estimating and I estimated based on the higher quantity of 40K.
- 24 March Park
- 25 40K

	A	B	Ċ	\mathcal{D}	E	F	6	Н	I	J	K	L
12345678	Region South SE East Central West North	MR Salary (PP)	MR Salary (Wi	O) 4R Salary (Houri	MR NP Adder \$701.22 \$617.89 \$737.10 \$530.75 \$200.71 \$175.38	MR Severance	2013	\$8,414.66 \$7,414.73 \$8,845.23 \$6,368.94 \$2,408.48 \$2,104.61				
9 10	Loader loader rate	1.1455 14.55%										

// J:\Irene\2013 Budget
/ Z File: Mtr Rdng SAT esti

File: Mtr Rdng SAT estimates as of June 2013.xlsx / August burn rate report_2013 budget.xlsx

13												
19,										FTE	s needed before	
14,	* Projected FTE	Needs by location.	(Provided by Ju-	an)				Holdback Read Rate		100 hol	ld is given back in	
12	Sub-Region	Avg. FTE Need	Max Reduction	ı	Row Labels	Total FTE	Dep. Plan	Proj. Holdback (0.02)	FTEs	No	v 2014	Why 2012 FTE count is so much lower
16	C1	15	21		C1	36	270900	5418.00)	3	18	1) additional FTEs in 2011
17	C2	7	39		C2	46	285780	5715.60)	3	10	2) non performer hold back (until 11/14)
18	E1	19	61		E1	80	670680	13413.60)	6	25	3) more on prop end state (revised FTE)
19	N1	9	26		N1	35	265065	5301.30)	3	12	
20	N2	5	11		N2	16	91933	1838.66	i	1	6	Model changes - end number so much higher
21	N3	5	6		N3	11	48800	976.00)	1	6	a) original model does not take into consideration adders
22 23 24	51	35	105	NP's incl	\$1	140	980071	19601.42	!	10	35	b) read rate vs actual time to read the meters
23	SE1	24	51	NP's inci	SE1	75	756170	15123.40)	4	24	
24	W1	12	45		W1	57	416250	8325.00)	4	16	
25	W2	8	25		W2	33	222000	4440.00)	3	11	
	W3	10	30		W3	40	301300	6026.00)	3	13	
<i>i</i> 27					Grand Total	569	-					
i2.ģ										41		
C.D												

EXHIBIT C

JUSTIFICATION TABLE

EXHIBIT C

COMPANY: Florida Power & Light Company

TITLE: List of Confidential Documents

DOCKET TITLE: Petition for approval of optional non-standard meter rider

DOKCET NO.: 130223 DATE: May 23, 2014

Description	Bates Number	Conf. Y/N	Line/Column	366.093(3) F.S.	Affiant
Public Counsel's First Request For	FPL 000363	Y	Col A, line 50 Col D, line 41 Col E, line 35 Col F, lines 7, 16, 21, 25, 30, 33, 35, 37, 41, 49 Col G, lines 10, 25, 34 Col H, line 18 Col I, line 23 Col J, line 9 Cols H - K, line 33 Col L, lines 7, 16, 21, 30, 33, 35, 41, 49 Col M, lines 7, 16, 21, 25, 35, 37, 41, 49	(d) (e)	Blanca Rosa Perez
Production	FPL 000684	Y	Col C, line 37 Col E, lines 6, 13, 16, 19, 24, 28, 30, 32, 36, 44 Col F, lines 20, 34 Col G, lines 14, 31 Col H, line 18 Col I, line 9 Col K, lines 6, 13, 16, 24, 28, 30, 36, 44	(d) (e)	Robert A. Onsgard
	FPL 000685	Y	Col A, lines 14, 16 - 18	(d) (e)	Robert A. Onsgard

	FPL 000888	Y	Line 5	(d) (e)	Barbara E. Leary
	FPL 000891	Y	Line 24	(d) (e)	Barbara E. Leary
	FPL 001097	Y	Col A, line 12 Col C, line 12, 23 Col E, line 12	(d) (e)	Blanca Rosa Perez
D 11	FPL 001099	Y	Col D, lines 6, 13, 16, 19, 24, 30, 32, 36, 44 Col E, lines 20, 34 Col F, line 31 Col G, line 15, 37 Col H, lines 9, 18 Col J, lines 6, 13, 16, 24, 28, 30, 36, 44 Col N, lines 6, 13, 16, 19, 36	(d) (e)	Blanca Rosa Perez
Public Counsel's	FPL 001100	Y	Col A, lines 13, 15 - 18	(d) (e)	Blanca Rosa Perez
First Request For Production (continued)	FPL 001133	Y	Col D, lines 6, 12, 15, 18, 21, 27, 29, 33, 41 Col E, lines 19, 31 Col F, line 28 Col G, lines 14, 34 Col H, lines 9, 17 Col J, lines 6, 12, 15, 21, 25, 27, 33, 41 Col K, lines 6, 12, 15, 18, 21, 27, 33, 41 Col L, lines 6, 12, 15, 27, 29, 33	(d) (e)	Blanca Rosa Perez
	FPL 001134	Y	Col A, lines 14, 16-19	(d) (e)	Blanca Rosa Perez
	FPL 001191 to FPL 001200 FPL 001201	Y	Cols E, F, lines 3- 51 Cols E, F, lines 3- 43	(e)	Irene R. Waldron

	FPL 001203	Y	Col A, lines 3-9 Cols C, D, lines 3- 10 Col H, line 3	(e)	Mark Mason
	FPL 001205	Y	Cols B-D, F, G lines 2-7 Col I, lines 1-8	(e)	Mark Mason
	FPL 001228 to FPL 001356		Cols E, G, H, lines 2-37		
	FPL 001357	***	Cols E, G, H, Lines 2-22		N I M
	FPL 001366 to FPL 001454	Y	Cols E, G, H, Lines 2-53	(e)	Mark Mason
Public Counsel's First Request	FPL 001455		Cols E, G, H, Lines 2-38		
For Production	FPL 001458	Y	Col D, line 8	(d) (e)	Mark Mason
(continued)	FPL 001498	Y	Col A, lines 3-9 Col C, D, lines 3- 10 Col H, Line 3	(d) (e)	Mark Mason
	FPL 001500	Y	Col A, lines 3-9 Col C, D, lines 3- 10 Col H, Line 3	(d) (e)	Mark Mason
	FPL 001980	Y	Col A, lines 2-8 Cols C, D, lines 2- 9 Col H, line 2	(e)	Mark Mason
	FPL 001990 to FPL 002174	Y	Cols E, G-I, O, P lines 2-61	(e)	Mark Mason
	FPL 002175		Cols E, G-I, O, P, lines 2 – 57		

EXHIBIT D

AFFIDAVITS

EXHIBIT D

(Corrected)

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Petition for Approval of standard Meter Rider	Optional Non-	Docket No. 130223-EI
STATE OF FLORIDA MIAMI DADE COUNTY)	AFFIDAVIT OF MARK MASON

BEFORE ME, the undersigned authority, personally appeared Mark Mason who, being first duly sworn deposes and says:

- 1. My name is Mark Mason. I am currently employed by FPL as General Manager Field Service Operations. My business address is 9250 West Flagler Street, Miami, Florida 33174. I have personal knowledge of the matters stated in this affidavit.
- I have reviewed the documents that are included in FPL's Request for Confidential Classification of Information of Certain Documents Produced in Response to Public Counsel's First Request For Production (Docket No. 130223-EI), for which I am listed as the affiant. Such documents or materials that I have reviewed and which, in whole or in part, are asserted by FPL to be proprietary confidential business information, contain or constitute competitively sensitive information, the disclosure of which would impair the competitive business of the provider of the information. Specifically, the material consists of employee compensation or benefits information. Public disclosure of compensation or benefits would enable competing employers to meet or beat the compensation offered by FPL, resulting in the loss of talented employees, or conversely, the need to increase the level of compensation already paid in order to retain these employees and attract new talent. Furthermore, disclosure of the compensation or benefits information of the type included in Exhibit A gives rise to concerns about infighting or morale among employees. Again, this could lead to higher wages, which ultimately result in higher rates for FPL's customers. In addition, some of the documents contain customer-specific account information. It is FPL's corporate policy not to disclose customer-specific information. This policy includes, but is not limited to: customer names, addresses, telephone numbers, account numbers, rates, billing determinants (kW and kWh usage), conservation savings in kW, kWh and bills. FPL treats such information as confidential and does not disclose it, except as required by law, to entities or persons other than the customer absent the customer's consent. To the best of my knowledge, FPL has maintained the confidentiality of these documents and materials.
- 3. Consistent with the provisions of the Florida Administrative Code, such materials should remain confidential for a period of not less than 18 months. In addition, they should be returned to FPL as soon as the information is no longer necessary for the Commission to conduct its business so that FPL can continue to maintain the confidentiality of these documents.

4.	Affiant	says	nothing	further.
----	---------	------	---------	----------

Mark Mason

sworn to and subscribed before me this day of May, 2014, by who is personally known to me or who has produced (type

of identification) as identification and who did take an oath.

Notary Public, State of Florida

My Commission Expire

