

State of Florida



Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD
TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE: September 17, 2014
TO: Carlotta Stauffer, Office of Commission Clerk
FROM: Lisa Ray, Division of Accounting and Finance *LR*
RE: Docket No. 130194-WS - Application for staff-assisted rate case in Lake County by Lakeside Waterworks, Inc.

Please place the following e-mail from Curt Mouring to Troy Rendell dated September 15, 2014 in the docket file for the docket referenced above.

Thank you.

RECEIVED-FPSC
14 SEP 17 PM 3:47
COMMISSION
CLERK

Curt Mouring

From: Curt Mouring
Sent: Monday, September 15, 2014 8:58 AM
To: 'Troy Rendell'
Cc: Andrew Maurey; Cheryl Bulecza-Banks
Subject: RE: Lakeside Waterworks

Thanks. I will place a copy of this e-mail in the docket file.

Curt

From: Troy Rendell [<mailto:trendell@uswatercorp.net>]
Sent: Friday, September 12, 2014 11:42 AM
To: Curt Mouring
Cc: Carl Smith; Ron Derossett
Subject: Lakeside Waterworks

Curt,

In reviewing the PSC website I found two previous orders that address the rates for Lakeside prior to us obtaining ownership. In Order No. PSC-00-0259-PAA-WS, the Commission addressed customers' concerns on metering and metered rates. This order also addressed the irrigation meters and the customers' concerns on water quality and management.

In Order No. PSC-13-425-PAA-WS, the transfer docket – the Commission indicated that the utility (previous owner) had implemented an index in 2012. This would explain the increase from \$1.22 to \$1.23 in gallonage charges prior to our purchase. This PSC Order approved the rates currently being charged.

I respectfully request that these two previous orders be taken into consideration when the staff addresses its final recommendation.

Thanks,
Troy

Troy Rendell
U.S. Water Services Corporation

U.S. Water
Services Corporation

4939 Cross Bayou Boulevard
New Port Richey, FL 34652
(Office) 727-848-8292 x245
(Fax) 727-848-7701
(E-Mail) trendell@uswatercorp.net