

STATE OF FLORIDA



COMMISSIONERS:  
ART GRAHAM, CHAIRMAN  
LISA POLAK EDGAR  
RONALD A. BRISÉ  
JULIE I. BROWN  
JIMMY PATRONIS

GENERAL COUNSEL  
CHARLIE BECK  
(850) 413-6199

# Public Service Commission

May 11, 2015

Ken Hoffman  
Ken.Hoffman@fpl.com  
Florida Power & Light Company  
215 South Monroe Street  
Suite 810  
Tallahassee, FL 32301-1858

## STAFF'S SECOND DATA REQUEST

RE: Docket No. 150085-EG- Petition for approval of demand-side management plan of Florida Power & Light Company.

Dear Mr. Hoffman,

By this letter, the Commission staff requests that Florida Power & Light Company ("FPL", "utility" and "company") provide responses to the following data requests.

1. Please provide an electronic copy of the cost-effectiveness forms for each programs based upon the economic life of the conservation measure without replacement of the measure upon end of life.
2. Staff notes that the effect of moving customers from the closed Residential On-Call program to the Residential load control program will change the credit amount of Central electric air conditioning (option C) device from \$6.00 to \$3.00. Staff also notes that the credit amount of a Central electric air conditioning (option S) device, which is currently \$9.00, will not change if a customer is moved to the Residential load control program. Please explain why no change to the Central electric air conditioning (option S) device credit was proposed?
3. Under the closed Residential On-Call program, are the Central electric air conditioning (option C) and Conventional electric water heater devices cost-effective (RIM) given the

Mr. Hoffman

Page 2

current credits of \$6.00 and \$3.50, respectively? Please provide any analysis used to support your conclusion in Excel format.

4. In regards to the equipment that interrupts the water heater and air conditioning devices, will FPL be using the same communication protocol to a customer's home and transponders in the Residential Load program that are used in the closed Residential On-Call program? Please describe any differences in the equipment used to implement these programs.
  
5. Please refer to FPL's response to staff's first data request No. 24(b) in Docket No. 150085-EG. Of the 72,770 central electric air conditioning customers mentioned in your response, please categorize how many are receiving credits for a Central electric air conditioning (option C) device? How many are receiving credits for a Central electric air conditioning (option S) device?

Please file all responses electronically no later than Monday, June 1, 2015, from the Commission's website at [www.floridapsc.com](http://www.floridapsc.com), by selecting the Clerk's Office tab and Electronic Filing Web Form. Please feel free to call me at (850) 413-6234 if you have any questions.

Sincerely,

*s/ Lee Eng Tan*

Lee Eng Tan

Senior Attorney

TLT/dml

cc: Office of Commission Clerk